
Codility_

Candidate Report: trainingKS5YHT-H3Q

Check out Codility training tasks

Test Name:

Summary Timeline Feedback





Tasks Details

1. PassingCars
Count the number of passing cars on the road.

Task Score
Correctness
Performance

100%
20%

Task description

A non-empty array A consisting of N integers is given. The consecutive elements of array A represent consecutive cars on a road.

Array A contains only 0s and/or 1s:

- 0 represents a car traveling east,
- 1 represents a car traveling west.

The goal is to count passing cars. We say that a pair of cars (P, Q), where $0 \le P < Q < N$, is passing when P is traveling to the east and Q is traveling to the west.

For example, consider array A such that:

- A[0] = 0
- A[1] = 1
- A[2] = 0
- A[3] = 1
- A[4] = 1

We have five pairs of passing cars: (0, 1), (0, 3), (0, 4), (2, 3), (2, 4).

Write a function:

class Solution { public int solution(int[] A); }


Solution

Programming language used: C#

Total time used: 1 minutes

Effective time used: 1 minutes

Notes: not defined yet



score: **60**

that, given a non-empty array A of N integers, returns the number of pairs of passing cars.

The function should return -1 if the number of pairs of passing cars exceeds 1,000,000,000.

For example, given:

 $A[\emptyset] = \emptyset$ A[1] = 1 $A[2] = \emptyset$ A[3] = 1 A[4] = 1

the function should return 5, as explained above.

Write an efficient algorithm for the following assumptions:

- N is an integer within the range [1..100,000];
- each element of array A is an integer that can have one of the following values: 0, 1.

Copyright 2009–2020 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

```
using System;
     // you can also use other imports, for example:
3
     // using System.Collections.Generic;
5
     // you can write to stdout for debugging purposes, e.g.
     // Console.WriteLine("this is a debug message");
6
8
     class Solution {
9
        public int solution(int[] A)
10
             {
                  int retVal = 0;
11
12
                  var len = A.Length;
13
                  for (int i = 0; i < len; i++)</pre>
14
15
                      if (A[i] == 0)
16
17
                          for (int j = i+1; j < len; j++)</pre>
18
19
20
                              retVal += A[j];
21
22
23
                      }
24
25
                  return retVal;
26
27
28
             }
29
     }
```

Analysis summary

The following issues have been detected: timeout errors.

Analysis 👩

Detected time complexity: O(N ** 2)

expai	nd all	Example tests	
•	example	✓	OK
	example test		
expand all		Correctness tests	
•	single	✓	OK
	single element		
•	double	✓	OK
	two elements		
•	simple	✓	OK
	simple test		
•	small_random	√	OK
	random, length = 100		
	small_random2	✓	OK
	random, length = 1000		
expai	nd all	Performance tests	
	medium_random	✓	OK
	random, length = ~10,00	0	
	large_random	X	TIMEOUT ERROR
	random, length = ~100,0	00	running time: 2.248 sec., time
			limit: 0.144 sec.
•	large_big_answer	X	TIMEOUT ERROR
	0011, length = ~100,0	00	running time: 3.364 sec., time

		limit: 0.14	4 sec.
•	large_alternate 010101, length = ~100,000	x TIMEOU running tir limit: 0.144	me: 2.252 sec., time
•	large_extreme large test with all 1s/0s, length = ~100,000	x TIMEOU running tir limit: 0.14	me: 4.464 sec., time

The PDF version of this report that may be downloaded on top of this site may contain sensitive data including personal information. For security purposes, we recommend you remove it from your system once reviewed.