picoGYM General Skills



Obedient Cat

5 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

This file has a flag in plain sight (aka "in-the-clear"). Download flag.

Hints

63,848 solves / 99,012 attempts (64%)

89% Liked



```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ cat flag
picoCTF{s4n1ty_v3r1f13d_b5aeb3dd}
```

It's a simple as downloading the file and cat'ing it.



Python Wrangling

10 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

Python scripts are invoked kind of like programs in the Terminal... Can you run this Python script using this password to get the flag?

Hints

`$ man python`

32,822 solves / 46,753 attempts (70%)

62% Liked

This is the syntax I've been needing to do the mini competition challenges

python3 ende.py -d flag.txt.en $(cat pw.txt)

-d is to turn on parsser debugging output; i don't know what the means YET

man python has nothing about $ but I'm going to assume its a variable.



```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$
ls
ende.py  flag  flag.txt.en  pw.txt

┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ python3 ende.py -d flag.txt.en $(cat pw.txt)
picoCTF{4p0110_1n_7h3_h0us3_aa821c16}
```



Wave a flag

10 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

Can you invoke help flags for a tool or binary? This program has extraordinarily helpful information...

Hints

1 2 3 4 5

To get the file accessible in your shell, enter the following in the Terminal prompt: `$ wget https://mercury.picoctf.net/static/a14be2648c73e3cda5fc8490a2f476af/warm`

39,310 solves / 48,921 attempts (80%)

90% Liked



```
└─$ python3 ende.py -d flag.txt.en $(cat pw.txt)

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ file warm
warm: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib64/ld-linux-x8
4.so.2, for GNU/Linux 3.2.0, BuildID[sha1]=3181a501366281ab5eba1c41e54a1f40800e3966, with debug_info, not strippe

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ chmod 777 warm

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ ./warm
Hello user! Pass me a -h to learn what I can do!

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ ./warm -h
Oh, help? I actually don't do much, but I do have this flag here: picoCTF{b1scu1ts_4nd_gr4vy_755f3544}

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ 
```

downloaded warm; saw it was elf; changed permissions and ran it.



Nice netcat...

15 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

There is a nice program that you can talk to by using this command in a shell: `$ nc mercury.picoctf.net 43239`, but it doesn't speak English...

Hints

1 2

32,129 solves / 51,715 attempts (62%)

90% Liked





```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ nc mercury.picoctf.net 43239
112
105
99
111
67
84
70
123
103
48
48
100
95
107
49
116
116
121
33
95
110
49
99
51
95
107
49
116
116
121
33
95
55
99
48
56
50
49
102
53
125
10
```

https://www.duplichecker.com/ascii-to-text.php



```
112
105
99
111
67
84
70
123
103
48
48
100
```

```
picoCTF{g00d_k1tty!_n1c3_k1tty!_7c0821f5}
```

using net cat produces the ascii code; converting the code gives flag



Static ain't always noise

| 20 points

Tags: Category: General Skills



AUTHOR: SYREAL

Description

Can you look at the data in this binary: static? This BASH script might help!

Hints

(None)

19,169 solves / 21,941 attempts (87%)

86% Liked



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ ./ltdis.sh static
Attempting disassembly of static ...
Disassembly successful! Available at: static.ltdis.x86_64.txt
Ripping strings from binary with file offsets...
Any strings found in static have been written to static.ltdis.strings.txt with file offset

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ 
```



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ cat static.ltdis.strings.txt | grep 'pico'
   1020 picoCTF{d15a5m_t34s3r_1e6a7731}

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
```

running binary with "static" as argument results in static.ltdis.string.text; grepping "pico" for the win



Tab, Tab, Attack

| 20 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

Using tabcomplete in the Terminal will add years to your life, esp. when dealing with long rambling directory structures and filenames: Addadshashanammu.zip

Hints

1

19,455 solves / 24,901 attempts (78%)

82% Liked



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ unzip Addadshashanammu.zip
Archive:  Addadshashanammu.zip
   creating: Addadshashanammu/
   creating: Addadshashanammu/Almurbalarammi/
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/
```



```
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/
   creating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku/
  inflating: Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku/
fang-of-haynekhtnamet

┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ unzip Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku/fan
g-of-haynekhtnamet [Addadshashanammu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularrad
allaku/fang-of-haynekhtnamet]
  End-of-central-directory signature not found.  Either this file is not
  a zipfile, or it constitutes one disk of a multi-part archive.  In the
8#TT 1tt$D◆◆◆o◆Ne central directory and zipfile comment will be found on
◆◆ ◆◆0)@▒t disk((;▒◆
                    mmu/Almurbalarammi/Ashalmimilkala/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku/fang-o
┌──(biddion㉿kali)-[~/…/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku]
└─$ file fang-of-haynekhtnamet
fang-of-haynekhtnamet: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib
64/ld-linux-x86-64.so.2, for GNU/Linux 3.2.0, BuildID[sha1]=e34ce4e4ee2f7ce7fb251c8f5ab036da9882bc55, not stripped

┌──(biddion㉿kali)-[~/…/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku]
└─$ chmod 777 *

┌──(biddion㉿kali)-[~/…/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku]
└─$ ./fang-of-haynekhtnamet
*ZAP!* picoCTF{l3v3l_up!_t4k3_4_r35t!_524e3dc4}

┌──(biddion㉿kali)-[~/…/Assurnabitashpi/Maelkashishi/Onnissiralis/Ularradallaku]
└─$ █
```

apparently you can unzip levels in one command with tab key

run binary for win



Magikarp Ground Mission

| 30 points

Tags: Category: General Skills

AUTHOR: SYREAL

Description

Do you know how to move between directories and read files in the shell? Start the container, `ssh` to it, and then `ls` once connected to begin. Login via `ssh` as `ctf-player` with the password, `6d448c9c`

This challenge launches an instance on demand.

Its current status is:

NOT_RUNNING

Hints

Finding a cheatsheet for bash would be really helpful!

15,383 solves / 26,561 attempts (58%)

88% Liked



Magikarp Ground Mission

| 30 points

Tags: Category: General Skills

AUTHOR: SYREAL

This challenge launches an instance on demand.



Description

Do you know how to move between directories and read files in the shell? Start the container, `ssh` to it, and then `ls` once connected to begin. Login via `ssh` as `ctf-player` with the password, `6d448c9c`

CHALLENGE ENDPOINTS

SSH `ssh ctf-player@venus.picoctf.net -p 57421`

instance on demand.

Its current status is:

RUNNING

Instance Time Remaining:

59:36

Hints

Finding a cheatsheet for bash would be really helpful!



```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF]
└─$ ssh ctf-player@venus.picoctf.net -p 57421
The authenticity of host '[venus.picoctf.net]:57421 ([3.131.124.143]:57421)' can't be established.
ED25519 key fingerprint is SHA256:P1f6h95BrSVnJbm2AKhphfHHGEyAeThib/rN/AwKs24.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added '[venus.picoctf.net]:57421' (ED25519) to the list of known hosts.
ctf-player@venus.picoctf.net's password:
Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.4.0-1041-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage
This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

ctf-player@pico-chall$ ls
1of3.flag.txt  instructions-to-2of3.txt
ctf-player@pico-chall$ cat 1of3.flag.txt
picoCTF{xxsh_
ctf-player@pico-chall$ 
```



```
ctf-player@pico-chall$ cat instructions-to-2of3.txt
Next, go to the root of all things, more succinctly `/`
ctf-player@pico-chall$ cd /
ctf-player@pico-chall$ ls
2of3.flag.txt  boot  etc   instructions-to-3of3.txt  lib64  mnt  proc  run   srv  tmp  var
bin            dev   home  lib                       media  opt  root  sbin  sys  usr
ctf-player@pico-chall$ cat 2of3.flag.txt instructions-to-3of3.txt
0ut_0f_\/\/4t3r_
Lastly, ctf-player, go home... more succinctly `~`
ctf-player@pico-chall$ cd ~
ctf-player@pico-chall$ ls
3of3.flag.txt  drop-in
ctf-player@pico-chall$ cat 3of3.flag.txt
5190b070}
```

ssh login > cat 1 of 3 > cd / > cat 2 of 3 / cd ~ cat 3 of 3 > celebrate



Lets Warm Up

Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY TUNITIS

Description

If I told you a word started with 0x70 in hexadecimal, what would it start with in ASCII?

Hints



43,688 solves / 99,124 attempts (44%)

77% Liked

picoCTF{FLAG}

The answer is p



Warmed Up

50 points

Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY TUNITIS

Description

What is 0x3D (base 16) in decimal (base 10)?

40,163 solves / 72,004 attempts (56%)

86% Liked

picoCTF{FLAG}



From Base
Radix
16

To Base
Radix
10

Input

```
0x3D
```

Output

```
61
```

Cyberchef converted



2Warm

| 50 points

Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY TUNITIS

Description

Can you convert the number 42 (base 10) to binary (base 2)?

Hints

1

42,217 solves / 96,185 attempts (44%)

81% Liked

picoCTF{FLAG}

Submit Flag



Last build: 5 months ago

Recipe

From Base

Radix
10

To Base

Radix
2

Input

length:
lines:

```
42
```

Output

start: 0
end: 6
length: 6

```
101010
```

picoCTF{101010}

what's a net cat?

| 100 points



Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY TUNITIS

Description

Using netcat (nc) is going to be pretty important. Can you connect to `jupiter.challenges.picoctf.org` at port `64287` to get the flag?

Hints

1

30,672 solves / 40,474 attempts (76%)

85% Liked

picoCTF{FLAG}

Submit Flag



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF]
└─$ nc jupiter.challenges.picoctf.org 64287
You're on your way to becoming the net cat master
picoCTF{nEtCat_Mast3ry_284be8f7}

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF]
└─$ █
```

nc jupiter.challenges.picoctf.org 64287



strings it

| 100 points

Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY TUNITIS

Description

Can you find the flag in file without running it?

Hints

1

24,408 solves / 39,087 attempts (62%)

79% Liked

picoCTF{FLAG}

Submit Flag



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ strings strings | grep pico
picoCTF{5tRIng5_1T_827aee91}

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ █
```

strings strings | grep pico



Bases

Tags: Category: General Skills

AUTHOR: SANJAY C/DANNY T

Description

What does this `bDNhcm5fdGgzX3IwcDM1` mean? I think it has something to do with bases.

21,762 solves / 29,395 attempts (74%)

88% Liked



From Base64

Alphabet
A-Za-z0-9+/=

☑ Remove non-alphabet chars

```
start:  0    length:
  end: 20     lines:
length: 20
```

```
bDNhcm5fdGgzX3IwcDM1
```

```
start:  0    time
  end: 15    length
length: 15   lines
```

```
l3arn_th3_r0p35
```

from base 64
l3arn_th3_r0p35



First Grep

Tags: Category: General Skills

AUTHOR: ALEX FULTON/DANNY TUNITIS

Description



Can you find the flag in file? This would be really tedious to look through manually, something tells me there is a better way.

20,149 solves / 24,884 attempts (81%)



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ grep pico file
picoCTF{grep_is_good_to_find_things_dba08a45}

┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ 
```



Based | 200 points

Tags: Category: General Skills

AUTHOR: ALEX FULTON/DANIEL TUNITIS

Description

To get truly 1337, you must understand different data encodings, such as hexadecimal or binary. Can you get the flag from this program to prove you are on the way to becoming 1337? Connect with `nc jupiter.challenges.picoctf.org 29221`.

12,556 solves / 17,670 attempts (71%)



```
┌──(biddion㉿ kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ nc jupiter.challenges.picoctf.org 29221
Let us see how data is stored
sludge
Please give the 01110011 01101100 01110101 01100100 01100111 01100101 as a word.
...
you have 45 seconds.....

Input:
sludge
Please give me the  143 157 155 160 165 164 145 162 as a word.
Input:
computer
Please give me the 6c69676874 as a word.
Input:
light
You've beaten the challenge
Flag: picoCTF{learning_about_converting_values_00a975ff}
```

I used cyberchef's magic recipe for these



plumbing | 200 points

Tags: Category: General Skills

AUTHOR: ALEX FULTON/DANNY TUNITIS

Description

Sometimes you need to handle process data outside of a file. Can you find a way to keep the output from this program and search for the flag? Connect to `jupiter.challenges.picoctf.org 7480`.

Hints

14,987 solves / 18,142 attempts (83%)

91% Liked



```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ nc jupiter.challenges.picoctf.org 7480 | grep pico
picoCTF{digital_plumb3r_06e9d954}
```

nc jupiter.challenges.picoctf.org 7480 | grep pico



mus1c | 300 points

Tags: Category: General Skills

AUTHOR: DANNY

Description

I wrote you a song. Put it in the picoCTF{} flag format.

Hints

Do you think you can master rockstar?

8,956 solves / 24,968 attempts (36%)

41% Liked

I don't know



flag_shop | 300 points



Tags: Category: General Skills

AUTHOR: DANNY

Description

There's a flag shop selling stuff, can you buy a flag? Source. Connect with `nc jupiter.challenges.picoctf.org 4906`.

Hints

1

8,778 solves / 12,885 attempts (68%)

94% Liked

picoCTF{FLAG}

Submit Flag

I cheated this one; I get the concepts but I would not be able to do this myself



```
┌──(biddion㉿kali)-[~/Documents/GitHub/picoCTF/Gym_GeneralSkills]
└─$ nc jupiter.challenges.picoctf.org 4906
Welcome to the flag exchange
We sell flags

1. Check Account Balance

2. Buy Flags

3. Exit

 Enter a menu selection
2
Currently for sale
1. Defintely not the flag Flag
2. 1337 Flag
1
These knockoff Flags cost 900 each, enter desired quantity
3000000

The final cost is: -1594967296

Your current balance after transaction: 1594968396

Welcome to the flag exchange
We sell flags

1. Check Account Balance

2. Buy Flags

3. Exit

 Enter a menu selection
2
Currently for sale
1. Defintely not the flag Flag
2. 1337 Flag
2
1337 flags cost 100000 dollars, and we only have 1 in stock
Enter 1 to buy one1
YOUR FLAG IS: picoCTF{m0n3y_bag5_9c5fac9b}
Welcome to the flag exchange
We sell flags
```



1_wanna_b3_a_r0ck5tar | 350 points

Tags: Category: General Skills



AUTHOR: ALEX BUSHKIN

Description

I wrote you another song. Put the flag in the picoCTF{} flag format

Hints

(None)

5,663 solves / 13,204 attempts (43%)

apparently there is a language called 'rockstar'; skip!