

Finance App - Screens Documentation

Version: 1.0.0
Last Updated: 2024
Framework: React Native with Expo SDK 57
Navigation: React Navigation (Native Stack + Bottom Tabs)

Table of Contents

- [1. Withdrawal Screen](#)
- [2. Withdrawal Successful Screen](#)
- [3. Mobile Recharge Screen](#)
- [4. Mobile Confirm Screen](#)
- [5. Mobile Successful Screen](#)

1. Withdrawal Screen

File

src/screens/WithdrawalScreen.js

Purpose

Allows users to initiate a withdrawal from their account/card to a phone number.

User Flow

[Select Account] → [Enter Phone Number] → [Choose Amount] → [Verify] → [Success Screen]

State Management

State Variable	Type	Description
account	string	Selected account/card number
phone	string	Recipient phone number
amount	string	Withdrawal amount (e.g., "\$100")
selectedAmount	number string	Quick amount selection (10, 50, 100, etc.) or "other"
modalVisible	boolean	Controls account selection modal visibility

UI Components

Component	Type	Description
Header	View + TouchableOpacity	Back button + "Withdraw" title
Illustration	Image	SVG illustration (exchange.svg)

Account Selector	TouchableOpacity	Dropdown to select account/card
Balance Display	Text	Shows available balance (conditional)
Phone Input	TextInput	Phone number entry field
Amount Grid	TouchableOpacity[]	Quick amount selection buttons
Custom Amount	TextInput	Manual amount entry
Verify Button	TouchableOpacity	Submit button (disabled when invalid)
Account Modal	Modal	Bottom sheet for account selection

Form Validation

```
const isValidForm =
  account.trim() !== "" &&    // Account must be selected
  phone.trim() !== "" &&      // Phone number required
  amount.trim() !== "";       // Amount must be entered
```

Backend Placeholders (TODOs)

```
// TODO: Fetch user accounts from backend
// Expected: GET /api/accounts
// Returns: Array of account objects with id, type, number, balance

// TODO: Fetch wallet/card balance from backend
// Expected: GET /api/accounts/{id}/balance
// Returns: { balance: number, currency: string }

// TODO: Validate withdrawal request
// Expected: POST /api/withdraw/validate
// Body: { accountId, phone, amount }
// Returns: { valid: boolean, message?: string }

// TODO: Submit withdrawal request
// Expected: POST /api/withdraw
// Body: { accountId, phone, amount }
// Returns: { transactionId, status, timestamp }
```

Navigation

- **Go Back:** navigation.goBack()
- **On Success:** navigation.navigate("WithdrawalSuccessful")

Styling Theme

Element	Color	Notes
Primary	#5C4CF6	Buttons, selected states

Background	#F8F8FB	Screen background
Text Primary	#333	Titles, main text
Text Secondary	#888	Labels, placeholders
Disabled	#E4E4EC	Disabled buttons

Quick Amounts

```
const quickAmounts = [10, 50, 100, 150, 200];
```

2. Withdrawal Successful Screen

File

```
src/screens/WithdrawalSuccessfulScreen.js
```

Purpose

Displays confirmation of a successful withdrawal transaction.


User Flow


```
[Withdrawal Screen] → [Verify] → [Success Screen] → [Confirm] → [Home/Tabs]
```

UI Components

Component	Type	Description
Container	SafeAreaView	Safe area wrapper
Success Illustration	Image	SVG illustration (exchange.svg)
Title	Text	"Successful withdrawal!"
Description	Text[]	Three lines of instruction text
Confirm Button	TouchableOpacity	Returns to home

Screen Layout





Backend Placeholders (TODOs)

```
// TODO: Refresh user's wallet/card balance
// Expected: GET /api/accounts/{id}/balance
// Purpose: Update balance display on home screen

// TODO: Refresh transaction history
// Expected: GET /api/transactions?type=withdrawal
// Purpose: Update transaction list with new entry

// TODO: Fetch latest account details
// Expected: GET /api/accounts/{id}
// Purpose: Get updated account information
```

Navigation

- **Confirm:** navigation.navigate("Tabs") - Returns to main tab navigation

Styling Theme

Element	Color	Notes
Primary Button	#5B5FEF	Confirm button
Title	#4338CA	Success title
Background	#F8F8FB	Screen background
Description	#3F3F46	Body text

Key Features

- ☐ Single confirmation action
- ☐ Clear success messaging
- ☐ Instructions for next steps
- ☐ Visual feedback with illustration

3. Mobile Recharge Screen

File

```
src/screens/MobileRechargeScreen.js
```

Purpose

Allows users to recharge a mobile phone number with predefined or custom amounts.

User Flow

```
[Select Account] → [Choose Beneficiary] → [Enter Phone] → [Select Amount] → [Confirm]
```

State Management

State Variable	Type	Description
account	string	Selected payment method (default: "VISA **** * 1234")
phone	string	Phone number to recharge
selectedAmount	number string	Chosen recharge amount
beneficiary	number	Selected beneficiary ID (from directory)

UI Components

Component	Type	Description
Header	View	Back button + "Mobile prepaid" title
Account Selector	TouchableOpacity	Payment method selector
Balance Display	Text	Available balance
Directory Section	View	Beneficiary selection area
Beneficiary Cards	TouchableOpacity[]	Avatar cards for quick selection
Add Beneficiary	TouchableOpacity	"+" button to add new
Phone Input	TextInput	Phone number entry
Amount Grid	TouchableOpacity[]	Quick amount buttons (\$10, \$20, \$30)
Other Amount	TouchableOpacity	Custom amount option
Selected Amount	View	Shows current selection
Confirm Button	TouchableOpacity	Submit button

Form Validation

```
const isValid =
  account &&                                // Account selected
  phone.trim() !== "" &&                    // Phone number entered
  selectedAmount !== null;                  // Amount selected
```

Backend Placeholders (TODOs)

```
// TODO: Fetch linked cards/accounts
// Expected: GET /api/accounts
// Returns: [{ id, type, number, balance, currency }]

// TODO: Fetch user's wallet balance
// Expected: GET /api/wallet/balance
// Returns: { balance: number, currency: string }

// TODO: Fetch beneficiary list
// Expected: GET /api/beneficiaries?type=mobile
// Returns: [{ id, name, phone, avatar }]

// TODO: Validate recharge
// Expected: POST /api/recharge/validate
// Body: { accountId, phone, amount, beneficiaryId? }
// Returns: { valid: boolean, fee?: number, total?: number }

// TODO: Submit recharge request
// Expected: POST /api/recharge
// Body: { accountId, phone, amount, beneficiaryId? }
// Returns: { transactionId, status, timestamp }
```

Beneficiary Data Structure

```
const beneficiaries = [
  { id: 1, name: "Emma", image: require("../") },
  { id: 2, name: "Justin", image: require("../") }
];
```

Quick Amounts

```
const quickAmounts = [10, 20, 30];
```

Navigation

- **Go Back:** `navigation.goBack()`
- **On Confirm:** `navigation.navigate("MobileConfirm", { account, phone, amount, beneficiary })`

Styling Theme

Element	Color	Notes
Primary	#5B5FEF	Buttons, selected states
Background	#F8F8FB	Screen background
Card	#FFFFFF	Input fields, cards
Text Primary	#333	Titles
Text Secondary	#666	Labels

Key Features

- ☐ Quick beneficiary selection
- ☐ Add new beneficiary option
- ☐ Preset amount options
- ☐ Custom amount entry
- ☐ Visual feedback on selection

4. Mobile Confirm Screen

File

```
src/screens/MobileConfirmScreen.js
```

Purpose

Displays recharge details for final confirmation before processing.

Route Parameters

```
route.params = {  
  phone: string,    // Phone number to recharge  
  amount: string,   // Recharge amount (e.g., "$10")  
  account: string   // Payment account (optional, can be undefined)  
}
```

User Flow


```
[Mobile Recharge] → [Confirm] → [Success/Error]
```

UI Components

Component	Type	Description
Header	View	Back button + "Mobile prepaid" title
Illustration	Image	SVG illustration
Heading	Text	"Confirm Recharge"

Subtext	Text	Instruction text
Details Card	View	Transaction summary
Phone Row	View	Phone number display
Amount Row	View	Recharge amount display
Confirm Button	TouchableOpacity	Process transaction

Screen Layout



Backend Placeholders (TODOs)

```
// TODO: Validate recharge request
// Expected: POST /api/recharge/validate
// Body: { phone, amount, accountId }
// Returns: { valid: boolean, fee: number, total: number, message?: string }

// TODO: Verify account balance
// Expected: GET /api/accounts/{id}/balance
// Returns: { balance: number, sufficient: boolean }

// TODO: Calculate charges
// Expected: Calculated client-side or from validate endpoint
// Returns: { amount, fee, total }
```



```
// TODO: Submit recharge transaction
// Expected: POST /api/recharge
// Body: { phone, amount, accountId }
// Returns: { transactionId, status, timestamp, newBalance }
```

Navigation

- **Go Back:** navigation.goBack()
- **On Confirm:** navigation.navigate("MobileSuccessful", { phone, amount })

Styling Theme

Element	Color	Notes
Primary Button	#5B5FEF	Confirm button
Title	#4F46E5	"Confirm Recharge"
Amount	#4F46E5	Highlighted amount
Card	#FFFFFF	Details card with shadow
Background	#F8F8FB	Screen background

Key Features

- Summary display of transaction
- Clear confirmation step
- Professional layout
- Easy to review before committing

5. Mobile Successful Screen

File

src/screens/MobileSuccessfulScreen.js

Purpose

Displays confirmation of a successful mobile recharge transaction.

Route Parameters

```
route.params = {
  phone: string,    // Recharged phone number
  amount: string    // Recharge amount (e.g., "$10")
}
```


User Flow

[Mobile Confirm] → [Confirm] → [Success Screen] → [Done] → [Home/Tabs]

UI Components

Component	Type	Description
Header	View	Back button + "Mobile prepaid" title
Illustration	Image	SVG illustration
Success Title	Text	"Recharge Successful!"
Message	Text[]	Two lines of success message
Receipt	View	Transaction receipt card
Phone Row	View	Phone number in receipt
Amount Row	View	Recharge amount in receipt
Done Button	TouchableOpacity	Return to home

Screen Layout



Backend Placeholders (TODOs)

```
// TODO: Refresh wallet balance
// Expected: GET /api/wallet/balance
// Purpose: Update displayed balance on home screen

// TODO: Refresh transaction history
// Expected: GET /api/transactions?type=recharge
// Purpose: Add new transaction to history

// TODO: Update recent transactions
// Expected: GET /api/transactions/recent
// Purpose: Update "Recent" section on home/dashboard
```

Receipt Data Structure

```
const receipt = {
  phoneNumber: route.params.phone,
  rechargeAmount: route.params.amount,
  timestamp: new Date().toISOString() // Would come from backend
};
```

Navigation

- **Done:** navigation.navigate("Tabs") - Returns to main tab navigation

Styling Theme

Element	Color	Notes
Primary Button	#5B5FEF	Done button
Success Title	#4F46E5	"Recharge Successful!"
Amount	#4F46E5	Highlighted amount in receipt
Receipt Card	#FFFFFF	Card with subtle shadow
Background	#F8F8FB	Screen background

Key Features

- ☐ Clear success indication
- ☐ Transaction receipt
- ☐ Detailed breakdown
- ☐ Easy return to home

Common Patterns

Button States

```
// Disabled state (form not valid)
<TouchableOpacity
```

```
disabled={!isFormValid}
style={[styles.button, !isFormValid && styles.disabledButton]}
>
```

Navigation Pattern

```
// Go back
navigation.goBack();

// Navigate to screen with params
navigation.navigate("ScreenName", { key: value });

// Navigate to tab navigator
navigation.navigate("Tabs");
```

Backend Integration Pattern

```
// State for loading
const [loading, setLoading] = useState(false);

// API call pattern
const handleSubmit = async () => {
  setLoading(true);
  try {
    const response = await api.post('/endpoint', data);
    navigation.navigate("Success");
  } catch (error) {
    // Handle error
  } finally {
    setLoading(false);
  }
};
```

Form Validation Pattern

```
const isValid =
  account && phone.trim() !== "" && selectedAmount !== null;

// Disabled button when invalid
<TouchableOpacity disabled={!isValid} ...>
```

API Endpoints Summary

Endpoint	Method	Purpose
/api/accounts	GET	Fetch user accounts

/api/accounts/{id}/balance	GET	Get account balance
/api/beneficiaries	GET	Fetch beneficiary list
/api/withdraw	POST	Submit withdrawal
/api/withdraw/validate	POST	Validate withdrawal
/api/recharge	POST	Submit recharge
/api/recharge/validate	POST	Validate recharge
/api/transactions	GET	Fetch transactions

Color Palette

Name	Hex Code	Usage
Primary	#5C4CF6	Buttons, selected states (Withdrawal)
Primary Alt	#5B5FEF	Buttons, selected states (Mobile)
Primary Dark	#4F46E5	Titles, amounts
Indigo	#4338CA	Success titles
Background	#F8F8FB	Screen backgrounds
Card	#FFFFFF	Cards, inputs
Text Primary	#333	Main text
Text Secondary	#666	Labels
Text Muted	#888	Placeholders
Border	#D8D8D8	Input borders
Disabled	#E4E4EC	Disabled buttons
Disabled Alt	#CFCFD4	Disabled alt

Notes

1. **Static Data:** Currently uses hardcoded data for accounts and beneficiaries
2. **Mock Navigation:** All screens use placeholder navigation
3. **API Placeholders:** Backend integration marked with TODO comments
4. **Error Handling:** Basic error handling structure in place
5. **Loading States:** UI ready for loading indicators