

Public Health Environmental Surveillance Open Data Model (PHES-ODM) Documentation

Version 2.0 RC2

2022-12-21

Table of contents

Background - Environmental Surveillance and the ODM	1
Objectives and Values of the ODM	3
Orgnaization of the Documentation	4
Getting to know the ODM	7
What are “Parts” and “Part Types”?	7
“Sets” and the rationale behind sets	8
Why category sets are treated differently	9
The “what” and “why” of Specimen IDs	10
The “what” and “why” of Groups and Classes	10
Tables and table types within the ODM	11
Program description tables	11
Results tables	11
Look-up tables	11
Measures, Methods, and Attributes: Key parts	12
Measures	12
Methods	12
Attributes	13
Data quality and reportability	13
Time periods for samples and measures	13
Dates within the ODM	14
Translation and language capabilities	15
Questions and online community	15
How to use the ODM	17
1) How to use templates	17

Table of contents

2) How to report methods:	18
Quick Start	19
Method Steps Template	19
Method Sets Template	20
Detailed Description	21
Method Steps Template	21
Method Sets Template	23
3) How to report measures:	25
Quick Start	25
Measures Template	26
Measure Sets Template	27
Detailed Description	28
Measures Template	28
Measure Sets Template	31
4) How to report samples:	33
Quick Start	33
Detailed Description	34
How to report metadata:	37
Quick Start	37
Addresses Template	37
Contacts	38
Detailed Description	39
Addresses Template	39
Contacts Template	40
Example data for each of the 11 report tables.	41
Tutorials	43
I. Reference guide	45
1. Parts	49
Sets	293

Languages	295
Translations	297
Tables	299
Report tables	299
Program Description tables	299
Look-up tables	299
partTypes	301
Aggregations	303
Attributes	303
Categories	303
Category sets	303
Changes column	303
Classes	303
Compartments	303
Data types	303
Domains	303
Groups	303
Measures	303
group #1 of measures	303
Methods	303
Missingness	303
Nomeclature	303
Part types	303
Quality measures	303
Specimens	303
Tables	303
Units	303
Aggregation scale	303
Sets	303

Background - Environmental Surveillance and the ODM

Awareness of threats to public health is important for the function of modern health care systems, and environmental surveillance is presenting itself as very cost effective way to monitor for these threats. While environmental surveillance methods, like wastewater surveillance, are not entirely new, they certainly experienced an unprecedented expansion of uptake over the course of the covid-19 pandemic.

Early on in the pandemic, the urgency with which new information was required meant that wastewater monitoring programs in particular were started quickly. This was true globally, with data often being collected in desktop spreadsheets and with labs running all their own PCR assays and assessing quality and doing data cleaning themselves. This work was crucial to monitoring viral levels in communities at the time, and so the urgency and speed of expansion which led to a very diverse field was perhaps unavoidable. Namely, the rapidly expanding field meant that new methods and measures were being rapidly introduced, with no consistent approach to reporting findings or coherent data quality standards. The field is also, by its very nature, complex with many systematic, environmental and laboratory-based factors affecting the signal. Furthermore, viral sequencing and other genetic measurements generate enormous amounts of complicated data. Add this to the fact that the field has many stakeholders who generate and use data all over the world, with data management and governance practices that can vary enormously, and are left with a field with enormous struggles sharing and collecting interoperable data.

Background - Environmental Surveillance and the ODM

To address issues of interoperability and to enable stronger data sharing, our team built and developed version one of the Public Health Environmental Surveillance Open Data Model (PHES-ODM, or ODM). A data model, like the ODM, seeks to replicate the real-world processes through which data is collected using data elements and data relationships. Ultimately, the goal of the ODM is to create a single, unified structure for data storage and collection, and in doing so allow for data to be shared, aggregated, and analyzed with greater ease, advancing the science of wastewater-based epidemiology (WBE) and of environmental surveillance as a whole.

In version 1.0 and 1.1 of the ODM, a strong data model was developed and taken up by collaborators in the Ontario Wastewater Surveillance Initiative, among other programs. WBE has been advancing quickly through the pandemic, however, and version 1.0 was created before the community was aware that variants and sequencing would be of such crucial importance. Since version 1.0, wastewater testing has expanded from solely looking for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), to also test for other targets, including influenza, respiratory syncytial virus (RSV), poliovirus, and even antimicrobial drug resistance (AMR) and various enteropathogens. As such, version 2.0 of the ODM required a large-scale reworking of the original model. This has expanded the model to incorporate data from any kind of environmental surveillance (ie. surface testing, air measures, wastewater testing), to allow for the tracking of more granular metadata, and to record details on sequencing and variants. The work was done with the support and consultation of many experts and collaborators, most notably from the Public Health Agency of Canada's National Microbiology Lab; the European Commission Joint Research Centre; the Ontario Ministry of Environment, Conservation, and Parks; and many partners in academic labs across Canada.

Version 2.0 of the ODM includes an entity relationship diagram (ERD) of the model, as well as a "master parts list" which details all of the components and values in the model. You will find these - along with how-to guides, tutorials, and reference materials - in this set of documentation for the model.

Objectives and Values of the ODM

The over-arching objectives for the ODM are to:

- Include provision for any biological, chemical or physical property, including antimicrobial resistance, drugs and toxins. Biological properties include variants, sequences, alleles, mutations and proteins.
- Include the ability to store data from samples from air, surface samples, and wastewater (water).
- Include protocol reporting, including metadata for methods that may affect measurement across laboratories.
- Include reporting of quality control and assurance. Each measure can have multiple quality control and assurance measures.

We seek to accomplish all of the above stated goals while staying true to the guiding values of the ODM project. These values are to:

- *Support Data Custodians and Data Users:* The data model should support data custodians and data users across the lifecycle of environmental surveillance. Users include wastewater laboratories, municipalities, public health (international, federal, provincial, and local), researchers, and others (citizen data scientists, data aggregators, news agencies). The lifecycle includes data collection and management in municipalities and laboratories, surveillance, research and other uses (public reporting by aggregator sites). For the ODM this means supporting users and building tools to support the ODM, and also means that we must make the ODM Comprehensive. The ODM must include measures from other wastewater dictionaries.
- *Support FAIR data:* In 2016, a diverse set of stakeholders—representing academia, industry, funding agencies, and scholarly publishers—designed, jointly endorsed, and published the ‘FAIR Guiding Principles for scientific data management and stewardship’.¹ The intent of FAIR is to improve infrastructure supporting reuse of scholarly data based on four foundational principles:

Findability, Accessibility, Interoperability, and Reusability. For the ODM this means making sure that the ODM makes for data that is findable, accessible, interoperable, and reusable by considering these attributes part of the core infrastructure.

- *Use an open science, open software approach:* Open-source software is software with source code that anyone can inspect, modify and enhance. Open-source initiatives embrace principles of open exchange, collaborative participation, rapid prototyping, transparency and community-oriented development. For the ODM this means that all work on the ODM is hosted in open-access environments, like GitHub, where anyone and everyone can transparently see the work being done, the rationale behind it, and can contribute to the project according to their ability.

Orgnaization of the Documentation

The documentation for version 2.0 of the ODM was written and organized with [David Laing and Divio's Grand Unified Theory of Documentation](#) in mind. This means including four different pieces:

Tutorials: Oriented to learning, this piece must allow the newcomer to get started. This piece of the documentation should ideally take the form of a lesson. As an analogy, consider tutorials as being akin to teaching a small child how to cook.

How-to guides: Oriented to a goal, this piece must show how to solve a specific problem. This piece of the documentation should ideally take the form of a series of steps. As an analogy, consider how-to guides as being akin to a recipe in a cookery book.

Reference: Oriented to information, this piece must describe the machinery. This piece of the documentation should ideally take the form of a dry description. As an analogy, consider reference as being akin to a reference encyclopaedia article.

Orgnaization of the Documentation

Explanation: Oriented to understanding, this piece must explain. This piece of the documentation should ideally take the form of a discursive explanation. As an analogy, consider explanation as being akin to an article on culinary social history.

We hope that the documentation serves its purpose and that you find it useful in figuring out how to best use the ODM and its suite of tools. If you do encounter any issues or questions that do not seem to have an easy answer, please [create an issue on our GitHub repository](#) or consult [our Discourse page](#).

Getting to know the ODM

What are “Parts” and “Part Types”?

Within the Public Health and Environmental Surveillance Open Data Model (PHES-ODM, hereafter referred to as simply “the ODM”), every piece or component of the model structure is called a “part”. Regardless of function, all of the tables, headers, and categorical inputs are all parts. This creates a foundational term so that the ODM and its structure can be discussed with greater ease by users and designers.

Because the term “parts” refers to every component of the ODM, “part types” are a way to differentiate between parts which have different functions and structures. The three most important part types are:

- Method Part Type
- Measure Part Type
- Attribute Part Type

Please see the [parts reference document](#) for more details, but essentially methods allow the recording of methods in environmental surveillance and testing, while measures allow the recording of observations and results, and attributes capture metadata.

The remaining 20 part types (for a total of 23 part types) are:

- Aggregation Part Type
- Aggregation Scale Part Type
- Aggregation Set Part Type

Getting to know the ODM

- Category Part Type
- Category Set Part Type
- Class Part Type
- Compartment Part Type
- Compartment Set Part Type
- Dictionary Part Type
- Domain Part Type
- Group Part Type
- Missingness Part Type
- Nomenclature Part Type
- Quality Part Type
- Quality Set Part Type
- Specimen Part Type
- Specimen Set Part Type
- Table Part Type
- Unit Part Type
- Unit Set Part Type

For information and details about all the part types, please see the [parts reference document](#).

“Sets” and the rationale behind sets

“Sets” are a way of grouping together different possible categorical inputs within the ODM. The purpose behind sets is to group options together so that users only need to check a few options from a drop-down menu, rather than scroll through a long list. Sets are also designed so that a single part can be used in multiple sets, which avoids the need to create multiple versions of this part for these different use contexts. For example, if you’re taking a measure of concentration, that measure will likely populate the unit choice drop-down list with units from the “standard concentration unit set”. Units in this set include Milligrams per litre, parts per million, and Percent Primary Sludge. Similarly, if one were measuring the amount

“Sets” and the rationale behind sets

of oxygen in a wastewater sample they would be offered units from the “dissolved gas unit set”. The units in this set include parts per million, and Milligrams per litre. You see here how Milligrams per litre is used twice across the sets, but exists still as a single part in the parts list. Unit sets are only one type of set, with the others being:

- Aggregation sets
- Compartment sets
- Quality sets
- Specimen sets

Details about these sets are their similar - but unique - applications can be found in the [parts reference document](#). Importantly, “category sets” are not considered a “set” like these others. See the section below for an explanation of this difference.

Why category sets are treated differently

One of the reasons why “sets” are set up and organized the way that they are, is to allow for the re-use of parts in multiple sets. Category sets are, however, an exception to this rule because the categories that make up a category set are used in only one set. Furthermore, the general sets are needed for almost every measure or method (which require unit, aggregation, quality, and compartment information), while category sets are used only in specific circumstances for specific fields. These are things such as collection metadata (example: Sample collection category set), dictionary metadata and model architecture (example: Data Type Category Set), or more detailed types of certain methods (example: Nucleic Acid Extraction Category Set). Category sets are also a distinct part type, and more information about them can be found in the [parts reference document](#).

The “what” and “why” of Specimen IDs

Specimen IDs indicate the level at which a measure is being done. This can be: a site measure, ie. a measure at a site such as temperature or weather; a sample measure, ie. a laboratory measurement on a sample, such as gene copies of SARS-CoV-2 per mL; a person measure, ie. a measure of something at the level of an individual person, such as a blood pressure reading; or a population measure, ie. an aggregate measure of a population, such as the number of confirmed cases of a given illness. While there is currently nothing in version 2.0 of the ODM with uses the person specimen ID explicitly, it has been included to allow for the possibility of storing individual-level data in a future version. The reason specimen IDs were created was so that there could be a single manner in which measures and methods are recorded, regardless of the level at which they were performed, while still maintaining the possibility to collect site, sample, and population measures as a distinct types of metadata.

The “what” and “why” of Groups and Classes

Groups and classes, similar to sets, are ways of grouping together different measures within the ODM. Given that the ODM aims to be as robust as possible and has a very long list of possible measures, groups and classes were designed to give shorter lists of measures in the drop down lists by specifying details about the kind of measure that a user is recording. Groups and classes can work together to further specify what kinds of measures are being reported. For example, the group `sarsCov2` contains many measures, but by specifying that the class is an `allele` or `variant`, the list of possible measures is pared down. Alternatively, class can be said to be non-applicable, paring down the measures in the `sarsCov2` group to only be unspecified measures of the quantity of the virus.

Tables and table types within the ODM

Within the ODM there are three types of tables: program description tables, results tables, and look-up tables. These table types exist to differentiate the function of these tables and to highlight these differences to users. The different tables take different types of inputs and maintenance from users, so understanding the differences can be important.

Program description tables

Program description tables (represented in yellow in the ERD) are tables used to record metadata on the organizations, locations, methods, and appurtenance. These tables help to describe surveillance and testing programs, and are intended to be updated infrequently.

Results tables

Results tables (represented in blue in the ERD) are the tables used to record details on samples and measures. These tables record the main outcomes data and are updated daily, if not more frequently.

Look-up tables

Look-up tables (represented in green in the ERD) are the tables that are pre-programmed and pre-populated in the ODM. These hold information on sets, all parts, languages, and translation abilities. These are only updated by the ODM team in version updates.

Measures, Methods, and Attributes: Key parts

While there are many part types, there are three main part types users should be most familiar with: measures, methods, and attributes. These three have parallels with the three table types, and the differences and details of these parts are useful to understand.

Measures

Measures are actually types of measures that can be performed. These can range from temperature to the number of gene copies in a sample. The measure, or `measureID`, can be selected from a drop down in the templates and it specifies the kind of measure you intend to record. The actual value of the measure is then recorded in the `value` field of the `measures` table, with units and aggregation specified in the `unitID` and `aggregationID` fields.

Methods

Similar to measures, methods are types of methods that can be performed to accomplish a measurement. These can be diverse, ranging from incubation, qPCR, or nucleic acid extraction. The method itself (`methodID`) is selected from a drop down in the templates, specifying in general terms the kind of method the user wishes to record. From there, the `value` field of the `methodSteps` table can be populated by one of the inputs from the category set associated with that `methodID`. This provides a higher level of detail for a given method. For example, the `methodID` might be `solidSep` for solid separation of a sample. The value field might then be populated with `cent` for centrifugation, indicating more details about how the sample settling was done.

Attributes

Attributes are the largest category of part type, as these refer to any most of the fields in the ODM. Attributes are fields for metadata within the ODM and range greatly in the use. They comprise everything from collection dates, to sampling period, to names.

Data quality and reportability

Within the ODM there is a `qualityFlag` field present in both the `samples` and `measures` tables. This field serves to highlight whether or not there is a quality issues with the sample or the measure. The quality flag also allows a user to specify to type of quality issue. This is managed through the use of quality sets, which are the sets that contain the possible quality flags for a given measure or for samples. The idea is that this provides data on any issues with a sample and an indication of the nature of that issue. Having data about the nature and presence of a quality issue is often not sufficient for decision makers who are trying to use and interpret the data. As such, there is also a `reportable` field with is a Boolean indicator of whether or not data can or should be reported or included in final reports and decisions.

Time periods for samples and measures

For measures, there is a field `aDateStart` and `aDateEnd` which specify the date and time that an analysis was begun and finished. This allows for the recording of greater detail around timelines for especially long, multi-day analyses. For shorter analyses, which will likely make up the bulk of reported measures, the same date can input in both fields. The idea is to have the reporting tables for measures be as robust as possible to allow for various kinds of timelines.

Getting to know the ODM

For samples, there is `col1DT`, `col1DTstart`, and `col1DTend`. The first field is for the collection date and time of a single grab sample, so start and end are not necessary and the other two fields can be left blank. For composite or pooled sample, the start and end date and time for collection is crucial information to know. When these two fields are populated, the `col1DT` field can be left blank.

Dates within the ODM

There are a number of date fields within the ODM which all serve different purposes. Collection datetime (`col1DT`) is the date a sample was collected, used only for grab samples. This field is left blank if the collection datetime start and end fields (`col1DTstart` and `col1DTend`) have been populated instead. Inversely, collection datetime start and end fields should be left blank if the collection datetime field has been populated. Similarly, analysis datetime start and analysis datetime end (`aDateStart` and `aDateEnd`) are used to report the date and or timeline of an analysis for a measure.

Date fields that are more related to data processing and laboratory infrastructure are: the last edited date (`lastEdited`) which indicates the last time a table, or a measure or sample details, were last edited or updated; the sent date (`sentDate`), or date that a sample was sent to the lab from the field; the received date (`recDate`), or the date the sample was received in the lab; and the report date (`repDate`), or the date that the analysis results or measures were reported. These give a greater indication of how up to date data is, but also on the speed and efficiency of the pipeline between sampling and reported results. Dates should be reported in day/month/year format to accommodate the most popular global convention.

Translation and language capabilities

The default language of the ODM is English, but French translations of all descriptive elements of the data model dictionary are also available. As additional nation states and partners adopt the ODM, we anticipate that these fields will be translated into other languages as well. The translation capacities are managed through the language look-up table (`languageLUs`), the translation look-up table (`translationLUs`), and the parts table (`partsLUs`). When a translation for a given part is not available, the dictionary will default to the English term. The language look-up table stores linguistic and classification codes for spoken human languages, with the most recent ISO639 code being the language ID (`languageID`). In the translation table, the language ID is paired with every part ID (`partID`), along with the label (`partLabel`), description (`partDesc`), and instructions (`partInstr`) translated to that language. The part IDs are linked to the full parts list which otherwise contains metadata that is coded in variables and requires no further translation.

Questions and online community

If any users have additional questions or issues with the ODM, we invite them to check out our [Discourse Page](#) for discussion boards and community support. For larger issues, and to ask the ODM team to add additional fields or variables into the model, we encourage users to visit the project's [GitHub repository](#) and to create an issue there so that a team member can respond.

How to use the ODM

1) How to use templates

The main purpose of templates is to provide you with an easy way to enter in your wastewater data in the PHES-ODM format. Below you will find a series of Guides that will walk you through this process. To begin with, in these Guides, “field” refers to a column in the template, and “entry” refers to a row of information that you entered. While these Guides will also provide definitions and explanations for some terms, most can be found here ..

The templates contain four main types of fields and, in the Guides, they have been associated with a colour for instructional purposes:

- **Identifier, Unique Identifier and Composite Unique Identifier (Red):** In these types of fields you will create a value that will be used to identify something. For instance, “Sample ID” is used to identify a particular Sample. In an Identifier, these values can be repeated between entries, while in a Unique Identifier, they cannot. There is usually only one Unique Identifier per template. A Composite Unique Identifier is a type of Unique Identifier formed by two or more fields. An example can be found in columns A and B below, where while there is repetition in A and B, there is no repetition in the combination of the two.
- **Drop-down and Conditional Drop-down Menus (Green):** These fields have a drop-down menu which contain the values that

How to use the ODM

	A	B
1	Frog	Chair
2	Frog	Table
3	Cat	Sofa
4	Dog	Sofa

can be entered. These values can be selected **or** typed in. In conditional drop-down menus, the values depend on what you entered in a previous field.

- **Free form (Blue):** In these fields, there are no restrictions on how to enter your data.

2) How to report methods:

In this guide you will learn how to enter Methods into the Method Sets and Methods Step templates. As described in , a Method is “A procedure for collecting a sample or performing a measure”. A Method Set is essentially a Method . In the Method Sets template, each entry is a step in a Method Set (a step will be defined shortly).

A Method Set is made up of steps, called Method Steps. In the Method Steps template, each entry represents one of these steps. A key thing to note is that a step can be a Method or a Measure. An individual step can also be used in multiple Method Sets.

For instance, you might have a Method Set for an extraction procedure. This set will have multiple steps that go through this process.

For further information regarding terms and the colour-coding of columns that you will see, please refer to the beginning of this guide (1) **How to use templates**) and

Quick Start

Below you will find the fields that are mandatory for the Method Steps and Method Sets template. You will also find some examples of entries of data, with the fields filled and colour-coded. A more detailed description of some of the key concepts can be found in the following section, “Detailed Description”.

Method Steps Template

1. Mandatory fields

Method Step ID	Method (if entering a Method)
Measure (if entering a Measure)	Name
Value (if entering a Measure)	Unit (if entering a Measure)
Aggregation (if entering a Measure)	

2. Definitions

- Method Step ID: The unique identifier for a specific method step.
- Method: A procedure for collecting a sample or performing a measure.
- Measure: A measurement or observation of any substance including a biological, physical or chemical substance.
- Name: Name of the entity.
- Value: Value of a measure, observation or attribute.
- Unit: The units of a measurement.
- Aggregation: Statistical measures used to report a measure. Each aggregation has a corresponding value.

How to use the ODM

3. Examples

	A	B	C	D	E	F	G
1	Method Step ID	Method ID	Measure ID	Name	Summary	Method Step Version	Reference link
2	dougVol2		Extraction Volume of Sample	aliquot volume	NA		1 NA
3	dougSpikeBSRV1	spikeTarget		brsv culture Spike Target	WW solids w brsv spike, add to eppendorf tube		1 NA
4	dougSpikeBSRV2		BRSV-N	brsv quantity	NA		1 NA
5	dougSpikeRef	spikeMat		Recovery Efficiency reference sample - Raw wastewater Sample	NA		1 NA

	H	I	J	K	L	M	N	O
1	Organization	Contact ID	Instrument ID	Value	Unit	Aggregation ID	Update date - Last Edited	Notes
2	tmu	carl1	NA	40	ml	single	28-04-2022	NA
3	tmu	carl1	Pipette used	NA	NA	NA	28-04-2022	NA
4	tmu	carl1	NA	200	Gene Copies per L	NA	28-04-2022	NA
5	UNZ	susan4	Type of tube used	NA	NA	NA	28-04-2022	NA

Method Sets Template

1. Mandatory fields

Method Set Report ID	Method Set ID
Method Step ID	Method Step Index

2. Definitions

- Method Set Report ID: Unique identifier for a method set.
- Method Set ID: A unique identifier for a given method set.
- Method Step ID: The unique identifier for a specific method step.

Detailed Description

- Method Step Index: Specifies the index of a method step within a method set, i.e. the order of the steps in a set.

3. Examples

	A	B	C	D
1	Method Set Report ID	Method Set ID	Method Step ID	Method Step Index
2	SARSQuantificationWW-0	SARSQuantificationWW	description	0
3	SARSQuantificationWW-2	SARSQuantificationWW	dougConc	1
4	SARSQuantificationWW-2.1	SARSQuantificationWW	dougCentri1	1.1
5	SARSQuantificationWW2-0	SARSQuantificationWW2	description	0

E	F	G	H
Method Set Version	Method Set provance ID	Update date - Last Edited	Notes
1	NA		
1	NA		
1	NA		
2	SARSQuantificationWW		

Detailed Description

Method Steps Template

1. Columns A to G

	A	B	C	D	E	F	G
1	Method Step ID	Method ID	Measure ID	Name	Summary	Method Step Version	Reference link
2							
3							

i) Column A:

How to use the ODM

- Method Step ID (column A) is the Unique Identifier field for this template and cannot be repeated between entries. You can think of each Method Step ID value as representing a unique Method Step.
- ii) Columns B to C:
- These are Drop-down Menu fields.
 - You only need to enter a value into Method ID (column B) or Measure ID (column C). The former is for when you are entering a Method and the latter is for a Measure. Leave the other field **blank**.
- iii) Columns D to G:
- These are Free Form fields and you can enter the relevant information in any format that you wish.
 - Name (column D) refers to
 - Summary (column E) is a short description of the Method Step that you are entering
 - Method Step Version (column F) refers to whether or not you have multiple version of this Step. If you do, then you can differentiate the different versions with “1”, “2”, etc.

2. Columns H to O

	H	I	J	K	L	M	N	O
1	Organization	Contact ID	Instrument ID	Value	Unit	Aggregation ID	Update date - Last Edited	Notes
2								
3								

- i) Columns H to J:
- These are Identifier fields.
 - You can repeat values between entries. For instance, if you are entering two different Method Steps from the same Organization, then “Organization” (column H) will be the same.

Detailed Description

- You may have already created these Identifiers in another template. For instance you may have created “Organization” in the Organizations Template.
- ii) Column K:
- A Free Form field in which you will enter the Value of the Measure. If a Method is being entered, then you can put “NA” here.
- iii) Columns L and M:
- These are Conditional Drop-down Menu fields.
 - Unit (column L) depends on what you entered in Measure ID (column C). If you entered a Method, then you can put “NA” in this field.
 - Aggregation (column M) depends on what you entered in Unit (column L). If you entered a Method, then you can put “NA” in this field.
- iv) Columns N and O:
- These are Free Form fields where you will enter values for the indicated fields.

Method Sets Template

1. Columns A to D

	A	B	C	D
1	Method Set Report ID	Method Set ID	Method Step ID	Method Step Index
2				
3				
4				
5				

- i) Columns A to D:

How to use the ODM

- Method Set Report ID (column A) is the Composite Unique Identifier field for this template.
 - This value is automatically generated by the template by combining Method Set ID (column B) and Method Step Index (column D). It is important that you ensure that any combination of these two fields are not repeated.
 - Each Method Set Report ID value represents a Step within a Method Set.
- Method Set ID (column B) and Method Step ID (column C) are Identifier fields.
- Method Step Index (column D) is a Free Form field and indicates the position of the Method Step in its Method Set. For instance, if the Method Step being entered is the third step in the Method Set, then this value would be “3”.

2. Columns E to H

E	F	G	H
Method Set Version	Method Set provenance ID	Update date - Last Edited	Notes

i) Columns E to F:

- Method Set Version (column E) is a Free Form field where you will indicate the version of the Method Set. For instance, if the current Method Set that you are entering is an updated version of the original one, you would enter “2”.
- Method Set Provenance ID (column F) is the Method Set that the one that is being entered is based upon. Thus,

3) *How to report measures:*

you would enter “NA” here unless the value of Method Set Version is 2 or greater.

ii) Columns G to H:

- These are free form fields and you can enter the relevant information in any format that you wish.

You have now entered your data in the Method Steps and Methods Sets Template, congratulations!

3) **How to report measures:**

In this guide you will learn how to enter Measures into the Measures and Measures Set template. Each entry in this template represents a Measure. As described in , a Measure is a “measurement or observation of any substance including a biological, physical or chemical substance”. You will enter individual Measures into the Measures Template. You can then group certain Measures together and this will be entered into the Measure Sets template. For further information regarding terms and the colour-coding of columns that you will see, please refer to the beginning of this guide (1) *How to use templates*) and

Quick Start

Below you will find the fields that are mandatory for these templates. You will also find some definition of terms and examples of entries of data, with the fields filled and colour-coded. A more detailed description of some of the key concepts can be found in the following section, “Detailed Description”.

Measures Template

1. Mandatory fields

Measure Report ID	Sample ID
Site ID	Analysis Date End Value
Specimen	Fraction analyzed (only if Specimen ID = "Sample")
Measure Value	Value
Unit	Aggregation

2. Definitions

- Measure Report ID: Unique identifier for a measure.
- Sample ID: Unique identifier for a sample.
- Site ID: Unique identifier for the location where a sample was taken.
- Analysis Date End: Date the measurement or analysis was completed.
- Specimen: The substance or thing upon which the observation was made.
- Fraction analyzed: Fraction of the sample that is analyzed.
- Measure: A measurement or observation of any substance including a biological, physical or chemical substance.
- Value: Value of a measure, observation or attribute.
- Unit: The units of a measurement.
- Aggregation: Statistical measures used to report a measure. Each aggregation has a corresponding value.

3. Examples

	A	B	C	D	E	F	G	H
1	Measure report ID	Method set report ID	Sample ID	Purpose	Polygon ID	Site ID	Dataset ID	Measure set report ID
2	rw12345	SARSQuantWW2	rwsp0831	Regular	gta	tmu	queens0830	MSet2
3	rw12346	SARSQuantWW2	rwsp0901	Education	gta	tmu	queens0830	MSet2
4	rop12345	temp1	ropec082922ex	Provisional report	ottGat	delatolla	ropDelEnv	MSet9

	I	J	K	L	M
1	Analysis date start	Analysis date end	Measure Report Date	Specimen ID	Fraction analyzed
2	01/09/2022	01/09/2022	02/09/2022	Sample	Mixed/homogenized sample
3	02/09/2022	02/09/2022	02/09/2022	Sample	Mixed/homogenized sample
4	30/08/2022	31/08/2022	02/09/2022	Site	

	N	O	P	Q	R	S
1	Group	Class ID	Measure ID	Value	Unit	Aggregation ID
2	Miscellaneous viruses group	Alleles class	PMMoV-CP	134	gene copies per mL	Arithmetic Mean
3	SARS-CoV-2 Group	Alleles class	SARS-CoV-2-N1	238	gene copies per mL	Arithmetic Mean
4	Site features group		Environmental Temperature	27	Degrees Celcius	Median

Measure Sets Template

1. Mandatory fields

Report Set ID Method Set Report ID

2. Definitions

How to use the ODM

	T	U	V	W	X
1	Index	Quality Flag	Reportable data flag	Update date - Last Edited	Notes
2	1	No quality concerns	TRUE	02/09/2022	Lorem ipsum
3	2	No quality concerns	TRUE	02/09/2022	
4	1	Quality concerns	FALSE	02/09/2022	Lorem ipsum

- Report Set ID: Unique identifier that links together a group of related measures.
- Method Set Report ID: Unique identifier for a method set.

3. Examples

Image will be added.

Detailed Description

Measures Template

1. Columns A to H

	A	B	C	D	E	F	G	H
1	Measure report ID	Method set report ID	Sample ID	Purpose	Polygon ID	Site ID	Dataset ID	Measure set report ID
2								
3								
4								

i) Columns A-C, and E-H

- These are all Identifier fields.

Detailed Description

- “Report ID” (column A) is the Unique Identifier for this template, and cannot be repeated between entries. In essence, each value of “Report ID” represents a unique Measure.
- For the rest, you can repeat the Identifier between entries (if needed). For instance, if you are entering two different Measures from the same Sample, then the “Sample ID” (column C) will be the same.
- You may have already created these Identifiers in another template. For instance you may have created “Sample ID” in the Samples Template.

ii) Column D

- This is a Drop-down Menu field in which you can select a value representing the Purpose of your Measure from the menu.

2. Columns I to M

	I	J	K	L	M
	Analysis date		Measure Report		
1	start	Analysis date end	Date	Specimen ID	Fraction analyzed
2					
3					
4					

i) Columns I to K

- These are all Free Form fields where you can enter various dates associated with your Measure.

ii) Columns L and M

- These are Drop-down Menu fields where you can select a value that represents the Specimen, and the Fraction of the Samples that was analyzed for your Measure.

3. Columns N to S

How to use the ODM

	N	O	P	Q	R	S
1	Group	Class ID	Measure ID	Value	Unit	Aggregation ID
2						
3						

i) Columns N and O

- These are Drop-down Menu fields which contain the possible values for Group and Class, respectively, of the Measure that you are entering.
- Group and Class are not mandatory, so if you do not know them, leave these fields **blank**.

ii) Column P

- This is a Conditional Drop-down Menu fields where you will enter the Measure of your entry.
- If you chose to enter in a “Class ID” (column O), the drop down menu will contain the Measures found in that Class. If you did not enter a value in column O, the menu will contain all possible Measures.

iii) Column Q

- This is a Free Form field, where you will enter in the Value of your Measure.
- For instance, if your Measure is a temperature of 20 °C, you would enter “20”.

iv) Column R

- This is a Conditional Drop-down Menu field where you will choose the Units of your Value.
- Using the temperature example in the previous point, it would be “Celcius”. What appears in this menu depends on what you entered in the “Measure ID” field (column P).

v) Column S

Detailed Description

- This is a Conditional Drop-down Menu field which contains the types of Aggregations of your value. For example does your value represent a mean, median, etc.
- What appears in this menu depends on what you entered in the Unit field (column Q).

4. Columns T and W

	T	U	V	W	X
1	Index	Quality Flag	Reportable data flag	Update date - Last Edited	Notes
2					
3					

i) Columns T, W and X

- These are Free Form fields in which you can enter the indicated information.
- Index (column T) is used if you have multiple entries with the exact same values in the other fields. If this is the case you could use “1”, “2”, etc. to differentiate them.

ii) Columns U and V

- These columns consist of a Conditional Drop-down Menu field (Quality Flag) and a Drop-down Menu field (Reportable Data Flag).
- “Quality Flag” depends on the value of “Measure” (column P). You can use this to indicate if there are any quality issues with the Measure.
- “Reportable” refers to whether or not your entry is of good enough quality that it can be used by others.

Measure Sets Template

1. Columns A to H

How to use the ODM

	A	B	C	D	E	F	G	H
1	Measure report ID	Method set report ID	Sample ID	Purpose	Polygon ID	Site ID	Dataset ID	Measure set report ID
2								
3								
4								

i) Columns A, B, E and F

- These are all Identifier fields.
- “Set Report ID” (column A) is the Unique Identifier for this template, and cannot be repeated between entries. In essence, each value of “Set Report ID” represents a unique Measure Set.
- For the rest, you can repeat the Identifier between entries (if needed). For instance, if you are entering two different Measure Sets that came from the same Organization, then the “Organization ID” (column E) will be the same.
- You may have already created these Identifiers in another template. For instance you may have created “Organization ID” in the Organizations Template.

ii) Column D

- This is a Drop-down Menu field in which you will choose from the menu the type of Measure Set that you are entering.

iii) Columns C, G and H

- These are all Free Form fields in which you can enter in information in any format that you wish.
- “Name” (Column C) refers to .

You have now entered your data in the Measures and Measure Sets Template, congratulations!

4) How to report samples:

In this guide you will learn how to enter Samples through the Samples template. So, each entry in this template represents a Sample. As described in , a Sample is ” ” .

For further information regarding terms and the colour-coding of columns that you will see, please refer to the beginning of this guide (1) **How to use templates**) and

Quick Start

Below you will find the fields that are mandatory for the Samples template. You will also find some examples of entries of data, with the fields filled and colour-coded. A more detailed description of some of the key concepts can be found in the following section, “Detailed Description”.

1. Mandatory fields

Sample ID	Site ID
Sample Material	Sample Collection
Collection Period	Collection Number
Collection Date Time	

2. Definitions

- Sample ID: Unique identifier for a sample.
- Site ID: Unique identifier for the location where a wastewater sample was taken.
- Sample Material: Type of sample.
- Sample Collection: Method used to collect the sample.

How to use the ODM

- Collection Period: Value of a measure, observation or attribute.
- Collection Number: The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling.
- Collection Date Time: The date, time and timezone the sample was taken.

3. Examples

	A	B	C	D	E	F	G
1	Parent sample ID	Sample ID	Method set report ID	Contact ID	Site ID	Purpose	Sample material
2	ropec082922	ropec082922tri		steve1	WP	Validation study	Raw sewage at site
3	ropec082922	ropec082922ex		steve1	WP	Quality control	Raw sewage at site
4		rwsp0831		jess5	schoolB	Testing	Holding tank wastewater

	H	I	J	K	L	M	N
1	Dataset ID	Sample origin	Replicate Type	Sample collection	Collection Period	Collection Number	Pooled
2	delatolla	Derived sample	Laboratory Duplicate	Grab sample	3		1 N
3	delatolla	Synthetic sample	Laboratory Duplicate	Grab sample	3		1 N
4	hsnri	Field sample	Unique Sample	COSCa ball	8		3 Y

	O	P	Q	R	S	T	U
1	Collection date time	Collection date time start	Collection date time end	Date sample was sent	Quality Flag	Update date - Last Edited	Notes
2	29/08/2022			01/09/2022		01/09/2022	lorem ipsum
3	29/08/2022			01/09/2022		01/09/2022	lorem ipsum
4		10:00PM 8/31/2022	6:00AM 9/1/2022	02/09/2022	Sample spilled	02/09/2022	lorem ipsum

Detailed Description

1. Columns A to G

i) Columns A to E:

- These are Identifier fields.

Detailed Description

	A	B	C	D	E	F	G
1	Parent sample ID	Sample ID	Method set report ID	Contact ID	Site ID	Purpose	Sample material
2							
3							
4							

- Sample ID (column A) is the Unique Identifier for this template and cannot be repeated between entries. You can think of each Sample ID value as representing a unique Sample.
- For the rest of the fields, you can repeat values between entries. For instance, if you are entering two different Samples from the same Site, then the “Site ID” (column E) will be the same.
- You may have already created these Identifiers in another template. For instance you may have created “Site ID” in the Sites Template.

ii) Columns F to G:

- These are Drop-down Menu fields where you can enter information regarding the Purpose and Sample Material of your Sample.

2. Columns H to N

	H	I	J	K	L	M	N
1	Dataset ID	Sample origin	Replicate Type	Sample collection	Collection Period	Collection Number	Pooled
2							
3							
4							

i) Columns H:

- These is an Identifier field for the Dataset that your Sample is associated with.

ii) Columns I to K, N:

How to use the ODM

- These are Drop-down Menu fields related to various characteristics of your Sample.
- Sample collection (column K) refers to the collection technique used to obtain the Sample that you are entering.
- Pooled (column N) refers to whether or not the Sample that you are entering is made up of multiple child Samples.

iii) Columns L and M:

- These are Free Form fields.
- Collection Period (column L) refers to the number of hours that it took to collect your Sample.
- Collection Number (column M) refers to the number of subsamples that were used to create Sample that you are entering.

3. Columns O to U

	O	P	Q	R	S	T	U
1	Collection date time	Collection date time start	Collection date time end	Date sample was sent	Quality Flag	Update date - Last Edited	Notes
2							
3							
4							

i) Columns O to R, T to U:

- These are Free Form fields.
- Most are related to various dates associated with your Sample.

ii) Column S:

- This is a Drop-down Menu field.
- You can use this field to indicate if there are any quality issues with the Sample.

You have now entered your data in the Samples Template, congratulations!

How to report metadata:

In this guide you will learn how to enter Metadata through a series of 8 templates. Each entry in a template will usually represent the title of the template. For instance, in the Organizations template each row will represent an Organization. Metadata is data that gives information about other data. In the context of the PHES-ODM, metadata is anything that gives additional information about Measures, Methods and Samples.

For further information regarding terms and the colour-coding of columns that you will see, please refer to the beginning of this guide (1) [How to use templates](#)) and

Quick Start

Below you will find the fields that are mandatory for the metadata-related templates. You will also find some examples of entries of data, with the fields filled and colour-coded. A more detailed description of some of the key concepts can be found in the following section, “Detailed Description”.

Addresses Template

1. Mandatory fields

Address ID	Dataset ID
Address Line 1	City
State, Province or Region	Country

2. Definitions

- Address ID: A unique identifier for an address.

How to use the ODM

- **Dataset ID:** The name of the dataset that stores information for Measures, Samples and other reporting tables.
- **Address Line 1:** Line 1 (the street name, number and direction) for a given address.
- **City:** The city where a site or organization is located; part of the address.
- **State, Province or Region:** The state, province, or region where a site or organization is located; part of the address.
- **Country:** The country where a site or organization is located; part of the address.

3. Examples

Images will be added

Contacts

1. Mandatory fields

Contact ID	Organization ID
Contact email	

2. Definitions

- **Contact ID:** A unique identifier for a given contact person.
- **Organization ID:** A unique identifier for the organization to which the reporter is affiliated.
- **Email:** Contact e-mail address, for the lab.s.

3. Examples

Images will be added

Detailed Description

Addresses Template

1. Columns A to H

	A	B	C	D	E	F	G	H
1	Address ID	Dataset ID	Address Line 1	Address Line 2	City	State, Province, or Region	Postal or Zip Code	Country
2								
3								

i) Columns A and B:

- These are Identifier fields.
- “Address ID” (column A) is the Unique Identifier for this template, and cannot be repeated between entries. In essence, each value of “Address ID” represents a unique Address.
- For column B (Dataset ID), you can repeat the value between entries (if needed). For instance, if you are entering two different Addresses from the same DataSet, then this column will be the same.
- You may have already created the Dataset ID in the Datasets Template.

ii) Columns C to H:

- These are Free-form fields in which you can enter various information regarding the Address.

	A	B	C	D
1	Contact ID	Organization	First name of contact	Last Name of Contact
2				
3				

Contacts Template

1. Columns A to D

i) Columns A and B:

- These are Identifier fields.
- “Contact ID” (column A) is the Unique Identifier for this template, and cannot be repeated between entries. In essence, each value of “Contact ID” represents a unique Contact.
- For column B (Organization ID), you can repeat the value between entries (if needed). For instance, if you are entering two different Contacts from the same Organization, then this column will be the same.
- You may have already created the Organization ID in the Organizations Template.

ii) Columns C to D:

- These are Free-form fields in which you can enter the name of the Contact.

2. Columns E to I

i) Columns E and I:

- These are Free-form fields in which you can enter various information regarding the Contact.

Example data for each of the 11 report tables.

E	F	G	H	I
Contact email	Contact phone	Role of Contact	Update date - Last Edited	Notes

Example data for each of the 11 report tables.

Tutorials

If needed, we can have chapters with differen tutourials

Part I.

Reference guide

The book section has the parts and other lists. The chapters are organized so that there can be persistent links for the look-up tables (parts, sets, language, translations.)

1. Parts

Parts are the smallest way of describing anything in the ODM. Think of the example of parts of a car. If you own a car, your garage can access a parts list that contains every part of your car – right down to every nut and bolt. The same is true for the ODM. The ODM has a part ID (partID) and part description (partDescription) for every measure, method and attribute. There are also partIDs for measure categories, units, aggregations, and other parts. Below is the part list.

4s method(4s): Nucleic acid extraction performed using the 4s method. *NA Part Type: categoryDomain ID: BioSpecimen ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: <https://www.protocols.io/view/v-4-direct-wastewater-rna-capture-and-purification-bpdfmi3n>Data Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

First Nation(FiNa): Used to categorize a sampleshed that is a First Nation, or on reserve lands. Likely for internal use only, Indigenous data can and should not be shared without explicit consent of the nation in question. *Part Type: categoryDomain ID: naDomainSpecimen ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData*

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 10

International Classification of Diseases(ICD): Classification system for diseases in humans. NA *Part Type:* nomenclature*Domain ID:* Bio*Speciment ID:* po*SpecimenCompartment Set:* human*CompartmentGroup ID:* na*GroupClass ID:* disease*Nomenclature ID:* ICD *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

ISO639-1(ISO6391): The first part of the ISO 639 series of international standards for language codes. Part 1 covers the registration of two-letter codes. There are 183 two-letter codes registered as of June 2021. The registered codes cover the world's major languages. Part of the metadata for a languageID. *Part Type:* attribute*Domain ID:* na*DomainSpeciment ID:* na*SpecimenSetCompartment Set:* na*CompartmentSetGroup ID:* na*GroupClass ID:* na*ClassNomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

ISO639-2B(ISO6392B): A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'B' specifies the bibliographic code (B code). Part of the metadata for a languageID. *Part Type:* attribute*Domain ID:* na*DomainSpeciment ID:* na*SpecimenSetCompartment Set:* na*CompartmentSetGroup ID:* na*GroupClass ID:* na*ClassNomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data*

Type: categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

ISO639-2T(ISO6392T): A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The ‘T’ specifies the terminological code (T code). Part of the metadata for a languageID. *Part Type:* attribute *Domain ID:* naDomain *Specimen ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

ISO639-3(ISO6393): A set of international standards that lists short codes for language names. ISO 639-3 extends the ISO 639-2 alpha-3 codes with an aim to cover all known natural languages. Part of the metadata for a languageID. *Part Type:* attribute *Domain ID:* naDomain *Specimen ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

ISO639-6(ISO6396): A set of international standards that lists short codes for language names. ISO 639-6 builds off ISO639-3 with the use of four-letter codes, and allowing users to differentiate between variants of languages and language families, such as historical vs. revived versions of languages. Part of the metadata for a languageID. *Part Type:* attribute *Domain ID:* naDomain *Specimen ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:*

1. Parts

NA(maybe bug)*Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Non-detect(ND): No amplification occurred in the reaction; non-detect. For the value of a non-detected measure, report the actual value even if it is below the limit of detection. The flag here ensures that it's recorded as a non-detect regardless. In instances where the original data doesn't record a value, but only has the flag, please populate the value field with either a 0 if dealing with variant percentages, and a 1 for all other purposes to further indicate a null result. *Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Protocol organization table column order(ProtocolOrgOrder): Specifies the order of the columns in a protocol organization table. NA *Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Requirements of a protocol organization table(ProtocolOrgRequired): Specifies the columns required in a protocol organization table. NA *Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation*

Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Matrix spike duplicate sample relationship(SpikeDupRel): Specifies a given sample is a matrix spike duplicate of another sample. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: relationshipCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Trace signal extrapolation(UJ): Observed quantitation cycle is greater than the experiment-specific standard curve intercept value but evidence of clear amplification was present (i.e., ?trace? signal observed); the reported value is based on the extrapolation of the standard curve in the non-linear region. *NA Part Type: qualityDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Air compartment(a): A measure or observation made from a substance in the air. *NA Part Type: compartmentDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: airCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

1. Parts

a1306s delta-variant gene target(a1306s): a1306s delta-variant gene target NA *Part Type:* measureDomain *ID:* BioSpeciment *ID:* saSpecimenCompartment Set: anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutationNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* geneticUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* pcrQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

a1918v delta-variant gene target(a1918v): a1918v delta-variant gene target NA *Part Type:* measureDomain *ID:* BioSpeciment *ID:* saSpecimenCompartment Set: anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutationNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* geneticUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* pcrQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

a2710t omicron-variant gene target(a2710t): a2710t omicron-variant gene target NA *Part Type:* measureDomain *ID:* BioSpeciment *ID:* saSpecimenCompartment Set: anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutationNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* geneticUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* pcrQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

a63t omicron-variant gene target(a63t): a63t omicron-variant gene target NA *Part Type:* measureDomain *ID:* BioSpeciment *ID:* saSpecimenCompartment Set: anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutationNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* geneticUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* pcrQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

a67v omicron-variant gene target(a67v): a67v omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: NA*Data Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: NA*Maximum Length*: NA

Analysis date(aDate): Date the measurement was performed in the lab. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: *naUnitSetAggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: *datetimeMinimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Analysis date end(aDateEnd): Date the measurement or analysis was completed. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: *naUnitSetAggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: *datetimeMinimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Analysis date start(aDateStart): Date the measurement or analysis was started. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: *naUnitSetAggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: *datetimeMinimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

1. Parts

Atline Analyzer(aas): Atline analyzer with sampler. An atline analyzer with sampler. *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* waterCompartment *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* insTypeCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMaximum *Length:* 0 *Maximum Length:* 30

Absolute humidity(absHum): The unit of absolute humidity. The total mass of water vapour present in the air. *NA Part Type:* measure *Domain ID:* PhySpeciment *ID:* siSpecimen *Set Compartment Set:* anyCompartment *Group ID:* siteFeat *Class ID:* humClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* absHumidUnitSet *Aggregation Scale ID:* see unitQuality *Set ID:* genQualitySet *Reference Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NAMaximum *Length:* NA

Absolute humidity unit set(absHumidUnitSet): Unit set for absolute humidity measurements. *NA Part Type:* set *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* anyCompartment *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* absHumidUnitSet *Aggregation Scale ID:* quantAggScale *Quality Set ID:* genQualitySet *Reference Link:* NAData *Type:* categorical *Minimum Value:* NAMaximum *Value:* NAMaximum *Length:* 0 *Maximum Length:* 30

Academic institution organization type(academ): The category of organization type used for academic institutions or research groups. *NA Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:*

NA(maybe bug)*Category Set ID: orgTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Number of active cases(acti): Number of active cases. NA *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Active(active): Indicator to say that a part is in current use in the model. See partID = status NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: statusCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Address ID(addID): A unique identifier for an address. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Address Line 1(addL1): Line 1 (the street name, number and direction) for a given address. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set*

1. Parts

ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Address Line 2(addL2): Line 2 (the unit number) for a given address. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Address Table(addresses): The table that contains information about addresses, which can be fore Sites, individuals reporting data, or organizations. adapt from version 1 documentation *Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: programDescrNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Addresses table column order(addressesOrder): Specifies the order of the columns in a Addresses table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Requirements of addresses table(addressesRequired): Specifies the columns required in a Addresses table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature*

ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Air filtration unit(afu): Air filtration or circulating unit. Typically the unit would have a fan or blower. *Part Type: categoryDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: airCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSet Unit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Aggregation(aggID): Statistical measures used to report a measure. Each aggregation has a corresponding value. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Aggregation scale(aggScale): The part type for aggregation scales *NA Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Aggregation Scale ID(aggScaleID): A scale used for an aggregation. See `partID = ?` Only applicable for measures and units. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass*

1. Parts

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResult Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12

Aggregation Set ID(aggSetID): The ID for an aggregation set. Mainly applicable to partType = “units”. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResult Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Aggregations(aggregation): Statistical measures used to report a measure. Each dataType that is a number should be reported with an aggregation. *NA Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResult Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Inhibition present but addressed(ai): The original sample was inhibited; however, the inhibition has been addressed through dilution. The reported concentration estimate is the updated result after addressing inhibition. *NA Part Type: qualityDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Air compartment set(airCompartmentSet): A compartment set for measures and methods in the air compartment. NA *Part Type*: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: airCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Air and surface compartment set(airSurfaceCompartmentSet): A compartment set for measures and methods in the air or surface compartments. NA *Part Type*: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: airSurfaceCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Environmental Temperature(airTemp): Environmental temperature. NA *Part Type*: measureDomain ID: PhySpeciment ID: siSpecimenCompartment Set: anyCompartmentGroup ID: siteFeatClass ID: tempClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: temperatureUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Air and water compartment set(airWaterCompartmentSet): A compartment set for measures and methods in the air or water compartments. NA *Part Type*: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: airWaterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData

1. Parts

Type: varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 15

Airplane(airpln): Airplane NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* any-Compartment *Group ID:* colGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* shedCat *Set Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Alias(alias): ID of an assay that is the same or similar. A comma separated list. Deprecated as of version 2, please avoid use. Use notes instead. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 10

Alias ID(aliasID): Alias id ID of an assay that is the same or similar. a comma separated list. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 10

All domains(allDo): Domain that specifies that it could apply to al domains; biological, chemical, and physical. NA *Part Type:* domain *Domain ID:* allDo *Speciment ID:* anySpecimen *Compartment Set:* anyCompartment *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:*

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Access to all org(allOrgs): If this is 'no', this data will not be available to any partner organization. If missing, data will be available to the all organizations. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: booleanMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Alleles class(allele): Specifies a collection of measures/methods related to alleles. *NA Part Type: classDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: alleleNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Allele unit set(alleleUnitSet): Unit set for alleles. *NA Part Type: setDomain ID: naDomainSpeciment ID: siSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: alleleUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Aloh3 precipitation(aloh3): Aloh3 precipitation *NA Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type:*

1. Parts

varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Assay method id default(amDef): Used as default when a new measurement is created for this lab. See ID in AssayMethod table. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at phesd_odm@ohri.ca *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Amicon filter, extract with MP96(amiMP96): Nucleic acid extraction, usually used for the liquid fraction of a wastewater sample, using amicon filtration and using an MP96 for final extraction. *NA Part Type: categoryDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 10*

Amicon ultrafiltration(amiconUf): Amicon ultrafiltration *NA Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

AND Boolean Aggregation(andBoo): “AND” aggregation. If all values in the aggregation is “TRUE” then the AND aggregation is also “TRUE”. If all values in the aggregation is “FALSE” then the AND aggregation is also “TRUE”. *Part Type*: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: NAMaximum Length: NA

Any compartment set(anyCompartmentSet): A compartment set for measures and methods in any compartment. NA *Part Type*: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Any specimen set(anySpecimenSet): A specimen set that inculdes any specimen. NA *Part Type*: setDomain ID: naDomainSpeciment ID: anySpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Arrival temperature(arTemp): The temperature of a sample upon arrival at the laboratory for analysis. NA *Part Type*: measureDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: waterCompartmentGroup ID: miscMeasClass ID: tempClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: temperatureUnitSetAggregation Scale ID: see unitQuality

1. Parts

Set ID: genQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Area proportional sample(areaPr): An area proportional sample. Used for surface testing. *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* surface-Compartment *Group ID:* colGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* collectCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* sampleQualitySetReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Use of the articV3 primer(articV3): Initial implementation of an ARTIC bioinformatics platform for nanopore sequencing of nCoV2019 novel coronavirus; Artic Foundation v3 primer. NA *Part Type:* category *Domain ID:* BioSpeciment *ID:* saSpecimen *Set Compartment Set:* anyCompartment *Group ID:* procGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* primerCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NAReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Use of the articV4 primer(articV4): Artic V4 sequencing primer for VOCs and VOIs. NA *Part Type:* category *Domain ID:* BioSpeciment *ID:* saSpecimen *Set Compartment Set:* anyCompartment *Group ID:* procGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* primerCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NAReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Assay ID(asId): Links with the AssayMethod used to perform the analysis. Use instrument.ID for measures that are not viral measures. Deprecated as of version 2, please avoid use. Refer to methodID

instead. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResult *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Attributes(attribute): An attribute of a domain, specimen, compartment, or reportTable. Attributes are one of the three main components or ways to report environment surveillance data. The other two components are measures and methods. *Part Type:* partType *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResult *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Trace levels of contamination(b): Analytical result may be subject to ?trace? levels of contamination; the target analyte was also detected in negative controls on the same run as the sample. NA *Part Type:* quality *Domain ID:* BioSpeciment *ID:* saSpecimen *Set Compartment Set:* anyCompartmentGroup *ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* pcrQualitySet *Reference Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Branch sewer pipeline(bSvrPpl): Specifies a site type that is collection pipe that run lateral to other municipal sewer lines, allowing drainage into the main sewer. NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* waterCompartmentGroup *ID:* colGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* siteTypeCatSet *Unit Set*

1. Parts

ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Miscellaneous bacteria group(bactMisc): A group of measures/methods related to miscellaneous bacteria. The miscallenous bacteria are often have only one measure or method. When a bacteria has many measures, they will be given their own groupID in updated dictionary versions. *Part Type: groupDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: bactMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Bacteria unit set(bacterialUnitSet): Unit set for bacteria-related measurements. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: bacteriaUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Bead beating, extract with MP96(bbMP96): Nucleaic acid extraction, usually used for solid fraction of a wastewater sample, using bead beating and using an MP96 for final extraction. *NA Part Type: categoryDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 10*

bcov(bcov): Measure of the amount of bovine coronavirus. NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *virusMiscClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NA Unit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

bcov culture Spike Target(bcovCul): Cultured bovine coronavirus is used as the recovery efficiency control target. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *spikeTargetCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *0Maximum Length*: 30

bcov vaccine Spike Target(bcovVac): The bovine coronavirus vaccine is used as the recovery efficiency control target. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *spikeTargetCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *0Maximum Length*: 30

Beef extract flocculation(beeExtractFloc): Beef extract flocculation. NA *Part Type*: *categoryDomain ID*: *CheSpeciment ID*: *naSpecimenSetCompartment Set*: *waterCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *methodConcCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference*

1. Parts

Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Beta(beta): B.1.351 NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: variantNomenclature ID: who Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Biologic(bio): A living organism or biological substance. NA *Part Type: domainDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Digital droplet emulsification PCR(bioRadDdpcr): Describes a PCR analysis done using BioRad's digital droplet emulsification PCR technology. NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sewer network file link deprecated(blob): Link to a file that has any detailed information about the sewer network associated with the site (any format). NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData*

Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30

Binary Large Object (BLOB) Data Type(blob): The data type for Binary Large Object (BLOB) data. Only used for the dictionary entries of parts. *Part Type: dataTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15*

Breadth of coverage ($\geq 5\times$ depth)(boc): Positions with read depth greater or equal to 5. Report as percentage of positions. *Part Type: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integer Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA*

5-Day Carbonaceous Biochemical Oxygen Demand(bod5c): The?quantity?of?oxygen?utilized?for the biochemical?degradation?of?organic matter?under?standard?laboratory procedures?in five (5) days in the?presence of a?nitrification inhibitor,?expressed?in?milligrams per litre?(mg/l). NA *Part Type: measureDomain ID: BioSpeciment ID: siSpecimenCompartment Set: waterCompartmentGroup ID: miscMeasClass ID: standardConcNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: stdConcentrationUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: <https://doi.org/10.1002/wer.1541>Data Type: see unit Minimum Value: see unit Maximum Value: see unit Minimum Length: NA Maximum Length: NA*

1. Parts

5-day Total Biochemical Oxygen Demand(bod5t): 5 day total biochemical oxygen demand. NA *Part Type:* *measureDomain ID:* *BioSpeciment ID:* *siSpecimenCompartment Set:* *waterCompartmentGroup ID:* *miscMeasClass ID:* *standardConcNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *stdConcentrationUnitSetAggregation Scale ID:* see *unitQuality Set ID:* *genQualitySetReference Link:* <https://doi.org/10.1002/wer.1541>*Data Type:* see *unitMinimum Value:* see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

Boolean data type(boolean): The data type for boolean/binary data. Encoded as 'TRUE' or 'FALSE' *Part Type:* *dataTypeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 15

Boolean aggregation set(booleanAggrSet): Aggreagation set for boolean. NA *Part Type:* *aggregationDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *categoricalMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Boolean value set(booleanValSet): Unit set that contains the valid possible values for a boolean measure (TRUE or FALSE). NA *Part Type:* *setDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *NAAggregation Scale ID:* *NAQuality Set ID:*

genQualitySetReference Link: NAData Type: categoricalMinimum Value: NA
Maximum Value: NAMinimum Length: 0Maximum Length: 30

Bovine respiratory syncytial virus group(brsv): Bovine respiratory syncytial virus. NA Part Type: measureDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

brsv culture Spike Target(brsvCul): Cultured bovine respiratory syncytial virus (BRSV) is used as the recovery efficiency control target. NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

BRSV-N(brsvN): bovine respiratory syncytial virus capsid protein gene region NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: alleleNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

brsv vaccine Spike Target(brsvVac): The bovine respiratory syncytial virus (BRSV) vaccine is used as the recovery efficiency control target. NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference:

1. Parts

NA(maybe bug) *Category Set ID*: spikeTargetCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Building cleanout(buildCO): Specifies a site type that is a capped pipe that connects to a building's main sewer line. NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: siteTypeCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Collection date time(cDT): for grab samples this is the date, time and timezone the sample was taken. NA *Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: datetime *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Collection date time end(cDTend): For integrated time average samples this is the date, time and timezone the sample was finished being taken. NA *Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: datetime *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Collection date time start(cDTstart): For integrated time averaged samples this is the date, time and timezone the sample was started

being taken. NA *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Composite key(cK): Composite key for a table. NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tableCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Case report Date(caRepDate): Date that the numbers were reported publicly. Typically, reported data and this measure is most commonly reported and used. NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: humanCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: popDateTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Capacity unit set(capacityUnitSet): Unit set for capacity measurements. NA *Part Type*: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: capacityUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

1. Parts

Category sets(catSet): The part type for category sets. Only used for the dictionary entries of parts. *Part Type:* partTypeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* anyCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 15

Category Set ID(catSetID): The category set that corresponds to a given part. A set of categories used for a method or measure. Only applicable for categorical fields, and the categories that populate them. *NA Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* categorical*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 12

Categorical Data Type(categorical): The data type for categorical data. Only used for the dictionary entries of parts. *Part Type:* dataTypeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* anyCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 15

Categories(category): A category of a measure, method or attribute. A use-case example of categories would be how they are used to record the site where a measure is taken (partID = geoType). For the geoType attribute there are different type of sites where samples can be taken: a wastewater treatment plant, airplane holding tank, wastewater pumping station, etc. Each of these site types is recorded as a category that can be

identified in categorySetID = sTypeCatSets *Part Type*: partTypeDomain
ID: naDomainSpeciment *ID*: naSpecimenSetCompartment Set: naCom-
 partmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*:
 naNomenclature *Ontology Reference*: NA(maybe bug)Category Set
ID: NAUnit Set *ID*: naUnitSetAggregation Scale *ID*: NAQuality Set *ID*:
 NAResource Link: NAData Type: varcharMinimum Value: NAMaximum
 Value: NAMinimum Length: 0Maximum Length: 30

Long term acute care hospital(ccc): Acute care hospitals, or
 complex continuing care, that provide care for patients with average
 length of stay longer than 25 days. NA *Part Type*: categoryDomain
ID: naDomainSpeciment *ID*: naSpecimenSetCompartment Set: any-
 CompartmentGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*:
 naNomenclature *Ontology Reference*: NA(maybe bug)Category Set *ID*:
 shedCatSetUnit Set *ID*: naUnitSetAggregation Scale *ID*: NAQuality
 Set *ID*: NAResource Link: NAData Type: varcharMinimum Value:
 NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Child day care(cdc): Child day care facility. NA *Part Type*: cate-
 goryDomain *ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment
 Set: anyCompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature
ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set
ID: shedCatSetUnit Set *ID*: naUnitSetAggregation Scale *ID*: NAQuality
 Set *ID*: NAResource Link: NAData Type: varcharMinimum Value:
 NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Degrees Celcius(cel): Degrees Celsius. NA *Part Type*: unitDomain
ID: PhySpeciment *ID*: siSaSpecimenCompartment Set: anyCompartment
 Group *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomen-
 clature *Ontology Reference*: NA(maybe bug)Category Set *ID*: NAUnit
 Set *ID*: naUnitSetAggregation Scale *ID*: quantAggScaleQuality Set *ID*:
 genQualitySetReference Link: NAData Type: floatMinimum Value:
 -60Maximum Value: 100Minimum Length: NAMaximum Length: NA

Centrifugation(cent): Describes solid separation from a wastewater
 sample via centrifugation. Likely connected to other method steps

1. Parts

prior to analysis. NA *Part Type*: categoryDomain ID: allDoSpeciment ID: saSpecimenCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Centricon ultrafiltration(centriconUf): Centricon ultrafiltration. NA *Part Type*: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Ceres nanotrap(ceres): Ceres nanotrap. NA *Part Type*: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

CFU per 100 ml(cfu): Colony forming units per 100 ml of filtered sample. NA *Part Type*: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Changes column(changes): A column for recording the changes from a previous version. Use this column as a short-hand change log for dictionary development. *Part Type:* tableSupportDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0Maximum *Length:* 30

Chemical(che): A chemical compound. NA *Part Type:* domainDomain *ID:* CheSpeciment *ID:* anySpecimenCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0Maximum *Length:* 30

Chemagic viral dna/rna 300 kit(chemVir): Nucleic acid extraction performed using the chemagic viral dna/rna 300 kit. NA *Part Type:* categoryDomain *ID:* BioSpeciment *ID:* saSpecimenCompartment *Set:* anyCompartmentGroup *ID:* procGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* extractCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0Maximum *Length:* 30

Child relationship(childRel): Indicated that this is a sample generated from (an)other sample(s) either because of pooling or sub-sampling. NA *Part Type:* categoryDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* relationshipCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

City(city): The city where a site or organization is located; part of the address. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Clarified sample(clari): Clarified sample. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* waterCompartment*Group ID:* procGrp*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* spikeMatCatSetUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* sampleQualitySet*Resource Link:* NAData *Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Classes(class): A class is a collection of one or more related measures or methods within a group. A group can have one more more classes to describe different parts or the class. See partID = classID. *Part Type:* partType*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Class(classID): A unique identifier for a class, which is akin to a subgroup; it's a way of grouping parts within a given groupID. A group can have one or more classes to describe different parts of the class. Currently, class is only used for biologics. For example, SARS-CoV-2 is a group of

measures with the following classes of allele, variant, mutation, sequence, and protein. *Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *categoricalMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Cloudy(cloudy): Qualitative category for the weather measure, specifying an overcast day with no rain. NA *Part Type:* *categoryDomain ID:* *PhySpeciment ID:* *siSpecimenCompartment Set:* *anyCompartmentGroup ID:* *siteFeatClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *weathCatSetUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Centimetres(cm): Unit part for the SI unit of centimetres. NA *Part Type:* *unitDomain ID:* *PhySpeciment ID:* *siSpecimenCompartment Set:* *anyCompartmentGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *quantAggScaleQuality Set ID:* *NAReference Link:* *NAData Type:* *floatMinimum Value:* 0*Maximum Value:* *NAMinimum Length:* *NAMaximum Length:* NA

Carbon Dioxide(co2): A measure of an amount or concentraion of carbon dioxide. NA *Part Type:* *measureDomain ID:* *CheSpeciment ID:* *siSaSpecimenCompartment Set:* *waterCompartmentGroup ID:* *miscMeasClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *dissGasUnitSetAggregation Scale ID:* *see unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* *see unitMinimum Value:* *see unitMaximum Value:* *see unitMinimum Length:* *NAMaximum Length:* NA

1. Parts

Chemical Oxygen Demand(cod): Chemical oxygen demand. NA *Part Type*: *measureDomain ID*: *CheSpeciment ID*: *siSaSpecimenCompartment Set*: *waterCompartmentGroup ID*: *miscMeasClass ID*: *standardConcNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *stdConcentrationUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Collection group(colGrp): A group of measurement-like attributes related to sample collection. NA *Part Type*: *groupDomain ID*: *allDoSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

Collection Number(collNum): The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: *integerMinimum Value*: 1*Maximum Value*: *NAMinimum Length*: *NAMaximum Length*: NA

Collection Period(collPer): Collection period. The time period over which the sample was collected, in hours. Alternatively, use *collectionStart* and *collectionEnd*. Examples: 1 hour, 6 hours, 24 hours *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*:

sampleQualitySetReference Link: NAData Type: floatMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA

Sample collection type(collType): Method used to collect the sample. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Sample collection category set(collectCatSet): The category set for sample collection. NA *Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Area proportional sample:(areaPr)

Composite grab sample of 3:(comp3)

Composite Grab Sample of 3 Depreciate:(comp3dep)

Composite 3hr grab sample:(comp3h)

Composite 3hr grab sample depreciate:(comp3hdep)

Composite 8hr Grab Sample Depreciated:(comp8)

Composite 8hr grab sample:(comp8h)

COSCa ball:(cosca)

Flow Proportional 24hr Sample:(flow24h)

1. Parts

Flow proportional sample:(flowPr)

Grab sample:(grb)

Holding Tank Wastewater Depreciated:(hoTaWa)

Moore swab passive sample:(moorSw)

Moore Swab Passive Sample Depreciated:(msps)

Other Collection Depreciated 2:(otco)

Representative Grab Sample:(repGrab)

Surface swab:(surfSw)

Time proportional sample:(timePr)

Time Proportional 24hr Sample:(tp24s)

Volume proportional sample:(volPr)

Colocated sample relationship(colocRel): Specifies a given sample is colocated to another sample. NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartment *Set Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: relationship-*CatSet Unit Set ID*: naUnit *Set Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Co-located Sample(colocated): Second or multiples samples collected at same location but different time (water, air) or at a nearby location (soil, sediment). Sent blind to laboratory. NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartment *Set Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: replicate-*CatSet Unit Set ID*: naUnit *Set Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Column name(columnName): Name for the column Depreciated in ODM version 2. Look-up tables are now incorporated into parts and sets. *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Composite grab sample of 3(comp3): A grab-composite sample composed of 3 separate grab samples. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* waterCompartment*Group ID:* colGrp*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* collectCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* sampleQualitySet*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Composite Grab Sample of 3 Depreciate(comp3dep): A grab-composite sample composed of 3 separate grab samples. Deprecated in version 2, please do not use. *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* waterCompartment*Group ID:* colGrp*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* collectCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* sampleQualitySet*Reference Link:* NA*Data Type:* NA*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Composite 3hr grab sample(comp3h): A 3-hour composite with 3 grab samples each taken once per hour, generally manually performed. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* waterCompartment*Group ID:* colGrp*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:*

1. Parts

NA(maybe bug)*Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Composite 3hr grab sample depreciate(comp3hdep): A 3-hour composite with 3 grab samples each taken once per hour, generally manually performed. Deprecated in version 2, please do not use. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Composite 8hr Grab Sample Depreciated(comp8): An 8-hour composite with 8 grab samples each taken once per hour, generally manually performed. Deprecated in version 2, please do not use. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Composite 8hr grab sample(comp8h): A 8-hour composite with 8 grab samples each taken once per hour, generally manually performed. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Compartment(compID): The environmental entity from which a sample was taken for a given part. Compartments include: air, surface and water. Wastewater has componentID = water. Mostly applicable for measures, methods, units, and aggregations. *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Compartment set(compSet): The set of valid compartments that apply to another given part. NA *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Compartments(compartment): An substance from which a sample was taken. NA *Part Type:* partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Confirmed Cases Case Report Date(conCase): Date that the numbers were reported publicly for a confirmed case. Typically, reported data and this measure is most commonly reported and used. NA *Part Type:* unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID:

1. Parts

NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: dateTimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Confirmed Cases Test Date(conTest): Date that the covid-19 test was performed for a confirmed case. *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: dateTimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sample concentrate(conc): Sample concentrate. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: anyCompartment Group ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Water conductivity(cond): Measurement of conductivity of sample or site. *NA Part Type: measureDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: waterCompartment Group ID: siteFeat Class ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: conductivityUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Conductivity unit set(conductivityUnitSet): Unit set related to conductivity measurements. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: anyCompartment Group ID:*

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: conductivityUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Number of confirmed cases(conf): Number of confirmed cases. *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Confirmed cases episode date(confEp): Episode date is the earliest of onset, test or reported date for a confirmed case. *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: dateTimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Confirmed Cases Onset Date(confOn): Earliest that symptoms were reported for a confirmed case. This data is often not known and reported. In lieu, episode is used. *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: dateTimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Contact ID(contID): A unique identifier for a given contact person. *NA Part Type: attributeDomain ID: naDomainSpeciment ID:*

1. Parts

naSpecimenSetCompartment Set: *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Contact name(contactName): Contact person or group, for the lab. Depreciated in ODM version 2. see ‘name’ *Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 100

Contact Table(contacts): The table that contains information about a contact; a person who is the contact of a site or laboratory. adapt from verson 1 documentation *Part Type:* *tableDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *programDescrNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Contacts table column order(contactsOrder): Specifies the order of the columns in a Contacts table. NA *Part Type:* *tableSupportDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *integerMinimum Value:* 1*Maximum Value:* *NAMinimum Length:* *NAMaximum Length:* NA

Requirements of contacts table(contactsRequired): Specifies the columns required in a Contacts table. NA *Part Type*: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartmentSet: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Correctional Facility(corFcil): Correctional facility NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartmentSet: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

COSCa ball(cosca): COSCa passive sampling device. Use collectionPeriod to describe how many hours the ball was used to collect the sample *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartmentSet: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: <https://pubs.rsc.org/en/content/articlelanding/2021/ew/d1ew00207d>Data Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Country(country): The country where a site or organization is located; part of the address. NA *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartmentSet: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:

1. Parts

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Covid-19(cov): Covid-19 infection. Any form of Covid-19 human infection - including testing for Covid-19, symptomatic Covid-19, asymptomatic Covid-19, hospitalized Covid-19, long-Covid-19, etc. If needed, define the specific form Covid-19 with units. See populationUnits. *Part Type: measureDomain ID: BioSpeciment ID: poSpecimenCompartment Set: humanCompartmentGroup ID: sarsCov2Class ID: diseaseNomenclature ID: ICD Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: populationUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

SARS-CoV-2-B.1.1.7(covB117): Variant B.1.1.7 of the SARS-CoV-2 virus. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: variantNomenclature ID: pangolin Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

SARS-CoV-2-B.1.351(covB1351): Variant B.1.351 of the SARS-CoV-2 virus. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: variantNomenclature ID: pangolin Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

SARS-CoV-2-E(covE): SARS-CoV-2 E gene. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: alleleNomenclature ID:*

naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: genQualitySetReference *Link*: NA*Data Type*: see unit*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NAMaximum Length: NA

SARS-CoV-2-N1(covN1): SARS-CoV-2 nucleocapsid gene, allele 1. NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: alleleNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: genQualitySetReference *Link*: NA*Data Type*: see unit*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NAMaximum Length: NA

SARS-CoV-2-N2(covN2): SARS-CoV-2 nucleocapsid gene, allele 2. NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: alleleNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: genQualitySetReference *Link*: NA*Data Type*: see unit*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NAMaximum Length: NA

SARS-CoV-2-N3(covN3): SARS-CoV-2 nucleocapsid gene, allele 3. NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: alleleNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: genQualitySetReference *Link*: NA*Data Type*: see unit*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NAMaximum Length: NA

SARS-CoV-2-P.1(covP1): Variant P.1 of the SARS-CoV-2 virus. NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class

1. Parts

ID: variantNomenclature ID: pangolin Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

SARS-CoV-2-RdRp(covRdrp): SARS-CoV-2 RdRp gene. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: alleleNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Covid-19 Population Measure Date(cphDate): date of reporting for covid-19 measure. Depreciated in ODM version 2. The measure identification is now measureReportID with report dates as for any measure report. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Cphd ID(cphid): Unique identifier for the table. Depreciated in ODM version 2. The measure identification is now measureReportID. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

crAssphage-N(cra): crAssphage virus capsid protein gene region
NA Part Type: *measureDomain ID:* *BioSpeciment ID:* *saSpecimenCompartment Set:* *anyCompartmentGroup ID:* *virusMiscClass ID:* *alleleNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *geneticUnitSetAggregation Scale ID:* see *unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* see *unitMinimum Value:* see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

Cycle threshold(ct): Cycle thresholds in a PCR assay. *NA Part Type:* *unitDomain ID:* *BioSpeciment ID:* *saSpecimenCompartment Set:* *anyCompartmentGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *quantAggScaleQuality Set ID:* *pcrQualitySetReference Link:* *NAData Type:* *floatMinimum Value:* *0Maximum Value:* *NAMinimum Length:* *NAMaximum Length:* NA

Cumulative count(cuCo): Units for describing a population measure of a cumulative count of cases of a given disease. Unit for a population or disease measure to explain population-level clinical effects. *Part Type:* *unitDomain ID:* *BioSpeciment ID:* *poSpecimenCompartment Set:* *anyCompartmentGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *quantAggScaleQuality Set ID:* *NAReference Link:* *NAData Type:* *integerMinimum Value:* *0Maximum Value:* *NAMinimum Length:* *NAMaximum Length:* NA

Data custodian(custodyID): The data custodian of a database. Use Organization ID to populate this field, and the organizations table to describe contact information and other details for the data custodian. *Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology*

1. Parts

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

d377y delta-variant gene target(d377y): d377y delta-variant gene target. NA *Part Type:* measure*Domain ID:* BioSpeciment *ID:* saSpecimen*Compartment Set:* anyCompartment*Group ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

d3g omicron-variant gene target(d3g?): d3g omicron-variant gene target. NA *Part Type:* measure*Domain ID:* BioSpeciment *ID:* saSpecimen*Compartment Set:* anyCompartment*Group ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

d63g delta-variant gene target(d63g): d63g delta-variant gene target. NA *Part Type:* measure*Domain ID:* BioSpeciment *ID:* saSpecimen*Compartment Set:* anyCompartment*Group ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

d796y omicron-variant gene target(d796y?): d796y omicron-variant gene target. NA *Part Type:* measure*Domain ID:* BioSpeciment *ID:* saSpecimen*Compartment Set:* anyCompartment*Group ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:*

NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

d950n delta-variant gene target(d950n): d950n delta-variant gene target. NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Daily count(daiCo): Units for describing a population measure of a daily count of new cases of a given disease. Unit for a population or disease measure to explain population-level clinical effects. Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Data types(dataType): The data type for a part. Data types used in the ODM include: varchar, boolean, float, category, date, time, datetime, url, email. dataType corresponds the the entry or cell within a data table, most commonly within a report table. If the data entry has a unit, then the dataType corresponds to the unit and the dataType refers to ‘unit’. If the data entry is a category, then the dataType refers to ‘category’. All categories are varchar. Otherwise the dataType is identified within the part entry. TBA: dataType for dictionary. Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)*Category Set*

1. Parts

ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12

Dataset ID(datasetID): The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables. Where possible, datasetID name should correspond the original data custodian responsible for generating environmental data. (suggestion for a default name convention.) *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Dataset Table(datasets): A report table for capturing details about data's parental data set and data custodians. Supplying attribution for data collectors. *NA Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: programDescrNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Datasets table column order(datasetsOrder): Specifies the order of the columns in a Datasets table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Requirements of datasets table(datasetsRequired): Specifies the columns required in a Datasets table. *NA Part Type*: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Date(date): Date date on which the assayMethod was created or updated (for version update). *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Datetime Data Type(datetime): The data type for date and time data. Only used for the dictionary entries of parts. *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

ddcov_e sars-cov-2 gene target(ddcovE): ddcov_e sars-cov-2 gene target. *NA Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetResource Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

1. Parts

ddcov__n sars-cov-2 gene target(ddcovN?): ddcov__n sars-cov-2 gene target. NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Deaths(death): Units for describing a population measure of patients who have died from a given cause. Unit for a population or disease measure to explain population-level clinical effects. *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *poSpecimenCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: *integerMinimum Value*: 0 *Maximum Value*: NA *Minimum Length*: NA *Maximum Length*: NA

del 157/158(del 157S158): 157 or 158 deletion delta-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

del143/145?(del143S145?): 143 or 145 deletion omicron-variant gene target. NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see

unitMinimum Value: see *unitMaximum Value*: see *unitMinimum Length*:
NAMaximum Length: NA

del2084/2084?(del2084S2084?): 2084 or 2084 deletion omicron-variant gene target. *NA Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

del212/212?(del212S212?): 212 or 212 deletion omicron-variant gene target. *NA Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

del3674/3676?(del3674S3676?): 3674 or 3676 deletion omicron-variant gene target. *NA Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

del69/70?(del69S70?): 69 or 70 deletion omicron-variant gene target. *NA Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*:

1. Parts

see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Delta(delta): B.1.617.2 *NA Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *variantNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Deprecated(deprecated): Indicator to say that a part is no longer in current use in the model. See *partID = status NA Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *statusCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *0Maximum Length*: 30

Derived sample(derived): Specifies a sample that is derrived or made from another sample or material. *NA Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *originCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *0Maximum Length*: 30

Description(descr): A detailed description as an attribute for describing results or program elements. A description of the part that serves a clear presentation of the part to a wide audience including technical and not technical staff. A description should allow any person who generates environment surveillance data to know how to identify how to record their data elements in the ODM. *partReference* can be used to further

describe a part. *Part Type:* attribute *Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 200

Description of change(descrChange): A description of change in a part from the previous version NA *Part Type:* dictionary *Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Desk or counter(desk): Desk, table, countertop or other flat working surface. NA *Part Type:* category *Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* surfaceCompartmentGroup *ID:* colGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* sampleMatCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Dewatered solids(deso): Dewatered solids. NA *Part Type:* category *Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* waterCompartmentGroup *ID:* procGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* spikeMatCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Detected(det): Substance detected or not detected. 1 = detected, 0 = not detected *Part Type:* unit *Domain ID:* BioSpeciment *ID:* saSpec-

1. Parts

imenCompartment Set: anyCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* quantAggScaleQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* boolean *Minimum Value:* 0 *Maximum Value:* 1 *Minimum Length:* NA *Maximum Length:* NA

Access to details(details): More details on the existing confidentiality requirements of this measurement. *NA Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* boolean *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 1

Dilution factor(dilFact): Specifies the extent to which a sample or aliquot was diluted prior to analysis. Dilution factor is reported as a unitless measure, where a value of 10 indicates a 10:1 dilution. *Part Type:* measureDomain *ID:* allDoSpeciment *ID:* saSpecimenCompartment *Set:* anyCompartmentGroup *ID:* procGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* see unitQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* integer *Minimum Value:* 1 *Maximum Value:* NA *Minimum Length:* NA *Maximum Length:* NA

Disease (human)(disease): Specifies a collection of measures/methods related to disease or infection in humans. *NA Part Type:* classDomain *ID:* BioSpeciment *ID:* poSpecimenCompartment *Set:* humanCompartmentGroup *ID:* naGroupClass *ID:* diseaseNomenclature *ID:* ICD *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* see unitQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Dissolved gas concentration unit set(dissGasUnitSet): Unit set for carbon dioxide concentrations measurements in water or air. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: airWaterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: dissGasUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Depth of coverage(doc): The sequencing read depth. Used to interpret the confidence in a presence or amount of a variant. *Part Type: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA*

Domains(domain): Domain is the highest level of describing of a measure. There are three domain types: biologic (i.e. Covid-19, chemical (i.e. nitrogen), physical measure (temperature). *NA Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Domain ID(domainID): Domain is the highest level of describing of a measure. There are three domain types: biologic (i.e. Covid-19, chemical (i.e. nitrogen), physical measure (temperature). The domain ID that corresponds to a given part. Mostly applicable for measures, methods, units, and aggregations. *Part Type: attributeDomain ID: naDomainSpeciment*

1. Parts

ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Higher education dormitory or residential building(dorm): Higher education dormitory or residential building NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

e156g delta-variant gene target(e156g): e156g delta-variant gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

e484a omicron-variant gene target(e484a?): e484a omicron-variant gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Sarbecovirus-specific E sars-cov-2 gene target(eSarbeco): Sarbecovirus-specific E sars-cov-2 gene target NA *Part Type: mea-*

sureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Escherichia coli(ecoli): Concentration of bacteria that are passed through the faecal excrement of humans, livestock and wildlife *NA Part Type: measureDomain ID: BioSpeciment ID: siSaSpecimenCompartment Set: surfaceWaterCompartmentGroup ID: bactMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: bacteriaUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Education(education): A measure or sample taken for education or training. Use this purpose, for example, when teaching how to use the PHES-ODM. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Contact email(email): Contact e-mail address, for the lab. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type:*

1. Parts

varcharMinimum Value: *NAMaximum Value:* *NAMinimum Length:*
0Maximum Length: 100

Rainfall(envRnF): Rainfall, i.e. amount of precipitation in the form of rain. *NA Part Type:* *measureDomain ID:* *PhySpeciment ID:* *siSpecimenCompartment Set:* *anyCompartmentGroup ID:* *siteFeatClass ID:* *precipClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *precipitationUnitSetAggregation Scale ID:* *see unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* *floatMinimum Value:* *see unitMaximum Value:* *see unitMinimum Length:* *NAMaximum Length:* NA

Ground Snow Depth(envSnwD): Total depth of snow on the ground. *NA Part Type:* *measureDomain ID:* *PhySpeciment ID:* *siSpecimenCompartment Set:* *anyCompartmentGroup ID:* *siteFeatClass ID:* *precipClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *precipitationUnitSetAggregation Scale ID:* *see unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* *floatMinimum Value:* *see unitMaximum Value:* *see unitMinimum Length:* *NAMaximum Length:* NA

Snowfall(envSnwF): Snowfall, i.e. amount of precipitation in the form of snow. *NA Part Type:* *measureDomain ID:* *PhySpeciment ID:* *siSpecimenCompartment Set:* *anyCompartmentGroup ID:* *siteFeatClass ID:* *precipClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *precipitationUnitSetAggregation Scale ID:* *see unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* *floatMinimum Value:* *see unitMaximum Value:* *see unitMinimum Length:* *NAMaximum Length:* NA

Episode Date(epiDate): Episode date is the earliest of onset, test or reported date. *NA Part Type:* *categoryDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *humanCompartmentGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *popDateTypeCatSetUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference*

Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Estuary, natural water body(estuary): Estuary, natural water body
NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Experiment Failed(expFail): PCR experiment failed. No value reported. Value should be blank for a measure with this qualityFlag value. *Part Type: qualityDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Nucleic Acid Extraction CatSetegory Set(extractCatSet): CatSetegory set used for storing all the valid category values for the nucleic acid extraction method. NA *Part Type: catSetDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

4s method:(4s)

Amicon filter, extract with MP96:(amiMP96)

Bead beating, extract with MP96:(bbMP96)

1. Parts

Chemagic viral dna/rna 300 kit:(chemVir)

Nuclisens automated magnetic bead extraction kit:(nucAuto)

Nuclisens manual magnetic bead extraction kit:(nucManu)

Phenol chloroform:(phenCl)

promega automated tna kit:(promAuto)

promega ht tna kit:(promHt)

promega manual tna kit:(promManu)

promega wastewater large volume tna capture kit:(promWW)

qiagen allprep dna/rna kit:(qgDNARNA)

qiagen ez1 virus mini kit v2.0:(qgEz1)

qiagen allprep powerfecal dna/rna kit:(qgPwrFecal)

qiagen allprep powerviral dna/rna kit:(qgPwrViral)

qiagen powerwater kit:(qgPwrWtr)

qiagen qiaamp buffers with epoch columns:(qgQiAmp)

qiagen rneasy kit:(qgRneasy)

qiagen rneasy powermicrobiome kit:(qgRneasyPwr)

Resuspend COSCa filter collection:(resCosca)

thermo magmax microbiome ultra nucleic acid isolation kit:(thermMag)

trizol, zymo mag beads w/ zymo clean and concentrator:(trizol)

zymo environ water rna kit/ zymo environ water rna kit (cat. r2042):(zymoEnv)

zymo quick-rna fungal/bacterial miniprep #r2014:(zymoQuick)

Nucleic acid extraction method(extraction): Description of the xtraction method. Description of the method used to extract the sample *Part Type*: method *Domain ID*: BioSpeciment *ID*: saSpecimen *Compartment Set*: anyCompartmentGroup *ID*: procGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: extractCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: categorical *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 100

Extraction volume of sample(exvol): Extraction volume of sample. Size of the sample that is analyzed. *Part Type*: measure *Domain ID*: PhySpeciment *ID*: saSpecimen *Compartment Set*: anyCompartmentGroup *ID*: procGrpClass *ID*: physicalNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: volumeUnitSetAggregation *Scale ID*: see unit *Quality Set ID*: genQualitySet *Reference Link*: NAData *Type*: float *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NAMaximum *Length*: NA

Foreign key(fk): Foreign key for a table. NA *Part Type*: category *Domain ID*: naDomainSpeciment *ID*: naSpecimenSet *Compartment Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: tableCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Fecal matter(faeces): Fecal matter. NA *Part Type*: category *Domain ID*: naDomainSpeciment *ID*: naSpecimenSet *Compartment Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: sampleMatCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

1. Parts

FALSE(false): Boolean data type = FALSE Use these values and their set for any boolean measure or attribute. Use only “FALSE” (case sensitive) *Part Type*: category *Domain ID*: naDomain *Speciment ID*: NA(maybe bug) *Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnit *Set Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: ? *Maximum Value*: ? *Minimum Length*: ? *Maximum Length*: ?

Inhibition present and unaddressed(fi): The original sample was inhibited; however, the inhibition has not been successfully addressed. Therefore, no concentration estimate has been reported. *NA Part Type*: quality *Domain ID*: Bio *Speciment ID*: sa *Specimen Compartment Set*: any *Compartment Group ID*: na *Group Class ID*: na *Class Nomenclature ID*: na *Nomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: na *Unit Set Aggregation Scale ID*: NA *Quality Set ID*: pcr *Quality Set Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Field sample(field): Specifies a sample taken from the field; directly collected from an area for testing. *NA Part Type*: category *Domain ID*: na *Domain Speciment ID*: na *Specimen Set Compartment Set*: na *Compartment Set Group ID*: na *Group Class ID*: na *Class Nomenclature ID*: na *Nomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: origin *Cat Set Unit Set ID*: na *Unit Set Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Field duplicate sample relationship(fieldDupRel): Specifies a given sample is a field duplicate of another sample. *NA Part Type*: category *Domain ID*: na *Domain Speciment ID*: na *Specimen Set Compartment Set*: na *Compartment Set Group ID*: na *Group Class ID*: na *Class Nomenclature ID*: na *Nomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: relationship *Cat Set Unit Set ID*: na *Unit Set Aggregation Scale ID*:

NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Field sample replicate(fieldReplicate): A sample divided into two or more homogeneous parts. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: replicateCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

File(file): File containing the geometry of the polygon, blob format. Depreciated in ODM version 2. See geoEPSG and geoWKT *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: blobMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 65535*

Filtration(filt): Describes solid separation from a wastewater sample via filtration. Proceeds further concentration or analysis of the liquid filtrate. *NA Part Type: categoryDomain ID: allDoSpeciment ID: saSpecimenCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

First name of contact(firstName): Specifies the first name of a given contact. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:*

1. Parts

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

First released version(firstReleased): The version in which a part was first released *NA Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Flow-normalized mean(floMean): Mean measure normalized to wastewater flow; $\text{AlleleX (gc/mL)} \times \text{Q (ML/d)} / (\text{Pop} / 1\text{e5}) \times 1\text{e3 (mL/L)} \times 1\text{e6 (L/ML)} = \text{AlleleX (gc/day per 1e5 population)}$ Mostly used for reporting specific alleles (N1, N2, E, etc.) *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Float Data Type(float): The data type for float data. Only used for the dictionary entries of parts. *Part Type: dataTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Floor(floor): Floor of a building or room. NA *Part Type*: category
Domain ID: naDomainSpeciment *ID*: naSpecimenSetCompartment
Set: surfaceCompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature
ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set*
ID: sampleMatCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*:
NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar*Minimum*
Value: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*:
30

Flow Proportional 24hr Sample(flow24h): A flow proportional
24-hour composite sample generally collected by an autosampler. NA
Part Type: category*Domain ID*: naDomainSpeciment *ID*: naSpeci-
menSetCompartment *Set*: waterCompartmentGroup *ID*: colGrpClass
ID: naClassNomenclature *ID*: naNomenclature *Ontology Reference*:
NA(maybe bug)*Category Set ID*: collectCatSetUnit *Set ID*: naUnit-
SetAggregation *Scale ID*: NAQuality *Set ID*: sampleQualitySetReference
Link: NAData *Type*: NAMinimum *Value*: NAMaximum *Value*:
NAMinimum *Length*: 0Maximum *Length*: 30

Flow class(flowClass): Specifies a collection of measures/methods
related to flow. NA *Part Type*: class*Domain ID*: PhySpeciment *ID*: siS-
pecimenCompartment *Set*: waterCompartmentGroup *ID*: naGroupClass
ID: flowClassNomenclature *ID*: naNomenclature *Ontology Reference*:
NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation
Scale ID: see unitQuality *Set ID*: NAResource *Link*: NAData *Type*:
varchar*Minimum Value*: NAMaximum *Value*: NAMinimum *Length*:
0Maximum *Length*: 30

Flow proportional sample(flowPr): A flow proportionalcomposite
sample generally collected by an autosampler. Use collectionPeriod to de-
scribe how many hours the sample was taken. *Part Type*: category*Domain*
ID: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: water-
CompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature *ID*:
naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*:
collectCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set*

1. Parts

ID: sampleQualitySetReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Flow rate(flowRate): Wastewater volumetric flow rate at the sample collection location over the 24-hr period during which the sample was collected. If only an instantaneous flow measurement is available, it may be reported in units of million gallons per day. *Part Type:* measure *Domain ID:* PhySpeciment *ID:* siSpecimenCompartment *Set:* waterCompartmentGroup *ID:* siteFeatClass *ID:* flowClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* flowUnitSetAggregation *Scale ID:* see unitQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Volume flow rate unit set(flowUnitSet): Unit set for volume flow measurements. NA *Part Type:* set *Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* waterCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* flowUnitSetAggregation *Scale ID:* quantAggScaleQuality *Set ID:* NAResource *Link:* NAData *Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Flow volume(flowVol): Volume of influent. NA *Part Type:* measure *Domain ID:* PhySpeciment *ID:* siSpecimenCompartment *Set:* waterCompartmentGroup *ID:* siteFeatClass *ID:* flowClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* flowUnitSetAggregation *Scale ID:* see unitQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* float *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Influenza virus(flu): Any influenza virus. NA *Part Type:* measure *Domain ID:* BioSpeciment *ID:* naSpecimenSetCompartment *Set:*

anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID:
naNomenclature Ontology Reference: http://purl.obolibrary.org/obo/MONDO_0005812Category
Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set
ID: genQualitySetReference Link: NAData Type: varcharMinimum Value:
see unitMaximum Value: see unitMinimum Length: NAMaximum Length:
NA

Fluidigm digital PCR(fluidPcr): Describes a PCR analysis done using
FluidIGM's digital PCR technology. NA Part Type: categoryDomain ID:
BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup
ID: naGroupClass ID: naClassNomenclature ID: naNomenclature On-
tology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set
ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQuality-
SetReference Link: NAData Type: varcharMinimum Value: NAMaximum
Value: NAMinimum Length: 0Maximum Length: 30

Foggy(foggy): Qualitative category for the weather measure, specifying a
foggy or hazy day. NA Part Type: categoryDomain ID: PhySpeciment ID:
siSpecimenCompartment Set: anyCompartmentGroup ID: siteFeatClass
ID: naClassNomenclature ID: naNomenclature Ontology Reference:
NA(maybe bug)Category Set ID: weathCatSetUnit Set ID: naUnit-
SetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData
Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length:
0Maximum Length: 30

Sample fraction category set(fractionCatSet): CatSetegory set for the
fraction of the sample (solid, liquid, etc.). NA Part Type: catSetDomain
ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCom-
partmentSetGroup ID: naGroupClass ID: naClassNomenclature ID:
naNomenclature Ontology Reference: NA(maybe bug)Category Set ID:
fractionCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality
Set ID: NAReference Link: NAData Type: categoricalMinimum Value:
NAMaximum Value: NAMinimum Length: 0Maximum Length: 30
Categorical inputs for this part

Liquid fraction:(liq)

1. Parts

Mixed/homogenized sample:(mix)

Multiple fraction:(mul)

Solid fraction:(sol)

Fraction analyzed(fractionID): Fraction of the sample that is analyzed. NA *Part Type*: *attributeDomain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: fractionCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

F-Specific RNA bacteriophages(frna): A measure for amount of F-Specific RNA bacteriophages. NA *Part Type*: *measureDomain ID*: Bio *Speciment ID*: saSpecimen *Compartment Set*: anyCompartment *Group ID*: virusMisc *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSet *Aggregation Scale ID*: see unit *Quality Set ID*: gen *Quality Set Reference Link*: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

F-Specific RNA bacteriophages, G2(frnaG2): A measure for amount of G2 F-Specific RNA bacteriophages. NA *Part Type*: *measureDomain ID*: Bio *Speciment ID*: saSpecimen *Compartment Set*: anyCompartment *Group ID*: virusMisc *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSet *Aggregation Scale ID*: see unit *Quality Set ID*: gen *Quality Set Reference Link*: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

Sample frozen(frozen): Sample was frozen before analysis or processing NA *Part Type*: *qualityDomain ID*: naDomain *Speciment ID*: saSpeci-

men *Compartment Set*: anyCompartmentGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: sampleQualitySetReference *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Field sample temperature(fst): Temperature that the sample is stored at while it is being sampled. This field is mainly relevant for composite samples which are either kept at ambient temperature or refrigerated while being sampled. NA *Part Type*: measureDomain *ID*: PhySpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: procGrpClass *ID*: tempClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: temperatureUnitSetAggregation *Scale ID*: see unitQuality *Set ID*: genQualitySetReference *Link*: NAData *Type*: float *Minimum Value*: see unitMaximum *Value*: see unitMinimum *Length*: NAMaximum *Length*: NA

Funding agency(funderID): The funding agency of the dataset. Use Organization ID to populate this field, and the organizations table to describe contact information and other details for the funding agency. *Part Type*: attributeDomain *ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAReference *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

g215c delta-variant gene target(g215c): g215c delta-variant gene target NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: mutationNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: geneticUnitSetAggregation *Scale*

1. Parts

ID: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*:
see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

g339d omicron-variant gene target(g339d?): g339d omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

g496s omicron-variant gene target(g496s?): g496s omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

g662s delta-variant gene target(g662s): g662s delta-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Gamma(gam): P.1 NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *variantNomenclature ID*: *who Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see

unitMinimum Value: see *unitMaximum Value*: see *unitMinimum Length*:
NAMaximum Length: NA

Gene Copies per Copy of crAssphage(gcCrA): Gene or variant copies per copy of crAssphage. NA *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: *integerMinimum Value*: 0 *Maximum Value*: NA *Minimum Length*: *NAMaximum Length*: NA

gene copies per day per 100,000(gcD100): The unit for measures reflecting the gene copies per day per 100,000 people in the population. NA *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *virusMiscClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: *floatMinimum Value*: 0 *Maximum Value*: NA *Minimum Length*: *NAMaximum Length*: NA

Gene Copies per Gram Solids(gcGs): Gene or variant copies per gram solids. NA *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *waterCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: *integerMinimum Value*: 0 *Maximum Value*: NA *Minimum Length*: *NAMaximum Length*: NA

Gene Copies per L(gcL): Gene or variant copies per litre. NA *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set*

1. Parts

ID: pcrQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Gene Copies per mL(gcMl): Gene or variant copies per millilitre of solution. *NA Part Type: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Gene Copies per PMMoV Copy(gcPpmov): Gene or variant copies per copy of PMMoV. *NA Part Type: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Generic Quality Flag Set(genQualitySet): A the quality set for flags to indicate if there is a quality concern about a given generic measure or sample. 1 = quality concern, 0 = no quality concern. *Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Genetics unit set(geneticUnitSet): Unit set for genetic-related measurements. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology*

Reference: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: geneticUnitSet*Aggregation Scale ID*: quantAggScale*Quality Set ID*: NA*Reference Link*: NA*Data Type*: categorical*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

European Petroleum Survey Group Coordinates(geoEPSG): The unique EPSG code specifying a given geospatial area. NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: miscAttrClass *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: float*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Latitude(geoLat): Geographical location, latitude in decimal coordinates, ie.: (45.424721) NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: miscAttrClass *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: float*Minimum Value*: -90*Maximum Value*: 90*Minimum Length*: NA*Maximum Length*: NA

Longitude(geoLong): Geographical location, longitude in decimal coordinates, ie.: (-75.695000) NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: miscAttrClass *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: float*Minimum Value*: -180*Maximum Value*: 180*Minimum Length*: NA*Maximum Length*: NA

Type of geography(geoType): Type of geography that is represented by the polygon. NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*:

1. Parts

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: geoTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Geographic category set(geoTypeCatSet): CatSetegory set for different type of geographic components. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: geoTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Sewer Network Health Region:(hlthReg)

Sewer CatSetchment Area:(swrCatSet)

Well-known text(geoWKT): Well-known text of the polygon *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 63*

Gram per cubic metre(gm3): Density unit. Used for absolute humidity and other measures. *Part Type: unitDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: airCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link:*

NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Geometric Mean(gmn): Geometric mean. *NA Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Government agency organization type(govt): The category of organization type used for government agencies, programs, or crown-owned bodies. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: orgTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 10*

Gravity settling(graSet): Describes solid separation from a wastewater sample where the sample material is allowed to settle by gravity, and then separated. *NA Part Type: categoryDomain ID: allDoSpeciment ID: saSpecimenCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Grams(grams): A unit of mass or weight. *NA Part Type: unitDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit*

1. Parts

Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Grab sample(grb): A single large representative grab sample. Use collectionPeriod to describe how many hours the sample was taken. If the sample is a composite of grab samples, collectionNum to record the number of samples. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQuality-SetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Groups(group): A collection of related measures. See partID = groupID. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Group(groupID): Unique identifier for a group of measures. Mostly applicable for measures, methods, units, and aggregations. A collection of related measures. For example, SARS-CoV-2 is a group. Within the SARS-CoV-2 group, there are measure classes tht include RNA alleles (N1, N2, E, etc.), mutations, (E484K0), an entire sequence, viral proteins, etc. Currently groups are used for measures only. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference*

Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Human compartment(h): A measure or observation made about a human. *NA Part Type: compartmentDomain ID: BioSpeciment ID: anySpecimenCompartment Set: humanCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Header(header): Header for a table. Also known as a table variable or entity relationship 'attribute'. Header is the top row or the variable name in a table. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tableCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Health Planning Region(healthReg): The health planning authority where the site or institute is located. See also **publicHealthDepartment** *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Heat inactivated sars-cov-2 virus Spike Target(heatInacSARS): Heat inactivated SARS-CoV-2 virus is used as the recovery efficiency control target. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass*

1. Parts

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

hep g armored rna(hepGRna): Measure of the amount Hepatitis G Armored RNA. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

hep g armored rna Spike Target(hepGRnaMat): Hepatitis G armored RNA is used as the recovery efficiency control target. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sewer Network Health Region(hlthReg): Health region served by the sewer network *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: geoTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Hand Measurement(hma): Handheld measurement analyzer. A handheld measurement analyzer. *Part Type: categoryDomain ID:*

naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: insTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Holding Tank Wastewater Depreciated(hoTaWa): Wastewater from a holding tank, such as from an airplane or ship Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Hollow fiber dead end ultrafiltration(hollowFiberUF): Hollow fiber dead end ultrafiltration NA *Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

General Hospital Admissions(hosa): Hospital admissions or patients newly admitted to hospital. NA *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

1. Parts

Hospital Census(hosc): Hospital census or the number of people admitted with an ailment. NA *Part Type*: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Hospital(hosptl): Hospital NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Holding tank wastewater(htSam): Wastewater sampled from a holding tank, such as from an airplane or ship NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Holding tank(htSite): Holding tank NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Humidity class(humClass): Specifies a collection of measures/methods related to humidity. NA *Part Type*: classDomain ID: PhySpeciment ID:

siSpecimenCompartment Set: airCompartmentGroup ID: naGroupClass ID: humClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Human compartment set(humanCompartmentSet): A compartment set for measures and methods in the human compartment. NA Part Type: setDomain ID: BioSpeciment ID: anySpecimenCompartment Set: humanCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

i1566v omicron-variant gene target(i1566v?): i1566v omicron-variant gene target NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

i3758v omicron-variant gene target(i3758v?): i3758v omicron-variant gene target NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

i82t delta-variant gene target(i82t): i82t delta-variant gene target NA Part Type: measureDomain ID: BioSpeciment ID: saSpeci-

1. Parts

menCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Intensive care unit patients(icu): Units for describing a population measure of patients who are in intensive care due to a given cause. Unit for a population or disease measure to explain population-level clinical effects. *Part Type*: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Index(index): Index number in case the measurement was taken multiple times. NA *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 50

Inhibition measure(inhibMes): Parameter to report whether or not inhibition was detected in the sample. Binary measure - detected or no. *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: miscMeasClass ID: sequenceNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: booleanUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: categoricalMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Inhibition method(inhibMeth): Description of the method used to evaluate molecular inhibition. Description of the inhibition parameters. *Part Type: methodDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: measGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100*

Innovaprep ultrafiltration(innovaprepUF): Innovaprep ultrafiltration NA *Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Input(input): Input for a table. Indicates an allowable measure or method within an input table. **input** is used to indicate an allowable measure or method for a MeasureReport or MethodReport table. For example, covN1 is a specific measure that can be entered in the measureID field. Therefore, covN1 is has a value ‘input’ in the ReportTable column in the parts list. ODM users can generate their own custom template by modifying using the value ‘input’ for only the measures or methods that are applicable for their program. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tableCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Instrument Type(insType): Type of instrument used to perform the measurement. NA *Part Type: attributeDomain ID: naDomainSpeciment*

1. Parts

ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: insTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Instrument category set(insTypeCatSet): List of instruments that are used for measures and methods *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: insTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Atline Analyzer:(aas)

Hand Measurement:(hma)

Other instrument:(instrumentTypeOther)

Lab Analysis:(ola)

Online Sensor:(onse)

Describe other instrument type, if applicable(insTypeOth): Description of the instrument in case it is not listed in instrument-Type. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100*

Instruments table column order(insrumentsOrder): Specifies the order of the columns in an Instruments table. NA *Part Type*: tableSupport *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: integer *Minimum Value*: 1 *Maximum Value*: NA *Minimum Length*: NA *Maximum Length*: NA

Instrument ID(instID): A unique identifier for an instrument. NA *Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 10

Other instrument(instrumentTypeOther): Type of instrument other than those included in the PHES-ODM. An other type of measurement instrument. Add description to notes. See documentation for how to request new instruments added to the dictionary. *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: insType-CatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Instrument Table(instruments): The table that contains information about instruments. adapt from version 1 documentation *Part Type*: table *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: programDescr *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe

1. Parts

bug) *Category Set ID*: NA *Unit Set ID*: na *UnitSetAggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Requirements of instruments table(instrumentsRequired): Specifies the columns required in an Instruments table. NA *Part Type*: table *SupportDomain ID*: na *DomainSpeciment ID*: na *SpecimenSetCompartment Set*: na *CompartmentSetGroup ID*: na *GroupClass ID*: na *ClassNomenclature ID*: na *Nomenclature Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: na *UnitSetAggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Integer Data Type(integer): The data type for integers. Only used for the dictionary entries of parts. *Part Type*: data *TypeDomain ID*: na *DomainSpeciment ID*: na *SpecimenSetCompartment Set*: any- *CompartmentGroup ID*: na *GroupClass ID*: na *ClassNomenclature ID*: na *Nomenclature Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: na *UnitSetAggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 15

intercept(inter): Intercept value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. *Part Type*: measure *Domain ID*: all *DoSpeciment ID*: si *SaSpecimenCompartment Set*: any *CompartmentGroup ID*: proc *GrpClass ID*: na *ClassNomenclature ID*: na *Nomenclature Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: na *UnitSetAggregation Scale ID*: see unit *Quality Set ID*: pcr *QualitySetReference Link*: NA *Data Type*: float *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Combined ip2 and ip4 sars-cov-2 gene target(ip2ip4): Combined ip2 and ip4 sars-cov-2 gene target NA *Part Type*: measure *Domain ID*:

BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Weak signal extrapolation(j): Analytical result falls below the lowest concentration of the experiment-specific standard curve but above the y-intercept value; the reported value is based on the extrapolation of the standard curve in the non-linear region. *NA Part Type: qualityDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

k856r omicron-variant gene target(k856r?): k856r omicron-variant gene target *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Kilogram per second(kgS): Kilograms per second. *NA Part Type: unitDomain ID: PhySpeciment ID: siSpecimenCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum*

1. Parts

Value: 0*Maximum Value:* NA*Minimum Length:* NA*Maximum Length:* NA

Kilolitres(kl): Kilolitres of volume NA *Part Type:* unit*Domain ID:* Phy*Speciment ID:* siSa*SpecimenCompartment Set:* waterCompartmentGroup *ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* quantAggScale*Quality Set ID:* genQualitySet*Reference Link:* NAData *Type:* float*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Litres(l): Litres of volume NA *Part Type:* unit*Domain ID:* Phy*Speciment ID:* siSa*SpecimenCompartment Set:* waterCompartmentGroup *ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* quantAggScale*Quality Set ID:* genQualitySet*Reference Link:* NAData *Type:* float*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

l452r delta-variant gene target(l452r): l452r delta-variant gene target NA *Part Type:* measure*Domain ID:* Bio*Speciment ID:* sa*SpecimenCompartment Set:* anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NAData *Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

l981f omicron-variant gene target(l981f?): l981f omicron-variant gene target NA *Part Type:* measure*Domain ID:* Bio*Speciment ID:* sa*SpecimenCompartment Set:* anyCompartmentGroup *ID:* sarsCov2Class *ID:* mutation*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NAData *Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Low breadth of coverage(IBC): The percentage of the genome covered by reads (ie the breadth) is low. If there are multiple issues to flage, use the multiple issues flag and explain the details in the notes section. *Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Low depth of coverage(IDC): Poor coverage, ie. an insufficient number of reads or too many sequencing reads that are mapped incorrectly. If there are multiple issues to flage, use the multiple issues flag and explain the details in the notes section. *Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Laboratory control duplicate relationship(labControlDupRel): Specifies a given sample is a laboratory control duplicate of another sample. NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: relationshipCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Laboratory control relationship(labControlRel): Specifies a given sample is a laboratory control to another sample. NA

1. Parts

Part Type: category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* relationshipCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Lab ID default(labDef): Used as default when a new sample is created by this reporter. See ID in Lab table. Deprecated as of version 2, no defaults please specify. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 10

Laboratory Duplicate(labDuplicate): Second (time or more) processing and analysis of sample. Usually for general chemistry or metals analyses. *NA Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* replicateCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Lab ID(labID): Unique identifier for a laboratory. *NA Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 10

Lagoon system(lagoon): Logoon system for extensive wastewater treatment NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: siteTypeCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Lake, natural water body(lake): Lake, natural water body NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: siteTypeCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Lambda(lambda): C.37 NA *Part Type*: measure *Domain ID*: Bio *Speciment ID*: saSpecimen *Set Compartment Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: variant *Nomenclature ID*: who *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: genQualitySet *Reference Link*: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

Language family(langFam): Specifies the language family of a given language for translation and language tracking purposes. Part of the metedata for a languageID. *Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

1. Parts

Language ID(langID): Language code for translation purposes. Specifies the language for each translation, other than the default English. Follow the ISO639-3 codes for now. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Language name(langName): Specifies the name of the language in roman alphabet characters for translation and language tracking purposes. Part of the metadata for a languageID. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Language Look-up Table(languages): Look up table for all languages, used to give structure to the translation table. *NA Part Type:* table *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* lookup *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Update Date - Last Edited(lastEdited): The date the entry was last updated. Use lastEdited if an entry is updated. Leave lastEdited blank or 'NA' for the first entry. Updates can include additions or revisions of the entry for any reason. For example, a wastewater measure was repeated later with an improved method. You can revise the entry by updating the value and then adding the date the new measure was

performed to 'lastEdited'. To ensure data provenance, the best practice in this example is to generate a new entry with the same measureID as the original measureID. The original and new measures are kept in the database with a date in the 'lastEdited' field for the new entry but not the original one. Some databases may choose a delete-and-replace approach where the original entry is deleted and replaced by a new entry. In this approach, the **lastEdited** field indicates the delete and replace occurred. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Last Name of Contact(lastName): Specifies the last name of a given contact. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Last updated date(lastUpdated): The date that the part was last updated. Any change to the part of list will result in an update in the lastUpdated field to the dictionary version where the update occurred. *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

1. Parts

Latex expression(latExp): Latex expression used to generate math formulas for units. Only relevant for units, other parts will not have these. *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 20*

Laboratory Control Sample Duplicate(lcsd): Known amounts of an analyte or representative compounds are added to a second “clean” matrix (lab water or clean sand) in laboratory. Duplicate of LCS *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: replicateCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Leaked Sample(leaked): Sample leaked, some volume and material was lost. *NA Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Link(li): Link to an external reference that describes the geometry of the polygon. Deprecated as of version 2, please avoid use. Use `referenceLink` instead. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology*

Reference: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 100

License(license): The lience of a dataset. NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Linear Scale Aggregation Set(linearAggrSet): The aggregation set that contains all aggregations that exist on the linear scale (rather than logarithmic or qualitative). NA *Part Type*: set*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Liquid fraction(liq): Liquid fraction of a sample. NA *Part Type*: category*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: fractionCatSet*Unit Set ID*: naUnitSet*Aggregation Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Access to local ha(localHA): If this is ‘no’, the, data will not be available to local health authorities. If missing, data will be available to local health authorities. NA *Part Type*: attribute*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: naCompartmentSet*Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: naNomenclature *Ontology*

1. Parts

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit-
SetAggregation Scale ID: NA*Quality Set ID:* NA*Reference Link:* NA*Data*
Type: boolean*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:*
0*Maximum Length:* 1

Limit of detection (LOD)(lod): LOD Limit of detection (LOD) for this method if one exists. *Part Type:* measure*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartment*Set Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit-
SetAggregation Scale ID: NA*Quality Set ID:* genQuality*SetReference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Limit of detection (LOD) - sewage(lodSewage): LOD for sewage samples NA *Part Type:* measure*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartment*Set Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit-
SetAggregation Scale ID: see unit*Quality Set ID:* genQuality*SetReference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Logarithmic Scale Aggregation Set(logAggrSet): The aggregation set that contains all aggregations that exist on the logarithmic scale (rather than linear or qualitative). NA *Part Type:* set*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartment*Set Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit*SetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Limit of quantification (LOQ)(loq): Loq Limit of quantification (LOQ) for this method if one exists. *Part Type:* measure*Domain ID:*

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Low-volume sample(lowVol): Sample is low-volume, but was run regardless. *NA Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Lower limit of a 95% confidence interval(lowerCI95): Specifies the the lower limit of a 95% confidence interval. Should typically be linked to an upper limit, and some indication of data spread (ie. standard deviation), and a mean/median measure. *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Life technologies digital PCR(ltDpcr): Describes a PCR analysis done using Life Technologies' digital PCR technology. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData*

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Long-term care facility(ltcf): A residential healthcare facility that provides 24-medical care. These are also called skilled nursing facilities. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartmentSet*Group ID:* naGroupClass*ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* shedCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Long-term care - assisted living or retirement home(ltcfAl): A residential facility that provides assistance with daily care but generally does not provide skilled nursing care. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartmentSet*Group ID:* naGroupClass*ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* shedCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Other long-term care(ltcfO): Other residential facilities that provide daily and/or medical care, but are not defined as nursing home/skilled nursing facilities or assisted living facilities. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartmentSet*Group ID:* naGroupClass*ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* shedCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Lysis buffer(lysi): Lysis buffer. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartment

mentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeMat-CatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Cubic metres per day(m3D): Cubic metres per day. NA Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Cubic metres per hour(m3H): Cubic metres per hour. NA Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Cubic metres per second(m3S): Cubic metre per second. NA Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Multiple issues(mI): Multiple issues have arisen in the sequencing process. When using the ‘multiple issues’ quality flag, please specify the issues and details in the notes section. Part Type: qualityDomain

1. Parts

ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Major sewer pipeline(mSwrPpl): Major sewer pipeline NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Maximum length(maxLength): The minimum length of a part. NA *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Maximum Value(maxValue): Highest value in a range of values. NA *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Maximum value(maxValue): The maximum value of a part. NA *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpeci-*

menSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Arithmetic Mean(me): Arithmetic mean. NA Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Measurement group(measGrp): A group of measures that cannot be otherwise categorized. NA Part Type: groupDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Other Measure(measOther): Other measure, not otherwise specified in measures. Add description to categoryOther. Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: NAMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Other Measure Description(measOtherDesc): Description of other measure (measOtherDesc). NA Part Type: measureDomain ID:

1. Parts

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 60

Measures(measure): An observation recorded from a specimen (i.e. a site, sample, person or population). *NA Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Measure(measureID): A measurement or observation of any substance including a biological, physical or chemical substance. Measures are organized into groups and classes (sub-groups). *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Report ID(measureRepID): Unique identifier for a measurement. Report IDs cannot be repeated. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Measure Set Report Table(measureSets): The table that identifies sets of measures. Examples of measure sets include a set of replicates, dilutions (used to generate a Ct curve) or variants that are identified in a single sample. *Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: resultsNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Measure sets table column order(measureSetsOrder): Specifies the order of the columns in a Measure Sets table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Requirements of measure sets table(measureSetsRequired): Specifies the columns required in a Measure Sets table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Measure Report Table(measures): The table that contains information and details about a given measure adapt from version 1 documentation *Part Type: tableDomain ID: naDomainSpeciment ID:*

1. Parts

naSpecimenSetCompartment Set: *naCompartmentSetGroup ID:* *naGroupClass ID:* *resultsNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* *0Maximum Length:* 30

Measures table column order(measuresOrder): Specifies the order of the columns in a Measures table. *NA Part Type:* *tableSupportDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *integerMinimum Value:* 1*Maximum Value:* *NAMinimum Length:* *NAMaximum Length:* NA

Requirements of measures table(measuresRequired): Specifies the columns required in a Measures table. *NA Part Type:* *tableSupportDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Report Set ID(measureSetRepID): Unique identifier that links together a group of related measures. *NA Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* *NA(maybe bug)Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Median(med): Median. *NA Part Type:* *aggregationDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCom-*

partmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Normalized Arithmetic Mean(menr): Arithmetic mean, normalized. NA Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Methods(method): A procedure or step that is performed to make a measure. For example, methodExtract is a method tht describes the how a sample was extracted. Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Concentration method(methodConc): Description of the method to concentrate a wastewater sample. Description of the method used to concentrate the sample Part Type: methodDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100

1. Parts

Concentration method category set(methodConcCatSet): CatSeteogry set for concentration methods. NA *Part Type*: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Method(methodID): A procedure for collecting a sample or performing a measure. dxc *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 10

Method Set Report Table(methodSets): The table that identifies sets of methods. NA *Part Type*: tableDomain ID: naDomainSpeciment ID: NA(maybe bug)Compartment Set: NA(maybe bug)Group ID: NA(maybe bug)Class ID: NA(maybe bug)Nomenclature ID: NA(maybe bug) *Ontology Reference*: NA(maybe bug)Category Set ID: NA(maybe bug)Unit Set ID: NA(maybe bug)Aggregation Scale ID: NA(maybe bug)Quality Set ID: NA(maybe bug)Resource Link: NA(maybe bug)Data Type: NA(maybe bug)Minimum Value: NA(maybe bug)Maximum Value: NA(maybe bug)Minimum Length: NA(maybe bug)Maximum Length: NA(maybe bug)

Mehotd sets table column order(methodSetsOrder): Specifies the order of the columns in a Method Sets table. NA *Part Type*: tableSupportDomain ID: naDomainSpeciment ID: NA(maybe bug)Compartment Set: NA(maybe bug)Group ID: NA(maybe bug)Class ID: NA(maybe bug)Nomenclature ID: NA(maybe bug) *Ontology Reference*: NA(maybe bug)Category Set ID: NA(maybe bug)Unit Set ID:

NA(maybe bug)*Aggregation Scale ID*: NA(maybe bug)*Quality Set ID*:
 NA(maybe bug)*Reference Link*: NA(maybe bug)*Data Type*: NA(maybe
 bug)*Minimum Value*: NA(maybe bug)*Maximum Value*: NA(maybe
 bug)*Minimum Length*: NA(maybe bug)*Maximum Length*: NA(maybe
 bug)

Requirements of method sets table(methodSetsRequired): Spec-
 ifies the columns required in a Method Sets table. NA *Part*
Type: tableSupportDomain ID: naDomainSpeciment ID: NA(maybe
 bug)Compartment Set: NA(maybe bug)Group ID: NA(maybe bug)Class
 ID: NA(maybe bug)Nomenclature ID: NA(maybe bug)Ontology Ref-
 erence: NA(maybe bug)Category Set ID: NA(maybe bug)Unit Set ID:
 NA(maybe bug)Aggregation Scale ID: NA(maybe bug)Quality Set ID:
 NA(maybe bug)Reference Link: NA(maybe bug)Data Type: NA(maybe
 bug)Minimum Value: NA(maybe bug)Maximum Value: NA(maybe
 bug)Minimum Length: NA(maybe bug)Maximum Length: NA(maybe
 bug)

Method Steps Report Table(methodSteps): The table that identifies
 steps of methods. NA *Part Type*: tableDomain ID: naDomainSpeciment
 ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:
 naGroupClass ID: resultsNomenclature ID: naNomenclatureOntology
 Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-
 SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData
 Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length:
 0Maximum Length: 30

Method Steps table column order(methodStepsOrder): Speci-
 fies the order of the columns in a Method Steps table. NA *Part*
Type: tableSupportDomain ID: naDomainSpeciment ID: naSpeci-
 menSetCompartment Set: naCompartmentSetGroup ID: naGroupClass
 ID: naClassNomenclature ID: naNomenclatureOntology Reference:
 NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation
 Scale ID: NAQuality Set ID: NAResource Link: NAData Type:

1. Parts

NA(maybe bug)*Minimum Value:* 1*Maximum Value:* NA*Minimum Length:* NA*Maximum Length:* NA

Requirements of method steps table(methodStepsRequired): Specifies the columns required in a Method Steps table. NA *Part Type:* tableSupportDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* NA(maybe bug)*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Membrane filtration with acidification and mgcl2(mfAcidmgcl2): Membrane filtration with acidification and mgcl2 NA *Part Type:* categoryDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* solidSeparationCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Membrane filtration with acidification and mgcl2, membrane recombined with separated solids(mfAcidmgcl2SS): Membrane filtration with acidification and mgcl2, membrane recombined with separated solids NA *Part Type:* categoryDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* solidSeparationCatSetUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Membrane filtration with addition of mgcl2(mfMgcl2): Membrane filtration with addition of mgcl2 NA *Part Type:* categoryDomain *ID:*

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Membrane filtration with mgcl2 and separated solids(mfMgcl2SS): Membrane filtration with addition of mgcl2, membrane recombined with separated solids NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Membrane filtration with no amendment(mfNoAmend): Membrane filtration with no amendment NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Membrane filtration with no amendment, membrane recombined with separated solids(mfNoAmendSS): Membrane filtration with no amendment, membrane recombined with separated solids NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource

1. Parts

Link: NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Membrane filtration with sample acidification(mfSampleAcid): Membrane filtration with sample acidification NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* solidSeparationCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Membrane filtration with sample acidification, membrane recombined with separated solids(mfSampleAcidSS): Membrane filtration with sample acidification, membrane recombined with separated solids NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* solidSeparationCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Milligrams per litre(mgL): Milligrams per litre. NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NAData *Type:* float *Minimum Value:* 0 *Maximum Value:* NA *Minimum Length:* NA *Maximum Length:* NA

Millions of gallons per day (MG/D)(mgd): A unit for measuring of design capacity for wastewater treatment plants, represented as millions of gallons per day. Also can be used to measure flow. NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimen

naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Murine Hepatitis Virus(mhv): A measure for amount of murine hepatitis viurs. NA *Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Minimum length(minLength): The minimum length of a part. NA *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: integerMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Minimum Value(minValue): Lowest value in a range of values. NA *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Minimum value(minValue): The minimum value of a part. NA *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpeci-*

1. Parts

menSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Miscellaneous attribute group(miscAttr): A group of miscellaneous measurement-like attributes. Examples of these would be longitude and latitude, or EPSG coordinates. *Part Type: groupDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Miscellaneous measure group(miscMeas): A group of measures that cannot be otherwise categorized. *NA Part Type: groupDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Missingness(missingness): The part type for missingness values. Only used for the dictionary entries of parts. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Mixed/homogenized sample(mix): Mixed or homogenized sample or fraction analyzed. NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* fractionCat *Set Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Millilitres(ml): Millilitres of volume NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* float *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Megalitres per day (ML/d)(mld): Megalitres per day. NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* float *Minimum Value:* 0 *Maximum Value:* NA *Minimum Length:* NA *Maximum Length:* NA

Millimetres(mm): Unit part for the SI unit of millimetres. NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnit *Set Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* float *Minimum Value:* 0 *Maximum Value:* NA *Minimum Length:* NA *Maximum Length:* NA

1. Parts

Model(model): Model number or version of the instrument. NA
Part Type: attribute *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAResource *Maximum Value:* NAResource *Minimum Length:* 0 *Maximum Length:* 100

Moore swab passive sample(moorSw): Moore swab passive sample. Use collectionPeriod to describe how many hours the Moore swab was used to collect the sample *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* collectCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAResource *Maximum Value:* NAResource *Minimum Length:* 0 *Maximum Length:* 30

Metres per second(ms): metres per second. NA *Part Type:* unit *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* float *Minimum Value:* 0 *Maximum Value:* NAResource *Minimum Length:* NAResource *Maximum Length:* NA

ms2 coliphage(ms2Col): Measure of the amount of ms2 coliphage. NA *Part Type:* measure *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* genQualitySet *Reference Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NAResource *Maximum Length:* NA

ms2 coliphage Spike Target(ms2ColMat): ms2 coliphage is used as the recovery efficiency control target. NA *Part Type*: category *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: spikeTargetCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Matrix Spike Duplicate(msd): A known amounts of an analyte or representative compounds are added in the laboratory to a second aliquot of the sample used for matrix spike. NA *Part Type*: category *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: replicateCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Moore Swab Passive Sample Depreciated(msps): Moore swab passive sample. Deprecated in version 2, please do not use. *Part Type*: category *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: collectCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: NA *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Mu(mu): B.1.621 NA *Part Type*: measure *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: genQualitySetReference *Link*: NAData *Type*: see unit *Minimum Value*:

1. Parts

see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

murine coronavirus(muCo): Measure of the amount of murine coronavirus. NA *Part Type*: *measureDomain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: genQualitySetReference *Link*: NAData *Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

murine coronavirus Spike Target(muCoMat): Murine coronavirus is used as the recovery efficiency control target. NA *Part Type*: *categoryDomain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: spikeTargetCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Multiple fraction(mul): Multiple fractions were analyzed separately and aggregated together post-analysis. This fractionID is intended for use for archival data and should not be used for newly added new moving forward (2022). Please also specify in the notes section which fractions were used for the multiple fractions (ex. solid and liquid) to avoid loss of information. *Part Type*: *categoryDomain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: fractionCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Multiple Purpose(multiple): A measure or sample taken for multiple purposes, not easily captured by the other purpose categories. Useful for parent samples where various subsamples will have different purposes/
Part Type: category *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* purposeCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Municipality(municp): A complete municipality, this specifies an entire metropolitan area, either a city, town, etc. NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* shedCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Mutations class(mutation): Specifies a collection of measures/methods related to mutations. NA *Part Type:* class *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

N sars-cov-2 gene target(n): N sars-cov-2 gene target NA *Part Type:* measure *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* genQualitySet *Reference Link:* NA *Data Type:*

1. Parts

see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Combined N1 and N2 sars-cov-2 gene target(n1n2): Combined N1 and N2 sars-cov-2 gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

n211i omicron-variant gene target(n211i?): n211i omicron-variant gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

n679k omicron-variant gene target(n679k?): n679k omicron-variant gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

n856k omicron-variant gene target(n856k?): n856k omicron-variant gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology*

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSetAggregation *Scale ID:* NA*Quality Set ID:* genQualitySetReference *Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

n969k omicron-variant gene target(n969k?): n969k omicron-variant gene target NA *Part Type:* measure*Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSetAggregation *Scale ID:* NA*Quality Set ID:* genQualitySetReference *Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Ammonium Nitrogen(nH4N): Ammonium nitrogen concentration, as N. NA *Part Type:* measure*Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSetAggregation *Scale ID:* NA*Quality Set ID:* genQualitySetReference *Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Sarbecovirus-specific N sars-cov-2 gene target(nSarbeco): Sarbecovirus-specific N sars-cov-2 gene target NA *Part Type:* measure*Domain ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSetAggregation *Scale ID:* NA*Quality Set ID:* genQualitySetReference *Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Not applicable(na): The field for which the expected value is not a property of the described object. Missing value indicator for missing data with no explanation. *Part Type:* missingness*Domain ID:* naDomainSpeciment

1. Parts

ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Aggregation not applicable(naAggr): Not applicable for aggregations. Used for parts for which an aggregation value is not applicable or appropriate. *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Aggregation scale not applicable(naAggrScale): Not application for aggregation sets. Used for parts for which an aggregation scale value is not applicable or appropriate. *Part Type: aggScaleDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Aggregation set not applicable(naAggrSet): Not application for aggregation sets. Used for parts for which an aggregation set value is not applicable or appropriate. *Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData*

Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30

Class not applicable(naClass): Specifies a class for parts where a class is not applicable or appropriate. Use this for all parts that don't have classes (most non-measure or method parts) *Part Type: class Domain ID: naDomain Specimen ID: naSpecimen Set: naCompartment Set Group ID: naGroup Class ID: naClass Nomenclature ID: naNomenclature Ontology Reference: NA (maybe bug) Category Set ID: NA Unit Set ID: naUnit Set Aggregation Scale ID: NA Quality Set ID: NA Reference Link: NA Data Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30*

Compartment not applicable(naCompartment): Compartment not applicable. NA *Part Type: compartment Domain ID: naDomain Specimen ID: naSpecimen Set Compartment Set: naCompartment Set Group ID: naGroup Class ID: naClass Nomenclature ID: naNomenclature Ontology Reference: NA (maybe bug) Category Set ID: NA Unit Set ID: naUnit Set Aggregation Scale ID: NA Quality Set ID: NA Reference Link: NA Data Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 13*

Compartment set not applicable(naCompartmentSet): Compartment not applicable. NA *Part Type: set Domain ID: naDomain Specimen ID: naSpecimen Set Compartment Set: naCompartment Set Group ID: naGroup Class ID: naClass Nomenclature ID: naNomenclature Ontology Reference: NA (maybe bug) Category Set ID: NA Unit Set ID: naUnit Set Aggregation Scale ID: NA Quality Set ID: NA Reference Link: NA Data Type: varchar Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 13*

Domain not applicable(naDomain): Not applicable. Use 'not applicable' when there is no domain for the part *Part Type: domain Domain ID: naDomain Specimen ID: naSpecimen Set Compartment Set: naCompartment Set Group ID: naGroup Class ID: naClass Nomenclature ID: naNomenclature Ontology Reference: NA (maybe bug) Category Set*

1. Parts

ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Group not applicable(naGroup): Used when there is no group; ie. groupID is not applicable. Use ‘not applicable’ when there is no group for the part *Part Type: groupDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Nomenclature not applicable(naNomenclature): Not applicable. Use ‘not applicable’ when there is no nomenclature for the part *Part Type: nomenclatureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Specimen not applicable(naSpecimen): Non applicable specimen. Use ‘not applicable’ when there is no specimen/set for the part *Part Type: specimenDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Specimen set not applicable(naSpecimenSet): A specimen set for when sepcimen/specimen set is not applicable. Use ‘not applicable’

when there is no specimen/set for the part *Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Unit not applicable(naUnit): Not applicable for units. *NA Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Unit set not applicable(naUnitSet): Not applicable for unit sets. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Name(name): Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity. Name of any entity. Use a prefix to distinguish names from different report tables. See fully specified name (FSN) list. i.e. Si-name = Site name, Po-name = Polygon name, Or-name = Organization name, Me-name = Method-name. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:*

1. Parts

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Not a number(nan): The outcome of a measurement is not a valid number (plus or minus infinity, error, ...) Missing values indicator for when a numeric value is expected but not given. *Part Type: missingnessDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Native Name(natName): The native name of the language, i.e. what the language is called by its speakers. Part of the metedata for a languageID. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Neighbourhood(neigh): A municipal neighbourhood, this specifies a sub-section of a larger municipality. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Population of newly vaccinated persons(newVax): Population of newly vaccinated persons *NA Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID:*

naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*:
NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:
NAResource Link: NAData Type: integerMinimum Value: 0Maximum
Value: NAMinimum Length: NAMaximum Length: NA

NextClade nomenclature(nextclade): Specifies variant or genetic
nomenclature as set out by NextClade. NA Part Type: nomencla-
tureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment
Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature
ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*:
NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:
NAResource Link: NAData Type: varcharMinimum Value: NAMaximum
Value: NAMinimum Length: 0Maximum Length: 30

Normalized Geometric Mean(ngmn): Geometric mean, normalized.
NA Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpec-
imenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass
ID: naClassNomenclature ID: naNomenclature *Ontology Reference*:
NA(maybe bug)*Category Set ID*: NAUnit Set ID: naUnitSetAggregation
Scale ID: NAQuality Set ID: NAResource Link: NAData Type: var-
charMinimum Value: see unitMaximum Value: see unitMinimum Length:
NAMaximum Length: NA

niid_2019-ncov_n sars-cov-2 gene target(niid2019ncovN):
niid_2019-ncov_n sars-cov-2 gene target NA Part Type: measureDomain
ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCom-
partmentSetGroup ID: naGroupClass ID: naClassNomenclature ID:
naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*:
NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:
genQualitySetReference Link: NAData Type: see unitMinimum Value:
see unitMaximum Value: see unitMinimum Length: NAMaximum Length:
NA

No quality concerns for PCR(noConcernPCR): No quality concerns
of note for the PCR reaction. NA Part Type: qualityDomain ID:

1. Parts

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample not labelled(noLabel): Sample had no label NA *Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sample missing time stamp(noTime): Sample is missing the autosampler time; incomplete metadata on collection. NA *Part Type: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

No liquid concentration, liquid recombined with separated solids(noliquid): No liquid concentration, liquid recombined with separated solids NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Nomenclature(nomenclature): A classification system to report the measure class. See *partID = nomenclatureID. Part Type: partTypeDomain*

ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Nomenclature(nomenclatureID): A classification system to report the measure class. Only applicable to variants, mutations, and diseases. Currently only used for class = variant, mutation, or disease. Valid options are currently restricted to 'NextClade', 'Pangolin', 'WHO', or 'ICD'. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Non-detected(nondet): Unit ID for when a measure is "non-detect" in order to explain a value of zero. Use this unit in cases where a measure resulted in no detection *Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 0Maximum Value: 1Minimum Length: NAMaximum Length: NA*

Norovirus G1(norog1): Norovirus genogroup 1 NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenSetCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum*

1. Parts

Value: see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

Norovirus G2(*norog2*): Norovirus genogroup 2 NA *Part Type:* *measureDomain ID:* *BioSpeciment ID:* *saSpecimenSetCompartment Set:* *anyCompartmentGroup ID:* *virusMiscClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *geneticUnitSetAggregation Scale ID:* see *unitQuality Set ID:* *pcrQualitySetReference Link:* *NAData Type:* see *unitMinimum Value:* see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

Notes(*notes*): A note used to describe details that are not captured in other attributes There is no recommended structure of a note. Use notes as needed. *Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* *0Maximum Length:* 200

Not reported(*nr*): A value could have been recorded, however, it was not. Missing value indicator for data that is absent because it was not reported. *Part Type:* *missingnessDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* *0Maximum Length:* 30

Nephelometric turbidity unit(*ntu*): Nephelometric Turbidity Units, a unit used in the measurement of turbidity (see “turbidity” under *measureIDs*). Nephelometric turbidity units (NTU) are based on white light (400?680nm) and 90? incident angle. *Part Type:* *unitDomain ID:*

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: <https://www.sciencedirect.com/topics/engineering/nephelometric-turbidity-unit>Data Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Nuclisens automated magnetic bead extraction kit(nucAuto): Nucleic acid extraction performed using the nuclisens automated magnetic bead extraction kit. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Nuclisens manual magnetic bead extraction kit(nucManu): Nucleic acid extraction performed using the nuclisens manual magnetic bead extraction kit. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Null(null): A logical representation of a statement that is neither TRUE nor FALSE Missing value indicator when the value is neither TRUE nor FALSE. *Part Type: missingnessDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData*

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Water sample type(nww): Non-wastewater, coming from any kind of water body NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* sampleMatCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Other Collection Depreciated(oCol): Other type of collection method. Add description to collectionOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at ph-esd_odm@ohri.ca *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* siteTypeCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* NA*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

coronavirus OC43(oc43): Measure of the amount of coronavirus OC43. NA *Part Type:* measure*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* genQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

oc43 Spike Target(oc43Mat): Human coronavirus OC43 is used as the recovery efficiency control target. NA *Part Type:* category*Domain ID:*

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Ocean, natural water body(ocean): Ocean, natural water body
NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Lab Analysis(ola): Offline laboratory analysis. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: insTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Omicron(omicr): B.1.1.529 *NA Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Onset Date(onsDate): Earliest that symptoms were reported for this case. This data is often not known and reported. In lieu, episode is used. *NA Part Type: categoryDomain ID: naDomainSpeciment*

1. Parts

ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: popDateTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Online Sensor(onse): Online sensor An online sensor *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: insTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Ontology reference(ontologyRef): Ontology reference for a part. This field contains a link to an existing ontology reference for the part. ODM content spans several existing ontologies. ODM does not strive to generate a new ontology, rather ODM seeks to harmonize and extend dictionaries for application in environmental and public health surveillance. *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 200*

Orthophosphates(ophos): Ortho-phosphate concentration. NA *Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type:*

see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

OR Boolean Aggregation(orBoo): “OR” aggregation. If *any* value in the aggregation is “TRUE” then the OR aggregation is also “TRUE”. If *all* values in the aggregation is “FALSE” then the OR aggregation is also “FALSE”. *Part Type*: *aggregationDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *NAMaximum Length*: NA

Other residential building(orb): Individual residential buildings or institutions not captured in other categories NA *Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *shedCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

ORF1a sars-cov-2 gene target(orf1a): ORF1a sars-cov-2 gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

ORF1ab sars-cov-2 gene target(orf1ab): ORF1ab sars-cov-2 gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology*

1. Parts

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* genQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

ORF1b sars-cov-2 gene target(orf1b): ORF1b sars-cov-2 gene target
NA *Part Type:* measureDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* genQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Organization ID(orgID): A unique identifier for the organization to which the reporter is affiliated. NA *Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 100

Organization type category set(orgTypeCatSet): The category set for storing organization types. NA *Part Type:* catSetDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 10

Organization Type(orgTypeID): Specifies the type or purpose of a given organization. NA *Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology*

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Organization Type Table(organizationTypes): The table that contains information about organization types adapt from version 1 documentation *Part Type:* table*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Organization Table(organizations): The table that contains information about a laboratory. adapt from version 1 documentation *Part Type:* table*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* programDescr*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Organizations table column order(organizationsOrder): Specifies the order of the columns in a Organizations table. NA *Part Type:* tableSupport*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroup*Class ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* integer*Minimum Value:* 1*Maximum Value:* NA*Minimum Length:* NA*Maximum Length:* NA

1. Parts

Requirements of organizations table(organizationsRequired): Specifies the columns required in a Organizations table. NA *Part Type*: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample origin(origin): An attribute of a sample specifying the origin. NA *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample Origin CatSetegory Set(originCatSet): The category set for storing the valid categorical values of sample origin. NA *Part Type*: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Other Collection Depreciated 2(otco): Other type of collection method. Add description to collectionOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at ph-esd_odm@ohri.ca *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: NAResource Value: NAResource Value: NAResource Length: 0Maximum Length: 30

Other aggregation scale(othAgg): Specifies an aggregation scale that can't be described as either "qualitative" or "quantAggScale". *NA Part Type: aggScaleDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAResource Value: NAResource Length: 0Maximum Length: 30*

Other aggregation set(otherAggrSet): Aggregation set used for unitless measures. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAResource Value: NAResource Length: 0Maximum Length: 30*

Other Aggregation(otherDep): Other aggregation method. Add description to aggregationOther Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at phesd_odm@ohri.ca *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: see*

1. Parts

unitMaximum Value: see *unitMinimum Length:* *NAMaximum Length:* NA

Access to other prov(otherProv): If this is ‘no’, this data will not be available to other data providers not listed before. If missing, data will be available to other data providers not listed before NA
Part Type: *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *booleanMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* *0Maximum Length:* 1

Other Site Depreciated(otsiDep2): Other site type. Add description to typeOther NA *Part Type:* *categoryDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *siteTypeCatSetUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Other Site Depreciated 2(otsiDep2): Other type of site. Add description to typeOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at phesd_odm@ohri.ca *Part Type:* *categoryDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *siteTypeCatSetUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *NAMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Other Unit(otun): Other measurement of viral copies or wastewater treatment plant parameter. Add description to UnitOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (<https://github.com/Big-Life-Lab/PHES-ODM/issues>), or at phesd_odm@ohri.ca *Part Type: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Outbreak(outb): Measure to indicate outbreak status. Given that when outbreaks occur, full data on case counts may not be available or completely accurate, using this measure indicates that case counts may be approximate. The datetime for the measure helps indicate that start and end periods for an outbreak. *Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: outbreakCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: booleanMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Outbreak End(outbEnd): Indicates an outbreak has ended. NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: outbreakCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

1. Parts

Outbreak On-going(outbOngoing): Indicates an outbreak is on-going. NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: outbreakCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Outbreak start(outbStart): Indicates an outbreak began. NA *Part Type*: category *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: outbreakCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Outbreak category set(outbreakCatSet): CatSetegory set for the valid values of the outbreak measure. NA *Part Type*: catSet *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: outbreakCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30
Categorical inputs for this part

Outbreak End:(outbEnd)

Outbreak On-going:(outbOngoing)

Outbreak start:(outbStart)

p100l delta-variant gene target(p100l): p100l delta-variant gene target NA *Part Type*: measure *Domain ID*: naDomain *Speciment ID*:

naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

p2046l delta-variant gene target(p2046l): p2046l delta-variant gene target NA Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

p2287s delta-variant gene target(p2287s): p2287s delta-variant gene target NA Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

p3395h omicron-variant gene target(p3395h?): p3395h omicron-variant gene target NA Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

1. Parts

p681r delta-variant gene target(p681r): p681r delta-variant gene target NA *Part Type*: *measureDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Postal or Zip Code(pCode): The zip code or postal code for a given address, specifying a specific geographic area. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

Primary clarifier effluent(pEfflu): Effluent obtained after primary clarifiers NA *Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *waterCompartmentGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *sampleMatCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

Public Health Department or Region(pHDept): The public health department or region where the site or institute is located. See also **healthRegion** if there is a separate regional health care delivery authority. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData*

Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Primary key(pK): Primary key for a table. NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tableCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Primary clarifier sludge(pSludge): Sludge produced by primary clarifiers NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Pumping Station(pStat): Pumping station NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Pangolin nomenclature(pangolin): Specifies variant or genetic nomenclature as set out by the Phylogenetic Assignment of Named Global Outbreak Lineages (Pangolin). NA *Part Type: nomenclatureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:*

1. Parts

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Parent sample ID(parSampID): If this sample has been pooled into one big sample for analysis this indicates the sample of the larger pooled sample. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Parent Site ID(parSiteID): The siteID that is a parent to another siteID; usually the sub-site will be contained in the parentSite. An example would be surface testing in a LTC facility. The LTC facility would be the parentSiteID, and the various rooms/surfaces would be the sub-sites, or child-sites. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Part Description(partDesc): Description of the part Provides description of the part, used for translation. *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Part ID(partID): The unique identify of any entity within the dictionary. Every entity in the ODM has a partID. The partID must be unique with

no duplicates. partIDs are short. partIDs that are constructed by different part attributes can be up to 28 characters (check max), but each part attribute should be 1 to 5 characters. partIDs are machine readable, but a knowledgeable user can understand what they represent. partID are used, for example, as a header in an Excel input table. Numbers are allowed but there are no other special characters other than `_`. `_` is a reserved character that is used to generate a partID using a component or table attributes. A partID for a subComponent is automatically generated using attributes of a component. For example, the partID for the component SARS-CoV-2 is covid. Covid can have many subComponents including different groups (Covid-19-al, Covid-19-va, ovid-pr (allele, variant or protein) or units and aggregations (i.e. covid-al-N1-mean-cpl representing ovid allele N1, mean observation of viral copies per litre of effluent). A similar approach to naming subComponent is used for naming parts in a reprotTable. *Part Type:* partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 28

Part Instruction(partInstr): Additional notes and instructions on how a part is used and/or defined. *NA Part Type:* partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 200

Label(partLabel): A human readable label of a part. Typically, a part label has no acronyms (every word is spelled out). Equivalent to a LOINC common name. *Part Type:* partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:

1. Parts

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Part types(partType): Part types describe the purpose or use of the part. Environment data has three main part types: measure (i.e. covN1 viral measures, wastewater flow rate, temperature), method (e.g. how the measure was taken), and attribute (such as a site name). See description of each of the part types within categorySetID = partTypeCatSets. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Parts Look-up Table(parts): Look up table containing all parts in of the data model. Contains all parts, including self-referential parts. *Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: lookupNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Primary Clarifier Effluent Depreciated(pce): Effluent obtained after primary clarifiers. Depreciated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMat-*

CatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

PCR method(pcr): Description of the PCR method. Description of the PCR method used *Part Type: methodDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: measGrpClass ID: sequenceNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100*

PCR Method CatSetegory Set(pcrCatSet): The category set capturing containing all of the valid methods for the PCR methodID. NA *Part Type: catSetDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Digital droplet emulsification PCR:(bioRadDdpcr)

Fluidigm digital PCR:(fluidpcr)

Life technologies digital PCR:(ltDpcr)

qiagen digital PCR:(qgDpcr)

Quantitative PCR:(qpcr)

Raindance digital PCR:(rainDpcr)

PCR Quality Set(pcrQualitySet): Quality set for PCR measures. NA *Part Type: setDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass*

1. Parts

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Primary Clarifier Sludge Depreciated(pcs): Sludge produced by primary clarifiers. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Polyethyleneglycol (PEG) precipitation(peg): Peg precipitation *NA Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Percent(perc): Percentage. *NA Part Type: unitDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Percent Recovery(percRec): Percent of the surrogate recovery for a recovery efficiency control assay. Use this for reporting the results of any recovery control assay. *Part Type: unitDomain ID: naDomainSpeciment*

ID: saSpecimenCompartment Set: anyCompartmentGroup ID: na-GroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100

pH(ph): pH measurement NA *Part Type: measureDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: miscMeasClass ID: standardConcNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: unitlessUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 1Maximum Value: 14Minimum Length: NAMaximum Length: NA*

Access to phac(phac): If this is 'no', the data will not be available to employees of the Public Health Agency of Canada - PHAC. If missing, data will be available to employees of the Public Health Agency of Canada - PHAC. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: na-GroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: booleanMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Phenol chloroform(phenCl): Nucleic acid extraction performed using phenol chloroform. NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

1. Parts

Pseudomonas virus phi6(phi6): Measure of the amount of pseudomonas virus phi6. NA *Part Type:* *measureDomain ID:* *BioSpeciment ID:* *saSpecimenCompartment Set:* *anyCompartmentGroup ID:* *virus-MiscClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *geneticUnitSetAggregation Scale ID:* see *unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* see *unitMinimum Value:* see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

phi6 Spike Target(phi6Mat): Pseudomonas virus phi6is used as the recovery efficiency control target. NA *Part Type:* *categoryDomain ID:* *BioSpeciment ID:* *saSpecimenCompartment Set:* *anyCompartmentGroup ID:* *procGrpClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *spikeTargetCatSetUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 0*Maximum Length:* 30

Contact phone(phone): Contact phone number, for the lab. NA *Part Type:* *attributeDomain ID:* *naDomainSpeciment ID:* *naSpecimenSetCompartment Set:* *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* *NAMaximum Value:* *NAMinimum Length:* 10*Maximum Length:* 12

Total Phosphorous(phos): Total phosphorous NA *Part Type:* *measureDomain ID:* *PhySpeciment ID:* *siSaSpecimenCompartment Set:* *water-CompartmentGroup ID:* *miscMeasClass ID:* *standardConcNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *stdConcentrationUnitSetAggregation Scale ID:* see *unitQuality Set ID:* *genQualitySetReference Link:* *NAData Type:* see *unitMinimum Value:* see *unitMaximum Value:* see *unitMinimum Length:* *NAMaximum Length:* NA

Total Phosphates(phostot): Total phosphates NA *Part Type*: measure
Domain ID: *PhySpeciment ID*: siSaSpecimenCompartment Set: water-
 CompartmentGroup ID: miscMeasClass ID: standardConcNomenclature
 ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set*
 ID: NAUnit Set ID: stdConcentrationUnitSetAggregation Scale ID: see
 unitQuality Set ID: genQualitySetReference Link: NAData Type: see
 unitMinimum Value: see unitMaximum Value: see unitMinimum Length:
 NAMaximum Length: NA

Physical property(phy): A physical property or object not characterized
 by life or chemistry. NA *Part Type*: domainDomain ID: *PhySpeciment*
 ID: anySpecimenCompartment Set: naCompartmentSetGroup ID: na-
 GroupClass ID: naClassNomenclature ID: naNomenclature *Ontology*
Reference: NA(maybe bug)*Category Set ID*: NAUnit Set ID: naUnit-
 SetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData
 Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length:
 0Maximum Length: 30

Physical class(physical): Specifies a collection of measures/methods
 related to generic physical properties. NA *Part Type*: classDomain ID:
PhySpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup
 ID: naGroupClass ID: physicalNomenclature ID: naNomenclature *On-*
tology Reference: NA(maybe bug)*Category Set ID*: NAUnit Set ID:
 naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference
 Link: NAData Type: varcharMinimum Value: NAMaximum Value:
 NAMinimum Length: 0Maximum Length: 30

PMMoV- and flow-normalized mean(pmFloMean): Mean measure
 normalized to amount of PMMoV and wastewater flow; AlleleX (gc/mL)
 $\times Q$ (ML/d) / (Pop /1e5) $\times 1e3$ (mL/L) $\times 1e6$ (L/ML) = AlleleX (gc/day
 per 1e5 population) Mostly used for reporting specific alleles (N1, N2, E,
 etc.) *Part Type*: aggregationDomain ID: naDomainSpeciment ID: naSpec-
 imenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass
 ID: naClassNomenclature ID: naNomenclature *Ontology Reference*:
 NA(maybe bug)*Category Set ID*: NAUnit Set ID: naUnitSetAggregation

1. Parts

Scale ID: quantAggScaleQuality *Set ID:* pcrQualitySetReference *Link:* NAData *Type:* varchar *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

PMMoV-normalized mean(pmmovNorm): Mean measure normalized to amount of PMMoV. Mostly used for reporting specific alleles (N1, N2, E, etc.) *Part Type:* aggregation *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* quantAggScaleQuality *Set ID:* pcrQualitySetReference *Link:* NAData *Type:* varchar *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Population(po): An aggregated public health measure. NA *Part Type:* specimen *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Population specimen set(poSpecimenSet): A specimen set that inculdes only a population specimen. NA *Part Type:* set *Domain ID:* naDomain *Speciment ID:* poSpecimen *Compartment Set:* naCompartmentSet *Group ID:* naGroupClass *ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnitSet *Aggregation Scale ID:* NAQuality *Set ID:* NAReference *Link:* NAData *Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Post-Grit Depreciated(pogr): Raw wastewater after a treatment plant's headworks. NA *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* waterCompartment *Group ID:* colGrp *Class ID:* naClass *Nomenclature ID:* naNomen-

clature *Ontology Reference*: NA(maybe bug)*Category Set ID*: sampleMat-CatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: NA*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Polygon Population(polyPop): An attribute of a polygon, which specifies the population of that polygon. A rough estimate of the number of human residents. NA *Part Type*: attribute*Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: integer*Minimum Value*: 0*Maximum Value*: NA*Minimum Length*: NA*Maximum Length*: NA

Polygon ID(polygonID): Unique identifier for the polygon. A polygon is a geographic area representing the capment area of an environmental sample. *Part Type*: attribute*Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 10

Polygon Table(polygons): The table that contains information about the geometry of a geographic area. NA *Part Type*: table*Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: programDescrNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Polygons table column order(polygonsOrder): Specifies the order of the columns in a Polygons table. NA *Part Type*: tableSupport*Domain ID*:

1. Parts

naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA

Requirements of polygons table(polygonsRequired): Specifies the columns required in a Polygons table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Pooled(pooled): Is this a pooled sample, and therefore composed of multiple child samples obtained at different sites *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: booleanMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Type of date for case reporting(popDateType): Type of date used for confirmed cases. Typically, report or episode are reported. Onset and test date is not usually reported within aggregate data. *NA Part Type: attributeDomain ID: BioSpeciment ID: poSpecimenCompartment Set: humanCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: popDateTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum*

*Value: NA**Maximum Value: NA**Minimum Length: 0**Maximum Length: 30*

Case reporting date category set(popDateTypeCatSet): CatSete-gory set for the date of case reporting. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: na-CompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: popDateTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: cate-goricalMinimum Value: NA**Maximum Value: NA**Minimum Length: 0**Maximum Length: 30* Categorical inputs for this part

Case report Date:(caRepDate)

Episode Date:(epiDate)

Onset Date:(onsDate)

Test Date:(tesDate)

Population equivalents(popEq): A unit for measuring of design capacity for wastewater treatment plants, represented as the approx-imate amount of water a single person would use. *NA Part Type: unitDomain ID: PhySpeciment ID: siSpecimenCompartment Set: wa-terCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0**Maximum Value: NA**Minimum Length: NA**Maximum Length: NA*

Population group(popGrp): A group of measures/methods related to population-level factors. Examples might be case numbers, hospitaliza-tion rates, etc. *Part Type: groupDomain ID: allDoSpeciment ID: poSpec-imenCompartment Set: anyCompartmentGroup ID: popGrpClass ID: na-ClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe*

1. Parts

bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: see unit *Quality Set ID*: NA *Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Population Served(popServ): An attribute of a site, which specifies the population of/population served by a given site. NA *Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: naCompartmentSet *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Population class(population): Specifies a collection of population-level measures/methods. NA *Part Type*: class *Domain ID*: Bio *Speciment ID*: poSpecimen *Set Compartment Set*: humanCompartment *Group ID*: naGroup *Class ID*: population *Nomenclature ID*: naNomenclature *Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: naUnitSet *Aggregation Scale ID*: see unit *Quality Set ID*: gen *Quality Set Reference Link*: NA *Data Type*: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Population unit set(populationUnitSet): Unit set for hospital-related measurements. NA *Part Type*: set *Domain ID*: naDomain *Speciment ID*: naSpecimen *Set Compartment Set*: humanCompartment *Group ID*: naGroup *Class ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA (maybe bug) *Category Set ID*: NA *Unit Set ID*: populationUnitSet *Aggregation Scale ID*: quantAggScale *Quality Set ID*: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30

Percent positive(pp): Percent positive of sample measures. Can use for Moore swabs, etc. *Part Type*: unit *Domain ID*: Bio *Speciment ID*: siSaSpecimen *Set Compartment Set*: anyCompartment *Group ID*: naGroup *Class*

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA

parts per million(ppm): Parts per million. NA *Part Type: unitDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

PMMoV-CP(ppmv): Pepper mild mottle virus capsid protein gene region NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: alleleNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Percent positivity rate(pprt): Percent positivity rate of tests conducted within a day in a given region. NA *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Percent Primary Sludge(pps): Percentage of total solids, for primary sludge. NA *Part Type: unitDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference:*

1. Parts

NA(maybe bug)*Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA*

Precipitation class(precipClass): Specifies a collection of measures/methods related to precipitation. NA *Part Type: classDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: precipClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Precipitation Unit Set(precipitationUnitSet): Unit set for percipitation measurements. NA *Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: precipitationUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Pretreatment(pretreat): Was the sample chemically treated in anyway with the addition of stabilizers or other Pretrement method can be describe using a method. See methodID. *Part Type: methodDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tfCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Genetic primer(primer): Method ID used for indicating the primer used for a PCR or sequencing assay. NA *Part Type: methodDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup*

ID: measGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: primerCatSet Unit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Genetic primer category set(primerCatSet): The category set for genetic primers used in sequencing or PCR assays. *NA Part Type: cat-SetDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: primerCatSet Unit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Use of the articV3 primer:(articV3)

Use of the articV4 primer:(articV4)

Private sector organization type(priv): The category of organization type used for private sector or non-profit groups that are not otherwise captured by the academic category. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: orgType-CatSet Unit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 10*

Processing group(procGrp): A group of measures/methods related to processing samples for analysis. *NA Part Type: groupDomain ID: allDoSpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAResource*

1. Parts

Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Program decription tables class(programDescr): Specifies a class for report tables to indicate that they are program description tables. Used o better specify the purpose of report tables, distinct from other classes in this way. *Part Type: classDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: programDescriptionNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

promega automated tna kit(promAuto): Nucleic acid extraction performed using the promega automated tna kit. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

promega ht tna kit(promHt): Nucleic acid extraction performed using the promega ht tna kit. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

promega manual tna kit(promManu): Nucleic acid extraction performed using the promega manual tna kit. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID:*

naNomenclature Ontology Reference: NA(maybe bug)*Category Set ID*: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

promega wastewater large volume tna capture kit(promWW): Nucleic acid extraction performed using the promega wastewater large volume tna capture kit. NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Proportion of total(prop): Proportion as a percent of total. NA Part Type: unitDomain ID: naDomainSpeciment ID: anySpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA

Proportion of variant in sample(propV): Proportion of a variant as percent of total variants. NA Part Type: unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA

Protein class(protein): Specifies a collection of measures/methods related to proteins. NA Part Type: classDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass

1. Parts

ID: proteinNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Protocol ID(protocolID): A unique identifier for a given protocol. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Protocol Organization Table(protocolOrg): The table that contains the organizational information and details (such as order) about a given protocol, recorded as a series of protocol steps (protocolSteps). Protocols are a group of related protocol steps. For example a protocol step can describe a sample concentration, extraction, inhibition or a measurement. Protocols can include both methodID (a procedure) and measureIDs (a measure). An example of a method is centrifugation; where the centrifugation rotation speed is described as a measure. *Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: lookupNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Protocol Organization ID(protocolOrgID): Unique identifier for the organizing of a protocol and its steps. Protocol Organization ID is a composite key generated by combining Protocol ID (protocolID) and step Index (stepIndexID). *Part Type: attributeDomain*

ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Protocol Steps Table(protocolSteps): The table for collecting meta-data on individual steps in a protocol, methodological process, or assay. *NA Part Type: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: programDescrNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Protocol Steps table column order(protocolStepsOrder): Specifies the order of the columns in a Protocol Steps table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Requirements of the Protocol Steps table(protocolStepsRequired): Specifies the columns required in a Protocol Steps table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type:*

1. Parts

varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Protocol Version(protocolVersion): Specifies the version of a method set. Version of the method set. Semantic versioning is recommended. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Access to prov ha(provHA): If this is ‘no’, this data will not be available to provincial health authorities. If missing, data will be available to provincial health authorities. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: booleanMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

Provisional report(provisional): A provisional or interim report. Use for measurement that are not yet finalized. Typically this purpose is not publicly reported. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Post-grit(pstGrit): Raw wastewater after a treatment plant’s headworks (post grit or removal of large solids at a treatment plant but prior to a primary clarifier) *NA Part Type: categoryDomain ID: naDomainSpeciment*

ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Pre treatment description(ptDesc): If preTreatment then describe the treatment that was performed. Deprecated in version 2, please do not use. Use pretreatment methodID and specify further in summary and/or notes, if necessary. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 255*

Number of positive tests(ptot): Number of positive tests conducted within a day in a given region. NA *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Access to public(public): If this is 'no', this data will not be available to the public. If missing, data will be available to the public. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type:*

1. Parts

*booleanMinimum Value: NA**Maximum Value: NA**Minimum Length: 0**Maximum Length: 1*

Puro virus(puro): Measure of the amount of puro virus. *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NA**Maximum Length: NA*

Puro virus Spike Target(puroMat): Puro Virus is used as the recovery efficiency control target. *NA Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NA**Maximum Value: NA**Minimum Length: 0**Maximum Length: 30*

Sample or Measure Purpose CatSetegory Set(purposeCatSet): CatSetegory set for the purpose of the sample or measure. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NA**Maximum Value: NA**Minimum Length: 0**Maximum Length: 30*
Categorical inputs for this part

Education:(education)

Multiple Purpose:(multiple)

Provisional report:(provisional)

Quality control:(qualityControl)

Regular:(regular)

Testing:(testing)

Validation study:(validationStudy)

Purpose(purposeID): The reason the measure or sample was taken. See allowed categories: report, quality control, validation study, test
Part Type: attribute*Domain ID:* na*DomainSpeciment ID:* na*SpecimenSetCompartment Set:* na*CompartmentSetGroup ID:* na*GroupClass ID:* na*ClassNomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* purposeCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

q19e omicron-variant gene target(q19e?): q19e omicron-variant gene target NA *Part Type:* measure*Domain ID:* Bio*Speciment ID:* sa*SpecimenCompartment Set:* any*CompartmentGroup ID:* sarsCov2*Class ID:* mutation*Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

q493r omicron-variant gene target(q493r?): q493r omicron-variant gene target NA *Part Type:* measure*Domain ID:* Bio*Speciment ID:* sa*SpecimenCompartment Set:* any*CompartmentGroup ID:* sarsCov2*Class ID:* mutation*Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* geneticUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* pcrQualitySet*Reference Link:* NA*Data Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

1. Parts

q498r omicron-variant gene target(q498r?): q498r omicron-variant gene target NA *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

q954h omicron-variant gene target(q954h?): q954h omicron-variant gene target NA *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Quaility assurance method(qaqc): Quality ass qc Description of the quality control steps taken *Part Type*: methodDomain ID: naDomainSpeciment ID: anySpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResult Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100

No quality concerns(qf1): A flag to indicate there is are no quality concern about the measure or sample. NA *Part Type*: qualityDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: 1Maximum Value: 1Minimum Length: NAMaximum Length: NA

Quality concerns(qf2): A flag to indicate there is a quality concern, not otherwise specified. NA *Part Type*: *qualityDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: *varcharMinimum Value*: 0*Maximum Value*: 0*Minimum Length*: NA*Maximum Length*: NA

qiagen allprep dna/rna kit(qgDNARNA): Nucleic acid extraction performed using the qiagen allprep dna/rna kit. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *extractCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

qiagen digital PCR(qgDpcr): Describes a PCR analysis done using Qiagen's digital PCR technology. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *pcrCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

qiagen ez1 virus mini kit v2.0(qgEz1): Nucleic acid extraction performed using the qiagen ez1 virus mini kit v2.0. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *extractCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

1. Parts

qiagen allprep powerfecal dna/rna kit(qgPwrFecal): Nucleic acid extraction performed using the qiagen allprep powerfecal dna/rna kit. NA *Part Type*: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

qiagen allprep powerviral dna/rna kit(qgPwrViral): Nucleic acid extraction performed using the qiagen allprep powerviral dna/rna kit. NA *Part Type*: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

qiagen powerwater kit(qgPwrWtr): Nucleic acid extraction performed using the qiagen powerwater kit. NA *Part Type*: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

qiagen qiaamp buffers with epoch columns(qgQiAmp): Nucleic acid extraction performed using the qiagen qiaamp buffers with epoch columns. NA *Part Type*: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference:

NA(maybe bug)*Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

qiagen rneasy kit(qgRneasy): Nucleic acid extraction performed using the qiagen rneasy kit. NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

qiagen rneasy powermicrobiome kit(qgRneasyPwr): Nucleic acid extraction performed using the qiagen rneasy powermicrobiome kit. NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Quantitative PCR(qpcr): Real-time PCR, also called ‘quantAggScale’ PCR NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: pcrCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Qualitative(qual): The “qualAggScale” aggregation scale. NA *Part Type: aggScaleDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass*

1. Parts

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: qualAggScaleQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Quality measures(quality): The part type for quality parts. Only used for the dictionary entries of parts. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: any-CompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Quality control(qualityControl): A measure or sample taken for the purpose of quality control. Measures with this category are take to assess quality control. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Quality Flag(qualityFlag): A field for reporting any quality concerns - of lack thereof - for a sample or measure. Types of quality flag vary on context; please see the qulaityFlagSet to be confirm. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: allReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Quality Report ID(qualityID): A unique identifier for a given quality report. NA *Part Type*: attribute *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Quality Reports Table(qualityReports): The table for recording the various quality metrics and indicators for samples and measures. NA *Part Type*: table *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: resultsNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Quality Set ID(qualitySetID): The quality set that corresponds to a given part. Only applicable for samples and measures. NA *Part Type*: attribute *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Quantitative(quant): The “quantAggScale” aggregation scale. NA *Part Type*: aggScale *Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*:

1. Parts

varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

R squared(r2): R-squared value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. *Part Type: measureDomain ID: allDoSpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: floatMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

r203m delta-variant gene target(r203m): r203m delta-variant gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Rate per 100,000(rP100): Units for describing a population measure of a rate of case incidence per 100,000 people of a given disease. Unit for a population or disease measure to explain population-level clinical effects. *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Raindance digital PCR(rainDpcr): Describes a PCR analysis done using Raindance's digital PCR technology. NA *Part Type: categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID:*

naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: pcrCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: pcrQualitySetReference *Link*: NA*Data Type*: varchar*Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Rainy(rainy): Qualitative category for the weather measure, specifying a rainy day. NA *Part Type*: category*Domain ID*: PhySpeciment *ID*: siSpecimenCompartment *Set*: anyCompartmentGroup *ID*: siteFeatClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: weathCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NAReference *Link*: NA*Data Type*: varchar*Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Ratio(ratio): Ratio (unitless) Report as a real number or fration. i.e 10:2 ratio is reported as 5. The specifics of the ratio (the numerator and the demoninator) are described in the measure. *Part Type*: unit*Domain ID*: naDomainSpeciment *ID*: anySpecimenCompartment *Set*: anyCompartmentGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: quantAggScaleQuality *Set ID*: genQualitySetReference *Link*: NA*Data Type*: float*Minimum Value*: 0Maximum *Value*: NAMinimum *Length*: NAMaximum *Length*: NA

Raw sewage at site(rawWW): Wastewater without any form of treatment NA *Part Type*: category*Domain ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: sampleMatCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: NAReference *Link*: NA*Data Type*: varchar*Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

Raw sewage downstream from a site(rawWWdown): Downstream from a site. See partType = rawWWup. NA *Part Type*: category*Domain*

1. Parts

ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Raw sewage upstream from a site(rawWWup): Upstream from a site. Used when there is not direct access to a site's wastewater inconjunctiion with downstream sample. For example, if the site is a long-term care home, but ther is not access to the building or property cleanout. Use two sameple, one sample upstream and one sample downstream. NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Raw wastewater Sample(raws): Raw wastes water sample NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

IP2 rdrp sars-cov-2 gene target(rdrpNcovIP2): IP2 rdrp sars-cov-2 gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID:*

see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

IP4 rdrp sars-cov-2 gene target(*rdrpNcovIP4*): IP4 rdrp sars-cov-2 gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Date sample recieved(*recDate*): The date the sample was received at the laboratory for analysis. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *datetimeMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: *0Maximum Length*: 30

Recovered patients(*recov*): Units for describing a population measure of patients who have recovered from a given disease. Unit for a population or disease measure to explain population-level clinical effects. *Part Type*: *unitDomain ID*: *BioSpeciment ID*: *poSpecimenCompartment Set*: *anyCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: *integerMinimum Value*: *0Maximum Value*: *NAMinimum Length*: *NAMaximum Length*: NA

Reference link(*refLink*): Link to the reference material for a part. May link to literature on a method, measure, etc. Link to standard operating procedure for a measure or part. Part reference is a reference to a technical

1. Parts

document that describes the part in detail. The reference could be a URL, DOI, or reference to a technical report. *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* naUnit *Set Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 255

Regular(regular): A measure or sample taken for surveillance or epidemiology. A ‘regular’ measure is the default. Missing data will be recoded to this purpose. *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartment *Set Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* purposeCat *Set Unit Set ID:* naUnit *Set Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar *Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0 *Maximum Length:* 30

Relative humidity(relHum): The unit of relative humidity, or the air-water mixture. The ratio of the partial pressure of water vapor in the mixture to the equilibrium vapor pressure of water over a flat surface. of pure water at a given temperature. NA *Part Type:* measure *Domain ID:* PhySpeciment *ID:* siSpecimen *Compartment Set:* anyCompartment *Group ID:* siteFeat *Class ID:* humClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NAUnit *Set ID:* relHumidUnit *Set Aggregation Scale ID:* see unit *Quality Set ID:* genQuality *Set Reference Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NAMaximum *Length:* NA

Relative humidity unit set(relHumidUnitSet): Unit set for relative humidity measurements. NA *Part Type:* set *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* anyCompartment *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Ref-*

erence: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: relHumidUnit-
SetAggregation Scale ID: quantAggScale *Quality Set ID*: NA *Reference*
Link: NA *Data Type*: categorical *Minimum Value*: NA *Maximum Value*:
NA *Minimum Length*: 0 *Maximum Length*: 30

Relationship category set(relationshipCatSet): Category set for
valid values of sample relationship. NA *Part Type*: catSetDomain
ID: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCom-
partmentSet *Group ID*: naGroupClass *ID*: naClassNomenclature *ID*:
naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: re-
lationshipCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NA *Quality*
Set ID: NA *Reference Link*: NA *Data Type*: categorical *Minimum Value*:
NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 30
Categorical inputs for this part

Matrix spike duplicate sample relationship:(SpikeDupRel)

Child relationship:(childRel)

Colocated sample relationship:(colocRel)

Field duplicate sample relationship:(fieldDupRel)

Laboratory control duplicate relationship:(labControlDupRel)

Laboratory control relationship:(labControlRel)

Relationship(relationshipID): Attribute for specifying the relation-
ship between related samples. Together with `sampleIDSub` and
`relationshipID` the row of the `sampleRelationships` should
say: [sampleIDSubject] is a[relationshipID] of [sampleIDObject]
Part Type: attribute *Domain ID*: naDomain *Speciment ID*: naSpeci-
menSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass
ID: naClassNomenclature *ID*: naNomenclature *Ontology Reference*:
NA(maybe bug) *Category Set ID*: relationshipCatSet *Unit Set ID*: naUnit-
Set *Aggregation Scale ID*: NA *Quality Set ID*: NA *Reference Link*: NA *Data*
Type: varchar *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*:
0 *Maximum Length*: 30

1. Parts

Representative Grab Sample(repGrab): A single large representative grab sample. Deprecated in version 2, please do not use. *Part Type:* category *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* waterCompartment *Group ID:* colGrp *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* collectCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* sampleQualitySet *Reference Link:* NA *Data Type:* NA *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Replicate Type(repType): Attribute of a sample, specifying whether the sample is unique, or a replicate. And if it is a replicate, what type of replicate is it? NA *Part Type:* attribute *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* replicateCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Replicate Type CatSetegory Set(replicateCatSet): The category set for storing valid categorical values of replicate type. NA *Part Type:* catSet *Domain ID:* naDomain *Speciment ID:* naSpecimen *Set Compartment Set:* naCompartmentSet *Group ID:* naGroup *Class ID:* naClass *Nomenclature ID:* naNomenclature *Ontology Reference:* NA (maybe bug) *Category Set ID:* replicateCatSet *Unit Set ID:* naUnitSet *Aggregation Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NA *Data Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30
Categorical inputs for this part

Co-located Sample:(colocated)

Field sample replicate:(fieldReplicate)

Laboratory Duplicate:(labDuplicate)

Laboratory Control Sample Duplicate:(lcsd)

Matrix Spike Duplicate:(msd)

Unique Sample:(unique)

Report Date(reportDate): The date a measure was reported. This date is the first date the laboratory or entity reported the measure findings to the public health or other entity who ordered the measure or is responsible for action. Use the analyses end date if the measure is part of a research study or other purpose that does not have a reporting entity. *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* datetime*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Reportable data flag(reportable): Flag for whether a measure is reportable or not, based on confidence in the measure and methods applied. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* boolean*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 10

Reporter ID(reporterID): Unique identifier for the person or organization that is reporting the data. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

1. Parts

Reporter ID Depreciated(reporterIDDep): Unique identifier for the entity reporting the data *NA Part Type*: attribute *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSet *Aggregation Scale ID*: NAQuality *Set ID*: NAResultLink: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Reporter table(reporters): The table that contains information about a reporter of a sample, method, measure, or attribute. *NA Part Type*: table *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSet *Aggregation Scale ID*: NAQuality *Set ID*: NAResultLink: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Resuspend COSCa filter collection(resCosca): Nucleic acid extraction via resuspension of a sample collected using the COSCa ball method. See partID = cosca for additional details. *Part Type*: category *Domain ID*: BioSpeciment *ID*: naSpecimenSet *Compartment Set*: waterCompartment *Group ID*: procGrpClass *ID*: naClass *Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: extractCatSet *Unit Set ID*: naUnitSet *Aggregation Scale ID*: NAQuality *Set ID*: genQualitySet *Reference Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 10

Results tables class(results): Specifies a class for report tables to indicate that they are results tables. Used only to better specify the purpose of report tables, distinct from other classes in this way. *Part Type*: class *Domain ID*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group ID*: naGroupClass *ID*: resultsNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSet *Aggregation*

Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Retention pond(retPond): Retention pond NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

River, natural water body(river): River, natural water body NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Role of Contact(role): Specifies the organizational role of a given contact. NA *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Raw post-pasteurized wastewater(rppw): Raw wastewater sample post-pasteurization NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID:*

1. Parts

spikeMatCatSet Unit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Respiratory syncytial virus group(rsv): Respiratory syncytial virus. *NA Part Type: measureDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: http://purl.obolibrary.org/obo/NCIT_C14267Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Surface compartment(s): A measure or observation made from a substance on a surface. *NA Part Type: compartmentDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: surfaceCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1*

s2083i omicron-variant gene target(s2083i?): s2083i omicron-variant gene target *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

s371l omicron-variant gene target(s371l?): s371l omicron-variant gene target *NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID:*

see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

s373p omicron-variant gene target(s373p?): s373p omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

s375f omicron-variant gene target(s375f?): s375f omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

s477n omicron-variant gene target(s477n?): s477n omicron-variant gene target NA *Part Type*: *measureDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *sarsCov2Class ID*: *mutationNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug) *Category Set ID*: *NAUnit Set ID*: *geneticUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *pcrQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Sparse coverage(sC): Sequencing shows sparse coverage, ie. numerical breadth of coverage shows as adequate but coverage plots reveal missing genome pieces. If there are multiple issues to flage, use the multiple issues flag and explain the details in the notes section. *Part Type*: *qualityDomain*

1. Parts

ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: seqQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Secondary clarifier effluent(sEfflu): Effluent obtained after secondary clarifiers NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

S sars-cov-2 gene target(sGene): S sars-cov-2 gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: alleleNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Secondary clarifier sludge(sSludge): Sludge produced by secondary clarifiers NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Storage temp(sTemp): Temperature that the sample is stored at in Celsius. NA *Part Type: measureDomain ID: PhySpeciment ID: saSpeci-*

menCompartment Set: anyCompartmentGroup ID: procGrpClass ID: tempClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: temperatureUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Sample(sa): A measure made on a compartment or property from a sample of a substance. NA Part Type: specimenDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample material(saMaterial): Type of sample. NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample specimen set(saSpecimenSet): A specimen set that includes only a sample specimen. NA Part Type: setDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample ID(sampleID): Unique identifier for a sample. Suggestion:siteID-date-index. Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:

1. Parts

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample ID Object(sampleIDObj): Populated by **sampleID** - this specifies the object of a sample relationship. Use **sampleID** for this field. Together with **sampleIDSub** and **relationshipID** the row of the **sampleRelationships** should say: [sampleIDSubject] is a[relationshipID] of [sampleIDObject] *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sample ID Subject(sampleIDSub): Populated by **sampleID** - this specifies the subject of a sample relationship. Use **sampleID** for this field. Together with **sampleIDSub** and **relationshipID** the row of the **sampleRelationships** should say: [sampleIDSubject] is a[relationshipID] of [sampleIDObject] *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnit-SetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sample material category set(sampleMatCatSet): CatSetegory set for the types of material that can be found in a sample. *NA Part Type: cat-SetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID:*

sampleMatCatSet *Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30
Categorical inputs for this part

Air filtration unit:(afu)

Desk or counter:(desk)

Fecal matter:(faeces)

Floor:(floor)

Holding tank wastewater:(htSam)

Water sample type:(nww)

Primary clarifier effluent:(pEfflu)

Primary clarifier sludge:(pSludge)

Primary Clarifier Effluent Depreciated:(pce)

Primary Clarifier Sludge Depreciated:(pcs)

Post-Grit Depreciated:(pogr)

Post-grit:(pstGrit)

Raw sewage at site:(rawWW)

Raw sewage downstream from a site:(rawWWdown)

Raw sewage upstream from a site:(rawWWup)

Secondary clarifier effluent:(sEfflu)

Secondary clarifier sludge:(sSludge)

Secondary Clarifier Effluent Depreciated:(sce)

Secondary Clarifier Sludge Depreciated:(scs)

Septic tank wastewater:(septage)

1. Parts

Sewer Sediments:(sese)

Other surface:(surface)

Sewer sediment:(swrSed)

Water depreciated:(water)

Sample Quality Set(sampleQualitySet): Quality set for a sample. NA *Part Type*: setDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample Relationships Table(sampleRelationships): Table for recording the relationships between samples. Specifically designed to capture information on parent-child relationships between samples, and allow for tracking sample lineage for single and pooled samples. *Part Type*: tableDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: resultsNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResults Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: NAMaximum Length: NA

Collection other(sampleTypeOther): Description for other type of method not listed in collection. NA *Part Type*: methodDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResults Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100

Sample Report Table(samples): The table that contains information about a sample, where a sample is defined as a representative volume of wastewater, air, or surface substance taken from a Site which is then analysed by a lab (organization). *NA Part Type:* tableDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* resultsNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResultLink: NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Samples table column order(samplesOrder): Specifies the order of the columns in a Samples table. *NA Part Type:* tableSupportDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResultLink: NAData *Type:* integer*Minimum Value:* 1*Maximum Value:* NAMinimum *Length:* NAMaximum *Length:* NA

Requirements of samples table(samplesRequired): Specifies the columns required in a Samples table. *NA Part Type:* tableSupportDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResultLink: NAData *Type:* varchar*Minimum Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Sampleshed(samshed): A geographic area, physical space, or structure. A sample is taken from a sampleshed for a representative measurement of a substance(s). Examples: Airplane, Long-term care home, Neighbourhood, University campus, Municipality *Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* any-CompartmentGroup *ID:* colGrpClass *ID:* naClassNomenclature *ID:*

1. Parts

naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: shedCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NA*Quality Set ID*: sampleQualitySetReference *Link*: NA*Data Type*: categorical*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

SARS-CoV-2(sarsCov2): A group of measures/methods related to the SARS-CoV-2 virus. SARS-CoV-2 measures have the following classes: proteins, alleles, variants, mutations, diseases. *Part Type*: group*Domain ID*: BioSpeciment *ID*: saSpecimen*Compartment Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: http://purl.obolibrary.org/obo/NCIT_C169076*Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: NAReference *Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

SARS-CoV-2 measure(sarscov2Me): Measure the amount of SARS-CoV-2 virus. This measure should only be used if there is no other SARS-CoV-2 measure. See groupID = sarsCov2. Use a note to describe the specific measure used. *Part Type*: measure*Domain ID*: BioSpeciment *ID*: anySpecimen*Compartment Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit *Set ID*: geneticUnitSetAggregation *Scale ID*: see unit*Quality Set ID*: genQualitySetReference *Link*: NA*Data Type*: see unit*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NA*Maximum Length*: NA

Secondary Clarifier Effluent Depreciated(sce): Effluent obtained after secondary clarifiers. Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. *Part Type*: category*Domain ID*: naDomainSpeciment *ID*: naSpecimenSet*Compartment Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClass*Nomenclature ID*: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: sampleMatCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*:

NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

School(school): A school serving students in the kindergarten to 12th grade range NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Secondary Clarifier Sludge Depreciated(scs): Sludge produced by secondary clarifiers. Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Standard Deviation(sd): Standard deviation. NA *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Normalized Standard Deviation(sdn): Standard deviation, normalized. NA *Part Type: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology*

1. Parts

Reference: NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit-*SetAggregation Scale ID:* quantAggScale*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* NA*Maximum Length:* NA

Sea, natural water body(sea): Sea, natural water body NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* waterCompartmentGroup *ID:* colGrpClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* siteTypeCatSet*Unit Set ID:* naUnit-*SetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Access to self(self): If this is 'no', this data will not be shown on the portal when this reporter logs in. If missing, data will be available to this reporter. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit-*SetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* boolean*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 1

Date sample was sent(sentDate): The date the sample was sent for analyses at a laboratory. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnit*SetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* datetime*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Septic tank(septTnk): Septic tank NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimen*Set Compartment Set:* waterCompartmentGroup *ID:* colGrpClass *ID:* naClass*Nomenclature ID:* naNomen-

clature *Ontology Reference*: NA(maybe bug)*Category Set ID*: siteType-CatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Septic tank wastewater(septage): Wastewater from within a septic tank NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sequencing Quality Set(seqQualitySet): Quality set for sequencing measures NA *Part Type*: setDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: seqQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Genetic sequencing class(sequence): Specifies a collection of measures/methods related to genetic sequencing. NA *Part Type*: classDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: sequenceNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sewer Sediments(sese): Sediments obtained in sewer. NA *Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category*

1. Parts

Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NADData Type: NAResource Value: NAResource Value: NAResource Length: 0Maximum Length: 30

Sets(set): Sets of parts. Sets are lists of input values. Each input value within a set is a part (has a partID) that can be reused between sets. For example, a set A could contain the values of 'yes' and 'no'; and set B could contain the values of 'yes', 'no', and 'maybe.' partTypes with sets include aggregations, compartments, missingness, quality flags, specimens, and units. Measures with categories and dataTypes have their own specific category sets (catSetID) because their input values are unique and are not reused. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NADData Type: varcharMinimum Value: NAResource Value: NAResource Length: 0Maximum Length: 15*

Set ID(setID): The name of a value set. A set is a group of units, attributes, categories, specimens, or compartments that can be used for a measure, method or attribute. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NADData Type: varcharMinimum Value: NAResource Value: NAResource Length: 0Maximum Length: 28*

Set type(setType): The type of set. I.e. quality set, aggregation set, unit set NA *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology*

Reference: NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnit-SetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* NAMinimum *Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Set Value(setValue): The partID for the set value or category. Populated by any part where partType = aggregationSet, compartmentSet, qualitySet, specimenSet, or unitSet *Part Type:* attributeDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* waterCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* NAMinimum *Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Sets Look-up Table(sets): Look up table for all sets, managing how categorical inputs for various methods and attributes are grouped together. This table manages many-to-many relationships and category recycling within the ODM. *Part Type:* tableDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* lookupNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnit-SetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varcharMinimum *Value:* NAMaximum *Value:* NAMinimum *Length:* 0*Maximum Length:* 30

Settled solids(settsol): Amount of settled solids from a wastewater sample. May be a volume or a weight, see the unitID for a given measure row for details on a given sample. *Part Type:* measureDomain *ID:* PhySpeciment *ID:* saSpecimenSetCompartment *Set:* waterCompartmentGroup *ID:* procGrpClass *ID:* physicalNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* volumeUnitSetAggregation *Scale ID:* quantAggScaleQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* integerMinimum *Value:* 0*Maximum Value:* NAMinimum *Length:* NAMaximum *Length:* NA

1. Parts

Sampled CatSetegory Set(shedCatSet): The category set for all valid values of sampled. *NA Part Type:* catSetDomain *ID:* naDomainSpeciment *ID:* siSpecimenCompartment Set: naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category Set *ID:* NAUnit Set *ID:* naUnitSetAggregation Scale *ID:* NAQuality Set *ID:* NAResource Link: NAData *Type:* categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Ship(ship): A cruise ship or other ship. *NA Part Type:* categoryDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment Set: anyCompartmentGroup *ID:* colGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category Set *ID:* shedCatSetUnit Set *ID:* naUnitSetAggregation Scale *ID:* NAQuality Set *ID:* NAResource Link: NAData *Type:* varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Shipped on ice(shipOnIce): Was the sample kept cool while being shipped to the lab *NA Part Type:* methodDomain *ID:* naDomainSpeciment *ID:* saSpecimenCompartment Set: anyCompartmentGroup *ID:* procGrpClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category Set *ID:* tfCatSetUnit Set *ID:* naUnitSetAggregation Scale *ID:* NAQuality Set *ID:* NAResource Link: NAData *Type:* categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 1

Site(si): A measure made on a compartment or property at a site where a sample was taken. *NA Part Type:* specimenDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment Set: naCompartmentSetGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category Set *ID:* NAUnit Set *ID:* naUnitSetAggregation Scale *ID:* NAQuality Set *ID:* NAResource Link: NAData *Type:* varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Site or sample specimen set(siSaSpecimenSet): A specimen set that includes site or sample specimen. NA *Part Type*: setDomain ID: naDomainSpeciment ID: siSaSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Site specimen set(siSpecimenSet): A specimen set that includes only a site specimen. NA *Part Type*: setDomain ID: naDomainSpeciment ID: siSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Single(sin): This value is not an aggregate measurement in any way (ie. not a mean, median, max or any other) and can be a replicate value. NA *Part Type*: aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Site ID default(siteDef): Used as default when a new sample is created by this reporter. See ID in Site table. Deprecated in version 2, please do not use. Just populate standard SiteID. *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID:

1. Parts

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Site features group(siteFeat): A group of environmental measures/methods and those pertaining to the features of a site. *NA Part Type: groupDomain ID: allDoSpeciment ID: siSpecimenCompartment Set: anyCompartmentGroup ID: siteFeatClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Site ID(siteID): Unique identifier for the location where a sample was taken. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Site measure ID(siteMeasureID): Unique identifier for wide table only. Use when all measures are performed on a single sample. Depreciate in version 2. *siteMeasures Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Site category set(siteTypeCatSet): CatSetegory set for the type of sampling site. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set*

*ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference
Link: NAData Type: categoricalMinimum Value: NAMaximum Value:
NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this
part

Branch sewer pipeline:(bSwrPpl)

Building cleanout:(buildCO)

Estuary, natural water body:(estuary)

Holding tank:(htSite)

Lagoon system:(lagoon)

Lake, natural water body:(lake)

Major sewer pipeline:(mSwrPpl)

Other Collection Depreciated:(oCol)

Ocean, natural water body:(ocean)

Other Site Depreciated:(otsiDep2)

Other Site Depreciated 2:(otsiDep2)

Pumping Station:(pStat)

Retention pond:(retPond)

River, natural water body:(river)

Sea, natural water body:(sea)

Septic tank:(septTnk)

Stabilization pond:(stabPnd)

Sewage truck:(swgTrck)

Upstream sites:(upstream)

Wastewater Treatment Plant:(wwtp)

1. Parts

Back-up wastewater treatment site:(wwtpBack)

Industrial wastewater treatment plant:(wwtpInd)

Municipal wastewater treatment plant for combined sewage:(wwtpMuC)

Municipal wastewater treatment plant for danitary dewage only:(wwtpMuS)

Site Type(siteTypeID): Type of site or institution where sample was taken. *NA Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* colGrpClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* siteTypeCatSet*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* categorical*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Site Table(sites): The table that contains information about a site; the location where an environmental sample was taken. The site of an enviromental sample. Information in the site table does not regularly change. Consider using the MeasureReport table if the infomation changes often. *Part Type:* table*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroupClass *ID:* programDescr*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Sites table column order(sitesOrder): Specifies the order of the columns in a Sites table. *NA Part Type:* tableSupport*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSet*Group ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:*

NAReference Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA

Requirements of sites table(sitesRequired): Specifies the columns required in a Sites table. *NA Part Type: tableSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Skimmed milk flocculation(skimMilkFloc): Skimmed milk flocculation *NA Part Type: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

slope(slope): Slope value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. *Part Type: measureDomain ID: allDoSpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: floatMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Sewer network file link depreciated 2(snfl): Link to a file that has any detailed information about the sewer network associated with the site (any format). Depreciate in version 2. This attribute has been changed to referenceLink. Use po_referenceLink to specify polygon link to sewer network file. *Part Type: attributeDomain ID: naDomainSpeciment*

1. Parts

ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Snowy(snowy): Qualitative category for the weather measure, specifying a snowy day. *NA Part Type: categoryDomain ID: PhySpeciment ID: siSpecimenCompartment Set: anyCompartmentGroup ID: siteFeatClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: weathCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Solid fraction(sol): Solid fraction of a sample. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: fractionCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Solid seperation(solidSep): Process used to separate solid and liquid phases of the sample. Solid seperation is used either prior to or in the absence of the concentration method specified in ‘methodConc’. *Part Type: methodDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Solid separation category set(solidSeparationCatSet): CatSetegory set for the separation of solids. NA *Part Type*: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: solidSeparationCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30 Categorical inputs for this part

Centrifugation:(cent)

Filtration:(filt)

Gravity settling:(graSet)

Membrane filtration with acidification and mgcl2:(mfAcidmgcl2)

Membrane filtration with acidification and mgcl2, membrane recombined with separated solids:(mfAcidmgcl2SS)

Membrane filtration with addition of mgcl2:(mfMgcl2)

Membrane filtration with mgcl2 and separated solids:(mfMgcl2SS)

Membrane filtration with no amendment:(mfNoAmend)

Membrane filtration with no amendment, membrane recombined with separated solids:(mfNoAmendSS)

Membrane filtration with sample acidification:(mfSampleAcid)

Membrane filtration with sample acidification, membrane recombined with separated solids:(mfSampleAcidSS)

No liquid concentration, liquid recombined with separated solids:(noliquid)

Source Protocol(sourceProtocol): A protocol that served as a basis for another protocol. This may be due to version changes, or a referencing

1. Parts

a protocol that was later adapted. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Protocol step source(sourceStep): Specifies the protocol step which serves as a basis for a given protocol step. Populate with a protocol step ID (stepID) *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Specific humidity(specHum): Measure for specific humidity, the unit is the ratio of the mass of water vapour and the mass of total air. *NA Part Type: measureDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: specHumidUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Specific humidity unit set(specHumidUnitSet): Unit set for specific humidity. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: specHumidUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource*

Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Specimen Set(specSet): The set of valid specimens that apply to another given part. *NA Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Specimens(specimen): The substance upon which the observation was made. See partID = specimenID *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Specimen(specimenID): The substance or thing upon which the observation was made. Specimens include: site, sample, person and population. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Spike Material(spikeMat): Material into which the recovery efficiency control target is spiked. *NA Part Type: methodDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID:*

1. Parts

spikeMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 4

CatSetegories of spikeMat(spikeMatCatSet): CatSetegories for spike-Mat (aterial into which the recovery efficiency control target is spiked). *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Clarified sample:(clari)

Sample concentrate:(conc)

Dewatered solids:(deso)

Lysis buffer:(lysi)

Raw wastewater Sample:(raws)

Raw post-pasteurized wastewater:(rppw)

Recovery Efficiency Spike Target(spikeTarget): Method specifying the recovery efficiency control target. This matches on to the the spike material method ID. Should typically be indexed as a step proceeding the spikeMaterial methodID step. *Part Type: methodDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: measGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Recovery Efficiency Spike Target CatSetegory Set(spikeTargetCatSet):

The category set capturing containing all of the valid categories for the recovery efficiency control (or spike) target. NA *Part Type*: cat-SetDomain ID: BioSpeciment ID: saSpecimenCompartment Set: any-CompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: spikeTargetCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData *Type*: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30
Categorical inputs for this part

bcov culture Spike Target:(bcovCul)

bcov vaccine Spike Target:(bcovVac)

brsv culture Spike Target:(brsvCul)

brsv vaccine Spike Target:(brsvVac)

Heat inactivated sars-cov-2 virus Spike Target:(heatInacSARS)

hep g armored rna Spike Target:(hepGRnaMat)

ms2 coliphage Spike Target:(ms2ColMat)

murine coronavirus Spike Target:(muCoMat)

oc43 Spike Target:(oc43Mat)

phi6 Spike Target:(phi6Mat)

Puro virus Spike Target:(puroMat)

Sample spilled(spill): Sample contents spilled from container. NA *Part Type*: qualityDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Social services shelter(sss): Other type of social services shelter
NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* anyCompartmentGroup *ID:* colGrpClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* shedCatSetUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Stabilization pond(stabPnd): Specifies a site type which is a pond designed and built for wastewater treatment to reduce the organic content and remove pathogens from wastewater. NA *Part Type:* category*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* waterCompartmentGroup *ID:* colGrpClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* siteTypeCatSetUnit *Set ID:* naUnitSet*Aggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Standard concentration class(standardConc): Specifies a collection of measures/methods relating to standard concentrations. NA *Part Type:* class*Domain ID:* Phy*Speciment ID:* siSaSpecimen*Compartment Set:* anyCompartmentGroup *ID:* naGroupClass *ID:* standardConc*Nomenclature ID:* naNomenclature *Ontology Reference:* NA(maybe bug)*Category Set ID:* NAUnit *Set ID:* naUnitSet*Aggregation Scale ID:* see unit*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

State, Province, or Region(stateProvReg): The state, province, or region where a site or organization is located; part of the address. NA *Part Type:* attribute*Domain ID:* naDomain*Speciment ID:* naSpecimenSet*Compartment Set:* naCompartmentSetGroup *ID:* naGroupClass *ID:* naClass*Nomenclature ID:* naNomenclature *Ontology Reference:*

NA(maybe bug)*Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Status(status): Whether the part is still active and can be used in the most current ODM version. Values are ‘active’ or ‘inactive’. The status of the part or list. ‘active’ means the part is used in the dictionary version. ‘inactive’ means the part has been retired and not longer used in the version. *Part Type: partSupportDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: statusCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Status category set(statusCatSet): A category set for partID = Status to indicate whether a part is in current use or not. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Standard concentration unit set(stdConcentrationUnitSet): Unit set for concentration measurements. *NA Part Type: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: stdConcentrationUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

1. Parts

Protocol Step ID(stepID): The unique identifier for a specific protocol step. Protocol Steps are the component parts of a larger protocols, the latter being linked to specific measure reports. *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Protocol Step Index ID(stepIndexID): Specifies the index (order) of a protocol step within a protocol, i.e. the order of the steps in a protocol. NA *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: integerMinimum Value: 1Maximum Value: NAMinimum Length: NAMaximum Length: NA

Method Step Parent ID(stepProvenanceID): A method step that served as a basis for another method step. This may be due to version changes, or a referencing a method set that was later adapted. NA *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Protocol Step Version(stepVer): Specifies the version of a given protocol step. Version of the method step. Semantic versioning is recommended. *Part Type:* attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID:

naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 50

Storage time(stoTim): Length of time that a sample was in storage. *NA Part Type: measureDomain ID: allDoSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: floatMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Sewer network file blob(storTempDef): A file blob that has any detailed information about the sewer network associated with the site (any format). Deprecated in version 2, please do not use. Refer to WKT and EPSG instead. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: blobMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 65535*

Sub- Protocol ID(subProtocolID): If protocols are connected or related, they can be nested together by specifying which protocols are nested in a given protocol as a “sub-protocol”. Populate this field using Protocol ID (protocolID). *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData*

1. Parts

Type: varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Sub-variant or lineage(subvar): A unit used to report a specific genetic lineage, or to specify that a reported variant is a sub-variant of another. Use in combination with a variant measure ID to specify parentage; eg: measureID = Omicron, value = BA.2, unit = subvar *Part Type:* unit*Domain ID:* Bio*Speciment ID:* sa*Specimen Compartment Set:* any*Compartment Group ID:* na*Group Class ID:* na*Class Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* na*UnitSetAggregation Scale ID:* see unit*Quality Set ID:* gen*QualitySetReference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Summary(summ): Short description of the assay and how it is different from the other assay methods. NA *Part Type:* attribute*Domain ID:* na*DomainSpeciment ID:* na*SpecimenSetCompartment Set:* na*CompartmentSetGroup ID:* na*Group Class ID:* na*Class Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* NA*Unit Set ID:* na*UnitSetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 255

Sunny(sunny): Qualitative category for the weather measure, specifying a clear and sunny day. NA *Part Type:* category*Domain ID:* Phy*Speciment ID:* si*SpecimenCompartment Set:* any*CompartmentGroup ID:* siteFeat*Class ID:* na*Class Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* weathCatSet*Unit Set ID:* na*UnitSetAggregation Scale ID:* NA*Quality Set ID:* NA*Reference Link:* NA*Data Type:* varchar*Minimum Value:* NA*Maximum Value:* NA*Minimum Length:* 0*Maximum Length:* 30

Surface swab(surfSw): Surface swab. NA *Part Type:* category*Domain ID:* na*DomainSpeciment ID:* na*SpecimenSetCompartment Set:* surface-*CompartmentGroup ID:* colGrp*Class ID:* na*Class Nomenclature ID:* na*Nomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:*

collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Other surface(surface): Surface other than floor or desk. See also categories for floor and desk. Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: surfaceCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Surface compartment set(surfaceCompartmentSet): A compartment set for measures and methods in the surface compartment. NA Part Type: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: surfaceCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Surface and water compartment set(surfaceWaterCompartmentSet): A compartment set for measures and methods in the surface or water compartments. NA Part Type: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: surfaceWaterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Sewage truck(swgTrck): Sewage truck NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomen-

1. Parts

clature *Ontology Reference*: NA(maybe bug)*Category Set ID*: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sewer CatSetchment Area(swrCatSet): Sewer catchment area. NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: geoTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sewer sediment(swrSed): Sediments obtained in sewer NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: sampleMatCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Synthetic sample(synthetic): Specifies a synthetic, or artificially derived sample. NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe bug)*Category Set ID*: originCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

t19r delta-variant gene target(t19r): t19r delta-variant gene target NA Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature *Ontology Reference*: NA(maybe

bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSetAggregation Scale ID: see unit *Quality Set ID*: pcrQualitySetReference Link: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

t3646a delta-variant gene target(t3646a): t3646a delta-variant gene target NA *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSetAggregation Scale ID: see unit *Quality Set ID*: pcrQualitySetReference Link: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

t547k omicron-variant gene target(t547k?): t547k omicron-variant gene target NA *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSetAggregation Scale ID: see unit *Quality Set ID*: pcrQualitySetReference Link: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

t9i omicron-variant gene target(t9i?): t9i omicron-variant gene target NA *Part Type*: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug) *Category Set ID*: NA *Unit Set ID*: geneticUnitSetAggregation Scale ID: see unit *Quality Set ID*: pcrQualitySetReference Link: NA *Data Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NA *Maximum Length*: NA

Tube weight empty(tWeightE): The weight of the tube used for analysis while full of analyte. NA *Part Type*: measureDomain ID: PhySpeciment ID: saSpecimenSetCompartment Set: anyCompartmentGroup ID:

1. Parts

procGrpClass ID: physicalNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: volumeUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA

Tube weight full(tWeightF): The weight of the tube used for analysis while empty. *NA Part Type: measureDomain ID: PhySpeciment ID: saSpecimenSetCompartment Set: anyCompartmentGroup ID: procGrpClass ID: physicalNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: volumeUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Tables(table): The part type for tables, which store the records of measures, methods and attributes to facilitate reporting. An example of a table is **site** a collection of attributes such as site name and address to describe where environment samples are taken. PHES-ODM has report tables, but users can create their own tables as well. *Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Table column category set(tableCatSet): The category set for valid inputs in table columns. These categories are used in the parts list for columns named after tables to indicate the position and function of a given part in the entity relationship diagram of the data model. *Part Type: catSetDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set*

ID: tableCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResult Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30
Categorical inputs for this part

Composite key:(cK)

Foreign key:(fK)

Header:(header)

Input:(input)

Primary key:(pK)

TaqPath N sars-cov-2 gene target(taqpathN): TaqPath N sars-cov-2 gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

TaqPath S sars-cov-2 gene target(taqpathS): TaqPath N sars-cov-2 gene target NA *Part Type: measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Temperature(temp): Temperature of the sample measured in degrees Celcius NA *Part Type: measureDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: miscMeasClass ID: tempClassNomenclature ID: naNomenclature Ontology Reference:*

1. Parts

NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: temperatureUnitSet*Aggregation Scale ID*: see unit*Quality Set ID*: genQualitySetReference
Link: NA*Data Type*: float*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NA*Maximum Length*: NA

Temperature class(tempClass): Specifies a collection of measures/methods related to temperatures. NA *Part Type*: class*Domain ID*: Phy*Speciment ID*: siSa*Specimen Compartment Set*: any*Compartment Group ID*: naGroup*Class ID*: tempClass*Nomenclature ID*: na*Nomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: see unit*Quality Set ID*: NA*Reference Link*: NA*Data Type*: varchar*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Nucleic acid template volume(tempVol): The volume of DNA or RNA template used for PCR. NA *Part Type*: measure*Domain ID*: Bio*Speciment ID*: sa*Specimen Compartment Set*: any*Compartment Group ID*: procGrp*Class ID*: naClass*Nomenclature ID*: na*Nomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: naUnitSet*Aggregation Scale ID*: see unit*Quality Set ID*: genQualitySetReference
Link: NA*Data Type*: integer*Minimum Value*: see unit*Maximum Value*: see unit*Minimum Length*: NA*Maximum Length*: NA

Temperature unit set(temperatureUnitSet): Unit set for temperature measurements. NA *Part Type*: set*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: any*Compartment Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: na*Nomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: NA*Unit Set ID*: temperatureUnitSet*Aggregation Scale ID*: quantAggScale*Quality Set ID*: NA*Reference Link*: NA*Data Type*: categorical*Minimum Value*: NA*Maximum Value*: NA*Minimum Length*: 0*Maximum Length*: 30

Test Date(tesDate): Date that the covid-19 test was performed. NA *Part Type*: category*Domain ID*: naDomain*Speciment ID*: naSpecimenSet*Compartment Set*: human*Compartment Group ID*: naGroup*Class ID*: naClass*Nomenclature ID*: na*Nomenclature Ontology Reference*:

NA(maybe bug)*Category Set ID: popDateTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: datetimeMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Number of tests performed(test): Number of tests performed. NA *Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Testing(testing): A measure or sample taken to test a new method. These measures are typically used for internal lab uses and not reported to external partners. NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

True-False CatSetegory Set(tfCatSet): CatSetegory set for boolean or binary attributes, containing true and false. Set is used for any boolean attribute or measure. *Part Type: catSetDomain ID: naDomainSpeciment ID: anySpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: tfCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

thermo magmax microbiome ultra nucleic acid isolation kit(thermMag): Nucleic acid extraction performed using the thermo magmax microbiome ultra nucleic acid isolation kit. NA *Part Type:*

1. Parts

categoryDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: extractCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Time proportional sample(timePr): A time proportional composite sample generally collected by an autosampler. Use collectionPeriod to describe how many hours the sample was taken. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Total Kjeldahl Nitrogen(tkn): A measure of Total Kjeldahl Nitrogen; ie. the sum of nitrogen bound in organic substances, nitrogen in ammonia (NH₃-N) and in ammonium (NH₄⁺-N) in the chemical analysis of soil, water, or waste water. *NA Part Type: measureDomain ID: CheSpeciment ID: siSaSpecimenCompartment Set: waterCompartmentGroup ID: miscMeasClass ID: standardConcNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: stdConcentrationUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Total Nitrogen(tn): Total nitrogen concentration, as N. *NA Part Type: measureDomain ID: CheSpeciment ID: siSaSpecimenCompartment Set: waterCompartmentGroup ID: miscMeasClass ID: standardConcNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: stdConcentrationUnitSetAggregation*

Scale ID: see *unitQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Time Proportional 24hr Sample(tp24s): A time proportional 24-hour composite sample generally collected by an autosampler. NA *Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *waterCompartmentGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *collectCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *sampleQualitySetReference Link*: *NAData Type*: *NAMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

Translation Look-up Table(translations): Look up table for translations of the description, label, and instruction for all parts. The default language if a translation is not specified is English. *Part Type*: *tableDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *lookupNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

trizol, zymo mag beads w/ zymo clean and concentrator(trizol): Nucleic acid extraction performed using the trizol, zymo mag beads w/ zymo clean and concentrator method. NA *Part Type*: *categoryDomain ID*: *BioSpeciment ID*: *saSpecimenCompartment Set*: *anyCompartmentGroup ID*: *procGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *extractCatSetUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

TRUE(true): Boolean data type = TRUE Use only "TRUE" (case sensitive) *Part Type*: *categoryDomain ID*: *naDomainSpeciment ID*:

1. Parts

naSpecimenSetCompartment Set: *naCompartmentSetGroup ID:* *naGroupClass ID:* *naClassNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *naUnitSetAggregation Scale ID:* *NAQuality Set ID:* *NAReference Link:* *NAData Type:* *varcharMinimum Value:* ?*Maximum Value:* ?*Minimum Length:* ?*Maximum Length:* ?

Total Solids Concentration(ts): Total solids concentration
NA Part Type: *measureDomain ID:* *CheSpeciment ID:* *siSaSpecimenCompartment Set:* *waterCompartmentGroup ID:* *miscMeasClass ID:* *standardConcNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *stdConcentrationUnitSetAggregation Scale ID:* see unit*Quality Set ID:* *genQualitySetReference Link:* *NAData Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* *NAMaximum Length:* NA

Total Suspended Solids(tss): Total suspended solids
NA Part Type: *measureDomain ID:* *CheSpeciment ID:* *siSaSpecimenCompartment Set:* *waterCompartmentGroup ID:* *miscMeasClass ID:* *standardConcNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *stdConcentrationUnitSetAggregation Scale ID:* see unit*Quality Set ID:* *genQualitySetReference Link:* *NAData Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* *NAMaximum Length:* NA

Concentration of Total Suspended Solids(tssConc): Total suspended solids concentration of the wastewater.
NA Part Type: *measureDomain ID:* *PhySpeciment ID:* *siSaSpecimenCompartment Set:* *waterCompartmentGroup ID:* *miscMeasClass ID:* *standardConcNomenclature ID:* *naNomenclature Ontology Reference:* NA(maybe bug)*Category Set ID:* *NAUnit Set ID:* *stdConcentrationUnitSetAggregation Scale ID:* see unit*Quality Set ID:* *genQualitySetReference Link:* *NAData Type:* see unit*Minimum Value:* see unit*Maximum Value:* see unit*Minimum Length:* *NAMaximum Length:* NA

Turbidity(turb): A measure for the turbidity of water, or a liquid sample, quantifying the relative clarity or opacity of a liquid. Highly indicative of water quality. NA *Part Type*: *measureDomain ID*: *PhySpeciment ID*: *siSaSpecimenCompartment Set*: *waterCompartmentGroup ID*: *miscMeasClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *turbidityUnitSetAggregation Scale ID*: see *unitQuality Set ID*: *genQualitySetReference Link*: *NAData Type*: see *unitMinimum Value*: see *unitMaximum Value*: see *unitMinimum Length*: *NAMaximum Length*: NA

Turbidity unit set(turbidityUnitSet): Unit set for turbidity measurements. NA *Part Type*: *setDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *waterCompartmentGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *turbidityUnitSetAggregation Scale ID*: *quantAggScaleQuality Set ID*: *NAReference Link*: *NAData Type*: *categoricalMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 30

Type other Depreciate(tyOtDep): Description for other type of sample not listed in NA *Part Type*: *methodDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *colGrpClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*: *NAReference Link*: *NAData Type*: *varcharMinimum Value*: *NAMaximum Value*: *NAMinimum Length*: 0*Maximum Length*: 100

Type other Depreciate2(tyOtDep2): Description of the site when the site is not listed. See *siteType*. NA *Part Type*: *attributeDomain ID*: *naDomainSpeciment ID*: *naSpecimenSetCompartment Set*: *naCompartmentSetGroup ID*: *naGroupClass ID*: *naClassNomenclature ID*: *naNomenclature Ontology Reference*: NA(maybe bug)*Category Set ID*: *NAUnit Set ID*: *naUnitSetAggregation Scale ID*: *NAQuality Set ID*:

1. Parts

NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 100

University campus(uCampus): Universityor college campus - comprising an entire campus or part of a campus. See also 'Higher Education Domitory". *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: shedCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Micro-Siemens per centimetre(uSCm): Micro-siemens per centimetre. *NA Part Type: unitDomain ID: PhySpeciment ID: siSaSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

U site measure ID(uSiteMeasureID): Unique identifier for each measurement for a site. Deprecated in version 2, please do not use. MeasureID will be associated with site, with site specified as the specimen as well. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 12*

Undisclosed(undisc): A value has been recorded, however it was not included in the dataset. Missing value indicator for data that has not been shared or disclosed with outside parties. *Part Type: missingnessDomain*

ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Unique Sample(unique): A unique sample, not duplicated. *NA Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: replicateCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Units(unit): Unit of the measurement. *NA Part Type: partTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Unit(unitID): The units of a measurement. Different units that are used to describe measurement values. Units are combined into UnitSetIDs. Please requests new units by creating an issue in the ODM repository. *Part Type: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

1. Parts

Unit Set ID(unitSetID): An identification of a set of units that can be used for a measure or method. NA *Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 28

Unitless measure(unitless): A unit for unitless measures, like pH. NA *Part Type*: unitDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Unitless unit set(unitlessUnitSet): Unit set for measurements that does not have units. NA *Part Type*: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: unitlessUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Ultracentrifugation(untracent): Ultracentrifugation NA *Part Type*: categoryDomain ID: CheSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: procGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: methodConcCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Upper limit of a 95% confidence interval(upperCI95): Specifies the the upper limit of a 95% confidence interval. Should typically be linked to a lower limit, and some indication of data spread (ie. standard deviation), and a mean/median measure. *Part Type:* aggregationDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Upstream sites(upstream): A general site type for upstream wastewater sampling sites. A catch-all category for upstream wastewater sampling sites, including major sewer pipelines and pumping stations. *Part Type:* categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Unquantifiable(uq): Unquantifiable, Ct value exceeds the maximum value of the standard curve. There was a detect, but we cannot quantify it with certainty. NA *Part Type:* qualityDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: pcrQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

v2930l delta-variant gene target(v2930l): v2930l delta-variant gene target NA *Part Type:* measureDomain ID: BioSpeciment ID: saSpeci-

1. Parts

menCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: mutationNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: geneticUnitSetAggregation Scale ID: see unitQuality Set ID: pcrQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Value set(valSet): A list of measurement values that are not categories TRUE and FALSE are examples of a value set. This value set applies to the boolean data type. *Part Type*: setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: NAMaximum Length: NA

Validation study(validationStudy): A measure or sample taken for a validation study. *NA Part Type*: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: purposeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Value(value): Value of a measure, observation or attribute. *NA Part Type*: attributeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 28

Frequency of Variants Detected(varFreq): A description of the frequency of a variants detected. Measured by sequencing. *Part Type:* unitDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: pcrQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: 100Minimum Length: NAMaximum Length: NA

Variants Other(varOth): Used for reporting variants detected for which a specific measureID doesn't already exist. The ODM team will periodically migrate collected responses in this category into set measureIDs. Please write in an official name for the new variant that was detected, and specify which nomenclature you're using with the nomenclatureID. *Part Type:* measureDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: sarsCov2Class ID: variantNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Variable Character Data Type(varchar): The data type for variable character data. Only used for the dictionary entries of parts. *Part Type:* dataTypeDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15

Variants class(variant): Specifies a collection of measures/methods relating to variants of a pathogen. NA *Part Type:* classDomain ID: BioSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup

1. Parts

ID: naGroupClass ID: variantNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Population with 1 dose of vaccine(vax1): A measure of the population with a single dose of vaccine. *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: humanCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Population with 2 doses of vaccine(vax2): Population with 2 doses of vaccine *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Population with 3 doses of vaccine(vax3): Population with 3 doses of vaccine *NA Part Type: unitDomain ID: BioSpeciment ID: poSpecimenCompartment Set: naCompartmentSetGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: genQualitySetReference Link: NAData Type: integerMinimum Value: 0Maximum Value: NAMinimum Length: NAMaximum Length: NA*

Miscellaneous viruses group(virusMisc): A group of measures/methods related to miscellaneous viruses. The miscallenous viruses are often measured for normalization or standardization and have

only one measure or method. When a virus has many measures, they will be given their own groupID in updated dictionary versions. *Part Type:* groupDomain ID: BioSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: virusMiscClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: see unitQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Size in volume(vol): Total volume of water or sludge sampled. NA *Part Type:* measureDomain ID: PhySpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: measGrpClass ID: physicalNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: volumeUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: floatMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA

Volume proportional sample(volPr): A volume proportional sample generally collected by an autosampler. Used for water or air testing *Part Type:* categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: airWaterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: collectCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Volume unit set(volumeUnitSet): Unit set of volume measurements. NA *Part Type:* setDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: volumeUnitSetAggregation Scale ID: quantAggScaleQuality Set ID: NAResource

1. Parts

Link: NAData *Type:* categorical *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 30

Volatile Suspended Solids(vss): Volatile suspended solids NA *Part Type:* measure *Domain ID:* CheSpeciment *ID:* siSaSpecimenCompartment *Set:* waterCompartmentGroup *ID:* miscMeasClass *ID:* standardConcNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* stdConcentrationUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* genQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Volatile suspended solids - Ignition(vssIg): A water quality measure, captured by via the loss on ignition of the mass of measured total suspended solids. This ignition generally takes place in an oven at a temperature of 550 °C to 600 °C. It represents the amount of volatile matter present in the solid fraction of the measured solution. NA *Part Type:* measure *Domain ID:* PhySpeciment *ID:* saSpecimenCompartment *Set:* waterCompartmentGroup *ID:* measGrpClass *ID:* standardConcNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* stdConcentrationUnitSetAggregation *Scale ID:* see unit *Quality Set ID:* genQualitySetReference *Link:* NAData *Type:* see unit *Minimum Value:* see unit *Maximum Value:* see unit *Minimum Length:* NA *Maximum Length:* NA

Water compartment(w): A measure or observation made from a substance in the water, including wastewater. NA *Part Type:* compartment *Domain ID:* allDoSpeciment *ID:* anySpecimenCompartment *Set:* waterCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug) *Category Set ID:* NA *Unit Set ID:* naUnitSetAggregation *Scale ID:* NA *Quality Set ID:* NA *Reference Link:* NAData *Type:* varchar *Minimum Value:* NA *Maximum Value:* NA *Minimum Length:* 0 *Maximum Length:* 1

Wide 95% interval(wI): The 95% interval is too wide, low confidence in results. If there are multiple issues to flage, use the multiple issues flag

and explain the details in the notes section. *Part Type*: qualityDomain
ID: naDomainSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: seqQuality-
SetReference Link: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Measure identification (wide table)(wMeasureID): Unique identifier for wide table only. Use when all measures are performed on a single sample at the same time and same laboratory. Suggestion: siteID_sampleID_LabID_reportDate_ID. NA *Part Type*: attributeDomain *ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: naCompartmentSetGroup *ID*: naGroupClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAReference *Link*: NAData *Type*: varchar *Minimum Value*: NAMaximum *Value*: NAMinimum *Length*: 0 *Maximum Length*: 30

Wastewater Temperature(watTemp): Temperature of the wastewater. NA *Part Type*: measureDomain *ID*: PhySpeciment *ID*: siSaSpecimenCompartment *Set*: waterCompartmentGroup *ID*: miscMeasClass *ID*: tempClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: NAUnit *Set ID*: temperatureUnit-
SetAggregation Scale ID: see unitQuality *Set ID*: genQualitySetReference *Link*: NAData *Type*: see unit *Minimum Value*: see unit *Maximum Value*: see unit *Minimum Length*: NAMaximum *Length*: NA

Water depreciated(water): Non-wastewater, coming from any kind of water body. NA *Part Type*: categoryDomain *ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: waterCompartmentGroup *ID*: col-
GrpClass ID: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug) *Category Set ID*: sampleMatCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAReference *Link*:

1. Parts

NAData Type: NAMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Water compartment set(waterCompartmentSet): A compartment set for measures and methods in the water compartment. *NA Part Type: setDomain ID: allDoSpeciment ID: anySpecimenCompartment Set: waterCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 15*

Weather(weath): A measure for weather captured through qualitative categories; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. *NA Part Type: measureDomain ID: PhySpeciment ID: siSpecimenCompartment Set: anyCompartmentGroup ID: siteFeatClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: weathCatSetUnit Set ID: unitlessUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Weather CatSetegory Set(weathCatSet): A category set of the valid qualitative categories for the qualitative weather measure. *NA Part Type: catSetDomain ID: naDomainSpeciment ID: siSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: weathCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAResource Link: NAData Type: categoricalMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30* Categorical inputs for this part

Cloudy:(cloudy)

Foggy:(foggy)

Rainy:(rainy)

Snowy:(snowy)

Sunny:(sunny)

WHO nomenclature(who): Specifies variant or genetic nomenclature as set out by the World Health Organization. *NA Part Type:* nomenclatureDomain *ID:* BioSpeciment *ID:* naSpecimenSetCompartment *Set:* anyCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* naUnitSetAggregation *Scale ID:* NAQuality *Set ID:* NAResource *Link:* NAData *Type:* varcharMinimum *Value:* NAMaximum *Value:* NAMinimum *Length:* 0Maximum *Length:* 30

Wind Speed(wind): A measure for wind speed; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. *NA Part Type:* measureDomain *ID:* PhySpeciment *ID:* siSpecimenCompartment *Set:* anyCompartmentGroup *ID:* siteFeatClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* windSpeedUnitSetAggregation *Scale ID:* see unitQuality *Set ID:* genQualitySetReference *Link:* NAData *Type:* see unitMinimum *Value:* see unitMaximum *Value:* see unitMinimum *Length:* NAMaximum *Length:* NA

Wind speed unit set(windSpeedUnitSet): Unit set for wind speed measurements. *NA Part Type:* setDomain *ID:* naDomainSpeciment *ID:* naSpecimenSetCompartment *Set:* airCompartmentGroup *ID:* naGroupClass *ID:* naClassNomenclature *ID:* naNomenclature *Ontology Reference:* NA(maybe bug)Category *Set ID:* NAUnit *Set ID:* windSpeedUnitSetAggregation *Scale ID:* quantAggScaleQuality *Set ID:* NAResource *Link:* NAData *Type:* varcharMinimum *Value:* NAMaximum *Value:* NAMinimum *Length:* 0Maximum *Length:* 30

Sample stored incorrectly(wrongStorage): Sample was stored inappropriately. *NA Part Type:* qualityDomain *ID:* naDomainSpeciment *ID:* saSpecimenCompartment *Set:* anyCompartmentGroup *ID:* naGroupClass

1. Parts

ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Sample stored at wrong temperature(wrongTemp): Sample was stored at an inappropriate temperature. *NA Part Type: qualityDomain ID: naDomainSpeciment ID: saSpecimenCompartment Set: anyCompartmentGroup ID: naGroupClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: sampleQualitySetReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Wastewater Treatment Plant(wwtp): A general site type for wastewater treatment plants. Used as a catch-all category for industrial or municipal wastewater treatment plants that carry combined or sanitary sewage, or lagoons. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Back-up wastewater treatment site(wwtpBack): Indicates a wastewater treatment plant where multiple labs are or were sampling, and where secondary samples are being taken taken. Sites of this type should ideally should be paired via parent site ID with the general site information. *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference*

Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30

Wastewater Treatment Plant Designed Capacity(wwtpCap): A measure for the designed capacity of a wastewater treatment plant, in terms of how much water it was designed to be able to hold and process. Maps to units of either million gallons per day, or population equivalents. *Part Type: measureDomain ID: PhySpeciment ID: siSpecimenCompartment Set: waterCompartmentGroup ID: siteFeatClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: NAUnit Set ID: capacityUnitSetAggregation Scale ID: see unitQuality Set ID: genQualitySetReference Link: NAData Type: see unitMinimum Value: see unitMaximum Value: see unitMinimum Length: NAMaximum Length: NA*

Industrial wastewater treatment plant(wwtpInd): Industrial wastewater treatment plant NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Municipal wastewater treatment plant for combined sewage(wwtpMuC): Municipal wastewater treatment plant for combined sewage NA *Part Type: categoryDomain ID: naDomainSpeciment ID: naSpecimenSetCompartment Set: waterCompartmentGroup ID: colGrpClass ID: naClassNomenclature ID: naNomenclature Ontology Reference: NA(maybe bug)Category Set ID: siteTypeCatSetUnit Set ID: naUnitSetAggregation Scale ID: NAQuality Set ID: NAReference Link: NAData Type: varcharMinimum Value: NAMaximum Value: NAMinimum Length: 0Maximum Length: 30*

Municipal wastewater treatment plant for danitary dewage only(wwtpMuS): Municipal wastewater treatment plant for sanitary

1. Parts

sewage only NA *Part Type*: categoryDomain *ID*: naDomainSpeciment *ID*: naSpecimenSetCompartment *Set*: waterCompartmentGroup *ID*: colGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)Category *Set ID*: siteTypeCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varcharMinimum *Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

y505h omicron-variant gene target(y505h?): y505h omicron-variant gene target NA *Part Type*: measureDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: sarsCov2Class *ID*: mutationNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)Category *Set ID*: NAUnit *Set ID*: geneticUnitSetAggregation *Scale ID*: see unitQuality *Set ID*: pcrQualitySetReference *Link*: NAData *Type*: see unitMinimum *Value*: see unitMaximum *Value*: see unitMinimum *Length*: NAMaximum *Length*: NA

zymo environ water rna kit/ zymo environ water rna kit (cat. r2042)(zymoEnv): Nucleic acid extraction performed using the zymo environ water rna kit/ zymo environ water rna kit (cat. r2042). NA *Part Type*: categoryDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: procGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)Category *Set ID*: extractCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource *Link*: NAData *Type*: varcharMinimum *Value*: NAMaximum *Value*: NAMinimum *Length*: 0Maximum *Length*: 30

zymo quick-rna fungal/bacterial miniprep #r2014(zymoQuick): Nucleic acid extraction performed using the zymo quick-rna fungal/bacterial miniprep #r2014 kit. NA *Part Type*: categoryDomain *ID*: BioSpeciment *ID*: saSpecimenCompartment *Set*: anyCompartmentGroup *ID*: procGrpClass *ID*: naClassNomenclature *ID*: naNomenclature *Ontology Reference*: NA(maybe bug)Category *Set ID*: extractCatSetUnit *Set ID*: naUnitSetAggregation *Scale ID*: NAQuality *Set ID*: NAResource

Link: NA *Data Type:* varchar *Minimum Value:* NA *Maximum Value:*
NA *Minimum Length:* 0 *Maximum Length:* 30

Sets

The list of sets in alphabetical order of setsID

Languages

The language table by langID.

Translations

The list of translations by languageID.

Tables

The list of tables in the three main groups (partType = tables, class = results, prgramDesc, lookup).

Report tables

Program Description tables

Look-up tables

partTypes

A list of partTypes, grouped by partType. Group by partType, group and class. ie. for list measures by group and classes within groups.

partTypes

Aggregations

Attributes

Categories

Category sets

Changes column

Classes

Compartments

Data types

Domains

Groups

Measures

group #1 of measures

class #1 of measures within group #1

Methods

Missingness

303

Nomenclature

Part types

Quality measures

Specimens

Tables

