Public Health Environmental Surveillance Open Data Model (PHES-ODM) Documentation

Dictionary v2.0.0. Documentation v2.0.1.

2023-05-08

Introduction	1
How to use the documentation	2
Future documentation	2
Quick start	2
1. Get oriented to the ODM tables where you record results	3
2. View mandatory and optional data fields in the tables	
reference guide	3
3. Try entering example data in ODM Excel templates	4
4. Next steps	5
Getting help	5
Background	7
Getting to know the ODM	9
What are "Parts" and "Part Types"?	9
"Sets" and the rationale behind sets	10
Why category sets are treated differently	11
The "what" and "why" of Specimen IDs	11
The "what" and "why" of Groups and Classes	12
Tables and table types within the ODM	12
Program description tables	13
Results tables	13
Look-up tables	13
Measures, Methods, and Attributes: Key parts	13
Measures	14
Methods	14

Attributes	14
Data quality and reportability	15
	15
	16
	16
	17
How to use the ODM	19
How-To guides	19
1) How to use templates	19
Conditional menus	21
	22
Quick Start	23
Measure report template	23
Measure Sets Template	24
	24
Measures template	24
Measure set report template	29
3) How to report samples and sample relationships:	30
Quick Start	30
Samples Template	31
Sample Relationships Template	31
Detailed Description	32
	32
	34
4) How to report protocols, protocol steps and protocol relation-	
ships:	36
Quick Start	36
Protocol steps template	36
Protocols template	37
Protocol relationships template	38
Detailed Description	39
	39
	11

Protocol relationships template		42
5) How to report metadata		44
Quick Start		44
Address (or addresses) template		45
Contact (or contacts) template		45
Dataset (or datasets) template		46
Instrument (or instruments) Template		46
Organization (or organizations) template		47
Polygon (or polygons) template		47
Quality reports (or qualityReports) template		48
Sites (or sites) template		48
Detailed Description		49
Address template		49
Contact template		50
Dataset template		52
Instrument template		54
Organization template		
Polygon template		
Quality reports template		
Sites template		60
Notes regarding templates		62
Templates with conditional menus (Measure report as		
Protocol steps)		62
Templates with menus (all templates other than the	nе	
Measure sets, Protocols, Contact, Address an	id	
Dataset templates)		64
		6 E
I. Reference guide		65
Parts		69
a1306s delta-variant gene target		70
a1918v delta-variant gene target		
a2710t omicron-variant gene target		
0 0		

a63t omicron-variant gene target
a67v omicron-variant gene target
Atline Analyzer
Absolute humidity
Absolute humidity unit set
Academic institution
Number of active cases
Active
Analysis date
Analysis date end
Analysis date start
Address Line 1
Address Line 2
Address table
Addresses table column order $\dots \dots \dots$
Address table required headers
Address ID
Administrative regions
Air filter
Aggregation scale
Aggregation
Aggregations
Aggregation scales
Aggregation set
Aggregation sets
Air compartment
Air compartment set $\dots \dots \dots$
Airplane
Airport
Airport lists worksheet
Air and surface compartment set 82
Environmental temperature 83
Air and water compartment set
Alias depreciated

Alias ID depreciated	84
	84
Alleles class	85
Allele unit set	85
Access to all org	85
	86
Assay method id default depreciated	86
	87
Amicon filter, extract with MP96	87
	87
	88
Any compartment set	88
Any specimen set	88
	89
	89
	90
	90
	90
	91
	91
	92
	92
	92
	93
	93
	94
	94
	94
	95
	95
9	95
<u> </u>	96
· · · · · · · · · · · · · · · · · · ·	96
9 (, , ,	97

5-day total biochemical oxygen demand 97
Boolean data type
Boolean aggregation set
Boolean value set
Bovine respiratory syncytial virus group 99
brsv culture spike target
BRSV-N
brsv vaccine spike target
Branch sewer pipleline
Building cleanout
Capacity class
Capacity unit set
Case report date
Categorical data type
Categories
Long-term acute care hospital
Child day care
Degrees Celcius
Centrifugation
Centricon ultrafiltration
Ceres nanotrap
CFU per 100 ml
Changes column
Chemical
Chemagic viral dna/rna 300 kit
Child relationship
City
Clarified sample
Class
Classes
Cloudy
Centimetres
Carbon Dioxide
Chemical Oxygen Demand

Collection group
Collection date time $\dots \dots \dots$
Collection date time end
Collection date time start $\dots \dots \dots$
Sample collection set
Collection number
Collection number and period
Collection period
Sample collection type
Co-located sample
Column name depreciated
Composite sample - archival
Composite grab sample of 3
Composite grab sample of 3 depreciate
Composite 3hr grab sample
Composite 3hr grab sample depreciate
Composite 8hr grab sample depreciated 117
Composite 8hr grab sample deprecated
Compartment
Compartments
Compartment sets
Sample concentrate
Confirmed Cases Case report date
Is concurrent to
Water conductivity
Conductivity class
Conductivity unit set
Number of confirmed cases
Confirmed cases episode date
Confirmed Cases Onset date
Contact ID
Contact name
Contact table
Contacts table column order 194

Contact table required headers
Contact table set
Confirmed cases test date
Cphd ID
COSCa ball
Country $\dots \dots \dots$
Countries or sovereign states
Districts, counties, regions
Covid-19
SARS-CoV-2 measure
SARS-CoV-2-B.1.1.7
SARS-CoV-2-B.1.351
SARS-CoV-2-E
SARS-CoV-2-N1
SARS-CoV-2-N2
SARS-CoV-2-N3
SARS-CoV-2-P.1
SARS-CoV-2-RdRp
Covid-19 population measurement date
Cphd ID
crAssphage-N
Crosswalk table set
Cycle threshold or quantification cycle (Ct or Cq)13
Cumulative count
Custody Contact ID
Data custodian ID
d377y delta-variant gene target
$d3g$ omicron-variant gene target { $\#d3g$ } 13
d63g delta-variant gene target
$d796y$ omicron-variant gene target { $\#d796y$ } 13
d950n delta-variant gene target
Daily count
Dataset creation date
Dataset ID 13'

Dataset table
Datasets table column order
Dataset table required headers
Data types
Date
Datetime data type
Days
ddcov_e sars-cov-2 gene target
ddcov_n sars-cov-2 gene target { #ddcovN } 140
Deaths
$del143/145 \dots \dots \dots \dots \dots \dots 141$
$\ \mathrm{del}\ 157/158\ \ldots\ldots\ldots\ldots\ldots\ldots\ldots141$
$del2084/2084 \dots \dots$
$del 212/212 \ldots \ldots 142$
$del3674/3676 \ldots \ldots 143$
$del 69/70 \ldots \ldots$
Delta
Depreciated
Derived sample
Description
Description of change
Desk or counter
Dewatered solids
Detected
Access to details deprecated
Development
Dictionary reference table set
Additional dictionary sheets
Dictionary set type
Dilution factor
Point dillutions
Dilution Class
Diseases (human) class
Dissolved as concentration unit set

Depth of coverage
Domain
Domains
Higher education domitory or residential building 152
e156g delta-variant gene target $\dots \dots \dots$
e484a omicron-variant gene target { #e484a } 152
Escherichia coli
Education
Efficiency
Contact email
European Nucleotide Association
European Nucleotide Association (ENA) - notes $\dots \dots 155$
Rainfall
Ground snow depth
Snowfall
Episode date
ERD table set
Sarbecovirus-specific E sars-cov-2 gene target 157
Estimated frequency of reads
Estuary, natural water body
Experiment Failed
4s method
Nucleic acid extraction method
Nucleic Acid Extraction set
Extraction volume of sample
Fecal matter
FALSE
Field sample
Field sample replicate
File location of polygon
The location of polygon
Filtration
Filtration

Foreign key
AI - Inhibition present but addressed
B - Trace levels of contamination
FI - Inhibition present and unaddressed $\dots \dots 164$
J - Weak signal extrapolation
ND - Non-detect
UJ - Trace signal extrapolation
UQ - Unquantifiable
Float data type
Flow-normalized mean
Floor
Flow rate
Flow class
Flow proportional 24hr sample depreciated 169
Flow proportional sample
Volume flow rate unit set
Flow volume
Influenza virus measure
Influenza virus A1
influenza virus A2
Influenza virus B
Fluidigm digital PCR
Foggy
Fraction analyzed
Sample fraction set
Freyja Script
F-Specific RNA bacteriophages
F-Specific RNA bacteriophages, G2 174
Sample frozen
Field sample temperature
Full dictionary sheets set
Funder Contact ID
Funding agency ID
g215c delta-variant gene target

g339d omicron-variant gene target { #g339d } 177
g496s omicron-variant gene target { $\#$ g496s } 177
g662s delta-variant gene target
Gamma
Gas class
Gene copies per copy of crAssphage
gene copies per day per 100,000
Gene copies per gram solids
Gene copies per L
Gene copies per mL
Gene copies per PMMoV copy
Genetics unit set
General missingness set
Generic quality flag set
European Petroleum Survey Group Coordinates 182
Latitude
Longitude
Type of geography
Geographic set
Well-known text
Gram per cubic metre
Geometric mean
Government agency
Grams
Gravity settling
Grab sample
Gromstole 1.0 Script
Group
Groups
Header
Health administration or planning agency 188
Heat inactivated sars-cov-2 virus spike target 188
hep g armored rna
hep g armored rna spike target

High severity
Sewer Network Health Region
Hand Measurement
Hollow fiber dead end ultrafiltration $\dots \dots \dots$
General Hospital Admissions
Hospital Census
Hospital
Holding tank wastewater depreciated 192
Hours
Holding tank wastewater
Holding tank
Human compartment
Human compartment set
Humidity class
i 1566v omicron-variant gene target { #i1566v } 195
i3758v omicron-variant gene target { $\#$ i3758v } 195
i82t delta-variant gene target
International Classification of Diseases 196
Intensive care unit patients
Index
Inhibition set
Inhibition measure
Inhibition method
Innovaprep ultrafiltration
Input
Instrument ID
Instrument table
Instruments table column order
Instrutment table required headers
Other instrument
Instrument Type
Describe other instrument type, if applicable 201
Instrument set
Integer data type 202

Intercept
Combined ip2 and ip4 sars-cov-2 gene target 203
ISO639-1
ISO639-2B
ISO639-2T
ISO639-3
ISO639-6
k856r omicron-variant gene target { $\#$ k856r } 206
Kilogram per second
Kilolitres
Litres
l452r delta-variant gene target
l 981f omicron-variant gene target { #l981f } 208
Laboratory $\dots \dots \dots$
Lab ID default depricated
Laboratory duplicate
Lab ID
Lagoon system $\dots \dots \dots$
Lake, natural water body
Lambda
Language ID
Language family
Language name
Language Look-up table
Language table column order
Language table required headers
Last edited
Last name of contact
Last updated version
LaTeX expression
Low breadth of coverage
Laboratory control sample duplicate
Low depth of coverage
Leaked sample 916

Link
License
Linear scale aggregation set
Liquid fraction
List worksheet
List set
Access to local ha
Limit of detection (LOD)
Limit of detection (LOD) - sewage
Logarithmic scale aggregation set
Dictionary tables
Limit of quantification (LOQ)
Low severity
Lower limit of a 95% confidence interval
Low-volume sample
Long-term care facility
Long-term care - assisted living or retirement home 222
Other long-term care
Life technologies digital PCR
Lysis buffer
Cubic metres per day
Cubic metres per hour
Cubic metres per second
Manufacturer
Mate pair layout
Maximum length
Maximum value
Maximum value part support
Arithmetic mean
Measurement group
Other Measure
Measures quality set
Measure
Mongares 220

Report ID
Measure report table
Measure set report table
Measure sets table column order
Measure Set table required headers
Measures table column order
Measures table required headers
Report set ID
Median
Normalized arithmetic mean
Other Measure Description
Measure license
Method
Concentration method
Concentration method set
Methods
Membrane filtration with acidification and $mgcl2 \dots 235$
Membrane filtration with acidification and mgcl2, mem-
brane recombined with separated solids 236
Membrane filtration with addition of mgcl2 236
Membrane filtration with mgcl2 and separated solids 236
Membrane filtration with no amendment
Membrane filtration with no amendment, membrane recom-
bined with separated solids
Membrane filtration with sample acidification 238
Membrane filtration with sample acidification, membrane
recombined with separated solids
Millions of gallons per day (MG/D)
Milligrams per litre
Murine Hepatitis Virus
Multiple issues
Mid-level severity
Minimum length
Minutes

Minimum value
Minimum value part support
Miscellaneous attribute group
Miscellaneous measure group
Missingness
Missingness sets
Mixed/homogenized sample
Millilitres
Megalitres per day (ML/d) $\dots \dots 244$
Millimetres
Measure, method, or attribute
Measure, method, or attribute sets
Model
Months
Moore swab passive sample
Metres per second
ms2 coliphage
ms2 coliphage spike target
Matrix spike duplicate
Moore swab passive sample depreciated 248
Major sewer pipeline
Mu
murine coronavirus
murine coronavirus spike target
Multiple fraction
Multiple Purpose
Municipalities or communes
Municipality
Mutations class
N sars-cov-2 gene target
Combined N1 and N2 sars-cov-2 gene target
n 211i omicron-variant gene target { #n211i } 253
n679k omicron-variant gene target $\{ \#n679k \}$ 253
n856k omicron-variant gene target { #n856k }

n 969k omicron-variant gene target { #n969k } 254
Not applicable
Aggregation not applicable
Aggregation scale not applicable
Aggregation set not applicable
Class not applicable
Compartment not applicable
Compartment set not applicable
Domain not applicable
Group not applicable
Name
Not a number
Nomenclature not applicable
Specimen not applicable
Specimen set not applicable
Native Name
Unit not applicable
Unit set not applicable
National Center for Biotechnology Information 261
NCBI - notes
Neighbourhood
Local administrative units or neighborhoods 262
Population of newly vaccinated persons
NextClade nomenclature
Normalized geometric mean
Ammonium Nitrogen
niid_2019-ncov_n sars-cov-2 gene target 264
No quality concerns
Sample not labelled
No liquid concentration, liquid recombined with separated
solids
Nomenclature
Nomenclatures
NORMAN

NORMAN - notes	66
Norovirus G1	67
Norovirus G2	67
Notes	67
Sample missing time stamp	68
Not reported	68
Not reported, Not applicable missing set	69
Sarbecovirus-specific N sars-cov-2 gene target 20	69
Nephelometric turbidity unit	69
Nuclisens automated magnetic bead extraction kit 2	70
Nuclisens manual magnetic bead extraction kit 2	70
Null	71
National Wastewater Surveillance System	71
NWSS - notes	71
NWSS - process	72
Water	72
coronavirus OC43	72
oc43 spike target	73
Ocean, natural water body	73
Other Collection depreciated	73
Lab Analysis	74
Omicron BA.1	74
Omicron BA.2	75
Omicron BA.2.75	75
Omicron BA.4	75
Omicron BA.5	76
Onset date	76
Online Sensor	76
Ontology reference	77
Orthophosphates	77
Other residential building	78
OR Boolean aggregation	78
ORF1a sars-cov-2 gene target	78
ORF1ab sars-cov-2 gene target	79

ORF1b sars-cov-2 gene target
Organization ID
Organization table
Organizations table column order
Organziation table required headers 281
Organization level
Organization level set
Organization sector
Organization sector set
Organization Type
Organization type set
Sample origin
Sample Origin set
Other Collection depreciated
Other aggregation scale
Other
Other aggregation set
Other aggregation depricated
Access to other prov depricated
Other report table set
Variants Other
Other Site - sample depreciated
Other Site - Site depreciated
Other Unit depricated
Outbreak
Outbreak End
Outbreak - on-going
Outbreak class
Outbreak set
Outbreak start
p100l delta-variant gene target
p 2046l delta-variant gene target
p2287s delta-variant gene target
p3395h omicron-variant gene target { #p3395h } 292

p681r delta-variant gene target
Paired Layout
Pangolin nomenclature
Parent dataset ID
Parent sample ID
Parent Site ID
Part description
Part identifier
Part instruction
Label
Parts Look-up table
Parts table column order
Parts table required headers
Part types
Primary Clarifier Effluent depreciated
Postal or Zip Code
qPCR Class
PCR method
PCR quality set
PCR sequencingsSelection method
PCR Method set
Primary Clarifier Sludge depreciated
Primary clarifier effluent
Polyethyleneglycol (PEG) precipitation 302
Percent
Percent recovery
рН
Access to phac
PHAGE
PHAGE - notes
pH class $\dots \dots $
Phenol chloroform
Pseudomonas virus phi6
nhi6 snike target

Contact phone	06
Total phosphorous	06
Total Phosphates	06
PHRED quality score	07
Physical property	07
Physical class	08
Primary key	08
PMMoV- and flow-normalized mean $\dots \dots 3$	08
PMMoV-normalized mean	09
Population	09
Post-Grit depreciated	10
Polygon ID	10
Polygon table	10
Polygons table column order	11
Polygon table required headers	11
Polygon Population	11
Pooled	12
Type of date for case reporting depreciated $\dots \dots 3$	12
Case reporting date set	13
Population equivalents	13
Population group	13
Population Served	14
Population unit set	14
Population or sample set	14
Population or site set	15
Population specimen set	15
Percent positive	16
parts per million	16
PMMoV-CP	16
Percent positivity rate	17
Percent primary sludge	17
Precipitation class	17
Precipitation unit set	18
Pretreatment	18

Genetic primer
Genetic primer set
Private sector
Processing group
Program decription tables
promega automated tna kit
promega ht tna kit
promega manual tna kit
promega wastewater large volume tna capture kit 322
Proportion of total
Proportion of variant in sample
Protocol ID
Protocol ID container
Protocol ID object
Protocol ID subject
Protocol relationships table
Protocol relationships table column order
Protocol Relationship table required headers 326
Protocol Relationships set
Protocols table
Protocols table column order
Protocols table required headers
Protocol steps table
Protocol steps table column order
Protocol steps table required headers
Protocol table set
Protocol version
Access to prov ha
Provisional report
Primary clarifier sludge
Pumping station
Post-grit
Pretreatment description - depreciated
Number of positive tests 332

Public healith agency
Access to public
Puro virus
Puro virus spike target
Purpose
Purpose set
q19e omicron-variant gene target { #q19e }
q493r omicron-variant gene target { #q493r } 335
q498r omicron-variant gene target { #q498r } 335
q954h omicron-variant gene target { #q954h } 336
Quaility assurance method
Quality concerns
qiagen allprep dna/rna kit
qiagen digital PCR
qiagen ez 1 virus mini kit v 2.0
qiagen allprep powerfecal dna/rna kit
qiagen allprep powerviral dna/rna kit
qiagen powerwater kit
qiagen qiaamp buffers with epoch columns
qiagen rneasy kit
qiagen rneasy powermicrobiome kit
Quantitative PCR
Qualitative
Quality control
Quality flag
Quality report ID
Quality indicators
Quality indicator sets
Quality reports table
Quality rerpots table column order
Quality report table required headers
Quality set
Quantitative
R squared

r203m delta-variant gene target
Raindance digital PCR
Rainy
Random sequencing selection method
Ratio
Raw wastewater
Raw sewage at site
Raw sewage downstream from a site
Raw sewage upstream from a site
IP2 rdrp sars-cov-2 gene target
IP4 rdrp sars-cov-2 gene target
Date sample recieved
Recovered patients
Reference link
Regular
Regular reports table set
Relative humidity
Relative humidity unit set
Representative grab sample
Replicate Type set
replicate number
Primary reporting authority
Secondary reporting authority
Reportable
Report date
Reporter ID depreciated
Reporter table depreciated
Replicate Type
Resuspend COSCa filter collection
Results tables
Retention pond
River, natural water body
Role of contact
Rate per 100,000

Raw post-pasteurized wastewater
Respiratory syncytial virus
s2083i omicron-variant gene target { $\#$ s2083i } 360
s371l omicron-variant gene target { $\#$ s371l } 360
s373p omicron-variant gene target { $\#$ s373p } 360
s375f omicron-variant gene target { $\#$ s375f } 361
s477n omicron-variant gene target { #s477n } 361
Sample
Sample material
Sample ID
Sample ID object
Sample ID subject
Sample material set
Sample quality set
Sample relationships table
Sample relationships table column order
Sample relationships table required headers
Sample relationship
Sample relationships set
Sample report table
Sample shed
Samples table column order
Sample table required headers
Collection other depreciated
SARS-CoV-2
Sample specimen set
Sparse coverage
Secondary clarifier effluent depreciated
Standard curve frequency
School
Sequencing script version set
Genetic sequencing script version
Secondary clarifier sludge depreciated
Standard deviation 372

Normalized standard deviation
Sea, natural water body
See unit (aggregation scales)
See unit (data type)
See unit (value)
Secondary clarifier effluent
Access to self
Date sample was sent
Septic tank wastewater
Septic tank
Sequencing Layout
Sequencing Layout set
Sequencing quality set
Sequencing selection method
Sequencing selection method set
Sequencing Strategy
Sequencing Strategy set
Genetic sequences class
Serial dilution
Sewer Sediments Departed
Set ID
Sets look-up table
Sets table column order
Sets table required headers
Settled solids
Set type
Set Value
Severity indicator
Severity set
Sewer network file link depreciated
S sars-cov-2 gene target
Sampleshed set
Ship
Shipped on ice 389

Short names
Site
Single
Single Layout
Site or sample specimen set
Site specimen set
Site ID default $\dots \dots \dots$
Site features group
Site ID
Site measure ID
Sites table
Sites table column order
Sites table required headers $\dots \dots \dots$
Site Type
Site set
Skimmed milk flocculation
slope
Sewer network file link depreciated 2 $\dots \dots 392$
0.00
Snowy
Snowy
Solid fraction
Solid fraction
Solid fraction393Solid seperation393Solid separation set393
Solid fraction393Solid seperation393Solid separation set393Source Protocol ID394
Solid fraction393Solid seperation393Solid separation set393Source Protocol ID394Protocol step source ID394
Solid fraction393Solid seperation393Solid separation set393Source Protocol ID394Protocol step source ID394Specific humidity395
Solid fraction393Solid seperation393Solid separation set393Source Protocol ID394Protocol step source ID394Specific humidity395Specific humidity unit set395
Solid fraction393Solid seperation393Solid separation set393Source Protocol ID394Protocol step source ID394Specific humidity395Specific humidity unit set395Specifies395
Solid fraction 393 Solid seperation 393 Solid separation set 393 Source Protocol ID 394 Protocol step source ID 394 Specific humidity 395 Specifies 395 Specifies 395 Specimen 396
Solid fraction 393 Solid seperation 393 Solid separation set 393 Source Protocol ID 394 Protocol step source ID 394 Specific humidity 395 Specifies 395 Specifies 395 Specimen 396 Specimens 396
Solid fraction 393 Solid seperation 393 Solid separation set 393 Source Protocol ID 394 Protocol step source ID 394 Specific humidity 395 Specifies 395 Specifies 395 Specimen 396 Specimens 396 Specimen sets 397
Solid fraction 393 Solid seperation 393 Solid separation set 393 Source Protocol ID 394 Protocol step source ID 394 Specific humidity 395 Specifies humidity unit set 395 Specifies 395 Specimen 396 Specimens 396 Specimen sets 397 Speed class 397

Recovery efficiency spike target $\dots \dots 398$
Recovery efficiency spike target set
Sample spilled
Secondary clarifier sludge
Social services shelter $\dots \dots \dots$
Stabilization pond
Standard concentrations class $\dots \dots $
Standard curve class $\dots \dots $
Departments, states, or provinces 401
State, Province, or Region
Status
Status set
Standard concentration unit set
Storage temp
Protocol Step ID
Step ID Object
Step ID Subject
Method step parent ID
Protocol step version
Sewer network file blob
Storage time
Sub-variant or lineage
Summary
Summary worksheet
Sunny
Surface compartment
Other surface
Surface compartment set
Surface and water compartment set 410
Surface swab
Sewage truck
Sewer sediment
Sewer catchment area
Synthetic sample

t19r delta-variant gene target	412
t3646a delta-variant gene target	412
t547k omicron-variant gene target { $\#$ t547k }	413
t 9i omicron-variant gene target { #t9i }	413
Tables	413
Table column set	414
TaqPath N sars-cov-2 gene target	414
TaqPath S sars-cov-2 gene target	415
Sample temperature	415
Temperature class	415
Temperature unit set	416
Nucleic acid template volume	416
Airport terminal	416
Test date	417
Number of tests performed	417
Testing	417
thermo magmax microbiome ultra nucleic acid isolation kit	418
Time class	418
Time proportional sample	419
Time unit set	419
Total Kjeldahl Nitrogen	419
Total Nitrogen	420
Time Proportional 24hr sample	420
Translation look-up table	421
Translation table column order	421
Translation table required headers	421
trizol, zymo mag beads w/ zymo clean and concentrator	422
TRUE	422
Total solids concentration	422
Total suspended solids	423
Concentration of total suspended solids	423
Tubidity	424
Turburdity class	424
Turbidity unit set	12/

Tube weight empty
Tube weight full
Type other depreciate
Type other depreciate $2 \dots 426$
University campus
Undisclosed
Unique sample
Unit
Unitless measure
Unitless unit set
Units
Unit set
Unit sets
Ultracentrifugation
Upper limit of a 95% confidence interval 430
Upstream sites
Micro-Siemens per centimetre
U site measure ID
v 2930l delta-variant gene target
Validation study
Value
Variable character data type
Frequency of variants detected
Variants class
Population with 1 dose of vaccine
Population with 2 doses of vaccine
Population with 3 doses of vaccine
ODM V1 category
ODM V1 location
ODM V1 table
ODM version 1 to 2 changes
ODM V1 variable
Miscellaneous viruses group
Size in volume

Volume proportional sample	438
Volume unit set	438
Volatile suspended solids	439
Volatile suspended solids - ignition	439
Water compartment	440
Water depreciated	440
Water compartment set	440
Wastewater temperature	441
Weather	441
Weather class	442
Weather set	442
Whole genome sequencing	442
WHO nomenclature	443
Wide 95% interval $\dots \dots \dots \dots \dots \dots$	443
Wide name table	443
Wind Speed	444
Wind speed unit set	444
Measure identification (wide table)	445
Sample stored incorrectly	445
Sample stored at wrong temperature	445
World Sphere (W-SPHERE)	446
World Sphere (W-SPHERE) notes	446
Wastewater treatment plant	446
Back-up wastewater treatment site	447
Wastewater treatment plant designed capacity	447
Industrial wastewater treatment plant	448
Municipal wastewater treatment plant for combined sewage	448
Municipal wastewater treatment plant for sanitary dewage	
only	448
y505h omicron-variant gene target { $\#$ y505h }	449
Years	
zymo environ water rna kit/ zymo environ water rna kit	
(cat. r2042)	449
zymo quick-rna fungal/bacterial miniprep $\#\text{r}2014$	450

Sets 45
Aggregations
Aggregation scales
Aggregation sets
Boolean aggregation set
Linear scale aggregation set
Logarithmic scale aggregation set
Aggregation set not applicable
Other aggregation set
Attributes
Classes
Compartments
Compartment sets
Air compartment set
Air and surface compartment set 47
Air and water compartment set
Any compartment set
Human compartment set
Compartment set not applicable
Surface compartment set
Surface and water compartment set
Water compartment set
Data types
Domains
Groups
Measures
Methods
Missingness
Missingness sets
General missingness set
Not reported, Not applicable missing set 50
Measure, method, or attribute sets 50
Boolean value set
Sample collection set 50

Nucleic Acid Extraction set
Sample fraction set
Geographic set
Inhibition set
Instrument set
Concentration method set
Organization level set
Organization sector set
Organization type set
Sample Origin set
Outbreak set
PCR Method set
Genetic primer set
Protocol Relationships set
Purpose set
Replicate Type set
Sample material set
Sample relationships set
Sequencing script version set
Sequencing Layout set
Sequencing selection method set
Sequencing Strategy set
Severity set
Sampleshed set
Site set
Solid separation set
Spike material set
Recovery efficiency spike target set
Status set
Table column set
Weather set
Nomenclatures
Quality indicators

xxxvi

Table of contents

Quality indicator sets
Generic quality flag set
Measures quality set
PCR quality set
Sample quality set
Sequencing quality set
Specimens
Specimen sets
Any specimen set
Specimen set not applicable
Population or sample set
Population or site set
Population specimen set
Sample specimen set
Site or sample specimen set
Site specimen set
Tables
Units
Unit sets
Absolute humidity unit set
Allele unit set
Bacteria unit set
Capacity unit set
Conductivity unit set
Dissolved gas concentration unit set
Volume flow rate unit set
Genetics unit set
Unit set not applicable
Population unit set
Precipitation unit set
Relative humidity unit set
Specific humidity unit set
Standard concentration unit set
Temperature unit set

Table of contents

Time unit set	61
Turbidity unit set	62
Unitless unit set	62
Volume unit set	62
Wind speed unit set	63
Fables 5	65
Table types	65
Header roles	
Mandatory, optional, mandatoryIf	67
Table list	
Address table	
Contact table	
Dataset table	
Instrument table	72
Language Look-up table	
Measure report table	
Measure set report table	
Organization table	79
Parts Look-up table	80
Polygon table	
Protocol relationships table	
Protocols table	
Protocol steps table	93
Quality reports table	95
Sample relationships table	
Sample report table	
Sets look-up table	
Sites table	
Translation look-up table 6	

Introduction

Facilitating the Collection and Sharing of High-Quality, Interoperable Environmental Surveillance Data: A Community Open Science Project.

The Public Health and Environmental Surveillance Open Data Model (PHES-ODM or ODM) is an open-source data model and set of tools aimed at promoting global collaboration and use of environment and public health data. The ODM model facilitates interoperable environmental surveillance and research by improving quality reporting data, enhancing data management, and supporting data provenance and sharing.

This documentation is intended for those who want to understand how the ODM model works, its organizational structure, and how to use it effectively for their program. It is also a useful resource for those who currently use a different data dictionary and wish to share their data with a program that uses the ODM. If you need to share your data with another program that uses a different data dictionary, this documentation can help you compare and create a common cross-walk between dictionaries. The ODM starts as a conceptual model that represents real-world processes through data elements and data relationships, which are common to all environmental and public health surveillance systems.

How to use the documentation

There are three document sections, each with a different purpose.¹

Getting to know the ODM is oriented to understanding the ODM. This section explains the ODM, its structure, and how the model was designed and developed.

How to use the ODM are step-by-step guides to help you use different aspects of the ODM such as report templates.

Reference is a description of each part of the ODM. It serves as a reference for the other sections, and the definitive record of each part, table and set – along with their attributes.

Future documentation

Tutorials and videos are being develop. Tutorials will help newcomers get started. They will be lessons on how to:

- Describe a protocol using protocol tables.
- Make wide names and report templates using wide names.

Quick start

You can get to know the ODM by imaging how to record a polymerase chain reaction (PCR) test result for SARS-CoV-2 from a wastewater sample.




Figure 1.: Figure 1 - Key ODM tables for recording data

1. Get oriented to the ODM tables where you record results

The Sample report table (samples) and the Measure report table (measures) are where you record information about samples and measures.

2. View mandatory and optional data fields in the tables reference guide

You can view mandatory and optional data field here: (samples) and (measures). 'Mandatory' means they are fields are needed to ensure interoperablity.

¹David Laing and Divio's Grand Unified Theory of Documentation.

What are ODM parts and how to find them?

In the ODM, tables are an example of an part. A part name can be identified by its text style like this. The part identifier often follows the part in parenthesis, with a link to the part in the reference section. So, Sample report table is the part name, and (samples) is the part ID and link to the documentation for that part.

You can find out more about parts on the reference guide section.

3. Try entering example data in ODM Excel templates

Keep in mind, ODM templates are only examples of how to use the ODM dictionary to record data. Templates are available at OSF.io. The 'How to use the ODM" section describes how to enter information into tables.

Storing sample data in an ODM template

A sample (sampleID) is defined as a representative volume of wastewater (or other forms of water or liquid), air, or surface area taken from a site. The sample template stores one sample per row. The Sample report table has seven mandatory fields that are listed in the [reference[(tables.qmd#samples)] for the table.

https://vimeo.com/802349692

Storing measure data in an ODM template

A measure (measure) is an observation or measurement of any substance, including biological, physical, or chemical substances, obtained from a specimen such including a site, sample, person, or population. Each measure is stored in the Measures table template as a separate row, following

the "long" table format, which is the primary method for storing measures. For example, if you recorded PCR results for two SARS-CoV-2 regions, covN1 and covN2, you would record each measurement on a separate line. Alternatively, you can use a "wide" table format to store multiple measures in a single row or create tables that combine both long and wide headers. The European Union airport template is a hybrid template that exemplifies this (found in the "Airports" folder).

(Video)

4. Next steps

In addition to recording measures from samples, you can also record measures for a specific site, such as wastewater flow rate (flowRate), or the population served by the site, such as the Covid-19 hospitalization rate for a wastewater treatment plant's wasteshed or municipality. Figure 2 illustrates the these three types of measurements: sample, site, and population.

The "who, where, and why" of these measurements is stored in contact tables, while the "how," which refers to the measurement protocol or method, is stored in the protocols tables.

Getting help

We hope that the documentation serves its purpose and that you find it useful in figuring out how to best use the ODM and its suite of tools. If you do encounter any issues or questions that do not seem to have an easy answer, please create an issue on our GitHub repository or consult our Discourse page.



Figure 2.: Figure 2 - ODM tables and 'subway' lines for storing measures

Background

The ODM is designed to support a broad range of users in the field of environmental surveillance, including wastewater laboratories, municipalities, public health agencies, researchers, and citizen scientists. Its goal is to provide a comprehensive and extensible approach to data collection and management across the lifecycle of environmental surveillance, from sample collection and analysis to public reporting.

The ODM dictionary includes provisions for a wide range of biological, chemical, and physical properties, such as antimicrobial resistance, drugs, and toxins, as well as metadata for laboratory protocols that may affect measurement consistency across laboratories. The ODM supports laboratory information and management systems (LIMS) with measure to describe ensure data quality control and provenance.

To support the open science principle of FAIR data (Findable, Accessible, Interoperable, and Reusable), the ODM strives to make its data easily discoverable, accessible, and usable by all stakeholders.² It also adopts an open-source approach, allowing anyone to inspect, modify, and enhance the codebase in a transparent and collaborative manner on platforms like GitHub.

While the ODM is a complex dictionary, it includes tools to support its use, such as data validation, input templates, and SQL database definitions for data storage. Additionally, it supports collaborations among different organizations seeking to share and combine samples and measurements. As an open model, third parties can extend the model, such as

²FAIR Priniciples.

Background

the European Union Digital European Exchange Platform (EU4S-DEEP) data templates for wastewater surveillance at airports, European Union Digital European Exchange Platform (EU4S-DEEP) data templates for wastewater surveillance at airports, the CETO Epidemiologic platform, and Ottawa Automatic Data Pipeline to analyse qPCR data and transform it to ODM format.

Overall, the ODM aims to support the evolving field of environmental surveillance and science by providing a standardized, extensible approach to data collection and management.

Getting to know the ODM

What are "Parts" and "Part Types"?

Within the ODM, every component or element of the model and the dictionary is called a "part". Parts are grouped into "part types".

Because the term "parts" refers to every component of the ODM, "part types" are a way to differentiate between parts which have different functions and structures. The three most important part types are:

- Measures: A measurement or observation of any substance including a biological, physical or chemical substance.
- **Methods**: A procedure for collecting a sample or performing a measure.
- Attributes: A description of the who, where, when, and why of environmental surveillance.

See the parts reference document for more details.

The are additional part types to support the dictionary including:

- Aggregations
- Aggregation scales
- Categories
- Classes
- Compartments
- Dictionary support
- Domains

Getting to know the ODM

- Groups
- Missingness
- Nomenclature
- Quality indicators
- Specimens
- Tables
- Units

For information and details about all the part types, please see the parts reference document.

"Sets" and the rationale behind sets

"Sets" are a way of grouping together different possible categorical inputs within the ODM. The purpose behind sets is to group options together so that users only need to check a few options from a drop-down menu, rather than scroll through a long list. Sets are also designed so that a single part can be used in multiple sets, which avoids the need to create multiple versions of this part for these different use contexts. For example, if you're taking a measure of concentration, that measure will likely populate the unit choice drop-down list with units from the "standard concentration unit set". Units in this set include Milligrams per litre, parts per million, and Percent Primary Sludge. Similarly, if one were measuring the amount of oxygen in a wastewater sample they would be offered units from the "dissolved gas unit set". The units in this set include parts per million, and Milligrams per litre. You see here how Milligrams per litre is used twice across the sets, but exists still as a single part in the parts list. Unit sets are only one type of set, with the others being:

- Aggregation sets
- Compartment sets
- Quality sets
- Specimen sets

Details about these sets are their similar - but unique - applications can be found in the parts reference document. Importantly, "category sets" are not considered a "set" like these others. See the section below for an explanation of this difference.

Why category sets are treated differently

One of the reasons why "sets" are set up and organized the way that they are, is to allow for the re-use of parts in multiple sets. Category sets are, however, an exception to this rule because the categories that make up a category set are used in only one set. Furthermore, the general sets are needed for almost every measure or method (which require unit, aggregation, quality, and compartment information), while category sets are used only in specific circumstances for specific fields. These are things such as collection metadata (example: Sample collection category set), dictionary metadata and model architecture (example: Data Type Category Set), or more detailed types of certain methods (example: Nucleic Acid Extraction Category Set). Category sets are also a distinct part type, and more information about them can be found in the parts reference document.

The "what" and "why" of Specimen IDs

Specimen IDs indicate the level at which a measure is being done. This can be: a site measure, ie. a measure at a site such as temperature or weather; a sample measure, ie. a laboratory measurement on a sample, such as gene copies of SARS-CoV-2 per mL; a person measure, ie. a measure of something at the level of an individual person, such as a blood pressure reading; or a population measure, ie. an aggregate measure of a population, such as the number of confirmed cases of a given illness. While there is currently nothing in version 2.0 of the ODM with uses the person specimen ID explicitly, it has been included to allow for the possibility of storing individual-level data in a future version. The reason

Getting to know the ODM

specimen IDs were created was so that there could be a single manner in which measures and methods are recorded, regardless of the level at which they were performed, while still maintaining the possibility to collect site, sample, and population measures as a distinct types of metadata.

The "what" and "why" of Groups and Classes

Groups and classes, similar to sets, are ways of grouping together different measures within the ODM. Given that the ODM aims to be as robust as possible and has a very long list of possible measures, groups and classes were designed to give shorter lists of measures in the drop down lists by specifying details about the kind of measure that a user is recording. Groups and classes can work together to further specify what kinds of measures are being reported. For example, the group sarsCov2 contains many measures, but by specifying that the class is an allele or variant, the list of possible measures is pared down. Alternatively, class can be said to be non-applicable, paring down the measures in the sarsCov2 group to only be unspecified measures of the quantity of the virus.

Tables and table types within the ODM

Within the ODM there are three types of tables: program description tables, results tables, and look-up tables. These table types exist to differentiate the function of these tables and to highlight these differences to users. The different tables take different types of inputs and maintenance from users, so understanding the differences can be important.

Program description tables

Program description tables (represented in yellow in the ERD) are tables used to record metadata on the organizations, locations, methods, and appurtenance. These tables help to describe surveillance and testing programs, and are intended to be updated infrequently.

Results tables

Results tables (represented in blue in the ERD) are the tables used to record details on samples and measures. These tables record the main outcomes data and are updated daily, if not more frequently.

Look-up tables

Look-up tables (represented in green in the ERD) are the tables that are pre-programmed and pre-populated in the ODM. These hold information on sets, all parts, languages, and translation abilities. These are only updated by the ODM team in version updates.

Measures, Methods, and Attributes: Key parts

While there are many part types, there are three main part types users should be most familiar with: measures, methods, and attributes. These three have parallels with the three table types, and the differences and details of these parts are useful to understand.

Measures

Measures are actually types of measures that can be performed. These can range from temperature to the number of gene copies in a sample. The measure, or measureID, can be selected from a drop down in the templates and it specifies the kind of measure you intend to record. The actual value of the measure is then recorded in the value field of the measures table, with units and aggregation specified in the unitID and aggregationID fields.

Methods

Similar to measures, methods are types of methods that can be performed to accomplish a measurement. These can be diverse, ranging from incubation, qPCR, or nucleic acid extraction. The method itself (methodID) is selected from a drop down in the templates, specifying in general terms the kind of method the user wishes to record. From there, the value field of the methodSteps table can be populated by one of the inputs from the category set associated with that methodID. This provides a higher level of detail for a given method. For example, the methodID might be solidSep for solid separation of a sample. The value field might then be populated with cent for centrifugation, indicating more details about how the sample settling was done.

Attributes

Attributes are the largest category of part type, as these refer to any most of the fields in the ODM. Attributes are fields for metadata within the ODM and range greatly in the use. They comprise everything from collection dates, to sampling period, to names.

Data quality and reportability

Within the ODM there is a qualityFlag field present in both the samples and measures tables. This field serves to highlight whether or not there is a quality issues with the sample or the measure. The quality flag also allows a user to specify to type of quality issue. This is managed through the use of quality sets, which are the sets that contain the possible quality flags for a given measure or for samples. The idea is that this provides data on any issues with a sample and an indication of the nature of that issue. Having data about the nature and presence of a quality issue is often not sufficient for decision makers who are trying to use and interpret the data. As such, there is also a reportable field with is a Boolean indicator of whether or not data can or should be reported or included in final reports and decisions.

Time periods for samples and measures

Fo measures, there is a field aDateStart and aDateEnd which specify the date and time that an analysis was begun and finished. This allows for the recording of greater detail around timelines for especially long, multiday analyses. For shorter analyses, which will likely make up the bulk of reported measures, the same dat can input in both fields. The idea is to have the reporting tables for measures be as robust as possible to allow for various kinds of timelines.

For samples, there is collDT, collDTStart, and collDTEnd. The first field is for the collection date and time of a single grab sample, so start and end are not necessary and the other two fields can be left blank. For composite or pooled sample, the start and end date and time for collection is crucial information to know. When these two fields are populated, the collDTfield can be left blank.

Dates within the ODM

There are a number of date fields within the ODM which all serve different purposes. Collection datetime (collDT) is the date a sample was collected, used only for grab samples. This field is left blank if the collection datetime start and end fields (collDTstart and collDTEnd) have been populated instead. Inversely, collection datetime start and end fields should be left blank if the collection datetime filed has been populated. Similarly, analysis datetime start and analysis datetime end (aDateStart and aDateEnd) are used to report the date and or timeline of an analysis for a measure.

Date fields that are more related to data processing and labratory infrastructure are: the last edited date (lastEdited) which indicates the last time a table, or a measure or sample details, were last edited or updated; the sent date (sentDate), or date that a sample was sent to the lab from the field; the received date (recDate), or the date the sample was recieved in the lab; and the report date (repDate), or the date that the analysis results or measures were reported. These give a greater indication of how up to date data is, but also on the speed and efficiency of the pipeline between sampling and reported results. Dates should be reported in day/month/year format to accommodate the most popular global convention.

Translation and language capabilities

The default language of the ODM is English, but French translations of all descriptive elements of the data model dictionary are also available. As additional nation states and partners adopt the ODM, we anticipate that these fields will be translated into other languages as well. The translation capacities are managed through the language look-up table (languageLUs), the translation look-up table (translationLUs), and the

parts table (partsLUs). When a translation for a given part is not available, the dictionary will default to the English term. The language look-up table stores linguistic and classification codes for spoken human languages, with the most recent ISO639 code being the language ID (languageID). In the translation table, the language ID is paired with every part ID (partID), along with the label (partLabel), description (partDesc), and instructions (partInstr) translated to that language. The part IDs are linked to the full parts list which otherwise contains metadata that is coded in variables and requires no further translation.

Questions and online community

If any users have additional questions or issues with the ODM, we invite them to check out our Discourse Page for discussion boards and community support. For larger issues, and to ask the ODM team to add additional fields or variables into the model, we encourage users to visit the project's GitHub repository and to create and issue there so that a team member can respond.

How to use the ODM

How-To guides

1) How to use templates

ODM Excel report templates provide you with an easy way to enter your wastewater and other environmental data into the relevant PHES-ODM tables (more information about the tables can be found in the getting-to-know section). The templates also serve as an interactive way to get to know the ODM and can be found at the OSF.io PHES-ODM reference file folder.

The guides below will walk you through each of the report templates. In these guides, "field" refers to a column in the template, and "entry" refers to a row of information that you entered. The guides also provide definitions and explanations for some terms; more complete information can be found in the Reference Guide - Parts document. If you have any questions or comments, you can post them on our Discourse forum.

As a starting point:

• Sample report and Measure report tables are used for day-today reporting. You can record information about a sample in the Sample report table. Measures (or measurements) are recorded in the Measure report table. A measure is "measurement or observation of any substance including a biological, physical or chemical substance".

How to use the ODM

- There are three optional tables that support the reporting of samples and measures:
 - Sample relationships is used only when you have samples that are pooled or split.
 - Measure set report can be used to link measures together.
 - Quality reports is used for detailed quality assurance and control reporting (you can, and should, record a quality flag attribute for each measure or sample in the Measure report and Sample report tables).
- Typically, there is a one time initial setup where you will need to enter information into the Sites, Address, Organization, and Contact tables.
 - Sites is mandatory and records information about where testing is performed.
 - Address, Organization, and Contact provide the contact information for sites and entities such as laboratories.
- There are optional supporting tables, such as Protocols and Instrument, where you can use the templates to record information about how samples are taken and how measures are reported. You only need to compete these tables once and then update them as needed. Protocol steps and Protocol relationships tables are used alongside the Protocols table. Other supporting tables include Polygon, which stores information about the sample shed, and Dataset, which stores information about the data custodian and owner of the data.


The templates contain four main types of fields; in these how-to guides they are colour-coded for instructional purposes:

- Identifier and unique identifier (red): In these fields you will create a value that will be used to identify something. For instance, Sample ID is used to identify each unique sample. An identifier can be repeated between entries, while an unique identifier cannot. There is usually only one unique identifier per template, and they correspond to the name of the template. For example, Measure ID for the Measure report template, and Contact ID for the Contact template.
- Drop-down and conditional drop-down menus (green): These fields have a drop-down menu which contain the values that you can either select or type in. In conditional drop-down menus, the values depend on what you entered in a previous field.
- Date fields (purple): Dates are entered in these fields and must be in the form of the ISO 8601 format: yyyy-mm-dd. All date fields also support entries for hours, minutes, and seconds: 2022-01-01T06:11:54 and 2022-01-01T06:11:54+13:30
- Free form fields (blue): In these fields, you can enter your data in any format that you wish. Any restrictions will be specified in the relevant sections. Keep in mind, different measures may have different data types that cannot be validated in Excel. The data type of a measure can be checked in the reference list for the measure. For example, the data type for Sample temperature is a real number.

Conditional menus

Conditional menus use the FILTER function (which is present in Excel 2019 and later) and are only functional in the first three rows of their respective templates. In addition, the auto-calculation has been disabled. Thus, you will need to press the "Calculate Sheet" button, which is in the "Formulas" tab after entering the value in the field upon which the conditional menu is based upon; this button is outlined in red in the image

below (the image is for Excel Online). For example, for the Measure conditional menu in the Measure report template, you would select a value in the Class field, press "Calculate Sheet" and then the correct values will show up in the menu of the Measure field.



All of this was done because, in an online environment (such as Excel Online), the code for the conditional menus work can cause the templates to run very slowly. You can reactivate the auto-calculation if you wish. For further information about how to expand these menus to additional rows and other aspects of the templates, see Notes regarding templates.

2) How to report Measures and Measure sets

In this guide you will learn how to record data in the Measure report (or measures Excel tab) and Measure set report (or measureSets tab) templates. In the Measure report template, each row represents a measure. Along the same lines, in the Measure set report template, each entry represents a collection or set of measures.

You can find additional information regarding terms and the colour-coding of columns at the beginning of this document (How-To guides) and the Reference Guide - Parts document.

Quick Start

Below you will find the mandatory fields for the Measure report and Measure set report templates. You will also find definitions of these fields and examples of entries of data. A more detailed description of some of the key concepts can be found in the following section, Detailed description.

Measure report template

1. Mandatory fields

- Report ID: Unique identifier for the Measure report template. Each value represents a measure.
- Sample ID: Identifier for the sample that is associated with each measure.
- Site ID: Identifier for the location where a sample was taken.
- Analysis Date End: Date the measure was completed.
- Measure: A measurement or observation of any substance including a biological, physical or chemical substances.
- Value: Value of the measure.
- Unit: Units of a value.
- **Aggregation**: Statistical measure that the measure represents (for example "mean").
- Specimen: Substance or thing upon which the observation was made. Specimens include Population, Sample, and Site. This field is only mandatory if there is more than one specimen type that is collected in the dataset.

How to use the ODM

2. Examples

Image will be added

Measure Sets Template


- 1. Mandatory fields
- Report set ID: Unique identifier for the Measure set report template. Each value represents a group of related measures.
- 3. Examples

Image will be added.

Detailed description

Measures template

1. Columns A to H




- i) Columns A-C, and E-H
 - These are identifier fields.
 - Report ID (column A) is the unique identifier for this template, and it cannot be repeated. You can think of each Report ID as representing a unique measure. The field can be any combination of letters or words up to 30 characters.

- You can repeat the other fields between entries (if needed). For instance, if you enter two different measures from the same sample, then the Sample ID (column C) will be the same.
- You may have already created these identifiers in another template. For instance, you may have created Sample ID in the Sample report template.

ii) Column D

• Purpose has a drop-down menu. If you are unsure what to put, select Regular.

2. Columns I to M



i) Columns I to K

• These are date fields where you can enter the dates associated with your measure in the format yyyy-mm-dd. Including hours and minutes is optional, but all date-entries use the ISO 8601 format. 2022-01-01T06:11:54 or 2022-01-01T06:11:54+13:30

ii) Columns L and M

- Specimen and Fraction analyzed have drop-down menus. In general both fields are optional, but both are recommended (see next point for the exception).
- Specimen is mandatory when the data you are entering has more than one type of specimen. When there is only one specimen, the Dataset table records the specimen type. For example, if your Measure report table includes only

- wastewater sample measures, you can indicate this information in the Dataset table.
- Fraction analyzed applies only for water and wastewater samples. You should record the fraction for all samples if the compartment type is water or wastewater.

3. Columns N to S



i) Columns N and O

- Group and Class help organize the Measure field by making specific measures easier to find (see the example in the next section). Both fields have a drop-down menu and are optional.
- Leave these fields **blank** if you do not use them.

ii) Column P

- Measure is where you select what is being measured. A
 measure in ODM is a "measurement or observation of any
 substance including a biological, physical or chemical substance".
- Measure has a conditional drop-down menu. If you chose to enter in a Class (column O), the drop down menu will contain the Measures found in that Class. As mentioned, you can also enter a value into Group to help organize everything. If you did not enter a value in column O, the menu will contain all possible measures.
- For example, to find the allele measures for SARS-CoV-2 you can start by selecting SARS-CoV-2 in the Group column. Next, you select Alleles in the Class field. Then, in the

Q Group Class **Value** Measure 2 SARS-CoV-2 Alleles BRSV-N 4 SARS-CoV-2-E 5 SARS-CoV-2-N1 6 SARS-CoV-2-N2 7 SARS-CoV-2-N3 8 SARS-CoV-2-RdRp 9 10 crAssphage-N PMMoV-CP

drop-down menu of the Measure field, you will see all the possible measures that contain SARS-CoV-2 allele regions.

iii) Column Q

- Value is where you enter the value of your measure. For instance, if you recorded an Environmental temperature of 20 °C, you would enter "20".
- Note: While the value you enter into this field can be of any data type, each measure is associated with a specific one. Data types for each measure can be found in the reference documentation. For example, the data type for Environmental temperature can be found here.

iv) Column R

• Unit is where you enter the unit of your measure. This is a conditional drop-down menu field that lists all units that are valid for what was entered in the Measure field. For example, if selected Environmental temperature in the Measure field, the only unit displayed is Celsius.

v) Column S

• Aggregations is where you enter the aggregation of your value using a drop-down menu. For instance, does your

value represent a mean, median, etc.

What appears in this menu list depends on what you entered in the Unit field (column R).

4. Columns T to AB



i) Columns U, V, Z and AB

- These are free-form fields.
- Index (column U) is used if you have multiple entries with the same values in most of the other fields; an example is when you make replicates of measures. If this is the case you can enter "1", "2", etc. in this field to differentiate them.
- Measure license (column V) refers to the access and use licensing of the measure that you are entering.

ii) Column T and W

- These are fields which contain drop-down menus.
- Reportable (column W) is where you can indicate if the measure should not be used for regular reporting due to quality concerns. You can record more details of the quality concerns in the Quality reports template.

iii) Column X and Y

• These are identifier fields that are used to indicate the organization and contact person associated with the entry.

iv) Column AA

• Last edited is where you can indicate the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the entry was entered with no updates.

Measure set report template

1. Columns A to G

1	А	В	С	D	Е	F	G
1	Report set ID	Protocol ID	Name	Organization ID	Contact ID	Last edited	Notes
2							
3							

i) Columns A, B, D and E

- These are identifier fields.
- Report Set ID (column A) is the unique identifier for this template, and cannot be repeated between entries. In essence, each value of Report set ID represents a unique measure set. This field can be any combination of letters or words up to 30 characters.
- For the rest, you can repeat the identifier between entries (if needed). For instance, if you are entering two different measure sets that came from the same organization, then the Organization ID (column D) will be the same.
- You may have already created these identifiers in another template. For instance you may have created Organization ID in the Organization template.

Columns C and G

• These are free form fields in which you can enter the indicated information. Name (column C) refers to the name that you have given to the measure set.

ii) Column F

• Last edited is a date field in which you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the entry was entered with no updates.

You have now entered your data in the Measure report and Measure set report templates, congratulations!

3) How to report samples and sample relationships:

In this guide you will learn how to enter information about samples and sample relationships into their respective templates. In the Sample report (or samples tab) template, each entry represents a sample. A sample is the wastewater that you collected so that measures can be made. Along the same lines, each entry in the Sample relationships (orsampleRelationships) template represents an interaction (or relationship) between two samples in the form "subject - relationship - object". So, to specify that Sample A is a field sample replicate of Sample B, you would enter Sample ID of A - Field sample replicate - Sample ID of B.

You can find additional information regarding terms and the colour-coding of columns at the beginning of this document (How-To guides) and the Reference Guide - Parts document.

Quick Start

Below you will find the fields that are mandatory for the Sample report and Sample relationships templates. You will also find definitions of these fields and examples of entries of data. A more detailed description of some of the key concepts can be found in the following section, Detailed Description.

Samples Template

1. Mandatory fields

- Sample ID: Unique identifier for the Sample report template. Each value represents a sample.
- Site ID: Identifier for the location where a sample was taken.
- Sample material: Type of material that the sample is made of.
- Sample collection type: Method used to collect the sample.
- Collection period: The time period over which the sample was collected, in hours.
- Collection number: The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling.
- Collection date time: The date, time and time zone the sample was taken.

2. Examples

Image will be added

Sample Relationships Template

1. Mandatory fields

- Sample ID object: The object (or one of the samples) of a relationship between two samples. This will always be a Sample ID that was previously created in the Sample report template.
- Relationship: Describes the relationship between two samples.

How to use the ODM

• Sample ID subject: The subject (or one of the samples) of a relationship between two samples. This will always be a Sample ID that was previously created in the Sample report template.


2. Examples

Image will be added

Detailed Description

Sample report template

1. Columns A to G



i) Columns A to E:


- These are identifier fields.
- Sample ID (column A) is the unique identifier for this template and cannot be repeated between entries. You can think of each Sample ID value as representing a unique sample. This field can be any combination of letters or words up to 30 characters.
- For the rest of the fields, you can repeat values between entries. For instance, if you are entering two different samples from the same site, then the Site ID (column E) will be the same.

• You may have already created these identifiers in another template. For instance you may have created Site ID in the Sites template.

ii) Columns F to G:

• These are fields that contain drop-down menus where you can enter information regarding the Purpose (column F) and Sample material (column G) of your sample.

2. Columns H to O



i) Columns H:

• Dataset ID is an identifier field for the dataset that your sample is associated with.


ii) Columns I to K, O:

- These fields contain drop-down menus and are related to various characteristics of your sample.
- Sample collection type (column K) refers to the collection technique you used to obtain the sample.
- Pooled (column O) refers to whether or not the sample that you are entering is made up of multiple child samples.

iii) Columns L to N:

- These are free form fields.
- Collection period (column L) refers to the number of hours that you took to collect the sample.
- Collection number (column M) refers to the number of subsamples that were used to create Sample that you are entering.
- Collection number and period (column N) is a combination of the previous two fields.

3. Columns P to W



- i) Columns P to T, V:
 - These are date fields that are related to your sample. These dates will be in the format yyyy-mm-dd. Including hours and minutes is optional, but all date-entries use the ISO 8601 format. 2022-01-01T06:11:54 or 2022-01-01T06:11:54+13:30.
 - Last edited is where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the entry was entered with no updates.
- ii) Column U and W:
 - Reportable (column U) is a drop-down menu field where you can indicate if the sample should not be used for regular reporting due to quality concerns. You can record more details of the quality concerns in the Quality reports table.
 - Notes (column W) is a free form field where you can indicate anything of interest.

Sample relationships template

1. Columns A to E

- i) Columns A and C:
 - These are identifier fields.

	А	В	С	D	E
	Sample ID		Sample ID		
1	Subject	Relationship	Object	Last Edited	Notes
2					
3					

• Both of these identifiers are Sample ID values and represent samples. You would have created them previously in the Sample report template. Neither of them are unique identifiers and, thus, can be repeated between entries.

ii) Columns B:

• Relationship is a drop-down menu field where you can select the type of relationship between two samples. For instance, if Sample B was a child of Sample A, you would put the Sample ID of Sample A in the Sample ID subject field (column A), and the Sample ID of Sample B in Sample ID object field (column C). Then you would chose Child relationship from the menu in this column.

iii) Columns D and E:

- These are a date field (column D) and a free form field (column E) where you can enter in the indicated information.
- Last edited (column D) is where you can enter in the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the entry was entered with no updates.

You have now entered your data in the Sample report and Sample relationships templates, congratulations!

4) How to report protocols, protocol steps and protocol relationships:

In this guide you will learn how to enter protocols, protocol steps and protocol relationships into their respective templates. A protocol is "A procedure for collecting a sample or performing a measure". Each entry in the Protocols (or protocols) template represents a unique protocol. A protocol is made up of protocol steps. In the Protocol steps (or protocolSteps) template, each entry is one of these steps. Finally, protocols and protocol steps can be linked to each other. Each entry in the Protocol relationships (or protocolRelationships) template represents one of these relationships in the form, "subject - relationship - object". So, for example, if you want to specify that Protocol step A needs to be done before Protocol step B, you would enter the Protocol step ID of A - Is Before - Protocol Step ID of B.

You can find additional information regarding terms and the colour-coding of columns at the beginning of this guide (How-To guides) and the Reference Guide - Parts document.

Quick Start

Below you will find the fields that are mandatory for the Protocols, Protocol steps and Protocol relationships templates. You will also find definitions of these fields and examples of entries of data. A more detailed description of some of the key concepts can be found in the following section, Detailed Description.

Protocol steps template

1. Mandatory fields

- Protocol Step ID: The unique identifier for the protocol steps template. Each value represents a protocol step.
- Measure: A measurement or observation of any substance including a biological, physical or chemical substance.
- Method: A procedure for collecting a sample or performing a measure.
- Value: Value of the entry. This is only mandatory if the entry is a measure.
- Aggregation: Statistical measures used to report a measure (for example, "mean"). This is only mandatory if the entry is a measure.
- Unit: The units of the value. This is only mandatory if the entry is a measure.

2. Examples

Image will be added

Protocols template

1. Mandatory fields

• Protocol ID: The unique identifier for the Protocols template. Each value represents a protocol.

2. Examples

Image will be added

Protocol relationships template

1. Mandatory fields

- Protocol ID container: The unique identifier for the Protocol relationships template. Each value represents a protocol, and the step(s) and other protocol(s) that make it up. This identifier should also be a Protocol ID that was created using the Protocols template.
- Relationship: Describes the relationship between the subject and object.
- Protocol ID subject: Identifier of the subject of a relationship between a protocol, and a protocol step or protocol. This is only mandatory is the subject is a procotol.
- Protocol step ID subject: Identifier of the subject of a relationship between a protocol step, and a protocol step or protocol. This is only mandatory is the subject is a protocol step.
- Protocol ID object: Identifier of the object of a relationship between a protocol, and a protocol step or protocol. This is only mandatory if the object is a protocol.
- Protocol ID step object: Identifier of the object of a relationship between a protocol step, and a protocol step or protocol. This is only mandatory if the object is a protocol step.


2. Examples

Image will be added

Detailed Description

Protocol steps template

1. Columns A to G



i) Column A and E:

- These are identifier fields.
- Protocol step ID (column A) is the unique identifier field for this template and cannot be repeated between entries. You can think of each Protocol Step ID value as representing a unique protocol step. This field can be any combination of letters or words up to 30 characters.
- Protocol step source (column E) specifies the protocol step that you used as a basis for the given protocol step (it will be a previous Protocol step ID).

ii) Columns B to C:


- These are fields with drop-down menus.
- You only need to enter a value into Method (column B) or Measure (column C). The former is for when you are entering a method as a protocol step. The latter is when you are entering a measure as a protocol step. Leave the other field blank.

iii) Columns D, F and G:

- These are free form fields.
- Summary (column D) is a short description of the protocol step that you are entering.

• Protocol step version (column F) specifies the version of a given protocol step.

2. Columns H to O



i) Columns H to J:

- These are identifier fields.
- You can repeat values between entries. For instance, if you are entering two different protocol steps from the same organization, then the Organization ID field (column H) will be the same.

ii) Column K:

• Value is a free form field where, if the protocol step is a measure, you can enter its value.

iii) Columns L and M:

- These fields contain conditional drop-down menu fields.
- Unit (column L) depends on what you entered in Measure (column C). This field is only applicable if the protocol step is a measure.
- Aggregation (column M) depends on what you entered in Unit (column L). This field is only applicable if the protocol step is a measure.

iv) Columns N and O:

- These are a date field (column N) and a free form field (column O) where you can enter in the indicated information.
- Last edited (column N) is where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

This date will be in the format yyyy-mm-dd. Including hours and minutes is optional, but all date-entries use the ISO 8601 format. 2022-01-01T06:11:54 or 2022-01-01T06:11:54+13:30.

Protocols template

1. Columns A to F




i) Columns A to C:

- These are identifier fields.
- Protocol ID (column B) is the unique identifier for this template, and cannot be repeated between entries. In essence, each value of Protocol ID represents a unique protocol. This field can be any combination of letters or words up to 30 characters.
- For Dataset ID(column C), you can repeat between entries (if needed). For instance, if you are entering two different protocols from the same dataset, then the Dataset ID will be the same.
- You may have already created the Dataset ID values in the Dataset template.
- Source Protocol ID (column A) is where you can enter the Protocol ID of the protocol that served as the basis for the protocol that is currently being entered.

ii) Columns D to F:

- These are free form fields in which you can enter the indicated information.
- Name (column D) refers to the name that you have decided to give your protocol.

2. Columns G to K




- i) Columns G, H:
 - These are identifier fields. You can repeat values between entries.
- ii) Columns I, K:
 - These are free form fields.
 - Protocol version (column I) is where you can indicate the version of the protocol that you are entering.
- iii) Columns J:
 - Last edited is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

Protocol relationships template

1. Columns A to H

- i) Columns A to C, E and F:
 - These are identifier fields.



- All of these identifiers are either Protocol ID values or Protocol Step ID values, and represent protocols and protocol steps, respectively. This includes Protocol ID Container (column A), which is a Protocol ID that contains the relationships that you are entering in this template. Note that none of these fields are unique identifiers and, thus, they can be repeated between entries.
- You should only enter a value for one of the two object columns (column B and C); this depends on whether the object of the relationship that you are entering is a protocol or a protocol step. The same is true for the two subject columns (column E and F).
- An example will be given in point (ii) below.

ii) Columns D:

- Relationship contains a drop-down menu; it is where you can select the type of relationship that is being entered.
- For example, pretend you wanted to enter a relationship stating that Protocol step A takes place before Protocol step B in a particular protocol container. You would enter the relevant identifiers in the Step ID Object field (column B) and the Step ID subject field (column F). You would then select Is Before from the Relationship field. Finally, to identify this relationship, you would enter in the identifier in the Protocol ID Container field (column A)

iii) Columns G and H:

- These are a date field (column G) and a free form field (column H) where you can enter in the indicated information.
- Last edited (column G) is where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

You have now entered your data in the Protocol steps, Protocols and Protocol relationships templates, congratulations!

5) How to report metadata

In this guide you will learn how to enter in the metadata of your wastewater data through a series of templates. Each entry in a template will usually represents what is found in the title of the template. For instance, in the Organizations template each row will represent an organization. In the context of the PHES-ODM, metadata is anything that gives general information about the data that you are entering and is not found in the templates related to measures, protocols and samples.

You can find additional information regarding terms and the colour-coding of columns at the beginning of this guide (How-To guides) and the Reference Guide - Parts document.

Quick Start

Below you will find the fields that are mandatory for the metadata-related templates. You will also find definitions of these fields and examples of entries of data. A more detailed description of some of the key concepts can be found in the following section, Detailed Description.

Address (or addresses) template

1. Mandatory fields

- Address ID: The unique identifier for the Address template. Each value represents an address.
- Dataset ID: The identifier of the dataset that stores information for measures, samples and other reporting tables.
- Address line 1: Line 1 (the street name, number and direction) for a given address of a site or organization.
- City: The city where a site or organization is located; part of the address.
- State, province or region: The state, province, or region where a site or organization is located; part of the address.
- Country: The country where a site or organization is located; part of the address.

2. Examples

Images will be added

Contact (or contacts) template

1. Mandatory fields

- Contact ID: The unique identifier for the Contact template. Each value represents a contact person.
- Organization ID: An identifier for the organization to which the contact person is affiliated.
- Email: Contact e-mail address.

2. Examples

Images will be added

Dataset (or datasets) template

1. Mandatory fields

- Dataset ID: A unique identifier for the Dataset template. Each value represents a dataset.
- License: The license of the dataset.
- Data custodian: The data custodian of the database. This is represented by an Organization ID and would have been created in the Organization template.

2. Examples

Images will be added

Instrument (or instruments) Template

1. Mandatory fields

- Instrument ID: The unique identifier for the Instrument template. Each value represents an instrument.
- Dataset ID: The identifier of the dataset that stores information for measures, samples and other reporting tables.
- Model: Model number or version of the instrument.
- Instrument type: The type of instrument used to perform the measurement.

2. Examples

Images will be added

Organization (or organizations) template

1. Mandatory fields

- Organization ID: The unique identifier for the Organization template. Each value represents an organization to which the reporter is affiliated.
- Address ID: An identifier for the address of the organization.

2. Examples

Images will be added

Polygon (or polygons) template

1. Mandatory fields

- Polygon ID: The unique identifier for the Polygon template. Each value represents a polygon.
- Type of geography: Type of geography that is represented by the polygon.
- Well-known text: Well-known text of the polygon.
- European Petroleum Survey Group Coordinates: A code that specifies a given geospatial area.

2. Examples

Images will be added

Quality reports (or qualityReports) template

1. Mandatory fields

- Quality report ID: The unique identifier for the Quality reports template. Each value represents a quality issue that you wish to report.
- Report ID: An identifier for a measure. This is only mandatory if the entry is about a measure.
- Sample ID: An identifier for a sample. This is only mandatory if the entry is about a sample.
- Report set ID: An identifier that links together a group of related measures. This is only mandatory if the entry is related to a measure set.
- Quality flag: A field for reporting any quality concerns for a sample or measure.

2. Examples

Images will be added

Sites (or sites) template

1. Mandatory fields

- Site ID: The unique identifier for the Sites template. Each value represents the site where a wastewater sample was taken.
- Site type: Type of site where a sample was taken.
- Sample shed: A geographic area, physical space, or structure. A sample is taken from a sample shed for a representative measurement of a substance.
- Contact ID: An identifier for a given contact person.
- Latitude: Latitude in decimal coordinates of the site.
- Latitude: Longitude in decimal coordinates of the site.

• European Petroleum Survey Group Coordinates: A code that specifies a given geospatial area.

2. Examples

Images will be added

Detailed Description

Address template

1. Columns A to E



i) Columns A and B:

- These are identifier fields.
- Address ID (column A) is the unique identifier for this template, and cannot be repeated between entries. You can think of each Address ID value as representing a unique address. This field can be any combination of letters or words up to 30 characters.
- For Dataset ID (column B), you can repeat the value between entries (if needed). For instance, if you are entering two different addresses from the same dataset, then this column will be the same.

• You may have already created the Dataset ID in the Dataset template.

ii) Columns C to E:

• These are free form fields in which you can enter various information about the address.

2. Columns F to J

1	F	G	Н	1	J
	State, Province, or Region		Country	Last Edited	Notes
2					
3					

i) Columns F to J:

- Most of these are free form fields where you can enter the indicated information about the address.
- Last edited (column I) is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

This date will be in the format yyyy-mm-dd. Including hours and minutes is optional, but all date-entries use the ISO 8601 format. 2022-01-01T06:11:54 or 2022-01-01T06:11:54+13:30.

Contact template

1. Columns A to E

	Α	В	С	D	Е
				First name of	Last Name of
1	Contact ID	Dataset ID	Organization ID	contact	Contact
2					
3					

i) Columns A to C:

- These are identifier fields.
- Contact ID (column A) is the unique identifier for this template, and cannot be repeated between entries. You can think of each Contact ID value as representing a unique contact person. This field can be any combination of letters or words up to 30 characters.
- For the rest of the fields, you can repeat the values between entries (if needed). For instance, if you are entering two different contacts that came from the same organization, then the Organization ID (column C) will be the same.
- You may have already created these Identifiers in another template. For instance you may have created Organization ID in the Organization template.

ii) Columns D and E:

• These are free form fields in which you can enter the name of the contact.

2. Columns F to J

- i) Columns F to J:
 - Most of these fields are free form in which you can enter various information regarding the contact.



• Last Edited (column I) is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

Dataset template

1. Columns A to G

1	А	В	С	D	Е	F	G
	Parent ID	Dataset ID	Dataset Creation Date	Name	License	Description	Reference link
1	Dataset ID	Dataset ID	Creation Date	ivame	License	Description	ШК
2							
3							

i) Columns A and B:

- These are identifier fields.
- Dataset ID (column B) is the unique identifier for this template, and cannot be repeated between entries. You can think of each value of Dataset ID as representing a unique dataset. This field can be any combination of letters or words up to 30 characters.
- For Parent dataset ID (column A), you can repeat the value between entries (if needed). For instance, if you are entering two different datasets that came from the same

parent dataset, then the Parent dataset ID will be the same.

ii) Column C

• Dataset creation date is a date field where you can enter the date that the dataset was created.

iii) Columns D to G:

• These are free form fields in which you can enter various information related to the dataset.

2. Columns H to N

1	Н	I	J	К	L	M	N
		Funder	Custody	Funding	Data		
1	Language ID	Contact ID	Contact ID	aganay ID	custodian ID	Last aditad	Notes
-	Language ID	Contact ID	Contact ID	agency iD	custodian ID	Last edited	Notes
2	Language ID	Contact ID	Contact ID	agency ID	custodian iD	Last edited	Notes

i) Columns H to L:

- These are identifier fields.
- For information regarding funders, you can enter their Funder Contact ID (which is a Contact ID created in the Contact template) and Funding Agency (which is a Organization ID created in the Organization template) in columns I and K.
- For information regarding Data Custodians, you can enter their Custody Contact ID (which is a Contact ID created in the Contact template) and Data Custodian ID (which is a Organization ID created in the Organization template) in columns J and L.


ii) Columns M and N:

• These are a date field (column M) and a free form field (column N) where you can enter in the indicated information.

• Last edited (column M) is the date when the entry was updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

Instrument template

1. Columns A to G




i) Columns A, B, F and G:

- These are identifier fields.
- Instrument ID (column A) is the unique identifier for this template, and cannot be repeated between entries. In essence, you can think of each Instrument ID value as representing a unique instrument. This field can be any combination of letters or words up to 30 characters.
- For the rest of the columns, you can repeat the value between entries (if needed). For instance, if you are entering two different instruments from the same dataset, then Dataset ID column will be the same.
- You may have already created some of the identifiers in other templates. For instance, you may have already created Dataset ID in the Datasets template.

ii) Columns C to E

• These are free form fields where you can enter the Name (column C), Model (column D) and Manufacturer (column E) of the instrument.

2. Columns H to N



i) Columns H, I, L to N:


- Most of these fields are free form in which you can enter relevant information regarding your instrument
- You can use Index (column L) to differentiate two entries of data that are the same in the other fields.
- Last Edited (column M) is a date field where you can indicate the date when the entry was updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

ii) Columns J and K:

- For Instrument type (column J), you can select from the drop-down menu the type of instrument. If you do not see your instrument, you can enter Other instrument.
- If you entered Other instrument in the Instrument type field, you can use the Describe other instrument type, if applicable field (column K) to describe your instrument.

Organization template

1. Columns A to E




i) Columns A, D and E:

- These are identifier fields.
- Organization ID (column A) is the unique identifier for this template, and cannot be repeated between entries. You can think of each value of Organization ID as representing a unique organization. This field can be any combination of letters or words up to 30 characters.
- For the rest of the columns, you can repeat the value between entries (if needed). For instance, if you are entering two different organizations with the same address, then the Address ID will be the same.
- You may have already created some of the identifiers in other templates. For instance, you may have already created the Address ID in the Address template.

ii) Columns B and C:

• These columns are free form fields in which you can enter additional information regarding the organization.

2. Columns F to J



i) Columns F to H:

• These are fields with drop-down menus where you can select various characteristics of the organization that you are entering.


ii) Columns I and J:

- These are a date field (column I) and a free form field (column J) where you can enter in the indicated information.
- Last edited (column I) is the date when the entry was updated. This field is used when you modify an entry after

your initial recording. Leave this field blank if the measure was entered with no updates.

Polygon template

1. Columns A to G



i) Columns A and B:

- These are identifier fields.
- Polygon ID (column A) is the unique identifier for this template, and cannot be repeated between entries. A polygon is something that describes the geometry of a geographic area. You can think of each value of Polygon ID as representing a unique polygon. This field can be any combination of letters or words up to 30 characters.
- For Dataset ID (column B), you can repeat the value between entries (if needed). For instance, if you are entering two different polygons from the same dataset, then this column will have the same value.
- You may have already created the Dataset ID in the Dataset template.


ii) Columns C to E, G:

- These are free form fields in which you can enter additional information regarding the Polygon.
- Name (column C) is the name of the polygon.
- European Petroleum Survey Group Coordinates (column G) is a coordinate system that can be used to identify where a polygon is.

iii) Columns F:

• For Type of geography (column F) of the polygon, you can select one of the values from the drop-down menu.

2. Columns H to N



i) Columns H to J, M and N:

- These are free form fields and a date field in which you can enter relevant information regarding the polygon.
- Well-known text (column H) refers to the text markup language that can be used to represent the polygon.
- Last edited (column M) is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

ii) Columns K and L:

 These are identifier fields in which the Organization ID and the Contact ID associated with the polygon are entered.

Quality reports template

1. Columns A to H



i) Columns A to D:

- These are identifier fields.
- Quality report ID (column A) is the unique identifier for this template, and cannot be repeated between entries. You can think of each value of Quality Report ID as representing a unique quality issue that you want to report. This field can be any combination of letters or words up to 30 characters.
- For the rest of the columns, you can repeat the value between entries (if needed). For instance, if you are entering two different quality reports for the same sample, then the Sample ID column will be the same.
- You may have already created some of the identifiers in other templates. For instance, you may have already created the Sample ID in the Sample report template.

ii) Columns E and F:


- Quality flag (column E) is a drop-down menu field where you can select the type of quality issue that you would like to enter.
- Severity indicator (column F) is is also a drop-down menu field where you can indicate the severity of the quality flag.

iii) Columns G and H:

- These are a free form field and a date field in which you can enter the indicated information.
- Last edited (column M) is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

Sites template

1. Columns A to F




i) Columns A to D:

- These are identifier fields.
- Site ID (column B) is the unique identifier for this template, and cannot be repeated between entries. You can think of each value of Site ID as representing a unique site. This field can be any combination of letters or words up to 30 characters.
- For the rest of the columns, you can repeat the value between entries (if needed). For instance, if you are entering two different sites that are found in the same polygon, then the Polygon ID values will be the same.
- Parent site ID (column A) refers to the site that is parent to the site that is being entered. For example if the site that is being entered is a room in a facility, then the Parent site ID would refer to the facility.

ii) Columns E and F:

• These are drop-down menu fields in which you can specify the Site Type (column E) and the type of Sample shed (column F).

2. Columns G to M



i) Columns G to I, L and M:

• These are identifier fields that you can use to record additional information about the site. Primary reporting authority ID (column L) and Secondary reporting authority ID (column M) are Organization IDs that you would have created using the Organization template.

ii) Columns J and K:

• These are all free form fields in which you can enter in relevant information about the site.

3. Columns N to S



i) Columns N to S:

- These are free form fields and a date field where you can enter in additional information about the Site.
- European Petroleum Survey Group Coordinates (column Q) is a coordinate system that can be used to identify where your site is.
- Last Edited (column S) is a date field where you can enter the date when the entry was last updated. This field is used when you modify an entry after your initial recording. Leave this field blank if the measure was entered with no updates.

You have now entered in your metadata, congratulations!

Notes regarding templates


Templates with conditional menus (Measure report and Protocol steps)

Adding more conditional menus


- The code to determine the entries for the conditional menus are found to the right of the main template. Unlike the main template, the rows containing the code will not be alternating in colour.
- The code is only present for the first three rows. If you want to use conditional menus for additional rows, you will need to copy the code to these rows as well as create the menus in the desired cells. As an example, pretend that you wanted to add a Measure field conditional menu to row 5 in the Measure report template. The first thing you would do is copy the code from AF4 to AF5 (see below, all images in this example are from Excel Online).



• Then, to create the new menu, you would go to P5 (which is where the new conditional menu will be located). You would select "Data validation", which is under "Data Tools" in the "Data" tab (it is outlined in red in the image below).



• Finally, you would select "List" from the "Allow" menu and then enter the following text "=\$AF\$5#" under "Source". The column and row indicators ("AF" and "5", in this example) match up with where you copied the new code ("AF5").



For additional menus, repeat the above steps. Adding conditional menus in an online environment (such as Excel Online) may slow down the templates considerably.

Troubleshooting conditional menus

- The conditional menus work by searching the partLabels column in the parts table that is included with the templates.
- If you obtained an error with these menus check if any changes were made to the parts table.

Templates with menus (all templates other than the Measure sets, Protocols, Contact, Address and Dataset templates)

Part IDs

- In the main parts of each of the templates, labels are used in the menus.
- If you wish to have the part IDs of these values, they are located to the right of the main template and, if applicable, the code for the conditional menus. Unlike the main template, the rows containing the part IDs will not be alternating in colour.
- The part IDs are present in the first 100 rows of each of the templates.

Troubleshooting menus (not including conditional menus)

- The menus are based on what is found in the lists tab that is included with the templates.
- If you obtained an error with these menus check if any changes were made to the lists tab.

Part I. Reference guide

The reference guide is a technical description of the ODM parts. There are three sections to the reference guide.

- parts Parts are the smallest way of describing anything in the ODM. An analogy to parts of a car can be used to illustrate this point. If you own a car, your garage can access a parts list that contains every part of your car, right down to every nut and bolt. There are over 900 parts, all listed in alphabetical order. Each part has up to 60 different attributes such as the part name and description.
- tables The ODM database model has 21 tables in its full relational database. The full model is commonly referred to as "long" tables as it stores data with one measurement per row. The most important tables are the 'report' tables that are used for daily reporting of measures and samples.
- sets Sets are lists or collections of parts. You can think of sets as the elements of drop down lists or categories.

Did you know that each part ID has its own URL?

Every part, table, and set has its own URL, that is created using the partID. partIDs are usually parentheses that follow a part, table, or set name.

For example, 'airport' is a sample shed category which would appear as: Airport (airport). The pernament link to the airport partID is, https://docs.phes-odm.org/parts.html#airport. Airport also is listed in the Sampleshed category set (shedCatSet).

Parts

Dictionary v2.0.0.

Parts are the smallest way of describing anything in the ODM. An analogy to parts of a car can be used to illustrate this point. If you own a car, your garage can access a parts list that contains every part of your car, right down to every nut and bolt. Similarly, the ODM has a part ID (partID) and part description (partDescription) for every measure, method, and attribute. There are also part IDs for units, aggregations, and other parts. The part list is presented below.

• Did you know you can identify part IDs by their specific naming format?

Each part ID starts with a lowercase character and contains no special characters. Parts have less than 12 characters, while part types such as units and aggregations have a maximum of seven characters. The unique construction of part IDs serves several purposes in addition to generating valid URLs. Users can create wide table variable names (headers) using part IDs that are valid in all open software languages. ODM supports a standard method of generating wide variable names by concatenating partIDs with an underscore, _. For this reason, some part types have a limit of seven characters to ensure the total length of wide names remains less than 35 characters, which is the character limit length of some statistical language software. The wide variable naming method will be added to the documentation.

a1306s delta-variant gene target

(a1306s). a1306s delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

a1918v delta-variant gene target

(a1918v). a1918v delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

a2710t omicron-variant gene target

(a2710t). a2710t omicron-variant gene target *Part Type*: measurements *Domain*: bio *Speciment ID*: saSpecimenSet *Compartment Set*: anyCompartmentSet *Group*: sarsCov2 *Class*: mutation *Nomenclature*: naNomenclature *Ontology Reference*: NA *Category Set ID*: NA *Unit Set*: geneticUnitSet *Aggregation Scale*: seeUnitAggScale *Quality Set*: NA

Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

a63t omicron-variant gene target

(a63t). a63t omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

a67v omicron-variant gene target

(a67v). a67v omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Atline Analyzer

(aas). Atline analyzer with sampler. An atline analyzer with sampler. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Absolute humidity

(absHum). A measure of the total mass of water vapour present in the air per volume of air. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: site-Feat Class: humid Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: absHumidUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Absolute humidity unit set

(absHumidUnitSet). Unit set for absolute humidity measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: absHumidUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Academic institution

(academ). The category of organization type used for academic institutions or research groups. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Number of active cases

(acti). Number of active cases. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Active

(active). Indicator that a part is in current use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set:

naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Analysis date

(aDate). Date the measurement was performed in the lab. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Analysis date end

(aDateEnd). Date the measurement or analysis was completed. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Analysis date start

(aDateStart). Date the measurement or analysis was started. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomencla-

ture: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Address Line 1

(addL1). Line 1 (the street name, number and direction) for a given address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address Line 2

(addL2). Line 2 (the unit number) for a given address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address table

(addresses). The table that contains information about addresses. Addresses can recorded for sites, organizations or contacts (indivduals). The Sites, Organizations, and Contacts tables include a link to the addresses table through Address ID. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Addresses table column order

(addressesOrder). Specifies the order of the columns in the Addresses table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address table required headers

(addressesRequired). Specifies the columns required in a Addresses table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class:

naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address ID

(addressID). A unique identifier for an address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Administrative regions

(admRegLevel). Administrative regions Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air filter

(afu). Air filter as part of filtration or circulating unit. Typically the unit would have a fan or blower. Part Type: categories Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: airCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation scale

(aggragationScale). A scale used for an aggregation. Only applicable for measures and units. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation

(aggregation). Statistical measures used to report a measure. Each aggregation has a corresponding value. The default aggregation is 'single', which corresponds to a single measurement. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregations

(aggregations). Statistical measures used to report a measure. Each measure reported as a number should be reported with an aggregation. The default aggregation is 'single', which corresponds to a single measurement. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation scales

(aggregationScales). The scale of an aggregation set. Aggregation scales include quantitative and qualitative. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation set

(aggregationSet). The aggregation set for a unit. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation sets

(aggregationSets). Sets of aggregations. Examples of aggregation sets include logarithm, linear and boolean. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air compartment

(air). A measure or observation made from a substance in the air. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: airCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value:

NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air compartment set

(airCompartmentSet). A compartment set for measures and methods in the air compartment. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: airCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Airplane

(airpln). Airplane sample shed category type Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: any-CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Airport

(airport). Airport sample shed category type Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set:

Parts

naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Airport lists worksheet

(airportLists). Parts lists used to generate airport and airplane data entry templates. Part Type: dictionarySupport Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air and surface compartment set

(airSurfaceCompartmentSet). A compartment set for measures and methods in the air or surface compartments. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: air-SurfaceCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Environmental temperature

(airTemp). Environmental temperature. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperature-UnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Air and water compartment set

(airWaterCompartmentSet). A compartment set for measures and methods in the air or water compartments. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: air-WaterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Alias depreciated

(aliasDep). ID of an assay that is the same or similar. A comma separated list. Deprecated as of version 2, please avoid use. Use notes instead. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set

Parts

ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Alias ID depreciated

(aliasIDDep). Alias id ID of an assay that is the same or similar. a comma separated list. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

All domains

(allDo). Domain that specifies that it could apply to al domains; biological, chemical, and physical. Part Type: domains Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Alleles class

(allele). Measures and methods related to alleles. Part Type: classes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Allele unit set

(alleleUnitSet). Unit set for alleles. Part Type: unitSets Domain: naDomain Speciment ID: siSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: alleleUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to all org

(allOrgs). If this is 'no', this data will not be available to any partner organization. If missing, data will be available to the all organizations. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum

Parts

Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Aloh3 precipitation

(aloh3). Aloh3 precipitation Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Assay method id default depreciated

(amDefDep). Used as default when a new measurement is created for this lab. See ID in AssayMethod table. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Amicon ultrafiltration

(amiconUf). Amicon ultrafiltration Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Amicon filter, extract with MP96

(amiMP96). Nucleaic acid extraction, usually used for the liquid fraction of a wastewater sample, using amicon filtration and using an MP96 for final extraction. Part Type: categories Domain: bio Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: proc-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Amplicon sequencing

(amp). Specifies the amplicon strategy for genetic sequencing Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum

Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

AND Boolean aggregation

(andBoo). "AND" aggreation. If all values in the aggregation is "TRUE" then the AND aggregation is also "TRUE". If all values in the aggregation is "FALSE" then the AND aggregation is also "TRUE". Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Any compartment set

(anyCompartmentSet). A compartment set for measures and methods in any compartment. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Any specimen set

(anySpecimenSet). A specimen set that inculdes any specimen. Part Type: specimenSets Domain: naDomain Speciment ID: anySpecimenSet

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Area proportional sample

(areaPr). An area proportional sample. Used for surface testing. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: surfaceCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Arrival temperature

(arTemp). The temperature of a sample upon arrival at the laboratory for analysis. Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Use of the articV3 primer

(articV3). Initial implementation of an ARTIC bioinformatics platform for nanopore sequencing of nCoV2019 novel coronavirus; Artic Foundation v3 primer. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Use of the articV4 primer

(articV4). Artic V4 sequencing primer for VOCs and VOIs. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Assay ID

(asID). Links with the AssayMethod used to perform the analysis. Use instrument.ID for measures that are not viral measures. Deprecated as of version 2, please avoid use. Refer to methodID instead. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA

Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Attributes

(attributes). Attributes describe the who, where, when, and why of environmental surveillance. There are attributes for domain, specimen, compartment, or table. Attributes are one of the three main components or ways to report environment surviellence data. The other two components are measures and methods. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bacteria Class

(bacteria). Measures and methods relating to bacteria. Part Type: classes Domain: bio Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: bacteria Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: bacteriaUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bacteria unit set

(bacteriaUnitSet). Unit set for bacteria-related measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: bacteriaUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous bacteria group

(bactMisc). A group of measures/methods related to miscellaneous bacteria. The miscallenous bacteria are often have only one measure or method. When a bacteria has many measures, they will be given their own groupID in updated dictionary versions. Part Type: groups Domain: bio Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: bact-Misc Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bead beating, extract with MP96

(bbMP96). Nucleaic acid extraction, usually used for solid fraction of a wastewater sample, using bead beating and using an MP96 for final extraction. Part Type: categories Domain: bio Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID:

NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

bcov

(bcov). Measure of the amount of bovine coronavirus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

bcov culture spike target

(bcovCul). Cultured bovine coronavirus is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

bcov vaccine spike target

(bcovVac). The bovine coronavirus vaccine is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Beef extract flocculation

(beeExtractFloc). Beef extract flocculation. Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Is Before

(before). Specifies that the object step or protocol occurs before the subject step or protocol in the overall protocol container. Use only for protocolRelationships table relationshipID. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Beta

(beta). B.1.351 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: see-UnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Biologic

(bio). A living organism or biological substance. Part Type: domains Domain: bio Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Digital droplet emulsification PCR

(bioRadDdpcr). Describes a PCR analysis done using BioRad's digital droplet emulsification PCR technology. *Part Type:* categories *Domain:* bio *Speciment ID:* saSpecimenSet *Compartment Set:* anyCompartmentSet

Parts

Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Binary Large Object (BLOB) data type

(blob). The data type for Binary Large Object (BLOB) data. Only used for the dictionary entries of parts. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Breadth of coverage (>=5x depth)

(boc). Positions with read depth greater or equal to 5. Report as percentage of positions. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

5-Day carbonaceous kiochemical oxygen demand

(bod5c). The quantity of oxygen utilized for the biochemical degradation of organic matter under standard laboratory procedures in five (5) days in the presence of a nitrification inhibitor, expressed in milligrams per litre (mg/l). Part Type: measurements Domain: bio Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: https://doi.org/10.1002/wer.1541 Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

5-day total biochemical oxygen demand

(bod5t). 5 day total biochemical oxygen demand. Part Type: measurements Domain: bio Speciment ID: siSpecimenSet Compartment Set: water-CompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: https://doi.org/10.1002/wer.1541 Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Boolean data type

(boolean). The data type for boolean/binary data. Encoded as 'TRUE' or 'FALSE' Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup

Parts

Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Boolean aggregation set

(booleanAggrSet). Aggreagation set for boolean. Part Type: aggregationSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Boolean value set

(booleanSet). Set that contains the valid possible values for a boolean measure (TRUE or FALSE). Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: NA Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bovine respiratory syncytial virus group

(brsv). Bovine respiratory syncytial virus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

brsv culture spike target

(brsvCul). Cultured bovine respiratory syncytial virus (BRSV) is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

BRSV-N

(brsvN). bovine respiratory syncytial virus capsid protein gene region Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set:

Parts

NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

brsv vaccine spike target

(brsvVac). The bovine respiratory syncytial virus (BRSV) vaccine is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Branch sewer pipleline

(bSwrPpl). Specifies a site type that is collection pipe that run lateral to other municipal sewer lines, allowing drainage into the main sewer. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Building cleanout

(buildCO). Specifies a site type that is a capped pipe that connects to a building's main sewer line. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Capacity class

(capacity). Measures and methods relating to capacity. Part Type: classes Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: capacity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: capacityUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Capacity unit set

(capacityUnitSet). Unit set for capacity measurements. Part Type: unit-Sets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: capacityUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Case report date

(caRepDate). Date that the numbers were reported publicly. Typically, reported data and this measure is most commonly reported and used. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Categorical data type

(categorical). The data type for categorical data. Only used for the dictionary entries of parts. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Categories

(categories). A discrete list of values that can be reported for a measure, method or attribute. A use-case example of categories would be how they are used to record the site where a measure is taken (partID = geoType).

For the geoType attribute there are different type of sites where samples can be taken: a wastwater treatment plant, airplane holding tank, wastwater pumping station, etc. Each of these site types is recorded as a category that can be identified in categorySetID = sTypeCatSets Part Type: part-Type Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Long-term acute care hospital

(ccc). Acute care hospitals, or complex contuing care, that provide care for patients with average length of stay longer than 25 days. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Child day care

(cdc). Child day care facility. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Degrees Celcius

(cel). Degrees Celsius. Part Type: units Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: -60 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Centrifugation

(cent). Describes solid separation from a wastewater sample via centrifugation. Likely connected to other method steps prior to analysis. Part Type: categories Domain: allDo Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Centricon ultrafiltration

(centriconUf). Centricon ultrafiltration. Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet

Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ceres nanotrap

(ceres). Ceres nanotrap. Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: proc-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

CFU per 100 ml

(cfu). Colony forming units per 100 ml of filtered sample. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Changes column

(changes). A column for recording the changes from a previous version. Use this column as a short-hand change log for dictionary development.

Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemical

(che). A chemical compound. Part Type: domains Domain: che Speciment ID: anySpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemagic viral dna/rna 300 kit

(chemVir). Nucleic acid extraction performed using the chemagic viral dna/rna 300 kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Child relationship

(child). Indicated that this is a sample generated from (an)other sample(s) either because of pooling or sub-sampling. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

City

(city). The city where a site or organization is located; part of the address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Clarified sample

(clari). Clarified sample. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Parts

Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Class

(class). A unique identifier for a class, which is akin to a sub-group; it's a way of grouping parts within a given group. A group can have one or more classes to describe different parts of the class. Currently, class is only used for biologics. For example, SARS-CoV-2 is a group of measures with the following classes of allele, variant, mutation, sequence, and protein. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Classes

(classes). A class is a collection of one or more related measures or methods within a group. A group can have one more more classes to describe different parts or the class. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Cloudy

(cloudy). Qualitative category for the weather measure, specifying an overcast day with no rain. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Centimetres

(cm). Unit part for the SI unit of centimetres. Part Type: units Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Carbon Dioxide

(co2). A measure of an amount or concentraion of carbon dioxide. Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: gas Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: dissGasUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value:

seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemical Oxygen Demand

(cod). Chemical oxygen demand. Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection group

(colGrp). A group of measurement-like attributes related to sample collection. Part Type: groups Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection date time

(collDT). For grab samples this is the date, time and timezone the sample was taken. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group:* naGroup

Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection date time end

(collDTEnd). For integrated time average samples this is the date, time and timezone the sample was finished being taken. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection date time start

(collDTStart). For integrated time averaged samples this is the date, time and timezone the sample was started being taken. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample collection set

(collectSet). Methods for collection samples. Sample collection methods include water, air, and surface. See the attribute 'Compartment set' of the sample collection method. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: collectSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection number

(collNum). The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection number and period

(collNumPer). Composite collection number.period. This a composite measure that combines 'collection period' (collPer) and 'collection number' (collNum). Collection number and period can be used to reduce the

number of table headings during data collection. In data storage, 'coll-Num' and 'collPeriod' should be transformed to 'collPer' and 'collNum'. For Grab sample, Surface swab, or Area proportional sample just enter 1

In case of Composite, Flow-proportional collection, the number of subsamples followed by a dot, followed by the period of the sampling, in hours. For example, for 4 composite subsamples covering a 8 hours period, the entry would be 4.2 For time-proportional 24 subsamples collected every hour, the entry would be 24.1 For volume-proportional, the entry for 24 subsamples collected over 24 hours should be 24.24, in this case the period part of the entry should be understood as the total collection time instead of the periodicity of the collection.

For a COSCA ball or Moore swab collecting for 24 hours, the entry would be 1.24 Part Type: attributes Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: 1:1 Maximum Value: NA Minimum Length: 0 Maximum Length: 6 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection period

(collPer). Collection period. The time period over which the sample was collected, in hours. Alternatively, use collectionStart and collectionEnd. Examples: 1 hour, 6 hours, 24 hours Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value:

NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample collection type

(collType). The type of collection. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: collectSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Co-located sample

(colocated). Second or multiples samples collected at same location but different time (water, air) or at a nearby location (soil, sediment). Sent blind to laboratory. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Column name depreciiated

(columnNameDep). Name for the column Depreciated in ODM version 2. Look-up tables are now incoprated into parts and sets. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment*

Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite sample - archival

(comp). A composite sample, usually generated by an autosampler. This is intended for use in updating and mapping archival data into the newest version of the ODM. Generally, autosamplers do time or flow-proportional sampling, and so those collection methods should be used instead. This is only for composite/autosampler samples where these additional details have not yet been specified. Use collectionPeriod to describe how many hours the sample was taken, and collectionNum to record the number of samples. Part Type: categories Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Composite grab sample of 3

(comp3). A grab-composite sample composed of 3 separate grab samples. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite grab sample of 3 depreciate

(comp3dep). A grab-composite sample composed of 3 separate grab samples. Deprecated in version 2, please do not use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: water-CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite 3hr grab sample

(comp3h). A 3-hour composite with 3 grab samples each taken once per hour, generally manually performed. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite 3hr grab sample depreciate

(comp3hdep). A 3-hour composite with 3 grab samples each taken once per hour, generally manually performed. Deprecated in version 2, please do not use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite 8hr grab sample depreciated

(comp8h). An 8-hour composite with 8 grab samples each taken once per hour, generally manually performed. Deprecated in version 2, please do not use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Composite 8hr grab sample deprecated

(comp8hDep). A 8-hour composite with 8 grab samples each taken once per hour, generally manually performed. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type:

Parts

NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Compartment

(compartment). The attribute identifying the substance from which where a sample was taken. For more information, see partID = compartment. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartments

(compartments). The substance from which a sample was taken. For example, wastewater has component of "water". Compartments are attributes of measures, methods, units, and aggregations. Part Type: part-Type Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartment sets

(compartmentSets). Sets of compartments. Compartment sets are used to identify when a measure can be recorded for more than one compartment. For example, SARS-CoV-2 can be measured in people (humans), water, surface, or air. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample concentrate

(conc). Sample concentrate. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed Cases Case report date

(conCase). Date that the numbers were reported publicly for a confirmed case. Typically, reported data and this measure is most commonly reported and used. *Part Type:* units *Domain:* bio *Speciment ID:* poSpecimenSet *Compartment Set:* naCompartmentSet *Group:* naGroup *Class:*

naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: dateTime Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Is concurrent to

(concurrent). Specifies that the object step or protocol occurs at the same time as the subject step or protocol in the overall protocol container. Use only for protocolRelationships table relationshipID. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water conductivity

(cond). Measurement of conductivity of sample or site. Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: siteFeat Class: conductivity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: conductivityUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Conductivity class

(conductivity). Measures and methods related to conductivity. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: conductivity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: conductivityUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Conductivity unit set

(conductivityUnitSet). Unit set related to conductivity measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: conductivityUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Number of confirmed cases

(conf). Number of confirmed cases. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA

Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed cases episode date

(confEp). Episode date is the earliest of onset, test or reported date for a confirmed case. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: dateTime Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed Cases Onset date

(confOn). Earliest that symptoms were reported for a confirmed case. This data is often not known and reported. In lieu, episode is used. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: dateTime Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Contact ID

(contactID). A unique identifier for a given contact person. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature:

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact name

(contactName). Contact person or group, for the lab. Depreciated in ODM version 2. see 'name' Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Contact table

(contacts). The table that contains information about a contact; a person who is the contact of a site or laboratory. adapt from verson 1 documentation Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contacts table column order

(contactsOrder). Specifies the order of the columns in a Contacts table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact table required headers

(contactsRequired). Specifies the columns required in a Contacts table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact table set

(contactTableSet). Tables are where measures, methods and attributes are recorded. Tables represent the main entities of the environmental surveillance. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set:

NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Confirmed cases test date

(conTest). Date that the covid-19 test was performed for a confirmed case. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: dateTime Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cphd ID

(corFcil). Correctional facility Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

COSCa ball

(cosca). COSCa passive sampling device. Use collectionPeriod to describe how many hours the ball was used to collect the sample *Part Type*: categories *Domain*: naDomain *Speciment ID*: naSpecimenSet *Compartment*

Parts

Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: https://pubs.rsc.org/en/content/articlelanding/2021/ew/d1ew00207d Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Country

(country). The country where a site or organization is located; part of the address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Countries or sovereign states

(countryLevel). Countries or sovereign states Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: na-CompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Districts, counties, regions

(countyLevel). Districts, counties, regions Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Covid-19

(cov). Covid-19 infection. Any form of Covid-19 human infetion - including testing for Covid-19, symptomatic Covid-19, asymptomatic Covid-19, hospitalized Covid-19, long-Covid-19, etc. If needed, define the specific form Covid-19 with units. See populationUnits. Part Type: measurements Domain: bio Speciment ID: poSpecimenSet Compartment Set: humanCompartmentSet Group: sarsCov2 Class: disease Nomenclature: ICD Ontology Reference: NA Category Set ID: NA Unit Set: populationUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

SARS-CoV-2 measure

(cov2Me). Measure the amount of SARS-CoV-2 virus. This measure should only be used if there is no other SARS-CoV-2 measure. See groupID = sarsCov2. Use a note to describe the specific measure used. *Part*

Type: measurements Domain: bio Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

SARS-CoV-2-B.1.1.7

(covB117). Variant B.1.1.7 of the SARS-CoV-2 virus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: pangolin Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-B.1.351

(covB135). Variant B.1.351 of the SARS-CoV-2 virus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: pangolin Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-E

(covE). SARS-CoV-2 E gene. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N1

(covN1). SARS-CoV-2 nucleocapsid gene, allele 1. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N2

(covN2). SARS-CoV-2 nucleocapsid gene, allele 2. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticulitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-

Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N3

(covN3). SARS-CoV-2 nucleocapsid gene, allele 3. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-P.1

(covP1). Variant P.1 of the SARS-CoV-2 virus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: sarsCov2 Class: variant Nomenclature: pangolin Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-RdRp

(covRdrp). SARS-CoV-2 RdRp gene. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet

Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Covid-19 population measurement date

(cphDate). date of reporting for covid-19 measure. Depreciated in ODM version 2. The measure identication is now measureReportID with report dates as for any measure report. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Cphd ID

(cphid). Unique identifier for the table. Depreciated in ODM version 2. The measure identication is now measureReportID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

crAssphage-N

(cra). crAssphage virus capsid protein gene region Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Crosswalk table set

(crosswalkTableSet). Tables used to translate to and from other environmental dictionaries and models. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Cycle threshold or quantification cycle (Ct or Cq)

(ct). Cycle thresholds in a PCR assay. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: standardCurve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: 0

Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cumulative count

(cuCo). Units for describing a population measure of a cumulative count of cases of a given disease. Unit for a population or disease measure to explain population-level clinical effects. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Custody Contact ID

(custodyCont). A unique identifier for data custodians. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Data custodian ID

(custodyID). The data custodian of a database. Use Organization ID to populate this field, and the organizations table to describe contact

information and other details for the data custodian. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

d377y delta-variant gene target

(d377y). d377y delta-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

d3g omicron-variant gene target { #d3g }

(d3g). d3g omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

d63g delta-variant gene target

(d63g). d63g delta-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

d796y omicron-variant gene target { #d796y }

(d796y). d796y omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

d950n delta-variant gene target

(d950n). d950n delta-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link:

Parts

NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Daily count

(daiCo). Units for describing a population measure of a daily count of new cases of a given disease. Unit for a population or disease measure to explain population-level clinical effects. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset creation date

(datasetDate). Specifies the date a given dataset was created. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset ID

(datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables. Where possible, datasetID name should correspond the original data custodian responsible for generating environmental data. (suggestion for a default name convention.) Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset table

(datasets). A report table for capturing details about data's parental data set and data custodians. Supplying attribution for data collectors. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Datasets table column order

(datasetsOrder). Specifies the order of the columns in a Datasets table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset table required headers

(datasetsRequired). Specifies the columns required in a Datasets table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Data types

(dataTypes). The data type for a part. Data types used in the ODM include: varchar, booleen, float, category, date, time, datetime, url, email. dataType corresponds the the entry or cell within a data table, most commonly within a report table. If the data entry has a unit, then the dataType corresponds to the unit and the dataType refers to 'unit'. If the data entry is a category, then the dataType refers to 'category'. All categories are varchar. Otherwise the dataType is identifed within the part entry. TBA: dataType for dictionary. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Date

(date). Date date on which the assayMethod was created or updated (for version update). Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Datetime data type

(datetime). The data type for date and time data. Only used for the dictionary entries of parts. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Days

(days). A unit for indicating a length of time in days. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: any-CompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: time-UnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ddcov_e sars-cov-2 gene target

(ddcovE). ddcov_e sars-cov-2 gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ddcov_n sars-cov-2 gene target { #ddcovN }

(ddcovN). ddcov_n sars-cov-2 gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length:

NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Deaths

(death). Units for describing a population measure of patients who have died from a given cause. Unit for a population or disease measure to explain population-level clinical effects. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del143/145

(del143). 143 or 145 deletion omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del 157/158

(del157). 157 or 158 deletion delta-variant gene target *Part Type:* measurements *Domain:* bio *Speciment ID:* saSpecimenSet *Compartment Set:*

anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del2084/2084

(del2084). 2084 or 2084 deletion omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del212/212

(del212). 212 or 212 deletion omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del3674/3676

(del3674). 3674 or 3676 deletion omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

del69/70

(del6970). 69 or 70 deletion omicron-variant gene target. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Delta

(delta). B.1.617.2 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness

Set: genMissingnessSet Minimum Value: see-UnitVal Maximum Value: see-UnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Depreciated

(depreciated). Indicator to say that a part is no longer in current use in the model. See partID = status Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Derived sample

(derived). Specifies a sample that is derrived or made from another sample or material. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Description

(descr). A detailed description as an attirbute for describing results or program elements. A description of the part that serves a clear presentation

of the part to a wide audience including techinical and not techincal staff. A description should allow any person who generates environment surveillance data to know how to identify how to record their data elements in the ODM. partReference can be used to further describe a part. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 200 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Description of change

(descrChange). A description of change in a part from the previous version. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Desk or counter

(desk). Desk, table, countertop or other flat working surface. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: surfaceCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Parts

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dewatered solids

(deso). Dewatered solids. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Detected

(det). Substance detected or not detected. TRUE = detected, FALSE = not detected Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: NA Minimum Value: 0 Maximum Value: 1 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Access to details deprecated

(detailsDep). More details on the existing confidentiality requirements of this measurement. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group:*

naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Development

(development). Indicator that a part is under development use. See partID = status Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dictionary reference table set

(dictionaryRefTableSet). Reference or look-up tables. For example, the parts table describe all elements of the ODM, including tables, table headers, measures, methods, categories, and units. sets are collections of parts. For example, units can be grouped together in a unitSet. languages and translations support translations. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Additional dictionary sheets

(dictionarySupport). Additional sheets for the Excel version of the ODM dictionary. Sheets or tabs for the ODM Excel dictionary include: all ERD tables (look-up tables and data entry tables) and additional supporting tables. Part Type: partType Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dictionary set type

(dictSet). Sets used to describe and group dictionary tables. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dilution factor

(dilFact). Specifies the extent to which a sample or aliquot was diluted prior to analysis. Dilution factor is reported as a unitless measure, where

a value of 10 indicates a 10:1 dilution. Part Type: measurements Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: dilution Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Point dillutions

(dillute). Exact concentration or dillutions for generating a standard curve. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: dilution Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dilution Class

(dilution). Measures and methods relating to dilutions. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: dilution Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Diseases (human) class

(disease). Measure and methods related to disease or infection in humans. Part Type: classes Domain: bio Speciment ID: poSpecimenSet Compartment Set: humanCompartmentSet Group: naGroup Class: disease Nomenclature: ICD Ontology Reference: NA Category Set ID: NA Unit Set: populationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dissolved gas concentration unit set

(dissGasUnitSet). Unit set for carbon dioxide concentrations measurements in water or air. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: airWaterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: dissGasUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Depth of coverage

(doc). The sequencing read depth. Used to interpret the confidence in a presence or amount of a varient. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer

Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Domain

(domain). Domain is the highest level of describing of a measure. The domain ID that corresponds to a given part. Mostly applicable for measures, methods, units, and aggregations. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Domains

(domains). There are three domain types: biologic (i.e. Covid-19, chemical (i.e. nitrogen), physical measure (temperature). Part Type: part-Type Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Higher education domitory or residential building

(dorm). Higher education domitory or residential building Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

e156g delta-variant gene target

(e156g). e156g delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

e484a omicron-variant gene target { #e484a }

(e484a). e484a omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length:

NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Escherichia coli

(ecoli). Concentration of bacteria that are passed through the faecal excrement of humans, livestock and wildlife Part Type: measurements Domain: bio Speciment ID: siSaSpecimenSet Compartment Set: surfaceWaterCompartmentSet Group: bactMisc Class: bacteria Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: bacteriaUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Education

(education). A measure or sample taken for education or training. Use this purpose, for example, when teaching how to use the PHES-ODM. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Efficiency

(efficient). The efficiency reported for a standard curve. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set:

Parts

anyCompartmentSet Group: procGrp Class: standardCurve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact email

(email). Contact e-mail address, for the lab. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

European Nucleotide Association

(ena). ENA header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

European Nucleotide Association (ENA) - notes

(enaNotes). ENA notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rainfall

(envRnF). Rainfall, i.e. amount of precipitation in the form of rain. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: precipitation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: precipitationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ground snow depth

(envSnwD). Total depth of snow on the ground. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: precipitation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: precipitationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum

Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Snowfall

(envSnwF). Snowfall, i.e. amount of precipitation in the form of snow. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: precipitation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: precipitationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Episode date

(epiDate). Episode date is the earliest of onset, test or reported date. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

ERD table set

(erdTableSet). All tables listed in the Entity Relationship Diagram. The full ODM model is commonly referred to as "long" tables as it stores data with one measurement per row. *Part Type:* dictSets *Domain:* naDomain *Speciment ID:* saSpecimenSet *Compartment Set:* naCompartmentSet

Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sarbecovirus-specific E sars-cov-2 gene target

(eSarbec). Sarbecovirus-specific E sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Estimated frequency of reads

(estFreqReads). Estimated frequency of reads in a sequencing assay Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Estuary, natural water body

(estuary). Estuary, natural water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Experiment Failed

(expFail). PCR experiment failed. No value reported. Value should be blank for a measure with this qualityFlag value. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

4s method

(extract4s). Nucleic acid extraction performed using the 4s method. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: https://www.protocols.io/view/v-4-direct-wastewater-rna-capture-and-purification-bpdfmi3n Data Type: varchar Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nucleic acid extraction method

(extraction). Description of the nucleic acid extraction method. Description of the method used to extract the sample Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: extractSet Unit Set: unitlessUnit-Set Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Nucleic Acid Extraction set

(extractSet). set used for storing all the valid category values for the nucleic acid extraction method. Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: extractSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Extraction volume of sample

(exvol). Extraction volume of sample. Size of the sample that is analyzed. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: physical

Parts

Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Fecal matter

(faeces). Fecal matter. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

FALSE

(false). Boolean data type = FALSE Use these values and their set for any boolean measure or attribute. Use only "FALSE" (case sensitive) Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 5 Maximum Length: 5 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Field sample

(field). Specifies a sample taken from the field; directly collected from an area for testing. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample replicate

(fieldReplicate). A sample divided into two or more homogeneous parts. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

File location of polygon

(fileLocation). The location of the file containing the geometry of the polygon. File path specified, or a URL Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: blob Missingness Set: genMissingnessSet Minimum Value: NA Maximum

Parts

Value: NA Minimum Length: 0 Maximum Length: 65535 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Filtration

(filt). Describes solid separation from a wastewater sample via filtration. Proceeds further concentration or analysis of the liquid filtrate. Part Type: categories Domain: allDo Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

First Nation

(fiNa). Used to categorize a sampleshed that is a First Nation, or on reserve lands. Likely for internal use only, Indigenous data can and should not be shared without explicit consent of the nation in quesiton. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

First name of contact

(firstName). Specifies the first name of a given contact. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment

Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

First released version

(firstReleased). The version in which a part was first released Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Foreign key

(fK). Foreign key for a table. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

AI - Inhibition present but addressed

(flagAI). The original sample was inhibited; however, the inhibition has been addressed through dilution. The reported concentration estimate is the updated result after addressing inhibition. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

B - Trace levels of contamination

(flagB). Analytical result may be subject to "trace" levels of contamination; the target analyte was also detected in negative controls on the same run as the sample. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

FI - Inhibition present and unaddressed

(flagFI). The original sample was inhibited; however, the inhibition has not been successfully addressed. Therefore, no concentration estimate has been reported. *Part Type:* qualityIndicators *Domain:* bio *Speciment ID:* saSpecimenSet *Compartment Set:* anyCompartmentSet *Group:* naGroup

Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

J - Weak signal extrapolation

(flagJ). Analytical result falls below the lowest concentration of the experiment-specific standard curve but above the y-intercept value; the reported value is based on the extrapolation of the standard curve in the non-linear region. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ND - Non-detect

(flagND). No amplification occurred in the reaction; non-detect. For the value of a non-detected measure, report the actual value even if it is below the limit of detection. The flag here ensures that it's recorded as a non-detect regardless. In instances where the original data doesn't record a value, but only has the flag, please populate the value field with either a 0 if dealing with variant percentages, and a 1 for all other purposes to further indicate a null result. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

UJ - Trace signal extrapolation

(flagUJ). Observed quantitation cycle is greater than the experiment-specific standard curve intercept value but evidence of clear amplification was present (i.e., "trace" signal observed); the reported value is based on the extrapolation of the standard curve in the non-linear region. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

UQ - Unquantifiable

(flagUQ). Unquantifiable, Ct value exceeds the maximum value of the standard curve. There was a detect, but we cannot quantify it with certainty. Part Type: qualityIndicators Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Float data type

(float). The data type for float data. Only used for the dictionary entries of parts. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow-normalized mean

(floMean). Mean measure normalized to wastewater flow. Mostly used for reporting specific alleles (N1, N2, E, etc.) Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Floor

(floor). Floor of a building or room. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: surfaceCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Parts

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow rate

(floRate). Wastewater volumetric flow rate at the sample collection location over the 24-hr period during which the sample was collected. If only an instantaneous flow measurement is available, it may be reported in units of million gallons per day. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: siteFeat Class: flow Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: flowUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Flow class

(flow). Measures and methods related to flow. Part Type: classes Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: flow Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: flowUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow proportional 24hr sample depreciated

(flow24hDep). A flow proportional 24-hour composite sample generally collected by an autosampler. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Flow proportional sample

(flowPr). A flow proportional composite sample generally collected by an autosampler. Use collectionPeriod to describe how many hours the sample was taken. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Volume flow rate unit set

(flowUnitSet). Unit set for volume flow measurements. Part Type: unit-Sets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: flowUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference

Parts

Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow volume

(flowVol). Volume of influent. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: siteFeat Class: flow Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: flowUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus measure

(flu). General influenza virus measure This measure should only be used if there is no other influenza virus measure. See groupID = virusMisc. Use a note to describe the specific measure used. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: http://purl.obolibrary.org/obo/MONDO_0005812 Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus A1

(fluA1). Influenza virus A1 type Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

influenza virus A2

(fluA2). influenza virus A2 type Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus B

(fluB). Influenza virus B type Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type:

Parts

seeUnitData Missingness Set: genMissingnessSet Minimum Value: see-UnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Fluidigm digital PCR

(fluiDpcr). Describes a PCR analysis done using FluidIGM's digital PCR technology. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Foggy

(foggy). Qualitative category for the weather measure, specifying a foggy or hazy day. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Fraction analyzed

(fraction). Fraction of the sample that is analyzed. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: fractionSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample fraction set

(fractionSet). set for the fraction of the sample (solid, liquid, etc.). Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: fractionSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Freyja Script

(freyja). Freyja Script for sequencing. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: https://github.com/andersenlab/Freyja Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

F-Specific RNA bacteriophages

(frna). A measure for amount of F-Specific RNA bacteriophages. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

F-Specific RNA bacteriophages, G2

(frnaG2). A measure for amount of G2 F-Specific RNA bacteriophages. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample frozen

(frozen). Sample was frozen before analysis or processing *Part Type:* qualityIndicators *Domain:* naDomain *Speciment ID:* saSpecimenSet *Compartment Set:* anyCompartmentSet *Group:* naGroup *Class:* naClass *Nomen-*

clature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample temperature

(fst). Temperature that the sample is stored at while it is being sampled. This field is mainly relevant for composite samples which are either kept at ambient temperature or refrigerated while being sampled. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Full dictionary sheets set

(fullDictionarySheetSet). Worksheets in the full Excel dictionary. The full dictionary is 'ODM_full-dictionary.xlxs Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Funder Contact ID

(funderCont). A unique identifier for funders. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Funding agency ID

(funderID). The funding agency of the dataset. Use Organization ID to populate this field, and the organizations table to describe contact information and other details for the funding agency. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

g215c delta-variant gene target

(g215c). g215c delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link:

NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

g339d omicron-variant gene target { #g339d }

(g339d). g339d omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

g496s omicron-variant gene target { #g496s }

(g496s). g496s omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

g662s delta-variant gene target

(g662s). g662s delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gamma

(gam). P.1 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gas class

(gas). Measures and methods relating to gas and gases. Part Type: classes Domain: che Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: gas Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: dissGasUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per copy of crAssphage

(gcCrA). Gene or variant copies per copy of crAssphage. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

gene copies per day per 100,000

(gcD100). The unit for measures reflecting the gene copies per day per 100,000 people in the population. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per gram solids

(gCGS). Gene or variant copies per gram solids. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per L

(gcL). Gene or variant copies per litre. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per mL

(gcMl). Gene or variant copies per millilitre of solution. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per PMMoV copy

(gcPpmov). Gene or variant copies per copy of PMMoV. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: waterCom-

partmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Genetics unit set

(geneticUnitSet). Unit set for genetic-related measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

General missingness set

(genMissingnessSet). The general set for missingness values. Part Type: missingnessSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Generic quality flag set

(genQualitySet). A quality set to specify any generic quality concerns about a measure or sample. Part Type: qualityIndSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

European Petroleum Survey Group Coordinates

(geoEPSG). The unique EPSG code specifying a given geospatial area. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: miscAttr Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Latitude

(geoLat). Geographical location, latitude in decimal coordinates, ie.: (45.424721) Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: miscAttr Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: -90 Maximum Value: 90 Minimum

Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Longitude

(geoLong). Geographical location, longitude in decimal coordinates, ie.: (-75.695000) Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: miscAttr Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: -180 Maximum Value: 180 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Type of geography

(geoType). Type of geography that is represented by the polygon. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: geoTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Geographic set

(geoTypeSet). set for different type of geographic components. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomen-

clature: naNomenclature Ontology Reference: NA Category Set ID: geo-TypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Well-known text

(geoWKT). Well-known text of the polygon Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 63 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gram per cubic metre

(gm3). Density unit. Used for absolute humidity and other measures. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: airCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Geometric mean

(gmn). Geometric mean. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet

Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Government agency

(govt). The category of organization type used for government agencies, programs, or crown-owned bodies. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Grams

(grams). A unit of mass or weight. Part Type: units Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gravity settling

(graSet). Describes solid separation from a wastewater sample where the sample material is allowed to settle by gravity, and then separated. Part Type: categories Domain: allDo Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Grab sample

(grb). A single large representative grab sample. If the sample was collected over a series of hours or is a composite sammple, please use partID = comp Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gromstole 1.0 Script

(gromstole). Gromstole 1.0 Script for sequencing. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link:

https://github.com/PoonLab/gromstole Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Group

(group). Unique identifier for a group of measures. Mostly applicable for measures, methods, units, and aggregations. A collection of related measures. For example, SARS-CoV-2 is a group. Within the SARS-CoV-2 group, there are measure classes tht include RNA alleles (N1, N2, E, etc.), mutations, (E484K0), an entire sequence, viral proteins, etc. Currently groups are used for measures only. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Groups

(groups). A collection of related measures. Used primary to group measurements and methods, this helps pare down the drop down list for a given measurement or *Part Type:* partType *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group:* naGroup *Class:* naClass *Nomenclature:* naNomenclature *Ontology Reference:* NA *Category Set ID:* NA *Unit Set:* naUnitSet *Aggregation Scale:* NA *Quality Set:* NA *Reference Link:* NA *Data Type:* categorical *Missingness Set:* NA

Parts

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Header

(header). Header for a table. Also known as a table variable or entity relationship 'attribute'. Header is the top row or the variable name in a table. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Health administration or planning agency

(healthAdm). Health adminstrative or planning organization. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Heat inactivated sars-cov-2 virus spike target

(heatInacSARS). Heat inactivated SARS-CoV-2 virus is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment

ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: proc-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

hep g armored rna

(hepGRna). Measure of the amount Hepatitis G Armored RNA. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

hep g armored rna spike target

(hepGRnaMat). Hepatitis G armored RNA is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

High severity

(high). Indicates a very sever quality issue, likely meaning the data should not be reported. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer Network Health Region

(hlthReg). Health region served by the sewer network Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hand Measurement

(hma). Handheld measurement analyzer. A handheld measurement analyzer. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hollow fiber dead end ultrafiltration

(hollowFiberUF). Hollow fiber dead end ultrafiltration Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

General Hospital Admissions

(hosa). Hospital admissions or patients newly admitted to hospital. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hospital Census

(hosc). Hospital census or the number of people admitted with an ailment. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set:

Parts

naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hospital

(hosptl). Hospital Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: col-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Holding tank wastewater depreciated

(hoTaWa). Wastewater from a holding tank, such as from an airplane or ship Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Hours

(hours). A unit for indicating a length of time in hours. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: any-CompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Holding tank wastewater

(htSam). Wastewater sampled from a holding tank, such as from an airplane or ship Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Holding tank

(htSite). Holding tank Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Human compartment

(hum). A measure or observation made about a human. Part Type: compartments Domain: bio Speciment ID: anySpecimenSet Compartment Set: humanCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Human compartment set

(humanCompartmentSet). A compartment set for measures and methods in the human compartment. Part Type: compartmentSets Domain: bio Speciment ID: anySpecimenSet Compartment Set: humanCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Humidity class

(humid). Measures and methods related to humidity. Part Type: classes Domain: phy Speciment ID: siSpecimenSet Compartment Set: airCompartmentSet Group: naGroup Class: humid Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet

Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

i1566v omicron-variant gene target $\{ \#i1566v \}$

(i1566v). i1566v omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

i3758v omicron-variant gene target { #i3758v }

(i3758v). i3758v omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

i82t delta-variant gene target

(i82t). i82t delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

International Classification of Diseases

(icd). Classification system for diseases in humans. Part Type: nomenclatures Domain: bio Speciment ID: poSpecimenSet Compartment Set: humanCompartmentSet Group: naGroup Class: disease Nomenclature: ICD Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Intensive care unit patients

(icu). Units for describing a population measure of patients who are in intensive care due to a given cause. Unit for a population or disease measure to explain population-level clinical effects. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type:

integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Index

(index). Index number in case the measurement was taken multiple times. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 50 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Inhibition set

(inhibitionSet). Category set for inhibition methods. Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: inhibitionSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Inhibition measure

(inhibMe). Parameter to report whether or not inhibition was detected in the sample. Detected = TRUE, not detected = FALSE. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment

Parts

Set: anyCompartmentSet Group: miscMeas Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: booleanUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Inhibition method

(inhibMeth). Description of the method used to evaluate molecular inhibition. Description of the inhibition parameters. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: measGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: inhibitionSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Innovaprep ultrafiltration

(innovaprepUF). Innovaprep ultrafiltration Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Input

(input). Input for a table. Indicates if a part can be used in a table. "Input" is used to indicate if a part can be used as an entry in a table (something with partType = table). For example, covN1 is a specific measure that can be entered in the measureID field of the measures table. Therefore, covN1 is has a value "input" in the measures column in the parts list. ODM users can generate their own custom template by modifying using the value "input" for only the parts that are applicable for their program. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Instrument ID

(instrumentID). A unique identifier for an instrument. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Instrument table

(instruments). The table that contains information about instruments. adapt from verson 1 documentation *Part Type:* tables *Domain:* naDomain

Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Instruments table column order

(instrumentsOrder). Specifies the order of the columns in the Instruments table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Instrutment table required headers

(instrumentsRequired). Specifies the columns required in the Instruments table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other instrument

(instrument TypeOther). Type of instrument other than those included in the PHES-ODM. An other type of measurement instrument. Add description to notes. See documentation for how to request new instruments added to the dictionary. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Instrument Type

(insType). Type of instrument used to perform the measurement. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: insTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Describe other instrument type, if applicable

(insTypeOth). Description of the instrument in case it is not listed in instrumentType. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA

Parts

Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Instrument set

(insTypeSet). List of instruments that are used for measures and methods Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: insTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Integer data type

(integer). The data type for integers. Only used for the dictionary entries of parts. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Intercept

(inter). Intercept value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. Part Type: measurements Domain: allDo Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: standard-Curve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Combined ip2 and ip4 sars-cov-2 gene target

(ip2ip4). Combined ip2 and ip4 sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-1

(iso6391). The first part of the ISO 639 series of international standards for language codes. Part 1 covers the registration of two-letter codes. There are 183 two-letter codes registered as of June 2021. The registered codes cover the world's major languages. Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet

Parts

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-2B

(iso6392B). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'B' specifies the bibliographic code (B code). Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-2T

(iso6392T). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'T' specifies the terminological code (T code). Part of the metedata for a languageID. Part Type:

attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-3

(iso6393). A set of international standards that lists short codes for language names. ISO 639-3 extends the ISO 639-2 alpha-3 codes with an aim to cover all known natural languages. Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-6

(iso6396). A set of international standards that lists short codes for language names. ISO 639-6 builds off ISO639-3 with the use of four-letter codes, and allowing users to differenciate between variants of languages and language families, such as historical vs. revived versions of languages. Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Parts

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

k856r omicron-variant gene target { #k856r }

(k856r). k856r omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Kilogram per second

(kgS). Kilograms per second. Part Type: units Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Kilolitres

(kl). Kilolitres of volume Part Type: units Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Litres

(l). Litres of volume Part Type: units Domain: phy Speciment ID: siSaS-pecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

1452r delta-variant gene target

(1452r). 1452r delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum

Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

I981f omicron-variant gene target { #I981f }

(1981f). 1981f omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory

(lab). Laboratory for environmental testing. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lab ID default depricated

(labDefDep). Used as default when a new sample is created by this reporter. See ID in Lab table. Deprecated as of version 2, no defaults please specify. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group:* naGroup *Class:*

naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Laboratory duplicate

(labDuplicate). Second (time or more) processing and analysis of sample. Usually for general chemistry or metals analyses. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lab ID

(labID). Unique identifier for a laboratory. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lagoon system

(lagoon). Logoon system for extensive wastewater treatment Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lake, natural water body

(lake). Lake, natural water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lambda

(lamba). C.37 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language ID

(lang). Language code for translation purposes. Specifies the langage for each translation, other than the default English. Follow the ISO639-3 codes for now. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language family

(langFam). Specifies the language family of a given language for translation and language tracking purposes. Part of the metedata for a language ID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language name

(langName). Specifies the name of the language in roman alphabet characters for translation and language tracking purposes. Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup

Parts

Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language Look-up table

(languages). Look up table for all languages, used to give structure to the translation table. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: lookup Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language table column order

(languagesOrder). Specifies the order of the columns in the Languages table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language table required headers

(languagesRequired). Required headers in the Languages table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Last edited

(lastEdited). The date the entry was last updated. Use lastEdited if an entry is updated. Leave lastEdited blank or 'NA' for the first entry. Updates can include additions or revisions of the entry for any reason. For example, a wastewater measure was repeated later with an improved method. You can revise the entry by updating the value and then adding the date the new measure was performed to 'lastEdited'. To ensure data provenance, the best practice in this example is to generate a new entry with the same measureID as the original measureID. The original and new measures are kept in the database with a date in the 'lastEdited' field for the new entry but not the original one. Some databases may choose a delete-andreplace approach where the original entry is deleted and replaced by a new entry. In this approach, the 'lastEdited' field indicates the delete and replace occurred. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Last name of contact

(lastName). Specifies the last name of a given contact. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Last updated version

(lastUpdated). The version in which the part was last updated. Any change to the part of list will result in a change in the lastUpdated field to the dictionary version where the update occurred. Part Type: part-Support Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

LaTeX expression

(latExp). LaTeX expression used to generate formulas, symbols, etc. Mainly relevant for units. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation

Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 20 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low breadth of coverage

(IBC). The percentage of the genome covered by reads (the breadth) is low. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory control sample duplicate

(lcsd). Known amounts of an analyte or representative compounds are added to a second "clean" matrix (lab water or clean sand) in laboratory. Duplicate of LCS Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low depth of coverage

(IDC). Poor coverage, specifically an insufficient number of reads or too many sequencing reads that are mapped incorrectly. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Leaked sample

(leaked). Sample leaked, some volume and material was lost. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Link

(li). Link to an external reference that describes the geometry of the polygon. Deprecated as of version 2, please avoid use. Use referenceLink instead. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set:

NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

License

(license). The license of a dataset. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Linear scale aggregation set

(linear AggrSet). The aggregation set that contains all aggregations that exist on the linear scale. Part Type: aggregationSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Liquid fraction

(liq). Liquid fraction of a sample. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompart-

mentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

List worksheet

(lists). Parts lists for template dropdowns and other documentation. Sheets or tabs for the ODM Excel dictionary include: all ERD tables (look-up tables and data entry tables) and additional supporting tables. Part Type: dictionarySupport Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

List set

(listSet). PartTypes that contain categories, sets, or lists. Used to generate documentation. Part Type: miscSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: airCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: windSpeedUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to local ha

(localHA). If this is 'no', the, data will not be available to local health authorities. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Limit of detection (LOD)

(lod). Limit of detection. Limit of detection (LOD) for this method, if one exists. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: see-UnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Limit of detection (LOD) - sewage

(lodSewa). Limit of detection for sewage samples. Limit of detection (LOD) for sewage *Part Type:* measurements *Domain:* bio *Speciment ID:* saSpecimenSet *Compartment Set:* waterCompartmentSet *Group:* proc-Grp *Class:* pcr *Nomenclature:* naNomenclature *Ontology Reference:* NA

Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Logarithmic scale aggregation set

(logAggrSet). The aggregation set that contains all aggregations that exist on the logarithmic scale (rather than linear or qualitative). Part Type: aggregationSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dictionary tables

(lookup). Tables to describe and support the ODM dictionary. These tables hold information on sets, all parts, and support multiple languages and translations. The tables are updated by the ODM development team when a new ODM version is created. Part Type: classes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: lookup Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Limit of quantification (LOQ)

(loq). Loq Limit of quantification (LOQ) for this method if one exists. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Low severity

(low). A marker for low severity Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lower limit of a 95% confidence interval

(lowerCI95). Specifies the the lower limit of a 95% confidence interval. Should typically be linked to an upper limit, and some indication of data spread (ie. standard deviation), and a mean/median measure. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link:

NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnit-Val Maximum Value: seeUnit-Val Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low-volume sample

(lowVol). Sample is low-volume, but was run regardless. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Long-term care facility

(ltcf). A residential healthcare facility that provides 24-medical care. These are also called skilled nursing facilities. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Long-term care - assisted living or retirement home

(ltcfAl). A residential facility that provides assistance with daily care but generally does not provide skilled nursing care. *Part Type:* categories *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment*

Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other long-term care

(ltcfO). Other residential facilities that provide daily and/or medical care, but are not defined as nursing home/skilled nursing facilities or assisted living facilities. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Life technologies digital PCR

(ltDpcr). Describes a PCR analysis done using Life Technologies' digital PCR technology. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lysis buffer

(lysi). Lysis buffer. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Cubic metres per day

(m3D). Cubic metres per day. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per hour

(m3H). Cubic metres per hour. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per second

(m3S). Cubic metre per second. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Manufacturer

(manufacturer). Manufacturer of an instrument. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mate pair layout

(mateLay). Specifies the mate pair layout for a sequencing method. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum length

(maxLength). The maximum length of the value of a part or measure. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum value

(maxVal). Highest value in a range of values for a measure. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnit-Val Maximum Value: seeUnit-Val Maximum Value: seeUnit-Val Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Maximum value part support

(maxValue). The maximum value of a part. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Arithmetic mean

(me). Arithmetic mean. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measurement group

(measGrp). A group of measures that cannot be otherwise categorized. Part Type: groups Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other Measure

(measOth). Other measure, not otherwise specified in measures. Add description to categoryOther. Part Type: measurements Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length:

Parts

NA Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Measures quality set

(measQualitySet). A quality set for any measure, includes all the quality flag options for any measure. Used as an "any quality set" for measures, but excludes the sample quality flags to avoid confusion and data entry errors. Part Type: qualityIndSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure

(measure). A measurement or observation of any substance including a biological, physical or chemical substance. An measurement is recorded from a specimen (i.e. a site, sample, person or population). Measures are organized into groups and classes (sub-groups). Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measures

(measurements). The attribute to describe a part type of measures. All measures have 'partType' = "measure". Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Report ID

(measureRepID). Unique identifier for a measurement. Report IDs cannot be repeated. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measure report table

(measures). The table that contains information and details about a given measure adapt from verson 1 documentation Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Parts

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measure set report table

(measureSets). The table that identifies sets of measures. Examples of measure sets include a set of replicates, dilutions (used to generate a Ct curve) or varients that are identified in a single sample. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure sets table column order

(measureSetsOrder). Specifies the order of the columns in a Measure Sets table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure Set table required headers

(measureSetsRequired). Specifies the columns required in a Measure Sets table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measures table column order

(measuresOrder). Specifies the order of the columns in a Measures table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measures table required headers

(measuresRequired). Specifies the columns required in a Measures table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Report set ID

(meaureSetRepID). Unique identifier that links together a group of related measures. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Median

(med). Median. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized arithmetic mean

(menr). Arithmetic mean, normalized. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Other Measure Description

(meOthDe). Description of other measure (measOtherDesc). Part Type: measurements Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 60 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Measure license

(mesureLic). Specifies the access and use licensing for a given single measurement. Populated by partID = licenseID Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Method

(method). A procedure for collecting a sample or performing a measure. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration method

(methodConc). Description of the method to concentrate a wastewater sample. Description of the method used to concentrate the sample Part Type: methods Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: methodConcSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration method set

(methodConcSet). A set a concentration methods. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link:

NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Methods

(methods). Procedures or steps for collecting samples or performing measures. For example, 'methodExtract' is a method that describes the how a sample was extracted. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with acidification and mgcl2

(mfAcidmgcl2). Membrane filtration with acidification and mgcl2 Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with acidification and mgcl2, membrane recombined with separated solids

(mfAcidmgcl2SS). Membrane filtration with acidification and mgcl2, membrane recombined with separated solids Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with addition of mgcl2

(mfMgcl2). Membrane filtration with addition of mgcl2 Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with mgcl2 and separated solids

(mfMgcl2SS). Membrane filtration with addition of mgcl2, membrane recombined with separated solids *Part Type*: categories *Domain*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group*: naGroup *Class*: naClass *Nomenclature*: naNomenclature *Ontology Reference*: NA *Category Set ID*: NA *Unit Set*: naUnitSet *Aggregation*

Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with no amendment

(mfNoAmend). Membrane filtration with no amendment Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with no amendment, membrane recombined with separated solids

(mfNoAmendSS). Membrane filtration with no amendment, membrane recombined with separated solids Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with sample acidification

(mfSampleAcid). Membrane filtration with sample acidification Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with sample acidification, membrane recombined with separated solids

(mfSampleAcidSS). Membrane filtration with sample acidification, membrane recombined with separated solids Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millions of gallons per day (MG/D)

(mgd). A unit for measuring of design capacity for was tewater treatment plants, represented as millions of gallons per day. Also can be used to measure flow. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Milligrams per litre

(mgL). Milligrams per litre. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Murine Hepatitis Virus

(mhv). A measure for amount of murine hepatitis viurs. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple issues

(mI). Multiple issues have arisen in the sequencing process. When using the 'multiple issues' quality flag, please specify the issues and details in

the notes section. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mid-level severity

(mid). A marker for med-level severity, where there are some concerns. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Minimum length

(minLength). The maximum value of measure. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Minutes

(minutes). A unit for indicating a length of time in minutes. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Minimum value

(minVal). Lowest value in a range of values for a measure. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnit-Val Maximum Value: seeUnit-Val Maximum Value: seeUnit-Val Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Minimum value part support

(minValue). The minimum value of part. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous attribute group

(miscAttr). A group of miscellaneous measurement-like attributes. Examples of these would be longitude and latitude, or EPSG coordinates. Part Type: groups Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous measure group

(miscMeas). A group of measures that cannot be otherwise categorized. Part Type: groups Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Missingness

(missingness). The part type for missingness values. Only used for the dictionary entries of parts. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Missingness sets

(missingnessSets). Missingness sets for measures, methods or attributes. Inputted data into an ODM field may have missing data. The missingness set lists valid missing categories for the measure, method, or attribute. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mixed/homogenized sample

(mix). Mixed or homogenized sample or fraction analyzed. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Millilitres

(ml). Millilitres of volume Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group:

Parts

naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Megalitres per day (ML/d)

(mld). Megalitres per day. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millimetres

(mm). Unit part for the SI unit of millimetres. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Measure, method, or attribute

(mmaSet). The set for a measure, method, or attribute. Only applicable for categorical fields, and the categories that populate them. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure, method, or attribute sets

(mmaSets). A set of categories. For example, site type has a list of different sites, such as a wastewater treatment plant, a septic tank, or a pumping station. Only used for the dictionary entries of parts. Part Type: part-Type Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Model

(model). Model number or version of the instrument. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA

Parts

Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Months

(months). A unit for indicating a length of time in months. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Moore swab passive sample

(moorSw). Moore swab passive sample. Use collectionPeriod to describe how many hours the Moore swab was used to collect the sample Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Metres per second

(ms). metres per second. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group:

naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ms2 coliphage

(ms2Col). Measure of the amount of ms2 coliphage. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ms2 coliphage spike target

(ms2ColMat). ms2 coliphage is used as the recovery efficiency control target. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Matrix spike duplicate

(msd). A known amounts of an analyte or representative compounds are added in the laboratory to a second aliquot of the sample used for matrix spike. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Moore swab passive sample depreciated

(mspsDep). Moore swab passive sample. Deprecated in version 2, please do not use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Major sewer pipeline

(mSwrPpl). Major sewer pipeline Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type:

varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Mu

(mu). B.1.621 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

murine coronavirus

(muCo). Measure of the amount of murine coronavirus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

murine coronavirus spike target

(muCoMat). Murine coronavirus is used as the recovery efficiency control target. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup

Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple fraction

(mul). Multiple fractions were analyzed separately and aggregated together post-analysis. This fractionID is intended for use for archival data and should not be used for newly added new moving forward (2022). Please also specify in the notes section which fractions were used for the multiple fractions (ex. solid and liquid) to avoid loss of information. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple Purpose

(multiple). A measure or sample taken for multiple purposes, not easily captured by the other purpose categories. Useful for parent samples where various subsamples will have different purposes/ Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum

Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Municipalities or communes

(municipalLevel). Municipalities or communes Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: na-CompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Municipality

(municp). A complete municipality, this specifies an entire metropolitan area, either a city, town, etc. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mutations class

(mutation). Measures and methods related to mutations. Part Type: classes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit

Parts

Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

N sars-cov-2 gene target

(n). N sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Value: See-UnitVal Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Combined N1 and N2 sars-cov-2 gene target

(n1n2). Combined N1 and N2 sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

n211i omicron-variant gene target { #n211i }

(n211i). n211i omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

n679k omicron-variant gene target { #n679k }

(n679k). n679k omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

n856k omicron-variant gene target { #n856k }

(n856k). n856k omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link:

Parts

NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

n969k omicron-variant gene target { #n969k }

(n969k). n969k omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Not applicable

(NA). The field for which the expected value is not a property of the described object. Missing value indicator for missing data with no explanation. Part Type: missingness Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation not applicable

(naAggr). Not applicable for aggregations. Used for parts for which an aggregation value is not applicable or appropriate. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation scale not applicable

(naAggrScale). Not application for aggregation sets. Used for parts for which an aggregation scale value is not applicable or appropriate. Part Type: aggregationScales Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation set not applicable

(naAggrSet). Not application for aggregation sets. Used for parts for which an aggregation set value is not applicable or appropriate. Part Type: aggregationSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID:

NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Class not applicable

(naClass). Class is not applicable. Use this for all parts that don't have classes (most non-measure or method parts) Part Type: classes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartment not applicable

(naCompartment). Compartment not applicable. Part Type: compartments Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 13 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartment set not applicable

(naCompartmentSet). Compartment not applicable. Part Type: compartmentSets Domain: naDomain Speciment ID: naSpecimenSet Compart-

ment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 13 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Domain not applicable

(naDomain). Not applicable. Use 'not applicable' when there is no domain for the part Part Type: domains Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Group not applicable

(naGroup). Used when there is no group; ie. group is not applicable. Use 'not applicable' when there is no group for the part Part Type: groups Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Name

(name). Name of a domain, specimen, group, class, attribute, unit, nome-clature or other entity. Name of any entity. Use a prefix to distinguish names from different report tables. See fully specified name (FSN) list. i.e. Si-name = Site name, Po-name = Polygon name, Or-name = Organization name, Me-name = Method-name. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Not a number

(nan). The outcome of a measurement is not a valid number (plus or minus infinity, error, ...) Missing values indicator for when a numeric value is expected but not given. Part Type: missingness Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Nomenclature not applicable

(naNomenclature). Not applicable. Use 'not applicable' when there is no nomenclature for the part *Part Type*: nomenclatures *Domain*: naDomain

Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen not applicable

(naSpecimen). Non applicable specimen. Use 'not applicable' when there is no specimen/set for the part Part Type: specimenSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen set not applicable

(naSpecimenSet). A specimen set for when specimen/specimen set is not applicable. Use 'not applicable' when there is no specimen/set for the part Part Type: compartmentSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Native Name

(natName). The native name of the language, i.e. what the language is called by its speakers. Part of the metedata for a languageID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit not applicable

(naUnit). Not appliable for units. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit set not applicable

(naUnitSet). Not applicable for unit sets. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

National Center for Biotechnology Information

(ncbi). NCBI header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NCBI - notes

(ncbiNotes). NCBI notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Neighbourhood

(neigh). A municipal neighbourhood, this specifies a sub-section of a larger municipality. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA

Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Local administrative units or neighborhoods

(neighborLevel). Local administrative units or neighborhoods Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population of newly vaccinated persons

(newVax). Population of newly vaccinated persons Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NextClade nomenclature

(nextclade). Specifies variant or genetic nomenclature as set out by NextClade. Part Type: nomenclatures Domain: naDomain Speciment ID:

naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Normalized geometric mean

(ngmn). Geometric mean, normalized. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ammonium Nitrogen

(nH4N). Ammonium nitrogen concentration, as N. Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

niid_2019-ncov_n sars-cov-2 gene target

(niid19). niid_2019-ncov_n sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns

(noConcern). A flag to indicate there is are no quality concern about the measure or sample. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: 1 Maximum Value: 1 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample not labelled

(noLabel). Sample had no label Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

No liquid concentration, liquid recombined with separated solids

(noliquid). No liquid concentration, liquid recombined with separated solids Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nomenclature

(nomenclature). A classification system to report the measure class. Only applicable to variants, mutations, and diseases. Currently only used for class = variant, mutation, or disease. Valid options are currently restricted to 'NextClade', 'Pangolin', 'WHO', or 'ICD'. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nomenclatures

(nomenclatures). A classification system to report the measure class. See partID = nomenclatureID. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NORMAN

(norman). NORMAN header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NORMAN - notes

(normanNote). Norman notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Norovirus G1

(noroG1). Norovirus genogroup 1 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Norovirus G2

(noroG2). Norovirus genogroup 2 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Notes

(notes). A note used to describe details that are not captured in other attributes There is no recommended structure of a note. Use notes as

needed. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 200 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample missing time stamp

(noTime). Sample is missing the autosampler time; incomplete metadata on collection. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Not reported

(nr). A value could have been recorded, however, it was not. Missing value indicator for data that is absent because it was not reported. Part Type: missingness Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not reported, Not applicable missing set

(nrNAMissingnessSet). Not reported, Not applicable missing set. Part Type: missingnessSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sarbecovirus-specific N sars-cov-2 gene target

(nSarbec). Sarbecovirus-specific N sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nephelometric turbidity unit

(ntu). Nephelometric Turbidity Units, a unit used in the measurement of turbidity (see "turbidity" under measureIDs). Nephelometric turbidity units (NTU) are based on white light (400–680nm) and 90° incident angle. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference

Parts

Link: https://www.sciencedirect.com/topics/engineering/nephelometric-turbidity-unit Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nuclisens automated magnetic bead extraction kit

(nucAuto). Nucleic acid extraction performed using the nuclisens automated magnetic bead extraction kit. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nuclisens manual magnetic bead extraction kit

(nucManu). Nucleic acid extraction performed using the nuclisens manual magnetic bead extraction kit. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Null

(null). A logical representation of a statement that is neither TRUE nor FALSE. Missing value indicator when the value is neither TRUE nor FALSE. Part Type: missingness Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

National Wastewater Surveillance System

(nwss). NWSS header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NWSS - notes

(nwssNotes). NWSS notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA

Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

NWSS - process

(nwssProcess). NWSS process Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water

(nww). Non-wastewater, coming from any kind of water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

coronavirus OC43

(oc43). Measure of the amount of coronavirus OC43. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference

ence Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

oc43 spike target

(oc43Mat). Human coronavirus OC43 is used as the recovery efficiency control target. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ocean, natural water body

(ocean). Ocean, natural water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Other Collection depreciated

(oColDep). Other type of collection method. Add description to collectionOther. Deprecated as of version 2, please avoid use. Specify in type,

or contact the PHES-ODM research team to add your specific item via a github issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Lab Analysis

(ola). Offline laboratory analysis. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Omicron BA.1

(omicr1). Omicron B.1.1.529 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.2

(omicr2). Omicron BA.2 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.2.75

(omicr275). Omicron BA.2.75 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.4

(omicr4). Omicron BA.4 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.5

(omicr5). Omicron BA.5 Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: who Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Onset date

(onsDate). Earliest that symptoms were reported for this case. This data is often not known and reported. In lieu, episode is used. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Online Sensor

(onse). Online sensor An online sensor Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ontology reference

(ontologyRef). Ontology reference for a part. This field contains a link to an existing ontology reference for the part. ODM content spans several existing ontologies. ODM does not strive to generate a new ontology, rather ODM seeks to harmonize and extend dictionaries for application in environmental and public health surveillance. Part Type: part-Support Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 200 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Orthophosphates

(ophos). Ortho-phosphate concentration. Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: water-CompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Other residential building

(orb). Individual residential buildings or institutions not captured in other categories Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

OR Boolean aggregation

(orBoo). "OR" aggreation. If any value in the aggregation is "TRUE" then the OR aggregation is also "TRUE". If all values in the aggregation is "FALSE" then the OR aggregation is also "FALSE". Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ORF1a sars-cov-2 gene target

(orf1a). ORF1a sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data

Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ORF1ab sars-cov-2 gene target

(orf1ab). ORF1ab sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ORF1b sars-cov-2 gene target

(orf1b). ORF1b sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization ID

(organizationID). A unique identifier for the organization to which the reporter is affiliated. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Organization table

(organizations). The table that contains information about a laboratory, adapt from verson 1 documentation Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Organizations table column order

(organizationsOrder). Specifies the order of the columns in a Organizations table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA

Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organziation table required headers

(organizationsRequired). Specifies the columns required in a Organizations table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization level

(orgLevel). The geographic level of an organization. There are six levels based on International Standard Classification of Administrative Units (ISCU). Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: orgLevelSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization level set

(orgLevelSet). Categories of organization levels. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization sector

(orgSector). The sector of an organization Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: orgSectorSet Unit Set: naUnit-Set Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization sector set

(orgSectorSet). Cateogries of organization sectors. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization Type

(orgType). Specifies the type or purpose of a given organization. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: orgTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: nr-NAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization type set

(orgTypeSet). The set for storing organization types. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample origin

(origin). An attribute of a sample specifying the origin. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample Origin set

(originSet). The set for storing the valid categorical values of sample origin. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other Collection depreciated

(otco). Other type of collection method. Add description to collectionOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Other aggregation scale

(othAgg). Specifies an aggregation scale that can't be described as either "qualitative" or "quantitative". Part Type: aggregationScales Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other

(other). Other Other category. A categorical response for several variables in version 1. Also accompanied by a free text field. Depreciated in version 2, with common text fields added as new categories in version 2.0.0 Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 2.0.0. Last updated: 2.0.0.

Other aggregation set

(otherAggrSet). Aggregation set used for unitless measures. Part Type: aggregationSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link:

NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other aggregation depricated

(otherDep). Other aggregation method. Add description to aggregationOther Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Access to other prov depricated

(otherProvDep). If this is 'no', this data will not be available to other data providers not listed before. If missing, data will be available to other data providers not listed before Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Other report table set

(otherReportTableSet). Additional tables that form the full data model. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variants Other

(otherV). Used for reporting variants detected for which a specific measureID doesn't already exist. The ODM team will periodically migrate collected responses in this category into set measureIDs. Please write in an official name for the new variant that was detected, and specify which nomenclature you're using with the nomenclatureID. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: variant Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other Site - sample depreciated

(otsisaDep). Other type of site. Add description to typeOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github

issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Other Site - Site depreciated

(otsisiDep). Other site type. Add description to typeOther Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Other Unit depricated

(otunDep). Other measurement of viral copies or wastewater treatment plant parameter. Add description to UnitOther. Deprecated as of version 2, please avoid use. Specify in type, or contact the PHES-ODM research team to add your specific item via a github issue (https://github.com/Big-Life-Lab/PHES-ODM/issues), or at phesd_odm@ohri.ca Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference

Link: NA Data Type: integer Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Outbreak

(outb). Measure to indicate outbreak status. Given that when outbreaks occur, full data on case counts may not be available or completely accurate, using this measure indicates that case counts may be approximate. The datetime for the measure helps indicate that start and end periods for an outbreak. Part Type: measurements Domain: bio Speciment ID: poSpecimenSet Compartment Set: humanCompartmentSet Group: miscMeas Class: outbreak Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: outbreakSet Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak End

(outbEnd). Indicates an outbreak has ended. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak - on-going

(outbOngoing). Indicates an outbreak is on-going. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak class

(outbreak). Measures and methods relating to public health outbreaks. Part Type: classes Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: outbreak Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak set

(outbreakSet). set for the valid values of the outbreak measure. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: outbreakSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak start

(outbStart). Indicates an outbreak began. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

p100l delta-variant gene target

(p100l). p100l delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

p2046l delta-variant gene target

(p2046l). p2046l delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-

Parts

Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

p2287s delta-variant gene target

(p2287s). p2287s delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

p3395h omicron-variant gene target { #p3395h }

(p3395h). p3395h omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

p681r delta-variant gene target

(p681r). p681r delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Paired Layout

(pairLay). Specifies the paired layout for a sequencing method Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pangolin nomenclature

(pangolin). Specifies variant or genetic nomenclature as set out by the Phylogenetic Assignment of Named Global Outbreak Lineages (Pangolin). Part Type: nomenclatures Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parent dataset ID

(parDatasetID). The datasetID that is a parent to another datasetID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parent sample ID

(parent). If this sample has been pooled into one big sample for analysis this indicates the sample of the larger pooled sample. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.1.0. Last updated: 2.0.0.

Parent Site ID

(parSiteID). The siteID that is a parent to another siteID; usually the subsite will be contained in the parentSite. An example would be surface test-

ing in a LTC facility. The LTC facility would be the parentSiteID, and the various rooms/surfaces would be the sub-sites, or child-sites. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Part description

(partDesc). The description of the part. Provides description of the part, used for translation. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Part identifier

(partID). The unique identify of any entity within the dictionary. Every entity in the ODM has a partID. The partID must be unique with no duplcates. partIDs are short. partIDs that are constructed by different part attributes can be up 28 characters (check max), but each part attribute should be 1 to 5 characters. partIDs are machine readible, but a knowledgable user can understand what they represent. partID are used, for example, as a header in an Excel input table. Numbers are allowed but there no other special characters other than ": " is a reserved character

that is used to generate a partID using a compoent or table attributes. A partID for a subComponent is automatically generated using attributes of a component. For example, the partID for the compoent 'SARS-CoV-2' is 'covid'. 'Covid' can have many subComponents including different groups (Covid-19-al, Covid-19-va, ovid-pr (allele, variant or protein) or units and aggregatrions (i.e. covid-al-N1-mean-cpl representing ovid allele N1, mean observation of viral copies per litre of effluent). A similar approach to naming subComponent is use for naming parts in a reprotTable. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 28 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Part instruction

(partInstr). Additional notes and instructions on how a part is used and/or defined. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 200 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Label

(partLabel). A human readable label of a part. Typically, a part label has no acrynomus (every word is spelled out). Equivalent to a LOINC com-

mon name. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parts Look-up table

(parts). Look up table containing all parts in of the data model. Contains all parts, including self-referential parts. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: lookup Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parts table column order

(partsOrder). Order of headers in the Parts table. Part Type: table-Support Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parts table required headers

(partsRequired). Required headers in the Parts table. Part Type: table-Support Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Part types

(partType). Part types describe the purpose or use of the part. Enivornment data has three main part types: measure (i.e. covN1 viral measures, wasteawater flow rate, temperature), method (e.g. how the measure was taken), and attribute (such as a site name). See description of each of the part types within categorySetID = partTypeCatSets. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary Clarifier Effluent depreciated

(pceDep). Effluent obtained after primary clarifiers. Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass

Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Postal or Zip Code

(pCode). The zip code or postal code for a given address, specifying a specifc geographic area. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qPCR Class

(pcr). Measures and methods relating to qPCR. Part Type: classes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PCR method

(pcrmeth). Description of the PCR method. Description of the PCR method used Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: measGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: pcrSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

PCR quality set

(pcrQualitySet). Quality set for PCR measures. Part Type: qualityInd-Sets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PCR sequencingsSelection method

(pcrSeq). Specifies the PCR selection method for sequencing, ie. that a pre-determined primer was used. Primer should be specified if this is selected. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PCR Method set

(pcrSet). The set capturing containing all of the valid methods for the PCR methodID. Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: pcrSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary Clarifier Sludge depreciated

(pcs). Sludge produced by primary clarifiers. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: water-CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Primary clarifier effluent

(pEfflu). Effluent obtained after primary clarifiers Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set:

naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Polyethyleneglycol (PEG) precipitation

(peg). Peg precipitation Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: proc-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Percent

(perc). Percentage. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Percent recovery

(percRec). Percent of the surrogate recovery for a recovery efficiency control assay. Use this for reporting the results of any recovery control assay. *Part Type:* units *Domain:* naDomain *Speciment ID:* saSpecimenSet

Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

pН

(ph). pH measurement Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: miscMeas Class: pHClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value: 14 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Access to phac

(phac). If this is 'no', the data will not be available to employees of the Public Health Agency of Canada - PHAC. If missing, data will be available to employees of the Public Health Agency of Canada - PHAC. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

PHAGE

(phage). PHAGE header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PHAGE - notes

(phageNotes). PHAGE notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

pH class

(pHClass). Measures and methods relating to pH. Part Type: classes Domain: che Speciment ID: siSaSpecimenSet Compartment Set: any-CompartmentSet Group: naGroup Class: pHClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Phenol chloroform

(phenCl). Nucleic acid extraction performed using phenol chloroform. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pseudomonas virus phi6

(phi6). Measure of the amount of pseudomonas virus phi6. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

phi6 spike target

(phi6Mat). Pseudomonas virus phi6is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact phone

(phone). Contact phone number, for the lab. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 10 Maximum Length: 12 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Total phosphorous

(phos). Total phosphorous Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Total Phosphates

(phostot). Total phosphates *Part Type:* measurements *Domain:* phy *Speciment ID:* siSaSpecimenSet *Compartment Set:* waterCompartmentSet *Group:* miscMeas *Class:* standardConc *Nomenclature:* naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

PHRED quality score

(phred). PHRED Quality Score For Sequencing Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Physical property

(phy). A physical property or object not characterized by life or chemistry. Part Type: domains Domain: phy Speciment ID: anySpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Physical class

(physical). Measures and methods related to generic physical properties. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary key

(pK). Primary key for a table. All report tables have a primary key. Each row in a report table has unique identifier recorded in the primary key. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV- and flow-normalized mean

(pmFloMean). Mean measure normalized to amount of PMMoV and wastewater flow. Mostly used for reporting specific alleles (N1, N2, E, etc.) Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale

Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV-normalized mean

(pmmovNorm). Mean measure normalized to amount of PMMoV. Mostly used for reporting specific alleles (N1, N2, E, etc.) Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Value: see-UnitVal Minimum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population

(po). An measure or observation for a geographic area or population. Examples include human compartment measures such as case numbers, hospitalization rates for diseases or surface or air compartment measures such as snow coverage or ambient temperature. Part Type: specimens Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Post-Grit depreciated

(pogr). Raw wastewater after a treatment plant's headworks. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Polygon ID

(polygonID). Unique identifier for the polygon. A polygon is a geographic are representing the capment area of an environmental sample. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Polygon table

(polygons). The table that contains information about the geometry of a geographic area. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length:

0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Polygons table column order

(polygonsOrder). Specifies the order of the columns in a Polygons table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Polygon table required headers

(polygonsRequired). Specifies the columns required in a Polygons table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Polygon Population

(polyPop). An attribute of a polygon, which specifies the population of that polygon. A rough estimate of the number of human residents. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pooled

(pooled). Is this a pooled sample, and therefore composed of multiple child samples obtained at different sites Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Type of date for case reporting depreciated

(popDateTypeDep). Type of date used for confirmed cases. Typically, report or episode are reported. Onset and test date is not usually reported within aggregate data. Part Type: attributes Domain: bio Speciment ID: poSpecimenSet Compartment Set: humanCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: methodConcSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Case reporting date set

(popDateTypeSet). set for the date of case reporting. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: popDateTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Population equivalents

(popEq). A unit for measuring of design capacity for wastewater treatment plants, represented as the approximate amount of water a signle person would use. Part Type: units Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Population group

(popGrp). A group of measures/methods related to population-level factors. Examples might be case numbers, hospitalization rates, etc. Part Type: groups Domain: allDo Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: popGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference

Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population Served

(popServ). An attribute of a site, which specifies the population of/population served by a given site. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population unit set

(populationUnitSet). Unit set for hospital-related measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: humanCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: populationUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population or sample set

(poSaSpecimenSet). A specimen set that inculdes population or sample specimen. Part Type: specimenSets Domain: naDomain Speciment

ID: poSaSpecimenSet Compartment Set: naCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population or site set

(poSiSpecimenSet). A specimen set that inculdes population or site specimen. Part Type: specimenSets Domain: naDomain Speciment ID: poSiSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population specimen set

(poSpecimenSet). A specimen set that inculdes only a population specimen. Part Type: specimenSets Domain: naDomain Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Percent positive

(pp). Percent positive of sample measures. Can use for Moore swabs, etc. Part Type: units Domain: bio Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

parts per million

(ppm). Parts per million. Part Type: units Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

PMMoV-CP

(ppmv). Pepper mild mottle virus capsid protein gene region Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Min-

imum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent positivity rate

(pprt). Percent positivity rate of tests conducted within a day in a given region. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent primary sludge

(pps). Percentage of total solids, for primary sludge. Part Type: units Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnit-Set Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Precipitation class

(precipation). Measures and methods related to precipitation. Part Type: classes Domain: phy Speciment ID: siSpecimenSet Compartment Set: any-CompartmentSet Group: naGroup Class: precipitation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: precipitationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA

Parts

Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Precipitation unit set

(precipitationUnitSet). Unit set for percipitation measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: precipitationUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pretreatment

(pretreat). Was the sample chemically treated in anyway with the addition of stabilizers or other Pretrement method can be describe using a method. See methodID. Part Type: methods Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Genetic primer

(primer). Method ID used for indicating the primer used for a PCR or sequencing assay. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: measGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: primerSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic primer set

(primerSet). The set for genetic primers used in sequencing or PCR assays. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: primerSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Private sector

(priv). The category of organization type used for private sector or non-profit groups that are not otherwise captured by the academic category. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference

Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Processing group

(procGrp). A group of measures/methods related to processing samples for analysis. Part Type: groups Domain: allDo Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Program decription tables

(programDescr). Tables used to describe surveillance and testing programs. Program description tables record metadata on the organizations, locations, and protocols. Information include the name, location, and other contact information. These tables are usually completed once and they are updated only when contact information changes. Part Type: classes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: na-CompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega automated tna kit

(promAuto). Nucleic acid extraction performed using the promega automated tha kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega ht tna kit

(promHt). Nucleic acid extraction performed using the promega ht tna kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega manual tna kit

(promManu). Nucleic acid extraction performed using the promega manual tna kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega wastewater large volume tna capture kit

(promWW). Nucleic acid extraction performed using the promega wastewater large volume tha capture kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Proportion of total

(prop). Proportion as a precent of total. Part Type: units Domain: naDomain Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Proportion of variant in sample

(propV). Proportion of a variant as percent of total variants. Part Type: units Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature:

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Protocol ID

(protocolID). A unique identifier for a given protocol. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID container

(protocolIDContainer). Unique identifier for the protocol and the steps and other protocols that make it up. Protocol ID Container in popuated by a protocolID (partID = protocolID) Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID object

(protocolIDObj). The object of the relationship between one protocol and another protocol or step, within a given protocol ID container. Populate this field using Protocol ID (partID = protocolID). Together with 'protocolIDSub' or 'stepIDSub' and 'relationshipID', the protocol relationship is defined as: [protocolIDSubject or stepIDSubject] [relationshipID] [protocolIDObject or stepIDObject]. Ex: stepIDSubject precedes protocolIDObject. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID subject

(protocolIDSub). The subject of the relationship between one protocol and another protocol or step, within a given protocol ID container. Populate this field using Protocol ID (partID = protocolID). Together with 'protocol-IDObj' or 'stepIDObj' and 'relationshipID' the row of 'protocolRelationships' should say: [protocolIDSubject or stepIDSubject] [relationshipID] [protocolIDObject or stepIDObject]. Ex: stepIDSubject precedes protocolIDObject. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol relationships table

(protocolRelationships). The table that contains the organizational information and details (such as order) about a given protocol, recorded as a series of protocol steps (protocolSteps). Protocols are a group of related protocol steps. For example a protocol step can describe a sample concentration, extraction, inhibition or a measurement. Protocols can include both methodID (a proceedure) and measureIDs (a measure). An example of a method is centrifugation; where the centriguation rotation speed is described as a measure. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol relationships table column order

(protocolRelationshipsOrder). Specifies the order of the columns in the Protocol Organization table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol Relationship table required headers

(protocolRelationshipsRequired). Specifies the columns required in the Protocol Organization table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol Relationships set

(protocolRelSet). set for valid values of relationshipID in the protocolRelationships table. Use only for protocolRelationships table relationshipID. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: protocolRelSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocols table

(protocols). The table for protocols. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA

Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocols table column order

(protocolsOrder). Specifies the order of the columns in the Protocols table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocols table required headers

(protocolsRequired). Specifies the columns required in the Protocols table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol steps table

(protocolSteps). The table for collecting metadata on individual steps in a protocol, methodological process, or assay. *Part Type:* tables *Domain:*

naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Protocol steps table column order

(protocolStepsOrder). Specifies the order of the columns in a Protocol Steps table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol steps table required headers

(protocolStepsRequired). Specifies the columns required in a Protocol Steps table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol table set

(protocolTableSet). Tables holding information on the methods used for sample collection or measurement. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol version

(protocolVersion). Specifies the version of a method set. Version of the method set. Semantic versioning is recommended. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to prov ha

(provHA). If this is 'no', this data will not be available to provincial health authorities. If missing, data will be available to provincial health authorities. *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* naCompartmentSet *Group:* naGroup *Class:*

naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Provisional report

(provisional). A provisional or interm report. Use for measurement that are not yet finalized. Typically this purpose is not publicly reported. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary clarifier sludge

(pSludge). Sludge produced by primary clarifiers Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: water-CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Pumping station

(pStat). Pumping station Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Post-grit

(pstGrit). Raw wastewater after a treatment plant's headworks (post grit or removal of large solids at a treatment plant but priort to a primary clarifier) Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Pretreatment description - depreciated

(ptDescDep). If preTreatment then describe the treatment that was performed. Deprecated in version 2, please do not use. Use pretreatment methodID and specify further in summary and/or notes, if necessary. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set

ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 255 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Number of positive tests

(ptot). Number of positive tests conducted within a day in a given region. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Public healith agency

(pubHealth). Public health agency. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to public

(public). If this is 'no', this data will not be available to the public. If missing, data will be available to the public. *Part Type:* attributes *Domain:*

naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Puro virus

(puro). Measure of the amount of puro virus. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: any-CompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticunitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Puro virus spike target

(puroMat). Puro Virus is used as the recovery efficiency control target. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Purpose

(purpose). The reason the measure or sample was taken. See allowed categories: report, quality control, validation study, test Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: purposeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Purpose set

(purposeSet). Purpose set for a sample or measure. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: purposeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

q19e omicron-variant gene target { #q19e }

(q19e). q19e omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link:

NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

q493r omicron-variant gene target { #q493r }

(q493r). q493r omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

q498r omicron-variant gene target { #q498r }

(q498r). q498r omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

q954h omicron-variant gene target { #q954h }

(q954h). q954h omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quaility assurance method

(qaqc). Quality assurance and quality control method. Description of the quality control steps taken Part Type: methods Domain: allDo Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: proc-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Quality concerns

(qf1). A flag to indicate there is a quality concern, not otherwise sepcified. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: 0 Maximum Value: 0 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

qiagen allprep dna/rna kit

(qgDNARNA). Nucleic acid extraction performed using the qiagen allprep dna/rna kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen digital PCR

(qgDpcr). Describes a PCR analysis done using Qiagen's digital PCR technology. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen ez1 virus mini kit v2.0

(qgEz1). Nucleic acid extraction performed using the qiagen ez1 virus mini kit v2.0. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass

Parts

Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen allprep powerfecal dna/rna kit

(qgPwrFecal). Nucleic acid extraction performed using the qiagen allprep powerfecal dna/rna kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen allprep powerviral dna/rna kit

(qgPwrViral). Nucleic acid extraction performed using the qiagen allprep powerviral dna/rna kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen powerwater kit

(qgPwrWtr). Nucleic acid extraction performed using the qiagen powerwater kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

giagen giaamp buffers with epoch columns

(qgQiAmp). Nucleic acid extraction performed using the qiagen qiaamp buffers with epoch columns. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen rneasy kit

(qgRneasy). Nucleic acid extraction performed using the qiagen rneasy kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen rneasy powermicrobiome kit

(qgRneasyPwr). Nucleic acid extraction performed using the qiagen rneasy powermicrobiome kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quantitative PCR

(qpcr). Real-time PCR, also called 'quantAggScale' PCR Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Qualitative

(qualAggScale). The qualitative aggregation scale. Part Type: aggregationScales Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA

Unit Set: naUnitSet Aggregation Scale: qualAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality control

(qualityControl). A measure or sample taken for the purpose of quality control. Measures with this category are take to assess quality control. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality flag

(qualityFlag). A field for reporting any quality concerns - of lack thereof-for a sample or measure. Types of quality flag vary on context; please see the qualityFlagSet to be confirm. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality report ID

(qualityID). A unique identifier for a given quality report. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality indicators

(qualityIndicators). A measure of the quality of a reported value or sample. Only used for the dictionary entries of parts. Part Type: part-Type Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality indicator sets

(qualityIndSets). Sets of quality indicators or measures. For example, PCR have a quality measure set. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value:

NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality reports table

(qualityReports). The table for recording the various quality metrics and indicators for samples and measures. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality rerpots table column order

(qualityReportsOrder). Specifies the order of the columns in the Quality Reports table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality report table required headers

(qualityReportsRequired). Specifies the columns required in the Quality Reports table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group:

Parts

naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality set

(qualitySetID). The quality set that corresponds to a given part. Only applicable for samples and measures. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quantitative

(quantAggScale). The "quantAggScale" aggregation scale. Part Type: aggregationScales Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

R squared

(r2). R-squared value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. Part Type: measurements Domain: allDo Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: standard-Curve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

r203m delta-variant gene target

(r203m). r203m delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raindance digital PCR

(rainDpcr). Describes a PCR analysis done using Raindance's digital PCR technology. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality

Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rainy

(rainy). Qualitative category for the weather measure, specifying a rainy day. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Random sequencing selection method

(ranSeq). Specifies the random selection method for sequencing No primer set should be used if this is selected. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ratio

(ratio). Ratio (unitless) Report as a real number or fration. i.e 10:2 ratio is reported as 5. The specifics of the ratio (the numerator and the demonina-

tor) are described in the measure. Part Type: units Domain: naDomain Speciment ID: anySpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raw wastewater

(raws). Raw wastes water sample Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Raw sewage at site

(rawWW). Wastewater without any form of treatment Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Raw sewage downstream from a site

(rawWWdown). Downstream from a site. See partType = rawWWup. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raw sewage upstream from a site

(rawWWup). Upstream from a site. Used when there is not direct access to a site's wastewater inconjuction with downstream sample. For example, if the site is a long-term care home, but ther is not access to the building or property cleanout. Use two sameple, one sample upstream and one sample downstream. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

IP2 rdrp sars-cov-2 gene target

(rdrpIP2). IP2 rdrp sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-

Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

IP4 rdrp sars-cov-2 gene target

(rdrpIP4). IP4 rdrp sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Date sample recieved

(recDate). The date the sample was received at the laboratory for analysis. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Recovered patients

(recov). Units for describing a population measure of patients who have recovered from a given disease. Unit for a population or disease measure to explain population-level clinical effects. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Reference link

(refLink). Link to the reference material for a part. May link to literature on a method, measure, etc. Link to standard operating procedure for a measure or part. Part reference is a reference to a technical document that describes the part in detail. The reference could be a URL, DOI, or reference to a technical report. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 255 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Regular

(regular). A measure or sample taken for surveillance or epidemiology. A 'regular' measure is the default. Missing data will be recoded to this pur-

pose. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Regular reports table set

(regularReportTableSet). Tables used for daily reporting of new measurements and information on sample collection. Part Type: dictSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Relative humidity

(relHum). The unit of relative humidity, or the air-water mixture. The ratio of the partial pressure of water vapor in the mixture to the equilibrium vapor pressure of water over a flat surface. of pure water at a given temperature. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: site-Feat Class: humid Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: relHumidUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal

Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Relative humidity unit set

(relHumidUnitSet). Unit set for relative humidity measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: relHumidUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Representative grab sample

(repGrab). A single large representative grab sample. Deprecated in version 2, please do not use. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Replicate Type set

(replicateSet). The set for storing valid categorical values of replicate type. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: replicateSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

replicate number

(repNum). The replicate number for a Ct or Cq value - used for specifying out a protocol standard curve. Only applies and used for aggregated standard curves, or curves that are used across multiple plates. Otherwise, these details can be captured in a measure report and specified by measure index. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: standardCurve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary reporting authority

(repOrg1). The primary or most responsible authority for rountine surveillance reports or findings, or where the site is located. Use the 'organizations' table to describe attributes such as the name and address of the organziation. Use 'orgType', 'orgLevel' and 'orgSector' to describe additional attributes. For example, whether the organization is a government agency ('orgType'), local ('orgLevel'), or public health ('orgSector). If the attributes are not specified, the default is version 1.1.0 'publicHealthDepartment' defined as 'The public health department or region where the site is located. See also 'healthReg' if there is a separate regional health care delivery authority.' Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Secondary reporting authority

(repOrg2). The secondary, additional or alternative authority for rountine surveillance reports or findings, or where the site is located. Use the 'organizations' table to describe attributes such as the name and address of the organziation. Use 'orgType', 'orgLevel' and 'orgSector' to describe additional attributes. For example, whether the organization is a government agency ('orgType'), local ('orgLevel'), or public health ('orgSector). If the attributes are not specified, the default is version 1.1.0 'healthRegion', The health planning authority where is site is located. defined as 'The public health department or region where the site is located.' Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Reportable

(reportable). Flag for whether a measure is reportable or not, based on confidence in the measure and methods applied. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Report date

(reportDate). The date a measure was reported. This date is the first date the laboratory or enity reported the measure findings to the public health or other enity who ordered the measure or is responsible for action. Use the analyses end date if the measure is part of a research study or other purpose that does not have a reporting entity. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Reporter ID depreciated

(reporterIDDep). Unique identifier for the person or organization that is reporting the data. Part Type: attributes Domain: naDomain Speci-

ment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.1.0. Last updated: 2.0.0.

Reporter table depreciated

(reportersDep). The table that contains information about a reporter of a sample, method, measure, or attribute. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Replicate Type

(repType). Attirbute of a sample, specifying whether the sample is unique, or a replicate. And if it is a replicate, what type of replicate is it? Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: replicateSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Resuspend COSCa filter collection

(resCosca). Nucleic acid extraction via resuspension of a sample collected using the COSCa ball method. See partID = cosca for additional details. Part Type: categories Domain: bio Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 10 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Results tables

(results). Tables used to record samples, measures and quality reports. These tables are updated whenever a new sample is taken or a measure is reported. Quality reports are used to report quality assurance and quality control for samples and measures. Part Type: classes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Retention pond

(retPond). Retention pond Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation

Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

River, natural water body

(river). River, natural water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Role of contact

(role). Specifies the organizational role of a given contact. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rate per 100,000

(rP100). Units for describing a population measure of a rate of case incidence per 100,000 people of a given disease. Unit for a population or disease measure to explain population-level clinical effects. *Part Type:*

units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raw post-pasteurized wastewater

(rppw). Raw wastewater sample post-pasteurization Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Respiratory syncytial virus

(rsv). Respiratory syncytial virus. Part Type: measurements Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: allele Nomenclature: naNomenclature Ontology Reference: http://purl.obolibrary.org/obo/NCIT_C14267 Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

s2083i omicron-variant gene target { #s2083i }

(s2083i). s2083i omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

s371I omicron-variant gene target { #s371I }

(s3711). s3711 omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

s373p omicron-variant gene target { #s373p }

(s373p). s373p omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link:

NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

s375f omicron-variant gene target { #s375f }

(s375f). s375f omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

s477n omicron-variant gene target { #s477n }

(s477n). s477n omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample

(sa). A measure made on a compartment or property from a sample of a substance. Part Type: specimens Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample material

(saMaterial). Type of sample. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sampleMatSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample ID

(sampleID). Unique identifier for a sample. Suggestion:siteID-date-index. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Sample ID object

(sampleIDObject). Populated by 'sampleID' - this specifies the object of a sample relationship. Use 'sampleID' for this field. Together with 'sampleIDSub' and 'relationshipID' the row of the 'sampleRelationships' should say: [sampleIDSubject] is a [relationshipID] of [sampleIDObject] Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample ID subject

(sampleIDSubject). Populated by 'sampleID' - this specifies the subject of a sample relationship. Use 'sampleID' for this field. Together with 'sampleIDSub' and 'relationshipID' the row of the 'sampleRelationships' should say: [sampleIDSubject] is a [relationshipID] of [sampleIDObject] Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet

Parts

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample material set

(sampleMatSet). set for the types of material that can be found in a sample. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sampleMatSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample quality set

(sampleQualitySet). Quality set for a sample. Part Type: qualityIndSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationships table

(sampleRelationships). Table for recording the relationships between samples. Samples can be pooled or split. The sample relationships table

holds information on parent-child relationships between samples, and allow for tracking sample lineage for single and pooled samples. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationships table column order

(sampleRelationshipsOrder). Specifies the order of the columns in a Sample Relationships table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationships table required headers

(sampleRelationshipsRequired). Specifies the columns required in a Sample Relationships table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum

Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationship

(sampleReIID). Attribute for specifying the relationship between a sample subject and object. Together with 'sampleIDSubject' and 'sampleReIID', a row of the 'sampleRelationships' should say: [sampleIDSubject] is a [sampleID] of [sampleIDObject] Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sampleRelSet, protocolRelSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationships set

(sampleRelSet). set for valid values of relationshipID in the sampleRelationships table. Use only for sampleRelationships table relationshipID. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sampleRelSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample report table

(samples). The table that contains information about a sample. A sample is defined as a representative volume of wastewater (or other forms of water or liquid), air, or surface area taken from a site. Samples can be combined, split, stored and reused. The 'Sample relationships' (sampleRelationships) is used to describe the relationships between samples. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: results Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample shed

(sampleShed). A geographic area, physical space, or structure. A sample is taken from a sampleshed for a representative measurement of a substance(s). Examples: Airplane, Long-term care home, Neighbourhood, University campus, Municipality Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: shedSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Samples table column order

(samplesOrder). Specifies the order of the columns in a Samples table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample table required headers

(samplesRequired). Specifies the columns required in a Samples table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection other depreciated

(sampleTypeOther). Description for other type of method not listed in collection. depreciated. Part Type: methods Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness

Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2

(sarsCov2). A group of measures/methods related to the SARS-CoV-2 virus. SARS-CoV-2 measures have the following classes: proteins, alleles, variants, mutations, diseases. Part Type: groups Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: naClass Nomenclature: naNomenclature Ontology Reference: http://purl.obolibrary.org/obo/NCIT_C169076 Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample specimen set

(saSpecimenSet). A specimen set that inculdes only a sample specimen. Part Type: specimenSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sparse coverage

(sC). Sequencing shows sparse coverage, ie. numerical breadth of coverage shows as adequate but coverage plots reveal missing genome pieces. If there are multiple issues to flage, use the multiple issues flag and explain the details in the notes section. Part Type: qualityIndicators Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Secondary clarifier effluent depreciated

(sce). Effluent obtained after secondary clarifiers. Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Standard curve frequency

(scf). A method for specifying the frequecy over which a standard curve (or 'Master Curve') is used. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: proc-Grp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA

Category Set ID: NA Unit Set: timeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

School

(school). A school serving students in the kindergarten to 12th grade range Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sequencing script version set

(scriptSet). The set for script versions Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: scriptSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic sequencing script version

(scriptVersion). Used to specify the script or script version used to extract summary information (i.e. coverage and mutation frequency statis-

tics, etc.) from the sequencing output. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: scriptSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Secondary clarifier sludge depreciated

(scsDep). Sludge produced by secondary clarifiers. Deprecated in version 2, please do not use. Duplicate of the sampleMat categories - refer to those. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Standard deviation

(sd). Standard deviation. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized standard deviation

(sdn). Standard deviation, normalized. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sea, natural water body

(sea). Sea, natural water body Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

See unit (aggregation scales)

(seeUnitAggScale). A value for aggregation scale to be used when the aggregation scale depends on that specified in the parts list entry for the unit. When you encounter this value, see the unit being used for that entry and follow that aggregation scale entry. Part Type: aggregation-Scales Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA

Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

See unit (data type)

(seeUnitData). The data type entry when the data type for a given entry is specified by the unit used. Only used for measures, which is where the data type entry is used to validate the entry in the value field. For these cases, however, the data type is more dependant on the unit than the measure, and so this entry directs users to consult the data type of the unit. Part Type: dataTypes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

See unit (value)

(seeUnitVal). A value for maximum or minimum value in the dictionary, use when the maximum or minimum value is determined by the unit. Used for measures when the constraints on maximum and minimum value are specified by the unit, not the measure. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Secondary clarifier effluent

(sEfflu). Effluent obtained after secondary clarifiers Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Access to self

(self). If this is 'no', this data will not be shown on the portal when this reporter logs in. If missing, data will be available to this reporter. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Date sample was sent

(sentDate). The date the sample was sent for analyses at a laboratory. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: datetime Missingness Set: genMissingnessSet

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Septic tank wastewater

(septage). Wastewater from within a septic tank Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: water-CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Septic tank

(septTnk). Septic tank Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sequencing Layout

(seqLay). The layout of genetic material used in sequencing. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqLaySet

Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Layout set

(seqLaySet). The set for the layout of genetic material used in sequencing Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqLaySet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing quality set

(seqQualitySet). Quality set for sequencing measures Part Type: qualityIndSets Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing selection method

(seqSel). The primer sequence selection method used in sequencing. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqSelSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing selection method set

(seqSelSet). The set for the selection method used in sequencing Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqSelSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: NA Minimum Value: see-UnitVal Maximum Value: see-UnitVal Maximum Value: see-UnitVal Minimum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Strategy

(seqStrat). The sequencing strategy used for an analysis. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqStratSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA

Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Strategy set

(seqStratSet). The set for the sequencing strategy used for an analysis Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: seqStratSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic sequences class

(sequence). Measures and methods related to genetic sequencing. Part Type: classes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: sequence Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Serial dilution

(serialDilution). The serial dilution method for assessing inhibition. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment

Set: anyCompartmentSet Group: procGrp Class: dilution Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer Sediments Depcreciated

(seseDep). Sediments obtained in sewer. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Set ID

(setID). The unique identifier of a value set. A set is a group of units, attributes, categories, specimens, or compartments that can be used for a measure, method or attribute. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 28 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sets look-up table

(sets). Look up table for all sets, managing how categorical inputs for various methods and attributes are grouped together. This table manages many-to-many relationships and category recycling within the ODM. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: lookup Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sets table column order

(setsOrder). Specifies the order of the columns in the Sets table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sets table required headers

(setsRequired). Required headers in the Sets table. Part Type: table-Support Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum

Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Settled solids

(settsol). Amount of settled solids from a wastewater sample. May be a volume or a weight, see the unitID for a given measure row for details on a given sample. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: proc-Grp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: see-UnitAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Set type

(setType). The type of set. i.e. quality set, aggregation set, unit set Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Set Value

(setValue). The partID for the set value or category. Populated by any part where partType = aggregationSet, compartmentSet, qualitySet, specimentSet, or unitSet *Part Type*: attributes *Domain*: naDomain *Speciment*

ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Severity indicator

(severity). An indicator of the severity or seriousness of a quality flag. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sevSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Severity set

(sevSet). A set for severity indicators. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: sevSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer network file link depreciated

(sewerNetworkFileBLOB). Link to a file that has any detailed information about the sewer network associated with the site (any format). Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

S sars-cov-2 gene target

(sGene). S sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: allele Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sampleshed set

(shedSet). The set for all valid values of sampleshed. Part Type: mmaSets Domain: naDomain Speciment ID: siSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link:

NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ship

(ship). A cruise ship or other ship. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Shipped on ice

(shipOnIce). Was the sample kept cool while being shipped to the lab Part Type: methods Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: booleanSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Short names

(shortName). Shortened names for tables and other important parts for use in wide names. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group:

naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site

(si). A measure made on a compartment or property at a site. An example is the wastewater flow rate, taken at a wasteawater treatment plant. Part Type: specimens Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Single

(sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: see-UnitVal Maximum Value: see-UnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Single Layout

(sinLay). Specifies the single layout for a sequencing method Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site or sample specimen set

(siSaSpecimenSet). A specimen set that inculdes site or sample specimen. Part Type: specimenSets Domain: naDomain Speciment ID: siSaSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site specimen set

(siSpecimenSet). A specimen set that inculdes only a site specimen. Part Type: specimenSets Domain: naDomain Speciment ID: siSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site ID default

(siteDef). Used as default when a new sample is created by this reporter. See ID in Site table. Deprecated in version 2, please do not use. Just populate standard SiteID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Site features group

(siteFeat). A group of environmental measures/methods and those pertaining to the features of a site. Part Type: groups Domain: allDo Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site ID

(siteID). Unique identifier for the location where a sample was taken. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Site measure ID

(siteMeasureID). Unique identifier for wide table only. Use when all measures are performed on a single sample. Depreciate in version 2. siteMeasures Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Sites table

(sites). The table that contains information about a site; the location where an environmental sample was taken. The site of an evironmental sample. Information in the site table does not regularly change. Consider using the MeasureReport table if the infomation changes often. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: programDescr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sites table column order

(sitesOrder). Specifies the order of the columns in a Sites table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sites table required headers

(sitesRequired). Specifies the columns required in a Sites table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site Type

(siteType). Type of site or institution where sample was taken. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: siteTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA

Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Site set

(siteTypeSet). set for the type of sampling site. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: siteTypeSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Skimmed milk flocculation

(skimMilkFloc). Skimmed milk flocculation Part Type: categories Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Minimum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

slope

(slope). Slope value of the calibration curve. Used for storing calibration curve information, potentially also applicable for other curve types. *Part Type:* measurements *Domain:* allDo *Speciment ID:* siSaSpecimenSet

Compartment Set: anyCompartmentSet Group: procGrp Class: standard-Curve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer network file link depreciated 2

(snfl). Link to a file that has any detailed information about the sewer network associated with the site (any format). Depreciate in version 2. This attribute has been changed to referenceLink. Use po_referenceLink to specify polygon link to sewer network file. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Snowy

(snowy). Qualitative category for the weather measure, specifying a snowy day. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Solid fraction

(sol). Solid fraction of a sample. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Solid seperation

(solidSep). Process used to separate solid and liquid phases of the sample. Solid separation is used either prior to or in the absence of the concentration method specified in 'methodConc'. Part Type: methods Domain: allDo Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: solidSeparationSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Solid separation set

(solidSeparationSet). set for the separation of solids. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: solidSeparationSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA

Parts

Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Source Protocol ID

(sourceProtocol). A protocol that served as a basis for another protocol. This may be due to version changes, or a referencing a protocol that was later adapted. Populate with protocolID. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol step source ID

(sourceStep). Specifies the protocol step which serves as a basis for a given protocol step. Populate with a protocol step ID (stepID). Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specific humidity

(specHum). Measure for specific humidity, the unit is the ratio of the mass of water vapour and the mass of total air. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: humid Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: specHumidUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specific humidity unit set

(specHumidUnitSet). Unit set for specific humidity. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: specHumidUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specifies

(specifies). Specifies that the object step or protocol occurs specifies details for the subject step or protocol in the overall protocol container. Use only for protocolRelationships table relationshipID. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature:

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen

(specimen). The substance or thing upon which the observation was made. Specimens include: site, sample, person and population. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimens

(specimens). Measures or observations are taken from three types of substances: populations (humans or geographic areas), samples, sites. See partID = specimentID Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen sets

(specimenSets). Sets of specimens. Specimen sets are used when a measure or attribute can be recorded for more than one specimen. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Speed class

(speed). Measures and methods relating to speed. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: any-CompartmentSet Group: naGroup Class: speed Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: wind-SpeedUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Spike matrix and recovery

(spike). The spike matrix and recovery method for assessing inhibition. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: pcr Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Spike material

(spikeMat). Material into which the recovery efficiency control target is spiked. Part Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: spikeMatSet Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 4 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Spike material set

(spikeMatSet). set for spikeMat (aterial into which the recovery efficiency control target is spiked). Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: spikeMatSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Recovery efficiency spike target

(spikeTarget). Method specifying the recovery efficiency control target. This matches on to the spike material method ID. Should typically be indexed as a step proceeding the spikeMaterial methodID step. *Part*

Type: methods Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: spikeTarget-Set Unit Set: unitlessUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Recovery efficiency spike target set

(spikeTargetSet). The set capturing containing all of the valid categories for the recovery efficiency control (or spike) target. Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: spikeTargetSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample spilled

(spill). Sample contents spilled from container. Part Type: qualityIndicators Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Secondary clarifier sludge

(sSludge). Sludge produced by secondary clarifiers Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Social services shelter

(sss). Other type of social services shelter Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Stabilization pond

(stabPnd). Specifies a site type which is a pond designed and built for wastewater treatment to reduce the organic content and remove pathogens from wastewater. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: col-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set:

NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Standard concentrations class

(standardConc). Measures and methods relating to standard conentrations. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: standard-Conc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard curve class

(standardCurve). Measures and methods relating to generating or recording a standard curve. Part Type: classes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: standardCurve Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Departments, states, or provinces

(stateProvLevel). Departments, states, or provinces *Part Type:* attributes *Domain:* naDomain *Speciment ID:* naSpecimenSet *Compartment Set:* na-

Parts

CompartmentSet Group: naGroup Class: naClass Nomenclature: ISCU Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: nrNAMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

State, Province, or Region

(stateProvReg). The state, province, or region where a site or organization is located; part of the address. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Status

(status). Whether the part is still active and can be used in the most current ODM version. Values are 'active' or 'inactive'. The status of the part or list. 'active' means the part is used in the dictionary version. 'inactive' means the part has been retired and not longer used in the version. Part Type: partSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: statusSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set:

NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Status set

(statusSet). A set for partID = Status to indicate whether a part is in current use or not. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard concentration unit set

(stdConcentrationUnitSet). Unit set for concentration measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Storage temp

(sTemp). Temperature that the sample is stored at in Celsius. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment

Set: anyCompartmentSet Group: procGrp Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Protocol Step ID

(stepID). The unique identifier for a specific protocol step. Protocol Steps are the component parts of a larger protocols, the latter being linked to specific measure reports. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Step ID Object

(stepIDObj). The object of the relationship between one protocol step and another step or protocol, within a given protocol ID container. Populate this field using Protocol Step ID (partID = stepID). Together with 'protocolIDSub' or 'stepIDSub' and 'relationshipID' the row of 'protocolRelationships' should say: [protocolIDSubject or stepIDSubject] [relationshipID] [protocolIDObject or stepIDObject]. Ex: stepIDSubject precedes protocolIDObject. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA

Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Step ID Subject

(stepIDSub). The subject of the relationship between one protocol step and another step or protocol, within a given protocol ID container. Populate this field using Protocol ID (partID = stepID). Together with 'protocol-IDSub' or 'stepIDSub' and 'relationshipID' the row of 'protocolRelationships' should say: [protocolIDSubject or stepIDSubject] [relationshipID] [protocolIDObject or stepIDObject]. Ex: stepIDSubject precedes protocolIDObject. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Method step parent ID

(stepProvenanceID). A method step that served as a basis for another method step. This may be due to version changes, or a referencing a method set that was later adapted. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data

Parts

Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol step version

(stepVer). Specifies the version of a given protocol step. Version of the method step. Semantic versioning is recommended. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 50 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer network file blob

(storTempDef). A file blob that has any detailed information about the sewer network associated with the site (any format). Deprecated in version 2, please do not use. Refer to WKT and EPSG instead. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: blob Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 65535 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Storage time

(stoTim). Length of time that a sample was in storage. Part Type: measurements Domain: allDo Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: timeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sub-variant or lineage

(subVar). A unit used to report a specific genetic lineage, or to specify that a reported variant is a sub-variant of another. Combine in a measure report if necessary. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: variant Nomenclature: pangolin Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Summary

(summ). Short description of the assay and how it is different from the other assay methods. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale:

Parts

NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 255 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Summary worksheet

(summary). Summary sheet of the dictionary.xlxs file. The summary sheet contains versioning and changelog. Part Type: dictionarySupport Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sunny

(sunny). Qualitative category for the weather measure, specifying a clear and sunny day. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment

(surf). A measure or observation made from a substance on a surface. Part Type: compartments Domain: allDo Speciment ID: anySpecimenSet Compartment Set: surfaceCompartmentSet Group: naGroup Class: na-Class Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other surface

(surface). Surface other than floor or desk. See also categories for floor and desk. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: surfaceCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment set

(surfaceCompartmentSet). A compartment set for measures and methods in the surface compartment. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: surfaceCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar

Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface and water compartment set

(surfaceWaterCompartmentSet). A compartment set for measures and methods in the surface or water compartments. Part Type: compartmentSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: surfaceWaterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface swab

(surfSw). Surface swab. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: surfaceCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewage truck

(swgTrck). Sewage truck *Part Type*: categories *Domain*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: waterCompartmentSet *Group*: colGrp *Class*: naClass *Nomenclature*: naNomenclature *Ontology*

Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer sediment

(swrSed). Sediments obtained in sewer Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer catchment area

(swrSet). Sewer catchment area. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Synthetic sample

(synthetic). Specifies a synthetic, or artificially derrived sample. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet

Parts

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

t19r delta-variant gene target

(t19r). t19r delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

t3646a delta-variant gene target

(t3646a). t3646a delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

t547k omicron-variant gene target { #t547k }

(t547k). t547k omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

t9i omicron-variant gene target { #t9i }

(t9i). t9i omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tables

(tables). Tables are where measures, methods and attributes are recorded. Tables represent the main entities of the environmental surveillance. There An example of a table is 'site' a collection of attributes such as site name and address to describe where environment samples are taken. PHES-ODM has report tables, but users can create their own tables as well. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet

Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Table column set

(tableSet). The set for valid inputs in table columns. These categories are used in the parts list for columns named after tables to indicate the position and function of a given part in the entity relationship diagram of the data model. Part Type: mmaSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: tableSet Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

TaqPath N sars-cov-2 gene target

(taqpatN). TaqPath N sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

TaqPath S sars-cov-2 gene target

(taqpatS). TaqPath N sars-cov-2 gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample temperature

(temp). Temperature of the sample measured in degrees Celcius Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: miscMeas Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Temperature class

(temperature). Measures and methods related to temperatures. Part Type: classes Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum

Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Temperature unit set

(temperatureUnitSet). Unit set for temperature measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nucleic acid template volume

(tempVol). The volume of DNA or RNA template used for PCR. Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Airport terminal

(terminal). Airport terminal sample shed category type *Part Type*: categories *Domain*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group*: naGroup *Class*: naClass *Nomenclature*:

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Test date

(tesDate). Date that the covid-19 test was performed. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Number of tests performed

(test). Number of tests performed. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Testing

(testing). A measure or sample taken to test a new method. These measures are typically used for internal lab uses and not reported to exter-

nal partners. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

thermo magmax microbiome ultra nucleic acid isolation kit

(thermMag). Nucleic acid extraction performed using the thermo magmax microbiome ultra nucleic acid isolation kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Time class

(time). Measures and methods relating to time. Part Type: classes Domain: allDo Speciment ID: siSaSpecimenSet Compartment Set: any-CompartmentSet Group: naGroup Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: timeUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Time proportional sample

(timePr). A time proportional composite sample generally collected by an autosampler. Use collection Period to describe how many hours the sample was taken. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: water CompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Time unit set

(timeUnitSet). The unit set for measures of time. Part Type: unitSets Domain: allDo Speciment ID: anySpecimenSet Compartment Set: any-CompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: timeUnit-Set Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Total Kjeldahl Nitrogen

(tkn). A measure of Total Kjeldahl Nitrogen; ie. the sum of nitrogen bound in organic substances, nitrogen in ammonia (NH3-N) and in ammonium (NH4+-N) in the chemical analysis of soil, water, or waste water. *Part Type:* measurements *Domain:* che *Speciment ID:* siSaSpecimenSet

Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Total Nitrogen

(tn). Total nitrogen concentration, as N. Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: water-CompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Time Proportional 24hr sample

(tp24s). A time proportional 24-hour composite sample generally collected by an autosampler. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: col-Grp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Translation look-up table

(translations). Look up table for translations of the description, label, and instruction for all parts. The default language if a translation is not specified is English. Part Type: tables Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: lookup Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Translation table column order

(translationsOrder). Specifies the order of the columns in the Translation table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 1 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Translation table required headers

(translationsRequired). Required headers in the Translations table. Part Type: tableSupport Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference

Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

trizol, zymo mag beads w/ zymo clean and concentrator

(trizol). Nucleic acid extraction performed using the trizol, zymo mag beads w/zymo clean and concentrator method. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

TRUE

(true). Boolean data type = TRUE Use only "TRUE" (case sensitive) Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: boolean Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 4 Maximum Length: 4 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Total solids concentration

(ts). Total solids concentration *Part Type:* measurements *Domain:* che *Speciment ID:* siSaSpecimenSet *Compartment Set:* waterCompartmentSet *Group:* miscMeas *Class:* standardConc *Nomenclature:* naNomenclature

Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Total suspended solids

(tss). Total suspended solids Part Type: measurements Domain: che Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration of total suspended solids

(tssConc). Total suspended solids concentration of the wastewater. Part Type: measurements Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: standard-Conc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnit-Data Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Tubidity

(turb). A measure for the turbidity of water, or a liquid sample, quanit-fying the relative clarity or opcaity of a liquid. Highly indicative of water quality. Part Type: measurements Domain: phy Speciment ID: siSaS-pecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: turbidity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: turbidityUnitSet Aggregation Scale: see-UnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnit-Data Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Turburdity class

(turbidity). Measures and methods relating to water and wastewater turbidity. Part Type: classes Domain: che Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: turbidity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: turbidityUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Turbidity unit set

(turbidityUnitSet). Unit set for turbidity measurements. Part Type: unit-Sets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: turbidityUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tube weight empty

(tWeighE). The weight of the tube used for analysis while empty. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tube weight full

(tWeighF). The weight of the tube used for analysis while full of analyte. Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: genMissingnessSet Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Type other depreciate

(tyOtDep). Description for other type of sample not listed in *Part Type*: methods *Domain*: naDomain *Speciment ID*: naSpecimenSet *Compartment Set*: naCompartmentSet *Group*: naGroup *Class*: naClass *Nomenclature*: naNomenclature *Ontology Reference*: NA *Category Set ID*: NA *Unit Set*: naUnitSet *Aggregation Scale*: NA *Quality Set*: NA *Reference Link*: NA *Data Type*: varchar *Missingness Set*: genMissingnessSet *Minimum Value*: NA *Maximum Value*: NA *Minimum Length*: 0 *Maximum Length*: 100 *Part Status*: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Type other depreciate2

(tyOtDep2). Description of the site when the site is not listed. See site-Type. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 100 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

University campus

(uCampus). Universityor college campus - comprising an entire campus or part of a campus. See also 'Higher Education Domitory''. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum

Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Undisclosed

(undisc). A value has been recorded, however it was not included in the dataset. Missing value indicator for data that has not been shared or disclosed with outside parties. Part Type: missingness Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Unique sample

(unique). A unique sample, not duplicated. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit

(unit). The units of a measurement. Different units that are used to describe measurement values. Units are combined into UnitSetIDs. Please requests new units by creating an issue in the ODM repository. *Part Type:*

attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Unitless measure

(unitless). A unit for unitless measures, like pH. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unitless unit set

(unitlessUnitSet). Unit set for measurements that does not have units. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Units

(units). The unit of the measurement. Every measurement must have a unit. Meaning, 'units' are a mandatory field whenever a measurement is recorded. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit set

(unitSet). An idenfication of a set of units that can be used for a measure or method. Part Type: attributes Domain: che Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: procGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit sets

(unitSets). Sets of units. Contains units that are associated with part types such as measures. Sets are lists of input values. Each input value within a set is a part (has a partID) that can be reused between sets. For example, a set A could contain the values of 'yes' and 'no'; and set B could contain the values of 'yes', 'no', and 'maybe.' partTypes with sets include aggregations, compartments, missingness, quality flags, specimens,

and units. Measures with categories and dataTypes have their own specific sets (catSetID) because their input values are unique and are not reused. Part Type: partType Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ultracentrifugation

(untracent). Ultracentrifugation Should typically be linked to a lower limit, and some indication of data spread (ie. standard deviation), and a mean/median measure. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Upper limit of a 95% confidence interval

(upperCI95). Specifies the the upper limit of a 95% confidence interval. A catch-all category for upstream wastewater sampling sites, including major sewer pipelines and pumping stations. Part Type: aggregations Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type:

varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upstream sites

(upstream). A general site type for upstream wastewater sampling sites. Part Type: categories Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.1.0. Last updated: 2.0.0.

Micro-Siemens per centimetre

(uSCm). Micro-siemens per centimetre. Deprecated in version 2, please do not use. MeasureID will be associated with site, with site specified as the specimen as well. Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: na-Group Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 12 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

U site measure ID

(uSiteMeasureID). Unique identifier for each measurement for a site. Part Type: attributes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

v2930l delta-variant gene target

(v2930l). v2930l delta-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Validation study

(validationStudy). A meaure or sample taken for a validation study. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Value

(value). Value of a measure, observation or attribute. Only used for the dictionary entries of parts. Part Type: attributes Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variable character data type

(varchar). The data type for variable character data. Measured by sequencing. Part Type: dataTypes Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: 100 Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Frequency of variants detected

(varFreq). A description of the frequency of a variants detected. *Part Type:* units *Domain:* bio *Speciment ID:* saSpecimenSet *Compartment Set:* anyCompartmentSet *Group:* naGroup *Class:* variant *Nomenclature:*

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variants class

(variant). Measures and methods relating to variants. Part Type: classes Domain: bio Speciment ID: poSaSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: variant Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 1 dose of vaccine

(vax1). A measure of the population with a single dose of vaccine. Part Type: units Domain: bio Speciment ID: poSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 2 doses of vaccine

(vax2). Population with 2 doses of vaccine *Part Type*: units *Domain*: bio *Speciment ID*: poSpecimenSet *Compartment Set*: naCompartmentSet

Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 3 doses of vaccine

(vax3). Population with 3 doses of vaccine Part Type: units Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ODM V1 category

(version1Category). ODM V1 category Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ODM V1 location

(version1Location). ODM V1 location Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ODM V1 table

(version1Table). ODM V1 table Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ODM version 1 to 2 changes

(version1to2Changes). Changes for part between ODM v1 and V2 Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0

Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

ODM V1 variable

(version1Variable). ODM V1 variable Part Type: crosswalkTableSet Domain: bio Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: virusMisc Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous viruses group

(virusMisc). A group of measures/methods related to miscellaneous viruses. The miscallenous viruses are often measured for normalization or standardization and have only one measure or method. When a virus has many measures, they will be given their own groupID in updated dictionary versions. Part Type: groups Domain: phy Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: measGrp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Size in volume

(vol). Total volume of water or sludge sampled. Used for water or air testing Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: airWaterCompartmentSet Group: colGrp Class: physical Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: volumeUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volume proportional sample

(volPr). A volume proportional sample generally collected by an autosampler. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volume unit set

(volumeUnitSet). Unit set of volume measurements. Part Type: unitSets Domain: che Speciment ID: siSaSpecimenSet Compartment Set: water-CompartmentSet Group: miscMeas Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set:

NA Reference Link: NA Data Type: seeUnitData Missingness Set: gen-MissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Volatile suspended solids

(vss). Volatile suspended solids Part Type: measurements Domain: phy Speciment ID: saSpecimenSet Compartment Set: waterCompartmentSet Group: measGrp Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingness-Set Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volatile suspended solids - ignition

(vssIg). A water quality measure, captured by via the loss on ignition of the mass of measured total suspended solids. This ignition generally takes place in an oven at a temperature of 550 °C to 600 °C. It represents the amount of volatile matter present in the solid fraction of the measured solution. Part Type: measurements Domain: allDo Speciment ID: anySpecimenSet Compartment Set: waterCompartmentSet Group: meas-Grp Class: standardConc Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: stdConcentrationUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 1 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water compartment

(wat). A measure or observation made from a substance in the water, including wastewater. Part Type: compartments Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: NA Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Water depreciated

(water). Non-wastewater, coming from any kind of water body. Part Type: categories Domain: allDo Speciment ID: anySpecimenSet Compartment Set: waterCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 15 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water compartment set

(waterCompartmentSet). A compartment set for measures and methods in the water compartment. Part Type: compartmentSets Domain: phy Speciment ID: siSaSpecimenSet Compartment Set: waterCompartmentSet Group: miscMeas Class: temperature Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum

Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Wastewater temperature

(watTemp). Temperature of the wastewater. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: weather Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: weathSet Unit Set: temperatureUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: float Missingness Set: genMissingnessSet Minimum Value: 0 Maximum Value: 40 Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather

(weath). A measure for weather captured through qualitative categories; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: siteFeat Class: weather Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: weathSet Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: categorical Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather class

(weather). Measures and methods relating to weather. Part Type: classes Domain: allDo Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: weather Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: unitlessUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather set

(weathSet). A set of the valid qualitative categories for the qualitative weather measure. Part Type: mmaSets Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: NA Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Whole genome sequencing

(wgs). Specifies the whole genome sequencing (WGS) strategy for genetic sequencing Part Type: categories Domain: bio Speciment ID: naSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA

Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

WHO nomenclature

(who). Specifies variant or genetic nomenclature as set out by the World Health Organization. If there are multiple issues to flage, use the multiple issues flag and explain the details in the notes section. Part Type: nomenclatures Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wide 95% interval

(wI). The 95% interval is too wide, low confidence in results. Part Type: qualityIndicators Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wide name table

(wideNames). The table for wide names. Part Type: tables Domain: phy Speciment ID: siSpecimenSet Compartment Set: anyCompartmentSet

Parts

Group: siteFeat Class: speed Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: windSpeedUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: seeUnitData Missingness Set: genMissingnessSet Minimum Value: seeUnitVal Maximum Value: seeUnitVal Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wind Speed

(wind). A measure for wind speed; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: airCompartmentSet Group: siteFeat Class: speed Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: windSpeedUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wind speed unit set

(windSpeedUnitSet). Unit set for wind speed measurements. Part Type: unitSets Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Measure identification (wide table)

(wMeasureID). Unique identifier for wide table only. Use when all measures are performed on a single sample at the same time and same laboratory. Suggestion: siteID_sampleID_LabID_reportDate_ID. Part Type: attributes Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored incorrectly

(wrongStorage). Sample was stored inappropriately. Part Type: qualityIndicators Domain: naDomain Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored at wrong temperature

(wrongTemp). Sample was stored at an inappropriate temperature. Part Type: qualityIndicators Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA

Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

World Sphere (W-SPHERE)

(wSphere). World Sphere header Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: naCompartmentSet Group: naGroup Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

World Sphere (W-SPHERE) notes

(wSphereNotes). W-Shere notes Part Type: crosswalkTableSet Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Wastewater treatment plant

(wwtp). A general site type for wastewater treatment plants. Used as a catch-all category for industrial or municipal wastewater treatment plants that carry combined or sanitary sewage, or lagoons. Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature:

naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Back-up wastewater treatment site

(wwtpBack). Indicates a wastewater treatment plant where multiple labs are or were sampling, and where secondary samples are being taken taken. Maps to units of either million gallons per day, or population equivalents. Part Type: categories Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: siteFeat Class: capacity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wastewater treatment plant designed capacity

(wwtpCap). A measure for the designed capacity of a wastewater treatment plant, in terms of how much water it was designed to be able to hold and process. Part Type: measurements Domain: phy Speciment ID: siSpecimenSet Compartment Set: waterCompartmentSet Group: col-Grp Class: capacity Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: capacityUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Industrial wastewater treatment plant

(wwtpInd). Industrial wastewater treatment plant Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Municipal wastewater treatment plant for combined sewage

(wwtpMuC). Municipal wastewater treatment plant for combined sewage Part Type: categories Domain: naDomain Speciment ID: naSpecimenSet Compartment Set: waterCompartmentSet Group: colGrp Class: naClass Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: NA Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: NA Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 1.0.0. Last updated: 2.0.0.

Municipal wastewater treatment plant for sanitary dewage only

(wwtpMuS). Municipal wastewater treatment plant for sanitary sewage only Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: sarsCov2 Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length:

0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

y505h omicron-variant gene target { #y505h }

(y505h). y505h omicron-variant gene target Part Type: measurements Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: geneticUnit-Set Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Years

(years). A unit for indicating a length of time in years. Part Type: units Domain: allDo Speciment ID: anySpecimenSet Compartment Set: any-CompartmentSet Group: miscMeas Class: time Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: quantAggScale Quality Set: NA Reference Link: NA Data Type: integer Missingness Set: NA Minimum Value: 0 Maximum Value: NA Minimum Length: NA Maximum Length: NA Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

zymo environ water rna kit/ zymo environ water rna kit (cat. r2042)

(zymoEnv). Nucleic acid extraction performed using the zymo environ water rna kit/ zymo environ water rna kit (cat. r2042). Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set:

anyCompartmentSet Group: procGrp Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

zymo quick-rna fungal/bacterial miniprep #r2014

(zymoQuick). Nucleic acid extraction performed using the zymo quick-rna fungal/bacterial miniprep #r2014 kit. Part Type: categories Domain: bio Speciment ID: saSpecimenSet Compartment Set: anyCompartmentSet Group: procGrp Class: mutation Nomenclature: naNomenclature Ontology Reference: NA Category Set ID: NA Unit Set: naUnitSet Aggregation Scale: seeUnitAggScale Quality Set: NA Reference Link: NA Data Type: varchar Missingness Set: genMissingnessSet Minimum Value: NA Maximum Value: NA Minimum Length: 0 Maximum Length: 30 Part Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sets

Dictionary v2.0.0.

Sets are lists of categories and other parts. For example, Collection category set (collectionCatSet) contains a list of the different collection types including: Moore swab, Grab sample, Flow proportional sample, etc.

Sets can have parts that are reused. For example, there are different quality measures for sample collection (e.g. Sample not collected), PCR measures (Inhibition preset), and sequencing measures (Low depth of coverage), but all quality sets share the No quality concerns indicator.

Aggregations

(aggregations). Statistical measures used to report a measure. Each measure reported as a number should be reported with an aggregation. The default aggregation is single, which corresponds to a single measurement.

AND Boolean aggregation (andBoo). "AND" aggreation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow-normalized mean (floMean). Mean measure normalized to wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Geometric mean (gmn). Geometric mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lower limit of a 95% confidence interval (lowerCI95). Specifies the the lower limit of a 95% confidence interval. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum value (maxVal). Highest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Arithmetic mean (me). Arithmetic mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Median (med). Median. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized arithmetic mean (menr). Arithmetic mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Minimum value (minVal). Lowest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation not applicable (naAggr). Not applicable for aggregations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Normalized geometric mean (ngmn). Geometric mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

OR Boolean aggregation (orBoo). "OR" aggreation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other aggregation depricated (otherDep). Other aggregation method. Add description to aggregationOther Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

PMMoV- and flow-normalized mean (pmFloMean). Mean measure normalized to amount of PMMoV and wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV-normalized mean (pmmovNorm). Mean measure normalized to amount of PMMoV. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard deviation (sd). Standard deviation. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized standard deviation (sdn). Standard deviation, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Single (sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upper limit of a 95% confidence interval (upperCI95). Specifies the the upper limit of a 95% confidence interval. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation scales

(aggregationScales). The scale of an aggregation set. Aggregation scales include quantitative and qualitative.

Aggregation scale not applicable (naAggrScale). Not application for aggregation sets. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other aggregation scale (othAgg). Specifies an aggregation scale that can't be described as either "qualitative" or "quantitative". Status: active. First released: 2.0.0. Last updated: 2.0.0.

Qualitative (qualAggScale). The qualitative aggregation scale. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quantitative (quantAggScale). The "quantAggScale" aggregation scale. Status: active. First released: 2.0.0. Last updated: 2.0.0.

See unit (aggregation scales) (seeUnitAggScale). A value for aggregation scale to be used when the aggregation scale depends on that specified in the parts list entry for the unit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation sets

(aggregationSets). Sets of aggregations. Examples of aggregation sets include logarithm, linear and boolean.

Boolean aggregation set

(booleanAggrSet)Aggreagation set for boolean. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

AND Boolean aggregation (andBoo). "AND" aggreation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

OR Boolean aggregation (orBoo). "OR" aggreation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Single (sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Linear scale aggregation set

(linearAggrSet)The aggregation set that contains all aggregations that exist on the linear scale. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Flow-normalized mean (floMean). Mean measure normalized to wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lower limit of a 95% confidence interval (lowerCI95). Specifies the the lower limit of a 95% confidence interval. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum value (maxVal). Highest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Arithmetic mean (me). Arithmetic mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Median (med). Median. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized arithmetic mean (menr). Arithmetic mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Minimum value (minVal). Lowest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

PMMoV- and flow-normalized mean (pmFloMean). Mean measure normalized to amount of PMMoV and wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV-normalized mean (pmmovNorm). Mean measure normalized to amount of PMMoV. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard deviation (sd). Standard deviation. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized standard deviation (sdn). Standard deviation, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Single (sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upper limit of a 95% confidence interval (upperCI95). Specifies the the upper limit of a 95% confidence interval. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Logarithmic scale aggregation set

(logAggrSet)The aggregation set that contains all aggregations that exist on the logarithmic scale (rather than linear or qualitative). Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Flow-normalized mean (floMean). Mean measure normalized to wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Geometric mean (gmn). Geometric mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lower limit of a 95% confidence interval (lowerCI95). Specifies the the lower limit of a 95% confidence interval. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum value (maxVal). Highest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Minimum value (minVal). Lowest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized geometric mean (ngmn). Geometric mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

PMMoV- and flow-normalized mean (pmFloMean). Mean measure normalized to amount of PMMoV and wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV-normalized mean (pmmovNorm). Mean measure normalized to amount of PMMoV. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Single (sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upper limit of a 95% confidence interval (upperCI95). Specifies the the upper limit of a 95% confidence interval. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation set not applicable

(naAggrSet)Not application for aggregation sets. Used for parts for which an aggregation set value is not applicable or appropriate. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Aggregation not applicable (naAggr). Not applicable for aggregations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other aggregation set

(otherAggrSet)Aggregation set used for unitless measures. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Flow-normalized mean (floMean). Mean measure normalized to wastewater flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Geometric mean (gmn). Geometric mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lower limit of a 95% confidence interval (lowerCI95). Specifies the the lower limit of a 95% confidence interval. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Maximum value (maxVal). Highest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Arithmetic mean (me). Arithmetic mean. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Median (med). Median. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized arithmetic mean (menr). Arithmetic mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Minimum value (minVal). Lowest value in a range of values for a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation not applicable (naAggr). Not applicable for aggregations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Normalized geometric mean (ngmn). Geometric mean, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Standard deviation (sd). Standard deviation. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Normalized standard deviation (sdn). Standard deviation, normalized. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Single (sin). A value that is not an aggregate measurement (ie. not a mean, median, max or any other) and can be a replicate value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upper limit of a 95% confidence interval (upperCI95). Specifies the the upper limit of a 95% confidence interval. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Attributes

(attributes). Attributes describe the who, where, when, and why of environmental surveillance. There are attributes for domain, specimen, compartment, or table. Attributes are one of the three main components or ways to report environment surveillence data. The other two components are measures and methods.

Analysis date (aDate). Date the measurement was performed in the lab. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Analysis date end (aDateEnd). Date the measurement or analysis was completed. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Analysis date start (aDateStart). Date the measurement or analysis was started. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Address Line 1 (addL1). Line 1 (the street name, number and direction) for a given address. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address Line 2 (addL2). Line 2 (the unit number) for a given address. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Address ID (addressID). A unique identifier for an address. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Administrative regions (admRegLevel). Administrative regions Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation scale (aggragationScale). A scale used for an aggregation. Only applicable for measures and units. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Aggregation (aggregation). Statistical measures used to report a measure. Each aggregation has a corresponding value. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Aggregation set (aggregationSet). The aggregation set for a unit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Alias depreciated (aliasDep). ID of an assay that is the same or similar. A comma separated list. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Alias ID depreciated (aliasIDDep). Alias id Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Access to all org (allOrgs). If this is 'no', this data will not be available to any partner organization. If missing, data will be available to the all organizations. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Assay method id default depreciated (amDefDep). Used as default when a new measurement is created for this lab. See ID in AssayMethod table. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Assay ID (asID). Links with the AssayMethod used to perform the analysis. Use instrument.ID for measures that are not viral measures. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

City (city). The city where a site or organization is located; part of the address. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Class (class). A unique identifier for a class, which is akin to a sub-group; it's a way of grouping parts within a given group. A group can have one or more classes to describe different parts of the class. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection date time (collDT). For grab samples this is the date, time and timezone the sample was taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection date time end (collDTEnd). For integrated time average samples this is the date, time and timezone the sample was finished being taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection date time start (collDTStart). For integrated time averaged samples this is the date, time and timezone the sample was started being taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Collection number (collNum). The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection number and period (collNumPer). Composite collection number.period. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection period (collPer). Collection period. The time period over which the sample was collected, in hours. Alternatively, use collectionStart and collectionEnd. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample collection type (collType). The type of collection. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Column name depreciated (columnNameDep). Name for the column Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Compartment (compartment). The attribute identifying the substance from which where a sample was taken. For more information, see partID = compartment. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact ID (contactID). A unique identifier for a given contact person. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact name (contactName). Contact person or group, for the lab. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Country (country). The country where a site or organization is located; part of the address. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Countries or sovereign states (countryLevel). Countries or sovereign states Status: active. First released: 2.0.0. Last updated: 2.0.0.

Districts, counties, regions (countyLevel). Districts, counties, regions Status: active. First released: 2.0.0. Last updated: 2.0.0.

Covid-19 population measurement date (cphDate). date of reporting for covid-19 measure. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Cphd ID (cphid). Unique identifier for the table. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Custody Contact ID (custodyCont). A unique identifier for data custodians. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Data custodian ID (custodyID). The data custodian of a database. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset creation date (datasetDate). Specifies the date a given dataset was created. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Date (date). Date Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Description (descr). A detailed description as an attirbute for describing results or program elements. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to details deprecated (detailsDep). More details on the existing confidentiality requirements of this measurement. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Domain (domain). Domain is the highest level of describing of a measure. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact email (email). Contact e-mail address, for the lab. Status: active. First released: 1.0.0. Last updated: 2.0.0.

File location of polygon (fileLocation). The location of the file containing the geometry of the polygon. Status: active. First released: 1.0.0. Last updated: 2.0.0.

First name of contact (firstName). Specifies the first name of a given contact. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Fraction analyzed (fraction). Fraction of the sample that is analyzed. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Funder Contact ID (funderCont). A unique identifier for funders. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Funding agency ID (funderID). The funding agency of the dataset. Status: active. First released: 2.0.0. Last updated: 2.0.0.

European Petroleum Survey Group Coordinates (geoEPSG). The unique EPSG code specifying a given geospatial area. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Latitude (geoLat). Geographical location, latitude in decimal coordinates, ie.: (45.424721) Status: active. First released: 1.0.0. Last updated: 2.0.0.

Longitude (geoLong). Geographical location, longitude in decimal coordinates, ie.: (-75.695000) Status: active. First released: 1.0.0. Last updated: 2.0.0.

Type of geography (geoType). Type of geography that is represented by the polygon. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Well-known text (geoWKT). Well-known text of the polygon Status: active. First released: 1.0.0. Last updated: 2.0.0.

Group (group). Unique identifier for a group of measures. Mostly applicable for measures, methods, units, and aggregations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Index (index). Index number in case the measurement was taken multiple times. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Instrument ID (instrumentID). A unique identifier for an instrument. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Instrument Type (insType). Type of instrument used to perform the measurement. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Describe other instrument type, if applicable (insTypeOth). Description of the instrument in case it is not listed in instrumentType. Status: active. First released: 1.0.0. Last updated: 2.0.0.

ISO639-1 (iso6391). The first part of the ISO 639 series of international standards for language codes. Part 1 covers the registration of two-letter codes. There are 183 two-letter codes registered as of June 2021. The registered codes cover the world's major languages. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-2B (iso6392B). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'B' specifies the bibliographic code (B code). Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-2T (iso6392T). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'T' specifies the terminological code (T code). Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-3 (iso6393). A set of international standards that lists short codes for language names. ISO 639-3 extends the ISO 639-2 alpha-3 codes with an aim to cover all known natural languages. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ISO639-6 (iso6396). A set of international standards that lists short codes for language names. ISO 639-6 builds off ISO639-3 with the use of four-letter codes, and allowing users to differenciate between variants of languages and language families, such as historical vs. revived versions of languages. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lab ID default depricated (labDefDep). Used as default when a new sample is created by this reporter. See ID in Lab table. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Lab ID (labID). Unique identifier for a laboratory. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Language ID (lang). Language code for translation purposes. Specifies the language for each translation, other than the default English. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language family (langFam). Specifies the language family of a given language for translation and language tracking purposes. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Language name (langName). Specifies the name of the language in roman alphabet characters for translation and language tracking purposes. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Last edited (lastEdited). The date the entry was last updated. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Last name of contact (lastName). Specifies the last name of a given contact. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Link (li). Link to an external reference that describes the geometry of the polygon. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

License (license). The license of a dataset. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to local ha (localHA). If this is 'no', the, data will not be available to local health authorities. If missing, data will be available to local health authorities. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Manufacturer (manufacturer). Manufacturer of an instrument. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure (measure). A measurement or observation of any substance including a biological, physical or chemical substance. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Report ID (measureRepID). Unique identifier for a measurement. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Report set ID (meaureSetRepID). Unique identifier that links together a group of related measures. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure license (mesureLic). Specifies the access and use licensing for a given single measurement. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Method (method). A procedure for collecting a sample or performing a measure. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measure, method, or attribute (mmaSet). The set for a measure, method, or attribute. Only applicable for categorical fields, and the categories that populate them. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Model (model). Model number or version of the instrument. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Municipalities or communes (municipalLevel). Municipalities or communes Status: active. First released: 2.0.0. Last updated: 2.0.0.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Native Name (natName). The native name of the language, i.e. what the language is called by its speakers. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Local administrative units or neighborhoods (neighborLevel). Local administrative units or neighborhoods Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nomenclature (nomenclature). A classification system to report the measure class. Only applicable to variants, mutations, and diseases. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Notes (notes). A note used to describe details that are not captured in other attributes Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Organization level (orgLevel). The geographic level of an organization. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization sector (orgSector). The sector of an organization Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization Type (orgType). Specifies the type or purpose of a given organization. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample origin (origin). An attribute of a sample specifying the origin. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to other prov depricated (otherProvDep). If this is 'no', this data will not be available to other data providers not listed before. If missing, data will be available to other data providers not listed before Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Parent dataset ID (parDatasetID). The datasetID that is a parent to another datasetID. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Parent sample ID (parent). If this sample has been pooled into one big sample for analysis this indicates the sample of the larger pooled sample. Status: depreciated. First released: 1.1.0. Last updated: 2.0.0.

Parent Site ID (parSiteID). The siteID that is a parent to another siteID; usually the sub-site will be contained in the parentSite. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Postal or Zip Code (pCode). The zip code or postal code for a given address, specifying a specific geographic area. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to phac (phac). If this is 'no', the data will not be available to employees of the Public Health Agency of Canada - PHAC. If missing, data will be available to employees of the Public Health Agency of Canada - PHAC. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Contact phone (phone). Contact phone number, for the lab. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Polygon ID (polygonID). Unique identifier for the polygon. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Polygon Population (polyPop). An attribute of a polygon, which specifies the population of that polygon. A rough estimate of the number of

human residents. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pooled (pooled). Is this a pooled sample, and therefore composed of multiple child samples obtained at different sites Status: active. First released: 1.0.0. Last updated: 2.0.0.

Type of date for case reporting depreciated (popDateTypeDep). Type of date used for confirmed cases. Typically, report or episode are reported. Onset and test date is not usually reported within aggregate data. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Population Served (popServ). An attribute of a site, which specifies the population of/population served by a given site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID (protocolID). A unique identifier for a given protocol. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID container (protocolIDContainer). Unique identifier for the protocol and the steps and other protocols that make it up. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID object (protocolIDObj). The object of the relationship between one protocol and another protocol or step, within a given protocol ID container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol ID subject (protocolIDSub). The subject of the relationship between one protocol and another protocol or step, within a given protocol ID container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol version (protocolVersion). Specifies the version of a method set. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to prov ha (provHA). If this is 'no', this data will not be available to provincial health authorities. If missing, data will be available to provincial health authorities. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Pretreatment description - depreciated (ptDescDep). If preTreatment then describe the treatment that was performed. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Access to public (public). If this is 'no', this data will not be available to the public. If missing, data will be available to the public. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Purpose (purpose). The reason the measure or sample was taken. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality flag (qualityFlag). A field for reporting any quality concerns of lack thereof - for a sample or measure. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality report ID (qualityID). A unique identifier for a given quality report. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality set (qualitySetID). The quality set that corresponds to a given part. Only applicable for samples and measures. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Date sample recieved (recDate). The date the sample was received at the laboratory for analysis. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Primary reporting authority (repOrg1). The primary or most responsible authority for rountine surveillance reports or findings, or where the site is located. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Secondary reporting authority (repOrg2). The secondary, additional or alternative authority for rountine surveillance reports or findings, or where the site is located. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Reportable (reportable). Flag for whether a measure is reportable or not, based on confidence in the measure and methods applied. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Report date (reportDate). The date a measure was reported. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Reporter ID depreciated (reporterIDDep). Unique identifier for the person or organization that is reporting the data. Status: depreciated. First released: 1.1.0. Last updated: 2.0.0.

Replicate Type (repType). Attirbute of a sample, specifying whether the sample is unique, or a replicate. And if it is a replicate, what type of replicate is it? Status: active. First released: 2.0.0. Last updated: 2.0.0.

Role of contact (role). Specifies the organizational role of a given contact. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample material (saMaterial). Type of sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample ID (sampleID). Unique identifier for a sample. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Sample ID object (sampleIDObject). Populated by sampleID - this specifies the object of a sample relationship. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample ID subject (sampleIDSubject). Populated by sampleID - this specifies the subject of a sample relationship. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample relationship (sampleReIID). Attribute for specifying the relationship between a sample subject and object. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample shed (sampleShed). A geographic area, physical space, or structure. A sample is taken from a sampleshed for a representative measurement of a substance(s). Status: active. First released: 2.0.0. Last updated: 2.0.0.

Access to self (self). If this is 'no', this data will not be shown on the portal when this reporter logs in. If missing, data will be available to this reporter. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Date sample was sent (sentDate). The date the sample was sent for analyses at a laboratory. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Set ID (setID). The unique identifier of a value set. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Set Value (setValue). The partID for the set value or category. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Severity indicator (severity). An indicator of the severity or seriousness of a quality flag. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer network file link depreciated (sewerNetworkFileBLOB). Link to a file that has any detailed information about the sewer network associated with the site (any format). Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Site ID default (siteDef). Used as default when a new sample is created by this reporter. See ID in Site table. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Site ID (siteID). Unique identifier for the location where a sample was taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Site measure ID (siteMeasureID). Unique identifier for wide table only. Use when all measures are performed on a single sample. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Site Type (siteType). Type of site or institution where sample was taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer network file link depreciated 2 (snfl). Link to a file that has any detailed information about the sewer network associated with the site (any format). Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Source Protocol ID (sourceProtocol). A protocol that served as a basis for another protocol. This may be due to version changes, or a referencing a protocol that was later adapted. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol step source ID (sourceStep). Specifies the protocol step which serves as a basis for a given protocol step. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen (specimen). The substance or thing upon which the observation was made. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Departments, states, or provinces (stateProvLevel). Departments, states, or provinces Status: active. First released: 2.0.0. Last updated: 2.0.0.

State, Province, or Region (stateProvReg). The state, province, or region where a site or organization is located; part of the address. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Protocol Step ID (stepID). The unique identifier for a specific protocol step. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Step ID Object (stepIDObj). The object of the relationship between one protocol step and another step or protocol, within a given protocol ID container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Step ID Subject (stepIDSub). The subject of the relationship between one protocol step and another step or protocol, within a given protocol ID container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Method step parent ID (stepProvenanceID). A method step that served as a basis for another method step. This may be due to version changes, or a referencing a method set that was later adapted. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol step version (stepVer). Specifies the version of a given protocol step. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer network file blob (storTempDef). A file blob that has any detailed information about the sewer network associated with the site (any format). Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Summary (summ). Short description of the assay and how it is different from the other assay methods. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Type other depreciate2 (tyOtDep2). Description of the site when the site is not listed. See siteType. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Unit (unit). The units of a measurement. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Unit set (unitSet). An idenfication of a set of units that can be used for a measure or method. Status: active. First released: 2.0.0. Last updated: 2.0.0.

U site measure ID (uSiteMeasureID). Unique identifier for each measurement for a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Value (value). Value of a measure, observation or attribute. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure identification (wide table) (wMeasureID). Unique identifier for wide table only. Use when all measures are performed on a single sample at the same time and same laboratory. Suggestion: siteID_sampleID_LabID_reportDate_ID. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Classes

(classes). A class is a collection of one or more related measures or methods within a group. A group can have one more more classes to describe different parts or the class.

Alleles class (allele). Measures and methods related to alleles. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bacteria Class (bacteria). Measures and methods relating to bacteria. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Capacity class (capacity). Measures and methods relating to capacity. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Conductivity class (conductivity). Measures and methods related to conductivity. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dilution Class (dilution). Measures and methods relating to dilutions. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Diseases (human) class (disease). Measure and methods related to disease or infection in humans. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow class (flow). Measures and methods related to flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gas class (gas). Measures and methods relating to gas and gases. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Humidity class (humid). Measures and methods related to humidity. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dictionary tables (lookup). Tables to describe and support the ODM dictionary. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mutations class (mutation). Measures and methods related to mutations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Class not applicable (naClass). Class is not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak class (outbreak). Measures and methods relating to public health outbreaks. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qPCR Class (pcr). Measures and methods relating to qPCR. Status: active. First released: 2.0.0. Last updated: 2.0.0.

pH class (pHClass). Measures and methods relating to pH. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Physical class (physical). Measures and methods related to generic physical properties. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Precipitation class (precipation). Measures and methods related to precipitation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Program decription tables (programDescr). Tables used to describe surveillance and testing programs. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Results tables (results). Tables used to record samples, measures and quality reports. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic sequences class (sequence). Measures and methods related to genetic sequencing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Speed class (speed). Measures and methods relating to speed. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard concentrations class (standardConc). Measures and methods relating to standard conentrations. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard curve class (standard Curve). Measures and methods relating to generating or recording a standard curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Temperature class (temperature). Measures and methods related to temperatures. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Time class (time). Measures and methods relating to time. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Turburdity class (turbidity). Measures and methods relating to water and wastewater turbidity. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variants class (variant). Measures and methods relating to variants. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather class (weather). Measures and methods relating to weather. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartments

(compartments). The substance from which a sample was taken. For example, wastewater has component of "water". Compartments are attributes of measures, methods, units, and aggregations.

Human compartment (hum). A measure or observation made about a human. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartment not applicable (naCompartment). Compartment not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment (surf). A measure or observation made from a substance on a surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water compartment (wat). A measure or observation made from a substance in the water, including wastewater. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Compartment sets

(compartmentSets). Sets of compartments. Compartment sets are used to identify when a measure can be recorded for more than one compartment. For example, SARS-CoV-2 can be measured in people (humans), water, surface, or air.

Air compartment set

(airCompartmentSet)A compartment set for measures and methods in the air compartment. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Air compartment (air). A measure or observation made from a substance in the air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air and surface compartment set

(airSurfaceCompartmentSet)A compartment set for measures and methods in the air or surface compartments. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Air compartment (air). A measure or observation made from a substance in the air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment (surf). A measure or observation made from a substance on a surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Air and water compartment set

(airWaterCompartmentSet)A compartment set for measures and methods in the air or water compartments. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Air compartment (air). A measure or observation made from a substance in the air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Any compartment set

(anyCompartmentSet)A compartment set for measures and methods in any compartment. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Sets

Air compartment (air). A measure or observation made from a substance in the air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment (surf). A measure or observation made from a substance on a surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water compartment (wat). A measure or observation made from a substance in the water, including wastewater. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Human compartment set

(humanCompartmentSet)A compartment set for measures and methods in the human compartment. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Human compartment (hum). A measure or observation made about a human. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Compartment set not applicable

(naCompartmentSet)Compartment not applicable. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Compartment not applicable (naCompartment). Compartment not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface compartment set

(surfaceCompartmentSet)A compartment set for measures and methods in the surface compartment. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Surface compartment (surf). A measure or observation made from a substance on a surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Surface and water compartment set

(surfaceWaterCompartmentSet)A compartment set for measures and methods in the surface or water compartments. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Surface compartment (surf). A measure or observation made from a substance on a surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water compartment (wat). A measure or observation made from a substance in the water, including wastewater. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Water compartment set

(waterCompartmentSet)A compartment set for measures and methods in the water compartment. Status: active. First Released: 1.0.0. Last updated: 2.0.0.

Water compartment (wat). A measure or observation made from a substance in the water, including wastewater. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Data types

(dataTypes). The data type for a part. Data types used in the ODM include: varchar, booleen, float, category, date, time, datetime, url, email. dataType corresponds the the entry or cell within a data table, most commonly within a report table. If the data entry has a unit, then the dataType corresponds to the unit and the dataType refers to 'unit'. If the data entry is a category, then the dataType refers to 'category'. All categories are varchar. Otherwise the dataType is identified within the part entry. TBA: dataType for dictionary.

Binary Large Object (BLOB) data type (blob). The data type for Binary Large Object (BLOB) data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Boolean data type (boolean). The data type for boolean/binary data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Categorical data type (categorical). The data type for categorical data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Datetime data type (datetime). The data type for date and time data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Float data type (float). The data type for float data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Integer data type (integer). The data type for integers. Status: active. First released: 2.0.0. Last updated: 2.0.0.

See unit (data type) (seeUnitData). The data type entry when the data type for a given entry is specified by the unit used. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variable character data type (varchar). The data type for variable character data. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Domains

(domains). There are three domain types: biologic (i.e. Covid-19, chemical (i.e. nitrogen), physical measure (temperature).

All domains (allDo). Domain that specifies that it could apply to al domains; biological, chemical, and physical. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Biologic (bio). A living organism or biological substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemical (che). A chemical compound. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Domain not applicable (naDomain). Not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Physical property (phy). A physical property or object not characterized by life or chemistry. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Groups

(groups). A collection of related measures. Used primary to group measurements and methods, this helps pare down the drop down list for a given measurement or

Miscellaneous bacteria group (bactMisc). A group of measures/methods related to miscellaneous bacteria. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Collection group (colGrp). A group of measurement-like attributes related to sample collection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measurement group (measGrp). A group of measures that cannot be otherwise categorized. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous attribute group (miscAttr). A group of miscellaneous measurement-like attributes. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous measure group (miscMeas). A group of measures that cannot be otherwise categorized. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Group not applicable (naGroup). Used when there is no group; ie. group is not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population group (popGrp). A group of measures/methods related to population-level factors. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Processing group (procGrp). A group of measures/methods related to processing samples for analysis. Status: active. First released: 2.0.0. Last updated: 2.0.0.

SARS-CoV-2 (sarsCov2). A group of measures/methods related to the SARS-CoV-2 virus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site features group (siteFeat). A group of environmental measures/methods and those pertaining to the features of a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Miscellaneous viruses group (virusMisc). A group of measures/methods related to miscellaneous viruses. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measures

(measurements). The attribute to describe a part type of measures. All measures have partType = "measure".

a1306s delta-variant gene target (a1306s). a1306s delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

a1918v delta-variant gene target (a1918v). a1918v delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

a2710t omicron-variant gene target (a2710t). a2710t omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

a63t omicron-variant gene target (a63t). a63t omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

a67v omicron-variant gene target (a67v). a67v omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Absolute humidity (absHum). A measure of the total mass of water vapour present in the air per volume of air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Environmental temperature (airTemp). Environmental temperature. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Arrival temperature (arTemp). The temperature of a sample upon arrival at the laboratory for analysis. Status: active. First released: 1.0.0. Last updated: 2.0.0.

bcov (bcov). Measure of the amount of bovine coronavirus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Beta (beta). B.1.351 Status: active. First released: 2.0.0. Last updated: 2.0.0.

5-Day carbonaceous kiochemical oxygen demand (bod5c). The quantity of oxygen utilized for the biochemical degradation of organic matter under standard laboratory procedures in five (5) days in the presence of a nitrification inhibitor, expressed in milligrams per litre (mg/l). Status: active. First released: 1.1.0. Last updated: 2.0.0.

5-day total biochemical oxygen demand (bod5t). 5 day total biochemical oxygen demand. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Bovine respiratory syncytial virus group (brsv). Bovine respiratory syncytial virus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

BRSV-N (brsvN). bovine respiratory syncytial virus capsid protein gene region Status: active. First released: 1.0.0. Last updated: 2.0.0.

Carbon Dioxide (co2). A measure of an amount or concentraion of carbon dioxide. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemical Oxygen Demand (cod). Chemical oxygen demand. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Water conductivity (cond). Measurement of conductivity of sample or site. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Covid-19 (cov). Covid-19 infection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

SARS-CoV-2 measure (cov2Me). Measure the amount of SARS-CoV-2 virus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

SARS-CoV-2-B.1.1.7 (covB117). Variant B.1.1.7 of the SARS-CoV-2 virus. Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-B.1.351 (covB135). Variant B.1.351 of the SARS-CoV-2 virus. Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-E (covE). SARS-CoV-2 E gene. Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N1 (covN1). SARS-CoV-2 nucleocapsid gene, allele 1. Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N2 (covN2). SARS-CoV-2 nucleocapsid gene, allele 2. Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-N3 (covN3). SARS-CoV-2 nucleocapsid gene, allele 3. Status: active. First released: 1.0.0. Last updated: 2.0.0.

SARS-CoV-2-P.1 (covP1). Variant P.1 of the SARS-CoV-2 virus. Status: active. First released: 1.1.0. Last updated: 2.0.0.

SARS-CoV-2-RdRp (covRdrp). SARS-CoV-2 RdRp gene. Status: active. First released: 1.0.0. Last updated: 2.0.0.

crAssphage-N (cra). crAssphage virus capsid protein gene region Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cycle threshold or quantification cycle (Ct or Cq) (ct). Cycle thresholds in a PCR assay. Status: active. First released: 1.0.0. Last updated: 2.0.0.

d377y delta-variant gene target (d377y). d377y delta-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

d3g omicron-variant gene target (d3g). d3g omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

d63g delta-variant gene target (d63g). d63g delta-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

d796y omicron-variant gene target (d796y). d796y omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

d950n delta-variant gene target (d950n). d950n delta-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ddcov_e sars-cov-2 gene target (ddcovE). ddcov_e sars-cov-2 gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ddcov_n sars-cov-2 gene target (ddcovN). ddcov_n sars-cov-2 gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

del143/145 (del143). 143 or 145 deletion omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

del 157/158 (del157). 157 or 158 deletion delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

del2084/2084 (del2084). 2084 or 2084 deletion omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

del212/212 (del212). 212 or 212 deletion omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

del3674/3676 (del3674). 3674 or 3676 deletion omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

del69/70 (del6970). 69 or 70 deletion omicron-variant gene target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Delta (delta). B.1.617.2 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dilution factor (dilFact). Specifies the extent to which a sample or aliquot was diluted prior to analysis. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Point dillutions (dillute). Exact concentration or dillutions for generating a standard curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

e156g delta-variant gene target (e156g). e156g delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

e484a omicron-variant gene target (e484a). e484a omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Escherichia coli (ecoli). Concentration of bacteria that are passed through the faecal excrement of humans, livestock and wildlife Status: active. First released: 2.0.0. Last updated: 2.0.0.

Efficiency (efficient). The efficiency reported for a standard curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rainfall (envRnF). Rainfall, i.e. amount of precipitation in the form of rain. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ground snow depth (envSnwD). Total depth of snow on the ground. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Snowfall (envSnwF). Snowfall, i.e. amount of precipitation in the form of snow. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sarbecovirus-specific E sars-cov-2 gene target (eSarbec). Sarbecovirus-specific E sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Estimated frequency of reads (estFreqReads). Estimated frequency of reads in a sequencing assay Status: active. First released: 2.0.0. Last updated: 2.0.0.

Extraction volume of sample (exvol). Extraction volume of sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Flow rate (floRate). Wastewater volumetric flow rate at the sample collection location over the 24-hr period during which the sample was collected. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Flow volume (flowVol). Volume of influent. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus measure (flu). General influenza virus measure Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus A1 (fluA1). Influenza virus A1 type Status: active. First released: 2.0.0. Last updated: 2.0.0.

influenza virus A2 (fluA2). influenza virus A2 type Status: active. First released: 2.0.0. Last updated: 2.0.0.

Influenza virus B (fluB). Influenza virus B type Status: active. First released: 2.0.0. Last updated: 2.0.0.

F-Specific RNA bacteriophages (frna). A measure for amount of F-Specific RNA bacteriophages. Status: active. First released: 2.0.0. Last updated: 2.0.0.

F-Specific RNA bacteriophages, G2 (frnaG2). A measure for amount of G2 F-Specific RNA bacteriophages. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample temperature (fst). Temperature that the sample is stored at while it is being sampled. This field is mainly relevant for composite samples which are either kept at ambient temperature or refrigerated while being sampled. Status: active. First released: 1.0.0. Last updated: 2.0.0.

g215c delta-variant gene target (g215c). g215c delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

g339d omicron-variant gene target (g339d). g339d omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

g496s omicron-variant gene target (g496s). g496s omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

g662s delta-variant gene target (g662s). g662s delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gamma (gam). P.1 Status: active. First released: 2.0.0. Last updated: 2.0.0.

hep g armored rna (hepGRna). Measure of the amount Hepatitis G Armored RNA. Status: active. First released: 2.0.0. Last updated: 2.0.0.

i1566v omicron-variant gene target (i1566v). i1566v omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

i3758v omicron-variant gene target (i3758v). i3758v omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

i82t delta-variant gene target (i82t). i82t delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Inhibition measure (inhibMe). Parameter to report whether or not inhibition was detected in the sample. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Intercept (inter). Intercept value of the calibration curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Combined ip2 and ip4 sars-cov-2 gene target (ip2ip4). Combined ip2 and ip4 sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

k856r omicron-variant gene target (k856r). k856r omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

1452r delta-variant gene target (1452r). 1452r delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

1981f omicron-variant gene target (1981f). 1981f omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Lambda (lamba). C.37 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Limit of detection (LOD) (lod). Limit of detection. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Limit of detection (LOD) - sewage (lodSewa). Limit of detection for sewage samples. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Limit of quantification (LOQ) (loq). Loq Status: active. First released: 1.1.0. Last updated: 2.0.0.

Other Measure (measOth). Other measure, not otherwise specified in measures. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Other Measure Description (meOthDe). Description of other measure (measOtherDesc). Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Murine Hepatitis Virus (mhv). A measure for amount of murine hepatitis viurs. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ms2 coliphage (ms2Col). Measure of the amount of ms2 coliphage. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mu (mu). B.1.621 Status: active. First released: 2.0.0. Last updated: 2.0.0.

murine coronavirus (muCo). Measure of the amount of murine coronavirus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

N sars-cov-2 gene target (n). N sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Combined N1 and N2 sars-cov-2 gene target (n1n2). Combined N1 and N2 sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

n211i omicron-variant gene target (n211i). n211i omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

n679k omicron-variant gene target (n679k). n679k omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

n856k omicron-variant gene target (n856k). n856k omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

n969k omicron-variant gene target (n969k). n969k omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ammonium Nitrogen (nH4N). Ammonium nitrogen concentration, as N. Status: active. First released: 1.0.0. Last updated: 2.0.0.

niid_2019-ncov_n sars-cov-2 gene target (niid19). niid_2019-ncov_n sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Norovirus G1 (noroG1). Norovirus genogroup 1 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Norovirus G2 (noroG2). Norovirus genogroup 2 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sarbecovirus-specific N sars-cov-2 gene target (nSarbec) Sarbecovirus-specific N sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

coronavirus OC43 (oc43). Measure of the amount of coronavirus OC43. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.1 (omicr1). Omicron B.1.1.529 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.2 (omicr2). Omicron BA.2 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.2.75 (omicr275). Omicron BA.2.75 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.4 (omicr4). Omicron BA.4 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Omicron BA.5 (omicr5). Omicron BA.5 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Orthophosphates (ophos). Ortho-phosphate concentration. Status: active. First released: 1.0.0. Last updated: 2.0.0.

ORF1a sars-cov-2 gene target (orf1a). ORF1a sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

ORF1ab sars-cov-2 gene target (orf1ab). ORF1ab sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

ORF1b sars-cov-2 gene target (orf1b). ORF1b sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Variants Other (otherV). Used for reporting variants detected for which a specific measureID doesn't already exist. The ODM team will periodically migrate collected responses in this category into set measureIDs. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak (outb). Measure to indicate outbreak status. Given that when outbreaks occur, full data on case counts may not be available or completely accurate, using this measure indicates that case counts may be approximate. Status: active. First released: 2.0.0. Last updated: 2.0.0.

p100l delta-variant gene target (p100l). p100l delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

p20461 delta-variant gene target (p20461). p20461 delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

p2287s delta-variant gene target (p2287s). p2287s delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

p3395h omicron-variant gene target (p3395h). p3395h omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

p681r delta-variant gene target (p681r). p681r delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

pH (ph). pH measurement Status: active. First released: 1.1.0. Last updated: 2.0.0.

Pseudomonas virus phi6 (phi6). Measure of the amount of pseudomonas virus phi6. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Total phosphorous (phos). Total phosphorous Status: active. First released: 1.1.0. Last updated: 2.0.0.

Total Phosphates (phostot). Total phosphates Status: active. First released: 1.1.0. Last updated: 2.0.0.

PHRED quality score (phred). PHRED Quality Score For Sequencing Status: active. First released: 2.0.0. Last updated: 2.0.0.

PMMoV-CP (ppmv). Pepper mild mottle virus capsid protein gene region Status: active. First released: 1.0.0. Last updated: 2.0.0.

Puro virus (puro). Measure of the amount of puro virus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

q19e omicron-variant gene target (q19e). q19e omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

q493r omicron-variant gene target (q493r). q493r omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

q498r omicron-variant gene target (q498r). q498r omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

q954h omicron-variant gene target (q954h). q954h omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

R squared (r2). R-squared value of the calibration curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

r203m delta-variant gene target (r203m). r203m delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

IP2 rdrp sars-cov-2 gene target (rdrpIP2). IP2 rdrp sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

IP4 rdrp sars-cov-2 gene target (rdrpIP4). IP4 rdrp sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Relative humidity (relHum). The unit of relative humidity, or the airwater mixture. The ratio of the partial pressure of water vapor in the mixture to the equilibrium vapor pressure of water over a flat surface. of pure water at a given temperature. Status: active. First released: 2.0.0. Last updated: 2.0.0.

replicate number (repNum). The replicate number for a Ct or Cq value - used for specifying out a protocol standard curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Respiratory syncytial virus (rsv). Respiratory syncytial virus. Status: active. First released: 2.0.0. Last updated: 2.0.0.

s2083i omicron-variant gene target (s2083i). s2083i omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

s3711 omicron-variant gene target (s3711). s3711 omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

s373p omicron-variant gene target (s373p). s373p omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

s375f omicron-variant gene target (s375f). s375f omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

s477n omicron-variant gene target (s477n). s477n omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Settled solids (settsol). Amount of settled solids from a wastewater sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.

S sars-cov-2 gene target (sGene). S sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

slope (slope). Slope value of the calibration curve. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specific humidity (specHum). Measure for specific humidity, the unit is the ratio of the mass of water vapour and the mass of total air. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Storage temp (sTemp). Temperature that the sample is stored at in Celsius. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Storage time (stoTim). Length of time that a sample was in storage. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sub-variant or lineage (subVar). A unit used to report a specific genetic lineage, or to specify that a reported variant is a sub-variant of another. Status: active. First released: 2.0.0. Last updated: 2.0.0.

t19r delta-variant gene target (t19r). t19r delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

t3646a delta-variant gene target (t3646a). t3646a delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

t547k omicron-variant gene target (t547k). t547k omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

t9i omicron-variant gene target (t9i). t9i omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

TaqPath N sars-cov-2 gene target (taqpatN). TaqPath N sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

TaqPath S sars-cov-2 gene target (taqpatS). TaqPath N sars-cov-2 gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample temperature (temp). Temperature of the sample measured in degrees Celcius Status: active. First released: 1.0.0. Last updated: 2.0.0.

Nucleic acid template volume (tempVol). The volume of DNA or RNA template used for PCR. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Total Kjeldahl Nitrogen (tkn). A measure of Total Kjeldahl Nitrogen; ie. the sum of nitrogen bound in organic substances, nitrogen in ammonia (NH3-N) and in ammonium (NH4+-N) in the chemical analysis of soil, water, or waste water. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Total Nitrogen (tn). Total nitrogen concentration, as N. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Total solids concentration (ts). Total solids concentration Status: active. First released: 1.0.0. Last updated: 2.0.0.

Total suspended solids (tss). Total suspended solids Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration of total suspended solids (tssConc). Total suspended solids concentration of the wastewater. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Tubidity (turb). A measure for the turbidity of water, or a liquid sample, quanitfying the relative clarity or opcaity of a liquid. Highly indicative of water quality. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Tube weight empty (tWeighE). The weight of the tube used for analysis while empty. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tube weight full (tWeighF). The weight of the tube used for analysis while full of analyte. Status: active. First released: 2.0.0. Last updated: 2.0.0.

v2930l delta-variant gene target (v2930l). v2930l delta-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Size in volume (vol). Total volume of water or sludge sampled. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volatile suspended solids (vss). Volatile suspended solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volatile suspended solids - ignition (vssIg). A water quality measure, captured by via the loss on ignition of the mass of measured total suspended solids. This ignition generally takes place in an oven at a temperature of 550 °C to 600 °C. It represents the amount of volatile matter present in the solid fraction of the measured solution. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wastewater temperature (watTemp). Temperature of the wastewater. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather (weath). A measure for weather captured through qualitative categories; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wind Speed (wind). A measure for wind speed; part of a larger suite of weather measures that may be useful when collecting samples from outdoor sources. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wastewater treatment plant designed capacity (wwtpCap). A measure for the designed capacity of a wastewater treatment plant, in terms of how much water it was designed to be able to hold and process. Status: active. First released: 1.0.0. Last updated: 2.0.0.

y505h omicron-variant gene target (y505h). y505h omicron-variant gene target Status: active. First released: 2.0.0. Last updated: 2.0.0.

Methods

(methods). Procedures or steps for collecting samples or performing measures. For example, methodExtract is a method that describes the how a sample was extracted.

Nucleic acid extraction method (extraction). Description of the nucleic acid extraction method. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Inhibition method (inhibMeth). Description of the method used to evaluate molecular inhibition. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration method (methodConc). Description of the method to concentrate a wastewater sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

PCR method (permeth). Description of the PCR method. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Pretreatment (pretreat). Was the sample chemically treated in anyway with the addition of stabilizers or other Status: active. First released: 1.0.0. Last updated: 2.0.0.

Genetic primer (primer). Method ID used for indicating the primer used for a PCR or sequencing assay. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality assurance method (qaqc). Quality assurance and quality control method. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Collection other depreciated (sampleTypeOther). Description for other type of method not listed in collection. depreciated. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Standard curve frequency (scf). A method for specifying the frequecy over which a standard curve (or 'Master Curve') is used. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic sequencing script version (scriptVersion). Used to specify the script or script version used to extract summary information (i.e. coverage and mutation frequency statistics, etc.) from the sequencing output. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Layout (seqLay). The layout of genetic material used in sequencing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing selection method (seqSel). The primer sequence selection method used in sequencing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Strategy (seqStrat). The sequencing strategy used for an analysis. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Shipped on ice (shipOnIce). Was the sample kept cool while being shipped to the lab Status: active. First released: 1.0.0. Last updated: 2.0.0.

Solid seperation (solidSep). Process used to separate solid and liquid phases of the sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Spike material (spikeMat). Material into which the recovery efficiency control target is spiked. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Recovery efficiency spike target (spikeTarget). Method specifying the recovery efficiency control target. This matches on to the spike material method ID. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Type other depreciate (tyOtDep). Description for other type of sample not listed in Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Missingness

(missingness). The part type for missingness values. Only used for the dictionary entries of parts.

Not applicable (NA). The field for which the expected value is not a property of the described object. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not a number (nan). The outcome of a measurement is not a valid number (plus or minus infinity, error, ...) Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not reported (nr). A value could have been recorded, however, it was not. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Null (null). A logical representation of a statement that is neither TRUE nor FALSE. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Undisclosed (undisc). A value has been recorded, however it was not included in the dataset. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Missingness sets

(missingnessSets). Missingness sets for measures, methods or attributes. Inputted data into an ODM field may have missing data. The missingness set lists valid missing categories for the measure, method, or attribute.

General missingness set

(genMissingnessSet)The general set for missingness values. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Not applicable (NA). The field for which the expected value is not a property of the described object. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not a number (nan). The outcome of a measurement is not a valid number (plus or minus infinity, error, ...) Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not reported (nr). A value could have been recorded, however, it was not. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Null (null). A logical representation of a statement that is neither TRUE nor FALSE. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Undisclosed (undisc). A value has been recorded, however it was not included in the dataset. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not reported, Not applicable missing set

(nrNAMissingnessSet)Not reported, Not applicable missing set. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Not applicable (NA). The field for which the expected value is not a property of the described object. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Not reported (nr). A value could have been recorded, however, it was not. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measure, method, or attribute sets

(mmaSets). A set of categories. For example, site type has a list of different sites, such as a wastewater treatment plant, a septic tank, or a pumping station. Only used for the dictionary entries of parts.

Boolean value set

(booleanSet)Set that contains the valid possible values for a boolean measure (TRUE or FALSE). Status: active. First Released: 2.0.0. Last updated: 2.0.0.

FALSE (false). Boolean data type = FALSE Status: active. First released: 1.1.0. Last updated: 2.0.0.

TRUE (true). Boolean data type = TRUE Status: active. First released: 1.1.0. Last updated: 2.0.0.

Sample collection set

(collectSet)Methods for collection samples. Sample collection methods include water, air, and surface. See the attribute Compartment set of the sample collection method. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Area proportional sample (areaPr). An area proportional sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Composite sample - archival (comp). A composite sample, usually generated by an autosampler. Status: active. First released: 1.0.0. Last updated: 2.0.0.

COSCa ball (cosca). COSCa passive sampling device. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Flow proportional sample (flowPr). A flow proportional composite sample generally collected by an autosampler. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Grab sample (grb). A single large representative grab sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Moore swab passive sample (moorSw). Moore swab passive sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Surface swab (surfSw). Surface swab. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Time proportional sample (timePr). A time proportional composite sample generally collected by an autosampler. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Volume proportional sample (volPr). A volume proportional sample generally collected by an autosampler. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nucleic Acid Extraction set

(extractSet)set used for storing all the valid category values for the nucleic acid extraction method. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Amicon filter, extract with MP96 (amiMP96). Nucleaic acid extraction, usually used for the liquid fraction of a wastewater sample, using amicon filtration and using an MP96 for final extraction. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Bead beating, extract with MP96 (bbMP96). Nucleaic acid extraction, usually used for solid fraction of a wastewater sample, using bead beating and using an MP96 for final extraction. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Chemagic viral dna/rna 300 kit (chemVir). Nucleic acid extraction performed using the chemagic viral dna/rna 300 kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

4s method (extract4s). Nucleic acid extraction performed using the 4s method. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nuclisens automated magnetic bead extraction kit (nucAuto). Nucleic acid extraction performed using the nuclisens automated magnetic bead extraction kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nuclisens manual magnetic bead extraction kit (nucManu). Nucleic acid extraction performed using the nuclisens manual magnetic bead extraction kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Phenol chloroform (phenCl). Nucleic acid extraction performed using phenol chloroform. Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega automated tna kit (promAuto). Nucleic acid extraction performed using the promega automated tna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega ht tna kit (promHt). Nucleic acid extraction performed using the promega ht tna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega manual tna kit (promManu). Nucleic acid extraction performed using the promega manual tna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

promega wastewater large volume tha capture kit (promWW). Nucleic acid extraction performed using the promega wastewater large volume tha capture kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen allprep dna/rna kit (qgDNARNA). Nucleic acid extraction performed using the qiagen allprep dna/rna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen ez1 virus mini kit v2.0 (qgEz1). Nucleic acid extraction performed using the qiagen ez1 virus mini kit v2.0. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen allprep powerfecal dna/rna kit (qgPwrFecal). Nucleic acid extraction performed using the qiagen allprep powerfecal dna/rna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen allprep powerviral dna/rna kit (qgPwrViral). Nucleic acid extraction performed using the qiagen allprep powerviral dna/rna kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen powerwater kit (qgPwrWtr). Nucleic acid extraction performed using the qiagen powerwater kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen qiaamp buffers with epoch columns (qgQiAmp). Nucleic acid extraction performed using the qiagen qiaamp buffers with epoch columns. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen rneasy kit (qgRneasy). Nucleic acid extraction performed using the qiagen rneasy kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen rneasy powermicrobiome kit (qgRneasyPwr). Nucleic acid extraction performed using the qiagen rneasy powermicrobiome kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Resuspend COSCa filter collection (resCosca). Nucleic acid extraction via resuspension of a sample collected using the COSCa ball method. Status: active. First released: 2.0.0. Last updated: 2.0.0.

thermo magmax microbiome ultra nucleic acid isolation kit (thermMag). Nucleic acid extraction performed using the thermo magmax microbiome ultra nucleic acid isolation kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

trizol, zymo mag beads w/ zymo clean and concentrator (trizol). Nucleic acid extraction performed using the trizol, zymo mag beads w/ zymo clean and concentrator method. Status: active. First released: 2.0.0. Last updated: 2.0.0.

zymo environ water rna kit/ zymo environ water rna kit (cat. r2042) (zymoEnv). Nucleic acid extraction performed using the zymo environ water rna kit/ zymo environ water rna kit (cat. r2042). Status: active. First released: 2.0.0. Last updated: 2.0.0.

zymo quick-rna fungal/bacterial miniprep #r2014 (zymoQuick). Nucleic acid extraction performed using the zymo quick-rna fungal/bacterial miniprep #r2014 kit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample fraction set

(fractionSet)set for the fraction of the sample (solid, liquid, etc.). Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Liquid fraction (liq). Liquid fraction of a sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Mixed/homogenized sample (mix). Mixed or homogenized sample or fraction analyzed. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Solid fraction (sol). Solid fraction of a sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Geographic set

(geoTypeSet)set for different type of geographic components. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Sewer Network Health Region (hlthReg). Health region served by the sewer network Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewer catchment area (swrSet). Sewer catchment area. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Inhibition set

(inhibitionSet)Category set for inhibition methods. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Serial dilution (serialDilution). The serial dilution method for assessing inhibition. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Spike matrix and recovery (spike). The spike matrix and recovery method for assessing inhibition. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Instrument set

(insTypeSet)List of instruments that are used for measures and methods Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Atline Analyzer (aas). Atline analyzer with sampler. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hand Measurement (hma). Handheld measurement analyzer. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Other instrument (instrumentTypeOther). Type of instrument other than those included in the PHES-ODM. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lab Analysis (ola). Offline laboratory analysis. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Online Sensor (onse). Online sensor Status: active. First released: 1.0.0. Last updated: 2.0.0.

Concentration method set

(methodConcSet)A set a concentration methods. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Aloh3 precipitation (aloh3). Aloh3 precipitation Status: active. First released: 2.0.0. Last updated: 2.0.0.

Amicon ultrafiltration (amiconUf). Amicon ultrafiltration Status: active. First released: 2.0.0. Last updated: 2.0.0.

Beef extract flocculation (beeExtractFloc). Beef extract flocculation. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Centricon ultrafiltration (centriconUf). Centricon ultrafiltration. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ceres nanotrap (ceres). Ceres nanotrap. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Hollow fiber dead end ultrafiltration (hollowFiberUF). Hollow fiber dead end ultrafiltration Status: active. First released: 2.0.0. Last updated: 2.0.0.

Innovaprep ultrafiltration (innovaprepUF). Innovaprep ultrafiltration Status: active. First released: 2.0.0. Last updated: 2.0.0.

Polyethyleneglycol (PEG) precipitation (peg). Peg precipitation Status: active. First released: 2.0.0. Last updated: 2.0.0.

Skimmed milk flocculation (skimMilkFloc). Skimmed milk flocculation Status: active. First released: 2.0.0. Last updated: 2.0.0.

Ultracentrifugation (untracent). Ultracentrifugation Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization level set

(orgLevelSet)Categories of organization levels. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Administrative regions (admRegLevel). Administrative regions Status: active. First released: 2.0.0. Last updated: 2.0.0.

Countries or sovereign states (countryLevel). Countries or sovereign states Status: active. First released: 2.0.0. Last updated: 2.0.0.

Districts, counties, regions (countyLevel). Districts, counties, regions Status: active. First released: 2.0.0. Last updated: 2.0.0.

Municipalities or communes (municipalLevel). Municipalities or communes Status: active. First released: 2.0.0. Last updated: 2.0.0.

Local administrative units or neighborhoods (neighborLevel). Local administrative units or neighborhoods Status: active. First released: 2.0.0. Last updated: 2.0.0.

Departments, states, or provinces (stateProvLevel). Departments, states, or provinces Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization sector set

(orgSectorSet)Cateogries of organization sectors. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Airport (airport). Airport sample shed category type Status: active. First released: 2.0.0. Last updated: 2.0.0.

Long-term acute care hospital (ccc). Acute care hospitals, or complex contuing care, that provide care for patients with average length of stay longer than 25 days. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Higher education domitory or residential building (dorm). Higher education domitory or residential building Status: active. First released: 2.0.0. Last updated: 2.0.0.

First Nation (fiNa). Used to categorize a sampleshed that is a First Nation, or on reserve lands. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Health administration or planning agency (healthAdm). Health administrative or planning organization. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory (lab). Laboratory for environmental testing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Long-term care facility (ltcf). A residential healthcare facility that provides 24-medical care. These are also called skilled nursing facilities. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Long-term care - assisted living or retirement home (ltcfAl). A residential facility that provides assistance with daily care but generally does not provide skilled nursing care. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Public health agency (pubHealth). Public health agency. Status: active. First released: 2.0.0. Last updated: 2.0.0.

School (school). A school serving students in the kindergarten to 12th grade range Status: active. First released: 1.0.0. Last updated: 2.0.0.

Social services shelter (sss). Other type of social services shelter Status: active. First released: 2.0.0. Last updated: 2.0.0.

University campus (uCampus). University college campus - comprising an entire campus or part of a campus. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Organization type set

(orgTypeSet)The set for storing organization types. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Academic institution (academ). The category of organization type used for academic institutions or research groups. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Government agency (govt). The category of organization type used for government agencies, programs, or crown-owned bodies. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Private sector (priv). The category of organization type used for private sector or non-profit groups that are not otherwise captured by the academic category. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample Origin set

(originSet)The set for storing the valid categorical values of sample origin. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Derived sample (derived). Specifies a sample that is derrived or made from another sample or material. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample (field). Specifies a sample taken from the field; directly collected from an area for testing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Synthetic sample (synthetic). Specifies a synthetic, or artificially derrived sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak set

(outbreakSet)set for the valid values of the outbreak measure. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Outbreak End (outbEnd). Indicates an outbreak has ended. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak - on-going (outbOngoing). Indicates an outbreak is on-going. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Outbreak start (outbStart). Indicates an outbreak began. Status: active. First released: 2.0.0. Last updated: 2.0.0.

PCR Method set

(pcrSet)The set capturing containing all of the valid methods for the PCR methodID. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Digital droplet emulsification PCR (bioRadDdpcr). Describes a PCR analysis done using BioRad's digital droplet emulsification PCR technology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Fluidigm digital PCR (fluiDpcr). Describes a PCR analysis done using FluidIGM's digital PCR technology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Life technologies digital PCR (ltDpcr). Describes a PCR analysis done using Life Technologies' digital PCR technology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

qiagen digital PCR (qgDpcr). Describes a PCR analysis done using Qiagen's digital PCR technology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quantitative PCR (qpcr). Real-time PCR, also called 'quantAggScale' PCR Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raindance digital PCR (rainDpcr). Describes a PCR analysis done using Raindance's digital PCR technology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetic primer set

(primerSet)The set for genetic primers used in sequencing or PCR assays. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Use of the articV3 primer (articV3). Initial implementation of an ARTIC bioinformatics platform for nanopore sequencing of nCoV2019 novel coronavirus; Artic Foundation v3 primer. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Use of the articV4 primer (articV4). Artic V4 sequencing primer for VOCs and VOIs. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol Relationships set

(protocolRelSet)set for valid values of relationshipID in the protocolRelationships table. Use only for protocolRelationships table relationshipID. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Is Before (before). Specifies that the object step or protocol occurs before the subject step or protocol in the overall protocol container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Is concurrent to (concurrent). Specifies that the object step or protocol occurs at the same time as the subject step or protocol in the overall protocol container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specifies (specifies). Specifies that the object step or protocol occurs specifies details for the subject step or protocol in the overall protocol container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Purpose set

(purposeSet)Purpose set for a sample or measure. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Education (education). A measure or sample taken for education or training. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple Purpose (multiple). A measure or sample taken for multiple purposes, not easily captured by the other purpose categories. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Provisional report (provisional). A provisional or interm report. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality control (quality Control). A measure or sample taken for the purpose of quality control. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Regular (regular). A measure or sample taken for surveillance or epidemiology. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Testing (testing). A measure or sample taken to test a new method. These measures are typically used for internal lab uses and not reported to external partners. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Validation study (validationStudy). A meaure or sample taken for a validation study. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Replicate Type set

(replicateSet)The set for storing valid categorical values of replicate type. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Co-located sample (colocated). Second or multiples samples collected at same location but different time (water, air) or at a nearby location (soil, sediment). Sent blind to laboratory. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample replicate (fieldReplicate). A sample divided into two or more homogeneous parts. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory duplicate (labDuplicate). Second (time or more) processing and analysis of sample. Usually for general chemistry or metals analyses. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory control sample duplicate (lcsd). Known amounts of an analyte or representative compounds are added to a second "clean" matrix (lab water or clean sand) in laboratory. Duplicate of LCS Status: active. First released: 2.0.0. Last updated: 2.0.0.

Matrix spike duplicate (msd). A known amounts of an analyte or representative compounds are added in the laboratory to a second aliquot of the sample used for matrix spike. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unique sample (unique). A unique sample, not duplicated. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample material set

(sampleMatSet)set for the types of material that can be found in a sample. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Air filter (afu). Air filter as part of filtration or circulating unit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Desk or counter (desk). Desk, table, countertop or other flat working surface. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Fecal matter (faeces). Fecal matter. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Floor (floor). Floor of a building or room. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Holding tank wastewater (htSam). Wastewater sampled from a holding tank, such as from an airplane or ship Status: active. First released: 2.0.0. Last updated: 2.0.0.

Water (nww). Non-wastewater, coming from any kind of water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Primary clarifier effluent (pEfflu). Effluent obtained after primary clarifiers Status: active. First released: 1.0.0. Last updated: 2.0.0.

Primary clarifier sludge (pSludge). Sludge produced by primary clarifiers Status: active. First released: 1.0.0. Last updated: 2.0.0.

Post-grit (pstGrit). Raw wastewater after a treatment plant's headworks (post grit or removal of large solids at a treatment plant but priort to a primary clarifier) Status: active. First released: 1.0.0. Last updated: 2.0.0.

Raw sewage at site (rawWW). Wastewater without any form of treatment Status: active. First released: 1.0.0. Last updated: 2.0.0.

Raw sewage downstream from a site (rawWWdown). Downstream from a site. See partType = rawWWup. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raw sewage upstream from a site (rawWWup). Upstream from a site. Used when there is not direct access to a site's wastewater inconjuction

with downstream sample. For example, if the site is a long-term care home, but ther is not access to the building or property cleanout. Use two sample, one sample upstream and one sample downstream. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Secondary clarifier effluent (sEfflu). Effluent obtained after secondary clarifiers Status: active. First released: 1.0.0. Last updated: 2.0.0.

Septic tank wastewater (septage). Wastewater from within a septic tank Status: active. First released: 1.0.0. Last updated: 2.0.0.

Secondary clarifier sludge (sSludge). Sludge produced by secondary clarifiers Status: active. First released: 1.0.0. Last updated: 2.0.0.

Other surface (surface). Surface other than floor or desk. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sewer sediment (swrSed). Sediments obtained in sewer Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample relationships set

(sampleRelSet)set for valid values of relationshipID in the sampleRelationships table. Use only for sampleRelationships table relationshipID. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Child relationship (child). Indicated that this is a sample generated from (an)other sample(s) either because of pooling or sub-sampling. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Co-located sample (colocated). Second or multiples samples collected at same location but different time (water, air) or at a nearby location (soil, sediment). Sent blind to laboratory. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Field sample replicate (fieldReplicate). A sample divided into two or more homogeneous parts. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory duplicate (labDuplicate). Second (time or more) processing and analysis of sample. Usually for general chemistry or metals analyses. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Laboratory control sample duplicate (lcsd). Known amounts of an analyte or representative compounds are added to a second "clean" matrix (lab water or clean sand) in laboratory. Duplicate of LCS Status: active. First released: 2.0.0. Last updated: 2.0.0.

Matrix spike duplicate (msd). A known amounts of an analyte or representative compounds are added in the laboratory to a second aliquot of the sample used for matrix spike. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing script version set

(scriptSet)The set for script versions Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Freyja Script (freyja). Freyja Script for sequencing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gromstole 1.0 Script (gromstole). Gromstole 1.0 Script for sequencing. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Layout set

(seqLaySet)The set for the layout of genetic material used in sequencing Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Mate pair layout (mateLay). Specifies the mate pair layout for a sequencing method. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Paired Layout (pairLay). Specifies the paired layout for a sequencing method Status: active. First released: 2.0.0. Last updated: 2.0.0.

Single Layout (sinLay). Specifies the single layout for a sequencing method Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing selection method set

(seqSelSet)The set for the selection method used in sequencing Status: active. First Released: 2.0.0. Last updated: 2.0.0.

PCR sequencingsSelection method (pcrSeq). Specifies the PCR selection method for sequencing, ie. that a pre-determined primer was used. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Random sequencing selection method (ranSeq). Specifies the random selection method for sequencing Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing Strategy set

(seqStratSet)The set for the sequencing strategy used for an analysis Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Amplicon sequencing (amp). Specifies the amplicon strategy for genetic sequencing Status: active. First released: 2.0.0. Last updated: 2.0.0.

Whole genome sequencing (wgs). Specifies the whole genome sequencing (WGS) strategy for genetic sequencing Status: active. First released: 2.0.0. Last updated: 2.0.0.

Severity set

(sevSet)A set for severity indicators. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

High severity (high). Indicates a very sever quality issue, likely meaning the data should not be reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low severity (low). A marker for low severity Status: active. First released: 2.0.0. Last updated: 2.0.0.

Mid-level severity (mid). A marker for med-level severity, where there are some concerns. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sampleshed set

(shedSet)The set for all valid values of sampleshed. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Airplane (airpln). Airplane sample shed category type Status: active. First released: 1.0.0. Last updated: 2.0.0.

Airport (airport). Airport sample shed category type Status: active. First released: 2.0.0. Last updated: 2.0.0.

Long-term acute care hospital (ccc). Acute care hospitals, or complex contuing care, that provide care for patients with average length of stay longer than 25 days. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Child day care (cdc). Child day care facility. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Cphd ID (corFcil). Correctional facility Status: active. First released: 1.0.0. Last updated: 2.0.0.

Higher education domitory or residential building (dorm). Higher education domitory or residential building Status: active. First released: 2.0.0. Last updated: 2.0.0.

First Nation (fiNa). Used to categorize a sampleshed that is a First Nation, or on reserve lands. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Hospital (hospital). Hospital Status: active. First released: 1.0.0. Last updated: 2.0.0.

Long-term care facility (ltcf). A residential healthcare facility that provides 24-medical care. These are also called skilled nursing facilities. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Long-term care - assisted living or retirement home (ltcfAl). A residential facility that provides assistance with daily care but generally does not provide skilled nursing care. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other long-term care (ltcfO). Other residential facilities that provide daily and/or medical care, but are not defined as nursing home/skilled nursing facilities or assisted living facilities. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Municipality (municp). A complete municipality, this specifies an entire metropolitan area, either a city, town, etc. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Neighbourhood (neigh). A municipal neighbourhood, this specifies a sub-section of a larger municipality. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other residential building (orb). Individual residential buildings or institutions not captured in other categories Status: active. First released: 2.0.0. Last updated: 2.0.0.

School (school). A school serving students in the kindergarten to 12th grade range Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ship (ship). A cruise ship or other ship. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Social services shelter (sss). Other type of social services shelter Status: active. First released: 2.0.0. Last updated: 2.0.0.

Airport terminal (terminal). Airport terminal sample shed category type Status: active. First released: 2.0.0. Last updated: 2.0.0.

University campus (uCampus). University college campus - comprising an entire campus or part of a campus. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Site set

(siteTypeSet)set for the type of sampling site. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Branch sewer pipleline (bSwrPpl). Specifies a site type that is collection pipe that run lateral to other municipal sewer lines, allowing drainage into the main sewer. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Building cleanout (buildCO). Specifies a site type that is a capped pipe that connects to a building's main sewer line. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Estuary, natural water body (estuary). Estuary, natural water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Holding tank (htSite). Holding tank Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lagoon system (lagoon). Logoon system for extensive wastewater treatment Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lake, natural water body (lake). Lake, natural water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Major sewer pipeline (mSwrPpl). Major sewer pipeline Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ocean, natural water body (ocean). Ocean, natural water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Pumping station (pStat). Pumping station Status: active. First released: 1.0.0. Last updated: 2.0.0.

Retention pond (retPond). Retention pond Status: active. First released: 1.0.0. Last updated: 2.0.0.

River, natural water body (river). River, natural water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sea, natural water body (sea). Sea, natural water body Status: active. First released: 1.0.0. Last updated: 2.0.0.

Septic tank (septTnk). Septic tank Status: active. First released: 1.0.0. Last updated: 2.0.0.

Stabilization pond (stabPnd). Specifies a site type which is a pond designed and built for wastewater treatment to reduce the organic content and remove pathogens from wastewater. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sewage truck (swgTrck). Sewage truck Status: active. First released: 1.0.0. Last updated: 2.0.0.

Upstream sites (upstream). A general site type for upstream wastewater sampling sites. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Wastewater treatment plant (wwtp). A general site type for wastewater treatment plants. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Back-up wastewater treatment site (wwtpBack). Indicates a wastewater treatment plant where multiple labs are or were sampling, and where secondary samples are being taken taken. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Industrial wastewater treatment plant (wwtpInd). Industrial wastewater treatment plant Status: active. First released: 1.0.0. Last updated: 2.0.0.

Municipal wastewater treatment plant for combined sewage (wwtpMuC). Municipal wastewater treatment plant for combined sewage Status: active. First released: 1.0.0. Last updated: 2.0.0.

Municipal wastewater treatment plant for sanitary dewage only (wwtpMuS). Municipal wastewater treatment plant for sanitary sewage only Status: active. First released: 2.0.0. Last updated: 2.0.0.

Solid separation set

(solidSeparationSet)set for the separation of solids. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Centrifugation (cent). Describes solid separation from a wastewater sample via centrifugation. Likely connected to other method steps prior to analysis. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Filtration (filt). Describes solid separation from a wastewater sample via filtration. Proceeds further concentration or analysis of the liquid filtrate. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gravity settling (graSet). Describes solid separation from a wastewater sample where the sample material is allowed to settle by gravity, and then separated. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with acidification and mgcl2 (mfAcidmgcl2). Membrane filtration with acidification and mgcl2 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with acidification and mgcl2, membrane recombined with separated solids (mfAcidmgcl2SS). Membrane filtration with acidification and mgcl2, membrane recombined with separated solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with addition of mgcl2 (mfMgcl2). Membrane filtration with addition of mgcl2 Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with mgcl2 and separated solids (mfMgcl2SS). Membrane filtration with addition of mgcl2, membrane recombined with separated solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with no amendment (mfNoAmend). Membrane filtration with no amendment Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with no amendment, membrane recombined with separated solids (mfNoAmendSS). Membrane filtration with no amendment, membrane recombined with separated solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with sample acidification (mfSampleAcid). Membrane filtration with sample acidification Status: active. First released: 2.0.0. Last updated: 2.0.0.

Membrane filtration with sample acidification, membrane recombined with separated solids (mfSampleAcidSS). Membrane filtration with sample acidification, membrane recombined with separated solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

No liquid concentration, liquid recombined with separated solids (noliquid). No liquid concentration, liquid recombined with separated solids Status: active. First released: 2.0.0. Last updated: 2.0.0.

Spike material set

(spikeMatSet)set for spikeMat (aterial into which the recovery efficiency control target is spiked). Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Clarified sample (clari). Clarified sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample concentrate (conc). Sample concentrate. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Dewatered solids (deso). Dewatered solids. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Lysis buffer (lysi). Lysis buffer. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Raw wastewater (raws). Raw wastes water sample Status: active. First released: 1.0.0. Last updated: 2.0.0.

Raw post-pasteurized wastewater (rppw). Raw wastewater sample post-pasteurization Status: active. First released: 1.0.0. Last updated: 2.0.0.

Recovery efficiency spike target set

(spikeTargetSet)The set capturing containing all of the valid categories for the recovery efficiency control (or spike) target. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

bcov culture spike target (bcovCul). Cultured bovine coronavirus is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

bcov vaccine spike target (bcovVac). The bovine coronavirus vaccine is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

brsv culture spike target (brsvCul). Cultured bovine respiratory syncytial virus (BRSV) is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

brsv vaccine spike target (brsvVac). The bovine respiratory syncytial virus (BRSV) vaccine is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Heat inactivated sars-cov-2 virus spike target (heatInacSARS). Heat inactivated SARS-CoV-2 virus is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

hep g armored rna spike target (hepGRnaMat). Hepatitis G armored RNA is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ms2 coliphage spike target (ms2ColMat). ms2 coliphage is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

murine coronavirus spike target (muCoMat). Murine coronavirus is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

oc43 spike target (oc43Mat). Human coronavirus OC43 is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

phi6 spike target (phi6Mat). Pseudomonas virus phi6is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Puro virus spike target (puroMat). Puro Virus is used as the recovery efficiency control target. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Status set

(statusSet)A set for partID = Status to indicate whether a part is in current use or not. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Active (active). Indicator that a part is in current use. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Depreciated (depreciated). Indicator to say that a part is no longer in current use in the model. See partID = status Status: active. First released: 2.0.0. Last updated: 2.0.0.

Development (development). Indicator that a part is under development use. See partID = status Status: active. First released: 2.0.0. Last updated: 2.0.0.

Table column set

(tableSet) The set for valid inputs in table columns. These categories are used in the parts list for columns named after tables to indicate the position and function of a given part in the entity relationship diagram of the data model. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Foreign key (fK). Foreign key for a table. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Header (header). Header for a table. Also known as a table variable or entity relationship 'attribute'. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Input (input). Input for a table. Indicates if a part can be used in a table. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Primary key (pK). Primary key for a table. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Weather set

(weathSet)A set of the valid qualitative categories for the qualitative weather measure. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Cloudy (cloudy). Qualitative category for the weather measure, specifying an overcast day with no rain. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Foggy (foggy). Qualitative category for the weather measure, specifying a foggy or hazy day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rainy (rainy). Qualitative category for the weather measure, specifying a rainy day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Snowy (snowy). Qualitative category for the weather measure, specifying a snowy day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sunny (sunny). Qualitative category for the weather measure, specifying a clear and sunny day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nomenclatures

(nomenclatures). A classification system to report the measure class. See partID = nomenclatureID.

International Classification of Diseases (icd). Classification system for diseases in humans. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nomenclature not applicable (naNomenclature). Not applicable. Status: active. First released: 2.0.0. Last updated: 2.0.0.

NextClade nomenclature (nextclade). Specifies variant or genetic nomenclature as set out by NextClade. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Pangolin nomenclature (pangolin). Specifies variant or genetic nomenclature as set out by the Phylogenetic Assignment of Named Global Outbreak Lineages (Pangolin). Status: active. First released: 2.0.0. Last updated: 2.0.0.

WHO nomenclature (who). Specifies variant or genetic nomenclature as set out by the World Health Organization. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality indicators

(qualityIndicators). A measure of the quality of a reported value or sample. Only used for the dictionary entries of parts.

Experiment Failed (expFail). PCR experiment failed. No value reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.

- AI Inhibition present but addressed (flagAI). The original sample was inhibited; however, the inhibition has been addressed through dilution. The reported concentration estimate is the updated result after addressing inhibition. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **B** Trace levels of contamination (flagB). Analytical result may be subject to "trace" levels of contamination; the target analyte was also detected in negative controls on the same run as the sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **FI Inhibition present and unaddressed** (flagFI). The original sample was inhibited; however, the inhibition has not been successfully addressed. Therefore, no concentration estimate has been reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **J Weak signal extrapolation** (flagJ). Analytical result falls below the lowest concentration of the experiment-specific standard curve but above the y-intercept value; the reported value is based on the extrapolation of the standard curve in the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **ND Non-detect** (flagND). No amplification occurred in the reaction; non-detect. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **UJ Trace signal extrapolation** (flagUJ). Observed quantitation cycle is greater than the experiment-specific standard curve intercept value but evidence of clear amplification was present (i.e., "trace" signal observed); the reported value is based on the extrapolation of the standard curve in

the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.

UQ - Unquantifiable (flagUQ). Unquantifiable, Ct value exceeds the maximum value of the standard curve. There was a detect, but we cannot quantify it with certainty. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample frozen (frozen). Sample was frozen before analysis or processing Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low breadth of coverage (lBC). The percentage of the genome covered by reads (the breadth) is low. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low depth of coverage (lDC). Poor coverage, specifically an insufficient number of reads or too many sequencing reads that are mapped incorrectly. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Leaked sample (leaked). Sample leaked, some volume and material was lost. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low-volume sample (lowVol). Sample is low-volume, but was run regardless. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple issues (mI). Multiple issues have arisen in the sequencing process. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample not labelled (noLabel). Sample had no label Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample missing time stamp (noTime). Sample is missing the autosampler time; incomplete metadata on collection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality concerns (qf1). A flag to indicate there is a quality concern, not otherwise sepcified. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sparse coverage (sC). Sequencing shows sparse coverage, ie. numerical breadth of coverage shows as adequate but coverage plots reveal missing genome pieces. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample spilled (spill). Sample contents spilled from container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wide 95% interval (wI). The 95% interval is too wide, low confidence in results. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored incorrectly (wrongStorage). Sample was stored inappropriately. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored at wrong temperature (wrongTemp). Sample was stored at an inappropriate temperature. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality indicator sets

(qualityIndSets). Sets of quality indicators or measures. For example, PCR have a quality measure set.

Generic quality flag set

(genQualitySet)A quality set to specify any generic quality concerns about a measure or sample. Status: active. First Released: 1.0.0. Last updated: 2.0.0.

Multiple issues (mI). Multiple issues have arisen in the sequencing process. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Quality concerns (qf1). A flag to indicate there is a quality concern, not otherwise sepcified. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measures quality set

(measQualitySet)A quality set for any measure, includes all the quality flag options for any measure. Used as an "any quality set" for measures, but excludes the sample quality flags to avoid confusion and data entry errors. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Experiment Failed (expFail). PCR experiment failed. No value reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.

- AI Inhibition present but addressed (flagAI). The original sample was inhibited; however, the inhibition has been addressed through dilution. The reported concentration estimate is the updated result after addressing inhibition. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **B** Trace levels of contamination (flagB). Analytical result may be subject to "trace" levels of contamination; the target analyte was also detected in negative controls on the same run as the sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **FI Inhibition present and unaddressed** (flagFI). The original sample was inhibited; however, the inhibition has not been successfully addressed. Therefore, no concentration estimate has been reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **J Weak signal extrapolation** (flagJ). Analytical result falls below the lowest concentration of the experiment-specific standard curve but above the y-intercept value; the reported value is based on the extrapolation of

the standard curve in the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ND - **Non-detect** (flagND). No amplification occurred in the reaction; non-detect. Status: active. First released: 2.0.0. Last updated: 2.0.0.

UJ - Trace signal extrapolation (flagUJ). Observed quantitation cycle is greater than the experiment-specific standard curve intercept value but evidence of clear amplification was present (i.e., "trace" signal observed); the reported value is based on the extrapolation of the standard curve in the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.

UQ - **Unquantifiable** (flagUQ). Unquantifiable, Ct value exceeds the maximum value of the standard curve. There was a detect, but we cannot quantify it with certainty. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low breadth of coverage (lBC). The percentage of the genome covered by reads (the breadth) is low. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low depth of coverage (lDC). Poor coverage, specifically an insufficient number of reads or too many sequencing reads that are mapped incorrectly. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Multiple issues (mI). Multiple issues have arisen in the sequencing process. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample missing time stamp (noTime). Sample is missing the autosampler time; incomplete metadata on collection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Quality concerns (qf1). A flag to indicate there is a quality concern, not otherwise sepcified. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sparse coverage (sC). Sequencing shows sparse coverage, ie. numerical breadth of coverage shows as adequate but coverage plots reveal missing genome pieces. Status: active. First released: 2.0.0. Last updated: 2.0.0.

PCR quality set

(pcrQualitySet)Quality set for PCR measures. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Experiment Failed (expFail). PCR experiment failed. No value reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.

- **AI Inhibition present but addressed** (flagAI). The original sample was inhibited; however, the inhibition has been addressed through dilution. The reported concentration estimate is the updated result after addressing inhibition. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **B** Trace levels of contamination (flagB). Analytical result may be subject to "trace" levels of contamination; the target analyte was also detected in negative controls on the same run as the sample. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **FI Inhibition present and unaddressed** (flagFI). The original sample was inhibited; however, the inhibition has not been successfully addressed. Therefore, no concentration estimate has been reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.
- **J Weak signal extrapolation** (flagJ). Analytical result falls below the lowest concentration of the experiment-specific standard curve but above the y-intercept value; the reported value is based on the extrapolation of

the standard curve in the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.

ND - **Non-detect** (flagND). No amplification occurred in the reaction; non-detect. Status: active. First released: 2.0.0. Last updated: 2.0.0.

UJ - Trace signal extrapolation (flagUJ). Observed quantitation cycle is greater than the experiment-specific standard curve intercept value but evidence of clear amplification was present (i.e., "trace" signal observed); the reported value is based on the extrapolation of the standard curve in the non-linear region. Status: active. First released: 2.0.0. Last updated: 2.0.0.

UQ - **Unquantifiable** (flagUQ). Unquantifiable, Ct value exceeds the maximum value of the standard curve. There was a detect, but we cannot quantify it with certainty. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample quality set

(sampleQualitySet)Quality set for a sample. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Sample frozen (frozen). Sample was frozen before analysis or processing Status: active. First released: 2.0.0. Last updated: 2.0.0.

Leaked sample (leaked). Sample leaked, some volume and material was lost. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low-volume sample (lowVol). Sample is low-volume, but was run regardless. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample not labelled (noLabel). Sample had no label Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample missing time stamp (noTime). Sample is missing the autosampler time; incomplete metadata on collection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample spilled (spill). Sample contents spilled from container. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored incorrectly (wrongStorage). Sample was stored inappropriately. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample stored at wrong temperature (wrongTemp). Sample was stored at an inappropriate temperature. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sequencing quality set

(seqQualitySet)Quality set for sequencing measures Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Experiment Failed (expFail). PCR experiment failed. No value reported. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low breadth of coverage (lBC). The percentage of the genome covered by reads (the breadth) is low. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Low depth of coverage (lDC). Poor coverage, specifically an insufficient number of reads or too many sequencing reads that are mapped incorrectly. Status: active. First released: 2.0.0. Last updated: 2.0.0.

No quality concerns (noConcern). A flag to indicate there is are no quality concern about the measure or sample. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample missing time stamp (noTime). Sample is missing the autosampler time; incomplete metadata on collection. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sparse coverage (sC). Sequencing shows sparse coverage, ie. numerical breadth of coverage shows as adequate but coverage plots reveal missing genome pieces. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimens

(specimens). Measures or observations are taken from three types of substances: populations (humans or geographic areas), samples, sites. See partID = specimentID

Population (po). An measure or observation for a geographic area or population. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample (sa). A measure made on a compartment or property from a sample of a substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site (si). A measure made on a compartment or property at a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen sets

(specimenSets). Sets of specimens. Specimen sets are used when a measure or attribute can be recorded for more than one specimen.

Any specimen set

(anySpecimenSet)A specimen set that inculdes any specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Population (po). An measure or observation for a geographic area or population. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample (sa). A measure made on a compartment or property from a sample of a substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site (si). A measure made on a compartment or property at a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specimen set not applicable

(naSpecimenSet)A specimen set for when specimen/specimen set is not applicable. Use 'not applicable' when there is no specimen/set for the part Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Specimen not applicable (naSpecimen). Non applicable specimen. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population or sample set

(poSaSpecimenSet)A specimen set that inculdes population or sample specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Population (po). An measure or observation for a geographic area or population. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample (sa). A measure made on a compartment or property from a sample of a substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population or site set

(poSiSpecimenSet)A specimen set that inculdes population or site specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Population (po). An measure or observation for a geographic area or population. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Site (si). A measure made on a compartment or property at a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population specimen set

(poSpecimenSet)A specimen set that inculdes only a population specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Population (po). An measure or observation for a geographic area or population. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sample specimen set

(saSpecimenSet)A specimen set that inculdes only a sample specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Sample (sa). A measure made on a compartment or property from a sample of a substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site or sample specimen set

(siSaSpecimenSet)A specimen set that inculdes site or sample specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Sample (sa). A measure made on a compartment or property from a sample of a substance. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site (si). A measure made on a compartment or property at a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Site specimen set

(siSpecimenSet)A specimen set that inculdes only a site specimen. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Site (si). A measure made on a compartment or property at a site. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tables

(tables). Tables are where measures, methods and attributes are recorded. Tables represent the main entities of the environmental surveillance. There An example of a table is site a collection of attributes such as site name and address to describe where environment samples are taken. PHES-ODM has report tables, but users can create their own tables as well.

Address table (addresses). The table that contains information about addresses. Addresses can recorded for sites, organizations or contacts (indivduals). Status: active. First released: 2.0.0. Last updated: 2.0.0.

Contact table (contacts). The table that contains information about a contact; a person who is the contact of a site or laboratory. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Dataset table (datasets). A report table for capturing details about data's parental data set and data custodians. Supplying attribution for data collectors. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Instrument table (instruments). The table that contains information about instruments. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Language Look-up table (languages). Look up table for all languages, used to give structure to the translation table. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Measure report table (measures). The table that contains information and details about a given measure Status: active. First released: 1.0.0. Last updated: 2.0.0.

Measure set report table (measureSets). The table that identifies sets of measures. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Organization table (organizations). The table that contains information about a laboratory. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Parts Look-up table (parts). Look up table containing all parts in of the data model. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Polygon table (polygons). The table that contains information about the geometry of a geographic area. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Protocol relationships table (protocolRelationships). The table that contains the organizational information and details (such as order) about

a given protocol, recorded as a series of protocol steps (protocolSteps). Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocols table (protocols). The table for protocols. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Protocol steps table (protocolSteps). The table for collecting metadata on individual steps in a protocol, methodological process, or assay. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Quality reports table (qualityReports). The table for recording the various quality metrics and indicators for samples and measures. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Reporter table depreciated (reportersDep). The table that contains information about a reporter of a sample, method, measure, or attribute. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Sample relationships table (sampleRelationships). Table for recording the relationships between samples. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sample report table (samples). The table that contains information about a sample. A sample is defined as a representative volume of wastewater (or other forms of water or liquid), air, or surface area taken from a site. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sets look-up table (sets). Look up table for all sets, managing how categorical inputs for various methods and attributes are grouped together. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Sites table (sites). The table that contains information about a site; the location where an environmental sample was taken. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Translation look-up table (translations). Look up table for translations of the description, label, and instruction for all parts. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wide name table (wideNames). The table for wide names. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Units

(units). The unit of the measurement. Every measurement must have a unit. Meaning, units are a mandatory field whenever a measurement is recorded.

Number of active cases (acti). Number of active cases. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Breadth of coverage (>=5x depth) (boc). Positions with read depth greater or equal to 5. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Degrees Celcius (cel). Degrees Celsius. Status: active. First released: 1.1.0. Last updated: 2.0.0.

CFU per 100 ml (cfu). Colony forming units per 100 ml of filtered sample. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Centimetres (cm). Unit part for the SI unit of centimetres. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Confirmed Cases Case report date (conCase). Date that the numbers were reported publicly for a confirmed case. Typically, reported data and this measure is most commonly reported and used. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Number of confirmed cases (conf). Number of confirmed cases. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed cases episode date (confEp). Episode date is the earliest of onset, test or reported date for a confirmed case. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed Cases Onset date (confOn). Earliest that symptoms were reported for a confirmed case. This data is often not known and reported. In lieu, episode is used. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed cases test date (conTest). Date that the covid-19 test was performed for a confirmed case. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cumulative count (cuCo). Units for describing a population measure of a cumulative count of cases of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Daily count (daiCo). Units for describing a population measure of a daily count of new cases of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Days (days). A unit for indicating a length of time in days. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Deaths (death). Units for describing a population measure of patients who have died from a given cause. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Detected (det). Substance detected or not detected. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Depth of coverage (doc). The sequencing read depth. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per copy of crAssphage (gcCrA). Gene or variant copies per copy of crAssphage. Status: active. First released: 1.0.0. Last updated: 2.0.0.

gene copies per day per 100,000 (gcD100). The unit for measures reflecting the gene copies per day per 100,000 people in the population. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per gram solids (gCGS). Gene or variant copies per gram solids. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per L (gcL). Gene or variant copies per litre. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per mL (gcMl). Gene or variant copies per millilitre of solution. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per PMMoV copy (gcPpmov). Gene or variant copies per copy of PMMoV. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gram per cubic metre (gm3). Density unit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Grams (grams). A unit of mass or weight. Status: active. First released: 2.0.0. Last updated: 2.0.0.

General Hospital Admissions (hosa). Hospital admissions or patients newly admitted to hospital. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hospital Census (hosc). Hospital census or the number of people admitted with an ailment. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hours (hours). A unit for indicating a length of time in hours. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Intensive care unit patients (icu). Units for describing a population measure of patients who are in intensive care due to a given cause. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Kilogram per second (kgS). Kilograms per second. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Kilolitres (kl). Kilolitres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Litres (l). Litres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Cubic metres per day (m3D). Cubic metres per day. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per hour (m3H). Cubic metres per hour. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per second (m3S). Cubic metre per second. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Millions of gallons per day (MG/D) (mgd). A unit for measuring of design capacity for wastewater treatment plants, represented as millions of gallons per day. Also can be used to measure flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Milligrams per litre (mgL). Milligrams per litre. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Minutes (minutes). A unit for indicating a length of time in minutes. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millilitres (ml). Millilitres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Megalitres per day (ML/d) (mld). Megalitres per day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millimetres (mm). Unit part for the SI unit of millimetres. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Months (months). A unit for indicating a length of time in months. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Metres per second (ms). metres per second. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit not applicable (naUnit). Not appliable for units. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population of newly vaccinated persons (newVax). Population of newly vaccinated persons Status: active. First released: 2.0.0. Last updated: 2.0.0.

Nephelometric turbidity unit (ntu). Nephelometric Turbidity Units, a unit used in the measurement of turbidity (see "turbidity" under measureIDs). Status: active. First released: 2.0.0. Last updated: 2.0.0.

Other Unit depricated (otunDep). Other measurement of viral copies or wastewater treatment plant parameter. Add description to UnitOther. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Percent (perc). Percentage. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Percent recovery (percRec). Percent of the surrogate recovery for a recovery efficiency control assay. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Population equivalents (popEq). A unit for measuring of design capacity for wastewater treatment plants, represented as the approximate amount of water a signle person would use. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent positive (pp). Percent positive of sample measures. Status: active. First released: 1.0.0. Last updated: 2.0.0.

parts per million (ppm). Parts per million. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent positivity rate (pprt). Percent positivity rate of tests conducted within a day in a given region. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent primary sludge (pps). Percentage of total solids, for primary sludge. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Proportion of total (prop). Proportion as a precent of total. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Proportion of variant in sample (propV). Proportion of a variant as percent of total variants. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Number of positive tests (ptot). Number of positive tests conducted within a day in a given region. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Ratio (ratio). Ratio (unitless) Status: active. First released: 2.0.0. Last updated: 2.0.0.

Recovered patients (recov). Units for describing a population measure of patients who have recovered from a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rate per 100,000 (rP100). Units for describing a population measure of a rate of case incidence per 100,000 people of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Number of tests performed (test). Number of tests performed. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Unitless measure (unitless). A unit for unitless measures, like pH. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Micro-Siemens per centimetre (uSCm). Micro-siemens per centimetre. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Frequency of variants detected (varFreq). A description of the frequency of a variants detected. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 1 dose of vaccine (vax1). A measure of the population with a single dose of vaccine. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 2 doses of vaccine (vax2). Population with 2 doses of vaccine Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 3 doses of vaccine (vax3). Population with 3 doses of vaccine Status: active. First released: 2.0.0. Last updated: 2.0.0.

Years (years). A unit for indicating a length of time in years. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unit sets

(unitSets). Sets of units. Contains units that are associated with part types such as measures. Sets are lists of input values. Each input value within a set is a part (has a partID) that can be reused between sets. For example, a set A could contain the values of 'yes' and 'no'; and set B could contain the values of 'yes', 'no', and 'maybe.' partTypes with sets include aggregations, compartments, missingness, quality flags, specimens, and units. Measures with categories and dataTypes have their own specific sets (catSetID) because their input values are unique and are not reused.

Absolute humidity unit set

(absHumidUnitSet)Unit set for absolute humidity measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Gram per cubic metre (gm3). Density unit. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Allele unit set

(alleleUnitSet)Unit set for alleles. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Cycle threshold or quantification cycle (Ct or Cq) (ct). Cycle thresholds in a PCR assay. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Detected (det). Substance detected or not detected. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Depth of coverage (doc). The sequencing read depth. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per copy of crAssphage (gcCrA). Gene or variant copies per copy of crAssphage. Status: active. First released: 1.0.0. Last updated: 2.0.0.

gene copies per day per 100,000 (gcD100). The unit for measures reflecting the gene copies per day per 100,000 people in the population. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per gram solids (gCGS). Gene or variant copies per gram solids. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per mL (gcMl). Gene or variant copies per millilitre of solution. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Gene copies per PMMoV copy (gcPpmov). Gene or variant copies per copy of PMMoV. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Bacteria unit set

(bacteriaUnitSet)Unit set for bacteria-related measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

CFU per 100 ml (cfu). Colony forming units per 100 ml of filtered sample. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Capacity unit set

(capacityUnitSet)Unit set for capacity measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Millions of gallons per day (MG/D) (mgd). A unit for measuring of design capacity for wastewater treatment plants, represented as millions of gallons per day. Also can be used to measure flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Megalitres per day (ML/d) (mld). Megalitres per day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population equivalents (popEq). A unit for measuring of design capacity for wastewater treatment plants, represented as the approximate amount of water a signle person would use. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Conductivity unit set

(conductivityUnitSet)Unit set related to conductivity measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Micro-Siemens per centimetre (uSCm). Micro-siemens per centimetre. Status: depreciated. First released: 1.0.0. Last updated: 2.0.0.

Dissolved gas concentration unit set

(dissGasUnitSet)Unit set for carbon dioxide concentrations measurements in water or air. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Milligrams per litre (mgL). Milligrams per litre. Status: active. First released: 1.1.0. Last updated: 2.0.0.

parts per million (ppm). Parts per million. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Volume flow rate unit set

(flowUnitSet)Unit set for volume flow measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Kilogram per second (kgS). Kilograms per second. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cubic metres per day (m3D). Cubic metres per day. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per hour (m3H). Cubic metres per hour. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Cubic metres per second (m3S). Cubic metre per second. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Millions of gallons per day (MG/D) (mgd). A unit for measuring of design capacity for wastewater treatment plants, represented as millions of gallons per day. Also can be used to measure flow. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Megalitres per day (ML/d) (mld). Megalitres per day. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Genetics unit set

(geneticUnitSet)Unit set for genetic-related measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Breadth of coverage (>=5x depth) (boc). Positions with read depth greater or equal to 5. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Detected (det). Substance detected or not detected. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Depth of coverage (doc). The sequencing read depth. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Gene copies per L (gcL). Gene or variant copies per litre. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent recovery (percRec). Percent of the surrogate recovery for a recovery efficiency control assay. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Proportion of total (prop). Proportion as a precent of total. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Proportion of variant in sample (propV). Proportion of a variant as percent of total variants. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Unit set not applicable

(naUnitSet)Not applicable for unit sets. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Unit not applicable (naUnit). Not appliable for units. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population unit set

(populationUnitSet)Unit set for hospital-related measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Number of active cases (acti). Number of active cases. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed Cases Case report date (conCase). Date that the numbers were reported publicly for a confirmed case. Typically, reported data and this measure is most commonly reported and used. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Number of confirmed cases (conf). Number of confirmed cases. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed cases episode date (confEp). Episode date is the earliest of onset, test or reported date for a confirmed case. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed Cases Onset date (confOn). Earliest that symptoms were reported for a confirmed case. This data is often not known and reported. In lieu, episode is used. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Confirmed cases test date (conTest). Date that the covid-19 test was performed for a confirmed case. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Cumulative count (cuCo). Units for describing a population measure of a cumulative count of cases of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Daily count (daiCo). Units for describing a population measure of a daily count of new cases of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Deaths (death). Units for describing a population measure of patients who have died from a given cause. Status: active. First released: 2.0.0. Last updated: 2.0.0.

General Hospital Admissions (hosa). Hospital admissions or patients newly admitted to hospital. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Hospital Census (hosc). Hospital census or the number of people admitted with an ailment. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Intensive care unit patients (icu). Units for describing a population measure of patients who are in intensive care due to a given cause. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population of newly vaccinated persons (newVax). Population of newly vaccinated persons Status: active. First released: 2.0.0. Last updated: 2.0.0.

Percent positivity rate (pprt). Percent positivity rate of tests conducted within a day in a given region. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Number of positive tests (ptot). Number of positive tests conducted within a day in a given region. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Recovered patients (recov). Units for describing a population measure of patients who have recovered from a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Rate per 100,000 (rP100). Units for describing a population measure of a rate of case incidence per 100,000 people of a given disease. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Number of tests performed (test). Number of tests performed. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Population with 1 dose of vaccine (vax1). A measure of the population with a single dose of vaccine. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 2 doses of vaccine (vax2). Population with 2 doses of vaccine Status: active. First released: 2.0.0. Last updated: 2.0.0.

Population with 3 doses of vaccine (vax3). Population with 3 doses of vaccine Status: active. First released: 2.0.0. Last updated: 2.0.0.

Precipitation unit set

(precipitationUnitSet)Unit set for percipitation measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Centimetres (cm). Unit part for the SI unit of centimetres. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millimetres (mm). Unit part for the SI unit of millimetres. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Relative humidity unit set

(relHumidUnitSet)Unit set for relative humidity measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Percent (perc). Percentage. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Specific humidity unit set

(specHumidUnitSet)Unit set for specific humidity. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Ratio (ratio). Ratio (unitless) Status: active. First released: 2.0.0. Last updated: 2.0.0.

Standard concentration unit set

(stdConcentrationUnitSet)Unit set for concentration measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Milligrams per litre (mgL). Milligrams per litre. Status: active. First released: 1.1.0. Last updated: 2.0.0.

parts per million (ppm). Parts per million. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Percent primary sludge (pps). Percentage of total solids, for primary sludge. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Temperature unit set

(temperatureUnitSet)Unit set for temperature measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Degrees Celcius (cel). Degrees Celsius. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Time unit set

(timeUnitSet)The unit set for measures of time. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Days (days). A unit for indicating a length of time in days. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Hours (hours). A unit for indicating a length of time in hours. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Minutes (minutes). A unit for indicating a length of time in minutes. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Months (months). A unit for indicating a length of time in months. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Years (years). A unit for indicating a length of time in years. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Turbidity unit set

(turbidityUnitSet)Unit set for turbidity measurements. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Nephelometric turbidity unit (ntu). Nephelometric Turbidity Units, a unit used in the measurement of turbidity (see "turbidity" under measureIDs). Status: active. First released: 2.0.0. Last updated: 2.0.0.

Unitless unit set

(unitlessUnitSet)Unit set for measurements that does not have units. Status: active. First Released: 2.0.0. Last updated: 2.0.0.

Unitless measure (unitless). A unit for unitless measures, like pH. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Volume unit set

(volumeUnitSet)Unit set of volume measurements. Status: active. First Released: 1.0.0. Last updated: 2.0.0.

Grams (grams). A unit of mass or weight. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Kilolitres (kl). Kilolitres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Litres (l). Litres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millilitres (ml). Millilitres of volume Status: active. First released: 2.0.0. Last updated: 2.0.0.

Millimetres (mm). Unit part for the SI unit of millimetres. Status: active. First released: 1.1.0. Last updated: 2.0.0.

Percent positive (pp). Percent positive of sample measures. Status: active. First released: 1.0.0. Last updated: 2.0.0.

Sub-variant or lineage (subVar). A unit used to report a specific genetic lineage, or to specify that a reported variant is a sub-variant of another. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Frequency of variants detected (varFreq). A description of the frequency of a variants detected. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Wind speed unit set

(windSpeedUnitSet)Unit set for wind speed measurements. Status: depreciated. First Released: 1.0.0. Last updated: 2.0.0.

Metres per second (ms). metres per second. Status: active. First released: 2.0.0. Last updated: 2.0.0.

Tables

Dictionary v2.0.0.

The ODM database model has 21 tables in its full relational database. The full model is commonly referred to as "long" tables as it stores data with one measurement per row. Each table has mandatory and optional headers.

i Data storage

Store all ODM data in the 21 recommended tables to ensure optimal interoprablity and support by the $\overline{\text{ODM}}$ validation toolkit and other ODM libraries.

Users can, however, create custom tables or 'views' by merging fields from any table. A common format for data entry format are "wide" table format, with *one day per row* and multiple measures or attributes per row. It is important to note that this guide does not provide instructions on generating wide tables.

Table types

There are five table types:

1) Regular report tables. The measures and samples tables are used for daily reporting of new measurements and information on sample collection. There are three tables that support regular reporting:- measureSets

Tables

(optional) is used to link measures, sampleRelationships (optional) is used when samples are pooled or split, and qualityReports is used for detailed quality assurance and control measures.

- 2) Contact information tables. The sites, organizations, contacts, and addresses tables store contact information for the testing site and the person who performed the testing.
- 3) Protocol or methods tables. The protocols and instruments tables hold information on the methods used for sample collection or measurement. protocolSteps and protocolRelationships tables are used in conjunction with the protocols table.
- 4) Other report tables. The polygons table stores information on the sample area and the datasets table includes information on the data custodian and owner.
- 5) Dictionary reference tables. The parts table describes all elements of the ODM, including tables, table headers, measures, methods, categories, and units. The sets table stores collections of parts, such as units grouped together in a unitSet. The languages and translations tables support translations.

Header roles

Each table in the ODM has column headers, also known as table variables, fields, or entity relationship attributes. The header serves as the top row and contains the variable name.

Primary key (PK) - With the exception of the dictionary tables, all tables have one primary key. The primary key serves as a unique identifier for each row in the table, meaning that a primary key value cannot be repeated.

Foreign key (FK) - Tables may have one or more foreign keys. A foreign key connects an entry to another table with a primary key. This allows for relationships to be established between tables, making it possible to link data between different tables.

Header (header) - This label is used in a table description when a header is not a primary or foreign key.

Mandatory, optional, mandatorylf

Each header may be classified as either mandatory or optional. In the measures table, examples of mandatory headers are the measureID and measurement date. The ODM validation toolkit can be used to validate data, and will return an error if a table lacks a mandatory header or if there are missing row entries for mandatory fields.

Additionally, there are special headers called mandatoryIf headers. These headers are mandatory if certain conditions apply. For example, the protocol steps table has row entries that are either measures or methods. If the row entry is a measure, then a unit becomes mandatory since all measures must have a unit. Therefore, units are mandatoryIf in the protocol steps table.

Table list

Address table

Contact table

Dataset table

Instrument table

Language Look-up table

Tables

Measure report table

Measure set report table

Organization table

Parts Look-up table

Polygon table

Protocol relationships table

Protocols table

Protocol steps table

Quality reports table

Sample relationships table

Sample report table

Sets look-up table

Sites table

Translation look-up table

Address table

partID: addresses. The table that contains information about addresses. Addresses can recorded for sites, organizations or contacts (indivduals). The Sites, Organizations, and Contacts tables include a link to the addresses table through Address ID.

Address ID (addressID). A unique identifier for an address.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Address Line 1 (addL1). Line 1 (the street name, number and direction) for a given address.Role: Header.Requirement: mandatory.Data type: varchar.

Address Line 2 (addL2). Line 2 (the unit number) for a given address.Role: Header.Requirement: optional.Data type: varchar.

City (city). The city where a site or organization is located; part of the address.Role: Header.Requirement: mandatory.Data type: varchar.

State, Province, or Region (stateProvReg). The state, province, or region where a site or organization is located; part of the address.Role: Header.Requirement: mandatory.Data type: varchar.

Postal or Zip Code (pCode). The zip code or postal code for a given address, specifying a specifc geographic area.Role: Header.Requirement: optional.Data type: varchar.

Country (country). The country where a site or organization is located; part of the address.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Contact table

partID: contacts. The table that contains information about a contact; a person who is the contact of a site or laboratory. adapt from verson 1 documentation

Contact ID (contactID). A unique identifier for a given contact person.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

First name of contact (firstName). Specifies the first name of a given contact.Role: Header.Requirement: optional.Data type: varchar.

Last name of contact (lastName). Specifies the last name of a given contact.Role: Header.Requirement: optional.Data type: varchar.

Contact email (email). Contact e-mail address, for the lab.Role: Header.Requirement: mandatory.Data type: varchar.

Contact phone (phone). Contact phone number, for the lab.Role: Header.Requirement: optional.Data type: varchar.

Role of contact (role). Specifies the organizational role of a given contact.Role: Header.Requirement: optional.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attrbitutesRole: Header.Requirement: optional.Data type: varchar.

Dataset table

partID: datasets. A report table for capturing details about data's parental data set and data custodians. Supplying attribution for data collectors.

Parent dataset ID (parDatasetID). The datasetID that is a parent to another datasetID.Role: Foreign Key.Requirement: optional.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset creation date (datasetDate). Specifies the date a given dataset was created.Role: Header.Requirement: recommended.Data type: date-time.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: recommended.Data type: varchar.

License (license). The license of a dataset.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Description (descr). A detailed description as an attirbute for describing results or program elements. Role: Header. Requirement: optional. Data type: varchar.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Language ID (lang). Language code for translation purposes. Specifies the language for each translation, other than the default English.Role: Foreign Key.Requirement: optional.Data type: varchar.

Funder Contact ID (funderCont). A unique identifier for funders.Role: Foreign Key.Requirement: recommended.Data type: varchar.

Tables

Custody Contact ID (custodyCont). A unique identifier for data custodians.Role: Foreign Key.Requirement: recommended.Data type: varchar.

Funding agency ID (funderID). The funding agency of the dataset.Role: Foreign Key.Requirement: optional.Data type: varchar.

Data custodian ID (custodyID). The data custodian of a database.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attrbitutesRole: Header.Requirement: optional.Data type: varchar.

Instrument table

partID: instruments. The table that contains information about instruments. adapt from verson 1 documentation

Instrument ID (instrumentID). A unique identifier for an instrument.Role: Primary Key.Requirement: mandatory.Data type: categorical.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: recommended.Data type: varchar.

Model (model). Model number or version of the instrument.Role: Header.Requirement: mandatory.Data type: varchar.

Manufacturer (manufacturer). Manufacturer of an instrument.Role: Header.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Foreign Key.Requirement: optional.Data type: varchar.

Description (descr). A detailed description as an attirbute for describing results or program elements. Role: Header. Requirement: optional. Data type: varchar.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Instrument Type (insType). Type of instrument used to perform the measurement.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Describe other instrument type, if applicable (insTypeOth). Description of the instrument in case it is not listed in instrumentType.Role: Header.Requirement: optional.Data type: varchar.

Index (index). Index number in case the measurement was taken multiple times. Role: Header. Requirement: optional. Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Language Look-up table

partID: languages. Look up table for all languages, used to give structure to the translation table.

Language ID (lang). Language code for translation purposes. Specifies the language for each translation, other than the default English.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Language family (langFam). Specifies the language family of a given language for translation and language tracking purposes.Role: Header.Requirement: mandatory.Data type: varchar.

Language name (langName). Specifies the name of the language in roman alphabet characters for translation and language tracking purposes.Role: Header.Requirement: mandatory.Data type: varchar.

Native Name (natName). The native name of the language, i.e. what the language is called by its speakers.Role: Header.Requirement: mandatory.Data type: categorical.

ISO639-1 (iso6391). The first part of the ISO 639 series of international standards for language codes. Part 1 covers the registration of two-letter codes. There are 183 two-letter codes registered as of June 2021. The registered codes cover the world's major languages.Role: Header.Requirement: mandatory.Data type: categorical.

ISO639-2B (iso6392B). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding two-letter (ISO 639-1) codes where they exist. The 'B' specifies the bibliographic code (B code). Role: Header. Requirement: mandatory. Data type: categorical.

ISO639-2T (iso6392T). A set of international standards that lists short codes for language names. These ISO639-2 are the three-letter codes defined in part two (ISO 639-2) of the standard, including the corresponding

two-letter (ISO 639-1) codes where they exist. The 'T' specifies the terminological code (T code). Role: Header. Requirement: mandatory. Data type: categorical.

ISO639-3 (iso6393). A set of international standards that lists short codes for language names. ISO 639-3 extends the ISO 639-2 alpha-3 codes with an aim to cover all known natural languages.Role: Header.Requirement: mandatory.Data type: categorical.

ISO639-6 (iso6396). A set of international standards that lists short codes for language names. ISO 639-6 builds off ISO639-3 with the use of four-letter codes, and allowing users to differenciate between variants of languages and language families, such as historical vs. revived versions of languages.Role: Header.Requirement: mandatory.Data type: categorical.

First released version (firstReleased). The version in which a part was first releasedRole: Header.Requirement: mandatory.Data type: varchar.

Last updated version (lastUpdated). The version in which the part was last updated.Role: Header.Requirement: mandatory.Data type: varchar.

Changes column (changes). A column for recording the changes from a previous version.Role: Header.Requirement: optional.Data type: varchar.

Notes (notes). A note used to describe details that are not captured in other attributes Role: Header.Requirement: optional.Data type: varchar.

Measure report table

partID: measures. The table that contains information and details about a given measure adapt from verson 1 documentation

Report ID (measureRepID). Unique identifier for a measurement.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Protocol ID (protocolID). A unique identifier for a given protocol.Role: Foreign Key.Requirement: optional.Data type: varchar.

Sample ID (sampleID). Unique identifier for a sample.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Purpose (purpose). The reason the measure or sample was taken.Role: Foreign Key.Requirement: optional.Data type: categorical.Measure, method or attribute set: purposeSet

Polygon ID (polygonID). Unique identifier for the polygon.Role: Foreign Key.Requirement: optional.Data type: varchar.

Site ID (siteID). Unique identifier for the location where a sample was taken.Role: Foreign Key.Requirement: recommended.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Report set ID (meaureSetRepID). Unique identifier that links together a group of related measures.Role: Foreign Key.Requirement: optional.Data type: varchar.

Analysis date start (aDateStart). Date the measurement or analysis was started.Role: Header.Requirement: optional.Data type: datetime.

Analysis date end (aDateEnd). Date the measurement or analysis was completed.Role: Header.Requirement: mandatory.Data type: datetime.

Report date (reportDate). The date a measure was reported.Role: Header.Requirement: optional.Data type: datetime.

Specimen (specimen). The substance or thing upon which the observation was made.Role: Foreign Key.Requirement: mandatory.Data type: categorical.

Fraction analyzed (fraction). Fraction of the sample that is analyzed.Role: Foreign Key.Requirement: recommended.Data type: categorical.Measure, method or attribute set: fractionSet

Group (group). Unique identifier for a group of measures. Mostly applicable for measures, methods, units, and aggregations.Role: Foreign Key.Requirement: optional.Data type: categorical.

Class (class). A unique identifier for a class, which is akin to a sub-group; it's a way of grouping parts within a given group. A group can have one or more classes to describe different parts of the class.Role: Foreign Key.Requirement: optional.Data type: categorical.

Measure (measure). A measurement or observation of any substance including a biological, physical or chemical substance. Role: Foreign Key. Requirement: mandatory. Data type: varchar.

Value (value). Value of a measure, observation or attribute.Role: Header.Requirement: mandatory.Data type: varchar.

Unit (unit). The units of a measurement.Role: Foreign Key.Requirement: mandatory.Data type: categorical.

Aggregation (aggregation). Statistical measures used to report a measure. Each aggregation has a corresponding value.Role: Foreign Kev.Requirement: mandatory.Data type: categorical.

Nomenclature (nomenclature). A classification system to report the measure class. Only applicable to variants, mutations, and diseases.Role: Foreign Key.Requirement: optional.Data type: categorical.

Index (index). Index number in case the measurement was taken multiple times. Role: Header. Requirement: optional. Data type: varchar.

Measure license (mesureLic). Specifies the access and use licensing for a given single measurement.Role: Header.Requirement: optional.Data type: varchar.

Reportable (reportable). Flag for whether a measure is reportable or not, based on confidence in the measure and methods applied.Role: Header.Requirement: optional.Data type: boolean.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Header.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Header.Requirement: optional.Data type: varchar.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Measure set report table

partID: measureSets. The table that identifies sets of measures. Examples of measure sets include a set of replicates, dilutions (used to generate a Ct curve) or varients that are identified in a single sample.

Report set ID (meaureSetRepID). Unique identifier that links together a group of related measures.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Protocol ID (protocolID). A unique identifier for a given protocol.Role: Foreign Key.Requirement: optional.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Foreign Key.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: optional.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Organization table

partID: organizations. The table that contains information about a laboratory. adapt from verson 1 documentation

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: recommended.Data type: varchar.

Description (descr). A detailed description as an attirbute for describing results or program elements. Role: Header. Requirement: optional. Data type: varchar.

Address ID (addressID). A unique identifier for an address.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Organization Type (orgType). Specifies the type or purpose of a given organization.Role: Header.Requirement: recommended.Data type: categorical.Measure, method or attribute set: orgTypeSet

Organization level (orgLevel). The geographic level of an organization.Role: Header.Requirement: recommended.Data type: categorical.Measure, method or attribute set: orgLevelSet

Organization sector (orgSector). The sector of an organizationRole: Header.Requirement: recommended.Data type: categorical.Measure, method or attribute set: orgSectorSet

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Parts Look-up table

partID: parts. Look up table containing all parts in of the data model. Contains all parts, including self-referential parts.

Part identifier (partID). The unique identify of any entity within the dictionary.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Label (partLabel). A human readable label of a part.Role: Header.Requirement: mandatory.Data type: varchar.

Part types (partType). Part types describe the purpose or use of the part.Role: Header.Requirement: mandatory.Data type: categorical.

Short names (shortName). Shortened names for tables and other important parts for use in wide names.Role: Header.Requirement: mandatory.Data type: varchar.

Part description (partDesc). The description of the part.Role: Header.Requirement: mandatory.Data type: varchar.

Part instruction (partInstr). Additional notes and instructions on how a part is used and/or defined.Role: Header.Requirement: mandatory.Data type: varchar.

Domain (domain). Domain is the highest level of describing of a measure.Role: Header.Requirement: mandatory.Data type: categorical.

Specimen sets (specimenSets). Sets of specimens.Role: Foreign Key.Requirement: mandatory.Data type: categorical.

Group (group). Unique identifier for a group of measures. Mostly applicable for measures, methods, units, and aggregations.Role: Header.Requirement: mandatory.Data type: categorical.

Class (class). A unique identifier for a class, which is akin to a subgroup; it's a way of grouping parts within a given group. A group can have one or more classes to describe different parts of the class.Role: Header.Requirement: mandatory.Data type: categorical.

Nomenclature (nomenclature). A classification system to report the measure class. Only applicable to variants, mutations, and diseases.Role: Header.Requirement: mandatory.Data type: categorical.

Ontology reference (ontologyRef). Ontology reference for a part.Role: Header.Requirement: mandatory.Data type: varchar.

LaTeX expression (latExp). LaTeX expression used to generate formulas, symbols, etc. Mainly relevant for units.Role: Header.Requirement: mandatory.Data type: varchar.

Measure, method, or attribute (mmaSet). The set for a measure, method, or attribute. Only applicable for categorical fields, and the categories that populate them.Role: Header.Requirement: mandatory.Data type: categorical.

Aggregation scale (aggragationScale). A scale used for an aggregation. Only applicable for measures and units.Role: Header.Requirement: mandatory.Data type: categorical.

Aggregation set (aggregationSet). The aggregation set for a unit.Role: Header.Requirement: mandatory.Data type: categorical.

Quality set (qualitySetID). The quality set that corresponds to a given part. Only applicable for samples and measures.Role: Header.Requirement: mandatory.Data type: varchar.

Missingness sets (missingnessSets). Missingness sets for measures, methods or attributes.Role: Header.Requirement: mandatory.Data type: categorical.

Status (status). Whether the part is still active and can be used in the most current ODM version. Values are 'active' or 'inactive'.Role: Header.Requirement: mandatory.Data type: varchar.

First released version (firstReleased). The version in which a part was first releasedRole: Header.Requirement: mandatory.Data type: varchar.

Last updated version (lastUpdated). The version in which the part was last updated.Role: Header.Requirement: mandatory.Data type: varchar.

Changes column (changes). A column for recording the changes from a previous version.Role: Header.Requirement: mandatory.Data type: varchar.

Protocol steps table (protocolSteps). The table for collecting metadata on individual steps in a protocol, methodological process, or assay.Role: Header.Requirement: mandatory.Data type: varchar.

Protocol Relationship table required headers (protocol Relationships Required). Specifies the columns required in the Protocol Organization table. Role: Header. Requirement: mandatory. Data type: varchar.

Protocol steps table required headers (protocolStepsRequired). Specifies the columns required in a Protocol Steps table.Role: Header.Requirement: mandatory.Data type: varchar.

Protocol steps table column order (protocolStepsOrder). Specifies the order of the columns in a Protocol Steps table.Role: Header.Requirement: mandatory.Data type: integer.

Protocol relationships table (protocolRelationships). The table that contains the organizational information and details (such as order) about a given protocol, recorded as a series of protocol steps (protocolSteps). Role: Header. Requirement: mandatory. Data type: varchar.

Protocol relationships table column order (protocolRelationshipsOrder). Specifies the order of the columns in the Protocol Organization table.Role: Header.Requirement: mandatory.Data type: integer.

Measure report table (measures). The table that contains information and details about a given measureRole: Header.Requirement: mandatory.Data type: varchar.

Measures table required headers (measuresRequired). Specifies the columns required in a Measures table.Role: Header.Requirement: mandatory.Data type: varchar.

Measures table column order (measuresOrder). Specifies the order of the columns in a Measures table.Role: Header.Requirement: mandatory.Data type: integer.

Measure set report table (measureSets). The table that identifies sets of measures.Role: Header.Requirement: mandatory.Data type: varchar.

Measure sets table column order (measureSetsOrder). Specifies the order of the columns in a Measure Sets table.Role: Header.Requirement: mandatory.Data type: integer.

Measure Set table required headers (measureSetsRequired). Specifies the columns required in a Measure Sets table.Role: Header.Requirement: mandatory.Data type: varchar.

Dataset table (datasets). A report table for capturing details about data's parental data set and data custodians. Supplying attribution for data collectors.Role: Header.Requirement: mandatory.Data type: varchar.

Dataset table required headers (datasetsRequired). Specifies the columns required in a Datasets table.Role: Header.Requirement: mandatory.Data type: varchar.

Datasets table column order (datasetsOrder). Specifies the order of the columns in a Datasets table.Role: Header.Requirement: mandatory.Data type: integer.

Sites table (sites). The table that contains information about a site; the location where an environmental sample was taken.Role: Header.Requirement: mandatory.Data type: varchar.

Sites table required headers (sitesRequired). Specifies the columns required in a Sites table.Role: Header.Requirement: mandatory.Data type: varchar.

Sites table column order (sitesOrder). Specifies the order of the columns in a Sites table.Role: Header.Requirement: mandatory.Data type: integer.

Sample report table (samples). The table that contains information about a sample. A sample is defined as a representative volume of wastewater (or other forms of water or liquid), air, or surface area taken from a site.Role: Header.Requirement: mandatory.Data type: varchar.

Sample table required headers (samplesRequired). Specifies the columns required in a Samples table.Role: Header.Requirement: mandatory.Data type: varchar.

Samples table column order (samplesOrder). Specifies the order of the columns in a Samples table.Role: Header.Requirement: mandatory.Data type: integer.

Address table (addresses). The table that contains information about addresses. Addresses can recorded for sites, organizations or contacts (indivduals). Role: Header. Requirement: mandatory. Data type: varchar.

Address table required headers (addressesRequired). Specifies the columns required in a Addresses table.Role: Header.Requirement: mandatory.Data type: varchar.

Addresses table column order (addressesOrder). Specifies the order of the columns in the Addresses table.Role: Header.Requirement: mandatory.Data type: integer.

Contact table (contacts). The table that contains information about a contact; a person who is the contact of a site or laboratory.Role: Header.Requirement: mandatory.Data type: varchar.

Contact table required headers (contactsRequired). Specifies the columns required in a Contacts table.Role: Header.Requirement: mandatory.Data type: varchar.

Contacts table column order (contactsOrder). Specifies the order of the columns in a Contacts table.Role: Header.Requirement: mandatory.Data type: integer.

Organization table (organizations). The table that contains information about a laboratory.Role: Header.Requirement: mandatory.Data type: varchar.

Organziation table required headers (organizationsRequired). Specifies the columns required in a Organizations table.Role: Header.Requirement: mandatory.Data type: varchar.

Organizations table column order (organizationsOrder). Specifies the order of the columns in a Organizations table.Role: Header.Requirement: mandatory.Data type: integer.

Instrument table (instruments). The table that contains information about instruments.Role: Header.Requirement: mandatory.Data type: varchar.

Instrutment table required headers (instrumentsRequired). Specifies the columns required in the Instruments table.Role: Header.Requirement: mandatory.Data type: varchar.

Instruments table column order (instrumentsOrder). Specifies the order of the columns in the Instruments table.Role: Header.Requirement: mandatory.Data type: integer.

Polygon table (polygons). The table that contains information about the geometry of a geographic area.Role: Header.Requirement: mandatory.Data type: varchar.

Polygon table required headers (polygonsRequired). Specifies the columns required in a Polygons table.Role: Header.Requirement: mandatory.Data type: varchar.

Polygons table column order (polygonsOrder). Specifies the order of the columns in a Polygons table.Role: Header.Requirement: mandatory.Data type: integer.

Language Look-up table (languages). Look up table for all languages, used to give structure to the translation table.Role: Header.Requirement: mandatory.Data type: varchar.

Language table required headers (languagesRequired). Required headers in the Languages table.Role: Header.Requirement: mandatory.Data type: varchar.

Language table column order (languagesOrder). Specifies the order of the columns in the Languages table.Role: Header.Requirement: mandatory.Data type: integer.

Translation look-up table (translations). Look up table for translations of the description, label, and instruction for all parts.Role: Header.Requirement: mandatory.Data type: varchar.

Parts Look-up table (parts). Look up table containing all parts in of the data model.Role: Header.Requirement: mandatory.Data type: varchar.

Translation table required headers (translationsRequired). Required headers in the Translations table.Role: Header.Requirement: mandatory.Data type: varchar.

Parts table column order (partsOrder). Order of headers in the Parts table.Role: Header.Requirement: mandatory.Data type: varchar.

Translation table column order (translationsOrder). Specifies the order of the columns in the Translation table.Role: Header.Requirement: mandatory.Data type: integer.

Parts table required headers (partsRequired). Required headers in the Parts table.Role: Header.Requirement: mandatory.Data type: varchar.

Sets look-up table (sets). Look up table for all sets, managing how categorical inputs for various methods and attributes are grouped together.Role: Header.Requirement: mandatory.Data type: varchar.

Sets table column order (setsOrder). Specifies the order of the columns in the Sets table.Role: Header.Requirement: mandatory.Data type: integer.

Sets table required headers (setsRequired). Required headers in the Sets table.Role: Header.Requirement: mandatory.Data type: varchar.

Quality reports table (qualityReports). The table for recording the various quality metrics and indicators for samples and measures.Role: Header.Requirement: mandatory.Data type: varchar.

Quality report table required headers (qualityReportsRequired). Specifies the columns required in the Quality Reports table.Role: Header.Requirement: mandatory.Data type: varchar.

Quality rerpots table column order (qualityReportsOrder). Specifies the order of the columns in the Quality Reports table.Role: Header.Requirement: mandatory.Data type: integer.

Sample relationships table (sampleRelationships). Table for recording the relationships between samples.Role: Header.Requirement: mandatory.Data type: varchar.

Sample relationships table required headers (sample Relationships Required). Specifies the columns required in a Sample Relationships table. Role: Header. Requirement: mandatory. Data type: varchar.

Sample relationships table column order (sampleRelationshipsOrder). Specifies the order of the columns in a Sample Relationships table.Role: Header.Requirement: mandatory.Data type: integer.

Protocols table (protocols). The table for protocols. Role: Header. Requirement: mandatory. Data type: varchar.

Protocols table required headers (protocolsRequired). Specifies the columns required in the Protocols table.Role: Header.Requirement: mandatory.Data type: varchar.

Protocols table column order (protocolsOrder). Specifies the order of the columns in the Protocols table.Role: Header.Requirement: mandatory.Data type: integer.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: mandatory.Data type: varchar.

Data types (dataTypes). The data type for a part.Role: Header.Requirement: mandatory.Data type: categorical.

Minimum value part support (minValue). The minimum value of part.Role: Header.Requirement: mandatory.Data type: varchar.

Maximum value part support (maxValue). The maximum value of a part.Role: Header.Requirement: mandatory.Data type: varchar.

Minimum length (minLength). The maximum value of measure.Role: Header.Requirement: mandatory.Data type: integer.

Maximum length (maxLength). The maximum length of the value of a part or measure.Role: Header.Requirement: mandatory.Data type: integer.

Polygon table

partID: polygons. The table that contains information about the geometry of a geographic area.

Polygon ID (polygonID). Unique identifier for the polygon.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: recommended.Data type: varchar.

Description (descr). A detailed description as an attirbute for describing results or program elements. Role: Header. Requirement: optional. Data type: varchar.

Polygon Population (polyPop). An attribute of a polygon, which specifies the population of that polygon. A rough estimate of the number of human residents.Role: Header.Requirement: optional.Data type: integer.

Type of geography (geoType). Type of geography that is represented by the polygon.Role: Header.Requirement: mandatory.Data type: categorical.Measure, method or attribute set: geoTypeSet

European Petroleum Survey Group Coordinates (geoEPSG). The unique EPSG code specifying a given geospatial area.Role: Header.Requirement: mandatory.Data type: float.

Well-known text (geoWKT). Well-known text of the polygonRole: Header.Requirement: mandatory.Data type: varchar.

File location of polygon (fileLocation). The location of the file containing the geometry of the polygon.Role: Header.Requirement: optional.Data type: blob.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Header.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Header.Requirement: optional.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Protocol relationships table

partID: protocolRelationships. The table that contains the organizational information and details (such as order) about a given protocol, recorded as a series of protocol steps (protocolSteps). Protocols are a group of related protocol steps. For example a protocol step can describe a sample concentration, extraction, inhibition or a measurement. Protocols can include both methodID (a proceedure) and measureIDs (a measure). An example of a method is centrifugation; where the centriguation rotation speed is described as a measure.

Protocol ID container (protocolIDContainer). Unique identifier for the protocol and the steps and other protocols that make it up.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Protocol ID object (protocolIDObj). The object of the relationship between one protocol and another protocol or step, within a given protocol ID container.Role: Foreign Key.Requirement: mandatoryIf.Data type: varchar.

Step ID Object (stepIDObj). The object of the relationship between one protocol step and another step or protocol, within a given protocol ID container.Role: Foreign Key.Requirement: mandatoryIf.Data type: integer.

Sample relationship (sampleRelID). Attribute for specifying the relationship between a sample subject and object.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Protocol ID subject (protocolIDSub). The subject of the relationship between one protocol and another protocol or step, within a given protocol ID container.Role: Foreign Key.Requirement: mandatoryIf.Data type: varchar.

Step ID Subject (stepIDSub). The subject of the relationship between one protocol step and another step or protocol, within a given protocol ID

container.Role: Foreign Key.Requirement: mandatoryIf.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attributesRole: Header.Requirement: optional.Data type: varchar.

Protocols table

partID: protocols. The table for protocols.

Source Protocol ID (sourceProtocol). A protocol that served as a basis for another protocol. This may be due to version changes, or a referencing a protocol that was later adapted.Role: Foreign Key.Requirement: optional.Data type: varchar.

Protocol ID (protocolID). A unique identifier for a given protocol.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: optional.Data type: varchar.

Summary (summ). Short description of the assay and how it is different from the other assay methods.Role: Header.Requirement: optional.Data type: varchar.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Foreign Key.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: optional.Data type: varchar.

Protocol version (protocol Version). Specifies the version of a method set. Role: Header. Requirement: optional. Data type: integer.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Protocol steps table

partID: protocolSteps. The table for collecting metadata on individual steps in a protocol, methodological process, or assay.

Protocol Step ID (stepID). The unique identifier for a specific protocol step.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Method (method). A procedure for collecting a sample or performing a measure.Role: Foreign Key.Requirement: mandatoryIf.Data type: categorical.

Measure (measure). A measurement or observation of any substance including a biological, physical or chemical substance. Role: Foreign Key. Requirement: mandatory If. Data type: varchar.

Summary (summ). Short description of the assay and how it is different from the other assay methods.Role: Header.Requirement: optional.Data type: varchar.

Protocol step source ID (sourceStep). Specifies the protocol step which serves as a basis for a given protocol step.Role: Foreign Key.Requirement: optional.Data type: varchar.

Protocol step version (stepVer). Specifies the version of a given protocol step.Role: Header.Requirement: optional.Data type: varchar.

Reference link (refLink). Link to the reference material for a part. May link to literature on a method, measure, etc.Role: Header.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Foreign Key.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: optional.Data type: varchar.

Instrument ID (instrumentID). A unique identifier for an instrument.Role: Foreign Key.Requirement: optional.Data type: categorical.

Value (value). Value of a measure, observation or attribute.Role: Header.Requirement: mandatoryif.Data type: varchar.

Unit (unit). The units of a measurement.Role: Foreign Key.Requirement: mandatoryIf.Data type: categorical.

Aggregation (aggregation). Statistical measures used to report a measure. Each aggregation has a corresponding value.Role: Foreign Key.Requirement: mandatoryIf.Data type: categorical.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Quality reports table

partID: qualityReports. The table for recording the various quality metrics and indicators for samples and measures.

Quality flag (qualityFlag). A field for reporting any quality concerns - of lack thereof - for a sample or measure.Role: Header.Requirement: mandatory.Data type: categorical.

Severity indicator (severity). An indicator of the severity or seriousness of a quality flag.Role: Header.Requirement: optional.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Sample relationships table

partID: sampleRelationships. Table for recording the relationships between samples. Samples can be pooled or split. The sample relationships table holds information on parent-child relationships between samples, and allow for tracking sample lineage for single and pooled samples.

Sample ID subject (sampleIDSubject). Populated by sampleID - this specifies the subject of a sample relationship.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Sample relationship (sampleRelID). Attribute for specifying the relationship between a sample subject and object.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Sample ID object (sampleIDObject). Populated by sampleID - this specifies the object of a sample relationship.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attributes Role: Header.Requirement: optional.Data type: varchar.

Sample report table

partID: samples. The table that contains information about a sample. A sample is defined as a representative volume of wastewater (or other forms of water or liquid), air, or surface area taken from a site. Samples can be combined, split, stored and reused. The Sample relationships (sampleRelationships) is used to describe the relationships between samples.

Sample ID (sampleID). Unique identifier for a sample.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Protocol ID (protocolID). A unique identifier for a given protocol.Role: Foreign Key.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Header.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: optional.Data type: varchar.

Site ID (siteID). Unique identifier for the location where a sample was taken.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Purpose (purpose). The reason the measure or sample was taken.Role: Foreign Key.Requirement: optional.Data type: categorical.Measure, method or attribute set: purposeSet

Sample material (saMaterial). Type of sample.Role: Foreign Key.Requirement: mandatory.Data type: categorical.Measure, method or attribute set: sampleMatSet

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Sample origin (origin). An attribute of a sample specifying the origin.Role: Header.Requirement: optional.Data type: categorical.

Replicate Type (repType). Attirbute of a sample, specifying whether the sample is unique, or a replicate. And if it is a replicate, what type of replicate is it?Role: Foreign Key.Requirement: optional.Data type: categorical.Measure, method or attribute set: replicateSet

Collection period (collPer). Collection period. The time period over which the sample was collected, in hours. Alternatively, use collection-Start and collectionEnd.Role: Header.Requirement: mandatory.Data type: float.

Collection number (collNum). The number of subsamples that were combined to create the sample. Use NA for continuous, proportional or passive sampling.Role: Header.Requirement: mandatory.Data type: integer.

Collection number and period (collNumPer). Composite collection number.period.Role: Header.Requirement: mandatory.Data type: varchar.

Pooled (pooled). Is this a pooled sample, and therefore composed of multiple child samples obtained at different sitesRole: Header.Requirement: optional.Data type: boolean.

Collection date time (collDT). For grab samples this is the date, time and timezone the sample was taken.Role: Header.Requirement: mandatory.Data type: datetime.

Collection date time start (collDTStart). For integrated time averaged samples this is the date, time and timezone the sample was started being taken.Role: Header.Requirement: optional.Data type: datetime.

Collection date time end (collDTEnd). For integrated time average samples this is the date, time and timezone the sample was finished being taken.Role: Header.Requirement: optional.Data type: datetime.

Date sample was sent (sentDate). The date the sample was sent for analyses at a laboratory.Role: Header.Requirement: optional.Data type: datetime.

Date sample recieved (recDate). The date the sample was received at the laboratory for analysis.Role: Header.Requirement: optional.Data type: datetime.

Reportable (reportable). Flag for whether a measure is reportable or not, based on confidence in the measure and methods applied.Role: Header.Requirement: optional.Data type: boolean.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Sets look-up table

partID: sets. Look up table for all sets, managing how categorical inputs for various methods and attributes are grouped together. This table

manages many-to-many relationships and category recycling within the ODM.

Set ID (setID). The unique identifier of a value set.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Set type (setType). The type of set. i.e. quality set, aggregation set, unit setRole: Header.Requirement: mandatory.

Set Value (setValue). The partID for the set value or category.Role: Foreign Key.Requirement: mandatory.

Label (partLabel). A human readable label of a part.Role: Header.Requirement: mandatory.Data type: varchar.

Part instruction (partInstr). Additional notes and instructions on how a part is used and/or defined.Role: Header.Requirement: mandatory.Data type: varchar.

Status (status). Whether the part is still active and can be used in the most current ODM version. Values are 'active' or 'inactive'.Role: Header.Requirement: mandatory.Data type: varchar.

First released version (firstReleased). The version in which a part was first releasedRole: Header.Requirement: mandatory.Data type: varchar.

Last updated version (lastUpdated). The version in which the part was last updated.Role: Header.Requirement: mandatory.Data type: varchar.

Changes column (changes). A column for recording the changes from a previous version.Role: Header.Requirement: optional.Data type: varchar.

Notes (notes). A note used to describe details that are not captured in other attrbitutesRole: Header.Requirement: optional.Data type: varchar.

Sites table

partID: sites. The table that contains information about a site; the location where an environmental sample was taken. The site of an evironmental sample. Information in the site table does not regularly change. Consider using the MeasureReport table if the infomation changes often.

Parent Site ID (parSiteID). The siteID that is a parent to another siteID; usually the sub-site will be contained in the parentSite.Role: Foreign Key.Requirement: optional.Data type: varchar.

Site ID (siteID). Unique identifier for the location where a sample was taken.Role: Primary Key.Requirement: mandatory.Data type: varchar.

Dataset ID (datasetID). The name of the dataset that stores information for MeasureReport, SampleReport and other reporting tables.Role: Foreign Key.Requirement: optional.Data type: varchar.

Polygon ID (polygonID). Unique identifier for the polygon.Role: Foreign Key.Requirement: optional.Data type: varchar.

Site Type (siteType). Type of site or institution where sample was taken.Role: Foreign Key.Requirement: mandatory.Data type: categorical.Measure, method or attribute set: siteTypeSet

Sample shed (sampleShed). A geographic area, physical space, or structure. A sample is taken from a sampleshed for a representative measurement of a substance(s).Role: Header.Requirement: mandatory.Data type: categorical.Measure, method or attribute set: shedSet

Address ID (addressID). A unique identifier for an address.Role: Foreign Key.Requirement: optional.Data type: varchar.

Organization ID (organizationID). A unique identifier for the organization to which the reporter is affiliated.Role: Header.Requirement: optional.Data type: varchar.

Contact ID (contactID). A unique identifier for a given contact person.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Name (name). Name of a domain, specimen, group, class, attribute, unit, nomeclature or other entity.Role: Header.Requirement: recommended.Data type: varchar.

Description (descr). A detailed description as an attirbute for describing results or program elements. Role: Header. Requirement: optional. Data type: varchar.

Primary reporting authority (repOrg1). The primary or most responsible authority for rountine surveillance reports or findings, or where the site is located.Role: Header.Requirement: optional.Data type: varchar.

Secondary reporting authority (repOrg2). The secondary, additional or alternative authority for rountine surveillance reports or findings, or where the site is located.Role: Header.Requirement: optional.Data type: varchar.

Population Served (popServ). An attribute of a site, which specifies the population of/population served by a given site.Role: Header.Requirement: optional.Data type: categorical.

Latitude (geoLat). Geographical location, latitude in decimal coordinates, ie.: (45.424721)Role: Header.Requirement: mandatoryIf.Data type: float.

Longitude (geoLong). Geographical location, longitude in decimal coordinates, ie.: (-75.695000)Role: Header.Requirement: mandatoryIf.Data type: float.

European Petroleum Survey Group Coordinates (geoEPSG). The unique EPSG code specifying a given geospatial area.Role: Header.Requirement: mandatoryIf.Data type: float.

Last edited (lastEdited). The date the entry was last updated.Role: Header.Requirement: optional.Data type: datetime.

Notes (notes). A note used to describe details that are not captured in other attribitutesRole: Header.Requirement: optional.Data type: varchar.

Translation look-up table

partID: translations. Look up table for translations of the description, label, and instruction for all parts. The default language if a translation is not specified is English.

Language ID (lang). Language code for translation purposes. Specifies the language for each translation, other than the default English.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Part identifier (partID). The unique identify of any entity within the dictionary.Role: Foreign Key.Requirement: mandatory.Data type: varchar.

Label (partLabel). A human readable label of a part.Role: Header.Requirement: mandatory.Data type: varchar.

Part description (partDesc). The description of the part.Role: Header.Requirement: mandatory.Data type: varchar.

Part instruction (partInstr). Additional notes and instructions on how a part is used and/or defined.Role: Header.Requirement: optional.Data type: varchar.

First released version (firstReleased). The version in which a part was first releasedRole: Header.Requirement: mandatory.Data type: varchar.

Last updated version (lastUpdated). The version in which the part was last updated.Role: Header.Requirement: mandatory.Data type: varchar.

Changes column (changes). A column for recording the changes from a previous version.Role: Header.Requirement: optional.Data type: varchar.

Notes (notes). A note used to describe details that are not captured in other attrbitutesRole: Header.Requirement: optional.Data type: varchar.

Page created on Mon May 8 00:00:00 2023.