**Canada**

**Health Statistics Division, Statistics Canada**

# Canadian Community Health Survey, 2015-2016: Annual Component

**Study Documentation**

April 30, 2019

# Metadata Production

| Metadata Producer(s) | Ontario Data Documentation, Extraction Service and Infrastructure (ODESI) , Scholars Portal |
|---|---|
| Identification | cchs-82M0013-E-2015-2016-Annual-component |

# Table of Contents

## Canadian Community Health Survey, 2015-2016: Annual Component (CCHS 2015-2016: Annual Component)

*Enquête sur la santé dans les collectivités canadiennes, 2015-2016: Composante annuelle*

## Overview

| Type | Canadian Community Health Survey |
|---|---|
| **Identification** | cchs-82M0013-E-2015-2016-Annual-component |
| **Series** | The central objective of the Canadian Community Health Survey (CCHS) is to gather health-related data at the sub-provincial levels of geography (health region or combined health regions). |

**Abstract**

In 1991, the National Task Force on Health Information cited a number of issues and problems with the health information system. To respond to these issues, the Canadian Institute for Health Information (CIHI), Statistics Canada and Health Canada joined forces to create a Health Information Roadmap. From this mandate, the Canadian Community Health Survey (CCHS) was conceived.

The CCHS is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The survey is offered in both official languages. It relies upon a large sample of respondents and is designed to provide reliable estimates at the health region level every 2 years.

The CCHS has the following objectives:

- Support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;
- Provide a single data source for health research on small populations and rare characteristics;
- Timely release of information easily accessible to a diverse community of users;
- Create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.

The CCHS produces an annual microdata file and a file combining two years of data. The CCHS collection years can also be combined by users to examine populations or rare characteristics.

The primary use of the CCHS data is for health surveillance and population health research. Federal and provincial departments of health and human resources, social service agencies, and other types of government agencies use the information collected from respondents to monitor, plan, implement and evaluate programs to improve the health of Canadians. Researchers from various fields use the information to conduct research to improve health. Non-profit health organizations and the media use the CCHS results to raise awareness about health, an issue of concern to all Canadians.

The survey began collecting data in 2001 and was repeated every two years until 2005. Starting in 2007, data for the Canadian Community Health Survey (CCHS) were collected annually instead of every two years. While a sample of approximately 130,000 respondents were interviewed during the reference periods of 2001, 2003 and 2005, the sample size was changed to 65,000 respondents each year starting in 2007.

In 2012, CCHS began work on a major redesign project that was completed and implemented for the 2015 cycle. The objectives of the redesign were to review the sampling methodology, adopt a new sample frame, modernize the content and review the target population. Consultations were held with federal, provincial and territorial share partners, health region authorities and academics.

As a result of the redesign, the 2015 CCHS has a new collection strategy, is drawing the sample from two different frames and has undergone major content revisions. With all these factors taken together, caution should be taken when comparing data from previous cycles to data released for the 2015 cycle onwards.

| Kind of Data | Survey microdata |
|---|---|
| **Unit of Analysis** | Individuals |

## Scope & Coverage

| Keywords | Alcohol, Breast examination, Cancer, Chronic Conditions, Depression, Diabetes, Diseases and health conditions, Driving, Drug use, Food Security, Health care services, Health Professionals, Lifestyle and social conditions, Mental health and well-being, Smoking, Stressors |
|---|---|

| Topics | Health |
|---|---|
| **Time Period(s)** | 2016 |
| **Countries** | Canada |

**Geographic Coverage**
Canada, Provinces, Territories

**Universe**
The CCHS covers the population 12 years of age and over living in the ten provinces and the three territories. Excluded from the survey's coverage are: persons living on reserves and other Aboriginal settlements in the provinces; full-time members of the Canadian Forces; the institutionalized population, children aged 12-17 that are living in foster care, and persons living in the Quebec health regions of Région du Nunavik and Région des Terres-Cries-de-la-Baie-James. Altogether, these exclusions represent less than 3% of the Canadian population aged 12 and over.
In the north, the frame for the CCHS covers 92% of the targeted population in the Yukon, 96% in the Northwest Territories and 92% in Nunavut. In Nunavut, starting in 2013, the coverage was expanded to represent 92% of the targeted population. Before 2013, the coverage was 71% since the survey covered only the 10 largest communities.

## Producers & Sponsors

| Primary Investigator(s) | Health Statistics Division, Statistics Canada |
|---|---|
| **Other Producer(s)** | Health Statistics Division (HSD) , Statistics Canada |

## Sampling

**Sampling Procedure**
To provide reliable estimates at the health region (HR) level, a sample of 130,000 respondents is required on a two years basis: 120,000 respondents to cover the population aged 18 and over and 10,000 respondents to cover the population aged 12 to 17 years.
Since 2015, a multi-stage sample allocation strategy is used to give relatively fair sample distribution to the HRs and the provinces. For each age group (18 and over, 12 to 17), the sample is first allocated among the provinces using a power allocation of 0.75 according to the size of their respective population. Each province's sample is then allocated among its HRs using a power allocation of 0.35 according to the size of the population in each HR.
From 2015 onwards, the CCHS sample is selected using two different frames: an Area frame and the Canadian Child Tax Benefit (CCTB) frame. Using the Area frame, a sample of dwellings is selected to target the population aged 18 and over. During collection, all members of the dwelling are listed and a person aged 18 years or over is automatically selected using various selection probabilities based on age and household composition. The CCTB frame is used to sample persons aged 12 to 17 years. One child is then pre-selected to complete the survey.
The area frame is mainly designed to serve the Labour Force Survey (LFS). Thus, the sampling plan of the LFS must be considered in selecting the CCHS dwelling sample. The LFS plan is a complex two stage stratified design in which each stratum is formed of clusters. The LFS first selects clusters using a sampling method with a probability proportional to size (PPS), and then the final sample is chosen using a systematic sampling of dwellings in the cluster. For CCHS, LFS clusters are grouped in each HR. Then, a sample of clusters and systematic dwellings are selected in each HR. The process maximises the overlap between the clusters selected by both surveys and ensures that the same dwelling is selected only once.
For the CCTB frame, a HR is assigned to each child in the target population based on the address. The CCTB frame is then stratified by HR. A simple random sample (SRS) of children aged 12 to 17 is selected within each HR.
The size of the sample is enlarged during the selection process to account for non responses and units outside the coverage (for example, vacant dwellings, institutions, children not eligible due to age or death, etc.).

**Response Rate**
In total, 93,590 of the selected units in the 2016 CCHS were in-scope for the survey10, out of which a response was obtained for 57,396 individuals, resulting in a response rate of 61.3%. Appendix E provides the counts of in-scope units, the counts of respondents and the resulting response rates, by province and health region. These figures are provided for the adults and for the youths separately, as well as for the complete CCHS sample.

In total, 185,176 of the selected units in the 2015-2016 CCHS were in-scope for the survey, out of which a response was obtained for 110,095 individuals, resulting in a response rate of 59.5%. Appendix G provides the counts of in-scope units, the counts of respondents and the resulting response rates, by province and health region. These figures are provided for the adults and for the youths separately, as well as for the complete CCHS sample.

## Weighting

In order for estimates produced from survey data to be representative of the covered population, and not just the sample itself, users must incorporate the survey weights in their calculations. A survey weight is given to each respondent included in the final sample. This weight corresponds to the number of persons in the entire population that are represented by the respondent.

As described above, the CCHS uses two sampling frames for its sample selection: an area frame for the Canadian population aged 18 and over, and a frame of telephone numbers from Canada Child Tax Benefit (CCTB) records for the 12-17 population.

The weighting strategy treats both the area and CCTB frames independently to come up with separate person-level weights for each of the frames used. The adjustments applied to the initial weights are based on modeling probabilities of response (at the household level and person level). Variables derived from the collection paradata as well as characteristics of the units are used to create the models. Then these probabilities are used to create groups of respondents and nonrespondents in which to transfer the weights of the nonrespondents to the respondents. The person-level weights from the two frames are then combined into a single set of weights, jointly undergo two more adjustments (Winsorization and Calibration to known population totals such as by geography and age and sex), and become the final person-level weights.

Bootstrap weights are created through resampling the original sample and applying similar adjustments to the bootstrap weights as to the sample weights.

The steps for weighting are described in chapter 8 of the CCHS User Guide.

The sample design used for this survey was not self-weighting. That is to say, the sampling weights are not identical for all individuals in the sample. When producing simple estimates, including the production of ordinary statistical tables, users must apply the proper sampling weight.

Estimates of the number of people with a certain characteristic are obtained from the data file by summing the final weights of all records possessing the characteristic of interest.

Proportions and ratios are obtained by summing the final weights of records having the characteristic of the numerator and the denominator, and then dividing the first estimate by the second.

## Data Collection

| | |
|---|---|
| **Data Collection Dates** | start 2016-01-04<br>end 2016-12-24 |
| **Time Period(s)** | start 2015-01<br>end 2016-12 |
| **Data Collection Mode** | The CCHS uses two separate CAI applications to collect data, one for telephone interviews (CATI) and one for personal interviews (CAPI). This was done in order to customise each application's functionality to the type of interview being conducted. Each application consisted of an entry component, a health content, and an exit component.<br>Between January and December 2016, approximately 57,000 valid interviews were conducted using CAI. Approximately 20% of these completed cases were conducted in person using CAPI, and the other 80% were conducted over the phone using CATI.<br>CAI offers two main advantages over other collection methods. First, CAI offers a case management system and data transmission functionality. This case management system automatically records important management information for each attempt on a case and provides reports for the management of the collection process. CAI also provides an automated call scheduler, i.e. a central system to optimise the timing of call-backs and the scheduling of appointments used to support CATI collection.<br>The case management system routes the questionnaire applications and sample files from Statistics Canada's main office to regional collection offices (in the case of CATI) and from the regional offices to the interviewers laptops (for CAPI). Data returning to the main office takes the reverse route. To ensure confidentiality, the data is encrypted before transmission. The data are then decrypted when they are on a separate secure computer with no remote access. |

Second, CAI allows for custom interviews for every respondent based on their individual characteristics and survey responses. This includes:
- questions that are not applicable to the respondent are skipped automatically
- edits to check for inconsistent answers or out-of-range responses are applied automatically and on-screen prompts are shown when an invalid entry is recorded. Immediate feedback is given to the respondent and the interviewer is able to correct any inconsistencies.
- question text, including reference periods and pronouns, is customised automatically based on factors such as the age

### Questionnaires

Each component of the CCHS questionnaire is developed in collaboration with specialists from Statistics Canada, other federal and provincial departments and/or academic fields. The CCHS questions are designed for computer-assisted interviewing (CAI), meaning that, as the questions were developed, the associated logical flow into and out of the questions was programmed. This includes specifying the type of answer required, the minimum and maximum values, on-line edits associated with the question and what to do in case of item non-response.

CCHS content is comprised of four components. Core content is asked of all respondents and remains stable over time. Theme content is asked of all respondents for one or two years and alternates from year to year. Optional content is chosen by provincial and territorial stakeholders in coordination with health regions and is only asked in provinces and territories that selected the module. Rapid Response modules are cost-recovery projects asked of all respondents living in the ten provinces, usually for one collection period (3 months). The optional content fulfils the unique data needs of each province or territory and may vary from year to year. The Rapid Response component is offered to organizations interested in national estimates on an emerging or specific issue related to the population's health. Provincial estimates may also be yielded from a Rapid Response, however they may be of limited quality. A Rapid Response component may be added to the survey in each three-month collection period. The data will be released about six months after the collection period via an announcement in The Daily.

New modules and revisions to existing CCHS content are tested using different methods. Qualitative tests using individual cognitive interviews or, more rarely, focus groups are used to ensure that questions and concepts are appropriately worded. The computer application for data collection is extensively tested in-house each time changes are made. The objective of these tests is to identify any errors in the program flow and text before the start of the main survey.

| | |
|---|---|
| **Data Collector(s)** | Health Statistics Division (HSD) , Statistics Canada |

# Data Processing & Appraisal

### Estimates of Sampling Error

Since it is an unavoidable fact that estimates from a sample survey are subject to sampling error, sound statistical practice calls for researchers to provide users with some indication of the magnitude of this sampling error. The basis for measuring the potential size of sampling errors is the standard deviation of the estimates derived from survey results. However, because of the large variety of estimates that can be produced from a survey, the standard deviation of an estimate is usually expressed relative to the estimate to which it pertains. This resulting measure, known as the coefficient of variation (CV) of an estimate, is obtained by dividing the standard deviation of the estimate by the estimate itself and is expressed as a percentage of the estimate.

For example, suppose hypothetically that it is estimated that 25% of Canadians aged 12 and over are regular smokers and that this estimate is found to have a standard deviation of 0.003. Then the CV of the estimate is calculated as: (0.003/0.25) x 100% = 1.20%

Statistics Canada commonly uses CV results when analyzing data and urges users producing estimates from the CCHS data files to also do so. For details on how to determine CVs, see Section 11. For guidelines on how to interpret CV results, see the table at the end of sub-section 10.4.

# Accessibility

| | |
|---|---|
| **Access Authority** | Data Liberation Initiative (DLI) (Statistics Canada) |
| **Contact(s)** | Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/eng/dli/dli |
| **Distributor(s)** | Data Liberation Initiative |

**Citation Requirements**

Statistics Canada hereby grants to the Licensee a non-exclusive, non-assignable and non-transferable licence to use the Microdata files and related documentation for statistical and research purposes. The Microdata files shall not be used for any other purposes without the prior written consent of Statistics Canada. (Appendix 1, Section 6, DLI Licence Agreement - Microdata Files).

## Rights & Disclaimer

| | |
|---|---|
| **Copyright** | Copyright (c) Statistics Canada, 2017 |

# Files Description

**Dataset contains 1 file(s)**

| cchs_annual_2015_2016 | |
| --- | --- |
| **# Cases** | 109659 |
| **# Variable(s)** | 1283 |

# Variables Group(s)

**Dataset contains 73 group(s)**

| \multicolumn{8}{l}{**Group Access to health care services**} |
|---|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---|---|---|---|---|---|---|
| 1 | DOACC | Access to health care services - Inclusion flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | ACC_005 | Required visit to medical specialist - 12 mo | discrete | numeric-1.0 | 29575 | 80084 | In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation? |
| 3 | ACC_010 | Experienced difficulties getting specialist care - 12 mo | discrete | numeric-1.0 | 10212 | 99447 | In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation? |
| 4 | ACC_015A | Difficulty specialist - getting a referral | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Difficulty getting a referral |
| 5 | ACC_015B | Difficulty specialist - getting an appt | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 6 | ACC_015C | Difficulty specialist - too long between appt and visit | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Waited too long between booking appointment and visit |
| 7 | ACC_015D | Difficulty specialist - too long to see specialist | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Waited too long to see the specialist (i.e. in-office waiting) |
| 8 | ACC_015E | Difficulty specialist - service n/a at time required | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Service not available at time required |
| 9 | ACC_015F | Difficulty specialist - service n/a in area | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Service not available in the area |
| 10 | ACC_015G | Difficulty specialist - transportation | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Transportation problems |
| 11 | ACC_015H | Difficulty specialist - language | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Language problem |
| 12 | ACC_015I | Difficulty specialist - cost | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Cost |
| 13 | ACC_015J | Difficulty specialist - general deterioration of health | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - General deterioration of health |
| 14 | ACC_015K | Difficulty specialist - appt cancelled / deferred | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Appointment cancelled or deferred by specialist |
| 15 | ACC_015L | Difficulty specialist - unable to leave house | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 16 | ACC_015M | Difficulty specialist - other | discrete | numeric-1.0 | 1980 | 107679 | What types of difficulties did you experience? - Other |
| 17 | ACC_020 | Required non-emergency surgery - 12 mo | discrete | numeric-1.0 | 29568 | 80091 | In the past 12 months, did you require any non-emergency surgery? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 18 | ACC_025 | Experienced difficulties getting non-emergency surgery - 12 mo | discrete | numeric-1.0 | 2187 | 107472 | In the past 12 months, did you ever experience any difficulties getting the surgery you needed? |
| 19 | ACC_030A | Difficulty surgery - getting an appt | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 20 | ACC_030B | Difficulty surgery - getting a diagnosis | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Difficulty getting a diagnosis including obtaining a diagnostic test |
| 21 | ACC_030C | Difficulty surgery - too long for a hospital bed | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Waited too long for a hospital bed to become available |
| 22 | ACC_030D | Difficulty surgery - too long for surgery | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Waited too long for surgery |
| 23 | ACC_030E | Difficulty surgery - service n/a at time required | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Service not available at time required |
| 24 | ACC_030F | Difficulty surgery - service n/a in the area | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Service not available in the area |
| 25 | ACC_030G | Difficulty surgery - transportation | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Transportation problems |
| 26 | ACC_030H | Difficulty surgery - language | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Language problem |
| 27 | ACC_030I | Difficulty surgery - cost | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Cost |
| 28 | ACC_030J | Difficulty surgery - general deterioration of health | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - General deterioration of health |
| 29 | ACC_030K | Difficulty surgery - appt cancelled / deferred | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital |
| 30 | ACCG030M | Difficulty surgery - unable to leave the house/other | discrete | numeric-1.0 | 424 | 109235 | What types of difficulties did you experience? - Unable to leave the house/ other |
| 31 | ACC_035 | Required non-emergency test (MRI, CT Scan, angiography) - 12 mo | discrete | numeric-1.0 | 29471 | 80188 | In the past 12 months, did you require one of these tests? |
| 32 | ACC_040 | Experienced difficulties getting non-emergency test - 12 mo | discrete | numeric-1.0 | 4149 | 105510 | In the past 12 months, did you ever experience any difficulties getting the tests you needed? |
| 33 | ACC_045A | Difficulty test - getting a referral | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Difficulty getting a referral |
| 34 | ACC_045B | Difficulty test - getting an appt | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 35 | ACC_045C | Difficulty test - too long to get an appt | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Waited too long to get an appointment |
| 36 | ACC_045D | Difficulty test - too long to get test | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting) |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 37 | ACC_045E | Difficulty test - service n/a at time required | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Service not available at time required |
| 38 | ACC_045F | Difficulty test - service n/a in area | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Service not available in the area |
| 39 | ACC_045G | Difficulty test - transportation | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Transportation problems |
| 40 | ACC_045H | Difficulty test - language | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Language problem |
| 41 | ACC_045I | Difficulty test - cost | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Cost |
| 42 | ACC_045J | Difficulty test - general deterioration of health | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - General deterioration of health |
| 43 | ACC_045K | Difficulty test - didn't know where to go | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 44 | ACCG045M | Difficulty test - unable to leave the house/other | discrete | numeric-1.0 | 652 | 109007 | What types of difficulties did you experience? - Unable to leave the house/ other |
| 45 | ACC_050 | Required health information for self / family - 12 mo | discrete | numeric-1.0 | 29464 | 80195 | In the past 12 months, have you required health information or advice [for yourself or a family member]? |
| 46 | ACC_055A | Health information - contact - doctor's office | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A doctor's office |
| 47 | ACC_055B | Health information - contact - community health centre / CLSC | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A community health centre [or CLSC] |
| 48 | ACC_055C | Health information - contact - walk-in clinic | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A walk-in clinic |
| 49 | ACC_055D | Health information - contact - telephone health line | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A telephone health line (for example, HealthLinks, Telehealth Ontario, Health-Line, TeleCare, Info-Santé) |
| 50 | ACC_055E | Health information - contact - Internet | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - Internet (for example, AboutKidsHealth) |
| 51 | ACC_055F | Health information - contact - emergency department / room | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - An emergency department or emergency room |
| 52 | ACC_055G | Health information - contact - hospital outpatient clinic | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A hospital outpatient clinic |
| 53 | ACC_055H | Health information - contact - other | discrete | numeric-1.0 | 13319 | 96340 | Whom did you contact when you needed health information or advice [for |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | yourself or a family member]? - Other - Specify |
| 54 | ACC_060 | Experienced difficulty getting health information - 12 mo | discrete | numeric-1.0 | 13323 | 96336 | In the past 12 months, did you ever experience any difficulties getting the health information or advice [for yourself or a family member]? |
| 55 | ACC_065 | Experienced difficulty getting health information - reg office hours | discrete | numeric-1.0 | 1836 | 107823 | Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| 56 | ACC_070A | Difficulty health info - reg hours - contacting physician / nurse | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Difficulty contacting a physician or nurse |
| 57 | ACC_070B | Difficulty health info - reg hours - didn't have a phone number | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Did not have a phone number |
| 58 | ACC_070C | Difficulty health info - reg hours - could not get through | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Could not get through (i.e. no answer) |
| 59 | ACC_070D | Difficulty health info - reg hours - too long to speak to someone | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Waited too long to speak to someone |
| 60 | ACC_070E | Difficulty health info - reg hours - didn't get adequate info | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Did not get adequate info or advice |
| 61 | ACC_070F | Difficulty health info - reg hours - language | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Language problem |
| 62 | ACC_070G | Difficulty health info - reg hours - didn't know where to go / call | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? Did not know where to go / call / uninformed |
| 63 | ACC_070H | Difficulty health info - reg hours - unable to leave house | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 64 | ACC_070I | Difficulty health info - reg hours - other | discrete | numeric-1.0 | 1448 | 108211 | What types of difficulties did you experience? - Other |
| 65 | ACC_075 | Experienced difficulties getting health info - evenings / we | discrete | numeric-1.0 | 1817 | 107842 | Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 pm to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 66 | ACC_080A | Difficulty health info - evening/we - contacting physician / nurse | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Difficulty contacting a physician or nurse |
| 67 | ACC_080B | Difficulty health info - evening/we - didn't have a phone number | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Did not have a phone number |
| 68 | ACC_080C | Difficulty health info - evening/we - could not get through | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Could not get through (i.e. no answer) |
| 69 | ACC_080D | Difficulty health info - evening/we - too long to speak to someone | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Waited too long to speak to someone |
| 70 | ACC_080E | Difficulty health info - evening/we - didn't get adequate info | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Did not get adequate info or advice |
| 71 | ACC_080F | Difficulty health info - evening/we - language | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Language problem |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 72 | ACC_080G | Difficulty health info - evening/we - didn't know where to go / call | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Did not know where to go / call / uninformed |
| 73 | ACC_080H | Difficulty health info - evening/we - unable to leave house | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 74 | ACC_080I | Difficulty health info - evening/we - other | discrete | numeric-1.0 | 696 | 108963 | What types of difficulties did you experience? - Other |
| 75 | ACC_085 | Experienced difficulties getting health info - middle night | discrete | numeric-1.0 | 1828 | 107831 | Did you experience difficulties getting health information or advice during the middle of the night? |
| 76 | ACCG090C | Difficulty health info - middle night - difficulty contacting | discrete | numeric-1.0 | 225 | 109434 | What types of difficulties did you experience? - Difficulty contacting a physician or nurse/no phone number/no answer |
| 77 | ACC_090D | Difficulty health info - middle night - too long to speak to someone | discrete | numeric-1.0 | 225 | 109434 | What types of difficulties did you experience? - Waited too long to speak to someone |
| 78 | ACC_090E | Difficulty health info - middle night - didn't get adequate info | discrete | numeric-1.0 | 225 | 109434 | What types of difficulties did you experience? - Did not get adequate info or advice |
| 79 | ACC_090G | Difficulty health info - middle night - didn't know where to go / call | discrete | numeric-1.0 | 225 | 109434 | What types of difficulties did you experience? - Did not know where to go / call / uninformed |
| 80 | ACCG090I | Difficulty health info - middle night - language/ unable/other | discrete | numeric-1.0 | 225 | 109434 | What types of difficulties did you experience? - Language problem/unable to leave house/other |
| 81 | ACC_095 | Has a regular health care provider | discrete | numeric-1.0 | 29852 | 79807 | Do you have a regular health care provider? |
| 82 | ACC_100 | Required routine care for self / family - 12 mo | discrete | numeric-1.0 | 29471 | 80188 | In the past 12 months, did you require any routine or on-going care [for yourself or a family member]? |
| 83 | ACC_105 | Experienced difficulties getting routine care - 12 mo | discrete | numeric-1.0 | 18575 | 91084 | In the past 12 months, did you ever experience any difficulties getting the routine or on-going care [you / you or a family member] needed ? |
| 84 | ACC_110 | Experienced difficulties getting routine care - reg office hours | discrete | numeric-1.0 | 2577 | 107082 | Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| 85 | ACC_115A | Difficulty routine care - reg hours - contacting health provider | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| 86 | ACC_115B | Difficulty routine care - reg hours - getting an appt | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 87 | ACC_115C | Difficulty routine care - reg hours - no regular health care provider | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Do not have a regular health care provider |
| 88 | ACC_115D | Difficulty routine care - reg hours - too long to get appt | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Waited too long to get an appointment |
| 89 | ACC_115E | Difficulty routine care - reg hours - too long to see provider | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 90 | ACC_115F | Difficulty routine care - reg hours - service n/a at time required | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Service not available at time required |
| 91 | ACC_115G | Difficulty routine care - reg hours - service n/a in the area | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Service not available in the area |
| 92 | ACC_115H | Difficulty routine care - reg hours - transportation | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Transportation problems |
| 93 | ACC_115I | Difficulty routine care - reg hours - language | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Language problem |
| 94 | ACC_115J | Difficulty routine care - reg hours - cost | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Cost |
| 95 | ACC_115K | Difficulty routine care - reg hours - didn't know where to go | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 96 | ACC_115L | Difficulty routine care - reg hours - unable to leave house | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 97 | ACC_115M | Difficulty routine care - reg hours - other | discrete | numeric-1.0 | 2078 | 107581 | What types of difficulties did you experience? - Other |
| 98 | ACC_120 | Experienced difficulties getting routine care - evening/we | discrete | numeric-1.0 | 2564 | 107095 | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 pm to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 99 | ACC_125A | Difficulty routine care - evening/we - contacting health provider | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| 100 | ACC_125B | Difficulty routine care - evening/we - getting an appt | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 101 | ACC_125C | Difficulty routine care - evening/we - no regular health provider | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Do not have a regular health care provider |
| 102 | ACC_125D | Difficulty routine care - evening/we - too long to get appt | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Waited too long to get an appointment |
| 103 | ACC_125E | Difficulty routine care - evening/we - too long to see provider | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| 104 | ACC_125F | Difficulty routine care - evening/we - service n/a at time required | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Service not available at time required |
| 105 | ACC_125G | Difficulty routine care - evening/we - service n/a in the area | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Service not available in the area |
| 106 | ACC_125H | Difficulty routine care - evening/we - transportation | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Transportation problems |
| 107 | ACC_125J | Difficulty routine care - evening/we - cost | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Cost |
| 108 | ACC_125K | Difficulty routine care - evening/we - didn't know where to go | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 109 | ACCG125M | Difficulty routine care - evening/we - language/ unable/other | discrete | numeric-1.0 | 831 | 108828 | What types of difficulties did you experience? - Language problem/unable to leave house/other |
| 110 | ACC_130 | Required immediate care for self / family - 12 mo | discrete | numeric-1.0 | 29444 | 80215 | In the past 12 months, did [you / you or a family member] require immediate health care services for a minor health problem? |
| 111 | ACC_135 | Experienced difficulties getting immediate care - 12 mo | discrete | numeric-1.0 | 9194 | 100465 | In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem [for yourself or a family member]? |
| 112 | ACC_140 | Experienced difficulties getting immediate care - reg office hours | discrete | numeric-1.0 | 1893 | 107766 | Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| 113 | ACC_145A | Difficulty immediate care - reg hours - contacting health provider | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| 114 | ACC_145B | Difficulty immediate care - reg hours - getting an appt | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 115 | ACC_145C | Difficulty immediate care - reg hours - no regular health provider | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Do not have a regular health care provider |
| 116 | ACC_145D | Difficulty immediate care - reg hours - too long to get appt | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Waited too long to get an appointment |
| 117 | ACC_145E | Difficulty immediate care - reg hours - too long to see provider | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| 118 | ACC_145F | Difficulty immediate care - reg hours - service n/a at time required | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Service not available at time required |
| 119 | ACC_145G | Difficulty immediate care - reg hours - service n/a in the area | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Service not available in the area |
| 120 | ACC_145H | Difficulty immediate care - reg hours - transportation | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Transportation problems |
| 121 | ACC_145I | Difficulty immediate care - reg hours - language | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Language problem |
| 122 | ACC_145J | Difficulty immediate care - reg hours - cost | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Cost |
| 123 | ACC_145K | Difficulty immediate care - reg hours - didn't know where to go | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 124 | ACC_145L | Difficulty immediate care - reg hours - unable leave house | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 125 | ACC_145M | Difficulty immediate care - reg hours - other | discrete | numeric-1.0 | 1364 | 108295 | What types of difficulties did you experience? - Other |
| 126 | ACC_150 | Experienced difficulties getting immediate care - evening/we | discrete | numeric-1.0 | 1887 | 107772 | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 pm to 9:00 pm, Monday |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 127 | ACC_155A | Difficulty immediate care - evening/we - contacting health provider | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| 128 | ACC_155B | Difficulty immediate care - evening/we - getting an appt | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 129 | ACC_155C | Difficulty immediate care - evening/we - no regular health provider | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Do not have a regular health care provider |
| 130 | ACC_155D | Difficulty immediate care - evening/we - too long to get appt | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Waited too long to get an appointment |
| 131 | ACC_155E | Difficulty immediate care - evening/we - too long to see provider | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| 132 | ACC_155F | Difficulty immediate care - evening/we - service n/a at time required | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Service not available at time required |
| 133 | ACC_155G | Difficulty immediate care - evening/we - service n/a in the area | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Service not available in the area |
| 134 | ACC_155H | Difficulty immediate care - evening/we - transportation | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Transportation problems |
| 135 | ACC_155I | Difficulty immediate care - evening/we - language | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Language problem |
| 136 | ACC_155J | Difficulty immediate care - evening/we - cost | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Cost |
| 137 | ACC_155K | Difficulty immediate care - evening/we - didn't know where to go | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 138 | ACC_155L | Difficulty immediate care - evening/we - unable leave house | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 139 | ACC_155M | Difficulty immediate care - evening/we - other | discrete | numeric-1.0 | 995 | 108664 | What types of difficulties did you experience? - Other |
| 140 | ACC_160 | Experienced difficulties getting immediate care - middle night | discrete | numeric-1.0 | 1886 | 107773 | Did you experience difficulties getting such care during the middle of the night? |
| 141 | ACC_165A | Difficulty immediate care - middle night - contacting health provider | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| 142 | ACC_165B | Difficulty immediate care - middle night - getting an appt | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Difficulty getting an appointment |
| 143 | ACC_165C | Difficulty immediate care - middle night - no regular health provider | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Do not have a regular health care provider |
| 144 | ACC_165D | Difficulty immediate care - middle night - too long to get appt | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Waited too long to get an appointment |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 145 | ACC_165E | Difficulty immediate care - middle night - too long to see provider | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| 146 | ACC_165F | Difficulty immediate care - middle night - service n/a time required | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Service not available at time required |
| 147 | ACC_165G | Difficulty immediate care - middle night - service n/a in the area | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Service not available in the area |
| 148 | ACCG165J | Difficulty immediate care - middle night - transport/ language/cost | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Transportation problems/ language problem/cost |
| 149 | ACC_165K | Difficulty immediate care - middle night - didn't know where to go | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 150 | ACCG165M | Difficulty immediate care - middle night - unable to leave/other | discrete | numeric-1.0 | 367 | 109292 | What types of difficulties did you experience? - Unable to leave house/ other |

## Group Activities of daily living

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOADL | Activities of daily living - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | ADL_005 | Difficulty - preparing meals | discrete | numeric-1.0 | 13168 | 96491 | Because of any physical condition, mental condition or health problem, do you have any difficulty: with preparing meals? |
| 3 | ADL_010 | Difficulty - running errands such as shopping for groceries | discrete | numeric-1.0 | 13161 | 96498 | Because of any physical condition, mental condition or health problem, do you have any difficulty: with running errands such as shopping for groceries? |
| 4 | ADL_015 | Difficulty - doing everyday housework | discrete | numeric-1.0 | 13163 | 96496 | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with doing everyday housework? |
| 5 | ADL_020 | Difficulty - personal care / taking medication | discrete | numeric-1.0 | 13170 | 96489 | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with personal care such as bathing, dressing, eating or taking medication? |
| 6 | ADL_025 | Difficulty - moving about inside the house | discrete | numeric-1.0 | 13168 | 96491 | Because of any physical condition, mental condition or health problem, do you have any difficulty: with moving about inside the house? |
| 7 | ADL_030 | Difficulty - looking after personal finances | discrete | numeric-1.0 | 13129 | 96530 | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with looking after your personal finances such as making bank transactions or paying bills? |
| 8 | ADLDVIHS | Instrumental activity of daily living index - home support - (D) | continuous | numeric-2.0 | 13111 | 96548 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 9 | ADLDVIPC | Instrumental activity of daily living index - personal care - (D) | continuous | numeric-2.0 | 13166 | 96493 | - |

## Group Administration information

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | ADM_RNO | Sequential record number | continuous | numeric-6.0 | 109659 | 0 | - |
| 2 | ADM_PRX | Health component completed by proxy | discrete | numeric-1.0 | 109659 | 0 | - |
| 3 | DOADM | Administration information - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 4 | ADM_040 | Interview by telephone or in person | discrete | numeric-1.0 | 27201 | 82458 | Was this interview conducted on the telephone or in person? |
| 5 | ADM_045 | Respondent alone during interview | discrete | numeric-1.0 | 107149 | 2510 | Was the respondent alone when you asked the health component of this questionnaire? |
| 6 | ADM_050 | Answers possibly affected by presence of another person | discrete | numeric-1.0 | 8000 | 101659 | Do you think that the answers of the respondent were affected by someone else being there? |

## Group Alcohol use

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOALC | Alcohol use - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | ALC_005 | Had a drink - lifetime | discrete | numeric-1.0 | 109563 | 96 | Have you ever had a drink in your lifetime? |
| 3 | ALC_010 | Drank alcohol - 12 mo | discrete | numeric-1.0 | 98425 | 11234 | During the past 12 months, that is, from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage? |
| 4 | ALC_015 | Drank alcohol - frequency - 12 mo | discrete | numeric-2.0 | 82164 | 27495 | During the past 12 months, how often did you drink alcoholic beverages? |
| 5 | ALC_020 | Drank 5 (male) / 4 (female) or more drinks - frequency - 12 mo | discrete | numeric-2.0 | 81931 | 27728 | How often in the past 12 months have you had [5 (male) / 4 (female)] or more drinks on one occasion? |
| 6 | ALCDVTTM | Type of drinker - 12 months - (D) | discrete | numeric-1.0 | 109080 | 579 | - |

## Group Alcohol use during the past week

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOALW | Alcohol use - past week - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | ALW_005 | Drank alcohol - past week | discrete | numeric-1.0 | 82500 | 27159 | Thinking back over the past week, that is, from last [day of the week 7 days ago] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage? |
| 3 | ALW_010 | Number of drinks - Day 1 | continuous | numeric-3.0 | 50848 | 58811 | Starting with yesterday, that is [day 1], how many drinks did you have? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | ALW_015 | Number of drinks - Day 2 | continuous | numeric-3.0 | 50682 | 58977 | How many drinks did you have: on [day 2]? |
| 5 | ALW_020 | Number of drinks - Day 3 | continuous | numeric-3.0 | 50511 | 59148 | How many drinks did you have: on [day 3]? |
| 6 | ALW_025 | Number of drinks - Day 4 | continuous | numeric-3.0 | 50285 | 59374 | How many drinks did you have: on [day 4]? |
| 7 | ALW_030 | Number of drinks - Day 5 | continuous | numeric-3.0 | 50013 | 59646 | How many drinks did you have: on [day 5]? |
| 8 | ALW_035 | Number of drinks - Day 6 | continuous | numeric-3.0 | 49745 | 59914 | How many drinks did you have: on [day 6]? |
| 9 | ALW_040 | Number of drinks - Day 7 | continuous | numeric-3.0 | 49480 | 60179 | How many drinks did you have: on [day 7]? |
| 10 | ALWDVWKY | Weekly consumption - (D) | continuous | numeric-3.0 | 80256 | 29403 | - |
| 11 | ALWDVDLY | Average daily alcohol consumption - (D) | continuous | numeric-3.0 | 80256 | 29403 | - |
| 12 | ALWDVLTR | Increased long term risk due to drinking - (D) | discrete | numeric-1.0 | 96097 | 13562 | - |
| 13 | ALWDVSTR | Increased short term risks due to drinking - (D) | discrete | numeric-1.0 | 96097 | 13562 | - |

## Group Blood pressure check

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOBPC | Blood pressure check - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | BPC_005 | Had blood pressure taken - lifetime | discrete | numeric-1.0 | 22276 | 87383 | Have you ever had your blood pressure measured by a health professional? |
| 3 | BPC_010 | Blood pressure was taken - last time | discrete | numeric-1.0 | 20966 | 88693 | When was the last time you had your blood pressure measured (by a health professional)? |
| 4 | BPC_015A | Blood pressure not taken - 2 yrs - lack of time | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Lack of time |
| 5 | BPC_015B | Blood pressure not taken - 2 yrs - respondent didn't think necessary | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Respondent did not think it was necessary |
| 6 | BPC_015C | Blood pressure not taken - 2 yrs - doctor didn't think necessary | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Doctor did not think it was necessary |
| 7 | BPC_015D | Blood pressure not taken - 2 yrs - fear / discomfort | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Feelings of fear or discomfort |
| 8 | BPC_015E | Blood pressure not taken - 2 yrs - no doctor | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Don't have a doctor |
| 9 | BPC_015F | Blood pressure not taken - 2 yrs - other | discrete | numeric-1.0 | 1565 | 108094 | What are the reasons that you have not had your blood pressure measured (by a |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | health professional) in the past 2 years? - Other |
| 10 | BPC_020 | Pregnant - last time blood pressure taken | discrete | numeric-1.0 | 5535 | 104124 | Were you pregnant the last time your blood pressure was measured (by a health professional)? |

## Group Chronic conditions

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOCCC | Chronic conditions - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | CCC_005 | Joint pain - 30 d | discrete | numeric-1.0 | 109509 | 150 | During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint? |
| 3 | CCC_010 | Joint pain symptoms - 3 mo | discrete | numeric-1.0 | 52108 | 57551 | Did your joint symptoms first begin more than 3 months ago? |
| 4 | CCC_015 | Has asthma | discrete | numeric-1.0 | 109547 | 112 | Do you have asthma? |
| 5 | CCC_020 | Asthma - had symptoms / attacks - 12 mo | discrete | numeric-1.0 | 9579 | 100080 | Have you had any asthma symptoms or asthma attacks in the past 12 months? |
| 6 | CCC_025 | Asthma - took medication - 12 mo | discrete | numeric-1.0 | 9599 | 100060 | In the past 12 months, have you taken any medicine for asthma such as inhalers (pumps), nebulizers, pills, liquids or injections? |
| 7 | CCC_030 | Has a COPD | discrete | numeric-1.0 | 78528 | 31131 | Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD? |
| 8 | CCC_035 | Has sleep apnea | discrete | numeric-1.0 | 109442 | 217 | Have you been told by a health professional that you have sleep apnea? |
| 9 | CCC_040 | Has scoliosis | discrete | numeric-1.0 | 109395 | 264 | Do you have scoliosis? |
| 10 | CCC_045 | Has fibromyalgia | discrete | numeric-1.0 | 109379 | 280 | Do you have fibromyalgia? |
| 11 | CCC_050 | Has arthritis (e.g. osteoarthritis, rheumatoid arthritis, gout) | discrete | numeric-1.0 | 107705 | 1954 | Do you have arthritis, for example osteoarthritis, rheumatoid arthritis, gout or any other type, excluding fibromyalgia? |
| 12 | CCC_055 | Has back problems (excluding scoliosis, fibromyalgia and arthritis) | discrete | numeric-1.0 | 109429 | 230 | Do you have back problems, excluding scoliosis, fibromyalgia and arthritis? |
| 13 | CCC_060 | Has osteoporosis | discrete | numeric-1.0 | 71141 | 38518 | Do you have osteoporosis? |
| 14 | CCC_065 | Has high blood pressure | discrete | numeric-1.0 | 109064 | 595 | Do you have high blood pressure? |
| 15 | CCC_070 | High blood pressure - took medication - 1 mo | discrete | numeric-1.0 | 109430 | 229 | In the past month, have you taken any medicine for high blood pressure? |
| 16 | CCC_075 | Has high blood cholesterol / lipids | discrete | numeric-1.0 | 99138 | 10521 | Do you have high blood cholesterol or lipids? |
| 17 | CCC_080 | High blood cholesterol / lipids - took medication - 1 mo | discrete | numeric-1.0 | 100319 | 9340 | In the past month, have you taken any medicine for high blood cholesterol or lipids? |
| 18 | CCC_085 | Has heart disease | discrete | numeric-1.0 | 109263 | 396 | Do you have heart disease? |
| 19 | CCC_090 | Suffers from the effects of a stroke | discrete | numeric-1.0 | 109522 | 137 | Do you suffer from the effects of a stroke? |
| 20 | CCC_095 | Has diabetes | discrete | numeric-1.0 | 109522 | 137 | Do you have diabetes? |
| 21 | CCCG100 | Diabetes - age first diagnosed | discrete | numeric-2.0 | 8998 | 100661 | How old were you when this was first diagnosed? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 22 | CCC_105 | Diabetes - diagnosed - during pregnancy | discrete | numeric-1.0 | 2017 | 107642 | Were you pregnant when you were first diagnosed with diabetes? |
| 23 | CCC_110 | Diabetes - diagnosed - other than during pregnancy | discrete | numeric-1.0 | 290 | 109369 | Other than during pregnancy, has a health professional ever told you that you have diabetes? |
| 24 | CCC_115 | Diabetes - time between diagnosis and start of insulin | discrete | numeric-2.0 | 8635 | 101024 | When you were first diagnosed with diabetes, how long was it before you were started on insulin? |
| 25 | CCC_120 | Diabetes - currently takes insulin | discrete | numeric-1.0 | 8707 | 100952 | Do you currently take insulin for your diabetes? |
| 26 | CCC_125 | Diabetes - took pills to control blood sugar - 1 mo | discrete | numeric-1.0 | 8685 | 100974 | In the past month, did you take pills to control your blood sugar? |
| 27 | CCC_130 | Has cancer | discrete | numeric-1.0 | 109462 | 197 | Do you have cancer? |
| 28 | CCC_135 | Has been diagnosed with cancer - lifetime | discrete | numeric-1.0 | 107454 | 2205 | Have you ever been diagnosed with cancer? |
| 29 | CCC_140 | Has migraine headaches | discrete | numeric-1.0 | 109518 | 141 | Do you have have migraine headaches? |
| 30 | CCC_190 | Suffers from multiple chemical sensitivities | discrete | numeric-1.0 | 109438 | 221 | Do you suffer from multiple chemical sensitivities? |
| 31 | CCC_195 | Has a mood disorder (depression, bipolar, mania, dysthymia) | discrete | numeric-1.0 | 109432 | 227 | Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia? |
| 32 | CCC_200 | Has an anxiety disorder (phobia, OCD, panic) | discrete | numeric-1.0 | 109436 | 223 | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder? |
| 33 | CCCDVDIA | Diabetes type - (D) | discrete | numeric-1.0 | 8904 | 100755 | - |

## Group Colorectal cancer screening

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOCCS | Colorectal cancer screening - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | CCS_005 | Had an FOBT test - lifetime | discrete | numeric-1.0 | 9200 | 100459 | An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test? |
| 3 | CCS_010 | Had an FOBT test - last time | discrete | numeric-1.0 | 4744 | 104915 | - |
| 4 | CCS_015A | No FOBT test - 2 yrs - lack of time | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Lack of time |
| 5 | CCS_015B | No FOBT test - 2 yrs - respondent did not think necessary | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Respondent did not think it was necessary |
| 6 | CCS_015C | No FOBT test - 2 yrs - doctor did not think necessary | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Doctor did not think it was necessary |
| 7 | CCS_015D | No FOBT test - 2 yrs - fear / discomfort | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Feelings of fear or discomfort |
| 8 | CCS_015E | No FOBT test - 2 yrs - no doctor | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Don't have a doctor |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 9 | CCS_015F | No FOBT test - 2 yrs - had colonoscopy instead | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Had a colonoscopy instead |
| 10 | CCS_015G | No FOBT test - 2 yrs - other | discrete | numeric-1.0 | 5814 | 103845 | What are the reasons you have not had a FOBT test in the past 2 years? - Other |
| 11 | CCS_020 | Had a colonoscopy / sigmoidoscopy - lifetime | discrete | numeric-1.0 | 9227 | 100432 | A colonoscopy or sigmoidoscopy is a test where a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams? |
| 12 | CCS_025 | Had a colonoscopy / sigmoidoscopy - last time | discrete | numeric-2.0 | 3671 | 105988 | When was the last time you had a colonoscopy or sigmoidoscopy? |
| 13 | CCS_030A | No colono / sigmoido - 5 yrs - lack of time | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Lack of time |
| 14 | CCS_030B | No colono / sigmoido - 5 yrs - respondent did not think necessary | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Respondent did not think it was necessary |
| 15 | CCS_030C | No colono / sigmoido - 5 yrs - doctor did not think necessary | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Doctor did not think it was necessary |
| 16 | CCS_030D | No colono / sigmoido - 5 yrs - fear / discomfort | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Feelings of fear or discomfort |
| 17 | CCS_030E | No colono / sigmoido - 5 yrs - no doctor | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Don't have a doctor |
| 18 | CCS_030F | No colono / sigmoido - 5 yrs - other | discrete | numeric-1.0 | 6362 | 103297 | What are the reasons you have not had this test in the past 5 years? - Other |
| 19 | CCS_035 | Colonoscopy / sigmoidoscopy - follow-up of FOBT test | discrete | numeric-1.0 | 2440 | 107219 | Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT? |

## Group Contacts with health professionals - part 1

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOCHP | Contacts with health professionals part 1 - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | CHPG010 | Used hospital emergency room - num of times - 12 mo | continuous | numeric-2.0 | 108034 | 1625 | In the past 12 months, how many times have you personally used a hospital emergency room? |
| 3 | CHP_015A | Last ER visit - reasons - it was clearly an emergency | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - It was clearly an emergency |
| 4 | CHP_015B | Last ER visit - reasons - didn't know if condition was an emergency | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You didn't know if your health condition was an emergency |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 5 | CHP_015C | Last ER visit - reasons - see a health prof or get test faster | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - It was not an emergency but you felt you would see a health professional or get the test you needed done faster |
| 6 | CHP_015D | Last ER visit - reasons - was told to go for follow-up or appt | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You were told to go to the emergency department for follow-up or appointment |
| 7 | CHP_015E | Last ER visit - reasons - primary health care provider n/a | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - Your primary health care provider was not available at the time you needed it (after hours of clinic, doctor away) |
| 8 | CHP_015F | Last ER visit - reasons - no primary health care provider | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You do not have a primary health care provider |
| 9 | CHP_015G | Last ER visit - reasons - use for all health concerns | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You use the emergency department for all your health concerns |
| 10 | CHP_015H | Last ER visit - reasons - other | discrete | numeric-1.0 | 29679 | 79980 | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - Other |
| 11 | CHP_020 | Last ER visit - condition treatable by primary care provider | discrete | numeric-1.0 | 24800 | 84859 | The last time you went to the emergency room, was it for a condition that you thought could have been treated by your primary care provider if he/she had been available? |
| 12 | CHP_025 | Overnight hospital patient - 12 mo | discrete | numeric-1.0 | 108195 | 1464 | [Excluding the time you spent in an emergency department] in the past 12 months, have you been a patient overnight in a hospital? |
| 13 | CHPG030 | Overnight hospital patient - num of nights - 12 mo | continuous | numeric-2.0 | 108095 | 1564 | For how many nights in the past 12 months? |
| 14 | CHP_035 | Overnight hospital patient - last time - reasons | discrete | numeric-2.0 | 8100 | 101559 | The last time you were an overnight patient in a hospital, what were the reasons for this hospitalisation? |
| 15 | CHP_040 | Consulted with family doctor / general practitioner - 12 mo | discrete | numeric-1.0 | 108015 | 1644 | [Not counting when you were an overnight patient] in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health: a [family doctor /pediatrician] or general practitioner? |
| 16 | CHPG045 | Family doctor / general practitioner - num of consultations - 12 mo | continuous | numeric-2.0 | 107295 | 2364 | How many times (in the past 12 months)? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 17 | CHP_050 | Consulted with eye specialist - 12 mo | discrete | numeric-1.0 | 107998 | 1661 | ([Not counting when you were an overnight patient], in the past 12 months have you seen or talked to:) an eye specialist, such as an ophthalmologist or optometrist? |
| 18 | CHPG055 | Eye specialist - num of consultations - 12 mo | continuous | numeric-2.0 | 107899 | 1760 | How many times (in the past 12 months)? |
| 19 | CHP_060 | Consulted with other medical doctor or specialist - 12 mo | discrete | numeric-1.0 | 108034 | 1625 | [Not counting when you were an overnight patient], in the past 12 months have you seen or talked to: any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [urologist / gynecologist] or psychiatrist (about your physical, emotional or mental health)? |
| 20 | CHPG065 | Other medical doctor or specialist - num of consultations - 12 mo | continuous | numeric-2.0 | 107834 | 1825 | How many times (in the past 12 months)? |
| 21 | CHP_070 | Consulted with nurse - 12 mo | discrete | numeric-1.0 | 108032 | 1627 | [Not counting when you were an overnight patient], in the past 12 months have you seen or talked to: a nurse for care or advice about your physical, emotional or mental health? |
| 22 | CHPG075 | Nurse - num of consultations - 12 mo | continuous | numeric-2.0 | 107746 | 1913 | How many times (in the past 12 months)? |
| 23 | CHP_080 | Consulted with dental professional - 12 mo | discrete | numeric-1.0 | 108045 | 1614 | ([Not counting when you were an overnight patient], in the past 12 months have you seen or talked to:) a dental professional, such as a dentist, a dental hygienist or a denturologist? |
| 24 | CHPG085 | Dental professional - num of consultations - 12 mo | continuous | numeric-2.0 | 107842 | 1817 | How many times (in the past 12 months)? |
| 25 | CHPDGMDC | Number of consultations with medical doctor / other specialists - (D) | continuous | numeric-2.0 | 107007 | 2652 | - |

## Group Changes made to improve health

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOCIH | Changes made to improve health - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | CIH_005 | Did something to improve health - 12 mo | discrete | numeric-1.0 | 15771 | 93888 | Now, some questions about changes made to improve health. In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise.) |
| 3 | CIH_010 | Most important change to improve health | discrete | numeric-2.0 | 8463 | 101196 | What is the single most important change you have made? |
| 4 | CIH_015 | Thinks should do something to improve health | discrete | numeric-1.0 | 15646 | 94013 | Do you think there is [anything else/ anything] you should do to improve your physical health? |
| 5 | CIH_020 | Most important thing to do to improve health | discrete | numeric-2.0 | 10369 | 99290 | What is the most important thing? |
| 6 | CIH_025 | Barrier to improving health | discrete | numeric-1.0 | 10377 | 99282 | Is there anything stopping you from making this improvement? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 7 | CIH_030A | Barrier to improving health - lack of will power | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Lack of will power / self-discipline |
| 8 | CIH_030B | Barrier to improving health - family responsibilities | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Family responsibilities |
| 9 | CIH_030C | Barrier to improving health - work schedule | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Work schedule |
| 10 | CIH_030D | Barrier to improving health - addiction to drugs / alcohol | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Addiction to drugs / alcohol |
| 11 | CIH_030E | Barrier to improving health - disability / health condition | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Disability / health condition |
| 12 | CIH_030F | Barrier to improving health - too stressed | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Too stressed |
| 13 | CIH_030G | Barrier to improving health - too costly | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Too costly / financial constraints |
| 14 | CIH_030H | Barrier to improving health - not available in area | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Not available in area |
| 15 | CIH_030I | Barrier to improving health - transportation problems | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Transportation problems |
| 16 | CIH_030J | Barrier to improving health - weather problems | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Weather problems |
| 17 | CIH_030K | Barrier to improving health - other | discrete | numeric-1.0 | 4362 | 105297 | What is that? - Other |
| 18 | CIH_035 | Intention to improve health over next year | discrete | numeric-1.0 | 10247 | 99412 | Is there anything you intend to do to improve your physical health in the next year? |
| 19 | CIH_040A | Health improvement - exercise / sports / phys act | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Start / Increase exercise, sports / physical activity |
| 20 | CIH_040B | Health improvement - lose weight | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Lose weight |
| 21 | CIH_040C | Health improvement - change diet | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Change diet / improve eating habits |
| 22 | CIH_040D | Health improvement - quit smoking / reduce amount smoked | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Quit smoking / reduce amount smoked |
| 23 | CIH_040E | Health improvement - drink less alcohol | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Drink less alcohol |
| 24 | CIH_040F | Health improvement - reduce stress level | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Reduce stress level |
| 25 | CIH_040G | Health improvement - receive medical treatment | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Receive medical treatment |
| 26 | CIH_040H | Health improvement - take vitamins | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Take vitamins |
| 27 | CIH_040I | Health improvement - other | discrete | numeric-1.0 | 7789 | 101870 | What is that? - Other |

## Group Consultations about mental health

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOCMH | Consultations about mental health - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | CMH_005 | Consulted mental health professional - 12 mo | discrete | numeric-1.0 | 106563 | 3096 | In the past 12 months, that is, from [date one year ago] to yesterday, have you |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | seen or talked to a health professional about your emotional or mental health? |
| 3 | CMHG010 | Consulted mental health professional - num of times - 12 mo | continuous | numeric-2.0 | 15462 | 94197 | How many times (in the past 12 months)? |
| 4 | CMH_015A | Consulted mental health professional - family doctor | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Family doctor or general practitioner |
| 5 | CMH_015B | Consulted mental health professional - psychiatrist | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Psychiatrist |
| 6 | CMH_015C | Consulted mental health professional - psychologist | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Psychologist |
| 7 | CMH_015D | Consulted mental health professional - nurse | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Nurse |
| 8 | CMH_015E | Consulted mental health professional - social worker | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Social worker or counsellor |
| 9 | CMH_015F | Consulted mental health professional - other | discrete | numeric-1.0 | 15601 | 94058 | Whom did you see or talk to? - Other - Specify |

## Group Problem gambling

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | CPGDVACT | Num of types gambling activities in list used to calculate CPGI - (D) | continuous | numeric-2.0 | 815 | 108844 | - |
| 2 | CPGDVGAM | Gambling activity - gambler vs non-gambler - (D) | discrete | numeric-1.0 | 818 | 108841 | - |
| 3 | CPGDVSEV | Problem gambling severity index (PGSI) - modified version - (D) | continuous | numeric-2.0 | 254 | 109405 | - |
| 4 | CPGDVTYP | Type of gambler - (D) | discrete | numeric-1.0 | 583 | 109076 | - |

## Group Dental care

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODEN | Dental care - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DEN_005 | Has at least one of own teeth | discrete | numeric-1.0 | 16831 | 92828 | Do you have at least one of your own teeth? |
| 3 | DEN_010 | Brushing teeth - frequency | continuous | numeric-3.0 | 15440 | 94219 | How often do you usually brush your teeth? |
| 4 | DEN_010A | Brushing teeth - frequency - reporting period | discrete | numeric-1.0 | 15317 | 94342 | Select the reporting period. |
| 5 | DEN_015 | Flossing teeth - frequency | continuous | numeric-3.0 | 15202 | 94457 | How often do you usually floss your teeth? |
| 6 | DEN_015A | Flossing teeth - frequency - reporting period | discrete | numeric-1.0 | 12162 | 97497 | Select the reporting period. |
| 7 | DEN_020 | Wears dentures / dental prosthesis / false teeth | discrete | numeric-1.0 | 16825 | 92834 | Do you wear dentures, dental prosthesis or false teeth? |
| 8 | DEN_025 | Cleaning dentures - frequency | continuous | numeric-3.0 | 3322 | 106337 | How often do you usually clean your dentures or dental prosthesis? |
| 9 | DEN_025A | Cleaning dentures - frequency - reporting period | discrete | numeric-1.0 | 3293 | 106366 | Select the reporting period. |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 10 | DEN_030 | Visit dental professionals - frequency | discrete | numeric-1.0 | 16786 | 92873 | How often do you usually see a dental professional, such as a dentist, a dental hygienist or a denturologist? |
| 11 | DEN_035 | Visited dental professional - last time | discrete | numeric-2.0 | 16682 | 92977 | When was the last time you saw a dental professional? |
| 12 | DEN_040 | Avoided going to a dental professional because of the cost - 12 mo | discrete | numeric-1.0 | 16784 | 92875 | In the past 12 months, have you avoided going to a dental professional because of the cost of dental care? |
| 13 | DEN_045 | Insurance - dental expenses - all / part cost coverage | discrete | numeric-1.0 | 16465 | 93194 | Do you have insurance or a government program that covers all or part of your dental expenses? |
| 14 | DEN_050A | Type of insurance - dental - employer | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - An employer-sponsored plan |
| 15 | DEN_050B | Type of insurance - dental - govt (children / seniors) | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - A provincial or territorial government program for children or seniors |
| 16 | DEN_050C | Type of insurance - dental - private plan | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - A private plan |
| 17 | DEN_050D | Type of insurance - dental - govt (social service clients) | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - A government program for social service (welfare) clients |
| 18 | DEN_050E | Type of insurance - dental - govt (First Nations and Inuit) | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - A government program for First Nations and Inuit |
| 19 | DEN_050F | Type of insurance - dental - other | discrete | numeric-1.0 | 12073 | 97586 | Is it...? - Other |

## Group Depression

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODEP | Depression - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DEPDVPHQ | Depression severity scale - (D) | continuous | numeric-2.0 | 52996 | 56663 | - |
| 3 | DEPDVSEV | Depression scale - severity of depression - (D) | discrete | numeric-1.0 | 52996 | 56663 | - |

## Group Dwelling and household

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DHH_SEX | Sex | discrete | numeric-1.0 | 109659 | 0 | Is [Respondent name] male or female? |
| 2 | DHHGMS | Marital status | discrete | numeric-1.0 | 109329 | 330 | What is your marital status? Are you... ? |
| 3 | DHHDG611 | Number of persons in household between 6 and 11 years of age - (D) | discrete | numeric-1.0 | 109659 | 0 | - |
| 4 | DHHDGL12 | Number of persons in household less than 12 years of age - (D) | discrete | numeric-1.0 | 109659 | 0 | - |
| 5 | DHHDGLE5 | Number of persons 5 years old or less in household - (D) | discrete | numeric-1.0 | 109659 | 0 | - |
| 6 | DHHDGHSZ | Household size - (D) | discrete | numeric-1.0 | 109565 | 94 | - |
| 7 | DHHDGLVG | Living / family arrangement of selected respondent - (D) | discrete | numeric-2.0 | 109049 | 610 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 8 | DHHGAGE | Age | discrete | numeric-2.0 | 109659 | 0 | What is your age? |
| 9 | DHH_OWN | Dwelling ownership - own or rent | discrete | numeric-1.0 | 107049 | 2610 | Is this dwelling...? |

## Group Diabetes care

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODIA | Diabetes care - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DIA_005 | Tested for haemoglobin "A1C" - 12 mo | discrete | numeric-1.0 | 3185 | 106474 | In the past 12 months, has a health care professional tested you for haemoglobin "Aone- C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.) |
| 3 | DIA_010 | Tested for haemoglobin "A1C" - num of times - 12 mo | continuous | numeric-3.0 | 2658 | 107001 | How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?) |
| 4 | DIA_015 | Feet checked by health professional - 12 mo | discrete | numeric-1.0 | 3322 | 106337 | In the past 12 months, has a health care professional checked your feet for any sores or irritations? |
| 5 | DIA_020 | Feet checked by health professional - num of times - 12 mo | continuous | numeric-3.0 | 2017 | 107642 | How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?) |
| 6 | DIA_025 | Urine tested for protein by health professional - 12 mo | discrete | numeric-1.0 | 3170 | 106489 | In the past 12 months, has a health care professional tested your urine for protein (i.e., microalbumin)? |
| 7 | DIA_030 | Had an eye exam with pupils dilated - lifetime | discrete | numeric-1.0 | 3277 | 106382 | Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.) |
| 8 | DIA_035 | Eye exam with pupils dilated - last time | discrete | numeric-1.0 | 2717 | 106942 | When was the last time? |
| 9 | DIA_040 | Nutrition therapy for diabetics by dietitian - 12 mo | discrete | numeric-1.0 | 3333 | 106326 | In the past 12 months, has a dietitian provided you with nutrition therapy adapted for people with diabetes? Please exclude advice received by a nurse. |
| 10 | DIA_045 | Glucose level checked - oneself / family / friend - frequency | continuous | numeric-3.0 | 3307 | 106352 | How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend? |
| 11 | DIA_045A | Glucose level checked - oneself / family / friend - reporting period | discrete | numeric-1.0 | 2916 | 106743 | Select the reporting period. |
| 12 | DIA_050 | Feet checked - oneself / family / friend - frequency | continuous | numeric-3.0 | 3249 | 106410 | How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend? |
| 13 | DIA_050A | Feet checked - oneself / family / friend - reporting period | discrete | numeric-1.0 | 2354 | 107305 | Select the reporting period. |
| 14 | DIA_055 | High blood pressure - took medication - 1 mo (diabetes) | discrete | numeric-1.0 | 2137 | 107522 | In the past month, have you taken any medicine for high blood pressure? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 15 | DIA_060 | High blood cholesterol / lipids - took medication - 1 mo (diabetes) | discrete | numeric-1.0 | 2120 | 107539 | In the past month, have you taken any medicine for high blood cholesterol or lipids? |

## Group Drug use

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODRG | Drug use - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DRGDVLCA | Marij / hash drug use - lifetime (including "one time only") - (D) | discrete | numeric-1.0 | 46281 | 63378 | - |
| 3 | DRGDVLCM | Marij / hash drug use - lifetime (excluding "one time only") - (D) | discrete | numeric-1.0 | 46281 | 63378 | - |
| 4 | DRGDVYA | Illicit drug use - 12 mo (incl "one time only" marij / hash) - (D) | discrete | numeric-1.0 | 46173 | 63486 | - |
| 5 | DRGDVYCM | Marij / hash drug use - 12 mo (excl "one time only") - (D) | discrete | numeric-1.0 | 46270 | 63389 | - |
| 6 | DRGDVYAC | Illicit drug use - 12 mo (excl "one time only" marij / hash) - (D) | discrete | numeric-1.0 | 46171 | 63488 | - |
| 7 | DRGDVLA | Illicit drug use - lifetime (incl "one time only" marij / hash) - (D) | discrete | numeric-1.0 | 46219 | 63440 | - |
| 8 | DRGDVLAC | Illicit drug use - lifetime (excl "one time only" marij / hash) - (D) | discrete | numeric-1.0 | 46211 | 63448 | - |

## Group Drug use methods

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODRM | Drug use methods - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DRMDVLA | Any illicit drug use - lifetime - (D) | discrete | numeric-1.0 | 106514 | 3145 | - |
| 3 | DRMDVLAY | Any illicit drug use - 12 months - (D) | discrete | numeric-1.0 | 106449 | 3210 | - |

## Group Driving and safety

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DODRV | Driving and safety - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | DRV_005 | Drove a motor vehicle (car, truck, van) - 12 mo | discrete | numeric-1.0 | 11873 | 97786 | In the past 12 months, excluding motorcycles and off-road vehicles, have you driven a motor vehicle such as a car, truck or a van? |
| 3 | DRV_010 | Use of a hands-free device while driving - freq - 12 mo | discrete | numeric-1.0 | 10696 | 98963 | In the past 12 months, how often did you use a hands-free device such as Bluetooth when talking on the cell phone while driving a motor vehicle? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | DRV_015 | Talked on a cell phone while driving - freq - 12 mo | discrete | numeric-1.0 | 10695 | 98964 | In the past 12 months, excluding hands-free use, how often did you talk on a cell phone while driving a motor vehicle? |
| 5 | DRV_020 | Texted on a cell phone while driving - freq - 12 mo | discrete | numeric-1.0 | 10694 | 98965 | In the past 12 months, how often did you text on a cell phone while driving a motor vehicle? |
| 6 | DRV_025 | Used a cell phone for other reason while driving - freq - 12 mo | discrete | numeric-1.0 | 10683 | 98976 | In the past 12 months, how often did you use a cell phone for any other reason while driving a motor vehicle, for example, to send or receive emails, use social media, look at maps, etc.? |
| 7 | DRV_030 | Drove a motorcycle - 12 mo | discrete | numeric-1.0 | 11872 | 97787 | In the past 12 months, have you driven a motorcycle? |
| 8 | DRV_035 | Drove when feeling tired - freq - 12 mo | discrete | numeric-1.0 | 10693 | 98966 | In the past 12 months, how often did you drive any vehicle when you were feeling tired? |
| 9 | DRV_040 | Drove vehicle - 2+ drinks / 1h - 12 mo | discrete | numeric-1.0 | 8785 | 100874 | In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove? |
| 10 | DRV_045 | Drove vehicle - 2+ drinks / 1h - num of times - 12 mo | continuous | numeric-2.0 | 827 | 108832 | How many times (in the past 12 months)? |
| 11 | DRV_050 | Drove vehicle - illicit substance - 12 mo | discrete | numeric-1.0 | 10704 | 98955 | In the past 12 months, have you driven a motor vehicle under the influence of an illicit substance such as marijuana or hashish? |
| 12 | DRV_055 | Drove vehicle - illicit substance - num of times - 12 mo | continuous | numeric-2.0 | 291 | 109368 | How many times (in the past 12 months)? |
| 13 | DRV_060 | Passenger vehicle - driver had 2+ drinks /1h - 12 mo | discrete | numeric-1.0 | 12785 | 96874 | In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving? |
| 14 | DRV_065 | Passenger vehicle - driver had 2+ drinks /1h - num of times - 12 mo | continuous | numeric-2.0 | 997 | 108662 | How many times (in the past 12 months)? |
| 15 | DRV_070 | Driver or passenger - ATV - 12 mo | discrete | numeric-1.0 | 12824 | 96835 | In the past 12 months, have you been the driver of, or a passenger on, an ATV (allterrain vehicle) or a snowmobile? |
| 16 | DRV_075 | ATV - wears helmet - frequency | discrete | numeric-1.0 | 2381 | 107278 | How often do you wear a helmet when on an ATV or a snowmobile? |
| 17 | DRV_080 | Drove ATV - 2+ drinks / 1h - 12 mo | discrete | numeric-1.0 | 2015 | 107644 | In the past 12 months, have you driven an ATV or snowmobile after having 2 or more drinks in the hour before you drove? |
| 18 | DRV_085 | Drove ATV - 2+ drinks / 1h - num of times - 12 mo | continuous | numeric-2.0 | 210 | 109449 | How many times (in the past 12 months)? |
| 19 | DRV_090 | Drove ATV - illicit substance - 12 mo | discrete | numeric-1.0 | 2391 | 107268 | In the past 12 months, have you driven an ATV or snowmobile under the influence of an illicit substance such as marijuana or hashish? |
| 20 | DRV_095 | Drove ATV - illicit substance - num of times - 12 mo | continuous | numeric-2.0 | 59 | 109600 | How many times (in the past 12 months)? |
| 21 | DRV_100 | Passenger ATV - driver had 2+ drinks /1h - 12 mo | discrete | numeric-1.0 | 2389 | 107270 | In the past 12 months, have you been a passenger on an ATV or snowmobile with a driver who had 2 or more drinks in the hour before driving? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 22 | DRV_105 | Passenger ATV - driver had 2+ drinks /1h - num of times - 12 mo | continuous | numeric-2.0 | 161 | 109498 | How many times (in the past 12 months)? |

## Group Educational Attainment

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | EHG2DVR3 | Highest level of education - respondent, 3 levels - (D) | discrete | numeric-1.0 | 108313 | 1346 | - |
| 2 | EHG2DVH3 | Highest level of education - household, 3 levels - (D) | discrete | numeric-1.0 | 105999 | 3660 | - |

## Group Exposure to second hand smoke

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOETS | Exposure to second-hand smoke - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | ETS_005 | Someone smokes inside home every day | discrete | numeric-1.0 | 109611 | 48 | Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day? |
| 3 | ETSG010 | Number of people who smoke inside home | discrete | numeric-1.0 | 9375 | 100284 | How many people smoke inside your home every day or almost every day? |
| 4 | ETS_015 | Smoking allowed inside home | discrete | numeric-1.0 | 99887 | 9772 | Is smoking allowed inside your home? |
| 5 | ETS_020 | Smoking restrictions inside home | discrete | numeric-1.0 | 6268 | 103391 | Is smoking inside your home restricted in any way? |
| 6 | ETS_025A | Smoking restrictions - allowed in certain rooms only | discrete | numeric-1.0 | 2163 | 107496 | How is smoking restricted inside your home? - Allowed in certain rooms only |
| 7 | ETS_025B | Smoking restrictions - restricted in the presence of young children | discrete | numeric-1.0 | 2163 | 107496 | How is smoking restricted inside your home? - Restricted in the presence of young children |
| 8 | ETS_025C | Smoking restrictions - allowed if windows are open | discrete | numeric-1.0 | 2163 | 107496 | How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation |
| 9 | ETS_025D | Smoking restrictions - other | discrete | numeric-1.0 | 2163 | 107496 | How is smoking restricted inside your home? - Other restriction(s) |
| 10 | ETS_030 | Exposed to second-hand smoke - workplace / school - 1 mo | discrete | numeric-1.0 | 60706 | 48953 | In the past month, were you exposed to second-hand smoke, every day or almost every day, at your workplace or at school? |
| 11 | ETS_035 | Exposed to second-hand smoke - private vehicle - 1 mo | discrete | numeric-1.0 | 91672 | 17987 | (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle? |
| 12 | ETS_040 | Exposed to second-hand smoke - public places - 1 mo | discrete | numeric-1.0 | 91573 | 18086 | (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)? |

## Group Eye examinations

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOEYX | Eye examinations - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | EYX_005 | Insurance - eye glasses / contact lenses - all / part cost coverage | discrete | numeric-1.0 | 2800 | 106859 | Do you have insurance that covers all or part of the cost of eye glasses or contact lenses? |
| 3 | EYX_010A | Type of insurance - eye glasses / contact lenses - govt | discrete | numeric-1.0 | 1692 | 107967 | Is it? - A government-sponsored plan |
| 4 | EYX_010B | Type of insurance - eye glasses / contact lenses - employer | discrete | numeric-1.0 | 1692 | 107967 | Is it? - An employer-sponsored benefit plan |
| 5 | EYX_010C | Type of insurance - eye glasses / contact lenses - association | discrete | numeric-1.0 | 1692 | 107967 | Is it? - A plan sponsored through an association such as a union, trade association or student organization |
| 6 | EYX_010D | Type of insurance - eye glasses / contact lenses - other | discrete | numeric-1.0 | 1692 | 107967 | Is it? - Another plan, such as your own private plan purchased from an insurance company |
| 7 | EYX_015 | Visited an optometrist or ophthalmologist - 12 mo | discrete | numeric-1.0 | 3114 | 106545 | In the past 12 months, have you seen an optometrist or ophthalmologist? |
| 8 | EYX_020 | Eye examination - last time | discrete | numeric-2.0 | 3085 | 106574 | When did you last have an eye examination? |
| 9 | EYX_025A | No eye exam - 1 or 2 yrs - lack of time | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Lack of time |
| 10 | EYX_025B | No eye exam - 1 or 2 yrs - respondent did not think it was necessary | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Respondent - did not think it was necessary |
| 11 | EYX_025C | No eye exam - 1 or 2 yrs - cost | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Cost |
| 12 | EYX_025D | No eye exam - 1 or 2 yrs - specialist did not think it was necessary | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Optometrist / Ophthalmologist - did not think it was necessary |
| 13 | EYX_025F | No eye exam - 1 or 2 yrs - no optometrist / ophthalmologist | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Don't have an optometrist or ophthalmologist |
| 14 | EYXG025G | No eye exam - 1 or 2 yrs - fear or discomfort/other | discrete | numeric-1.0 | 1226 | 108433 | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Feelings of fear or discomfort/other |
| 15 | EYX_030 | Has cataract | discrete | numeric-1.0 | 2172 | 107487 | Do you have cataracts? |
| 16 | EYX_035 | Has glaucoma | discrete | numeric-1.0 | 2171 | 107488 | Do you have glaucoma? |

## Group Food choices

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOFDC | Food choices - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | FDC_005 | Chooses / avoids foods - concerned about body weight | discrete | numeric-1.0 | 23528 | 86131 | Do you choose certain foods or avoid others: because you are concerned about your body weight? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 3 | FDC_010 | Chooses / avoids foods - concerned about heart disease | discrete | numeric-1.0 | 23520 | 86139 | Do you choose certain foods or avoid others: because you are concerned about heart disease? |
| 4 | FDC_015 | Chooses / avoids foods - concerned about cancer | discrete | numeric-1.0 | 23533 | 86126 | (Do you choose certain foods or avoid others:) because you are concerned about cancer? |
| 5 | FDC_020 | Chooses / avoids foods - concerned about osteoporosis | discrete | numeric-1.0 | 23504 | 86155 | (Do you choose certain foods or avoid others:) because you are concerned about osteoporosis (brittle bones)? |
| 6 | FDC_025 | Reason to choose foods - lower fat content | discrete | numeric-1.0 | 23540 | 86119 | Do you choose certain foods because of: the lower fat content? |
| 7 | FDC_030 | Reason to choose foods - fibre content | discrete | numeric-1.0 | 23514 | 86145 | (Do you choose certain foods because of:) the fibre content? |
| 8 | FDC_035 | Reason to choose foods - calcium content | discrete | numeric-1.0 | 23513 | 86146 | (Do you choose certain foods because of:) the calcium content? |
| 9 | FDC_040 | Reason to avoid foods - fat content | discrete | numeric-1.0 | 23537 | 86122 | Do you avoid certain foods because of: the fat content? |
| 10 | FDC_045 | Reason to avoid foods - type of fat | discrete | numeric-1.0 | 23446 | 86213 | (Do you avoid certain foods because of:) the type of fat they contain? |
| 11 | FDC_050 | Reason to avoid foods - salt content | discrete | numeric-1.0 | 23534 | 86125 | (Do you avoid certain foods because of:) the salt content? |
| 12 | FDC_055 | Reason to avoid foods - cholesterol content | discrete | numeric-1.0 | 23492 | 86167 | Do you avoid certain foods because of: the cholesterol content? |
| 13 | FDC_060 | Reason to avoid foods - calorie content | discrete | numeric-1.0 | 23520 | 86139 | (Do you avoid certain foods because of:) the calorie content? |
| 14 | FDCDVAVD | Avoids certain foods for certain content reasons - (D) | discrete | numeric-1.0 | 23542 | 86117 | - |
| 15 | FDCDVCAH | Chooses / avoids certain foods because of health concerns - (D) | discrete | numeric-1.0 | 23506 | 86153 | - |
| 16 | FDCDVCHO | Chooses certain foods for content reasons - (D) | discrete | numeric-1.0 | 23534 | 86125 | - |

## Group Canada's Food Guide use

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOFGU | Canada's Food Guide use - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | FGU_005 | Seen / heard of Canada's Food Guide (CFG) - lifetime | discrete | numeric-1.0 | 33638 | 76021 | Have you ever seen or heard of Canada's Food Guide? |
| 3 | FGU_010 | Used information from Canada's Food Guide (CFG) - lifetime | discrete | numeric-1.0 | 29353 | 80306 | Have you ever used information from Canada's Food Guide? |
| 4 | FGU_015A | Used CFG - to choose foods | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - To choose foods for [you / you or household members] |
| 5 | FGU_015B | Used CFG - determine quantity of food needed every day | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - To determine how much [you / you or household members] need to eat every day |
| 6 | FGU_015C | Used CFG - to plan meals / grocery shopping | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - To plan meals or to help with grocery shopping |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 7 | FGU_015D | Used CFG - assess how well household members are eating | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - To assess how well [you / you or household members] are eating |
| 8 | FGU_015E | Used CFG - other | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - Other |
| 9 | FGU_015F | Used CFG - none of the above | discrete | numeric-1.0 | 16829 | 92830 | What did you use the information for? - None of the above |

## Group Flu shots

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOFLU | Flu shots - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | FLU_005 | Had a seasonal flu shot (excluding H1N1) - lifetime | discrete | numeric-1.0 | 106002 | 3657 | Have you ever had a seasonal flu shot, excluding the H1N1 flu shot? |
| 3 | FLU_010 | Had a seasonal flu shot - last time | discrete | numeric-1.0 | 64565 | 45094 | When did you have your last seasonal flu shot? |
| 4 | FLU_015 | Had a seasonal flu shot - which month | discrete | numeric-2.0 | 36920 | 72739 | In which month did you have your last seasonal flu shot? |
| 5 | FLU_020 | Had a seasonal flu shot - current / last year | discrete | numeric-1.0 | 4335 | 105324 | Was that this year or last year? |
| 6 | FLU_025A | No flu shot - 1 yr - lack of time | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Lack of time |
| 7 | FLU_025B | No flu shot - 1 yr - respondent did not think it was necessary | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Respondent - did not think it was necessary |
| 8 | FLU_025C | No flu shot - 1 yr - doctor did not think it was necessary | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Doctor - did not think it was necessary |
| 9 | FLU_025D | No flu shot - 1 yr - n/a at time required | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Not available - at time required |
| 10 | FLU_025E | No flu shot - 1 yr - did not know where to go / uninformed | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Did not know where to go / uninformed |
| 11 | FLU_025F | No flu shot - 1 yr - fear / discomfort | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Feelings of fear or discomfort |
| 12 | FLU_025G | No flu shot - 1 yr - bad reaction to previous flu shot | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous flu shot |
| 13 | FLU_025H | No flu shot - 1 yr - bad reaction to previous vaccine other | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous vaccine other than flu shot |
| 14 | FLU_025I | No flu shot - 1 yr - does not believe in benefits | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Unsure of / does not believe in benefits of vaccine |
| 15 | FLU_025J | No flu shot - 1 yr - fear of what it contains | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Does not want vaccine for fear of what it contains |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 16 | FLU_025K | No flu shot - 1 yr - other | discrete | numeric-1.0 | 64346 | 45313 | What are the reasons that you have not had a seasonal flu shot in the past year? - Other |

## Group Food security

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOFSC | Food security - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | FSC_010 | Worried food would run out - 12 mo | discrete | numeric-1.0 | 70761 | 38898 | The first statement is: [You / You and other household members] worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months? |
| 3 | FSC_015 | Food didn't last and no money to buy more - 12 mo | discrete | numeric-1.0 | 70731 | 38928 | The food that [you / you and other household members] bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months? |
| 4 | FSC_020 | Could not afford to eat balanced meals - 12 mo | discrete | numeric-1.0 | 70706 | 38953 | [You / You and other household members] couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true? |
| 5 | FSC_025 | Relied on few kinds of low-cost food to feed children - 12 mo | discrete | numeric-1.0 | 22019 | 87640 | [You / You or other adults in your household] relied on only a few kinds of low-cost food to feed [child's first name / the children] because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months? |
| 6 | FSC_030 | Could not feed children a balanced meal - 12 mo | discrete | numeric-1.0 | 22011 | 87648 | [You / You or other adults in your household] couldn't feed [child's first name / the children] a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months? |
| 7 | FSC_035 | Children were not eating enough - 12 mo | discrete | numeric-1.0 | 4318 | 105341 | [Child's name was / The children were] not eating enough because [you / you or other adults in your household] just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months? |
| 8 | FSC_040 | Adults skipped or cut size of meals - 12 mo | discrete | numeric-1.0 | 10060 | 99599 | In the past 12 months, since last [current month], did [you / you or other adults in your household] ever cut the size of your meals or skip meals because there wasn't enough money for food? |
| 9 | FSC_045 | Adults skipped or cut size of meals - frequency - 12 mo | discrete | numeric-1.0 | 3674 | 105985 | How often did this happen? Was it...? |
| 10 | FSC_050 | Ate less than felt should - 12 mo | discrete | numeric-1.0 | 10035 | 99624 | In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food? |
| 11 | FSC_055 | Was hungry but couldn't afford enough food - 12 mo | discrete | numeric-1.0 | 10047 | 99612 | In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 12 | FSC_060 | Lost weight because not enough money for food - 12 mo | discrete | numeric-1.0 | 9988 | 99671 | In the past 12 months, did you (personally) ever lose weight because you didn't have enough money for food? |
| 13 | FSC_065 | Adults did not eat for whole day - 12 mo | discrete | numeric-1.0 | 4834 | 104825 | In the past 12 months, did [you / you or other adults in your household] ever not eat for a whole day because there wasn't enough money for food? |
| 14 | FSC_070 | Adults did not eat whole day - frequency - 12 mo | discrete | numeric-1.0 | 959 | 108700 | How often did this happen? Was it...? |
| 15 | FSC_075 | Cut size of children's meals - 12 mo | discrete | numeric-1.0 | 2001 | 107658 | In the past 12 months, did [you / you or other adults in your household] ever cut the size of [child's first name / any of the children's] meals because there wasn't enough money for food? |
| 16 | FSC_080 | Children skipped meals - 12 mo | discrete | numeric-1.0 | 1998 | 107661 | In the past 12 months, did [child's first name / any of the children] ever skip meals because there wasn't enough money for food? |
| 17 | FSC_085 | Children skipped meals - frequency - 12 mo | discrete | numeric-1.0 | 183 | 109476 | How often did this happen? Was it...? |
| 18 | FSC_090 | Children were hungry but could not afford more food - 12 mo | discrete | numeric-1.0 | 1992 | 107667 | In the past 12 months, [was child's first name / were any of the children] ever hungry but you just couldn't afford more food? |
| 19 | FSC_095 | Children did not eat for whole day - 12 mo | discrete | numeric-1.0 | 1999 | 107660 | In the past 12 months, did [child's first name / any of the children] ever not eat for a whole day because there wasn't enough money for food? |
| 20 | FSCDVAFS | Food security - adult status - (D) | discrete | numeric-1.0 | 68863 | 40796 | - |
| 21 | FSCDVCFS | Food security - child status - (D) | discrete | numeric-1.0 | 71809 | 37850 | - |
| 22 | FSCDVHFS | Household food security status - modified version - (D) | discrete | numeric-1.0 | 68806 | 40853 | - |

## Group Fruit and vegetable consumption

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | FVCDVJUI | Daily consumption - pure fruit juice - (D) | continuous | numeric-5.1 | 105752 | 3907 | - |
| 2 | FVCDVFRU | Daily consumption - fruit - (D) | continuous | numeric-5.1 | 106169 | 3490 | - |
| 3 | FVCDVGRN | Daily consumption - dark green vegetables - (D) | continuous | numeric-5.1 | 106063 | 3596 | - |
| 4 | FVCDVORA | Daily consumption - orange-coloured vegetables - (D) | continuous | numeric-5.1 | 105802 | 3857 | - |
| 5 | FVCDVPOT | Daily consumption - potatoes - (D) | continuous | numeric-5.1 | 106046 | 3613 | - |
| 6 | FVCDVVEG | Daily consumption - other vegetables - (D) | continuous | numeric-5.1 | 105382 | 4277 | - |
| 7 | FVCDVTOT | Daily consumption - fruits and vegetables - (D) | continuous | numeric-6.1 | 103070 | 6589 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 8 | FVCDVGDT | Grouping of total daily consumption - fruits and vegetables - (D) | discrete | numeric-1.0 | 103070 | 6589 | - |

## Group General health

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOGEN | General health - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | GEN_005 | Perceived health | discrete | numeric-1.0 | 109453 | 206 | In general, would you say your health is... ? |
| 3 | GEN_010 | Satisfaction with life in general | continuous | numeric-2.0 | 106007 | 3652 | Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now? 0 Very dissatisfied 1 I 2 I 3 I 4 I 5 I 6 I 7 I 8 I 9 V 10 Very satisfied |
| 4 | GEN_015 | Perceived mental health | discrete | numeric-1.0 | 106724 | 2935 | In general, would you say your mental health is...? |
| 5 | GEN_020 | Perceived life stress | discrete | numeric-1.0 | 109079 | 580 | Thinking about the amount of stress in your life, would you say that most of your days are...? |
| 6 | GEN_025 | Perceived stress at work | discrete | numeric-1.0 | 63777 | 45882 | Would you say that most days at work were...? |
| 7 | GEN_030 | Sense of belonging to local community | discrete | numeric-1.0 | 105386 | 4273 | How would you describe your sense of belonging to your local community? Would you say it is...? |
| 8 | GENDVHDI | Perceived health - (D) | discrete | numeric-1.0 | 109453 | 206 | - |
| 9 | GENDVMHI | Perceived mental health - (D) | discrete | numeric-1.0 | 106724 | 2935 | - |
| 10 | GENDVSWL | Satisfaction with life in general - (D) | discrete | numeric-1.0 | 106007 | 3652 | - |

## Group Geography

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | GEO_PRV | Province of residence of respondent | discrete | numeric-2.0 | 109659 | 0 | - |
| 2 | GEODVBHA | British Columbia Health Authority (BCHA) - (D) | discrete | numeric-4.0 | 14367 | 95292 | - |
| 3 | GEODGHR4 | Health region - (D) | discrete | numeric-5.0 | 109659 | 0 | - |
| 4 | ALECLASS | Canadian Active Living Environments | discrete | numeric-1.0 | 107276 | 2383 | - |

## Group Home care services

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOHMC | Home care services - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | HMC_005A | Home care services received - nursing care - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits) |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 3 | HMC_005B | Home care services received - other health care - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling) |
| 4 | HMC_005C | Home care services received - medical equipment - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Medical equipment or supplies (e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment) |
| 5 | HMC_005D | Home care services received - personal / home support - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Personal or home support (such as bathing, housekeeping, meal preparation) |
| 6 | HMC_005E | Home care services received - other services - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Other services (such as transportation, meals-on-wheels) |
| 7 | HMC_005F | Has not received any home care services - 12 mo | discrete | numeric-1.0 | 98577 | 11082 | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - No one in the household received any home care services |
| 8 | HMC_10_1 | To whom services provided - nursing care | discrete | numeric-1.0 | 3356 | 106303 | Were the nursing care services provided for yourself or someone else living in your household? |
| 9 | HMC_10_2 | To whom services provided - other health care | discrete | numeric-1.0 | 1350 | 108309 | Were the other health care services provided for yourself or someone else living in your household? |
| 10 | HMC_10_3 | To whom services provided - medical equipment | discrete | numeric-1.0 | 1644 | 108015 | Were the medical equipment or supplies services provided for yourself or someone else living in your household? |
| 11 | HMC_10_4 | To whom services provided - personal / home support | discrete | numeric-1.0 | 3307 | 106352 | Were the personal or home support services provided for yourself or someone else living in your household? |
| 12 | HMC_10_5 | To whom services provided - other services | discrete | numeric-1.0 | 847 | 108812 | Were the other services provided for yourself or someone else living in your household? |
| 13 | HMC_15_1 | Duration services provided - nursing care | discrete | numeric-2.0 | 3289 | 106370 | How long [have you / have other household members] been receiving the nursing care services? |
| 14 | HMC_15_2 | Duration services provided - other health care | discrete | numeric-2.0 | 1326 | 108333 | How long [have you / have other household members] been receiving the other health care services? |
| 15 | HMC_15_3 | Duration services provided - medical equipment | discrete | numeric-2.0 | 1617 | 108042 | How long [have you / have other household members] been receiving the medical equipment or supplies services? |
| 16 | HMC_15_4 | Duration services provided - personal / home support | discrete | numeric-2.0 | 3264 | 106395 | How long [have you / have other household members] been receiving the personal or home support services? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 17 | HMC_15_5 | Duration services provided - other services | discrete | numeric-2.0 | 827 | 108832 | How long [have you / have other household members] been receiving the other services? |
| 18 | HMC_20_1 | Monthly cost services provided - nursing care - 12 mo | discrete | numeric-2.0 | 3191 | 106468 | In a typical month over the past 12 months, how much [have you / have other household members] paid for the nursing care services? |
| 19 | HMC_20_2 | Monthly cost services provided - other health care - 12 mo | discrete | numeric-2.0 | 1289 | 108370 | In a typical month over the past 12 months, how much [have you / have other household members] paid for the other health care services? |
| 20 | HMC_20_3 | Monthly cost services provided - medical equipment - 12 mo | discrete | numeric-2.0 | 1536 | 108123 | In a typical month over the past 12 months, how much [have you / have other household members] paid for the medical equipment or supplies services? |
| 21 | HMC_20_4 | Monthly cost services provided - personal / home support - 12 mo | discrete | numeric-2.0 | 3046 | 106613 | In a typical month over the past 12 months, how much [have you / have other household members] paid for the personal or home support services? |
| 22 | HMC_20_5 | Monthly cost services provided - other services - 12 mo | discrete | numeric-2.0 | 776 | 108883 | In a typical month over the past 12 months, how much [have you / have other household members] paid for the other services? |
| 23 | HMC_025A | Home care services - who paid - out of own pocket | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Out of your / their own pocket |
| 24 | HMC_025B | Home care services - who paid - family / friend in same household | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Family or friend living in the same household |
| 25 | HMC_025C | Home care services - who paid - someone living outside the household | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Someone living outside the household (e.g., family, friends, volunteer organization) |
| 26 | HMC_025D | Home care services - who paid - insurance | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Insurance |
| 27 | HMC_025E | Home care services - who paid - government | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Government |
| 28 | HMC_025F | Home care services - who paid - other | discrete | numeric-1.0 | 6962 | 102697 | Who paid for these services? - Other |
| 29 | HMC_030 | Satisfaction with home care services received | discrete | numeric-1.0 | 7095 | 102564 | Overall, how satisfied [were you / were the other household members] with the home care services received? [Were you / were the other household members]... ? |
| 30 | HMC_035A | Unsatisfactory home care services - poor quality | discrete | numeric-1.0 | 297 | 109362 | What are the reasons why [you were / the other household members were] not satisfied? - Poor quality (i.e. concerns about provider competence, reliability of services, etc.) |
| 31 | HMC_035B | Unsatisfactory home care services - needs not addressed | discrete | numeric-1.0 | 297 | 109362 | What are the reasons why [you were / the other household members were] not satisfied? - Services did not address perceived needs |
| 32 | HMC_035C | Unsatisfactory home care services - insufficient services | discrete | numeric-1.0 | 297 | 109362 | What are the reasons why [you were / the other household members were] not satisfied? - Services provided were insufficient |
| 33 | HMC_035D | Unsatisfactory home care services - long wait time | discrete | numeric-1.0 | 297 | 109362 | What are the reasons why [you were / the other household members were] not |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | satisfied? - Long wait times to receive services |
| 34 | HMC_035E | Unsatisfactory home care services - other reason | discrete | numeric-1.0 | 297 | 109362 | What are the reasons why [you were / the other household members were] not satisfied? - Other reason |
| 35 | HMC_040 | Perception home care services needed but not received - 12 mo | discrete | numeric-1.0 | 98421 | 11238 | During the past 12 months, was there ever a time when [you / you or anyone in your household] felt that home care services were needed but were not received? |
| 36 | HMC_045 | Home care services needed - who | discrete | numeric-1.0 | 2718 | 106941 | Were these (home care) services needed for yourself or someone else living in your household? |
| 37 | HMC_050A | Home care services needed - nursing care | discrete | numeric-1.0 | 2682 | 106977 | Thinking of the most recent time, what type of home care was needed? - Nursing care (e.g., dressing changes, preparing .medications, V.O.N. visits) |
| 38 | HMC_050B | Home care services needed - other health care | discrete | numeric-1.0 | 2682 | 106977 | Thinking of the most recent time, what type of home care was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling) |
| 39 | HMC_050C | Home care services needed - medical equipment | discrete | numeric-1.0 | 2682 | 106977 | Thinking of the most recent time, what type of home care was needed? - Medical equipment or supplies (e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment) |
| 40 | HMC_050D | Home care services needed - personal / home support | discrete | numeric-1.0 | 2682 | 106977 | Thinking of the most recent time, what type of home care was needed? - Personal or home support (such as bathing, housekeeping, meal preparation) |
| 41 | HMC_050E | Home care services needed - other services | discrete | numeric-1.0 | 2682 | 106977 | Thinking of the most recent time, what type of home care was needed? - Other services (such as transportation, meals-on-wheels) |
| 42 | HMC_055A | Home care services not received - not available in the area | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not available in the area |
| 43 | HMC_055B | Home care services not received - not available at time required | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not available at time required (e.g., inconvenient hours) |
| 44 | HMC_055C | Home care services not received - waiting time too long | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Waiting time too long |
| 45 | HMC_055D | Home care services not received - cost | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Cost |
| 46 | HMC_055E | Home care services not received - didn't get around to it | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Didn't get around to it / didn't bother |
| 47 | HMC_055F | Home care services not received - didn't know where to go | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Didn't know where to go / call |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 48 | HMC_055G | Home care services not received - language barrier | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Language barrier |
| 49 | HMC_055H | Home care services not received - decided not to seek services | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Decided not to seek services |
| 50 | HMC_055I | Home care services not received - doctor didn't think was necessary | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Doctor did not think it was necessary |
| 51 | HMC_055J | Home care services not received - not eligible for home care | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not eligible for home care |
| 52 | HMC_055K | Home care services not received - still waiting for home care | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Still waiting for home care |
| 53 | HMC_055L | Home care services not received - other | discrete | numeric-1.0 | 2662 | 106997 | Again, thinking of the most recent time, why didn't [you / they] get these services? - Other |
| 54 | HMC_060A | Home care services provider - govt Home Care Program | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - A government Home Care Program (e.g., CLSC in Quebec, CCAC in Ontario, Extra- Mural Program in New Brunswick) |
| 55 | HMC_060B | Home care services provider - private agency | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - A private agency |
| 56 | HMC_060C | Home care services provider - family member / friend / neighbour | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - A family member, friend or neighbour |
| 57 | HMC_060D | Home care services provider - volunteer organization | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - A volunteer organization |
| 58 | HMC_060E | Home care services provider - did not try | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - Nowhere - did not try to get service |
| 59 | HMC_060F | Home care services provider - other | discrete | numeric-1.0 | 2612 | 107047 | Where did [you / they] try to get these home care services? - Other |

## Group Health utility index

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOHUI | Health utility index - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | HUIDGVIS | Vision health status - (D) | discrete | numeric-1.0 | 2839 | 106820 | - |
| 3 | HUIDGHER | Hearing health status - (D) | discrete | numeric-1.0 | 2826 | 106833 | - |
| 4 | HUIDGSPE | Speech health status - (D) | discrete | numeric-1.0 | 2858 | 106801 | - |
| 5 | HUIDGMOB | Mobility health status - (D) | discrete | numeric-1.0 | 2854 | 106805 | - |
| 6 | HUIDGDEX | Dexterity health status - (D) | discrete | numeric-1.0 | 2858 | 106801 | - |
| 7 | HUIDVEMO | Emotion health status - (D) | discrete | numeric-1.0 | 2846 | 106813 | - |
| 8 | HUIDVCOG | Cognition health status - (D) | discrete | numeric-2.0 | 2842 | 106817 | - |
| 9 | HUIDVPAD | Pain health status - (D) | discrete | numeric-1.0 | 2853 | 106806 | - |
| 10 | HUIDVHSI | Health utilities index - (D) | continuous | numeric-6.3 | 2769 | 106890 | - |

## Group Height and weight

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOHWT | Height and weight - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | HWT_050 | Self-perceived weight - overweight / underweight / just about right | discrete | numeric-1.0 | 102589 | 7070 | Do you consider yourself...? |
| 3 | HWTDGHTM | Height (metres) - self-reported - (D) | continuous | numeric-5.3 | 104560 | 5099 | - |
| 4 | HWTDGWTK | Weight (kilograms) - self-reported - (D) | continuous | numeric-6.2 | 102699 | 6960 | - |
| 5 | HWTDGBMI | BMI age 12 to 17 (self-reported) - Cole classification - (D) | continuous | numeric-6.2 | 101831 | 7828 | - |
| 6 | HWTDVCOL | BMI age 12 to 17 (self-reported) - Cole classification - (D) | discrete | numeric-1.0 | 7436 | 102223 | - |
| 7 | HWTDGISW | BMI classification 18 and + (self-reported) - Intl standard - (D) | discrete | numeric-1.0 | 94316 | 15343 | - |
| 8 | HWTDVWHO | BMI age 12 to 17 (self-reported) - WHO classification - (D) | discrete | numeric-1.0 | 7436 | 102223 | - |
| 9 | HWTDGCOR | Body mass index (adjusted) - (D) | continuous | numeric-6.2 | 94316 | 15343 | - |
| 10 | HWTDGBCC | Body mass index (self-reported) - (D) | discrete | numeric-1.0 | 94316 | 15343 | - |

## Group Income

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | INCG015 | Household income - main source | discrete | numeric-1.0 | 99915 | 9744 | What was the main source of household income? |
| 2 | INCG035 | Personal income - main source | discrete | numeric-1.0 | 63561 | 46098 | What was the main source of your personal income? |
| 3 | INCDGHH | Total household income - all sources - (D) | discrete | numeric-1.0 | 109483 | 176 | - |
| 4 | INCDGPER | Personal income - all sources - (D) | discrete | numeric-2.0 | 94880 | 14779 | - |
| 5 | INCDVRCA | Distribution of household income ratio - national level - (D) | discrete | numeric-2.0 | 106694 | 2965 | - |
| 6 | INCDVRPR | Distribution of household income - provincial level - (D) | discrete | numeric-2.0 | 106694 | 2965 | - |
| 7 | INCDVRRS | Distribution of household income - health region level - (D) | discrete | numeric-2.0 | 98543 | 11116 | - |

## Group Injuries

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOINJ | Injuries - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 2 | INJ_005 | Repetitive strain injuries - 12 mo | discrete | numeric-1.0 | 16128 | 93531 | In the past 12 months, did you have any injuries due to repetitive strain? |
| 3 | INJ_010 | Repetitive strain injuries - limiting normal activities | discrete | numeric-1.0 | 2170 | 107489 | Were these injuries serious enough to limit your normal activities? |
| 4 | INJG015 | Repetitive strain injuries - the most serious - affected body part | discrete | numeric-2.0 | 1177 | 108482 | Thinking about the most serious repetitive strain injury, what part of the body was affected? |
| 5 | INJ_020A | Repetitive strain injury - type of activity - walking | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Walking |
| 6 | INJ_020B | Repetitive strain injury - type of activity - physical exercise | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Sports or physical exercise (including school activities and running) |
| 7 | INJ_020C | Repetitive strain injury - type of activity - leisure / hobby | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Leisure or hobby (include volunteering) |
| 8 | INJ_020D | Repetitive strain injury - type of activity - household chores | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Household chores, outdoor yard maintenance, home renovations or other unpaid work |
| 9 | INJ_020E | Repetitive strain injury - type of activity - computer use | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Computer use or typing |
| 10 | INJ_020F | Repetitive strain injury - type of activity - driving a motor vehicle | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Driving a motor vehicle |
| 11 | INJ_020G | Repetitive strain injury - type of activity - lifting / carrying | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Lifting or carrying an object or person |
| 12 | INJ_020H | Repetitive strain injury - type of activity - other | discrete | numeric-1.0 | 1145 | 108514 | What type of activity caused this repetitive strain injury? - Other |
| 13 | INJ_025 | Repetitive strain injury - working at a job / business | discrete | numeric-1.0 | 845 | 108814 | Was the activity something you did while working at your job or business (excluding travel to or from work)? |
| 14 | INJ_030 | Other injuries limiting normal activities - 12 mo | discrete | numeric-1.0 | 16163 | 93496 | [Not counting repetitive strain injuries or food poisoning / Not counting food poisoning] in the past 12 months, that is, from [date one year ago] to yesterday, were you injured? |
| 15 | INJG035 | Other injuries - num of times - 12 mo | discrete | numeric-1.0 | 2424 | 107235 | How many times were you injured? |
| 16 | INJ_050 | Other injury - type | discrete | numeric-2.0 | 2423 | 107236 | What type of injury did you have? For example, a broken bone or burn. |
| 17 | INJG055 | Other injury - body part | discrete | numeric-2.0 | 2358 | 107301 | What part of the body was injured? |
| 18 | INJG060 | Other injury - place | discrete | numeric-2.0 | 2423 | 107236 | Where were you when you were injured? For example, someone's house, an office building, construction site. |
| 19 | INJG065 | Other injury - activity performed | discrete | numeric-2.0 | 2411 | 107248 | What were you doing when you were injured? |
| 20 | INJ_070 | Other injury - result of a fall | discrete | numeric-1.0 | 2430 | 107229 | Was the injury the result of a fall? |
| 21 | INJG075 | Other injury - type of fall | discrete | numeric-2.0 | 959 | 108700 | How did you fall? |
| 22 | INJ_090 | Other injury - medical attention received | discrete | numeric-1.0 | 2428 | 107231 | Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 23 | INJG095 | Other injury - place of treatment | discrete | numeric-1.0 | 1323 | 108336 | Where did you initially go to receive treatment within the first 48 hours following the injury? |
| 24 | INJ_100 | Other injury - admitted to a hospital overnight | discrete | numeric-1.0 | 1326 | 108333 | Were you admitted to a hospital overnight because of this injury? |
| 25 | INJ_105 | Other injury - follow-up care from a health professional | discrete | numeric-1.0 | 2435 | 107224 | At the present time, are you getting follow-up care from a health professional because of this injury? |
| 26 | INJ_110 | Other injuries treated but not limiting activities - 12 mo | discrete | numeric-1.0 | 16138 | 93521 | In the past 12 months, [excluding injuries previously mentioned, did / did] you have any other injuries that were treated by a health professional, but did not limit your normal activities? |
| 27 | INJG115 | Other injuries treated but not limiting activities - number - 12 mo | discrete | numeric-1.0 | 1017 | 108642 | How many injuries? |
| 28 | INJDGCAU | Cause of injury - (D) | discrete | numeric-2.0 | 2400 | 107259 | - |
| 29 | INJDVSTT | Injury status - (D) | discrete | numeric-1.0 | 16138 | 93521 | - |

## Group Health insurance coverage

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOINS | Health insurance coverage - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | INS_005 | Insurance - prescription medications - all / part cost coverage | discrete | numeric-1.0 | 106365 | 3294 | Do you have insurance that covers all or part of the cost of your prescription medications? |
| 3 | INS_010A | Type of insurance - prescription meds - govt | discrete | numeric-1.0 | 85172 | 24487 | Is it...? - A government-sponsored plan |
| 4 | INS_010B | Type of insurance - prescription meds - employer | discrete | numeric-1.0 | 85172 | 24487 | Is it...? - An employer-sponsored benefit plan |
| 5 | INS_010C | Type of insurance - prescription meds - association | discrete | numeric-1.0 | 85172 | 24487 | Is it...? - A plan sponsored through an association such as a union, trade association or student organization |
| 6 | INS_010D | Type of insurance - prescription meds - own private plan | discrete | numeric-1.0 | 85172 | 24487 | Is it...? - Other, such as your own private plan purchased from an insurance company |
| 7 | INS_015 | Insurance - long-term care costs - all / part cost coverage | discrete | numeric-1.0 | 89111 | 20548 | Do you have insurance that covers all or part of your long-term care costs, including home care? |
| 8 | INS_020A | Type of insurance - long-term care costs - govt | discrete | numeric-1.0 | 41700 | 67959 | Is it...? - A government-sponsored plan |
| 9 | INS_020B | Type of insurance - long-term care costs - employer | discrete | numeric-1.0 | 41700 | 67959 | Is it...? - An employer-sponsored benefit plan |
| 10 | INS_020C | Type of insurance - long-term care costs - association | discrete | numeric-1.0 | 41700 | 67959 | Is it...? - A plan sponsored through an association such as a union, trade association or student organization |
| 11 | INS_020D | Type of insurance - long-term care costs - own private plan | discrete | numeric-1.0 | 41700 | 67959 | Is it...? - Other, such as your own private plan purchased from an insurance company |

## Group Labour force

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | LBFG10 | Employee or self-employed | discrete | numeric-1.0 | 55436 | 54223 | Were you an employee or self-employed? |
| 2 | LBFDVWSS | Working status last week - (D) | discrete | numeric-1.0 | 91172 | 18487 | - |
| 3 | LBFDGOCG | Occupation group - (D) | discrete | numeric-1.0 | 54839 | 54820 | - |
| 4 | LBFDGHPW | Total usual hours worked per week - (D) | continuous | numeric-3.0 | 54992 | 54667 | - |
| 5 | LBFDVPFT | Full-time / part-time working status (for total usual hours) - (D) | discrete | numeric-1.0 | 55097 | 54562 | - |

## Group Loss of productivity

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOLOP | Loss of productivity-Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | LOP_005 | Worked at a job / business - 3 mo | discrete | numeric-1.0 | 1007 | 108652 | At any time during the past three months, did you work at a job or a business? |
| 3 | LOPG010 | Did not work at a job / business - reason - 3 mo | discrete | numeric-2.0 | 3958 | 105701 | What is the main reason that you have not worked at a job or business in the past three months? |
| 4 | LOP_015 | Missed work - chronic condition - 3 mo | discrete | numeric-1.0 | 7679 | 101980 | LOP_015 question details |
| 5 | LOPG020 | Missed work - chronic condition - num of days - 3 mo | continuous | numeric-2.0 | 506 | 109153 | How many days of work have you missed because of a chronic condition? |
| 6 | LOPG025 | Missed work - chronic condition - type | discrete | numeric-2.0 | 781 | 108878 | Which chronic condition was this? |
| 7 | LOP_030 | Missed work - injury - 3 mo | discrete | numeric-1.0 | 7679 | 101980 | In the past three months, have you missed any days at work because of an injury such as a broken bone, a bad cut, a burn or a sprain? |
| 8 | LOPG035 | Missed work - injury - num of days | continuous | numeric-2.0 | 321 | 109338 | How many days of work have you missed (because of an injury)? |
| 9 | LOP_040 | Missed work - acute infectious disease - 3 mo | discrete | numeric-1.0 | 7674 | 101985 | In the past three months, have you missed any days at work because of an acute infectious disease such as a cold, a flu, another respiratory infection or a stomach flu? |
| 10 | LOP_045A | Missed work - acute infectious disease - cold | discrete | numeric-1.0 | 1450 | 108209 | Which infectious diseases caused you to miss work in the past three months? - Cold |
| 11 | LOP_045B | Missed work - acute infectious disease - flu / influenza | discrete | numeric-1.0 | 1450 | 108209 | Which infectious diseases caused you to miss work in the past three months? - Flu or influenza |
| 12 | LOP_045C | Missed work - acute infectious disease - other respiratory infection | discrete | numeric-1.0 | 1450 | 108209 | Which infectious diseases caused you to miss work in the past three months? - Other respiratory infection |
| 13 | LOP_045D | Missed work - acute infectious disease - stomach flu | discrete | numeric-1.0 | 1450 | 108209 | Which infectious diseases caused you to miss work in the past three months? - Stomach flu |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 14 | LOP_045E | Missed work - acute infectious disease - other | discrete | numeric-1.0 | 1450 | 108209 | Which infectious diseases caused you to miss work in the past three months? - Any other acute infectious disease |
| 15 | LOPG050 | Missed work - cold - num of days - 3 mo | continuous | numeric-2.0 | 775 | 108884 | How many days of work have you missed because of a cold? |
| 16 | LOPG055 | Missed work - flu / influenza - num of days - 3 mo | continuous | numeric-2.0 | 450 | 109209 | How many days of work have you missed because of a flu or influenza? |
| 17 | LOPG060 | Missed work - other respiratory infection - num of days - 3 mo | continuous | numeric-1.0 | 83 | 109576 | How many days of work have you missed because of another respiratory infection such as pneumonia or acute bronchitis? |
| 18 | LOPG065 | Missed work - stomach flu - num of days - 3 mo | continuous | numeric-1.0 | 182 | 109477 | How many days of work have you missed because of a stomach flu? |
| 19 | LOPG070 | Missed work - other acute infectious disease - num of days - 3 mo | continuous | numeric-1.0 | 70 | 109589 | How many days of work have you missed because of any other acute infectious disease? |
| 20 | LOP_075 | Missed work - other acute physical condition - 3 mo | discrete | numeric-1.0 | 7672 | 101987 | In the past three months, have you been absent from work because of any other acute, non-infectious physical condition, for example an injury, migraine headache, or bad back? |
| 21 | LOPG080 | Missed work - other acute physical condition - num of days - 3 mo | continuous | numeric-2.0 | 534 | 109125 | How many days of work have you missed because of any other acute physical condition (non-infectious)? |
| 22 | LOP_085 | Missed work - acute mental health condition - 3 mo | discrete | numeric-1.0 | 7666 | 101993 | In the past three months, have you been absent from work because of an acute mental health condition (for example acute stress reaction)? |
| 23 | LOPG090 | Missed work - acute mental health condition - num of days - 3 mo | continuous | numeric-2.0 | 150 | 109509 | How many days of work have you missed because of an acute mental health condition? |

## Group Main activity

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMAC | Main activity - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | MAC_005 | Main activity - last week | discrete | numeric-2.0 | 107913 | 1746 | Last week, was your main activity working at a paid job or business, looking for paid work, going to school, caring for children, household work, retired or something else? |
| 3 | MAC_010 | Worked at job / business - 12 mo | discrete | numeric-1.0 | 92329 | 17330 | Have you worked at a job or business at any time in the past 12 months? |
| 4 | MAC_015 | Currently attending school / college / CEGEP / university | discrete | numeric-1.0 | 108970 | 689 | Are you currently attending school, college, CEGEP or university? |
| 5 | MACG020 | Student status | discrete | numeric-1.0 | 13423 | 96236 | Are you enrolled as... ? |

## Group Mammography

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMAM | Mammography - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 2 | MAM_005 | Had mammogram - lifetime | discrete | numeric-1.0 | 10966 | 98693 | Have you ever had a mammogram, that is, a breast x-ray? |
| 3 | MAM_010 | Had mammogram - last time | discrete | numeric-1.0 | 8986 | 100673 | When was the last time? |
| 4 | MAM_015A | No mammogram - 3 yrs - lack of time | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Lack of time |
| 5 | MAM_015B | No mammogram - 3 yrs - respondent did not think it was necessary | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Respondent did not think it was necessary |
| 6 | MAM_015C | No mammogram - 3 yrs - doctor did not think it was necessary | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Doctor did not think it was necessary |
| 7 | MAM_015D | No mammogram - 3 yrs - fear / discomfort | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Feelings of fear or discomfort |
| 8 | MAM_015E | No mammogram - 3 yrs - no doctor | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Don't have a doctor |
| 9 | MAM_015F | No mammogram - 3 yrs - had a bilateral mastectomy | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Had a bilateral mastectomy (both breasts were removed) |
| 10 | MAM_015G | No mammogram - 3 yrs - other | discrete | numeric-1.0 | 3240 | 106419 | What are the reasons you have not had a mammogram in the past 3 years? - Other |

## Group Medication use

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMED | Medication use - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | MED_005 | Used pain relievers - codeine products - 12 mo | discrete | numeric-1.0 | 3710 | 105949 | During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292s or 222s? |
| 3 | MED_010 | Used pain relievers - oxycodone products - 12 mo | discrete | numeric-1.0 | 3707 | 105952 | During the past 12 months, have you used any oxycodone products such as Percocet or Percodan? |
| 4 | MED_015 | Used pain relievers - other opioid products - 12 mo | discrete | numeric-1.0 | 3703 | 105956 | (During the past 12 months,) have you used any other opioid products such as hydromorphone, Dilaudid, Hydromorph Contin, morphine, MS Contin, or Demerol? |
| 5 | MED_020 | Used pain relievers - frequency - 12 mo | discrete | numeric-2.0 | 656 | 109003 | (During the past 12 months,) how often did you use any such pain relievers? Would you say... ? |
| 6 | MED_025 | Used pain relievers - prescribed - 12 mo | discrete | numeric-1.0 | 657 | 109002 | Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you? |
| 7 | MED_050 | Used stimulants - 12 mo | discrete | numeric-1.0 | 3720 | 105939 | During the past 12 months, have you used any stimulants? |
| 8 | MED_080 | Used sedatives - 12 mo | discrete | numeric-1.0 | 3709 | 105950 | During the past 12 months, have you used any sedatives? |

## Group Maternal experiences

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMEX | Maternal Experiences - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | MEX_005 | Takes vitamin supplement with folic acid | discrete | numeric-1.0 | 28922 | 80737 | Are you taking a vitamin supplement containing folic acid? |
| 3 | MEX_010 | Gave birth - 5 yr | discrete | numeric-1.0 | 26546 | 83113 | Have you given birth in the past 5 years? |
| 4 | MEX_040 | Folic acid supplement - 3 mo before pregnancy | discrete | numeric-1.0 | 5237 | 104422 | In the three months before you got pregnant with [your last child], did you take a folic acid supplement or a multivitamin containing folic acid? |
| 5 | MEX_045 | Folic acid supplement - 3 mo before pregnancy - every day | discrete | numeric-1.0 | 3171 | 106488 | Did you take it every day or almost every day? |
| 6 | MEX_050 | Folic acid supplement - first 3 mo of pregnancy | discrete | numeric-1.0 | 5241 | 104418 | During the first three months of your pregnancy (with [your last child]), did you take a folic acid supplement or a multivitamin containing folic acid? |
| 7 | MEX_055 | Folic acid supplement - first 3 mo of pregnancy - every day | discrete | numeric-1.0 | 4672 | 104987 | Did you take it every day or almost every day? |
| 8 | MEX_060 | Folic acid supplement - aware can prevent birth defects | discrete | numeric-1.0 | 5279 | 104380 | Before your pregnancy (with [your last child]), were you aware that taking folic acid before becoming pregnant can help prevent some birth defects? |
| 9 | MEX_065 | Iron supplement - during pregnancy | discrete | numeric-1.0 | 5163 | 104496 | During your pregnancy (with [your last child]), did you take a vitamin supplement containing iron? |
| 10 | MEX_090 | Co-sleeping with baby less than 12 mo - frequency | discrete | numeric-1.0 | 5264 | 104395 | [How often does [your last child] / When [your last child] was less than one year old, how often did [he/she]] sleep in the same bed with you or anyone else? |
| 11 | MEX_095 | Co-sleeping with baby less than 12 mo - reason | discrete | numeric-2.0 | 3071 | 106588 | What is the main reason that [your last child] ^DT_ISWAS sleeping in the same bed with you or someone else? |
| 12 | MEX_100 | Breastfed last baby | discrete | numeric-1.0 | 5287 | 104372 | Was [your last child] breastfed or given breast milk even for a short time? |
| 13 | MEX_105 | Did not breastfeed last baby - reason | discrete | numeric-1.0 | 606 | 109053 | What is the main reason that you did not breastfeed or give breast milk? |
| 14 | MEX_110 | Still breastfeeding last baby | discrete | numeric-1.0 | 4673 | 104986 | Are you still breastfeeding or giving breast milk to [your last child]? |
| 15 | MEX_115 | Breastfed last baby - duration | continuous | numeric-3.0 | 3547 | 106112 | How long did you breastfeed or give breast milk to [your last child]? |
| 16 | MEX_115A | Breastfed last baby - duration - days / weeks / months / years | discrete | numeric-1.0 | 3547 | 106112 | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| 17 | MEX_120 | Breastfeeding - reason for stopping | discrete | numeric-2.0 | 3539 | 106120 | What is the main reason that you stopped breastfeeding or giving breast milk? |
| 18 | MEX_125 | Vitamin D supplement - baby less than 12 mo | discrete | numeric-1.0 | 4644 | 105015 | [Are you giving [your last child] a vitamin D supplement? / [When [your last child] was [less than a year old / less than one year old and fed breast milk / |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | fed breast milk], did you give him/her a vitamin D supplement?] |
| 19 | MEX_130 | Vitamin D supplement - baby over 12 mo | discrete | numeric-1.0 | 1305 | 108354 | [Now that [your last child] is more than a year old, are you still giving [him/her] a vitamin D supplement?/When [your last child] was older than one and fed breast milk, did you continue to give [him/her] a vitamin D supplement?] |
| 20 | MEX_140 | Vitamin D supplement - overall frequency | discrete | numeric-1.0 | 3829 | 105830 | Overall, how often [do/did] you give [your last child] a supplement containing vitamin D? |
| 21 | MEX_150 | Baby's feeds - other liquids (milk, water, juice) | discrete | numeric-1.0 | 4665 | 104994 | [While you were still breastfeeding, had / Have] liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to [your last child]'s feeds? |
| 22 | MEX_155 | Baby's feeds - other liquids - age | continuous | numeric-3.0 | 2993 | 106666 | How old was [your last child] when other liquids were first added to the feeds? |
| 23 | MEX_160 | Other liquids - age - days / weeks / months / years | discrete | numeric-1.0 | 2993 | 106666 | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| 24 | MEX_170 | Baby's feeds - solid foods | discrete | numeric-1.0 | 2373 | 107286 | Have solid foods such as cereals, mashed up or pureed meat, vegetables or fruits been introduced to the baby's feeds? |
| 25 | MEX_175 | Baby's feeds - solid foods - age | continuous | numeric-3.0 | 4598 | 105061 | How old was [your last child] when solid foods (such as cereals, mashed up or pureed meat, vegetables or fruits) were first added to their feeds? |
| 26 | MEX_180 | Solid foods - age - days / weeks / months / years | discrete | numeric-1.0 | 4598 | 105061 | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| 27 | MEX_190 | Baby's feeds - first solid food | discrete | numeric-1.0 | 4601 | 105058 | What was the first solid food added to [your last child]'s feeds? |
| 28 | MEX_195 | Baby's feeds - other liquids / solid foods - reason | discrete | numeric-2.0 | 4783 | 104876 | What is the main reason [other liquids / solid foods / other liquids and solid foods] were first added to [your last child]'s feeds? |
| 29 | MEXDGWBK | Weight before pregnancy (in kilograms) - (D) | continuous | numeric-6.2 | 5043 | 104616 | - |
| 30 | MEXDGWGK | Weight gained during pregnancy (in kilograms) - (D) | continuous | numeric-5.2 | 5081 | 104578 | - |
| 31 | MEXDVBM6 | Exclusively breastfed for 6 months (or more) - (D) | discrete | numeric-1.0 | 4849 | 104810 | - |
| 32 | MEXDVLBM | Length of exclusive breastfeeding - (D) | discrete | numeric-2.0 | 4252 | 105407 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 33 | MEXDVVTD | Child received vitamin D - (D) | discrete | numeric-1.0 | 4615 | 105044 | - |

## Group Alcohol use during maternal experience

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMXA | Alcohol use during maternal experience - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | MXA_005 | Drank alcohol 3 months before last pregnancy | discrete | numeric-1.0 | 191 | 109468 | In the three months before your pregnancy with [baby's name], or before you realized you were pregnant, did you drink any alcohol? |
| 3 | MXAG010 | Drank alcohol 3 months before last pregnancy - frequency | discrete | numeric-1.0 | 108 | 109551 | How often did you drink? |
| 4 | MXA_015 | Drank alcohol after finding out about pregnancy | discrete | numeric-1.0 | 192 | 109467 | Once you found out you were pregnant with [baby's name], did you drink any alcohol? |
| 5 | MXA_035 | Drank alcohol while breastfeeding last baby | discrete | numeric-1.0 | 150 | 109509 | While you were breastfeeding [baby's name], did you drink any alcohol? |
| 6 | MXAG040 | Drank alcohol while breastfeeding last baby - frequency | discrete | numeric-1.0 | 44 | 109615 | How often did you drink? |

## Group Smoking during maternal experience

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOMXS | Smoking during maternal experience - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | MXS_005 | Smoked cigarettes 3 months before last pregnancy | discrete | numeric-2.0 | 318 | 109341 | In the three months before your pregnancy with [baby's name], or before you realized you were pregnant, did you smoke cigarettes? |
| 3 | MXSG010 | Smoked cigarettes after finding out about pregnancy | discrete | numeric-1.0 | 318 | 109341 | Once you found out you were pregnant with [baby's name], did you smoke? |
| 4 | MXSG015 | Smoked cigarettes last 3 months of pregnancy | discrete | numeric-1.0 | 318 | 109341 | During the last 3 months of your pregnancy [baby's name], did you smoke? |
| 5 | MXS_020 | Second-hand smoke exposure during last pregnancy | discrete | numeric-1.0 | 318 | 109341 | Did anyone regularly smoke in your presence during your pregnancy with [baby's name]? |

## Group Nicotine dependence

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DONDE | Nicotine dependence - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | NDE_005 | Time between waking up and first cigarette | discrete | numeric-1.0 | 3201 | 106458 | How soon after you wake up do you smoke your first cigarette? |
| 3 | NDE_010 | Difficulty to refrain from smoking in places where it is forbidden | discrete | numeric-1.0 | 3201 | 106458 | Do you find it difficult to refrain from smoking in places where it is forbidden? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | NDE_015 | Hardest cigarette to give up | discrete | numeric-1.0 | 2983 | 106676 | Which cigarette would you most hate to give up? |
| 5 | NDE_020 | Smokes more frequently during first hours after waking up | discrete | numeric-1.0 | 3173 | 106486 | Do you smoke more frequently during the first hours after waking, compared with the rest of the day? |
| 6 | NDE_025 | Smokes even if ill | discrete | numeric-1.0 | 3088 | 106571 | Do you smoke even if you are so ill that you are in bed most of the day? |
| 7 | NDEDVFTT | Fagerstr?m tolerance score - (D) | discrete | numeric-1.0 | 2839 | 106820 | - |

## Group Oral health

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOOHT | Oral health - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | OHT_005 | Perceived oral health | discrete | numeric-1.0 | 857 | 108802 | In general, would you say the health of your mouth is...? |
| 3 | OHT_010 | Satisfaction with teeth / denture appearance | discrete | numeric-1.0 | 850 | 108809 | How satisfied are you with the appearance of your teeth and/or dentures? |
| 4 | OHT_015 | Problems with mouth - uncomfortable to eat food - freq - 12 mo | discrete | numeric-1.0 | 861 | 108798 | In the past 12 months, how often have you found it uncomfortable to eat any food because of problems with your mouth? |
| 5 | OHT_020 | Problems with mouth - avoids particular foods - freq - 12 mo | discrete | numeric-1.0 | 860 | 108799 | (In the past 12 months,) how often have you avoided eating particular foods because of problems with your mouth? |
| 6 | OHT_025 | Problems with mouth - other persistent pain - freq - 12 mo | discrete | numeric-1.0 | 862 | 108797 | Remember, by mouth we mean teeth, dentures, tongue, gums, lips and jaw joints__MISSING__ In the past 12 months, how often have you had any other persistent or on-going pain anywhere in your mouth? |
| 7 | OHT_030 | Has at least one of own teeth | discrete | numeric-1.0 | 863 | 108796 | Do you have at least one of your own teeth? |
| 8 | OHT_035 | Wears dentures / dental prosthesis / false teeth | discrete | numeric-1.0 | 861 | 108798 | Do you wear dentures, dental prosthesis or false teeth? |
| 9 | OHT_040 | Had bleeding gums - frequency - 12 mo | discrete | numeric-1.0 | 807 | 108852 | In the past 12 months, how often have you had bleeding gums, including while brushing or flossing your teeth? |
| 10 | OHT_045 | Had dry mouth - frequency - 12 mo | discrete | numeric-1.0 | 862 | 108797 | (In the past 12 months,) how often have you had persistent dry mouth? |
| 11 | OHT_050 | Had persistent bad breath - frequency - 12 mo | discrete | numeric-1.0 | 825 | 108834 | (In the past 12 months,) how often have you had persistent bad breath? |

## Group Physical activities - adults 18 years and older

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPAA | Physical activities - adults 18 years and older - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PAA_005 | Used active transportation - 7 d | discrete | numeric-1.0 | 100568 | 9091 | In the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you use active ways like walking or |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends? |
| 3 | PAA_010A | Used active transportation - Monday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Monday |
| 4 | PAA_010B | Used active transportation - Tuesday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Tuesday |
| 5 | PAA_010C | Used active transportation - Wednesday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Wednesday |
| 6 | PAA_010D | Used active transportation - Thursday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Thursday |
| 7 | PAA_010E | Used active transportation - Friday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Friday |
| 8 | PAA_010F | Used active transportation - Saturday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Saturday |
| 9 | PAA_010G | Used active transportation - Sunday | discrete | numeric-1.0 | 42171 | 67488 | In the last 7 days, on which days did you do these activities? - Sunday |
| 10 | PAA_015 | Active transportation - 7 d - total - hours | continuous | numeric-3.0 | 99896 | 9763 | How much time in total, in the last 7 days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes. |
| 11 | PAA_020 | Active transportation - 7 d - total - minutes | continuous | numeric-4.0 | 99889 | 9770 | Enter number of minutes. |
| 12 | PAA_030 | Did sports / fitness / rec phys act - 7 d | discrete | numeric-1.0 | 100556 | 9103 | PAA_030 question details |
| 13 | PAA_035 | Sports / fitness / rec phys act - sweat | discrete | numeric-1.0 | 52984 | 56675 | Did any of these recreational physical activities make you sweat at least a little and breathe harder? |
| 14 | PAA_040A | Did sports / fitness / rec phys act - Monday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Monday |
| 15 | PAA_040B | Did sports / fitness / rec phys act - Tuesday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Tuesday |
| 16 | PAA_040C | Did sports / fitness / rec phys act - Wednesday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Wednesday |
| 17 | PAA_040D | Did sports / fitness / rec phys act - Thursday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Thursday |
| 18 | PAA_040E | Did sports / fitness / rec phys act - Friday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Friday |
| 19 | PAA_040F | Did sports / fitness / rec phys act - Saturday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Saturday |
| 20 | PAA_040G | Did sports / fitness / rec phys act - Sunday | discrete | numeric-1.0 | 41227 | 68432 | In the last 7 days, on which days did you do these recreational activities that made |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | you sweat at least a little and breathe harder? - Sunday |
| 21 | PAA_045 | Sports / fitness / rec phys act - 7 d - total - hours | continuous | numeric-3.0 | 100213 | 9446 | (In the last 7 days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? |
| 22 | PAA_050 | Sports / fitness / rec phys act - 7 d - total - minutes | continuous | numeric-4.0 | 100206 | 9453 | Enter number of minutes. |
| 23 | PAA_060 | Other physical activities - 7 d | discrete | numeric-1.0 | 100483 | 9176 | [PAA_060 question details](#) |
| 24 | PAA_065 | Other physical activities - sweat | discrete | numeric-1.0 | 65762 | 43897 | Did any of these other physical activities make you sweat at least a little and breathe harder? |
| 25 | PAA_070A | Other physical activities - Monday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Monday |
| 26 | PAA_070B | Other physical activities - Tuesday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Tuesday |
| 27 | PAA_070C | Other physical activities - Wednesday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Wednesday |
| 28 | PAA_070D | Other physical activities - Thursday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Thursday |
| 29 | PAA_070E | Other physical activities - Friday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Friday |
| 30 | PAA_070F | Other physical activities - Saturday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Saturday |
| 31 | PAA_070G | Other physical activities - Sunday | discrete | numeric-1.0 | 40626 | 69033 | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Sunday |
| 32 | PAA_075 | Other physical activities - 7 d - total - hours | continuous | numeric-3.0 | 99604 | 10055 | (In the last 7 days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? |
| 33 | PAA_080 | Other physical activities - 7 d - total - minutes | continuous | numeric-4.0 | 99597 | 10062 | Enter number of minutes. |
| 34 | PAA_095 | Physical activities - vigorous intensity | discrete | numeric-1.0 | 77281 | 32378 | You have reported a total of [x] minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath? |
| 35 | PAA_100 | Physical activities - vigorous intensity - 7 d - total - hours | continuous | numeric-3.0 | 76598 | 33061 | In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 36 | PAA_105 | Physical activities - vigorous intensity - 7 d - total - minutes | continuous | numeric-4.0 | 76576 | 33083 | Enter number of minutes |
| 37 | PAADVTRV | Active transportation minutes per week - (D) | continuous | numeric-5.0 | 99889 | 9770 | - |
| 38 | PAADVATR | Average minutes per day - active transportation - (D) | continuous | numeric-6.1 | 92534 | 17125 | - |
| 39 | PAADVREC | Recreational activity minutes per week - (D) | continuous | numeric-5.0 | 100206 | 9453 | - |
| 40 | PAADVARC | Average minutes per day - recreational activities - (D) | continuous | numeric-6.1 | 96430 | 13229 | - |
| 41 | PAADVOTH | Other activity minutes per week - (D) | continuous | numeric-5.0 | 99597 | 10062 | - |
| 42 | PAADVATH | Average minutes per day - other activities - (D) | continuous | numeric-6.1 | 95519 | 14140 | - |
| 43 | PAADVMVA | Total minutes of moderate to vigorous activity - 7 d - (D) | continuous | numeric-5.0 | 98695 | 10964 | - |
| 44 | PAADVAC2 | Alternate physical activity indicator - (D) | discrete | numeric-1.0 | 98695 | 10964 | - |
| 45 | PAADVACV | Physical activity indicator - (D) | discrete | numeric-1.0 | 98695 | 10964 | - |
| 46 | PAADVVIG | Total minutes of vigorous activity - 7 d - (D) | continuous | numeric-5.0 | 97646 | 12013 | - |
| 47 | PAADVVOL | Volume of weekly activity - 7 d (METs*mins/week) - (D) | continuous | numeric-5.0 | 97646 | 12013 | - |
| 48 | PAADVWHO | Physically active based on WHO guidelines - (D) | discrete | numeric-1.0 | 97646 | 12013 | - |
| 49 | PAADVMON | Was physically active - Monday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 50 | PAADVTUE | Was physically active - Tuesday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 51 | PAADVWED | Was physically active - Wednesday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 52 | PAADVTHU | Was physically active - Thursday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 53 | PAADVFRI | Was physically active - Friday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 54 | PAADVSAT | Was physically active - Saturday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 55 | PAADVSUN | Was physically active - Sunday - (D) | discrete | numeric-1.0 | 97645 | 12014 | - |
| 56 | PAADVDYS | Number of active days - 7 d - (D) | continuous | numeric-2.0 | 97645 | 12014 | - |
| 57 | PAADVWKD | Number of weekdays active - (D) | continuous | numeric-1.0 | 97645 | 12014 | - |
| 58 | PAADVWND | Number of weekend days active - (D) | continuous | numeric-1.0 | 97645 | 12014 | - |

## Group Pap smear test

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPAP | Pap smear test - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PAP_005 | Had a Pap smear test - lifetime | discrete | numeric-1.0 | 7681 | 101978 | Have you ever had a Pap smear test? |
| 3 | PAP_010 | Had a Pap smear test - last time | discrete | numeric-1.0 | 6978 | 102681 | When was the last time? |
| 4 | PAP_015A | No Pap smear test - 3 yrs - lack of time | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Lack of time |
| 5 | PAP_015B | No Pap smear test - 3 yrs - respondent did not think was necessary | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Respondent did not think it was necessary |
| 6 | PAP_015C | No Pap smear test - 3 yrs - doctor did not think was necessary | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Doctor did not think it was necessary |
| 7 | PAP_015D | No Pap smear test - 3 yrs - fear / discomfort | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Feelings of fear or discomfort |
| 8 | PAP_015E | No Pap smear test - 3 yrs - no doctor | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Don't have a doctor |
| 9 | PAP_015F | No Pap smear test - 3 yrs - hysterectomy | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - [Had a complete hysterectomy] |
| 10 | PAP_015G | No Pap smear test - 3 yrs - other | discrete | numeric-1.0 | 1867 | 107792 | What are the reasons that you have not had a Pap smear test in the past 3 years? - Other |

## Group Physical activities for youth

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPAY | Physical activities for youth - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PAY_005A | Physical activities - attend school - 7 d | discrete | numeric-1.0 | 8975 | 100684 | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend school |
| 3 | PAY_005B | Physical activities - attend a day camp - 7 d | discrete | numeric-1.0 | 8975 | 100684 | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend a day camp |
| 4 | PAY_005C | Physical activities - paid or unpaid work - 7 d | discrete | numeric-1.0 | 8975 | 100684 | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend paid or unpaid work |
| 5 | PAY_005D | Physical activities - none of the above - 7 d | discrete | numeric-1.0 | 8975 | 100684 | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - None of the above |
| 6 | PAY_010 | Used active transportation - 7 d | discrete | numeric-1.0 | 8965 | 100694 | In the last 7 days, did you use active ways like walking or cycling to get to places such as [school,] the bus stop, the shopping centre[, work] or to visit friends? |
| 7 | PAY_025 | Did sports / fitness / rec phys act - school / camp - 7 d | discrete | numeric-1.0 | 6869 | 102790 | In the last 7 days, did you do sports, fitness or recreational physical activities |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | while at [school [or day camp], including during physical education classes, during your breaks and any other time you played indoors or outdoors / day camp, including any time you played indoors or outdoors]? |
| 8 | PAY_030 | Sports / fitness / rec phys act - school / camp - sweat | discrete | numeric-1.0 | 5414 | 104245 | Did any of these activities make you sweat at least a little and breathe harder? |
| 9 | PAY_045 | Physical activities - leisure time - 7 d | discrete | numeric-1.0 | 8953 | 100706 | In the last 7 days, did you do physical activities in your leisure time including exercising, playing an organized or non-organized sport or playing with your friends? |
| 10 | PAY_050 | Physical activities - leisure time - sweat | discrete | numeric-1.0 | 6985 | 102674 | Did any of these leisure-time activities make you sweat at least a little and breathe harder? |
| 11 | PAY_065 | Other physical activities - 7 d | discrete | numeric-1.0 | 8934 | 100725 | In the last 7 days, did you do any other physical [activities that you have not already reported / activities], for example, while you [were doing paid or unpaid work / were] helping your family with chores? |
| 12 | PAY_070 | Other physical activities - sweat | discrete | numeric-1.0 | 4311 | 105348 | Did any of these other physical activities make you sweat at least a little and breathe harder? |
| 13 | PAY_090 | Physical activities - vigorous intensity / out of breath | discrete | numeric-1.0 | 8520 | 101139 | You have reported a total of DV_PAYTOTAL minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath? |
| 14 | PAY_095A | Physical activities - vigorous intensity / out of breath - yesterday | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Yesterday |
| 15 | PAY_095B | Physical activities - vigorous intensity / out of breath - 2 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [2 days ago] |
| 16 | PAY_095C | Physical activities - vigorous intensity / out of breath - 3 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [3 days ago] |
| 17 | PAY_095D | Physical activities - vigorous intensity / out of breath - 4 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [4 days ago] |
| 18 | PAY_095E | Physical activities - vigorous intensity / out of breath - 5 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [5 days ago] |
| 19 | PAY_095F | Physical activities - vigorous intensity / out of breath - 6 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [6 days ago] |
| 20 | PAY_095G | Physical activities - vigorous intensity / out of breath - 7 d | discrete | numeric-1.0 | 4412 | 105247 | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [7 days ago] |
| 21 | PAY_100 | Physical activities - vigorous intensity / out of breath - hours | continuous | numeric-3.0 | 4360 | 105299 | (In the last 7 days), how much time in total did you spend doing vigorous activities that caused you to be out of breath? |
| 22 | PAY_105 | Physical activities - vigorous intensity / out of breath - minutes | continuous | numeric-4.0 | 4352 | 105307 | Enter number of minutes |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 23 | PAYDVTTR | Total minutes of active transportation - 7 d - (D) | continuous | numeric-5.0 | 8196 | 101463 | - |
| 24 | PAYDVTSC | Total minutes of physical activity - school / camp - 5 weekdays - (D) | continuous | numeric-5.0 | 8716 | 100943 | - |
| 25 | PAYDVADL | Total minutes of physical activity - leisure - 7 d - (D) | continuous | numeric-5.0 | 8447 | 101212 | - |
| 26 | PAYDVTOA | Total minutes of other activities - 7 d - (D) | continuous | numeric-5.0 | 8770 | 100889 | - |
| 27 | PAYDVTMN | Total physical activity minutes - Monday - (D) | continuous | numeric-4.0 | 7722 | 101937 | - |
| 28 | PAYDVTTU | Total physical activity minutes - Tuesday - (D) | continuous | numeric-4.0 | 7723 | 101936 | - |
| 29 | PAYDVTWD | Total physical activity minutes - Wednesday - (D) | continuous | numeric-4.0 | 7722 | 101937 | - |
| 30 | PAYDVTTH | Total physical activity minutes - Thursday - (D) | continuous | numeric-4.0 | 7723 | 101936 | - |
| 31 | PAYDVTFR | Total physical activity minutes - Friday - (D) | continuous | numeric-4.0 | 7723 | 101936 | - |
| 32 | PAYDVTST | Total physical activity minutes - Saturday - (D) | continuous | numeric-4.0 | 7817 | 101842 | - |
| 33 | PAYDVTSN | Total physical activity minutes - Sunday - (D) | continuous | numeric-4.0 | 7817 | 101842 | - |
| 34 | PAYDVDYS | Total days physically active - (D) | continuous | numeric-2.0 | 7721 | 101938 | - |
| 35 | PAYDVMNS | Total minutes of youth physical activity - 7 d - (D) | continuous | numeric-5.0 | 7721 | 101938 | - |
| 36 | PAYDVAVG | Average number of minutes of physical activity per active day - (D) | continuous | numeric-6.1 | 7721 | 101938 | - |
| 37 | PAYDVTWK | Total physical activity minutes - weekday - 7 d - (D) | continuous | numeric-4.0 | 7721 | 101938 | - |
| 38 | PAYDVTWN | Total physical activity minutes - weekend - 7 d - (D) | continuous | numeric-4.0 | 7817 | 101842 | - |
| 39 | PAYDVDPG | Number of days meeting or exceeding physical activity guidelines - (D) | continuous | numeric-2.0 | 7721 | 101938 | - |
| 40 | PAYDVPAI | Youth physical activity indicator - (D) | discrete | numeric-1.0 | 7721 | 101938 | - |
| 41 | PAYDVVIG | Total minutes of vigorous activity - youth - 7 d - (D) | continuous | numeric-5.0 | 7552 | 102107 | - |
| 42 | PAYDVWK1 | Physical activity - special weekly guideline 1 - (D) | discrete | numeric-1.0 | 7721 | 101938 | - |
| 43 | PAYDVWK2 | Physical activity - special weekly guideline 2 - (D) | discrete | numeric-1.0 | 7721 | 101938 | - |
| 44 | PAYDVWK3 | Physical activity - special weekly guideline 3 - (D) | discrete | numeric-1.0 | 7721 | 101938 | - |
| 45 | PAYDVPAG | Meet Canadian Physical Activity Guidelines - (D) | discrete | numeric-1.0 | 7629 | 102030 | - |

# Group Physical check-up

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPCU | Physical check-up - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PCU_005 | Had a general physical check-up - lifetime | discrete | numeric-1.0 | 27235 | 82424 | Have you ever had a general physical check-up? |
| 3 | PCU_010 | General physical check-up - frequency | discrete | numeric-2.0 | 23436 | 86223 | How often do you usually have a general physical check-up? |
| 4 | PCU_015 | General physical check-up - last time | discrete | numeric-1.0 | 23287 | 86372 | When was the last time? |
| 5 | PCU_020A | No physical check-up - 3 yrs - no doctor | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Don't have a doctor |
| 6 | PCU_020B | No physical check-up - 3 yrs - lack of time | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Lack of time |
| 7 | PCU_020C | No physical check-up - 3 yrs - respondent didn't think necessary | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Respondent did not think it was necessary |
| 8 | PCU_020D | No physical check-up - 3 yrs - doctor didn't think necessary | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor did not think it was necessary |
| 9 | PCU_020E | No physical check-up - 3 yrs - fear / discomfort | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Feelings of fear or discomfort |
| 10 | PCU_020F | No physical check-up - 3 yrs - other | discrete | numeric-1.0 | 6871 | 102788 | What are the reasons that you have not had a general physical check-up in the past 3 years? - Other |
| 11 | PCU_025 | Last physical check-up - weighed | discrete | numeric-1.0 | 20049 | 89610 | During your last general physical check-up, did a health professional: weigh you? |
| 12 | PCU_030 | Last physical check-up - measured height | discrete | numeric-1.0 | 19906 | 89753 | During your last general physical check-up, did a health professional: measure your height? |
| 13 | PCU_035 | Last physical check-up - checked blood pressure | discrete | numeric-1.0 | 20125 | 89534 | During your last general physical check-up, did a health professional: check your blood pressure? |
| 14 | PCU_040 | Last physical check-up - discussed health risks due to weight | discrete | numeric-1.0 | 20126 | 89533 | During your last general physical check-up, did a health professional: discuss with you any risks that your weight might pose to your health? |
| 15 | PCU_045 | Last physical check-up - recommended cholesterol test | discrete | numeric-1.0 | 19988 | 89671 | During your last general physical check-up, did a health professional: recommend that your level of cholesterol be tested? |

## Group Patient experiences

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPEX | Patient experiences - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | = |
| 2 | PEX_005 | Most recent consultation with a health professional | discrete | numeric-2.0 | 102501 | 7158 | When was the last time that you had a consultation with any health professional about your own health? Exclude care you got when you stayed |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | overnight in a hospital, dental care visits, accident or emergency care, or care received in your home. |
| 3 | PEX_010 | Last consultation with health professional - who | discrete | numeric-1.0 | 83444 | 26215 | Thinking about this last consultation, who did you receive care from? |
| 4 | PEX_015 | Last consultation with health professional - place | discrete | numeric-2.0 | 82792 | 26867 | Where did this last consultation take place? |
| 5 | PEX_020 | Last consultation - place - usual place for immediate care | discrete | numeric-1.0 | 77685 | 31974 | Is this the place that you usually go to for most of your immediate care for a minor health problem? |
| 6 | PEX_025 | Last consultation - needed to make an appt | discrete | numeric-1.0 | 77674 | 31985 | Did you need to make an appointment to obtain this last consultation? |
| 7 | PEX_030 | Last consultation - timeframe of getting appt | discrete | numeric-2.0 | 61864 | 47795 | How quickly did you get this appointment? |
| 8 | PEX_035 | Last consultation - wait time getting appt problematic | discrete | numeric-1.0 | 56125 | 53534 | Was the time you waited for the appointment a problem for you? |
| 9 | PEX_040 | Last consultation - appt on scheduled time | discrete | numeric-1.0 | 63817 | 45842 | Were you seen by the [general practitioner / medical specialist / nurse / health professional] [at / (or a nurse) at] the scheduled time of your appointment? |
| 10 | PEX_045 | Last consultation - wait time | discrete | numeric-1.0 | 15098 | 94561 | How long did you wait between the time of your appointment and the time you were seen by the [general practitioner / medical specialist / nurse / health professional]? |
| 11 | PEX_050 | Last consultation - wait time problematic | discrete | numeric-1.0 | 12804 | 96855 | Was the time you waited a problem for you? |
| 12 | PEX_055 | Last consultation - professional spent enough time | discrete | numeric-1.0 | 77675 | 31984 | Did the [general practitioner / medical specialist / nurse / health professional] spend enough time with you during this last consultation? |
| 13 | PEX_060 | Last consultation - blood pressure checked | discrete | numeric-1.0 | 72608 | 37051 | Was your blood pressure measured (during this last consultation)? |
| 14 | PEX_065 | Last consultation - prof explained things in an easy way to understand | discrete | numeric-1.0 | 77603 | 32056 | Did this [general practitioner / medical specialist / nurse / health professional] explain things in a way that was easy to understand? |
| 15 | PEX_070 | Last consultation - opportunity to ask questions / raise concerns | discrete | numeric-1.0 | 77529 | 32130 | Did this [general practitioner / medical specialist / nurse / health professional] give you an opportunity to ask questions or raise concerns about your care or recommended treatment? |
| 16 | PEX_075 | Last consultation - involved in decisions | discrete | numeric-1.0 | 76983 | 32676 | Did this [general practitioner / medical specialist / nurse / health professional] involve you as much as you could have been in decisions about your care or treatment? |
| 17 | PEX_080 | Last consultation - informed on cost / lower cost alternatives | discrete | numeric-1.0 | 77248 | 32411 | Did this [general practitioner / medical specialist / nurse / health professional] tell you how much the recommended treatment would cost, or whether any lower cost alternatives were available? |
| 18 | PEX_085 | Last consultation - overall quality rating | discrete | numeric-1.0 | 83394 | 26265 | Overall, how would you rate the quality of this consultation? |
| 19 | PEX_090 | Didn't fill / skipped prescription medication - cost - 12 mo | discrete | numeric-1.0 | 104939 | 4720 | During the last 12 months, was there a time when you did not fill or collect a prescription for medicine, or you |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | skipped doses of your medicine because of the cost? |

## Group Primary health care

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPHC | Primary health care - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PHC_005 | Usual place for immediate care for minor problem | discrete | numeric-1.0 | 108991 | 668 | Is there a place that you usually go to when you need immediate care for a minor health problem? |
| 3 | PHC_010 | Usual place for immediate care for minor problem - type | discrete | numeric-2.0 | 96477 | 13182 | What kind of place is it? |
| 4 | PHC_015 | Usual place for immediate care - doctor's office - type | discrete | numeric-1.0 | 51053 | 58606 | Is this... ? |
| 5 | PHC_020 | Has a regular health care provider | discrete | numeric-1.0 | 108624 | 1035 | Do you have a regular health care provider? By this, we mean one health professional that you regularly see or talk to when you need care or advice for your health. |
| 6 | PHC_025A | No regular health care provider - no need | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - Do not need one in particular, but you have a usual place of care |
| 7 | PHC_025B | No regular health care provider - no one available in the area | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - No one available in the area |
| 8 | PHC_025C | No regular health care provider - no one is taking new patients | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - No one in the area is taking new patients |
| 9 | PHC_025D | No regular health care provider - didn't try to find one | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - You have not tried to find one |
| 10 | PHC_025E | No regular health care provider - left / retired | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - Had one who left or retired |
| 11 | PHC_025F | No regular health care provider - other | discrete | numeric-1.0 | 16993 | 92666 | What are the reasons why you do not have a regular health care provider? - Other |
| 12 | PHC_030 | Type of regular health care provider | discrete | numeric-1.0 | 91164 | 18495 | Is that regular health care provider a... ? |
| 13 | PHC_035 | Immediate care for minor problem - waiting time | discrete | numeric-2.0 | 85096 | 24563 | When you need immediate care for a minor health problem, how long do you usually have to wait before you can have an appointment with this [family physician / specialist / nurse practitioner / regular health care provider / or another care provider from the same office] ? |
| 14 | PHC_040 | Regular health care provider - language of communication | discrete | numeric-2.0 | 91183 | 18476 | Do you usually speak in English, in French or in another language with this [family physician / specialist / nurse practitioner / regular health care provider] ? |
| 15 | PHC_045 | Regular health care provider - nurses involved | discrete | numeric-1.0 | 87183 | 22476 | Is there one or more nurses working with your [family physician / specialist / nurse practitioner / regular health care |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|---|---|---|---|---|---|---|
| | | | | | | | provider] who are regularly involved in your health care? |
| 16 | PHC_050 | Other health professionals in the same office | discrete | numeric-1.0 | 30019 | 79640 | Other than doctors and nurses, are there other health professionals like nutritionists working in the same office where you get your regular health care? |
| 17 | PHC_055A | Other regular health care providers - another doctor / practitioner | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Another family doctor or general practitioner |
| 18 | PHC_055B | Other regular health care providers - specialist | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Specialist doctor |
| 19 | PHC_055C | Other regular health care providers - nurse | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Nurse / Nurse practitioner |
| 20 | PHC_055D | Other regular health care providers - chiropractor | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Chiropractor |
| 21 | PHC_055E | Other regular health care providers - registered dietician | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Registered dietician |
| 22 | PHC_055F | Other regular health care providers - pharmacist | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Pharmacist |
| 23 | PHC_055G | Other regular health care providers - physiotherapist | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Physiotherapist |
| 24 | PHC_055H | Other regular health care providers - psychologist | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Psychologist / Mental Health Professional |
| 25 | PHC_055I | Other regular health care providers - social worker | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Social Worker |
| 26 | PHC_055J | Other regular health care providers - other | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Other |
| 27 | PHC_055K | Other regular health care providers - none | discrete | numeric-1.0 | 90921 | 18738 | Other than from your [family physician / specialist / nurse practitioner / regular |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | health care provider], who do you receive regular health care from? - None |
| 28 | PHC_060 | Coordination level between regular health care provider and others | discrete | numeric-2.0 | 47582 | 62077 | In general, how would you rate the level of coordination between your [family physician / specialist / nurse practitioner / regular health care provider] and other health professionals who provide you with regular care? Would you say the coordination is... ? |

## Group Person most knowledgeable about household situation

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPMK | Person most knowledgeable about household - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PMKPROXY | Person most knowledgeable about household - (F) | discrete | numeric-1.0 | 8538 | 101121 | - |

## Group Prostate cancer screening

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPSA | Prostate cancer screening - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | PSA_005 | Had a PSA blood test - lifetime | discrete | numeric-1.0 | 2517 | 107142 | Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test? |
| 3 | PSA_010 | Had a PSA blood test - last time | discrete | numeric-1.0 | 1556 | 108103 | When was the last time? |
| 4 | PSA_015A | PSA test - reason - family history of prostate cancer | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Family history of prostate cancer |
| 5 | PSA_015B | PSA test - reason - regular check-up | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Part of regular check-up / routine screening |
| 6 | PSA_015C | PSA test - reason - age | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Age |
| 7 | PSA_015E | PSA test - reason - follow-up of problem | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Follow-up of problem |
| 8 | PSA_015F | PSA test - reason - follow-up of prostate cancer treatment | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Follow-up of prostate cancer treatment |
| 9 | PSA_015G | PSA test - reason - other | discrete | numeric-1.0 | 1566 | 108093 | Why did you have it? - Other |
| 10 | PSA_020 | Had a digital rectal exam - lifetime | discrete | numeric-1.0 | 2593 | 107066 | A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam? |
| 11 | PSA_025 | Had a digital rectal exam - last time | discrete | numeric-1.0 | 1650 | 108009 | When was the last time? |

## Group Patient satisfaction - community-based care

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOPSC | Patient satisfaction - community-based care - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 2 | PSC_005 | Received any community-based care - 12 mo | discrete | numeric-1.0 | 12010 | 97649 | In the past 12 months, have you received any community-based care? |
| 3 | PSC_010 | Community-based care - quality rating | discrete | numeric-1.0 | 982 | 108677 | Overall, how would you rate the quality of the community-based care you received? Would you say it was...? |
| 4 | PSC_015 | Community-based care - level of satisfaction | discrete | numeric-1.0 | 976 | 108683 | Using a scale of 0 to 5, where 0 means "Very dissatisfied" and 5 means "Very satisfied", overall, how satisfied were you with the way community-based care was provided? |
| 5 | PSC_020 | Received home nursing care - 12 mo | discrete | numeric-1.0 | 985 | 108674 | In the past 12 months, have you received any home nursing care? |
| 6 | PSCG025 | Home nursing care - quality rating | discrete | numeric-1.0 | 95 | 109564 | Overall, how would you rate the quality of the home nursing care you received? Would you say it was...? |
| 7 | PSC_035 | Received home-based counselling / therapy - 12 mo | discrete | numeric-1.0 | 985 | 108674 | In the past 12 months, have you received any home-based counselling or therapy? |
| 8 | PSCG040 | Home-based counselling / therapy - quality rating | discrete | numeric-1.0 | 57 | 109602 | Overall, how would you rate the quality of the home-based counselling or therapy you received? Would you say it was...? |
| 9 | PSC_050 | Received personal care services - 12 mo | discrete | numeric-1.0 | 986 | 108673 | In the past 12 months, have you received any personal care services? |
| 10 | PSCG055 | Personal care services - quality rating | discrete | numeric-1.0 | 113 | 109546 | Overall, how would you rate the quality of the personal care service you received? Would you say it was...? |
| 11 | PSC_065 | Received services from a community walk-in clinic - 12 mo | discrete | numeric-1.0 | 982 | 108677 | In the past 12 months, have you received any services from a community walk-in clinic? |
| 12 | PSC_070 | Services from a community walk-in clinic - quality rating | discrete | numeric-1.0 | 308 | 109351 | Overall, how would you rate the quality of the service you received at the community walk-in clinic? Would you say it was...? |
| 13 | PSC_075 | Services from a community walk-in clinic - level of satisfaction | discrete | numeric-1.0 | 308 | 109351 | Using a scale of 0 to 5, where 0 means "Very dissatisfied" and 5 means "Very satisfied", overall, how satisfied were you with the way the community walk-in clinic service was provided? |

## Group Sedentary activities

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSAC | Sedentary activities - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SACG005 | Num of hours - reading (including electronic format) - 7 d | discrete | numeric-2.0 | 48607 | 61052 | In the last 7 days, how much of your free time did you spend: reading books, magazines or newspapers, including in electronic formats? Include time spent reading as part of your homework, but do not include time spent reading at work, during class time, during transportation or while exercising. |
| 3 | SACG010 | Num of hours - watching TV / movies / Internet videos - 7 d | discrete | numeric-2.0 | 48523 | 61136 | In the last 7 days, how much of your free time did you spend: watching TV, DVDs, movies or Internet videos? Please do not include time spent watching while exercising. |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | SACG015 | Num of hours - playing video games requiring physical activity - 7 d | discrete | numeric-1.0 | 48978 | 60681 | In the last 7 days, how much of your free time did you spend: playing video games that require physical activity, such as Wii Fit, Xbox Kinect or the game "Just Dance"? |
| 5 | SACG020 | Num of hours - playing other video / computer games - 7 d | discrete | numeric-2.0 | 48881 | 60778 | In the last 7 days, how much of your free time did you spend: playing other video or computer games? Include games played on a game console, computer or hand-held electronic device such as a tablet or smart phone. |
| 6 | SACG025 | Num of hours - computer / tablet / smart phone - 7 d | discrete | numeric-2.0 | 48637 | 61022 | SACG025 question details |
| 7 | SACDVTER | Total number hours / week - sedentary activities (excl reading) - (D) | discrete | numeric-2.0 | 48168 | 61491 | - |
| 8 | SACDVTOT | Total number hours / week - sedentary activities - (D) | discrete | numeric-2.0 | 47911 | 61748 | - |

## Group Sample variables

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | VERDATE | Date of file creation | discrete | character-8 | 109659 | 0 | - |

## Group Smoking cessation methods

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSCA | Smoking cessation methods - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SCA_005 | Reduced / quit smoking - nicotine patch - 12 mo | discrete | numeric-1.0 | 86 | 109573 | In the past 12 months, did you try a nicotine patch to reduce or quit smoking? |
| 3 | SCA_025 | Reduced / quit smoking - medication - 12 mo | discrete | numeric-1.0 | 86 | 109573 | In the past 12 months, did you try medication such as Zyban, Wellbutrin or Champix to reduce or quit smoking? |
| 4 | SCA_035 | Stopped smoking for at least 24 hours - 12 mo | discrete | numeric-1.0 | 1196 | 108463 | In the past 12 months, did you stop smoking for at least 24 hours because you were trying to reduce or quit? |
| 5 | SCA_040 | Tried to reduce / quit smoking - nicotine patch - 12 mo | discrete | numeric-1.0 | 594 | 109065 | In the past 12 months, did you try any of the following to reduce or quit smoking: a nicotine patch? |
| 6 | SCA_045 | Tried to reduce / quit smoking - nicotine gum - 12 mo | discrete | numeric-1.0 | 594 | 109065 | (In the past 12 months, did you try any of the following to reduce or quit smoking:) nicotine gum such as Nicorette? |
| 7 | SCA_050 | Tried to reduce / quit smoking - medication - 12 mo | discrete | numeric-1.0 | 593 | 109066 | (In the past 12 months, did you try any of the following to reduce or quit smoking:) medication such as Zyban, Wellbutrin or Champix? |
| 8 | SCADVQUI | Attempted / successful quitting smoking - (D) | discrete | numeric-1.0 | 2279 | 107380 | - |

## Group Smoking - stages of change

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSCH | Smoking - stages of change - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SCH_005 | Considers quitting smoking - next 6 months | discrete | numeric-1.0 | 202 | 109457 | Are you seriously considering quitting smoking within the next 6 months? |
| 3 | SCH_010 | Considers quitting smoking - next 30 days | discrete | numeric-1.0 | 136 | 109523 | Are you seriously considering quitting within the next 30 days? |
| 4 | SCH_015 | Stopped smoking for at least 24 hours - 12 mo | discrete | numeric-1.0 | 203 | 109456 | In the past 12 months, did you stop smoking for at least 24 hours because you were trying to cut back or quit? |
| 5 | SCH_020 | Stopped smoking for at least 24 hours - num of times - 12 mo | continuous | numeric-2.0 | 106 | 109553 | How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to cut back or quit.) |
| 6 | SCHDVSTG | Smoking stages of change (Current and Former Smokers) - (D) | discrete | numeric-1.0 | 436 | 109223 | - |

## Group Socio-demographic characteristics

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSDC | Socio-demographic characteristics - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SDC_015 | Aboriginal - First nations / M?tis / Inuk (Inuit) | discrete | numeric-1.0 | 90452 | 19207 | Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians. |
| 3 | SDC_025 | Knowledge of official languages | discrete | numeric-1.0 | 107386 | 2273 | Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... ? |
| 4 | SDC_035 | Considers self heterosexual / homosexual / bisexual | discrete | numeric-1.0 | 98413 | 11246 | Do you consider yourself to be... ? |
| 5 | SDCDGCB | Country of birth - grouped - (D) | discrete | numeric-1.0 | 106309 | 3350 | See documentation on derived variables. |
| 6 | SDCDVIMM | Immigrant flag - (D) | discrete | numeric-1.0 | 106243 | 3416 | - |
| 7 | SDCDGRES | Length of time in Canada since immigration - (D) | discrete | numeric-1.0 | 14626 | 95033 | - |
| 8 | SDCDGCGT | Cultural / racial background - (D) | discrete | numeric-1.0 | 100293 | 9366 | - |
| 9 | SDCDGLHM | Language(s) spoken most often at home - (D) | discrete | numeric-1.0 | 107350 | 2309 | - |
| 10 | SDCDVFLS | First official language spoken - (D) | discrete | numeric-1.0 | 106576 | 3083 | - |

## Group Sleep

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSLP | Sleep - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SLPG005 | Number of hours per night usually spent sleeping | discrete | numeric-2.0 | 41455 | 68204 | How long do you usually spend sleeping each night? |
| 3 | SLP_010 | Trouble going to sleep or staying asleep - frequency | discrete | numeric-1.0 | 41671 | 67988 | How often do you have trouble going to sleep or staying asleep? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | SLP_015 | Refreshing sleep - frequency | discrete | numeric-1.0 | 41577 | 68082 | How often do you find your sleep refreshing? |
| 5 | SLP_020 | Difficulty staying awake - frequency | discrete | numeric-1.0 | 41497 | 68162 | How often do you find it difficult to stay awake when you want to? |

## Group Smoking

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSMK | Smoking - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SMK_005 | Type of smoker (daily / occasionally / not at all) - presently | discrete | numeric-1.0 | 109583 | 76 | At the present time, do you smoke cigarettes every day, occasionally or not at all? |
| 3 | SMK_010 | Smoked - 30 d | discrete | numeric-1.0 | 94192 | 15467 | In the past 30 days, did you smoke any cigarettes? |
| 4 | SMK_015 | Smoked daily - 30 d | discrete | numeric-1.0 | 20214 | 89445 | During the past 30 days, did you smoke every day? |
| 5 | SMK_020 | Smoked more than 100 cigarettes - lifetime | discrete | numeric-1.0 | 109373 | 286 | Have you smoked more than 100 cigarettes (about 4 packs) in your life? |
| 6 | SMK_025 | Smoked a whole cigarette - lifetime | discrete | numeric-1.0 | 57568 | 52091 | Have you ever smoked a whole cigarette? |
| 7 | SMK_030 | Smoked daily - lifetime (occasional / former smoker) | discrete | numeric-1.0 | 35569 | 74090 | Have you ever smoked cigarettes daily? |
| 8 | SMKG035 | Age - smoked first whole cigarette | discrete | numeric-2.0 | 109659 | 0 | At what age did you smoke your first whole cigarette? |
| 9 | SMKG040 | Age - began smoking daily (daily / former daily smoker) | discrete | numeric-2.0 | 45197 | 64462 | At what age did you begin to smoke cigarettes daily? |
| 10 | SMK_045 | Num of cigarettes smoked each day (daily smoker) | continuous | numeric-3.0 | 15264 | 94395 | How many cigarettes do you smoke each day now? |
| 11 | SMK_050 | Num of cigarettes smoked per day (occasional smoker) | continuous | numeric-3.0 | 4817 | 104842 | On the days that you do smoke, how many cigarettes do you usually smoke? |
| 12 | SMK_055 | Num of days - smoked 1 cigarette or more (occasional smoker) - 1 mo | continuous | numeric-2.0 | 4797 | 104862 | In the past month, on how many days have you smoked one or more cigarettes? |
| 13 | SMK_060 | Stopped smoking - when (former smoker but never daily) | discrete | numeric-1.0 | 3115 | 106544 | When did you stop smoking? Was it...? |
| 14 | SMK_075 | Num of cigarettes smoked daily (former daily smoker) | continuous | numeric-3.0 | 27364 | 82295 | When you smoked every day, how many cigarettes did you usually smoke each day? |
| 15 | SMK_080 | Stopped smoking daily - when (former daily smoker) | discrete | numeric-1.0 | 28177 | 81482 | When did you stop smoking daily? Was it...? |
| 16 | SMKG090 | Stopped smoking daily - num of years (former daily smoker) | discrete | numeric-1.0 | 24321 | 85338 | How many years ago was it? |
| 17 | SMK_095 | Quit smoking completely (former daily smoker) | discrete | numeric-1.0 | 28173 | 81486 | Was that when you completely quit smoking? |
| 18 | SMK_100 | Quit smoking completely - when (former daily smoker) | discrete | numeric-1.0 | 858 | 108801 | When did you stop smoking completely? Was it...? |
| 19 | SMKG110 | Quit smoking completely - num of years (former daily smoker) | discrete | numeric-1.0 | 552 | 109107 | How many years ago was it? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 20 | SMKDVSTY | Smoking status (type 2) - traditional definition - (D) | discrete | numeric-2.0 | 109198 | 461 | - |
| 21 | SMKDGYCS | Number of years smoked daily (current daily smokers only) - (D) | discrete | numeric-1.0 | 15099 | 94560 | - |
| 22 | SMKDGSTP | Number of years since stopped smoking completely - (D) | discrete | numeric-1.0 | 31001 | 78658 | - |

## Group Spirometry

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSPI | Spirometry - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SPI_005 | Had a spirometry test - lifetime | discrete | numeric-1.0 | 939 | 108720 | Spirometry is a common lung function test that consists of blowing into a small tube attached to a machine. Have you ever had this test? |
| 3 | SPI_010 | Had spirometry test - last time | discrete | numeric-1.0 | 261 | 109398 | When was the last time? |

## Group Social provisions

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSPS | Social provisions - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SPS_005 | Relationships - people to depend on for help | discrete | numeric-1.0 | 15497 | 94162 | There are people I can depend on to help me if I really need it. |
| 3 | SPS_010 | Relationships - people who enjoy same social activities | discrete | numeric-1.0 | 15423 | 94236 | There are people who enjoy the same social activities I do. |
| 4 | SPS_015 | Relationships - sense of emotional security and wellbeing | discrete | numeric-1.0 | 15405 | 94254 | I have close relationships that provide me with a sense of emotional security and wellbeing. |
| 5 | SPS_020 | Relationships - someone to talk to about important decisions | discrete | numeric-1.0 | 15480 | 94179 | There is someone I could talk to about important decisions in my life. |
| 6 | SPS_025 | Relationships - competence and skill are recognized | discrete | numeric-1.0 | 15311 | 94348 | I have relationships where my competence and skill are recognized. |
| 7 | SPS_030 | Relationships - trustworthy person for advice | discrete | numeric-1.0 | 15464 | 94195 | There is a trustworthy person I could turn to for advice if I were having problems. |
| 8 | SPS_035 | Relationships - part of a group who share attitudes and beliefs | discrete | numeric-1.0 | 15400 | 94259 | I feel part of a group of people who share my attitudes and beliefs. |
| 9 | SPS_040 | Relationships - strong emotional bond with a least one person | discrete | numeric-1.0 | 15453 | 94206 | I feel a strong emotional bond with at least one other person. |
| 10 | SPS_045 | Relationships - talents and abilities are admired | discrete | numeric-1.0 | 15148 | 94511 | There are people who admire my talents and abilities. |
| 11 | SPS_050 | Relationships - people to count on in an emergency | discrete | numeric-1.0 | 15490 | 94169 | There are people I can count on in an emergency |
| 12 | SPSDVGUI | Social provisions scale - guidance - (D) | continuous | numeric-2.0 | 15429 | 94230 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 13 | SPSDVINT | Social provisions scale - social integration - (D) | continuous | numeric-2.0 | 15316 | 94343 | - |
| 14 | SPSDVATT | Social provisions scale - attachment - (D) | continuous | numeric-2.0 | 15353 | 94306 | - |
| 15 | SPSDVWOR | Social provisions scale - reassurance of worth - (D) | continuous | numeric-2.0 | 15017 | 94642 | - |
| 16 | SPSDVALL | Social provisions scale - reliable alliance - (D) | continuous | numeric-2.0 | 15456 | 94203 | - |
| 17 | SPSDVCON | Social provisions overall scale - (D) | continuous | numeric-2.0 | 14758 | 94901 | - |

## Group Sun safety behaviours

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSSB | Sun safety behaviours - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SSB_005 | Sunburn - 12 mo | discrete | numeric-1.0 | 64428 | 45231 | In the past 12 months, has any part of your body been sunburnt? |
| 3 | SSB_010 | Time spent daily in the sun 10am to 4pm - days off - summer | discrete | numeric-2.0 | 63676 | 45983 | About how much time each day do you spend in the sun between 10 am and 4 pm? |
| 4 | SSB_015 | Seek shade - frequency | discrete | numeric-1.0 | 48178 | 61481 | In the summer months, on a typical weekend or day off, when you are in the sun for periods of 30 minutes or more, how often do you: seek shade? |
| 5 | SSB_020 | Wears hat - frequency | discrete | numeric-1.0 | 48337 | 61322 | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear a hat that shades your face, ears and neck? |
| 6 | SSB_025 | Wears long pants / skirt - frequency | discrete | numeric-1.0 | 48289 | 61370 | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear long pants [or a long skirt]? |
| 7 | SSB_030 | Wears sunglasses - frequency | discrete | numeric-1.0 | 48335 | 61324 | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear sunglasses? |
| 8 | SSB_035 | Uses sunscreen on face - frequency | discrete | numeric-1.0 | 48355 | 61304 | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: use sunscreen on your face? |
| 9 | SSB_040 | Uses sunscreen on face - SPF | discrete | numeric-1.0 | 26683 | 82976 | What Sun Protection Factor (SPF) do you usually use on your face? |
| 10 | SSB_045 | Uses sunscreen on body - frequency | discrete | numeric-1.0 | 48304 | 61355 | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: use sunscreen on your body? |
| 11 | SSB_050 | Uses sunscreen on body - SPF | discrete | numeric-1.0 | 24671 | 84988 | What Sun Protection Factor (SPF) do you usually use on your body? |
| 12 | SSB_055 | Used tanning bed or booth - 12 mo | discrete | numeric-1.0 | 64392 | 45267 | In the past 12 months, have you used a tanning bed or booth with tanning lamps? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 13 | SSB_060 | Used tanning bed or booth - frequency | continuous | numeric-3.0 | 2199 | 107460 | How often? |
| 14 | SSB_060A | Used tanning bed or booth - reporting period | discrete | numeric-1.0 | 2195 | 107464 | Select the reporting period. |
| 15 | SSB_065 | Used tanning bed or booth - main reason | discrete | numeric-2.0 | 2198 | 107461 | What is the main reason that you use tanning beds or booths with lamps? |
| 16 | SSBDVPRT | Respondent protects self from sun - (D) | discrete | numeric-1.0 | 61235 | 48424 | - |

## Group Suicidal thoughts and attempts

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSUI | Suicidal thoughts and attempts - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SUI_005 | Has considered suicide - lifetime | discrete | numeric-1.0 | 101946 | 7713 | Have you ever seriously contemplated suicide? |
| 3 | SUI_010 | Considered suicide - 12 mo | discrete | numeric-1.0 | 13604 | 96055 | Has this happened in the past 12 months? |

## Group Satisfaction with life

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSWL | Satisfaction with life - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SWL_005 | Satisfaction - job / main activity | discrete | numeric-1.0 | 12727 | 96932 | How satisfied are you with your job or main activity? |
| 3 | SWL_010 | Satisfaction - leisure activities | discrete | numeric-1.0 | 12674 | 96985 | How satisfied are you with your leisure activities? |
| 4 | SWL_015 | Satisfaction - financial situation | discrete | numeric-1.0 | 12619 | 97040 | (How satisfied are you) with your financial situation? |
| 5 | SWL_020 | Satisfaction - with oneself | discrete | numeric-1.0 | 12659 | 97000 | (How satisfied are you) with yourself? |
| 6 | SWL_025 | Satisfaction - body image | discrete | numeric-1.0 | 12667 | 96992 | How satisfied are you with the way your body looks? |
| 7 | SWL_030 | Satisfaction - relationships with family members | discrete | numeric-1.0 | 12680 | 96979 | (How satisfied are you) with your relationships with family members? |
| 8 | SWL_035 | Satisfaction - relationships with friends | discrete | numeric-1.0 | 12677 | 96982 | (How satisfied are you) with your relationships with friends? |
| 9 | SWL_040 | Satisfaction - housing | discrete | numeric-1.0 | 12703 | 96956 | How satisfied are you with your housing? |
| 10 | SWL_045 | Satisfaction - neighbourhood | discrete | numeric-1.0 | 12678 | 96981 | (How satisfied are you) with your neighbourhood? |

## Group Sexual behaviours

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOSXB | Sexual behaviours - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | SXB_005 | Had sexual intercourse - lifetime | discrete | numeric-1.0 | 71954 | 37705 | Have you ever had sex? Please include vaginal and anal sex. |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 3 | SXB_010 | Had sex with males / females / both - lifetime | discrete | numeric-1.0 | 65152 | 44507 | During your lifetime, have you had sex with...? |
| 4 | SXB_025 | First sexual intercourse with a female - used a condom | discrete | numeric-1.0 | 29111 | 80548 | Did you or your (female) partner use a condom the first time (you had sex)? |
| 5 | SXB_030 | Had sex with a female - 12 mo | discrete | numeric-1.0 | 31796 | 77863 | In the past 12 months, have you had sex with a female? |
| 6 | SXB_055 | First sexual intercourse with a male - used a condom | discrete | numeric-1.0 | 34284 | 75375 | Did you or your (male) partner use a condom the first time (you had sex)? |
| 7 | SXB_060 | Had sex with a male - 12 mo | discrete | numeric-1.0 | 35289 | 74370 | In the past 12 months, have you had sex with a male? |
| 8 | SXB_075 | Last sex partner - male / female | discrete | numeric-1.0 | 718 | 108941 | Was your last sex partner a male or female? |
| 9 | SXB_080 | Last sexual intercourse - used a condom | discrete | numeric-1.0 | 63505 | 46154 | Did you or your partner use a condom the last time you had sex? |
| 10 | SXB_085A | Used condom - reason - to protect against STI | discrete | numeric-1.0 | 15814 | 93845 | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - To protect against sexually transmitted infections, including HIV |
| 11 | SXB_085B | Used condom - reason - to prevent pregnancy | discrete | numeric-1.0 | 15814 | 93845 | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - To prevent pregnancy |
| 12 | SXB_085C | Used condom - reason - to protection against STI and prevent pregnancy | discrete | numeric-1.0 | 15814 | 93845 | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - Both to protect against sexually transmitted infections and to prevent pregnancy |
| 13 | SXB_085D | Used condom - reason - other | discrete | numeric-1.0 | 15814 | 93845 | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - Other - Specify |
| 14 | SXB_090A | No condom - reason - respondent/partner trying to get pregnant | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was or my partner was trying to get pregnant |
| 15 | SXB_090B | No condom - reason - respondent/partner already pregnant | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was or my partner was already pregnant |
| 16 | SXB_090C | No condom - reason - didn't think at risk of pregnancy | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not think we were at risk of pregnancy |
| 17 | SXB_090D | No condom - reason - din't think at risk of STI | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not think we were at risk of sexually transmitted infections, including HIV |
| 18 | SXB_090E | No condom - reason - in a monogamous relationship | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was in a monogamous relationship |
| 19 | SXB_090F | No condom - reason - didn't have condoms / other protection | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not have a condom or other protection at the time |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 20 | SXB_090G | No condom - reason - used another method of protection | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - We used another method of protection |
| 21 | SXB_090H | No condom - reason - didn't like condoms | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - We didn't like condoms |
| 22 | SXB_090I | No condom - reason - other | discrete | numeric-1.0 | 47063 | 62596 | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Other - Specify |
| 23 | SXB_095A | Other methods of protection - withdrawal or pulling out | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Withdrawal or pulling out |
| 24 | SXB_095B | Other methods of protection - vasectomy / tubal sterilization | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Vasectomy or tubal sterilization ("tubes tied") |
| 25 | SXB_095C | Other methods of protection - birth control pill | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Birth control pill |
| 26 | SXB_095D | Other methods of protection - injection | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Injection (e.g., Depo-ProveraTM) |
| 27 | SXB_095E | Other methods of protection - spermicidal foam / jelly / cream / film | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Spermicidal foam, jelly, cream, film, suppository |
| 28 | SXB_095F | Other methods of protection - hormonal implant | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Hormonal implant |
| 29 | SXB_095G | Other methods of protection - rhythm method | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Rhythm method (tracking ovulation cycle) |
| 30 | SXB_095H | Other methods of protection - contraceptive patch | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Contraceptive Patch (e.g., Ortho-EvraTM) |
| 31 | SXB_095I | Other methods of protection - vaginal contraceptive ring | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Vaginal contraceptive ring (e.g., Nuva-ringTM) |
| 32 | SXB_095J | Other methods of protection - intrauterine device / coil / loop | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Intrauterine Device (IUD) (e.g., MirenaTM), coil, loop |
| 33 | SXB_095K | Other methods of protection - none | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - None |
| 34 | SXB_095L | Other methods of protection - other | discrete | numeric-1.0 | 62972 | 46687 | What other methods of protection did you and your partner use the last time you had sex? - Other - Specify |
| 35 | SXB_100 | Used emergency contraceptive pill - 12 mo | discrete | numeric-1.0 | 21043 | 88616 | In the past 12 months, did you use the emergency contraceptive pill? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 36 | SXB_105 | Used emergency contraceptive pill - num of times - 12 mo | discrete | numeric-1.0 | 721 | 108938 | How many times (did you use the emergency contraceptive pill in the past 12 months)? |
| 37 | SXB_110 | Had an HIV test - lifetime | discrete | numeric-1.0 | 64232 | 45427 | Have you ever had a test for HIV, other than for blood donation? |
| 38 | SXB_115 | Most recent HIV test - when | discrete | numeric-1.0 | 23038 | 86621 | When was your most recent HIV test? |
| 39 | SXB_120 | Most recent HIV test - main reason | discrete | numeric-2.0 | 23066 | 86593 | What was the main reason you had this test for HIV? Was this for...? |
| 40 | SXB_125 | Most recent HIV test - obtained the result | discrete | numeric-1.0 | 23027 | 86632 | Did you obtain the result for this test? |
| 41 | SXB_130 | Tested for other STI - lifetime | discrete | numeric-1.0 | 64063 | 45596 | Have you ever been tested for sexually transmitted infections, other than HIV? |
| 42 | SXB_140 | Most recent STI test - main reason | discrete | numeric-2.0 | 22002 | 87657 | What was the main reason you had this test for sexually transmitted infections (STI), other than HIV? Was this for...? |
| 43 | SXB_145 | Most recent STI test - obtained results | discrete | numeric-1.0 | 21977 | 87682 | Did you obtain the result for this test? |
| 44 | SXBDVPRT | Total number of sexual partners - 12 mo - (D) | continuous | numeric-4.0 | 64290 | 45369 | - |
| 45 | SXBDVSTI | Ever been tested for an STI - other than through blood donation - (D) | discrete | numeric-1.0 | 64185 | 45474 | - |
| 46 | SXBDVTST | Most recent test - sexually transmitted infections (STI) - (D) | discrete | numeric-1.0 | 29542 | 80117 | - |

## Group Tobacco products alternatives

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOTAL | Tobacco products alternatives - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | TAL_005 | Smoked little cigars / cigarillos - 30 d | discrete | numeric-1.0 | 52977 | 56682 | In the past 30 days, did you smoke any little cigars or cigarillos? |
| 3 | TAL_010 | Smoked little cigars / cigarillos - plain / flavoured | discrete | numeric-1.0 | 1065 | 108594 | Were these (little cigars or cigarillos) plain, flavoured or both? |
| 4 | TAL_015 | Smoked other cigars - 30 d | discrete | numeric-1.0 | 52968 | 56691 | In the past 30 days, did you smoke any cigars other than little cigars or cigarillos? |
| 5 | TAL_020 | Used an electronic cigarette - 30 d | discrete | numeric-1.0 | 52955 | 56704 | In the past 30 days, did you use an electronic cigarette, also known as an 'e-cigarette'? |
| 6 | TAL_025 | Smoked a pipe - 30 d | discrete | numeric-1.0 | 52964 | 56695 | (In the past 30 days), did you smoke a pipe? |
| 7 | TAL_030 | Used chewing tobacco / pinch / snuff - 30 d | discrete | numeric-1.0 | 52963 | 56696 | (In the past 30 days), did you use any chewing tobacco, pinch or snuff? |
| 8 | TAL_035 | Smoked a tobacco water-pipe - 30 d | discrete | numeric-1.0 | 52961 | 56698 | In the past 30 days, did you smoke a tobacco water-pipe, also known as a hookah, shisha, nargeelay, hubble-bubble or gouza to smoke tobacco? |
| 9 | TALDVUSE | Alternative tobacco product usage - (D) | discrete | numeric-1.0 | 52940 | 56719 | - |

# Group Unmet health care needs

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOUCN | Unmet health care needs - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | UCN_005 | Unmet health care needs - self-perceived - 12 mo | discrete | numeric-1.0 | 21829 | 87830 | During the past 12 months, was there ever a time when you felt that you needed health care, other than homecare services, but you did not receive it? |
| 3 | UCN_010A | Unmet health care needs - not available in area | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Care not available in the area |
| 4 | UCN_010B | Unmet health care needs - not available at time required | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Care not available at time required (e.g., doctor busy, away from office or no longer at that practice, inconvenient hours) |
| 5 | UCN_010C | Unmet health care needs - no regular health care provider | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Do not have a regular health care provider |
| 6 | UCN_010D | Unmet health care needs - waiting time too long | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Waiting time too long |
| 7 | UCN_010E | Unmet health care needs - appt was cancelled | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Appointment was cancelled |
| 8 | UCN_010F | Unmet health care needs - felt would receive inadequate care | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Felt would receive inadequate care |
| 9 | UCN_010G | Unmet health care needs - cost | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Cost |
| 10 | UCN_010H | Unmet health care needs - decided not to seek care | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Decided not to seek care |
| 11 | UCN_010I | Unmet health care needs - doctor didn't think it was necessary | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Doctor didn't think it was necessary |
| 12 | UCN_010J | Unmet health care needs - transportation issue | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Transportation issue |
| 13 | UCN_010K | Unmet health care needs - other | discrete | numeric-1.0 | 794 | 108865 | Thinking of the most recent time you felt this way, why didn't you get care? - Other |
| 14 | UCN_015A | Type of care needed - chronic physical health condition | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a chronic physical health condition diagnosed by a health professional |
| 15 | UCN_015B | Type of care needed - chronic mental health condition | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a chronic mental health condition diagnosed by a health professional |
| 16 | UCN_015C | Type of care needed - acute infectious disease | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | infectious disease (e.g., cold, flu and stomach flu) |
| 17 | UCN_015D | Type of care needed - acute physical condition | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute physical condition (non-infectious) |
| 18 | UCN_015E | Type of care needed - acute mental health condition | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute mental health condition (e.g., acute stress reaction) |
| 19 | UCN_015F | Type of care needed - regular check-up | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including pre-natal care) |
| 20 | UCN_015G | Type of care needed - injury | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury |
| 21 | UCN_015H | Type of care needed - dental care | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Dental care |
| 22 | UCN_015I | Type of care needed - medication / prescription refill | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Medication / Prescription refill |
| 23 | UCN_015J | Type of care needed - other | discrete | numeric-1.0 | 799 | 108860 | Again, thinking of the most recent time, what was the type of care that was needed? - Other |
| 24 | UCN_020 | Actively tried to obtain health care needed | discrete | numeric-1.0 | 801 | 108858 | Did you actively try to obtain the health care that was needed? |
| 25 | UCN_025A | Location tried to get service - doctor's office | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - A doctor's office |
| 26 | UCN_025B | Location tried to get service - a hospital outpatient clinic | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - A hospital outpatient clinic |
| 27 | UCN_025C | Location tried to get service - a community health centre | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - A community health centre [CLSC] |
| 28 | UCN_025D | Location tried to get service - a walk-in clinic | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - A walk-in clinic |
| 29 | UCN_025E | Location tried to get service - emergency department / room | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - An emergency department or emergency room |
| 30 | UCN_025F | Location tried to get service - other | discrete | numeric-1.0 | 602 | 109057 | Where did you try to get the service you were seeking? - Other |

## Group Use of protective equipment

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOUPE | Use of protective equipment - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | UPE_005 | Bicycling - 12 mo | discrete | numeric-1.0 | 16073 | 93586 | In the past 12 months, have you done any bicycling? |
| 3 | UPE_010 | Bicycling - wears helmet - frequency | discrete | numeric-1.0 | 5545 | 104114 | When riding a bicycle, how often do you wear a helmet? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 4 | UPE_015 | Rollerblading - 12 mo | discrete | numeric-1.0 | 16074 | 93585 | In the past 12 months, have you done any in-line skating or rollerblading? |
| 5 | UPE_020 | Rollerblading - wears helmet - frequency | discrete | numeric-1.0 | 869 | 108790 | When in-line skating or rollerblading, how often do you wear a helmet? |
| 6 | UPE_025 | Rollerblading - wears wrist protectors - frequency | discrete | numeric-1.0 | 868 | 108791 | How often do you wear wrist guards or wrist protectors? |
| 7 | UPE_030 | Rollerblading - wears elbow pads - frequency | discrete | numeric-1.0 | 870 | 108789 | (How often do you wear) elbow pads? |
| 8 | UPE_035 | Rollerblading - wears knee pads - frequency | discrete | numeric-1.0 | 869 | 108790 | (How often do you wear) knee pads? |
| 9 | UPE_040 | Downhill skiing / snowboarding - 12 mo | discrete | numeric-1.0 | 16076 | 93583 | In the past 12 months, did you do...? |
| 10 | UPE_045 | Downhill skiing - wears helmet - frequency | discrete | numeric-1.0 | 1442 | 108217 | When downhill skiing, how often do you wear a helmet? |
| 11 | UPE_050 | Snowboarding - wears helmet - frequency | discrete | numeric-1.0 | 839 | 108820 | When snowboarding, how often do you wear a helmet? |
| 12 | UPE_055 | Snowboarding - wears wrist protectors - frequency | discrete | numeric-1.0 | 839 | 108820 | (When snowboarding), how often do you wear wrist guards or wrist protectors? |
| 13 | UPE_060 | Skateboarding - 12 mo | discrete | numeric-1.0 | 16076 | 93583 | In the past 12 months, have you done any skateboarding? |
| 14 | UPE_065 | Skateboarding - wears helmet - frequency | discrete | numeric-1.0 | 548 | 109111 | How often do you wear a helmet? |
| 15 | UPE_070 | Skateboarding - wears wrist protectors - frequency | discrete | numeric-1.0 | 546 | 109113 | (How often do you wear) wrist guards or wrist protectors? |
| 16 | UPE_075 | Skateboarding - wears elbow pads - frequency | discrete | numeric-1.0 | 548 | 109111 | (How often do you wear) elbow pads? |
| 17 | UPE_080 | Ice hockey - 12 mo | discrete | numeric-1.0 | 16078 | 93581 | In the past 12 months, have you played any ice hockey? |
| 18 | UPE_085 | Ice hockey - wears mouth guard - frequency | discrete | numeric-1.0 | 1434 | 108225 | When playing ice hockey, how often do you wear a mouth guard? |
| 19 | UPEDVILS | Wears protective equipment - in-line skating - (D) | discrete | numeric-1.0 | 870 | 108789 | - |
| 20 | UPEDVSNB | Wears protective equipment - snowboarding - (D) | discrete | numeric-1.0 | 839 | 108820 | - |
| 21 | UPEDVSKB | Wears protective equipment - skateboarding - (D) | discrete | numeric-1.0 | 448 | 109211 | - |

## Group Work stress

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOWST | Work stress - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | WST_005 | Job - required to learn new things - 12 mo | discrete | numeric-1.0 | 7915 | 101744 | Your job required that you learn new things. |
| 3 | WST_010 | Job - required high level of skill - 12 mo | discrete | numeric-1.0 | 7913 | 101746 | Your job required a high level of skill. |
| 4 | WST_015 | Job - freedom to decide - 12 mo | discrete | numeric-1.0 | 7906 | 101753 | Your job allowed you freedom to decide how you did your job. |
| 5 | WST_020 | Job - repetitive tasks - 12 mo | discrete | numeric-1.0 | 7906 | 101753 | Your job required that you do things over and over. |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 6 | WST_025 | Job - hectic - 12 mo | discrete | numeric-1.0 | 7911 | 101748 | Your job was very hectic. |
| 7 | WST_030 | Job - free from conflicting demands - 12 mo | discrete | numeric-1.0 | 7841 | 101818 | You were free from conflicting demands that others made. |
| 8 | WST_035 | Job - good job security - 12 mo | discrete | numeric-1.0 | 7905 | 101754 | Your job security was good. |
| 9 | WST_040 | Job - required a lot of physical effort - 12 mo | discrete | numeric-1.0 | 7919 | 101740 | Your job required a lot of physical effort. |
| 10 | WST_045 | Job - able to give input on own job - 12 mo | discrete | numeric-1.0 | 7886 | 101773 | You had a lot to say about what happened in your job. |
| 11 | WST_050 | Job - hostility or conflict from coworkers - 12 mo | discrete | numeric-2.0 | 7911 | 101748 | You were exposed to hostility or conflict from the people you worked with. |
| 12 | WST_055 | Job - helpful supervisor - 12 mo | discrete | numeric-2.0 | 7908 | 101751 | Your supervisor was helpful in getting the job done. |
| 13 | WST_060 | Job - helpful co-workers - 12 mo | discrete | numeric-2.0 | 7916 | 101743 | The people you worked with were helpful in getting the job done. |
| 14 | WST_065 | Job - had materials / equipment needed - 12 mo | discrete | numeric-1.0 | 7918 | 101741 | You had the materials and equipment you needed to do your job. |
| 15 | WST_070 | Job satisfaction - 12 mo | discrete | numeric-1.0 | 7911 | 101748 | How satisfied were you with your job? |
| 16 | WSTDVSKI | Derived work stress scale - skill discretion - (D) | continuous | numeric-2.0 | 7885 | 101774 | - |
| 17 | WSTDVPSY | Derived work stress scale - psychological demands - (D) | continuous | numeric-2.0 | 7832 | 101827 | - |
| 18 | WSTDVJIN | Derived work stress scale - job insecurity - (D) | continuous | numeric-1.0 | 7905 | 101754 | - |
| 19 | WSTDVPHY | Derived work stress scale - physical exertion - (D) | continuous | numeric-1.0 | 7919 | 101740 | - |
| 20 | WSTDVAUT | Derived work stress scale - decision authority - (D) | continuous | numeric-2.0 | 7870 | 101789 | - |
| 21 | WSTDVJST | Derived work stress scale - job strain - (D) | continuous | numeric-4.2 | 7766 | 101893 | - |
| 22 | WSTDVSOC | Derived work stress scale - social support - (D) | continuous | numeric-2.0 | 6547 | 103112 | - |

## Group Waiting times

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | DOWTM | Waiting times - Inclusion Flag - (F) | discrete | numeric-1.0 | 109659 | 0 | - |
| 2 | WTM_005 | Required visit to medical specialist - new illness - 12 mo | discrete | numeric-1.0 | 1260 | 108399 | You mentioned that you required a visit to a medical specialist such as a cardiologist, endocrinologist, allergist, [gynecologist] or psychiatrist. In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition? |
| 3 | WTMG010 | Last visit to medical specialist - type of condition | discrete | numeric-2.0 | 468 | 109191 | For what type of condition? If you have had more than one such visit, please answer for the most recent visit. |
| 4 | WTM_015 | Last visit to medical specialist - person who referred | discrete | numeric-1.0 | 470 | 109189 | Were you referred by...? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 5 | WTM_020 | Already visited the medical specialist | discrete | numeric-1.0 | 472 | 109187 | Have you already visited the medical specialist? |
| 6 | WTM_025 | Experienced difficulties seeing specialist - new illness | discrete | numeric-1.0 | 423 | 109236 | Thinking about this visit, did you experience any difficulties seeing the specialist? |
| 7 | WTMG030B | Difficulty specialist - new illness - getting referral/ appointment | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Difficulty getting a referral/difficulty getting an appointment |
| 8 | WTM_030C | Difficulty specialist - new illness - too long between appt and visit | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Waited too long between booking appointment and visit |
| 9 | WTM_030D | Difficulty specialist - new illness - too long to see doctor | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |
| 10 | WTMG030F | Difficulty specialist - new illness - not avail. in area/ time required | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Service not available in the area/service not available at time required |
| 11 | WTM_030H | Difficulty specialist - new illness - language | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Language problem |
| 12 | WTM_030L | Difficulty specialist - new illness - unable to leave house | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Unable to leave the house because of a health problem |
| 13 | WTMG030M | Diff. spec. - new illness - transport/cost/health/appt cancelled/other | discrete | numeric-1.0 | 58 | 109601 | What type of difficulties did you experience? - Transportation problems/ cost/general deterioration of health/ appointment cancelled or deferred by specialist/other |
| 14 | WTM_035 | Wait time to see specialist | continuous | numeric-3.0 | 406 | 109253 | How long did you have to wait between when [you and your doctor decided that you should see a specialist / you and your health care provider decided that you should see a specialist / the appointment was initially scheduled] and when you actually visited the specialist? |
| 15 | WTM_035A | Wait time to see specialist - unit of time | discrete | numeric-1.0 | 406 | 109253 | Enter unit of time. Please ask respondent to convert to months if response was provided in years (e.g. 1 year and half = 18 months, 2 years = 24 months, etc). |
| 16 | WTM_040 | Wait time to see specialist (not seen yet) | continuous | numeric-3.0 | 50 | 109609 | How long have you been waiting since [you and your doctor decided that you should see a specialist / you and your health care provider decided that you should see a specialist / the appointment was initially scheduled]? |
| 17 | WTM_040A | Wait time to see specialist (not seen yet) - unit of time | discrete | numeric-1.0 | 50 | 109609 | Enter unit of time. |
| 18 | WTM_045 | Wait time to see specialist - acceptable / not acceptable | discrete | numeric-1.0 | 470 | 109189 | In your view, [was the waiting time / has the waiting time been]... ? |
| 19 | WTM_050 | Acceptable wait time to see specialist | continuous | numeric-3.0 | 134 | 109525 | In this particular case, what do you think is an acceptable waiting time? |
| 20 | WTM_050A | Acceptable wait time to see specialist - unit of time | discrete | numeric-1.0 | 134 | 109525 | Enter unit of time. |
| 21 | WTM_055 | Appt with specialist cancelled / postponed | discrete | numeric-1.0 | 472 | 109187 | Was your visit cancelled or postponed at any time? |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 22 | WTM_060B | Appt with specialist cancelled / postponed - by specialist | discrete | numeric-1.0 | 39 | 109620 | Was it cancelled or postponed by... ? - The specialist |
| 23 | WTMG060C | Appt with specialist cancelled / postponed - by respondent/other | discrete | numeric-1.0 | 39 | 109620 | Was it cancelled or postponed by... ? - Yourself/other |
| 24 | WTM_065 | Wait for appt with specialist - life affected | discrete | numeric-1.0 | 469 | 109190 | Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit? |
| 25 | WTM_070A | Wait for appt - consequence - worry / anxiety / stress | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress |
| 26 | WTM_070B | Wait for appt - consequence - worry for family / friend | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends |
| 27 | WTM_070C | Wait for appt - consequence - pain | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Pain |
| 28 | WTM_070D | Wait for appt - consequence - problems with daily living activities | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving) |
| 29 | WTM_070H | Wait for appt - consequence - increased use over-the-counter drugs | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs |
| 30 | WTM_070I | Wait for appt - consequence - health deteriorated | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse |
| 31 | WTM_070K | Wait for appt - consequence - personal relationships suffered | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Personal relationships suffered |
| 32 | WTMG070L | Wait for appt - conseq.- loss of wrk/ inc/depend on other/ health/other | discrete | numeric-1.0 | 83 | 109576 | How was your life affected as a result of waiting for this visit? - Loss of work/ loss of income/increased dependence on relatives or friends/health problem improved/other |
| 33 | WTMG075 | Last non-emergency surgery - 12 mo - type | discrete | numeric-2.0 | 284 | 109375 | You mentioned that in the past 12 months you required non-emergency surgery. What type of surgery did you require? If you have had more than one in the past 12 months, please answer for the most recent surgery. |
| 34 | WTM_080 | Already had the non-emergency surgery | discrete | numeric-1.0 | 285 | 109374 | Did you already have this surgery? |
| 35 | WTM_085 | Last non-emergency surgery - required overnight hospital stay | discrete | numeric-1.0 | 256 | 109403 | Did the surgery require an overnight hospital stay? |
| 36 | WTM_090 | Experienced difficulties getting surgery | discrete | numeric-1.0 | 256 | 109403 | Did you experience any difficulties getting this surgery? |
| 37 | WTMG095B | Difficulty last surgery - getting an appt/diagnosis | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Difficulty getting an appointment/ difficulty getting a diagnosis including obtaining a diagnostic test |
| 38 | WTMG095D | Difficulty last surgery - too long for a hospital bed/ surgery | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Waited too long for a |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| | | | | | | | hospital bed to become available/waited too long for surgery |
| 39 | WTM_095H | Difficulty last surgery - language | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Language problem |
| 40 | WTMG095K | Diff. last surgery n/a at time/ area required/ cancelled or deferred | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Service not available at time required/ in the area/Appointment cancelled or deferred by surgeon or hospital |
| 41 | WTM_095L | Difficulty last surgery - unable to leave the house | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 42 | WTMG095M | Difficulty last surgery - transportation/cost/health/ other | discrete | numeric-1.0 | 39 | 109620 | What types of difficulties did you experience? - Transportation problems/ cost/general deterioration of health/other |
| 43 | WTM_100 | Wait time for surgery | continuous | numeric-3.0 | 246 | 109413 | How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery? |
| 44 | WTM_100A | Wait time for surgery - unit of time | discrete | numeric-1.0 | 246 | 109413 | Enter unit of time. |
| 45 | WTM_105 | Non-emergency surgery - will require overnight hospital stay | discrete | numeric-1.0 | 24 | 109635 | Will the surgery require an overnight hospital stay? |
| 46 | WTM_110 | Wait time for surgery (didn't have yet) | continuous | numeric-3.0 | 25 | 109634 | How long have you been waiting since you and the surgeon decided to go ahead with the surgery? |
| 47 | WTM_110A | Wait time for surgery (didn't have yet) - unit of time | discrete | numeric-1.0 | 25 | 109634 | Enter unit of time. |
| 48 | WTM_115 | Wait time for surgery - acceptable / not acceptable | discrete | numeric-1.0 | 280 | 109379 | In your view, [was the waiting time / has the waiting time been]... ? |
| 49 | WTM_120 | Acceptable wait time for surgery | continuous | numeric-3.0 | 57 | 109602 | In this particular case, what do you think is an acceptable waiting time? |
| 50 | WTM_120A | Acceptable wait time for surgery - unit of time | discrete | numeric-1.0 | 57 | 109602 | Enter unit of time. |
| 51 | WTM_125 | Surgery cancelled / postponed | discrete | numeric-1.0 | 35 | 109624 | Was your surgery cancelled or postponed at any time? |
| 52 | WTM_135 | Wait for surgery - life affected | discrete | numeric-1.0 | 282 | 109377 | Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this surgery? |
| 53 | WTMG140B | Wait surgery - consequence - worry / anxiety / stress | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress/worry or stress for family or friends |
| 54 | WTM_140C | Wait surgery - consequence - pain | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Pain |
| 55 | WTM_140D | Wait surgery - consequence - problems with daily living activities | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Problems with activities of daily living (e.g., dressing, driving) |
| 56 | WTM_140E | Wait surgery - consequence - loss of work | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Loss of work |
| 57 | WTM_140F | Wait surgery - consequence - loss of income | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Loss of income |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 58 | WTM_140G | Wait surgery - consequence - increased dependence relatives / friends | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Increased dependence on relatives or friends |
| 59 | WTMG140I | Wait surgery - conseq. -incr use over-counter drugs/hlth deteriorated | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Increased use of over-the-counter drugs/overall health deteriorated, condition got worse |
| 60 | WTMG140L | Wait surgery - conseq. - hlth improved/relationships suffered/other | discrete | numeric-1.0 | 58 | 109601 | How was your life affected as a result of waiting for surgery? - Health problem improved/personal relationships suffered/other |
| 61 | WTM_145 | Last non-emergency test - type | discrete | numeric-1.0 | 610 | 109049 | Now for MRIs, CAT Scans and angiographies provided in a non-emergency situation. You mentioned that in the past 12 months you required one of these tests. What type of test did you require? If there was more than one in the past 12 months, please answer for the most recent test. |
| 62 | WTM_150 | Last non-emergency test - condition | discrete | numeric-1.0 | 580 | 109079 | For what type of condition? |
| 63 | WTM_155 | Already had the non-emergency test | discrete | numeric-1.0 | 587 | 109072 | Did you already have this test? |
| 64 | WTMG160 | Last non-emergency test - place | discrete | numeric-1.0 | 561 | 109098 | Where was the test done? |
| 65 | WTM_170 | Last non-emergency test - in hospital at time of test | discrete | numeric-1.0 | 560 | 109099 | Were you a patient in a hospital at the time of the test? |
| 66 | WTM_175 | Had difficulties getting the test | discrete | numeric-1.0 | 561 | 109098 | Did you experience any difficulties getting this test? |
| 67 | WTMG180D | Difficulty last test - too long to get an appt/test | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Waited too long to get an appointment/ too long to get test (i.e. in-office waiting) |
| 68 | WTMG180F | Difficulty last test - service n/a at time required/in area | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Service not available at the time required/service not available in the area |
| 69 | WTM_180H | Difficulty last test - language | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Language problem |
| 70 | WTM_180I | Difficulty last test - cost | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Cost |
| 71 | WTM_180J | Difficulty last test - general deterioration of health | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - General deterioration of health |
| 72 | WTM_180K | Difficulty last test - didn't know where to go | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| 73 | WTM_180L | Difficulty last test - unable to leave house | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| 74 | WTMG180M | Difficulty last test - diff. getting appt/referral/ transport/other | discrete | numeric-1.0 | 43 | 109616 | What types of difficulties did you experience? - Difficulty getting a referral/difficulty getting an appointment/transportation problems/ other |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 75 | WTM_185 | Wait time for test | continuous | numeric-3.0 | 511 | 109148 | How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test? |
| 76 | WTM_185A | Wait time for test - unit of time | discrete | numeric-1.0 | 511 | 109148 | Enter unit of time. |
| 77 | WTM_190 | Wait time for test (not done yet) | continuous | numeric-3.0 | 24 | 109635 | How long have you been waiting for the test since you and your doctor decided to go ahead with the test? |
| 78 | WTM_190A | Wait time for test (not done yet) - unit of time | discrete | numeric-1.0 | 24 | 109635 | Enter unit of time. |
| 79 | WTM_195 | Wait time for test - acceptable / not acceptable | discrete | numeric-1.0 | 582 | 109077 | In your view, [was the waiting time / has the waiting time been]... ? |
| 80 | WTM_200 | Acceptable wait time for test | continuous | numeric-3.0 | 86 | 109573 | In this particular case, what do you think is an acceptable waiting time? |
| 81 | WTM_200A | Acceptable wait time for test - unit of time | discrete | numeric-1.0 | 86 | 109573 | Enter unit of time. |
| 82 | WTM_205 | Test cancelled / postponed | discrete | numeric-1.0 | 580 | 109079 | Was your test cancelled or postponed at any time? |
| 83 | WTMG210 | Test cancelled / postponed - by who | discrete | numeric-1.0 | 29 | 109630 | Was it cancelled or postponed by... ? |
| 84 | WTM_215 | Wait for test with specialist - life affected | discrete | numeric-1.0 | 582 | 109077 | Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this test? |
| 85 | WTM_220A | Wait for test - consequence - worry / anxiety / stress | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Worry, anxiety, stress |
| 86 | WTM_220B | Wait for test - consequence - worry for family / friend | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Worry or stress for family or friends |
| 87 | WTM_220C | Wait for test - consequence - pain | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Pain |
| 88 | WTM_220D | Wait for test - consequence - problems with daily living activities | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving) |
| 89 | WTMG220F | Wait for test - consequence - loss of work/income | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Loss of work/ income |
| 90 | WTM_220I | Wait for test - consequence - health deteriorated | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Overall health deteriorated, condition got worse |
| 91 | WTMG220L | Wait for test - consequence - other | discrete | numeric-1.0 | 55 | 109604 | How was your life affected as a result of waiting for this test? - Increased dependence on relatives or friends/ increased use of over-the-counter drugs/ health problem improved/personal relationships suffered/other |
| 92 | WTMDVCN | Num of waiting days - non-emergency surgery - surgery not done - (D) | continuous | numeric-4.0 | 25 | 109634 | - |
| 93 | WTMDVCO | Num of waiting days - non-emergency surgery - surgery done - (D) | continuous | numeric-4.0 | 246 | 109413 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 94 | WTMDVCA | Num of acceptable waiting days - non-emergency surgery - (D) | continuous | numeric-4.0 | 268 | 109391 | - |
| 95 | WTMDVSN | Num of waiting days - medical specialist - didn't see specialist - (D) | continuous | numeric-4.0 | 50 | 109609 | - |
| 96 | WTMDVSO | Num of waiting days - medical specialist - saw specialist - (D) | continuous | numeric-4.0 | 406 | 109253 | - |
| 97 | WTMDVSA | Num of acceptable waiting days - medical specialist - (D) | continuous | numeric-4.0 | 451 | 109208 | - |
| 98 | WTMDVTN | Num of waiting days - diagnostic test - test not done - (D) | continuous | numeric-4.0 | 24 | 109635 | - |
| 99 | WTMDVTO | Num of waiting days - diagnostic test - test done - (D) | continuous | numeric-4.0 | 511 | 109148 | - |
| 100 | WTMDVTA | Num of acceptable waiting days - diagnostic test - (D) | continuous | numeric-4.0 | 532 | 109127 | - |

## Group Weights

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
| 1 | WTS_M | Weights - Master | continuous | numeric-8.2 | 109659 | 0 | - |

# Variables Description

**Dataset contains 1283 variable(s)**

# File : cchs_annual_2015_2016

## # ADM_RNO: Sequential record number

| Information | [Type= continuous] [Format=numeric] [Range= 30-999991] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] [Mean=499654.276 / 498143.306 ] [StdDev=288703.44 / 289499.012 ] |

## # VERDATE: Date of file creation

| Information | [Type= discrete] [Format=character] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Notes | Format = YYYYMMDD |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 20170424 | | 109659 | 30590780.3 | 100.0% |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEO_PRV: Province of residence of respondent

| Information | [Type= discrete] [Format=numeric] [Range= 10-62] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 10 | NEWFOUNDLAND AND LABRADOR | 3233 | 459001.9 | 1.5% |
| 11 | PRINCE EDWARD ISLAND | 1821 | 126033.4 | 0.4% |
| 12 | NOVA SCOTIA | 4775 | 813406.2 | 2.7% |
| 13 | NEW BRUNSWICK | 3350 | 644815.7 | 2.1% |
| 24 | QUEBEC | 23151 | 7078748.6 | 23.1% |
| 35 | ONTARIO | 32928 | 11890773.9 | 38.9% |
| 46 | MANITOBA | 5443 | 1034697.2 | 3.4% |
| 47 | SASKATCHEWAN | 4646 | 900823.2 | 2.9% |
| 48 | ALBERTA | 13085 | 3510293.3 | 11.5% |
| 59 | BRITISH COLUMBIA | 14367 | 4037461.8 | 13.2% |
| 60 | YUKON | 973 | 31789.0 | 0.1% |
| 61 | NORTHWEST TERRITORIES | 1008 | 35142.4 | 0.1% |
| 62 | NUNAVUT | 879 | 27793.6 | 0.1% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEODVBHA: British Columbia Health Authority (BCHA) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 5910-5950] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=14367 / 4037461.79 ] [Invalid=95292 / 26553318.47 ] |
| Universe | See documentation on derived variables. |
| Notes | Source: Derived from GEODVPC |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 5910 | Interior | 3238 | 625792.5 | 15.5% |
| 5920 | Fraser | 3529 | 1500392.2 | 37.2% |
| 5930 | Vancouver | 2961 | 1027845.9 | 25.5% |

# File : cchs_annual_2015_2016

## # GEODVBHA: British Columbia Health Authority (BCHA) - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 5940 | Vancouver Island | 2699 | 658941.1 | 16.3% |
| 5950 | Northern | 1940 | 224490.1 | 5.6% |
| 9996 | Valid skip | 95292 | 26553318.5 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEODGHR4: Health region - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 10911-62901] [Missing=*] |
|-------------|---------------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Definition | Derived from GEODVPC |
| Universe | See documentation on derived variables |
| Notes | This variable has been grouped as a form of disclosure control. Source: Derived from GEODVPC |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 10911 | Eastern Regional | 1180 | 280518.8 | 0.9% |
| 10912 | Central Regional | 767 | 81100.3 | 0.3% |
| 10913 | Group: GEODVHR4 = (1013, 1014) | 1286 | 97382.9 | 0.3% |
| 11900 | Prince Edward Island | 1821 | 126033.4 | 0.4% |
| 12901 | Zone 1 - Western | 1331 | 171849.8 | 0.6% |
| 12902 | Zone 2 - Northern | 1051 | 127360.5 | 0.4% |
| 12903 | Zone 3 - Eastern | 1044 | 133925.0 | 0.4% |
| 12904 | Zone 4 - Central | 1349 | 380270.8 | 1.2% |
| 13901 | Zone 1 (Moncton area) | 621 | 182056.7 | 0.6% |
| 13902 | Zone 2 (Saint John area) | 649 | 149599.9 | 0.5% |
| 13903 | Zone 3 (Fredericton area) | 641 | 146667.2 | 0.5% |
| 13904 | Group: GEODVHR4 = (1304, 1305) | 637 | 63152.5 | 0.2% |
| 13906 | Group: GEODVHR4 = (1306, 1307) | 802 | 103339.5 | 0.3% |
| 24901 | Bas-Saint-Laurent | 1113 | 174024.2 | 0.6% |
| 24902 | Saguenay - Lac-Saint-Jean | 1415 | 238418.2 | 0.8% |
| 24903 | Capitale-Nationale | 1764 | 638258.7 | 2.1% |
| 24904 | Mauricie et du Centre-du-Qu?bec | 1544 | 438404.9 | 1.4% |
| 24905 | L?Estrie | 1562 | 410615.4 | 1.3% |
| 24906 | R?gion de Montr?al | 2783 | 1729445.5 | 5.7% |
| 24907 | L?Outaouais | 1370 | 329471.0 | 1.1% |
| 24908 | L?Abitibi-T?miscamingue | 1101 | 122345.3 | 0.4% |
| 24909 | C?te-Nord | 1003 | 69453.3 | 0.2% |
| 24911 | Gasp?sie - ?les-de-la-Madeleine | 1019 | 78829.8 | 0.3% |
| 24912 | Chaudi?re-Appalaches | 1622 | 361901.0 | 1.2% |
| 24913 | R?gion de Laval | 1556 | 365863.0 | 1.2% |
| 24914 | R?gion de Lanaudi?re | 1544 | 425836.6 | 1.4% |
| 24915 | R?gion des Laurentides | 1619 | 516317.2 | 1.7% |
| 24916 | Mont?r?gie | 2136 | 1179564.5 | 3.9% |

# File : cchs_annual_2015_2016

## # GEODGHR4: Health region - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 35926 | The District of Algoma HU | 635 | 96889.4 | 0.3% |
| 35927 | Brant County HU | 770 | 115639.3 | 0.4% |
| 35930 | Durham Regional HU | 1225 | 571961.5 | 1.9% |
| 35931 | Elgin-St Thomas HU | 654 | 76179.2 | 0.2% |
| 35933 | Grey Bruce HU | 838 | 140118.2 | 0.5% |
| 35934 | Haldimand-Norfolk HU | 673 | 96309.1 | 0.3% |
| 35935 | Haliburton, Kawartha, Pine Ridge District HU | 789 | 159218.4 | 0.5% |
| 35936 | Halton Regional HU | 1191 | 476652.9 | 1.6% |
| 35937 | City of Hamilton HU | 1126 | 482202.1 | 1.6% |
| 35938 | Hastings and Prince Edward Counties HU | 699 | 137565.2 | 0.4% |
| 35939 | Group: GEODVHR4 = (3539, 3554) | 1177 | 116979.2 | 0.4% |
| 35940 | Chatham-Kent HU | 690 | 90076.0 | 0.3% |
| 35941 | Kingston, Frontenac and Lennox and Addington HU | 794 | 172590.3 | 0.6% |
| 35942 | Lambton HU | 767 | 110753.8 | 0.4% |
| 35943 | Leeds, Grenville and Lanark District HU | 738 | 148112.5 | 0.5% |
| 35944 | Middlesex-London HU | 1147 | 404218.5 | 1.3% |
| 35946 | Niagara Regional Area HU | 1084 | 393622.4 | 1.3% |
| 35947 | Group: GEODVHR4 = (3547, 3563) | 1171 | 137337.8 | 0.4% |
| 35949 | Northwestern HU | 522 | 57153.0 | 0.2% |
| 35951 | City of Ottawa HU | 1478 | 823842.4 | 2.7% |
| 35952 | Oxford County HU | 608 | 95771.2 | 0.3% |
| 35953 | Peel Regional HU | 1689 | 1240891.6 | 4.1% |
| 35955 | Peterborough County-City HU | 756 | 121777.9 | 0.4% |
| 35956 | Porcupine HU | 635 | 66873.2 | 0.2% |
| 35957 | Renfrew County and District HU | 600 | 85141.7 | 0.3% |
| 35958 | Eastern Ontario HU | 793 | 176350.6 | 0.6% |
| 35960 | Simcoe Muskoka District HU | 1113 | 475115.3 | 1.6% |
| 35961 | Sudbury and District HU | 821 | 166895.1 | 0.5% |
| 35962 | Thunder Bay District HU | 742 | 124795.6 | 0.4% |
| 35965 | Waterloo HU | 1234 | 464394.7 | 1.5% |
| 35966 | Wellington-Dufferin-Guelph HU | 904 | 246416.4 | 0.8% |
| 35968 | Windsor-Essex County HU | 1035 | 348998.0 | 1.1% |
| 35970 | York Regional HU | 1666 | 986239.0 | 3.2% |
| 35995 | City of Toronto HU | 2164 | 2483692.4 | 8.1% |
| 46901 | Winnipeg RHA | 1858 | 633919.8 | 2.1% |
| 46902 | Prairie Mountain Health | 1037 | 129562.1 | 0.4% |
| 46903 | Interlake-Eastern Regional Health | 892 | 96217.1 | 0.3% |
| 46904 | Northern RHA | 570 | 25085.1 | 0.1% |
| 46905 | Southern Health | 1086 | 149913.1 | 0.5% |
| 47901 | Group: GEODVHR4 = (4701, 4702, 4703) | 1160 | 130376.2 | 0.4% |
| 47904 | Regina Qu?Appelle RHA | 750 | 235884.2 | 0.8% |
| 47905 | Group: GEODVHR4 = (4705, 4708) | 594 | 78327.1 | 0.3% |
| 47906 | Saskatoon RHA | 797 | 300695.9 | 1.0% |

# File : cchs_annual_2015_2016

## # GEODGHR4: Health region - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 47907 | Group: GEODVHR4 = (4707, 4710) | 747 | 89624.3 | 0.3% |
| 47909 | Group: GEODVHR4 = (4709, 4714) | 598 | 65915.6 | 0.2% |
| 48931 | South Zone | 1893 | 243234.8 | 0.8% |
| 48932 | Calgary Zone | 3475 | 1362348.6 | 4.5% |
| 48933 | Central Zone | 2303 | 392300.4 | 1.3% |
| 48934 | Edmonton Zone | 3347 | 1153942.4 | 3.8% |
| 48935 | North Zone | 2067 | 358467.1 | 1.2% |
| 59911 | East Kootenay HSDA | 679 | 67006.0 | 0.2% |
| 59912 | Kootenay-Boundary HSDA | 643 | 69029.6 | 0.2% |
| 59913 | Okanagan HSDA | 1040 | 304594.5 | 1.0% |
| 59914 | Thompson/Cariboo HSDA | 876 | 185162.3 | 0.6% |
| 59921 | Fraser East HSDA | 886 | 243807.4 | 0.8% |
| 59922 | Fraser North HSDA | 1267 | 572893.1 | 1.9% |
| 59923 | Fraser South HSDA | 1376 | 683691.7 | 2.2% |
| 59931 | Richmond HSDA | 813 | 189660.8 | 0.6% |
| 59932 | Vancouver HSDA | 1212 | 602857.5 | 2.0% |
| 59933 | North Shore/Coast Garibaldi HSDA | 936 | 235327.6 | 0.8% |
| 59941 | South Vancouver Island HSDA | 1089 | 326520.6 | 1.1% |
| 59942 | Central Vancouver Island HSDA | 853 | 229729.0 | 0.8% |
| 59943 | North Vancouver Island HSDA | 757 | 102691.6 | 0.3% |
| 59951 | Northwest HSDA | 551 | 51548.5 | 0.2% |
| 59952 | Northern Interior HSDA | 802 | 114998.5 | 0.4% |
| 59953 | Northeast HSDA | 587 | 57943.1 | 0.2% |
| 60901 | Yukon | 973 | 31789.0 | 0.1% |
| 61901 | Northwest Territories | 1008 | 35142.4 | 0.1% |
| 62901 | Nunavut | 879 | 27793.6 | 0.1% |
| 99996 | Valid skip | 0 | 0.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALECLASS: Canadian Active Living Environments

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=107276 / 30418994.69 ] [Invalid=2383 / 171785.57 ] |
| Notes | The ALE Class variable is a categorical measure of the active living environment. Each DA is assigned a value from 1 (very low) to 5 (very high) which characterizes the favourability of the active living environment. See derived variable documentation for further information. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Very low | 49976 | 9403282.1 | 30.9% |
| 2 | Low | 30929 | 9249547.1 | 30.4% |
| 3 | Moderate | 18630 | 7353631.6 | 24.2% |
| 4 | High | 5131 | 2846843.6 | 9.4% |
| 5 | Very high | 2610 | 1565690.4 | 5.1% |

# File : cchs_annual_2015_2016

## # ALECLASS: Canadian Active Living Environments

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2383 | 171785.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHH_SEX: Sex

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Literal question | Is [Respondent name] male or female? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Male | 50825 | 15093059.0 | | 49.3% |
| 2 | Female | 58834 | 15497721.3 | | 50.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGMS: Marital status

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109329 / 30509357.46 ] [Invalid=330 / 81422.8 ] |
| Universe | All respondents |
| Literal question | What is your marital status? Are you... ? |
| Notes | This variable has been grouped as a form of disclosure control |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Married | 44940 | 14161117.7 | | 46.4% |
| 2 | Common-law | 10698 | 3466674.9 | 11.4% | |
| 3 | Widowed/Divorced/Separated | 21896 | 3710254.6 | 12.2% | |
| 4 | Single | 31795 | 9171310.3 | 30.1% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 330 | 81422.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHDG611: Number of persons in household between 6 and 11 years of age - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Definition | Derived from DHH_AGE, SAMPLEID, PERSONID |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control |

# File : cchs_annual_2015_2016

## # DHHDG611: Number of persons in household between 6 and 11 years of age - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | No persons aged 6 to 11 in the household | 94939 | 25948897.0 | | 84.8% |
| 1 | One or more persons aged 6 to 11 in the household | 14720 | 4641883.3 | | 15.2% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHDGL12: Number of persons in household less than 12 years of age - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Definition | Derived from DHH_AGE, SAMPLEID, PERSONID |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | No persons under 12 in the household | 88015 | 23550218.7 | | 77.0% |
| 1 | One or more persons under 12 in the household | 21644 | 7040561.6 | | 23.0% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHDGLE5: Number of persons 5 years old or less in household - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Definition | Derived from DHH_AGE, SAMPLEID, PERSONID |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | No persons under 6 in the household | 97979 | 26692711.9 | | 87.3% |
| 1 | One or more persons under 6 in the household | 11680 | 3898068.4 | | 12.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHDGHSZ: Household size - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109565 / 30578777.87 ] [Invalid=94 / 12002.39 ] |
| Definition | Derived from SAMPLEID, PERSONID |
| Universe | See documentation on derived variables. |

# File : cchs_annual_2015_2016

## # DHHDGHSZ: Household size - (D)

| | | | | |
|---|---|---|---|---|
| **Notes** | | This variable has been grouped as a form of disclosure control. | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Exact number of persons living in household | 30037 | 4421188.6 | 14.5% |
| 2 | Exact number of persons living in household | 38761 | 10276714.6 | 33.6% |
| 3 | Exact number of persons living in household | 15034 | 5685012.4 | 18.6% |
| 4 | Exact number of persons living in household | 15811 | 6133792.0 | 20.1% |
| 5 | Grouped - 5 or more persons live in the household | 9922 | 4062070.3 | 13.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 94 | 12002.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM_PRX: Health component completed by proxy

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2695 | 875912.9 | 2.9% |
| 2 | No | 106964 | 29714867.3 | 97.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHDGLVG: Living / family arrangement of selected respondent - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109049 / 30423757.97 ] [Invalid=610 / 167022.29 ] |
| **Definition** | Derived from DHHTREL of selected respondent and DHHDVHSZ |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Unattached individual living alone. | 29982 | 4419210.6 | 14.5% |
| 2 | Unattached individual living with others. | 3499 | 1443964.5 | 4.7% |
| 3 | Individual living with spouse/partner. | 31337 | 7985576.6 | 26.2% |
| 4 | Parent living with spouse/partner and child(ren). | 20071 | 7857738.3 | 25.8% |
| 5 | Single parent living with children. | 5254 | 1339532.0 | 4.4% |
| 6 | Child living with a single parent with or without siblings. | 3486 | 1301175.6 | 4.3% |
| 7 | Child living with two parents with or without siblings | 10666 | 3732675.2 | 12.3% |
| 8 | Other | 4754 | 2343885.3 | 7.7% |
| 96 | Valid skip | 0 | 0.0 | |

# File : cchs_annual_2015_2016

## # DHHDGLVG: Living / family arrangement of selected respondent - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 610 | 167022.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGAGE: Age

| Information | [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*] |
|------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Literal question | What is your age? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Age between 12 and 14 | 4485 | 1112132.4 | 3.6% |
| 2 | Age between 15 and 17 | 4495 | 1130497.9 | 3.7% |
| 3 | Age between 18 and 19 | 2142 | 897043.7 | 2.9% |
| 4 | Age between 20 and 24 | 5223 | 2222538.9 | 7.3% |
| 5 | Age between 25 and 29 | 6508 | 2335615.1 | 7.6% |
| 6 | Age between 30 and 34 | 8123 | 2701155.0 | 8.8% |
| 7 | Age between 35 and 39 | 7039 | 2243542.6 | 7.3% |
| 8 | Age between 40 and 44 | 7150 | 2310778.9 | 7.6% |
| 9 | Age between 45 and 49 | 7163 | 2513688.3 | 8.2% |
| 10 | Age between 50 and 54 | 8517 | 2613461.2 | 8.5% |
| 11 | Age between 55 and 59 | 9643 | 2606212.9 | 8.5% |
| 12 | Age between 60 and 64 | 9349 | 2295252.9 | 7.5% |
| 13 | Age between 65 and 69 | 10176 | 2039978.6 | 6.7% |
| 14 | Age between 70 and 74 | 7378 | 1437974.8 | 4.7% |
| 15 | Age between 75 and 79 | 5373 | 980119.9 | 3.2% |
| 16 | Age 80 and older | 6895 | 1150787.2 | 3.8% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOMAC: Main activity - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | One question for this module was not asked in proxy interviews (MAC_025). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |

# File : cchs_annual_2015_2016

## # DOMAC: Main activity - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAC_005: Main activity - last week

| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107913 / 30130338 ] [Invalid=1746 / 460442.26 ] |
| Universe | Respondents with DOMAC = 1 |
| Literal question | Last week, was your main activity working at a paid job or business, looking for paid work, going to school, caring for children, household work, retired or something else? |
| Notes | For respondents aged less than 15, the variable MAC_005 was given the value of 4. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Working at a paid job or business | 48295 | 15785947.4 | 52.4% |
| 2 | Vacation (from paid work) | 1645 | 487474.5 | 1.6% |
| 3 | Looking for paid work | 3279 | 992698.1 | 3.3% |
| 4 | Going to school (including vacation from school) | 11242 | 3567098.5 | 11.8% |
| 5 | Caring for children | 3625 | 1046087.2 | 3.5% |
| 6 | Household work | 3051 | 797864.4 | 2.6% |
| 7 | Retired | 29849 | 5733508.5 | 19.0% |
| 8 | Maternity/paternity leave | 451 | 149171.0 | 0.5% |
| 9 | Long-term illness | 2831 | 653672.6 | 2.2% |
| 10 | Volunteering | 467 | 93101.9 | 0.3% |
| 11 | Care-giving other than for children | 228 | 63387.3 | 0.2% |
| 12 | Other | 2950 | 760326.7 | 2.5% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 513 | 100819.4 | |
| 98 | Refusal | 36 | 10757.0 | |
| 99 | Not stated | 1197 | 348865.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAC_010: Worked at job / business - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=92329 / 27163275.68 ] [Invalid=17330 / 3427504.58 ] |
| Universe | Respondents aged 15 to 74 with DOMAC = 1 |
| Literal question | Have you worked at a job or business at any time in the past 12 months? |
| Notes | If a respondent answered MAC_005 = 1 or 2, the variable MAC_010 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 64721 | 20566361.3 | 75.7% |
| 2 | No | 27608 | 6596914.4 | 24.3% |
| 6 | Valid skip | 16753 | 3243039.5 | |
| 7 | Don't know | 19 | 6683.7 | |
| 8 | Refusal | 16 | 10167.2 | |

# File : cchs_annual_2015_2016

## # MAC_010: Worked at job / business - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 542 | 167614.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAC_015: Currently attending school / college / CEGEP / university

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=108970 / 30383402 ] [Invalid=689 / 207378.26 ] |
| **Universe** | Respondents with DOMAC = 1 |
| **Literal question** | Are you currently attending school, college, CEGEP or university? |
| **Notes** | If a respondent answered MAC_005 = 4 or is aged less than 15, the variable MAC_015 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 14592 | 4775464.7 | | 15.7% |
| 2 | No | 94378 | 25607937.3 | | 84.3% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 61 | 7346.6 | | |
| 8 | Refusal | 16 | 4646.7 | | |
| 9 | Not stated | 612 | 195385.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MACG020: Student status

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=13423 / 4571109.38 ] [Invalid=96236 / 26019670.88 ] |
| **Universe** | Respondents who answered MAC_015 = 1 |
| **Literal question** | Are you enrolled as... ? |
| **Notes** | For respondents aged less than 15, the variable MAC_020 was given the value of 1. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | A full-time student or both full-time and part-time | 11872 | 3884315.3 | | 85.0% |
| 2 | Part-time student | 1551 | 686794.1 | | 15.0% |
| 6 | Valid skip | 94378 | 25607937.3 | | |
| 7 | Don't know | 1144 | 198685.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 714 | 213048.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EHG2DVR3: Highest level of education - respondent, 3 levels - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=108313 / 30157608.62 ] [Invalid=1346 / 433171.64 ] |
| **Definition** | Derived from EHG2_01, EHG2_02, EHG2_03, EHG2_04 |
| **Universe** | See documentation on derived variables. |
| **Notes** | Due to an error in processing, the value for EHG2DVR3 for respondents from 2015 represents the highest level of education of the first household member who was rostered during the interview. Therefore, this variable is correct only for cases where the first person rostered is the selected respondent (PERSONID = 1). This only affects data from 2015. |

# File : cchs_annual_2015_2016

## # EHG2DVR3: Highest level of education - respondent, 3 levels - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than secondary school graduation | 24869 | 5572527.8 | 18.5% |
| 2 | Secondary school graduation, no post-secondary education | 23255 | 6579267.1 | 21.8% |
| 3 | Post-secondary certificate diploma or univ degree | 60189 | 18005813.7 | 59.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1346 | 433171.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EHG2DVH3: Highest level of education - household, 3 levels - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=105999 / 29205306.15 ] [Invalid=3660 / 1385474.11 ] |
| **Definition** | Derived from EHG2DVR3 for each member of the household |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than secondary school graduation | 11060 | 1784632.8 | 6.1% |
| 2 | Secondary school graduation, no post-secondary education | 17620 | 4171356.4 | 14.3% |
| 3 | Post-secondary certificate diploma or univ degree | 77319 | 23249317.0 | 79.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3660 | 1385474.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOGEN: General health - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN_005: Perceived health

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109453 / 30538705.83 ] [Invalid=206 / 52074.43 ] |
| **Universe** | Respondents with DOGEN = 1 |
| **Literal question** | In general, would you say your health is... ? |

# File : cchs_annual_2015_2016

## # GEN_005: Perceived health

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 24011 | 7559160.4 | 24.8% |
| 2 | Very good | 39697 | 11220901.0 | 36.7% |
| 3 | Good | 31110 | 8404767.5 | 27.5% |
| 4 | Fair | 10664 | 2447616.7 | 8.0% |
| 5 | Poor | 3971 | 906260.3 | 3.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 175 | 42491.1 | |
| 8 | Refusal | 30 | 9133.2 | |
| 9 | Not stated | 1 | 450.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN_010: Satisfaction with life in general

| Information | [Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106007 / 29493793.84 ] [Invalid=3652 / 1096986.42 ] [Mean=8.08 / 8.12 ] [StdDev=1.69 / 1.606 ] |
| Universe | Respondents with DOGEN = 1 |
| Literal question | Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now? 0 Very dissatisfied 1 I 2 I 3 I 4 I 5 I 6 I 7 I 8 I 9 V 10 Very satisfied |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 808 | 170439.1 | |
| 98 | Refusal | 144 | 48698.6 | |
| 99 | Not stated | 2700 | 877848.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN_015: Perceived mental health

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106724 / 29650830.55 ] [Invalid=2935 / 939949.71 ] |
| Universe | Respondents with DOGEN = 1 |
| Literal question | In general, would you say your mental health is...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 35452 | 10454996.5 | 35.3% |
| 2 | Very good | 39156 | 10780004.6 | 36.4% |
| 3 | Good | 24614 | 6516065.4 | 22.0% |
| 4 | Fair | 5978 | 1519246.5 | 5.1% |
| 5 | Poor | 1524 | 380517.6 | 1.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 181 | 42683.7 | |
| 8 | Refusal | 54 | 19417.2 | |
| 9 | Not stated | 2700 | 877848.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# File : cchs_annual_2015_2016

## # GEN_020: Perceived life stress

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109079 / 30424100.99 ] [Invalid=580 / 166679.27 ] |
| Universe | Respondents with DOGEN = 1 |
| Literal question | Thinking about the amount of stress in your life, would you say that most of your days are...? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Not at all stressful | 16726 | 4113833.6 | 13.5% |
| 2 | Not very stressful | 27879 | 7287874.5 | 24.0% |
| 3 | A bit stressful | 43196 | 12487503.3 | 41.0% |
| 4 | Quite a bit stressful | 18134 | 5592104.3 | 18.4% |
| 5 | Extremely stressful | 3144 | 942785.4 | 3.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 505 | 147254.6 | |
| 8 | Refusal | 75 | 19424.7 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN_025: Perceived stress at work

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=63777 / 20179500.67 ] [Invalid=45882 / 10411279.59 ] |
| Universe | Respondents aged 15 to 74 with DOGEN = 1 and ((MAC_Q005 = 1 or 2) or (MAC_Q010 = 1)) |
| Literal question | Would you say that most days at work were...? |
| Notes | Was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Not at all stressful | 7059 | 2063226.6 | 10.2% |
| 2 | Not very stressful | 13653 | 4175116.4 | 20.7% |
| 3 | A bit stressful | 26569 | 8517104.5 | 42.2% |
| 4 | Quite a bit stressful | 13820 | 4558205.5 | 22.6% |
| 5 | Extremely stressful | 2676 | 865847.7 | 4.3% |
| 6 | Valid skip | 4037 | 1090273.6 | |
| 7 | Don't know | 171 | 71628.1 | |
| 8 | Refusal | 37 | 11124.9 | |
| 9 | Not stated | 41637 | 9238253.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN_030: Sense of belonging to local community

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=105386 / 29276423.82 ] [Invalid=4273 / 1314356.44 ] |
| Universe | Respondents with DOGEN = 1 |
| Literal question | How would you describe your sense of belonging to your local community? Would you say it is...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very strong | 21525 | 5427039.0 | 18.5% |
| 2 | Somewhat strong | 53092 | 14599951.5 | 49.9% |

# File : cchs_annual_2015_2016

## # GEN_030: Sense of belonging to local community

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 3 | Somewhat weak | 23159 | 7087595.2 | 24.2% |
| 4 | Very weak | 7610 | 2161838.3 | 7.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 1472 | 404249.8 | |
| 8 | Refusal | 101 | 32257.8 | |
| 9 | Not stated | 2700 | 877848.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDVHDI: Perceived health - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109453 / 30538705.83 ] [Invalid=206 / 52074.43 ] |
| **Definition** | Derived from GEN_005 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Poor | 3971 | 906260.3 | 3.0% |
| 1 | Fair | 10664 | 2447616.7 | 8.0% |
| 2 | Good | 31110 | 8404767.5 | 27.5% |
| 3 | Very good | 39697 | 11220901.0 | 36.7% |
| 4 | Excellent | 24011 | 7559160.4 | 24.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 206 | 52074.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDVMHI: Perceived mental health - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106724 / 29650830.55 ] [Invalid=2935 / 939949.71 ] |
| **Definition** | Derived from ADM_PRX, GEN_015 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Poor | 1524 | 380517.6 | 1.3% |
| 1 | Fair | 5978 | 1519246.5 | 5.1% |
| 2 | Good | 24614 | 6516065.4 | 22.0% |
| 3 | Very good | 39156 | 10780004.6 | 36.4% |
| 4 | Excellent | 35452 | 10454996.5 | 35.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2935 | 939949.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDVSWL: Satisfaction with life in general - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|

# File : cchs_annual_2015_2016

## # GENDVSWL: Satisfaction with life in general - (D)

| Statistics [NW/ W] | [Valid=106007 / 29493793.84 ] [Invalid=3652 / 1096986.42 ] |
|---|---|
| Definition | Derived from ADM_PRX, GEN_010 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very Satisfied | 44499 | 12373800.6 | 42.0% |
| 2 | Satisfied | 52654 | 15013383.3 | 50.9% |
| 3 | Neither satisfied nor dissatisfied | 5470 | 1327134.4 | 4.5% |
| 4 | Dissatisfied | 2618 | 615181.8 | 2.1% |
| 5 | Very Dissatisfied | 766 | 164293.8 | 0.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3652 | 1096986.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOHWT: Height and weight - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWT_050: Self-perceived weight - overweight / underweight / just about right

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=102589 / 28547051.02 ] [Invalid=7070 / 2043729.24 ] |
| Universe | Respondents with DOHWT = 1 and MAC_025 <> 1 and HWT_040 = (1-575) |
| Literal question | Do you consider yourself...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Overweight | 40468 | 10521079.4 | 36.9% |
| 2 | Underweight | 3744 | 1090912.0 | 3.8% |
| 3 | Just about right | 58377 | 16935059.6 | 59.3% |
| 6 | Valid skip | 461 | 148475.0 | |
| 7 | Don't know | 159 | 41442.0 | |
| 8 | Refusal | 16 | 3331.1 | |
| 9 | Not stated | 6434 | 1850481.2 | |

# File : cchs_annual_2015_2016

## # HWT_050: Self-perceived weight - overweight / underweight / just about right

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGHTM: Height (metres) - self-reported - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1.27-1.956] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=104560 / 29030191.7 ] [Invalid=5099 / 1560588.56 ] [Mean=1.69 / 1.696 ] [StdDev=0.101 / 0.101 ] |
| Definition | Derived from ADM_PRX, HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9.996 | Valid skip | 0 | 0.0 | |
| 9.997 | Don't know | 0 | 0.0 | |
| 9.998 | Refusal | 0 | 0.0 | |
| 9.999 | Not stated | 5099 | 1560588.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGWTK: Weight (kilograms) - self-reported - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=102699 / 28568320.31 ] [Invalid=6960 / 2022459.95 ] [Mean=75.521 / 75.011 ] [StdDev=17.989 / 17.717 ] |
| Definition | Derived from ADM_PRX, HWT_040, HWT_045, MAC_025 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. If a respondent reported a weight below or above a threshold deemed to be a disclosure risk, the value for HWTDGWTK is taken to be that threshold. The thresholds used vary by age group and sex. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.96 | Valid skip | 0 | 0.0 | |
| 999.97 | Don't know | 0 | 0.0 | |
| 999.98 | Refusal | 0 | 0.0 | |
| 999.99 | Not stated | 6960 | 2022460.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGBMI: BMI age 12 to 17 (self-reported) - Cole classification - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 12-54.07] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=101831 / 28333522.83 ] [Invalid=7828 / 2257257.43 ] [Mean=26.335 / 25.939 ] [StdDev=5.273 / 5.073 ] |
| Definition | Derived from ADM_PRX, HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025, DHHTAGM, AGET1 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. BMI values have been regrouped to a minimum of 12 and a maximum of 58. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.96 | Valid skip | 31 | 9735.5 | |
| 999.97 | Don't know | 0 | 0.0 | |
| 999.98 | Refusal | 0 | 0.0 | |
| 999.99 | Not stated | 7797 | 2247521.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDVCOL: BMI age 12 to 17 (self-reported) - Cole classification - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|

# File : cchs_annual_2015_2016

## # HWTDVCOL: BMI age 12 to 17 (self-reported) - Cole classification - (D)

| Statistics [NW/ W] | [Valid=7436 / 1824541.64 ] [Invalid=102223 / 28766238.62 ] |
|---|---|
| Definition | Derived from ADM_PRX, HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025, DHHTAGM, AGET1 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Thinness | 719 | 191918.8 | 10.5% |
| 2 | Normal | 4990 | 1231837.0 | 67.5% |
| 3 | Overweight | 1236 | 293989.4 | 16.1% |
| 4 | Obese | 491 | 106796.5 | 5.9% |
| 6 | Valid skip | 100683 | 28350586.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1540 | 415651.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGISW: BMI classification 18 and + (self-reported) - Intl standard - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=94316 / 26482318.19 ] [Invalid=15343 / 4108462.07 ] |
| Definition | Derived from DHH_AGE, HWTDVBMI, MAC_025 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Underweight | 1755 | 543107.9 | 2.1% |
| 2 | Normal weight | 38183 | 11632229.8 | 43.9% |
| 3 | Overweight | 32751 | 9016864.2 | 34.0% |
| 4 | Obese - Class I, II, III | 21627 | 5290116.3 | 20.0% |
| 6 | Valid skip | 9007 | 2249929.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 6336 | 1858533.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDVWHO: BMI age 12 to 17 (self-reported) - WHO classification - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7436 / 1824541.64 ] [Invalid=102223 / 28766238.62 ] |
| Definition | Derived from ADM_PRX, DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025, DHHTAGM, AGET1 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Thinness | 236 | 63506.7 | 3.5% |
| 2 | Normal | 5209 | 1292872.5 | 70.9% |
| 3 | Overweight | 1349 | 323821.4 | 17.7% |
| 4 | Obese | 642 | 144341.0 | 7.9% |
| 6 | Valid skip | 100683 | 28350586.8 | |
| 7 | Don't know | 0 | 0.0 | |

# File : cchs_annual_2015_2016

## # HWTDVWHO: BMI age 12 to 17 (self-reported) - WHO classification - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1540 | 415651.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGCOR: Body mass index (adjusted) - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 14.23-56.72] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=94316 / 26482318.19 ] [Invalid=15343 / 4108462.07 ] [Mean=27.845 / 27.348 ] [StdDev=5.455 / 5.262 ] |
| **Definition** | Derived from DHH_AGE, DHH_SEX, ADM_PRX, HWTDVBMI, MAC_025 |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.96 | Valid skip | 9007 | 2249929.0 | |
| 999.97 | Don't know | 0 | 0.0 | |
| 999.98 | Refusal | 0 | 0.0 | |
| 999.99 | Not stated | 6336 | 1858533.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDGBCC: Body mass index (self-reported) - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=94316 / 26482318.19 ] [Invalid=15343 / 4108462.07 ] |
| **Definition** | Derived from DHH_SEX, ADM_PRX, HWTDVCOR, MAC_025 |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Underweight | 909 | 274837.1 | 1.0% |
| 2 | Normal weight | 31327 | 9760343.3 | 36.9% |
| 3 | Overweight | 33938 | 9482773.4 | 35.8% |
| 4 | Obese - Class I, II, III | 28142 | 6964364.4 | 26.3% |
| 6 | Valid skip | 9007 | 2249929.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 6336 | 1858533.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOCCC: Chronic conditions - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |

# File : cchs_annual_2015_2016

## # DOCCC: Chronic conditions - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_005: Joint pain - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109509 / 30549694.56 ] [Invalid=150 / 41085.7 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 52299 | 13229999.3 | 43.3% |
| 2 | No | 57210 | 17319695.2 | 56.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 119 | 29440.3 | |
| 8 | Refusal | 31 | 11645.4 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_010: Joint pain symptoms - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=52108 / 13174074.53 ] [Invalid=57551 / 17416705.73 ] |
| Universe | Respondents who answered CCC_005 = 1 |
| Literal question | Did your joint symptoms first begin more than 3 months ago? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 43649 | 10778723.4 | 81.8% |
| 2 | No | 8459 | 2395351.1 | 18.2% |
| 6 | Valid skip | 57210 | 17319695.2 | |
| 7 | Don't know | 185 | 54471.9 | |
| 8 | Refusal | 6 | 1452.9 | |
| 9 | Not stated | 150 | 41085.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_015: Has asthma

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109547 / 30551581.76 ] [Invalid=112 / 39198.5 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have asthma? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 9607 | 2587775.0 | 8.5% |
| 2 | No | 99940 | 27963806.8 | 91.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 97 | 36331.4 | |
| 8 | Refusal | 15 | 2867.1 | |

# File : cchs_annual_2015_2016

## # CCC_015: Has asthma

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_020: Asthma - had symptoms / attacks - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=9579 / 2582211.47 ] [Invalid=100080 / 28008568.79 ] |
| **Universe** | Respondents who answered CCC_015 = 1 |
| **Literal question** | Have you had any asthma symptoms or asthma attacks in the past 12 months? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 4668 | 1225175.7 | | 47.4% |
| 2 | No | 4911 | 1357035.8 | | 52.6% |
| 6 | Valid skip | 99940 | 27963806.8 | | |
| 7 | Don't know | 27 | 5498.5 | | |
| 8 | Refusal | 1 | 65.0 | | |
| 9 | Not stated | 112 | 39198.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_025: Asthma - took medication - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=9599 / 2585169.55 ] [Invalid=100060 / 28005610.71 ] |
| **Universe** | Respondents who answered CCC_015 = 1 |
| **Literal question** | In the past 12 months, have you taken any medicine for asthma such as inhalers (pumps), nebulizers, pills, liquids or injections? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 7395 | 1915094.0 | | 74.1% |
| 2 | No | 2204 | 670075.6 | 25.9% | |
| 6 | Valid skip | 99940 | 27963806.8 | | |
| 7 | Don't know | 8 | 2605.4 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 112 | 39198.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_030: Has a COPD

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=78528 / 20161772.34 ] [Invalid=31131 / 10429007.92 ] |
| **Universe** | Respondents aged 35 and over with DOCCC = 1 |
| **Literal question** | Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 4344 | 833148.3 | 4.1% | |
| 2 | No | 74184 | 19328624.0 | | 95.9% |
| 6 | Valid skip | 30976 | 10398982.9 | | |
| 7 | Don't know | 140 | 26452.0 | | |
| 8 | Refusal | 14 | 3471.1 | | |
| 9 | Not stated | 1 | 101.8 | | |

# File : cchs_annual_2015_2016

## # CCC_030: Has a COPD

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_035: Has sleep apnea

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109442 / 30531981.5 ] [Invalid=217 / 58798.76 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Have you been told by a health professional that you have sleep apnea? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6453 | 1570765.5 | 5.1% |
| 2 | No | 102989 | 28961216.0 | 94.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 193 | 47955.5 | |
| 8 | Refusal | 23 | 10741.5 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_040: Has scoliosis

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | **Statistics [NW/ W]** | [Valid=109395 / 30519385.73 ] [Invalid=264 / 71394.53 ] |
| | **Universe** | Respondents with DOCCC = 1 |
| | **Literal question** | Do you have scoliosis? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4169 | 1028048.6 | 3.4% |
| 2 | No | 105226 | 29491337.1 | 96.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 242 | 66368.7 | |
| 8 | Refusal | 21 | 4924.0 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_045: Has fibromyalgia

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | **Statistics [NW/ W]** | [Valid=109379 / 30510206.19 ] [Invalid=280 / 80574.07 ] |
| | **Universe** | Respondents with DOCCC = 1 |
| | **Literal question** | Do you have fibromyalgia? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2460 | 508409.6 | 1.7% |
| 2 | No | 106919 | 30001796.6 | 98.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 255 | 74420.4 | |
| 8 | Refusal | 24 | 6051.9 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_050: Has arthritis (e.g. osteoarthritis, rheumatoid arthritis, gout)

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | **Statistics [NW/ W]** | [Valid=107705 / 30085935.94 ] [Invalid=1954 / 504844.32 ] |
| | **Universe** | Respondents with DOCCC = 1 |
| | **Literal question** | Do you have arthritis, for example osteoarthritis, rheumatoid arthritis, gout or any other type, excluding fibromyalgia? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27854 | 6006635.7 | 20.0% |
| 2 | No | 79851 | 24079300.3 | 80.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 438 | 125003.6 | |
| 8 | Refusal | 22 | 5617.7 | |
| 9 | Not stated | 1494 | 374223.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_055: Has back problems (excluding scoliosis, fibromyalgia and arthritis)

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | **Statistics [NW/ W]** | [Valid=109429 / 30526691.79 ] [Invalid=230 / 64088.47 ] |
| | **Universe** | Respondents with DOCCC = 1 |
| | **Literal question** | Do you have back problems, excluding scoliosis, fibromyalgia and arthritis? |

# CCC_055: Has back problems (excluding scoliosis, fibromyalgia and arthritis)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 22836 | 5679185.2 | 18.6% |
| 2 | No | 86593 | 24847506.6 | 81.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 201 | 53617.9 | |
| 8 | Refusal | 28 | 10368.7 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_060: Has osteoporosis

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=71141 / 17833642.21 ] [Invalid=38518 / 12757138.05 ] |
| Universe | Respondents aged 40 and over with DOCCC = 1 |
| Literal question | Do you have osteoporosis? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6889 | 1446111.0 | 8.1% |
| 2 | No | 64252 | 16387531.3 | 91.9% |
| 6 | Valid skip | 38015 | 12642525.5 | |
| 7 | Don't know | 480 | 109237.4 | |
| 8 | Refusal | 22 | 5273.4 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_065: Has high blood pressure

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109064 / 30426041.82 ] [Invalid=595 / 164738.44 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have high blood pressure? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 23495 | 5256958.0 | 17.3% |
| 2 | No | 85569 | 25169083.8 | 82.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 565 | 152246.5 | |
| 8 | Refusal | 29 | 12390.2 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_070: High blood pressure - took medication - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109430 / 30537671.49 ] [Invalid=229 / 53108.77 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | In the past month, have you taken any medicine for high blood pressure? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 24846 | 5344043.8 | 17.5% |
| 2 | No | 84584 | 25193627.7 | 82.5% |
| 6 | Valid skip | 0 | 0.0 | |

## # CCC_070: High blood pressure - took medication - 1 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 206 | 44014.3 | |
| 8 | Refusal | 22 | 8992.7 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_075: Has high blood cholesterol / lipids

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=99138 / 27935503.12 ] [Invalid=10521 / 2655277.14 ] |
| **Universe** | Respondents aged 18 and over with DOCCC = 1 |
| **Literal question** | Do you have high blood cholesterol or lipids? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15928 | 3752438.8 | 13.4% |
| 2 | No | 83210 | 24183064.4 | 86.6% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 1502 | 400133.9 | |
| 8 | Refusal | 38 | 12411.2 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_080: High blood cholesterol / lipids - took medication - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=100319 / 28272354.44 ] [Invalid=9340 / 2318425.82 ] |
| **Universe** | Respondents aged 18 and over with DOCCC = 1 |
| **Literal question** | In the past month, have you taken any medicine for high blood cholesterol or lipids? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17710 | 3916363.9 | 13.9% |
| 2 | No | 82609 | 24355990.6 | 86.1% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 329 | 65181.3 | |
| 8 | Refusal | 30 | 10512.4 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_085: Has heart disease

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109263 / 30508598.76 ] [Invalid=396 / 82181.5 ] |
| **Universe** | Respondents with DOCCC = 1 |
| **Literal question** | Do you have heart disease? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6912 | 1398891.6 | 4.6% |
| 2 | No | 102351 | 29109707.2 | 95.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 372 | 75761.2 | |
| 8 | Refusal | 23 | 6318.6 | |
| 9 | Not stated | 1 | 101.8 | |

# CCC_085: Has heart disease

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_090: Suffers from the effects of a stroke

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109522 / 30552577.93 ] [Invalid=137 / 38202.33 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you suffer from the effects of a stroke? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1696 | 358944.0 | 1.2% |
| 2 | No | 107826 | 30193633.9 | 98.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 118 | 33368.3 | |
| 8 | Refusal | 18 | 4732.3 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_095: Has diabetes

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109522 / 30552187.96 ] [Invalid=137 / 38592.3 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have diabetes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9223 | 2115972.7 | 6.9% |
| 2 | No | 100299 | 28436215.2 | 93.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 117 | 30141.3 | |
| 8 | Refusal | 19 | 8349.2 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCCG100: Diabetes - age first diagnosed

| Information | [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8998 / 2070565.43 ] [Invalid=100661 / 28520214.83 ] |
| Universe | Respondents who answered CCC_095 = 1 |
| Literal question | How old were you when this was first diagnosed? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | First diagnosed with diabetes between ages 0 and 11 | 211 | 48705.5 | 2.4% |
| 2 | First diagnosed with diabetes between ages 12 and 17 | 137 | 38818.4 | 1.9% |
| 3 | First diagnosed with diabetes between ages 18 and 24 | 208 | 48888.8 | 2.4% |
| 4 | First diagnosed with diabetes between ages 25 and 29 | 218 | 60180.2 | 2.9% |
| 5 | First diagnosed with diabetes between ages 30 and 35 | 359 | 108607.0 | 5.2% |

## # CCCG100: Diabetes - age first diagnosed

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | First diagnosed with diabetes between ages 35 and 39 | 424 | 121770.1 | 5.9% |
| 7 | First diagnosed with diabetes between ages 40 and 44 | 776 | 210609.5 | 10.2% |
| 8 | First diagnosed with diabetes between ages 45 and 49 | 886 | 228437.4 | 11.0% |
| 9 | First diagnosed with diabetes between ages 50 and 54 | 1349 | 334916.8 | 16.2% |
| 10 | First diagnosed with diabetes between ages 55 and 59 | 1211 | 248060.2 | 12.0% |
| 11 | First diagnosed with diabetes between ages 60 and 64 | 1272 | 270476.8 | 13.1% |
| 12 | First diagnosed with diabetes between ages 65 and 69 | 870 | 170027.2 | 8.2% |
| 13 | First diagnosed with diabetes between ages 70 and 74 | 594 | 101469.2 | 4.9% |
| 14 | First diagnosed with diabetes between ages 75 and 79 | 280 | 45814.5 | 2.2% |
| 15 | First diagnosed with diabetes at age 80 and older | 203 | 33783.7 | 1.6% |
| 96 | Valid skip | 100299 | 28436215.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 362 | 83999.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_105: Diabetes - diagnosed - during pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2017 / 483999.49 ] [Invalid=107642 / 30106780.77 ] |
| Universe | Females aged 15 and over who answered (14 < CCC_100 < 55) |
| Literal question | Were you pregnant when you were first diagnosed with diabetes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 290 | 76823.6 | 15.9% |
| 2 | No | 1727 | 407175.9 | 84.1% |
| 6 | Valid skip | 107629 | 30103989.0 | |
| 7 | Don't know | 8 | 1693.9 | |
| 8 | Refusal | 1 | 186.5 | |
| 9 | Not stated | 4 | 911.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_110: Diabetes - diagnosed - other than during pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=290 / 76823.56 ] [Invalid=109369 / 30513956.7 ] |
| Universe | Respondents who answered CCC_105 = 1 |
| Literal question | Other than during pregnancy, has a health professional ever told you that you have diabetes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 224 | 51382.9 | 66.9% |
| 2 | No | 66 | 25440.7 | 33.1% |
| 6 | Valid skip | 109356 | 30511164.9 | |

## # CCC_110: Diabetes - diagnosed - other than during pregnancy

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 13 | 2791.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_115: Diabetes - time between diagnosis and start of insulin

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=8635 / 1981421.05 ] [Invalid=101024 / 28609359.21 ] |
| **Universe** | Respondents who answered CCC_095 = 1, excluding females who answered CCC_110 = 2, 7 or 8 |
| **Literal question** | When you were first diagnosed with diabetes, how long was it before you were started on insulin? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Less than 1 month | 780 | 176663.7 | 8.9% |
| 2 | 1 month to less than 2 months | 63 | 12101.6 | 0.6% |
| 3 | 2 months to less than 6 months | 80 | 18750.8 | 0.9% |
| 4 | 6 months to less than 1 year | 91 | 22919.9 | 1.2% |
| 5 | 1 year or more | 1538 | 346287.0 | 17.5% |
| 6 | Never | 6083 | 1404698.0 | 70.9% |
| 96 | Valid skip | 100805 | 28551269.0 | |
| 97 | Don't know | 80 | 19362.7 | |
| 98 | Refusal | 1 | 35.9 | |
| 99 | Not stated | 138 | 38691.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_120: Diabetes - currently takes insulin

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=8707 / 1995473.25 ] [Invalid=100952 / 28595307.01 ] |
| **Universe** | Respondents who answered CCC_095 = 1, excluding females who answered CCC_110 = 2, 7 or 8 |
| **Literal question** | Do you currently take insulin for your diabetes? |
| **Notes** | If a respondent answered CCC_115 = 6, the variable CCC_120 was given the value of 2. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 2310 | 500091.8 | 25.1% |
| 2 | No | 6397 | 1495381.4 | 74.9% |
| 6 | Valid skip | 100805 | 28551269.0 | |
| 7 | Don't know | 9 | 5346.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 138 | 38691.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_125: Diabetes - took pills to control blood sugar - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=8685 / 1992812.74 ] [Invalid=100974 / 28597967.52 ] |
| **Universe** | Respondents who answered CCC_095 = 1, excluding females who answered CCC_110 = 2, 7 or 8 |
| **Literal question** | In the past month, did you take pills to control your blood sugar? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 6645 | 1544711.5 | 77.5% |

# CCC_125: Diabetes - took pills to control blood sugar - 1 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | No | 2040 | 448101.2 | 22.5% |
| 6 | Valid skip | 100805 | 28551269.0 | |
| 7 | Don't know | 30 | 7867.8 | |
| 8 | Refusal | 1 | 139.2 | |
| 9 | Not stated | 138 | 38691.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_130: Has cancer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109462 / 30542318.34 ] [Invalid=197 / 48461.92 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have cancer? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2077 | 449260.2 | 1.5% |
| 2 | No | 107385 | 30093058.2 | 98.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 171 | 42989.4 | |
| 8 | Refusal | 25 | 5370.7 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_135: Has been diagnosed with cancer - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107454 / 30114597.24 ] [Invalid=2205 / 476183.02 ] |
| Universe | Respondents who answered CCC_130 = (2 or 7) |
| Literal question | Have you ever been diagnosed with cancer? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8123 | 1720182.3 | 5.7% |
| 2 | No | 99331 | 28394415.0 | 94.3% |
| 6 | Valid skip | 2080 | 449573.4 | |
| 7 | Don't know | 96 | 20152.3 | |
| 8 | Refusal | 3 | 984.9 | |
| 9 | Not stated | 26 | 5472.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCC_140: Has migraine headaches

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109518 / 30547454.52 ] [Invalid=141 / 43325.74 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have have migraine headaches? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11422 | 3227422.3 | 10.6% |
| 2 | No | 98096 | 27320032.2 | 89.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 122 | 36083.0 | |

## # CCC_140: Has migraine headaches

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 18 | 7141.0 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_190: Suffers from multiple chemical sensitivities

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109438 / 30532294.01 ] [Invalid=221 / 58486.25 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you suffer from multiple chemical sensitivities? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4259 | 976919.6 | 3.2% |
| 2 | No | 105179 | 29555374.4 | 96.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 199 | 50714.6 | |
| 8 | Refusal | 21 | 7669.8 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_195: Has a mood disorder (depression, bipolar, mania, dysthymia)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109432 / 30522590.09 ] [Invalid=227 / 68190.17 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9992 | 2489229.0 | 8.2% |
| 2 | No | 99440 | 28033361.1 | 91.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 178 | 50848.3 | |
| 8 | Refusal | 48 | 17240.1 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC_200: Has an anxiety disorder (phobia, OCD, panic)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109436 / 30518718.92 ] [Invalid=223 / 72061.34 ] |
| Universe | Respondents with DOCCC = 1 |
| Literal question | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9571 | 2511912.0 | 8.2% |
| 2 | No | 99865 | 28006807.0 | 91.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 181 | 58671.4 | |
| 8 | Refusal | 41 | 13288.2 | |
| 9 | Not stated | 1 | 101.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCCDVDIA: Diabetes type - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=8904 / 2045315.67 ] [Invalid=100755 / 28545464.59 ] |
| **Definition** | Derived from DHH_AGE, DHH_SEX, CCC_095, CCC_100, CCC_105, CCC_110, CCC_115, CCC_120, CCC_125 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Type 1 diabetes | 305 | 73464.5 | 3.6% |
| 2 | Type 2 diabetes | 8531 | 1945888.6 | 95.1% |
| 3 | Gestational diabetes | 68 | 25962.6 | 1.3% |
| 6 | Valid skip | 100436 | 28474807.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 319 | 70657.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOHUI: Health utility index - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Definition** | The version used by CCHS is the HUI Mark 3 (HUI3) for NPHS (1999). The questions are slightly different than the original HUI3 developed at McMaster University's Centre for Health Economics and Policy Analysis, which is based on the Comprehensive Health Status Measurement System (CHSMS). |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2860 | 94725.0 | 0.3% |
| 2 | No | 106799 | 30496055.2 | 99.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDGVIS: Vision health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2839 / 94077.78 ] [Invalid=106820 / 30496702.48 ] |
| **Definition** | Derived from HUI_005, HUI_010, HUI_015, HUI_020, HUI_025 |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Able to see well | 1488 | 48718.1 | 51.8% |
| 2 | Able to see well with lenses | 1302 | 43790.1 | 46.5% |
| 3 | Unable to see distance even with lenses | 20 | 702.8 | 0.7% |
| 4 | Unable to see close - even with lenses | 19 | 640.2 | 0.7% |
| 5 | Unable to see close and distance with lenses / see at all | 10 | 226.6 | 0.2% |
| 6 | Valid skip | 106799 | 30496055.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

## # HUIDGVIS: Vision health status - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 21 | 647.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDGHER: Hearing health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2826 / 93485.64 ] [Invalid=106833 / 30497294.62 ] |
| Definition | Derived from HUI_030, HUI_035, HUI_040, HUI_045, HUI_050 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Able to hear well | 2691 | 89563.4 | | 95.8% |
| 2 | Unable to hear in a group/individual - corrected | 84 | 2201.2 | 2.4% | |
| 3 | Unable to hear in a group/individual - not corrected | 51 | 1721.1 | 1.8% | |
| 6 | Valid skip | 106799 | 30496055.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 34 | 1239.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDGSPE: Speech health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2858 / 94672.45 ] [Invalid=106801 / 30496107.81 ] |
| Definition | Derived from HUI_055, HUI_060, HUI_065, HUI_070 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Able to be well understood | 2800 | 92586.3 | | 97.8% |
| 2 | Partially understood/Unable to be understood | 58 | 2086.1 | 2.2% | |
| 6 | Valid skip | 106799 | 30496055.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2 | 52.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDGMOB: Mobility health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2854 / 94615.3 ] [Invalid=106805 / 30496164.96 ] |
| Definition | Derived from HUI_075, HUI_080, HUI_085, HUI_090, HUI_095 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Able to walk without difficulty | 2747 | 91984.2 | | 97.2% |
| 2 | Limitations walking - no aid required | 17 | 290.8 | 0.3% | |

# HUIDGMOB: Mobility health status - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 3 | Limitations walking - walking equipment or wheelchair | 64 | 1406.4 | 1.5% |
| 4 | Limitations walking - requires help/Cannot walk | 26 | 933.9 | 1.0% |
| 6 | Valid skip | 106799 | 30496055.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 6 | 109.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HUIDGDEX: Dexterity health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2858 / 94698.73 ] [Invalid=106801 / 30496081.53 ] |
| Definition | Derived from HUI_110, HUI_115, HUI_120, HUI_125 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has full use of hands and fingers | 2843 | 94285.4 | 99.6% |
| 2 | Dexterity limitations, no help required | 7 | 167.0 | 0.2% |
| 3 | Dexterity limitations, help required | 8 | 246.3 | 0.3% |
| 6 | Valid skip | 106799 | 30496055.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2 | 26.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HUIDVEMO: Emotion health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2846 / 94370.6 ] [Invalid=106813 / 30496409.66 ] |
| Definition | Derived from HUI_130 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Emotion attribute - level 1 | 2158 | 71712.0 | 76.0% |
| 2 | Emotion attribute - level 2 | 557 | 18745.9 | 19.9% |
| 3 | Emotion attribute - level 3 | 97 | 2728.6 | 2.9% |
| 4 | Emotion attribute - level 4 | 26 | 988.0 | 1.0% |
| 5 | Emotion attribute - level 5 | 8 | 196.2 | 0.2% |
| 6 | Valid skip | 106799 | 30496055.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 14 | 354.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HUIDVCOG: Cognition health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2842 / 94245.58 ] [Invalid=106817 / 30496534.68 ] |
| Universe | See documentation on derived variables. |

# HUIDVCOG: Cognition health status - (D)

| Notes | Derived from HUI_135, HUI_140 |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Cognition attribute - level 1 | 1659 | 56170.5 | 59.6% |
| 2 | Cognition attribute - level 2 | 154 | 5355.5 | 5.7% |
| 3 | Cognition attribute - level 3 | 611 | 19978.1 | 21.2% |
| 4 | Cognition attribute - level 4 | 314 | 9691.9 | 10.3% |
| 5 | Cognition attribute - level 5 | 97 | 2846.3 | 3.0% |
| 6 | Cognition attribute - level 6 | 7 | 203.3 | 0.2% |
| 96 | Valid skip | 106799 | 30496055.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 18 | 479.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HUIDVPAD: Pain health status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2853 / 94496.55 ] [Invalid=106806 / 30496283.71 ] |
| Definition | Derived from HUI_145, HUI_155 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No pain or discomfort | 2320 | 77305.6 | 81.8% |
| 2 | Pain does not prevent activity | 142 | 4616.4 | 4.9% |
| 3 | Pain prevents a few activities | 165 | 4799.6 | 5.1% |
| 4 | Pain prevents some activities | 138 | 4754.1 | 5.0% |
| 5 | Pain prevents most activities | 88 | 3020.8 | 3.2% |
| 6 | Valid skip | 106799 | 30496055.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 7 | 228.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HUIDVHSI: Health utilities index - (D)

| Information | [Type= continuous] [Format=numeric] [Range= -0.144-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2769 / 91985.13 ] [Invalid=106890 / 30498795.13 ] [Mean=0.842 / 0.847 ] [StdDev=0.211 / 0.206 ] |
| Definition | Derived from HUIDVVIS, HUIDVHER, HUIDVSPE, HUIDVMOB, HUIDVDEX, HUIDVEMO, HUIDVCOG, HUIDVPAD |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99.996 | Valid skip | 106799 | 30496055.2 | |
| 99.997 | Don't know | 0 | 0.0 | |
| 99.998 | Refusal | 0 | 0.0 | |
| 99.999 | Not stated | 91 | 2739.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOADL: Activities of daily living - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |

## # DOADL: Activities of daily living - Inclusion Flag - (F)

| Universe | All respondents | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13179 | 2043257.2 | 6.7% |
| 2 | No | 96480 | 28547523.0 | 93.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_005: Difficulty - preparing meals

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13168 / 2041714.78 ] [Invalid=96491 / 28549065.48 ] |
| Universe | Respondents with DOADL = 1 |
| Literal question | Because of any physical condition, mental condition or health problem, do you have any difficulty: with preparing meals? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, no difficulty | 12239 | 1913130.3 | 93.7% |
| 2 | Yes, difficulty, but do not require help of others | 423 | 60939.8 | 3.0% |
| 3 | Yes, difficulty, but can do it with the help of others | 337 | 41865.5 | 2.1% |
| 4 | Cannot do it at all | 169 | 25779.2 | 1.3% |
| 6 | Valid skip | 96480 | 28547523.0 | |
| 7 | Don't know | 3 | 291.8 | |
| 8 | Refusal | 3 | 84.4 | |
| 9 | Not stated | 5 | 1166.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_010: Difficulty - running errands such as shopping for groceries

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13161 / 2040021.89 ] [Invalid=96498 / 28550758.37 ] |
| Universe | Respondents with DOADL = 1 |
| Literal question | Because of any physical condition, mental condition or health problem, do you have any difficulty: with running errands such as shopping for groceries? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, no difficulty | 11756 | 1843183.4 | 90.4% |
| 2 | Yes, difficulty, but do not require help of others | 545 | 76662.0 | 3.8% |
| 3 | Yes, difficulty, but can do it with the help of others | 579 | 80656.5 | 4.0% |
| 4 | Cannot do it at all | 281 | 39520.0 | 1.9% |
| 6 | Valid skip | 96480 | 28547523.0 | |
| 7 | Don't know | 11 | 2012.0 | |
| 8 | Refusal | 2 | 57.1 | |
| 9 | Not stated | 5 | 1166.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_015: Difficulty - doing everyday housework

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|

## # ADL_015: Difficulty - doing everyday housework

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=13163 / 2040078.39 ] [Invalid=96496 / 28550701.87 ] | | | |
| **Universe** | Respondents with DOADL = 1 | | | |
| **Literal question** | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with doing everyday housework? | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, no difficulty | 11569 | 1828776.8 | 89.6% |
| 2 | Yes, difficulty, but do not require help of others | 680 | 92085.1 | 4.5% |
| 3 | Yes, difficulty, but can do it with the help of others | 607 | 78308.6 | 3.8% |
| 4 | Cannot do it at all | 307 | 40907.9 | 2.0% |
| 6 | Valid skip | 96480 | 28547523.0 | |
| 7 | Don't know | 9 | 1955.5 | |
| 8 | Refusal | 2 | 57.1 | |
| 9 | Not stated | 5 | 1166.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_020: Difficulty - personal care / taking medication

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=13170 / 2041754.86 ] [Invalid=96489 / 28549025.4 ] | | | |
| **Universe** | Respondents with DOADL = 1 | | | |
| **Literal question** | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with personal care such as bathing, dressing, eating or taking medication? | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, no difficulty | 12593 | 1966353.3 | 96.3% |
| 2 | Yes, difficulty, but do not require help of others | 230 | 28529.4 | 1.4% |
| 3 | Yes, difficulty, but can do it with the help of others | 276 | 36901.0 | 1.8% |
| 4 | Cannot do it at all | 71 | 9971.2 | 0.5% |
| 6 | Valid skip | 96480 | 28547523.0 | |
| 7 | Don't know | 2 | 279.0 | |
| 8 | Refusal | 2 | 57.1 | |
| 9 | Not stated | 5 | 1166.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_025: Difficulty - moving about inside the house

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=13168 / 2041152.7 ] [Invalid=96491 / 28549627.56 ] | | | |
| **Universe** | Respondents with DOADL = 1 | | | |
| **Literal question** | Because of any physical condition, mental condition or health problem, do you have any difficulty: with moving about inside the house? | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, no difficulty | 12442 | 1950587.2 | 95.6% |
| 2 | Yes, difficulty, but do not require help of others | 581 | 68929.6 | 3.4% |
| 3 | Yes, difficulty, but can do it with the help of others | 109 | 16346.0 | 0.8% |
| 4 | Cannot do it at all | 36 | 5289.9 | 0.3% |
| 6 | Valid skip | 96480 | 28547523.0 | |

## # ADL_025: Difficulty - moving about inside the house

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 4 | 881.2 | |
| 8 | Refusal | 2 | 57.1 | |
| 9 | Not stated | 5 | 1166.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL_030: Difficulty - looking after personal finances

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13129 / 2037381.75 ] [Invalid=96530 / 28553398.51 ] |
| Universe | Respondents with DOADL = 1 |
| Literal question | (Because of any physical condition, mental condition or health problem, do you have any difficulty:) with looking after your personal finances such as making bank transactions or paying bills? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | No, no difficulty | 12502 | 1948209.9 | | 95.6% |
| 2 | Yes, difficulty, but do not require help of others | 108 | 14850.7 | 0.7% | |
| 3 | Yes, difficulty, but can do it with the help of others | 252 | 34953.2 | 1.7% | |
| 4 | Cannot do it at all | 267 | 39368.0 | 1.9% | |
| 6 | Valid skip | 96480 | 28547523.0 | | |
| 7 | Don't know | 37 | 4221.5 | | |
| 8 | Refusal | 8 | 487.7 | | |
| 9 | Not stated | 5 | 1166.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADLDVIHS: Instrumental activity of daily living index - home support - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13111 / 2034133.17 ] [Invalid=96548 / 28556647.09 ] [Mean=0.633 / 0.562 ] [StdDev=1.888 / 1.803 ] |
| Definition | Derived from ADL_005, ADL_010, ADL_015, ADL_030 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 96480 | 28547523.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 68 | 9124.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADLDVIPC: Instrumental activity of daily living index - personal care - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13166 / 2040873.67 ] [Invalid=96493 / 28549906.59 ] [Mean=0.144 / 0.122 ] [StdDev=0.606 / 0.571 ] |
| Definition | Derived from ADL_020, ADL_025 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 96480 | 28547523.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 13 | 2383.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOINJ: Injuries - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 16188 | 4163495.2 | 13.6% |
| 2 | No | 93471 | 26427285.1 | 86.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_005: Repetitive strain injuries - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16128 / 4143538.92 ] [Invalid=93531 / 26447241.34 ] |
| Universe | Respondents with DOINJ = 1 |
| Literal question | In the past 12 months, did you have any injuries due to repetitive strain? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2175 | 555190.4 | 13.4% |
| 2 | No | 13953 | 3588348.6 | 86.6% |
| 6 | Valid skip | 93471 | 26427285.1 | |
| 7 | Don't know | 56 | 19724.8 | |
| 8 | Refusal | 1 | 60.3 | |
| 9 | Not stated | 3 | 171.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_010: Repetitive strain injuries - limiting normal activities

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2170 / 554532.24 ] [Invalid=107489 / 30036248.02 ] |
| Universe | Respondents who answered INJ_005 = 1 |
| Literal question | Were these injuries serious enough to limit your normal activities? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1182 | 298825.1 | 53.9% |
| 2 | No | 988 | 255707.1 | 46.1% |
| 6 | Valid skip | 107424 | 30015633.6 | |
| 7 | Don't know | 5 | 658.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 19956.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJG015: Repetitive strain injuries - the most serious - affected body part

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1177 / 297006.84 ] [Invalid=108482 / 30293773.42 ] |
| Universe | Respondents who answered INJ_010 = 1 |
| Literal question | Thinking about the most serious repetitive strain injury, what part of the body was affected? |
| Notes | This variable has been grouped as a form of disclosure control. |

## # INJG015: Repetitive strain injuries - the most serious - affected body part

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Neck | 33 | 9683.9 | 3.3% |
| 2 | Shoulder/upper arm | 251 | 53941.6 | 18.2% |
| 3 | Elbow/lower arm | 188 | 52759.4 | 17.8% |
| 4 | Wrist/hand | 251 | 56771.7 | 19.1% |
| 5 | Knee/Lower leg | 155 | 40200.6 | 13.5% |
| 6 | Ankle/Foot | 75 | 25889.1 | 8.7% |
| 7 | Upper back/Upper spine | 28 | 8083.3 | 2.7% |
| 8 | Lower back/Lower spine | 139 | 31985.1 | 10.8% |
| 9 | Other | 57 | 17692.2 | 6.0% |
| 96 | Valid skip | 108412 | 30271340.8 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 70 | 22432.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020A: Repetitive strain injury - type of activity - walking

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |
| **Literal question** | What type of activity caused this repetitive strain injury? - Walking |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 47 | 15430.4 | 5.3% |
| 2 | No | 1098 | 276974.9 | 94.7% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020B: Repetitive strain injury - type of activity - physical exercise

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |
| **Literal question** | What type of activity caused this repetitive strain injury? - Sports or physical exercise (including school activities and running) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 260 | 79014.8 | 27.0% |
| 2 | No | 885 | 213390.5 | 73.0% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020C: Repetitive strain injury - type of activity - leisure / hobby

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |
| **Literal question** | What type of activity caused this repetitive strain injury? - Leisure or hobby (include volunteering) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 43 | 12964.2 | 4.4% |
| 2 | No | 1102 | 279441.1 | 95.6% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020D: Repetitive strain injury - type of activity - household chores

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |
| **Literal question** | What type of activity caused this repetitive strain injury? - Household chores, outdoor yard maintenance, home renovations or other unpaid work |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 176 | 33520.8 | 11.5% |
| 2 | No | 969 | 258884.5 | 88.5% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020E: Repetitive strain injury - type of activity - computer use

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |
| **Literal question** | What type of activity caused this repetitive strain injury? - Computer use or typing |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 134 | 40350.7 | 13.8% |
| 2 | No | 1011 | 252054.7 | 86.2% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020F: Repetitive strain injury - type of activity - driving a motor vehicle

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| **Universe** | Respondents who answered INJ_010 = 1 |

## # INJ_020F: Repetitive strain injury - type of activity - driving a motor vehicle

| Literal question | What type of activity caused this repetitive strain injury? - Driving a motor vehicle | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 6152.3 | 2.1% |
| 2 | No | 1118 | 286253.1 | 97.9% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020G: Repetitive strain injury - type of activity - lifting / carrying

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| Universe | Respondents who answered INJ_010 = 1 |
| Literal question | What type of activity caused this repetitive strain injury? - Lifting or carrying an object or person |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 246 | 58660.9 | 20.1% |
| 2 | No | 899 | 233744.4 | 79.9% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_020H: Repetitive strain injury - type of activity - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1145 / 292405.34 ] [Invalid=108514 / 30298374.92 ] |
| Universe | Respondents who answered INJ_010 = 1 |
| Literal question | What type of activity caused this repetitive strain injury? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 346 | 73253.2 | 25.1% |
| 2 | No | 799 | 219152.1 | 74.9% |
| 6 | Valid skip | 108412 | 30271340.8 | |
| 7 | Don't know | 36 | 6049.2 | |
| 8 | Refusal | 1 | 370.6 | |
| 9 | Not stated | 65 | 20614.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_025: Repetitive strain injury - working at a job / business

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=845 / 237888.41 ] [Invalid=108814 / 30352891.85 ] |
| Universe | Respondents who answered (INJ_020A = 1 or INJ_020B = 1 or INJ_020C = 1 or INJ_020D = 1 or INJ_020E = 1 or INJ_020F = 1 or INJ_020G = 1 or INJ_020H = 1) and (MAC_005 = (1, 2, 12, 97 or 98) or (respondents aged less than 15 or more than 75 who answered MAC_010 = (1, 6, 7 or 8))) |
| Literal question | Was the activity something you did while working at your job or business (excluding travel to or from work)? |

## # INJ_025: Repetitive strain injury - working at a job / business

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 524 | 146198.4 | | 61.5% |
| 2 | No | 321 | 91690.1 | | 38.5% |
| 6 | Valid skip | 108727 | 30327126.7 | | |
| 7 | Don't know | 9 | 1941.9 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 78 | 23823.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_030: Other injuries limiting normal activities - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16163 / 4155383.5 ] [Invalid=93496 / 26435396.76 ] |
| Universe | Respondents with DOINJ = 1 |
| Literal question | [Not counting repetitive strain injuries or food poisoning / Not counting food poisoning] in the past 12 months, that is, from [date one year ago] to yesterday, were you injured? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2441 | 614857.4 | 14.8% | |
| 2 | No | 13722 | 3540526.1 | | 85.2% |
| 6 | Valid skip | 93471 | 26427285.1 | | |
| 7 | Don't know | 21 | 7020.2 | | |
| 8 | Refusal | 1 | 920.3 | | |
| 9 | Not stated | 3 | 171.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJG035: Other injuries - num of times - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2424 / 611858.75 ] [Invalid=107235 / 29978921.51 ] |
| Universe | Respondents who answered INJ_030 = 1 |
| Literal question | How many times were you injured? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | 1 injury in the past 12 months | 1799 | 450924.1 | | 73.7% |
| 2 | 2 injuries in the past 12 months | 385 | 98040.0 | 16.0% | |
| 3 | 3 to 5 injuries in the past 12 months | 193 | 52524.2 | 8.6% | |
| 4 | 6 or more injuries in the past 12 months | 47 | 10370.5 | 1.7% | |
| 6 | Valid skip | 107193 | 29967811.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 42 | 11110.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_050: Other injury - type

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2423 / 612298.08 ] [Invalid=107236 / 29978482.18 ] |
| Universe | Respondents who answered INJ_030 = 1 |
| Literal question | What type of injury did you have? For example, a broken bone or burn. |

# INJ_050: Other injury - type

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Multiple serious injuries | 27 | 5242.9 | 0.9% |
| 2 | Broken or fractured bones | 411 | 93432.7 | 15.3% |
| 3 | Burn, scald, chemical burn | 59 | 17663.7 | 2.9% |
| 4 | Dislocation | 61 | 17885.9 | 2.9% |
| 5 | Sprain or strain | 1157 | 310300.9 | 50.7% |
| 6 | Cut, puncture, animal or human bite | 175 | 38994.6 | 6.4% |
| 7 | Scrape(s), bruise(s), blister(s) | 137 | 24789.5 | 4.0% |
| 8 | Concussion or other brain injury | 76 | 15874.8 | 2.6% |
| 9 | Poisoning | 0 | 0.0 | |
| 10 | Injury to internal organs | 13 | 2020.8 | 0.3% |
| 11 | Other - Specify | 307 | 86092.3 | 14.1% |
| 96 | Valid skip | 107193 | 29967811.2 | |
| 97 | Don't know | 14 | 2194.9 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 29 | 8476.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INJG055: Other injury - body part

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2358 / 598073.97 ] [Invalid=107301 / 29992706.29 ] |
| Universe | Respondents who answered INJ_050 = (1, 2, 3, 4, 5, 6, 7, 10, 11, 97 or 98) |
| Literal question | What part of the body was injured? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Multiple sites | 48 | 11210.2 | 1.9% |
| 2 | Eyes/Head/Neck | 143 | 37740.4 | 6.3% |
| 3 | Shoulder, upper arm | 215 | 57913.6 | 9.7% |
| 4 | Elbow, lower arm | 88 | 22479.8 | 3.8% |
| 5 | Wrist/Hand | 321 | 85532.5 | 14.3% |
| 6 | Hip/Thigh | 137 | 29442.0 | 4.9% |
| 7 | Knee, Lower leg | 368 | 90553.6 | 15.1% |
| 8 | Ankle, Foot | 463 | 120263.7 | 20.1% |
| 9 | Upper back or spine/Lower back or spine | 351 | 92562.4 | 15.5% |
| 10 | Chest/Abdomin or pelvis | 114 | 26462.9 | 4.4% |
| 11 | Other | 110 | 23912.8 | 4.0% |
| 96 | Valid skip | 107269 | 29983686.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 32 | 9020.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INJG060: Other injury - place

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2423 / 610182.12 ] [Invalid=107236 / 29980598.14 ] |
| Universe | Respondents who answered INJ_030 = 1 |

## # INJG060: Other injury - place

| | | | | |
|---|---|---|---|---|
| **Literal question** | | Where were you when you were injured? For example, someone's house, an office building, construction site. | | |
| **Notes** | | This variable has been grouped as a form of disclosure control. | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | In a home or its surrounding area | 947 | 201709.6 | 33.1% |
| 2 | Residential institution/School/Other institution | 121 | 31017.3 | 5.1% |
| 3 | Sports or athletics area of school, college, university | 178 | 52815.1 | 8.7% |
| 4 | Other sports area (exclude school sports areas) | 332 | 102144.7 | 16.7% |
| 5 | Street, highway, sidewalk | 224 | 53288.9 | 8.7% |
| 6 | Commercial area | 184 | 51373.7 | 8.4% |
| 7 | Industrial or construction area/Farm | 109 | 26046.8 | 4.3% |
| 8 | Other | 328 | 91785.9 | 15.0% |
| 96 | Valid skip | 107193 | 29967811.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 43 | 12787.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJG065: Other injury - activity performed

| | | | | |
|---|---|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] | | |
| **Statistics [NW/ W]** | | [Valid=2411 / 606256.69 ] [Invalid=107248 / 29984523.57 ] | | |
| **Universe** | | Respondents who answered INJ_030 = 1 | | |
| **Literal question** | | What were you doing when you were injured? | | |
| **Notes** | | This variable has been grouped as a form of disclosure control. | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Organized sports/Leisure sports or physical exercise | 688 | 204885.0 | 33.8% |
| 2 | Working at a job or business | 284 | 82061.6 | 13.5% |
| 3 | Household chores and other unpaid work | 366 | 78318.6 | 12.9% |
| 4 | Going up and down stairs / walking | 405 | 88116.2 | 14.5% |
| 5 | Driver or passenger in/on road or off road motor vehicle | 128 | 33695.6 | 5.6% |
| 6 | Other | 540 | 119179.7 | 19.7% |
| 96 | Valid skip | 107193 | 29967811.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 55 | 16712.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_070: Other injury - result of a fall

| | | | | |
|---|---|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | | [Valid=2430 / 611200.61 ] [Invalid=107229 / 29979579.65 ] | | |
| **Universe** | | Respondents who answered INJ_050 = (1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 97 or 98) | | |
| **Literal question** | | Was the injury the result of a fall? | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 964 | 232655.3 | 38.1% |

# INJ_070: Other injury - result of a fall

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | No | 1466 | 378545.4 | 61.9% |
| 6 | Valid skip | 107193 | 29967811.2 | |
| 7 | Don't know | 7 | 3292.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 29 | 8476.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INJG075: Other injury - type of fall

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=959 / 231627.25 ] [Invalid=108700 / 30359153.01 ] |
| Universe | Respondents who answered INJ_070 = 1 |
| Literal question | How did you fall? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | While skating, skiing, or snowboarding | 60 | 21675.8 | 9.4% |
| 2 | While practicing other sports | 157 | 44205.6 | 19.1% |
| 3 | Going up/down stairs/From furniture/From elevated possition | 154 | 35334.7 | 15.3% |
| 4 | Slip, trip, stumble or loss of balance on ice and snow | 94 | 18901.7 | 8.2% |
| 5 | Slip, trip, stumble or loss of balance on any othersurface | 305 | 65791.7 | 28.4% |
| 6 | Due to health problems / Other | 189 | 45717.8 | 19.7% |
| 96 | Valid skip | 108659 | 30346356.5 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 41 | 12796.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INJ_090: Other injury - medical attention received

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2428 / 612494.1 ] [Invalid=107231 / 29978286.16 ] |
| Universe | Respondents who answered INJ_030 = 1 |
| Literal question | Did you receive any medical attention for the injury from a health professional in the 48 hours following the injury? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1326 | 335571.1 | 54.8% |
| 2 | No | 1102 | 276923.0 | 45.2% |
| 6 | Valid skip | 107193 | 29967811.2 | |
| 7 | Don't know | 12 | 2141.1 | |
| 8 | Refusal | 1 | 222.3 | |
| 9 | Not stated | 25 | 8111.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INJG095: Other injury - place of treatment

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1323 / 335192.53 ] [Invalid=108336 / 30255587.73 ] |

## # INJG095: Other injury - place of treatment

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered INJ_090 = 1 | | | |
| **Literal question** | Where did you initially go to receive treatment within the first 48 hours following the injury? | | | |
| **Notes** | This variable has been grouped as a form of disclosure control. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Doctor?s office | 233 | 67831.5 | 20.2% |
| 2 | Hospital emergency room | 717 | 163258.9 | 48.7% |
| 3 | Hospital outpatient clinic | 31 | 7470.3 | 2.2% |
| 4 | Other | 342 | 96631.8 | 28.8% |
| 6 | Valid skip | 108295 | 30244734.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 41 | 10853.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_100: Other injury - admitted to a hospital overnight

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1326 / 335571.1 ] [Invalid=108333 / 30255209.16 ] |
| **Universe** | Respondents who answered INJ_090 = 1 |
| **Literal question** | Were you admitted to a hospital overnight because of this injury? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 132 | 29925.8 | 8.9% |
| 2 | No | 1194 | 305645.3 | 91.1% |
| 6 | Valid skip | 108295 | 30244734.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 38 | 10475.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_105: Other injury - follow-up care from a health professional

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2435 / 611666.55 ] [Invalid=107224 / 29979113.71 ] |
| **Universe** | Respondents who answered INJ_030 = 1 |
| **Literal question** | At the present time, are you getting follow-up care from a health professional because of this injury? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 570 | 144851.4 | 23.7% |
| 2 | No | 1865 | 466815.2 | 76.3% |
| 6 | Valid skip | 107193 | 29967811.2 | |
| 7 | Don't know | 5 | 2968.6 | |
| 8 | Refusal | 1 | 222.3 | |
| 9 | Not stated | 25 | 8111.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJ_110: Other injuries treated but not limiting activities - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=16138 / 4149543.26 ] [Invalid=93521 / 26441237 ] |
| **Universe** | Respondents who answered INJ_030 = (1, 2) |

## # INJ_110: Other injuries treated but not limiting activities - 12 mo

| Literal question | In the past 12 months, [excluding injuries previously mentioned, did / did] you have any other injuries that were treated by a health professional, but did not limit your normal activities? |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1027 | 270768.4 | 6.5% |
| 2 | No | 15111 | 3878774.9 | 93.5% |
| 6 | Valid skip | 93471 | 26427285.1 | |
| 7 | Don't know | 23 | 4938.2 | |
| 8 | Refusal | 2 | 902.1 | |
| 9 | Not stated | 25 | 8111.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJG115: Other injuries treated but not limiting activities - number - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1017 / 268104.48 ] [Invalid=108642 / 30322675.78 ] |
| Universe | Respondents who answered INJ_110 = 1 |
| Literal question | How many injuries? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | 1 Injury | 842 | 219913.0 | 82.0% |
| 2 | 2 Injuries | 112 | 33627.0 | 12.5% |
| 3 | 3 or more injuries | 63 | 14564.4 | 5.4% |
| 6 | Valid skip | 108582 | 30306060.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 60 | 16615.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJDGCAU: Cause of injury - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2400 / 605059.02 ] [Invalid=107259 / 29985721.24 ] |
| Definition | Derived from INJ_030, INJ_070, INJ_080 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Fall (excluding transport) | 964 | 232655.3 | 38.5% |
| 2 | Transportation accident | 93 | 25373.7 | 4.2% |
| 3 | Accidentally bumped, pushed, bitten, etc by person or animal | 119 | 39903.7 | 6.6% |
| 4 | Accidentally struck or crushed | 158 | 33924.3 | 5.6% |
| 5 | Accidental contact - sharp object, tool, machine | 121 | 26226.8 | 4.3% |
| 6 | Overexertion or strenuous movement | 475 | 118027.5 | 19.5% |
| 7 | Other | 470 | 128947.8 | 21.3% |
| 96 | Valid skip | 107197 | 29968175.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 62 | 17545.6 | |

## # INJDGCAU: Cause of injury - (D)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INJDVSTT: Injury status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=16138 / 4149543.26 ] [Invalid=93521 / 26441237 ] |
| **Definition** | Derived from INJ_030, INJ_110 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | No injuries | 12859 | 3311847.2 | 79.8% |
| 1 | Injury limiting activities only | 2252 | 566927.7 | 13.7% |
| 2 | Treated injury (not limiting activities) only | 845 | 224238.5 | 5.4% |
| 3 | Injury limiting activities and treated injury | 182 | 46529.9 | 1.1% |
| 6 | Valid skip | 93471 | 26427285.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 50 | 13951.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOOHT: Oral health - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 879 | 27793.6 | 0.1% |
| 2 | No | 108780 | 30562986.6 | 99.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_005: Perceived oral health

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=857 / 27036.03 ] [Invalid=108802 / 30563744.23 ] |
| **Universe** | Respondents with DOOHT = 1 |
| **Literal question** | In general, would you say the health of your mouth is...? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 162 | 4627.4 | 17.1% |
| 2 | Very good | 200 | 6237.0 | 23.1% |
| 3 | Good | 313 | 9996.3 | 37.0% |
| 4 | Fair | 104 | 3416.0 | 12.6% |
| 5 | Poor | 78 | 2759.3 | 10.2% |
| 6 | Valid skip | 108780 | 30562986.6 | |

## # OHT_005: Perceived oral health

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 6 | 198.3 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_010: Satisfaction with teeth / denture appearance

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=850 / 26771.94 ] [Invalid=108809 / 30564008.32 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | How satisfied are you with the appearance of your teeth and/or dentures? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 178 | 5310.9 | 19.8% |
| 2 | Satisfied | 389 | 12166.9 | 45.4% |
| 3 | Neither satisfied nor dissatisfied | 133 | 4018.6 | 15.0% |
| 4 | Dissatisfied | 116 | 4096.0 | 15.3% |
| 5 | Very dissatisfied | 34 | 1179.5 | 4.4% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 13 | 462.4 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_015: Problems with mouth - uncomfortable to eat food - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=861 / 27143.64 ] [Invalid=108798 / 30563636.62 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | In the past 12 months, how often have you found it uncomfortable to eat any food because of problems with your mouth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 56 | 1911.2 | 7.0% |
| 2 | Sometimes | 154 | 5596.6 | 20.6% |
| 3 | Rarely | 174 | 5350.6 | 19.7% |
| 4 | Never | 477 | 14285.2 | 52.6% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 1 | 72.1 | |
| 8 | Refusal | 2 | 65.5 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_020: Problems with mouth - avoids particular foods - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=860 / 27101.07 ] [Invalid=108799 / 30563679.19 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | (In the past 12 months,) how often have you avoided eating particular foods because of problems with your mouth? |

# # OHT_020: Problems with mouth - avoids particular foods - freq - 12 mo

| Notes | Was not asked in proxy interviews |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 31 | 1281.5 | 4.7% |
| 2 | Sometimes | 109 | 3745.1 | 13.8% |
| 3 | Rarely | 120 | 4120.5 | 15.2% |
| 4 | Never | 600 | 17954.1 | 66.2% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 3 | 133.3 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # OHT_025: Problems with mouth - other persistent pain - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=862 / 27162.26 ] [Invalid=108797 / 30563618 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | Remember, by mouth we mean teeth, dentures, tongue, gums, lips and jaw joints__MISSING__ In the past 12 months, how often have you had any other persistent or on-going pain anywhere in your mouth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 22 | 821.8 | 3.0% |
| 2 | Sometimes | 109 | 4151.6 | 15.3% |
| 3 | Rarely | 163 | 5035.1 | 18.5% |
| 4 | Never | 568 | 17153.8 | 63.2% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 1 | 72.1 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # OHT_030: Has at least one of own teeth

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=863 / 27234.34 ] [Invalid=108796 / 30563545.92 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | Do you have at least one of your own teeth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 809 | 25253.8 | 92.7% |
| 2 | No | 54 | 1980.6 | 7.3% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # OHT_035: Wears dentures / dental prosthesis / false teeth

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # OHT_035: Wears dentures / dental prosthesis / false teeth

| Statistics [NW/ W] | [Valid=861 / 27183.03 ] [Invalid=108798 / 30563597.23 ] |
|---|---|
| Universe | Respondents with DOOHT = 1 |
| Literal question | Do you wear dentures, dental prosthesis or false teeth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 124 | 4149.1 | 15.3% |
| 2 | No | 737 | 23034.0 | 84.7% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 2 | 51.3 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_040: Had bleeding gums - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=807 / 25187.34 ] [Invalid=108852 / 30565592.92 ] |
| Universe | Respondents who answered OHT_030 = (1, 7 or 8) |
| Literal question | In the past 12 months, how often have you had bleeding gums, including while brushing or flossing your teeth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 47 | 1602.4 | 6.4% |
| 2 | Sometimes | 223 | 6982.6 | 27.7% |
| 3 | Rarely | 211 | 6340.8 | 25.2% |
| 4 | Never | 326 | 10261.5 | 40.7% |
| 6 | Valid skip | 108834 | 30564967.2 | |
| 7 | Don't know | 2 | 66.4 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # OHT_045: Had dry mouth - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=862 / 27202.74 ] [Invalid=108797 / 30563577.52 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | (In the past 12 months,) how often have you had persistent dry mouth? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 59 | 2013.5 | 7.4% |
| 2 | Sometimes | 182 | 5342.7 | 19.6% |
| 3 | Rarely | 200 | 6621.7 | 24.3% |
| 4 | Never | 421 | 13224.8 | 48.6% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 1 | 31.6 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

# OHT_045: Had dry mouth - frequency - 12 mo

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# OHT_050: Had persistent bad breath - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=825 / 26054.37 ] [Invalid=108834 / 30564725.89 ] |
| Universe | Respondents with DOOHT = 1 |
| Literal question | (In the past 12 months,) how often have you had persistent bad breath? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 102 | 3402.4 | 13.1% |
| 2 | Sometimes | 231 | 7739.6 | 29.7% |
| 3 | Rarely | 184 | 5353.0 | 20.5% |
| 4 | Never | 308 | 9559.3 | 36.7% |
| 6 | Valid skip | 108780 | 30562986.6 | |
| 7 | Don't know | 38 | 1180.0 | |
| 8 | Refusal | 1 | 46.9 | |
| 9 | Not stated | 15 | 512.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DODEN: Dental care - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17197 | 3997088.8 | 13.1% |
| 2 | No | 92462 | 26593691.4 | 86.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DEN_005: Has at least one of own teeth

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16831 / 3907485.17 ] [Invalid=92828 / 26683295.09 ] |
| Universe | Respondents with DODEN = 1 |
| Literal question | Do you have at least one of your own teeth? |
| Notes | Was not asked in proxy interviews. If DODEN = 1 and DOOHT = 1, the variable DEN_005 was given the value of OHT_030. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15478 | 3720663.0 | 95.2% |
| 2 | No | 1353 | 186822.1 | 4.8% |
| 6 | Valid skip | 92462 | 26593691.4 | |
| 7 | Don't know | 2 | 744.1 | |
| 8 | Refusal | 1 | 29.8 | |

## # DEN_005: Has at least one of own teeth

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 363 | 88829.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_010: Brushing teeth - frequency

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15440 / 3715203.98 ] [Invalid=94219 / 26875576.28 ] [Mean=1.991 / 2.007 ] [StdDev=1.502 / 1.953 ] |
| **Universe** | Respondents who answered DEN_005 = 1 |
| **Literal question** | How often do you usually brush your teeth? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 93815 | 26780513.6 | |
| 997 | Don't know | 32 | 4580.9 | |
| 998 | Refusal | 6 | 878.1 | |
| 999 | Not stated | 366 | 89603.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_010A: Brushing teeth - frequency - reporting period

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15317 / 3699377.99 ] [Invalid=94342 / 26891402.27 ] |
| **Universe** | Respondents who answered DEN_010 = (1:500) |
| **Literal question** | Select the reporting period. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | By day | 14637 | 3572475.9 | 96.6% |
| 2 | By week | 554 | 104939.9 | 2.8% |
| 3 | By month | 106 | 18602.8 | 0.5% |
| 4 | By year | 20 | 3359.4 | 0.1% |
| 6 | Valid skip | 93938 | 26796339.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 404 | 95062.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_015: Flossing teeth - frequency

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15202 / 3645306.15 ] [Invalid=94457 / 26945474.11 ] [Mean=1.48 / 1.546 ] [StdDev=1.832 / 1.838 ] |
| **Universe** | Respondents who answered DEN_005 = 1 |
| **Literal question** | How often do you usually floss your teeth? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 93815 | 26780513.6 | |
| 997 | Don't know | 268 | 73590.9 | |
| 998 | Refusal | 8 | 1765.9 | |
| 999 | Not stated | 366 | 89603.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_015A: Flossing teeth - frequency - reporting period

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=12162 / 2996707.91 ] [Invalid=97497 / 27594072.35 ] |
| **Universe** | Respondents who answered DEN_015 = (1:500) |
| **Literal question** | Select the reporting period. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | By day | 6218 | 1489411.1 | 49.7% |
| 2 | By week | 4384 | 1127074.4 | 37.6% |
| 3 | By month | 1329 | 318568.6 | 10.6% |
| 4 | By year | 231 | 61653.8 | 2.1% |
| 6 | Valid skip | 96855 | 27429111.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 642 | 164960.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_020: Wears dentures / dental prosthesis / false teeth

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=16825 / 3906759 ] [Invalid=92834 / 26684021.26 ] |
| **Universe** | Respondents with DODEN = 1 |
| **Literal question** | Do you wear dentures, dental prosthesis or false teeth? |
| **Notes** | Was not asked in proxy interviews. If DODEN = 1 and DOOHT = 1, the variable DEN_020 was given the value of OHT_035. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3344 | 548689.2 | 14.0% |
| 2 | No | 13481 | 3358069.8 | 86.0% |
| 6 | Valid skip | 92462 | 26593691.4 | |
| 7 | Don't know | 5 | 1286.0 | |
| 8 | Refusal | 2 | 162.8 | |
| 9 | Not stated | 365 | 88881.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_025: Cleaning dentures - frequency

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3322 / 545444.59 ] [Invalid=106337 / 30045335.67 ] [Mean=1.674 / 1.715 ] [StdDev=1.428 / 1.394 ] |
| **Universe** | Respondents who answered DEN_020 = 1 |
| **Literal question** | How often do you usually clean your dentures or dental prosthesis? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 105943 | 29951761.2 | |
| 997 | Don't know | 20 | 3059.3 | |
| 998 | Refusal | 2 | 185.3 | |
| 999 | Not stated | 372 | 90329.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_025A: Cleaning dentures - frequency - reporting period

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3293 / 541980.02 ] [Invalid=106366 / 30048800.24 ] |
| **Universe** | Respondents who answered DEN_025 = (1:500) |
| **Literal question** | Select the reporting period. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | By day | 3021 | 488546.4 | 90.1% |
| 2 | By week | 210 | 38221.0 | 7.1% |
| 3 | By month | 41 | 9826.9 | 1.8% |
| 4 | By year | 21 | 5385.6 | 1.0% |
| 6 | Valid skip | 105972 | 29955225.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 394 | 93574.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_030: Visit dental professionals - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=16786 / 3900758.2 ] [Invalid=92873 / 26690022.06 ] |
| **Universe** | Respondents with DODEN = 1 |
| **Literal question** | How often do you usually see a dental professional, such as a dentist, a dental hygienist or a denturologist? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | More than once a year for check-ups or treatment | 6167 | 1541591.8 | 39.5% |
| 2 | About once a year (for check-ups or treatment) | 5591 | 1356366.0 | 34.8% |
| 3 | Less than once a year (for check-ups or treatment) | 1694 | 382990.9 | 9.8% |
| 4 | Only for emergency care | 2546 | 483844.4 | 12.4% |
| 5 | Never | 788 | 135965.1 | 3.5% |
| 6 | Valid skip | 92462 | 26593691.4 | |
| 7 | Don't know | 42 | 6475.4 | |
| 8 | Refusal | 7 | 1072.4 | |
| 9 | Not stated | 362 | 88782.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_035: Visited dental professional - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=16682 / 3872783.1 ] [Invalid=92977 / 26717997.16 ] |
| **Universe** | Respondents with DODEN = 1 |
| **Literal question** | When was the last time you saw a dental professional? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 11333 | 2764906.6 | 71.4% |
| 2 | More than 1 year to 2 years ago | 2170 | 499404.1 | 12.9% |
| 3 | More than 2 years to 3 years ago | 856 | 175576.7 | 4.5% |

## # DEN_035: Visited dental professional - last time

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | More than 3 years to 4 years ago | 450 | 91623.9 | 2.4% |
| 5 | More than 4 years to 5 years ago | 396 | 74916.3 | 1.9% |
| 6 | More than 5 years ago | 1356 | 236684.6 | 6.1% |
| 7 | Never | 121 | 29670.9 | 0.8% |
| 96 | Valid skip | 92462 | 26593691.4 | |
| 97 | Don't know | 149 | 35036.2 | |
| 98 | Refusal | 4 | 486.7 | |
| 99 | Not stated | 362 | 88782.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_040: Avoided going to a dental professional because of the cost - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16784 / 3897979.81 ] [Invalid=92875 / 26692800.45 ] |
| Universe | Respondents with DODEN = 1 |
| Literal question | In the past 12 months, have you avoided going to a dental professional because of the cost of dental care? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3675 | 904622.5 | 23.2% |
| 2 | No | 13109 | 2993357.3 | 76.8% |
| 6 | Valid skip | 92462 | 26593691.4 | |
| 7 | Don't know | 47 | 9839.5 | |
| 8 | Refusal | 4 | 486.7 | |
| 9 | Not stated | 362 | 88782.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_045: Insurance - dental expenses - all / part cost coverage

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16465 / 3834770.53 ] [Invalid=93194 / 26756009.73 ] |
| Universe | Respondents with DODEN = 1 |
| Literal question | Do you have insurance or a government program that covers all or part of your dental expenses? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 12375 | 2967713.0 | 77.4% |
| 2 | No | 4090 | 867057.5 | 22.6% |
| 6 | Valid skip | 92462 | 26593691.4 | |
| 7 | Don't know | 360 | 71767.4 | |
| 8 | Refusal | 10 | 1768.0 | |
| 9 | Not stated | 362 | 88782.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050A: Type of insurance - dental - employer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - An employer-sponsored plan |

## # DEN_050A: Type of insurance - dental - employer

| | Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8311 | 2223050.3 | | 76.7% |
| 2 | No | 3762 | 676809.3 | 23.3% | |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050B: Type of insurance - dental - govt (children / seniors)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - A provincial or territorial government program for children or seniors |
| Notes | Was not asked in proxy interviews. For respondents aged 18 to 64, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1274 | 203669.6 | 7.0% | |
| 2 | No | 10799 | 2696190.0 | | 93.0% |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050C: Type of insurance - dental - private plan

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - A private plan |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1332 | 320103.0 | 11.0% | |
| 2 | No | 10741 | 2579756.7 | | 89.0% |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050D: Type of insurance - dental - govt (social service clients)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - A government program for social service (welfare) clients |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 532 | 97021.4 | 3.3% | |
| 2 | No | 11541 | 2802838.3 | | 96.7% |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050E: Type of insurance - dental - govt (First Nations and Inuit)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - A government program for First Nations and Inuit |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 769 | 61673.0 | 2.1% | |
| 2 | No | 11304 | 2838186.7 | | 97.9% |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN_050F: Type of insurance - dental - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12073 / 2899859.62 ] [Invalid=97586 / 27690920.64 ] |
| Universe | Respondents who answered DEN_045 = 1 |
| Literal question | Is it...? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 309 | 85141.4 | 2.9% | |
| 2 | No | 11764 | 2814718.2 | | 97.1% |
| 6 | Valid skip | 96552 | 27460748.9 | | |
| 7 | Don't know | 299 | 66637.2 | | |
| 8 | Refusal | 3 | 1216.2 | | |
| 9 | Not stated | 732 | 162318.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOCIH: Changes made to improve health - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # DOCIH: Changes made to improve health - Inclusion Flag - (F)

| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
|---|---|
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 16151 | 2555698.2 | 8.4% |
| 2 | No | 93508 | 28035082.1 | 91.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_005: Did something to improve health - 12 mo

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15771 / 2487593.03 ] [Invalid=93888 / 28103187.23 ] |
| **Universe** | Respondents with DOCIH = 1 |
| **Literal question** | Now, some questions about changes made to improve health. In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise.) |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 8495 | 1384052.7 | 55.6% |
| 2 | No | 7276 | 1103540.3 | 44.4% |
| 6 | Valid skip | 93508 | 28035082.1 | |
| 7 | Don't know | 28 | 5759.5 | |
| 8 | Refusal | 1 | 29.8 | |
| 9 | Not stated | 351 | 62315.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_010: Most important change to improve health

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=8463 / 1376680.99 ] [Invalid=101196 / 29214099.27 ] |
| **Universe** | Respondents who answered CIH_005 = 1 |
| **Literal question** | What is the single most important change you have made? |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Increased exercise, sports / physical activity | 4327 | 711258.2 | 51.7% |
| 2 | Lost weight | 897 | 125720.9 | 9.1% |
| 3 | Changed diet / improved eating habits | 1724 | 284877.5 | 20.7% |
| 4 | Quit smoking / reduced amount smoked | 443 | 64621.5 | 4.7% |
| 5 | Drank less alcohol | 50 | 10073.3 | 0.7% |
| 6 | Reduced stress level | 94 | 18059.4 | 1.3% |
| 7 | Received medical treatment | 493 | 84690.3 | 6.2% |
| 8 | Took vitamins | 116 | 19030.9 | 1.4% |
| 9 | Other | 319 | 58349.0 | 4.2% |
| 96 | Valid skip | 100784 | 29138622.4 | |

## # CIH_010: Most important change to improve health

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 97 | Don't know | 29 | 5484.0 | |
| 98 | Refusal | 3 | 1887.7 | |
| 99 | Not stated | 380 | 68105.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_015: Thinks should do something to improve health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15646 / 2471254.51 ] [Invalid=94013 / 28119525.75 ] |
| **Universe** | Respondents with DOCIH = 1 |
| **Literal question** | Do you think there is [anything else/anything] you should do to improve your physical health? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 10407 | 1683368.7 | 68.1% |
| 2 | No | 5239 | 787885.8 | 31.9% |
| 6 | Valid skip | 93508 | 28035082.1 | |
| 7 | Don't know | 148 | 21489.2 | |
| 8 | Refusal | 6 | 638.7 | |
| 9 | Not stated | 351 | 62315.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_020: Most important thing to do to improve health

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10369 / 1678047.46 ] [Invalid=99290 / 28912732.8 ] |
| **Universe** | Respondents who answered CIH_015 = 1 |
| **Literal question** | What is the most important thing? |
| **Notes** | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Start / Increase exercise, sports / physical activity | 5179 | 847368.4 | 50.5% |
| 2 | Lose weight | 1121 | 158683.5 | 9.5% |
| 3 | Change diet / improve eating habits | 2332 | 398172.4 | 23.7% |
| 4 | Quit smoking / reduce amount smoked | 1047 | 157585.6 | 9.4% |
| 5 | Drink less alcohol | 74 | 14704.1 | 0.9% |
| 6 | Reduce stress level | 120 | 16311.8 | 1.0% |
| 7 | Receive medical treatment | 137 | 21763.2 | 1.3% |
| 8 | Take vitamins | 29 | 5145.4 | 0.3% |
| 9 | Other | 330 | 58313.1 | 3.5% |
| 96 | Valid skip | 98747 | 28822967.9 | |
| 97 | Don't know | 34 | 4235.5 | |
| 98 | Refusal | 4 | 1085.7 | |
| 99 | Not stated | 505 | 84443.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_025: Barrier to improving health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10377 / 1678985.9 ] [Invalid=99282 / 28911794.36 ] |

## # CIH_025: Barrier to improving health

| Universe | Respondents who answered CIH_015 = 1 |
|---|---|
| Literal question | Is there anything stopping you from making this improvement? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4370 | 725173.1 | 43.2% |
| 2 | No | 6007 | 953812.8 | 56.8% |
| 6 | Valid skip | 98747 | 28822967.9 | |
| 7 | Don't know | 29 | 4116.8 | |
| 8 | Refusal | 1 | 266.0 | |
| 9 | Not stated | 505 | 84443.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030A: Barrier to improving health - lack of will power

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| Universe | Respondents who have answered CIH_025 = 1 |
| Literal question | What is that? - Lack of will power / self-discipline |
| Notes | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1500 | 234643.1 | 32.4% |
| 2 | No | 2862 | 489365.4 | 67.6% |
| 6 | Valid skip | 104754 | 29776780.8 | |
| 7 | Don't know | 8 | 1164.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 535 | 88826.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030B: Barrier to improving health - family responsibilities

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| Universe | Respondents who have answered CIH_025 = 1 |
| Literal question | What is that? - Family responsibilities |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 523 | 99644.7 | 13.8% |
| 2 | No | 3839 | 624363.8 | 86.2% |
| 6 | Valid skip | 104754 | 29776780.8 | |
| 7 | Don't know | 8 | 1164.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 535 | 88826.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030C: Barrier to improving health - work schedule

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| Universe | Respondents who have answered CIH_025 = 1 |

# CIH_030C: Barrier to improving health - work schedule

| | | | | | |
|---|---|---|---|---|---|
| **Literal question** | What is that? - Work schedule | | | | |
| **Notes** | Was not asked in proxy interviews | | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 859 | 166928.4 | 23.1% | |
| 2 | No | 3503 | 557080.2 | | 76.9% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_030D: Barrier to improving health - addiction to drugs / alcohol

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Addiction to drugs / alcohol |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 60 | 6942.0 | 1.0% | |
| 2 | No | 4302 | 717066.5 | | 99.0% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_030E: Barrier to improving health - disability / health condition

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Disability / health condition |
| **Notes** | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 638 | 92555.7 | 12.8% | |
| 2 | No | 3724 | 631452.8 | | 87.2% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_030F: Barrier to improving health - too stressed

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Too stressed |

## # CIH_030F: Barrier to improving health - too stressed

| | | | | |
|---|---|---|---|---|
| **Notes** | Was not asked in proxy interviews. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 167 | 27408.4 | 3.8% |
| 2 | No | 4195 | 696600.1 | 96.2% |
| 6 | Valid skip | 104754 | 29776780.8 | |
| 7 | Don't know | 8 | 1164.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 535 | 88826.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030G: Barrier to improving health - too costly

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Too costly / financial constraints |
| **Notes** | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 307 | 54808.7 | 7.6% |
| 2 | No | 4055 | 669199.9 | 92.4% |
| 6 | Valid skip | 104754 | 29776780.8 | |
| 7 | Don't know | 8 | 1164.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 535 | 88826.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030H: Barrier to improving health - not available in area

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Not available in area |
| **Notes** | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 65 | 5199.3 | 0.7% |
| 2 | No | 4297 | 718809.2 | 99.3% |
| 6 | Valid skip | 104754 | 29776780.8 | |
| 7 | Don't know | 8 | 1164.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 535 | 88826.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030I: Barrier to improving health - transportation problems

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| **Universe** | Respondents who have answered CIH_025 = 1 |
| **Literal question** | What is that? - Transportation problems |
| **Notes** | Was not asked in proxy interviews |

## # CIH_030I: Barrier to improving health - transportation problems

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 46 | 6310.4 | 0.9% | |
| 2 | No | 4316 | 717698.2 | | 99.1% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030J: Barrier to improving health - weather problems

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| Universe | Respondents who have answered CIH_025 = 1 |
| Literal question | What is that? - Weather problems |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 227 | 23175.4 | 3.2% | |
| 2 | No | 4135 | 700833.1 | | 96.8% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_030K: Barrier to improving health - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4362 / 724008.55 ] [Invalid=105297 / 29866771.71 ] |
| Universe | Respondents who have answered CIH_025 = 1 |
| Literal question | What is that? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 618 | 108515.2 | 15.0% | |
| 2 | No | 3744 | 615493.3 | | 85.0% |
| 6 | Valid skip | 104754 | 29776780.8 | | |
| 7 | Don't know | 8 | 1164.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 535 | 88826.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CIH_035: Intention to improve health over next year

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10247 / 1654814.67 ] [Invalid=99412 / 28935965.59 ] |
| Universe | Respondents who have answered CIH_015 = 1 |
| Literal question | Is there anything you intend to do to improve your physical health in the next year? |
| Notes | Was not asked in proxy interviews. |

# CIH_035: Intention to improve health over next year

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7813 | 1285283.6 | | 77.7% |
| 2 | No | 2434 | 369531.1 | | 22.3% |
| 6 | Valid skip | 98747 | 28822967.9 | | |
| 7 | Don't know | 157 | 27948.4 | | |
| 8 | Refusal | 3 | 605.7 | | |
| 9 | Not stated | 505 | 84443.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040A: Health improvement - exercise / sports / phys act

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Definition | Was not asked in proxy interviews. |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Start / Increase exercise, sports / physical activity |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 5405 | 910172.2 | | 71.1% |
| 2 | No | 2384 | 370637.8 | | 28.9% |
| 6 | Valid skip | 101181 | 29192499.0 | | |
| 7 | Don't know | 24 | 4473.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 665 | 112997.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040B: Health improvement - lose weight

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Lose weight |
| Notes | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1018 | 143034.3 | 11.2% | |
| 2 | No | 6771 | 1137775.6 | | 88.8% |
| 6 | Valid skip | 101181 | 29192499.0 | | |
| 7 | Don't know | 24 | 4473.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 665 | 112997.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040C: Health improvement - change diet

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Change diet / improve eating habits |
| Notes | Was not asked in proxy interviews |

# CIH_040C: Health improvement - change diet

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 2075 | 349225.0 | | 27.3% |
| 2 | No | 5714 | 931585.0 | | 72.7% |
| 6 | Valid skip | 101181 | 29192499.0 | | |
| 7 | Don't know | 24 | 4473.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 665 | 112997.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040D: Health improvement - quit smoking / reduce amount smoked

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| **Universe** | Respondents who have answered CIH_035 = 1 |
| **Literal question** | What is that? - Quit smoking / reduce amount smoked |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 711 | 110369.8 | 8.6% | |
| 2 | No | 7078 | 1170440.2 | | 91.4% |
| 6 | Valid skip | 101181 | 29192499.0 | | |
| 7 | Don't know | 24 | 4473.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 665 | 112997.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040E: Health improvement - drink less alcohol

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| **Universe** | Respondents who have answered CIH_035 = 1 |
| **Literal question** | What is that? - Drink less alcohol |
| **Notes** | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 92 | 13406.0 | 1.0% | |
| 2 | No | 7697 | 1267404.0 | | 99.0% |
| 6 | Valid skip | 101181 | 29192499.0 | | |
| 7 | Don't know | 24 | 4473.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 665 | 112997.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040F: Health improvement - reduce stress level

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| **Universe** | Respondents who have answered CIH_035 = 1 |
| **Literal question** | What is that? - Reduce stress level |
| **Notes** | Was not asked in proxy interviews. |

# CIH_040F: Health improvement - reduce stress level

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 246 | 37128.1 | 2.9% |
| 2 | No | 7543 | 1243681.9 | 97.1% |
| 6 | Valid skip | 101181 | 29192499.0 | |
| 7 | Don't know | 24 | 4473.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 665 | 112997.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040G: Health improvement - receive medical treatment

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Receive medical treatment |
| Notes | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 256 | 39600.0 | 3.1% |
| 2 | No | 7533 | 1241210.0 | 96.9% |
| 6 | Valid skip | 101181 | 29192499.0 | |
| 7 | Don't know | 24 | 4473.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 665 | 112997.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040H: Health improvement - take vitamins

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Take vitamins |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 94 | 14235.4 | 1.1% |
| 2 | No | 7695 | 1266574.5 | 98.9% |
| 6 | Valid skip | 101181 | 29192499.0 | |
| 7 | Don't know | 24 | 4473.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 665 | 112997.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CIH_040I: Health improvement - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7789 / 1280809.97 ] [Invalid=101870 / 29309970.29 ] |
| Universe | Respondents who have answered CIH_035 = 1 |
| Literal question | What is that? - Other |
| Notes | Was not asked in proxy interviews |

## # CIH_040I: Health improvement - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 388 | 58294.4 | 4.6% |
| 2 | No | 7401 | 1222515.6 | 95.4% |
| 6 | Valid skip | 101181 | 29192499.0 | |
| 7 | Don't know | 24 | 4473.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 665 | 112997.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSLP: Sleep - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 43017 | 13826294.3 | 45.2% |
| 2 | No | 66642 | 16764486.0 | 54.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SLPG005: Number of hours per night usually spent sleeping

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=41455 / 13262310.65 ] [Invalid=68204 / 17328469.61 ] |
| Universe | Respondents with DOSLP = 1 |
| Literal question | How long do you usually spend sleeping each night? |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Under 3 hours | 299 | 88974.7 | 0.7% |
| 2 | 3 hours to less than 4 hours | 624 | 181454.7 | 1.4% |
| 3 | 4 hours to less than 5 hours | 1840 | 528310.1 | 4.0% |
| 4 | 5 hours to less than 6 hours | 4545 | 1523076.6 | 11.5% |
| 5 | 6 hours to less than 7 hours | 10611 | 3695420.6 | 27.9% |
| 6 | 7 hours to less than 8 hours | 12758 | 4198182.8 | 31.7% |
| 7 | 8 hours to less than 9 hours | 8039 | 2297915.7 | 17.3% |
| 8 | 9 hours to less than 10 hours | 1771 | 495821.3 | 3.7% |
| 9 | 10 hours to less than 11 hours | 672 | 173887.2 | 1.3% |
| 10 | 11 hours to less than 12 hours | 177 | 44251.0 | 0.3% |
| 11 | 12 hours or more | 119 | 35015.8 | 0.3% |
| 96 | Valid skip | 66642 | 16764486.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1562 | 563983.6 | |

# SLPG005: Number of hours per night usually spent sleeping

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## SLP_010: Trouble going to sleep or staying asleep - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=41671 / 13308669.64 ] [Invalid=67988 / 17282110.62 ] |
| **Universe** | Respondents with DOSLP = 1 |
| **Literal question** | How often do you have trouble going to sleep or staying asleep? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Never | 9591 | 3413339.6 | 25.6% |
| 2 | Rarely | 11855 | 3787434.2 | 28.5% |
| 3 | Sometimes | 12443 | 3948245.1 | 29.7% |
| 4 | Most of the time | 5080 | 1464994.0 | 11.0% |
| 5 | All of the time | 2702 | 694656.8 | 5.2% |
| 6 | Valid skip | 66642 | 16764486.0 | |
| 7 | Don't know | 125 | 42309.4 | |
| 8 | Refusal | 22 | 6964.8 | |
| 9 | Not stated | 1199 | 468350.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## SLP_015: Refreshing sleep - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=41577 / 13283526.12 ] [Invalid=68082 / 17307254.14 ] |
| **Universe** | Respondents with DOSLP = 1 |
| **Literal question** | How often do you find your sleep refreshing? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Never | 2071 | 625179.6 | 4.7% |
| 2 | Rarely | 4599 | 1417989.5 | 10.7% |
| 3 | Sometimes | 10078 | 3411602.9 | 25.7% |
| 4 | Most of the time | 18505 | 5730742.4 | 43.1% |
| 5 | All of the time | 6324 | 2098011.8 | 15.8% |
| 6 | Valid skip | 66642 | 16764486.0 | |
| 7 | Don't know | 218 | 65919.1 | |
| 8 | Refusal | 23 | 8498.6 | |
| 9 | Not stated | 1199 | 468350.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## SLP_020: Difficulty staying awake - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=41497 / 13246813.75 ] [Invalid=68162 / 17343966.51 ] |
| **Universe** | Respondents with DOSLP = 1 |
| **Literal question** | How often do you find it difficult to stay awake when you want to? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Never | 16590 | 5210575.8 | 39.3% |

## # SLP_020: Difficulty staying awake - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | Rarely | 12345 | 3943050.2 | 29.8% |
| 3 | Sometimes | 9659 | 3147635.2 | 23.8% |
| 4 | Most of the time | 2147 | 693270.4 | 5.2% |
| 5 | All of the time | 756 | 252282.2 | 1.9% |
| 6 | Valid skip | 66642 | 16764486.0 | |
| 7 | Don't know | 285 | 96856.0 | |
| 8 | Refusal | 36 | 14274.1 | |
| 9 | Not stated | 1199 | 468350.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDVJUI: Daily consumption - pure fruit juice - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=105752 / 29367581.76 ] [Invalid=3907 / 1223198.5 ] [Mean=0.463 / 0.455 ] [StdDev=0.75 / 0.713 ] |
| Definition | Derived from ADM_PRX, FVC_005, FVC_005A |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 3907 | 1223198.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDVFRU: Daily consumption - fruit - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-73] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106169 / 29508410.2 ] [Invalid=3490 / 1082370.06 ] [Mean=1.34 / 1.361 ] [StdDev=1.24 / 1.272 ] |
| Definition | Derived from ADM_PRX, FVC_010, FVC_010A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 3490 | 1082370.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDVGRN: Daily consumption - dark green vegetables - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106063 / 29502213.89 ] [Invalid=3596 / 1088566.37 ] [Mean=0.908 / 0.95 ] [StdDev=0.87 / 0.896 ] |
| Definition | Derived from ADM_PRX, FVC_015, FVC_015A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 3596 | 1088566.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # FVCDVORA: Daily consumption - orange-coloured vegetables - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=105802 / 29421179.07 ] [Invalid=3857 / 1169601.19 ] [Mean=0.528 / 0.527 ] [StdDev=0.585 / 0.597 ] |
| Definition | Derived from ADM_PRX, FVC_020, FVC_020A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 3857 | 1169601.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # FVCDVPOT: Daily consumption - potatoes - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106046 / 29466423.6 ] [Invalid=3613 / 1124356.66 ] [Mean=0.362 / 0.319 ] [StdDev=0.463 / 0.433 ] |
| Definition | Derived from ADM_PRX, FVC_025, FVC_025A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 3613 | 1124356.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # FVCDVVEG: Daily consumption - other vegetables - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=105382 / 29335825.04 ] [Invalid=4277 / 1254955.22 ] [Mean=0.646 / 0.671 ] [StdDev=0.707 / 0.734 ] |
| Definition | Derived from ADM_PRX, FVC_030, FVC_030A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 999.6 | Valid skip | 0 | 0.0 | |
| 999.7 | Don't know | 0 | 0.0 | |
| 999.8 | Refusal | 0 | 0.0 | |
| 999.9 | Not stated | 4277 | 1254955.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # FVCDVTOT: Daily consumption - fruits and vegetables - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=103070 / 28713252.43 ] [Invalid=6589 / 1877527.83 ] [Mean=4.254 / 4.287 ] [StdDev=2.644 / 2.667 ] |
| Definition | Derived from ADM_PRX, FVCDVJUI, FVCDVFRU, FVCDVGRN, FVCDVPOT, FVCDVORA, FVCDVVEG |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9999.6 | Valid skip | 0 | 0.0 | |
| 9999.7 | Don't know | 0 | 0.0 | |
| 9999.8 | Refusal | 0 | 0.0 | |
| 9999.9 | Not stated | 6589 | 1877527.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDVGDT: Grouping of total daily consumption - fruits and vegetables - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=103070 / 28713252.43 ] [Invalid=6589 / 1877527.83 ] |
| **Definition** | Derived from ADM_PRX, FVCDVTOT |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Eats fruits and vegetables less than 5 times per day | 71731 | 19882824.1 | | 69.2% |
| 2 | Eats fruits and vegetables between 5 and 10 times per day | 28154 | 7918882.3 | | 27.6% |
| 3 | Eats fruits and vegetables more than 10 times per day | 3185 | 911546.0 | | 3.2% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 6589 | 1877527.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOFDC: Food choices - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 24030 | 7106542.2 | | 23.2% |
| 2 | No | 85629 | 23484238.0 | | 76.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_005: Chooses / avoids foods - concerned about body weight

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23528 / 6952394.99 ] [Invalid=86131 / 23638385.27 ] |
| **Universe** | Respondents with DOFDC = 1 |
| **Literal question** | Do you choose certain foods or avoid others: because you are concerned about your body weight? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes (or sometimes) | 11018 | 3424900.9 | | 49.3% |
| 2 | No | 12510 | 3527494.1 | | 50.7% |
| 6 | Valid skip | 85629 | 23484238.0 | | |
| 7 | Don't know | 37 | 7574.7 | | |
| 8 | Refusal | 8 | 765.6 | | |
| 9 | Not stated | 457 | 145807.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_010: Chooses / avoids foods - concerned about heart disease

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23520 / 6949791.75 ] [Invalid=86139 / 23640988.51 ] |
| **Universe** | Respondents with DOFDC = 1 |
| **Literal question** | Do you choose certain foods or avoid others: because you are concerned about heart disease? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 8182 | 2452882.5 | 35.3% |
| 2 | No | 15338 | 4496909.2 | 64.7% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 47 | 9995.2 | |
| 8 | Refusal | 6 | 948.3 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_015: Chooses / avoids foods - concerned about cancer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23533 / 6951534.66 ] [Invalid=86126 / 23639245.6 ] |
| **Universe** | Respondents with DOFDC = 1 |
| **Literal question** | (Do you choose certain foods or avoid others:) because you are concerned about cancer? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 6874 | 2111597.4 | 30.4% |
| 2 | No | 16659 | 4839937.3 | 69.6% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 33 | 8074.1 | |
| 8 | Refusal | 7 | 1126.6 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_020: Chooses / avoids foods - concerned about osteoporosis

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23504 / 6943873.05 ] [Invalid=86155 / 23646907.21 ] |
| **Universe** | Respondents with DOFDC = 1 |
| **Literal question** | (Do you choose certain foods or avoid others:) because you are concerned about osteoporosis (brittle bones)? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 4321 | 1203103.8 | 17.3% |
| 2 | No | 19183 | 5740769.2 | 82.7% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 63 | 16131.5 | |
| 8 | Refusal | 6 | 730.7 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_025: Reason to choose foods - lower fat content

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # FDC_025: Reason to choose foods - lower fat content

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=23540 / 6953324.58 ] [Invalid=86119 / 23637455.68 ] | | | |
| **Universe** | Respondents with DOFDC = 1 | | | |
| **Literal question** | Do you choose certain foods because of: the lower fat content? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 14795 | 4450974.4 | 64.0% |
| 2 | No | 8745 | 2502350.2 | 36.0% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 27 | 6796.8 | |
| 8 | Refusal | 6 | 613.9 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_030: Reason to choose foods - fibre content

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=23514 / 6946680.43 ] [Invalid=86145 / 23644099.83 ] | | | |
| **Universe** | Respondents with DOFDC = 1 | | | |
| **Literal question** | (Do you choose certain foods because of:) the fibre content? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 13246 | 3900100.7 | 56.1% |
| 2 | No | 10268 | 3046579.7 | 43.9% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 52 | 13276.3 | |
| 8 | Refusal | 7 | 778.6 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_035: Reason to choose foods - calcium content

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=23513 / 6943691.82 ] [Invalid=86146 / 23647088.44 ] | | | |
| **Universe** | Respondents with DOFDC = 1 | | | |
| **Literal question** | (Do you choose certain foods because of:) the calcium content? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 9599 | 2748524.2 | 39.6% |
| 2 | No | 13914 | 4195167.6 | 60.4% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 51 | 15675.9 | |
| 8 | Refusal | 9 | 1367.6 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_040: Reason to avoid foods - fat content

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=23537 / 6950704.6 ] [Invalid=86122 / 23640075.66 ] | | | |
| **Universe** | Respondents with DOFDC = 1 | | | |
| **Literal question** | Do you avoid certain foods because of: the fat content? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 15830 | 4752204.4 | 68.4% |
| 2 | No | 7707 | 2198500.2 | 31.6% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 30 | 9397.7 | |
| 8 | Refusal | 6 | 633.0 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_045: Reason to avoid foods - type of fat

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=23446 / 6924767.82 ] [Invalid=86213 / 23666012.44 ] | | | |
| **Universe** | Respondents with DOFDC = 1 | | | |
| **Literal question** | (Do you avoid certain foods because of:) the type of fat they contain? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes (or sometimes) | 13310 | 3986906.1 | 57.6% |
| 2 | No | 10136 | 2937861.7 | 42.4% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 120 | 35211.2 | |
| 8 | Refusal | 7 | 756.3 | |
| 9 | Not stated | 457 | 145807.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_050: Reason to avoid foods - salt content

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

## # FDC_050: Reason to avoid foods - salt content

| Statistics [NW/ W] | [Valid=23534 / 6948306.16 ] [Invalid=86125 / 23642474.1 ] |
|---|---|
| Universe | Respondents with DOFDC = 1 |
| Literal question | (Do you avoid certain foods because of:) the salt content? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes (or sometimes) | 14089 | 4176316.2 | | 60.1% |
| 2 | No | 9445 | 2771990.0 | | 39.9% |
| 6 | Valid skip | 85629 | 23484238.0 | | |
| 7 | Don't know | 33 | 11796.2 | | |
| 8 | Refusal | 6 | 633.0 | | |
| 9 | Not stated | 457 | 145807.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_055: Reason to avoid foods - cholesterol content

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=23492 / 6942458.36 ] [Invalid=86167 / 23648321.9 ] |
| Universe | Respondents with DOFDC = 1 |
| Literal question | Do you avoid certain foods because of: the cholesterol content? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes (or sometimes) | 10394 | 3099185.4 | | 44.6% |
| 2 | No | 13098 | 3843272.9 | | 55.4% |
| 6 | Valid skip | 85629 | 23484238.0 | | |
| 7 | Don't know | 74 | 17421.2 | | |
| 8 | Refusal | 7 | 855.7 | | |
| 9 | Not stated | 457 | 145807.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDC_060: Reason to avoid foods - calorie content

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=23520 / 6948150.54 ] [Invalid=86139 / 23642629.72 ] |
| Universe | Respondents with DOFDC = 1 |
| Literal question | (Do you avoid certain foods because of:) the calorie content? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes (or sometimes) | 11987 | 3643267.6 | | 52.4% |
| 2 | No | 11533 | 3304882.9 | | 47.6% |
| 6 | Valid skip | 85629 | 23484238.0 | | |
| 7 | Don't know | 45 | 11645.2 | | |
| 8 | Refusal | 8 | 939.6 | | |
| 9 | Not stated | 457 | 145807.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDCDVAVD: Avoids certain foods for certain content reasons - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=23542 / 6953368.17 ] [Invalid=86117 / 23637412.09 ] |

## # FDCDVAVD: Avoids certain foods for certain content reasons - (D)

| | | | | |
|---|---|---|---|---|
| **Definition** | Derived from ADM_PRX, FDC_040, FDC_045, FDC_050, FDC_055, FDC_060 | | | |
| **Universe** | See documentation on derived variables | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Avoids foods - fat, salt, cholesterol, calories | 18972 | 5675299.4 | 81.6% |
| 2 | Does not avoid foods - fat, salt, cholesterol, calories | 4570 | 1278068.7 | 18.4% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 488 | 153174.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDCDVCAH: Chooses / avoids certain foods because of health concerns - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=23506 / 6949389.74 ] [Invalid=86153 / 23641390.52 ] |
| **Definition** | Derived from ADM_PRX, FDC_005, FDC_010, FDC_015, FDC_020 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Choose/avoids foods - health concerns | 14463 | 4414252.7 | 63.5% |
| 2 | Does not choose/avoid foods - health concerns | 9043 | 2535137.0 | 36.5% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 524 | 157152.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FDCDVCHO: Chooses certain foods for content reasons - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=23534 / 6953063.55 ] [Invalid=86125 / 23637716.71 ] |
| **Definition** | Derived from ADM_PRX, FDC_025, FDC_030, FDC_035 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Chooses foods - fat, fibre, calcium content | 17421 | 5175023.5 | 74.4% |
| 2 | Does not choose foods - fat, fibre and calcium content | 6113 | 1778040.0 | 25.6% |
| 6 | Valid skip | 85629 | 23484238.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 496 | 153478.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOFGU: Canada's Food Guide use - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

## # DOFGU: Canada's Food Guide use - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 34749 | 12016807.2 | 39.3% | |
| 2 | No | 74910 | 18573973.0 | | 60.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FGU_005: Seen / heard of Canada's Food Guide (CFG) - lifetime

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=33638 / 11572580.23 ] [Invalid=76021 / 19018200.03 ] |
| **Universe** | Respondents with DOFGU = 1 |
| **Literal question** | Have you ever seen or heard of Canada's Food Guide? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 29401 | 9737019.7 | 84.1% | |
| 2 | No | 4237 | 1835560.6 | 15.9% | |
| 6 | Valid skip | 74910 | 18573973.0 | | |
| 7 | Don't know | 46 | 12498.4 | | |
| 8 | Refusal | 8 | 2365.6 | | |
| 9 | Not stated | 1057 | 429363.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FGU_010: Used information from Canada's Food Guide (CFG) - lifetime

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=29353 / 9720504.33 ] [Invalid=80306 / 20870275.93 ] |
| **Universe** | Respondents who answered FGU_005 = (1, 7 or 8) |
| **Literal question** | Have you ever used information from Canada's Food Guide? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 16886 | 5437984.5 | 55.9% | |
| 2 | No | 12467 | 4282519.9 | 44.1% | |
| 6 | Valid skip | 79147 | 20409533.6 | | |
| 7 | Don't know | 90 | 27686.4 | | |
| 8 | Refusal | 12 | 3693.0 | | |
| 9 | Not stated | 1057 | 429363.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FGU_015A: Used CFG - to choose foods

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| **Universe** | Respondents who answered FGU_010 = (1, 7 or 8) |
| **Literal question** | What did you use the information for? - To choose foods for [you / you or household members] |
| **Notes** | Was not asked in proxy interviews |

# FGU_015A: Used CFG - to choose foods

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7638 | 2460288.0 | 45.5% |
| 2 | No | 9191 | 2943336.1 | 54.5% |
| 6 | Valid skip | 91614 | 24692053.4 | |
| 7 | Don't know | 143 | 59724.0 | |
| 8 | Refusal | 16 | 6015.6 | |
| 9 | Not stated | 1057 | 429363.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FGU_015B: Used CFG - determine quantity of food needed every day

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| Universe | Respondents who answered FGU_010 = (1, 7 or 8) |
| Literal question | What did you use the information for? - To determine how much [you / you or household members] need to eat every day |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7863 | 2505829.0 | 46.4% |
| 2 | No | 8966 | 2897795.1 | 53.6% |
| 6 | Valid skip | 91614 | 24692053.4 | |
| 7 | Don't know | 143 | 59724.0 | |
| 8 | Refusal | 16 | 6015.6 | |
| 9 | Not stated | 1057 | 429363.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FGU_015C: Used CFG - to plan meals / grocery shopping

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| Universe | Respondents who answered FGU_010 = (1, 7 or 8) |
| Literal question | What did you use the information for? - To plan meals or to help with grocery shopping |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6257 | 2021804.6 | 37.4% |
| 2 | No | 10572 | 3381819.5 | 62.6% |
| 6 | Valid skip | 91614 | 24692053.4 | |
| 7 | Don't know | 143 | 59724.0 | |
| 8 | Refusal | 16 | 6015.6 | |
| 9 | Not stated | 1057 | 429363.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FGU_015D: Used CFG - assess how well household members are eating

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| Universe | Respondents who answered FGU_010 = (1, 7 or 8) |
| Literal question | What did you use the information for? - To assess how well [you / you or household members] are eating |
| Notes | Was not asked in proxy interviews |

# FGU_015D: Used CFG - assess how well household members are eating

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8694 | 2764899.7 | | 51.2% |
| 2 | No | 8135 | 2638724.5 | | 48.8% |
| 6 | Valid skip | 91614 | 24692053.4 | | |
| 7 | Don't know | 143 | 59724.0 | | |
| 8 | Refusal | 16 | 6015.6 | | |
| 9 | Not stated | 1057 | 429363.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FGU_015E: Used CFG - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| Universe | Respondents who answered FGU_010 = (1, 7 or 8) |
| Literal question | What did you use the information for? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2195 | 726100.8 | 13.4% | |
| 2 | No | 14634 | 4677523.4 | | 86.6% |
| 6 | Valid skip | 91614 | 24692053.4 | | |
| 7 | Don't know | 143 | 59724.0 | | |
| 8 | Refusal | 16 | 6015.6 | | |
| 9 | Not stated | 1057 | 429363.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FGU_015F: Used CFG - none of the above

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16829 / 5403624.18 ] [Invalid=92830 / 25187156.08 ] |
| Universe | Respondents who answered FGU_010 = (1, 7 or 8) |
| Literal question | What did you use the information for? - None of the above |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 525 | 163402.6 | 3.0% | |
| 2 | No | 16304 | 5240221.6 | | 97.0% |
| 6 | Valid skip | 91614 | 24692053.4 | | |
| 7 | Don't know | 143 | 59724.0 | | |
| 8 | Refusal | 16 | 6015.6 | | |
| 9 | Not stated | 1057 | 429363.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOSMK: Smoking - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |

## # DOSMK: Smoking - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_005: Type of smoker (daily / occasionally / not at all) - presently

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109583 / 30569239.22 ] [Invalid=76 / 21541.04 ] |
| Universe | Respondents with DOSMK = 1 |
| Literal question | At the present time, do you smoke cigarettes every day, occasionally or not at all? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Daily | 15367 | 3765095.0 | 12.3% |
| 2 | Occasionally | 4910 | 1520108.7 | 5.0% |
| 3 | Not at all | 89306 | 25284035.5 | 82.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 13 | 2337.1 | |
| 8 | Refusal | 63 | 19204.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_010: Smoked - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=94192 / 26795494.05 ] [Invalid=15467 / 3795286.21 ] |
| Universe | Respondents who answered SMK_005 = (2, 3, 7 or 8) |
| Literal question | In the past 30 days, did you smoke any cigarettes? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 4857 | 1474673.8 | 5.5% |
| 2 | No | 89335 | 25320820.3 | 94.5% |
| 6 | Valid skip | 15367 | 3765095.0 | |
| 7 | Don't know | 19 | 4733.9 | |
| 8 | Refusal | 81 | 25457.3 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_015: Smoked daily - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=20214 / 5237350.81 ] [Invalid=89445 / 25353429.45 ] |
| Universe | Respondents who answered SMK_005 = 1 or SMK_010 = 1 |
| Literal question | During the past 30 days, did you smoke every day? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 15337 | 3764280.6 | 71.9% |
| 2 | No | 4877 | 1473070.2 | 28.1% |
| 6 | Valid skip | 89335 | 25320820.3 | |
| 7 | Don't know | 8 | 2188.3 | |

## # SMK_015: Smoked daily - 30 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 2 | 229.7 | |
| 9 | Not stated | 100 | 30191.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_020: Smoked more than 100 cigarettes - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109373 / 30506575.98 ] [Invalid=286 / 84204.28 ] |
| Universe | Respondents with DOSMK = 1 |
| Literal question | Have you smoked more than 100 cigarettes (about 4 packs) in your life? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 50962 | 12545500.2 | 41.1% |
| 2 | No | 58411 | 17961075.8 | 58.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 193 | 53399.4 | |
| 8 | Refusal | 93 | 30804.9 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_025: Smoked a whole cigarette - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=57568 / 17644305.46 ] [Invalid=52091 / 12946474.8 ] |
| Universe | Respondents who answered SMK_005 = 3 and SMK_020 = 2 |
| Literal question | Have you ever smoked a whole cigarette? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13566 | 3905596.3 | 22.1% |
| 2 | No | 44002 | 13738709.2 | 77.9% |
| 6 | Valid skip | 51666 | 12824964.0 | |
| 7 | Don't know | 153 | 41898.4 | |
| 8 | Refusal | 11 | 2463.8 | |
| 9 | Not stated | 261 | 77148.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_030: Smoked daily - lifetime (occasional / former smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=35569 / 8873499.73 ] [Invalid=74090 / 21717280.53 ] |
| Universe | Respondents who answered (SMK_005 = 2 and (SMK_010 <> 1 or SMK_015 <> 1)) or (SMK_005 = 3 and SMK_020 = 1) |
| Literal question | Have you ever smoked cigarettes daily? |
| Notes | If a respondent answered SMK_005 = 2 and SMK_010 = 1 and SMK_015 = 1, the variable SMK_030 (ever smoked daily) was skipped and coded as "valid skip". |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 30877 | 7448518.7 | 83.9% |
| 2 | No | 4692 | 1424981.1 | 16.1% |
| 6 | Valid skip | 73787 | 21629816.7 | |
| 7 | Don't know | 29 | 7816.1 | |
| 8 | Refusal | 1 | 301.1 | |

# SMK_030: Smoked daily - lifetime (occasional / former smoker)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 273 | 79346.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMKG035: Age - smoked first whole cigarette

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | Respondents who answered SMK_005 = (1,2) or (SMK_005 = 3 and SMK_020 = 1) or SMK_025 = 1 |
| Literal question | At what age did you smoke your first whole cigarette? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Smoked first whole cigarette between ages 5 and 11. | 4076 | 903804.9 | 3.0% |
| 2 | Smoked first whole cigarette between ages 12 and 14. | 17690 | 4271290.1 | 14.0% |
| 3 | Smoked first whole cigarette between ages 15 and 17. | 23905 | 6214208.2 | 20.3% |
| 4 | Smoked first whole cigarette between ages 18 and 19. | 8789 | 2378755.4 | 7.8% |
| 5 | Smoked first whole cigarette between ages 20 and 24. | 6743 | 1938429.6 | 6.3% |
| 6 | Smoked first whole cigarette between ages 25 and 29. | 1584 | 431639.3 | 1.4% |
| 7 | Smoked first whole cigarette between ages 30 and 34. | 664 | 169509.5 | 0.6% |
| 8 | Smoked first whole cigarette between ages 35 and 39. | 241 | 56386.4 | 0.2% |
| 9 | Smoked first whole cigarette between ages 40 and 44. | 169 | 37053.4 | 0.1% |
| 10 | Smoked first whole cigarette between ages 45 and 49. | 61 | 15735.6 | 0.1% |
| 11 | Smoked first whole cigarette at age 50 or older. | 45737 | 14173968.0 | 46.3% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMKG040: Age - began smoking daily (daily / former daily smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=45197 / 10967430.64 ] [Invalid=64462 / 19623349.62 ] |
| Universe | Respondents who answered SMK_005 = 1 or SMK_030 = 1 |
| Literal question | At what age did you begin to smoke cigarettes daily? |
| Notes | If a respondent answered SMK_005 = 2 and SMK_010 = 1 and SMK_015 = 1, the variable SMK_030 (ever smoked daily) was skipped and coded as "valid skip" and the variable SMK_040 was coded as "not stated". This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Began smoking daily between ages 5 and 11. | 746 | 135325.9 | 1.2% |
| 2 | Began smoking daily between ages 12 and 14. | 5833 | 1370197.8 | 12.5% |
| 3 | Began smoking daily between ages 15 and 17. | 16115 | 3854318.9 | 35.1% |

# SMKG040: Age - began smoking daily (daily / former daily smoker)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | Began smoking daily between ages 18 and 19. | 9740 | 2360233.0 | 21.5% |
| 5 | Began smoking daily between ages 20 and 24. | 8863 | 2237627.8 | 20.4% |
| 6 | Began smoking daily between ages 25 and 29. | 2229 | 600945.9 | 5.5% |
| 7 | Began smoking daily between ages 30 and 34. | 880 | 218231.1 | 2.0% |
| 8 | Began smoking daily between ages 35 and 39. | 371 | 83930.4 | 0.8% |
| 9 | Began smoking daily between ages 40 and 44. | 230 | 59448.6 | 0.5% |
| 10 | Began smoking daily between ages 45 and 49. | 92 | 24805.2 | 0.2% |
| 11 | Began smoking daily at age 50 or older. | 98 | 22366.2 | 0.2% |
| 96 | Valid skip | 62424 | 19113648.7 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 2038 | 509700.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMK_045: Num of cigarettes smoked each day (daily smoker)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15264 / 3742236.92 ] [Invalid=94395 / 26848543.34 ] [Mean=15.07 / 14.594 ] [StdDev=8.897 / 8.636 ] |
| **Universe** | Respondents who answered SMK_005 = 1 |
| **Literal question** | How many cigarettes do you smoke each day now? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 94216 | 26804144.2 | |
| 997 | Don't know | 83 | 19772.4 | |
| 998 | Refusal | 20 | 3085.7 | |
| 999 | Not stated | 76 | 21541.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMK_050: Num of cigarettes smoked per day (occasional smoker)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4817 / 1485733.12 ] [Invalid=104842 / 29105047.14 ] [Mean=4.326 / 3.862 ] [StdDev=5.127 / 4.84 ] |
| **Universe** | Respondents who answered SMK_005 = 2 |
| **Literal question** | On the days that you do smoke, how many cigarettes do you usually smoke? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 104673 | 29049130.5 | |
| 997 | Don't know | 85 | 32632.9 | |
| 998 | Refusal | 8 | 1742.6 | |
| 999 | Not stated | 76 | 21541.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMK_055: Num of days - smoked 1 cigarette or more (occasional smoker) - 1 mo

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4797 / 1493346.84 ] [Invalid=104862 / 29097433.42 ] [Mean=10.764 / 9.65 ] [StdDev=10.407 / 9.967 ] |
| **Universe** | Respondents who answered SMK_005 = 2 |
| **Literal question** | In the past month, on how many days have you smoked one or more cigarettes? |
| **Notes** | If a respondent answered SMK_005 = 2 and SMK_015 = 1, the variable SMK_055 was given the value of 30. If a respondent answered SMK_005 = 2 and SMK_010 = 2, the variable SMK_055 was given the value of 0. |

## # SMK_055: Num of days - smoked 1 cigarette or more (occasional smoker) - 1 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 104673 | 29049130.5 | |
| 97 | Don't know | 108 | 25818.1 | |
| 98 | Refusal | 5 | 943.8 | |
| 99 | Not stated | 76 | 21541.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_060: Stopped smoking - when (former smoker but never daily)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3115 / 868950.42 ] [Invalid=106544 / 29721829.84 ] |
| **Universe** | Respondents who answered SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 2 |
| **Literal question** | When did you stop smoking? Was it...? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than one year ago | 121 | 35129.4 | 4.0% |
| 2 | 1 year to less than 2 years ago | 77 | 27761.7 | 3.2% |
| 3 | 2 years to less than 3 years ago | 88 | 31905.6 | 3.7% |
| 4 | 3 or more years ago | 2829 | 774153.7 | 89.1% |
| 6 | Valid skip | 106211 | 29623897.1 | |
| 7 | Don't know | 30 | 10581.3 | |
| 8 | Refusal | 6 | 1475.2 | |
| 9 | Not stated | 297 | 85876.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_075: Num of cigarettes smoked daily (former daily smoker)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=27364 / 6476732.68 ] [Invalid=82295 / 24114047.58 ] [Mean=16.962 / 15.976 ] [StdDev=12.197 / 11.561 ] |
| **Universe** | Respondents who answered SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 1 |
| **Literal question** | When you smoked every day, how many cigarettes did you usually smoke each day? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 81160 | 23854878.4 | |
| 997 | Don't know | 812 | 167332.6 | |
| 998 | Refusal | 26 | 5960.4 | |
| 999 | Not stated | 297 | 85876.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK_080: Stopped smoking daily - when (former daily smoker)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=28177 / 6642986.56 ] [Invalid=81482 / 23947793.7 ] |
| **Universe** | Respondents who answered SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 1 |
| **Literal question** | When did you stop smoking daily? Was it...? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than one year ago | 1499 | 405561.3 | 6.1% |
| 2 | 1 year to less than 2 years ago | 1018 | 267461.0 | 4.0% |
| 3 | 2 years to less than 3 years ago | 1177 | 316955.4 | 4.8% |
| 4 | 3 or more years ago | 24483 | 5653008.8 | 85.1% |
| 6 | Valid skip | 81160 | 23854878.4 | |

# SMK_080: Stopped smoking daily - when (former daily smoker)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 7 | Don't know | 16 | 2929.3 | |
| 8 | Refusal | 8 | 2738.5 | |
| 9 | Not stated | 298 | 87247.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMKG090: Stopped smoking daily - num of years (former daily smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=24321 / 5621631.06 ] [Invalid=85338 / 24969149.2 ] |
| Universe | Respondents who answered SMK_080 = 4 |
| Literal question | How many years ago was it? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Stopped smoking daily between 3 and 5 years ago. | 2211 | 581950.1 | 10.4% |
| 2 | Stopped smoking daily between 6 and 10 years ago. | 3581 | 941734.3 | 16.8% |
| 3 | Stopped smoking daily 11 or more years ago. | 18529 | 4097946.7 | 72.9% |
| 6 | Valid skip | 84854 | 24844856.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 484 | 124293.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMK_095: Quit smoking completely (former daily smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=28173 / 6645479.16 ] [Invalid=81486 / 23945301.1 ] |
| Universe | Respondents who answered SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 1 |
| Literal question | Was that when you completely quit smoking? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 27290 | 6419159.0 | 96.6% |
| 2 | No | 883 | 226320.1 | 3.4% |
| 6 | Valid skip | 81160 | 23854878.4 | |
| 7 | Don't know | 25 | 3746.2 | |
| 8 | Refusal | 4 | 800.4 | |
| 9 | Not stated | 297 | 85876.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SMK_100: Quit smoking completely - when (former daily smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=858 / 217021.03 ] [Invalid=108801 / 30373759.23 ] |
| Universe | Respondents who answered SMK_095 = 2 |
| Literal question | When did you stop smoking completely? Was it...? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Less than one year ago | 144 | 40206.2 | 18.5% |
| 2 | 1 year to less than 2 years ago | 93 | 28003.2 | 12.9% |
| 3 | 2 years to less than 3 years ago | 59 | 17031.4 | 7.8% |

## # SMK_100: Quit smoking completely - when (former daily smoker)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | 3 or more years ago | 562 | 131780.3 | 60.7% |
| 6 | Valid skip | 108450 | 30274037.4 | |
| 7 | Don't know | 21 | 7093.9 | |
| 8 | Refusal | 3 | 833.8 | |
| 9 | Not stated | 327 | 91794.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMKG110: Quit smoking completely - num of years (former daily smoker)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=552 / 128695.64 ] [Invalid=109107 / 30462084.62 ] |
| Universe | Respondents who answered SMK_100 = 4 |
| Literal question | How many years ago was it? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Stopped smoking between 3 and 5 years ago. | 102 | 30149.1 | 23.4% |
| 2 | Stopped smoking between 6 and 10 years ago. | 134 | 35122.2 | 27.3% |
| 3 | Stopped smoking 11 or more years ago. | 316 | 63424.3 | 49.3% |
| 6 | Valid skip | 108746 | 30359278.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 361 | 102806.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMKDVSTY: Smoking status (type 2) - traditional definition - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109198 / 30460541.91 ] [Invalid=461 / 130238.35 ] |
| Definition | Derived from SMK_005, SMK_020, SMK_025, SMK_030 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Current daily smoker | 15367 | 3765095.0 | 12.4% |
| 2 | Current occasional smoker | 4910 | 1520108.7 | 5.0% |
| 3 | Former daily smoker (non-smoker now) | 28202 | 6650025.7 | 21.8% |
| 4 | Former occasional smoker (non-smoker now) | 3151 | 881007.0 | 2.9% |
| 5 | Experimental smoker (at least 1 cig, non-smoker now) | 13566 | 3905596.3 | 12.8% |
| 6 | Lifetime abstainer (never smoked a whole cigarette) | 44002 | 13738709.2 | 45.1% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 461 | 130238.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMKDGYCS: Number of years smoked daily (current daily smokers only) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15099 / 3705434.65 ] [Invalid=94560 / 26885345.61 ] |

## # SMKDGYCS: Number of years smoked daily (current daily smokers only) - (D)

| | | | | |
|---|---|---|---|---|
| **Definition** | Derived from DHH_AGE, SMK_005, SMK_040 | | | |
| **Universe** | See documentation on derived variables. | | | |
| **Notes** | This variable has been grouped as a form of disclosure control. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Respondent has smoked daily for 2 years or less | 458 | 130443.8 | 3.5% |
| 2 | Respondent has smoked daily for 3 to 5 years | 589 | 183706.1 | 5.0% |
| 3 | Respondent has smoked daily for 6 to 10 years | 1144 | 352733.0 | 9.5% |
| 4 | Respondent has smoked daily for 11 years or more | 12908 | 3038551.8 | 82.0% |
| 6 | Valid skip | 94216 | 26804144.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 344 | 81201.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMKDGSTP: Number of years since stopped smoking completely - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=31001 / 7444431.02 ] [Invalid=78658 / 23146349.24 ] |
| **Definition** | Derived from SMKDVSTY, SMK_060, SMK_070, SMK_080, SMK_090, SMK_095, SMK_100, SMK_110 |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Less than 1 year | 1715 | 470113.0 | 6.3% |
| 1 | 1 to 2 years | 2424 | 661179.7 | 8.9% |
| 2 | 3 to 5 years | 2452 | 651279.3 | 8.7% |
| 3 | 6 to 10 years | 3951 | 1061331.1 | 14.3% |
| 4 | 11 or more years | 20459 | 4600528.0 | 61.8% |
| 6 | Valid skip | 77845 | 22929509.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 813 | 216840.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSCH: Smoking - stages of change - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 973 | 31789.0 | 0.1% |
| 2 | No | 108686 | 30558991.3 | 99.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

## # DOSCH: Smoking - stages of change - Inclusion Flag - (F)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCH_005: Considers quitting smoking - next 6 months

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=202 / 7580.58 ] [Invalid=109457 / 30583199.68 ] |
| **Universe** | Respondents with DOSCH = 1 who answered SMK_005 = (1 or 2) |
| **Literal question** | Are you seriously considering quitting smoking within the next 6 months? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 138 | 5486.4 | 72.4% |
| 2 | No | 64 | 2094.2 | 27.6% |
| 6 | Valid skip | 109452 | 30583007.7 | |
| 7 | Don't know | 2 | 66.2 | |
| 8 | Refusal | 1 | 21.8 | |
| 9 | Not stated | 2 | 103.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCH_010: Considers quitting smoking - next 30 days

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=136 / 5406.13 ] [Invalid=109523 / 30585374.13 ] |
| **Universe** | Respondents who answered SCH_005 = 1 |
| **Literal question** | Are you seriously considering quitting within the next 30 days? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 75 | 2907.7 | 53.8% |
| 2 | No | 61 | 2498.4 | 46.2% |
| 6 | Valid skip | 109516 | 30585101.9 | |
| 7 | Don't know | 2 | 80.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 5 | 192.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCH_015: Stopped smoking for at least 24 hours - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=203 / 7636.5 ] [Invalid=109456 / 30583143.76 ] |
| **Universe** | Respondents with DOSCH = 1 who answered SMK_005 = (1 or 2) |
| **Literal question** | In the past 12 months, did you stop smoking for at least 24 hours because you were trying to cut back or quit? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 117 | 4703.1 | 61.6% |
| 2 | No | 86 | 2933.4 | 38.4% |
| 6 | Valid skip | 109452 | 30583007.7 | |
| 7 | Don't know | 2 | 32.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2 | 103.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCH_020: Stopped smoking for at least 24 hours - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106 / 4101.91 ] [Invalid=109553 / 30586678.35 ] [Mean=5.208 / 4.874 ] [StdDev=10.833 / 8.576 ] |
| **Universe** | Respondents who answered SCH_015 = 1 |
| **Literal question** | How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were trying to cut back or quit.) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109538 | 30585941.1 | |
| 97 | Don't know | 11 | 601.2 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 4 | 136.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCHDVSTG: Smoking stages of change (Current and Former Smokers) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=436 / 15445.59 ] [Invalid=109223 / 30575334.67 ] |
| **Definition** | Derived from ADM_PRX, ADM_MOI, SMK_005, SMK_060, SMK_065, SMK_080, SMK_085, SMK_095, SMK_100, SMK_105, SCH_005, SCH_010, SCH_015, SCH_020, SCHT065, SCHT085, SCHT105 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Precontemplation stage (smokers) | 64 | 2094.2 | 13.6% |
| 2 | Contemplation stage (smokers) | 70 | 2925.7 | 18.9% |
| 3 | Preparation stage (smokers) | 58 | 2076.3 | 13.4% |
| 4 | Action stage (former smoker) | 14 | 743.2 | 4.8% |
| 5 | Maintenance stage (former smoker) | 230 | 7606.3 | 49.2% |
| 6 | Valid skip | 109195 | 30574202.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 28 | 1132.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSCA: Smoking cessation methods - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4112 | 486795.5 | 1.6% |
| 2 | No | 105547 | 30103984.7 | 98.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SCA_005: Reduced / quit smoking - nicotine patch - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=86 / 10155.27 ] [Invalid=109573 / 30580624.99 ] |
| Universe | Respondents with DOSCA = 1 who answered SMK_060 = 1 or SMK_080 = 1 |
| Literal question | In the past 12 months, did you try a nicotine patch to reduce or quit smoking? |
| Notes | Was not asked in proxy interviews. Due to an error in processing in 2015, SCA_005 was incorrectly coded to "Not stated" instead of "Not applicable" for respondents who answered DOSCA = 1 and PROXYMODE = 1 and SMK_Q060 = (4,6) and SMK_Q080 = (4,6). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 14 | 1231.4 | 12.1% |
| 2 | No | 72 | 8923.9 | 87.9% |
| 6 | Valid skip | 109501 | 30570166.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 72 | 10459.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SCA_025: Reduced / quit smoking - medication - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=86 / 10155.27 ] [Invalid=109573 / 30580624.99 ] |
| Universe | Respondents with DOSCA = 1 who answered SMK_060 = 1 or SMK_080 = 1 |
| Literal question | In the past 12 months, did you try medication such as Zyban, Wellbutrin or Champix to reduce or quit smoking? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13 | 1683.3 | 16.6% |
| 2 | No | 73 | 8472.0 | 83.4% |
| 6 | Valid skip | 109501 | 30570166.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 72 | 10459.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SCA_035: Stopped smoking for at least 24 hours - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1196 / 113570.28 ] [Invalid=108463 / 30477209.98 ] |
| Universe | Respondents with DOSCA = 1 who answered SMK_005 = (1 or 2) and with (DOSCH = 2 or (DOSCH = 1 and SCH_015 = (1 or 2)) |
| Literal question | In the past 12 months, did you stop smoking for at least 24 hours because you were trying to reduce or quit? |
| Notes | Was not asked in proxy interviews. If a respondent had DOSCH = 1 and answered SCH_015 = (1 or 2), the variable SCA_035 was given the value of SCH_015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 594 | 59450.6 | 52.3% |
| 2 | No | 602 | 54119.6 | 47.7% |
| 6 | Valid skip | 108388 | 30467099.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 75 | 10110.4 | |

# SCA_035: Stopped smoking for at least 24 hours - 12 mo

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCA_040: Tried to reduce / quit smoking - nicotine patch - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=594 / 59450.63 ] [Invalid=109065 / 30531329.63 ] |
| **Universe** | Respondents with SCA_035 = 1 |
| **Literal question** | In the past 12 months, did you try any of the following to reduce or quit smoking: a nicotine patch? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 97 | 9391.5 | | 15.8% |
| 2 | No | 497 | 50059.2 | | 84.2% |
| 6 | Valid skip | 108990 | 30521219.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 75 | 10110.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCA_045: Tried to reduce / quit smoking - nicotine gum - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=594 / 59450.63 ] [Invalid=109065 / 30531329.63 ] |
| **Universe** | Respondents with SCA_035 = 1 |
| **Literal question** | (In the past 12 months, did you try any of the following to reduce or quit smoking:) nicotine gum such as Nicorette? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 88 | 9290.3 | | 15.6% |
| 2 | No | 506 | 50160.3 | | 84.4% |
| 6 | Valid skip | 108990 | 30521219.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 75 | 10110.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SCA_050: Tried to reduce / quit smoking - medication - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=593 / 59430.92 ] [Invalid=109066 / 30531349.34 ] |
| **Universe** | Respondents with SCA_035 = 1 |
| **Literal question** | (In the past 12 months, did you try any of the following to reduce or quit smoking:) medication such as Zyban, Wellbutrin or Champix? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 38 | 6064.2 | | 10.2% |
| 2 | No | 555 | 53366.7 | | 89.8% |
| 6 | Valid skip | 108990 | 30521219.2 | | |
| 7 | Don't know | 1 | 19.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 75 | 10110.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SCADVQUI: Attempted / successful quitting smoking - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2279 / 242678.18 ] [Invalid=107380 / 30348102.08 ] |
| Definition | Derived from ADM_PRX, SMKDVSTY, SCA_005, SCA_035, SMK_005, SMK_020, SMK_060, SMK_080, SMK_095, SMK_100 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Did not try to quit last year (smoker) | 602 | 54119.6 | | 22.3% |
| 2 | Tried to quit unsuccessfully in the last year (smoker) | 594 | 59450.6 | | 24.5% |
| 3 | Successfully quit in the last year (former smoker) | 87 | 10353.6 | | 4.3% |
| 4 | Successfully quit more than 1 year ago (former smoker) | 996 | 118754.3 | | 48.9% |
| 6 | Valid skip | 107310 | 30337250.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 70 | 10851.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOTAL: Tobacco products alternatives - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 53078 | 16776784.3 | | 54.8% |
| 2 | No | 56581 | 13813996.0 | | 45.2% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# TAL_005: Smoked little cigars / cigarillos - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52977 / 16745628.11 ] [Invalid=56682 / 13845152.15 ] |
| Universe | Respondents with DOTAL = 1 |
| Literal question | In the past 30 days, did you smoke any little cigars or cigarillos? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1083 | 351528.6 | | 2.1% |
| 2 | No | 51894 | 16394099.5 | | 97.9% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 16 | 5192.4 | | |
| 8 | Refusal | 79 | 24677.7 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# TAL_010: Smoked little cigars / cigarillos - plain / flavoured

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|

## # TAL_010: Smoked little cigars / cigarillos - plain / flavoured

| Statistics [NW/ W] | [Valid=1065 / 343863.12 ] [Invalid=108594 / 30246917.14 ] |
|---|---|
| Universe | Respondents who answered TAL_005 = 1 |
| Literal question | Were these (little cigars or cigarillos) plain, flavoured or both? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Plain | 426 | 136797.2 | | 39.8% |
| 2 | Flavoured | 471 | 153906.3 | | 44.8% |
| 3 | Both | 168 | 53159.6 | 15.5% | |
| 6 | Valid skip | 108475 | 30208095.5 | | |
| 7 | Don't know | 17 | 7417.4 | | |
| 8 | Refusal | 1 | 248.0 | | |
| 9 | Not stated | 101 | 31156.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # TAL_015: Smoked other cigars - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52968 / 16742910.26 ] [Invalid=56691 / 13847870 ] |
| Universe | Respondents with DOTAL = 1 |
| Literal question | In the past 30 days, did you smoke any cigars other than little cigars or cigarillos? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 565 | 200045.5 | 1.2% | |
| 2 | No | 52403 | 16542864.7 | | 98.8% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 17 | 5718.8 | | |
| 8 | Refusal | 87 | 26869.2 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # TAL_020: Used an electronic cigarette - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52955 / 16740122.43 ] [Invalid=56704 / 13850657.83 ] |
| Universe | Respondents with DOTAL = 1 |
| Literal question | In the past 30 days, did you use an electronic cigarette, also known as an 'e-cigarette'? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1495 | 484343.0 | 2.9% | |
| 2 | No | 51460 | 16255779.4 | | 97.1% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 25 | 6674.3 | | |
| 8 | Refusal | 92 | 28701.6 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # TAL_025: Smoked a pipe - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52964 / 16741432.19 ] [Invalid=56695 / 13849348.07 ] |
| Universe | Respondents with DOTAL = 1 |
| Literal question | (In the past 30 days), did you smoke a pipe? |

# TAL_025: Smoked a pipe - 30 d

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-------|-------|
| 1 | Yes | 298 | 98232.0 | 0.6% | |
| 2 | No | 52666 | 16643200.2 | | 99.4% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 15 | 5259.3 | | |
| 8 | Refusal | 93 | 28806.8 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# TAL_030: Used chewing tobacco / pinch / snuff - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=52963 / 16740385.63 ] [Invalid=56696 / 13850394.63 ] |
| **Universe** | Respondents with DOTAL = 1 |
| **Literal question** | (In the past 30 days), did you use any chewing tobacco, pinch or snuff? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-------|-------|
| 1 | Yes | 293 | 90028.2 | 0.5% | |
| 2 | No | 52670 | 16650357.4 | | 99.5% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 16 | 6033.9 | | |
| 8 | Refusal | 93 | 29078.7 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# TAL_035: Smoked a tobacco water-pipe - 30 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=52961 / 16742796.7 ] [Invalid=56698 / 13847983.56 ] |
| **Universe** | Respondents with DOTAL = 1 |
| **Literal question** | In the past 30 days, did you smoke a tobacco water-pipe, also known as a hookah, shisha, nargeelay, hubble-bubble or gouza to smoke tobacco? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-------|-------|
| 1 | Yes | 351 | 162019.8 | 1.0% | |
| 2 | No | 52610 | 16580776.9 | | 99.0% |
| 6 | Valid skip | 56581 | 13813996.0 | | |
| 7 | Don't know | 17 | 5605.8 | | |
| 8 | Refusal | 94 | 27095.7 | | |
| 9 | Not stated | 6 | 1286.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# TALDVUSE: Alternative tobacco product usage - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=52940 / 16735150.13 ] [Invalid=56719 / 13855630.13 ] |
| **Definition** | Derived from TAL_005, TAL_015, TAL_020, TAL_025, TAL_030, TAL_035 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-------|-------|
| 1 | Has used an alternative tobacco product | 3347 | 1126063.0 | 6.7% | |
| 2 | Has not used an alternative tobacco product | 49593 | 15609087.1 | | 93.3% |

# TALDVUSE: Alternative tobacco product usage - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 56581 | 13813996.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 138 | 41634.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DONDE: Nicotine dependence - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 23151 | 7078748.6 | 23.1% |
| 2 | No | 86508 | 23512031.6 | 76.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDE_005: Time between waking up and first cigarette

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3201 / 916944.29 ] [Invalid=106458 / 29673835.97 ] |
| Universe | Respondents with DONDE = 1 who answered SMK_005 = 1 |
| Literal question | How soon after you wake up do you smoke your first cigarette? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Within 5 minutes | 831 | 224591.2 | 24.5% |
| 2 | 6 - 30 minutes after waking | 1081 | 294894.7 | 32.2% |
| 3 | 31 - 60 minutes after waking | 540 | 163522.8 | 17.8% |
| 4 | More than 60 minutes after waking | 749 | 233935.6 | 25.5% |
| 6 | Valid skip | 106007 | 29526097.4 | |
| 7 | Don't know | 8 | 1567.0 | |
| 8 | Refusal | 2 | 247.8 | |
| 9 | Not stated | 441 | 145923.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDE_010: Difficulty to refrain from smoking in places where it is forbidden

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3201 / 916206.13 ] [Invalid=106458 / 29674574.13 ] |
| Universe | Respondents with DONDE = 1 who answered SMK_005 = 1 |
| Literal question | Do you find it difficult to refrain from smoking in places where it is forbidden? |
| Notes | Was not asked in proxy interviews |

# NDE_010: Difficulty to refrain from smoking in places where it is forbidden

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|--|
| 1 | Yes | 640 | 176621.2 | 19.3% | |
| 2 | No | 2561 | 739584.9 | | 80.7% |
| 6 | Valid skip | 106007 | 29526097.4 | | |
| 7 | Don't know | 8 | 2326.8 | | |
| 8 | Refusal | 2 | 226.1 | | |
| 9 | Not stated | 441 | 145923.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDE_015: Hardest cigarette to give up

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=2983 / 859229.81 ] [Invalid=106676 / 29731550.45 ] |
| Universe | Respondents with DONDE = 1 who answered SMK_005 = 1 |
| Literal question | Which cigarette would you most hate to give up? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|--|
| 1 | The first one of the day | 1586 | 462166.6 | | 53.8% |
| 2 | Another one | 1397 | 397063.2 | | 46.2% |
| 6 | Valid skip | 106007 | 29526097.4 | | |
| 7 | Don't know | 220 | 56976.4 | | |
| 8 | Refusal | 8 | 2552.9 | | |
| 9 | Not stated | 441 | 145923.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDE_020: Smokes more frequently during first hours after waking up

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=3173 / 910115.25 ] [Invalid=106486 / 29680665.01 ] |
| Universe | Respondents with DONDE = 1 who answered SMK_005 = 1 |
| Literal question | Do you smoke more frequently during the first hours after waking, compared with the rest of the day? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|--|
| 1 | Yes | 1100 | 297986.9 | 32.7% | |
| 2 | No | 2073 | 612128.4 | | 67.3% |
| 6 | Valid skip | 106007 | 29526097.4 | | |
| 7 | Don't know | 37 | 8506.8 | | |
| 8 | Refusal | 1 | 137.1 | | |
| 9 | Not stated | 441 | 145923.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDE_025: Smokes even if ill

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=3088 / 887890.67 ] [Invalid=106571 / 29702889.59 ] |
| Universe | Respondents with DONDE = 1 who answered SMK_005 = 1 |
| Literal question | Do you smoke even if you are so ill that you are in bed most of the day? |
| Notes | Was not asked in proxy interviews |

# NDE_025: Smokes even if ill

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 765 | 213368.8 | 24.0% | |
| 2 | No | 2323 | 674521.8 | | 76.0% |
| 6 | Valid skip | 106007 | 29526097.4 | | |
| 7 | Don't know | 121 | 30553.4 | | |
| 8 | Refusal | 2 | 315.0 | | |
| 9 | Not stated | 441 | 145923.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# NDEDVFTT: Fagerstr?m tolerance score - (D)

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=2839 / 825308.93 ] [Invalid=106820 / 29765471.33 ] |
| Definition | Derived from ADM_PRX, SMK_005, SMK_045, NDE_005, NDE_010, NDE_015, NDE_020, NDE_025, NDETIND |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Very low dependence | 913 | 291472.9 | | 35.3% |
| 2 | Low dependence | 795 | 222593.0 | | 27.0% |
| 3 | Medium dependence | 374 | 103017.0 | 12.5% | |
| 4 | High dependence | 575 | 158707.5 | 19.2% | |
| 5 | Very high dependence | 182 | 49518.5 | 6.0% | |
| 6 | Valid skip | 106412 | 29661479.9 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 408 | 103991.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOETS: Exposure to second-hand smoke - Inclusion Flag - (F)

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ETS_005: Someone smokes inside home every day

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=109611 / 30577878.86 ] [Invalid=48 / 12901.4 ] |
| Universe | Respondents with DOETS = 1 |
| Literal question | Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day? |

## # ETS_005: Someone smokes inside home every day

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 9403 | 2304403.6 | 7.5% | |
| 2 | No | 100208 | 28273475.2 | | 92.5% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 21 | 7636.8 | | |
| 8 | Refusal | 27 | 5264.6 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETSG010: Number of people who smoke inside home

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=9375 / 2297482.35 ] [Invalid=100284 / 28293297.91 ] |
| Universe | Respondents who answered ETS_005 = 1 |
| Literal question | How many people smoke inside your home every day or almost every day? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | One person smokes inside the home. | 6255 | 1425453.5 | | 62.0% |
| 2 | Two people smoke inside the home. | 2568 | 698601.6 | 30.4% | |
| 3 | Three people smoke inside the home. | 399 | 127027.3 | 5.5% | |
| 4 | At least 4 people smoke inside the home. | 153 | 46399.9 | 2.0% | |
| 6 | Valid skip | 100208 | 28273475.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 76 | 19822.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETS_015: Smoking allowed inside home

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=99887 / 28194647.99 ] [Invalid=9772 / 2396132.27 ] |
| Universe | Respondents who answered ETS_005 = 2 |
| Literal question | Is smoking allowed inside your home? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 6321 | 1391763.1 | 4.9% | |
| 2 | No | 93566 | 26802884.9 | | 95.1% |
| 6 | Valid skip | 9403 | 2304403.6 | | |
| 7 | Don't know | 308 | 75264.7 | | |
| 8 | Refusal | 13 | 3562.5 | | |
| 9 | Not stated | 48 | 12901.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETS_020: Smoking restrictions inside home

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6268 / 1381153.49 ] [Invalid=103391 / 29209626.77 ] |
| Universe | Respondents who answered ETS_015 = 1 |
| Literal question | Is smoking inside your home restricted in any way? |

# ETS_020: Smoking restrictions inside home

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2184 | 509389.3 | 36.9% |
| 2 | No | 4084 | 871764.2 | 63.1% |
| 6 | Valid skip | 102969 | 29107288.5 | |
| 7 | Don't know | 52 | 10508.4 | |
| 8 | Refusal | 1 | 101.2 | |
| 9 | Not stated | 369 | 91728.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ETS_025A: Smoking restrictions - allowed in certain rooms only

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2163 / 504819.86 ] [Invalid=107496 / 30085960.4 ] |
| Universe | Respondents who answered ETS_020 = 1 |
| Literal question | How is smoking restricted inside your home? - Allowed in certain rooms only |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1048 | 234596.8 | 46.5% |
| 2 | No | 1115 | 270223.0 | 53.5% |
| 6 | Valid skip | 107053 | 29979052.8 | |
| 7 | Don't know | 21 | 4569.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 422 | 102338.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ETS_025B: Smoking restrictions - restricted in the presence of young children

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2163 / 504819.86 ] [Invalid=107496 / 30085960.4 ] |
| Universe | Respondents who answered ETS_020 = 1 |
| Literal question | How is smoking restricted inside your home? - Restricted in the presence of young children |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 625 | 140039.0 | 27.7% |
| 2 | No | 1538 | 364780.9 | 72.3% |
| 6 | Valid skip | 107053 | 29979052.8 | |
| 7 | Don't know | 21 | 4569.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 422 | 102338.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ETS_025C: Smoking restrictions - allowed if windows are open

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2163 / 504819.86 ] [Invalid=107496 / 30085960.4 ] |
| Universe | Respondents who answered ETS_020 = 1 |
| Literal question | How is smoking restricted inside your home? - Allowed only if windows are open or with another type of ventilation |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1078 | 252360.2 | 50.0% |
| 2 | No | 1085 | 252459.7 | 50.0% |
| 6 | Valid skip | 107053 | 29979052.8 | |

## # ETS_025C: Smoking restrictions - allowed if windows are open

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 21 | 4569.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 422 | 102338.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETS_025D: Smoking restrictions - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2163 / 504819.86 ] [Invalid=107496 / 30085960.4 ] |
| **Universe** | Respondents who answered ETS_020 = 1 |
| **Literal question** | How is smoking restricted inside your home? - Other restriction(s) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 423 | 110650.8 | 21.9% |
| 2 | No | 1740 | 394169.0 | 78.1% |
| 6 | Valid skip | 107053 | 29979052.8 | |
| 7 | Don't know | 21 | 4569.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 422 | 102338.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETS_030: Exposed to second-hand smoke - workplace / school - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=60706 / 19578375.58 ] [Invalid=48953 / 11012404.68 ] |
| **Universe** | Respondents aged less than 75 who answered ETS_005 = (1, 2) and SMK_005 <> 1 and (DV_WORK12 = 1 or DV_SCHOOL = 1) |
| **Literal question** | In the past month, were you exposed to second-hand smoke, every day or almost every day, at your workplace or at school? |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). DV_SCHOOL indicates if the respondent is currently attending school (from MAC module). Due to an error in processing in 2015, ETS_030 was incorrectly coded to "Not stated" instead of "Not applicable" for respondents who did not work (MAC_005 <> (1, 2) and MAC_010 <> 1) and did not go to school (MAC_005 <> 4 and MAC_015 <> 1) and for respondents who answered by proxy and who were daily smokers (ADM_PRX = 1 and SMK_005 = 1). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6702 | 2248749.3 | 11.5% |
| 2 | No | 54004 | 17329626.3 | 88.5% |
| 6 | Valid skip | 47149 | 10405278.1 | |
| 7 | Don't know | 55 | 20772.2 | |
| 8 | Refusal | 11 | 6067.1 | |
| 9 | Not stated | 1738 | 580287.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ETS_035: Exposed to second-hand smoke - private vehicle - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=91672 / 25976205.48 ] [Invalid=17987 / 4614574.78 ] |
| **Universe** | Respondents who answered ETS_005 = (1, 2) and SMK_005 <> 1 |
| **Literal question** | (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle? |

# ETS_035: Exposed to second-hand smoke - private vehicle - 1 mo

| Notes | This question was not asked in proxy interviews. Due to an error in processing in 2015, ETS_035 was incorrectly coded to "Not stated" instead of "Not applicable" for respondents who answered by proxy and who were daily smokers (ADM_PRX = 1 and SMK_005 = 1). This only affects data from 2015. |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3858 | 1059518.9 | 4.1% |
| 2 | No | 87814 | 24916686.6 | 95.9% |
| 6 | Valid skip | 15265 | 3733929.6 | |
| 7 | Don't know | 56 | 15623.0 | |
| 8 | Refusal | 7 | 2954.3 | |
| 9 | Not stated | 2659 | 862067.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ETS_040: Exposed to second-hand smoke - public places - 1 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=91573 / 25943950.95 ] [Invalid=18086 / 4646829.31 ] |
| Universe | Respondents who answered ETS_005 = (1, 2) and SMK_005 <> 1 |
| Literal question | (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)? |
| Notes | This question was not asked in proxy interviews. Due to an error in processing in 2015, ETS_040 was incorrectly coded to "Not stated" instead of "Not applicable" for respondents who answered by proxy and who were daily smokers (ADM_PRX = 1 and SMK_005 = 1). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 10071 | 3459470.4 | 13.3% |
| 2 | No | 81502 | 22484480.5 | 86.7% |
| 6 | Valid skip | 15265 | 3733929.6 | |
| 7 | Don't know | 153 | 45898.0 | |
| 8 | Refusal | 9 | 4933.8 | |
| 9 | Not stated | 2659 | 862067.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOALC: Alcohol use - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ALC_005: Had a drink - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109563 / 30557438 ] [Invalid=96 / 33342.26 ] |
| Universe | Respondents with DOALC=1 |
| Literal question | Have you ever had a drink in your lifetime? |

## # ALC_005: Had a drink - lifetime

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 98488 | 27021678.8 | | 88.4% |
| 2 | No | 11075 | 3535759.2 | 11.6% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 27 | 11040.5 | | |
| 8 | Refusal | 68 | 22217.7 | | |
| 9 | Not stated | 1 | 84.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC_010: Drank alcohol - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98425 / 27007537.02 ] [Invalid=11234 / 3583243.24 ] |
| Universe | Respondents who answered ALC_005=1 |
| Literal question | During the past 12 months, that is, from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 82584 | 23382165.1 | | 86.6% |
| 2 | No | 15841 | 3625371.9 | 13.4% | |
| 6 | Valid skip | 11075 | 3535759.2 | | |
| 7 | Don't know | 48 | 10974.5 | | |
| 8 | Refusal | 15 | 3167.2 | | |
| 9 | Not stated | 96 | 33342.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC_015: Drank alcohol - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=82164 / 23272462.58 ] [Invalid=27495 / 7318317.68 ] |
| Universe | Respondents who answered ALC_010 = 1 |
| Literal question | During the past 12 months, how often did you drink alcoholic beverages? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than once a month | 18583 | 4900074.2 | | 21.1% |
| 2 | Once a month | 8711 | 2515780.5 | 10.8% | |
| 3 | 2 to 3 times a month | 11286 | 3278174.9 | 14.1% | |
| 4 | Once a week | 12633 | 3871364.4 | | 16.6% |
| 5 | 2 to 3 times a week | 17205 | 5120785.0 | | 22.0% |
| 6 | 4 to 6 times a week | 6150 | 1691735.9 | 7.3% | |
| 7 | Every day | 7596 | 1894547.7 | 8.1% | |
| 96 | Valid skip | 26916 | 7161131.1 | | |
| 97 | Don't know | 362 | 96645.4 | | |
| 98 | Refusal | 58 | 13057.1 | | |
| 99 | Not stated | 159 | 47484.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC_020: Drank 5 (male) / 4 (female) or more drinks - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=81931 / 23206569.62 ] [Invalid=27728 / 7384210.64 ] |
| Universe | Respondents who answered ALC_010 = 1 |

## # ALC_020: Drank 5 (male) / 4 (female) or more drinks - frequency - 12 mo

| Literal question | How often in the past 12 months have you had [5 (male) / 4 (female)] or more drinks on one occasion? |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Never | 38999 | 10542092.4 | 45.4% |
| 2 | Less than once a month | 23461 | 6867997.8 | 29.6% |
| 3 | Once a month | 6660 | 2002333.8 | 8.6% |
| 4 | 2 to 3 times a month | 5836 | 1789110.5 | 7.7% |
| 5 | Once a week | 4058 | 1211353.8 | 5.2% |
| 6 | More than once a week | 2917 | 793681.3 | 3.4% |
| 96 | Valid skip | 26916 | 7161131.1 | |
| 97 | Don't know | 580 | 152927.5 | |
| 98 | Refusal | 73 | 22668.0 | |
| 99 | Not stated | 159 | 47484.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALCDVTTM: Type of drinker - 12 months - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109080 / 30433593.71 ] [Invalid=579 / 157186.55 ] |
| Universe | See documentation on derived variables. |
| Notes | Derived from ALC_005, ALC_010, ALC_015 |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Regular drinker | 63581 | 18372388.4 | 60.4% |
| 2 | Occasional drinker | 18583 | 4900074.2 | 16.1% |
| 3 | Did not drink in the last 12 months | 26916 | 7161131.1 | 23.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 579 | 157186.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOALW: Alcohol use - past week - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALW_005: Drank alcohol - past week

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=82500 / 23359100.24 ] [Invalid=27159 / 7231680.02 ] |
| Universe | Respondents with DOALW = 1 who answered ALC_005 = 1 and ALC_010 = 1 |

## # ALW_005: Drank alcohol - past week

| Literal question | Thinking back over the past week, that is, from last [day of the week 7 days ago] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage? |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 50996 | 14677804.0 | | 62.8% |
| 2 | No | 31504 | 8681296.3 | | 37.2% |
| 6 | Valid skip | 26916 | 7161131.1 | | |
| 7 | Don't know | 60 | 17363.7 | | |
| 8 | Refusal | 24 | 5701.2 | | |
| 9 | Not stated | 159 | 47484.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALW_010: Number of drinks - Day 1

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=50848 / 14635012.58 ] [Invalid=58811 / 15955767.68 ] [Mean=1.186 / 1.145 ] [StdDev=1.931 / 1.843 ] |
| Universe | Respondents who answered ALW_005 = 1 |
| Literal question | Starting with yesterday, that is [day 1], how many drinks did you have? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 116 | 33325.1 | |
| 998 | Refusal | 32 | 9466.3 | |
| 999 | Not stated | 243 | 70548.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALW_015: Number of drinks - Day 2

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=50682 / 14596970.06 ] [Invalid=58977 / 15993810.2 ] [Mean=1.036 / 0.993 ] [StdDev=1.956 / 1.898 ] |
| Universe | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| Literal question | How many drinks did you have: on [day 2]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 273 | 69725.9 | |
| 998 | Refusal | 9 | 1641.8 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALW_020: Number of drinks - Day 3

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=50511 / 14542890.12 ] [Invalid=59148 / 16047890.14 ] [Mean=1.08 / 1.056 ] [StdDev=2.019 / 1.999 ] |
| Universe | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| Literal question | How many drinks did you have: on [day 3]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 436 | 121025.9 | |
| 998 | Refusal | 17 | 4421.7 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ALW_025: Number of drinks - Day 4

| Information | [Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=50285 / 14493993.5 ] [Invalid=59374 / 16096786.76 ] [Mean=1.065 / 1.053 ] [StdDev=2.079 / 2.101 ] |
| **Universe** | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| **Literal question** | How many drinks did you have: on [day 4]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 651 | 168056.3 | |
| 998 | Refusal | 28 | 6287.9 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ALW_030: Number of drinks - Day 5

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=50013 / 14423671.09 ] [Invalid=59646 / 16167109.17 ] [Mean=0.996 / 0.983 ] [StdDev=2.01 / 2.007 ] |
| **Universe** | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| **Literal question** | How many drinks did you have: on [day 5]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 914 | 236564.8 | |
| 998 | Refusal | 37 | 8101.8 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ALW_035: Number of drinks - Day 6

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=49745 / 14347676.87 ] [Invalid=59914 / 16243103.39 ] [Mean=0.881 / 0.86 ] [StdDev=1.861 / 1.851 ] |
| **Universe** | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| **Literal question** | How many drinks did you have: on [day 6]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 1174 | 310585.0 | |
| 998 | Refusal | 45 | 10075.8 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ALW_040: Number of drinks - Day 7

| Information | [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=49480 / 14273948.99 ] [Invalid=60179 / 16316831.27 ] [Mean=0.814 / 0.791 ] [StdDev=1.788 / 1.797 ] |
| **Universe** | Respondents who answered ALW_005 = 1 and ALW_010 <> 998 |
| **Literal question** | How many drinks did you have: on [day 7]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 58420 | 15842427.4 | |
| 997 | Don't know | 1438 | 384218.6 | |
| 998 | Refusal | 46 | 10170.1 | |
| 999 | Not stated | 275 | 80015.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALWDVWKY: Weekly consumption - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=80256 / 22746480.76 ] [Invalid=29403 / 7844299.5 ] [Mean=4.252 / 4.215 ] [StdDev=7.47 / 7.153 ] |
| **Definition** | Derived from ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 26916 | 7161131.1 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 2487 | 683168.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALWDVDLY: Average daily alcohol consumption - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=80256 / 22746480.76 ] [Invalid=29403 / 7844299.5 ] [Mean=0.572 / 0.567 ] [StdDev=1.105 / 1.063 ] |
| **Definition** | Derived from ALWDVWKY |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 26916 | 7161131.1 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 2487 | 683168.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALWDVLTR: Increased long term risk due to drinking - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=96097 / 26371852.67 ] [Invalid=13562 / 4218927.59 ] |
| **Definition** | Derived from DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY |
| **Universe** | See documentation on derived variables. |
| **Notes** | Due to an error in the 2015 data, ALWDVLTR was incorrectly coded as "1 - Increased long term health risk due to drinking" for respondents who did not drink alcohol in the past week (ALW_005 = 2) or in the past 12 months (ALC_010 = 2). This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Increased long term health risk due to drinking | 39309 | 11026867.5 | 41.8% |
| 2 | No increased long term heath risk due to drinking | 56788 | 15344985.2 | 58.2% |
| 6 | Valid skip | 11075 | 3535759.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2487 | 683168.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALWDVSTR: Increased short term risks due to drinking - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=96097 / 26371852.67 ] [Invalid=13562 / 4218927.59 ] |
| **Definition** | Derived from DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY |
| **Universe** | See documentation on derived variables. |
| **Notes** | Due to an error in the 2015 data, ALWDVSTR was incorrectly coded as "1 - Increased short term health risk due to drinking" for respondents who did not drink alcohol in the past week (ALW_005 = 2) or in the past 12 months (ALC_010 = 2). This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Increased short term health risks due to drinking | 35254 | 9779329.2 | | 37.1% |
| 2 | No increased short term risk from due to drinking | 60843 | 16592523.5 | | 62.9% |
| 6 | Valid skip | 11075 | 3535759.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2487 | 683168.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOMED: Medication use - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3802 | 192964.8 | 0.6% | |
| 2 | No | 105857 | 30397815.5 | | 99.4% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MED_005: Used pain relievers - codeine products - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3710 / 188321.4 ] [Invalid=105949 / 30402458.86 ] |
| **Universe** | Respondents with DOMED = 1 |
| **Literal question** | During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292s or 222s? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 513 | 25294.4 | 13.4% | |
| 2 | No | 3197 | 163027.0 | | 86.6% |
| 6 | Valid skip | 105857 | 30397815.5 | | |
| 7 | Don't know | 13 | 654.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 79 | 3989.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MED_010: Used pain relievers - oxycodone products - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3707 / 188467.36 ] [Invalid=105952 / 30402312.9 ] |
| **Universe** | Respondents with DOMED = 1 |
| **Literal question** | During the past 12 months, have you used any oxycodone products such as Percocet or Percodan? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 101 | 5425.4 | 2.9% | |
| 2 | No | 3606 | 183042.0 | | 97.1% |
| 6 | Valid skip | 105857 | 30397815.5 | | |
| 7 | Don't know | 16 | 508.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 79 | 3989.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MED_015: Used pain relievers - other opioid products - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3703 / 188154 ] [Invalid=105956 / 30402626.26 ] |
| **Universe** | Respondents with DOMED = 1 |
| **Literal question** | (During the past 12 months,) have you used any other opioid products such as hydromorphone, Dilaudid, Hydromorph Contin, morphine, MS Contin, or Demerol? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 164 | 7874.0 | 4.2% | |
| 2 | No | 3539 | 180280.0 | | 95.8% |
| 6 | Valid skip | 105857 | 30397815.5 | | |
| 7 | Don't know | 20 | 821.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 79 | 3989.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MED_020: Used pain relievers - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=656 / 32076.73 ] [Invalid=109003 / 30558703.53 ] |
| **Universe** | Respondents who answered MED_005 = 1 or MED_010 = 1 or MED_015 = 1 |
| **Literal question** | (During the past 12 months,) how often did you use any such pain relievers? Would you say... ? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Once or twice | 216 | 10466.8 | | 32.6% |
| 2 | 3 to 11 times a year | 96 | 5717.0 | | 17.8% |
| 3 | About once a month | 33 | 1589.9 | 5.0% | |
| 4 | 2 or 3 times a month | 46 | 2038.9 | 6.4% | |
| 5 | About once or twice a week | 29 | 1276.2 | 4.0% | |
| 6 | 3 or 4 times a week | 14 | 556.3 | 1.7% | |
| 7 | Daily or almost daily | 83 | 3948.8 | 12.3% | |
| 8 | As needed, or following surgery | 139 | 6482.8 | | 20.2% |

# MED_020: Used pain relievers - frequency - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108919 | 30554544.5 | |
| 97 | Don't know | 2 | 62.5 | |
| 98 | Refusal | 1 | 37.0 | |
| 99 | Not stated | 81 | 4059.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MED_025: Used pain relievers - prescribed - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=657 / 32020.04 ] [Invalid=109002 / 30558760.22 ] |
| Universe | Respondents who answered MED_005 = 1 or MED_010 = 1 or MED_015 = 1 |
| Literal question | Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No, none were prescribed | 99 | 4655.8 | 14.5% |
| 2 | Yes, they all were prescribed | 503 | 24764.0 | 77.3% |
| 3 | Some were prescribed and others were not | 55 | 2600.2 | 8.1% |
| 6 | Valid skip | 108919 | 30554544.5 | |
| 7 | Don't know | 2 | 156.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 81 | 4059.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MED_050: Used stimulants - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3720 / 188865.88 ] [Invalid=105939 / 30401914.38 ] |
| Universe | Respondents with DOMED = 1 |
| Literal question | During the past 12 months, have you used any stimulants? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 49 | 2161.2 | 1.1% |
| 2 | No | 3671 | 186704.7 | 98.9% |
| 6 | Valid skip | 105857 | 30397815.5 | |
| 7 | Don't know | 3 | 109.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 79 | 3989.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MED_080: Used sedatives - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3709 / 188066.15 ] [Invalid=105950 / 30402714.11 ] |
| Universe | Respondents with DOMED = 1 |
| Literal question | During the past 12 months, have you used any sedatives? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 437 | 20113.0 | 10.7% |

## # MED_080: Used sedatives - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 2 | No | 3272 | 167953.1 | | 89.3% |
| 6 | Valid skip | 105857 | 30397815.5 | | |
| 7 | Don't know | 12 | 717.9 | | |
| 8 | Refusal | 2 | 191.6 | | |
| 9 | Not stated | 79 | 3989.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODRM: Drug use methods - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRMDVLA: Any illicit drug use - lifetime - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106514 / 29580604.18 ] [Invalid=3145 / 1010176.08 ] |
| **Definition** | Derived from ADM_PRX, DRM_005, DRM_015, DRM_025, DRM_040 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Illicit drug use - lifetime | 35018 | 9820791.7 | 33.2% | |
| 2 | No drug use - lifetime | 71496 | 19759812.4 | | 66.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3145 | 1010176.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRMDVLAY: Any illicit drug use - 12 months - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106449 / 29563176.57 ] [Invalid=3210 / 1027603.69 ] |
| **Definition** | Derived from ADM_PRX, DRM_010, DRM_020, DRM_030, DRM_045 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Illicit drug use - 12 months | 10342 | 3093126.0 | 10.5% | |
| 2 | No drug use - 12 months | 96107 | 26470050.5 | | 89.5% |
| 6 | Valid skip | 0 | 0.0 | | |

## # DRMDVLAY: Any illicit drug use - 12 months - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3210 | 1027603.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODRG: Drug use - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 47865 | 15460649.8 | 50.5% |
| 2 | No | 61794 | 15130130.5 | 49.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRGDVLCA: Marij / hash drug use - lifetime (including "one time only") - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46281 / 14861852.52 ] [Invalid=63378 / 15728927.74 ] |
| Definition | Derived from ADM_PRX, DRG_005 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used marijuana | 18731 | 5814163.3 | 39.1% |
| 2 | Has never used marijuana | 27550 | 9047689.2 | 60.9% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1584 | 598797.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRGDVLCM: Marij / hash drug use - lifetime (excluding "one time only") - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46281 / 14861852.52 ] [Invalid=63378 / 15728927.74 ] |
| Definition | Derived from ADM_PRX, DRG_005 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used marijuana more than once | 15035 | 4705100.7 | 31.7% |
| 2 | Has not used marijuana more than once | 31246 | 10156751.8 | 68.3% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

# DRGDVLCM: Marij / hash drug use - lifetime (excluding "one time only") - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 1584 | 598797.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRGDVYA: Illicit drug use - 12 mo (incl "one time only" marij / hash) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46173 / 14829689.19 ] [Invalid=63486 / 15761091.07 ] |
| Definition | Derived from ADM_PRX, DRG_010, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used drugs - 12 mo (incl marijuana "just once") | 5255 | 1773125.2 | 12.0% |
| 2 | Has not used drugs - 12 mo | 40918 | 13056563.9 | 88.0% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1692 | 630960.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRGDVYCM: Marij / hash drug use - 12 mo (excl "one time only") - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46270 / 14857993.37 ] [Invalid=63389 / 15732786.89 ] |
| Definition | Derived from ADM_PRX, DRG_005, DRG_010 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used marijuana - 12 mo (and more than once - lifetime) | 4840 | 1627331.8 | 11.0% |
| 2 | Has not used marijuana more than once - 12 mo | 41430 | 13230661.6 | 89.0% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1595 | 602656.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRGDVYAC: Illicit drug use - 12 mo (excl "one time only" marij / hash) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46171 / 14829457.85 ] [Invalid=63488 / 15761322.41 ] |
| Definition | Derived from ADM_PRX, DRGDVYCM, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used drugs - 12 mo (excl marijuana "just once") | 4999 | 1679211.2 | 11.3% |
| 2 | Has not used drugs - 12 mo (excl marijuana "just once") | 41172 | 13150246.6 | 88.7% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

# DRGDVYAC: Illicit drug use - 12 mo (excl "one time only" marij / hash) - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 1694 | 631191.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRGDVLA: Illicit drug use - lifetime (incl "one time only" marij / hash) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46219 / 14843480.03 ] [Invalid=63440 / 15747300.23 ] |
| Definition | Derived from ADM_PRX, DRGDVLCA, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used drugs - lifetime (incl marijuana "just once") | 18954 | 5887398.8 | 39.7% |
| 2 | Has not used drugs - lifetime | 27265 | 8956081.3 | 60.3% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1646 | 617169.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRGDVLAC: Illicit drug use - lifetime (excl "one time only" marij / hash) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=46211 / 14842185.91 ] [Invalid=63448 / 15748594.35 ] |
| Definition | Derived from ADM_PRX, DRGDVLCM, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Has used drug - lifetime (excl marijuana "just once") | 15568 | 4866908.6 | 32.8% |
| 2 | Has not used drugs - lifetime (excl marijuana "just once") | 30643 | 9975277.4 | 67.2% |
| 6 | Valid skip | 61794 | 15130130.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1654 | 618463.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CPGDVACT: Num of types gambling activities in list used to calculate CPGI - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=815 / 25370.49 ] [Invalid=108844 / 30565409.77 ] [Mean=1.166 / 1.149 ] [StdDev=1.389 / 1.356 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, GEO_PRV, CPG_005, CPG_015, CPG_025, CPG_035, CPG_045, CPG_055, CPG_065, CPG_075, CPG_085, CPG_095, CPG_105, CPG_115, CPG_125, CPG_135 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108829 | 30564852.8 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 15 | 557.0 | |

## # CPGDVACT: Num of types gambling activities in list used to calculate CPGI - (D)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CPGDVGAM: Gambling activity - gambler vs non-gambler - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=818 / 25559.42 ] [Invalid=108841 / 30565220.84 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, GEO_PRV, CPG_005, CPG_015, CPG_025, CPG_035, CPG_045, CPG_055, CPG_065, CPG_075, CPG_085, CPG_095, CPG_105, CPG_115, CPG_125, CPG_135 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Gambler | 489 | 15444.6 | 60.4% |
| 2 | Non-gambler | 329 | 10114.9 | 39.6% |
| 6 | Valid skip | 108829 | 30564852.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 12 | 368.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CPGDVSEV: Problem gambling severity index (PGSI) - modified version - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-17] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=254 / 7438.15 ] [Invalid=109405 / 30583342.11 ] [Mean=1.665 / 1.673 ] [StdDev=3.116 / 3.045 ] |
| Definition | Derived from DHH_AGE, CPG_145, CPG_150, CPG_155, CPG_160, CPG_165, CPG_170, CPG_175, CPG_180, CPG_185, CPG_190, CPGDVGAM |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109387 | 30582622.8 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 18 | 719.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CPGDVTYP: Type of gambler - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=583 / 17553.02 ] [Invalid=109076 / 30573227.24 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, CPG_145, CPGDVSEV, CPGDVGAM |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Non-gambler | 329 | 10114.9 | 57.6% |
| 2 | Non-problem gambler | 145 | 4213.7 | 24.0% |
| 3 | Low risk gambler | 52 | 1537.0 | 8.8% |
| 4 | Moderate risk gambler | 44 | 1339.8 | 7.6% |
| 5 | Problem gambler | 13 | 347.6 | 2.0% |
| 6 | Valid skip | 109058 | 30572508.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 18 | 719.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOPAA: Physical activities - adults 18 years and older - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_005: Used active transportation - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=100568 / 28311477.39 ] [Invalid=9091 / 2279302.87 ] |
| **Universe** | Respondents aged 18 and over with DOPAA = 1 |
| **Literal question** | In the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you use active ways like walking or cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 43144 | 13258519.5 | 46.8% |
| 2 | No | 57424 | 15052957.9 | 53.2% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 67 | 17635.9 | |
| 8 | Refusal | 44 | 19036.7 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_010A: Used active transportation - Monday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| **Universe** | Respondents who answered PAA_005 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these activities? - Monday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27615 | 8780891.2 | 67.5% |
| 2 | No | 14556 | 4227524.6 | 32.5% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_010B: Used active transportation - Tuesday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| **Universe** | Respondents who answered PAA_005 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these activities? - Tuesday |

# PAA_010B: Used active transportation - Tuesday

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27593 | 8710613.6 | 67.0% |
| 2 | No | 14578 | 4297802.2 | 33.0% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_010C: Used active transportation - Wednesday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| Universe | Respondents who answered PAA_005 = 1 |
| Literal question | In the last 7 days, on which days did you do these activities? - Wednesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 28141 | 8873082.1 | 68.2% |
| 2 | No | 14030 | 4135333.8 | 31.8% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_010D: Used active transportation - Thursday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| Universe | Respondents who answered PAA_005 = 1 |
| Literal question | In the last 7 days, on which days did you do these activities? - Thursday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27115 | 8611440.4 | 66.2% |
| 2 | No | 15056 | 4396975.4 | 33.8% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_010E: Used active transportation - Friday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| Universe | Respondents who answered PAA_005 = 1 |
| Literal question | In the last 7 days, on which days did you do these activities? - Friday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27140 | 8600667.8 | 66.1% |
| 2 | No | 15031 | 4407748.1 | 33.9% |
| 6 | Valid skip | 66404 | 17295588.2 | |

# PAA_010E: Used active transportation - Friday

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_010F: Used active transportation - Saturday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| Universe | Respondents who answered PAA_005 = 1 |
| Literal question | In the last 7 days, on which days did you do these activities? - Saturday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 23578 | 7323717.7 | 56.3% |
| 2 | No | 18593 | 5684698.2 | 43.7% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_010G: Used active transportation - Sunday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=42171 / 13008415.86 ] [Invalid=67488 / 17582364.4 ] |
| Universe | Respondents who answered PAA_005 = 1 |
| Literal question | In the last 7 days, on which days did you do these activities? - Sunday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 21732 | 6782798.8 | 52.1% |
| 2 | No | 20439 | 6225617.0 | 47.9% |
| 6 | Valid skip | 66404 | 17295588.2 | |
| 7 | Don't know | 956 | 243987.4 | |
| 8 | Refusal | 17 | 6116.3 | |
| 9 | Not stated | 111 | 36672.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_015: Active transportation - 7 d - total - hours

| Information | [Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=99896 / 28126699.53 ] [Invalid=9763 / 2464080.73 ] [Mean=1.478 / 1.609 ] [StdDev=4.808 / 4.875 ] |
| Universe | Respondents who answered PAA_005 = (1, 2) |
| Literal question | How much time in total, in the last 7 days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes. |
| Notes | If a respondent answered PAA_005 = 2, the variable PAA_015 was given the value of 0. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 8980 | 2242630.3 | |
| 997 | Don't know | 649 | 178180.4 | |
| 998 | Refusal | 23 | 6597.5 | |
| 999 | Not stated | 111 | 36672.6 | |

## # PAA_015: Active transportation - 7 d - total - hours

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_020: Active transportation - 7 d - total - minutes

| Information | [Type= continuous] [Format=numeric] [Range= 0-4200] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=99889 / 28125652.81 ] [Invalid=9770 / 2465127.45 ] [Mean=11.73 / 13.197 ] [StdDev=47.147 / 59.201 ] |
| Universe | Respondents who answered PAA_015 in (0:168) |
| Literal question | Enter number of minutes. |
| Notes | If a respondent answered PAA_005 = 2 or PAA_015 = 168, the variable PAA_020 was given the value of 0. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 8980 | 2242630.3 | |
| 9997 | Don't know | 6 | 951.3 | |
| 9998 | Refusal | 1 | 95.4 | |
| 9999 | Not stated | 783 | 221450.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_030: Did sports / fitness / rec phys act - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100556 / 28302004.09 ] [Invalid=9103 / 2288776.17 ] |
| Universe | Respondents aged 18 and over with DOPAA = 1 |
| Literal question | [Not including activities you just reported,] in the last 7 days, did you do sports, fitness or recreational physical activities, organized or non-organized, that lasted a minimum of 10 continuous minutes? Examples are walking, home or gym exercise, swimming, cycling, running, skiing, dancing and all team sports. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 53073 | 15691145.9 | | 55.4% |
| 2 | No | 47483 | 12610858.2 | | 44.6% |
| 6 | Valid skip | 8980 | 2242630.3 | | |
| 7 | Don't know | 71 | 23704.2 | | |
| 8 | Refusal | 52 | 22441.7 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_035: Sports / fitness / rec phys act - sweat

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=52984 / 15663924.17 ] [Invalid=56675 / 14926856.09 ] |
| Universe | Did any of these recreational physical activities make you sweat at least a little and breathe harder? |
| Literal question | Did any of these recreational physical activities make you sweat at least a little and breathe harder? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 41881 | 12871281.2 | | 82.2% |
| 2 | No | 11103 | 2792643.0 | | 17.8% |
| 6 | Valid skip | 56463 | 14853488.5 | | |
| 7 | Don't know | 86 | 26786.1 | | |
| 8 | Refusal | 3 | 435.7 | | |
| 9 | Not stated | 123 | 46145.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_040A: Did sports / fitness / rec phys act - Monday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# PAA_040A: Did sports / fitness / rec phys act - Monday

| | | | | | |
|---|---|---|---|---|---|
| **Statistics [NW/ W]** | | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] | | | |
| **Universe** | | Respondents who answered PAA_035 = 1 | | | |
| **Literal question** | | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Monday | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 23357 | 7003855.0 | | 55.1% |
| 2 | No | 17870 | 5704114.4 | | 44.9% |
| 6 | Valid skip | 67566 | 17646131.4 | | |
| 7 | Don't know | 643 | 161242.7 | | |
| 8 | Refusal | 11 | 2069.1 | | |
| 9 | Not stated | 212 | 73367.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_040B: Did sports / fitness / rec phys act - Tuesday

| | | |
|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | | Respondents who answered PAA_035 = 1 |
| **Literal question** | | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Tuesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 21963 | 6626767.6 | | 52.1% |
| 2 | No | 19264 | 6081201.9 | | 47.9% |
| 6 | Valid skip | 67566 | 17646131.4 | | |
| 7 | Don't know | 643 | 161242.7 | | |
| 8 | Refusal | 11 | 2069.1 | | |
| 9 | Not stated | 212 | 73367.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_040C: Did sports / fitness / rec phys act - Wednesday

| | | |
|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | | Respondents who answered PAA_035 = 1 |
| **Literal question** | | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Wednesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 23627 | 7163162.8 | | 56.4% |
| 2 | No | 17600 | 5544806.6 | | 43.6% |
| 6 | Valid skip | 67566 | 17646131.4 | | |
| 7 | Don't know | 643 | 161242.7 | | |
| 8 | Refusal | 11 | 2069.1 | | |
| 9 | Not stated | 212 | 73367.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_040D: Did sports / fitness / rec phys act - Thursday

| | | |
|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | | Respondents who answered PAA_035 = 1 |

## # PAA_040D: Did sports / fitness / rec phys act - Thursday

| | | | | |
|---|---|---|---|---|
| **Literal question** | | | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Thursday | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 21641 | 6459599.2 | 50.8% |
| 2 | No | 19586 | 6248370.3 | 49.2% |
| 6 | Valid skip | 67566 | 17646131.4 | |
| 7 | Don't know | 643 | 161242.7 | |
| 8 | Refusal | 11 | 2069.1 | |
| 9 | Not stated | 212 | 73367.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_040E: Did sports / fitness / rec phys act - Friday

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | Respondents who answered PAA_035 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Friday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 20679 | 6149046.9 | 48.4% |
| 2 | No | 20548 | 6558922.6 | 51.6% |
| 6 | Valid skip | 67566 | 17646131.4 | |
| 7 | Don't know | 643 | 161242.7 | |
| 8 | Refusal | 11 | 2069.1 | |
| 9 | Not stated | 212 | 73367.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_040F: Did sports / fitness / rec phys act - Saturday

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | Respondents who answered PAA_035 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Saturday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 18867 | 5691425.3 | 44.8% |
| 2 | No | 22360 | 7016544.2 | 55.2% |
| 6 | Valid skip | 67566 | 17646131.4 | |
| 7 | Don't know | 643 | 161242.7 | |
| 8 | Refusal | 11 | 2069.1 | |
| 9 | Not stated | 212 | 73367.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_040G: Did sports / fitness / rec phys act - Sunday

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=41227 / 12707969.44 ] [Invalid=68432 / 17882810.82 ] |
| **Universe** | Respondents who answered PAA_035 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Sunday |

# PAA_040G: Did sports / fitness / rec phys act - Sunday

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17380 | 5277386.4 | 41.5% |
| 2 | No | 23847 | 7430583.0 | 58.5% |
| 6 | Valid skip | 67566 | 17646131.4 | |
| 7 | Don't know | 643 | 161242.7 | |
| 8 | Refusal | 11 | 2069.1 | |
| 9 | Not stated | 212 | 73367.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_045: Sports / fitness / rec phys act - 7 d - total - hours

| Information | [Type= continuous] [Format=numeric] [Range= 0-160] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100213 / 28221131.78 ] [Invalid=9446 / 2369648.48 ] [Mean=1.518 / 1.677 ] [StdDev=3.777 / 4.037 ] |
| Universe | Respondents who answered PAA_030 = (1, 2) or PAA_035 = (1, 2) |
| Literal question | (In the last 7 days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? |
| Notes | If a respondent answered PAA_030 = 2 or PAA_035 = 2, the variable PAA_045 was given the value of 0. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 8980 | 2242630.3 | |
| 997 | Don't know | 242 | 51380.1 | |
| 998 | Refusal | 12 | 2270.4 | |
| 999 | Not stated | 212 | 73367.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_050: Sports / fitness / rec phys act - 7 d - total - minutes

| Information | [Type= continuous] [Format=numeric] [Range= 0-1680] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100206 / 28218648.45 ] [Invalid=9453 / 2372131.81 ] [Mean=10.111 / 10.492 ] [StdDev=42.533 / 42.944 ] |
| Universe | Respondents who answered PAA_045 in (0:168) |
| Literal question | Enter number of minutes. |
| Notes | If a respondent answered PAA_030 = 2 or PAA_035 = 2 or PAA_045 = 168, the variable PAA_050 was given the value of 0. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 8980 | 2242630.3 | |
| 9997 | Don't know | 5 | 1756.4 | |
| 9998 | Refusal | 2 | 726.9 | |
| 9999 | Not stated | 466 | 127018.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_060: Other physical activities - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100483 / 28277469.52 ] [Invalid=9176 / 2313310.74 ] |
| Universe | Respondents aged 18 and over with DOPAA = 1 |
| Literal question | In the last 7 days, did you do any other physical activities while at work, in or around your home or while volunteering? Examples are carrying heavy loads, shoveling, and household chores such as vacuuming or washing windows. Please remember to only include activities that lasted a minimum of 10 continuous minutes. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 65922 | 17936091.7 | 63.4% |
| 2 | No | 34561 | 10341377.8 | 36.6% |

# PAA_060: Other physical activities - 7 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 137 | 44653.2 | |
| 8 | Refusal | 59 | 26027.2 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_065: Other physical activities - sweat

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=65762 / 17884786.19 ] [Invalid=43897 / 12705994.07 ] |
| Universe | Respondents who answered PAA_060 = 1 |
| Literal question | Did any of these other physical activities make you sweat at least a little and breathe harder? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 41843 | 11410742.2 | 63.8% |
| 2 | No | 23919 | 6474044.0 | 36.2% |
| 6 | Valid skip | 43541 | 12584008.1 | |
| 7 | Don't know | 152 | 49725.3 | |
| 8 | Refusal | 8 | 1580.2 | |
| 9 | Not stated | 196 | 70680.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_070A: Other physical activities - Monday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| Universe | Respondents who answered PAA_065 = 1 |
| Literal question | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Monday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19875 | 5388434.0 | 48.5% |
| 2 | No | 20751 | 5731572.1 | 51.5% |
| 6 | Valid skip | 67460 | 19058052.2 | |
| 7 | Don't know | 1201 | 284043.0 | |
| 8 | Refusal | 16 | 6693.1 | |
| 9 | Not stated | 356 | 121986.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_070B: Other physical activities - Tuesday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| Universe | Respondents who answered PAA_065 = 1 |
| Literal question | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Tuesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19623 | 5316566.0 | 47.8% |
| 2 | No | 21003 | 5803440.1 | 52.2% |
| 6 | Valid skip | 67460 | 19058052.2 | |
| 7 | Don't know | 1201 | 284043.0 | |

# PAA_070B: Other physical activities - Tuesday

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 8 | Refusal | 16 | 6693.1 | |
| 9 | Not stated | 356 | 121986.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_070C: Other physical activities - Wednesday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| **Universe** | Respondents who answered PAA_065 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Wednesday |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 20083 | 5365771.3 | | 48.3% |
| 2 | No | 20543 | 5754234.8 | | 51.7% |
| 6 | Valid skip | 67460 | 19058052.2 | | |
| 7 | Don't know | 1201 | 284043.0 | | |
| 8 | Refusal | 16 | 6693.1 | | |
| 9 | Not stated | 356 | 121986.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_070D: Other physical activities - Thursday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| **Universe** | Respondents who answered PAA_065 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Thursday |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 19147 | 5177678.3 | | 46.6% |
| 2 | No | 21479 | 5942327.7 | | 53.4% |
| 6 | Valid skip | 67460 | 19058052.2 | | |
| 7 | Don't know | 1201 | 284043.0 | | |
| 8 | Refusal | 16 | 6693.1 | | |
| 9 | Not stated | 356 | 121986.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_070E: Other physical activities - Friday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| **Universe** | Respondents who answered PAA_065 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Friday |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 19061 | 5172732.9 | | 46.5% |
| 2 | No | 21565 | 5947273.2 | | 53.5% |
| 6 | Valid skip | 67460 | 19058052.2 | | |
| 7 | Don't know | 1201 | 284043.0 | | |
| 8 | Refusal | 16 | 6693.1 | | |
| 9 | Not stated | 356 | 121986.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_070F: Other physical activities - Saturday

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |

# PAA_070F: Other physical activities - Saturday

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered PAA_065 = 1 | | | |
| **Literal question** | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Saturday | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17754 | 4806068.3 | 43.2% |
| 2 | No | 22872 | 6313937.8 | 56.8% |
| 6 | Valid skip | 67460 | 19058052.2 | |
| 7 | Don't know | 1201 | 284043.0 | |
| 8 | Refusal | 16 | 6693.1 | |
| 9 | Not stated | 356 | 121986.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_070G: Other physical activities - Sunday

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=40626 / 11120006.08 ] [Invalid=69033 / 19470774.18 ] |
| **Universe** | Respondents who answered PAA_065 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Sunday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15156 | 4120888.6 | 37.1% |
| 2 | No | 25470 | 6999117.5 | 62.9% |
| 6 | Valid skip | 67460 | 19058052.2 | |
| 7 | Don't know | 1201 | 284043.0 | |
| 8 | Refusal | 16 | 6693.1 | |
| 9 | Not stated | 356 | 121986.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_075: Other physical activities - 7 d - total - hours

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=99604 / 28048948.2 ] [Invalid=10055 / 2541832.06 ] [Mean=2.85 / 2.834 ] [StdDev=8.071 / 8.18 ] |
| **Universe** | Respondents who answered PAA_060 = (1, 2) or PAA_065 = (1, 2) |
| **Literal question** | (In the last 7 days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? |
| **Notes** | If a respondent answered PAA_060 = 2 or PAA_065 = 2, the variable PAA_075 was given the value of 0. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 8980 | 2242630.3 | |
| 997 | Don't know | 696 | 170112.8 | |
| 998 | Refusal | 23 | 7103.1 | |
| 999 | Not stated | 356 | 121986.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAA_080: Other physical activities - 7 d - total - minutes

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-4880] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=99597 / 28047294.08 ] [Invalid=10062 / 2543486.18 ] [Mean=7.181 / 7.3 ] [StdDev=60.652 / 60.828 ] |
| **Universe** | Respondents who answered PAA_075 in (0:168) |
| **Literal question** | Enter number of minutes. |

## # PAA_080: Other physical activities - 7 d - total - minutes

| | | | | |
|---|---|---|---|---|
| **Notes** | | If a respondent answered PAA_060 = 2 or PAA_065 = 2 or PAA_075 = 168, the variable PAA_080 was given the value of 0. | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 9996 | Valid skip | 8980 | 2242630.3 | |
| 9997 | Don't know | 7 | 1654.1 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1075 | 299201.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_095: Physical activities - vigorous intensity

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=77281 / 22550684.96 ] [Invalid=32378 / 8040095.3 ] |
| **Universe** | You have reported a total of [x] minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath? |
| **Literal question** | You have reported a total of [x] minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath? |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 25326 | 7945742.1 | 35.2% |
| 2 | No | 51955 | 14604942.9 | 64.8% |
| 6 | Valid skip | 32213 | 7988949.2 | |
| 7 | Don't know | 148 | 44562.7 | |
| 8 | Refusal | 17 | 6583.4 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_100: Physical activities - vigorous intensity - 7 d - total - hours

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=76598 / 22366746.24 ] [Invalid=33061 / 8224034.02 ] [Mean=0.874 / 0.955 ] [StdDev=4.477 / 4.666 ] |
| **Universe** | Respondents who answered PAA_095 = (1, 2) |
| **Literal question** | In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? |
| **Notes** | If a respondent answered PAA_095 = 2, the variable PAA_100 was given the value of 0. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 996 | Valid skip | 32213 | 7988949.2 | |
| 997 | Don't know | 664 | 176208.5 | |
| 998 | Refusal | 19 | 7730.2 | |
| 999 | Not stated | 165 | 51146.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAA_105: Physical activities - vigorous intensity - 7 d - total - minutes

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-4290] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=76576 / 22361648.75 ] [Invalid=33083 / 8229131.51 ] [Mean=8.515 / 8.986 ] [StdDev=49.351 / 47.204 ] |
| **Universe** | Respondents who answered PAA_100 in (0:168) |
| **Literal question** | Enter number of minutes |
| **Notes** | If a respondent answered PAA_095 = 2, the variable PAA_105 was given the value of 0. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 9996 | Valid skip | 32213 | 7988949.2 | |

# PAA_105: Physical activities - vigorous intensity - 7 d - total - minutes

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9997 | Don't know | 20 | 3968.6 | |
| 9998 | Refusal | 2 | 1128.9 | |
| 9999 | Not stated | 848 | 235084.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVTRV: Active transportation minutes per week - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-10080] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=99889 / 28125652.81 ] [Invalid=9770 / 2465127.45 ] [Mean=100.422 / 109.751 ] [StdDev=290.182 / 295.669 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_015, PAA_020 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 790 | 222497.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVATR: Average minutes per day - active transportation - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7202] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=92534 / 25791569.41 ] [Invalid=17125 / 4799210.85 ] [Mean=20.355 / 22.136 ] [StdDev=67.271 / 69.637 ] |
| Definition | Derived from DHH_AGE, PAADVTRV, PAA_010, PAATTRAV |
| Universe | See documentation on derived variables. |
| Notes | Due to an error in processing in 2015, when respondents answered all 7 days for PAA_010 (which days did you use active ways), PAADVATR was incorrectly set to "not stated" when it should be a valid answer. This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9999.6 | Valid skip | 8980 | 2242630.3 | |
| 9999.7 | Don't know | 0 | 0.0 | |
| 9999.8 | Refusal | 0 | 0.0 | |
| 9999.9 | Not stated | 8145 | 2556580.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVREC: Recreational activity minutes per week - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-9608] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100206 / 28218648.45 ] [Invalid=9453 / 2372131.81 ] [Mean=101.178 / 111.15 ] [StdDev=228.677 / 243.806 ] |
| Definition | Derived from DHH_AGE, PAA_030, PAA_035, PAA_045, PAA_050 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 473 | 129501.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVARC: Average minutes per day - recreational activities - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7510] [Missing=*] |
|---|---|

## # PAADVARC: Average minutes per day - recreational activities - (D)

| Statistics [NW/ W] | [Valid=96430 / 27154261.37 ] [Invalid=13229 / 3436518.89 ] [Mean=28.9 / 32.926 ] [StdDev=71.955 / 82.706 ] |
|---|---|
| Definition | Derived from DHH_AGE, PAADVREC, PAA_040, PAATREC |
| Universe | See documentation on derived variables. |
| Notes | Due to an error in processing in 2015, when respondents answered all 7 days for PAA_040 (which days did you do sports, fitness or recreational physical activities?), PAADVARC was incorrectly set to "not stated" when it should be a valid answer. This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9999.6 | Valid skip | 8980 | 2242630.3 | |
| 9999.7 | Don't know | 0 | 0.0 | |
| 9999.8 | Refusal | 0 | 0.0 | |
| 9999.9 | Not stated | 4249 | 1193888.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVOTH: Other activity minutes per week - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-10080] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=99597 / 28047294.08 ] [Invalid=10062 / 2543486.18 ] [Mean=178.198 / 177.377 ] [StdDev=486.075 / 492.514 ] |
| Definition | Derived from DHH_AGE, PAA_060, PAA_065, PAA_075, PAA_080 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 1082 | 300855.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVATH: Average minutes per day - other activities - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7380] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=95519 / 27038293.45 ] [Invalid=14140 / 3552486.81 ] [Mean=47.41 / 47.439 ] [StdDev=113.804 / 112.955 ] |
| Definition | Derived from DHH_AGE, PAADVOTH, PAA_070, PAATOTH |
| Universe | See documentation on derived variables. |
| Notes | Due to an error in processing in 2015, when respondents answered all 7 days for PAA_070 (which days did you do other physical activities?), PAADVATH was incorrectly set to "not stated" when it should be a valid answer. This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9999.6 | Valid skip | 8980 | 2242630.3 | |
| 9999.7 | Don't know | 0 | 0.0 | |
| 9999.8 | Refusal | 0 | 0.0 | |
| 9999.9 | Not stated | 5160 | 1309856.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVMVA: Total minutes of moderate to vigorous activity - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-10080] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98695 / 27813022.98 ] [Invalid=10964 / 2777757.28 ] [Mean=380.242 / 398.236 ] [StdDev=625.127 / 637.489 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_015, PAA_020, PAA_030, PAA_035, PAA_045, PAA_050, PAA_060, PAA_065, PAA_075, PAA_080 |
| Universe | See documentation on derived variables. |

# # PAADVMVA: Total minutes of moderate to vigorous activity - 7 d - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 1984 | 535127.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # PAADVAC2: Alternate physical activity indicator - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98695 / 27813022.98 ] [Invalid=10964 / 2777757.28 ] |
| Definition | Derived from DHH_AGE, PAADVMVA |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Active | 54064 | 16041325.6 | 57.7% |
| 2 | Moderately active | 10974 | 3188155.9 | 11.5% |
| 3 | Somewhat active | 11522 | 3116512.6 | 11.2% |
| 4 | Sedentary | 22135 | 5467028.9 | 19.7% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1984 | 535127.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # PAADVACV: Physical activity indicator - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98695 / 27813022.98 ] [Invalid=10964 / 2777757.28 ] |
| Definition | Derived from DHH_AGE, PAADVMVA |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Physically active at / above recommended level from CPAG | 54064 | 16041325.6 | 57.7% |
| 2 | Physically active below recommended level from CPAG | 22496 | 6304668.5 | 22.7% |
| 3 | No physical activity minutes reported | 22135 | 5467028.9 | 19.7% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1984 | 535127.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # PAADVVIG: Total minutes of vigorous activity - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-6000] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97646 / 27530235.72 ] [Invalid=12013 / 3060544.54 ] [Mean=42.023 / 47.494 ] [StdDev=150.108 / 153.523 ] |
| Definition | Derived from DHH_AGE, PAA_095, PAA_100, PAA_105, PAADVMVA |
| Universe | See documentation on derived variables. |

# PAADVVIG: Total minutes of vigorous activity - 7 d - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 3033 | 817914.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVVOL: Volume of weekly activity - 7 d (METs*mins/week) - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-45129] [Missing=*] |
|-------------|------------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=97646 / 27530235.72 ] [Invalid=12013 / 3060544.54 ] [Mean=1257.223 / 1326.239 ] [StdDev=2060.664 / 2095.729 ] |
| Definition | Derived from DHH_AGE, PAADVMVA, PAADVVIG |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 99996 | Valid skip | 8980 | 2242630.3 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 3033 | 817914.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVWHO: Physically active based on WHO guidelines - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=97646 / 27530235.72 ] [Invalid=12013 / 3060544.54 ] |
| Definition | Derived from DHH_AGE, PAADVVOL |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Active | 39428 | 11771374.2 | 42.8% |
| 2 | Moderately active | 15534 | 4581792.7 | 16.6% |
| 3 | Somewhat active | 20549 | 5710040.0 | 20.7% |
| 4 | Sedentary | 22135 | 5467028.9 | 19.9% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3033 | 817914.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVMON: Was physically active - Monday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010A, PAA_030, PAA_035, PAA_040A, PAA_060, PAA_065, PAA_070A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 0 | Did not perform physical activity on Monday | 43902 | 11640086.4 | 42.2% |
| 1 | Performed physical activity on Monday | 53743 | 15918790.2 | 57.8% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

## # PAADVMON: Was physically active - Monday - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVTUE: Was physically active - Tuesday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010B, PAA_030, PAA_035, PAA_040B, PAA_060, PAA_065, PAA_070B |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Did not perform physical activity on Tuesday | 44863 | 11953056.5 | 43.4% |
| 1 | Performed physical activity on Tuesday | 52782 | 15605820.0 | 56.6% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVWED: Was physically active - Wednesday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010C, PAA_030, PAA_035, PAA_040C, PAA_060, PAA_065, PAA_070C |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Did not perform physical activity on Wednesday | 43401 | 11529800.0 | 41.8% |
| 1 | Performed physical activity on Wednesday | 54244 | 16029076.5 | 58.2% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVTHU: Was physically active - Thursday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010D, PAA_030, PAA_035, PAA_040D, PAA_060, PAA_065, PAA_070D |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Did not perform physical activity on Thursday | 45696 | 12190303.2 | 44.2% |
| 1 | Performed physical activity on Thursday | 51949 | 15368573.3 | 55.8% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVFRI: Was physically active - Friday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010E, PAA_030, PAA_035, PAA_040E, PAA_060, PAA_065, PAA_070E |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Did not perform physical activity on Friday | 46439 | 12405431.6 | | 45.0% |
| 1 | Performed physical activity on Friday | 51206 | 15153444.9 | | 55.0% |
| 6 | Valid skip | 8980 | 2242630.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3034 | 789273.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVSAT: Was physically active - Saturday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010F, PAA_030, PAA_035, PAA_040F, PAA_060, PAA_065, PAA_070F |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Did not perform physical activity on Saturday | 50819 | 13779081.7 | | 50.0% |
| 1 | Performed physical activity on Saturday | 46826 | 13779794.8 | | 50.0% |
| 6 | Valid skip | 8980 | 2242630.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3034 | 789273.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVSUN: Was physically active - Sunday - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] |
| Definition | Derived from DHH_AGE, PAA_005, PAA_010G, PAA_030, PAA_035, PAA_040G, PAA_060, PAA_065, PAA_070G |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Did not perform physical activity on Sunday | 54851 | 14894390.8 | | 54.0% |
| 1 | Performed physical activity on Sunday | 42794 | 12664485.7 | | 46.0% |
| 6 | Valid skip | 8980 | 2242630.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3034 | 789273.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAADVDYS: Number of active days - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] [Mean=3.621 / 3.793 ] [StdDev=2.723 / 2.678 ] |
| Definition | Derived from DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI, PAADVSAT, PAADVSUN |

# PAADVDYS: Number of active days - 7 d - (D)

| | Universe | See documentation on derived variables. |
|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 8980 | 2242630.3 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVWKD: Number of weekdays active - (D)

| | |
|---|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] [Mean=2.703 / 2.833 ] [StdDev=2.086 / 2.07 ] |
| Definition | Derived from DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAADVWND: Number of weekend days active - (D)

| | |
|---|---|
| Information | [Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=97645 / 27558876.53 ] [Invalid=12014 / 3031903.73 ] [Mean=0.918 / 0.96 ] [StdDev=0.899 / 0.897 ] |
| Definition | Derived from DHH_AGE, PAADVSAT, PAADVSUN |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3034 | 789273.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOPAY: Physical activities for youth - Inclusion Flag - (F)

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_005A: Physical activities - attend school - 7 d

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

## # PAY_005A: Physical activities - attend school - 7 d

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=8975 / 2240892.44 ] [Invalid=100684 / 28349887.82 ] | | | |
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 | | | |
| **Literal question** | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend school | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6756 | 1709253.6 | 76.3% |
| 2 | No | 2219 | 531638.8 | 23.7% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 3 | 341.2 | |
| 8 | Refusal | 2 | 1396.6 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_005B: Physical activities - attend a day camp - 7 d

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=8975 / 2240892.44 ] [Invalid=100684 / 28349887.82 ] | | | |
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 | | | |
| **Literal question** | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend a day camp | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 179 | 44795.8 | 2.0% |
| 2 | No | 8796 | 2196096.7 | 98.0% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 3 | 341.2 | |
| 8 | Refusal | 2 | 1396.6 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_005C: Physical activities - paid or unpaid work - 7 d

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=8975 / 2240892.44 ] [Invalid=100684 / 28349887.82 ] | | | |
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 | | | |
| **Literal question** | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - Attend paid or unpaid work | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1764 | 377241.5 | 16.8% |
| 2 | No | 7211 | 1863651.0 | 83.2% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 3 | 341.2 | |
| 8 | Refusal | 2 | 1396.6 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_005D: Physical activities - none of the above - 7 d

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=8975 / 2240892.44 ] [Invalid=100684 / 28349887.82 ] | | | |
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 | | | |
| **Literal question** | During the last 7 days, that is from last [day of the week 7 days ago] to yesterday, did you...? - None of the above | | | |

## # PAY_005D: Physical activities - none of the above - 7 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1454 | 376925.4 | 16.8% |
| 2 | No | 7521 | 1863967.1 | 83.2% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 3 | 341.2 | |
| 8 | Refusal | 2 | 1396.6 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_010: Used active transportation - 7 d

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=8965 / 2238871.42 ] [Invalid=100694 / 28351908.84 ] |
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 |
| **Literal question** | In the last 7 days, did you use active ways like walking or cycling to get to places such as [school,] the bus stop, the shopping centre[, work] or to visit friends? |
| **Notes** | If a respondent answered yes, hours and minutes of active transportation were collected using PAD sub-block. If PAY_010 = 2 then the hours and minutes were given the value of 0 for every day of the week. The individual responses are only used for the creation of PAY derived variables and not released. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6665 | 1711546.9 | 76.4% |
| 2 | No | 2300 | 527324.5 | 23.6% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 12 | 1780.2 | |
| 8 | Refusal | 3 | 1978.6 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_025: Did sports / fitness / rec phys act - school / camp - 7 d

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=6869 / 1736778.65 ] [Invalid=102790 / 28854001.61 ] |
| **Universe** | Respondents who answered PAY_005A = 1 or PAY_005B = 1 |
| **Literal question** | In the last 7 days, did you do sports, fitness or recreational physical activities while at [school [or day camp], including during physical education classes, during your breaks and any other time you played indoors or outdoors / day camp, including any time you played indoors or outdoors]? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 5430 | 1358481.2 | 78.2% |
| 2 | No | 1439 | 378297.5 | 21.8% |
| 6 | Valid skip | 102774 | 28851299.7 | |
| 7 | Don't know | 10 | 864.7 | |
| 8 | Refusal | 1 | 99.4 | |
| 9 | Not stated | 5 | 1737.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_030: Sports / fitness / rec phys act - school / camp - sweat

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=5414 / 1356125.29 ] [Invalid=104245 / 29234654.97 ] |
| **Universe** | Respondents who answered PAY_025 = 1 |
| **Literal question** | Did any of these activities make you sweat at least a little and breathe harder? |

## # PAY_030: Sports / fitness / rec phys act - school / camp - sweat

| Notes | If a respondent answered yes, hours and minutes of school or day camp activity were collected using PAD sub-block. If (PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2 then the hours and minutes should be given the value of 0 for every weekday. The individual responses are only used for the creation of PAY derived variables and not released. |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 5073 | 1266957.7 | | 93.4% |
| 2 | No | 341 | 89167.6 | 6.6% | |
| 6 | Valid skip | 104213 | 29229597.2 | | |
| 7 | Don't know | 15 | 2201.0 | | |
| 8 | Refusal | 1 | 154.8 | | |
| 9 | Not stated | 16 | 2701.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_045: Physical activities - leisure time - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8953 / 2235964.43 ] [Invalid=100706 / 28354815.83 ] |
| Universe | Respondents aged 12 to 17 with DOPAY = 1 |
| Literal question | In the last 7 days, did you do physical activities in your leisure time including exercising, playing an organized or non-organized sport or playing with your friends? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7000 | 1700039.4 | | 76.0% |
| 2 | No | 1953 | 535925.0 | 24.0% | |
| 6 | Valid skip | 100679 | 28348150.0 | | |
| 7 | Don't know | 22 | 3923.9 | | |
| 8 | Refusal | 5 | 2742.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_050: Physical activities - leisure time - sweat

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6985 / 1697763.85 ] [Invalid=102674 / 28893016.41 ] |
| Universe | Respondents who answered PAY_045 = 1 |
| Literal question | Did any of these leisure-time activities make you sweat at least a little and breathe harder? |
| Notes | If a respondent answered yes, hours and minutes of activity in leisure time were collected using PAD sub-block. If PAY_045 = 2 or PAY_050 = 2 then the hours and minutes should be given the value of 0 for every day of the week. The individual responses are only used for the creation of PAY derived variables and not released. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 6263 | 1525420.1 | | 89.8% |
| 2 | No | 722 | 172343.8 | 10.2% | |
| 6 | Valid skip | 102632 | 28884074.9 | | |
| 7 | Don't know | 13 | 2109.0 | | |
| 8 | Refusal | 2 | 166.6 | | |
| 9 | Not stated | 27 | 6665.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_065: Other physical activities - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8934 / 2228321.99 ] [Invalid=100725 / 28362458.27 ] |

# PAY_065: Other physical activities - 7 d

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents aged 12 to 17 with DOPAY = 1 | | | |
| **Literal question** | In the last 7 days, did you do any other physical [activities that you have not already reported / activities], for example, while you [were doing paid or unpaid work / were] helping your family with chores? | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4319 | 1061278.9 | 47.6% |
| 2 | No | 4615 | 1167043.0 | 52.4% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 40 | 12703.9 | |
| 8 | Refusal | 6 | 1604.4 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_070: Other physical activities - sweat

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4311 / 1058634.86 ] [Invalid=105348 / 29532145.4 ] |
| **Universe** | Respondents who answered PAY_065 = 1 |
| **Literal question** | Did any of these other physical activities make you sweat at least a little and breathe harder? |
| **Notes** | If a respondent answered yes, hours and minutes of other activity were collected using PAD sub-block. If PAY_065 = 2 or PAY_070 = 2 then the hours and minutes should be given the value of 0 for every day of the week. The individual responses are only used for the creation of PAY derived variables and not released. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1850 | 441269.0 | 41.7% |
| 2 | No | 2461 | 617365.8 | 58.3% |
| 6 | Valid skip | 105294 | 29515193.0 | |
| 7 | Don't know | 8 | 2644.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 46 | 14308.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_090: Physical activities - vigorous intensity / out of breath

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=8520 / 2124254.33 ] [Invalid=101139 / 28466525.93 ] |
| **Universe** | Respondents with DV_PAYTOTAL > 0 (respondents who reported more than 0 minutes of physical activity) |
| **Literal question** | You have reported a total of DV_PAYTOTAL minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath? |
| **Notes** | DV_PAYTOTAL is the total minutes of physical activity |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4534 | 1107462.8 | 52.1% |
| 2 | No | 3986 | 1016791.5 | 47.9% |
| 6 | Valid skip | 101097 | 28456549.6 | |
| 7 | Don't know | 38 | 7943.1 | |
| 8 | Refusal | 4 | 2033.2 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_095A: Physical activities - vigorous intensity / out of breath - yesterday

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

## # PAY_095A: Physical activities - vigorous intensity / out of breath - yesterday

| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
|---|---|
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Yesterday |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1886 | 459466.8 | 42.4% |
| 2 | No | 2526 | 623625.3 | 57.6% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_095B: Physical activities - vigorous intensity / out of breath - 2 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [2 days ago] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1857 | 470411.6 | 43.4% |
| 2 | No | 2555 | 612680.5 | 56.6% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_095C: Physical activities - vigorous intensity / out of breath - 3 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [3 days ago] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1809 | 448401.4 | 41.4% |
| 2 | No | 2603 | 634690.8 | 58.6% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_095D: Physical activities - vigorous intensity / out of breath - 4 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [4 days ago] |

## # PAY_095D: Physical activities - vigorous intensity / out of breath - 4 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1772 | 443593.4 | 41.0% |
| 2 | No | 2640 | 639498.7 | 59.0% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAY_095E: Physical activities - vigorous intensity / out of breath - 5 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| **Universe** | Respondents who answered PAY_090 = 1 |
| **Literal question** | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [5 days ago] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1742 | 420385.7 | 38.8% |
| 2 | No | 2670 | 662706.4 | 61.2% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_095F: Physical activities - vigorous intensity / out of breath - 6 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [6 days ago] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1726 | 419447.6 | 38.7% |
| 2 | No | 2686 | 663644.5 | 61.3% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_095G: Physical activities - vigorous intensity / out of breath - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4412 / 1083092.12 ] [Invalid=105247 / 29507688.14 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - [7 days ago] |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1647 | 392677.5 | 36.3% |
| 2 | No | 2765 | 690414.6 | 63.7% |
| 6 | Valid skip | 105083 | 29473341.2 | |
| 7 | Don't know | 120 | 23874.8 | |
| 8 | Refusal | 2 | 495.8 | |
| 9 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_100: Physical activities - vigorous intensity / out of breath - hours

| Information | [Type= continuous] [Format=numeric] [Range= 0-168] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4360 / 1069717.53 ] [Invalid=105299 / 29521062.73 ] [Mean=3.036 / 2.859 ] [StdDev=6.504 / 4.396 ] |
| Universe | Respondents who answered PAY_090 = 1 |
| Literal question | (In the last 7 days), how much time in total did you spend doing vigorous activities that caused you to be out of breath? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 105083 | 29473341.2 | |
| 997 | Don't know | 169 | 36528.7 | |
| 998 | Refusal | 5 | 1216.6 | |
| 999 | Not stated | 42 | 9976.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAY_105: Physical activities - vigorous intensity / out of breath - minutes

| Information | [Type= continuous] [Format=numeric] [Range= 0-1920] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4352 / 1068696.11 ] [Invalid=105307 / 29522084.15 ] [Mean=28.621 / 28.514 ] [StdDev=106.845 / 102.659 ] |
| Universe | Respondents who answered PAY_100 in (0:168) |
| Literal question | Enter number of minutes |

# PAY_105: Physical activities - vigorous intensity / out of breath - minutes

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 105086 | 29473450.6 | |
| 9997 | Don't know | 5 | 911.9 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 216 | 47721.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVTTR: Total minutes of active transportation - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-6300] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8196 / 2049160.6 ] [Invalid=101463 / 28541619.66 ] [Mean=191.881 / 205.452 ] [StdDev=318.786 / 338.807 ] |
| Definition | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 784 | 193469.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVTSC: Total minutes of physical activity - school / camp - 5 weekdays - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-2400] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8716 / 2187802.68 ] [Invalid=100943 / 28402977.58 ] [Mean=152.24 / 156.926 ] [StdDev=210.519 / 215.395 ] |
| Definition | Derived from DHH_AGE, PAY_EDTE, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 264 | 54827.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVADL: Total minutes of physical activity - leisure - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-3360] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8447 / 2114337.04 ] [Invalid=101212 / 28476443.22 ] [Mean=254.371 / 249.846 ] [StdDev=306.341 / 305.57 ] |
| Definition | Derived from DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 533 | 128293.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTOA: Total minutes of other activities - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-4980] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=8770 / 2190173.91 ] [Invalid=100889 / 28400606.35 ] [Mean=61.699 / 52.623 ] [StdDev=239.536 / 206.293 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_060, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 210 | 52456.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTMN: Total physical activity minutes - Monday - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-1185] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7722 / 1944892.64 ] [Invalid=101937 / 28645887.62 ] [Mean=101.086 / 101.419 ] [StdDev=109.636 / 110.007 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1258 | 297737.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTTU: Total physical activity minutes - Tuesday - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-1140] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7723 / 1945043.02 ] [Invalid=101936 / 28645737.24 ] [Mean=104.681 / 105.276 ] [StdDev=110.375 / 112.815 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |

## # PAYDVTTU: Total physical activity minutes - Tuesday - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1257 | 297587.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTWD: Total physical activity minutes - Wednesday - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-1260] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7722 / 1944683.34 ] [Invalid=101937 / 28646096.92 ] [Mean=104.028 / 104.067 ] [StdDev=109.296 / 108.727 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1258 | 297947.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTTH: Total physical activity minutes - Thursday - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-1440] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7723 / 1945043.02 ] [Invalid=101936 / 28645737.24 ] [Mean=105.211 / 105.561 ] [StdDev=113.174 / 116.323 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1257 | 297587.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTFR: Total physical activity minutes - Friday - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-1440] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7723 / 1945043.02 ] [Invalid=101936 / 28645737.24 ] [Mean=106.637 / 106.496 ] [StdDev=117.884 / 116.682 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, |

# PAYDVTFR: Total physical activity minutes - Friday - (D)

| | |
|---|---|
| | PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1257 | 297587.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVTST: Total physical activity minutes - Saturday - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-1110] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7817 / 1961910.84 ] [Invalid=101842 / 28628869.42 ] [Mean=82.896 / 84.165 ] [StdDev=115.868 / 115.699 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1163 | 280719.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVTSN: Total physical activity minutes - Sunday - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-1410] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7817 / 1961910.84 ] [Invalid=101842 / 28628869.42 ] [Mean=71.336 / 72.384 ] [StdDev=102.639 / 104.031 ] |
| **Definition** | Derived from DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |

## # PAYDVTSN: Total physical activity minutes - Sunday - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1163 | 280719.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVDYS: Total days physically active - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] [Mean=5.662 / 5.663 ] [StdDev=1.934 / 1.96 ] |
| Definition | Derived from DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 100679 | 28348150.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVMNS: Total minutes of youth physical activity - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-7440] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] [Mean=675.815 / 678.925 ] [StdDev=615.881 / 622.275 ] |
| Definition | Derived from DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVAVG: Average number of minutes of physical activity per active day - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-1062.9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] [Mean=109.35 / 109.466 ] [StdDev=90.051 / 91.491 ] |
| Definition | Derived from DHH_AGE, PAYDVDYS, PAYDVMNS |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9999.6 | Valid skip | 100679 | 28348150.0 | |
| 9999.7 | Don't know | 0 | 0.0 | |
| 9999.8 | Refusal | 0 | 0.0 | |
| 9999.9 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVTWK: Total physical activity minutes - weekday - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-5311] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] [Mean=521.129 / 522.232 ] [StdDev=473.879 / 480.173 ] |
| Definition | Derived from DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR |

# PAYDVTWK: Total physical activity minutes - weekday - 7 d - (D)

| | | | | |
|---|---|---|---|---|
| **Universe** | See documentation on derived variables | | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVTWN: Total physical activity minutes - weekend - 7 d - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-2520] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7817 / 1961910.84 ] [Invalid=101842 / 28628869.42 ] [Mean=154.232 / 156.549 ] [StdDev=197.24 / 200.597 ] |
| **Definition** | Derived from DHH_AGE, PAYDVTST, PAYDVTSN |
| **Universe** | See documentation on derived variables. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 9996 | Valid skip | 100679 | 28348150.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 1163 | 280719.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVDPG: Number of days meeting or exceeding physical activity guidelines - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] [Mean=4.049 / 4.051 ] [StdDev=2.499 / 2.525 ] |
| **Definition** | Derived from DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDV,TWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI |
| **Universe** | See documentation on derived variables |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 96 | Valid skip | 100679 | 28348150.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVPAI: Youth physical activity indicator - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] |
| **Definition** | Derived from DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN |
| **Universe** | See documentation on derived variables |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 0 | No activity | 359 | 99741.6 | 5.1% |
| 1 | Physically active according to the CPAG | 1858 | 485406.7 | 25.0% |
| 2 | Not physically active according to the CPAG | 5504 | 1359384.7 | 69.9% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

## # PAYDVPAI: Youth physical activity indicator - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 9 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVVIG: Total minutes of vigorous activity - youth - 7 d - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-4320] [Missing=*] |
|-------------|------------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=7552 / 1910667.25 ] [Invalid=102107 / 28680113.01 ] [Mean=100.915 / 97.919 ] [StdDev=196.635 / 188.842 ] |
| Definition | Derived from DHH_AGE, PAYDVMNS, PAY_090, PAY_100, PAY_105 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 99996 | Valid skip | 100679 | 28348150.0 | |
| 99997 | Don't know | 0 | 0.0 | |
| 99998 | Refusal | 0 | 0.0 | |
| 99999 | Not stated | 1428 | 331963.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVWK1: Physical activity - special weekly guideline 1 - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] |
| Definition | Derived from DHH_AGE, PAYDVDYS, PAYDVMNS |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Level 1 (>= 100% active) | 4654 | 1163165.2 | 59.8% |
| 2 | Level 2 (>= 50% and < 100% active) | 1565 | 403243.6 | 20.7% |
| 3 | Level 3 (>= 25% and < 50% active) | 687 | 175320.1 | 9.0% |
| 4 | Level 4 (> 0% and < 25% active) | 456 | 103062.5 | 5.3% |
| 5 | Level 5 (0% active) | 359 | 99741.6 | 5.1% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAYDVWK2: Physical activity - special weekly guideline 2 - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] |
| Definition | Derived from DHH_AGE, PAYDVDYS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI, PAYTAB1, PAYTAB2, PAYTAB3 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Level 1 (7 days activity, 60+ min/day active) | 1858 | 485406.7 | 25.0% |
| 2 | Level 2 (5+ days activity, 40+ min/day active) | 2636 | 661548.6 | 34.0% |
| 3 | Level 3 (3+ days activity, 20+ min/day active) | 2114 | 522895.0 | 26.9% |
| 4 | Level 4 (1+ day activity, 1+ min/day active) | 754 | 174941.2 | 9.0% |
| 5 | Level 5 (no active day, no minute of activity on any day) | 359 | 99741.6 | 5.1% |
| 6 | Valid skip | 100679 | 28348150.0 | |

# PAYDVWK2: Physical activity - special weekly guideline 2 - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVWK3: Physical activity - special weekly guideline 3 - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7721 / 1944532.96 ] [Invalid=101938 / 28646247.3 ] |
| **Definition** | Derived from DHH_AGE, PAYDVMNS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Active | 4453 | 1110453.4 | 57.1% |
| 2 | Moderately active | 1692 | 438248.6 | 22.5% |
| 3 | A bit active | 584 | 149736.9 | 7.7% |
| 4 | Very little activity | 633 | 146352.6 | 7.5% |
| 5 | Sedentary | 359 | 99741.6 | 5.1% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1259 | 298097.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAYDVPAG: Meet Canadian Physical Activity Guidelines - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7629 / 1926081.96 ] [Invalid=102030 / 28664698.3 ] |
| **Definition** | Derived from DHH_AGE, PAYDVMSN, PAYDVPAI, PAY_090, PAY_095, PAY_095A, PAY_095B, PAY_095C, PAY_05D, PAY_095E, PAY_095F, PAY_095G, PAYTVIG1 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Meets CPAG | 679 | 173310.8 | 9.0% |
| 2 | Does not meet CPAG | 6950 | 1752771.1 | 91.0% |
| 6 | Valid skip | 100679 | 28348150.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1351 | 316548.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOUPE: Use of protective equipment - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Definition** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 16435 | 4155109.0 | 13.6% |

## # DOUPE: Use of protective equipment - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 2 | No | 93224 | 26435671.2 | | 86.4% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_005: Bicycling - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=16073 / 4057600.26 ] [Invalid=93586 / 26533180 ] |
| **Universe** | Respondents with DOUPE = 1 |
| **Literal question** | In the past 12 months, have you done any bicycling? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 5552 | 1565197.1 | 38.6% | |
| 2 | No | 10521 | 2492403.2 | | 61.4% |
| 6 | Valid skip | 93224 | 26435671.2 | | |
| 7 | Don't know | 8 | 2974.8 | | |
| 8 | Refusal | 5 | 825.8 | | |
| 9 | Not stated | 349 | 93708.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_010: Bicycling - wears helmet - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=5545 / 1564070.59 ] [Invalid=104114 / 29026709.67 ] |
| **Universe** | Respondents who answered UPE_005 = 1 |
| **Literal question** | When riding a bicycle, how often do you wear a helmet? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Always | 2526 | 751147.2 | | 48.0% |
| 2 | Most of the time | 682 | 206085.0 | 13.2% | |
| 3 | Rarely | 552 | 150662.9 | 9.6% | |
| 4 | Never | 1785 | 456175.5 | | 29.2% |
| 6 | Valid skip | 103745 | 28928074.4 | | |
| 7 | Don't know | 7 | 1126.5 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 362 | 97508.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_015: Rollerblading - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=16074 / 4058902.34 ] [Invalid=93585 / 26531877.92 ] |
| **Universe** | Respondents with DOUPE = 1 |
| **Literal question** | In the past 12 months, have you done any in-line skating or rollerblading? |
| **Notes** | Was not asked in proxy interviews |

# # UPE_015: Rollerblading - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 871 | 245429.8 | 6.0% |
| 2 | No | 15203 | 3813472.5 | 94.0% |
| 6 | Valid skip | 93224 | 26435671.2 | |
| 7 | Don't know | 6 | 1365.4 | |
| 8 | Refusal | 6 | 1133.0 | |
| 9 | Not stated | 349 | 93708.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UPE_020: Rollerblading - wears helmet - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=869 / 243742.61 ] [Invalid=108790 / 30347037.65 ] |
| Universe | Respondents who answered UPE_015 = 1 |
| Literal question | When in-line skating or rollerblading, how often do you wear a helmet? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 354 | 100863.6 | 41.4% |
| 2 | Most of the time | 108 | 27958.4 | 11.5% |
| 3 | Rarely | 72 | 23938.7 | 9.8% |
| 4 | Never | 335 | 90981.9 | 37.3% |
| 6 | Valid skip | 108427 | 30249143.7 | |
| 7 | Don't know | 1 | 943.6 | |
| 8 | Refusal | 1 | 743.6 | |
| 9 | Not stated | 361 | 96206.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UPE_025: Rollerblading - wears wrist protectors - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=868 / 243773.93 ] [Invalid=108791 / 30347006.33 ] |
| Universe | Respondents who answered UPE_015 = 1 |
| Literal question | How often do you wear wrist guards or wrist protectors? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 141 | 41393.1 | 17.0% |
| 2 | Most of the time | 41 | 8992.6 | 3.7% |
| 3 | Rarely | 57 | 20483.8 | 8.4% |
| 4 | Never | 629 | 172904.4 | 70.9% |
| 6 | Valid skip | 108427 | 30249143.7 | |
| 7 | Don't know | 2 | 912.3 | |
| 8 | Refusal | 1 | 743.6 | |
| 9 | Not stated | 361 | 96206.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UPE_030: Rollerblading - wears elbow pads - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=870 / 244686.22 ] [Invalid=108789 / 30346094.04 ] |

## # UPE_030: Rollerblading - wears elbow pads - frequency

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered UPE_015 = 1 | | | |
| **Literal question** | (How often do you wear) elbow pads? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 95 | 25553.9 | 10.4% |
| 2 | Most of the time | 27 | 5605.0 | 2.3% |
| 3 | Rarely | 62 | 17205.3 | 7.0% |
| 4 | Never | 686 | 196322.0 | 80.2% |
| 6 | Valid skip | 108427 | 30249143.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 743.6 | |
| 9 | Not stated | 361 | 96206.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_035: Rollerblading - wears knee pads - frequency

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=869 / 244583.98 ] [Invalid=108790 / 30346196.28 ] | | | |
| **Universe** | Respondents who answered UPE_015 = 1 | | | |
| **Literal question** | (How often do you wear) knee pads? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 111 | 33755.3 | 13.8% |
| 2 | Most of the time | 39 | 8763.3 | 3.6% |
| 3 | Rarely | 60 | 17553.7 | 7.2% |
| 4 | Never | 659 | 184511.8 | 75.4% |
| 6 | Valid skip | 108427 | 30249143.7 | |
| 7 | Don't know | 1 | 102.2 | |
| 8 | Refusal | 1 | 743.6 | |
| 9 | Not stated | 361 | 96206.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_040: Downhill skiing / snowboarding - 12 mo

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=16076 / 4058355.79 ] [Invalid=93583 / 26532424.47 ] | | | |
| **Universe** | Respondents with DOUPE = 1 | | | |
| **Literal question** | In the past 12 months, did you do...? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Downhill skiing only | 1280 | 386280.7 | 9.5% |
| 2 | Snowboarding only | 677 | 208456.2 | 5.1% |
| 3 | Both | 162 | 48263.6 | 1.2% |
| 4 | Neither | 13957 | 3415355.3 | 84.2% |
| 6 | Valid skip | 93224 | 26435671.2 | |
| 7 | Don't know | 4 | 1404.8 | |
| 8 | Refusal | 6 | 1640.2 | |

## # UPE_040: Downhill skiing / snowboarding - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 9 | Not stated | 349 | 93708.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_045: Downhill skiing - wears helmet - frequency

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1442 / 434544.26 ] [Invalid=108217 / 30156236 ] |
| **Universe** | Respondents who answered UPE_040 = (1 or 3) |
| **Literal question** | When downhill skiing, how often do you wear a helmet? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Always | 1078 | 343109.2 | | 79.0% |
| 2 | Most of the time | 55 | 15132.2 | 3.5% | |
| 3 | Rarely | 35 | 12843.6 | 3.0% | |
| 4 | Never | 274 | 63459.3 | 14.6% | |
| 6 | Valid skip | 107858 | 30059482.7 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 359 | 96753.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_050: Snowboarding - wears helmet - frequency

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=839 / 256719.76 ] [Invalid=108820 / 30334060.5 ] |
| **Universe** | Respondents who answered UPE_040 = (2 or 3) |
| **Literal question** | When snowboarding, how often do you wear a helmet? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Always | 626 | 203426.6 | | 79.2% |
| 2 | Most of the time | 47 | 14174.0 | 5.5% | |
| 3 | Rarely | 36 | 7821.4 | 3.0% | |
| 4 | Never | 130 | 31297.6 | 12.2% | |
| 6 | Valid skip | 108461 | 30237307.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 359 | 96753.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_055: Snowboarding - wears wrist protectors - frequency

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=839 / 256719.76 ] [Invalid=108820 / 30334060.5 ] |
| **Universe** | Respondents who answered UPE_040 = (2 or 3) |
| **Literal question** | (When snowboarding), how often do you wear wrist guards or wrist protectors? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Always | 69 | 20397.3 | 7.9% | |

## # UPE_055: Snowboarding - wears wrist protectors - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 2 | Most of the time | 10 | 3969.9 | 1.5% |
| 3 | Rarely | 20 | 6545.9 | 2.5% |
| 4 | Never | 740 | 225806.6 | 88.0% |
| 6 | Valid skip | 108461 | 30237307.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 359 | 96753.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_060: Skateboarding - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=16076 / 4058586.04 ] [Invalid=93583 / 26532194.22 ] |
| Universe | Respondents with DOUPE = 1 |
| Literal question | In the past 12 months, have you done any skateboarding? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 548 | 165296.4 | 4.1% |
| 2 | No | 15528 | 3893289.6 | 95.9% |
| 6 | Valid skip | 93224 | 26435671.2 | |
| 7 | Don't know | 4 | 1174.5 | |
| 8 | Refusal | 6 | 1640.2 | |
| 9 | Not stated | 349 | 93708.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_065: Skateboarding - wears helmet - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=548 / 165296.44 ] [Invalid=109111 / 30425483.82 ] |
| Universe | Respondents who answered UPE_060 = 1 |
| Literal question | How often do you wear a helmet? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Always | 139 | 41719.7 | 25.2% |
| 2 | Most of the time | 70 | 18211.5 | 11.0% |
| 3 | Rarely | 76 | 25320.7 | 15.3% |
| 4 | Never | 263 | 80044.5 | 48.4% |
| 6 | Valid skip | 108752 | 30328960.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 359 | 96523.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_070: Skateboarding - wears wrist protectors - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=546 / 164731.06 ] [Invalid=109113 / 30426049.2 ] |
| Universe | Respondents who answered UPE_060 = 1 |

## # UPE_070: Skateboarding - wears wrist protectors - frequency

| Literal question | (How often do you wear) wrist guards or wrist protectors? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 29 | 7797.0 | 4.7% |
| 2 | Most of the time | 14 | 3568.9 | 2.2% |
| 3 | Rarely | 40 | 9891.7 | 6.0% |
| 4 | Never | 463 | 143473.4 | 87.1% |
| 6 | Valid skip | 108752 | 30328960.8 | |
| 7 | Don't know | 2 | 565.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 359 | 96523.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_075: Skateboarding - wears elbow pads - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=548 / 165296.44 ] [Invalid=109111 / 30425483.82 ] |
| Universe | Respondents who answered UPE_060 = 1 |
| Literal question | (How often do you wear) elbow pads? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 21 | 4968.0 | 3.0% |
| 2 | Most of the time | 12 | 3135.6 | 1.9% |
| 3 | Rarely | 36 | 8316.0 | 5.0% |
| 4 | Never | 479 | 148876.9 | 90.1% |
| 6 | Valid skip | 108752 | 30328960.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 359 | 96523.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_080: Ice hockey - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16078 / 4058936.03 ] [Invalid=93581 / 26531844.23 ] |
| Universe | Respondents with DOUPE = 1 |
| Literal question | In the past 12 months, have you played any ice hockey? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1435 | 412175.6 | 10.2% |
| 2 | No | 14643 | 3646760.4 | 89.8% |
| 6 | Valid skip | 93224 | 26435671.2 | |
| 7 | Don't know | 2 | 824.6 | |
| 8 | Refusal | 6 | 1640.2 | |
| 9 | Not stated | 349 | 93708.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPE_085: Ice hockey - wears mouth guard - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1434 / 411509.14 ] [Invalid=108225 / 30179271.12 ] |
| **Universe** | Respondents who answered UPE_080 = 1 |
| **Literal question** | When playing ice hockey, how often do you wear a mouth guard? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 241 | 75256.9 | 18.3% |
| 2 | Most of the time | 77 | 23645.1 | 5.7% |
| 3 | Rarely | 94 | 33537.3 | 8.1% |
| 4 | Never | 1022 | 279069.8 | 67.8% |
| 6 | Valid skip | 107867 | 30082431.7 | |
| 7 | Don't know | 1 | 666.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 357 | 96173.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPEDVILS: Wears protective equipment - in-line skating - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=870 / 244686.22 ] [Invalid=108789 / 30346094.04 ] |
| **Definition** | Derived from ADM_PRX, UPE_015, UPE_020, UPE_025, UPE_030, UPE_035 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 81 | 21256.9 | 8.7% |
| 2 | No | 789 | 223429.3 | 91.3% |
| 6 | Valid skip | 108427 | 30249143.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 362 | 96950.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPEDVSNB: Wears protective equipment - snowboarding - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=839 / 256719.76 ] [Invalid=108820 / 30334060.5 ] |
| **Definition** | Derived from ADM_PRX, UPE_040, UPE_050, UPE_055 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 77 | 23869.9 | 9.3% |
| 2 | No | 762 | 232849.8 | 90.7% |
| 6 | Valid skip | 108461 | 30237307.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 359 | 96753.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UPEDVSKB: Wears protective equipment - skateboarding - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # UPEDVSKB: Wears protective equipment - skateboarding - (D)

| Statistics [NW/ W] | [Valid=448 / 133566.41 ] [Invalid=109211 / 30457213.85 ] |
|---|---|
| Definition | Derived from ADM_PRX, UPE_060, UPE_065, UPE_070, UPE_075 |
| Universe | See documentation on derived variables. |
| Notes | Due to an error in the 2015 data, UPEDVSKB was incorrectly coded as "Not applicable" for respondents aged 20 and over. Also, interviews completed by proxy were coded as "Not stated" only for respondents aged 12-19; however all proxy cases should have been coded as "Not stated". This only affects data from 2015. See the document 'CCHS_2016_Errata' for correction steps. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19 | 5668.5 | 4.2% |
| 2 | No | 429 | 127897.9 | 95.8% |
| 6 | Valid skip | 108993 | 30395184.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 218 | 62029.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSSB: Sun safety behaviours - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 66168 | 20905042.9 | 68.3% |
| 2 | No | 43491 | 9685737.4 | 31.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_005: Sunburn - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64428 / 20251361.56 ] [Invalid=45231 / 10339418.7 ] |
| Universe | Respondents with DOSSB = 1 |
| Literal question | In the past 12 months, has any part of your body been sunburnt? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 21199 | 6707051.9 | 33.1% |
| 2 | No | 43229 | 13544309.7 | 66.9% |
| 6 | Valid skip | 43491 | 9685737.4 | |
| 7 | Don't know | 74 | 26325.5 | |
| 8 | Refusal | 27 | 14204.6 | |
| 9 | Not stated | 1639 | 613151.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_010: Time spent daily in the sun 10am to 4pm - days off - summer

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=63676 / 20020565.24 ] [Invalid=45983 / 10570215.02 ] |
| **Universe** | Respondents who answered SSB_005 = (1 or 2) |
| **Literal question** | About how much time each day do you spend in the sun between 10 am and 4 pm? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | None | 6476 | 1888715.7 | 9.4% |
| 2 | Less than 30 minutes | 8818 | 2864564.6 | 14.3% |
| 3 | 30 to 59 minutes | 6845 | 2263484.8 | 11.3% |
| 4 | 1 hour to less than 2 hours | 11065 | 3641643.0 | 18.2% |
| 5 | 2 hours to less than 3 hours | 10615 | 3405757.4 | 17.0% |
| 6 | 3 hours to less than 4 hours | 7032 | 2221610.0 | 11.1% |
| 7 | 4 hours to 6 hours | 12825 | 3734789.6 | 18.7% |
| 96 | Valid skip | 43491 | 9685737.4 | |
| 97 | Don't know | 707 | 210344.5 | |
| 98 | Refusal | 45 | 20451.8 | |
| 99 | Not stated | 1740 | 653681.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_015: Seek shade - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=48178 / 15205880.53 ] [Invalid=61481 / 15384899.73 ] |
| **Universe** | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| **Literal question** | In the summer months, on a typical weekend or day off, when you are in the sun for periods of 30 minutes or more, how often do you: seek shade? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 6503 | 2016502.3 | 13.3% |
| 2 | Often | 15772 | 4844596.6 | 31.9% |
| 3 | Sometimes | 15589 | 5100918.0 | 33.5% |
| 4 | Rarely | 6976 | 2218011.8 | 14.6% |
| 5 | Never | 3338 | 1025851.9 | 6.7% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 187 | 55118.5 | |
| 8 | Refusal | 17 | 6285.9 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_020: Wears hat - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=48337 / 15251817.56 ] [Invalid=61322 / 15338962.7 ] |
| **Universe** | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| **Literal question** | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear a hat that shades your face, ears and neck? |
| **Notes** | Was not asked in proxy interviews |

# SSB_020: Wears hat - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 10627 | 2944377.2 | 19.3% |
| 2 | Often | 7198 | 2261720.6 | 14.8% |
| 3 | Sometimes | 7322 | 2500627.4 | 16.4% |
| 4 | Rarely | 6114 | 2104280.0 | 13.8% |
| 5 | Never | 17076 | 5440812.4 | 35.7% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 40 | 14070.5 | |
| 8 | Refusal | 5 | 1396.9 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SSB_025: Wears long pants / skirt - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48289 / 15241206.15 ] [Invalid=61370 / 15349574.11 ] |
| Universe | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| Literal question | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear long pants [or a long skirt]? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 8224 | 2323796.2 | 15.2% |
| 2 | Often | 6442 | 2028656.6 | 13.3% |
| 3 | Sometimes | 8184 | 2755866.6 | 18.1% |
| 4 | Rarely | 8872 | 2915915.0 | 19.1% |
| 5 | Never | 16567 | 5216971.8 | 34.2% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 87 | 25036.2 | |
| 8 | Refusal | 6 | 1042.6 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SSB_030: Wears sunglasses - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48335 / 15247964.59 ] [Invalid=61324 / 15342815.67 ] |
| Universe | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| Literal question | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: wear sunglasses? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 19959 | 6009561.6 | 39.4% |
| 2 | Often | 10517 | 3419088.8 | 22.4% |
| 3 | Sometimes | 6752 | 2273741.4 | 14.9% |
| 4 | Rarely | 3999 | 1281900.2 | 8.4% |
| 5 | Never | 7108 | 2263672.5 | 14.8% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 44 | 18144.8 | |

## # SSB_030: Wears sunglasses - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 3 | 1175.6 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_035: Uses sunscreen on face - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=48355 / 15258443.36 ] [Invalid=61304 / 15332336.9 ] |
| **Universe** | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| **Literal question** | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: use sunscreen on your face? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 12095 | 3817411.4 | 25.0% |
| 2 | Often | 8243 | 2619460.0 | 17.2% |
| 3 | Sometimes | 8032 | 2681193.3 | 17.6% |
| 4 | Rarely | 6518 | 2138962.7 | 14.0% |
| 5 | Never | 13467 | 4001416.0 | 26.2% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 23 | 6936.3 | |
| 8 | Refusal | 4 | 1905.2 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_040: Uses sunscreen on face - SPF

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=26683 / 8539289.36 ] [Invalid=82976 / 22051490.9 ] |
| **Universe** | Respondents who answered SSB_035 = (1, 2 or 3) |
| **Literal question** | What Sun Protection Factor (SPF) do you usually use on your face? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 15 | 531 | 138984.6 | 1.6% |
| 2 | 15 to 29 | 4408 | 1403847.2 | 16.4% |
| 3 | 30 to 44 | 12607 | 4090818.8 | 47.9% |
| 4 | 45 or higher | 9137 | 2905638.8 | 34.0% |
| 6 | Valid skip | 78770 | 20579396.3 | |
| 7 | Don't know | 1638 | 561518.1 | |
| 8 | Refusal | 49 | 17257.2 | |
| 9 | Not stated | 2519 | 893319.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_045: Uses sunscreen on body - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=48304 / 15246757.23 ] [Invalid=61355 / 15344023.03 ] |
| **Universe** | Respondents who answered SSB_010 = (3, 4, 5, 6 or 7) |
| **Literal question** | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you: use sunscreen on your body? |

## # SSB_045: Uses sunscreen on body - frequency

| Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 8765 | 2750649.3 | 18.0% |
| 2 | Often | 8641 | 2794404.1 | 18.3% |
| 3 | Sometimes | 8779 | 2931561.5 | 19.2% |
| 4 | Rarely | 8061 | 2620755.0 | 17.2% |
| 5 | Never | 14058 | 4149387.4 | 27.2% |
| 6 | Valid skip | 58785 | 14439017.7 | |
| 7 | Don't know | 71 | 18180.5 | |
| 8 | Refusal | 7 | 2347.2 | |
| 9 | Not stated | 2492 | 884477.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_050: Uses sunscreen on body - SPF

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=24671 / 7932879.26 ] [Invalid=84988 / 22657901 ] |
| Universe | Respondents who answered SSB_045 = (1, 2 or 3) |
| Literal question | What Sun Protection Factor (SPF) do you usually use on your body? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 15 | 498 | 138273.0 | 1.7% |
| 2 | 15 to 29 | 3506 | 1137008.2 | 14.3% |
| 3 | 30 to 44 | 12765 | 4142846.8 | 52.2% |
| 4 | 45 or higher | 7902 | 2514751.3 | 31.7% |
| 6 | Valid skip | 80904 | 21209160.0 | |
| 7 | Don't know | 1475 | 530228.0 | |
| 8 | Refusal | 39 | 13507.6 | |
| 9 | Not stated | 2570 | 905005.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_055: Used tanning bed or booth - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64392 / 20232609.72 ] [Invalid=45267 / 10358170.54 ] |
| Universe | Respondents who answered SSB_005 = (1 or 2) |
| Literal question | In the past 12 months, have you used a tanning bed or booth with tanning lamps? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2223 | 690321.9 | 3.4% |
| 2 | No | 62169 | 19542287.9 | 96.6% |
| 6 | Valid skip | 43491 | 9685737.4 | |
| 7 | Don't know | 28 | 15100.7 | |
| 8 | Refusal | 8 | 3651.2 | |
| 9 | Not stated | 1740 | 653681.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_060: Used tanning bed or booth - frequency

| Information | [Type= continuous] [Format=numeric] [Range= 1-156] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2199 / 678983.74 ] [Invalid=107460 / 29911796.52 ] [Mean=6.951 / 6.891 ] [StdDev=10.462 / 10.468 ] |
| **Universe** | Respondents who answered SSB_055 = 1 |
| **Literal question** | How often? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 105660 | 29228025.2 | |
| 997 | Don't know | 23 | 11310.5 | |
| 998 | Refusal | 1 | 27.6 | |
| 999 | Not stated | 1776 | 672433.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_060A: Used tanning bed or booth - reporting period

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2195 / 677674.06 ] [Invalid=107464 / 29913106.2 ] |
| **Universe** | Respondents who answered SSB_060 = (1:365) |
| **Literal question** | Select the reporting period. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Per day | 18 | 6194.8 | 0.9% |
| 2 | Per week | 458 | 136467.3 | 20.1% |
| 3 | Per month | 251 | 91245.2 | 13.5% |
| 4 | Per year | 1468 | 443766.7 | 65.5% |
| 6 | Valid skip | 105660 | 29228025.2 | |
| 7 | Don't know | 4 | 1309.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1800 | 683771.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSB_065: Used tanning bed or booth - main reason

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2198 / 678717.29 ] [Invalid=107461 / 29912062.97 ] |
| **Universe** | Respondents who answered SSB_060 = (1:365) |
| **Literal question** | What is the main reason that you use tanning beds or booths with lamps? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | It is a safe way of getting a tan | 76 | 18422.1 | 2.7% |
| 2 | To get a good base tan prior to sun exposure | 1142 | 328218.9 | 48.4% |
| 3 | To look good / obtain a healthy glow | 524 | 198923.0 | 29.3% |
| 4 | To boost vitamin D intake | 171 | 50409.6 | 7.4% |
| 5 | To treat a skin condition or for other medical reasons | 141 | 41402.3 | 6.1% |
| 6 | Other | 144 | 41341.4 | 6.1% |
| 96 | Valid skip | 105660 | 29228025.2 | |
| 97 | Don't know | 1 | 266.4 | |

# SSB_065: Used tanning bed or booth - main reason

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1800 | 683771.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SSBDVPRT: Respondent protects self from sun - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=61235 / 19206473.14 ] [Invalid=48424 / 11384307.12 ] |
| **Definition** | Derived from ADM_PRX, SSB_010, SSB_015, SSB_020, SSB_025, SSB_035, SSB_040, SSB_045, SSB_050 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Protects self appropriately from sun | 44840 | 13807691.1 | 71.9% |
| 2 | Does not protect self appropriately from sun | 16395 | 5398782.0 | 28.1% |
| 6 | Valid skip | 43491 | 9685737.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 4933 | 1698569.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOSAC: Sedentary activities - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 49116 | 16054269.0 | 52.5% |
| 2 | No | 60543 | 14536511.2 | 47.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACG005: Num of hours - reading (including electronic format) - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=48607 / 15879914.99 ] [Invalid=61052 / 14710865.27 ] |
| **Universe** | Respondents with DOSAC = 1 |
| **Literal question** | In the last 7 days, how much of your free time did you spend: reading books, magazines or newspapers, including in electronic formats? Include time spent reading as part of your homework, but do not include time spent reading at work, during class time, during transportation or while exercising. |
| **Notes** | In the 2016 questionnaire, Braille and audio books for visually impaired were added to the list of inclusions for this question. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | None or less than 1 hour | 7723 | 2569501.2 | 16.2% |
| 2 | 1 to 2 hours | 9544 | 3316586.4 | 20.9% |
| 3 | 2.5 to 5 hours | 9770 | 3374065.8 | 21.2% |
| 4 | 5.5 to 10 hours | 11737 | 3761647.1 | 23.7% |
| 5 | 10.5 to 14 hours | 5238 | 1535180.3 | 9.7% |

# SACG005: Num of hours - reading (including electronic format) - 7 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | 14.5 to 20 hours | 1301 | 384397.1 | 2.4% |
| 7 | 20.5 to 30 hours | 2581 | 720136.0 | 4.5% |
| 8 | 30.5 to 40 hours | 418 | 130322.6 | 0.8% |
| 9 | Greater than 40 hours | 295 | 88078.6 | 0.6% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 509 | 174354.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACG010: Num of hours - watching TV / movies / Internet videos - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48523 / 15850145.78 ] [Invalid=61136 / 14740634.48 ] |
| Universe | Respondents with DOSAC = 1 |
| Literal question | In the last 7 days, how much of your free time did you spend: watching TV, DVDs, movies or Internet videos? Please do not include time spent watching while exercising. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | None or less than 1 hour | 3157 | 1024094.4 | 6.5% |
| 2 | 1 to 2 hours | 3931 | 1446674.8 | 9.1% |
| 3 | 2.5 to 5 hours | 6852 | 2510035.8 | 15.8% |
| 4 | 5.5 to 10 hours | 10851 | 3889303.3 | 24.5% |
| 5 | 10.5 to 14 hours | 8800 | 2840754.8 | 17.9% |
| 6 | 14.5 to 20 hours | 3098 | 1011979.7 | 6.4% |
| 7 | 20.5 to 30 hours | 8404 | 2305170.6 | 14.5% |
| 8 | 30.5 to 40 hours | 1754 | 436803.8 | 2.8% |
| 9 | 40.5 to 50 hours | 981 | 228312.9 | 1.4% |
| 10 | 50.5 to 60 hours | 300 | 65484.8 | 0.4% |
| 11 | Greater than 60 hours | 395 | 91531.0 | 0.6% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 593 | 204123.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACG015: Num of hours - playing video games requiring physical activity - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48978 / 15986506.22 ] [Invalid=60681 / 14604274.04 ] |
| Universe | Respondents with DOSAC = 1 |
| Literal question | In the last 7 days, how much of your free time did you spend: playing video games that require physical activity, such as Wii Fit, Xbox Kinect or the game "Just Dance"? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | None or less than 1 hour | 47054 | 15265604.1 | 95.5% |
| 2 | 1 to 2 hours | 1034 | 363340.9 | 2.3% |

# SACG015: Num of hours - playing video games requiring physical activity - 7 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 3 | 2.5 to 5 hours | 410 | 173426.1 | 1.1% |
| 4 | 5.5 to 10 hours | 254 | 97731.1 | 0.6% |
| 5 | Greater than 10 hours | 226 | 86404.0 | 0.5% |
| 6 | Valid skip | 60543 | 14536511.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 138 | 67762.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACG020: Num of hours - playing other video / computer games - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48881 / 15958070.53 ] [Invalid=60778 / 14632709.73 ] |
| Universe | Respondents with DOSAC = 1 |
| Literal question | In the last 7 days, how much of your free time did you spend: playing other video or computer games? Include games played on a game console, computer or hand-held electronic device such as a tablet or smart phone. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | 1 to 2 hours | 34420 | 11247066.2 | 70.5% |
| 2 | 2.5 to 5 hours | 4739 | 1565127.7 | 9.8% |
| 3 | 5.5 to 10 hours | 3519 | 1201122.2 | 7.5% |
| 4 | 10.5 to 14 hours | 3420 | 1064904.0 | 6.7% |
| 5 | 14.5 to 20 hours | 1164 | 356383.1 | 2.2% |
| 6 | 20.5 to 30 hours | 516 | 178639.8 | 1.1% |
| 7 | 30.5 to 40 hours | 779 | 238556.8 | 1.5% |
| 8 | Greater than 40 hours | 165 | 53419.9 | 0.3% |
| 9 | | 159 | 52851.0 | 0.3% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 235 | 96198.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACG025: Num of hours - computer / tablet / smart phone - 7 d

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=48637 / 15872595.54 ] [Invalid=61022 / 14718184.72 ] |
| Universe | Respondents with DOSAC = 1 |
| Literal question | [Excluding the activities you have already reported, in / In] the last 7 days, how much of your free time did you spend on a computer, tablet or smart phone, doing activities such as surfing the Internet, emailing, using Facebook or doing homework? Do not include time spent at work, during class time or during transportation. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | None or less than 1 hour | 10684 | 2812746.4 | 17.7% |
| 2 | 1 to 2 hours | 7329 | 2310353.1 | 14.6% |
| 3 | 2.5 to 5 hours | 9189 | 3163829.4 | 19.9% |
| 4 | 5.5 to 10 hours | 11429 | 3898724.2 | 24.6% |
| 5 | 10.5 to 14 hours | 4586 | 1612228.5 | 10.2% |

# SACG025: Num of hours - computer / tablet / smart phone - 7 d

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | 14.5 to 20 hours | 1690 | 601856.7 | 3.8% |
| 7 | 20.5 to 30 hours | 2606 | 1020696.8 | 6.4% |
| 8 | 30.5 to 40 hours | 592 | 227735.6 | 1.4% |
| 9 | Greater than 40 hours | 532 | 224424.8 | 1.4% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 479 | 181673.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACDVTER: Total number hours / week - sedentary activities (excl reading) - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=48168 / 15730642.62 ] [Invalid=61491 / 14860137.64 ] |
| **Definition** | Derived from SAC_010, SAC_020, SAC_025, SACTTER |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 5 hours | 4070 | 1337989.9 | 8.5% |
| 2 | From 5 to 9 hours | 6773 | 2394423.3 | 15.2% |
| 3 | From 10 to 14 hours | 8081 | 2739506.0 | 17.4% |
| 4 | From 15 to 19 hours | 5601 | 1847239.0 | 11.7% |
| 5 | From 20 to 24 hours | 6892 | 2188115.4 | 13.9% |
| 6 | From 25 to 29 hours | 4605 | 1463600.2 | 9.3% |
| 7 | From 30 to 34 hours | 2533 | 807214.3 | 5.1% |
| 8 | From 35 to 39 hours | 2990 | 936231.6 | 6.0% |
| 9 | From 40 to 44 hours | 2043 | 609793.1 | 3.9% |
| 10 | 45 hours or more | 4580 | 1406529.9 | 8.9% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 948 | 323626.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SACDVTOT: Total number hours / week - sedentary activities - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=47911 / 15666797.04 ] [Invalid=61748 / 14923983.22 ] |
| **Definition** | Derived from SAC_005, SAC_010, SAC_020, SAC_025, SACTTOT |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 5 hours | 1703 | 589004.0 | 3.8% |
| 2 | From 5 to 9 hours | 4101 | 1484890.8 | 9.5% |
| 3 | From 10 to 14 hours | 5625 | 2002172.2 | 12.8% |
| 4 | From 15 to 19 hours | 5693 | 1894550.1 | 12.1% |
| 5 | From 20 to 24 hours | 6301 | 2093802.8 | 13.4% |
| 6 | From 25 to 29 hours | 5218 | 1687319.9 | 10.8% |
| 7 | From 30 to 34 hours | 3842 | 1226795.4 | 7.8% |

# SACDVTOT: Total number hours / week - sedentary activities - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | From 35 to 39 hours | 4079 | 1319904.3 | 8.4% |
| 9 | From 40 to 44 hours | 3001 | 884825.6 | 5.6% |
| 10 | 45 hours or more | 8348 | 2483532.1 | 15.9% |
| 96 | Valid skip | 60543 | 14536511.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1205 | 387472.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOSXB: Sexual behaviours - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_005: Had sexual intercourse - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=71954 / 22517104.39 ] [Invalid=37705 / 8073675.87 ] |
| Universe | Respondents aged 15 to 64 with DOSXB = 1 |
| Literal question | Have you ever had sex? Please include vaginal and anal sex. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 65421 | 20281078.2 | 90.1% |
| 2 | No | 6533 | 2236026.2 | 9.9% |
| 6 | Valid skip | 34307 | 6720992.9 | |
| 7 | Don't know | 226 | 79839.5 | |
| 8 | Refusal | 2332 | 909513.6 | |
| 9 | Not stated | 840 | 363329.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_010: Had sex with males / females / both - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=65152 / 20182202.47 ] [Invalid=44507 / 10408577.79 ] |
| Universe | Respondents who answered SXB_005 = 1 |
| Literal question | During your lifetime, have you had sex with...? |
| Notes | Was not asked in proxy interviews |

## # SXB_010: Had sex with males / females / both - lifetime

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Males only | 33129 | 9640438.2 | | 47.8% |
| 2 | Females only | 29483 | 9788857.3 | | 48.5% |
| 3 | Both males and females | 2540 | 752907.0 | | 3.7% |
| 6 | Valid skip | 40840 | 8957019.1 | | |
| 7 | Don't know | 44 | 17807.0 | | |
| 8 | Refusal | 225 | 81068.7 | | |
| 9 | Not stated | 3398 | 1352683.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_025: First sexual intercourse with a female - used a condom

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=29111 / 9655521.35 ] [Invalid=80548 / 20935258.91 ] |
| Universe | Males who answered SXB_010 = (2, 3) |
| Literal question | Did you or your (female) partner use a condom the first time (you had sex)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 17177 | 5995282.9 | | 62.1% |
| 2 | No | 11934 | 3660238.5 | | 37.9% |
| 6 | Valid skip | 76375 | 19335582.8 | | |
| 7 | Don't know | 571 | 178785.6 | | |
| 8 | Refusal | 239 | 106248.5 | | |
| 9 | Not stated | 3363 | 1314642.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_030: Had sex with a female - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=31796 / 10451484.96 ] [Invalid=77863 / 20139295.3 ] |
| Universe | Respondents who answered SXB_010 = (2, 3) |
| Literal question | In the past 12 months, have you had sex with a female? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 25833 | 8898007.0 | | 85.1% |
| 2 | No | 5963 | 1553478.0 | | 14.9% |
| 6 | Valid skip | 73969 | 18597457.3 | | |
| 7 | Don't know | 29 | 10640.9 | | |
| 8 | Refusal | 198 | 79638.5 | | |
| 9 | Not stated | 3667 | 1451558.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_055: First sexual intercourse with a male - used a condom

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=34284 / 9988345.33 ] [Invalid=75375 / 20602434.93 ] |
| Universe | Respondents who answered SXB_010 = (1, 3) |
| Literal question | Did you or your (male) partner use a condom the first time (you had sex)? |
| Notes | Was not asked in proxy interviews |

# SXB_055: First sexual intercourse with a male - used a condom

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 21737 | 6548454.9 | | 65.6% |
| 2 | No | 12547 | 3439890.5 | | 34.4% |
| 6 | Valid skip | 70323 | 18745876.4 | | |
| 7 | Don't know | 932 | 261545.3 | | |
| 8 | Refusal | 453 | 143454.6 | | |
| 9 | Not stated | 3667 | 1451558.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_060: Had sex with a male - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------|
| Statistics [NW/ W] | [Valid=35289 / 10261117.06 ] [Invalid=74370 / 20329663.2 ] |
| Universe | Respondents who answered SXB_010 = (1, 3) |
| Literal question | In the past 12 months, have you had sex with a male? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 28107 | 8602785.2 | | 83.8% |
| 2 | No | 7182 | 1658331.9 | 16.2% | |
| 6 | Valid skip | 70323 | 18745876.4 | | |
| 7 | Don't know | 49 | 19759.6 | | |
| 8 | Refusal | 331 | 112468.5 | | |
| 9 | Not stated | 3667 | 1451558.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_075: Last sex partner - male / female

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|-------------|
| Statistics [NW/ W] | [Valid=718 / 190078.84 ] [Invalid=108941 / 30400701.42 ] |
| Universe | Respondents who answered SXB_010 = 3 and ((SXB_030 = 1 and SXB_060 = 1) or (SXB_030 = 2 and SXB_060 = 2) or (SXB_030 = (7, 8) or SXB_060 = (7, 8))) |
| Literal question | Was your last sex partner a male or female? |
| Notes | Was not asked in proxy interviews. Due to an error in processing, the variable SXB_075 was set to "not stated" whenever (SXB_010 = 1 and SXB_030 = (7, 8)) or (SXB_010 = 2 and SXB_060 = (7, 8)). This variable should only apply to cases with SXB_010 = 3 (see universe). Use caution when analyzing this variable. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Male | 462 | 128661.5 | | 67.7% |
| 2 | Female | 247 | 58759.0 | | 30.9% |
| 3 | Both male and female (at same time) | 9 | 2658.4 | 1.4% | |
| 6 | Valid skip | 89251 | 24119346.5 | | |
| 7 | Don't know | 7 | 1595.4 | | |
| 8 | Refusal | 6 | 557.5 | | |
| 9 | Not stated | 19677 | 6279202.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_080: Last sexual intercourse - used a condom

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------|
| Statistics [NW/ W] | [Valid=63505 / 19666990.64 ] [Invalid=46154 / 10923789.62 ] |

## # SXB_080: Last sexual intercourse - used a condom

| | | | | |
|---|---|---|---|---|
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) | | | |
| **Literal question** | Did you or your partner use a condom the last time you had sex? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15871 | 5207022.2 | 26.5% |
| 2 | No | 47634 | 14459968.5 | 73.5% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 390 | 104714.5 | |
| 8 | Refusal | 648 | 231540.8 | |
| 9 | Not stated | 3684 | 1455437.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_085A: Used condom - reason - to protect against STI

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15814 / 5190152.72 ] [Invalid=93845 / 25400627.54 ] |
| **Universe** | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - To protect against sexually transmitted infections, including HIV |
| **Literal question** | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - To protect against sexually transmitted infections, including HIV |
| **Notes** | Was not asked in proxy interviews. If a respondent had SXB_085C = 1, the variable SXB_085A was given the value of 1. Therefore, users should not look at SXB_085A or SXB_085B concurrently with SXB_085C; there may be duplication in the frequencies. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9526 | 2920318.2 | 56.3% |
| 2 | No | 6288 | 2269834.5 | 43.7% |
| 6 | Valid skip | 89066 | 23592065.2 | |
| 7 | Don't know | 33 | 10008.0 | |
| 8 | Refusal | 24 | 6861.5 | |
| 9 | Not stated | 4722 | 1791692.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_085B: Used condom - reason - to prevent pregnancy

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15814 / 5190152.72 ] [Invalid=93845 / 25400627.54 ] |
| **Universe** | Respondents who answered SXB_080 = 1 |
| **Literal question** | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - To prevent pregnancy |
| **Notes** | Was not asked in proxy interviews. If a respondent had SXB_085C = 1, the variable SXB_085B was given the value of 1. Therefore, users should not look at SXB_085A or SXB_085B concurrently with SXB_085C; there may be duplication in the frequencies. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13375 | 4558996.5 | 87.8% |
| 2 | No | 2439 | 631156.2 | 12.2% |
| 6 | Valid skip | 89066 | 23592065.2 | |
| 7 | Don't know | 33 | 10008.0 | |
| 8 | Refusal | 24 | 6861.5 | |
| 9 | Not stated | 4722 | 1791692.9 | |

# SXB_085B: Used condom - reason - to prevent pregnancy

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_085C: Used condom - reason - to protection against STI and prevent pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15814 / 5190152.72 ] [Invalid=93845 / 25400627.54 ] |
| Universe | Respondents who answered SXB_080 = 1 |
| Literal question | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - Both to protect against sexually transmitted infections and to prevent pregnancy |
| Notes | Was not asked in proxy interviews. If a respondent answered SXB_085A = 1 and SXB_085B = 1 , the variable SXB_085C was given the value of 1. Therefore, users should not look at SXB_085A or SXB_085B concurrently with SXB_085C; there may be duplication in the frequencies. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7472 | 2397492.5 | 46.2% |
| 2 | No | 8342 | 2792660.2 | 53.8% |
| 6 | Valid skip | 89066 | 23592065.2 | |
| 7 | Don't know | 33 | 10008.0 | |
| 8 | Refusal | 24 | 6861.5 | |
| 9 | Not stated | 4722 | 1791692.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_085D: Used condom - reason - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15814 / 5190152.72 ] [Invalid=93845 / 25400627.54 ] |
| Universe | Respondents who answered SXB_080 = 1 |
| Literal question | What are the reasons that you or your partner used a condom the last time you had sex? Was this...? - Other - Specify |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 431 | 121924.8 | 2.3% |
| 2 | No | 15383 | 5068227.9 | 97.7% |
| 6 | Valid skip | 89066 | 23592065.2 | |
| 7 | Don't know | 33 | 10008.0 | |
| 8 | Refusal | 24 | 6861.5 | |
| 9 | Not stated | 4722 | 1791692.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090A: No condom - reason - respondent/partner trying to get pregnant

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was or my partner was trying to get pregnant |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2139 | 824062.2 | 5.8% |
| 2 | No | 44924 | 13471942.7 | 94.2% |
| 6 | Valid skip | 57303 | 14339118.9 | |

# SXB_090A: No condom - reason - respondent/partner trying to get pregnant

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 334 | 90566.2 | |
| 8 | Refusal | 234 | 73043.5 | |
| 9 | Not stated | 4725 | 1792046.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090B: No condom - reason - respondent/partner already pregnant

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was or my partner was already pregnant |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1226 | 402648.8 | 2.8% |
| 2 | No | 45837 | 13893356.2 | 97.2% |
| 6 | Valid skip | 57303 | 14339118.9 | |
| 7 | Don't know | 334 | 90566.2 | |
| 8 | Refusal | 234 | 73043.5 | |
| 9 | Not stated | 4725 | 1792046.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090C: No condom - reason - didn't think at risk of pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not think we were at risk of pregnancy |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 14878 | 4282488.2 | 30.0% |
| 2 | No | 32185 | 10013516.7 | 70.0% |
| 6 | Valid skip | 57303 | 14339118.9 | |
| 7 | Don't know | 334 | 90566.2 | |
| 8 | Refusal | 234 | 73043.5 | |
| 9 | Not stated | 4725 | 1792046.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090D: No condom - reason - din't think at risk of STI

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not think we were at risk of sexually transmitted infections, including HIV |
| Notes | Was not asked in proxy interviews |

# SXB_090D: No condom - reason - din't think at risk of STI

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 12021 | 3514614.4 | | 24.6% |
| 2 | No | 35042 | 10781390.6 | | 75.4% |
| 6 | Valid skip | 57303 | 14339118.9 | | |
| 7 | Don't know | 334 | 90566.2 | | |
| 8 | Refusal | 234 | 73043.5 | | |
| 9 | Not stated | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090E: No condom - reason - in a monogamous relationship

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - I was in a monogamous relationship |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 33426 | 10197451.2 | | 71.3% |
| 2 | No | 13637 | 4098553.8 | 28.7% | |
| 6 | Valid skip | 57303 | 14339118.9 | | |
| 7 | Don't know | 334 | 90566.2 | | |
| 8 | Refusal | 234 | 73043.5 | | |
| 9 | Not stated | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090F: No condom - reason - didn't have condoms / other protection

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Did not have a condom or other protection at the time |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1837 | 521179.4 | 3.6% | |
| 2 | No | 45226 | 13774825.6 | | 96.4% |
| 6 | Valid skip | 57303 | 14339118.9 | | |
| 7 | Don't know | 334 | 90566.2 | | |
| 8 | Refusal | 234 | 73043.5 | | |
| 9 | Not stated | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090G: No condom - reason - used another method of protection

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - We used another method of protection |

# SXB_090G: No condom - reason - used another method of protection

| | Notes | | Was not asked in proxy interviews | | | |
|---|---|---|---|---|---|---|

| Value | Label | | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|---|
| 1 | Yes | | 9586 | 3039843.6 | 21.3% | |
| 2 | No | | 37477 | 11256161.3 | 78.7% | |
| 6 | Valid skip | | 57303 | 14339118.9 | | |
| 7 | Don't know | | 334 | 90566.2 | | |
| 8 | Refusal | | 234 | 73043.5 | | |
| 9 | Not stated | | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090H: No condom - reason - didn't like condoms

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - We didn't like condoms |
| Notes | Was not asked in proxy interviews |

| Value | Label | | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|---|
| 1 | Yes | | 4082 | 1336281.7 | 9.3% | |
| 2 | No | | 42981 | 12959723.2 | 90.7% | |
| 6 | Valid skip | | 57303 | 14339118.9 | | |
| 7 | Don't know | | 334 | 90566.2 | | |
| 8 | Refusal | | 234 | 73043.5 | | |
| 9 | Not stated | | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_090I: No condom - reason - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=47063 / 14296004.96 ] [Invalid=62596 / 16294775.3 ] |
| Universe | Respondents who answered SXB_080 = 2 |
| Literal question | What are the reasons that you or your partner did NOT use a condom the last time you had sex? - Other - Specify |
| Notes | Was not asked in proxy interviews |

| Value | Label | | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|---|
| 1 | Yes | | 1221 | 336292.7 | 2.4% | |
| 2 | No | | 45842 | 13959712.2 | 97.6% | |
| 6 | Valid skip | | 57303 | 14339118.9 | | |
| 7 | Don't know | | 334 | 90566.2 | | |
| 8 | Refusal | | 234 | 73043.5 | | |
| 9 | Not stated | | 4725 | 1792046.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095A: Other methods of protection - withdrawal or pulling out

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| Universe | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| Literal question | What other methods of protection did you and your partner use the last time you had sex? - Withdrawal or pulling out |

## # SXB_095A: Other methods of protection - withdrawal or pulling out

| Notes | Was not asked in proxy interviews |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1600 | 538716.8 | 2.8% | |
| 2 | No | 61372 | 18954078.9 | | 97.2% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095B: Other methods of protection - vasectomy / tubal sterilization

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Vasectomy or tubal sterilization ("tubes tied") |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 9931 | 2796460.2 | 14.3% | |
| 2 | No | 53041 | 16696335.4 | | 85.7% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095C: Other methods of protection - birth control pill

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Birth control pill |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 9483 | 3085183.8 | 15.8% | |
| 2 | No | 53489 | 16407611.8 | | 84.2% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095D: Other methods of protection - injection

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |

# SXB_095D: Other methods of protection - injection

| Universe | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
|---|---|
| Literal question | What other methods of protection did you and your partner use the last time you had sex? - Injection (e.g., Depo-ProveraTM) |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 298 | 70129.5 | 0.4% | |
| 2 | No | 62674 | 19422666.2 | | 99.6% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095E: Other methods of protection - spermicidal foam / jelly / cream / film

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| Universe | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| Literal question | What other methods of protection did you and your partner use the last time you had sex? - Spermicidal foam, jelly, cream, film, suppository |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109 | 24447.6 | 0.1% | |
| 2 | No | 62863 | 19468348.1 | | 99.9% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095F: Other methods of protection - hormonal implant

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| Universe | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| Literal question | What other methods of protection did you and your partner use the last time you had sex? - Hormonal implant |
| Notes | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 52 | 14788.6 | 0.1% | |
| 2 | No | 62920 | 19478007.0 | | 99.9% |
| 6 | Valid skip | 41432 | 9132096.7 | | |
| 7 | Don't know | 614 | 183059.1 | | |
| 8 | Refusal | 937 | 320783.9 | | |
| 9 | Not stated | 3704 | 1462044.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095G: Other methods of protection - rhythm method

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Rhythm method (tracking ovulation cycle) |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 270 | 89073.7 | 0.5% |
| 2 | No | 62702 | 19403722.0 | 99.5% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095H: Other methods of protection - contraceptive patch

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Contraceptive Patch (e.g., Ortho-EvraTM) |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 171 | 61845.6 | 0.3% |
| 2 | No | 62801 | 19430950.1 | 99.7% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_095I: Other methods of protection - vaginal contraceptive ring

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Vaginal contraceptive ring (e.g., Nuva-ringTM) |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 357 | 116237.5 | 0.6% |
| 2 | No | 62615 | 19376558.1 | 99.4% |
| 6 | Valid skip | 41432 | 9132096.7 | |

## # SXB_095I: Other methods of protection - vaginal contraceptive ring

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095J: Other methods of protection - intrauterine device / coil / loop

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Intrauterine Device (IUD) (e.g., MirenaTM), coil, loop |
| **Notes** | Was not asked in proxy interviews. If a male answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 1) or SXB_075 = 1, this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2539 | 794143.3 | 4.1% |
| 2 | No | 60433 | 18698652.4 | 95.9% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095K: Other methods of protection - none

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - None |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 38181 | 11920807.1 | 61.2% |
| 2 | No | 24791 | 7571988.6 | 38.8% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_095L: Other methods of protection - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=62972 / 19492795.68 ] [Invalid=46687 / 11097984.58 ] |
| **Universe** | Males who answered SXB_010 = (1, 2 or 3) or Females who answered SXB_010 = 1 or (SXB_010 = 3 and SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_010 = 3 and SXB_075 = (1, 3, 7 or 8)) |
| **Literal question** | What other methods of protection did you and your partner use the last time you had sex? - Other - Specify |
| **Notes** | Was not asked in proxy interviews |

## # SXB_095L: Other methods of protection - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 816 | 213742.8 | 1.1% |
| 2 | No | 62156 | 19279052.9 | 98.9% |
| 6 | Valid skip | 41432 | 9132096.7 | |
| 7 | Don't know | 614 | 183059.1 | |
| 8 | Refusal | 937 | 320783.9 | |
| 9 | Not stated | 3704 | 1462044.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_100: Used emergency contraceptive pill - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=21043 / 6554709.97 ] [Invalid=88616 / 24036070.29 ] |
| Universe | Females aged 15 to 49 who answered SXB_010 = (1 or 3) and ((SXB_030 = (2, 7 or 8) and SXB_060 = (1, 7 or 8)) or (SXB_075 = (1, 3, 7 or 8)) |
| Literal question | In the past 12 months, did you use the emergency contraceptive pill? |
| Notes | Was not asked in proxy interviews. Due to an error in processing, male respondents or respondents aged less than 15 and greater than 49 were coded as "not stated" instead of "valid skip". Users should treat these cases as a "valid skip". |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 723 | 240395.6 | 3.7% |
| 2 | No | 20320 | 6314314.4 | 96.3% |
| 6 | Valid skip | 54056 | 12849184.8 | |
| 7 | Don't know | 22 | 8388.2 | |
| 8 | Refusal | 114 | 41110.5 | |
| 9 | Not stated | 34424 | 11137386.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_105: Used emergency contraceptive pill - num of times - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=721 / 239759.63 ] [Invalid=108938 / 30351020.63 ] |
| Universe | Respondents who answered SXB_100 = 1 |
| Literal question | How many times (did you use the emergency contraceptive pill in the past 12 months)? |
| Notes | Was not asked in proxy interviews. Due to an error in processing, male respondents or respondents aged less than 15 and greater than 49 were coded as "not stated" instead of "valid skip". Users should treat these cases as a "valid skip". |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Once | 536 | 168889.5 | 70.4% |
| 2 | Twice | 118 | 40190.1 | 16.8% |
| 3 | More than twice | 67 | 30680.0 | 12.8% |
| 6 | Valid skip | 74376 | 19163499.2 | |
| 7 | Don't know | 2 | 635.9 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 34560 | 11186885.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_110: Had an HIV test - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=64232 / 19918524.12 ] [Invalid=45427 / 10672256.14 ] |
| Universe | Respondents who answered SXB_005 = 1 |

## # SXB_110: Had an HIV test - lifetime

| **Literal question** | Have you ever had a test for HIV, other than for blood donation? |
|---|---|
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 23184 | 7165289.4 | 36.0% |
| 2 | No | 41048 | 12753234.7 | 64.0% |
| 6 | Valid skip | 40840 | 8957019.1 | |
| 7 | Don't know | 859 | 246084.2 | |
| 8 | Refusal | 330 | 116469.9 | |
| 9 | Not stated | 3398 | 1352683.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_115: Most recent HIV test - when

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23038 / 7109933.62 ] [Invalid=86621 / 23480846.64 ] |
| **Universe** | Respondents who answered SXB_110 = 1 |
| **Literal question** | When was your most recent HIV test? |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Within the past month | 617 | 211099.5 | 3.0% |
| 2 | From 1 to less than 6 months ago | 2173 | 706406.6 | 9.9% |
| 3 | From 6 to less than 12 months ago | 2459 | 762527.4 | 10.7% |
| 4 | One year ago or more | 17789 | 5429900.1 | 76.4% |
| 6 | Valid skip | 81888 | 21710253.8 | |
| 7 | Don't know | 140 | 52969.2 | |
| 8 | Refusal | 6 | 2386.6 | |
| 9 | Not stated | 4587 | 1715237.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_120: Most recent HIV test - main reason

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23066 / 7119320.17 ] [Invalid=86593 / 23471460.09 ] |
| **Universe** | Respondents who answered SXB_110 = 1 |
| **Literal question** | What was the main reason you had this test for HIV? Was this for...? |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Insurance policy requirement | 1666 | 542671.7 | 7.6% |
| 2 | Mandatory screening for immigration | 1081 | 468477.2 | 6.6% |
| 3 | [Prenatal screening] | 3457 | 980612.3 | 13.8% |
| 4 | New partner | 3810 | 1172419.2 | 16.5% |
| 5 | Concern for my health | 8150 | 2380289.1 | 33.4% |
| 6 | Other | 4902 | 1574850.6 | 22.1% |
| 96 | Valid skip | 81888 | 21710253.8 | |
| 97 | Don't know | 102 | 39662.2 | |
| 98 | Refusal | 16 | 6307.0 | |
| 99 | Not stated | 4587 | 1715237.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_125: Most recent HIV test - obtained the result

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=23027 / 7113467.47 ] [Invalid=86632 / 23477312.79 ] |
| Universe | Respondents who answered SXB_110 = 1 |
| Literal question | Did you obtain the result for this test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 20285 | 6293801.8 | | 88.5% |
| 2 | No | 2742 | 819665.7 | 11.5% | |
| 6 | Valid skip | 81888 | 21710253.8 | | |
| 7 | Don't know | 153 | 49649.7 | | |
| 8 | Refusal | 4 | 2172.2 | | |
| 9 | Not stated | 4587 | 1715237.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_130: Tested for other STI - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64063 / 19830899.17 ] [Invalid=45596 / 10759881.09 ] |
| Universe | Respondents who answered SXB_005 = 1 |
| Literal question | Have you ever been tested for sexually transmitted infections, other than HIV? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 22099 | 6636610.1 | 33.5% | |
| 2 | No | 41964 | 13194289.0 | | 66.5% |
| 6 | Valid skip | 40840 | 8957019.1 | | |
| 7 | Don't know | 1005 | 323905.2 | | |
| 8 | Refusal | 353 | 126273.8 | | |
| 9 | Not stated | 3398 | 1352683.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SXB_140: Most recent STI test - main reason

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=22002 / 6611999.89 ] [Invalid=87657 / 23978780.37 ] |
| Universe | Respondents who answered SXB_130 = 1 |
| Literal question | What was the main reason you had this test for sexually transmitted infections (STI), other than HIV? Was this for...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Insurance policy requirement | 537 | 187981.4 | 2.8% |
| 2 | Mandatory screening for immigration | 407 | 154816.7 | 2.3% |
| 3 | [Prenatal screening] | 2870 | 784989.3 | 11.9% |
| 4 | New partner | 3985 | 1240792.6 | 18.8% |
| 5 | Concern for my health | 9597 | 2826375.6 | 42.7% |
| 6 | Other | 4606 | 1417044.3 | 21.4% |
| 96 | Valid skip | 82804 | 22151308.2 | |
| 97 | Don't know | 77 | 18138.3 | |
| 98 | Refusal | 20 | 6471.9 | |

# SXB_140: Most recent STI test - main reason

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99 | Not stated | 4756 | 1802862.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXB_145: Most recent STI test - obtained results

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=21977 / 6600516.87 ] [Invalid=87682 / 23990263.39 ] |
| Universe | Respondents who answered SXB_130 = 1 |
| Literal question | Did you obtain the result for this test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 19516 | 5881396.9 | | 89.1% |
| 2 | No | 2461 | 719119.9 | | 10.9% |
| 6 | Valid skip | 82804 | 22151308.2 | | |
| 7 | Don't know | 114 | 33557.9 | | |
| 8 | Refusal | 8 | 2535.4 | | |
| 9 | Not stated | 4756 | 1802862.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXBDVPRT: Total number of sexual partners - 12 mo - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-400] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64290 / 19875810.41 ] [Invalid=45369 / 10714969.85 ] [Mean=1.134 / 1.172 ] [StdDev=2.404 / 1.911 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, SXB_005, SXB_010, SXB_030, SXB_035, SXB_060, SXB_065 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 39944 | 8705079.9 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 5425 | 2009889.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXBDVSTI: Ever been tested for an STI - other than through blood donation - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64185 / 19885839.28 ] [Invalid=45474 / 10704940.98 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_130 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Has been tested for HIV or an STI | 30535 | 9330200.9 | | 46.9% |
| 2 | Has never been tested for HIV or other STIs | 33650 | 10555638.4 | | 53.1% |
| 6 | Valid skip | 39944 | 8705079.9 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 5530 | 1999861.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SXBDVTST: Most recent test - sexually transmitted infections (STI) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|

## # SXBDVTST: Most recent test - sexually transmitted infections (STI) - (D)

| **Statistics [NW/ W]** | [Valid=29542 / 9012962.54 ] [Invalid=80117 / 21577817.72 ] |
|---|---|
| **Definition** | Derived from DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_115, SXB_130, SXB_135 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Within the past month | 923 | 321421.2 | 3.6% | |
| 2 | From 1 to less than 6 months ago | 3085 | 966781.8 | 10.7% | |
| 3 | From 6 to less than 12 months ago | 3500 | 1105358.0 | 12.3% | |
| 4 | One year ago or more | 22034 | 6619401.6 | | 73.4% |
| 6 | Valid skip | 73594 | 19260718.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 6523 | 2317099.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOMEX: Maternal Experiences - Inclusion Flag - (F)

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_005: Takes vitamin supplement with folic acid

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=28922 / 9128060.4 ] [Invalid=80737 / 21462719.86 ] |
| **Universe** | Females aged 15 to 54 with DOMEX = 1 |
| **Literal question** | Are you taking a vitamin supplement containing folic acid? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 5952 | 1910438.4 | 20.9% | |
| 2 | No | 22970 | 7217622.0 | | 79.1% |
| 6 | Valid skip | 79798 | 21132360.2 | | |
| 7 | Don't know | 573 | 197076.5 | | |
| 8 | Refusal | 54 | 19900.6 | | |
| 9 | Not stated | 312 | 113382.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_010: Gave birth - 5 yr

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # MEX_010: Gave birth - 5 yr

| Statistics [NW/ W] | [Valid=26546 / 8292048.71 ] [Invalid=83113 / 22298731.55 ] |
| --- | --- |
| Universe | Females aged 15 to 54 with DOMEX = 1 and who answered SXB_005 <> 2 |
| Literal question | Have you given birth in the past 5 years? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 5466 | 1586477.6 | | 19.1% |
| 2 | No | 21080 | 6705571.1 | | 80.9% |
| 6 | Valid skip | 82734 | 22162395.2 | | |
| 7 | Don't know | 65 | 12418.5 | | |
| 8 | Refusal | 48 | 18046.2 | | |
| 9 | Not stated | 266 | 105871.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_040: Folic acid supplement - 3 mo before pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| --- | --- |
| Statistics [NW/ W] | [Valid=5237 / 1498916.37 ] [Invalid=104422 / 29091863.89 ] |
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| Literal question | In the three months before you got pregnant with [your last child], did you take a folic acid supplement or a multivitamin containing folic acid? |
| Notes | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 3174 | 961806.2 | | 64.2% |
| 2 | No | 2063 | 537110.2 | | 35.8% |
| 6 | Valid skip | 103837 | 28877254.4 | | |
| 7 | Don't know | 58 | 22979.2 | | |
| 8 | Refusal | 2 | 366.4 | | |
| 9 | Not stated | 525 | 191263.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_045: Folic acid supplement - 3 mo before pregnancy - every day

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| --- | --- |
| Statistics [NW/ W] | [Valid=3171 / 959759.63 ] [Invalid=106488 / 29631020.63 ] |
| Universe | Respondents who answered MEX_040 = 1 |
| Literal question | Did you take it every day or almost every day? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 3114 | 944328.2 | | 98.4% |
| 2 | No | 57 | 15431.4 | 1.6% | |
| 6 | Valid skip | 105900 | 29414364.6 | | |
| 7 | Don't know | 3 | 2046.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 585 | 214609.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_050: Folic acid supplement - first 3 mo of pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5241 / 1502774.54 ] [Invalid=104418 / 29088005.72 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| **Literal question** | During the first three months of your pregnancy (with [your last child]), did you take a folic acid supplement or a multivitamin containing folic acid? |
| **Notes** | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 4675 | 1360384.8 | | 90.5% |
| 2 | No | 566 | 142389.8 | 9.5% | |
| 6 | Valid skip | 103837 | 28877254.4 | | |
| 7 | Don't know | 52 | 18258.5 | | |
| 8 | Refusal | 4 | 1229.0 | | |
| 9 | Not stated | 525 | 191263.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_055: Folic acid supplement - first 3 mo of pregnancy - every day

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4672 / 1359600.56 ] [Invalid=104987 / 29231179.7 ] |
| **Universe** | Respondents who answered MEX_050 = 1 |
| **Literal question** | Did you take it every day or almost every day? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 4586 | 1340777.0 | | 98.6% |
| 2 | No | 86 | 18823.6 | 1.4% | |
| 6 | Valid skip | 104403 | 29019644.2 | | |
| 7 | Don't know | 3 | 784.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 581 | 210751.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_060: Folic acid supplement - aware can prevent birth defects

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5279 / 1516923.84 ] [Invalid=104380 / 29073856.42 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| **Literal question** | Before your pregnancy (with [your last child]), were you aware that taking folic acid before becoming pregnant can help prevent some birth defects? |
| **Notes** | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3895 | 1133231.2 | | 74.7% |
| 2 | No | 1384 | 383692.7 | 25.3% | |
| 6 | Valid skip | 103837 | 28877254.4 | | |
| 7 | Don't know | 16 | 4971.8 | | |
| 8 | Refusal | 2 | 366.4 | | |
| 9 | Not stated | 525 | 191263.8 | | |

## # MEX_060: Folic acid supplement - aware can prevent birth defects

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_065: Iron supplement - during pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5163 / 1484052.59 ] [Invalid=104496 / 29106727.67 ] |
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| Literal question | During your pregnancy (with [your last child]), did you take a vitamin supplement containing iron? |
| Notes | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 4333 | 1252526.9 | | 84.4% |
| 2 | No | 830 | 231525.7 | 15.6% | |
| 6 | Valid skip | 103837 | 28877254.4 | | |
| 7 | Don't know | 131 | 37654.5 | | |
| 8 | Refusal | 3 | 554.9 | | |
| 9 | Not stated | 525 | 191263.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_090: Co-sleeping with baby less than 12 mo - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5264 / 1513035.07 ] [Invalid=104395 / 29077745.19 ] |
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| Literal question | [How often does [your last child] / When [your last child] was less than one year old, how often did [he/she]] sleep in the same bed with you or anyone else? |
| Notes | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Every day or almost every day | 1659 | 494686.5 | | 32.7% |
| 2 | Once or twice a week | 540 | 168882.2 | 11.2% | |
| 3 | A few times a month | 408 | 118394.9 | 7.8% | |
| 4 | Less than once a month | 476 | 127301.9 | 8.4% | |
| 5 | Never | 2181 | 603769.5 | | 39.9% |
| 6 | Valid skip | 103837 | 28877254.4 | | |
| 7 | Don't know | 28 | 8497.7 | | |
| 8 | Refusal | 5 | 729.3 | | |
| 9 | Not stated | 525 | 191263.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_095: Co-sleeping with baby less than 12 mo - reason

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3071 / 905571.17 ] [Invalid=106588 / 29685209.09 ] |
| Universe | Females aged 15 to 54 who answered MEX_090 in (1:4) |
| Literal question | What is the main reason that [your last child] ^DT_ISWAS sleeping in the same bed with you or someone else? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | To breastfeed | 1215 | 355501.5 | | 39.3% |

# # MEX_095: Co-sleeping with baby less than 12 mo - reason

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | So the baby would sleep / So I could get some sleep | 969 | 262194.2 | 29.0% |
| 3 | Did not have room for a crib | 38 | 6006.6 | 0.7% |
| 4 | Could not afford a crib | 14 | 3777.9 | 0.4% |
| 5 | Believe that bedsharing was best for my child | 231 | 69739.6 | 7.7% |
| 6 | Child was sick | 212 | 68386.2 | 7.6% |
| 7 | Other | 392 | 139965.1 | 15.5% |
| 96 | Valid skip | 106018 | 29481023.9 | |
| 97 | Don't know | 12 | 3694.4 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 558 | 200490.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # MEX_100: Breastfed last baby

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5287 / 1520548.58 ] [Invalid=104372 / 29070231.68 ] |
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months) |
| Literal question | Was [your last child] breastfed or given breast milk even for a short time? |
| Notes | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4675 | 1366958.8 | 89.9% |
| 2 | No | 612 | 153589.8 | 10.1% |
| 6 | Valid skip | 103837 | 28877254.4 | |
| 7 | Don't know | 4 | 678.1 | |
| 8 | Refusal | 5 | 825.1 | |
| 9 | Not stated | 526 | 191474.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # MEX_105: Did not breastfeed last baby - reason

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=606 / 152411.19 ] [Invalid=109053 / 30438369.07 ] |
| Universe | Females aged 15 to 54 who answered MEX_100 = 2 |
| Literal question | What is the main reason that you did not breastfeed or give breast milk? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Bottle feeding is easier | 125 | 24550.2 | 16.1% |
| 2 | Formula is as good as breast milk | 18 | 5116.4 | 3.4% |
| 3 | Breastfeeding is unappealing | 101 | 22745.3 | 14.9% |
| 4 | Medical condition - mother | 188 | 56996.0 | 37.4% |
| 5 | Other - Specify | 174 | 43003.3 | 28.2% |
| 6 | Valid skip | 108512 | 30244213.1 | |
| 7 | Don't know | 5 | 1035.1 | |
| 8 | Refusal | 2 | 353.8 | |
| 9 | Not stated | 534 | 192767.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_110: Still breastfeeding last baby

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4673 / 1366842.59 ] [Invalid=104986 / 29223937.67 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_100 = 1 |
| **Literal question** | Are you still breastfeeding or giving breast milk to [your last child]? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1121 | 357378.2 | 26.1% |
| 2 | No | 3552 | 1009464.4 | 73.9% |
| 6 | Valid skip | 104447 | 29030834.8 | |
| 7 | Don't know | 2 | 116.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 537 | 192986.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_115: Breastfed last baby - duration

| Information | [Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3547 / 1006038.28 ] [Invalid=106112 / 29584741.98 ] [Mean=7.003 / 6.958 ] [StdDev=9.742 / 9.413 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_110 = 2 |
| **Literal question** | How long did you breastfeed or give breast milk to [your last child]? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 105568 | 29388213.1 | |
| 997 | Don't know | 4 | 1996.7 | |
| 998 | Refusal | 1 | 1429.4 | |
| 999 | Not stated | 539 | 193102.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_115A: Breastfed last baby - duration - days / weeks / months / years

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3547 / 1006038.28 ] [Invalid=106112 / 29584741.98 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_115 in (1:365) |
| **Literal question** | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 162 | 41499.9 | 4.1% |
| 2 | Weeks | 363 | 90706.2 | 9.0% |
| 3 | Months | 2538 | 715587.2 | 71.1% |
| 4 | Years | 484 | 158245.0 | 15.7% |
| 6 | Valid skip | 105568 | 29388213.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 544 | 196528.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_120: Breastfeeding - reason for stopping

| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3539 / 1003084.86 ] [Invalid=106120 / 29587695.4 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_110 = 2 |
| **Literal question** | What is the main reason that you stopped breastfeeding or giving breast milk? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Not enough breast milk | 902 | 266756.2 | | 26.6% |
| 2 | Baby was ready for solid foods | 499 | 153954.2 | | 15.3% |
| 3 | Inconvenience / fatigue due to breastfeeding | 257 | 69955.3 | | 7.0% |
| 4 | Difficulty with breastfeeding | 336 | 78337.4 | | 7.8% |
| 5 | Medical condition - mother | 211 | 59972.2 | | 6.0% |
| 6 | Medical condition - baby | 129 | 32134.8 | | 3.2% |
| 7 | Planned to stop at this time | 243 | 67661.5 | | 6.7% |
| 8 | Child weaned him / herself | 481 | 137684.2 | | 13.7% |
| 9 | Returned to work / school | 344 | 106679.5 | | 10.6% |
| 10 | Other - Specify | 137 | 29949.6 | | 3.0% |
| 96 | Valid skip | 105568 | 29388213.1 | | |
| 97 | Don't know | 12 | 4950.1 | | |
| 98 | Refusal | 1 | 1429.4 | | |
| 99 | Not stated | 539 | 193102.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_125: Vitamin D supplement - baby less than 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4644 / 1360422.42 ] [Invalid=105015 / 29230357.84 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_110 = (1, 2) |
| **Literal question** | [Are you giving [your last child] a vitamin D supplement? / [When [your last child] was [less than a year old / less than one year old and fed breast milk / fed breast milk], did you give him/her a vitamin D supplement?] |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3885 | 1153965.0 | | 84.8% |
| 2 | No | 759 | 206457.4 | | 15.2% |
| 6 | Valid skip | 104447 | 29030834.8 | | |
| 7 | Don't know | 28 | 5874.6 | | |
| 8 | Refusal | 1 | 545.6 | | |
| 9 | Not stated | 539 | 193102.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_130: Vitamin D supplement - baby over 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1305 / 393926.55 ] [Invalid=108354 / 30196853.71 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_125 = 1 and with DV_CHILDAGE >= 12 and DV_STOPBREASTFEEDING >= 12 |
| **Literal question** | [Now that [your last child] is more than a year old, are you still giving [him/her] a vitamin D supplement?/When [your last child] was older than one and fed breast milk, did you continue to give [him/her] a vitamin D supplement?] |

## # MEX_130: Vitamin D supplement - baby over 12 mo

| Notes | | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. DV_STOPBREASTFEEDING is the duration of breastfeeding calculated in months | | | |
|---|---|---|---|---|---|
| **Value** | **Label** | | **Cases** | **Weighted** | **Percentage (Weighted)** |
| 1 | Yes | | 703 | 209583.2 | 53.2% |
| 2 | No | | 602 | 184343.4 | 46.8% |
| 6 | Valid skip | | 107757 | 29988003.1 | |
| 7 | Don't know | | 26 | 6327.6 | |
| 8 | Refusal | | 3 | 2999.9 | |
| 9 | Not stated | | 568 | 199523.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_140: Vitamin D supplement - overall frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3829 / 1137839.13 ] [Invalid=105830 / 29452941.13 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_125 = 1 |
| **Literal question** | Overall, how often [do/did] you give [your last child] a supplement containing vitamin D? |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Every day | 2162 | 668302.2 | 58.7% |
| 2 | Almost every day | 1044 | 295018.6 | 25.9% |
| 3 | Once or twice a week | 456 | 126598.8 | 11.1% |
| 4 | Less than once a week | 167 | 47919.4 | 4.2% |
| 6 | Valid skip | 105206 | 29237292.2 | |
| 7 | Don't know | 51 | 13303.5 | |
| 8 | Refusal | 5 | 2822.4 | |
| 9 | Not stated | 568 | 199523.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_150: Baby's feeds - other liquids (milk, water, juice)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4665 / 1365676.24 ] [Invalid=104994 / 29225104.02 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_110 = (1, 2) |
| **Literal question** | [While you were still breastfeeding, had / Have] liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to [your last child]'s feeds? |
| **Notes** | Was not asked in proxy interviews |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 3055 | 904020.8 | 66.2% |
| 2 | No | 1610 | 461655.4 | 33.8% |
| 6 | Valid skip | 104447 | 29030834.8 | |
| 7 | Don't know | 8 | 1166.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 539 | 193102.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_155: Baby's feeds - other liquids - age

| Information | [Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2993 / 880521.26 ] [Invalid=106666 / 29710259 ] [Mean=4.684 / 4.578 ] [StdDev=3.237 / 3.206 ] |

## # MEX_155: Baby's feeds - other liquids - age

| | |
|---|---|
| **Universe** | Females aged 15 to 54 who answered MEX_150 = 1 |
| **Literal question** | How old was [your last child] when other liquids were first added to the feeds? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 106057 | 29492490.2 | |
| 997 | Don't know | 61 | 23364.2 | |
| 998 | Refusal | 1 | 135.3 | |
| 999 | Not stated | 547 | 194269.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_160: Other liquids - age - days / weeks / months / years

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2993 / 880521.26 ] [Invalid=106666 / 29710259 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_155 in (1:365) |
| **Literal question** | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 411 | 137483.9 | 15.6% |
| 2 | Weeks | 255 | 75165.6 | 8.5% |
| 3 | Months | 2201 | 634591.1 | 72.1% |
| 4 | Years | 126 | 33280.6 | 3.8% |
| 6 | Valid skip | 106057 | 29492490.2 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 609 | 217768.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_170: Baby's feeds - solid foods

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2373 / 707894.57 ] [Invalid=107286 / 29882885.69 ] |
| **Universe** | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 24 (months) |
| **Literal question** | Have solid foods such as cereals, mashed up or pureed meat, vegetables or fruits been introduced to the baby's feeds? |
| **Notes** | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1764 | 508717.4 | 71.9% |
| 2 | No | 609 | 199177.1 | 28.1% |
| 6 | Valid skip | 106749 | 29690132.5 | |
| 7 | Don't know | 9 | 883.4 | |
| 8 | Refusal | 3 | 606.0 | |
| 9 | Not stated | 525 | 191263.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_175: Baby's feeds - solid foods - age

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-46] [Missing=*] |

## # MEX_175: Baby's feeds - solid foods - age

| Statistics [NW/ W] | [Valid=4598 / 1305191.97 ] [Invalid=105061 / 29285588.29 ] [Mean=5.726 / 5.67 ] [StdDev=2.195 / 2.159 ] |
|---|---|
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and (MEX_170 = 1 or 24 <= DV_CHILDAGE < 72 (months)) |
| Literal question | How old was [your last child] when solid foods (such as cereals, mashed up or pureed meat, vegetables or fruits) were first added to their feeds? |
| Notes | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and (MEX_170 = 1 or 24 <= DV_CHILDAGE < 72 (months)) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 104446 | 29076431.5 | |
| 997 | Don't know | 70 | 14197.2 | |
| 998 | Refusal | 8 | 2206.4 | |
| 999 | Not stated | 537 | 192753.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_180: Solid foods - age - days / weeks / months / years

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4598 / 1305191.97 ] [Invalid=105061 / 29285588.29 ] |
| Universe | Females aged 15 to 54 who answered MEX_175 in (1:365) |
| Literal question | Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and 1/2 months would become 4 months. If the respondent reports more than a year, with half values, report in months. For example, 2 1/2 years = 30 months. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 6 | 1544.4 | 0.1% |
| 2 | Weeks | 44 | 10316.2 | 0.8% |
| 3 | Months | 4456 | 1258629.0 | 96.4% |
| 4 | Years | 92 | 34702.3 | 2.7% |
| 6 | Valid skip | 104446 | 29076431.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 615 | 209156.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_190: Baby's feeds - first solid food

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4601 / 1302586.12 ] [Invalid=105058 / 29288194.14 ] |
| Universe | Females aged 15 to 54 who answered MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and (MEX_170 = 1 or 24 <= DV_CHILDAGE < 72 (months)) |
| Literal question | What was the first solid food added to [your last child]'s feeds? |
| Notes | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Infant cereals | 3263 | 902169.9 | 69.3% |
| 2 | Meat, fish or poultry | 105 | 25047.9 | 1.9% |
| 3 | Meat alternatives | 52 | 12261.9 | 0.9% |
| 4 | Fruits or vegetables | 1063 | 332901.5 | 25.6% |
| 5 | Other | 118 | 30204.9 | 2.3% |
| 6 | Valid skip | 104446 | 29076431.5 | |

## # MEX_190: Baby's feeds - first solid food

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 7 | Don't know | 68 | 17935.1 | |
| 8 | Refusal | 7 | 1074.3 | |
| 9 | Not stated | 537 | 192753.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX_195: Baby's feeds - other liquids / solid foods - reason

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=4783 / 1368420.06 ] [Invalid=104876 / 29222360.2 ] |
| **Universe** | Females aged 15 to 54 who answered (MEX_010 = 1 and MEX_025 <> (97, 98) and MEX_030 <> (9997, 9998) and with DV_CHILDAGE < 72 (months)) and (MEX_150 = 1 or MEX_170 = 1 or with DV_CHILDAGE >= 24) |
| **Literal question** | What is the main reason [other liquids / solid foods / other liquids and solid foods] were first added to [your last child]'s feeds? |
| **Notes** | Was not asked in proxy interviews. DV_CHILDAGE is the calculated age in months of the child. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Not enough breast milk | 404 | 131739.0 | 9.6% |
| 2 | [Baby was ready for solid foods] | 3344 | 930014.2 | 68.0% |
| 3 | Inconvenience / fatigue due to breastfeeding | 80 | 22006.5 | 1.6% |
| 4 | Difficulty with breastfeeding | 50 | 13242.9 | 1.0% |
| 5 | Medical condition - mother | 23 | 4985.9 | 0.4% |
| 6 | Medical condition - baby | 103 | 24683.2 | 1.8% |
| 7 | Advice from health professional / family | 493 | 168668.9 | 12.3% |
| 8 | Returned to work / school | 26 | 5822.7 | 0.4% |
| 9 | Formula equally healthy for baby | 35 | 7399.3 | 0.5% |
| 10 | Other - Specify | 225 | 59857.4 | 4.4% |
| 96 | Valid skip | 104244 | 29004295.0 | |
| 97 | Don't know | 50 | 13638.5 | |
| 98 | Refusal | 6 | 835.3 | |
| 99 | Not stated | 576 | 203591.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXDGWBK: Weight before pregnancy (in kilograms) - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 42.75-121.5] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=5043 / 1436163.22 ] [Invalid=104616 / 29154617.04 ] [Mean=66.405 / 65.271 ] [StdDev=14.931 / 13.959 ] |
| **Definition** | Derived from DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_070, MEX_N075 |
| **Universe** | See documentation on derived variables |
| **Notes** | This variable has been capped at a minimum and maximum based on respondents age as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 999.96 | Valid skip | 103837 | 28877254.4 | |
| 999.97 | Don't know | 0 | 0.0 | |
| 999.98 | Refusal | 0 | 0.0 | |
| 999.99 | Not stated | 779 | 277362.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXDGWGK: Weight gained during pregnancy (in kilograms) - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=5081 / 1457024.05 ] [Invalid=104578 / 29133756.21 ] [Mean=14.748 / 14.667 ] [StdDev=6.92 / 6.784 ] |

## # MEXDGWGK: Weight gained during pregnancy (in kilograms) - (D)

| Definition | Derived from DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_080, MEX_N085 |
|---|---|
| Universe | See documentation on derived variables. |
| Notes | This variable has been capped at a minimum of 0 and a maximum of 30 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 99.96 | Valid skip | 103837 | 28877254.4 | |
| 99.97 | Don't know | 0 | 0.0 | |
| 99.98 | Refusal | 0 | 0.0 | |
| 99.99 | Not stated | 741 | 256501.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXDVBM6: Exclusively breastfed for 6 months (or more) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4849 / 1378926.62 ] [Invalid=104810 / 29211853.64 ] |
| Definition | Derived from ADM_PRX, DHH_SEX, DHH_AGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Had exclusively breastfed last baby at least 6 months | 1541 | 439081.6 | 31.8% |
| 2 | Did not exclusively breastfeed last baby at least 6 months | 2712 | 788876.9 | 57.2% |
| 3 | Has not breastfed her last baby at all | 596 | 150968.1 | 10.9% |
| 6 | Valid skip | 104124 | 28969947.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 686 | 241906.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXDVLBM: Length of exclusive breastfeeding - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4252 / 1227748.28 ] [Invalid=105407 / 29363031.98 ] |
| Definition | Derived from ADM_PRX, DHH_SEX, DHH_AGE, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Has not breastfed or given breastmilk to last baby | 0 | 0.0 | |
| 1 | Less than 1 week | 464 | 148550.6 | 12.1% |
| 2 | 1 week to less than 1 month | 384 | 114040.3 | 9.3% |
| 3 | 1 month to less than 2 months | 326 | 94371.3 | 7.7% |
| 4 | 2 months to less than 3 months | 205 | 50937.3 | 4.1% |
| 5 | 3 months to less than 4 months | 371 | 99870.8 | 8.1% |
| 6 | 4 months to less than 5 months | 438 | 133127.8 | 10.8% |
| 7 | 5 months to less than 6 months | 523 | 147768.6 | 12.0% |
| 8 | 6 months or more | 1541 | 439081.6 | 35.8% |
| 96 | Valid skip | 104754 | 29132214.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |

# MEXDVLBM: Length of exclusive breastfeeding - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 99 | Not stated | 653 | 230817.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXDVVTD: Child received vitamin D - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4615 / 1351094.83 ] [Invalid=105044 / 29239685.43 ] |
| **Definition** | Derived from ADM_PRX, DHH_SEX, DHH_AGE, CHILDAGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_125, MEX_130 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Baby never received Vitamin D supplement | 759 | 206457.4 | | 15.3% |
| 1 | Baby received vitamin D only when under 1 year old | 3153 | 935054.2 | | 69.2% |
| 2 | Baby received vitamin D both before and when older than 1 | 703 | 209583.2 | | 15.5% |
| 6 | Valid skip | 104429 | 29022158.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 615 | 217527.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOMXS: Smoking during maternal experience - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 15246 | 4065255.4 | | 13.3% |
| 2 | No | 94413 | 26525524.8 | | 86.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MXS_005: Smoked cigarettes 3 months before last pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=318 / 55063.42 ] [Invalid=109341 / 30535716.84 ] |
| **Universe** | Females aged 15 to 54 with DOMXS = 1 and DOMEX = 1 who answered MEX_010 = 1 and (SMK_005 = (1, 2) or SMK_020 = 1) |
| **Literal question** | In the three months before your pregnancy with [baby's name], or before you realized you were pregnant, did you smoke cigarettes? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Everyday | 146 | 16045.3 | | 29.1% |
| 2 | Almost everyday | 19 | 2121.0 | | 3.9% |
| 3 | About 2 or 3 times a week | 9 | 1927.1 | | 3.5% |
| 4 | About once a week | 8 | 2194.2 | | 4.0% |
| 5 | Once or twice | 7 | 1116.1 | | 2.0% |
| 6 | Never | 129 | 31659.7 | | 57.5% |

# MXS_005: Smoked cigarettes 3 months before last pregnancy

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109292 | 30521130.9 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 49 | 14585.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXSG010: Smoked cigarettes after finding out about pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=318 / 55063.42 ] [Invalid=109341 / 30535716.84 ] |
| Universe | Females aged 15 to 55 who answered MXS_005 < 7 |
| Literal question | Once you found out you were pregnant with [baby's name], did you smoke? |
| Notes | This variable has been grouped as a form of disclosure control |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Everyday | 98 | 7761.5 | 14.1% |
| 2 | At least once | 35 | 5044.8 | 9.2% |
| 3 | Never | 185 | 42257.1 | 76.7% |
| 6 | Valid skip | 109292 | 30521130.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 49 | 14585.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXSG015: Smoked cigarettes last 3 months of pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=318 / 55063.42 ] [Invalid=109341 / 30535716.84 ] |
| Universe | Females aged 15 to 55 who answered MXS_005 < 7 |
| Literal question | During the last 3 months of your pregnancy [baby's name], did you smoke? |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Everyday | 96 | 7213.4 | 13.1% |
| 2 | At least once | 30 | 3273.2 | 5.9% |
| 3 | Never | 192 | 44576.8 | 81.0% |
| 6 | Valid skip | 109292 | 30521130.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 49 | 14585.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXS_020: Second-hand smoke exposure during last pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=318 / 55063.42 ] [Invalid=109341 / 30535716.84 ] |
| Universe | Females aged 15 to 54 with DOMXS = 1 and DOMEX = 1 who answered MEX_010 = 1 and (SMK_005 = (1, 2) or SMK_020 = 1) |
| Literal question | Did anyone regularly smoke in your presence during your pregnancy with [baby's name]? |
| Notes | Was not asked in proxy interviews |

# MXS_020: Second-hand smoke exposure during last pregnancy

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 108 | 11562.1 | | 21.0% |
| 2 | No | 210 | 43501.4 | | 79.0% |
| 6 | Valid skip | 109292 | 30521130.9 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 49 | 14585.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOMXA: Alcohol use during maternal experience - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 4775 | 813406.2 | 2.7% | |
| 2 | No | 104884 | 29777374.1 | | 97.3% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXA_005: Drank alcohol 3 months before last pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=191 / 35820.63 ] [Invalid=109468 / 30554959.63 ] |
| Universe | Females aged 15 to 54 with DOMXA = 1 and DOMEX = 1 who answered MEX_010 = 1 and ALC_005 = 1 |
| Literal question | In the three months before your pregnancy with [baby's name], or before you realized you were pregnant, did you drink any alcohol? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109 | 20510.2 | | 57.3% |
| 2 | No | 82 | 15310.4 | 42.7% | |
| 6 | Valid skip | 109459 | 30552426.6 | | |
| 7 | Don't know | 1 | 395.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 8 | 2137.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXAG010: Drank alcohol 3 months before last pregnancy - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=108 / 20368.37 ] [Invalid=109551 / 30570411.89 ] |
| Universe | Females aged 15 to 54 who answered MXA_005 = 1 |
| Literal question | How often did you drink? |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

# MXAG010: Drank alcohol 3 months before last pregnancy - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than once per month | 34 | 6963.1 | | 34.2% |
| 2 | Once per month | 19 | 3076.6 | | 15.1% |
| 3 | 2 to 3 times per month | 23 | 3839.1 | | 18.8% |
| 4 | Once a week | 19 | 3785.0 | | 18.6% |
| 5 | More than once a week | 13 | 2704.7 | | 13.3% |
| 6 | Valid skip | 109541 | 30567737.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 10 | 2674.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXA_015: Drank alcohol after finding out about pregnancy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=192 / 36216.41 ] [Invalid=109467 / 30554563.85 ] |
| Universe | Females aged 15 to 54 who answered MXA_005 = (1, 2 or 7) |
| Literal question | Once you found out you were pregnant with [baby's name], did you drink any alcohol? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 6 | 794.3 | 2.2% | |
| 2 | No | 186 | 35422.1 | | 97.8% |
| 6 | Valid skip | 109459 | 30552426.6 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 8 | 2137.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXA_035: Drank alcohol while breastfeeding last baby

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=150 / 29706.53 ] [Invalid=109509 / 30561073.73 ] |
| Universe | Females aged 15 to 54 who answered MXA_005 = (1, 2 or 7) and MEX_100 = 1 |
| Literal question | While you were breastfeeding [baby's name], did you drink any alcohol? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 44 | 8839.4 | | 29.8% |
| 2 | No | 106 | 20867.1 | | 70.2% |
| 6 | Valid skip | 109498 | 30558264.5 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 11 | 2809.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MXAG040: Drank alcohol while breastfeeding last baby - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=44 / 8839.44 ] [Invalid=109615 / 30581940.82 ] |
| Universe | Females aged 15 to 54 who answered MXA_035 = 1 |

## # MXAG040: Drank alcohol while breastfeeding last baby - frequency

| Literal question | How often did you drink? |
|---|---|
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than once per month | 24 | 4805.7 | | 54.4% |
| 2 | Once per month or more | 20 | 4033.8 | | 45.6% |
| 6 | Valid skip | 109604 | 30579131.6 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 11 | 2809.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODRV: Driving and safety - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 13085 | 3510293.3 | 11.5% | |
| 2 | No | 96574 | 27080487.0 | | 88.5% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_005: Drove a motor vehicle (car, truck, van) - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=11873 / 3175944.44 ] [Invalid=97786 / 27414835.82 ] |
| Universe | Respondents aged 18 and over with DODRV = 1 |
| Literal question | In the past 12 months, excluding motorcycles and off-road vehicles, have you driven a motor vehicle such as a car, truck or a van? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10705 | 2850262.1 | | 89.7% |
| 2 | No | 1168 | 325682.3 | 10.3% | |
| 6 | Valid skip | 97588 | 27352757.0 | | |
| 7 | Don't know | 4 | 1010.8 | | |
| 8 | Refusal | 9 | 5769.9 | | |
| 9 | Not stated | 185 | 55298.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_010: Use of a hands-free device while driving - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10696 / 2846807.67 ] [Invalid=98963 / 27743972.59 ] |
| Universe | Respondents aged 18 and over who answered DRV_005 = 1 |

## # DRV_010: Use of a hands-free device while driving - freq - 12 mo

| Literal question | In the past 12 months, how often did you use a hands-free device such as Bluetooth when talking on the cell phone while driving a motor vehicle? |
|---|---|
| Notes | Was not asked in proxy interviews. If a respondent answered DRV_015 = 5 or DRV_020 = 5 or DRV_025 = 5, the variable DRV_010 was given the value of 5. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 2876 | 822086.9 | 28.9% |
| 2 | Sometimes | 1333 | 379522.5 | 13.3% |
| 3 | Rarely | 1400 | 403481.8 | 14.2% |
| 4 | Never | 4510 | 1120363.5 | 39.4% |
| 5 | Does not possess or have access to a cell phone | 577 | 121353.0 | 4.3% |
| 6 | Valid skip | 98756 | 27678439.3 | |
| 7 | Don't know | 7 | 3178.5 | |
| 8 | Refusal | 2 | 276.0 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_015: Talked on a cell phone while driving - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10695 / 2846476.8 ] [Invalid=98964 / 27744303.46 ] |
| Universe | Respondents aged 18 and over who answered DRV_005 = 1 |
| Literal question | In the past 12 months, excluding hands-free use, how often did you talk on a cell phone while driving a motor vehicle? |
| Notes | Was not asked in proxy interviews. If a respondent answered DRV_010 = 5 or DRV_020 = 5 or DRV_025 = 5, the variable DRV_015 was given the value of 5. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 380 | 104525.0 | 3.7% |
| 2 | Sometimes | 785 | 227069.2 | 8.0% |
| 3 | Rarely | 2546 | 755304.6 | 26.5% |
| 4 | Never | 6407 | 1638225.0 | 57.6% |
| 5 | Does not possess or have access to a cell phone | 577 | 121353.0 | 4.3% |
| 6 | Valid skip | 98756 | 27678439.3 | |
| 7 | Don't know | 5 | 1601.4 | |
| 8 | Refusal | 5 | 2183.9 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_020: Texted on a cell phone while driving - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10694 / 2845784.26 ] [Invalid=98965 / 27744996 ] |
| Universe | Respondents aged 18 and over who answered DRV_005 = 1 |
| Literal question | In the past 12 months, how often did you text on a cell phone while driving a motor vehicle? |
| Notes | Was not asked in proxy interviews. If a respondent answered DRV_010 = 5 or DRV_015 = 5 or DRV_025 = 5, the variable DRV_020 was given the value of 5. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 308 | 79357.2 | 2.8% |
| 2 | Sometimes | 678 | 204309.5 | 7.2% |
| 3 | Rarely | 1863 | 558737.7 | 19.6% |
| 4 | Never | 7268 | 1882026.9 | 66.1% |

## # DRV_020: Texted on a cell phone while driving - freq - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 5 | Does not possess or have access to a cell phone | 577 | 121353.0 | 4.3% |
| 6 | Valid skip | 98756 | 27678439.3 | |
| 7 | Don't know | 6 | 2594.9 | |
| 8 | Refusal | 5 | 1882.9 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_025: Used a cell phone for other reason while driving - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10683 / 2842335.95 ] [Invalid=98976 / 27748444.31 ] |
| **Universe** | Respondents aged 18 and over who answered DRV_005 = 1 |
| **Literal question** | In the past 12 months, how often did you use a cell phone for any other reason while driving a motor vehicle, for example, to send or receive emails, use social media, look at maps, etc.? |
| **Notes** | Was not asked in proxy interviews. If a respondent answered DRV_010 = 5 or DRV_015 = 5 or DRV_020 = 5, the variable DRV_020 was given the value of 5. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Often | 551 | 171920.0 | 6.0% |
| 2 | Sometimes | 1034 | 329088.0 | 11.6% |
| 3 | Rarely | 1705 | 517127.5 | 18.2% |
| 4 | Never | 6816 | 1702847.5 | 59.9% |
| 5 | Does not possess or have access to a cell phone | 577 | 121353.0 | 4.3% |
| 6 | Valid skip | 98756 | 27678439.3 | |
| 7 | Don't know | 16 | 5728.5 | |
| 8 | Refusal | 6 | 2197.6 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_030: Drove a motorcycle - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=11872 / 3175802.06 ] [Invalid=97787 / 27414978.2 ] |
| **Universe** | Respondents aged 18 and over with DRV_005 = (1 or 2) |
| **Literal question** | In the past 12 months, have you driven a motorcycle? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 956 | 259093.9 | 8.2% |
| 2 | No | 10916 | 2916708.2 | 91.8% |
| 6 | Valid skip | 97588 | 27352757.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 142.4 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_035: Drove when feeling tired - freq - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10693 / 2848797.62 ] [Invalid=98966 / 27741982.64 ] |
| **Universe** | Respondents aged 18 and over who answered DRV_005 = 1 or DRV_030 = 1 |

## # DRV_035: Drove when feeling tired - freq - 12 mo

| Literal question | In the past 12 months, how often did you drive any vehicle when you were feeling tired? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often | 914 | 246317.9 | 8.6% |
| 2 | Sometimes | 2697 | 761033.8 | 26.7% |
| 3 | Rarely | 4167 | 1102366.8 | 38.7% |
| 4 | Never | 2915 | 739079.1 | 25.9% |
| 6 | Valid skip | 98743 | 27674778.3 | |
| 7 | Don't know | 20 | 4172.8 | |
| 8 | Refusal | 5 | 952.7 | |
| 9 | Not stated | 198 | 62078.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_040: Drove vehicle - 2+ drinks / 1h - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8785 / 2349107.2 ] [Invalid=100874 / 28241673.06 ] |
| Universe | Respondents aged 18 and over who answered (DRV_005 = 1 or DRV_030 = 1) and ALC_010 = 1 |
| Literal question | In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 858 | 236449.9 | 10.1% |
| 2 | No | 7927 | 2112657.3 | 89.9% |
| 6 | Valid skip | 100748 | 28201265.4 | |
| 7 | Don't know | 7 | 3476.1 | |
| 8 | Refusal | 5 | 631.1 | |
| 9 | Not stated | 114 | 36300.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_045: Drove vehicle - 2+ drinks / 1h - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=827 / 230883.82 ] [Invalid=108832 / 30359896.44 ] [Mean=6.383 / 5.514 ] [StdDev=12.633 / 10.855 ] |
| Universe | Respondents aged 18 and over who answered DRV_040 = 1 |
| Literal question | How many times (in the past 12 months)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108675 | 30313922.7 | |
| 97 | Don't know | 30 | 5523.7 | |
| 98 | Refusal | 1 | 42.3 | |
| 99 | Not stated | 126 | 40407.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_050: Drove vehicle - illicit substance - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10704 / 2851049.34 ] [Invalid=98955 / 27739730.92 ] |
| Universe | Respondents aged 18 and over who answered DRV_005 = 1 or DRV_030 = 1 |

## # DRV_050: Drove vehicle - illicit substance - 12 mo

| Literal question | In the past 12 months, have you driven a motor vehicle under the influence of an illicit substance such as marijuana or hashish? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 311 | 81997.9 | 2.9% |
| 2 | No | 10393 | 2769051.4 | 97.1% |
| 6 | Valid skip | 98766 | 27679313.0 | |
| 7 | Don't know | 5 | 793.9 | |
| 8 | Refusal | 9 | 2079.9 | |
| 9 | Not stated | 175 | 57544.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_055: Drove vehicle - illicit substance - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=291 / 77592.27 ] [Invalid=109368 / 30513187.99 ] [Mean=21.436 / 22.099 ] [StdDev=29.709 / 30.606 ] |
| Universe | Respondents aged 18 and over who answered DRV_050 = 1 |
| Literal question | How many times (in the past 12 months)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109136 | 30443829.7 | |
| 97 | Don't know | 20 | 4405.7 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 212 | 64952.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_060: Passenger vehicle - driver had 2+ drinks /1h - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12785 / 3416866.37 ] [Invalid=96874 / 27173913.89 ] |
| Universe | Respondents with DODRV = 1 |
| Literal question | In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1044 | 296110.4 | 8.7% |
| 2 | No | 11741 | 3120756.0 | 91.3% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 53 | 16725.2 | |
| 8 | Refusal | 11 | 5631.9 | |
| 9 | Not stated | 236 | 71069.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DRV_065: Passenger vehicle - driver had 2+ drinks /1h - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=997 / 283598.37 ] [Invalid=108662 / 30307181.89 ] [Mean=4.867 / 4.754 ] [StdDev=7.903 / 7.679 ] |
| Universe | Respondents who answered DRV_060 = 1 |
| Literal question | How many times (in the past 12 months)? |
| Notes | Was not asked in proxy interviews |

# DRV_065: Passenger vehicle - driver had 2+ drinks /1h - num of times - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108315 | 30201242.9 | |
| 97 | Don't know | 47 | 12512.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 300 | 93426.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_070: Driver or passenger - ATV - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12824 / 3427947.37 ] [Invalid=96835 / 27162832.89 ] |
| Universe | Respondents with DODRV = 1 |
| Literal question | In the past 12 months, have you been the driver of, or a passenger on, an ATV (allterrain vehicle) or a snowmobile? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2393 | 565707.7 | 16.5% |
| 2 | No | 10431 | 2862239.7 | 83.5% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 15 | 5791.2 | |
| 8 | Refusal | 10 | 5484.8 | |
| 9 | Not stated | 236 | 71069.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_075: ATV - wears helmet - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2381 / 563251.86 ] [Invalid=107278 / 30027528.4 ] |
| Universe | Respondents who answered DRV_070 = 1 |
| Literal question | How often do you wear a helmet when on an ATV or a snowmobile? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Always | 1152 | 298947.2 | 53.1% |
| 2 | Most of the time | 347 | 89133.4 | 15.8% |
| 3 | Rarely | 280 | 60332.1 | 10.7% |
| 4 | Never | 602 | 114839.3 | 20.4% |
| 6 | Valid skip | 107005 | 29942726.6 | |
| 7 | Don't know | 12 | 2455.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 261 | 82345.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_080: Drove ATV - 2+ drinks / 1h - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2015 / 481304.44 ] [Invalid=107644 / 30109475.82 ] |
| Universe | Respondents who answered DRV_070 = 1 and ALC_010 = 1 |
| Literal question | In the past 12 months, have you driven an ATV or snowmobile after having 2 or more drinks in the hour before you drove? |
| Notes | Was not asked in proxy interviews |

# DRV_080: Drove ATV - 2+ drinks / 1h - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 215 | 60511.3 | 12.6% |
| 2 | No | 1800 | 420793.2 | 87.4% |
| 6 | Valid skip | 107387 | 30033000.0 | |
| 7 | Don't know | 1 | 197.0 | |
| 8 | Refusal | 2 | 803.0 | |
| 9 | Not stated | 254 | 75475.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_085: Drove ATV - 2+ drinks / 1h - num of times - 12 mo

| | |
|---|---|
| Information | [Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*] |
| Statistics [NW/ W] | [Valid=210 / 59880.58 ] [Invalid=109449 / 30530899.68 ] [Mean=5.043 / 4.308 ] [StdDev=7.665 / 6.683 ] |
| Universe | Respondents who answered DRV_080 = 1 |
| Literal question | How many times (in the past 12 months)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109164 | 30449258.5 | |
| 97 | Don't know | 5 | 630.7 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 280 | 81010.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_090: Drove ATV - illicit substance - 12 mo

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=2391 / 565542.41 ] [Invalid=107268 / 30025237.85 ] |
| Universe | Respondents who answered DRV_070 = 1 |
| Literal question | In the past 12 months, have you driven an ATV or snowmobile under the influence of an illicit substance such as marijuana or hashish? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 64 | 16127.8 | 2.9% |
| 2 | No | 2327 | 549414.6 | 97.1% |
| 6 | Valid skip | 107005 | 29942726.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 2 | 165.3 | |
| 9 | Not stated | 261 | 82345.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_095: Drove ATV - illicit substance - num of times - 12 mo

| | |
|---|---|
| Information | [Type= continuous] [Format=numeric] [Range= 1-36] [Missing=*] |
| Statistics [NW/ W] | [Valid=59 / 15202.35 ] [Invalid=109600 / 30575577.91 ] [Mean=5.339 / 5.939 ] [StdDev=5.912 / 8.11 ] |
| Universe | Respondents who answered DRV_090 = 1 |
| Literal question | How many times (in the past 12 months)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109332 | 30492141.2 | |

# DRV_095: Drove ATV - illicit substance - num of times - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 97 | Don't know | 5 | 925.5 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 263 | 82511.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_100: Passenger ATV - driver had 2+ drinks /1h - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2389 / 565244.38 ] [Invalid=107270 / 30025535.88 ] |
| **Universe** | Respondents who answered DRV_070 = 1 |
| **Literal question** | In the past 12 months, have you been a passenger on an ATV or snowmobile with a driver who had 2 or more drinks in the hour before driving? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 162 | 40523.5 | 7.2% |
| 2 | No | 2227 | 524720.9 | 92.8% |
| 6 | Valid skip | 107005 | 29942726.6 | |
| 7 | Don't know | 2 | 241.7 | |
| 8 | Refusal | 2 | 221.7 | |
| 9 | Not stated | 261 | 82345.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DRV_105: Passenger ATV - driver had 2+ drinks /1h - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=161 / 40382.05 ] [Invalid=109498 / 30550398.21 ] [Mean=3.41 / 3.098 ] [StdDev=3.751 / 3.273 ] |
| **Universe** | Respondents who answered DRV_100 = 1 |
| **Literal question** | How many times (in the past 12 months)? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109232 | 30467447.5 | |
| 97 | Don't know | 1 | 141.4 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 265 | 82809.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOFLU: Flu shots - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |

## # DOFLU: Flu shots - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_005: Had a seasonal flu shot (excluding H1N1) - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106002 / 29390877.4 ] [Invalid=3657 / 1199902.86 ] |
| Universe | Respondents with DOFLU = 1 |
| Literal question | Have you ever had a seasonal flu shot, excluding the H1N1 flu shot? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 64996 | 17276853.0 | 58.8% |
| 2 | No | 41006 | 12114024.4 | 41.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 847 | 260599.2 | |
| 8 | Refusal | 107 | 61077.5 | |
| 9 | Not stated | 2703 | 878226.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_010: Had a seasonal flu shot - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64565 / 17146845.73 ] [Invalid=45094 / 13443934.53 ] |
| Universe | Respondents who answered FLU_005 = 1 |
| Literal question | When did you have your last seasonal flu shot? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 year ago | 39063 | 9492277.6 | 55.4% |
| 2 | 1 year to less than 2 years ago | 6330 | 1866435.0 | 10.9% |
| 3 | 2 years ago or more | 19172 | 5788133.0 | 33.8% |
| 6 | Valid skip | 41006 | 12114024.4 | |
| 7 | Don't know | 415 | 123168.6 | |
| 8 | Refusal | 16 | 6838.7 | |
| 9 | Not stated | 3657 | 1199902.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_015: Had a seasonal flu shot - which month

| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=36920 / 8874914.21 ] [Invalid=72739 / 21715866.05 ] |
| Universe | Respondents who answered FLU_010 = 1 |
| Literal question | In which month did you have your last seasonal flu shot? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | January | 848 | 234031.2 | 2.6% |
| 2 | February | 427 | 130888.5 | 1.5% |
| 3 | March | 267 | 69163.2 | 0.8% |

## # FLU_015: Had a seasonal flu shot - which month

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | April | 162 | 44955.3 | 0.5% |
| 5 | May | 104 | 31656.2 | 0.4% |
| 6 | June | 57 | 14051.5 | 0.2% |
| 7 | July | 41 | 12455.3 | 0.1% |
| 8 | August | 77 | 23453.6 | 0.3% |
| 9 | September | 1267 | 306869.4 | 3.5% |
| 10 | October | 15223 | 3303423.9 | 37.2% |
| 11 | November | 16256 | 4032219.1 | 45.4% |
| 12 | December | 2191 | 671747.0 | 7.6% |
| 96 | Valid skip | 66508 | 19768592.5 | |
| 97 | Don't know | 2092 | 598436.9 | |
| 98 | Refusal | 51 | 18926.5 | |
| 99 | Not stated | 4088 | 1329910.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_020: Had a seasonal flu shot - current / last year

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4335 / 944858.03 ] [Invalid=105324 / 29645922.23 ] |
| **Universe** | Respondents who answered FLU_015 = system month |
| **Literal question** | Was that this year or last year? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | This year | 1389 | 373118.5 | 39.5% |
| 2 | Last year | 2946 | 571739.5 | 60.5% |
| 6 | Valid skip | 99096 | 27699928.7 | |
| 7 | Don't know | 2 | 87.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 6226 | 1945906.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_025A: No flu shot - 1 yr - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Lack of time |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 5258 | 1831402.0 | 9.6% |
| 2 | No | 59088 | 17337941.7 | 90.4% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_025B: No flu shot - 1 yr - respondent did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] |
| Universe | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) |
| Literal question | What are the reasons that you have not had a seasonal flu shot in the past year? - Respondent - did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 37028 | 11195258.6 | | 58.4% |
| 2 | No | 27318 | 7974085.0 | | 41.6% |
| 6 | Valid skip | 36923 | 8876194.3 | | |
| 7 | Don't know | 2110 | 585398.6 | | |
| 8 | Refusal | 52 | 13850.2 | | |
| 9 | Not stated | 6228 | 1945993.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_025C: No flu shot - 1 yr - doctor did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] |
| Universe | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) |
| Literal question | What are the reasons that you have not had a seasonal flu shot in the past year? - Doctor - did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 920 | 287769.8 | 1.5% | |
| 2 | No | 63426 | 18881573.8 | | 98.5% |
| 6 | Valid skip | 36923 | 8876194.3 | | |
| 7 | Don't know | 2110 | 585398.6 | | |
| 8 | Refusal | 52 | 13850.2 | | |
| 9 | Not stated | 6228 | 1945993.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_025D: No flu shot - 1 yr - n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] |
| Universe | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) |
| Literal question | What are the reasons that you have not had a seasonal flu shot in the past year? - Not available - at time required |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 818 | 220036.7 | 1.1% | |
| 2 | No | 63528 | 18949306.9 | | 98.9% |
| 6 | Valid skip | 36923 | 8876194.3 | | |
| 7 | Don't know | 2110 | 585398.6 | | |
| 8 | Refusal | 52 | 13850.2 | | |
| 9 | Not stated | 6228 | 1945993.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FLU_025E: No flu shot - 1 yr - did not know where to go / uninformed

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# FLU_025E: No flu shot - 1 yr - did not know where to go / uninformed

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Did not know where to go / uninformed | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 763 | 247532.1 | 1.3% |
| 2 | No | 63583 | 18921811.6 | 98.7% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025F: No flu shot - 1 yr - fear / discomfort

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Feelings of fear or discomfort | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2088 | 565658.7 | 3.0% |
| 2 | No | 62258 | 18603685.0 | 97.0% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025G: No flu shot - 1 yr - bad reaction to previous flu shot

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous flu shot | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4559 | 1219379.7 | 6.4% |
| 2 | No | 59787 | 17949964.0 | 93.6% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025H: No flu shot - 1 yr - bad reaction to previous vaccine other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] |

# FLU_025H: No flu shot - 1 yr - bad reaction to previous vaccine other

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Bad reaction to previous vaccine other than flu shot | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 972 | 265227.4 | 1.4% |
| 2 | No | 63374 | 18904116.3 | 98.6% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025I: No flu shot - 1 yr - does not believe in benefits

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Unsure of / does not believe in benefits of vaccine | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9731 | 2771051.7 | 14.5% |
| 2 | No | 54615 | 16398292.0 | 85.5% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025J: No flu shot - 1 yr - fear of what it contains

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Does not want vaccine for fear of what it contains | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2386 | 600577.0 | 3.1% |
| 2 | No | 61960 | 18568766.6 | 96.9% |
| 6 | Valid skip | 36923 | 8876194.3 | |
| 7 | Don't know | 2110 | 585398.6 | |
| 8 | Refusal | 52 | 13850.2 | |
| 9 | Not stated | 6228 | 1945993.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FLU_025K: No flu shot - 1 yr - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

# FLU_025K: No flu shot - 1 yr - other

| | | | | | |
|---|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=64346 / 19169343.68 ] [Invalid=45313 / 11421436.58 ] | | | | |
| **Universe** | Respondents who answered FLU_005 = 2 or FLU_010 = (2, 3) | | | | |
| **Literal question** | What are the reasons that you have not had a seasonal flu shot in the past year? - Other | | | | |
| **Notes** | Was not asked in proxy interviews | | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7339 | 2096728.4 | 10.9% | |
| 2 | No | 57007 | 17072615.3 | | 89.1% |
| 6 | Valid skip | 36923 | 8876194.3 | | |
| 7 | Don't know | 2110 | 585398.6 | | |
| 8 | Refusal | 52 | 13850.2 | | |
| 9 | Not stated | 6228 | 1945993.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOPCU: Physical check-up - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27926 | 7892154.8 | 25.8% |
| 2 | No | 81733 | 22698625.4 | 74.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_005: Had a general physical check-up - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=27235 / 7697992.89 ] [Invalid=82424 / 22892787.37 ] |
| **Universe** | Respondents with DOPCU = 1 |
| **Literal question** | Have you ever had a general physical check-up? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 23509 | 6587034.4 | 85.6% |
| 2 | No | 3726 | 1110958.4 | 14.4% |
| 6 | Valid skip | 81733 | 22698625.4 | |
| 7 | Don't know | 96 | 23755.3 | |
| 8 | Refusal | 5 | 1789.7 | |
| 9 | Not stated | 590 | 168616.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_010: General physical check-up - frequency

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=23436 / 6567971.16 ] [Invalid=86223 / 24022809.1 ] |
| **Universe** | Respondents who answered PCU_005 = 1 |
| **Literal question** | How often do you usually have a general physical check-up? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | More than once a year | 2109 | 526676.2 | 8.0% |
| 2 | Once a year | 12798 | 3545047.1 | 54.0% |
| 3 | Once every 2 years | 2822 | 859290.6 | 13.1% |
| 4 | Once every 3 years | 696 | 203705.0 | 3.1% |
| 5 | Less than once every 3 years | 734 | 203610.0 | 3.1% |
| 6 | No regular pattern | 4277 | 1229642.3 | 18.7% |
| 96 | Valid skip | 85459 | 23809583.9 | |
| 97 | Don't know | 69 | 17681.5 | |
| 98 | Refusal | 4 | 1381.8 | |

## # PCU_010: General physical check-up - frequency

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 99 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_015: General physical check-up - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=23287 / 6530900.34 ] [Invalid=86372 / 24059879.92 ] |
| Universe | Respondents who answered PCU_005 = 1 |
| Literal question | When was the last time? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | 1 year or less | 15359 | 4198389.0 | 64.3% |
| 2 | More than 1 year to 2 years ago | 3175 | 947271.5 | 14.5% |
| 3 | More than 2 years to 3 years ago | 1461 | 440086.1 | 6.7% |
| 4 | More than 3 years to 5 years ago | 1209 | 364046.2 | 5.6% |
| 5 | More than 5 years ago | 2083 | 581107.6 | 8.9% |
| 6 | Valid skip | 85459 | 23809583.9 | |
| 7 | Don't know | 212 | 54414.2 | |
| 8 | Refusal | 10 | 1719.9 | |
| 9 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_020A: No physical check-up - 3 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| Universe | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| Literal question | What are the reasons that you have not had a general physical check-up in the past 3 years? - Don't have a doctor |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 2006 | 683969.8 | 33.8% |
| 2 | No | 4865 | 1337297.9 | 66.2% |
| 6 | Valid skip | 101728 | 28284372.0 | |
| 7 | Don't know | 144 | 34044.6 | |
| 8 | Refusal | 3 | 800.0 | |
| 9 | Not stated | 913 | 250296.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_020B: No physical check-up - 3 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| Universe | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| Literal question | What are the reasons that you have not had a general physical check-up in the past 3 years? - Lack of time |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 464 | 181850.2 | 9.0% |
| 2 | No | 6407 | 1839417.5 | 91.0% |

# PCU_020B: No physical check-up - 3 yrs - lack of time

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 101728 | 28284372.0 | |
| 7 | Don't know | 144 | 34044.6 | |
| 8 | Refusal | 3 | 800.0 | |
| 9 | Not stated | 913 | 250296.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_020C: No physical check-up - 3 yrs - respondent didn't think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| Universe | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| Literal question | What are the reasons that you have not had a general physical check-up in the past 3 years? - Respondent did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3660 | 1020391.1 | | 50.5% |
| 2 | No | 3211 | 1000876.5 | | 49.5% |
| 6 | Valid skip | 101728 | 28284372.0 | | |
| 7 | Don't know | 144 | 34044.6 | | |
| 8 | Refusal | 3 | 800.0 | | |
| 9 | Not stated | 913 | 250296.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_020D: No physical check-up - 3 yrs - doctor didn't think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| Universe | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| Literal question | What are the reasons that you have not had a general physical check-up in the past 3 years? - Doctor did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 538 | 114400.3 | 5.7% | |
| 2 | No | 6333 | 1906867.4 | | 94.3% |
| 6 | Valid skip | 101728 | 28284372.0 | | |
| 7 | Don't know | 144 | 34044.6 | | |
| 8 | Refusal | 3 | 800.0 | | |
| 9 | Not stated | 913 | 250296.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_020E: No physical check-up - 3 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| Universe | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| Literal question | What are the reasons that you have not had a general physical check-up in the past 3 years? - Feelings of fear or discomfort |
| Notes | Was not asked in proxy interviews |

# PCU_020E: No physical check-up - 3 yrs - fear / discomfort

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 97 | 29452.9 | 1.5% |
| 2 | No | 6774 | 1991814.8 | 98.5% |
| 6 | Valid skip | 101728 | 28284372.0 | |
| 7 | Don't know | 144 | 34044.6 | |
| 8 | Refusal | 3 | 800.0 | |
| 9 | Not stated | 913 | 250296.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_020F: No physical check-up - 3 yrs - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=6871 / 2021267.65 ] [Invalid=102788 / 28569512.61 ] |
| **Universe** | Respondents who answered PCU_005 = 2 or PCU_015 = (4 or 5) |
| **Literal question** | What are the reasons that you have not had a general physical check-up in the past 3 years? - Other |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 849 | 226917.9 | 11.2% |
| 2 | No | 6022 | 1794349.7 | 88.8% |
| 6 | Valid skip | 101728 | 28284372.0 | |
| 7 | Don't know | 144 | 34044.6 | |
| 8 | Refusal | 3 | 800.0 | |
| 9 | Not stated | 913 | 250296.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_025: Last physical check-up - weighed

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=20049 / 5603674.23 ] [Invalid=89610 / 24987106.03 ] |
| **Universe** | Respondents who answered PCU_015 = (1, 2, 3, 7 or 8) |
| **Literal question** | During your last general physical check-up, did a health professional: weigh you? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17594 | 5004987.4 | 89.3% |
| 2 | No | 2455 | 598686.9 | 10.7% |
| 6 | Valid skip | 88751 | 24754737.7 | |
| 7 | Don't know | 165 | 37771.9 | |
| 8 | Refusal | 3 | 434.5 | |
| 9 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PCU_030: Last physical check-up - measured height

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=19906 / 5565673.42 ] [Invalid=89753 / 25025106.84 ] |
| **Universe** | Respondents who answered PCU_015 = (1, 2, 3, 7 or 8) |
| **Literal question** | During your last general physical check-up, did a health professional: measure your height? |
| **Notes** | Was not asked in proxy interviews |

## # PCU_030: Last physical check-up - measured height

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 12394 | 3637546.9 | 65.4% |
| 2 | No | 7512 | 1928126.5 | 34.6% |
| 6 | Valid skip | 88751 | 24754737.7 | |
| 7 | Don't know | 306 | 74941.8 | |
| 8 | Refusal | 5 | 1265.4 | |
| 9 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_035: Last physical check-up - checked blood pressure

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=20125 / 5615702.54 ] [Invalid=89534 / 24975077.72 ] |
| Universe | Respondents who answered PCU_015 = (1, 2, 3, 7 or 8) |
| Literal question | During your last general physical check-up, did a health professional: check your blood pressure? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19445 | 5436721.2 | 96.8% |
| 2 | No | 680 | 178981.3 | 3.2% |
| 6 | Valid skip | 88751 | 24754737.7 | |
| 7 | Don't know | 88 | 25493.1 | |
| 8 | Refusal | 4 | 685.0 | |
| 9 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_040: Last physical check-up - discussed health risks due to weight

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=20126 / 5620732.68 ] [Invalid=89533 / 24970047.58 ] |
| Universe | Respondents who answered PCU_015 = (1, 2, 3, 7 or 8) |
| Literal question | During your last general physical check-up, did a health professional: discuss with you any risks that your weight might pose to your health? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6738 | 1926029.5 | 34.3% |
| 2 | No | 13388 | 3694703.1 | 65.7% |
| 6 | Valid skip | 88751 | 24754737.7 | |
| 7 | Don't know | 89 | 20697.1 | |
| 8 | Refusal | 2 | 450.9 | |
| 9 | Not stated | 691 | 194161.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PCU_045: Last physical check-up - recommended cholesterol test

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=19988 / 5583671.73 ] [Invalid=89671 / 25007108.53 ] |
| Universe | Respondents who answered PCU_015 = (1, 2, 3, 7 or 8) |
| Literal question | During your last general physical check-up, did a health professional: recommend that your level of cholesterol be tested? |
| Notes | Was not asked in proxy interviews |

# PCU_045: Last physical check-up - recommended cholesterol test

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 11354 | 2996182.0 | | 53.7% |
| 2 | No | 8634 | 2587489.8 | | 46.3% |
| 6 | Valid skip | 88751 | 24754737.7 | | |
| 7 | Don't know | 222 | 57206.8 | | |
| 8 | Refusal | 7 | 1002.2 | | |
| 9 | Not stated | 691 | 194161.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOBPC: Blood pressure check - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 22914 | 4908734.8 | 16.0% | |
| 2 | No | 86745 | 25682045.4 | | 84.0% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_005: Had blood pressure taken - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=22276 / 4761173.52 ] [Invalid=87383 / 25829606.74 ] |
| Universe | Respondents with DOBPC = 1 |
| Literal question | Have you ever had your blood pressure measured by a health professional? |
| Notes | Was not asked in proxy interviews. If a respondent answered PCU_035 = 1 and DOBPC = 1, the variable BPC_005 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 21262 | 4518576.5 | | 94.9% |
| 2 | No | 1014 | 242597.0 | 5.1% | |
| 6 | Valid skip | 86745 | 25682045.4 | | |
| 7 | Don't know | 93 | 26964.2 | | |
| 8 | Refusal | 8 | 5958.9 | | |
| 9 | Not stated | 537 | 114638.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_010: Blood pressure was taken - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=20966 / 4447169.57 ] [Invalid=88693 / 26143610.69 ] |
| Universe | Respondents with BPC_005 = 1 |
| Literal question | When was the last time you had your blood pressure measured (by a health professional)? |
| Notes | Was not asked in proxy interviews |

## # BPC_010: Blood pressure was taken - last time

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Less than 1 year to 1 year ago | 17411 | 3603617.5 | 81.0% |
| 2 | More than 1 year to 2 years ago | 1950 | 474631.7 | 10.7% |
| 3 | More than 2 years to 3 years ago | 671 | 165956.6 | 3.7% |
| 4 | More than 3 years to 5 years ago | 462 | 108498.0 | 2.4% |
| 5 | More than 5 years ago | 472 | 94465.8 | 2.1% |
| 6 | Valid skip | 87759 | 25924642.5 | |
| 7 | Don't know | 293 | 71040.8 | |
| 8 | Refusal | 3 | 366.1 | |
| 9 | Not stated | 638 | 147561.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # BPC_015A: Blood pressure not taken - 2 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Lack of time |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015A was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 106 | 26259.9 | 7.2% |
| 2 | No | 1459 | 337733.2 | 92.8% |
| 6 | Valid skip | 98642 | 28178490.4 | |
| 7 | Don't know | 23 | 10020.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9429 | 2038276.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # BPC_015B: Blood pressure not taken - 2 yrs - respondent didn't think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Respondent did not think it was necessary |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015B was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 895 | 191719.1 | 52.7% |
| 2 | No | 670 | 172274.0 | 47.3% |
| 6 | Valid skip | 98642 | 28178490.4 | |
| 7 | Don't know | 23 | 10020.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9429 | 2038276.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_015C: Blood pressure not taken - 2 yrs - doctor didn't think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Doctor did not think it was necessary |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015C was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 152 | 38841.5 | | 10.7% |
| 2 | No | 1413 | 325151.6 | | 89.3% |
| 6 | Valid skip | 98642 | 28178490.4 | | |
| 7 | Don't know | 23 | 10020.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 9429 | 2038276.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_015D: Blood pressure not taken - 2 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Feelings of fear or discomfort |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015D was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 19 | 3361.3 | 0.9% | |
| 2 | No | 1546 | 360631.8 | | 99.1% |
| 6 | Valid skip | 98642 | 28178490.4 | | |
| 7 | Don't know | 23 | 10020.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 9429 | 2038276.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_015E: Blood pressure not taken - 2 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Don't have a doctor |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015E was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over and who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 186 | 42069.5 | | 11.6% |
| 2 | No | 1379 | 321923.6 | | 88.4% |
| 6 | Valid skip | 98642 | 28178490.4 | | |

# BPC_015E: Blood pressure not taken - 2 yrs - no doctor

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 23 | 10020.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 9429 | 2038276.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_015F: Blood pressure not taken - 2 yrs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1565 / 363993.11 ] [Invalid=108094 / 30226787.15 ] |
| **Universe** | Respondents aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons that you have not had your blood pressure measured (by a health professional) in the past 2 years? - Other |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_015F was coded as "Not stated" instead of "Not applicable" for respondents with DOBPC = 1 aged 24 and under, or aged 25 and over who answered BPC_005 = 2 or BPC_010 = (3, 4 or 5). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 291 | 81219.1 | 22.3% | |
| 2 | No | 1274 | 282774.0 | | 77.7% |
| 6 | Valid skip | 98642 | 28178490.4 | | |
| 7 | Don't know | 23 | 10020.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 9429 | 2038276.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# BPC_020: Pregnant - last time blood pressure taken

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5535 / 1299976.14 ] [Invalid=104124 / 29290804.12 ] |
| **Universe** | Females aged 18 to 54 who answered SXB_005 = 1 and (BPC_005 = 1 or PCU_035 = 1) |
| **Literal question** | Were you pregnant the last time your blood pressure was measured (by a health professional)? |
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, BPC_020 was coded as "Not stated" instead of "Not applicable" for male respondents and for female respondents with DOBPC = 1 aged 14 and under or aged 56 and older, or aged 15 to 55 and who answered SXB_005 = 2 or SXB_005 = 1 and (BPC_005 = 2 or 6 and PCU_035 = 2 or 6). This only affects data from 2015. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 515 | 117266.3 | 9.0% | |
| 2 | No | 5020 | 1182709.8 | | 91.0% |
| 6 | Valid skip | 103885 | 29217032.5 | | |
| 7 | Don't know | 12 | 3914.7 | | |
| 8 | Refusal | 2 | 357.3 | | |
| 9 | Not stated | 225 | 69499.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOPAP: Pap smear test - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

# DOPAP: Pap smear test - Inclusion Flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 19018 | 4123122.2 | 13.5% | |
| 2 | No | 90641 | 26467658.0 | | 86.5% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_005: Had a Pap smear test - lifetime

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=7681 / 1649460.13 ] [Invalid=101978 / 28941320.13 ] |
| Universe | Females aged 18 to 69 with DOPAP = 1 |
| Literal question | Have you ever had a Pap smear test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7026 | 1463682.4 | | 88.7% |
| 2 | No | 655 | 185777.7 | 11.3% | |
| 6 | Valid skip | 101870 | 28910873.2 | | |
| 7 | Don't know | 28 | 10614.9 | | |
| 8 | Refusal | 16 | 4102.1 | | |
| 9 | Not stated | 64 | 15730.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_010: Had a Pap smear test - last time

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| Statistics [NW/ W] | [Valid=6978 / 1451894.71 ] [Invalid=102681 / 29138885.55 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 1 |
| Literal question | When was the last time? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 3281 | 733769.4 | | 50.5% |
| 2 | More than 1 year to 2 years ago | 1623 | 335470.5 | 23.1% | |
| 3 | More than 2 years to 3 years ago | 787 | 161520.5 | 11.1% | |
| 4 | More than 3 years to 5 years ago | 487 | 90253.3 | 6.2% | |
| 5 | More than 5 years ago | 800 | 130881.0 | 9.0% | |
| 6 | Valid skip | 102525 | 29096650.9 | | |
| 7 | Don't know | 44 | 11273.1 | | |
| 8 | Refusal | 4 | 514.6 | | |
| 9 | Not stated | 108 | 30447.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015A: No Pap smear test - 3 yrs - lack of time

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |

# PAP_015A: No Pap smear test - 3 yrs - lack of time

| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Lack of time |
| --- | --- |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 135 | 29573.2 | | 7.7% |
| 2 | No | 1732 | 355555.2 | | 92.3% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015B: No Pap smear test - 3 yrs - respondent did not think was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| --- | --- |
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Respondent did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 562 | 114183.4 | | 29.6% |
| 2 | No | 1305 | 270944.9 | | 70.4% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015C: No Pap smear test - 3 yrs - doctor did not think was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| --- | --- |
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Doctor did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
| --- | --- | --- | --- | --- | --- |
| 1 | Yes | 392 | 89188.5 | | 23.2% |
| 2 | No | 1475 | 295939.9 | | 76.8% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015D: No Pap smear test - 3 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| --- | --- |
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Feelings of fear or discomfort |

# PAP_015D: No Pap smear test - 3 yrs - fear / discomfort

| Notes | Was not asked in proxy interviews |
|-------|-----------------------------------|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 136 | 29921.2 | 7.8% | |
| 2 | No | 1731 | 355207.1 | | 92.2% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015E: No Pap smear test - 3 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Don't have a doctor |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 117 | 20060.3 | 5.2% | |
| 2 | No | 1750 | 365068.0 | | 94.8% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015F: No Pap smear test - 3 yrs - hysterectomy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - [Had a complete hysterectomy] |
| Notes | Was not asked in proxy interviews. If MAC_025 = 1 (pregnant), this answer category was not an available option. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 377 | 58103.5 | 15.1% | |
| 2 | No | 1490 | 327024.9 | | 84.9% |
| 6 | Valid skip | 107561 | 30141633.6 | | |
| 7 | Don't know | 73 | 20709.2 | | |
| 8 | Refusal | 2 | 1074.4 | | |
| 9 | Not stated | 156 | 42234.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PAP_015G: No Pap smear test - 3 yrs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=1867 / 385128.37 ] [Invalid=107792 / 30205651.89 ] |
| Universe | Females aged 18 to 69 who answered PAP_005 = 2 or (PAP_005 = 1 and PAP_010 = (4 or 5)) |
| Literal question | What are the reasons that you have not had a Pap smear test in the past 3 years? - Other |
| Notes | Was not asked in proxy interviews |

## # PAP_015G: No Pap smear test - 3 yrs - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 290 | 65085.3 | 16.9% |
| 2 | No | 1577 | 320043.1 | 83.1% |
| 6 | Valid skip | 107561 | 30141633.6 | |
| 7 | Don't know | 73 | 20709.2 | |
| 8 | Refusal | 2 | 1074.4 | |
| 9 | Not stated | 156 | 42234.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOMAM: Mammography - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 39469 | 11048043.8 | 36.1% |
| 2 | No | 70190 | 19542736.4 | 63.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_005: Had mammogram - lifetime

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=10966 / 2779298.57 ] [Invalid=98693 / 27811481.69 ] |
| **Universe** | Females aged 40 to 74 with DOMAM = 1 |
| **Literal question** | Have you ever had a mammogram, that is, a breast x-ray? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9024 | 2237514.3 | 80.5% |
| 2 | No | 1942 | 541784.3 | 19.5% |
| 6 | Valid skip | 98566 | 27764968.8 | |
| 7 | Don't know | 10 | 2460.7 | |
| 8 | Refusal | 10 | 1656.0 | |
| 9 | Not stated | 107 | 42396.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_010: Had mammogram - last time

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=8986 / 2226254.01 ] [Invalid=100673 / 28364526.25 ] |
| **Universe** | Females aged 40 to 74 who answered MAM_005 = 1 |
| **Literal question** | When was the last time? |
| **Notes** | Was not asked in proxy interviews |

## # MAM_010: Had mammogram - last time

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 4540 | 1113000.3 | | 50.0% |
| 2 | More than 1 year to 2 years ago | 2262 | 568041.7 | | 25.5% |
| 3 | More than 2 years to 3 years ago | 845 | 204907.9 | | 9.2% |
| 4 | More than 3 years to 5 years ago | 603 | 162042.7 | | 7.3% |
| 5 | More than 5 years ago | 736 | 178261.3 | | 8.0% |
| 6 | Valid skip | 100508 | 28306753.1 | | |
| 7 | Don't know | 35 | 10803.9 | | |
| 8 | Refusal | 3 | 456.4 | | |
| 9 | Not stated | 127 | 46512.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015A: No mammogram - 3 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |
| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Lack of time |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 204 | 54021.4 | 6.3% | |
| 2 | No | 3036 | 803584.1 | | 93.7% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015B: No mammogram - 3 yrs - respondent did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |
| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Respondent did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1316 | 350043.3 | | 40.8% |
| 2 | No | 1924 | 507562.2 | | 59.2% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015C: No mammogram - 3 yrs - doctor did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |

## # MAM_015C: No mammogram - 3 yrs - doctor did not think it was necessary

| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Doctor did not think it was necessary |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 960 | 252527.2 | 29.4% | |
| 2 | No | 2280 | 605078.4 | | 70.6% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015D: No mammogram - 3 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |
| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Feelings of fear or discomfort |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 271 | 62207.2 | 7.3% | |
| 2 | No | 2969 | 795398.3 | | 92.7% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015E: No mammogram - 3 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |
| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Don't have a doctor |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 163 | 46264.2 | 5.4% | |
| 2 | No | 3077 | 811341.4 | | 94.6% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAM_015F: No mammogram - 3 yrs - had a bilateral mastectomy

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |

# MAM_015F: No mammogram - 3 yrs - had a bilateral mastectomy

| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Had a bilateral mastectomy (both breasts were removed) |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 23 | 4553.0 | 0.5% | |
| 2 | No | 3217 | 853052.5 | | 99.5% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# MAM_015G: No mammogram - 3 yrs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3240 / 857605.5 ] [Invalid=106419 / 29733174.76 ] |
| Universe | Females aged 40 to 74 who answered MAM_005 = 2 or (MAM_005 = 1 and MAM_010 = (4 or 5)) |
| Literal question | What are the reasons you have not had a mammogram in the past 3 years? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 623 | 170461.5 | 19.9% | |
| 2 | No | 2617 | 687144.0 | | 80.1% |
| 6 | Valid skip | 106213 | 29650918.7 | | |
| 7 | Don't know | 40 | 24442.4 | | |
| 8 | Refusal | 1 | 40.5 | | |
| 9 | Not stated | 165 | 57773.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOPSA: Prostate cancer screening - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8008 | 1272408.1 | 4.2% | |
| 2 | No | 101651 | 29318372.2 | | 95.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSA_005: Had a PSA blood test - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2517 / 390311.95 ] [Invalid=107142 / 30200468.31 ] |
| Universe | Males aged 35 and over with DOPSA = 1 |

# PSA_005: Had a PSA blood test - lifetime

| Literal question | Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1571 | 227999.6 | | 58.4% |
| 2 | No | 946 | 162312.3 | | 41.6% |
| 6 | Valid skip | 106913 | 30163997.9 | | |
| 7 | Don't know | 92 | 13256.9 | | |
| 8 | Refusal | 3 | 342.7 | | |
| 9 | Not stated | 134 | 22870.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSA_010: Had a PSA blood test - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1556 / 226016.38 ] [Invalid=108103 / 30364763.88 ] |
| Universe | Males aged 35 and over who answered PSA_005 = 1 |
| Literal question | When was the last time? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 1087 | 156454.1 | | 69.2% |
| 2 | More than 1 year to 2 years ago | 217 | 31017.7 | | 13.7% |
| 3 | More than 2 years to 3 years ago | 92 | 13345.0 | 5.9% | |
| 4 | More than 3 years to 5 years ago | 81 | 13803.3 | 6.1% | |
| 5 | More than 5 years ago | 79 | 11396.3 | 5.0% | |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 14 | 1538.2 | | |
| 8 | Refusal | 1 | 445.1 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSA_015A: PSA test - reason - family history of prostate cancer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] |
| Universe | Males aged 35 and over who answered PSA_005 = 1 |
| Literal question | Why did you have it? - Family history of prostate cancer |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 115 | 15771.2 | 6.9% | |
| 2 | No | 1451 | 211281.1 | | 93.1% |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 5 | 947.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSA_015B: PSA test - reason - regular check-up

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

| | # **PSA_015B: PSA test - reason - regular check-up** |
|---|---|
| **Statistics [NW/ W]** | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] |
| **Universe** | Males aged 35 and over who answered PSA_005 = 1 |
| **Literal question** | Why did you have it? - Part of regular check-up / routine screening |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1110 | 156923.5 | | 69.1% |
| 2 | No | 456 | 70128.8 | | 30.9% |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 5 | 947.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_015C: PSA test - reason - age

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] |
| Universe | Males aged 35 and over who answered PSA_005 = 1 |
| Literal question | Why did you have it? - Age |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 208 | 31387.4 | 13.8% | |
| 2 | No | 1358 | 195664.9 | | 86.2% |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 5 | 947.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_015E: PSA test - reason - follow-up of problem

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] |
| Universe | Males aged 35 and over who answered PSA_005 = 1 |
| Literal question | Why did you have it? - Follow-up of problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 186 | 28476.4 | 12.5% | |
| 2 | No | 1380 | 198575.9 | | 87.5% |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 5 | 947.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_015F: PSA test - reason - follow-up of prostate cancer treatment

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] |
| Universe | Males aged 35 and over who answered PSA_005 = 1 |
| Literal question | Why did you have it? - Follow-up of prostate cancer treatment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 16 | 2308.1 | 1.0% | |
| 2 | No | 1550 | 224744.2 | | 99.0% |
| 6 | Valid skip | 107859 | 30326310.2 | | |
| 7 | Don't know | 5 | 947.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 229 | 36470.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_015G: PSA test - reason - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # PSA_015G: PSA test - reason - other

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=1566 / 227052.29 ] [Invalid=108093 / 30363727.97 ] | | | |
| **Universe** | Males aged 35 and over who answered PSA_005 = 1 | | | |
| **Literal question** | Why did you have it? - Other | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 123 | 18199.4 | 8.0% |
| 2 | No | 1443 | 208852.9 | 92.0% |
| 6 | Valid skip | 107859 | 30326310.2 | |
| 7 | Don't know | 5 | 947.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 229 | 36470.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_020: Had a digital rectal exam - lifetime

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2593 / 401094.4 ] [Invalid=107066 / 30189685.86 ] |
| **Universe** | Males aged 35 and over who answered PSA_005 = (1, 2 or 7) |
| **Literal question** | A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1660 | 243224.2 | 60.6% |
| 2 | No | 933 | 157870.2 | 39.4% |
| 6 | Valid skip | 106913 | 30163997.9 | |
| 7 | Don't know | 15 | 2383.7 | |
| 8 | Refusal | 1 | 90.7 | |
| 9 | Not stated | 137 | 23213.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSA_025: Had a digital rectal exam - last time

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1650 / 241793.59 ] [Invalid=108009 / 30348986.67 ] |
| **Universe** | Males aged 35 and over who answered PSA_020 = 1 |
| **Literal question** | When was the last time? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 588 | 87488.3 | 36.2% |
| 2 | More than 1 year to 2 years ago | 295 | 45113.6 | 18.7% |
| 3 | More than 2 years to 3 years ago | 194 | 26681.2 | 11.0% |
| 4 | More than 3 years to 5 years ago | 212 | 28742.1 | 11.9% |
| 5 | More than 5 years ago | 361 | 53768.3 | 22.2% |
| 6 | Valid skip | 107846 | 30321868.1 | |
| 7 | Don't know | 10 | 1430.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 153 | 25688.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOCCS: Colorectal cancer screening - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 18139 | 4095328.6 | 13.4% |
| 2 | No | 91520 | 26495451.6 | 86.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_005: Had an FOBT test - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=9200 / 1943020.63 ] [Invalid=100459 / 28647759.63 ] |
| **Universe** | Respondents aged 40 to 74 with DOCCS = 1 |
| **Literal question** | An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card. Have you ever had this test? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4798 | 943058.0 | 48.5% |
| 2 | No | 4402 | 999962.6 | 51.5% |
| 6 | Valid skip | 100286 | 28606751.9 | |
| 7 | Don't know | 55 | 13151.2 | |
| 8 | Refusal | 13 | 5200.0 | |
| 9 | Not stated | 105 | 22656.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_010: Had an FOBT test - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4744 / 930292.4 ] [Invalid=104915 / 29660487.86 ] |
| **Universe** | Respondents who answered CCS_005 = 1 |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 2226 | 443850.8 | 47.7% |
| 2 | More than 1 year to 2 years ago | 932 | 160091.2 | 17.2% |
| 3 | More than 2 years to 3 years ago | 453 | 88069.2 | 9.5% |
| 4 | More than 3 years to 5 years ago | 441 | 99610.5 | 10.7% |
| 5 | More than 5 years ago | 692 | 138670.8 | 14.9% |
| 6 | Valid skip | 104688 | 29606714.6 | |
| 7 | Don't know | 53 | 12706.6 | |
| 8 | Refusal | 1 | 59.0 | |
| 9 | Not stated | 173 | 41007.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_015A: No FOBT test - 2 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
| **Universe** | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons you have not had a FOBT test in the past 2 years? - Lack of time |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 146 | 37772.7 | | 3.0% |
| 2 | No | 5668 | 1233974.1 | | 97.0% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_015B: No FOBT test - 2 yrs - respondent did not think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
| **Universe** | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons you have not had a FOBT test in the past 2 years? - Respondent did not think it was necessary |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2409 | 483109.7 | 38.0% | |
| 2 | No | 3405 | 788637.1 | | 62.0% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_015C: No FOBT test - 2 yrs - doctor did not think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
| **Universe** | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| **Literal question** | What are the reasons you have not had a FOBT test in the past 2 years? - Doctor did not think it was necessary |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2394 | 576990.8 | 45.4% | |
| 2 | No | 3420 | 694756.0 | | 54.6% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_015D: No FOBT test - 2 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # CCS_015D: No FOBT test - 2 yrs - fear / discomfort

| Statistics [NW/ W] | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
|---|---|
| Universe | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| Literal question | What are the reasons you have not had a FOBT test in the past 2 years? - Feelings of fear or discomfort |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 71 | 17150.0 | 1.3% | |
| 2 | No | 5743 | 1254596.8 | | 98.7% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_015E: No FOBT test - 2 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
| Universe | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| Literal question | What are the reasons you have not had a FOBT test in the past 2 years? - Don't have a doctor |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 155 | 35745.6 | 2.8% | |
| 2 | No | 5659 | 1236001.2 | | 97.2% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_015F: No FOBT test - 2 yrs - had colonoscopy instead

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |
| Universe | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) |
| Literal question | What are the reasons you have not had a FOBT test in the past 2 years? - Had a colonoscopy instead |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 404 | 83446.5 | 6.6% | |
| 2 | No | 5410 | 1188300.3 | | 93.4% |
| 6 | Valid skip | 103444 | 29210693.9 | | |
| 7 | Don't know | 226 | 67430.2 | | |
| 8 | Refusal | 3 | 287.3 | | |
| 9 | Not stated | 172 | 40622.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_015G: No FOBT test - 2 yrs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=5814 / 1271746.81 ] [Invalid=103845 / 29319033.45 ] |

# CCS_015G: No FOBT test - 2 yrs - other

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered CCS_ 005 = (2 or 7) or CCS_010 = (3, 4 or 5) | | | |
| **Literal question** | What are the reasons you have not had a FOBT test in the past 2 years? - Other | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 619 | 115767.1 | 9.1% |
| 2 | No | 5195 | 1155979.7 | 90.9% |
| 6 | Valid skip | 103444 | 29210693.9 | |
| 7 | Don't know | 226 | 67430.2 | |
| 8 | Refusal | 3 | 287.3 | |
| 9 | Not stated | 172 | 40622.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_020: Had a colonoscopy / sigmoidoscopy - lifetime

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=9227 / 1947174.42 ] [Invalid=100432 / 28643605.84 ] |
| **Universe** | Respondents who answered CCS_005 = (1, 2 or 7) |
| **Literal question** | A colonoscopy or sigmoidoscopy is a test where a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams? |
| **Notes** | Was not asked in proxy interviews. If a respondent answered CCS_015 = 6, the variable CCS_020 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3693 | 725641.8 | 37.3% |
| 2 | No | 5534 | 1221532.6 | 62.7% |
| 6 | Valid skip | 100286 | 28606751.9 | |
| 7 | Don't know | 27 | 8230.6 | |
| 8 | Refusal | 1 | 766.9 | |
| 9 | Not stated | 118 | 27856.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CCS_025: Had a colonoscopy / sigmoidoscopy - last time

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3671 / 718697.1 ] [Invalid=105988 / 29872083.16 ] |
| **Universe** | Respondents who answered CCS_020 = 1 |
| **Literal question** | When was the last time you had a colonoscopy or sigmoidoscopy? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 875 | 174765.0 | 24.3% |
| 2 | More than 1 year to 2 years ago | 612 | 107519.7 | 15.0% |
| 3 | More than 2 years to 3 years ago | 511 | 106917.2 | 14.9% |
| 4 | More than 3 years to 5 years ago | 705 | 136111.7 | 18.9% |
| 5 | More than 5 years to 7 years ago | 355 | 75879.0 | 10.6% |
| 6 | More than 7 years ago | 613 | 117504.6 | 16.3% |
| 96 | Valid skip | 105820 | 29828284.6 | |
| 97 | Don't know | 22 | 6944.7 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 146 | 36853.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030A: No colono / sigmoido - 5 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Lack of time |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 76 | 16760.0 | 1.2% |
| 2 | No | 6286 | 1357669.9 | 98.8% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030B: No colono / sigmoido - 5 yrs - respondent did not think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Respondent did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2580 | 510381.0 | 37.1% |
| 2 | No | 3782 | 864048.8 | 62.9% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030C: No colono / sigmoido - 5 yrs - doctor did not think necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Doctor did not think it was necessary |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3387 | 764813.6 | 55.6% |
| 2 | No | 2975 | 609616.3 | 44.4% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030D: No colono / sigmoido - 5 yrs - fear / discomfort

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # CCS_030D: No colono / sigmoido - 5 yrs - fear / discomfort

| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
|---|---|
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Feelings of fear or discomfort |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 126 | 18291.5 | 1.3% |
| 2 | No | 6236 | 1356138.4 | 98.7% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030E: No colono / sigmoido - 5 yrs - no doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Don't have a doctor |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 155 | 32510.2 | 2.4% |
| 2 | No | 6207 | 1341919.6 | 97.6% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_030F: No colono / sigmoido - 5 yrs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6362 / 1374429.84 ] [Invalid=103297 / 29216350.42 ] |
| Universe | Respondents who answered CCS_020 = (2, 7 or 8) or CCS_025 = (5 or 6) |
| Literal question | What are the reasons you have not had this test in the past 5 years? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 522 | 115996.6 | 8.4% |
| 2 | No | 5840 | 1258433.3 | 91.6% |
| 6 | Valid skip | 102989 | 29132065.5 | |
| 7 | Don't know | 165 | 48240.4 | |
| 8 | Refusal | 3 | 1243.4 | |
| 9 | Not stated | 140 | 34801.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCS_035: Colonoscopy / sigmoidoscopy - follow-up of FOBT test

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2440 / 460972.95 ] [Invalid=107219 / 30129807.31 ] |

## # CCS_035: Colonoscopy / sigmoidoscopy - follow-up of FOBT test

| Universe | Respondents who answered CCS_ 005 = 1 and (CCS_015 = 6 or CSS_020 = 1) |
|---|---|
| Literal question | Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 579 | 105276.3 | | 22.8% |
| 2 | No | 1861 | 355696.7 | | 77.2% |
| 6 | Valid skip | 104980 | 29669124.8 | | |
| 7 | Don't know | 123 | 26513.4 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2116 | 434169.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSPI: Spirometry - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 973 | 31789.0 | 0.1% | |
| 2 | No | 108686 | 30558991.3 | | 99.9% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPI_005: Had a spirometry test - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=939 / 30925.71 ] [Invalid=108720 / 30559854.55 ] |
| Universe | Respondents with DOSPI = 1 |
| Literal question | Spirometry is a common lung function test that consists of blowing into a small tube attached to a machine. Have you ever had this test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 269 | 8331.3 | | 26.9% |
| 2 | No | 670 | 22594.4 | | 73.1% |
| 6 | Valid skip | 108686 | 30558991.3 | | |
| 7 | Don't know | 13 | 286.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 21 | 577.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPI_010: Had spirometry test - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=261 / 8135.97 ] [Invalid=109398 / 30582644.29 ] |

## # SPI_010: Had spirometry test - last time

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered SPI_005 = 1 | | | |
| **Literal question** | When was the last time? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 6 months ago | 13 | 444.2 | 5.5% |
| 2 | 6 months to less than 1 year ago | 30 | 830.6 | 10.2% |
| 3 | 1 year to less than 2 years ago | 20 | 574.5 | 7.1% |
| 4 | 2 years to less than 5 years ago | 66 | 2057.8 | 25.3% |
| 5 | 5 or more years ago | 132 | 4228.8 | 52.0% |
| 6 | Valid skip | 109356 | 30581585.7 | |
| 7 | Don't know | 8 | 195.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 34 | 863.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODIA: Diabetes care - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 37286 | 12570732.0 | 41.1% |
| 2 | No | 72373 | 18020048.2 | 58.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_005: Tested for haemoglobin "A1C" - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3185 / 871398.79 ] [Invalid=106474 / 29719381.47 ] |
| **Universe** | Respondents with DODIA = 1 and CCC_095 = 1 and (CCC_105 <> 1 or CCC_110 = 1) |
| **Literal question** | In the past 12 months, has a health care professional tested you for haemoglobin "Aone- C"? (An "A-one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2708 | 731993.6 | 84.0% |
| 2 | No | 477 | 139405.2 | 16.0% |
| 6 | Valid skip | 106243 | 29652690.0 | |
| 7 | Don't know | 167 | 45506.9 | |
| 8 | Refusal | 10 | 4897.2 | |
| 9 | Not stated | 54 | 16287.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_010: Tested for haemoglobin "A1C" - num of times - 12 mo

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-52] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2658 / 719410.64 ] [Invalid=107001 / 29871369.62 ] [Mean=3.285 / 3.1 ] [StdDev=3.035 / 3.565 ] |

# DIA_010: Tested for haemoglobin "A1C" - num of times - 12 mo

| Universe | Respondents who answered DIA_005 = 1 |
|---|---|
| Literal question | How many times? (In the past 12 months, has a health care professional tested you for haemoglobin "A-one-C"?) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 106720 | 29792095.2 | |
| 997 | Don't know | 47 | 11678.4 | |
| 998 | Refusal | 3 | 904.6 | |
| 999 | Not stated | 231 | 66691.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DIA_015: Feet checked by health professional - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range=1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3322 / 899956.96 ] [Invalid=106337 / 29690823.3 ] |
| Universe | Respondents who answered DIA_005 = (1, 2 or 7) |
| Literal question | In the past 12 months, has a health care professional checked your feet for any sores or irritations? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2050 | 530526.3 | 59.0% |
| 2 | No | 1272 | 369430.6 | 41.0% |
| 3 | No feet | 0 | 0.0 | |
| 6 | Valid skip | 106243 | 29652690.0 | |
| 7 | Don't know | 30 | 16948.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 64 | 21184.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DIA_020: Feet checked by health professional - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2017 / 516787.85 ] [Invalid=107642 / 30073992.41 ] [Mean=4.049 / 3.612 ] [StdDev=7.802 / 6.383 ] |
| Universe | Respondents who answered DIA_015 = 1 |
| Literal question | How many times? (In the past 12 months, has a health care professional checked your feet for any sores or irritations?) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 107528 | 30034033.6 | |
| 997 | Don't know | 29 | 13407.5 | |
| 998 | Refusal | 4 | 331.0 | |
| 999 | Not stated | 81 | 26220.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DIA_025: Urine tested for protein by health professional - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3170 / 865801.98 ] [Invalid=106489 / 29724978.28 ] |
| Universe | Respondents who answered DIA_005 = (1, 2 or 7) |
| Literal question | In the past 12 months, has a health care professional tested your urine for protein (i.e., microalbumin)? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2466 | 675873.6 | 78.1% |
| 2 | No | 704 | 189928.3 | 21.9% |
| 6 | Valid skip | 106243 | 29652690.0 | |
| 7 | Don't know | 182 | 51103.7 | |

## # DIA_025: Urine tested for protein by health professional - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 64 | 21184.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_030: Had an eye exam with pupils dilated - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3277 / 889351.36 ] [Invalid=106382 / 29701428.9 ] |
| **Universe** | Respondents who answered DIA_005 = (1, 2 or 7) |
| **Literal question** | Have you ever had an eye exam where the pupils of your eyes were dilated? (This procedure would have made you temporarily sensitive to light.) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2729 | 719656.1 | | 80.9% |
| 2 | No | 548 | 169695.2 | 19.1% | |
| 6 | Valid skip | 106243 | 29652690.0 | | |
| 7 | Don't know | 75 | 27554.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 64 | 21184.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_035: Eye exam with pupils dilated - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2717 / 712394.37 ] [Invalid=106942 / 29878385.89 ] |
| **Universe** | Respondents who answered DIA_030 = 1 |
| **Literal question** | When was the last time? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than 1 year ago | 2011 | 523407.8 | | 73.5% |
| 2 | 1 year to less than 2 years ago | 405 | 110272.7 | 15.5% | |
| 3 | 2 or more years ago | 301 | 78713.9 | 11.0% | |
| 6 | Valid skip | 106791 | 29822385.2 | | |
| 7 | Don't know | 12 | 7261.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 139 | 48738.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_040: Nutrition therapy for diabetics by dietitian - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3333 / 914572.88 ] [Invalid=106326 / 29676207.38 ] |
| **Universe** | Respondents who answered DIA_005 = (1, 2 or 7) |
| **Literal question** | In the past 12 months, has a dietitian provided you with nutrition therapy adapted for people with diabetes? Please exclude advice received by a nurse. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1058 | 263245.9 | 28.8% | |
| 2 | No | 2275 | 651327.0 | | 71.2% |
| 6 | Valid skip | 106243 | 29652690.0 | | |
| 7 | Don't know | 17 | 1997.6 | | |
| 8 | Refusal | 2 | 335.2 | | |

## # DIA_040: Nutrition therapy for diabetics by dietitian - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 64 | 21184.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_045: Glucose level checked - oneself / family / friend - frequency

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3307 / 907366.19 ] [Invalid=106352 / 29683414.07 ] [Mean=3.249 / 3.646 ] [StdDev=18.689 / 22.833 ] |
| **Universe** | Respondents who answered DIA_005 = (1, 2 or 7) |
| **Literal question** | How often do you usually have your blood checked for glucose or sugar by yourself or by a family member or friend? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 106243 | 29652690.0 | |
| 997 | Don't know | 40 | 8789.4 | |
| 998 | Refusal | 5 | 750.1 | |
| 999 | Not stated | 64 | 21184.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_045A: Glucose level checked - oneself / family / friend - reporting period

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2916 / 794215.43 ] [Invalid=106743 / 29796564.83 ] |
| **Universe** | Respondents who answered DIA_045 = (1:365) |
| **Literal question** | Select the reporting period. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Per day | 1535 | 409561.5 | 51.6% |
| 2 | Per week | 973 | 263432.5 | 33.2% |
| 3 | Per month | 270 | 85581.0 | 10.8% |
| 4 | Per year | 138 | 35640.4 | 4.5% |
| 6 | Valid skip | 106634 | 29765840.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 109 | 30724.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_050: Feet checked - oneself / family / friend - frequency

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3249 / 877302.45 ] [Invalid=106410 / 29713477.81 ] [Mean=2.425 / 2.492 ] [StdDev=20.912 / 22.926 ] |
| **Universe** | Respondents who answered DIA_005 = (1, 2 or 7) and DIA_015 <> 3 |
| **Literal question** | How often do you usually have your feet checked for any sores or irritations by yourself or by a family member or friend? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 106243 | 29652690.0 | |
| 997 | Don't know | 95 | 37662.1 | |
| 998 | Refusal | 8 | 1941.2 | |
| 999 | Not stated | 64 | 21184.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_050A: Feet checked - oneself / family / friend - reporting period

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2354 / 593858.02 ] [Invalid=107305 / 29996922.24 ] |

## # DIA_050A: Feet checked - oneself / family / friend - reporting period

| Universe | Respondents who answered DIA_050 = (1:365) |
|---|---|
| Literal question | Select the reporting period. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Per day | 1249 | 338286.1 | | 57.0% |
| 2 | Per week | 639 | 140168.6 | | 23.6% |
| 3 | Per month | 256 | 57970.1 | | 9.8% |
| 4 | Per year | 210 | 57433.2 | | 9.7% |
| 6 | Valid skip | 107138 | 29936134.4 | | |
| 7 | Don't know | 13 | 11913.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 154 | 48874.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_055: High blood pressure - took medication - 1 mo (diabetes)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2137 / 577434.83 ] [Invalid=107522 / 30013345.43 ] |
| Universe | Respondents aged 35 and over who answered DIA_005 = (1, 2 or 7) |
| Literal question | In the past month, have you taken any medicine for high blood pressure? |
| Notes | If a respondent aged 35 or more answered DIA_005 = (1, 2, 6, 7 or 9) and CCC_070 = (1, 2, 7 or 8), the variable DIA_055 was given the value of CCC_070. However, due to an error in processing in 2015, DIA_055 was coded as "Not stated" instead of CCC_070 value for cases with SAM_CP = (201504, 201507 or 201510). |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1510 | 386788.3 | | 67.0% |
| 2 | No | 627 | 190646.5 | | 33.0% |
| 6 | Valid skip | 106327 | 29682836.3 | | |
| 7 | Don't know | 15 | 5765.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1180 | 324743.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIA_060: High blood cholesterol / lipids - took medication - 1 mo (diabetes)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2120 / 573319.42 ] [Invalid=107539 / 30017460.84 ] |
| Universe | Respondents aged 35 and over who answered DIA_005 = (1, 2 or 7) |
| Literal question | In the past month, have you taken any medicine for high blood cholesterol or lipids? |
| Notes | If a respondent aged 35 or more answered DIA_005 = (1, 2, 6, 7 or 9) and CCC_080 = (1, 2, 7 or 8), the variable DIA_060 was given the value of CCC_080. However, due to an error in processing in 2015, DIA_060 was coded as "Not stated" instead of CCC_080 value for cases with SAM_CP = (201504, 201507 or 201510). |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1331 | 338954.2 | | 59.1% |
| 2 | No | 789 | 234365.3 | | 40.9% |
| 6 | Valid skip | 107433 | 29988712.6 | | |
| 7 | Don't know | 40 | 7217.3 | | |
| 8 | Refusal | 2 | 346.4 | | |
| 9 | Not stated | 64 | 21184.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOEYX: Eye examinations - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3233 | 459001.9 | 1.5% |
| 2 | No | 106426 | 30131778.3 | 98.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_005: Insurance - eye glasses / contact lenses - all / part cost coverage

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2800 / 404923.17 ] [Invalid=106859 / 30185857.09 ] |
| **Universe** | Respondents aged 18 and over with DOEYX = 1 |
| **Literal question** | Do you have insurance that covers all or part of the cost of eye glasses or contact lenses? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1697 | 269999.4 | 66.7% |
| 2 | No | 1103 | 134923.7 | 33.3% |
| 6 | Valid skip | 106718 | 30163029.7 | |
| 7 | Don't know | 42 | 6695.0 | |
| 8 | Refusal | 2 | 57.1 | |
| 9 | Not stated | 97 | 16075.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_010A: Type of insurance - eye glasses / contact lenses - govt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1692 / 268845.11 ] [Invalid=107967 / 30321935.15 ] |
| **Universe** | Respondents who answered EYX_005 = 1 |
| **Literal question** | Is it? - A government-sponsored plan |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 282 | 30778.2 | 11.4% |
| 2 | No | 1410 | 238066.9 | 88.6% |
| 6 | Valid skip | 107821 | 30297953.4 | |
| 7 | Don't know | 4 | 1061.0 | |
| 8 | Refusal | 1 | 93.3 | |
| 9 | Not stated | 141 | 22827.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_010B: Type of insurance - eye glasses / contact lenses - employer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# EYX_010B: Type of insurance - eye glasses / contact lenses - employer

| Statistics [NW/ W] | [Valid=1692 / 268845.11 ] [Invalid=107967 / 30321935.15 ] |
|---|---|
| Universe | Respondents who answered EYX_005 = 1 |
| Literal question | Is it? - An employer-sponsored benefit plan |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1234 | 208707.9 | | 77.6% |
| 2 | No | 458 | 60137.2 | | 22.4% |
| 6 | Valid skip | 107821 | 30297953.4 | | |
| 7 | Don't know | 4 | 1061.0 | | |
| 8 | Refusal | 1 | 93.3 | | |
| 9 | Not stated | 141 | 22827.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# EYX_010C: Type of insurance - eye glasses / contact lenses - association

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1692 / 268845.11 ] [Invalid=107967 / 30321935.15 ] |
| Universe | Respondents who answered EYX_005 = 1 |
| Literal question | Is it? - A plan sponsored through an association such as a union, trade association or student organization |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 91 | 14954.2 | 5.6% | |
| 2 | No | 1601 | 253890.9 | | 94.4% |
| 6 | Valid skip | 107821 | 30297953.4 | | |
| 7 | Don't know | 4 | 1061.0 | | |
| 8 | Refusal | 1 | 93.3 | | |
| 9 | Not stated | 141 | 22827.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# EYX_010D: Type of insurance - eye glasses / contact lenses - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1692 / 268845.11 ] [Invalid=107967 / 30321935.15 ] |
| Universe | Respondents who answered EYX_005 = 1 |
| Literal question | Is it? - Another plan, such as your own private plan purchased from an insurance company |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 145 | 21467.9 | 8.0% | |
| 2 | No | 1547 | 247377.2 | | 92.0% |
| 6 | Valid skip | 107821 | 30297953.4 | | |
| 7 | Don't know | 4 | 1061.0 | | |
| 8 | Refusal | 1 | 93.3 | | |
| 9 | Not stated | 141 | 22827.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# EYX_015: Visited an optometrist or ophthalmologist - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3114 / 441025.45 ] [Invalid=106545 / 30149754.81 ] |

## # EYX_015: Visited an optometrist or ophthalmologist - 12 mo

| Universe | Respondents with DOEYX = 1 |
|---|---|
| Literal question | In the past 12 months, have you seen an optometrist or ophthalmologist? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1305 | 176773.8 | 40.1% |
| 2 | No | 1809 | 264251.6 | 59.9% |
| 6 | Valid skip | 106426 | 30131778.3 | |
| 7 | Don't know | 6 | 623.4 | |
| 8 | Refusal | 1 | 29.8 | |
| 9 | Not stated | 112 | 17323.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_020: Eye examination - last time

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3085 / 437381.25 ] [Invalid=106574 / 30153399.01 ] |
| **Universe** | Respondents who answered EYX_015 = (1, 2) |
| **Literal question** | When did you last have an eye examination? |
| **Notes** | Was not asked in proxy interviews. If a respondent answered EYX_015 = 1, the variable EYX_020 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Less than 1 year to 1 year ago | 1402 | 192284.9 | | 44.0% |
| 2 | More than 1 year to 2 years ago | 658 | 90914.4 | | 20.8% |
| 3 | More than 2 years to 3 years ago | 382 | 54487.4 | | 12.5% |
| 4 | More than 3 years to 5 years ago | 211 | 31075.8 | | 7.1% |
| 5 | More than 5 years ago | 342 | 55019.2 | | 12.6% |
| 6 | Never | 90 | 13599.5 | | 3.1% |
| 96 | Valid skip | 106426 | 30131778.3 | | |
| 97 | Don't know | 28 | 3287.5 | | |
| 98 | Refusal | 1 | 356.7 | | |
| 99 | Not stated | 119 | 17976.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_025A: No eye exam - 1 or 2 yrs - lack of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| **Universe** | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| **Literal question** | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Lack of time |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 69 | 10304.2 | | 6.0% |
| 2 | No | 1157 | 161190.6 | | 94.0% |
| 6 | Valid skip | 108276 | 30396119.1 | | |
| 7 | Don't know | 9 | 1545.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 148 | 21620.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_025B: No eye exam - 1 or 2 yrs - respondent did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| **Universe** | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| **Literal question** | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Respondent - did not think it was necessary |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 858 | 122467.7 | | 71.4% |
| 2 | No | 368 | 49027.1 | | 28.6% |
| 6 | Valid skip | 108276 | 30396119.1 | | |

## # EYX_025B: No eye exam - 1 or 2 yrs - respondent did not think it was necessary

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 9 | 1545.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 148 | 21620.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_025C: No eye exam - 1 or 2 yrs - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| **Universe** | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| **Literal question** | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Cost |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 145 | 20148.4 | 11.7% |
| 2 | No | 1081 | 151346.4 | 88.3% |
| 6 | Valid skip | 108276 | 30396119.1 | |
| 7 | Don't know | 9 | 1545.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 148 | 21620.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_025D: No eye exam - 1 or 2 yrs - specialist did not think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| **Universe** | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| **Literal question** | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Optometrist / Ophthalmologist - did not think it was necessary |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 95 | 8753.4 | 5.1% |
| 2 | No | 1131 | 162741.4 | 94.9% |
| 6 | Valid skip | 108276 | 30396119.1 | |
| 7 | Don't know | 9 | 1545.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 148 | 21620.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_025F: No eye exam - 1 or 2 yrs - no optometrist / ophthalmologist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| **Universe** | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| **Literal question** | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Don't have an optometrist or ophthalmologist |
| **Notes** | Was not asked in proxy interviews |

## # EYX_025F: No eye exam - 1 or 2 yrs - no optometrist / ophthalmologist

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8 | 765.9 | 0.4% | |
| 2 | No | 1218 | 170728.9 | | 99.6% |
| 6 | Valid skip | 108276 | 30396119.1 | | |
| 7 | Don't know | 9 | 1545.7 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 148 | 21620.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYXG025G: No eye exam - 1 or 2 yrs - fear or discomfort/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1226 / 171494.79 ] [Invalid=108433 / 30419285.47 ] |
| Universe | Respondents who answered EYX_020 = (3, 4, 5 or 6) or respondents aged less than 18 or greater than 64 who answered EYX_20 = 2 |
| Literal question | What are the reasons that you have not had an eye examination in the past [year / 2 years] - Feelings of fear or discomfort/ other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 112 | 16727.7 | 9.8% | |
| 2 | No | 1114 | 154767.0 | | 90.2% |
| 6 | Valid skip | 108276 | 30396119.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 157 | 23166.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_030: Has cataract

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2172 / 279882.72 ] [Invalid=107487 / 30310897.54 ] |
| Universe | Respondents aged 40 and over with DOEYX = 1 |
| Literal question | Do you have cataracts? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 258 | 25671.4 | 9.2% | |
| 2 | No | 1914 | 254211.3 | | 90.8% |
| 6 | Valid skip | 107396 | 30296486.7 | | |
| 7 | Don't know | 11 | 1195.3 | | |
| 8 | Refusal | 1 | 29.8 | | |
| 9 | Not stated | 79 | 13185.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # EYX_035: Has glaucoma

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2171 / 279547.85 ] [Invalid=107488 / 30311232.41 ] |
| Universe | Respondents aged 40 and over with DOEYX = 1 |
| Literal question | Do you have glaucoma? |

## # EYX_035: Has glaucoma

| Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 81 | 8340.3 | 3.0% |
| 2 | No | 2090 | 271207.6 | 97.0% |
| 6 | Valid skip | 107396 | 30296486.7 | |
| 7 | Don't know | 12 | 1530.2 | |
| 8 | Refusal | 1 | 29.8 | |
| 9 | Not stated | 79 | 13185.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOCMH: Consultations about mental health - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH_005: Consulted mental health professional - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106563 / 29555241.17 ] [Invalid=3096 / 1035539.09 ] |
| Universe | Respondents with DOCMH = 1 |
| Literal question | In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15676 | 4196251.7 | 14.2% |
| 2 | No | 90887 | 25358989.5 | 85.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 166 | 48766.7 | |
| 8 | Refusal | 227 | 108546.3 | |
| 9 | Not stated | 2703 | 878226.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMHG010: Consulted mental health professional - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15462 / 4139648.49 ] [Invalid=94197 / 26451131.77 ] [Mean=4.756 / 4.809 ] [StdDev=4.003 / 4.015 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | How many times (in the past 12 months)? |

## # CMHG010: Consulted mental health professional - num of times - 12 mo

| Notes | Was not asked in proxy interviews. This variable has been capped at 12 as a form of disclosure control. |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 90887 | 25358989.5 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 3310 | 1092142.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH_015A: Consulted mental health professional - family doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Family doctor or general practitioner |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8758 | 2351084.7 | 56.3% |
| 2 | No | 6843 | 1828057.2 | 43.7% |
| 6 | Valid skip | 90887 | 25358989.5 | |
| 7 | Don't know | 57 | 12010.7 | |
| 8 | Refusal | 18 | 5099.2 | |
| 9 | Not stated | 3096 | 1035539.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH_015B: Consulted mental health professional - psychiatrist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Psychiatrist |
| Notes | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2651 | 721029.3 | 17.3% |
| 2 | No | 12950 | 3458112.5 | 82.7% |
| 6 | Valid skip | 90887 | 25358989.5 | |
| 7 | Don't know | 57 | 12010.7 | |
| 8 | Refusal | 18 | 5099.2 | |
| 9 | Not stated | 3096 | 1035539.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH_015C: Consulted mental health professional - psychologist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Psychologist |
| Notes | Was not asked in proxy interviews. |

# CMH_015C: Consulted mental health professional - psychologist

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3178 | 976571.4 | 23.4% | |
| 2 | No | 12423 | 3202570.4 | | 76.6% |
| 6 | Valid skip | 90887 | 25358989.5 | | |
| 7 | Don't know | 57 | 12010.7 | | |
| 8 | Refusal | 18 | 5099.2 | | |
| 9 | Not stated | 3096 | 1035539.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CMH_015D: Consulted mental health professional - nurse

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Nurse |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 939 | 211688.0 | 5.1% | |
| 2 | No | 14662 | 3967453.8 | | 94.9% |
| 6 | Valid skip | 90887 | 25358989.5 | | |
| 7 | Don't know | 57 | 12010.7 | | |
| 8 | Refusal | 18 | 5099.2 | | |
| 9 | Not stated | 3096 | 1035539.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CMH_015E: Consulted mental health professional - social worker

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Social worker or counsellor |
| Notes | Was not asked in proxy interviews. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3871 | 943705.4 | 22.6% | |
| 2 | No | 11730 | 3235436.4 | | 77.4% |
| 6 | Valid skip | 90887 | 25358989.5 | | |
| 7 | Don't know | 57 | 12010.7 | | |
| 8 | Refusal | 18 | 5099.2 | | |
| 9 | Not stated | 3096 | 1035539.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CMH_015F: Consulted mental health professional - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15601 / 4179141.82 ] [Invalid=94058 / 26411638.44 ] |
| Universe | Respondents who answered CMH_005 = 1 |
| Literal question | Whom did you see or talk to? - Other - Specify |
| Notes | Was not asked in proxy interviews |

## # CMH_015F: Consulted mental health professional - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 1085 | 283126.1 | 6.8% |
| 2 | No | 14516 | 3896015.7 | 93.2% |
| 6 | Valid skip | 90887 | 25358989.5 | |
| 7 | Don't know | 57 | 12010.7 | |
| 8 | Refusal | 18 | 5099.2 | |
| 9 | Not stated | 3096 | 1035539.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSWL: Satisfaction with life - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 13085 | 3510293.3 | 11.5% |
| 2 | No | 96574 | 27080487.0 | 88.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_005: Satisfaction - job / main activity

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=12727 / 3398823.32 ] [Invalid=96932 / 27191956.94 ] |
| Universe | Respondents with DOSWL = 1 |
| Literal question | How satisfied are you with your job or main activity? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Very satisfied | 4370 | 1158336.9 | 34.1% |
| 2 | Satisfied | 6473 | 1738027.0 | 51.1% |
| 3 | Neither satisfied nor dissatisfied | 985 | 269886.2 | 7.9% |
| 4 | Dissatisfied | 692 | 180375.4 | 5.3% |
| 5 | Very dissatisfied | 207 | 52197.8 | 1.5% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 86 | 23281.6 | |
| 8 | Refusal | 36 | 17118.5 | |
| 9 | Not stated | 236 | 71069.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_010: Satisfaction - leisure activities

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=12674 / 3387340.29 ] [Invalid=96985 / 27203439.97 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |

## # SWL_010: Satisfaction - leisure activities

| | Literal question | How satisfied are you with your leisure activities? |
|---|---|---|
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 4013 | 1098772.8 | 32.4% |
| 2 | Satisfied | 6578 | 1761853.2 | 52.0% |
| 3 | Neither satisfied nor dissatisfied | 1133 | 290036.9 | 8.6% |
| 4 | Dissatisfied | 830 | 210398.3 | 6.2% |
| 5 | Very dissatisfied | 120 | 26279.0 | 0.8% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 50 | 10661.3 | |
| 8 | Refusal | 3 | 821.7 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_015: Satisfaction - financial situation

| | Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=12619 / 3367886.38 ] [Invalid=97040 / 27222893.88 ] |
| | Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| | Literal question | (How satisfied are you) with your financial situation? |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 2312 | 619262.3 | 18.4% |
| 2 | Satisfied | 6693 | 1757724.4 | 52.2% |
| 3 | Neither satisfied nor dissatisfied | 1469 | 421680.6 | 12.5% |
| 4 | Dissatisfied | 1643 | 448910.2 | 13.3% |
| 5 | Very dissatisfied | 502 | 120308.8 | 3.6% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 94 | 27064.2 | |
| 8 | Refusal | 14 | 3872.7 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_020: Satisfaction - with oneself

| | Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=12659 / 3385775.37 ] [Invalid=97000 / 27205004.89 ] |
| | Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| | Literal question | (How satisfied are you) with yourself? |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 3839 | 1072640.2 | 31.7% |
| 2 | Satisfied | 7458 | 1956201.9 | 57.8% |
| 3 | Neither satisfied nor dissatisfied | 808 | 209904.2 | 6.2% |
| 4 | Dissatisfied | 466 | 126547.8 | 3.7% |
| 5 | Very dissatisfied | 88 | 20481.3 | 0.6% |
| 6 | Valid skip | 96574 | 27080487.0 | |

# SWL_020: Satisfaction - with oneself

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 57 | 10018.7 | |
| 8 | Refusal | 11 | 3029.3 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SWL_025: Satisfaction - body image

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12667 / 3385681.02 ] [Invalid=96992 / 27205099.24 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| Literal question | How satisfied are you with the way your body looks? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 1933 | 545855.8 | 16.1% |
| 2 | Satisfied | 6929 | 1870483.4 | 55.2% |
| 3 | Neither satisfied nor dissatisfied | 1784 | 467814.8 | 13.8% |
| 4 | Dissatisfied | 1780 | 443673.5 | 13.1% |
| 5 | Very dissatisfied | 241 | 57853.5 | 1.7% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 47 | 10323.7 | |
| 8 | Refusal | 13 | 2818.6 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SWL_030: Satisfaction - relationships with family members

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12680 / 3389279.17 ] [Invalid=96979 / 27201501.09 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| Literal question | (How satisfied are you) with your relationships with family members? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 5802 | 1588460.8 | 46.9% |
| 2 | Satisfied | 5731 | 1511079.3 | 44.6% |
| 3 | Neither satisfied nor dissatisfied | 594 | 141379.6 | 4.2% |
| 4 | Dissatisfied | 442 | 123663.4 | 3.6% |
| 5 | Very dissatisfied | 111 | 24696.0 | 0.7% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 35 | 6773.2 | |
| 8 | Refusal | 12 | 2771.0 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SWL_035: Satisfaction - relationships with friends

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12677 / 3386361.29 ] [Invalid=96982 / 27204418.97 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |

## # SWL_035: Satisfaction - relationships with friends

| Literal question | (How satisfied are you) with your relationships with friends? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 5150 | 1408716.9 | 41.6% |
| 2 | Satisfied | 6707 | 1770402.9 | 52.3% |
| 3 | Neither satisfied nor dissatisfied | 516 | 134344.6 | 4.0% |
| 4 | Dissatisfied | 258 | 62877.7 | 1.9% |
| 5 | Very dissatisfied | 46 | 10019.1 | 0.3% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 41 | 10385.2 | |
| 8 | Refusal | 9 | 2076.8 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_040: Satisfaction - housing

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12703 / 3394068.05 ] [Invalid=96956 / 27196712.21 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| Literal question | How satisfied are you with your housing? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 5887 | 1599137.0 | 47.1% |
| 2 | Satisfied | 5619 | 1473453.9 | 43.4% |
| 3 | Neither satisfied nor dissatisfied | 585 | 153065.8 | 4.5% |
| 4 | Dissatisfied | 515 | 136263.6 | 4.0% |
| 5 | Very dissatisfied | 97 | 32147.8 | 0.9% |
| 6 | Valid skip | 96574 | 27080487.0 | |
| 7 | Don't know | 16 | 2918.2 | |
| 8 | Refusal | 8 | 1837.1 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL_045: Satisfaction - neighbourhood

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12678 / 3387336.14 ] [Invalid=96981 / 27203444.12 ] |
| Universe | Respondents who answered SWL_005 = (1, 2, 3, 4 or 5) |
| Literal question | (How satisfied are you) with your neighbourhood? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 5301 | 1450582.5 | 42.8% |
| 2 | Satisfied | 6086 | 1594694.1 | 47.1% |
| 3 | Neither satisfied nor dissatisfied | 784 | 214239.6 | 6.3% |
| 4 | Dissatisfied | 430 | 105951.2 | 3.1% |
| 5 | Very dissatisfied | 77 | 21868.6 | 0.6% |
| 6 | Valid skip | 96574 | 27080487.0 | |

# SWL_045: Satisfaction - neighbourhood

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 42 | 9807.3 | |
| 8 | Refusal | 7 | 1679.8 | |
| 9 | Not stated | 358 | 111470.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DODEP: Depression - Inclusion Flag - (F)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Definition** | This module is a validated instrument to measure self-reported depression. It is called PHQ-9 and was developed by Spitzer et al (1999). It was first introduced in the CCHS in 2015. |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 57204 | 15904693.9 | 52.0% |
| 2 | No | 52455 | 14686086.3 | 48.0% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DEPDVPHQ: Depression severity scale - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=52996 / 14642780.16 ] [Invalid=56663 / 15948000.1 ] [Mean=2.821 / 2.79 ] [StdDev=4.057 / 3.918 ] |
| **Definition** | Derived from ADM_PRX, DEP_005, DEP_010, DEP_015, DEP_020, DEP_025, DEP_030, DEP_035, DEP_040, DEP_045 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 52455 | 14686086.3 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 4208 | 1261913.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DEPDVSEV: Depression scale - severity of depression - (D)

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=52996 / 14642780.16 ] [Invalid=56663 / 15948000.1 ] |
| **Definition** | Derived from ADM_PRX, DEPDVPHQ |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | No depression | 21417 | 5677591.2 | 38.8% |
| 1 | Minimal depression | 19961 | 5783934.8 | 39.5% |
| 2 | Mild depression | 7826 | 2186939.2 | 14.9% |
| 3 | Moderate depression | 2373 | 662474.9 | 4.5% |
| 4 | Moderately severe depression | 953 | 224926.7 | 1.5% |
| 5 | Severe depression | 466 | 106913.3 | 0.7% |

## # DEPDVSEV: Depression scale - severity of depression - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 52455 | 14686086.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 4208 | 1261913.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSUI: Suicidal thoughts and attempts - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SUI_005: Has considered suicide - lifetime

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=101946 / 28370787.76 ] [Invalid=7713 / 2219992.5 ] |
| **Universe** | Respondents aged 15 and over with DOSUI = 1 |
| **Literal question** | Have you ever seriously contemplated suicide? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 13621 | 3375349.6 | 11.9% | |
| 2 | No | 88325 | 24995438.2 | | 88.1% |
| 6 | Valid skip | 4485 | 1112132.4 | | |
| 7 | Don't know | 169 | 60718.2 | | |
| 8 | Refusal | 534 | 217526.0 | | |
| 9 | Not stated | 2525 | 829615.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SUI_010: Considered suicide - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=13604 / 3372677.19 ] [Invalid=96055 / 27218103.07 ] |
| **Universe** | Respondents who answered SUI_005 = 1 |
| **Literal question** | Has this happened in the past 12 months? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2716 | 722687.4 | 21.4% | |
| 2 | No | 10888 | 2649989.8 | | 78.6% |

# SUI_010: Considered suicide - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 92810 | 26107570.6 | |
| 7 | Don't know | 11 | 1638.5 | |
| 8 | Refusal | 6 | 1033.9 | |
| 9 | Not stated | 3228 | 1107860.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOWST: Work stress - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13322 | 2394522.3 | 7.8% |
| 2 | No | 96337 | 28196257.9 | 92.2% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_005: Job - required to learn new things - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7915 / 1602102.18 ] [Invalid=101744 / 28988678.08 ] |
| Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| Literal question | Your job required that you learn new things. |
| Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 3259 | 678983.6 | 42.4% |
| 2 | Agree | 3475 | 701427.4 | 43.8% |
| 3 | Neither agree nor disagree | 376 | 67369.8 | 4.2% |
| 4 | Disagree | 621 | 118107.0 | 7.4% |
| 5 | Strongly disagree | 184 | 36214.3 | 2.3% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 24 | 3639.0 | |
| 8 | Refusal | 9 | 1866.9 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_010: Job - required high level of skill - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7913 / 1601172.6 ] [Invalid=101746 / 28989607.66 ] |
| Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| Literal question | Your job required a high level of skill. |
| Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

# WST_010: Job - required high level of skill - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 2689 | 558709.6 | 34.9% |
| 2 | Agree | 3523 | 712124.2 | 44.5% |
| 3 | Neither agree nor disagree | 641 | 133198.5 | 8.3% |
| 4 | Disagree | 901 | 165217.6 | 10.3% |
| 5 | Strongly disagree | 159 | 31922.7 | 2.0% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 27 | 4816.0 | |
| 8 | Refusal | 8 | 1619.5 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_015: Job - freedom to decide - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7906 / 1600005.38 ] [Invalid=101753 / 28990774.88 ] |
| Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| Literal question | Your job allowed you freedom to decide how you did your job. |
| Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 2369 | 483852.7 | 30.2% |
| 2 | Agree | 3856 | 782228.9 | 48.9% |
| 3 | Neither agree nor disagree | 633 | 117331.3 | 7.3% |
| 4 | Disagree | 850 | 171397.7 | 10.7% |
| 5 | Strongly disagree | 198 | 45194.8 | 2.8% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 32 | 5887.2 | |
| 8 | Refusal | 10 | 1715.5 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_020: Job - repetitive tasks - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7906 / 1599791.49 ] [Invalid=101753 / 28990988.77 ] |
| Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| Literal question | Your job required that you do things over and over. |
| Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 2487 | 500524.4 | 31.3% |
| 2 | Agree | 3777 | 754956.3 | 47.2% |
| 3 | Neither agree nor disagree | 482 | 96737.2 | 6.0% |
| 4 | Disagree | 967 | 201601.4 | 12.6% |
| 5 | Strongly disagree | 193 | 45972.2 | 2.9% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 32 | 6104.3 | |

# WST_020: Job - repetitive tasks - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 10 | 1712.3 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_025: Job - hectic - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7911 / 1600651.19 ] [Invalid=101748 / 28990129.07 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | Your job was very hectic. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 1728 | 347583.9 | 21.7% |
| 2 | Agree | 3049 | 641500.9 | 40.1% |
| 3 | Neither agree nor disagree | 949 | 182451.4 | 11.4% |
| 4 | Disagree | 1881 | 370507.3 | 23.1% |
| 5 | Strongly disagree | 304 | 58607.6 | 3.7% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 27 | 5244.6 | |
| 8 | Refusal | 10 | 1712.3 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_030: Job - free from conflicting demands - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7841 / 1584962.75 ] [Invalid=101818 / 29005817.51 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | You were free from conflicting demands that others made. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 889 | 160752.7 | 10.1% |
| 2 | Agree | 3301 | 665165.6 | 42.0% |
| 3 | Neither agree nor disagree | 800 | 159450.9 | 10.1% |
| 4 | Disagree | 2213 | 463489.1 | 29.2% |
| 5 | Strongly disagree | 638 | 136104.5 | 8.6% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 91 | 20262.1 | |
| 8 | Refusal | 16 | 2383.2 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_035: Job - good job security - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7905 / 1599205.75 ] [Invalid=101754 / 28991574.51 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |

## # WST_035: Job - good job security - 12 mo

| | Literal question | Your job security was good. |
|---|---|---|
| | Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 3165 | 638362.0 | 39.9% |
| 2 | Agree | 3684 | 748011.5 | 46.8% |
| 3 | Neither agree nor disagree | 414 | 88654.9 | 5.5% |
| 4 | Disagree | 461 | 89579.9 | 5.6% |
| 5 | Strongly disagree | 181 | 34597.5 | 2.2% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 34 | 6782.0 | |
| 8 | Refusal | 9 | 1620.3 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WST_040: Job - required a lot of physical effort - 12 mo

| | Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=7919 / 1601559.35 ] [Invalid=101740 / 28989220.91 ] |
| | Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| | Literal question | Your job required a lot of physical effort. |
| | Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 1705 | 347366.9 | 21.7% |
| 2 | Agree | 2639 | 520752.9 | 32.5% |
| 3 | Neither agree nor disagree | 620 | 112766.8 | 7.0% |
| 4 | Disagree | 2142 | 444643.6 | 27.8% |
| 5 | Strongly disagree | 813 | 176029.2 | 11.0% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 19 | 4336.4 | |
| 8 | Refusal | 10 | 1712.3 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WST_045: Job - able to give input on own job - 12 mo

| | Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=7886 / 1594044.35 ] [Invalid=101773 / 28996735.91 ] |
| | Universe | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| | Literal question | You had a lot to say about what happened in your job. |
| | Notes | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 1841 | 355713.7 | 22.3% |
| 2 | Agree | 3504 | 721418.8 | 45.3% |
| 3 | Neither agree nor disagree | 845 | 166869.8 | 10.5% |
| 4 | Disagree | 1418 | 287220.2 | 18.0% |

# WST_045: Job - able to give input on own job - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 5 | Strongly disagree | 278 | 62821.9 | 3.9% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 50 | 11624.9 | |
| 8 | Refusal | 12 | 1938.8 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_050: Job - hostility or conflict from coworkers - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7911 / 1600034.79 ] [Invalid=101748 / 28990745.47 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | You were exposed to hostility or conflict from the people you worked with. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 410 | 83260.9 | 5.2% |
| 2 | Agree | 1560 | 325372.3 | 20.3% |
| 3 | Neither agree nor disagree | 539 | 118062.2 | 7.4% |
| 4 | Disagree | 3218 | 658669.0 | 41.2% |
| 5 | Strongly disagree | 1808 | 354884.7 | 22.2% |
| 6 | Not applicable | 376 | 59785.7 | 3.7% |
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 27 | 5861.0 | |
| 98 | Refusal | 10 | 1712.3 | |
| 99 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WST_055: Job - helpful supervisor - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7908 / 1599530.31 ] [Invalid=101751 / 28991249.95 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | Your supervisor was helpful in getting the job done. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 1798 | 366029.4 | 22.9% |
| 2 | Agree | 3622 | 751316.2 | 47.0% |
| 3 | Neither agree nor disagree | 483 | 104662.9 | 6.5% |
| 4 | Disagree | 567 | 120706.4 | 7.5% |
| 5 | Strongly disagree | 269 | 54397.7 | 3.4% |
| 6 | Not applicable | 1169 | 202417.7 | 12.7% |
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 28 | 6217.0 | |
| 98 | Refusal | 12 | 1860.7 | |
| 99 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WST_060: Job - helpful co-workers - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7916 / 1600971.87 ] [Invalid=101743 / 28989808.39 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | The people you worked with were helpful in getting the job done. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 2325 | 478917.6 | 29.9% |
| 2 | Agree | 4540 | 927806.3 | 58.0% |
| 3 | Neither agree nor disagree | 321 | 68912.3 | 4.3% |
| 4 | Disagree | 199 | 40814.5 | 2.5% |
| 5 | Strongly disagree | 68 | 15025.6 | 0.9% |
| 6 | Not applicable | 463 | 69495.6 | 4.3% |
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 21 | 4825.5 | |
| 98 | Refusal | 11 | 1810.7 | |
| 99 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WST_065: Job - had materials / equipment needed - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7918 / 1601805.88 ] [Invalid=101741 / 28988974.38 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | You had the materials and equipment you needed to do your job. |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 2812 | 554754.1 | 34.6% |
| 2 | Agree | 4400 | 892735.9 | 55.7% |
| 3 | Neither agree nor disagree | 312 | 69320.1 | 4.3% |
| 4 | Disagree | 327 | 69230.7 | 4.3% |
| 5 | Strongly disagree | 67 | 15765.1 | 1.0% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 18 | 3822.4 | |
| 8 | Refusal | 12 | 1979.8 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WST_070: Job satisfaction - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7911 / 1599237.3 ] [Invalid=101748 / 28991542.96 ] |
| **Universe** | Respondents aged 15 to 74 with DOWST = 1 and DV_WORK12 = 1 |
| **Literal question** | How satisfied were you with your job? |
| **Notes** | This question was not asked in proxy interviews. DV_WORK12 indicates if the respondent worked at a job or business in the past 12 months (from MAC module). |

# WST_070: Job satisfaction - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 4283 | 826114.4 | 51.7% |
| 2 | Somewhat satisfied | 3085 | 651755.0 | 40.8% |
| 3 | Not too satisfied | 419 | 93169.8 | 5.8% |
| 4 | Not at all satisfied | 124 | 28198.1 | 1.8% |
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 26 | 6560.0 | |
| 8 | Refusal | 11 | 1810.7 | |
| 9 | Not stated | 123 | 31284.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WSTDVSKI: Derived work stress scale - skill discretion - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=7885 / 1597036.01 ] [Invalid=101774 / 28993744.25 ] [Mean=4.827 / 4.749 ] [StdDev=2.035 / 2.044 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_010, WST_020, WSTT005, WSTT010, WSTT020 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 186 | 41856.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WSTDVPSY: Derived work stress scale - psychological demands - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7832 / 1582855.31 ] [Invalid=101827 / 29007924.95 ] [Mean=4.305 / 4.374 ] [StdDev=1.818 / 1.798 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_025, WST_030, WSTT025, WSTT030 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 239 | 56037.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WSTDVJIN: Derived work stress scale - job insecurity - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7905 / 1599205.75 ] [Invalid=101754 / 28991574.51 ] [Mean=0.837 / 0.833 ] [StdDev=0.93 / 0.92 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_035, WSTT035 |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 166 | 39687.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WSTDVPHY: Derived work stress scale - physical exertion - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7919 / 1601559.35 ] [Invalid=101740 / 28989220.91 ] [Mean=2.288 / 2.261 ] [StdDev=1.339 / 1.357 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_040, WSTT040 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 101588 | 28951887.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 152 | 37333.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WSTDVAUT: Derived work stress scale - decision authority - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7870 / 1591440.71 ] [Invalid=101789 / 28999339.55 ] [Mean=2.409 / 2.429 ] [StdDev=1.81 / 1.819 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_015, WST_045, WSTT015, WSTT045 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 101588 | 28951887.5 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 201 | 47452.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WSTDVJST: Derived work stress scale - job strain - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0.2-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7766 / 1571335.47 ] [Invalid=101893 / 29019444.79 ] [Mean=0.919 / 0.929 ] [StdDev=0.342 / 0.35 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_010, WST_015, WST_020, WST_025, WST_030, WST_045, WSTT005, WSTT010, WSTT015, WSTT020, WSTT025, WSTT030, WSTT045 |
| **Universe** | See documentation on derived variables. |

| Value | Label | | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|---|
| 9.96 | Valid skip | | 101588 | 28951887.5 | |
| 9.97 | Don't know | | 0 | 0.0 | |
| 9.98 | Refusal | | 0 | 0.0 | |
| 9.99 | Not stated | | 305 | 67557.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WSTDVSOC: Derived work stress scale - social support - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=6547 / 1364749.79 ] [Invalid=103112 / 29226030.47 ] [Mean=3.373 / 3.405 ] [StdDev=2.142 / 2.131 ] |
| **Definition** | Derived from ADM_PRX, WST_005, WST_050, WST_055, WST_060, WSTT050, WSTT055, WSTT060 |
| **Universe** | See documentation on derived variables. |

| Value | Label | | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|---|
| 96 | Valid skip | | 102941 | 29185055.7 | |
| 97 | Don't know | | 0 | 0.0 | |
| 98 | Refusal | | 0 | 0.0 | |
| 99 | Not stated | | 171 | 40974.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSPS: Social provisions - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|---|
| 1 | Yes | | 15879 | 3668115.7 | 12.0% |
| 2 | No | | 93780 | 26922664.6 | 88.0% |
| 6 | Valid skip | | 0 | 0.0 | |
| 7 | Don't know | | 0 | 0.0 | |
| 8 | Refusal | | 0 | 0.0 | |
| 9 | Not stated | | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_005: Relationships - people to depend on for help

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15497 / 3562772.81 ] [Invalid=94162 / 27028007.45 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | There are people I can depend on to help me if I really need it. |
| **Notes** | Was not asked in proxy interviews |

## # SPS_005: Relationships - people to depend on for help

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Strongly agree | 9699 | 2208403.1 | 62.0% |
| 2 | Agree | 5406 | 1258270.7 | 35.3% |
| 3 | Disagree | 296 | 69462.1 | 1.9% |
| 4 | Strongly disagree | 96 | 26636.8 | 0.7% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 56 | 17828.5 | |
| 8 | Refusal | 34 | 13722.5 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_010: Relationships - people who enjoy same social activities

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=15423 / 3554151.8 ] [Invalid=94236 / 27036628.46 ] |
| Universe | Respondents with DOSPS = 1 |
| Literal question | There are people who enjoy the same social activities I do. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Strongly agree | 7736 | 1791422.3 | 50.4% |
| 2 | Agree | 7121 | 1649630.5 | 46.4% |
| 3 | Disagree | 478 | 100971.6 | 2.8% |
| 4 | Strongly disagree | 88 | 12127.4 | 0.3% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 129 | 27033.6 | |
| 8 | Refusal | 35 | 13138.4 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_015: Relationships - sense of emotional security and wellbeing

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=15405 / 3548784.96 ] [Invalid=94254 / 27041995.3 ] |
| Universe | Respondents with DOSPS = 1 |
| Literal question | I have close relationships that provide me with a sense of emotional security and wellbeing. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Strongly agree | 8014 | 1854120.5 | 52.2% |
| 2 | Agree | 6748 | 1549842.8 | 43.7% |
| 3 | Disagree | 552 | 125839.6 | 3.5% |
| 4 | Strongly disagree | 91 | 18982.0 | 0.5% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 140 | 29706.2 | |
| 8 | Refusal | 42 | 15832.6 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_020: Relationships - someone to talk to about important decisions

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15480 / 3561000.25 ] [Invalid=94179 / 27029780.01 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | There is someone I could talk to about important decisions in my life. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Strongly agree | 9117 | 2114224.7 | | 59.4% |
| 2 | Agree | 5815 | 1329519.2 | | 37.3% |
| 3 | Disagree | 455 | 96358.1 | 2.7% | |
| 4 | Strongly disagree | 93 | 20898.2 | 0.6% | |
| 6 | Valid skip | 93780 | 26922664.6 | | |
| 7 | Don't know | 69 | 19520.6 | | |
| 8 | Refusal | 38 | 13803.0 | | |
| 9 | Not stated | 292 | 73791.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_025: Relationships - competence and skill are recognized

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15311 / 3536462.62 ] [Invalid=94348 / 27054317.64 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | I have relationships where my competence and skill are recognized. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Strongly agree | 7042 | 1629970.0 | | 46.1% |
| 2 | Agree | 7660 | 1775019.9 | | 50.2% |
| 3 | Disagree | 529 | 110532.8 | 3.1% | |
| 4 | Strongly disagree | 80 | 20939.9 | 0.6% | |
| 6 | Valid skip | 93780 | 26922664.6 | | |
| 7 | Don't know | 222 | 40819.8 | | |
| 8 | Refusal | 54 | 17041.4 | | |
| 9 | Not stated | 292 | 73791.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_030: Relationships - trustworthy person for advice

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15464 / 3557588.49 ] [Invalid=94195 / 27033191.77 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | There is a trustworthy person I could turn to for advice if I were having problems. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Strongly agree | 9381 | 2158374.9 | | 60.7% |
| 2 | Agree | 5651 | 1293982.4 | | 36.4% |
| 3 | Disagree | 360 | 91194.0 | 2.6% | |
| 4 | Strongly disagree | 72 | 14037.2 | 0.4% | |
| 6 | Valid skip | 93780 | 26922664.6 | | |

## # SPS_030: Relationships - trustworthy person for advice

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 83 | 21943.1 | |
| 8 | Refusal | 40 | 14792.2 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_035: Relationships - part of a group who share attitudes and beliefs

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15400 / 3547658.39 ] [Invalid=94259 / 27043121.87 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | I feel part of a group of people who share my attitudes and beliefs. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 6932 | 1632980.5 | 46.0% |
| 2 | Agree | 7451 | 1699466.9 | 47.9% |
| 3 | Disagree | 886 | 192163.4 | 5.4% |
| 4 | Strongly disagree | 131 | 23047.6 | 0.6% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 136 | 27702.4 | |
| 8 | Refusal | 51 | 18963.0 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_040: Relationships - strong emotional bond with a least one person

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15453 / 3552037.72 ] [Invalid=94206 / 27038742.54 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | I feel a strong emotional bond with at least one other person. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 9492 | 2217745.0 | 62.4% |
| 2 | Agree | 5517 | 1250800.8 | 35.2% |
| 3 | Disagree | 383 | 73601.2 | 2.1% |
| 4 | Strongly disagree | 61 | 9890.6 | 0.3% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 83 | 22309.2 | |
| 8 | Refusal | 51 | 19976.9 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SPS_045: Relationships - talents and abilities are admired

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15148 / 3500349.78 ] [Invalid=94511 / 27090430.48 ] |
| **Universe** | Respondents with DOSPS = 1 |
| **Literal question** | There are people who admire my talents and abilities. |
| **Notes** | Was not asked in proxy interviews |

# SPS_045: Relationships - talents and abilities are admired

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 6445 | 1531243.6 | 43.7% |
| 2 | Agree | 8219 | 1862359.1 | 53.2% |
| 3 | Disagree | 438 | 97365.8 | 2.8% |
| 4 | Strongly disagree | 46 | 9381.3 | 0.3% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 389 | 76707.9 | |
| 8 | Refusal | 50 | 17266.1 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPS_050: Relationships - people to count on in an emergency

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15490 / 3560811.99 ] [Invalid=94169 / 27029968.27 ] |
| Universe | Respondents with DOSPS = 1 |
| Literal question | There are people I can count on in an emergency |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Strongly agree | 9539 | 2189733.3 | 61.5% |
| 2 | Agree | 5695 | 1309098.9 | 36.8% |
| 3 | Disagree | 215 | 53361.6 | 1.5% |
| 4 | Strongly disagree | 41 | 8618.2 | 0.2% |
| 6 | Valid skip | 93780 | 26922664.6 | |
| 7 | Don't know | 54 | 16690.3 | |
| 8 | Refusal | 43 | 16821.6 | |
| 9 | Not stated | 292 | 73791.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVGUI: Social provisions scale - guidance - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15429 / 3550552.61 ] [Invalid=94230 / 27040227.65 ] [Mean=7.125 / 7.13 ] [StdDev=1.064 / 1.063 ] |
| Definition | Derived from ADM_PRX, SPS_020, SPS_030, SPST020, SPST030 |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 450 | 117563.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVINT: Social provisions scale - social integration - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=15316 / 3535151.29 ] [Invalid=94343 / 27055628.97 ] [Mean=6.84 / 6.866 ] [StdDev=1.083 / 1.059 ] |
| Definition | Derived from ADM_PRX, SPS_010, SPS_035, SPST010, SPST035 |
| Universe | See documentation on derived variables. |

# SPSDVINT: Social provisions scale - social integration - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 563 | 132964.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVATT: Social provisions scale - attachment - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15353 / 3534596.14 ] [Invalid=94306 / 27056184.12 ] [Mean=7.058 / 7.078 ] [StdDev=1.042 / 1.025 ] |
| **Definition** | Derived from ADM_PRX, SPS_015, SPS_040, SPST015, SPST040 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 526 | 133519.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVWOR: Social provisions scale - reassurance of worth - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15017 / 3479386.75 ] [Invalid=94642 / 27111393.51 ] [Mean=6.815 / 6.828 ] [StdDev=1.022 / 1.018 ] |
| **Definition** | Derived from ADM_PRX, SPS_025, SPS_045, SPST025, SPST045 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 862 | 188728.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVALL: Social provisions scale - reliable alliance - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 2-8] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=15456 / 3553631.22 ] [Invalid=94203 / 27037149.04 ] [Mean=7.194 / 7.182 ] [StdDev=0.977 / 0.989 ] |
| **Definition** | Derived from ADM_PRX, SPS_005, SPS_050, SPST005, SPST050 |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 423 | 114484.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SPSDVCON: Social provisions overall scale - (D)

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 10-40] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=14758 / 3426477.13 ] [Invalid=94901 / 27164303.13 ] [Mean=35.15 / 35.184 ] [StdDev=4.46 / 4.446 ] |

## # SPSDVCON: Social provisions overall scale - (D)

| Definition | Derived from ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, SPS_050, SPST005, SPST010, SPST015, SPST020, SPST025, SPST030, SPST035, SPST040, SPST045, SPST050 |
|---|---|
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 93780 | 26922664.6 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1121 | 241638.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOPHC: Primary health care - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_005: Usual place for immediate care for minor problem

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=108991 / 30365103.66 ] [Invalid=668 / 225676.6 ] |
| Universe | Respondents with DOPHC = 1 |
| Literal question | Is there a place that you usually go to when you need immediate care for a minor health problem? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 97092 | 26822255.4 | 88.3% |
| 2 | No | 11899 | 3542848.3 | 11.7% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 538 | 180851.9 | |
| 8 | Refusal | 130 | 44824.7 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_010: Usual place for immediate care for minor problem - type

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=96477 / 26578064.23 ] [Invalid=13182 / 4012716.03 ] |
| Universe | Respondents who answered PHC_005 = 1 |
| Literal question | What kind of place is it? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | A doctor's office | 51987 | 14596419.6 | 54.9% |
| 2 | A hospital outpatient clinic | 4225 | 894557.2 | 3.4% |
| 3 | A community health centre [or CLSC] | 6354 | 1213462.9 | 4.6% |

## # PHC_010: Usual place for immediate care for minor problem - type

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 4 | A walk-in clinic | 21186 | 7185341.4 | 27.0% |
| 5 | A hospital emergency room | 10642 | 2166822.5 | 8.2% |
| 6 | Some other place | 2083 | 521460.7 | 2.0% |
| 96 | Valid skip | 11899 | 3542848.3 | |
| 97 | Don't know | 295 | 80504.5 | |
| 98 | Refusal | 30 | 10160.8 | |
| 99 | Not stated | 958 | 379202.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_015: Usual place for immediate care - doctor's office - type

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=51053 / 14320313.97 ] [Invalid=58606 / 16270466.29 ] |
| **Universe** | Respondents who answered PHC_010 = 1 |
| **Literal question** | Is this... ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | An office with one doctor working in a solo practice | 14443 | 4285320.7 | 29.9% |
| 2 | An office with a team of health care professionals | 12596 | 3602665.0 | 25.2% |
| 3 | An office with several doctors working independently | 23703 | 6369109.3 | 44.5% |
| 4 | Other | 311 | 63219.0 | 0.4% |
| 6 | Valid skip | 56389 | 15524493.0 | |
| 7 | Don't know | 824 | 229885.4 | |
| 8 | Refusal | 24 | 5678.7 | |
| 9 | Not stated | 1369 | 510409.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_020: Has a regular health care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=108624 / 30148389.24 ] [Invalid=1035 / 442391.02 ] |
| **Universe** | Respondents with DOPHC = 1 |
| **Literal question** | Do you have a regular health care provider? By this, we mean one health professional that you regularly see or talk to when you need care or advice for your health. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 91342 | 25189948.7 | 83.6% |
| 2 | No | 17282 | 4958440.5 | 16.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 305 | 102043.3 | |
| 8 | Refusal | 86 | 29968.7 | |
| 9 | Not stated | 644 | 310379.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_025A: No regular health care provider - no need

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| **Universe** | Respondents who answered PHC_020 = 2 |

## # PHC_025A: No regular health care provider - no need

| | Literal question | What are the reasons why you do not have a regular health care provider? - Do not need one in particular, but you have a usual place of care |
|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4592 | 1329884.1 | 27.2% |
| 2 | No | 12401 | 3551106.2 | 72.8% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_025B: No regular health care provider - no one available in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| Universe | Respondents who answered PHC_020 = 2 |
| Literal question | What are the reasons why you do not have a regular health care provider? - No one available in the area |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3724 | 864008.6 | 17.7% |
| 2 | No | 13269 | 4016981.8 | 82.3% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_025C: No regular health care provider - no one is taking new patients

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| Universe | Respondents who answered PHC_020 = 2 |
| Literal question | What are the reasons why you do not have a regular health care provider? - No one in the area is taking new patients |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2803 | 800341.4 | 16.4% |
| 2 | No | 14190 | 4080649.0 | 83.6% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_025D: No regular health care provider - didn't try to find one

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| Universe | Respondents who answered PHC_020 = 2 |
| Literal question | What are the reasons why you do not have a regular health care provider? - You have not tried to find one |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4254 | 1364484.9 | 28.0% |

# PHC_025D: No regular health care provider - didn't try to find one

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | No | 12739 | 3516505.5 | 72.0% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_025E: No regular health care provider - left / retired

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| **Universe** | Respondents who answered PHC_020 = 2 |
| **Literal question** | What are the reasons why you do not have a regular health care provider? - Had one who left or retired |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3510 | 963542.4 | 19.7% |
| 2 | No | 13483 | 3917448.0 | 80.3% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_025F: No regular health care provider - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=16993 / 4880990.35 ] [Invalid=92666 / 25709789.91 ] |
| **Universe** | Respondents who answered PHC_020 = 2 |
| **Literal question** | What are the reasons why you do not have a regular health care provider? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2690 | 829204.0 | 17.0% |
| 2 | No | 14303 | 4051786.3 | 83.0% |
| 6 | Valid skip | 91342 | 25189948.7 | |
| 7 | Don't know | 266 | 64352.2 | |
| 8 | Refusal | 12 | 4191.0 | |
| 9 | Not stated | 1046 | 451297.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_030: Type of regular health care provider

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=91164 / 25132211.08 ] [Invalid=18495 / 5458569.18 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Is that regular health care provider a... ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Family doctor or general practitioner | 87334 | 24247334.0 | 96.5% |
| 2 | Medical specialist such as a cardiologist or a pediatrician | 1186 | 358670.4 | 1.4% |
| 3 | Nurse practitioner | 1624 | 260681.2 | 1.0% |

## # PHC_030: Type of regular health care provider

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | Other | 1020 | 265525.5 | 1.1% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 155 | 42623.6 | |
| 8 | Refusal | 5 | 1897.1 | |
| 9 | Not stated | 1056 | 458068.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_035: Immediate care for minor problem - waiting time

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=85096 / 23515675.36 ] [Invalid=24563 / 7075104.9 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | When you need immediate care for a minor health problem, how long do you usually have to wait before you can have an appointment with this [family physician / specialist / nurse practitioner / regular health care provider / or another care provider from the same office] ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | On the same day | 20016 | 5940386.1 | 25.3% |
| 2 | The next day | 13845 | 4181179.8 | 17.8% |
| 3 | In 2 to 3 days | 18408 | 5152179.4 | 21.9% |
| 4 | In 4 to 6 days | 6771 | 1850101.6 | 7.9% |
| 5 | In 1 to 2 weeks | 14250 | 3585183.5 | 15.2% |
| 6 | Between 2 weeks and one month | 6352 | 1485094.9 | 6.3% |
| 7 | One month or more | 5454 | 1321550.0 | 5.6% |
| 96 | Valid skip | 17279 | 4955979.8 | |
| 97 | Don't know | 5945 | 1570357.9 | |
| 98 | Refusal | 219 | 59448.2 | |
| 99 | Not stated | 1120 | 489319.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_040: Regular health care provider - language of communication

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=91183 / 25112766.53 ] [Invalid=18476 / 5478013.73 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Do you usually speak in English, in French or in another language with this [family physician / specialist / nurse practitioner / regular health care provider] ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | English | 70588 | 18970145.0 | 75.5% |
| 2 | French | 17694 | 4704684.5 | 18.7% |
| 3 | English and French | 628 | 162575.0 | 0.6% |
| 4 | English and another language | 418 | 221324.3 | 0.9% |
| 5 | French and another language | 32 | 19792.6 | 0.1% |
| 6 | Another language | 1823 | 1034245.1 | 4.1% |
| 96 | Valid skip | 17279 | 4955979.8 | |
| 97 | Don't know | 41 | 18732.8 | |
| 98 | Refusal | 15 | 6318.0 | |
| 99 | Not stated | 1141 | 496983.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_045: Regular health care provider - nurses involved

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=87183 / 24032399.63 ] [Invalid=22476 / 6558380.63 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Is there one or more nurses working with your [family physician / specialist / nurse practitioner / regular health care provider] who are regularly involved in your health care? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 38232 | 10225649.8 | 42.5% |
| 2 | No | 48951 | 13806749.8 | 57.5% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 3944 | 1060177.4 | |
| 8 | Refusal | 93 | 36240.3 | |
| 9 | Not stated | 1160 | 505983.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_050: Other health professionals in the same office

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=30019 / 7965761.64 ] [Invalid=79640 / 22625018.62 ] |
| **Universe** | Respondents who answered PHC_010 = (2, 3, 4, 5 or 6) and PHC_020 = 1 |
| **Literal question** | Other than doctors and nurses, are there other health professionals like nutritionists working in the same office where you get your regular health care? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8475 | 2197467.6 | 27.6% |
| 2 | No | 21544 | 5768294.0 | 72.4% |
| 6 | Valid skip | 67755 | 19132775.3 | |
| 7 | Don't know | 3468 | 945289.2 | |
| 8 | Refusal | 77 | 22154.5 | |
| 9 | Not stated | 8340 | 2524799.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_055A: Other regular health care providers - another doctor / practitioner

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Another family doctor or general practitioner |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7863 | 2089077.0 | 8.3% |
| 2 | No | 83058 | 22941079.2 | 91.7% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_055B: Other regular health care providers - specialist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |

## # PHC_055B: Other regular health care providers - specialist

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered PHC_020 = 1 | | | |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Specialist doctor | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19296 | 4936156.3 | 19.7% |
| 2 | No | 71625 | 20093999.8 | 80.3% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055C: Other regular health care providers - nurse

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Nurse / Nurse practitioner |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6314 | 1335224.4 | 5.3% |
| 2 | No | 84607 | 23694931.7 | 94.7% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055D: Other regular health care providers - chiropractor

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Chiropractor |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8887 | 2287626.7 | 9.1% |
| 2 | No | 82034 | 22742529.4 | 90.9% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055E: Other regular health care providers - registered dietician

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |

## # PHC_055E: Other regular health care providers - registered dietician

| | **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Registered dietician |
|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1954 | 425176.2 | 1.7% |
| 2 | No | 88967 | 24604979.9 | 98.3% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055F: Other regular health care providers - pharmacist

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Pharmacist |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15314 | 3593334.8 | 14.4% |
| 2 | No | 75607 | 21436821.3 | 85.6% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055G: Other regular health care providers - physiotherapist

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Physiotherapist |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6064 | 1720582.0 | 6.9% |
| 2 | No | 84857 | 23309574.2 | 93.1% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PHC_055H: Other regular health care providers - psychologist

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| **Universe** | Respondents who answered PHC_020 = 1 |
| **Literal question** | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Psychologist / Mental Health Professional |

# PHC_055H: Other regular health care providers - psychologist

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3299 | 907962.7 | 3.6% |
| 2 | No | 87622 | 24122193.5 | 96.4% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_055I: Other regular health care providers - social worker

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| Universe | Respondents who answered PHC_020 = 1 |
| Literal question | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Social Worker |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1605 | 367305.5 | 1.5% |
| 2 | No | 89316 | 24662850.6 | 98.5% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_055J: Other regular health care providers - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| Universe | Respondents who answered PHC_020 = 1 |
| Literal question | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6823 | 1900976.5 | 7.6% |
| 2 | No | 84098 | 23129179.6 | 92.4% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_055K: Other regular health care providers - none

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=90921 / 25030156.14 ] [Invalid=18738 / 5560624.12 ] |
| Universe | Respondents who answered PHC_020 = 1 |
| Literal question | Other than from your [family physician / specialist / nurse practitioner / regular health care provider], who do you receive regular health care from? - None |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 42426 | 12423486.7 | 49.6% |

## # PHC_055K: Other regular health care providers - none

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | No | 48495 | 12606669.4 | 50.4% |
| 6 | Valid skip | 17279 | 4955979.8 | |
| 7 | Don't know | 222 | 62579.1 | |
| 8 | Refusal | 36 | 11838.5 | |
| 9 | Not stated | 1201 | 530226.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PHC_060: Coordination level between regular health care provider and others

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=47582 / 12389192.76 ] [Invalid=62077 / 18201587.5 ] |
| **Universe** | Respondents who answered PHC_020 = 1 and PHC_055K = (2, 7 or 8) |
| **Literal question** | In general, how would you rate the level of coordination between your [family physician / specialist / nurse practitioner / regular health care provider] and other health professionals who provide you with regular care? Would you say the coordination is... ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 12057 | 2919226.1 | 23.6% |
| 2 | Very good | 13513 | 3422034.0 | 27.6% |
| 3 | Good | 11218 | 2991803.5 | 24.1% |
| 4 | Fair | 3327 | 919633.1 | 7.4% |
| 5 | Poor | 2429 | 687062.7 | 5.5% |
| 6 | Not applicable | 5038 | 1449433.2 | 11.7% |
| 96 | Valid skip | 59708 | 17381927.2 | |
| 97 | Don't know | 1094 | 270900.6 | |
| 98 | Refusal | 53 | 13335.0 | |
| 99 | Not stated | 1222 | 535424.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOCHP: Contacts with health professionals part 1 - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHPG010: Used hospital emergency room - num of times - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=108034 / 29917386.57 ] [Invalid=1625 / 673393.69 ] [Mean=0.557 / 0.461 ] [StdDev=1.524 / 1.299 ] |
| **Universe** | Respondents with DOCHP = 1 |
| **Literal question** | In the past 12 months, how many times have you personally used a hospital emergency room? |
| **Notes** | This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1625 | 673393.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_015A: Last ER visit - reasons - it was clearly an emergency

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# CHP_015A: Last ER visit - reasons - it was clearly an emergency

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] | | | |
| **Universe** | Respondents who answered CHP_010 = (1-900) | | | |
| **Literal question** | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - It was clearly an emergency | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19029 | 4883827.6 | 66.8% |
| 2 | No | 10650 | 2428253.3 | 33.2% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_015B: Last ER visit - reasons - didn't know if condition was an emergency

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] | | | |
| **Universe** | Respondents who answered CHP_010 = (1-900) | | | |
| **Literal question** | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You didn't know if your health condition was an emergency | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2322 | 553787.8 | 7.6% |
| 2 | No | 27357 | 6758293.0 | 92.4% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_015C: Last ER visit - reasons - see a health prof or get test faster

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] | | | |
| **Universe** | Respondents who answered CHP_010 = (1-900) | | | |
| **Literal question** | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - It was not an emergency but you felt you would see a health professional or get the test you needed done faster | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1736 | 405998.2 | 5.6% |
| 2 | No | 27943 | 6906082.6 | 94.4% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_015D: Last ER visit - reasons - was told to go for follow-up or appt

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] |

### # CHP_015D: Last ER visit - reasons - was told to go for follow-up or appt

| Universe | Respondents who answered CHP_010 = (1-900) |
|---|---|
| Literal question | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You were told to go to the emergency department for follow-up or appointment |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1417 | 340976.9 | 4.7% |
| 2 | No | 28262 | 6971103.9 | 95.3% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CHP_015E: Last ER visit - reasons - primary health care provider n/a

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] |
| Universe | Respondents who answered CHP_010 = (1-900) |
| Literal question | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - Your primary health care provider was not available at the time you needed it (after hours of clinic, doctor away) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 5182 | 1139125.2 | 15.6% |
| 2 | No | 24497 | 6172955.6 | 84.4% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CHP_015F: Last ER visit - reasons - no primary health care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] |
| Universe | Respondents who answered CHP_010 = (1-900) |
| Literal question | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You do not have a primary health care provider |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 924 | 185946.5 | 2.5% |
| 2 | No | 28755 | 7126134.3 | 97.5% |
| 6 | Valid skip | 77997 | 22516987.6 | |
| 7 | Don't know | 297 | 70185.1 | |
| 8 | Refusal | 32 | 10106.8 | |
| 9 | Not stated | 1654 | 681419.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CHP_015G: Last ER visit - reasons - use for all health concerns

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] |
| Universe | Respondents who answered CHP_010 = (1-900) |

## # CHP_015G: Last ER visit - reasons - use for all health concerns

| Literal question | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - You use the emergency department for all your health concerns |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 456 | 92704.2 | 1.3% | |
| 2 | No | 29223 | 7219376.6 | | 98.7% |
| 6 | Valid skip | 77997 | 22516987.6 | | |
| 7 | Don't know | 297 | 70185.1 | | |
| 8 | Refusal | 32 | 10106.8 | | |
| 9 | Not stated | 1654 | 681419.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHP_015H: Last ER visit - reasons - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29679 / 7312080.86 ] [Invalid=79980 / 23278699.4 ] |
| Universe | Respondents who answered CHP_010 = (1-900) |
| Literal question | The last time you went, what were the reasons you went to the emergency room instead of any other health care service (like a doctor's office)? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1586 | 384247.9 | 5.3% | |
| 2 | No | 28093 | 6927833.0 | | 94.7% |
| 6 | Valid skip | 77997 | 22516987.6 | | |
| 7 | Don't know | 297 | 70185.1 | | |
| 8 | Refusal | 32 | 10106.8 | | |
| 9 | Not stated | 1654 | 681419.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHP_020: Last ER visit - condition treatable by primary care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=24800 / 6087646.99 ] [Invalid=84859 / 24503133.27 ] |
| Universe | Respondents who answered CHP_010 = (1-900) and PHC_020 = 1 |
| Literal question | The last time you went to the emergency room, was it for a condition that you thought could have been treated by your primary care provider if he/she had been available? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10653 | 2406035.7 | 39.5% | |
| 2 | No | 14147 | 3681611.3 | | 60.5% |
| 6 | Valid skip | 82453 | 23653102.7 | | |
| 7 | Don't know | 730 | 181859.8 | | |
| 8 | Refusal | 22 | 5349.8 | | |
| 9 | Not stated | 1654 | 662821.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHP_025: Overnight hospital patient - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=108195 / 29931068.52 ] [Invalid=1464 / 659711.74 ] |
| Universe | Respondents who answered CHP_010 = (0-900, 997) |
| Literal question | [Excluding the time you spent in an emergency department] in the past 12 months, have you been a patient overnight in a hospital? |

# CHP_025: Overnight hospital patient - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8181 | 1922412.6 | 6.4% |
| 2 | No | 100014 | 28008655.9 | 93.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 107 | 32955.3 | |
| 8 | Refusal | 8 | 3619.8 | |
| 9 | Not stated | 1349 | 623136.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHPG030: Overnight hospital patient - num of nights - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=108095 / 29908546.46 ] [Invalid=1564 / 682233.8 ] [Mean=0.473 / 0.382 ] [StdDev=2.74 / 2.467 ] |
| Universe | Respondents who answered CHP_025 = (1, 2) |
| Literal question | For how many nights in the past 12 months? |
| Notes | If a respondent answered CHP_025 = 2, the variable CHP_030 was given the value of 0. This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1564 | 682233.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_035: Overnight hospital patient - last time - reasons

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8100 / 1905266.78 ] [Invalid=101559 / 28685513.48 ] |
| Universe | Respondents who answered CHP_025 = 1 |
| Literal question | The last time you were an overnight patient in a hospital, what were the reasons for this hospitalisation? |
| Notes | The answer category # 5 (Postpartum care) was not an available option for males. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Post-surgery | 2484 | 546567.9 | 28.7% |
| 2 | Was too sick to go home/ admitted from ER | 3138 | 684838.1 | 35.9% |
| 3 | Waiting for care in nursing home | 26 | 6748.9 | 0.4% |
| 4 | Waiting for home care | 11 | 2331.8 | 0.1% |
| 5 | Postpartum care | 758 | 231817.7 | 12.2% |
| 6 | Other | 1683 | 432962.3 | 22.7% |
| 96 | Valid skip | 100014 | 28008655.9 | |
| 97 | Don't know | 33 | 4265.0 | |
| 98 | Refusal | 10 | 1708.5 | |
| 99 | Not stated | 1502 | 670884.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_040: Consulted with family doctor / general practitioner - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=108015 / 29886476.44 ] [Invalid=1644 / 704303.82 ] |
| Universe | Respondents who answered CHP_010 = (0-900, 997) |

## # CHP_040: Consulted with family doctor / general practitioner - 12 mo

| Literal question | [Not counting when you were an overnight patient] in the past 12 months, have you seen or talked to any of the following health professionals about your physical, emotional or mental health: a [family doctor /pediatrician] or general practitioner? |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 75900 | 20466007.8 | | 68.5% |
| 2 | No | 32115 | 9420468.6 | 31.5% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 260 | 67930.1 | | |
| 8 | Refusal | 20 | 5679.0 | | |
| 9 | Not stated | 1364 | 630694.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHPG045: Family doctor / general practitioner - num of consultations - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107295 / 29700002.18 ] [Invalid=2364 / 890778.08 ] [Mean=2.431 / 2.287 ] [StdDev=3.459 / 3.344 ] |
| Universe | Respondents who answered CHP_040 = (1, 2) |
| Literal question | How many times (in the past 12 months)? |
| Notes | If a respondent answered CHP_040 = 2, the variable CHP_045 was given the value of 0. This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 2364 | 890778.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHP_050: Consulted with eye specialist - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107998 / 29862673.41 ] [Invalid=1661 / 728106.85 ] |
| Universe | Respondents who answered CHP_010 = (0-900, 997) |
| Literal question | ([Not counting when you were an overnight patient], in the past 12 months have you seen or talked to:) an eye specialist, such as an ophthalmologist or optometrist? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 49845 | 13083878.8 | 43.8% | |
| 2 | No | 58153 | 16778794.6 | | 56.2% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 246 | 81611.2 | | |
| 8 | Refusal | 19 | 6244.1 | | |
| 9 | Not stated | 1396 | 640251.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHPG055: Eye specialist - num of consultations - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107899 / 29836825.99 ] [Invalid=1760 / 753954.27 ] [Mean=0.662 / 0.61 ] [StdDev=1.112 / 1.037 ] |
| Universe | Respondents who answered CHP_050 = 1 or 2 |
| Literal question | How many times (in the past 12 months)? |
| Notes | If a respondent answered CHP_050 = 2, the variable CHP_055 was given the value of 0. This variable has been capped at 12 as a form of disclosure control. |

# CHPG055: Eye specialist - num of consultations - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1760 | 753954.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_060: Consulted with other medical doctor or specialist - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=108034 / 29884696.13 ] [Invalid=1625 / 706084.13 ] |
| **Universe** | Respondents who answered CHP_010 = (0-900, 997) |
| **Literal question** | [Not counting when you were an overnight patient], in the past 12 months have you seen or talked to: any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, [urologist / gynecologist] or psychiatrist (about your physical, emotional or mental health)? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 33667 | 8988112.4 | 30.1% |
| 2 | No | 74367 | 20896583.7 | 69.9% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 191 | 52078.1 | |
| 8 | Refusal | 24 | 8220.3 | |
| 9 | Not stated | 1410 | 645785.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHPG065: Other medical doctor or specialist - num of consultations - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=107834 / 29826673.1 ] [Invalid=1825 / 764107.16 ] [Mean=1.04 / 1.057 ] [StdDev=2.943 / 3.087 ] |
| **Universe** | Respondents who answered CHP_060 = 1 or 2 |
| **Literal question** | How many times (in the past 12 months)? |
| **Notes** | If a respondent answered CHP_060 = 2, the variable CHP_065 was given the value of 0. This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1825 | 764107.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHP_070: Consulted with nurse - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=108032 / 29885713.6 ] [Invalid=1627 / 705066.66 ] |
| **Universe** | Respondents who answered CHP_010 = (0-900, 997) |
| **Literal question** | [Not counting when you were an overnight patient], in the past 12 months have you seen or talked to: a nurse for care or advice about your physical, emotional or mental health? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13453 | 3142250.0 | 10.5% |
| 2 | No | 94579 | 26743463.6 | 89.5% |
| 6 | Valid skip | 0 | 0.0 | |

## # CHP_070: Consulted with nurse - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 172 | 46134.5 | |
| 8 | Refusal | 25 | 6866.6 | |
| 9 | Not stated | 1430 | 652065.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHPG075: Nurse - num of consultations - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=107746 / 29825021.21 ] [Invalid=1913 / 765759.05 ] [Mean=0.436 / 0.35 ] [StdDev=1.705 / 1.505 ] |
| **Universe** | Respondents who answered CHP_070 = 1 or 2 |
| **Literal question** | How many times (in the past 12 months)? |
| **Notes** | If a respondent answered CHP_070 = 2, the variable CHP_075 was given the value of 0. This variable has been capped at 12 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1913 | 765759.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHP_080: Consulted with dental professional - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=108045 / 29885952.33 ] [Invalid=1614 / 704827.93 ] |
| **Universe** | Respondents who answered CHP_010 = (0-900, 997) |
| **Literal question** | ([Not counting when you were an overnight patient], in the past 12 months have you seen or talked to:) a dental professional, such as a dentist, a dental hygienist or a denturologist? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 71560 | 20502101.2 | 68.6% |
| 2 | No | 36485 | 9383851.1 | 31.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 147 | 39926.4 | |
| 8 | Refusal | 19 | 6679.3 | |
| 9 | Not stated | 1448 | 658222.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CHPG085: Dental professional - num of consultations - 12 mo

| Information | [Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=107842 / 29825692.24 ] [Invalid=1817 / 765088.02 ] [Mean=1.415 / 1.48 ] [StdDev=1.691 / 1.705 ] |
| **Universe** | Respondents who answered CHP_080 = 1 or 2 |
| **Literal question** | How many times (in the past 12 months)? |
| **Notes** | If a respondent answered CHP_080 = 2, the variable CHP_085 was given the value of 0. This variable has been capped at 12 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 1817 | 765088.0 | |

# CHPG085: Dental professional - num of consultations - 12 mo

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# CHPDGMDC: Number of consultations with medical doctor / other specialists - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107007 / 29619467.45 ] [Invalid=2652 / 971312.81 ] [Mean=3.429 / 3.3 ] [StdDev=4.757 / 4.761 ] |
| Definition | Derived from CHP_045, CHP_065 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 2652 | 971312.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# DOPSC: Patient satisfaction - community-based care - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 12949 | 2030245.4 | 6.6% |
| 2 | No | 96710 | 28560534.8 | 93.4% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSC_005: Received any community-based care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=12010 / 1894615.87 ] [Invalid=97649 / 28696164.39 ] |
| Universe | Respondents aged 15 and over with DOPSC = 1 and (CHP_005 = 1 or CHP_010 > 0 or CHP_025 = 1 or CHP_040 = 1 or CHP_050 = 1 or CHP_060 = 1 or CHP_070 = 1 or CHP_080 =1 or DOCHP = 2) |
| Literal question | In the past 12 months, have you received any community-based care? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 986 | 124645.8 | 6.6% |
| 2 | No | 11024 | 1769970.0 | 93.4% |
| 6 | Valid skip | 97364 | 28642136.8 | |
| 7 | Don't know | 30 | 4451.6 | |
| 8 | Refusal | 9 | 1764.4 | |
| 9 | Not stated | 246 | 47811.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_010: Community-based care - quality rating

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=982 / 123690.48 ] [Invalid=108677 / 30467089.78 ] |
| **Universe** | Respondents who answered PSC_005 = 1 |
| **Literal question** | Overall, how would you rate the quality of the community-based care you received? Would you say it was...? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 474 | 60449.8 | 48.9% |
| 2 | Good | 396 | 49643.9 | 40.1% |
| 3 | Fair | 80 | 9663.3 | 7.8% |
| 4 | Poor | 32 | 3933.5 | 3.2% |
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 4 | 955.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_015: Community-based care - level of satisfaction

| Information | [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=976 / 122647.78 ] [Invalid=108683 / 30468132.48 ] |
| **Universe** | Respondents who answered PSC_005 = 1 |
| **Literal question** | Using a scale of 0 to 5, where 0 means "Very dissatisfied" and 5 means "Very satisfied", overall, how satisfied were you with the way community-based care was provided? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Very dissatisfied | 22 | 1881.9 | 1.5% |
| 1 | \| | 17 | 1953.3 | 1.6% |
| 2 | \| | 34 | 2816.0 | 2.3% |
| 3 | \| | 125 | 19615.3 | 16.0% |
| 4 | V | 263 | 32741.9 | 26.7% |
| 5 | Very satisfied | 515 | 63639.4 | 51.9% |
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 9 | 1961.5 | |
| 8 | Refusal | 1 | 36.6 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_020: Received home nursing care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=985 / 124566.11 ] [Invalid=108674 / 30466214.15 ] |
| **Universe** | Respondents who answered PSC_005 = 1 |
| **Literal question** | In the past 12 months, have you received any home nursing care? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 115 | 11006.5 | 8.8% |
| 2 | No | 870 | 113559.6 | 91.2% |

# PSC_020: Received home nursing care - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 1 | 79.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSCG025: Home nursing care - quality rating

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=95 / 9528 ] [Invalid=109564 / 30581252.26 ] |
| **Universe** | Respondents who answered PSC_020 = 1 |
| **Literal question** | Overall, how would you rate the quality of the home nursing care you received? Would you say it was...? |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Excellent | 53 | 5532.6 | 58.1% |
| 2 | Good | 37 | 3485.8 | 36.6% |
| 3 | Fair or poor | 5 | 509.6 | 5.3% |
| 6 | Valid skip | 109258 | 30525666.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 306 | 55585.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSC_035: Received home-based counselling / therapy - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=985 / 124596.13 ] [Invalid=108674 / 30466184.13 ] |
| **Universe** | Respondents who answered PSC_005 = 1 |
| **Literal question** | In the past 12 months, have you received any home-based counselling or therapy? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 57 | 8717.0 | 7.0% |
| 2 | No | 928 | 115879.2 | 93.0% |
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 1 | 49.7 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# PSCG040: Home-based counselling / therapy - quality rating

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=57 / 8716.97 ] [Invalid=109602 / 30582063.29 ] |
| **Universe** | Respondents who answered PSC_035 = 1 |
| **Literal question** | Overall, how would you rate the quality of the home-based counselling or therapy you received? Would you say it was...? |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Excellent | 34 | 5237.2 | 60.1% |

## # PSCG040: Home-based counselling / therapy - quality rating

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | Good | 15 | 2246.0 | 25.8% |
| 3 | Fair or poor | 8 | 1233.7 | 14.2% |
| 6 | Valid skip | 109316 | 30527986.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 286 | 54077.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_050: Received personal care services - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=986 / 124645.84 ] [Invalid=108673 / 30466134.42 ] |
| Universe | Respondents who answered PSC_005 = 1 |
| Literal question | In the past 12 months, have you received any personal care services? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 114 | 13108.6 | 10.5% |
| 2 | No | 872 | 111537.2 | 89.5% |
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSCG055: Personal care services - quality rating

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=113 / 12793.84 ] [Invalid=109546 / 30577986.42 ] |
| Universe | Respondents who answered PSC_050 = 1 |
| Literal question | Overall, how would you rate the quality of the personal care service you received? Would you say it was...? |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 61 | 5437.2 | 42.5% |
| 2 | Good | 41 | 5970.4 | 46.7% |
| 3 | Fair or poor | 11 | 1386.3 | 10.8% |
| 6 | Valid skip | 109260 | 30523644.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 286 | 54342.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_065: Received services from a community walk-in clinic - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=982 / 124367.05 ] [Invalid=108677 / 30466413.21 ] |
| Universe | Respondents who answered PSC_005 = 1 |
| Literal question | In the past 12 months, have you received any services from a community walk-in clinic? |
| Notes | Was not asked in proxy interviews |

## # PSC_065: Received services from a community walk-in clinic - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 310 | 48367.0 | 38.9% |
| 2 | No | 672 | 76000.0 | 61.1% |
| 6 | Valid skip | 108388 | 30412106.9 | |
| 7 | Don't know | 4 | 278.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 285 | 54027.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_070: Services from a community walk-in clinic - quality rating

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=308 / 48037.63 ] [Invalid=109351 / 30542742.63 ] |
| Universe | Respondents who answered PSC_065 = 1 |
| Literal question | Overall, how would you rate the quality of the service you received at the community walk-in clinic? Would you say it was...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 97 | 15978.9 | 33.3% |
| 2 | Good | 144 | 20660.0 | 43.0% |
| 3 | Fair | 50 | 9193.6 | 19.1% |
| 4 | Poor | 17 | 2205.1 | 4.6% |
| 6 | Valid skip | 109060 | 30488106.9 | |
| 7 | Don't know | 2 | 329.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 289 | 54306.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC_075: Services from a community walk-in clinic - level of satisfaction

| Information | [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=308 / 47916.88 ] [Invalid=109351 / 30542863.38 ] |
| Universe | Respondents who answered PSC_065 = 1 |
| Literal question | Using a scale of 0 to 5, where 0 means "Very dissatisfied" and 5 means "Very satisfied", overall, how satisfied were you with the way the community walk-in clinic service was provided? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Very dissatisfied | 10 | 1171.4 | 2.4% |
| 1 | \| | 9 | 1076.1 | 2.2% |
| 2 | \| | 17 | 2677.0 | 5.6% |
| 3 | \| | 56 | 8549.4 | 17.8% |
| 4 | V | 105 | 17523.2 | 36.6% |
| 5 | Very satisfied | 111 | 16919.7 | 35.3% |
| 6 | Valid skip | 109060 | 30488106.9 | |
| 7 | Don't know | 2 | 450.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 289 | 54306.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOPEX: Patient experiences - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Literal question | = |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_005: Most recent consultation with a health professional

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=102501 / 28227781.25 ] [Invalid=7158 / 2362999.01 ] |
| Universe | Respondents with DOPEX = 1 |
| Literal question | When was the last time that you had a consultation with any health professional about your own health? Exclude care you got when you stayed overnight in a hospital, dental care visits, accident or emergency care, or care received in your home. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | In the last 30 days | 28184 | 7290820.4 | 25.8% |
| 2 | Between 1 and 3 months ago | 23971 | 6282352.5 | 22.3% |
| 3 | More than 3 but less than 6 months ago | 14844 | 4121996.6 | 14.6% |
| 4 | Between 6 and 12 months ago | 16656 | 4805478.6 | 17.0% |
| 5 | Between 1 and 2 years ago | 9018 | 2787366.7 | 9.9% |
| 6 | More than 2 years ago | 9828 | 2939766.6 | 10.4% |
| 96 | Valid skip | 0 | 0.0 | |
| 97 | Don't know | 2737 | 743458.7 | |
| 98 | Refusal | 204 | 67965.5 | |
| 99 | Not stated | 4217 | 1551574.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_010: Last consultation with health professional - who

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=83444 / 22446399.39 ] [Invalid=26215 / 8144380.87 ] |
| Universe | Respondents who answered PEX_005 = (1, 2, 3 or 4) |
| Literal question | Thinking about this last consultation, who did you receive care from? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | A general practitioner or family doctor | 61277 | 16632724.0 | 74.1% |
| 2 | A medical specialist | 13166 | 3589053.5 | 16.0% |
| 3 | A nurse | 3252 | 627631.5 | 2.8% |

## # PEX_010: Last consultation with health professional - who

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | Another health professional | 5749 | 1596990.4 | 7.1% |
| 6 | Valid skip | 18846 | 5727133.2 | |
| 7 | Don't know | 185 | 42808.8 | |
| 8 | Refusal | 12 | 2566.0 | |
| 9 | Not stated | 7172 | 2371872.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_015: Last consultation with health professional - place

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=82792 / 22260532.22 ] [Invalid=26867 / 8330248.04 ] |
| **Universe** | Respondents who answered PEX_005 = (1, 2, 3 or 4) |
| **Literal question** | Where did this last consultation take place? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | At a doctor's office working in solo practice | 20976 | 5884532.1 | 26.4% |
| 2 | At a doctor's office working in a team practice | 15451 | 4247046.4 | 19.1% |
| 3 | At an office with many doctors working independently | 23431 | 6188406.2 | 27.8% |
| 4 | At a hospital outpatient clinic | 6990 | 1675984.4 | 7.5% |
| 5 | At a community health centre [or CLSC] | 4300 | 826861.0 | 3.7% |
| 6 | At a walk-in clinic | 6707 | 2214371.0 | 9.9% |
| 7 | At a hospital emergency room | 1599 | 367060.0 | 1.6% |
| 8 | Over the telephone | 287 | 60430.0 | 0.3% |
| 9 | Other | 3051 | 795841.1 | 3.6% |
| 96 | Valid skip | 18846 | 5727133.2 | |
| 97 | Don't know | 812 | 215712.9 | |
| 98 | Refusal | 25 | 4509.1 | |
| 99 | Not stated | 7184 | 2382892.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_020: Last consultation - place - usual place for immediate care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=77685 / 20985087.34 ] [Invalid=31974 / 9605692.92 ] |
| **Universe** | Respondents who answered PEX_015 < 7 |
| **Literal question** | Is this the place that you usually go to for most of your immediate care for a minor health problem? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 58991 | 15802408.4 | 75.3% |
| 2 | No | 18694 | 5182679.0 | 24.7% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 157 | 48245.0 | |
| 8 | Refusal | 8 | 1592.6 | |
| 9 | Not stated | 8026 | 2605390.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_025: Last consultation - needed to make an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=77674 / 20987918.73 ] [Invalid=31985 / 9602861.53 ] |
| Universe | Respondents who answered PEX_015 < 7 |
| Literal question | Did you need to make an appointment to obtain this last consultation? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 64024 | 17050768.9 | 81.2% |
| 2 | No | 13650 | 3937149.8 | 18.8% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 155 | 36892.1 | |
| 8 | Refusal | 13 | 7249.6 | |
| 9 | Not stated | 8034 | 2608255.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_030: Last consultation - timeframe of getting appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=61864 / 16501473.1 ] [Invalid=47795 / 14089307.16 ] |
| Universe | Respondents who answered PEX_025 = 1 |
| Literal question | How quickly did you get this appointment? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | On the same day | 7683 | 2196175.6 | 13.3% |
| 2 | The next day | 7347 | 2133190.4 | 12.9% |
| 3 | In 2 to 3 days | 11188 | 2993502.5 | 18.1% |
| 4 | In 4 to 6 days | 5652 | 1516853.2 | 9.2% |
| 5 | In 1 to 2 weeks | 12466 | 3171789.5 | 19.2% |
| 6 | Between 2 weeks and one month | 6590 | 1650747.7 | 10.0% |
| 7 | One month or more | 10938 | 2839214.2 | 17.2% |
| 96 | Valid skip | 37433 | 10887614.2 | |
| 97 | Don't know | 2066 | 523191.0 | |
| 98 | Refusal | 90 | 24554.7 | |
| 99 | Not stated | 8206 | 2653947.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_035: Last consultation - wait time getting appt problematic

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=56125 / 14782641.48 ] [Invalid=53534 / 15808138.78 ] |
| Universe | Respondents who answered PEX_030 > 1 |
| Literal question | Was the time you waited for the appointment a problem for you? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 5434 | 1539884.2 | 10.4% |
| 2 | No | 50691 | 13242757.3 | 89.6% |
| 6 | Valid skip | 45116 | 13083789.8 | |
| 7 | Don't know | 187 | 61485.5 | |

## # PEX_035: Last consultation - wait time getting appt problematic

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 19 | 6251.9 | |
| 9 | Not stated | 8212 | 2656611.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_040: Last consultation - appt on scheduled time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=63817 / 16999536.68 ] [Invalid=45842 / 13591243.58 ] |
| **Universe** | Respondents who answered PEX_025 = 1 |
| **Literal question** | Were you seen by the [general practitioner / medical specialist / nurse / health professional] [at / (or a nurse) at] the scheduled time of your appointment? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Appointment was on time or sooner than scheduled | 48654 | 12711486.3 | 74.8% |
| 2 | Appointment was late | 15163 | 4288050.4 | 25.2% |
| 6 | Valid skip | 37433 | 10887614.2 | |
| 7 | Don't know | 185 | 44390.8 | |
| 8 | Refusal | 7 | 1449.5 | |
| 9 | Not stated | 8217 | 2657789.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_045: Last consultation - wait time

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=15098 / 4274161.09 ] [Invalid=94561 / 26316619.17 ] |
| **Universe** | Respondents who answered PEX_040 = 2 |
| **Literal question** | How long did you wait between the time of your appointment and the time you were seen by the [general practitioner / medical specialist / nurse / health professional]? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 15 minutes | 2347 | 611901.8 | 14.3% |
| 2 | 15 to less than 30 minutes | 4670 | 1317513.2 | 30.8% |
| 3 | 30 minutes to less than one hour | 4297 | 1217196.4 | 28.5% |
| 4 | 1 to less than 2 hours | 2855 | 814518.9 | 19.1% |
| 5 | 2 hours or more | 929 | 313030.7 | 7.3% |
| 6 | Valid skip | 86087 | 23599100.5 | |
| 7 | Don't know | 63 | 13597.2 | |
| 8 | Refusal | 2 | 292.1 | |
| 9 | Not stated | 8409 | 2703629.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_050: Last consultation - wait time problematic

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=12804 / 3674525.25 ] [Invalid=96855 / 26916255.01 ] |
| **Universe** | Respondents who answered PEX_045 > 1 |
| **Literal question** | Was the time you waited a problem for you? |
| **Notes** | Was not asked in proxy interviews |

# PEX_050: Last consultation - wait time problematic

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3624 | 1169230.3 | 31.8% |
| 2 | No | 9180 | 2505295.0 | 68.2% |
| 6 | Valid skip | 88434 | 24211002.3 | |
| 7 | Don't know | 9 | 1074.3 | |
| 8 | Refusal | 1 | 233.0 | |
| 9 | Not stated | 8411 | 2703945.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **PEX_055: Last consultation - professional spent enough time** | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=77675 / 20985276.59 ] [Invalid=31984 / 9605503.67 ] | | | |
| **Universe** | Respondents who answered PEX_015 < 7 | | | |
| **Literal question** | Did the [general practitioner / medical specialist / nurse / health professional] spend enough time with you during this last consultation? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 73196 | 19733128.2 | 94.0% |
| 2 | No | 4479 | 1252148.4 | 6.0% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 136 | 37271.3 | |
| 8 | Refusal | 10 | 2884.4 | |
| 9 | Not stated | 8055 | 2614883.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **PEX_060: Last consultation - blood pressure checked** | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=72608 / 19541991.74 ] [Invalid=37051 / 11048788.52 ] | | | |
| **Universe** | Respondents who answered PEX_015 < 7 and PEX_010 = (1, 2 or 3) | | | |
| **Literal question** | Was your blood pressure measured (during this last consultation)? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 48763 | 12872095.8 | 65.9% |
| 2 | No | 23845 | 6669896.0 | 34.1% |
| 6 | Valid skip | 27973 | 8132767.5 | |
| 7 | Don't know | 934 | 287134.6 | |
| 8 | Refusal | 25 | 7068.7 | |
| 9 | Not stated | 8119 | 2621817.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **PEX_065: Last consultation - prof explained things in an easy way to understand** | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=77603 / 20978744.89 ] [Invalid=32056 / 9612035.37 ] | | | |
| **Universe** | Respondents who answered PEX_015 < 7 | | | |
| **Literal question** | Did this [general practitioner / medical specialist / nurse / health professional] explain things in a way that was easy to understand? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 75412 | 20407870.6 | 97.3% |
| 2 | No | 2191 | 570874.2 | 2.7% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 199 | 42394.3 | |
| 8 | Refusal | 17 | 3628.0 | |
| 9 | Not stated | 8057 | 2615548.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_070: Last consultation - opportunity to ask questions / raise concerns

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=77529 / 20948148.66 ] [Invalid=32130 / 9642631.6 ] |
| **Universe** | Respondents who answered PEX_015 < 7 |
| **Literal question** | Did this [general practitioner / medical specialist / nurse / health professional] give you an opportunity to ask questions or raise concerns about your care or recommended treatment? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 73175 | 19800132.8 | 94.5% |
| 2 | No | 4354 | 1148015.8 | 5.5% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 264 | 68851.0 | |
| 8 | Refusal | 21 | 4114.0 | |
| 9 | Not stated | 8062 | 2619202.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_075: Last consultation - involved in decisions

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=76983 / 20813071.88 ] [Invalid=32676 / 9777708.38 ] |
| **Universe** | Respondents who answered PEX_015 < 7 |
| **Literal question** | Did this [general practitioner / medical specialist / nurse / health professional] involve you as much as you could have been in decisions about your care or treatment? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 70107 | 18946918.9 | 91.0% |
| 2 | No | 5415 | 1474053.1 | 7.1% |
| 3 | Did not want to be involved | 1461 | 392099.9 | 1.9% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 767 | 191303.8 | |
| 8 | Refusal | 54 | 13566.4 | |
| 9 | Not stated | 8072 | 2622373.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_080: Last consultation - informed on cost / lower cost alternatives

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=77248 / 20871650.72 ] [Invalid=32411 / 9719129.54 ] |
| **Universe** | Respondents who answered PEX_075 = (1, 2, 3 or 7) |
| **Literal question** | Did this [general practitioner / medical specialist / nurse / health professional] tell you how much the recommended treatment would cost, or whether any lower cost alternatives were available? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13605 | 4307587.0 | 20.6% |
| 2 | No | 16304 | 4209403.4 | 20.2% |
| 3 | NA, no recommended treatment or no cost implications | 47339 | 12354660.4 | 59.2% |
| 6 | Valid skip | 23783 | 6950464.4 | |
| 7 | Don't know | 477 | 124850.1 | |

## # PEX_080: Last consultation - informed on cost / lower cost alternatives

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 12 | 4392.2 | |
| 9 | Not stated | 8139 | 2639422.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_085: Last consultation - overall quality rating

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=83394 / 22421761.63 ] [Invalid=26265 / 8169018.63 ] |
| Universe | Respondents who answered PEX_005 = (1, 2, 3 or 4) |
| Literal question | Overall, how would you rate the quality of this consultation? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Excellent | 38448 | 10070746.9 | 44.9% |
| 2 | Very good | 26715 | 7316676.4 | 32.6% |
| 3 | Good | 14038 | 3904108.7 | 17.4% |
| 4 | Fair | 3008 | 825808.7 | 3.7% |
| 5 | Poor | 1185 | 304421.0 | 1.4% |
| 6 | Valid skip | 18846 | 5727133.2 | |
| 7 | Don't know | 134 | 27217.4 | |
| 8 | Refusal | 25 | 5021.5 | |
| 9 | Not stated | 7260 | 2409646.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PEX_090: Didn't fill / skipped prescription medication - cost - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=104939 / 28864785.01 ] [Invalid=4720 / 1725995.25 ] |
| Universe | Respondents with DOPEX = 1 |
| Literal question | During the last 12 months, was there a time when you did not fill or collect a prescription for medicine, or you skipped doses of your medicine because of the cost? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4983 | 1382329.6 | 4.8% |
| 2 | No | 75127 | 19805832.2 | 68.6% |
| 3 | NA, no prescription to fill in the last 12 months | 24829 | 7676623.2 | 26.6% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 202 | 58151.1 | |
| 8 | Refusal | 141 | 47276.4 | |
| 9 | Not stated | 4377 | 1620567.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOACC: Access to health care services - Inclusion flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

# DOACC: Access to health care services - Inclusion flag - (F)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 32249 | 8568759.5 | 28.0% | |
| 2 | No | 77410 | 22022020.7 | | 72.0% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_005: Required visit to medical specialist - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29575 / 7863058.35 ] [Invalid=80084 / 22727721.91 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10231 | 2673148.6 | 34.0% | |
| 2 | No | 19344 | 5189909.8 | | 66.0% |
| 6 | Valid skip | 78693 | 22296443.4 | | |
| 7 | Don't know | 24 | 6122.2 | | |
| 8 | Refusal | 22 | 5194.7 | | |
| 9 | Not stated | 1345 | 419961.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_010: Experienced difficulties getting specialist care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=10212 / 2668668.55 ] [Invalid=99447 / 27922111.71 ] |
| Universe | Respondents who answered ACC_005 = 1 |
| Literal question | In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1983 | 530307.8 | 19.9% | |
| 2 | No | 8229 | 2138360.7 | | 80.1% |
| 6 | Valid skip | 98037 | 27486353.2 | | |
| 7 | Don't know | 14 | 2546.9 | | |
| 8 | Refusal | 2 | 1350.1 | | |
| 9 | Not stated | 1394 | 431861.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015A: Difficulty specialist - getting a referral

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting a referral |
| Notes | Was not asked in proxy interviews |

## # ACC_015A: Difficulty specialist - getting a referral

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 230 | 64969.1 | 12.3% | |
| 2 | No | 1750 | 464456.8 | | 87.7% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015B: Difficulty specialist - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 999 | 289890.0 | | 54.8% |
| 2 | No | 981 | 239535.9 | | 45.2% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015C: Difficulty specialist - too long between appt and visit

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long between booking appointment and visit |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 801 | 197374.6 | 37.3% | |
| 2 | No | 1179 | 332051.3 | | 62.7% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015D: Difficulty specialist - too long to see specialist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to see the specialist (i.e. in-office waiting) |
| Notes | Was not asked in proxy interviews |

# ACC_015D: Difficulty specialist - too long to see specialist

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 349 | 87747.0 | 16.6% |
| 2 | No | 1631 | 441678.9 | 83.4% |
| 6 | Valid skip | 106266 | 29624713.9 | |
| 7 | Don't know | 2 | 264.7 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1410 | 435758.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015E: Difficulty specialist - service n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 156 | 40276.6 | 7.6% |
| 2 | No | 1824 | 489149.3 | 92.4% |
| 6 | Valid skip | 106266 | 29624713.9 | |
| 7 | Don't know | 2 | 264.7 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1410 | 435758.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015F: Difficulty specialist - service n/a in area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 145 | 28959.3 | 5.5% |
| 2 | No | 1835 | 500466.6 | 94.5% |
| 6 | Valid skip | 106266 | 29624713.9 | |
| 7 | Don't know | 2 | 264.7 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1410 | 435758.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015G: Difficulty specialist - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

# ACC_015G: Difficulty specialist - transportation

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 40 | 10028.3 | 1.9% | |
| 2 | No | 1940 | 519397.6 | | 98.1% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015H: Difficulty specialist - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7 | 1463.5 | 0.3% | |
| 2 | No | 1973 | 527962.4 | | 99.7% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015I: Difficulty specialist - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 42 | 10244.7 | 1.9% | |
| 2 | No | 1938 | 519181.2 | | 98.1% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_015J: Difficulty specialist - general deterioration of health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - General deterioration of health |
| Notes | Was not asked in proxy interviews |

## # ACC_015J: Difficulty specialist - general deterioration of health

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 61 | 13330.5 | 2.5% | |
| 2 | No | 1919 | 516095.4 | | 97.5% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015K: Difficulty specialist - appt cancelled / deferred

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Appointment cancelled or deferred by specialist |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 76 | 16634.7 | 3.1% | |
| 2 | No | 1904 | 512791.2 | | 96.9% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015L: Difficulty specialist - unable to leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10 | 2500.2 | 0.5% | |
| 2 | No | 1970 | 526925.7 | | 99.5% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_015M: Difficulty specialist - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1980 / 529425.91 ] [Invalid=107679 / 30061354.35 ] |
| Universe | Respondents who answered ACC_010 = 1 |
| Literal question | What types of difficulties did you experience? - Other |
| Notes | Was not asked in proxy interviews |

## # ACC_015M: Difficulty specialist - other

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 220 | 49384.9 | 9.3% | |
| 2 | No | 1760 | 480041.0 | | 90.7% |
| 6 | Valid skip | 106266 | 29624713.9 | | |
| 7 | Don't know | 2 | 264.7 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1410 | 435758.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_020: Required non-emergency surgery - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29568 / 7859709.31 ] [Invalid=80091 / 22731070.95 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, did you require any non-emergency surgery? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2196 | 508268.9 | 6.5% | |
| 2 | No | 27372 | 7351440.4 | | 93.5% |
| 6 | Valid skip | 78693 | 22296443.4 | | |
| 7 | Don't know | 19 | 5495.5 | | |
| 8 | Refusal | 18 | 4672.4 | | |
| 9 | Not stated | 1361 | 424459.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_025: Experienced difficulties getting non-emergency surgery - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2187 / 504398.01 ] [Invalid=107472 / 30086382.25 ] |
| Universe | Respondents who answered ACC_020 = 1 |
| Literal question | In the past 12 months, did you ever experience any difficulties getting the surgery you needed? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 425 | 101987.0 | 20.2% | |
| 2 | No | 1762 | 402411.0 | | 79.8% |
| 6 | Valid skip | 106065 | 29647883.8 | | |
| 7 | Don't know | 9 | 3870.9 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1398 | 434627.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030A: Difficulty surgery - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

## # ACC_030A: Difficulty surgery - getting an appt

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 172 | 43025.6 | 42.4% |
| 2 | No | 252 | 58344.2 | 57.6% |
| 6 | Valid skip | 107827 | 30050294.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1407 | 438498.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030B: Difficulty surgery - getting a diagnosis

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| **Universe** | Respondents who answered ACC_025 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty getting a diagnosis including obtaining a diagnostic test |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 45 | 9456.0 | 9.3% |
| 2 | No | 379 | 91913.8 | 90.7% |
| 6 | Valid skip | 107827 | 30050294.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1407 | 438498.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030C: Difficulty surgery - too long for a hospital bed

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| **Universe** | Respondents who answered ACC_025 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long for a hospital bed to become available |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 25 | 7044.8 | 6.9% |
| 2 | No | 399 | 94325.0 | 93.1% |
| 6 | Valid skip | 107827 | 30050294.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 617.2 | |
| 9 | Not stated | 1407 | 438498.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030D: Difficulty surgery - too long for surgery

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| **Universe** | Respondents who answered ACC_025 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long for surgery |
| **Notes** | Was not asked in proxy interviews |

## # ACC_030D: Difficulty surgery - too long for surgery

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 238 | 55016.3 | | 54.3% |
| 2 | No | 186 | 46353.5 | | 45.7% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030E: Difficulty surgery - service n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 33 | 6707.4 | 6.6% | |
| 2 | No | 391 | 94662.4 | | 93.4% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030F: Difficulty surgery - service n/a in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 28 | 4729.4 | 4.7% | |
| 2 | No | 396 | 96640.4 | | 95.3% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030G: Difficulty surgery - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

## # ACC_030G: Difficulty surgery - transportation

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 10 | 2024.3 | 2.0% | |
| 2 | No | 414 | 99345.5 | | 98.0% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030H: Difficulty surgery - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 0 | 0.0 | | |
| 2 | No | 424 | 101369.8 | | 100.0% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030I: Difficulty surgery - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|-----------------------|---|
| 1 | Yes | 12 | 1894.2 | 1.9% | |
| 2 | No | 412 | 99475.6 | | 98.1% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030J: Difficulty surgery - general deterioration of health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - General deterioration of health |
| Notes | Was not asked in proxy interviews |

## # ACC_030J: Difficulty surgery - general deterioration of health

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 24 | 4608.8 | 4.5% | |
| 2 | No | 400 | 96761.0 | | 95.5% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_030K: Difficulty surgery - appt cancelled / deferred

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 35 | 7606.2 | 7.5% | |
| 2 | No | 389 | 93763.6 | | 92.5% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 1 | 617.2 | | |
| 9 | Not stated | 1407 | 438498.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACCG030M: Difficulty surgery - unable to leave the house/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=424 / 101369.79 ] [Invalid=109235 / 30489410.47 ] |
| Universe | Respondents who answered ACC_025 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 51 | 13675.1 | 13.5% | |
| 2 | No | 373 | 87694.7 | | 86.5% |
| 6 | Valid skip | 107827 | 30050294.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1408 | 439115.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_035: Required non-emergency test (MRI, CT Scan, angiography) - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29471 / 7843203.81 ] [Invalid=80188 / 22747576.45 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, did you require one of these tests? |
| Notes | Was not asked in proxy interviews |

## # ACC_035: Required non-emergency test (MRI, CT Scan, angiography) - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4152 | 995694.3 | 12.7% |
| 2 | No | 25319 | 6847509.5 | 87.3% |
| 6 | Valid skip | 78693 | 22296443.4 | |
| 7 | Don't know | 100 | 17915.6 | |
| 8 | Refusal | 20 | 5481.0 | |
| 9 | Not stated | 1375 | 427736.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_040: Experienced difficulties getting non-emergency test - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4149 / 995242.32 ] [Invalid=105510 / 29595537.94 ] |
| Universe | Respondents who answered ACC_035 = 1 |
| Literal question | In the past 12 months, did you ever experience any difficulties getting the tests you needed? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 654 | 178260.8 | 17.9% |
| 2 | No | 3495 | 816981.5 | 82.1% |
| 6 | Valid skip | 104012 | 29143952.9 | |
| 7 | Don't know | 3 | 452.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1495 | 451133.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_045A: Difficulty test - getting a referral

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting a referral |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 44 | 10668.4 | 6.0% |
| 2 | No | 608 | 167359.3 | 94.0% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_045B: Difficulty test - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

# # ACC_045B: Difficulty test - getting an appt

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 233 | 68335.5 | 38.4% |
| 2 | No | 419 | 109692.2 | 61.6% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_045C: Difficulty test - too long to get an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to get an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 355 | 97830.5 | 55.0% |
| 2 | No | 297 | 80197.2 | 45.0% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_045D: Difficulty test - too long to get test

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 151 | 37073.6 | 20.8% |
| 2 | No | 501 | 140954.1 | 79.2% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_045E: Difficulty test - service n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

# ACC_045E: Difficulty test - service n/a at time required

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 49 | 12397.6 | 7.0% |
| 2 | No | 603 | 165630.1 | 93.0% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_045F: Difficulty test - service n/a in area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 48 | 7818.3 | 4.4% |
| 2 | No | 604 | 170209.4 | 95.6% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_045G: Difficulty test - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 16 | 2750.0 | 1.5% |
| 2 | No | 636 | 175277.6 | 98.5% |
| 6 | Valid skip | 107507 | 29960934.4 | |
| 7 | Don't know | 2 | 233.2 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1498 | 451585.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_045H: Difficulty test - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

# ACC_045H: Difficulty test - language

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | | |
| 2 | No | 652 | 178027.7 | | 100.0% |
| 6 | Valid skip | 107507 | 29960934.4 | | |
| 7 | Don't know | 2 | 233.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1498 | 451585.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_045I: Difficulty test - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 21 | 5967.2 | 3.4% | |
| 2 | No | 631 | 172060.5 | | 96.6% |
| 6 | Valid skip | 107507 | 29960934.4 | | |
| 7 | Don't know | 2 | 233.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1498 | 451585.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_045J: Difficulty test - general deterioration of health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - General deterioration of health |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 23 | 4624.4 | 2.6% | |
| 2 | No | 629 | 173403.2 | | 97.4% |
| 6 | Valid skip | 107507 | 29960934.4 | | |
| 7 | Don't know | 2 | 233.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1498 | 451585.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_045K: Difficulty test - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 7 | 2758.6 | 1.5% | |
| 2 | No | 645 | 175269.1 | | 98.5% |
| 6 | Valid skip | 107507 | 29960934.4 | | |
| 7 | Don't know | 2 | 233.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1498 | 451585.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACCG045M: Difficulty test - unable to leave the house/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=652 / 178027.69 ] [Invalid=109007 / 30412752.57 ] |
| Universe | Respondents who answered ACC_040 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 64 | 17095.1 | 9.6% | |
| 2 | No | 588 | 160932.6 | | 90.4% |
| 6 | Valid skip | 107507 | 29960934.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1500 | 451818.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_050: Required health information for self / family - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29464 / 7829735.55 ] [Invalid=80195 / 22761044.71 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, have you required health information or advice [for yourself or a family member]? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 13356 | 3780513.0 | | 48.3% |
| 2 | No | 16108 | 4049222.5 | | 51.7% |
| 6 | Valid skip | 78693 | 22296443.4 | | |
| 7 | Don't know | 82 | 21384.5 | | |
| 8 | Refusal | 23 | 7291.8 | | |
| 9 | Not stated | 1397 | 435924.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055A: Health information - contact - doctor's office

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # ACC_055A: Health information - contact - doctor's office

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] | | | |
| **Universe** | Respondents who answered ACC_050 = 1 | | | |
| **Literal question** | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A doctor's office | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6933 | 1809349.5 | 48.1% |
| 2 | No | 6386 | 1955713.2 | 51.9% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055B: Health information - contact - community health centre / CLSC

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] | | | |
| **Universe** | Respondents who answered ACC_050 = 1 | | | |
| **Literal question** | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A community health centre [or CLSC] | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1476 | 417705.9 | 11.1% |
| 2 | No | 11843 | 3347356.8 | 88.9% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055C: Health information - contact - walk-in clinic

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] | | | |
| **Universe** | Respondents who answered ACC_050 = 1 | | | |
| **Literal question** | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A walk-in clinic | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1731 | 593105.0 | 15.8% |
| 2 | No | 11588 | 3171957.6 | 84.2% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055D: Health information - contact - telephone health line

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

# ACC_055D: Health information - contact - telephone health line

| | Statistics [NW/ W] | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] |
|---|---|---|
| | Universe | Respondents who answered ACC_050 = 1 |
| | Literal question | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A telephone health line (for example, HealthLinks, Telehealth Ontario, Health-Line, TeleCare, Info-Santé) |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3273 | 1020568.6 | 27.1% |
| 2 | No | 10046 | 2744494.1 | 72.9% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_055E: Health information - contact - Internet

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] |
| | Universe | Respondents who answered ACC_050 = 1 |
| | Literal question | Whom did you contact when you needed health information or advice [for yourself or a family member]? - Internet (for example, AboutKidsHealth) |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2854 | 852327.0 | 22.6% |
| 2 | No | 10465 | 2912735.7 | 77.4% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_055F: Health information - contact - emergency department / room

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] |
| | Universe | Respondents who answered ACC_050 = 1 |
| | Literal question | Whom did you contact when you needed health information or advice [for yourself or a family member]? - An emergency department or emergency room |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1793 | 475946.0 | 12.6% |
| 2 | No | 11526 | 3289116.7 | 87.4% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055G: Health information - contact - hospital outpatient clinic

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] |
| Universe | Respondents who answered ACC_050 = 1 |
| Literal question | Whom did you contact when you needed health information or advice [for yourself or a family member]? - A hospital outpatient clinic |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1119 | 314081.3 | 8.3% |
| 2 | No | 12200 | 3450981.4 | 91.7% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_055H: Health information - contact - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13319 / 3765062.69 ] [Invalid=96340 / 26825717.57 ] |
| Universe | Respondents who answered ACC_050 = 1 |
| Literal question | Whom did you contact when you needed health information or advice [for yourself or a family member]? - Other - Specify |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2491 | 722605.1 | 19.2% |
| 2 | No | 10828 | 3042457.6 | 80.8% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 34 | 13155.6 | |
| 8 | Refusal | 3 | 2294.7 | |
| 9 | Not stated | 1502 | 464601.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_060: Experienced difficulty getting health information - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=13323 / 3770920.84 ] [Invalid=96336 / 26819859.42 ] |
| Universe | Respondents who answered ACC_050 = 1 |
| Literal question | In the past 12 months, did you ever experience any difficulties getting the health information or advice [for yourself or a family member]? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1854 | 588825.3 | 15.6% |
| 2 | No | 11469 | 3182095.6 | 84.4% |
| 6 | Valid skip | 94801 | 26345665.9 | |
| 7 | Don't know | 27 | 7614.6 | |
| 8 | Refusal | 3 | 833.5 | |
| 9 | Not stated | 1505 | 465745.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_065: Experienced difficulty getting health information - reg office hours

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1836 / 583486.81 ] [Invalid=107823 / 30007293.45 ] |
| **Universe** | Respondents who answered ACC_060 = 1 |
| **Literal question** | Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1449 | 471530.5 | 80.8% |
| 2 | No | 280 | 82303.2 | 14.1% |
| 3 | Not required at this time | 107 | 29653.1 | 5.1% |
| 6 | Valid skip | 106270 | 29527761.4 | |
| 7 | Don't know | 18 | 5338.5 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1535 | 474193.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070A: Difficulty health info - reg hours - contacting physician / nurse

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |
| **Universe** | Respondents who answered ACC_065 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty contacting a physician or nurse |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 696 | 228134.2 | 48.4% |
| 2 | No | 752 | 243278.3 | 51.6% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070B: Difficulty health info - reg hours - didn't have a phone number

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |
| **Universe** | Respondents who answered ACC_065 = 1 |
| **Literal question** | What types of difficulties did you experience? - Did not have a phone number |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 19 | 10454.6 | 2.2% |
| 2 | No | 1429 | 460957.9 | 97.8% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070C: Difficulty health info - reg hours - could not get through

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |
| **Universe** | Respondents who answered ACC_065 = 1 |
| **Literal question** | What types of difficulties did you experience? - Could not get through (i.e. no answer) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 262 | 86275.5 | | 18.3% |
| 2 | No | 1186 | 385137.0 | | 81.7% |
| 6 | Valid skip | 106657 | 29639717.8 | | |
| 7 | Don't know | 1 | 118.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1553 | 479532.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070D: Difficulty health info - reg hours - too long to speak to someone

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |
| **Universe** | Respondents who answered ACC_065 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long to speak to someone |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 454 | 145334.3 | | 30.8% |
| 2 | No | 994 | 326078.2 | | 69.2% |
| 6 | Valid skip | 106657 | 29639717.8 | | |
| 7 | Don't know | 1 | 118.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1553 | 479532.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070E: Difficulty health info - reg hours - didn't get adequate info

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |
| **Universe** | Respondents who answered ACC_065 = 1 |
| **Literal question** | What types of difficulties did you experience? - Did not get adequate info or advice |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 409 | 117429.1 | | 24.9% |
| 2 | No | 1039 | 353983.4 | | 75.1% |
| 6 | Valid skip | 106657 | 29639717.8 | | |
| 7 | Don't know | 1 | 118.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1553 | 479532.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_070F: Difficulty health info - reg hours - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# ACC_070F: Difficulty health info - reg hours - language

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] | | | |
| **Universe** | Respondents who answered ACC_065 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Language problem | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15 | 5090.7 | 1.1% |
| 2 | No | 1433 | 466321.8 | 98.9% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_070G: Difficulty health info - reg hours - didn't know where to go / call

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] | | | |
| **Universe** | Respondents who answered ACC_065 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? Did not know where to go / call / uninformed | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 89 | 28228.0 | 6.0% |
| 2 | No | 1359 | 443184.5 | 94.0% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_070H: Difficulty health info - reg hours - unable to leave house

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] | | | |
| **Universe** | Respondents who answered ACC_065 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Unable to leave the house because of a health problem | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17 | 4317.1 | 0.9% |
| 2 | No | 1431 | 467095.4 | 99.1% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_070I: Difficulty health info - reg hours - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1448 / 471412.52 ] [Invalid=108211 / 30119367.74 ] |

## # ACC_070I: Difficulty health info - reg hours - other

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered ACC_065 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Other | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 248 | 75891.8 | 16.1% |
| 2 | No | 1200 | 395520.7 | 83.9% |
| 6 | Valid skip | 106657 | 29639717.8 | |
| 7 | Don't know | 1 | 118.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1553 | 479532.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_075: Experienced difficulties getting health info - evenings / we

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1817 / 576363.18 ] [Invalid=107842 / 30014417.08 ] |
| **Universe** | Respondents who answered ACC_060 = 1 |
| **Literal question** | Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 pm to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 697 | 241920.2 | 42.0% |
| 2 | No | 530 | 155895.0 | 27.0% |
| 3 | Not required at this time | 590 | 178548.0 | 31.0% |
| 6 | Valid skip | 106270 | 29527761.4 | |
| 7 | Don't know | 37 | 12462.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1535 | 474193.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080A: Difficulty health info - evening/we - contacting physician / nurse

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |
| **Universe** | Respondents who answered ACC_075 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty contacting a physician or nurse |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 364 | 133224.5 | 55.2% |
| 2 | No | 332 | 108283.6 | 44.8% |
| 6 | Valid skip | 107390 | 29862204.4 | |
| 7 | Don't know | 1 | 412.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1572 | 486655.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080B: Difficulty health info - evening/we - didn't have a phone number

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

# ACC_080B: Difficulty health info - evening/we - didn't have a phone number

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] | | | |
| **Universe** | Respondents who answered ACC_075 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Did not have a phone number | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13 | 5084.9 | 2.1% |
| 2 | No | 683 | 236423.2 | 97.9% |
| 6 | Valid skip | 107390 | 29862204.4 | |
| 7 | Don't know | 1 | 412.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1572 | 486655.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_080C: Difficulty health info - evening/we - could not get through

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] | | | |
| **Universe** | Respondents who answered ACC_075 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Could not get through (i.e. no answer) | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 149 | 45654.0 | 18.9% |
| 2 | No | 547 | 195854.1 | 81.1% |
| 6 | Valid skip | 107390 | 29862204.4 | |
| 7 | Don't know | 1 | 412.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1572 | 486655.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_080D: Difficulty health info - evening/we - too long to speak to someone

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] | | | |
| **Universe** | Respondents who answered ACC_075 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Waited too long to speak to someone | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 223 | 80339.2 | 33.3% |
| 2 | No | 473 | 161168.9 | 66.7% |
| 6 | Valid skip | 107390 | 29862204.4 | |
| 7 | Don't know | 1 | 412.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1572 | 486655.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_080E: Difficulty health info - evening/we - didn't get adequate info

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |

## # ACC_080E: Difficulty health info - evening/we - didn't get adequate info

| Universe | Respondents who answered ACC_075 = 1 |
|---|---|
| Literal question | What types of difficulties did you experience? - Did not get adequate info or advice |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 144 | 42251.6 | | 17.5% |
| 2 | No | 552 | 199256.5 | | 82.5% |
| 6 | Valid skip | 107390 | 29862204.4 | | |
| 7 | Don't know | 1 | 412.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1572 | 486655.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080F: Difficulty health info - evening/we - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |
| Universe | Respondents who answered ACC_075 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10 | 2386.0 | 1.0% | |
| 2 | No | 686 | 239122.0 | | 99.0% |
| 6 | Valid skip | 107390 | 29862204.4 | | |
| 7 | Don't know | 1 | 412.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1572 | 486655.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080G: Difficulty health info - evening/we - didn't know where to go / call

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |
| Universe | Respondents who answered ACC_075 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go / call / uninformed |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 58 | 21855.3 | 9.0% | |
| 2 | No | 638 | 219652.8 | | 91.0% |
| 6 | Valid skip | 107390 | 29862204.4 | | |
| 7 | Don't know | 1 | 412.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1572 | 486655.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080H: Difficulty health info - evening/we - unable to leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |
| Universe | Respondents who answered ACC_075 = 1 |

## # ACC_080H: Difficulty health info - evening/we - unable to leave house

| **Literal question** | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
|---|---|
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8 | 1385.7 | 0.6% | |
| 2 | No | 688 | 240122.4 | | 99.4% |
| 6 | Valid skip | 107390 | 29862204.4 | | |
| 7 | Don't know | 1 | 412.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1572 | 486655.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_080I: Difficulty health info - evening/we - other

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=696 / 241508.09 ] [Invalid=108963 / 30349272.17 ] |
| **Universe** | Respondents who answered ACC_075 = 1 |
| **Literal question** | What types of difficulties did you experience? - Other |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 85 | 28441.5 | 11.8% | |
| 2 | No | 611 | 213066.6 | | 88.2% |
| 6 | Valid skip | 107390 | 29862204.4 | | |
| 7 | Don't know | 1 | 412.1 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1572 | 486655.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_085: Experienced difficulties getting health info - middle night

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1828 / 581828.28 ] [Invalid=107831 / 30008951.98 ] |
| **Universe** | Respondents who answered ACC_060 = 1 |
| **Literal question** | Did you experience difficulties getting health information or advice during the middle of the night? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 225 | 81967.3 | 14.1% | |
| 2 | No | 643 | 195093.6 | 33.5% | |
| 3 | Not required at this time | 960 | 304767.3 | | 52.4% |
| 6 | Valid skip | 106270 | 29527761.4 | | |
| 7 | Don't know | 24 | 6542.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1537 | 474648.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACCG090C: Difficulty health info - middle night - difficulty contacting

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=225 / 81967.34 ] [Invalid=109434 / 30508812.92 ] |
| **Universe** | Respondents who answered ACC_085 = 1 |

## # ACCG090C: Difficulty health info - middle night - difficulty contacting

| Literal question | What types of difficulties did you experience? - Difficulty contacting a physician or nurse/no phone number/no answer |
|---|---|
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 124 | 44436.2 | | 54.2% |
| 2 | No | 101 | 37531.2 | | 45.8% |
| 6 | Valid skip | 107873 | 30027622.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1561 | 481190.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_090D: Difficulty health info - middle night - too long to speak to someone

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=225 / 81967.34 ] [Invalid=109434 / 30508812.92 ] |
| Universe | Respondents who answered ACC_085 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to speak to someone |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 85 | 33542.3 | | 40.9% |
| 2 | No | 140 | 48425.1 | | 59.1% |
| 6 | Valid skip | 107873 | 30027622.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1561 | 481190.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_090E: Difficulty health info - middle night - didn't get adequate info

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=225 / 81967.34 ] [Invalid=109434 / 30508812.92 ] |
| Universe | Respondents who answered ACC_085 = 1 |
| Literal question | What types of difficulties did you experience? - Did not get adequate info or advice |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 57 | 19936.4 | | 24.3% |
| 2 | No | 168 | 62031.0 | | 75.7% |
| 6 | Valid skip | 107873 | 30027622.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1561 | 481190.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_090G: Difficulty health info - middle night - didn't know where to go / call

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=225 / 81967.34 ] [Invalid=109434 / 30508812.92 ] |
| Universe | Respondents who answered ACC_085 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go / call / uninformed |

# ACC_090G: Difficulty health info - middle night - didn't know where to go / call

| Notes | Was not asked in proxy interviews |
|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 28 | 9387.0 | | 11.5% |
| 2 | No | 197 | 72580.4 | | 88.5% |
| 6 | Valid skip | 107873 | 30027622.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1561 | 481190.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACCG090I: Difficulty health info - middle night - language/unable/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=225 / 81967.34 ] [Invalid=109434 / 30508812.92 ] |
| Universe | Respondents who answered ACC_085 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem/unable to leave house/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 25 | 9298.0 | | 11.3% |
| 2 | No | 200 | 72669.4 | | 88.7% |
| 6 | Valid skip | 107873 | 30027622.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1561 | 481190.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_095: Has a regular health care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29852 / 7967575.53 ] [Invalid=79807 / 22623204.73 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | Do you have a regular health care provider? |
| Notes | Was not asked in proxy interviews. If a respondent answered PHC_020 = (1 or 2), the variable ACC_095 was given the value of PHC_020. If PHC_020 = (7 or 8), then ACC_095 was given the value of 9. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 23986 | 6047958.1 | | 75.9% |
| 2 | No | 5866 | 1919617.5 | | 24.1% |
| 6 | Valid skip | 78693 | 22296443.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1114 | 326761.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_100: Required routine care for self / family - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29471 / 7824797.65 ] [Invalid=80188 / 22765982.61 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, did you require any routine or on-going care [for yourself or a family member]? |

## # ACC_100: Required routine care for self / family - 12 mo

| Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 18596 | 4982082.3 | 63.7% |
| 2 | No | 10875 | 2842715.4 | 36.3% |
| 6 | Valid skip | 78693 | 22296443.4 | |
| 7 | Don't know | 54 | 15080.3 | |
| 8 | Refusal | 24 | 5916.7 | |
| 9 | Not stated | 1417 | 448542.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_105: Experienced difficulties getting routine care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=18575 / 4976266.27 ] [Invalid=91084 / 25614513.99 ] |
| Universe | Respondents who answered ACC_100 = 1 |
| Literal question | In the past 12 months, did you ever experience any difficulties getting the routine or on-going care [you / you or a family member] needed ? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2598 | 794193.3 | 16.0% |
| 2 | No | 15977 | 4182073.0 | 84.0% |
| 6 | Valid skip | 89568 | 25139158.8 | |
| 7 | Don't know | 17 | 4589.4 | |
| 8 | Refusal | 1 | 82.7 | |
| 9 | Not stated | 1498 | 470683.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_110: Experienced difficulties getting routine care - reg office hours

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2577 / 789758.4 ] [Invalid=107082 / 29801021.86 ] |
| Universe | Respondents who answered ACC_105 = 1 |
| Literal question | Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2080 | 638263.6 | 80.8% |
| 2 | No | 420 | 125654.6 | 15.9% |
| 3 | Not required at this time | 77 | 25840.3 | 3.3% |
| 6 | Valid skip | 105545 | 29321231.7 | |
| 7 | Don't know | 19 | 3316.1 | |
| 8 | Refusal | 1 | 114.6 | |
| 9 | Not stated | 1517 | 476359.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115A: Difficulty routine care - reg hours - contacting health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |

## # ACC_115A: Difficulty routine care - reg hours - contacting health provider

| Literal question | What types of difficulties did you experience? - Difficulty contacting a health care provider |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 553 | 173357.0 | 27.2% |
| 2 | No | 1525 | 464106.0 | 72.8% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115B: Difficulty routine care - reg hours - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1165 | 354403.7 | 55.6% |
| 2 | No | 913 | 283059.3 | 44.4% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115C: Difficulty routine care - reg hours - no regular health care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Do not have a regular health care provider |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 312 | 104120.0 | 16.3% |
| 2 | No | 1766 | 533343.0 | 83.7% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115D: Difficulty routine care - reg hours - too long to get appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to get an appointment |

# ACC_115D: Difficulty routine care - reg hours - too long to get appt

| | Notes | Was not asked in proxy interviews |
|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 573 | 165716.0 | 26.0% |
| 2 | No | 1505 | 471747.0 | 74.0% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_115E: Difficulty routine care - reg hours - too long to see provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 273 | 87029.3 | 13.7% |
| 2 | No | 1805 | 550433.7 | 86.3% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_115F: Difficulty routine care - reg hours - service n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 255 | 75372.0 | 11.8% |
| 2 | No | 1823 | 562091.0 | 88.2% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_115G: Difficulty routine care - reg hours - service n/a in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

# # ACC_115G: Difficulty routine care - reg hours - service n/a in the area

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 139 | 38498.1 | 6.0% |
| 2 | No | 1939 | 598964.8 | 94.0% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_115H: Difficulty routine care - reg hours - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 30 | 8522.6 | 1.3% |
| 2 | No | 2048 | 628940.4 | 98.7% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115I: Difficulty routine care - reg hours - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8 | 2711.9 | 0.4% | |
| 2 | No | 2070 | 634751.1 | | 99.6% |
| 6 | Valid skip | 106042 | 29472726.6 | | |
| 7 | Don't know | 2 | 800.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1537 | 479790.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115J: Difficulty routine care - reg hours - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 50 | 15233.3 | 2.4% | |
| 2 | No | 2028 | 622229.7 | | 97.6% |
| 6 | Valid skip | 106042 | 29472726.6 | | |
| 7 | Don't know | 2 | 800.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1537 | 479790.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115K: Difficulty routine care - reg hours - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] |
| Universe | Respondents who answered ACC_110 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 52 | 22406.3 | 3.5% | |
| 2 | No | 2026 | 615056.7 | | 96.5% |
| 6 | Valid skip | 106042 | 29472726.6 | | |
| 7 | Don't know | 2 | 800.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1537 | 479790.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115L: Difficulty routine care - reg hours - unable to leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # ACC_115L: Difficulty routine care - reg hours - unable to leave house

| | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] | | | |
| **Universe** | Respondents who answered ACC_110 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Unable to leave the house because of a health problem | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8 | 1735.4 | 0.3% |
| 2 | No | 2070 | 635727.5 | 99.7% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_115M: Difficulty routine care - reg hours - other

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=2078 / 637462.98 ] [Invalid=107581 / 29953317.28 ] | | | |
| **Universe** | Respondents who answered ACC_110 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Other | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 185 | 52910.0 | 8.3% |
| 2 | No | 1893 | 584553.0 | 91.7% |
| 6 | Valid skip | 106042 | 29472726.6 | |
| 7 | Don't know | 2 | 800.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1537 | 479790.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_120: Experienced difficulties getting routine care - evening/we

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=2564 / 783585.19 ] [Invalid=107095 / 29807195.07 ] | | | |
| **Universe** | Respondents who answered ACC_105 = 1 | | | |
| **Literal question** | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 pm to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 832 | 280268.8 | 35.8% |
| 2 | No | 776 | 214845.8 | 27.4% |
| 3 | Not required at this time | 956 | 288470.6 | 36.8% |
| 6 | Valid skip | 105545 | 29321231.7 | |
| 7 | Don't know | 29 | 8914.3 | |
| 8 | Refusal | 3 | 499.3 | |
| 9 | Not stated | 1518 | 476549.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125A: Difficulty routine care - evening/we - contacting health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| **Universe** | Respondents who answered ACC_120 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 251 | 81901.1 | 29.2% |
| 2 | No | 580 | 198264.1 | 70.8% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125B: Difficulty routine care - evening/we - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| **Universe** | Respondents who answered ACC_120 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty getting an appointment |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 393 | 134541.1 | 48.0% |
| 2 | No | 438 | 145624.1 | 52.0% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125C: Difficulty routine care - evening/we - no regular health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| **Universe** | Respondents who answered ACC_120 = 1 |
| **Literal question** | What types of difficulties did you experience? - Do not have a regular health care provider |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 134 | 55638.5 | 19.9% |
| 2 | No | 697 | 224526.8 | 80.1% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125D: Difficulty routine care - evening/we - too long to get appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# ACC_125D: Difficulty routine care - evening/we - too long to get appt

| | | | |
|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] | | |
| **Universe** | Respondents who answered ACC_120 = 1 | | |
| **Literal question** | What types of difficulties did you experience? - Waited too long to get an appointment | | |
| **Notes** | Was not asked in proxy interviews | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 173 | 62217.0 | 22.2% |
| 2 | No | 658 | 217948.2 | 77.8% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_125E: Difficulty routine care - evening/we - too long to see provider

| | | | |
|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] | | |
| **Universe** | Respondents who answered ACC_120 = 1 | | |
| **Literal question** | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) | | |
| **Notes** | Was not asked in proxy interviews | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 129 | 43521.1 | 15.5% |
| 2 | No | 702 | 236644.1 | 84.5% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_125F: Difficulty routine care - evening/we - service n/a at time required

| | | | |
|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] | | |
| **Universe** | Respondents who answered ACC_120 = 1 | | |
| **Literal question** | What types of difficulties did you experience? - Service not available at time required | | |
| **Notes** | Was not asked in proxy interviews | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 207 | 61248.6 | 21.9% |
| 2 | No | 624 | 218916.6 | 78.1% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_125G: Difficulty routine care - evening/we - service n/a in the area

| | | | |
|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] | | |

## # ACC_125G: Difficulty routine care - evening/we - service n/a in the area

| Universe | Respondents who answered ACC_120 = 1 |
|---|---|
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 64 | 19164.2 | | 6.8% |
| 2 | No | 767 | 261001.0 | | 93.2% |
| 6 | Valid skip | 107277 | 29824548.1 | | |
| 7 | Don't know | 1 | 103.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 485963.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125H: Difficulty routine care - evening/we - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| Universe | Respondents who answered ACC_120 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 8 | 3422.5 | 1.2% | |
| 2 | No | 823 | 276742.7 | | 98.8% |
| 6 | Valid skip | 107277 | 29824548.1 | | |
| 7 | Don't know | 1 | 103.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 485963.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125J: Difficulty routine care - evening/we - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| Universe | Respondents who answered ACC_120 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 18 | 6349.0 | 2.3% | |
| 2 | No | 813 | 273816.2 | | 97.7% |
| 6 | Valid skip | 107277 | 29824548.1 | | |
| 7 | Don't know | 1 | 103.6 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 485963.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_125K: Difficulty routine care - evening/we - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| Universe | Respondents who answered ACC_120 = 1 |

# # ACC_125K: Difficulty routine care - evening/we - didn't know where to go

| Literal question | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 16 | 6966.6 | 2.5% |
| 2 | No | 815 | 273198.7 | 97.5% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 1 | 103.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 485963.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACCG125M: Difficulty routine care - evening/we - language/unable/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=831 / 280165.21 ] [Invalid=108828 / 30310615.05 ] |
| Universe | Respondents who answered ACC_120 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem/unable to leave house/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 55 | 16999.2 | 6.1% |
| 2 | No | 776 | 263166.1 | 93.9% |
| 6 | Valid skip | 107277 | 29824548.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1551 | 486066.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_130: Required immediate care for self / family - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29444 / 7815972.29 ] [Invalid=80215 / 22774807.97 ] |
| Universe | Respondents aged 15 and over with DOACC = 1 |
| Literal question | In the past 12 months, did [you / you or a family member] require immediate health care services for a minor health problem? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9210 | 2691719.8 | 34.4% |
| 2 | No | 20234 | 5124252.5 | 65.6% |
| 6 | Valid skip | 78693 | 22296443.4 | |
| 7 | Don't know | 61 | 13755.7 | |
| 8 | Refusal | 23 | 5170.0 | |
| 9 | Not stated | 1438 | 459438.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_135: Experienced difficulties getting immediate care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=9194 / 2685389.22 ] [Invalid=100465 / 27905391.04 ] |
| Universe | Respondents who answered ACC_130 = 1 |

## # ACC_135: Experienced difficulties getting immediate care - 12 mo

| | | |
|---|---|---|
| **Literal question** | In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem [for yourself or a family member]? | |
| **Notes** | Was not asked in proxy interviews | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1905 | 622222.1 | 23.2% |
| 2 | No | 7289 | 2063167.1 | 76.8% |
| 6 | Valid skip | 98927 | 27420695.9 | |
| 7 | Don't know | 13 | 3613.8 | |
| 8 | Refusal | 2 | 1063.2 | |
| 9 | Not stated | 1523 | 480018.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_140: Experienced difficulties getting immediate care - reg office hours

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1893 / 618953.7 ] [Invalid=107766 / 29971826.56 ] |
| **Universe** | Respondents who answered ACC_135 = 1 |
| **Literal question** | Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1364 | 450204.6 | 72.7% |
| 2 | No | 383 | 114447.5 | 18.5% |
| 3 | Not required at this time | 146 | 54301.6 | 8.8% |
| 6 | Valid skip | 106216 | 29483863.0 | |
| 7 | Don't know | 12 | 3268.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1538 | 484695.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145A: Difficulty immediate care - reg hours - contacting health provider

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| **Universe** | Respondents who answered ACC_140 = 1 |
| **Literal question** | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 329 | 105472.3 | 23.4% |
| 2 | No | 1035 | 344732.2 | 76.6% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145B: Difficulty immediate care - reg hours - getting an appt

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |

## # ACC_145B: Difficulty immediate care - reg hours - getting an appt

| Universe | Respondents who answered ACC_140 = 1 |
|---|---|
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 605 | 194708.3 | 43.2% |
| 2 | No | 759 | 255496.3 | 56.8% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145C: Difficulty immediate care - reg hours - no regular health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Do not have a regular health care provider |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 138 | 47188.9 | 10.5% |
| 2 | No | 1226 | 403015.7 | 89.5% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145D: Difficulty immediate care - reg hours - too long to get appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to get an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 299 | 119458.3 | 26.5% |
| 2 | No | 1065 | 330746.3 | 73.5% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145E: Difficulty immediate care - reg hours - too long to see provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |

## # ACC_145E: Difficulty immediate care - reg hours - too long to see provider

| Literal question | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 426 | 146031.2 | | 32.4% |
| 2 | No | 938 | 304173.4 | | 67.6% |
| 6 | Valid skip | 106745 | 29652612.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 487963.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145F: Difficulty immediate care - reg hours - service n/a at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 175 | 58703.0 | 13.0% | |
| 2 | No | 1189 | 391501.6 | | 87.0% |
| 6 | Valid skip | 106745 | 29652612.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 487963.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145G: Difficulty immediate care - reg hours - service n/a in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 56 | 19425.0 | 4.3% | |
| 2 | No | 1308 | 430779.6 | | 95.7% |
| 6 | Valid skip | 106745 | 29652612.1 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1550 | 487963.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145H: Difficulty immediate care - reg hours - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |

## # ACC_145H: Difficulty immediate care - reg hours - transportation

| Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15 | 4661.6 | 1.0% |
| 2 | No | 1349 | 445543.0 | 99.0% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145I: Difficulty immediate care - reg hours - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7 | 3452.4 | 0.8% |
| 2 | No | 1357 | 446752.2 | 99.2% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145J: Difficulty immediate care - reg hours - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13 | 5858.4 | 1.3% |
| 2 | No | 1351 | 444346.2 | 98.7% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_145K: Difficulty immediate care - reg hours - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| Notes | Was not asked in proxy interviews |

# ACC_145K: Difficulty immediate care - reg hours - didn't know where to go

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 21 | 9201.7 | 2.0% |
| 2 | No | 1343 | 441002.9 | 98.0% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_145L: Difficulty immediate care - reg hours - unable leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6 | 2258.8 | 0.5% |
| 2 | No | 1358 | 447945.8 | 99.5% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_145M: Difficulty immediate care - reg hours - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1364 / 450204.59 ] [Invalid=108295 / 30140575.67 ] |
| Universe | Respondents who answered ACC_140 = 1 |
| Literal question | What types of difficulties did you experience? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 126 | 39289.3 | 8.7% |
| 2 | No | 1238 | 410915.3 | 91.3% |
| 6 | Valid skip | 106745 | 29652612.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1550 | 487963.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_150: Experienced difficulties getting immediate care - evening/we

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1887 / 618131.88 ] [Invalid=107772 / 29972648.38 ] |
| Universe | Respondents who answered ACC_135 = 1 |
| Literal question | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 pm to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| Notes | Was not asked in proxy interviews |

## # ACC_150: Experienced difficulties getting immediate care - evening/we

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 995 | 328990.9 | | 53.2% |
| 2 | No | 436 | 139006.2 | | 22.5% |
| 3 | Not required at this time | 456 | 150134.7 | | 24.3% |
| 6 | Valid skip | 106216 | 29483863.0 | | |
| 7 | Don't know | 17 | 4008.4 | | |
| 8 | Refusal | 1 | 81.8 | | |
| 9 | Not stated | 1538 | 484695.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_155A: Difficulty immediate care - evening/we - contacting health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 250 | 85974.5 | | 26.1% |
| 2 | No | 745 | 243016.4 | | 73.9% |
| 6 | Valid skip | 107108 | 29773004.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1556 | 488785.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_155B: Difficulty immediate care - evening/we - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 326 | 122771.1 | | 37.3% |
| 2 | No | 669 | 206219.8 | | 62.7% |
| 6 | Valid skip | 107108 | 29773004.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1556 | 488785.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_155C: Difficulty immediate care - evening/we - no regular health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Do not have a regular health care provider |
| Notes | Was not asked in proxy interviews |

# ACC_155C: Difficulty immediate care - evening/we - no regular health provider

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 89 | 41857.4 | 12.7% |
| 2 | No | 906 | 287133.6 | 87.3% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155D: Difficulty immediate care - evening/we - too long to get appt

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to get an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 191 | 68149.3 | 20.7% |
| 2 | No | 804 | 260841.6 | 79.3% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155E: Difficulty immediate care - evening/we - too long to see provider

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 395 | 122905.4 | 37.4% |
| 2 | No | 600 | 206085.5 | 62.6% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155F: Difficulty immediate care - evening/we - service n/a at time required

| | |
|---|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available at time required |
| Notes | Was not asked in proxy interviews |

# ACC_155F: Difficulty immediate care - evening/we - service n/a at time required

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 181 | 58734.5 | | 17.9% |
| 2 | No | 814 | 270256.4 | | 82.1% |
| 6 | Valid skip | 107108 | 29773004.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1556 | 488785.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155G: Difficulty immediate care - evening/we - service n/a in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Service not available in the area |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 46 | 18741.1 | 5.7% | |
| 2 | No | 949 | 310249.8 | | 94.3% |
| 6 | Valid skip | 107108 | 29773004.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1556 | 488785.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155H: Difficulty immediate care - evening/we - transportation

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Transportation problems |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 14 | 5514.2 | 1.7% | |
| 2 | No | 981 | 323476.7 | | 98.3% |
| 6 | Valid skip | 107108 | 29773004.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1556 | 488785.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155I: Difficulty immediate care - evening/we - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

# ACC_155I: Difficulty immediate care - evening/we - language

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11 | 3439.0 | 1.0% |
| 2 | No | 984 | 325551.9 | 99.0% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155J: Difficulty immediate care - evening/we - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Cost |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 14 | 4459.7 | 1.4% |
| 2 | No | 981 | 324531.2 | 98.6% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155K: Difficulty immediate care - evening/we - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15 | 8880.7 | 2.7% |
| 2 | No | 980 | 320110.2 | 97.3% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_155L: Difficulty immediate care - evening/we - unable leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| Notes | Was not asked in proxy interviews |

## # ACC_155L: Difficulty immediate care - evening/we - unable leave house

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6 | 1477.8 | 0.4% |
| 2 | No | 989 | 327513.1 | 99.6% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_155M: Difficulty immediate care - evening/we - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=995 / 328990.91 ] [Invalid=108664 / 30261789.35 ] |
| Universe | Respondents who answered ACC_150 = 1 |
| Literal question | What types of difficulties did you experience? - Other |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 93 | 31728.7 | 9.6% |
| 2 | No | 902 | 297262.2 | 90.4% |
| 6 | Valid skip | 107108 | 29773004.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1556 | 488785.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_160: Experienced difficulties getting immediate care - middle night

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1886 / 618424.47 ] [Invalid=107773 / 29972355.79 ] |
| Universe | Respondents who answered ACC_135 = 1 |
| Literal question | Did you experience difficulties getting such care during the middle of the night? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 368 | 122745.2 | 19.8% |
| 2 | No | 602 | 184538.1 | 29.8% |
| 3 | Not required at this time | 916 | 311141.2 | 50.3% |
| 6 | Valid skip | 106216 | 29483863.0 | |
| 7 | Don't know | 18 | 3715.8 | |
| 8 | Refusal | 1 | 81.8 | |
| 9 | Not stated | 1538 | 484695.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_165A: Difficulty immediate care - middle night - contacting health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| Universe | Respondents who answered ACC_160 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty contacting a health care provider |
| Notes | Was not asked in proxy interviews |

# # ACC_165A: Difficulty immediate care - middle night - contacting health provider

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 87 | 30694.5 | 25.1% | |
| 2 | No | 280 | 91774.3 | | 74.9% |
| 6 | Valid skip | 107734 | 29979542.3 | | |
| 7 | Don't know | 1 | 276.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1557 | 488492.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # ACC_165B: Difficulty immediate care - middle night - getting an appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| Universe | Respondents who answered ACC_160 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|------------------------|---|
| 1 | Yes | 73 | 26375.8 | 21.5% | |
| 2 | No | 294 | 96093.1 | | 78.5% |
| 6 | Valid skip | 107734 | 29979542.3 | | |
| 7 | Don't know | 1 | 276.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1557 | 488492.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_165C: Difficulty immediate care - middle night - no regular health provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| **Universe** | Respondents who answered ACC_160 = 1 |
| **Literal question** | What types of difficulties did you experience? - Do not have a regular health care provider |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 36 | 15279.2 | 12.5% |
| 2 | No | 331 | 107189.7 | 87.5% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_165D: Difficulty immediate care - middle night - too long to get appt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| **Universe** | Respondents who answered ACC_160 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long to get an appointment |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 80 | 28612.9 | 23.4% |
| 2 | No | 287 | 93856.0 | 76.6% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_165E: Difficulty immediate care - middle night - too long to see provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| **Universe** | Respondents who answered ACC_160 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long to see the health care provider (i.e. in-office waiting) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 171 | 55531.1 | 45.3% |
| 2 | No | 196 | 66937.7 | 54.7% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC_165F: Difficulty immediate care - middle night - service n/a time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

# ACC_165F: Difficulty immediate care - middle night - service n/a time required

| | Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
|---|---|---|
| | Universe | Respondents who answered ACC_160 = 1 |
| | Literal question | What types of difficulties did you experience? - Service not available at time required |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 64 | 19204.3 | 15.7% |
| 2 | No | 303 | 103264.6 | 84.3% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_165G: Difficulty immediate care - middle night - service n/a in the area

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| | Universe | Respondents who answered ACC_160 = 1 |
| | Literal question | What types of difficulties did you experience? - Service not available in the area |
| | Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11 | 4737.6 | 3.9% |
| 2 | No | 356 | 117731.3 | 96.1% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACCG165J: Difficulty immediate care - middle night - transport/language/cost

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |
| | Universe | Respondents who answered ACC_160 = 1 |
| | Literal question | What types of difficulties did you experience? - Transportation problems/language problem/cost |
| | Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9 | 3344.5 | 2.7% |
| 2 | No | 358 | 119124.4 | 97.3% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1558 | 488769.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# ACC_165K: Difficulty immediate care - middle night - didn't know where to go

| | Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|---|
| | Statistics [NW/ W] | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] |

## # ACC_165K: Difficulty immediate care - middle night - didn't know where to go

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered ACC_160 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8 | 4614.5 | 3.8% |
| 2 | No | 359 | 117854.4 | 96.2% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 1 | 276.3 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1557 | 488492.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACCG165M: Difficulty immediate care - middle night - unable to leave/other

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=367 / 122468.88 ] [Invalid=109292 / 30468311.38 ] | | | |
| **Universe** | Respondents who answered ACC_160 = 1 | | | |
| **Literal question** | What types of difficulties did you experience? - Unable to leave house/other | | | |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 38 | 14798.0 | 12.1% |
| 2 | No | 329 | 107670.9 | 87.9% |
| 6 | Valid skip | 107734 | 29979542.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1558 | 488769.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOWTM: Waiting times - Inclusion Flag - (F)

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] | | | |
| **Universe** | All respondents | | | |
| **Notes** | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4323 | 676604.7 | 2.2% |
| 2 | No | 105336 | 29914175.5 | 97.8% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_005: Required visit to medical specialist - new illness - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=1260 / 192498.94 ] [Invalid=108399 / 30398281.32 ] |
| **Universe** | Respondents aged 15 and over with DOWTM = 1 who answered ACC_005 = 1 |

## # WTM_005: Required visit to medical specialist - new illness - 12 mo

| Literal question | You mentioned that you required a visit to a medical specialist such as a cardiologist, endocrinologist, allergist, [gynecologist] or psychiatrist. In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 473 | 76314.0 | 39.6% |
| 2 | No | 787 | 116185.0 | 60.4% |
| 6 | Valid skip | 108128 | 30351166.9 | |
| 7 | Don't know | 3 | 388.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 268 | 46726.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG010: Last visit to medical specialist - type of condition

| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=468 / 75264.22 ] [Invalid=109191 / 30515516.04 ] |
| Universe | Respondents who answered WTM_005 = 1 |
| Literal question | For what type of condition? If you have had more than one such visit, please answer for the most recent visit. |
| Notes | Was not asked in proxy interviews. The answer category # 8 (Gynaecological problems) was not an available option for males. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Heart condition or stroke | 43 | 6904.3 | 9.2% |
| 2 | Cancer | 34 | 3970.3 | 5.3% |
| 3 | Asthma or other breathing conditions | 14 | 2068.9 | 2.7% |
| 4 | Arthritis | 15 | 2361.5 | 3.1% |
| 5 | Cataract or other eye conditions | 25 | 3410.3 | 4.5% |
| 6 | Mental health disorder | 20 | 3008.5 | 4.0% |
| 7 | Skin conditions | 38 | 4721.5 | 6.3% |
| 8 | Gynaecological problems | 43 | 9417.4 | 12.5% |
| 9 | Diabetes/ Other | 236 | 39401.5 | 52.4% |
| 96 | Valid skip | 108915 | 30467351.9 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 276 | 48164.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_015: Last visit to medical specialist - person who referred

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=470 / 76147.61 ] [Invalid=109189 / 30514632.65 ] |
| Universe | Respondents who answered WTM_005 = 1 |
| Literal question | Were you referred by...? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | A family doctor | 342 | 55569.4 | 73.0% |
| 2 | Another specialist | 38 | 5278.9 | 6.9% |
| 3 | Another health care provider | 56 | 9071.3 | 11.9% |

## # WTM_015: Last visit to medical specialist - person who referred

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 4 | Did not require a referral | 34 | 6228.0 | 8.2% |
| 6 | Valid skip | 108915 | 30467351.9 | |
| 7 | Don't know | 3 | 166.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_020: Already visited the medical specialist

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=472 / 76212.63 ] [Invalid=109187 / 30514567.63 ] |
| Universe | Respondents who answered WTM_005 = 1 |
| Literal question | Have you already visited the medical specialist? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 423 | 69312.2 | 90.9% |
| 2 | No | 49 | 6900.5 | 9.1% |
| 6 | Valid skip | 108915 | 30467351.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 1 | 101.3 | |
| 9 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_025: Experienced difficulties seeing specialist - new illness

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=423 / 69312.16 ] [Invalid=109236 / 30521468.1 ] |
| Universe | Respondents who answered WTM_020 = 1 |
| Literal question | Thinking about this visit, did you experience any difficulties seeing the specialist? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 58 | 9163.5 | 13.2% |
| 2 | No | 365 | 60148.6 | 86.8% |
| 6 | Valid skip | 108964 | 30474252.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47215.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG030B: Difficulty specialist - new illness - getting referral/ appointment

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| Universe | Respondents who answered WTM_025 = 1 |
| Literal question | What type of difficulties did you experience? - Difficulty getting a referral/difficulty getting an appointment |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 17 | 2433.5 | 26.6% |

# # WTMG030B: Difficulty specialist - new illness - getting referral/ appointment

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 2 | No | 41 | 6730.0 | | 73.4% |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_030C: Difficulty specialist - new illness - too long between appt and visit

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| **Universe** | Respondents who answered WTM_025 = 1 |
| **Literal question** | What type of difficulties did you experience? - Waited too long between booking appointment and visit |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 29 | 5542.1 | | 60.5% |
| 2 | No | 29 | 3621.5 | 39.5% | |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_030D: Difficulty specialist - new illness - too long to see doctor

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| **Universe** | Respondents who answered WTM_025 = 1 |
| **Literal question** | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 7 | 905.7 | 9.9% | |
| 2 | No | 51 | 8257.8 | | 90.1% |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTMG030F: Difficulty specialist - new illness - not avail. in area/time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| **Universe** | Respondents who answered WTM_025 = 1 |
| **Literal question** | What type of difficulties did you experience? - Service not available in the area/service not available at time required |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Yes | 10 | 643.2 | 7.0% | |

# # WTMG030F: Difficulty specialist - new illness - not avail. in area/time required

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 2 | No | 48 | 8520.4 | | 93.0% |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_030H: Difficulty specialist - new illness - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| Universe | Respondents who answered WTM_025 = 1 |
| Literal question | What type of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | | |
| 2 | No | 58 | 9163.5 | | 100.0% |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_030L: Difficulty specialist - new illness - unable to leave house

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| Universe | Respondents who answered WTM_025 = 1 |
| Literal question | What type of difficulties did you experience? - Unable to leave the house because of a health problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | | |
| 2 | No | 58 | 9163.5 | | 100.0% |
| 6 | Valid skip | 109329 | 30534401.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47215.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTMG030M: Diff. spec. - new illness - transport/cost/health/appt cancelled/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 9163.54 ] [Invalid=109601 / 30581616.72 ] |
| Universe | Respondents who answered WTM_025 = 1 |
| Literal question | What type of difficulties did you experience? - Transportation problems/cost/general deterioration of health/appointment cancelled or deferred by specialist/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

# # WTMG030M: Diff. spec. - new illness - transport/cost/health/appt cancelled/other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 14 | 1163.6 | 12.7% |
| 2 | No | 44 | 8000.0 | 87.3% |
| 6 | Valid skip | 109329 | 30534401.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47215.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_035: Wait time to see specialist

| Information | [Type= continuous] [Format=numeric] [Range= 1-120] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=406 / 66642 ] [Invalid=109253 / 30524138.26 ] [Mean=4.746 / 4.141 ] [StdDev=9.478 / 6.696 ] |
| Universe | Respondents who answered WTM_020 = 1 |
| Literal question | How long did you have to wait between when [you and your doctor decided that you should see a specialist / you and your health care provider decided that you should see a specialist / the appointment was initially scheduled] and when you actually visited the specialist? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 108964 | 30474252.4 | |
| 997 | Don't know | 16 | 2615.5 | |
| 998 | Refusal | 1 | 54.6 | |
| 999 | Not stated | 272 | 47215.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_035A: Wait time to see specialist - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=406 / 66642 ] [Invalid=109253 / 30524138.26 ] |
| Universe | Respondents who answered WTM_035 = (1:365) |
| Literal question | Enter unit of time. Please ask respondent to convert to months if response was provided in years (e.g. 1 year and half = 18 months, 2 years = 24 months, etc). |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 82 | 13777.5 | 20.7% |
| 2 | Weeks | 118 | 14884.6 | 22.3% |
| 3 | Months | 206 | 37979.9 | 57.0% |
| 6 | Valid skip | 108964 | 30474252.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 289 | 49885.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_040: Wait time to see specialist (not seen yet)

| Information | [Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=50 / 7001.81 ] [Invalid=109609 / 30583778.45 ] [Mean=14.98 / 20.789 ] [StdDev=51.495 / 70.516 ] |
| Universe | Respondents who answered WTM_020 = (2, 7 or 8) |
| Literal question | How long have you been waiting since [you and your doctor decided that you should see a specialist / you and your health care provider decided that you should see a specialist / the appointment was initially scheduled]? |

# WTM_040: Wait time to see specialist (not seen yet)

| Notes | Was not asked in proxy interviews | | | |
|---|---|---|---|---|
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
| 996 | Valid skip | 109338 | 30536664.1 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_040A: Wait time to see specialist (not seen yet) - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=50 / 7001.81 ] [Invalid=109609 / 30583778.45 ] | | | |
| **Universe** | Respondents who answered WTM_040 = (1:365) | | | |
| **Literal question** | Enter unit of time. | | | |
| **Notes** | Was not asked in proxy interviews | | | |
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
| 1 | Days | 3 | 356.4 | 5.1% |
| 2 | Weeks | 6 | 631.8 | 9.0% |
| 3 | Months | 41 | 6013.6 | 85.9% |
| 6 | Valid skip | 109338 | 30536664.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_045: Wait time to see specialist - acceptable / not acceptable

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=470 / 75228.52 ] [Invalid=109189 / 30515551.74 ] | | | |
| **Universe** | Respondents who answered WTM_005 = 1 | | | |
| **Literal question** | In your view, [was the waiting time / has the waiting time been]... ? | | | |
| **Notes** | Was not asked in proxy interviews | | | |
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
| 1 | Acceptable | 331 | 50820.8 | 67.6% |
| 2 | Not acceptable | 122 | 21351.7 | 28.4% |
| 3 | No view | 17 | 3056.1 | 4.1% |
| 6 | Valid skip | 108915 | 30467351.9 | |
| 7 | Don't know | 3 | 1085.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_050: Acceptable wait time to see specialist

| Information | [Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=134 / 24047.14 ] [Invalid=109525 / 30566733.12 ] [Mean=2.582 / 2.214 ] [StdDev=3.309 / 2.275 ] |
| **Universe** | Respondents who answered WTM_045 = (2, 3, 7 or 8) |
| **Literal question** | In this particular case, what do you think is an acceptable waiting time? |
| **Notes** | Was not asked in proxy interviews |

# WTM_050: Acceptable wait time to see specialist

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 996 | Valid skip | 109246 | 30518172.7 | |
| 997 | Don't know | 8 | 1446.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_050A: Acceptable wait time to see specialist - unit of time

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=134 / 24047.14 ] [Invalid=109525 / 30566733.12 ] |
| **Universe** | Respondents who answered WTM_050 = (1:365) |
| **Literal question** | Enter unit of time. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Days | 11 | 649.3 | 2.7% |
| 2 | Weeks | 39 | 8552.9 | 35.6% |
| 3 | Months | 84 | 14845.0 | 61.7% |
| 6 | Valid skip | 109246 | 30518172.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 279 | 48560.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_055: Appt with specialist cancelled / postponed

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=472 / 75606.36 ] [Invalid=109187 / 30515173.9 ] |
| **Universe** | Respondents who answered WTM_005 = 1 |
| **Literal question** | Was your visit cancelled or postponed at any time? |
| **Notes** | Was not asked in proxy interviews. If a respondent answered WTM_030K = 1, the variable WTM_055 was given the value of 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 39 | 7965.1 | 10.5% |
| 2 | No | 433 | 67641.3 | 89.5% |
| 6 | Valid skip | 108915 | 30467351.9 | |
| 7 | Don't know | 1 | 707.6 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 271 | 47114.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_060B: Appt with specialist cancelled / postponed - by specialist

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=39 / 7965.09 ] [Invalid=109620 / 30582815.17 ] |
| **Universe** | Respondents who answered WTM_055 = 1 |
| **Literal question** | Was it cancelled or postponed by... ? - The specialist |
| **Notes** | Was not asked in proxy interviews. If a respondent answered WTM_030K = 1, the variable WTM_060B was given the value of 1. |

# # WTM_060B: Appt with specialist cancelled / postponed - by specialist

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 27 | 4754.0 | | 59.7% |
| 2 | No | 12 | 3211.1 | 40.3% | |
| 6 | Valid skip | 109348 | 30534993.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47822.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTMG060C: Appt with specialist cancelled / postponed - by respondent/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=39 / 7965.09 ] [Invalid=109620 / 30582815.17 ] |
| **Universe** | Respondents who answered WTM_055 = 1 |
| **Literal question** | Was it cancelled or postponed by... ? - Yourself/other |
| **Notes** | Was not asked in proxy interviews. If a respondent answered WTM_030K = 1, the variable WTM_060C was given the value of 2. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 12 | 3211.1 | 40.3% | |
| 2 | No | 27 | 4754.0 | | 59.7% |
| 6 | Valid skip | 109348 | 30534993.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47822.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_065: Wait for appt with specialist - life affected

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=469 / 75235.67 ] [Invalid=109190 / 30515544.59 ] |
| **Universe** | Respondents who answered WTM_005 = 1 |
| **Literal question** | Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 83 | 12310.6 | 16.4% | |
| 2 | No | 386 | 62925.1 | | 83.6% |
| 6 | Valid skip | 108915 | 30467351.9 | | |
| 7 | Don't know | 4 | 1078.3 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 271 | 47114.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTM_070A: Wait for appt - consequence - worry / anxiety / stress

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Worry, anxiety, stress |

## # WTM_070A: Wait for appt - consequence - worry / anxiety / stress

| | | | | |
|---|---|---|---|---|
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 48 | 7034.3 | 57.1% |
| 2 | No | 35 | 5276.2 | 42.9% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_070B: Wait for appt - consequence - worry for family / friend

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Worry or stress for family or friends |
| **Notes** | Respondents who answered WTM_065 = 1 |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11 | 1912.1 | 15.5% |
| 2 | No | 72 | 10398.5 | 84.5% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_070C: Wait for appt - consequence - pain

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Pain |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 4429.0 | 36.0% |
| 2 | No | 56 | 7881.6 | 64.0% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_070D: Wait for appt - consequence - problems with daily living activities

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Problems with activities of daily living (e.g., dressing, driving) |

# WTM_070D: Wait for appt - consequence - problems with daily living activities

| | | | | |
|---|---|---|---|---|
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 2858.6 | 23.2% |
| 2 | No | 56 | 9452.0 | 76.8% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_070H: Wait for appt - consequence - increased use over-the-counter drugs

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Increased use of over-the-counter drugs |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6 | 1234.8 | 10.0% |
| 2 | No | 77 | 11075.8 | 90.0% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_070I: Wait for appt - consequence - health deteriorated

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Overall health deteriorated, condition got worse |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 20 | 2349.2 | 19.1% |
| 2 | No | 63 | 9961.4 | 80.9% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_070K: Wait for appt - consequence - personal relationships suffered

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Personal relationships suffered |
| **Notes** | Was not asked in proxy interviews |

# WTM_070K: Wait for appt - consequence - personal relationships suffered

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9 | 1092.1 | 8.9% |
| 2 | No | 74 | 11218.5 | 91.1% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMG070L: Wait for appt - conseq.- loss of wrk/ inc/depend on other/health/other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=83 / 12310.56 ] [Invalid=109576 / 30578469.7 ] |
| **Universe** | Respondents who answered WTM_065 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this visit? - Loss of work/loss of income/increased dependence on relatives or friends/health problem improved/other |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 25 | 2021.2 | 16.4% |
| 2 | No | 58 | 10289.3 | 83.6% |
| 6 | Valid skip | 109301 | 30530277.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 275 | 48192.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMG075: Last non-emergency surgery - 12 mo - type

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=284 / 42165.73 ] [Invalid=109375 / 30548614.53 ] |
| **Universe** | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_020 = 1 |
| **Literal question** | You mentioned that in the past 12 months you required non-emergency surgery. What type of surgery did you require? If you have had more than one in the past 12 months, please answer for the most recent surgery. |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Cardiac surgery | 8 | 711.6 | 1.7% |
| 2 | Cancer related surgery | 18 | 2461.6 | 5.8% |
| 3 | Hip or knee replacement surgery | 23 | 2243.6 | 5.3% |
| 4 | Cataract or other eyes urgery | 51 | 7095.2 | 16.8% |
| 5 | Removal of gall bladder | 7 | 989.5 | 2.3% |
| 6 | Other | 177 | 28664.2 | 68.0% |
| 96 | Valid skip | 109105 | 30500323.0 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 270 | 48291.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_080: Already had the non-emergency surgery

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |

## # WTM_080: Already had the non-emergency surgery

| Statistics [NW/ W] | [Valid=285 / 43109.89 ] [Invalid=109374 / 30547670.37 ] |
|---|---|
| Universe | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_020 = 1 |
| Literal question | Did you already have this surgery? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 256 | 38593.4 | | 89.5% |
| 2 | No | 29 | 4516.5 | 10.5% | |
| 6 | Valid skip | 109105 | 30500323.0 | | |
| 7 | Don't know | 2 | 554.2 | | |
| 8 | Refusal | 1 | 436.5 | | |
| 9 | Not stated | 266 | 46356.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_085: Last non-emergency surgery - required overnight hospital stay

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=256 / 38593.4 ] [Invalid=109403 / 30552186.86 ] |
| Universe | Respondents who answered WTM_080 = 1 |
| Literal question | Did the surgery require an overnight hospital stay? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 53 | 7990.3 | 20.7% | |
| 2 | No | 203 | 30603.1 | | 79.3% |
| 6 | Valid skip | 109134 | 30504839.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 269 | 47347.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_090: Experienced difficulties getting surgery

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=256 / 38593.4 ] [Invalid=109403 / 30552186.86 ] |
| Universe | Respondents who answered WTM_080 = 1 |
| Literal question | Did you experience any difficulties getting this surgery? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 39 | 4879.2 | 12.6% | |
| 2 | No | 217 | 33714.2 | | 87.4% |
| 6 | Valid skip | 109134 | 30504839.4 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 269 | 47347.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG095B: Difficulty last surgery - getting an appt/diagnosis

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] |

## # WTMG095B: Difficulty last surgery - getting an appt/diagnosis

| Universe | Respondents who answered WTM_090 = 1 |
|---|---|
| Literal question | What types of difficulties did you experience? - Difficulty getting an appointment/ difficulty getting a diagnosis including obtaining a diagnostic test |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9 | 2217.3 | 45.4% |
| 2 | No | 30 | 2661.9 | 54.6% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG095D: Difficulty last surgery - too long for a hospital bed/ surgery

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] |
| Universe | Respondents who answered WTM_090 = 1 |
| Literal question | What types of difficulties did you experience? - Waited too long for a hospital bed to become available/waited too long for surgery |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 3355.5 | 68.8% |
| 2 | No | 12 | 1523.7 | 31.2% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_095H: Difficulty last surgery - language

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] |
| Universe | Respondents who answered WTM_090 = 1 |
| Literal question | What types of difficulties did you experience? - Language problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 39 | 4879.2 | 100.0% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG095K: Diff. last surgery n/a at time/area required/ cancelled or deferred

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

| # **WTMG095K: Diff. last surgery n/a at time/area required/ cancelled or deferred** | | | | |
|---|---|---|---|---|
| **Statistics [NW/ W]** | | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] | | |
| **Universe** | | Respondents who answered WTM_090 = 1 | | |
| **Literal question** | | What types of difficulties did you experience? - Service not available at time required/ in the area/Appointment cancelled or deferred by surgeon or hospital | | |
| **Notes** | | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 13 | 880.0 | 18.0% |
| 2 | No | 26 | 3999.2 | 82.0% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **WTM_095L: Difficulty last surgery - unable to leave the house** | | | | |
|---|---|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] | | |
| **Universe** | | Respondents who answered WTM_090 = 1 | | |
| **Literal question** | | What types of difficulties did you experience? - Unable to leave the house because of a health problem | | |
| **Notes** | | Was not asked in proxy interviews | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 39 | 4879.2 | 100.0% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **WTMG095M: Difficulty last surgery - transportation/cost/health/other** | | | | |
|---|---|---|---|---|
| **Information** | | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | |
| **Statistics [NW/ W]** | | [Valid=39 / 4879.17 ] [Invalid=109620 / 30585901.09 ] | | |
| **Universe** | | Respondents who answered WTM_090 = 1 | | |
| **Literal question** | | What types of difficulties did you experience? - Transportation problems/cost/general deterioration of health/other | | |
| **Notes** | | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. | | |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** |
|---|---|---|---|---|
| 1 | Yes | 11 | 1314.8 | 26.9% |
| 2 | No | 28 | 3564.4 | 73.1% |
| 6 | Valid skip | 109351 | 30538553.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_100: Wait time for surgery

| Information | [Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=246 / 37989.55 ] [Invalid=109413 / 30552790.71 ] [Mean=6.443 / 5.196 ] [StdDev=24.039 / 8.45 ] |
| **Universe** | Respondents who answered WTM_080 = 1 |
| **Literal question** | How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 109134 | 30504839.4 | |
| 997 | Don't know | 10 | 603.8 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 269 | 47347.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_100A: Wait time for surgery - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=246 / 37989.55 ] [Invalid=109413 / 30552790.71 ] |
| **Universe** | Respondents who answered WTM_100 = (1:365) |
| **Literal question** | Enter unit of time. |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 36 | 4522.0 | 11.9% |
| 2 | Weeks | 62 | 10690.8 | 28.1% |
| 3 | Months | 148 | 22776.8 | 60.0% |
| 6 | Valid skip | 109134 | 30504839.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 279 | 47951.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_105: Non-emergency surgery - will require overnight hospital stay

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=24 / 4178.36 ] [Invalid=109635 / 30586601.9 ] |
| **Universe** | Respondents who answered WTM_080 = (2, 7 or 8) |
| **Literal question** | Will the surgery require an overnight hospital stay? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7 | 1619.2 | 38.8% |
| 2 | No | 17 | 2559.1 | 61.2% |
| 6 | Valid skip | 109361 | 30538916.4 | |
| 7 | Don't know | 7 | 892.4 | |
| 8 | Refusal | 1 | 436.5 | |
| 9 | Not stated | 266 | 46356.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_110: Wait time for surgery (didn't have yet)

| Information | [Type= continuous] [Format=numeric] [Range= 1-96] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=25 / 4249.35 ] [Invalid=109634 / 30586530.91 ] [Mean=9.68 / 5.372 ] [StdDev=18.694 / 8.487 ] |

## # WTM_110: Wait time for surgery (didn't have yet)

| Universe | Respondents who answered WTM_080 = (2, 7 or 8) |
|---|---|
| Literal question | How long have you been waiting since you and the surgeon decided to go ahead with the surgery? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 109361 | 30538916.4 | |
| 997 | Don't know | 5 | 766.5 | |
| 998 | Refusal | 2 | 491.4 | |
| 999 | Not stated | 266 | 46356.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_110A: Wait time for surgery (didn't have yet) - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=25 / 4249.35 ] [Invalid=109634 / 30586530.91 ] |
| Universe | Respondents who answered WTM_110 = (1:365) |
| Literal question | Enter unit of time. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 1 | 205.3 | 4.8% |
| 2 | Weeks | 1 | 185.0 | 4.4% |
| 3 | Months | 23 | 3859.0 | 90.8% |
| 6 | Valid skip | 109361 | 30538916.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 273 | 47614.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_115: Wait time for surgery - acceptable / not acceptable

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=280 / 42613.19 ] [Invalid=109379 / 30548167.07 ] |
| Universe | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_020 = 1 |
| Literal question | In your view, [was the waiting time / has the waiting time been]... ? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Acceptable | 219 | 32045.3 | 75.2% |
| 2 | Not acceptable | 54 | 9620.0 | 22.6% |
| 3 | No view | 7 | 947.8 | 2.2% |
| 6 | Valid skip | 109105 | 30500323.0 | |
| 7 | Don't know | 6 | 996.1 | |
| 8 | Refusal | 2 | 491.4 | |
| 9 | Not stated | 266 | 46356.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_120: Acceptable wait time for surgery

| Information | [Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=57 / 9834.51 ] [Invalid=109602 / 30580945.75 ] [Mean=4.632 / 3.487 ] [StdDev=11.789 / 8.156 ] |
| Universe | Respondents who answered WTM_115 = (2, 3, 7 or 8) |

## # WTM_120: Acceptable wait time for surgery

| Literal question | In this particular case, what do you think is an acceptable waiting time? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 109324 | 30532368.3 | |
| 997 | Don't know | 10 | 1729.4 | |
| 998 | Refusal | 2 | 491.4 | |
| 999 | Not stated | 266 | 46356.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_120A: Acceptable wait time for surgery - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=57 / 9834.51 ] [Invalid=109602 / 30580945.75 ] |
| Universe | Respondents who answered WTM_120 = (1:365) |
| Literal question | Enter unit of time. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 3 | 259.8 | 2.6% |
| 2 | Weeks | 10 | 2061.4 | 21.0% |
| 3 | Months | 44 | 7513.4 | 76.4% |
| 6 | Valid skip | 109324 | 30532368.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 278 | 48577.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_125: Surgery cancelled / postponed

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=35 / 4630.47 ] [Invalid=109624 / 30586149.79 ] |
| Universe | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_020 = 1 |
| Literal question | Was your surgery cancelled or postponed at any time? |
| Notes | Was not asked in proxy interviews. Due to an error in the collection application, the variable WTM_125 was skipped and set to "not stated" whenever WTM_080 = (2, 7, 8) or WTM_Q090 = (2, 7, 8). Use caution when analyzing this variable. Only those respondents who had a surgery (WTM_080 = 1) and experienced difficulties (WTM_090 = 1) have data for the variable WTM_125. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 10 | 1303.8 | 28.2% |
| 2 | No | 25 | 3326.6 | 71.8% |
| 6 | Valid skip | 109109 | 30500571.7 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 515 | 85578.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_135: Wait for surgery - life affected

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=282 / 42845.05 ] [Invalid=109377 / 30547935.21 ] |
| Universe | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_020 = 1 |

## # WTM_135: Wait for surgery - life affected

| Literal question | Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this surgery? |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 58 | 8485.3 | 19.8% | |
| 2 | No | 224 | 34359.8 | | 80.2% |
| 6 | Valid skip | 109105 | 30500323.0 | | |
| 7 | Don't know | 4 | 764.2 | | |
| 8 | Refusal | 2 | 491.4 | | |
| 9 | Not stated | 266 | 46356.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG140B: Wait surgery - consequence - worry / anxiety / stress

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Worry, anxiety, stress/worry or stress for family or friends |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 21 | 2812.0 | 33.1% | |
| 2 | No | 37 | 5673.3 | | 66.9% |
| 6 | Valid skip | 109329 | 30534682.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47612.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_140C: Wait surgery - consequence - pain

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Pain |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 28 | 3759.8 | 44.3% | |
| 2 | No | 30 | 4725.4 | | 55.7% |
| 6 | Valid skip | 109329 | 30534682.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 272 | 47612.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_140D: Wait surgery - consequence - problems with daily living activities

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |

## # WTM_140D: Wait surgery - consequence - problems with daily living activities

| Literal question | How was your life affected as a result of waiting for surgery? - Problems with activities of daily living (e.g., dressing, driving) |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 29 | 3704.4 | 43.7% |
| 2 | No | 29 | 4780.9 | 56.3% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_140E: Wait surgery - consequence - loss of work

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Loss of work |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11 | 2076.6 | 24.5% |
| 2 | No | 47 | 6408.6 | 75.5% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_140F: Wait surgery - consequence - loss of income

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Loss of income |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8 | 1716.4 | 20.2% |
| 2 | No | 50 | 6768.8 | 79.8% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_140G: Wait surgery - consequence - increased dependence relatives / friends

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |

## # WTM_140G: Wait surgery - consequence - increased dependence relatives / friends

| Literal question | How was your life affected as a result of waiting for surgery? - Increased dependence on relatives or friends |
|---|---|
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 8 | 1479.7 | 17.4% |
| 2 | No | 50 | 7005.6 | 82.6% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG140I: Wait surgery - conseq. -incr use over-counter drugs/hlth deteriorated

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Increased use of over-the-counter drugs/overall health deteriorated, condition got worse |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 15 | 2079.6 | 24.5% |
| 2 | No | 43 | 6405.7 | 75.5% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG140L: Wait surgery - conseq. - hlth improved/relationships suffered/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=58 / 8485.26 ] [Invalid=109601 / 30582295 ] |
| Universe | Respondents who answered WTM_135 = 1 |
| Literal question | How was your life affected as a result of waiting for surgery? - Health problem improved/personal relationships suffered/ other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 11 | 2730.8 | 32.2% |
| 2 | No | 47 | 5754.5 | 67.8% |
| 6 | Valid skip | 109329 | 30534682.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 272 | 47612.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_145: Last non-emergency test - type

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=610 / 87082.66 ] [Invalid=109049 / 30503697.6 ] |

## # WTM_145: Last non-emergency test - type

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents aged 15 and over with DOWTM = 1 and who answered ACC_035 = 1 | | | |
| **Literal question** | Now for MRIs, CAT Scans and angiographies provided in a non-emergency situation. You mentioned that in the past 12 months you required one of these tests. What type of test did you require? If there was more than one in the past 12 months, please answer for the most recent test. | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | MRI (Magnetic Resonance Imaging) | 294 | 43353.8 | 49.8% |
| 2 | CAT Scan (Computed Axial Tomography) | 263 | 36732.3 | 42.2% |
| 3 | Angiography (Cardiac Test) | 26 | 4292.7 | 4.9% |
| 4 | None | 27 | 2703.9 | 3.1% |
| 6 | Valid skip | 108755 | 30454021.8 | |
| 7 | Don't know | 7 | 705.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 287 | 48970.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_150: Last non-emergency test - condition

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=580 / 83706 ] [Invalid=109079 / 30507074.26 ] | | | |
| **Universe** | Respondents who answered WTM_145 = (1, 2, 3, 7 or 8) | | | |
| **Literal question** | For what type of condition? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Heart disease or stroke | 66 | 10863.7 | 13.0% |
| 2 | Cancer | 58 | 8709.5 | 10.4% |
| 3 | Joints or fractures | 139 | 18594.3 | 22.2% |
| 4 | Neurological or brain disorders | 89 | 10885.4 | 13.0% |
| 5 | Other - Specify | 228 | 34653.1 | 41.4% |
| 6 | Valid skip | 108782 | 30456725.7 | |
| 7 | Don't know | 8 | 809.8 | |
| 8 | Refusal | 2 | 568.4 | |
| 9 | Not stated | 287 | 48970.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_155: Already had the non-emergency test

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=587 / 84863.86 ] [Invalid=109072 / 30505916.4 ] | | | |
| **Universe** | Respondents who answered WTM_145 = (1, 2, 3, 7 or 8) | | | |
| **Literal question** | Did you already have this test? | | | |
| **Notes** | Was not asked in proxy interviews | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 561 | 82124.0 | 96.8% |
| 2 | No | 26 | 2739.8 | 3.2% |
| 6 | Valid skip | 108782 | 30456725.7 | |
| 7 | Don't know | 3 | 220.3 | |
| 8 | Refusal | 0 | 0.0 | |

# WTM_155: Already had the non-emergency test

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 287 | 48970.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMG160: Last non-emergency test - place

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=561 / 82124.03 ] [Invalid=109098 / 30508656.23 ] |
| **Universe** | Respondents who answered WTM_155 = 1 |
| **Literal question** | Where was the test done? |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Hospital | 546 | 80239.1 | 97.7% |
| 2 | Other | 15 | 1885.0 | 2.3% |
| 6 | Valid skip | 108808 | 30459465.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_170: Last non-emergency test - in hospital at time of test

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=560 / 82025.09 ] [Invalid=109099 / 30508755.17 ] |
| **Universe** | Respondents who answered WTM_160 = (1, 2, 3 or 4) |
| **Literal question** | Were you a patient in a hospital at the time of the test? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 69 | 9381.9 | 11.4% |
| 2 | No | 491 | 72643.2 | 88.6% |
| 6 | Valid skip | 108808 | 30459465.5 | |
| 7 | Don't know | 1 | 98.9 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_175: Had difficulties getting the test

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=561 / 82124.03 ] [Invalid=109098 / 30508656.23 ] |
| **Universe** | Respondents who answered WTM_155 = 1 |
| **Literal question** | Did you experience any difficulties getting this test? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 43 | 7194.7 | 8.8% |
| 2 | No | 518 | 74929.3 | 91.2% |
| 6 | Valid skip | 108808 | 30459465.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

## # WTM_175: Had difficulties getting the test

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG180D: Difficulty last test - too long to get an appt/test

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - Waited too long to get an appointment/ too long to get test (i.e. in-office waiting) |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 5159.8 | 71.7% |
| 2 | No | 16 | 2034.9 | 28.3% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG180F: Difficulty last test - service n/a at time required/in area

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - Service not available at the time required/service not available in the area |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7 | 1091.4 | 15.2% |
| 2 | No | 36 | 6103.3 | 84.8% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_180H: Difficulty last test - language

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - Language problem |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 43 | 7194.7 | 100.0% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |

# WTM_180H: Difficulty last test - language

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_180I: Difficulty last test - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - Cost |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 43 | 7194.7 | 100.0% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_180J: Difficulty last test - general deterioration of health

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - General deterioration of health |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 43 | 7194.7 | 100.0% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_180K: Difficulty last test - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| **Universe** | Respondents who answered WTM_175 = 1 |
| **Literal question** | What types of difficulties did you experience? - Did not know where to go (i.e. information problems) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 43 | 7194.7 | 100.0% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |

# WTM_180K: Difficulty last test - didn't know where to go

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_180L: Difficulty last test - unable to leave house

| Information | [Type= discrete] [Format=numeric] [Range=1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| Universe | Respondents who answered WTM_175 = 1 |
| Literal question | What types of difficulties did you experience? - Unable to leave the house because of a health problem |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 0 | 0.0 | |
| 2 | No | 43 | 7194.7 | 100.0% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMG180M: Difficulty last test - diff. getting appt/referral/transport/other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=43 / 7194.71 ] [Invalid=109616 / 30583585.55 ] |
| Universe | Respondents who answered WTM_175 = 1 |
| Literal question | What types of difficulties did you experience? - Difficulty getting a referral/difficulty getting an appointment/transportation problems/other |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13 | 1305.0 | 18.1% |
| 2 | No | 30 | 5889.7 | 81.9% |
| 6 | Valid skip | 109326 | 30534394.9 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 290 | 49190.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_185: Wait time for test

| Information | [Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=511 / 75532.59 ] [Invalid=109148 / 30515247.67 ] [Mean=3.818 / 3.974 ] [StdDev=16.855 / 20.016 ] |
| Universe | Respondents who answered WTM_155 = 1 |
| Literal question | How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 108808 | 30459465.5 | |
| 997 | Don't know | 46 | 6023.0 | |
| 998 | Refusal | 3 | 525.3 | |

# WTM_185: Wait time for test

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 999 | Not stated | 291 | 49233.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_185A: Wait time for test - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=511 / 75532.59 ] [Invalid=109148 / 30515247.67 ] |
| Universe | Respondents who answered WTM_185 = (1:365) |
| Literal question | Enter unit of time. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Days | 142 | 19788.7 | 26.2% |
| 2 | Weeks | 179 | 24815.9 | 32.9% |
| 3 | Months | 190 | 30928.0 | 40.9% |
| 6 | Valid skip | 108808 | 30459465.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 340 | 55782.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_190: Wait time for test (not done yet)

| Information | [Type= continuous] [Format=numeric] [Range= 1-18] [Missing=*] |
|-------------|---------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=24 / 2678.43 ] [Invalid=109635 / 30588101.83 ] [Mean=4.625 / 3.074 ] [StdDev=5.174 / 4.202 ] |
| Universe | Respondents who answered WTM_155 = (2, 7 or 8) |
| Literal question | How long have you been waiting for the test since you and your doctor decided to go ahead with the test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 996 | Valid skip | 109342 | 30538806.6 | |
| 997 | Don't know | 5 | 281.7 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 288 | 49013.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_190A: Wait time for test (not done yet) - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=24 / 2678.43 ] [Invalid=109635 / 30588101.83 ] |
| Universe | Respondents who answered WTM_190 = (1:365) |
| Literal question | Enter unit of time. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Days | 0 | 0.0 | |
| 2 | Weeks | 4 | 509.6 | 19.0% |
| 3 | Months | 20 | 2168.8 | 81.0% |
| 6 | Valid skip | 109342 | 30538806.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

# WTM_190A: Wait time for test (not done yet) - unit of time

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 293 | 49295.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_195: Wait time for test - acceptable / not acceptable

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=582 / 84186.45 ] [Invalid=109077 / 30506593.81 ] |
| Universe | Respondents who answered WTM_145 = (1, 2, 3, 7 or 8) |
| Literal question | In your view, [was the waiting time / has the waiting time been]... ? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Acceptable | 485 | 70960.8 | 84.3% |
| 2 | Not acceptable | 85 | 12184.1 | 14.5% |
| 3 | No view | 12 | 1041.6 | 1.2% |
| 6 | Valid skip | 108782 | 30456725.7 | |
| 7 | Don't know | 6 | 785.7 | |
| 8 | Refusal | 1 | 69.0 | |
| 9 | Not stated | 288 | 49013.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_200: Acceptable wait time for test

| Information | [Type= continuous] [Format=numeric] [Range= 1-30] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=86 / 11874.28 ] [Invalid=109573 / 30578905.98 ] [Mean=2.07 / 1.649 ] [StdDev=3.224 / 1.374 ] |
| Universe | Respondents who answered WTM_195 = (2, 3, 7 or 8) |
| Literal question | In this particular case, what do you think is an acceptable waiting time? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 109267 | 30527686.5 | |
| 997 | Don't know | 17 | 2137.1 | |
| 998 | Refusal | 1 | 69.0 | |
| 999 | Not stated | 288 | 49013.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_200A: Acceptable wait time for test - unit of time

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=86 / 11874.28 ] [Invalid=109573 / 30578905.98 ] |
| Universe | Respondents who answered WTM_200 = (1:365) |
| Literal question | Enter unit of time. |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Days | 15 | 1594.4 | 13.4% |
| 2 | Weeks | 33 | 3972.5 | 33.5% |
| 3 | Months | 38 | 6307.4 | 53.1% |
| 6 | Valid skip | 109267 | 30527686.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |

## # WTM_200A: Acceptable wait time for test - unit of time

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 306 | 51219.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_205: Test cancelled / postponed

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=580 / 83607.27 ] [Invalid=109079 / 30507172.99 ] |
| Universe | Respondents who answered WTM_145 = (1, 2, 3, 7 or 8) |
| Literal question | Was your test cancelled or postponed at any time? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 29 | 3670.5 | 4.4% |
| 2 | No | 551 | 79936.8 | 95.6% |
| 6 | Valid skip | 108782 | 30456725.7 | |
| 7 | Don't know | 8 | 1364.8 | |
| 8 | Refusal | 1 | 69.0 | |
| 9 | Not stated | 288 | 49013.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMG210: Test cancelled / postponed - by who

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=29 / 3670.47 ] [Invalid=109630 / 30587109.79 ] |
| Universe | Respondents who answered WTM_205 = 1 |
| Literal question | Was it cancelled or postponed by... ? |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | The hospital | 16 | 1798.5 | 49.0% |
| 2 | The respondent, specialist, clinic or other | 13 | 1872.0 | 51.0% |
| 6 | Valid skip | 109333 | 30536662.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 297 | 50447.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTM_215: Wait for test with specialist - life affected

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=582 / 83963.99 ] [Invalid=109077 / 30506816.27 ] |
| Universe | Respondents who answered WTM_145 = (1, 2, 3, 7 or 8) |
| Literal question | Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this test? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 55 | 7442.4 | 8.9% |
| 2 | No | 527 | 76521.6 | 91.1% |
| 6 | Valid skip | 108782 | 30456725.7 | |
| 7 | Don't know | 4 | 678.8 | |
| 8 | Refusal | 3 | 398.3 | |

# WTM_215: Wait for test with specialist - life affected

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 288 | 49013.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_220A: Wait for test - consequence - worry / anxiety / stress

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| Universe | Respondents who answered WTM_215 = 1 |
| Literal question | How was your life affected as a result of waiting for this test? - Worry, anxiety, stress |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 35 | 3775.9 | | 50.7% |
| 2 | No | 20 | 3666.5 | | 49.3% |
| 6 | Valid skip | 109309 | 30533247.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 295 | 50090.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_220B: Wait for test - consequence - worry for family / friend

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| Universe | Respondents who answered WTM_215 = 1 |
| Literal question | How was your life affected as a result of waiting for this test? - Worry or stress for family or friends |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 10 | 1844.4 | | 24.8% |
| 2 | No | 45 | 5597.9 | | 75.2% |
| 6 | Valid skip | 109309 | 30533247.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 295 | 50090.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_220C: Wait for test - consequence - pain

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| Universe | Respondents who answered WTM_215 = 1 |
| Literal question | How was your life affected as a result of waiting for this test? - Pain |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 21 | 3893.1 | | 52.3% |
| 2 | No | 34 | 3549.3 | | 47.7% |
| 6 | Valid skip | 109309 | 30533247.3 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |

# WTM_220C: Wait for test - consequence - pain

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9 | Not stated | 295 | 50090.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_220D: Wait for test - consequence - problems with daily living activities

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| **Universe** | Respondents who answered WTM_215 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this test? - Problems with activities of daily living (e.g., dressing, driving) |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 13 | 1805.6 | 24.3% |
| 2 | No | 42 | 5636.7 | 75.7% |
| 6 | Valid skip | 109309 | 30533247.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 295 | 50090.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMG220F: Wait for test - consequence - loss of work/income

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| **Universe** | Respondents who answered WTM_215 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this test? - Loss of work/income |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 9 | 1176.8 | 15.8% |
| 2 | No | 46 | 6265.6 | 84.2% |
| 6 | Valid skip | 109309 | 30533247.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 295 | 50090.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTM_220I: Wait for test - consequence - health deteriorated

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| **Universe** | Respondents who answered WTM_215 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this test? - Overall health deteriorated, condition got worse |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 14 | 1596.6 | 21.5% |
| 2 | No | 41 | 5845.7 | 78.5% |
| 6 | Valid skip | 109309 | 30533247.3 | |
| 7 | Don't know | 0 | 0.0 | |

# # WTM_220I: Wait for test - consequence - health deteriorated

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 295 | 50090.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTMG220L: Wait for test - consequence - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=55 / 7442.37 ] [Invalid=109604 / 30583337.89 ] |
| **Universe** | Respondents who answered WTM_215 = 1 |
| **Literal question** | How was your life affected as a result of waiting for this test? - Increased dependence on relatives or friends/increased use of over-the-counter drugs/health problem improved/personal relationships suffered/other |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 14 | 1400.1 | 18.8% |
| 2 | No | 41 | 6042.2 | 81.2% |
| 6 | Valid skip | 109309 | 30533247.3 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 295 | 50090.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # WTMDVCN: Num of waiting days - non-emergency surgery - surgery not done - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-2880] [Missing=*] |
|-------------|------------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=25 / 4249.35 ] [Invalid=109634 / 30586530.91 ] [Mean=287.4 / 157.769 ] [StdDev=562.277 / 256.352 ] |
| **Definition** | Derived from DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_110, WTM_110A |
| **Universe** | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 9996 | Valid skip | 109443 | 30550206.3 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 191 | 36324.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMDVCO: Num of waiting days - non-emergency surgery - surgery done - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-1080] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=246 / 37989.55 ] [Invalid=109413 / 30552790.71 ] [Mean=100.516 / 112.762 ] [StdDev=150.07 / 157.736 ] |
| **Definition** | Derived from DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_100, WTM_100A |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 109216 | 30516129.4 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 197 | 36661.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMDVCA: Num of acceptable waiting days - non-emergency surgery - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-900] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=268 / 41351.62 ] [Invalid=109391 / 30549428.64 ] [Mean=74.59 / 77.86 ] [StdDev=107.859 / 112.178 ] |
| **Definition** | Derived from DHH_AGE, ADM_PRX, ACC_020, WTM_100, WTM_110, WTM_115, WTM_120, WTM_120A, WTMDVCO, WTMDVCN |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 109187 | 30511612.9 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 204 | 37815.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMDVSN: Num of waiting days - medical specialist - didn't see specialist - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-1440] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=50 / 7001.81 ] [Invalid=109609 / 30583778.45 ] [Mean=206.4 / 168.362 ] [StdDev=246.142 / 189.76 ] |
| **Definition** | Derived from DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_040, WTM_040A |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 109420 | 30547954.0 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 189 | 35824.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTMDVSO: Num of waiting days - medical specialist - saw specialist - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-1440] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=406 / 66642 ] [Invalid=109253 / 30524138.26 ] [Mean=74.931 / 77.255 ] [StdDev=144.42 / 126.003 ] |
| **Definition** | Derived from DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_035, WTM_035A |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 109046 | 30485542.3 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 207 | 38596.0 | |

# WTMDVSO: Num of waiting days - medical specialist - saw specialist - (D)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMDVSA: Num of acceptable waiting days - medical specialist - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-1080] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=451 / 73084.41 ] [Invalid=109208 / 30517695.85 ] [Mean=44.308 / 45.348 ] [StdDev=70.902 / 58.867 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_035, WTM_040, WTM_045, WTM_050, WTM_050A, WTMDVSO, WTMDVSN |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 108997 | 30478641.8 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 211 | 39054.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMDVTN: Num of waiting days - diagnostic test - test not done - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 7-540] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=24 / 2678.43 ] [Invalid=109635 / 30588101.83 ] [Mean=131.083 / 86.994 ] [StdDev=159.481 / 128.523 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_190, WTM_190A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 109425 | 30550139.6 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 210 | 37962.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMDVTO: Num of waiting days - diagnostic test - test done - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-540] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=511 / 75532.59 ] [Invalid=109148 / 30515247.67 ] [Mean=44.423 / 44.806 ] [StdDev=71.742 / 66.499 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_185, WTM_185A |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 108890 | 30470755.4 | |
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 258 | 44492.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# WTMDVTA: Num of acceptable waiting days - diagnostic test - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 1-365] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=532 / 77396.4 ] [Invalid=109127 / 30513383.86 ] [Mean=31.348 / 30.105 ] [StdDev=50.213 / 45.899 ] |
| Definition | Derived from DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_185, WTM_190, WTM_195, WTM_200, WTM_200A, WTMDVTO, WTMDVTN |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 9996 | Valid skip | 108864 | 30468015.6 | |

## # WTMDVTA: Num of acceptable waiting days - diagnostic test - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 9997 | Don't know | 0 | 0.0 | |
| 9998 | Refusal | 0 | 0.0 | |
| 9999 | Not stated | 263 | 45368.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOHMC: Home care services - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 109659 | 30590780.3 | 100.0% |
| 2 | No | 0 | 0.0 | |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_005A: Home care services received - nursing care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| **Universe** | Respondents aged 18 and over with DOHMC = 1 |
| **Literal question** | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 3358 | 817272.6 | 3.0% |
| 2 | No | 95219 | 26625737.6 | 97.0% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 120 | 43884.0 | |
| 8 | Refusal | 135 | 40552.7 | |
| 9 | Not stated | 1847 | 820703.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_005B: Home care services received - other health care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| **Universe** | Respondents aged 18 and over with DOHMC = 1 |
| **Literal question** | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 1353 | 351950.0 | 1.3% |
| 2 | No | 97224 | 27091060.2 | 98.7% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 120 | 43884.0 | |
| 8 | Refusal | 135 | 40552.7 | |
| 9 | Not stated | 1847 | 820703.0 | |

# HMC_005B: Home care services received - other health care - 12 mo

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_005C: Home care services received - medical equipment - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| Universe | Respondents aged 18 and over with DOHMC = 1 |
| Literal question | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Medical equipment or supplies (e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1646 | 404089.3 | 1.5% |
| 2 | No | 96931 | 27038920.9 | 98.5% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 120 | 43884.0 | |
| 8 | Refusal | 135 | 40552.7 | |
| 9 | Not stated | 1847 | 820703.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_005D: Home care services received - personal / home support - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| Universe | Respondents aged 18 and over with DOHMC = 1 |
| Literal question | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Personal or home support (such as bathing, housekeeping, meal preparation) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3318 | 702821.2 | 2.6% |
| 2 | No | 95259 | 26740189.0 | 97.4% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 120 | 43884.0 | |
| 8 | Refusal | 135 | 40552.7 | |
| 9 | Not stated | 1847 | 820703.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_005E: Home care services received - other services - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| Universe | Respondents aged 18 and over with DOHMC = 1 |
| Literal question | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - Other services (such as transportation, meals-on-wheels) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 852 | 179305.2 | 0.7% |
| 2 | No | 97725 | 27263705.0 | 99.3% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 120 | 43884.0 | |
| 8 | Refusal | 135 | 40552.7 | |
| 9 | Not stated | 1847 | 820703.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **HMC_005F: Has not received any home care services - 12 mo** |

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=98577 / 27443010.21 ] [Invalid=11082 / 3147770.05 ] |
| **Universe** | Respondents aged 18 and over with DOHMC = 1 |
| **Literal question** | In the past 12 months, what type of home care services have [you / you or anyone in your household] received? - No one in the household received any home care services |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
|---|---|---|---|---|---|
| 1 | Yes | 91378 | 25757994.9 | | 93.9% |
| 2 | No | 7199 | 1685015.3 | 6.1% | |
| 6 | Valid skip | 8980 | 2242630.3 | | |
| 7 | Don't know | 120 | 43884.0 | | |
| 8 | Refusal | 135 | 40552.7 | | |
| 9 | Not stated | 1847 | 820703.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **HMC_10_1: To whom services provided - nursing care** |

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3356 / 816607.99 ] [Invalid=106303 / 29774172.27 ] |
| **Universe** | Respondents who answered HMC_005A = 1 |
| **Literal question** | Were the nursing care services provided for yourself or someone else living in your household? |
| **Notes** | If a respondent answered HMC_005A = 1 and DHHDVHSZ = 1, the variable HMC_10_1 was given the value 1. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
|---|---|---|---|---|---|
| 1 | Selected respondent only | 1872 | 359755.9 | | 44.1% |
| 2 | Other household member only | 1287 | 404011.9 | | 49.5% |
| 3 | Selected respondent and other household member | 197 | 52840.2 | 6.5% | |
| 6 | Valid skip | 101974 | 28193805.2 | | |
| 7 | Don't know | 1 | 522.7 | | |
| 8 | Refusal | 1 | 142.0 | | |
| 9 | Not stated | 4327 | 1579702.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| # **HMC_10_2: To whom services provided - other health care** |

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1350 / 351486.55 ] [Invalid=108309 / 30239293.71 ] |
| **Universe** | Respondents who answered HMC_005B = 1 |
| **Literal question** | Were the other health care services provided for yourself or someone else living in your household? |
| **Notes** | If a respondent answered HMC_005B = 1 and DHHDVHSZ = 1, the variable HMC_10_2 was given the value 1. |

| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
|---|---|---|---|---|---|
| 1 | Selected respondent only | 690 | 134159.1 | 38.2% | |
| 2 | Other household member only | 588 | 202367.5 | | 57.6% |
| 3 | Selected respondent and other household member | 72 | 14959.9 | 4.3% | |
| 6 | Valid skip | 102640 | 28266320.6 | | |
| 7 | Don't know | 2 | 300.9 | | |
| 8 | Refusal | 1 | 162.5 | | |
| 9 | Not stated | 5666 | 1972509.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_10_3: To whom services provided - medical equipment

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1644 / 403648.85 ] [Invalid=108015 / 30187131.41 ] |
| Universe | Respondents who answered HMC_005C = 1 |
| Literal question | Were the medical equipment or supplies services provided for yourself or someone else living in your household? |
| Notes | If a respondent answered HMC_005C = 1 and DHHDVHSZ = 1, the variable HMC_10_3 was given the value 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Selected respondent only | 967 | 189391.3 | 46.9% |
| 2 | Other household member only | 634 | 202252.4 | 50.1% |
| 3 | Selected respondent and other household member | 43 | 12005.2 | 3.0% |
| 6 | Valid skip | 102507 | 28252812.6 | |
| 7 | Don't know | 2 | 440.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 5506 | 1933878.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_10_4: To whom services provided - personal / home support

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3307 / 696529.42 ] [Invalid=106352 / 29894250.84 ] |
| Universe | Respondents who answered HMC_005D = 1 |
| Literal question | Were the personal or home support services provided for yourself or someone else living in your household? |
| Notes | If a respondent answered HMC_005D = 1 and DHHDVHSZ = 1, the variable HMC_10_4 was given the value 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Selected respondent only | 2296 | 363103.4 | 52.1% |
| 2 | Other household member only | 735 | 260591.0 | 37.4% |
| 3 | Selected respondent and other household member | 276 | 72835.0 | 10.5% |
| 6 | Valid skip | 101305 | 28111185.6 | |
| 7 | Don't know | 7 | 5392.2 | |
| 8 | Refusal | 4 | 899.6 | |
| 9 | Not stated | 5036 | 1776773.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_10_5: To whom services provided - other services

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=847 / 178270.44 ] [Invalid=108812 / 30412509.82 ] |
| Universe | Respondents who answered HMC_005E = 1 |
| Literal question | Were the other services provided for yourself or someone else living in your household? |
| Notes | If a respondent answered HMC_005E = 1 and DHHDVHSZ = 1, the variable HMC_10_5 was given the value 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Selected respondent only | 599 | 92480.1 | 51.9% |
| 2 | Other household member only | 185 | 73705.3 | 41.3% |
| 3 | Selected respondent and other household member | 63 | 12085.1 | 6.8% |
| 6 | Valid skip | 102533 | 28253622.0 | |
| 7 | Don't know | 3 | 511.8 | |
| 8 | Refusal | 1 | 162.5 | |
| 9 | Not stated | 6275 | 2158213.5 | |

## # HMC_10_5: To whom services provided - other services

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_15_1: Duration services provided - nursing care

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3289 / 798581.15 ] [Invalid=106370 / 29792199.11 ] |
| **Universe** | Respondents who answered HMC_005A = 1 |
| **Literal question** | How long [have you / have other household members] been receiving the nursing care services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 month | 934 | 233437.9 | 29.2% |
| 2 | 1 month to less than 3 months | 546 | 145219.0 | 18.2% |
| 3 | 3 months to less than 6 months | 306 | 71218.4 | 8.9% |
| 4 | 6 months to less than 1 year | 409 | 101602.2 | 12.7% |
| 5 | 1 year to 3 years | 559 | 132902.1 | 16.6% |
| 6 | More than 3 years | 535 | 114201.4 | 14.3% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 60 | 16405.7 | |
| 98 | Refusal | 6 | 1260.3 | |
| 99 | Not stated | 5946 | 1773907.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_15_2: Duration services provided - other health care

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1326 / 345489.4 ] [Invalid=108333 / 30245290.86 ] |
| **Universe** | Respondents who answered HMC_005B = 1 |
| **Literal question** | How long [have you / have other household members] been receiving the other health care services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 month | 256 | 59469.8 | 17.2% |
| 2 | 1 month to less than 3 months | 265 | 71356.9 | 20.7% |
| 3 | 3 months to less than 6 months | 133 | 32646.4 | 9.4% |
| 4 | 6 months to less than 1 year | 181 | 52508.3 | 15.2% |
| 5 | 1 year to 3 years | 225 | 61376.8 | 17.8% |
| 6 | More than 3 years | 266 | 68131.2 | 19.7% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 21 | 5525.7 | |
| 98 | Refusal | 3 | 471.4 | |
| 99 | Not stated | 7951 | 2238668.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_15_3: Duration services provided - medical equipment

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1617 / 395869.02 ] [Invalid=108042 / 30194911.24 ] |
| **Universe** | Respondents who answered HMC_005C = 1 |
| **Literal question** | How long [have you / have other household members] been receiving the medical equipment or supplies services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 month | 240 | 63633.1 | 16.1% |
| 2 | 1 month to less than 3 months | 301 | 73876.5 | 18.7% |

## # HMC_15_3: Duration services provided - medical equipment

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 3 | 3 months to less than 6 months | 198 | 44796.2 | 11.3% |
| 4 | 6 months to less than 1 year | 197 | 47590.1 | 12.0% |
| 5 | 1 year to 3 years | 308 | 78808.0 | 19.9% |
| 6 | More than 3 years | 373 | 87165.1 | 22.0% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 26 | 7309.6 | |
| 98 | Refusal | 1 | 470.2 | |
| 99 | Not stated | 7657 | 2186506.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_15_4: Duration services provided - personal / home support

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3264 / 690698.97 ] [Invalid=106395 / 29900081.29 ] |
| **Universe** | Respondents who answered HMC_005D = 1 |
| **Literal question** | How long [have you / have other household members] been receiving the personal or home support services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 month | 221 | 47501.2 | 6.9% |
| 2 | 1 month to less than 3 months | 295 | 60289.6 | 8.7% |
| 3 | 3 months to less than 6 months | 253 | 49670.2 | 7.2% |
| 4 | 6 months to less than 1 year | 376 | 79493.4 | 11.5% |
| 5 | 1 year to 3 years | 952 | 201709.3 | 29.2% |
| 6 | More than 3 years | 1167 | 252035.3 | 36.5% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 38 | 5034.7 | |
| 98 | Refusal | 4 | 516.5 | |
| 99 | Not stated | 5995 | 1893904.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_15_5: Duration services provided - other services

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=827 / 176294.77 ] [Invalid=108832 / 30414485.49 ] |
| **Universe** | Respondents who answered HMC_005E = 1 |
| **Literal question** | How long [have you / have other household members] been receiving the other services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Less than 1 month | 76 | 17623.5 | 10.0% |
| 2 | 1 month to less than 3 months | 86 | 18040.0 | 10.2% |
| 3 | 3 months to less than 6 months | 79 | 17018.3 | 9.7% |
| 4 | 6 months to less than 1 year | 91 | 17862.3 | 10.1% |
| 5 | 1 year to 3 years | 234 | 51657.2 | 29.3% |
| 6 | More than 3 years | 261 | 54093.4 | 30.7% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 17 | 1501.0 | |
| 98 | Refusal | 3 | 474.7 | |
| 99 | Not stated | 8454 | 2411884.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_20_1: Monthly cost services provided - nursing care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=3191 / 768831.75 ] [Invalid=106468 / 29821948.51 ] |
| **Universe** | Respondents who answered HMC_005A = 1 |
| **Literal question** | In a typical month over the past 12 months, how much [have you / have other household members] paid for the nursing care services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | $0 | 2902 | 700772.4 | | 91.1% |
| 2 | $1 to less than $50 | 97 | 23037.6 | 3.0% | |
| 3 | $50 to less than $100 | 40 | 7281.8 | 0.9% | |
| 4 | $100 to less than $200 | 24 | 4580.7 | 0.6% | |
| 5 | $200 to less than $300 | 27 | 5052.7 | 0.7% | |
| 6 | $300 to less than $400 | 20 | 3009.5 | 0.4% | |
| 7 | $400 to less than $1000 | 34 | 9108.1 | 1.2% | |
| 8 | $1000 and more | 47 | 15989.0 | 2.1% | |
| 96 | Valid skip | 100358 | 28000625.2 | | |
| 97 | Don't know | 156 | 46068.3 | | |
| 98 | Refusal | 8 | 1347.1 | | |
| 99 | Not stated | 5946 | 1773907.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_20_2: Monthly cost services provided - other health care - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1289 / 324463.53 ] [Invalid=108370 / 30266316.73 ] |
| **Universe** | Respondents who answered HMC_005B = 1 |
| **Literal question** | In a typical month over the past 12 months, how much [have you / have other household members] paid for the other health care services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | $0 | 1040 | 253270.5 | | 78.1% |
| 2 | $1 to less than $50 | 38 | 8076.7 | 2.5% | |
| 3 | $50 to less than $100 | 36 | 9420.1 | 2.9% | |
| 4 | $100 to less than $200 | 39 | 8327.0 | 2.6% | |
| 5 | $200 to less than $300 | 30 | 9305.1 | 2.9% | |
| 6 | $300 to less than $400 | 15 | 7718.0 | 2.4% | |
| 7 | $400 to less than $1000 | 35 | 8488.1 | 2.6% | |
| 8 | $1000 and more | 56 | 19858.0 | 6.1% | |
| 96 | Valid skip | 100358 | 28000625.2 | | |
| 97 | Don't know | 55 | 22446.8 | | |
| 98 | Refusal | 6 | 4576.3 | | |
| 99 | Not stated | 7951 | 2238668.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_20_3: Monthly cost services provided - medical equipment - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=1536 / 367708.17 ] [Invalid=108123 / 30223072.09 ] |
| **Universe** | Respondents who answered HMC_005C = 1 |
| **Literal question** | In a typical month over the past 12 months, how much [have you / have other household members] paid for the medical equipment or supplies services? |

## # HMC_20_3: Monthly cost services provided - medical equipment - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | $0 | 1097 | 260722.4 | 70.9% |
| 2 | $1 to less than $50 | 105 | 19786.4 | 5.4% |
| 3 | $50 to less than $100 | 79 | 16260.8 | 4.4% |
| 4 | $100 to less than $200 | 79 | 17646.8 | 4.8% |
| 5 | $200 to less than $300 | 38 | 17301.4 | 4.7% |
| 6 | $300 to less than $400 | 28 | 6719.5 | 1.8% |
| 7 | $400 to less than $1000 | 52 | 13367.7 | 3.6% |
| 8 | $1000 and more | 58 | 15903.1 | 4.3% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 105 | 33147.9 | |
| 98 | Refusal | 3 | 2792.7 | |
| 99 | Not stated | 7657 | 2186506.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_20_4: Monthly cost services provided - personal / home support - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3046 / 631249.78 ] [Invalid=106613 / 29959530.48 ] |
| Universe | Respondents who answered HMC_005D = 1 |
| Literal question | In a typical month over the past 12 months, how much [have you / have other household members] paid for the personal or home support services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | $0 | 1727 | 380797.8 | 60.3% |
| 2 | $1 to less than $50 | 274 | 40071.8 | 6.3% |
| 3 | $50 to less than $100 | 279 | 52906.9 | 8.4% |
| 4 | $100 to less than $200 | 260 | 48696.8 | 7.7% |
| 5 | $200 to less than $300 | 105 | 20146.8 | 3.2% |
| 6 | $300 to less than $400 | 59 | 11903.0 | 1.9% |
| 7 | $400 to less than $1000 | 152 | 29227.1 | 4.6% |
| 8 | $1000 and more | 190 | 47499.6 | 7.5% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 246 | 62408.1 | |
| 98 | Refusal | 14 | 2592.2 | |
| 99 | Not stated | 5995 | 1893904.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_20_5: Monthly cost services provided - other services - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=776 / 165792.75 ] [Invalid=108883 / 30424987.51 ] |
| Universe | Respondents who answered HMC_005E = 1 |
| Literal question | In a typical month over the past 12 months, how much [have you / have other household members] paid for the other services? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | $0 | 380 | 79432.1 | 47.9% |
| 2 | $1 to less than $50 | 133 | 25634.4 | 15.5% |
| 3 | $50 to less than $100 | 84 | 20031.1 | 12.1% |

# # HMC_20_5: Monthly cost services provided - other services - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 4 | $100 to less than $200 | 76 | 17572.1 | 10.6% |
| 5 | $200 to less than $300 | 29 | 7558.8 | 4.6% |
| 6 | $300 to less than $400 | 7 | 1241.7 | 0.7% |
| 7 | $400 to less than $1000 | 33 | 7127.9 | 4.3% |
| 8 | $1000 and more | 34 | 7194.6 | 4.3% |
| 96 | Valid skip | 100358 | 28000625.2 | |
| 97 | Don't know | 69 | 12137.4 | |
| 98 | Refusal | 2 | 340.3 | |
| 99 | Not stated | 8454 | 2411884.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # HMC_025A: Home care services - who paid - out of own pocket

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Out of your / their own pocket |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 2078 | 409422.0 | 25.4% |
| 2 | No | 4884 | 1199926.5 | 74.6% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # HMC_025B: Home care services - who paid - family / friend in same household

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Family or friend living in the same household |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 277 | 99258.0 | 6.2% |
| 2 | No | 6685 | 1510090.5 | 93.8% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # HMC_025C: Home care services - who paid - someone living outside the household

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Someone living outside the household (e.g., family, friends, volunteer organization) |

# HMC_025C: Home care services - who paid - someone living outside the household

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 106 | 24737.2 | 1.5% |
| 2 | No | 6856 | 1584611.4 | 98.5% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_025D: Home care services - who paid - insurance

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Insurance |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 771 | 195864.9 | 12.2% |
| 2 | No | 6191 | 1413483.7 | 87.8% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_025E: Home care services - who paid - government

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Government |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 4078 | 974841.7 | 60.6% |
| 2 | No | 2884 | 634506.8 | 39.4% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_025F: Home care services - who paid - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=6962 / 1609348.55 ] [Invalid=102697 / 28981431.71 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Who paid for these services? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 327 | 70643.2 | 4.4% |
| 2 | No | 6635 | 1538705.4 | 95.6% |
| 6 | Valid skip | 100358 | 28000625.2 | |

## # HMC_025F: Home care services - who paid - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 211 | 70678.9 | |
| 8 | Refusal | 23 | 3987.2 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_030: Satisfaction with home care services received

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7095 / 1652861.36 ] [Invalid=102564 / 28937918.9 ] |
| Universe | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 |
| Literal question | Overall, how satisfied [were you / were the other household members] with the home care services received? [Were you / were the other household members]... ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Very satisfied | 4987 | 1089394.3 | 65.9% |
| 2 | Somewhat satisfied | 1612 | 429568.7 | 26.0% |
| 3 | Neither satisfied nor dissatisfied | 198 | 55267.4 | 3.3% |
| 4 | Somewhat dissatisfied | 177 | 47712.3 | 2.9% |
| 5 | Very dissatisfied | 121 | 30918.6 | 1.9% |
| 6 | Valid skip | 100358 | 28000625.2 | |
| 7 | Don't know | 91 | 29764.6 | |
| 8 | Refusal | 10 | 1388.7 | |
| 9 | Not stated | 2105 | 906140.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_035A: Unsatisfactory home care services - poor quality

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=297 / 78552.18 ] [Invalid=109362 / 30512228.08 ] |
| Universe | Respondents who answered HMC_030 = (4 or 5) |
| Literal question | What are the reasons why [you were / the other household members were] not satisfied? - Poor quality (i.e. concerns about provider competence, reliability of services, etc.) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 152 | 36274.8 | 46.2% |
| 2 | No | 145 | 42277.4 | 53.8% |
| 6 | Valid skip | 107155 | 29574855.6 | |
| 7 | Don't know | 1 | 78.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2206 | 937293.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_035B: Unsatisfactory home care services - needs not addressed

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=297 / 78552.18 ] [Invalid=109362 / 30512228.08 ] |
| Universe | Respondents who answered HMC_030 = (4 or 5) |
| Literal question | What are the reasons why [you were / the other household members were] not satisfied? - Services did not address perceived needs |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 88 | 18249.6 | 23.2% |

# HMC_035B: Unsatisfactory home care services - needs not addressed

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 2 | No | 209 | 60302.6 | | 76.8% |
| 6 | Valid skip | 107155 | 29574855.6 | | |
| 7 | Don't know | 1 | 78.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2206 | 937293.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_035C: Unsatisfactory home care services - insufficient services

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=297 / 78552.18 ] [Invalid=109362 / 30512228.08 ] |
| Universe | Respondents who answered HMC_030 = (4 or 5) |
| Literal question | What are the reasons why [you were / the other household members were] not satisfied? - Services provided were insufficient |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 113 | 29323.0 | 37.3% | |
| 2 | No | 184 | 49229.2 | | 62.7% |
| 6 | Valid skip | 107155 | 29574855.6 | | |
| 7 | Don't know | 1 | 78.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2206 | 937293.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_035D: Unsatisfactory home care services - long wait time

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=297 / 78552.18 ] [Invalid=109362 / 30512228.08 ] |
| Universe | Respondents who answered HMC_030 = (4 or 5) |
| Literal question | What are the reasons why [you were / the other household members were] not satisfied? - Long wait times to receive services |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 66 | 21627.1 | 27.5% | |
| 2 | No | 231 | 56925.1 | | 72.5% |
| 6 | Valid skip | 107155 | 29574855.6 | | |
| 7 | Don't know | 1 | 78.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2206 | 937293.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_035E: Unsatisfactory home care services - other reason

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=297 / 78552.18 ] [Invalid=109362 / 30512228.08 ] |
| Universe | Respondents who answered HMC_030 = (4 or 5) |
| Literal question | What are the reasons why [you were / the other household members were] not satisfied? - Other reason |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 104 | 27714.7 | 35.3% | |
| 2 | No | 193 | 50837.4 | | 64.7% |
| 6 | Valid skip | 107155 | 29574855.6 | | |
| 7 | Don't know | 1 | 78.8 | | |

## # HMC_035E: Unsatisfactory home care services - other reason

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2206 | 937293.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_040: Perception home care services needed but not received - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=98421 / 27393667.26 ] [Invalid=11238 / 3197113 ] |
| **Universe** | Respondents who answered HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 or HMC_005F = 1 |
| **Literal question** | During the past 12 months, was there ever a time when [you / you or anyone in your household] felt that home care services were needed but were not received? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2720 | 697334.1 | 2.5% |
| 2 | No | 95701 | 26696333.2 | 97.5% |
| 6 | Valid skip | 8980 | 2242630.3 | |
| 7 | Don't know | 125 | 39292.3 | |
| 8 | Refusal | 15 | 3793.2 | |
| 9 | Not stated | 2118 | 911397.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_045: Home care services needed - who

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2718 / 696515.05 ] [Invalid=106941 / 29894265.21 ] |
| **Universe** | Respondents who answered HMC_040 = 1 |
| **Literal question** | Were these (home care) services needed for yourself or someone else living in your household? |
| **Notes** | If a respondent answered HMC_040 = 1 and DHHDVHSZ = 1, the variable HMC_045 was given the value 1. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Selected respondent only | 1852 | 381572.9 | 54.8% |
| 2 | Other household member only | 715 | 263892.2 | 37.9% |
| 3 | Selected respondent and other household member | 151 | 51050.0 | 7.3% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 1 | 198.5 | |
| 8 | Refusal | 1 | 620.5 | |
| 9 | Not stated | 2258 | 954482.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_050A: Home care services needed - nursing care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2682 / 685442.54 ] [Invalid=106977 / 29905337.72 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Thinking of the most recent time, what type of home care was needed? - Nursing care (e.g., dressing changes, preparing .medications, V.O.N. visits) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 591 | 172118.6 | 25.1% |
| 2 | No | 2091 | 513324.0 | 74.9% |
| 6 | Valid skip | 104681 | 28938963.5 | |

## # HMC_050A: Home care services needed - nursing care

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 35 | 10302.0 | |
| 8 | Refusal | 1 | 770.5 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_050B: Home care services needed - other health care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2682 / 685442.54 ] [Invalid=106977 / 29905337.72 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Thinking of the most recent time, what type of home care was needed? - Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 360 | 121024.8 | 17.7% |
| 2 | No | 2322 | 564417.7 | 82.3% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 35 | 10302.0 | |
| 8 | Refusal | 1 | 770.5 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_050C: Home care services needed - medical equipment

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2682 / 685442.54 ] [Invalid=106977 / 29905337.72 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Thinking of the most recent time, what type of home care was needed? - Medical equipment or supplies (e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 207 | 58439.0 | 8.5% |
| 2 | No | 2475 | 627003.5 | 91.5% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 35 | 10302.0 | |
| 8 | Refusal | 1 | 770.5 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_050D: Home care services needed - personal / home support

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2682 / 685442.54 ] [Invalid=106977 / 29905337.72 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Thinking of the most recent time, what type of home care was needed? - Personal or home support (such as bathing, housekeeping, meal preparation) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1840 | 432714.2 | 63.1% |
| 2 | No | 842 | 252728.3 | 36.9% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 35 | 10302.0 | |

# # HMC_050D: Home care services needed - personal / home support

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 8 | Refusal | 1 | 770.5 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # HMC_050E: Home care services needed - other services

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=2682 / 685442.54 ] [Invalid=106977 / 29905337.72 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Thinking of the most recent time, what type of home care was needed? - Other services (such as transportation, meals-on-wheels) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 447 | 129845.9 | 18.9% |
| 2 | No | 2235 | 555596.7 | 81.1% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 35 | 10302.0 | |
| 8 | Refusal | 1 | 770.5 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # HMC_055A: Home care services not received - not available in the area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not available in the area |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 1 | Yes | 336 | 80776.0 | 11.9% |
| 2 | No | 2326 | 599315.8 | 88.1% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055B: Home care services not received - not available at time required

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not available at time required (e.g., inconvenient hours) | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 213 | 57551.9 | 8.5% |
| 2 | No | 2449 | 622539.9 | 91.5% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055C: Home care services not received - waiting time too long

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Waiting time too long | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 232 | 68994.2 | 10.1% |
| 2 | No | 2430 | 611097.6 | 89.9% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055D: Home care services not received - cost

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Cost | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 438 | 126901.0 | 18.7% |
| 2 | No | 2224 | 553190.8 | 81.3% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055E: Home care services not received - didn't get around to it

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |

## # HMC_055E: Home care services not received - didn't get around to it

| Literal question | | Again, thinking of the most recent time, why didn't [you / they] get these services? - Didn't get around to it / didn't bother | | | |
|---|---|---|---|---|---|
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
| 1 | Yes | 273 | 55957.8 | 8.2% | |
| 2 | No | 2389 | 624134.1 | | 91.8% |
| 6 | Valid skip | 104681 | 28938963.5 | | |
| 7 | Don't know | 54 | 14817.4 | | |
| 8 | Refusal | 2 | 1605.8 | | |
| 9 | Not stated | 2260 | 955301.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_055F: Home care services not received - didn't know where to go

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
|---|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Didn't know where to go / call | | | | |
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
| 1 | Yes | 341 | 90632.0 | 13.3% | |
| 2 | No | 2321 | 589459.8 | | 86.7% |
| 6 | Valid skip | 104681 | 28938963.5 | | |
| 7 | Don't know | 54 | 14817.4 | | |
| 8 | Refusal | 2 | 1605.8 | | |
| 9 | Not stated | 2260 | 955301.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_055G: Home care services not received - language barrier

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
|---|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Language barrier | | | | |
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
| 1 | Yes | 10 | 4320.2 | 0.6% | |
| 2 | No | 2652 | 675771.6 | | 99.4% |
| 6 | Valid skip | 104681 | 28938963.5 | | |
| 7 | Don't know | 54 | 14817.4 | | |
| 8 | Refusal | 2 | 1605.8 | | |
| 9 | Not stated | 2260 | 955301.7 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_055H: Home care services not received - decided not to seek services

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | | |
|---|---|---|---|---|---|
| **Statistics [NW/ W]** | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] | | | | |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) | | | | |
| **Literal question** | Again, thinking of the most recent time, why didn't [you / they] get these services? - Decided not to seek services | | | | |
| **Value** | **Label** | **Cases** | **Weighted** | **Percentage (Weighted)** | |
| 1 | Yes | 266 | 63848.1 | 9.4% | |
| 2 | No | 2396 | 616243.7 | | 90.6% |

# HMC_055H: Home care services not received - decided not to seek services

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055I: Home care services not received - doctor didn't think was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Again, thinking of the most recent time, why didn't [you / they] get these services? - Doctor did not think it was necessary |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 95 | 24501.8 | 3.6% |
| 2 | No | 2567 | 655590.0 | 96.4% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055J: Home care services not received - not eligible for home care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Again, thinking of the most recent time, why didn't [you / they] get these services? - Not eligible for home care |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 341 | 90111.1 | 13.2% |
| 2 | No | 2321 | 589980.7 | 86.8% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055K: Home care services not received - still waiting for home care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Again, thinking of the most recent time, why didn't [you / they] get these services? - Still waiting for home care |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 162 | 37495.4 | 5.5% |
| 2 | No | 2500 | 642596.4 | 94.5% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |

# HMC_055K: Home care services not received - still waiting for home care

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_055L: Home care services not received - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=2662 / 680091.83 ] [Invalid=106997 / 29910688.43 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Again, thinking of the most recent time, why didn't [you / they] get these services? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 687 | 171663.8 | 25.2% |
| 2 | No | 1975 | 508428.1 | 74.8% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 54 | 14817.4 | |
| 8 | Refusal | 2 | 1605.8 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_060A: Home care services provider - govt Home Care Program

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Where did [you / they] try to get these home care services? - A government Home Care Program (e.g., CLSC in Quebec, CCAC in Ontario, Extra- Mural Program in New Brunswick) |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 1192 | 319482.7 | 48.2% |
| 2 | No | 1420 | 343456.5 | 51.8% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# HMC_060B: Home care services provider - private agency

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| Universe | Respondents who answered HMC_045 = (1, 2 or 3) |
| Literal question | Where did [you / they] try to get these home care services? - A private agency |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 217 | 59349.1 | 9.0% |
| 2 | No | 2395 | 603590.1 | 91.0% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_060C: Home care services provider - family member / friend / neighbour

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Where did [you / they] try to get these home care services? - A family member, friend or neighbour |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 141 | 39176.6 | 5.9% |
| 2 | No | 2471 | 623762.6 | 94.1% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_060D: Home care services provider - volunteer organization

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Where did [you / they] try to get these home care services? - A volunteer organization |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 91 | 23862.0 | 3.6% |
| 2 | No | 2521 | 639077.2 | 96.4% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_060E: Home care services provider - did not try

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Where did [you / they] try to get these home care services? - Nowhere - did not try to get service |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 907 | 216704.1 | 32.7% |
| 2 | No | 1705 | 446235.1 | 67.3% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HMC_060F: Home care services provider - other

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=2612 / 662939.21 ] [Invalid=107047 / 29927841.05 ] |
| **Universe** | Respondents who answered HMC_045 = (1, 2 or 3) |
| **Literal question** | Where did [you / they] try to get these home care services? - Other |

## # HMC_060F: Home care services provider - other

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 311 | 73717.3 | 11.1% |
| 2 | No | 2301 | 589222.0 | 88.9% |
| 6 | Valid skip | 104681 | 28938963.5 | |
| 7 | Don't know | 99 | 31049.6 | |
| 8 | Refusal | 7 | 2526.2 | |
| 9 | Not stated | 2260 | 955301.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOUCN: Unmet health care needs - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 22101 | 4817843.8 | 15.7% |
| 2 | No | 87558 | 25772936.4 | 84.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_005: Unmet health care needs - self-perceived - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=21829 / 4735568.34 ] [Invalid=87830 / 25855211.92 ] |
| **Universe** | Respondents with DOUCN = 1 |
| **Literal question** | During the past 12 months, was there ever a time when you felt that you needed health care, other than homecare services, but you did not receive it? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 809 | 166139.6 | 3.5% |
| 2 | No | 21020 | 4569428.8 | 96.5% |
| 6 | Valid skip | 87558 | 25772936.4 | |
| 7 | Don't know | 48 | 11709.6 | |
| 8 | Refusal | 39 | 13966.1 | |
| 9 | Not stated | 185 | 56599.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_010A: Unmet health care needs - not available in area

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Thinking of the most recent time you felt this way, why didn't you get care? - Care not available in the area |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 109 | 21543.0 | 13.2% |
| 2 | No | 685 | 141757.2 | 86.8% |
| 6 | Valid skip | 108578 | 30342365.2 | |

# UCN_010A: Unmet health care needs - not available in area

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010B: Unmet health care needs - not available at time required

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Care not available at time required (e.g., doctor busy, away from office or no longer at that practice, inconvenient hours) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 121 | 21012.2 | 12.9% | |
| 2 | No | 673 | 142288.0 | | 87.1% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 12 | 2533.0 | | |
| 8 | Refusal | 2 | 115.1 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010C: Unmet health care needs - no regular health care provider

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Do not have a regular health care provider |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 78 | 12862.4 | 7.9% | |
| 2 | No | 716 | 150437.9 | | 92.1% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 12 | 2533.0 | | |
| 8 | Refusal | 2 | 115.1 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010D: Unmet health care needs - waiting time too long

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Waiting time too long |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 236 | 44009.4 | 27.0% | |
| 2 | No | 558 | 119290.8 | | 73.0% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 12 | 2533.0 | | |
| 8 | Refusal | 2 | 115.1 | | |

# UCN_010D: Unmet health care needs - waiting time too long

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010E: Unmet health care needs - appt was cancelled

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Appointment was cancelled |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 10 | 1267.2 | 0.8% |
| 2 | No | 784 | 162033.0 | 99.2% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010F: Unmet health care needs - felt would receive inadequate care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Felt would receive inadequate care |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 52 | 9112.7 | 5.6% |
| 2 | No | 742 | 154187.6 | 94.4% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010G: Unmet health care needs - cost

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Thinking of the most recent time you felt this way, why didn't you get care? - Cost |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1 | Yes | 100 | 20827.2 | 12.8% |
| 2 | No | 694 | 142473.0 | 87.2% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010H: Unmet health care needs - decided not to seek care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Thinking of the most recent time you felt this way, why didn't you get care? - Decided not to seek care |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 70 | 14719.9 | 9.0% |
| 2 | No | 724 | 148580.4 | 91.0% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010I: Unmet health care needs - doctor didn't think it was necessary

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Thinking of the most recent time you felt this way, why didn't you get care? - Doctor didn't think it was necessary |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 68 | 12708.4 | 7.8% |
| 2 | No | 726 | 150591.8 | 92.2% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010J: Unmet health care needs - transportation issue

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Thinking of the most recent time you felt this way, why didn't you get care? - Transportation issue |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 27 | 5058.2 | 3.1% |
| 2 | No | 767 | 158242.0 | 96.9% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 12 | 2533.0 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_010K: Unmet health care needs - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=794 / 163300.26 ] [Invalid=108865 / 30427480 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Thinking of the most recent time you felt this way, why didn't you get care? - Other |

## # UCN_010K: Unmet health care needs - other

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 190 | 42518.9 | | 26.0% |
| 2 | No | 604 | 120781.4 | | 74.0% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 12 | 2533.0 | | |
| 8 | Refusal | 2 | 115.1 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_015A: Type of care needed - chronic physical health condition

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a chronic physical health condition diagnosed by a health professional |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 234 | 43944.4 | | 26.7% |
| 2 | No | 565 | 120731.7 | | 73.3% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 6 | 880.2 | | |
| 8 | Refusal | 3 | 392.2 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_015B: Type of care needed - chronic mental health condition

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of a chronic mental health condition diagnosed by a health professional |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 74 | 18268.3 | | 11.1% |
| 2 | No | 725 | 146407.8 | | 88.9% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 6 | 880.2 | | |
| 8 | Refusal | 3 | 392.2 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_015C: Type of care needed - acute infectious disease

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute infectious disease (e.g., cold, flu and stomach flu) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 60 | 11089.7 | | 6.7% |

# # UCN_015C: Type of care needed - acute infectious disease

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 2 | No | 739 | 153586.4 | | 93.3% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 6 | 880.2 | | |
| 8 | Refusal | 3 | 392.2 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UCN_015D: Type of care needed - acute physical condition

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute physical condition (non-infectious) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 127 | 24285.9 | 14.7% | |
| 2 | No | 672 | 140390.2 | | 85.3% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 6 | 880.2 | | |
| 8 | Refusal | 3 | 392.2 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UCN_015E: Type of care needed - acute mental health condition

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of an acute mental health condition (e.g., acute stress reaction) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 50 | 12384.8 | 7.5% | |
| 2 | No | 749 | 152291.3 | | 92.5% |
| 6 | Valid skip | 108578 | 30342365.2 | | |
| 7 | Don't know | 6 | 880.2 | | |
| 8 | Refusal | 3 | 392.2 | | |
| 9 | Not stated | 273 | 82466.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # UCN_015F: Type of care needed - regular check-up

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| **Universe** | Respondents who answered UCN_005 = 1 |
| **Literal question** | Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including pre-natal care) |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 51 | 11158.7 | 6.8% | |
| 2 | No | 748 | 153517.4 | | 93.2% |

# UCN_015F: Type of care needed - regular check-up

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 6 | 880.2 | |
| 8 | Refusal | 3 | 392.2 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_015G: Type of care needed - injury

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 73 | 13415.1 | 8.1% |
| 2 | No | 726 | 151261.1 | 91.9% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 6 | 880.2 | |
| 8 | Refusal | 3 | 392.2 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_015H: Type of care needed - dental care

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Again, thinking of the most recent time, what was the type of care that was needed? - Dental care |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 47 | 10108.0 | 6.1% |
| 2 | No | 752 | 154568.2 | 93.9% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 6 | 880.2 | |
| 8 | Refusal | 3 | 392.2 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_015I: Type of care needed - medication / prescription refill

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Again, thinking of the most recent time, what was the type of care that was needed? - Medication / Prescription refill |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 49 | 9029.0 | 5.5% |
| 2 | No | 750 | 155647.1 | 94.5% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 6 | 880.2 | |
| 8 | Refusal | 3 | 392.2 | |

# UCN_015I: Type of care needed - medication / prescription refill

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_015J: Type of care needed - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=799 / 164676.13 ] [Invalid=108860 / 30426104.13 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Again, thinking of the most recent time, what was the type of care that was needed? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 155 | 33308.0 | 20.2% |
| 2 | No | 644 | 131368.2 | 79.8% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 6 | 880.2 | |
| 8 | Refusal | 3 | 392.2 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_020: Actively tried to obtain health care needed

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=801 / 164899.14 ] [Invalid=108858 / 30425881.12 ] |
| Universe | Respondents who answered UCN_005 = 1 |
| Literal question | Did you actively try to obtain the health care that was needed? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 604 | 121338.2 | 73.6% |
| 2 | No | 197 | 43560.9 | 26.4% |
| 6 | Valid skip | 108578 | 30342365.2 | |
| 7 | Don't know | 5 | 934.2 | |
| 8 | Refusal | 2 | 115.1 | |
| 9 | Not stated | 273 | 82466.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_025A: Location tried to get service - doctor's office

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|-------------|-----------------------------------------------------------|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - A doctor's office |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 1 | Yes | 308 | 64363.6 | 53.3% |
| 2 | No | 294 | 56307.9 | 46.7% |
| 6 | Valid skip | 108775 | 30385926.1 | |
| 7 | Don't know | 2 | 666.8 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 280 | 83515.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_025B: Location tried to get service - a hospital outpatient clinic

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - A hospital outpatient clinic |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 62 | 10688.2 | | 8.9% |
| 2 | No | 540 | 109983.3 | | 91.1% |
| 6 | Valid skip | 108775 | 30385926.1 | | |
| 7 | Don't know | 2 | 666.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 280 | 83515.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_025C: Location tried to get service - a community health centre

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - A community health centre [CLSC] |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 54 | 5110.7 | | 4.2% |
| 2 | No | 548 | 115560.8 | | 95.8% |
| 6 | Valid skip | 108775 | 30385926.1 | | |
| 7 | Don't know | 2 | 666.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 280 | 83515.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_025D: Location tried to get service - a walk-in clinic

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - A walk-in clinic |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 72 | 16931.8 | | 14.0% |
| 2 | No | 530 | 103739.7 | | 86.0% |
| 6 | Valid skip | 108775 | 30385926.1 | | |
| 7 | Don't know | 2 | 666.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 280 | 83515.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# UCN_025E: Location tried to get service - emergency department / room

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - An emergency department or emergency room |

## # UCN_025E: Location tried to get service - emergency department / room

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 110 | 26465.8 | 21.9% | |
| 2 | No | 492 | 94205.7 | | 78.1% |
| 6 | Valid skip | 108775 | 30385926.1 | | |
| 7 | Don't know | 2 | 666.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 280 | 83515.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # UCN_025F: Location tried to get service - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=602 / 120671.49 ] [Invalid=109057 / 30470108.77 ] |
| Universe | Respondents who answered UCN_020 = 1 |
| Literal question | Where did you try to get the service you were seeking? - Other |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 160 | 31724.1 | 26.3% | |
| 2 | No | 442 | 88947.4 | | 73.7% |
| 6 | Valid skip | 108775 | 30385926.1 | | |
| 7 | Don't know | 2 | 666.8 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 280 | 83515.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LBFG10: Employee or self-employed

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=55436 / 17688875.7 ] [Invalid=54223 / 12901904.56 ] |
| Universe | Respondents aged 15 to 74 who answered (LBF_01 = 1) or ((LBF_01 = 2) and (LBF_02 = 1) and (LBF_03 = (1, 2 , 3, 4, 5, 6, 7, 11, 12, 13 or 14))) |
| Literal question | Were you an employee or self-employed? |
| Notes | The category "Respondent was working at a family business without pay" was grouped with "Not Stated" as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Employee | 46527 | 14853992.7 | | 84.0% |
| 2 | Self-employed | 8909 | 2834883.0 | 16.0% | |
| 3 | Working in a family business without pay | 0 | 0.0 | | |
| 6 | Valid skip | 52256 | 12011452.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 1967 | 890452.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LBFDVWSS: Working status last week - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=91172 / 26520827.31 ] [Invalid=18487 / 4069952.95 ] |
| Definition | Derived from DHH_AGE, LBF_01, LBF_02 |
| Universe | See documentation on derived variables. |

# LBFDVWSS: Working status last week - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Worked at a job / business - last week | 51407 | 16535914.5 | 62.4% |
| 2 | Absent from work / business - last week | 4633 | 1310896.6 | 4.9% |
| 3 | Did not have a job - last week | 35132 | 8674016.2 | 32.7% |
| 6 | Valid skip | 16753 | 3243039.5 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 1734 | 826913.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LBFDGOCG: Occupation group - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=54839 / 17428439.15 ] [Invalid=54820 / 13162341.11 ] |
| **Definition** | Derived from DHH_AGE, LBFCSOC |
| **Universe** | See documentation on derived variables. |
| **Notes** | This variable has been grouped as a form of disclosure control. Categories are groupings of occupation codes, see the derived variable documentation for value description. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | NOC Code first digit: 1, 3, 4, 5, 6 | 22033 | 7098611.3 | 40.7% |
| 2 | NOC Code first digit: 2 | 8642 | 2792539.2 | 16.0% |
| 3 | NOC Code first digit: 6 | 12496 | 4113241.8 | 23.6% |
| 4 | NOC Code first digit: 7 | 7843 | 2362410.0 | 13.6% |
| 5 | NOC Code first digit: 8, 9 | 3825 | 1061636.8 | 6.1% |
| 6 | Valid skip | 52256 | 12011452.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2564 | 1150889.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LBFDGHPW: Total usual hours worked per week - (D)

| Information | [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=54992 / 17549997.03 ] [Invalid=54667 / 13040783.23 ] [Mean=38.925 / 39.158 ] [StdDev=14.579 / 14.011 ] |
| Definition | Derived from DHH_AGE, LBF_16, LBF_035 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been capped at 99 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 996 | Valid skip | 52256 | 12011452.0 | |
| 997 | Don't know | 0 | 0.0 | |
| 998 | Refusal | 0 | 0.0 | |
| 999 | Not stated | 2411 | 1029331.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LBFDVPFT: Full-time / part-time working status (for total usual hours) - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=55097 / 17571221.6 ] [Invalid=54562 / 13019558.66 ] |
| Definition | Derived from LBFDVHPW |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Full-time | 45158 | 14605031.2 | | 83.1% |
| 2 | Part-time | 9939 | 2966190.4 | 16.9% | |
| 6 | Valid skip | 52112 | 11977967.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 2450 | 1041591.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOLOP: Loss of productivity- Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated" which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 14367 | 4037461.8 | 13.2% | |
| 2 | No | 95292 | 26553318.5 | | 86.8% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOP_005: Worked at a job / business - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1007 / 291449.63 ] [Invalid=108652 / 30299330.63 ] |
| Universe | Respondents aged 15 to 74 with DOLOP = 1 and who answered LBF_01 = (2, 7, 8 or 9) and LBF_02 = (2, 7, 8 or 9)) and MAC_010 = (1, 7, 8 or 9) |

## # LOP_005: Worked at a job / business - 3 mo

| Literal question | At any time during the past three months, did you work at a job or a business? |
|---|---|
| Notes | Was not asked in proxy interviews. If a respondent answered LBF_01 = 1 (worked at a job in past week), the variable LOP_005 should have been given the value of 1. However, due to an error in processing, these cases were coded as "valid skip". Use caution when analyzing this variable. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 421 | 118174.0 | | 40.5% |
| 2 | No | 586 | 173275.6 | | 59.5% |
| 6 | Valid skip | 108519 | 30243370.3 | | |
| 7 | Don't know | 6 | 1859.1 | | |
| 8 | Refusal | 14 | 5336.4 | | |
| 9 | Not stated | 113 | 48764.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOPG010: Did not work at a job / business - reason - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=3958 / 963914.09 ] [Invalid=105701 / 29626866.17 ] |
| Universe | Respondents aged 15 to 74 with DOLOP = 1 and who answered LBF_02 = (2, 7, 8 or 9) and ((LBF_01 = (2, 7, 8 or 9) and MAC_010 = 2) or LOP_005 = 2) |
| Literal question | What is the main reason that you have not worked at a job or business in the past three months? |
| Notes | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Respondent?s own chronic physical or mental health | 337 | 78168.5 | | 8.1% |
| 2 | Respondent's own injury | 29 | 7157.0 | | 0.7% |
| 3 | Respondent?s own acute disease, physical or mental health | 50 | 11860.2 | | 1.2% |
| 4 | Caring for own children | 292 | 99488.1 | | 10.3% |
| 5 | Caring for elderly relatives (60 years or older) | 22 | 7731.9 | | 0.8% |
| 6 | Maternity, paternity or parental leave | 36 | 11831.6 | | 1.2% |
| 7 | Education, training or school | 468 | 167797.2 | | 17.4% |
| 8 | Temporary lay-off, strike or lockout | 38 | 12435.7 | | 1.3% |
| 9 | Permanent lay-off | 49 | 13381.8 | | 1.4% |
| 10 | Retired | 2288 | 449181.0 | | 46.6% |
| 11 | Other | 349 | 104881.1 | | 10.9% |
| 96 | Valid skip | 105390 | 29505505.2 | | |
| 97 | Don't know | 0 | 0.0 | | |
| 98 | Refusal | 0 | 0.0 | | |
| 99 | Not stated | 311 | 121360.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOP_015: Missed work - chronic condition - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7679 / 2451656.72 ] [Invalid=101980 / 28139123.54 ] |
| Universe | Respondents aged 15 to 74 with DOLOP = 1 and who answered (LBF_01 = 1 or LBF_02 = 1) or LOP_005 = 1 |
| Literal question | In the past three months, that is from [current month - 3] to yesterday, have you missed any days at work because of a chronic health condition? By this, we mean a long-term physical or mental health condition diagnosed by a health professional that has lasted or is expected to last 6 months or more. |

# LOP_015: Missed work - chronic condition - 3 mo

| | | | | |
|---|---|---|---|---|
| **Notes** | Was not asked in proxy interviews. Due to an error in processing in 2015, approximately 1% of respondents who answered LBF_01 = 1 or LBF_02 = 1 had their answer to LOP_015 recoded as "valid skip". This only affects data from 2015. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 517 | 154395.6 | 6.3% |
| 2 | No | 7162 | 2297261.1 | 93.7% |
| 6 | Valid skip | 101678 | 28018402.8 | |
| 7 | Don't know | 10 | 5133.1 | |
| 8 | Refusal | 12 | 4234.3 | |
| 9 | Not stated | 280 | 111353.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOPG020: Missed work - chronic condition - num of days - 3 mo

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=506 / 152713.4 ] [Invalid=109153 / 30438066.86 ] [Mean=9.13 / 8.872 ] [StdDev=10.84 / 10.63 ] |
| **Universe** | Respondents who answered LOP_015 = 1 |
| **Literal question** | How many days of work have you missed because of a chronic condition? |
| **Notes** | Was not asked in proxy interviews. This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108840 | 30315663.9 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 313 | 122402.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOPG025: Missed work - chronic condition - type

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=781 / 214488.71 ] [Invalid=108878 / 30376291.55 ] |
| **Universe** | Respondents who answered LOP_010 = 1 or LOP_015 = 1 |
| **Literal question** | Which chronic condition was this? |
| **Notes** | Was not asked in proxy interviews. This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Arthritis or osteoporosis | 72 | 15301.5 | 7.1% |
| 2 | Cardiovascular disease (including stroke and hypertension) | 29 | 7258.7 | 3.4% |
| 3 | Kidney disease | 13 | 2574.7 | 1.2% |
| 4 | Asthma | 7 | 1342.7 | 0.6% |
| 5 | Chronic bronchitis/emphysema/COPD | 13 | 2070.3 | 1.0% |
| 6 | Diabetes | 13 | 3593.0 | 1.7% |
| 7 | Migraines | 55 | 21178.0 | 9.9% |
| 8 | Back Problems | 96 | 28953.7 | 13.5% |
| 9 | Cancer | 32 | 9401.2 | 4.4% |
| 10 | Mental health conditions | 149 | 48544.6 | 22.6% |
| 11 | Neurological conditions | 45 | 12442.2 | 5.8% |
| 12 | Digestive diseases | 40 | 9809.7 | 4.6% |
| 13 | Infectious disease | 6 | 1773.3 | 0.8% |
| 14 | Eye and ear diseases | 16 | 2865.6 | 1.3% |

# LOPG025: Missed work - chronic condition - type

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 15 | Skin diseases | 5 | 1286.7 | 0.6% |
| 16 | Fibromyalgia/chronic fatigue synd/chemical sensitivities | 22 | 5257.7 | 2.5% |
| 17 | Other | 168 | 40835.3 | 19.0% |
| 96 | Valid skip | 108503 | 30237495.4 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 375 | 138796.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOP_030: Missed work - injury - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7679 / 2452412.03 ] [Invalid=101980 / 28138368.23 ] |
| Universe | Respondents who answered LOP_015 = (1, 2, 7 or 8) |
| Literal question | In the past three months, have you missed any days at work because of an injury such as a broken bone, a bad cut, a burn or a sprain? |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 327 | 99868.0 | 4.1% |
| 2 | No | 7352 | 2352544.0 | 95.9% |
| 6 | Valid skip | 101678 | 28018402.8 | |
| 7 | Don't know | 8 | 3352.7 | |
| 8 | Refusal | 12 | 4032.2 | |
| 9 | Not stated | 282 | 112580.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOPG035: Missed work - injury - num of days

| Information | [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=321 / 99093.09 ] [Invalid=109338 / 30491687.17 ] [Mean=7.766 / 7.431 ] [StdDev=9.938 / 10.058 ] |
| Universe | Respondents who answered LOP_030 = 1 |
| Literal question | How many days of work have you missed (because of an injury)? |
| Notes | Was not asked in proxy interviews. This variable has been capped at 31 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109030 | 30370946.9 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 308 | 120740.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOP_040: Missed work - acute infectious disease - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=7674 / 2448083.14 ] [Invalid=101985 / 28142697.12 ] |
| Universe | Respondents who answered LOP_030 = (1, 2, 7 or 8) |
| Literal question | In the past three months, have you missed any days at work because of an acute infectious disease such as a cold, a flu, another respiratory infection or a stomach flu? |
| Notes | Was not asked in proxy interviews |

## # LOP_040: Missed work - acute infectious disease - 3 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1454 | 459320.2 | 18.8% | |
| 2 | No | 6220 | 1988763.0 | | 81.2% |
| 6 | Valid skip | 101678 | 28018402.8 | | |
| 7 | Don't know | 11 | 3900.4 | | |
| 8 | Refusal | 13 | 4451.4 | | |
| 9 | Not stated | 283 | 115942.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOP_045A: Missed work - acute infectious disease - cold

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1450 / 458567.01 ] [Invalid=108209 / 30132213.25 ] |
| Universe | Respondents who answered LOP_040 = 1 |
| Literal question | Which infectious diseases caused you to miss work in the past three months? - Cold |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 781 | 245752.0 | | 53.6% |
| 2 | No | 669 | 212815.0 | | 46.4% |
| 6 | Valid skip | 107898 | 30007165.8 | | |
| 7 | Don't know | 4 | 753.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 307 | 124294.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOP_045B: Missed work - acute infectious disease - flu / influenza

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1450 / 458567.01 ] [Invalid=108209 / 30132213.25 ] |
| Universe | Respondents who answered LOP_040 = 1 |
| Literal question | Which infectious diseases caused you to miss work in the past three months? - Flu or influenza |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 452 | 149495.6 | 32.6% | |
| 2 | No | 998 | 309071.4 | | 67.4% |
| 6 | Valid skip | 107898 | 30007165.8 | | |
| 7 | Don't know | 4 | 753.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 307 | 124294.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOP_045C: Missed work - acute infectious disease - other respiratory infection

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1450 / 458567.01 ] [Invalid=108209 / 30132213.25 ] |
| Universe | Respondents who answered LOP_040 = 1 |
| Literal question | Which infectious diseases caused you to miss work in the past three months? - Other respiratory infection |
| Notes | Was not asked in proxy interviews |

# LOP_045C: Missed work - acute infectious disease - other respiratory infection

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 84 | 26208.4 | 5.7% | |
| 2 | No | 1366 | 432358.6 | | 94.3% |
| 6 | Valid skip | 107898 | 30007165.8 | | |
| 7 | Don't know | 4 | 753.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 307 | 124294.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOP_045D: Missed work - acute infectious disease - stomach flu

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1450 / 458567.01 ] [Invalid=108209 / 30132213.25 ] |
| Universe | Respondents who answered LOP_040 = 1 |
| Literal question | Which infectious diseases caused you to miss work in the past three months? - Stomach flu |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 183 | 53719.5 | 11.7% | |
| 2 | No | 1267 | 404847.6 | | 88.3% |
| 6 | Valid skip | 107898 | 30007165.8 | | |
| 7 | Don't know | 4 | 753.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 307 | 124294.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOP_045E: Missed work - acute infectious disease - other

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1450 / 458567.01 ] [Invalid=108209 / 30132213.25 ] |
| Universe | Respondents who answered LOP_040 = 1 |
| Literal question | Which infectious diseases caused you to miss work in the past three months? - Any other acute infectious disease |
| Notes | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 70 | 23222.8 | 5.1% | |
| 2 | No | 1380 | 435344.2 | | 94.9% |
| 6 | Valid skip | 107898 | 30007165.8 | | |
| 7 | Don't know | 4 | 753.2 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 307 | 124294.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# LOPG050: Missed work - cold - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=775 / 240808.33 ] [Invalid=108884 / 30349971.93 ] [Mean=2.018 / 2.001 ] [StdDev=1.369 / 1.365 ] |
| Universe | Respondents who answered LOP_045A = 1 |
| Literal question | How many days of work have you missed because of a cold? |
| Notes | Was not asked in proxy interviews. This variable has been capped at 8 as a form of disclosure control. |

# # LOPG050: Missed work - cold - num of days - 3 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 96 | Valid skip | 108567 | 30219980.8 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 317 | 129991.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOPG055: Missed work - flu / influenza - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-7] [Missing=*] |
|-------------|--------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=450 / 146204.85 ] [Invalid=109209 / 30444575.41 ] [Mean=2.4 / 2.313 ] [StdDev=1.572 / 1.482 ] |
| Universe | Respondents who answered LOP_045B = 1 |
| Literal question | How many days of work have you missed because of a flu or influenza? |
| Notes | Was not asked in proxy interviews. This variable has been capped at 8 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 96 | Valid skip | 108896 | 30316237.2 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 313 | 128338.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOPG060: Missed work - other respiratory infection - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*] |
|-------------|--------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=83 / 26084.14 ] [Invalid=109576 / 30564696.12 ] [Mean=2.867 / 2.809 ] [StdDev=1.536 / 1.455 ] |
| Universe | Respondents who answered LOP_045C = 1 |
| Literal question | How many days of work have you missed because of another respiratory infection such as pneumonia or acute bronchitis? |
| Notes | Was not asked in proxy interviews. This variable has been capped at 5 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 6 | Valid skip | 109264 | 30439524.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 312 | 125171.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOPG065: Missed work - stomach flu - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*] |
|-------------|--------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=182 / 52887.25 ] [Invalid=109477 / 30537893.01 ] [Mean=1.775 / 1.644 ] [StdDev=0.904 / 0.825 ] |
| Universe | Respondents who answered LOP_045D = 1 |
| Literal question | How many days of work have you missed because of a stomach flu? |
| Notes | Was not asked in proxy interviews. This variable has been capped at 4 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 6 | Valid skip | 109165 | 30412013.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 312 | 125879.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOPG070: Missed work - other acute infectious disease - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=70 / 23222.8 ] [Invalid=109589 / 30567557.46 ] [Mean=2.743 / 2.731 ] [StdDev=1.63 / 1.707 ] |
| **Universe** | Respondents who answered LOP_045E = 1 |
| **Literal question** | How many days of work have you missed because of any other acute infectious disease? |
| **Notes** | Was not asked in proxy interviews. This variable has been capped at 5 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 6 | Valid skip | 109278 | 30442510.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 311 | 125047.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOP_075: Missed work - other acute physical condition - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7672 / 2446740.13 ] [Invalid=101987 / 28144040.13 ] |
| **Universe** | Respondents who answered LOP_040 = (1, 2, 7 or 8) |
| **Literal question** | In the past three months, have you been absent from work because of any other acute, non-infectious physical condition, for example an injury, migraine headache, or bad back? |
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 539 | 155166.6 | 6.3% | |
| 2 | No | 7133 | 2291573.5 | | 93.7% |
| 6 | Valid skip | 101678 | 28018402.8 | | |
| 7 | Don't know | 11 | 4781.4 | | |
| 8 | Refusal | 15 | 4913.3 | | |
| 9 | Not stated | 283 | 115942.5 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOPG080: Missed work - other acute physical condition - num of days - 3 mo

| Information | [Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=534 / 154315.92 ] [Invalid=109125 / 30436464.34 ] [Mean=2.655 / 2.528 ] [StdDev=2.739 / 2.619 ] |
| **Universe** | Respondents who answered LOP_075 = 1 |
| **Literal question** | How many days of work have you missed because of any other acute physical condition (non-infectious)? |
| **Notes** | Was not asked in proxy interviews. This variable has been capped at 11 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 108811 | 30309976.3 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 314 | 126488.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# # LOP_085: Missed work - acute mental health condition - 3 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=7666 / 2447230.75 ] [Invalid=101993 / 28143549.51 ] |
| **Universe** | Respondents who answered LOP_030 = (1, 2, 7 or 8) |

## # LOP_085: Missed work - acute mental health condition - 3 mo

| **Literal question** | In the past three months, have you been absent from work because of an acute mental health condition (for example acute stress reaction)? |
|---|---|
| **Notes** | Was not asked in proxy interviews |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 155 | 46975.7 | 1.9% | |
| 2 | No | 7511 | 2400255.0 | | 98.1% |
| 6 | Valid skip | 101678 | 28018402.8 | | |
| 7 | Don't know | 16 | 4224.2 | | |
| 8 | Refusal | 15 | 4913.3 | | |
| 9 | Not stated | 284 | 116009.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # LOPG090: Missed work - acute mental health condition - num of days - 3 mo

| **Information** | [Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=150 / 45211.37 ] [Invalid=109509 / 30545568.89 ] [Mean=4.153 / 4.308 ] [StdDev=3.694 / 3.61 ] |
| **Universe** | Respondents who answered LOP_085 = 1 |
| **Literal question** | How many days of work have you missed because of an acute mental health condition? |
| **Notes** | Was not asked in proxy interviews. This variable has been capped at 11 as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 96 | Valid skip | 109189 | 30418657.8 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 320 | 126911.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSDC: Socio-demographic characteristics - Inclusion Flag - (F)

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDC_015: Aboriginal - First nations / M?tis / Inuk (Inuit)

| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=90452 / 22274639.89 ] [Invalid=19207 / 8316140.37 ] |
| **Universe** | Respondent who answered SDCCCOB = Canada, United States, Germany or Greenland |
| **Literal question** | Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 6297 | 1143115.6 | 5.1% |

## # SDC_015: Aboriginal - First nations / M?tis / Inuk (Inuit)

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 2 | No | 84155 | 21131524.3 | | 94.9% |
| 6 | Valid skip | 15040 | 6980985.2 | | |
| 7 | Don't know | 576 | 125171.5 | | |
| 8 | Refusal | 45 | 18032.6 | | |
| 9 | Not stated | 3546 | 1191951.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDC_025: Knowledge of official languages

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107386 / 29616038.92 ] [Invalid=2273 / 974741.34 ] |
| Universe | Respondents with DOSDC = 1 |
| Literal question | Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... ? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | English only | 74937 | 20210527.4 | | 68.2% |
| 2 | French only | 11691 | 2935962.5 | 9.9% | |
| 3 | Both English and French | 20161 | 6140487.2 | 20.7% | |
| 4 | Neither English nor French | 597 | 329061.8 | 1.1% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 56 | 23543.6 | | |
| 8 | Refusal | 129 | 44141.0 | | |
| 9 | Not stated | 2088 | 907056.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHH_OWN: Dwelling ownership - own or rent

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107049 / 29499635.2 ] [Invalid=2610 / 1091145.06 ] |
| Definition | This question and help text can be found in the "Dwelling Extended Block" (DEB) from Harmonized Content (DEB_Q01). |
| Universe | Respondents with DOSDC = 1 |
| Literal question | Is this dwelling...? |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Owned by member of hhld, even if it is still being paid for | 78770 | 21738043.8 | | 73.7% |
| 2 | Rented, even if no cash rent is paid | 28279 | 7761591.4 | 26.3% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 281 | 83866.8 | | |
| 8 | Refusal | 263 | 98644.4 | | |
| 9 | Not stated | 2066 | 908633.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDC_035: Considers self heterosexual / homosexual / bisexual

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=98413 / 27165319.52 ] [Invalid=11246 / 3425460.74 ] |
| Universe | Respondents aged 15 and over with DOSDC = 1 |
| Literal question | Do you consider yourself to be... ? |
| Notes | Was not asked in proxy interviews |

## # SDC_035: Considers self heterosexual / homosexual / bisexual

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Heterosexual | 95610 | 26315198.4 | | 96.9% |
| 2 | Homosexual, that is lesbian or gay | 1256 | 400599.4 | 1.5% | |
| 3 | Bisexual | 1547 | 449521.6 | 1.7% | |
| 6 | Valid skip | 4485 | 1112132.4 | | |
| 7 | Don't know | 1035 | 257570.8 | | |
| 8 | Refusal | 1201 | 352998.1 | | |
| 9 | Not stated | 4525 | 1702759.3 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDCDGCB: Country of birth - grouped - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106309 / 29435398.81 ] [Invalid=3350 / 1155381.45 ] |
| Definition | Derived from SDCCCOB |
| Literal question | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Canada | 89545 | 21979796.3 | | 74.7% |
| 2 | Other | 16764 | 7455602.5 | 25.3% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3350 | 1155381.4 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDCDVIMM: Immigrant flag - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106243 / 29426948.03 ] [Invalid=3416 / 1163832.23 ] |
| Definition | Derived from SDCCCOB, SDC_IM3 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Landed immigrant / non-permanent resident | 16698 | 7447151.8 | 25.3% | |
| 2 | Non-immigrant (Canadian born) | 89545 | 21979796.3 | | 74.7% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3416 | 1163832.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDCDGRES: Length of time in Canada since immigration - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=14626 / 6568560.88 ] [Invalid=95033 / 24022219.38 ] |
| Definition | Derived from ADM_YOI, SDCCCOB, SDC_IM4 |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

# SDCDGRES: Length of time in Canada since immigration - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Length of time in Canada since immigration 0 - 9 years | 3317 | 1661410.6 | 25.3% |
| 2 | Length of time in Canada since immigration 10 - 121 years | 11309 | 4907150.3 | 74.7% |
| 6 | Valid skip | 91164 | 22640661.1 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3869 | 1381558.3 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SDCDGCGT: Cultural / racial background - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=100293 / 28258554.93 ] [Invalid=9366 / 2332225.33 ] |
| Definition | Derived from SDC_015, SDC_020A, SDC_020B, SDC_020C, SDC_020D, SDC_020E, SDC_020F, SDC_020G, SDC_020H, SDC_020I, SDC_020J, SDC_020K, SDC_020L |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | White | 88335 | 21913823.3 | 77.5% |
| 2 | Non-white (Aboriginal or Other Visible Minority) | 11958 | 6344731.6 | 22.5% |
| 6 | Valid skip | 6310 | 1144792.6 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3056 | 1187432.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# SDCDGLHM: Language(s) spoken most often at home - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107350 / 29589529.54 ] [Invalid=2309 / 1001250.72 ] |
| Definition | Derived from SDCC2_1, SDCC2_2, SDCC2_3, SDCT5B1, SDCT5_E, SDCT5_F, SDCT5_O |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | English (with or without language other than French) | 77484 | 20134784.2 | 68.0% |
| 2 | French (with or without language other than English) | 21159 | 5755953.2 | 19.5% |
| 3 | English and French (with or without other language) | 3245 | 955953.6 | 3.2% |
| 4 | Neither English nor French (Other) | 5462 | 2742838.5 | 9.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2309 | 1001250.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SDCDVFLS: First official language spoken - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106576 / 29497232.38 ] [Invalid=3083 / 1093547.88 ] |
| **Definition** | Derived from PMK_PROXY, ADM_PRX, ADM_055, SDCDVFL1, SDCDVLHM, SDCDVLNG, SDC_025, SDCTLNG |
| **Universe** | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | English | 81687 | 22293355.5 | | 75.6% |
| 2 | French | 23149 | 6371315.0 | | 21.6% |
| 3 | English and French | 1313 | 561474.2 | | 1.9% |
| 4 | Neither English nor French | 427 | 271087.6 | | 0.9% |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3083 | 1093547.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOPMK: Person most knowledgeable about household - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PMKPROXY: Person most knowledgeable about household - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=8538 / 2105066.31 ] [Invalid=101121 / 28485713.95 ] |
| **Universe** | Respondents aged 12 to 17 with ADM_PRX = 2 and DHHDVHSZ > 1 and maximum age in household > 17 |
| **Notes** | The purpose of selecting a person most knowledgeable (PMK) is to identify a person in the household who is likely more knowledgeable than a selected respondent between the age of 12 -17 to answer household level questions. The PMK will answer questions on insurance coverage, food security, income and administrative questions. Partial interviews are coded as "not stated". |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Respondent < 18 yrs and PMK available/ participates | 8481 | 2080081.0 | | 98.8% |
| 2 | Respondent < 18 yrs and PMK not available/ refuses | 57 | 24985.3 | | 1.2% |
| 6 | Valid skip | 101011 | 28445112.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 110 | 40601.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOINS: Health insurance coverage - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| **Universe** | All respondents |
| **Notes** | Questions for this module were not asked when a person most knowledgeable (PMK) was not identified for respondents aged 12 to 17 years old. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_005: Insurance - prescription medications - all / part cost coverage

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=106365 / 29244563.17 ] [Invalid=3294 / 1346217.09 ] |
| **Universe** | Respondents with DOINS = 1 and PMKPROXY <> 2 |
| **Literal question** | Do you have insurance that covers all or part of the cost of your prescription medications? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 85694 | 23365372.1 | | 79.9% |
| 2 | No | 20671 | 5879191.1 | 20.1% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 824 | 282951.6 | | |
| 8 | Refusal | 271 | 101130.9 | | |
| 9 | Not stated | 2199 | 962134.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_010A: Type of insurance - prescription meds - govt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=85172 / 23203723.49 ] [Invalid=24487 / 7387056.77 ] |
| **Universe** | Respondents who answered INS_005 = 1 |
| **Literal question** | Is it...? - A government-sponsored plan |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 27820 | 6050109.7 | 26.1% | |
| 2 | No | 57352 | 17153613.8 | | 73.9% |
| 6 | Valid skip | 20671 | 5879191.1 | | |
| 7 | Don't know | 487 | 149499.3 | | |
| 8 | Refusal | 35 | 12149.3 | | |
| 9 | Not stated | 3294 | 1346217.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_010B: Type of insurance - prescription meds - employer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|

## # INS_010B: Type of insurance - prescription meds - employer

| Statistics [NW/ W] | [Valid=85172 / 23203723.49 ] [Invalid=24487 / 7387056.77 ] |
|---|---|
| Universe | Respondents who answered INS_005 = 1 |
| Literal question | Is it...? - An employer-sponsored benefit plan |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 52392 | 15568123.8 | | 67.1% |
| 2 | No | 32780 | 7635599.7 | 32.9% | |
| 6 | Valid skip | 20671 | 5879191.1 | | |
| 7 | Don't know | 487 | 149499.3 | | |
| 8 | Refusal | 35 | 12149.3 | | |
| 9 | Not stated | 3294 | 1346217.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_010C: Type of insurance - prescription meds - association

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=85172 / 23203723.49 ] [Invalid=24487 / 7387056.77 ] |
| Universe | Respondents who answered INS_005 = 1 |
| Literal question | Is it...? - A plan sponsored through an association such as a union, trade association or student organization |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 4321 | 1339739.0 | 5.8% | |
| 2 | No | 80851 | 21863984.5 | | 94.2% |
| 6 | Valid skip | 20671 | 5879191.1 | | |
| 7 | Don't know | 487 | 149499.3 | | |
| 8 | Refusal | 35 | 12149.3 | | |
| 9 | Not stated | 3294 | 1346217.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_010D: Type of insurance - prescription meds - own private plan

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=85172 / 23203723.49 ] [Invalid=24487 / 7387056.77 ] |
| Universe | Respondents who answered INS_005 = 1 |
| Literal question | Is it...? - Other, such as your own private plan purchased from an insurance company |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 6632 | 1653646.3 | 7.1% | |
| 2 | No | 78540 | 21550077.2 | | 92.9% |
| 6 | Valid skip | 20671 | 5879191.1 | | |
| 7 | Don't know | 487 | 149499.3 | | |
| 8 | Refusal | 35 | 12149.3 | | |
| 9 | Not stated | 3294 | 1346217.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_015: Insurance - long-term care costs - all / part cost coverage

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=89111 / 24452388.52 ] [Invalid=20548 / 6138391.74 ] |

## # INS_015: Insurance - long-term care costs - all / part cost coverage

| Universe | Respondents who answered INS_005 = (1, 2 or 7) |
|---|---|
| Literal question | Do you have insurance that covers all or part of your long-term care costs, including home care? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 42042 | 11964820.9 | 48.9% |
| 2 | No | 47069 | 12487567.6 | 51.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 17777 | 4976070.0 | |
| 8 | Refusal | 299 | 98703.2 | |
| 9 | Not stated | 2472 | 1063618.5 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_020A: Type of insurance - long-term care costs - govt

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=41700 / 11857297.31 ] [Invalid=67959 / 18733482.95 ] |
| Universe | Respondents who answered INS_015 = 1 |
| Literal question | Is it...? - A government-sponsored plan |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 7933 | 1615630.7 | 13.6% |
| 2 | No | 33767 | 10241666.6 | 86.4% |
| 6 | Valid skip | 47069 | 12487567.6 | |
| 7 | Don't know | 325 | 100592.9 | |
| 8 | Refusal | 13 | 5602.8 | |
| 9 | Not stated | 20552 | 6139719.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_020B: Type of insurance - long-term care costs - employer

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=41700 / 11857297.31 ] [Invalid=67959 / 18733482.95 ] |
| Universe | Respondents who answered INS_015 = 1 |
| Literal question | Is it...? - An employer-sponsored benefit plan |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 28682 | 8753547.4 | 73.8% |
| 2 | No | 13018 | 3103750.0 | 26.2% |
| 6 | Valid skip | 47069 | 12487567.6 | |
| 7 | Don't know | 325 | 100592.9 | |
| 8 | Refusal | 13 | 5602.8 | |
| 9 | Not stated | 20552 | 6139719.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_020C: Type of insurance - long-term care costs - association

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=41700 / 11857297.31 ] [Invalid=67959 / 18733482.95 ] |
| Universe | Respondents who answered INS_015 = 1 |

## # INS_020C: Type of insurance - long-term care costs - association

| Literal question | Is it...? - A plan sponsored through an association such as a union, trade association or student organization |
|---|---|
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 2195 | 647752.2 | 5.5% |
| 2 | No | 39505 | 11209545.1 | 94.5% |
| 6 | Valid skip | 47069 | 12487567.6 | |
| 7 | Don't know | 325 | 100592.9 | |
| 8 | Refusal | 13 | 5602.8 | |
| 9 | Not stated | 20552 | 6139719.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INS_020D: Type of insurance - long-term care costs - own private plan

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=41700 / 11857297.31 ] [Invalid=67959 / 18733482.95 ] |
| Universe | Respondents who answered INS_015 = 1 |
| Literal question | Is it...? - Other, such as your own private plan purchased from an insurance company |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 5218 | 1420905.6 | 12.0% |
| 2 | No | 36482 | 10436391.8 | 88.0% |
| 6 | Valid skip | 47069 | 12487567.6 | |
| 7 | Don't know | 325 | 100592.9 | |
| 8 | Refusal | 13 | 5602.8 | |
| 9 | Not stated | 20552 | 6139719.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOFSC: Food security - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |
| Notes | Questions for this module were not asked when a person most knowledgeable (PMK) was not identified for respondents aged 12 to 17 years old. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 72525 | 18209215.5 | 59.5% |
| 2 | No | 37134 | 12381564.8 | 40.5% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 0 | 0.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_010: Worried food would run out - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=70761 / 17593059.13 ] [Invalid=38898 / 12997721.13 ] |
| Universe | Respondents with DOFSC = 1 and PMKPROXY <> 2 |
| Literal question | The first statement is: [You / You and other household members] worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 1916 | 374821.6 | 2.1% |
| 2 | Sometimes true | 5225 | 1199625.4 | 6.8% |
| 3 | Never true | 63620 | 16018612.2 | 91.1% |
| 6 | Valid skip | 37134 | 12381564.8 | |
| 7 | Don't know | 200 | 60325.6 | |
| 8 | Refusal | 255 | 82623.8 | |
| 9 | Not stated | 1309 | 473207.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_015: Food didn't last and no money to buy more - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=70731 / 17586227.69 ] [Invalid=38928 / 13004552.57 ] |
| Universe | Respondents with DOFSC = 1 and PMKPROXY <> 2 |
| Literal question | The food that [you / you and other household members] bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 1419 | 272764.0 | 1.6% |
| 2 | Sometimes true | 4565 | 1033541.5 | 5.9% |
| 3 | Never true | 64747 | 16279922.2 | 92.6% |
| 6 | Valid skip | 37134 | 12381564.8 | |
| 7 | Don't know | 223 | 65696.9 | |
| 8 | Refusal | 260 | 83535.4 | |
| 9 | Not stated | 1311 | 473755.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_020: Could not afford to eat balanced meals - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=70706 / 17581162.64 ] [Invalid=38953 / 13009617.62 ] |
| Universe | Respondents with DOFSC = 1 and PMKPROXY <> 2 |
| Literal question | [You / You and other household members] couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 1774 | 351087.3 | 2.0% |
| 2 | Sometimes true | 4841 | 1063739.2 | 6.1% |
| 3 | Never true | 64091 | 16166336.2 | 92.0% |
| 6 | Valid skip | 37134 | 12381564.8 | |
| 7 | Don't know | 237 | 68535.3 | |

## # FSC_020: Could not afford to eat balanced meals - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 270 | 85577.7 | |
| 9 | Not stated | 1312 | 473939.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_025: Relied on few kinds of low-cost food to feed children - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=22019 / 6186496.74 ] [Invalid=87640 / 24404283.52 ] |
| Universe | Respondents with DOFSC = 1 and PMKPROXY <> 2 and with (DV_OlderKids + DV_YoungKids > 0) |
| Literal question | [You / You or other adults in your household] relied on only a few kinds of low-cost food to feed [child's first name / the children] because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 515 | 105471.6 | 1.7% |
| 2 | Sometimes true | 2057 | 459855.9 | 7.4% |
| 3 | Never true | 19447 | 5621169.2 | 90.9% |
| 6 | Valid skip | 86997 | 24150333.9 | |
| 7 | Don't know | 104 | 29332.0 | |
| 8 | Refusal | 108 | 38071.5 | |
| 9 | Not stated | 431 | 186546.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_030: Could not feed children a balanced meal - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=22011 / 6182747.5 ] [Invalid=87648 / 24408032.76 ] |
| Universe | Respondents with DOFSC = 1 and PMKPROXY <> 2 and with (DV_OlderKids + DV_YoungKids > 0) |
| Literal question | [You / You or other adults in your household] couldn't feed [child's first name / the children] a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 308 | 59906.2 | 1.0% |
| 2 | Sometimes true | 1479 | 325026.5 | 5.3% |
| 3 | Never true | 20224 | 5797814.8 | 93.8% |
| 6 | Valid skip | 86997 | 24150333.9 | |
| 7 | Don't know | 106 | 32383.7 | |
| 8 | Refusal | 114 | 38769.0 | |
| 9 | Not stated | 431 | 186546.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_035: Children were not eating enough - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=4318 / 1041546.55 ] [Invalid=105341 / 29549233.71 ] |
| Universe | Respondents who answered (FSC_010 = (1 or 2) or FSC_015 = (1 or 2) or FSC_020 = (1 or 2) or FSC_025 = (1 or 2) or FSC_030 = (1 or 2)) and with (DV_OlderKids + DV_YoungKids > 0) |

# FSC_035: Children were not eating enough - 12 mo

| | | | | |
|---|---|---|---|---|
| **Literal question** | | [Child's name was / The children were] not eating enough because [you / you or other adults in your household] just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months? | | |
| **Notes** | | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Often true | 140 | 28485.3 | 2.7% |
| 2 | Sometimes true | 606 | 113207.8 | 10.9% |
| 3 | Never true | 3572 | 899853.4 | 86.4% |
| 6 | Valid skip | 104947 | 29398199.6 | |
| 7 | Don't know | 18 | 3407.1 | |
| 8 | Refusal | 8 | 3800.0 | |
| 9 | Not stated | 368 | 143827.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FSC_040: Adults skipped or cut size of meals - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=10060 / 2266831.25 ] [Invalid=99599 / 28323949.01 ] |
| **Universe** | Respondents who answered FSC_010 = (1 or 2) or FSC_015 = (1 or 2) or FSC_020 = (1 or 2) or FSC_025 = (1 or 2) or FSC_030 = (1 or 2) |
| **Literal question** | In the past 12 months, since last [current month], did [you / you or other adults in your household] ever cut the size of your meals or skip meals because there wasn't enough money for food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 3695 | 789228.1 | 34.8% |
| 2 | No | 6365 | 1477603.1 | 65.2% |
| 6 | Valid skip | 98473 | 27920131.4 | |
| 7 | Don't know | 31 | 13004.3 | |
| 8 | Refusal | 11 | 3680.5 | |
| 9 | Not stated | 1084 | 387132.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# FSC_045: Adults skipped or cut size of meals - frequency - 12 mo

| | |
|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=3674 / 786373.97 ] [Invalid=105985 / 29804406.29 ] |
| **Universe** | Respondents who answered FSC_040 = 1 |
| **Literal question** | How often did this happen? Was it...? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Almost every month | 1413 | 266090.5 | 33.8% |
| 2 | Some months but not every month | 1203 | 265579.8 | 33.8% |
| 3 | Only 1 or 2 months | 1058 | 254703.6 | 32.4% |
| 6 | Valid skip | 104838 | 29397734.5 | |
| 7 | Don't know | 17 | 2071.3 | |
| 8 | Refusal | 4 | 782.8 | |
| 9 | Not stated | 1126 | 403817.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_050: Ate less than felt should - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10035 / 2267939.78 ] [Invalid=99624 / 28322840.48 ] |
| **Universe** | Respondents who answered FSC_010 = (1 or 2) or FSC_015 = (1 or 2) or FSC_020 = (1 or 2) or FSC_025 = (1 or 2) or FSC_030 = (1 or 2) |
| **Literal question** | In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. If the PMK was available, this variable represents their food security status. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 3831 | 820596.6 | 36.2% | |
| 2 | No | 6204 | 1447343.2 | | 63.8% |
| 6 | Valid skip | 98473 | 27920131.4 | | |
| 7 | Don't know | 52 | 10529.6 | | |
| 8 | Refusal | 15 | 5046.7 | | |
| 9 | Not stated | 1084 | 387132.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_055: Was hungry but couldn't afford enough food - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=10047 / 2271116.22 ] [Invalid=99612 / 28319664.04 ] |
| **Universe** | Respondents who answered FSC_010 = (1 or 2) or FSC_015 = (1 or 2) or FSC_020 = (1 or 2) or FSC_025 = (1 or 2) or FSC_030 = (1 or 2) |
| **Literal question** | In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. If the PMK was available, this variable represents their food security status. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 2241 | 476284.5 | 21.0% | |
| 2 | No | 7806 | 1794831.8 | | 79.0% |
| 6 | Valid skip | 98473 | 27920131.4 | | |
| 7 | Don't know | 37 | 6956.2 | | |
| 8 | Refusal | 18 | 5443.7 | | |
| 9 | Not stated | 1084 | 387132.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_060: Lost weight because not enough money for food - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=9988 / 2253424.27 ] [Invalid=99671 / 28337355.99 ] |
| **Universe** | Respondents who answered FSC_010 = (1 or 2) or FSC_015 = (1 or 2) or FSC_020 = (1 or 2) or FSC_025 = (1 or 2) or FSC_030 = (1 or 2) |
| **Literal question** | In the past 12 months, did you (personally) ever lose weight because you didn't have enough money for food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. If the PMK was available, this variable represents their food security status. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 1571 | 312603.9 | 13.9% | |
| 2 | No | 8417 | 1940820.4 | | 86.1% |
| 6 | Valid skip | 98473 | 27920131.4 | | |
| 7 | Don't know | 95 | 24485.5 | | |

## # FSC_060: Lost weight because not enough money for food - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 8 | Refusal | 19 | 5606.3 | |
| 9 | Not stated | 1084 | 387132.8 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_065: Adults did not eat for whole day - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=4834 / 1030188.61 ] [Invalid=104825 / 29560591.65 ] |
| **Universe** | Respondents who answered FSC_035 = (1 or 2) or FSC_040 = 1 or FSC_050 =1 or FSC_055 = 1 or FSC_060 = 1 |
| **Literal question** | In the past 12 months, did [you / you or other adults in your household] ever not eat for a whole day because there wasn't enough money for food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 963 | 175839.2 | 17.1% |
| 2 | No | 3871 | 854349.4 | 82.9% |
| 6 | Valid skip | 102108 | 28811433.0 | |
| 7 | Don't know | 10 | 2916.8 | |
| 8 | Refusal | 7 | 1193.9 | |
| 9 | Not stated | 2700 | 745047.9 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_070: Adults did not eat whole day - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=959 / 175728.19 ] [Invalid=108700 / 30415052.07 ] |
| **Universe** | Respondents who answered FSC_065 = 1 |
| **Literal question** | How often did this happen? Was it...? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Almost every month | 376 | 62687.3 | 35.7% |
| 2 | Some months but not every month | 364 | 72927.4 | 41.5% |
| 3 | Only 1 or 2 months | 219 | 40113.5 | 22.8% |
| 6 | Valid skip | 105979 | 29665782.3 | |
| 7 | Don't know | 4 | 111.1 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2717 | 749158.7 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_075: Cut size of children's meals - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=2001 / 443438.32 ] [Invalid=107658 / 30147341.94 ] |
| **Universe** | Respondents who answered (FSC_035 = (1 or 2) or FSC_040 = 1 or FSC_050 =1 or FSC_055 = 1 or FSC_060 = 1) and (DV_OlderKids + DV_YoungKids > 0) |
| **Literal question** | In the past 12 months, did [you / you or other adults in your household] ever cut the size of [child's first name / any of the children's] meals because there wasn't enough money for food? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. |

## # FSC_075: Cut size of children's meals - 12 mo

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 263 | 56878.5 | 12.8% |
| 2 | No | 1738 | 386559.8 | 87.2% |
| 6 | Valid skip | 107253 | 29991268.4 | |
| 7 | Don't know | 4 | 433.3 | |
| 8 | Refusal | 1 | 100.2 | |
| 9 | Not stated | 400 | 155540.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_080: Children skipped meals - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1998 / 442724.31 ] [Invalid=107661 / 30148055.95 ] |
| Universe | Respondents who answered (FSC_035 = (1 or 2) or FSC_040 = 1 or FSC_050 =1 or FSC_055 = 1 or FSC_060 = 1) and (DV_OlderKids + DV_YoungKids > 0) |
| Literal question | In the past 12 months, did [child's first name / any of the children] ever skip meals because there wasn't enough money for food? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 186 | 32818.7 | 7.4% |
| 2 | No | 1812 | 409905.6 | 92.6% |
| 6 | Valid skip | 107253 | 29991268.4 | |
| 7 | Don't know | 7 | 1147.3 | |
| 8 | Refusal | 1 | 100.2 | |
| 9 | Not stated | 400 | 155540.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_085: Children skipped meals - frequency - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=183 / 32637.24 ] [Invalid=109476 / 30558143.02 ] |
| Universe | Respondents who answered FSC_080 = 1 |
| Literal question | How often did this happen? Was it...? |
| Notes | Was not asked when person most knowledgeable (PMK) was not available |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Almost every month | 53 | 9318.8 | 28.6% |
| 2 | Some months but not every month | 91 | 11947.1 | 36.6% |
| 3 | Only 1 or 2 months | 39 | 11371.4 | 34.8% |
| 6 | Valid skip | 109065 | 30401174.0 | |
| 7 | Don't know | 3 | 181.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 408 | 156787.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_090: Children were hungry but could not afford more food - 12 mo

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=1992 / 441112.98 ] [Invalid=107667 / 30149667.28 ] |

## # FSC_090: Children were hungry but could not afford more food - 12 mo

| | | | | |
|---|---|---|---|---|
| **Universe** | Respondents who answered (FSC_035 = (1 or 2) or FSC_040 = 1 or FSC_050 =1 or FSC_055 = 1 or FSC_060 = 1) and (DV_OlderKids + DV_YoungKids > 0) | | | |
| **Literal question** | In the past 12 months, [was child's first name / were any of the children] ever hungry but you just couldn't afford more food? | | | |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 330 | 56393.2 | 12.8% |
| 2 | No | 1662 | 384719.8 | 87.2% |
| 6 | Valid skip | 107253 | 29991268.4 | |
| 7 | Don't know | 13 | 2758.6 | |
| 8 | Refusal | 1 | 100.2 | |
| 9 | Not stated | 400 | 155540.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSC_095: Children did not eat for whole day - 12 mo

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=1999 / 443219.51 ] [Invalid=107660 / 30147560.75 ] | | | |
| **Universe** | Respondents who answered (FSC_035 = (1 or 2) or FSC_040 = 1 or FSC_050 =1 or FSC_055 = 1 or FSC_060 = 1) and (DV_OlderKids + DV_YoungKids > 0) | | | |
| **Literal question** | In the past 12 months, did [child's first name / any of the children] ever not eat for a whole day because there wasn't enough money for food? | | | |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. DV_OlderKids is the number of persons in the household aged 16 or 17 living with an older relative. DV_YoungKids is the number of persons in the household aged 0 to 15 years. | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 82 | 7759.8 | 1.8% |
| 2 | No | 1917 | 435459.7 | 98.2% |
| 6 | Valid skip | 107253 | 29991268.4 | |
| 7 | Don't know | 6 | 652.1 | |
| 8 | Refusal | 1 | 100.2 | |
| 9 | Not stated | 400 | 155540.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSCDVAFS: Food security - adult status - (D)

| | | | | |
|---|---|---|---|---|
| **Information** | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] | | | |
| **Statistics [NW/ W]** | [Valid=68863 / 17168742.19 ] [Invalid=40796 / 13422038.07 ] | | | |
| **Definition** | Derived from FSC_010, FSC_015, FSC_020, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSCTASUM | | | |
| **Universe** | See documentation on derived variables | | | |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 0 | Food secure | 62798 | 15846193.6 | 92.3% |
| 1 | Moderately food insecure | 3663 | 840224.8 | 4.9% |
| 2 | Severely food insecure | 2402 | 482323.9 | 2.8% |
| 6 | Valid skip | 37134 | 12381564.8 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 3662 | 1040473.3 | |

## # FSCDVAFS: Food security - adult status - (D)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSCDVCFS: Food security - child status - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=71809 / 17936014.72 ] [Invalid=37850 / 12654765.54 ] |
| Definition | Derived from FSC_025, FSC_030, FSC_035, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTCSUM, DHHDVYKD, DHHDVOKD |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Food secure | 70145 | 17579990.0 | | 98.0% |
| 1 | Moderately food insecure | 1463 | 324102.6 | 1.8% | |
| 2 | Severely food insecure | 201 | 31922.1 | 0.2% | |
| 6 | Valid skip | 37134 | 12381564.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 716 | 273200.8 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FSCDVHFS: Household food security status - modified version - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=68806 / 17156691.59 ] [Invalid=40853 / 13434088.67 ] |
| Definition | Derived from FSC_010, FSC_015, FSC_020, FSC_025, FSC_030, FSC_035, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTASUM, FSCTCSUM, DHHDVYKD, DHHDVOKD |
| Universe | See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 0 | Food secure | 62573 | 15788869.5 | | 92.0% |
| 1 | Moderately food insecure | 3819 | 883021.6 | 5.1% | |
| 2 | Severely food insecure | 2414 | 484800.5 | 2.8% | |
| 6 | Valid skip | 37134 | 12381564.8 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 3719 | 1052523.9 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOADM: Administration information - Inclusion Flag - (F)

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=109659 / 30590780.26 ] [Invalid=0 / 0 ] |
| Universe | All respondents |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | Yes | 109659 | 30590780.3 | | 100.0% |
| 2 | No | 0 | 0.0 | | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 0 | 0.0 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INCG015: Household income - main source

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=99915 / 27352079.69 ] [Invalid=9744 / 3238700.57 ] |
| **Universe** | Respondents who answered INC_005A < 7 |
| **Literal question** | What was the main source of household income? |
| **Notes** | Was not asked when person most knowledgeable (PMK) was not available. If the respondent reported only one source of income, the household main source of income would be given the same value. The income for respondents with INCFIMPH = 1 or 2 has been obtained from their tax records. This variable has been grouped as a form of disclosure control. See Derived variable documentation for value descriptions. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | (INC_015 = 1, 2) | 67023 | 20945389.4 | | 76.6% |
| 2 | (INC_015 = 4, 5, 10) | 4195 | 886608.6 | 3.2% | |
| 3 | (INC_015 = 6, 7, 8, 9) | 23880 | 4335750.4 | 15.9% | |
| 4 | (INC_015 = 3, 11, 12, 13, 14, 15) | 4817 | 1184331.3 | 4.3% | |
| 6 | Valid skip | 0 | 0.0 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 9744 | 3238700.6 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INCG035: Personal income - main source

| Information | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=63561 / 21121612.79 ] [Invalid=46098 / 9469167.47 ] |
| **Universe** | Respondents aged 18 and over who live in a household of more than one person and who answered INC_025A < 7 |
| **Literal question** | What was the main source of your personal income? |
| **Notes** | If the respondent reported only one source of income, the personal main source of income would be given the same value. The income for respondents with INCFIMPP = 1 or 2 has been obtained from their tax records. This variable has been grouped as a form of disclosure control. See Derived variable documentation for value descriptions. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | (INC_035 = 1, 2) | 40237 | 14735996.3 | | 69.8% |
| 2 | (INC_035 = 4, 5, 10) | 2782 | 862795.6 | 4.1% | |
| 3 | (INC_035 = 6, 7, 8, 9) | 14439 | 3353708.3 | 15.9% | |
| 4 | (INC_035 = 3, 11, 12, 13, 14, 15) | 6103 | 2169112.6 | 10.3% | |
| 6 | Valid skip | 38863 | 6639154.2 | | |
| 7 | Don't know | 0 | 0.0 | | |
| 8 | Refusal | 0 | 0.0 | | |
| 9 | Not stated | 7235 | 2830013.2 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# INCDGHH: Total household income - all sources - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
|---|---|
| **Statistics [NW/ W]** | [Valid=109483 / 30568549.03 ] [Invalid=176 / 22231.23 ] |
| **Definition** | Derived from INC_021 |
| **Universe** | See documentation on derived variables |
| **Notes** | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|---|---|---|---|---|---|
| 1 | No income or less than $20,000 | 10765 | 2244906.9 | 7.3% | |

## # INCDGHH: Total household income - all sources - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 2 | $20,000 to $39,999 | 20563 | 4634186.3 | 15.2% |
| 3 | $40,000 to $59,999 | 18118 | 4600753.8 | 15.1% |
| 4 | $60,000 to $79,999 | 14913 | 4337347.0 | 14.2% |
| 5 | $80,000 or more | 45124 | 14751355.1 | 48.3% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 176 | 22231.2 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INCDGPER: Personal income - all sources - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=94880 / 26174676.56 ] [Invalid=14779 / 4416103.7 ] |
| Definition | Derived from INC_041, INC_042, INC_043, INC_044, DHH_AGE, DHHDVHSZ, INCDVHH |
| Universe | See documentation on derived variables. |
| Notes | This variable has been grouped as a form of disclosure control. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | No income or income loss | 1694 | 684816.4 | 2.6% |
| 2 | Less than $20,000 | 24504 | 6971672.5 | 26.6% |
| 3 | $20,000 to $39,999 | 26289 | 6666233.9 | 25.5% |
| 4 | $40,000 to $59,999 | 17757 | 4783975.4 | 18.3% |
| 5 | $60,000 to $79,999 | 10429 | 2914041.4 | 11.1% |
| 6 | $80,000 or more | 14207 | 4153936.9 | 15.9% |
| 96 | Valid skip | 8980 | 2242630.3 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 5799 | 2173473.4 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INCDVRCA: Distribution of household income ratio - national level - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=106694 / 30478127.49 ] [Invalid=2965 / 112652.77 ] |
| Definition | Derived from INCDVADR |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Decile 1 | 9889 | 3044525.7 | 10.0% |
| 2 | Decile 2 | 11614 | 3054231.4 | 10.0% |
| 3 | Decile 3 | 11252 | 3080996.2 | 10.1% |
| 4 | Decile 4 | 10711 | 3022761.7 | 9.9% |
| 5 | Decile 5 | 10557 | 3034303.9 | 10.0% |
| 6 | Decile 6 | 10719 | 3139161.8 | 10.3% |
| 7 | Decile 7 | 10150 | 2961963.5 | 9.7% |
| 8 | Decile 8 | 10618 | 3048369.6 | 10.0% |
| 9 | Decile 9 | 10571 | 3046466.3 | 10.0% |
| 10 | Decile 10 | 10613 | 3045347.5 | 10.0% |

## # INCDVRCA: Distribution of household income ratio - national level - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|----------------------|
| 96 | Valid skip | 2830 | 93628.7 | |
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 135 | 19024.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INCDVRPR: Distribution of household income - provincial level - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=106694 / 30478127.49 ] [Invalid=2965 / 112652.77 ] |
| Definition | Derived from INCDVADR, GEO_PRV |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Decile 1 | 10335 | 3050122.6 | | 10.0% |
| 2 | Decile 2 | 11898 | 3065528.1 | | 10.1% |
| 3 | Decile 3 | 10853 | 3038660.3 | | 10.0% |
| 4 | Decile 4 | 10782 | 3058691.1 | | 10.0% |
| 5 | Decile 5 | 10558 | 3031846.6 | | 9.9% |
| 6 | Decile 6 | 10541 | 3063641.8 | | 10.1% |
| 7 | Decile 7 | 10464 | 3042709.2 | | 10.0% |
| 8 | Decile 8 | 10315 | 3044144.0 | | 10.0% |
| 9 | Decile 9 | 10574 | 3060095.6 | | 10.0% |
| 10 | Decile 10 | 10374 | 3022688.1 | | 9.9% |
| 96 | Valid skip | 2830 | 93628.7 | | |
| 97 | Don't know | 0 | 0.0 | | |
| 98 | Refusal | 0 | 0.0 | | |
| 99 | Not stated | 135 | 19024.1 | | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # INCDVRRS: Distribution of household income - health region level - (D)

| Information | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*] |
|-------------|-------------------------------------------------------------|
| Statistics [NW/ W] | [Valid=98543 / 29598930.59 ] [Invalid=11116 / 991849.67 ] |
| Definition | Derived from INCDVADR, GEO_PRV, GEODVHR4 |
| Universe | See documentation on derived variables |

| Value | Label | Cases | Weighted | Percentage (Weighted) | |
|-------|-------|-------|----------|----------------------|---|
| 1 | Decile 1 | 11194 | 3009625.6 | | 10.2% |
| 2 | Decile 2 | 11051 | 2978764.5 | | 10.1% |
| 3 | Decile 3 | 10467 | 2980566.0 | | 10.1% |
| 4 | Decile 4 | 9964 | 2950607.8 | | 10.0% |
| 5 | Decile 5 | 9828 | 2966754.1 | | 10.0% |
| 6 | Decile 6 | 9474 | 2975731.9 | | 10.1% |
| 7 | Decile 7 | 9335 | 2941573.9 | | 9.9% |
| 8 | Decile 8 | 9130 | 2973025.5 | | 10.0% |
| 9 | Decile 9 | 9004 | 2922844.1 | | 9.9% |
| 10 | Decile 10 | 9096 | 2899437.1 | | 9.8% |
| 96 | Valid skip | 2830 | 93628.7 | | |

## # INCDVRRS: Distribution of household income - health region level - (D)

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 97 | Don't know | 0 | 0.0 | |
| 98 | Refusal | 0 | 0.0 | |
| 99 | Not stated | 8286 | 898221.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM_040: Interview by telephone or in person

| Information | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=27201 / 6154783.83 ] [Invalid=82458 / 24435996.43 ] |
| Universe | Respondents with DOADM = 1 and PMKPROXY <> 2 and CASEMODE = 0 |
| Literal question | Was this interview conducted on the telephone or in person? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | On telephone | 6967 | 2024855.0 | 32.9% |
| 2 | In person | 19603 | 3974202.3 | 64.6% |
| 3 | Both | 631 | 155726.5 | 2.5% |
| 6 | Valid skip | 82251 | 24380536.4 | |
| 7 | Don't know | 0 | 0.0 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 207 | 55460.0 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM_045: Respondent alone during interview

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=107149 / 29524931.7 ] [Invalid=2510 / 1065848.56 ] |
| Universe | Respondents with DOADM = 1 and PMKPROXY <> 2 |
| Literal question | Was the respondent alone when you asked the health component of this questionnaire? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 99058 | 27442144.3 | 92.9% |
| 2 | No | 8091 | 2082787.4 | 7.1% |
| 6 | Valid skip | 0 | 0.0 | |
| 7 | Don't know | 207 | 74151.4 | |
| 8 | Refusal | 0 | 0.0 | |
| 9 | Not stated | 2303 | 991697.1 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM_050: Answers possibly affected by presence of another person

| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|---|---|
| Statistics [NW/ W] | [Valid=8000 / 2051849.76 ] [Invalid=101659 / 28538930.5 ] |
| Universe | Respondents with ADM_045 = 2 |
| Literal question | Do you think that the answers of the respondent were affected by someone else being there? |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|---|---|---|---|---|
| 1 | Yes | 1037 | 282236.4 | 13.8% |
| 2 | No | 6963 | 1769613.4 | 86.2% |
| 6 | Valid skip | 99058 | 27442144.3 | |
| 7 | Don't know | 91 | 30937.6 | |
| 8 | Refusal | 0 | 0.0 | |

## # ADM_050: Answers possibly affected by presence of another person

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|------------------------|
| 9 | Not stated | 2510 | 1065848.6 | |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # WTS_M: Weights - Master

| | |
|---|---|
| **Information** | [Type= continuous] [Format=numeric] [Range= 5.06-13645.01] [Missing=*] |
| **Statistics [NW/ W]** | [Valid=109659 /-] [Invalid=0 /-] [Mean=278.963 /-] [StdDev=401.784 /-] |
| **Universe** | All respondents |