# Canadian Community Health Survey (CCHS)

Annual Component, PUMF, 2015-2016

Derived Variable (DV) Specifications

Statistics Canada Statistique Canada

Canada

# Table of Contents


**ACC** **Access to health care services (7 DVs)**

1) ACCG030M - Diff. - Non-emergency surgery: unable to leave the house/ other - Grouped 1
2) ACCG045M - Diff. - dianostic test: unable to leave the house/other - Grouped 1
3) ACCG090C - Diff. hlth info-night-contact phys/nurse, tel num, no resp. - Grouped 1
4) ACCG090I - Diff. hlth info - night - lang prob/unable to leave/other - Grouped 2
5) ACCG125M - Difficulty routine care - evening/we- other - Grouped 2
6) ACCG165J - Difficulty immediate care - middle night- transport/language/cost - Grouped 3
7) ACCG165M - Difficulty immediate care - middle night - Other - Grouped 3

**ADL** **Activities of Daily Living (2 DVs)**

1) ADLDVIHS - Instrumental activity of daily living index - home support 4
2) ADLDVIPC - Instrumental activity of daily living index - personal care 5

**ALC** **Alcohol use (1 DV)**

1) ALCDVTTM - Type of drinker (12 months) 6

**ALW** **Alcohol use during the past week (4 DVs)**

1) ALWDVWKY - Weekly consumption 7
2) ALWDVDLY - Average daily alcohol consumption 7
3) ALWDVLTR - Increased long term risk due to drinking 8
4) ALWDVSTR - Increased short term risks due to drinking 8

**CCC** **Chronic conditions (2 DVs)**

1) CCCG100 - Diabetes - age first diagnosed - Grouped 10
2) CCCDVDIA - Diabetes type 10

**CHP** **Contacts with health professionals (8 DVs)**

1) CHPG010 - Used hospital emergency room - num of times - 12 mo - Grouped 12
2) CHPG030 - Overnight hospital patient - num of nights - 12 mo - Grouped 12
3) CHPG045 - Number of consultations - fam. doctor/gen. practitioner - Grouped 12
4) CHPG055 - Number of consultations - eye specialist - Grouped 13
5) CHPG065 - Number of consultations - other medical doctor/specialist - Grouped 13
6) CHPG075 - Number of consultations - nurse - Grouped 13
7) CHPG085 - Number of consultations - dental professional - Grouped 14
8) CHPDGMDC - Number of consultations with medical doctor / other specialists - Grouped 14

**CMH** **Consultations about mental health (1 DV)**

1) CMHG010 - Consulted mental health professional - number of times - Grouped 15

**CPG** **Problem gambling (4 DVs)**

1) CPGDVACT - Number of types of gambling activities in the list used to calculate CPGI 16
2) CPGDVGAM - Gambling activity - gambler vs. non-gambler 18
3) CPGDVSEV - Problem gambling severity index (PGSI) - modified version 19
4) CPGDVTYP - Type of gambler 20

**DEP** **Depression (2 DVs)**

1) DEPDVPHQ - Depression severity scale 21
2) DEPDVSEV - Depression scale - severity of depression 22

**DHH** **Dwelling and household variables (7 DVs)**

1) DHHGMS - Marital status - Grouped 23
2) DHHDG611 - Number of Persons in Household between 6 to 11 Years of Age - Grouped 23
3) DHHDGL12 - Number of Persons in Household With Less Than 12 Years of Age - Grouped 23
4) DHHDGLE5 - Number of Persons in Household With Less Than 6 Years of Age - Grouped 24
5) DHHDGHSZ - Household size - Grouped 24
6) DHHDGLVG - Living/Family Arrangement of Selected Respondent - Grouped 25
7) DHHGAGE - Age - Grouped 26

**DRG** **Drug use (7 DVs)**

1) DRGDVLCA - Marijuana or hashish drug use - lifetime (including "one time only" use) 28
2) DRGDVLCM - Marijuana or hashish drug use - lifetime (excluding "one time only" use) 28
3) DRGDVYA - Any illicit drug use - 12 month (including "one time only" use of marijuana or hashish) 28
4) DRGDVYCM - Marijuana or hashish drug use - 12 month (excluding "one time only" use) 29
5) DRGDVYAC - Any illicit drug use - 12 month (excluding "one time only" use of marijuana or hashish) 29
6) DRGDVLA - Any illicit drug use - lifetime (including "one time only" use of marijuana or hashish) 30
7) DRGDVLAC - Any illicit drug use - lifetime (excluding "one time only" use of marijuana or hashish) 31

**DRM** **Drug use methods (2 DVs)**

1) DRMDVLA - Any illicit drug use - lifetime 32
2) DRMDVLAY - Any illicit drug use - 12 months 32

**EHG2** **Educational Attainment (2 DVs)**

1) EHG2DVR3 - Highest level of education - respondent, 3 levels 34
2) EHG2DVH3 - Highest level of education - household, 3 levels 34

**ETS** **Exposure to second-hand smoke (1 DV)**

1) ETSG010 - Number of people who smoke inside home - Grouped 35

**EYX** **Eye examinations (1 DV)**

1) EYXG025G - No eye exam- 1 or 2 yrs - fear/discomfort/ other - Grouped 36

**FDC** **Food choices (3 DVs)**

1) FDCDVAVD - Avoids certain foods for certain content reasons 37
2) FDCDVCAH - Chooses or avoids certain foods because of certain health concerns 37
3) FDCDVCHO - Chooses certain foods for certain content reasons 38

**FSC** **Food security (3 DVs)**

1) FSCDVAFS - Food security - adult status 41
2) FSCDVCFS - Food security - child status 41
3) FSCDVHFS - Household food security status - modified version 42

**FVC** **Fruit and vegetable consumption (8 DVs)**

1) FVCDVJUI - Daily consumption - pure fruit juice 45
2) FVCDVFRU - Daily consumption - fruit 45
3) FVCDVGRN - Daily consumption - dark green vegetables 46
4) FVCDVORA - Daily consumption - orange-coloured vegetables 46
5) FVCDVPOT - Daily consumption - potatoes 47
6) FVCDVVEG - Daily consumption - other vegetables 47
7) FVCDVTOT - Daily consumption - fruits and vegetables 48
8) FVCDVGDT - Grouping of total daily consumption - fruits and vegetables 48

**GEN** **General health (3 DVs)**

1) GENDVHDI - Perceived health 49
2) GENDVMHI - Perceived mental health 49
3) GENDVSWL - Satisfaction with life in general 49

**GEO** **Geography variables (2 DVs)**

1) GEODVBHA - British Columbia Health Authority (BCHA) 51
2) GEODGHR4 - Health region - Grouped 51

**HUI** **Health utilities index (9 DVs)**

1) HUIDGVIS - Vision Health Status - Grouped 53
2) HUIDGHER - Hearing Health Status - Grouped 54
3) HUIDGSPE - Speech Health Status - Grouped 55
4) HUIDGMOB - Ambulation Health Status - Grouped 56
5) HUIDGDEX - Dexterity Health Status - Grouped 57
6) HUIDVEMO - Emotion health status 58

7) HUIDVCOG - Cognition health status 59

8) HUIDVPAD - Pain health status 60

9) HUIDVHSI - Health utilities index 61

**HWT** **Height and weight (8 DVs)**

1) HWTDGHTM - Height (Metres) - Self-Reported - Grouped 62

2) HWTDGWTK - Weight (kilograms) - self-reported - Grouped 62

3) HWTDGBMI - Body mass index (self-reported) - Grouped 63

4) HWTDVCOL - BMI classification for children aged 12 to 17 (self-reported) - Cole classification system 63

5) HWTDGISW - BMI classification for adults aged 18 and over (self-reported) - international standard - Grouped 67

6) HWTDVWHO - BMI classification for children aged 12 to 17 (self-reported) - WHO classification system 68

7) HWTDGCOR - Body mass index (adjusted) - Grouped 73

8) HWTDGBCC - BMI classification for adults aged 18 and over (adjusted) - international standard - Grouped 73

**INC** **Income (7 DVs)**

1) INCG015 - Total household income - main source - Grouped 77

2) INCG035 - Main source of personal income - Grouped 77

3) INCDGHH - Total Household Income - All Sources - Grouped 78

4) INCDGPER - Personal Income - All Sources - Grouped 78

5) INCDVRCA - Distribution of household income - national level (excluding territories) 78

6) INCDVRPR - Distribution of household income - provincial level 79

7) INCDVRRS - Distribution of household income - health region level 80

**INJ** **Injuries (10 DVs)**

1) INJG015 - Most Serious Injury- repetitive strain- body part affected - Grouped 82

2) INJG035 - Number of injuries in past 12 months - Grouped 82

3) INJG055 - Most Serious Injury - body part - Grouped 83

4) INJG060 - Most Serious Injury -Place of occurrence - Grouped 83

5) INJG065 - Most Serious Injury - activity when injured - Grouped 84

6) INJG075 - Most Serious Injury -type of fall - Grouped 84

7) INJG095 - Most Serious Injury -place of treatment- Grouped 85

8) INJG115 - Other injuries treated but not limiting activities - number - 12 mo - Grouped 85

9) INJDGCAU - Cause of injury - Grouped 85

10) INJDVSTT - Injury status 86

**LBF** **Labour force (5 DVs)**

1) LBFG10 - Employment status - Grouped 87

2) LBFDVWSS - Working status last week 87
3) LBFDGOCG - Occupation group - Grouped 87
4) LBFDGHPW - Total usual hours worked per week - Grouped 88
5) LBFDVPFT - Full-time/part-time working status (for total usual hours) 89

**LOP** **Loss of productivity (11 DVs)**

1) LOPG010 - Did not working at a job / business - reason - 3 mo - Grouped 90
2) LOPG020 - Number of work days lost due to chronic condition - Grouped 90
3) LOPG025 - Chronic condition - Grouped 91
4) LOPG035 - Number of work days missed due to injury - Grouped 92
5) LOPG050 - Number of work days missed due to cold - Grouped 92
6) LOPG055 - Number of work days missed due to flu or influenza - Grouped 92
7) LOPG060 - Number of work days missed due to other respiratory infection - Grouped 93
8) LOPG065 - Number of work days missed due to stomach flu - Grouped 93
9) LOPG070 - Number of work days missed due to other acute infectious disease - Grouped 93
10) LOPG080 - Number of work days missed due to other acute physical condition - Grouped 94
11) LOPG090 - Number of work days missed due to an acute mental health condition - Grouped 94

**MAC** **Main Activity (1 DV)**

1) MACG020 - Student status - Grouped 96

**MEX** **Maternal experiences (5 DVs)**

1) MEXDGWBK - Weight before pregnancy (in kilograms) - Grouped 98
2) MEXDGWGK - Weight gained during pregnancy (in kilograms) - Grouped 99
3) MEXDVBM6 - Exclusively breastfed for 6 months (or more) 99
4) MEXDVLBM - Length of exclusive breastfeeding 100
5) MEXDVVTD - Child received vitamin D 102

**MXA** **Alcohol use during maternal experience (2 DVs)**

1) MXAG010 - Drank alcohol 3 months before last pregnancy - frq - Grouped 104
2) MXAG040 - Drank alcohol while breastfeeding last baby - frq - Grouped 104

**MXS** **Smoking during maternal experience (2 DVs)**

1) MXSG010 - Smoked cigarettes after finding out about pregnancy- Grouped 105
2) MXSG015 - Smoked cigarettes last 3 months of pregnancy - Grouped 105

**NDE** **Nicotine dependence (1 DV)**

1) NDEDVFTT - Fagerström tolerance score 106

**PAA** **Physical activities - Adults 18 years and older (22 DVs)**

1) PAADVTRV - Active transportation minutes per week 108
2) PAADVATR - Average minutes per day of active transportation 108
3) PAADVREC - Recreational activity minutes per week 109
4) PAADVARC - Average minutes per day of recreational activities 109
5) PAADVOTH - Other activity minutes per week 110
6) PAADVATH - Average minutes per day of other activities 110
7) PAADVMVA - Total minutes of moderate to vigorous activity - last 7 days 110
8) PAADVAC2 - Alternate physical activity indicator 111
9) PAADVACV - Physical activity indicator 112
10) PAADVVIG - Total minutes of vigorous activity - last 7 days 112
11) PAADVVOL - Volume of weekly activity done in the past 7 days (METs*minutes/week) 113
12) PAADVWHO - Physically active, based on WHO guidelines 113
13) PAADVMON - Was physically active on Monday 114
14) PAADVTUE - Was physically active on Tuesday 114
15) PAADVWED - Was physically active on Wednesday 115
16) PAADVTHU - Was physically active on Thursday 115
17) PAADVFRI - Was physically active on Friday 116
18) PAADVSAT - Was physically active on Saturday 116
19) PAADVSUN - Was physically active on Sunday 117
20) PAADVDYS - Number of active days - last 7 days 117
21) PAADVWKD - Number of weekdays active 118
22) PAADVWND - Number of weekend days active 118

## PAY Physical Activities for Youth (23 DVs)

1) PAYDVTTR - Total minutes of active transportation - last 7 days 122
2) PAYDVTSC - Total minutes of physical activities at school or camp - last 5 weekdays 123
3) PAYDVADL - Total minutes of physical activities during leisure - last 7 days 124
4) PAYDVTOA - Total minutes of other activities - last 7 days 125
5) PAYDVTMN - Total physical activity minutes - Monday 125
6) PAYDVTTU - Total physical activity minutes - Tuesday 127
7) PAYDVTWD - Total physical activity minutes - Wednesday 129
8) PAYDVTTH - Total physical activity minutes - Thursday 131
9) PAYDVTFR - Total physical activity minutes - Friday 133
10) PAYDVTST - Total physical activity minutes - Saturday 135
11) PAYDVTSN - Total physical activity minutes - Sunday 137
12) PAYDVDYS - Total days physically active 139
13) PAYDVMNS - Total minutes of youth physical activity - last 7 days 140

14) PAYDVAVG - Average number of minutes of physical activity per active day 140
15) PAYDVTWK - Total weekday physical activity minutes - last 7 days 141
16) PAYDVTWN - Total weekend physical activity minutes - last 7 days 141
17) PAYDVDPG - Number of days meeting or exceeding physical activity guidelines 141
18) PAYDVPAI - Youth physical activity indicator 142
19) PAYDVVIG - Total minutes of vigorous physical activity - youth - last 7 days 143
20) PAYDVWK1 - Physical activity - special weekly guideline 1 144
21) PAYDVWK2 - Physical activity - special weekly guideline 2 144
22) PAYDVWK3 - Physical activity - special weekly guideline 3 146
23) PAYDVPAG - Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity activities - last 7 days 147

**PSC** **Patient satisfaction - Community-based care (3 DVs)**

1) PSCG025 - Home nursing care - quality rating - Grouped 149
2) PSCG040 - Home-based counsel/therapy - quality rating - Grouped 149
3) PSCG055 - Personal care services - quality rating - Grouped 149

**SAC** **Sedentary activities (7 DVs)**

1) SACG005 - Num of hours - reading (including electronic format) - 7 d - Grouped 151
2) SACG010 - Num of hours - watching TV / movies / Internet videos - 7 d - Grouped 151
3) SACG015 - Num of hours - playing video games requiring physical activity - 7 d - Grouped 152
4) SACG020 - Num of hours - playing other video / computer games - 7 d - Grouped 152
5) SACG025 - Num of hours - computer / tablet / smart phone - 7 d - Grouped 153
6) SACDVTER - Total number of hours per week spent in sedentary activities (excluding reading) 153
7) SACDVTOT - Total number of hours per week spent in sedentary activities 154

**SCA** **Smoking cessation methods (1 DV)**

1) SCADVQUI - Attempted/successful quitting 156

**SCH** **Smoking - Stages of change (1 DV)**

1) SCHDVSTG - Smoking stages of change (current and former smokers) 157

**SDC** **Socio-demographic characteristics (6 DVs)**

1) SDCDGCB - Country of birth - Canada/other - Grouped 159
2) SDCDVIMM - Immigrant flag 159
3) SDCDGRES - Length of time in Canada since immigration - Grouped 159
4) SDCDGCGT - Culture / Race Flag - Grouped 160
5) SDCDGLHM - Language(s) spoken at home - Grouped 160
6) SDCDVFLS - First official language spoken 162

**SLP** **Sleep (1 DV)**

1) SLPG005 - Number of hours spent sleeping per night - Grouped 165

**SMK** **Smoking (7 DVs)**

1) SMKG035 - Age - smoked first whole cigarette - Grouped 166
2) SMKG040 - Age - began smoking daily - Grouped 166
3) SMKG090 - Stopped smoking daily - num of years (former daily smoker) - Grouped 167
4) SMKG110 - Quit smoking completely - num of years (former daily smoker) - Grouped 167
5) SMKDVSTY - Smoking status (type 2) - traditional definition 168
6) SMKDGYCS - Number of years smoked daily (current daily smokers only) - Grouped 168
7) SMKDGSTP - Number of Years Since Stopping Smoking Completely - Grouped 169

**SPS** **Social Provisions (6 DVs)**

1) SPSDVGUI - Social provisions scale - guidance 170
2) SPSDVINT - Social provisions scale - social integration 171
3) SPSDVATT - Social provisions scale - attachment 171
4) SPSDVWOR - Social provisions scale - reassurance of worth 171
5) SPSDVALL - Social provisions scale - reliable alliance 172
6) SPSDVCON - Social provisions overall scale 172

**SSB** **Sun safety behaviours (1 DV)**

1) SSBDVPRT - Respondent protects self from sun 174

**SXB** **Sexual behaviours (3 DVs)**

1) SXBDVPRT - Total number of sexual partners last 12 months 175
2) SXBDVSTI - Ever been tested for an STI, other than through blood donation 175
3) SXBDVTST - Most recent test for sexually transmitted infections (STI) 176

**TAL** **Tobacco Products Alternatives (1 DV)**

1) TALDVUSE - Alternative tobacco product usage 177

**UPE** **Use of protective equipment (3 DVs)**

1) UPEDVILS - Wears protective equipment when in-line skating 178
2) UPEDVSNB - Wears protective equipment when snowboarding 178
3) UPEDVSKB - Wears protective equipment when skateboarding 179

**WST** **Work stress (7 DVs)**

1) WSTDVSKI - Derived work stress scale - decision latitude: skill discretion 180
2) WSTDVPSY - Derived work stress scale - psychological demands 181
3) WSTDVJIN - Derived work stress scale - job insecurity 181

4) WSTDVPHY - Derived work stress scale - physical exertion 182

5) WSTDVAUT - Derived work stress scale - decision latitude: decision authority 182

6) WSTDVJST - Derived work stress scale - job strain 183

7) WSTDVSOC - Derived work stress scale - social support 184

**WTM Waiting times (30 DVs)**

1) WTMG010 - Last visit to medical specialist - Type of condition - Grouped 185

2) WTMG030B - Difficulties seeing specialist- getting referral/ appointment - Grouped 185

3) WTMG030F - Difficulties seeing specialist- not available in area/time required - Grouped 185

4) WTMG030M - Difficulties seeing specialist- other - Grouped 186

5) WTMG060C - Appt with specialist cancelled / postponed- by respondent/other - Grouped 186

6) WTMG070L - Life affected by wait - Other - Grouped 187

7) WTMG075 - Last non-emergency surgery - 12 mo - type- Grouped 187

8) WTMG095B - Difficulties getting surgery- getting an appointment/ diagnosis - Grouped 188

9) WTMG095D - Difficulties getting surgery- Waited too long for a hospital bed/ surgery - Grouped 188

10) WTMG095K - Difficulties getting surgery- not available at time/area required/ cancelled or deferred - Grouped 188

11) WTMG095M - Difficulties getting surgery- Other - Grouped 189

12) WTMG140B - Life affected by wait - Worry, anxiety, stress - Grouped 189

13) WTMG140I - Life affected by wait - increased use of over the- counter drugs/overall health deteriorated, condition got worse - Grouped 189

14) WTMG140L - Life affected by wait - other - Grouped 190

15) WTMG160 - Last non-emergency test - place - Grouped 190

16) WTMG180D - Type of difficulties - Waited too long to get an appointment/ test - Grouped 191

17) WTMG180F - Type of difficulties - Service not available in the area/ at time required - Grouped 191

18) WTMG180M - Type of difficulties - Other - Grouped 191

19) WTMG210 - Test cancelled or postponed by - Grouped 192

20) WTMG220F - Life affected by wait - loss of work/income - Grouped 192

21) WTMG220L - Life affected by wait - other - Grouped 192

22) WTMDVCN - Number of waiting days to receive non-emergency surgery - surgery not done 193

23) WTMDVCO - Number of waiting days to receive non-emergency surgery - surgery done 194

24) WTMDVCA - Number of acceptable waiting days to receive non-emergency surgery 194

25) WTMDVSN - Number of waiting days to see a medical specialist - didn't see specialist 195

26) WTMDVSO - Number of waiting days to see a medical specialist - saw specialist 195

27) WTMDVSA - Number of acceptable waiting days to see a medical specialist 196

28) WTMDVTN - Number of waiting days for diagnostic test - test not done 196

29) WTMDVTO - Number of waiting days for diagnostic test - test done 197

30) WTMDVTA - Number of acceptable waiting days for diagnostic test 197

# Access to health care services (7 DVs)

## 1 ) Diff. - Non-emergency surgery: unable to leave the house/ other - Grouped

**Variable name:** ACCG030M

**Based on:** ACC_030L, ACC_030M

**Description:** Difficulties experienced getting non-emergency surgery: unable to leave the house or other.

**Note:** This is a regrouping of ACC_030L, ACC_030M.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_030L = 6 | Module not selected or population exclusions | NA |
| 9 | ACC_030L = (7,8,9) or<br>ACC_030M = (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_030L = 1 or<br>ACC_030M = 1 | Yes | |
| 2 | ACC_030L = 2 and<br>ACC_030M = 2 | No | |

## 2 ) Diff. - dianostic test: unable to leave the house/other - Grouped

**Variable name:** ACCG045M

**Based on:** ACC_045L, ACC_045M

**Description:** Difficulties experienced getting MRIs, CAT Scans and angiographies: unable to leave the house or other.

**Note:** This is a regrouping of ACC_045L, ACC_045M.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_045L = 6 | Module not selected or population exclusions | NA |
| 9 | ACC_045L = (7,8,9) or<br>ACC_045M = (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_045L = 1 or<br>ACC_045M = 1 | Yes | |
| 2 | ACC_045L = 2 and<br>ACC_045M = 2 | No | |

## 3 ) Diff. hlth info-night-contact phys/nurse, tel num, no resp. - Grouped

**Variable name:** ACCG090C

**Based on:** ACC_090A, ACC_090B, ACC_090C

**Description:** Difficulties experienced getting health information or advice in the middle of the night: contacting physician/nurse, no telephone number, or could not get through.

**Note:** This is a regrouping of ACC_090A, ACC_090B, ACC_090C

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_090A = 6 | Module not selected or population exclusions | NA |
| 9 | ACC_090A = (7,8,9) or<br>ACC_090B = (7,8,9) or<br>ACC_090C = (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_090A = 1 or<br>ACC_090B = 1 or<br>ACC_090C = 1 | Yes | |
| 2 | ACC_090A = 2 and<br>ACC_090B = 2 and<br>ACC_090C = 2 | No | |

## 4 ) Diff. hlth info - night - lang prob/unable to leave/other - Grouped

**Variable name:** ACCG090I

**Based on:** ACC_090F, ACC_090H, ACC_090I

**Description:** Difficulties experienced getting health information or advice in the middle of the night: language problems, unable to leave the house, or other.

**Note:** This is a regrouping of ACC_090F, ACC_090H, ACC_090I

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_090F = 6 | Module not selected or population exclusions | NA |
| 9 | ACC_090F = (7,8,9) or<br>ACC_090H = (7,8,9) or<br>ACC_090I = (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_090F = 1 or<br>ACC_090H = 1 or<br>ACC_090I = 1 | Yes | |
| 2 | ACC_090F = 2 and<br>ACC_090H = 2 and<br>ACC_090I = 2 | No | |

## 5 ) Difficulty routine care - evening/we- other - Grouped

**Variable name:** ACCG125M

**Based on:** ACC_125I, ACC_125L, ACC_125M

**Description:** Difficulties experienced getting routine or on-going care during evenings and weekends: unable to leave house, language problem, or other.

**Note:** This is a regrouping of ACC_125I, ACC_125L, ACC_125M

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_125M=6 | Module not selected or population exclusions | NA |

| | | | |
|---|---|---|---|
| 9 | ACC_125I= (7, 8, 9) or ACC_125L= (7, 8, 9) or ACC_125M= (7, 8, 9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_125I=1 or ACC_125L=1 or ACC_125M=1 | Yes | |
| 2 | ACC_125I=2 and ACC_125L=2 and ACC_125M=2 | No | |

## 6 ) Difficulty immediate care - middle night- transport/language/cost - Grouped

**Variable name:** ACCG165J

**Based on:** ACC_165H, ACC_165I, ACC_165J

**Description:** Difficulties experienced getting immediate care for a minor health problem in the middle of the night: transportation problems, language problem, or cost.

**Note:** This is a regrouping of ACC_165H, ACC_165I, ACC_165J.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_165J=6 | Module not selected or population exclusions | NA |
| 9 | ACC_165H=(7, 8, 9) or ACC_165I=(7, 8, 9) or ACC_165J=(7, 8, 9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_165H=1 or ACC_165I=1 or ACC_165J=1 | Yes | |
| 2 | ACC_165H=2 and ACC_165I=2 and ACC_165J=2 | No | |

## 7 ) Difficulty immediate care - middle night - Other - Grouped

**Variable name:** ACCG165M

**Based on:** ACC_165L and ACC_165M

**Description:** Difficulties experienced getting immediate care for a minor health problem in the middle of the night: unable leave house and other

**Note:** This is a regrouping of ACC_165L and ACC_165M

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ACC_165L=6 | Population exclusions | NA |
| 9 | ACC_165L=(7,8,9) or ACC_165M= (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | ACC_165L=1 or ACC_165M= 1 | Yes | |
| 2 | ACC_165L=2 and ACC_165M=2 | No | |

# Activities of Daily Living (2 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **ADLT005** | | | |
| (ADL_005 - 1) | ADL_005 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_005 | ADL_005 > 4 | Carry through cases of RF, DK, NS | |
| **ADLT010** | | | |
| (ADL_010 - 1) | ADL_010 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_010 | ADL_010 > 4 | Carry through cases of RF, DK, NS | |
| **ADLT015** | | | |
| (ADL_015 - 1) | ADL_015 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_015 | ADL_015 > 4 | Carry through cases of RF, DK, NS | |
| **ADLT020** | | | |
| (ADL_020 - 1) | ADL_020 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_020 | ADL_020 > 4 | Carry through cases of RF, DK, NS | |
| **ADLT025** | | | |
| (ADL_025 - 1) | ADL_025 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_025 | ADL_025 > 4 | Carry through cases of RF, DK, NS | |
| **ADLT030** | | | |
| (ADL_030 - 1) | ADL_030 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| ADL_030 | ADL_030 > 4 | Carry through cases of RF, DK, NS | |

## 1 ) Instrumental activity of daily living index - home support

**Variable name:** ADLDVIHS

**Based on:** ADL_005, ADL_010, ADL_015, ADL_030

**Description:** This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to home support: meal preparation, shopping, housekeeping, and bill payments. This index ranges from 0 (no difficulty with daily living) to 12 (unable to do any of four daily activities).

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOADL = 2 | Module not selected | NA |
| 99 | ADLT005 = (DK, RF, NS) or<br>ADLT010 = (DK, RF, NS) or<br>ADLT015 = (DK, RF, NS) or<br>ADLT030 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| ADLT005+<br>ADLT010+<br>ADLT015+<br>ADLT030 | ADLT005 <= 3 and<br>ADLT010 <= 3 and<br>ADLT015 <= 3 and<br>ADLT030 <= 3 | Obtained ADLDVIHS Score for daily activities related to home support | (min: 0; max: 12) |

## 2 ) Instrumental activity of daily living index - personal care

**Variable name:** ADLDVIPC

**Based on:** ADL_020, ADL_025

**Description:** This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to personal care and mobility: bathing, dressing, eating or taking medication and moving inside the house. This index ranges from 0 (no difficulty with daily living) to 6 (unable to do any of five daily activities).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOADL =2 | Module not selected | NA |
| 99 | ADLT020 = (DK, RF, NS) or<br>ADLT025 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| ADLT020+<br>ADLT025 | ADLT020 <= 3 and<br>ADLT025 <= 3 | Obtained ADLDVIPC Score for daily activities related to personal care and mobility | (min: 0; max: 6) |

# Alcohol use (1 DV)

## 1 ) Type of drinker (12 months)

**Variable name:** ALCDVTTM

**Based on:** ALC_005, ALC_010, ALC_015

**Description:** This variable indicates the type of drinker the respondent is based on his/her drinking habits in the past 12 months.

**Note:** ALCDVTTM was created to allow the classification of all respondents according to their drinking habits in the past 12 months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOALC = 2 | Module not selected | NA |
| 9 | ALC_005 = (DK,RF,NS) or<br>ALC_010 = (DK,RF,NS) or<br>ALC_015 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | 2 <= ALC_015 <= 7 | Regular drinker | |
| 2 | ALC_015 = 1 | Occasional drinker | |
| 3 | ALC_005 = 2 or ALC_010 = 2 | Did not drink in the last 12 months | |

# Alcohol use during the past week (4 DVs)

## 1 ) Weekly consumption

**Variable name:** ALWDVWKY

**Based on:** ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040

**Description:** This variable indicates the total number of drinks consumed in the week prior to the interview.

**Note:** Respondents who did not have at least one drink in the past 12 months were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 996 | DOALW = 2 | Module not selected | NA |
| 996 | ALC_005 = 2 or ALC_010=2 | Population exclusions | NA |
| 0 | ALW_005 = 2 | Has not had a drink in past week | |
| 999 | ALW_005 = (DK, RF, NS) or<br>ALW_010 = (DK, RF, NS) or<br>ALW_015 = (DK, RF, NS) or<br>ALW_020 = (DK, RF, NS) or<br>ALW_025 = (DK, RF, NS) or<br>ALW_030 = (DK, RF, NS) or<br>ALW_035 = (DK, RF, NS) or<br>ALW_040 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| ALW_010 +<br>ALW_015 +<br>ALW_020 +<br>ALW_025 +<br>ALW_030 +<br>ALW_035 +<br>ALW_040 | (0 <= ALW_010 < 100) and<br>(0 <= ALW_015 < 100) and<br>(0 <= ALW_020 < 100) and<br>(0 <= ALW_025 < 100) and<br>(0 <= ALW_030 < 100) and<br>(0 <= ALW_035 < 100) and<br>(0 <= ALW_040 < 100) | Number of drinks consumed in past week | (min: 0; max: 693) |

## 2 ) Average daily alcohol consumption

**Variable name:** ALWDVDLY

**Based on:** ALWDVWKY

**Description:** This variable indicates the average number of drinks the respondent consumed per day in the week prior to the interview.

**Note:** Respondents who did not have at least one drink in the last 12 months were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 996 | DOALW = 2 | Module not selected | NA |
| 996 | ALWDVWKY = NA | Population exclusions | NA |
| 999 | ALWDVWKY = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| ALWDVWKY / 7 | ALWDVWKY < 694 | Average daily alcohol consumption | (Rounded to integer)<br>(min: 0; max: 99) |

## 3 ) Increased long term risk due to drinking

**Variable name:** ALWDVLTR

**Based on:** DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

**Description:** This variable indicates if the respondent has increased long term health risks due to their drinking habits, according to Canada's Low-Risk Alcohol Drinking Guidelines.

**Note:** The classification of drinkers according to their long term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Long-term or chronic risks include liver disease and certain cancers.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOALW = 2 | Module not selected | NA |
| 6 | ALC_005 = 2 | Population exclusions - has not drank in lifetime | NA |
| 9 | ALC_005 = (DK, RF, NS) or<br>ALC_010 = (DK, RF, NS) or<br>ALW_005 = (DK, RF, NS) or<br>ALW_010 = (DK, RF, NS) or<br>ALW_015 = (DK, RF, NS) or<br>ALW_020 = (DK, RF, NS) or<br>ALW_025 = (DK, RF, NS) or<br>ALW_030 = (DK, RF, NS) or<br>ALW_035 = (DK, RF, NS) or<br>ALW_040 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | DHH_SEX = 1 and<br>(ALW_010 = (4:995) or ALW_015 = (4:995) or<br>ALW_020 = (4:995) or ALW_025 = (4:995) or<br>ALW_030 = (4:995) or ALW_035 = (4:995) or<br>ALW_040 = (4:995) or ALWDVWKY = (16:995))<br>or<br>DHH_SEX = 2 and<br>(ALW_010 = (3:995) or ALW_015 = (3:995) or<br>ALW_020 = (3:995) or ALW_025 = (3:995) or<br>ALW_030 = (3:995) or ALW_035 = (3:995) or<br>ALW_040 = (3:995) or ALWDVWKY = (11:995)) | Increased long term health risk due to drinking | |
| 2 | ALW_005 = 2 or ALC_010 = 2 or<br>(DHH_SEX = 1 and<br>ALW_010 =< 3 and ALW_015 =< 3 and<br>ALW_020 =< 3 and ALW_025 =< 3 and<br>ALW_030 =< 3 and ALW_035 =< 3 and<br>ALW_040 =< 3 and ALWDVWKY <= 15)<br>or<br>(DHH_SEX = 2 and<br>ALW_010 =< 2 and ALW_015 =< 2 and<br>ALW_020 =< 2 and ALW_025 =< 2 and<br>ALW_030 =< 2 and ALW_035 =< 2 and<br>ALW_040 =< 2 and ALWDVWKY <= 10) | No increased long term heath risk due to drinking | Includes those who did not drink in past 7 days or past 12 months |

## 4 ) Increased short term risks due to drinking

**Variable name:** ALWDVSTR

**Based on:** DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

**Description:** This variable indicates if the respondent has increased short term health risks due to their drinking habits, according to

Canada's Low-Risk Alcohol Drinking Guidelines.

**Note:** The classification of drinkers according to their short term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Short-term or acute risks include injury and overdose.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOALW = 2 | Module not selected | NA |
| 6 | ALC_005 = 2 | Population exclusions - has not drank in lifetime | NA |
| 9 | ALC_005 = (DK, RF, NS) or<br>ALW_005 = (DK, RF, NS) or<br>ALW_010 = (DK, RF, NS) or<br>ALW_015 = (DK, RF, NS) or<br>ALW_020 = (DK, RF, NS) or<br>ALW_025 = (DK, RF, NS) or<br>ALW_030 = (DK, RF, NS) or<br>ALW_035 = (DK, RF, NS) or<br>ALW_040 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | DHH_SEX = 1 and<br>(ALW_010 = (5:995) or ALW_015 = (5:995) or<br>ALW_020 = (5:995) or ALW_025 = (5:995) or<br>ALW_030 = (5:995) or ALW_035 = (5:995) or<br>ALW_040 = (5:995) or ALWDVWKY = (16:995))<br>or<br>DHH_SEX = 2 and<br>(ALW_010 = (4:995) or ALW_015 = (4:995) or<br>ALW_020 = (4:995) or ALW_025 = (4:995) or<br>ALW_030 = (4:995) or ALW_035 = (4:995) or<br>ALW_040 = (4:995) or ALWDVWKY = (11:995)) | Increased short term health risks due to drinking | |
| 2 | ALW_005 = 2 or ALC_010 = 2 or<br>(DHH_SEX = 1 and<br>ALW_010 =< 4 and ALW_015 =< 4 and<br>ALW_020 =< 4 and ALW_025 =< 4 and<br>ALW_030 =< 4 and ALW_035 =< 4 and<br>ALW_040 =< 4 and ALWDVWKY =< 15)<br>or<br>(DHH_SEX = 2 and<br>ALW_010 =< 3 and ALW_015 =< 3 and<br>ALW_020 =< 3 and ALW_025 =< 3 and<br>ALW_030 =< 3 and ALW_035 =< 3 and<br>ALW_040 =< 3 and ALWDVWKY =< 10) | No increased short term risk from due to drinking | Includes those who did not drink in past 7 days or past 12 months |

# Chronic conditions (2 DVs)

## 1 ) Diabetes - age first diagnosed - Grouped

**Variable name:** CCCG100

**Based on:** CCC_100

**Description:** The respondent's age when first diagnosed with diabetes.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | CCC_100 = 996 | Population exclusions | NA |
| 99 | CCC_100 = (997, 998, 999) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | CCC_100=<11 | First diagnosed with diabetes between ages 0 and 11. | |
| 2 | 12=<CCC_100=<17 | First diagnosed with diabetes between ages 12 and 17 | |
| 3 | 18=<CCC_100=<24 | First diagnosed with diabetes between ages 18 and 24 | |
| 4 | 25=<CCC_100=<29 | First diagnosed with diabetes between ages 25 and 29 | |
| 5 | 30=<CCC_100=<34 | First diagnosed with diabetes between ages 30 and 35 | |
| 6 | 35=<CCC_100=<39 | First diagnosed with diabetes between ages 35 and 39 | |
| 7 | 40=<CCC_100=<44 | First diagnosed with diabetes between ages 40 and 44 | |
| 8 | 45=<CCC_100=<49 | First diagnosed with diabetes between ages 45 and 49 | |
| 9 | 50=<CCC_100=<54 | First diagnosed with diabetes between ages 50 and 54 | |
| 10 | 55=<CCC_100=<59 | First diagnosed with diabetes between ages 55 and 59 | |
| 11 | 60=<CCC_100=<64 | First diagnosed with diabetes between ages 60 and 64 | |
| 12 | 65=<CCC_100=<69 | First diagnosed with diabetes between ages 65 and 69 | |
| 13 | 70=<CCC_100=<74 | First diagnosed with diabetes between ages 70 and 74 | |
| 14 | 75=<CCC_100=<79 | First diagnosed with diabetes between ages 75 and 79 | |
| 15 | 80=<CCC_100 | First diagnosed with diabetes at age 80 and older | |

## 2 ) Diabetes type

**Variable name:** CCCDVDIA

**Based on:** DHH_AGE, DHH_SEX, CCC_095, CCC_100, CCC_105, CCC_110, CCC_115, CCC_120, CCC_125

**Description:** This variable classifies diabetes as Type 1, Type 2, or Gestational, using the Ng-Dasgupta-Johnson algorithm (Health Reports, 19(1), March 2008).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOCCC = 2 | Module not selected | NA |
| 6 | CCC_095 > 1 | Population exclusions | NA |
| 9 | (CCC_105 = (DK,RF,NS) or<br>CCC_110 = (DK,RF,NS) or<br>CCC_115 = (DK,RF,NS) or<br>CCC_095 = (DK,RF,NS) or<br>CCC_100 = (DK,RF,NS) or<br>CCC_120 = (DK,RF,NS) or<br>CCC_125 = (DK,RF,NS)) and<br>(CCC_105 = (2,NA,DK,RF,NS) or<br>CCC_110 = (1,NA,DK,RF,NS)) | At least one required question was not answered (don't know, refusal, not stated). Also, if CCC_105 and CCC_110 are not answered, gestational diabetes cannot be derived. | NS |
| 1 | (DHH_SEX = 1 and<br>CCC_095 = 1 and<br>CCC_120 = 1 and<br>CCC_125 = 2 and<br>(CCC_115 <=3 and (DHH_AGE < 30 or<br>CCC_100 < 30))) or<br>(DHH_SEX = 2 and<br>CCC_095 = 1 and<br>CCC_110 = (1,NA) and<br>CCC_120 = 1 and<br>CCC_125 = 2 and<br>(CCC_115 <=3 and (DHH_AGE < 30 or<br>CCC_100 < 30))) | Type 1 diabetes | |
| 2 | CCC_095 = 1 and<br>(CCC_120 = 2 or<br>CCC_100 >= 30 or<br>CCC_115 > 3 or<br>CCC_125 = 1 or<br>(CCC_120 = 1 and<br>(CCC_100 >= 30 or CCC_115 > 3))) and<br>(CCC_105 = (2,NA,DK,RF,NS) or CCC_110 =<br>(1,NA,DK,RF,NS)) | Type 2 diabetes | |
| 3 | CCC_095 = 1 and<br>DHH_SEX = 2 and<br>CCC_105 = 1 and<br>CCC_110 = 2 | Gestational diabetes | |

# Contacts with health professionals (8 DVs)

## 1 ) Used hospital emergency room - num of times - 12 mo - Grouped

**Variable name:** CHPG010

**Based on:** CHP_010

**Description:** The number of times respondent used the emergency room.

**Note:** This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | CHP_010 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_010 | CHP_010 <= 30 | Number of times respondent used the emergency room. | |
| 31 | CHP_010 >= 31 | Number of times respondent used the emergency room. | |

## 2 ) Overnight hospital patient - num of nights - 12 mo - Grouped

**Variable name:** CHPG030

**Based on:** CHP_030

**Description:** The number of nights as patient at a hospital.

**Note:** In processing, if a respondent answered CHP_025 = 2 (no), the variable CHPG030 is given the value of 0. This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | CHP_030 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_030 | CHP_030 <= 30 | The number of nights as patient at a hospital. | |
| 31 | CHP_030 >= 31 | The number of nights as patient at a hospital. | |

## 3 ) Number of consultations - fam. doctor/gen. practitioner - Grouped

**Variable name:** CHPG045

**Based on:** CHP_045

**Description:** This variable indicates the number of times the respondent saw or consulted with a family doctor/general practioner in the past 12 months.

**Note:** For respondents aged less than 18, includes consultations with pediatricians. This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | CHP_045 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_045 | CHP_045 <= 30 | Number of consultations with a family doctor/GP | |
| 31 | CHP_045 >= 31 | Number of consultations with a family doctor/GP | |

## 4 ) Number of consultations - eye specialist - Grouped

**Variable name:** CHPG055

**Based on:** CHP_055

**Description:** This variable indicates the number of times the respondent saw or consulted with an eye specialist in the past 12 months.

**Note:** This variable has been capped at 12 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | CHP_055 = (97,98,99) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_055 | CHP_055 <= 11 | Number of consultations with an eye specialist | |
| 12 | CHP_055 >= 12 | Number of consultations with an eye specialist | |

## 5 ) Number of consultations - other medical doctor/specialist - Grouped

**Variable name:** CHPG065

**Based on:** CHP_065

**Description:** This variable indicates the number of times the respondent saw or consulted with an other medical doctor or specialist in the past 12 months.

**Note:** This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | CHP_065 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_065 | CHP_065 <= 30 | Number of consultations with an other medical doctor or specialist | |
| 31 | CHP_065 >= 31 | Number of consultations with an other medical doctor or specialist | |

## 6 ) Number of consultations - nurse - Grouped

**Variable name:** CHPG075

**Based on:** CHP_075

**Description:** This variable indicates the number of times the respondent saw or consulted with a nurse in the past 12 months.

**Note:** This variable has been capped at 12 as a form of disclosure control.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99 | CHP_075 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_075 | CHP_075 <= 11 | Number of consultations with a nurse | |
| 12 | CHP_075 >= 12 | Number of consultations with a nurse | |

## 7 ) Number of consultations - dental professional - Grouped

**Variable name:** CHPG085

**Based on:** CHP_085

**Description:** This variable indicates the number of times the respondent saw or consulted with a dental professional in the past 12 months.

**Note:** This variable has been capped at 12 as a form of disclosure control.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99 | CHP_085 = (997,998,999) | Question was not answered (don't know, refusal, not stated) | NS |
| CHP_085 | CHP_085 <= 11 | Number of consultations with a dental professional | |
| 12 | CHP_085 >= 12 | Number of consultations with a dental professional | |

## 8 ) Number of consultations with medical doctor / other specialists - Grouped

**Variable name:** CHPDGMDC

**Based on:** CHP_045, CHP_065

**Description:** This variable indicates the number of times respondents have seen or talked to a family doctor or a specialist in the last 12 months.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99 | CHP_045 = (997,998,999) or CHP_065 = (997,998,999) | At least one question was not answered (don't know, refusal, not stated) | NS |
| CHP_045 + CHP_065 | CHP_045 + CHP_065 <= 30 | Number of consultations with a family doctor/GP or specialist | |
| 31 | CHP_045 + CHP_065 >= 31 | Number of consultations with a family doctor/GP or specialist | |

# Consultations about mental health (1 DV)

## 1 ) Consulted mental health professional - number of times - Grouped

**Variable name:** CMHG010

**Based on:** CMH_010

**Description:** This variable groups the number of consultations with mental health professionals in the previous year.

**Note:** This variable has been capped at 12 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | CMH_010 = 996 | Population exclusions | NA |
| 99 | CMH_010 = (997, 998, 999) | Question was not answered (don't know, refusal, not stated) | NS |
| CMH_010 | CMH_010 <= 11 | Number of consultations with a mental health professional | (min: 1, max: 11) |
| 12 | CMH_010 >= 12 | Number of consultations with a mental health professional | |

# Problem gambling (4 DVs)

This module assesses gambling activity and problems with gambling. The questionnaire and derived variables are based on the Canadian Problem Gambling Index (CPGI) but a number of modifications made both to the questionnaire and the calculation of the derived variables (described below) means that the results are not directly comparable to the CPGI.

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **CPGT150** | | | |
| (CPG_150 - 1) | CPG_150 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT155** | | | |
| (CPG_155 - 1) | CPG_155 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT160** | | | |
| (CPG_160 - 1) | CPG_160 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT165** | | | |
| (CPG_165 - 1) | CPG_165 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT170** | | | |
| (CPG_170 - 1) | CPG_170 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT175** | | | |
| (CPG_175 - 1) | CPG_175 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT180** | | | |
| (CPG_180 - 1) | CPG_180 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT185** | | | |
| (CPG_185 - 1) | CPG_185 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |
| **CPGT190** | | | |
| (CPG_190 - 1) | CPG_190 = (1, 2, 3, 4) | Rescale answers from (1 to 4) to (0 to 3) | |

## 1 ) Number of types of gambling activities in the list used to calculate CPGI

**Variable name:** CPGDVACT

**Based on:** DHH_AGE, ADM_PRX, GEO_PRV, CPG_005, CPG_015, CPG_025, CPG_035, CPG_045, CPG_055, CPG_065, CPG_075, CPG_085, CPG_095, CPG_105, CPG_115, CPG_125, CPG_135

**Description:** This variable indicates the number of different types of gambling activities, in the list of gambling activities used to calculate CPGI, in which the respondent participated.

**Note:** The questions on slot machines and video lottery terminals (VLTs) in casinos (CPG_Q035), casino table games (CPG_Q045), slot machines and VLTs outside of casinos (CPG_Q055), bingo (CPG_Q065), Kinzo (CPG_Q075), and horse racing (CPG_Q125) were only asked to respondents over the age of 18. Also, the question on Kinzo was only asked to respondents in Quebec. Because of these constraints, the maximum value of CPGDACT will vary by respondent:

Under 18: maximum of 8
Over 18, outside Quebec : maximum of 13
Over 18, in Quebec : maximum of 14

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **CPGT005** | | | |
| 2 - CPG_005 | CPG_005 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 | |
| **CPGT015** | | | |
| 2 - CPG_015 | CPG_015 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 | |

| | | |
|---|---|---|
| **CPGT025** | | |
| 2 - CPG_025 | CPG_025 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT035** | | |
| 2 - CPG_035 | CPG_035 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT045** | | |
| 2 - CPG_045 | CPG_045 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT055** | | |
| 2 - CPG_055 | CPG_055 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT065** | | |
| 2 - CPG_065 | CPG_065 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT075** | | |
| 2 - CPG_075 | CPG_075 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT085** | | |
| 2 - CPG_085 | CPG_085 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT095** | | |
| 2 - CPG_095 | CPG_095 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT105** | | |
| 2 - CPG_105 | CPG_105 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT115** | | |
| 2 - CPG_115 | CPG_115 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT125** | | |
| 2 - CPG_125 | CPG_125 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |
| **CPGT135** | | |
| 2 - CPG_135 | CPG_135 = (1,2) | Temporarily recode the value 'yes' to 1 and 'no' to 0 |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOCPG = 2 | Module not selected | NA |
| 96 | DHH_AGE < 15 | Population exclusions | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | CPG_005 = (DK, RF, NS) or<br>CPG_015 = (DK, RF, NS) or<br>CPG_025 = (DK, RF, NS) or<br>CPG_035 = (DK, RF, NS) or<br>CPG_045 = (DK, RF, NS) or<br>CPG_055 = (DK, RF, NS) or<br>CPG_065 = (DK, RF, NS) or<br>CPG_075 = (DK, RF, NS) or<br>CPG_085 = (DK, RF, NS) or<br>CPG_095 = (DK, RF, NS) or<br>CPG_105 = (DK, RF, NS) or<br>CPG_115 = (DK, RF, NS) or<br>CPG_125 = (DK, RF, NS) or<br>CPG_135 = (DK, RF, NS) | At least one required question was not answered (don’t know, refusal, not stated) | NS |

| | | | |
|---|---|---|---|
| CPGT005 + CPGT015 + CPGT025 + CPGT085 + CPGT095 + CPGT105 + CPGT115 + CPGT135 | (CPGT005 =< 1) and (CPGT015 =< 1) and (CPGT025 =< 1) and (CPGT085 =< 1) and (CPGT095 =< 1) and (CPGT105 =< 1) and (CPGT115 =< 1) and (CPGT135 =< 1) and DHH_AGE < 18 | Number of different types of gambling activities participated in, in the list used to calculate CPGI, during the previous 12 months; respondents aged 15 to 17 | (min: 0; max: 8) |
| CPGT005 + CPGT015 + CPGT025 + CPGT035 + CPGT045 + CPGT055 + CPGT065 + CPGT075 + CPGT085 + CPGT095 + CPGT105 + CPGT115 + CPGT125 + CPGT135 | (CPGT005 =< 1) and (CPGT015 =< 1) and (CPGT025 =< 1) and (CPGT035 =< 1) and (CPGT045 =< 1) and (CPGT055 =< 1) and (CPGT065 =< 1) and (CPGT075 =< 1) and (CPGT085 =< 1) and (CPGT095 =< 1) and (CPGT105 =< 1) and (CPGT115 =< 1) and (CPGT125 =< 1) and (CPGT135 =< 1) and DHH_AGE >= 18 and GEO_PRV = 24 | Number of different types of gambling activities participated in, in the list used to calculate CPGI, during the previous 12 months; respondents of Quebec aged 18 or older | (min: 0; max: 14) |
| CPGT005 + CPGT015 + CPGT025 + CPGT035 + CPGT045 + CPGT055 + CPGT065 + CPGT085 + CPGT095 + CPGT105 + CPGT115 + CPGT125 + CPGT135 | (CPGT005 =< 1) and (CPGT015 =< 1) and (CPGT025 =< 1) and (CPGT035 =< 1) and (CPGT045 =< 1) and (CPGT055 =< 1) and (CPGT065 =< 1) and (CPGT085 =< 1) and (CPGT095 =< 1) and (CPGT105 =< 1) and (CPGT115 =< 1) and (CPGT125 =< 1) and (CPGT135 =< 1) and DHH_AGE >= 18 and GEO_PRV <> 24 | Number of different types of gambling activities participated in, in the list used to calculate CPGI, during the previous 12 months; respondents outside Quebec aged 18 or older | (min: 0; max: 13) |

## 2 ) Gambling activity - gambler vs. non-gambler

**Variable name:** CPGDVGAM

**Based on:** DHH_AGE, ADM_PRX, GEO_PRV, CPG_005, CPG_015, CPG_025, CPG_035, CPG_045, CPG_055, CPG_065, CPG_075, CPG_085, CPG_095, CPG_105, CPG_115, CPG_125, CPG_135

**Description:** This variable categorizes respondents as gamblers or non-gamblers. A non-gambler is defined as someone who has not engaged at all in the past year in any type of the gambling activities listed. A gambler is defined as someone who has engaged in at least one type of gambling activity in the past year.

**Note:** The questions CPG_Q035, CPG_Q045, CPG_Q055, CPG_Q065, CPG_Q075, and CPG_125 were asked only to respondents aged 18 and older. Additionally, the question CPG_075 was asked only to respondents of Quebec.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOCPG = 2 | Module not selected | NA |
| 6 | DHH_AGE < 15 | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 1 | CPG_005 = 1 or<br>CPG_015 = 1 or<br>CPG_025 = 1 or<br>CPG_035 = 1 or<br>CPG_045 = 1 or<br>CPG_055 = 1 or<br>CPG_065 = 1 or<br>CPG_075 = 1 or<br>CPG_085 = 1 or<br>CPG_095 = 1 or<br>CPG_105 = 1 or<br>CPG_115 = 1 or<br>CPG_125 = 1 or<br>CPG_135 = 1 | Gambler | |
| 2 | CPG_005 = 2 and<br>CPG_015 = 2 and<br>CPG_025 = 2 and<br>(CPG_035 = 2 or DHH_AGE = (15, 16, 17)) and<br>(CPG_045 = 2 or DHH_AGE = (15, 16, 17)) and<br>(CPG_055 = 2 or DHH_AGE = (15, 16, 17)) and<br>(CPG_065 = 2 or DHH_AGE = (15, 16, 17)) and<br>(CPG_075 = 2 or GEO_PRV <> 24 or<br>(GEO_PRV = 24 and DHH_AGE = (15, 16, 17)))<br>and<br>CPG_085 = 2 and<br>CPG_095 = 2 and<br>CPG_105 = 2 and<br>CPG_115 = 2 and<br>(CPG_125 = 2 or DHH_AGE = (15, 16, 17)) and<br>CPG_135 = 2 | Non-gambler | |
| 9 | CPG_005 = (DK, RF, NS) or<br>CPG_015 = (DK, RF, NS) or<br>CPG_025 = (DK, RF, NS) or<br>CPG_035 = (DK, RF, NS) or<br>CPG_045 = (DK, RF, NS) or<br>CPG_055 = (DK, RF, NS) or<br>CPG_065 = (DK, RF, NS) or<br>CPG_075 = (DK, RF, NS) or<br>CPG_085 = (DK, RF, NS) or<br>CPG_095 = (DK, RF, NS) or<br>CPG_105 = (DK, RF, NS) or<br>CPG_115 = (DK, RF, NS) or<br>CPG_125 = (DK, RF, NS) or<br>CPG_135 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 3 ) Problem gambling severity index (PGSI) - modified version

**Variable name:** CPGDVSEV

**Based on:** DHH_AGE, CPG_145, CPG_150, CPG_155, CPG_160, CPG_165, CPG_170, CPG_175, CPG_180, CPG_185, CPG_190, CPGDVGAM

**Description:** This variable indicates the level of gambling problems of respondents using a 9 item scale.

**Note:** Gambling activities were regrouped in the questionnaire into fewer categories than used in the original CPGI. Modifications made to the original instrument were approved by Dr. Wynne. Non-gamblers have been excluded from the population. Higher scores indicate more problems associated with gambling.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOCPG = 2 | Module not selected | NA |
| 96 | DHH_AGE < 15 | Population exclusions | NA |
| 96 | CPGDVGAM = 2 | Population exclusions - non-gambler | NA |

| | | | |
|---|---|---|---|
| 96 | CPG_145 =1 | Population exclusions - 100$ or less spent on gambling | NA |
| 99 | CPGDVGAM = NS or<br>CPG_150 = (DK, RF, NS) or<br>CPG_155 = (DK, RF, NS) or<br>CPG_160 = (DK, RF, NS) or<br>CPG_165 = (DK, RF, NS) or<br>CPG_170 = (DK, RF, NS) or<br>CPG_175 = (DK, RF, NS) or<br>CPG_180 = (DK, RF, NS) or<br>CPG_185 = (DK, RF, NS) or<br>CPG_190 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| CPGT150 +<br>CPGT155 +<br>CPGT160 +<br>CPGT165 +<br>CPGT170 +<br>CPGT175 +<br>CPGT180 +<br>CPGT185 +<br>CPGT190 | CPGT150 = (0, 1, 2, 3) and<br>CPGT155 = (0, 1, 2, 3) and<br>CPGT160 = (0, 1, 2, 3) and<br>CPGT165 = (0, 1, 2, 3) and<br>CPGT170 = (0, 1, 2, 3) and<br>CPGT175 = (0, 1, 2, 3) and<br>CPGT180 = (0, 1, 2, 3) and<br>CPGT185 = (0, 1, 2, 3) and<br>CPGT190 = (0, 1, 2, 3) | Score obtained on the problem gambling severity index | (min: 0; max: 27) |

Reference: Modified from the CPGI (Canadian Problem Gambling Index) developed by Harold Wynne and Jackie Ferris. "The Canadian Problem Gambling Index, Final Report." - Final Report, Submitted to the Canadian Centre on Substance Abuse. Jackie Ferris, Harold Wynne.

## 4 ) Type of gambler

**Variable name:** CPGDVTYP

**Based on:** DHH_AGE, ADM_PRX, CPG_145, CPGDVSEV, CPGDVGAM

**Description:** This variable categorizes respondents based on the severity of their problems associated with gambling.

**Note:** Gambling activities were regrouped in the questionnaire into fewer categories than used in the original CPGI. Modifications made to the original instrument were approved by Dr. Wynne.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOCPG = 2 | Module not selected | NA |
| 6 | DHH_AGE < 15 | Population exclusions | NA |
| 6 | CPG_145 =1 | Population exclusions - 100$ or less spent on gambling | NA |
| 9 | ADM_PRX = 1 | Module not asked (proxy interview) | NS |
| 9 | CPGDVSEV = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | CPGDVGAM = 2 | Non-gambler | |
| 2 | CPGDVSEV = 0 | Non-problem gambler | |
| 3 | CPGDVSEV = (1, 2) | Low risk gambler | |
| 4 | CPGDVSEV = (3, 4, 5, 6, 7) | Moderate risk gambler | |
| 5 | CPGDVSEV >= 8 | Problem gambler | |

Reference: Modified from the CPGI (Canadian Problem Gambling Index) developed by Harold Wynne and Jackie Ferris. "The Canadian Problem Gambling Index, Final Report." - Final Report, Submitted to the Canadian Centre on Substance Abuse. Jackie Ferris, Harold Wynne.

# Depression (2 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **DEPT005** | | | |
| (DEP_005 - 1) | DEP_005 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT010** | | | |
| (DEP_010 - 1) | DEP_010 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT015** | | | |
| (DEP_015 - 1) | DEP_015 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT020** | | | |
| (DEP_020 - 1) | DEP_020 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT025** | | | |
| (DEP_025 - 1) | DEP_025 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT030** | | | |
| (DEP_030 - 1) | DEP_030 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT035** | | | |
| (DEP_035 - 1) | DEP_035 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT040** | | | |
| (DEP_040 – 1) | DEP_040 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |
| **DEPT045** | | | |
| (DEP_045 - 1) | DEP_045 <= 4 | Rescale the question answers from (1 to 4) to (0 to 3) | |

## 1 ) Depression severity scale

**Variable name:** DEPDVPHQ

**Based on:** ADM_PRX, DEP_005, DEP_010, DEP_015, DEP_020, DEP_025, DEP_030, DEP_035, DEP_040, DEP_045

**Description:** This variable indicates the severity of a respondent's depression, using a 9 item scale. This scale corresponds to the Patient Health Questionnaire (PHQ-9). A higher score indicates more severe depression.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DODEP = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | DEP_005 = (DK, RF, NS) or<br>DEP_010 = (DK, RF, NS) or<br>DEP_015 = (DK, RF, NS) or<br>DEP_020 = (DK, RF, NS) or<br>DEP_025 = (DK, RF, NS) or<br>DEP_030 = (DK, RF, NS) or<br>DEP_035 = (DK, RF, NS) or<br>DEP_040 = (DK, RF, NS) or<br>DEP_045 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | |

| | | | |
|---|---|---|---|
| DEPT005 + DEPT010 + DEPT015 + DEPT020 + DEPT025 + DEPT030 + DEPT035 + DEPT040 + DEPT045 | (0 <= DEPT005 <= 3) and (0 <= DEPT010 <= 3) and (0 <= DEPT015 <= 3) and (0 <= DEPT020 <= 3) and (0 <= DEPT025 <= 3) and (0 <= DEPT030 <= 3) and (0 <= DEPT035 <= 3) and (0 <= DEPT040 <= 3) and (0 <= DEPT045 <= 3) | Score obtained on the depression scale (PHQ-9) | (min: 0; max: 27) |

## 2 ) Depression scale - severity of depression

**Variable name:** DEPDVSEV

**Based on:** ADM_PRX, DEPDVPHQ

**Description:** This variable classifies the respondent's degree of depression based their score obtained on the Patient Health Questionnaire (PHQ-9) depression scale.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODEP = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | DEPDVPHQ = NS | Required question was not answered (don't know, refusal, not stated) | NS |
| 0 | DEPDVPHQ = 0 | No Depression | |
| 1 | 1 <= DEPDVPHQ <=4 | Minimal Depression | |
| 2 | 5 <= DEPDVPHQ <= 9 | Mild Depression | |
| 3 | 10 <= DEPDVPHQ <= 14 | Moderate Depression | |
| 4 | 15 <= DEPDVPHQ <= 19 | Moderately Severe Depression | |
| 5 | 20 <= DEPDVPHQ <= 27 | Severe Depression | |

# Dwelling and household variables (7 DVs)

## 1 ) Marital status - Grouped

**Variable name:** DHHGMS

**Based on:** DHH_MS

**Description:** This variable indicates the marital status for the selected respondent.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | DHH_MS = (97, 98, 99) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | DHH_MS = 1 | Married | |
| 2 | DHH_MS = 2 | Common-law | |
| 3 | DHH_MS = 3, 4, 5 | Widowed/Divorced/Separated | |
| 4 | DHH_MS = 6 | Single | |

## 2 ) Number of Persons in Household between 6 to 11 Years of Age - Grouped

**Variable name:** DHHDG611

**Based on:** PERSONID, DHH_AGE

**Description:** This variable indicates the number of people living within the household who are aged 6 to 11 years old.

**Note:** The variable DHHD611 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value from 6 to 11 within each SAMPLEID.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **DHHED611** | | | |
| Total number of PERSONIDs within each SAMPLEID | (6 <= DHH_AGE <= 11) (Member file) | Number of persons aged 6 to 11 in a household | (min: 0; max: 40) |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 0 | (6 <= DHH_AGE <= 11) = 0 | No persons aged 6 to 11 in the household | |
| 1 | (6 <= DHH_AGE <= 11) => 1 | One or more persons aged 6 to 11 in the household | |

## 3 ) Number of Persons in Household With Less Than 12 Years of Age - Grouped

**Variable name:** DHHDGL12

**Based on:** PERSONID, DHH_AGE, DHHDVL12

**Description:** This variable indicates the number of people living within the household whose age is less than 12 years old.

**Note:** The variable DHHDGL12 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the
number of PERSONIDs that have a DHH_AGE value less than 12 within each SAMPLEID. DHHDGL12 is a regrouping of DHHDVL12.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **DHHDVL12** | | | |
| Total number of PERSONIDs within each SAMPLEID | DHH_AGE < 12 (Member file) | Number of persons under 12 in a household | (min: 0; max: 40) |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 0 | (DHH_AGE < 12) = 0 | No persons under 12 in the household | |
| 1 | (DHH_AGE < 12) >= 1 | One or more persons under 12 in the household | |

## 4 ) Number of Persons in Household With Less Than 6 Years of Age - Grouped

**Variable name:** DHHDGLE5

**Based on:** PERSONID, DHH_AGE

**Description:** This variable indicates the number of people living within the household whose age is less than 6 years old.

**Note:** The variable DHHDGLE5 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value of 5 and under within each SAMPLEID. DHHDGLE5 is a regrouping of DHHDVLE5.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **DHHDVLE5** | | | |
| Total number of PERSONIDs within each SAMPLEID | DHH_AGE <= 5 (Member file) | Number of persons under 6 in a household | (values: 0-40) |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 0 | (DHH_AGE <= 5) = 0 | No persons under 6 in the household | |
| 1 | (DHH_AGE <= 5) >= 1 | One or more persons under 6 in the household | |

## 5 ) Household size - Grouped

**Variable name:** DHHDGHSZ

**Based on:** SAMPLEID, PERSONID, DHHDVHSZ

**Description:** This variable indicates the number of people living within a household.

**Note:** This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs within each SAMPLEID. DHHDGHSZ is a grouping of DHHDVHSZ.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 1 | DHHDVHSZ = 1 | Exact number of persons living in household | |
| 2 | DHHDVHSZ = 2 | Exact number of persons living in household | |
| 3 | DHHDVHSZ = 3 | Exact number of persons living in household | |
| 4 | DHHDVHSZ = 4 | Exact number of persons living in household | |
| 5 | DHHDVHSZ >= 5 | Grouped - 5 or more persons live in the household | |

## 6 ) Living/Family Arrangement of Selected Respondent - Grouped

**Variable name:** DHHDGLVG

**Based on:** DHHTREL of selected respondent, DHHDVHSZ, DHHDVLVG

**Description:** This variable identifies the family relationships between the selected respondent and the rest of the household.

**Note:** The necessary data is collected using a set of relationship codes that define a link between the selected respondent and each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **DHHTREL** | | | |
| X1 | 10, 20 | Spouse/Partner (10 = Husband/Wife, 20 = Common Law Partner) | Relationship Codes |
| L1 | 65, 70, 80, 260, 261, 262, 263 | Non-relative (65 = Foster Sister/Brother, 70 = Foster Parent, 80 = Foster Child, 260 = Unrelated, 261 = Boyfriend/Girlfriend, 262 = Roommate, 263 = Other Unrelated) | Relationship Codes |
| K1 | 90, 100, 110, 111, 112, 113, 114, 120, 121, 122, 123, 124 | Other relative (90 = Grandparent, 100 = Grandchild, 110 = In-Law, 111= Father/Mother-in-law, 112 = Son/Daughter-in-law, 113 = Brother/Sister-in-law, 114 = Other in-law, 120 = Other Related, 121 = Uncle/Aunt, 122 = Cousin, 123 = Nephew/Niece, 124 = Other Relative) | Relationship Codes |
| C1 | 60, 61, 62, 63, 64 | Sibling (60 = Brother/Sister, 61 = Full Sister/Brother,62 = Half Sister/Brother, 63 = Step Sister/Brother, 64 = Adopted Sister/Brother) | Relationship Codes |
| B1 | 50, 51, 52, 53 | Child (50 = Son/Daughter, 51 = Birth Child, 52 = Step Child, 53 = Adopted Child) | Relationship Codes |
| A1 | 40, 41, 42, 43 | Parental (40 = Father/Mother, 41 = Birth Father/Mother, 42 = Step Father/Mother, 43 = Adoptive Father/Mother) | Relationship Codes |
| Z1 | NS | Not Stated | Relationship Codes |

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99 | Any DHHTREL = Z1 | Not Stated | NS |
| 1 | DHHDGHSZ = 1 | Unattached individual living alone.<br><br>Lives alone.<br>(Household size=1) | |

| | | |
|---|---|---|
| 2 | All DHHTREL <> X1 and A1 | Unattached individual living with others.<br><br>Selected respondent lives with others.<br>He cannot have a marital/common-law or parental relationship with another household member but other relationships such as siblings are allowed. |
| 3 | DHHDGHSZ = 2 and<br>DHHTREL = X1 | Individual living with spouse/partner.<br><br>Selected respondent lives with spouse/partner only.<br>(Household size = 2) |
| 4 | DHHDGHSZ > 2 and<br>One DHHTREL = X1 and all other DHHTREL = A1 | Parent living with spouse/partner and child(ren).<br><br>Selected respondent lives with spouse/partner and child(ren). |
| 5 | All DHHTREL = A1 | Single parent living with children.<br><br>Selected respondent lives with child(ren).<br>No other relationships in the household are permitted. |
| 6 | (DHHDGHSZ = 2 and DHHTREL = B1) or<br>DHHDGHSZ > 2 and<br>One DHHTREL = B1 and<br>all other DHHTREL = C1 | Selected respondent is a child living with a single parent with or without siblings. |
| 7 | (DHHDGHSZ = 3 and All DHHTREL = B1) or<br>DHHDGHSZ > 3 and<br>Two DHHTREL = B1 and all other DHHTREL = C1 | Selected respondent is a child living with two parents with or without siblings |
| 8 | Else | Other<br>Selected respondent lives in a household composition not classified above. |

## 7 ) Age - Grouped

**Variable name:** DHHGAGE

**Based on:** DHH_AGE

**Description:** This variable indicates the age of the selected respondent.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 1 | 12 <= DHH_AGE <= 14 | Age between 12 and 14 | |
| 2 | 15 <= DHH_AGE <= 17 | Age between 15 and 17 | |
| 3 | 18 <= DHH_AGE <= 19 | Age between 18 and 19 | |
| 4 | 20 <= DHH_AGE <= 24 | Age between 20 and 24 | |
| 5 | 25 <= DHH_AGE <= 29 | Age between 25 and 29 | |
| 6 | 30 <= DHH_AGE <= 34 | Age between 30 and 34 | |
| 7 | 35 <= DHH_AGE <= 39 | Age between 35 and 39 | |
| 8 | 40 <= DHH_AGE <= 44 | Age between 40 and 44 | |
| 9 | 45 <= DHH_AGE <= 49 | Age between 45 and 49 | |
| 10 | 50 <= DHH_AGE <= 54 | Age between 50 and 54 | |
| 11 | 55 <= DHH_AGE <= 59 | Age between 55 and 59 | |
| 12 | 60 <= DHH_AGE <= 64 | Age between 60 and 64 | |

| | | |
|---|---|---|
| 13 | 65 <= DHH_AGE <= 69 | Age between 65 and 69 |
| 14 | 70 <= DHH_AGE <= 74 | Age between 70 and 74 |
| 15 | 75 <= DHH_AGE <= 79 | Age between 75 and 79 |
| 16 | DHH_AGE >= 80 | Age 80 and older |

# Drug use (7 DVs)

## 1 ) Marijuana or hashish drug use - lifetime (including "one time only" use)

**Variable name:** DRGDVLCA

**Based on:** ADM_PRX, DRG_005

**Description:** This variable indicates whether respondents have ever used marijuana or hashish.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRG_005 = (1, 2) | Has used marijuana | |
| 2 | DRG_005 = 3 | Has never used marijuana | |
| 9 | DRG_005 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Marijuana or hashish drug use - lifetime (excluding "one time only" use)

**Variable name:** DRGDVLCM

**Based on:** ADM_PRX, DRG_005

**Description:** This variable indicates whether respondents have used marijuana or hashish more than just once.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRG_005 = 2 | Has used marijuana more than once | |
| 2 | DRG_005 = (1,3) | Has not used marijuana more than once | |
| 9 | DRG_005 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 3 ) Any illicit drug use - 12 month (including "one time only" use of marijuana or hashish)

**Variable name:** DRGDVYA

**Based on:** ADM_PRX, DRG_010, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

**Description:** This variable indicates whether respondents used any of the drugs listed in the past 12 months. Includes one time use of marijuana or hashish.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |

| | | | |
|---|---|---|---|
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRG_010 = 1 or<br>DRG_025 = 1 or<br>DRG_035 = 1 or<br>DRG_045 = 1 or<br>DRG_055 = 1 or<br>DRG_065 = 1 or<br>DRG_075 = 1 | Respondent has used at least one of the drugs listed, in the past 12 months, including "one time only" use of marijuana or hashish | |
| 2 | DRG_010 = (2, NA) and<br>DRG_025 = (2, NA) and<br>DRG_035 = (2, NA) and<br>DRG_045 = (2, NA) and<br>DRG_055 = (2, NA) and<br>DRG_065 = (2, NA) and<br>DRG_075 = (2, NA) | Respondent has not used drugs listed in the past 12 months | |
| 9 | DRG_010 = (DK, RF, NS) or<br>DRG_025 = (DK, RF, NS) or<br>DRG_035 = (DK, RF, NS) or<br>DRG_045 = (DK, RF, NS) or<br>DRG_055 = (DK, RF, NS) or<br>DRG_065 = (DK, RF, NS) or<br>DRG_075 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 4 ) Marijuana or hashish drug use - 12 month (excluding "one time only" use)

**Variable name:** DRGDVYCM

**Based on:** ADM_PRX, DRG_005, DRG_010

**Description:** This variable indicates whether respondents have used marijuana or hashish in the past year, excluding one time use in lifetime.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRG_005 = 2 and<br>DRG_010 = 1 | Has used marijuana in the past 12 months and has used marijuana more than once in his/her lifetime | |
| 2 | (DRG_005 = 1 and<br>DRG_010 = 1) or<br>DRG_010 = (2, NA) | Has not used marijuana more than once | |
| 9 | DRG_010 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 5 ) Any illicit drug use - 12 month (excluding "one time only" use of marijuana or hashish)

**Variable name:** DRGDVYAC

**Based on:** ADM_PRX, DRGDVYCM, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

**Description:** This variable indicates whether respondents used any of the drugs listed in the past 12 months. Excludes one time use of marijuana or hashish.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRGDVYCM = 1 or<br>DRG_025 = 1 or<br>DRG_035 = 1 or<br>DRG_045 = 1 or<br>DRG_055 = 1 or<br>DRG_065 = 1 or<br>DRG_075 = 1 | Has used at least 1 of 8 drugs, excluding "one time only" use of marijuana or hashish | |
| 2 | DRGDVYCM = 2 and<br>DRG_025 = (2, NA) and<br>DRG_035 = (2, NA) and<br>DRG_045 = (2, NA) and<br>DRG_055 = (2, NA) and<br>DRG_065 = (2, NA) and<br>DRG_075 = (2, NA) | Has not used drugs listed in the past 12 months, excluding "one time only" lifetime use of marijuana or hashish | |
| 9 | DRGDVYCM = NS or<br>DRG_025 = (DK, RF, NS) or<br>DRG_035 = (DK, RF, NS) or<br>DRG_045 = (DK, RF, NS) or<br>DRG_055 = (DK, RF, NS) or<br>DRG_065 = (DK, RF, NS) or<br>DRG_075 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 6 ) Any illicit drug use - lifetime (including "one time only" use of marijuana or hashish)

**Variable name:** DRGDVLA

**Based on:** ADM_PRX, DRGDVLCA, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

**Description:** This variable indicates whether respondents have ever used any of the drugs listed. Includes one time use of marijuana or hashish.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRGDVLCA = 1 or<br>DRGDVLCO = 1 or<br>DRGDVLAM = 1 or<br>DRGDVLEX = 1 or<br>DRGDVLHA = 1 or<br>DRGDVLGL = 1 or<br>DRGDVINJ = 1 | Has used at least 1 of 8 drugs in lifetime, including "one time only" use of marijuana or hashish | |
| 2 | DRGDVLCA = 2 and<br>DRGDVLCO = 2 and<br>DRGDVLAM = 2 and<br>DRGDVLEX = 2 and<br>DRGDVLHA = 2 and<br>DRGDVLGL = 2 and<br>DRGDVINJ = 2 | Has never used drugs listed | |
| 9 | DRGDVLCA = NS or<br>DRGDVLCO = NS or<br>DRGDVLAM = NS or<br>DRGDVLEX = NS or<br>DRGDVLHA = NS or<br>DRGDVLGL = NS or<br>DRGDVINJ = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 7 ) Any illicit drug use - lifetime (excluding "one time only" use of marijuana or hashish)

**Variable name:** DRGDVLAC

**Based on:** ADM_PRX, DRGDVLCM, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

**Description:** This variable indicates whether respondents have ever used any of the drugs listed. Excludes one time use of marijuana or hashish.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRG = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRGDVLCM = 1 or<br>DRGDVLCO = 1 or<br>DRGDVLAM = 1 or<br>DRGDVLEX = 1 or<br>DRGDVLHA = 1 or<br>DRGDVLGL = 1 or<br>DRGDVINJ = 1 | Has used at least 1 of 8 drugs, excluding "one time only" use of marijuana or hashish | |
| 2 | DRGDVLCM = 2 and<br>DRGDVLCO = 2 and<br>DRGDVLAM = 2 and<br>DRGDVLEX = 2 and<br>DRGDVLHA = 2 and<br>DRGDVLGL = 2 and<br>DRGDVINJ = 2 | Has never used drugs listed, excluding one time use of marijuana or hashish | |
| 9 | DRGDVLCM = NS or<br>DRGDVLCO = NS or<br>DRGDVLAM = NS or<br>DRGDVLEX = NS or<br>DRGDVLHA = NS or<br>DRGDVLGL = NS or<br>DRGDVINJ = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Drug use methods (2 DVs)

## 1 ) Any illicit drug use - lifetime

**Variable name:** DRMDVLA

**Based on:** ADM_PRX, DRM_005, DRM_015, DRM_025, DRM_040

**Description:** This variable indicates whether the respondent has ever smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRM = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRM_005 = 1 or<br>DRM_015 = 1 or<br>DRM_025 = 1 or<br>DRM_040 = 1 | Has taken illicit drugs using at least 1 of the 4 methods listed | |
| 2 | DRM_005 = 2 and<br>DRM_015 = 2 and<br>DRM_025 = 2 and<br>DRM_040 = 2 | Has never taken illicit drugs using any of the 4 methods listed | |
| 9 | DRM_005 = (DK, RF, NS) or<br>DRM_015 = (DK, RF, NS) or<br>DRM_025 = (DK, RF, NS) or<br>DRM_040 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Any illicit drug use - 12 months

**Variable name:** DRMDVLAY

**Based on:** ADM_PRX, DRM_010, DRM_020, DRM_030, DRM_045

**Description:** This variable indicates whether the respondent has smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor in the past 12 months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DODRM = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | DRM_010 = 1 or<br>DRM_020 = 1 or<br>DRM_030 = 1 or<br>DRM_045 = 1 or | Has taken illicit drugs using at least 1 of 4 methods listed in the past 12 months | |
| 2 | DRM_010 = (2, NA) and<br>DRM_020 = (2, NA) and<br>DRM_030 = (2, NA) and<br>DRM_045 = (2, NA) | Has not taken illicit drugs in the past 12 months using any of the 4 methods listed | |
| 9 | DRM_010 = (DK, RF, NS) or<br>DRM_020 = (DK, RF, NS) or<br>DRM_030 = (DK, RF, NS) or<br>DRM_045 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Educational Attainment (2 DVs)

## 1 ) Highest level of education - respondent, 3 levels

**Variable name:** EHG2DVR3

**Based on:** EHG2_01, EHG2_02, EHG2_03, EHG2_04

**Description:** This variable indicates the highest level of education attained by the respondent.

**Note:** Category 1 includes respondents who did not answer EHG2_Q01 (Don't Know or Refuse), but did not graduate from high school (EHG2_Q02 = 2) and did not do any post-secondary education (EHG2_Q03 = 2). These respondents will be coded as EHG2DVR3 = 1, but EHG2DVR9 = 99.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 1 | (EHG2_Q01 = (1,2) or EHG2_Q02 = 2) and (EHG2_Q03 = 2 or EHG2_Q04 = 1) | Less than secondary school graduation | EHG2DVR9 = 1,2,3 |
| 2 | (EHG2_Q02 = 1 and EHG2_Q03 = 2) or EHG2_Q04 = 2 | Secondary school graduation, no post-secondary education | EHG2DVR9 = 4 |
| 3 | EHG2_04 i= (3,4,5,6,7) | Post-secondary certificate/diploma or university degree | EHG2DVR9 = 5,6,7,8,9 |
| 9 | (EHG2_01= (DK,RF,NS) and EHG2_02 = 2) or EHG2_02 = (DK,RF,NS) or EHG2_03 = (DK,RF,NS) or EHG2_04 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS (EHG2DVR9 = 99) |

## 2 ) Highest level of education - household, 3 levels

**Variable name:** EHG2DVH3

**Based on:** EHG2DVR3 for each member of the household

**Description:** This variable indicates the highest level of education attained among all members of the household.

**Note:** This variable is derived by temporarily creating EHG2DVR3 for each member of the household (all PERSONID within SAMPLEID). The highest value is then obtained by comparing values of EHG2DVR3 for all members within the household. If any PERSONID has EHG2DVR3 of NS (not stated) then NS is returned.

# Exposure to second-hand smoke (1 DV)

## 1 ) Number of people who smoke inside home - Grouped

**Variable name:** ETSG010

**Based on:** ETS_010

**Description:** This variable groups the number of people who smoke inside the home.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | ETS_010 = 96 | Not applicable | |
| 9 | ETS_010 = 97, 98, or 99 | Not stated | |
| 1 | ETS_010 = 1 | One person smokes inside the home. | |
| 2 | ETS_010 = 2 | Two people smoke inside the home. | |
| 3 | ETS_010 = 3 | Three people smoke inside the home. | |
| 4 | ETS_010 >= 4 | At least 4 people smoke inside the home. | |

# Eye examinations (1 DV)

## 1 ) No eye exam- 1 or 2 yrs - fear/discomfort/ other - Grouped

**Variable name:** EYXG025G

**Based on:** EYX_025E, EYX_025G

**Description:** This variable groups the reasons the respondent has not had an eye examination in the past 1 or 2 years (1 year for those aged 17 or less or 65 or older, 2 years for those aged 18 to 64)

**Note:** This is a regrouping of EYX_025E, EYX_025G

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | EYX_025E=6 | Population exclusions | NA |
| 9 | EYX_025E=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | EYX_025E=1 or EYX_025G=1 | Yes | |
| 2 | EYX_025E=2 and EYX_025G=2 | No | |

# Food choices (3 DVs)

## 1 ) Avoids certain foods for certain content reasons

**Variable name:** FDCDVAVD

**Based on:** ADM_PRX, FDC_040, FDC_045, FDC_050, FDC_055, FDC_060

**Description:** This variable indicates whether the respondent avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOFDC = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | FDC_040 = 1 or<br>FDC_045 = 1 or<br>FDC_050 = 1 or<br>FDC_055 = 1 or<br>FDC_060 = 1 | Avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content | |
| 2 | FDC_040 = 2 and<br>FDC_045 = 2 and<br>FDC_050 = 2 and<br>FDC_055 = 2 and<br>FDC_060 = 2 | Does not avoid certain foods because of concerns about fat, the type of fat, salt, cholesterol and calorie content | |
| 9 | FDC_040 = (DK, RF, NS) or<br>FDC_045 = (DK, RF, NS) or<br>FDC_050 = (DK, RF, NS) or<br>FDC_055 = (DK, RF, NS) or<br>FDC_060 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Chooses or avoids certain foods because of certain health concerns

**Variable name:** FDCDVCAH

**Based on:** ADM_PRX, FDC_005, FDC_010, FDC_015, FDC_020

**Description:** This variable indicates whether the respondent chooses or avoids certain types of foods because of one or more of the following health concerns: body weight, heart disease, cancer, and osteoporosis.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOFDC = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | FDC_005 = 1 or<br>FDC_010 = 1 or<br>FDC_015 = 1 or<br>FDC_020 = 1 | Choose or avoids certain foods because of health concerns related to body weight, heart disease, cancer or osteoporosis | |
| 2 | FDC_005 = 2 and<br>FDC_010 = 2 and<br>FDC_015 = 2 and<br>FDC_020 = 2 | Does not choose or avoid certain foods because of health concerns related to body weight, heart disease, cancer, osteoporosis | |

| | | | |
|---|---|---|---|
| 9 | FDC_005 = (DK, RF, NS) or<br>FDC_010 = (DK, RF, NS) or<br>FDC_015 = (DK, RF, NS) or<br>FDC_020 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 3 ) Chooses certain foods for certain content reasons

**Variable name:** FDCDVCHO

**Based on:** ADM_PRX, FDC_025, FDC_030, FDC_035

**Description:** This variable indicates whether the respondent chooses certain foods because of fat, fibre, or calcium content.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOFDC = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | FDC_025 = 1 or<br>FDC_030 = 1 or<br>FDC_035 = 1 | Chooses certain foods because of fat, fibre or calcium content | |
| 2 | FDC_025 = 2 and<br>FDC_030 = 2 and<br>FDC_035 = 2 | Does not choose certain foods because of concerns about fat, fibre and calcium content | |
| 9 | FDC_025 = (DK, RF, NS) or<br>FDC_030 = (DK, RF, NS) or<br>FDC_035 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Food security (3 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **DHHTDKS** | | | |
| 1 | DHHDVYKD <> 0 or DHHDVOKD <> 0 | Set value to 1 to indicate households WITH children (aged less than 18) | |
| 0 | DHHDVYKD = 0 and DHHDVOKD = 0 | Set value to 0 to indicate households WITHOUT children (aged less than 18) | |
| **FSCT010** | | | |
| 0 | FSC_010 = 3 and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_010 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT015** | | | |
| 0 | FSC_015 = 3 and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_015 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT020** | | | |
| 0 | FSC_020 = 3 and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_020 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide a "affirmative" response to food security questions. | |
| **FSCT025** | | | |
| 0 | FSC_025 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_025 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT030** | | | |
| 0 | FSC_030 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_030 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT035** | | | |
| 0 | FSC_035 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_035 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT040** | | | |
| 0 | FSC_040 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_040 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT045** | | | |
| 0 | FSC_045 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_045 = (1, 2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT050** | | | |
| 0 | FSC_050 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_050 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT055** | | | |
| 0 | FSC_055 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_055 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |

| | | | |
|---|---|---|---|
| **FSCT060** | | | |
| 0 | FSC_060 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_060 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT065** | | | |
| 0 | FSC_065 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_065 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT070** | | | |
| 0 | FSC_070 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_070 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT075** | | | |
| 0 | FSC_075 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_075 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT080** | | | |
| 0 | FSC_080 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_080 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide a "affirmative" response to food security questions. | |
| **FSCT085** | | | |
| 0 | FSC_085 = (3,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_085 = (1,2) and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT090** | | | |
| 0 | FSC_090 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_090 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCT095** | | | |
| 0 | FSC_095 = (2,NA) and DOFSC = 1 | Set the value to 0 if respondent did not provide an "affirmative" response to food security questions. | |
| 1 | FSC_095 = 1 and DOFSC = 1 | Set the value to 1 if respondent did provide an "affirmative" response to food security questions. | |
| **FSCTASUM** | | | |
| FSCT010 + FSCT015 + FSCT020 + FSCT040 + FSCT045 + FSCT050 + FSCT055 + FSCT060 + FSCT065 + FSCT070 | All | Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10. | (Min: 0; Max: 10) |
| **FSCTCSUM** | | | |
| FSCT025 + FSCT030 + FSCT035 + FSCT075 + FSCT080 + FSCT085 + FSCT090 + FSCT095 | All | Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8. | (Min: 0; Max: 8) |

## 1 ) Food security - adult status

**Variable name:** FSCDVAFS

**Based on:** FSC_010, FSC_015, FSC_020, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSCTASUM

**Description:** This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 6 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

**Note:** This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

This derived variable was introduced in 2010.

**Internet site:** http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOFSC = 2 | Module not selected | NA |
| 9 | FSC_010 = (DK,RF,NS) or<br>FSC_015 = (DK,RF,NS) or<br>FSC_020 = (DK,RF,NS) or<br>FSC_040 = (DK,RF,NS) or<br>FSC_045 = (DK,RF,NS) or<br>FSC_050 = (DK,RF,NS) or<br>FSC_055 = (DK,RF,NS) or<br>FSC_060 = (DK,RF,NS) or<br>FSC_065 = (DK,RF,NS) or<br>FSC_070 = (DK,RF,NS) or<br>PMKPROXY = 2 | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | (FSCTASUM >= 0 and FSCTASUM <= 1) | Food secure | |
| 1 | (FSCTASUM >= 2 and FSCTASUM <= 5) | Moderately food insecure | |
| 2 | (FSCTASUM >= 6 and FSCTASUM <= 10) | Severely food insecure | |

Reference: The model for FSCDVAFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

## 2 ) Food security - child status

**Variable name:** FSCDVCFS

**Based on:** FSC_025, FSC_030, FSC_035, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTCSUM, DHHDVYKD, DHHDVOKD

**Description:** This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than

18 years old) members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

**Note:** This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member. This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

**Internet site:** http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DHHTDKS = 0 | Population exclusions (households without children less than 18 years of age) | NA |
| 6 | DOFSC = 2 | Module not selected | NA |
| 9 | FSC_025 = (DK,RF,NS) or<br>FSC_030 = (DK,RF,NS) or<br>FSC_035 = (DK,RF,NS) or<br>FSC_075 = (DK,RF,NS) or<br>FSC_080 = (DK,RF,NS) or<br>FSC_085 = (DK,RF,NS) or<br>FSC_090 = (DK,RF,NS) or<br>FSC_095 = (DK,RF,NS) or<br>PMKPROXY = 2 | At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger. | NS |
| 0 | DHHTDKS = 1 and<br>(FSCTCSUM >= 0 and<br>FSCTCSUM <= 1) | Food secure | |
| 1 | DHHTDKS = 1 and<br>(FSCTCSUM >= 2 and<br>FSCTCSUM <= 4) | Moderately food insecure | |
| 2 | DHHTDKS = 1 and<br>(FSCTCSUM >= 5 and<br>FSCTCSUM <= 8) | Severely food insecure | |

Reference: The model for FSCDVCFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

## 3 ) Household food security status - modified version

**Variable name:** FSCDVHFS

**Based on:** FSC_010, FSC_015, FSC_020, FSC_025, FSC_030, FSC_035, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTASUM, FSCTCSUM, DHHDVYKD, DHHDVOKD

**Description:** This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status.

**Note:** When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

**Internet site:** http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOFSC = 2 | Module not selected | NA |
| 9 | FSC_010 = (DK,RF,NS) or<br>FSC_015 = (DK,RF,NS) or<br>FSC_020 = (DK,RF,NS) or<br>FSC_025 = (DK,RF,NS) or<br>FSC_030 = (DK,RF,NS) or<br>FSC_035 = (DK,RF,NS) or<br>FSC_040 = (DK,RF,NS) or<br>FSC_045 = (DK,RF,NS) or<br>FSC_050 = (DK,RF,NS) or<br>FSC_055 = (DK,RF,NS) or<br>FSC_060 = (DK,RF,NS) or<br>FSC_065 = (DK,RF,NS) or<br>FSC_070 = (DK,RF,NS) or<br>FSC_075 = (DK,RF,NS) or<br>FSC_080 = (DK,RF,NS) or<br>FSC_085 = (DK,RF,NS) or<br>FSC_090 = (DK,RF,NS) or<br>FSC_095 = (DK,RF,NS) or<br>PMKProxy = 2 | At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger. | NS |
| 0 | (DHHTDKS = 1 and<br>(FSCTASUM >=0 and<br>FSCTASUM <= 1) and<br>(FSCTCSUM >=0 and<br>FSCTCSUM <= 1)) or<br>(DHHTDKS = 0 and<br>(FSCTASUM >= 0 and<br>FSCTASUM <= 1)) | Food secure | |
| 1 | (DHHTDKS = 1 and (FSCTASUM >= 2 and<br>FSCTASUM <= 5) and (FSCTCSUM >= 2 and<br>FSCTCSUM <= 4)) or<br>(DHHTDKS = 1 and (((FSCTASUM >= 2 and<br>FSCTASUM <= 5) and (FSCTCSUM <= 4)) or<br>((FSCTASUM <= 5) and (FSCTCSUM >= 2 and<br>FSCTCSUM <= 4)))) or<br>(DHHTDKS = 0 and (FSCTASUM >= 2 and<br>FSCTASUM <= 5)) | Moderately food insecure | |
| 2 | (DHHTDKS = 1 and ((FSCTASUM >= 6 and<br>FSCTASUM <= 10) or (FSCTCSUM >= 5 and<br>FSCTCSUM <= 8))) or<br>(DHHTDKS = 0 and (FSCTASUM >= 6 and<br>FSCTASUM <= 10)) | Severely food insecure | |

Reference: The model for FSCDVHFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

# Fruit and vegetable consumption (8 DVs)

## 1 ) Daily consumption - pure fruit juice

**Variable name:** FVCDVJUI

**Based on:** ADM_PRX, FVC_005, FVC_005A

**Description:** This variable indicates the usual number of times per day the respondent drinks pure fruit juice.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.9 | FVC_005 = (DK, RF, NS) or FVC_005A = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_005 | FVC_005A = 1 | Number of times/day | |
| FVC_005 / 7 | FVC_005A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_005 / 30 | FVC_005A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_005 = 0 | Did not drink pure fruit juice in the last month | |

## 2 ) Daily consumption - fruit

**Variable name:** FVCDVFRU

**Based on:** ADM_PRX, FVC_010, FVC_010A

**Description:** This variable indicates the usual number of times per day the respondent consumes fruit, including frozen, dried or canned, but excluding fruit juices.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.9 | FVC_010 = (DK, RF, NS) or FVC_010A = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_010 | FVC_010A = 1 | Number of times/day | |
| FVC_010 / 7 | FVC_010A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_010 / 30 | FVC_010A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_010 = 0 | Did not eat fruit in the last month | |

## 3 ) Daily consumption - dark green vegetables

**Variable name:** FVCDVGRN

**Based on:** ADM_PRX, FVC_015, FVC_015A

**Description:** This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, peas and green peppers or dark leafy greens including romaine or spinach, frozen or canned vegetables and vegetables cooked into meals.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.9 | FVC_015 = (DK, RF, NS) or FVC_015A = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_015 | FVC_015A = 1 | Number of times/day | |
| FVC_015 / 7 | FVC_015A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_015 / 30 | FVC_015A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_015 = 0 | Did not eat green vegetables in the last month | |

## 4 ) Daily consumption - orange-coloured vegetables

**Variable name:** FVCDVORA

**Based on:** ADM_PRX, FVC_020, FVC_020A

**Description:** This variable indicates the usual number of times per day the respondent consumes orange-coloured vegetables such as carrots, orange bell pepper, sweet potatoes, pumpkin or squash, including frozen or canned vegetables and vegetables that were cooked in meals.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.9 | FVC_020 = (DK, RF, NS) or FVC_020A = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_020 | FVC_020A = 1 | Number of times/day | |
| FVC_020 / 7 | FVC_020A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_020 / 30 | FVC_020A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_020 = 0 | Did not eat orange vegetables in the last month | |

## 5 ) Daily consumption - potatoes

**Variable name:** FVCDVPOT

**Based on:** ADM_PRX, FVC_025, FVC_025A

**Description:** This variable indicates the usual number of times per day the respondent consumes potatoes that are not deep fried.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.9 | FVC_025 = (DK, RF, NS) or FVC_025 = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_025 | FVC_025A = 1 | Number of times/day | |
| FVC_025 / 7 | FVC_025A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_025 / 30 | FVC_025A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_025 = 0 | Did not eat potatoes in the last month | |

## 6 ) Daily consumption - other vegetables

**Variable name:** FVCDVVEG

**Based on:** ADM_PRX, FVC_030, FVC_030A

**Description:** This variable indicates the respondent's usual daily consumption of other vegetables such as cucumber, celery, corn, cabbage, and vegetable juice. This variable excludes the dark green and orange-colored vegetables taken in consideration in FVCDVGRN and FVCDVORA and the potatoes taken in consideration FVCDVPOT.

**Note:** In this question, the CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.9 | ADM_PRX = 1 | Module not asked -proxy interview | NS |
| 999.9 | FVC_030 = (DK, RF, NS) or FVC_030A = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVC_030 | FVC_030A = 1 | Number of times/day | |
| FVC_030 / 7 | FVC_030A = 2 | Number of times/day (reported "times per week") | (rounded to one decimal place) |
| FVC_030 / 30 | FVC_030A = 3 | Number of times/day (reported "times per month") | (rounded to one decimal place) |
| 0 | FVC_030 = 0 | Did not eat other vegetables in the last month | |

## 7 ) Daily consumption - fruits and vegetables

**Variable name:** FVCDVTOT

**Based on:** ADM_PRX, FVCDVJUI, FVCDVFRU, FVCDVGRN, FVCDVPOT, FVCDVORA, FVCDVVEG

**Description:** The following variable represents the respondent's total daily consumption of fruits and vegetables.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9999.9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999.9 | FVCDVJUI = NS or<br>FVCDVFRU = NS or<br>FVCDVGRN = NS or<br>FVCDVPOT = NS or<br>FVCDVORA = NS or<br>FVCDVVEG = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| FVCDVJUI +<br>FVCDVFRU +<br>FVCDVGRN +<br>FVCDVPOT +<br>FVCDVORA +<br>FVCDVVEG | (0 <= FVCDVJUI <= 300) and<br>(0 <= FVCDVFRU <= 300) and<br>(0 <= FVCDVGRN <= 300) and<br>(0 <= FVCDVPOT <= 300) and<br>(0 <= FVCDVORA <= 300) and<br>(0 <= FVCDVVEG <= 300) | Total number of times the respondent eats fruits and vegetables | (min:0.0; max:1800.0) |

## 8 ) Grouping of total daily consumption - fruits and vegetables

**Variable name:** FVCDVGDT

**Based on:** ADM_PRX, FVCDVTOT

**Description:** This variable classifies the respondent based on the total number of times per day he/she eats fruits and vegetables.

**Note:** The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | FVCDVTOT = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | FVCDVTOT < 5 | Eats fruits and vegetables less than 5 times per day. | |
| 2 | (5 <= FVCDVTOT <= 10) | Eats fruits and vegetables between 5 and 10 times per day | |
| 3 | FVCDVTOT > 10 | Eats fruits and vegetables more than 10 times per day | |

# General health (3 DVs)

## 1 ) Perceived health

**Variable name:** GENDVHDI

**Based on:** GEN_005

**Description:** This variable indicates the respondent's health status based on his/her own judgement or his/her proxy. Higher scores indicate positive perceived health status.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | GEN_005 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| 0 | GEN_005 = 5 | Poor | |
| 1 | GEN_005 = 4 | Fair | |
| 2 | GEN_005 = 3 | Good | |
| 3 | GEN_005 = 2 | Very good | |
| 4 | GEN_005 = 1 | Excellent | |

## 2 ) Perceived mental health

**Variable name:** GENDVMHI

**Based on:** ADM_PRX, GEN_015

**Description:** This variable indicates the respondent's mental health status based on his/her own judgement. Higher scores indicate positive perceived mental health status.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | GEN_015 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| 0 | GEN_015 = 5 | Poor | |
| 1 | GEN_015 = 4 | Fair | |
| 2 | GEN_015 = 3 | Good | |
| 3 | GEN_015 = 2 | Very good | |
| 4 | GEN_015 = 1 | Excellent | |

## 3 ) Satisfaction with life in general

**Variable name:** GENDVSWL

**Based on:** ADM_PRX, GEN_010

**Description:** This variable groups the 11-point scale used in GEN_010 to rate a respondent's satisfaction with life into 5 categories.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | ADM_PRX = 1 | Question not asked - proxy interview | NS |
| 9 | GEN_010 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (GEN_010 >= 9 and GEN_010 <= 10) | Very Satisfied | |
| 2 | GEN_010 >= 6 and GEN_010 <= 8) | Satisfied | |
| 3 | GEN_010 = 5 | Neither satisfied nor dissatisfied | |
| 4 | (GEN_010 >= 2 and GEN_010 <= 4) | Dissatisfied | |
| 5 | (GEN_010 >= 0 and GEN_010 <= 1) | Very Dissatisfied | |

# Geography variables (2 DVs)

The Postal Code Conversion File (PCCF+) was used in the derivation of the geographic variables. All geographic variables use the geography from the 2011 Census.

## 1 ) British Columbia Health Authority (BCHA)

**Variable name:** GEODVBHA

**Based on:** GEODVPC

**Description:** This variable is a four digit number that identifies the 5 Health Authorities for British Columbia. It is equal to 9996 (for not applicable) anywhere else. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

## 2 ) Health region - Grouped

**Variable name:** GEODGHR4

**Based on:** GEODVHR4

**Description:** This variable is a 5-digit number that identifies the sub-provincial health areas. It is based on the 4-digit health regions specified by the Provincial Ministries of Health. The reconstruction is as follows:
- positions 1-2 (first two positions of GEODVHR4);
- position 3 (value of "9");
- positions 4-5 (3rd, 4th position of GEODVHR4).

**Note:** The variable GEODVHR4 is the health region based on GEODVPC (postal code) and is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent. GEODVHR4 and GEODVPC are not included in the Public Use Microdata File.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 10913 | GEODVHR4 = (1013, 1014) | Group:<br>Western Regional Integrated Health Authority<br>Labrador-Grenfell Integrated Health Authority | |
| 13904 | GEODVHR4 = (1304, 1305) | Group:<br>Zone 4<br>Zone 5 | |
| 13906 | GEODVHR4 = (1306, 1307) | Group:<br>Zone 6<br>Zone 7 | |
| 35939 | GEODVHR4 = (3539, 3554) | Group:<br>Huron County Health Unit<br>Perth District Health Unit | |
| 35947 | GEODVHR4 = (3547, 3563) | Group:<br>North Bay Parry Sound District Health Unit<br>Timiskaming Health Unit | |
| 47901 | GEODVHR4 = (4701, 4702, 4703) | Group:<br>Sun Country Regional Health Authority<br>Five Hills Regional Health Authority<br>Cypress Regional Health Authority | |

| | | |
|---|---|---|
| 47905 | GEODVHR4 = (4705, 4708) | Group:<br>Sunrise Regional Health Authority<br>Kelsey trail Regional Health Authority |
| 47907 | GEODVHR4 = (4707, 4710) | Group:<br>Heartland Regional Health Authority<br>Prairie North Regional Health Authority |
| 47909 | GEODVHR4 = (4709, 4714) | Group:<br>Prince Albert Parkland Regional Health Authority<br>Mamawetan Churchill River RHA/Keewatin Yatthé RHA/Athabasca Health Authority |

# Health utilities index (9 DVs)

The Health Utilties Index (HUI) is a multi-attribute health status classification system for measuring generic health status and health-related quality of life. The version used by CCHS has been adapted from the HUI Mark 3 (HUI3) for NPHS. The questions are slightly different than the original HUI3 developed at McMaster University. This instrument allows the calculation of a generic health status index based on attributes found in the Health utilities index (HUI) module. For more information see "Feeny D, Furlong W,Torrance GW et al. Multi-attribute and single-attribute utility functions for the Health Utilities Index Mark 3 system. Med Care 2002; 40: 113-128."

## 1 ) Vision Health Status - Grouped

**Variable name:** HUIDGVIS

**Based on:** HUI_005, HUI_010, HUI_015, HUI_020, HUI_025

**Description:** Vision health status refers to a person's ability to see. This is based on his or her ability to perform certain visual tasks such as reading ordinary newsprint or recognising a friend on the other side of the street. The use of corrective lenses such as glasses or contact lenses is taken into consideration in this concept of ability/disability.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 9 | (HUI_005 = DK, RF, NS) or<br>(HUI_010 = DK, RF, NS) or<br>(HUI_015 = DK, RF, NS) or<br>(HUI_020 = DK, RF, NS) or<br>(HUI_025 = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (HUI_005 = 1 and<br>HUI_010 = 6 and<br>HUI_015 = 6 and<br>HUI_020 = 1 and<br>HUI_025 = 6) | Able to see well | |
| 2 | (HUI_005 = 1 and<br>HUI_010 = 6 and<br>HUI_015 = 6 and<br>HUI_020 = 2 and<br>HUI_025 = 1)<br>or<br>(HUI_005 = 2 and<br>HUI_010 = 1 and<br>HUI_015 = 6 and<br>HUI_020 = 1 and<br>HUI_025 = 6)<br>or<br>(HUI_005 = 2 and<br>HUI_010 = 1 and<br>HUI_015 = 6 and<br>HUI_020 = 2 and<br>HUI_025 = 1) | Able to see well with lenses | |
| 3 | (HUI_005 = 1 and<br>HUI_010 = 6 and<br>HUI_015 = 6 and<br>HUI_020 = 2 and<br>HUI_025 = 2)<br>or<br>(HUI_005 = 2 and<br>HUI_010 = 1 and<br>HUI_015 = 6 and<br>HUI_020 = 2 and<br>HUI_025 = 2) | Unable to see distance even with lenses | |

| | | |
|---|---|---|
| 4 | (HUI_005 = 2 and<br>HUI_010 = 2 and<br>HUI_015 = 1 and<br>HUI_020 = 1 and<br>HUI_025 = 6)<br>or<br>(HUI_005 = 2 and<br>HUI_010 = 2 and<br>HUI_015 = 1 and<br>HUI_020 = 2 and<br>HUI_025 = 1) | Unable to see close - even with lenses |
| 5 | HUI_005 = 2 and<br>HUI_010 = 2 and<br>HUI_015 = 1 and<br>HUI_020 = 2 and<br>HUI_025 = 2<br>or<br>HUI_005 = 2 and<br>HUI_010 = 2 and<br>HUI_015 = 2 and<br>HUI_020 = 6 and<br>HUI_025 = 6 | Unable to see close and distance even with lenses<br>Or<br>Unable to see at all |

## 2 ) Hearing Health Status - Grouped

**Variable name:** HUIDGHER

**Based on:** HUI_030, HUI_035, HUI_040, HUI_045, HUI_050

**Description:** Hearing health status refers to a person's ability to hear. This is based on his or her ability to perform certain auditory tasks such as being able to hear what is said in a conversation with one other person or being able to hear what is said in a group conversation. The use of a hearing aid is taken into consideration into this concept of ability/disability.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 9 | HUI_030 = (DK, RF, NS) or<br>HUI_035 = (DK, RF, NS) or<br>HUI_040 = (DK, RF, NS) or<br>HUI_045 = (DK, RF, NS) or<br>HUI_050 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | HUI_030 = 1 and<br>HUI_035 = 6 and<br>HUI_040 = 6 and<br>HUI_045 = 6 and<br>HUI_050 = 6 | Able to hear well | |

| | | |
|---|---|---|
| 2 | (HUI_030 = 2 and<br>HUI_035 = 1 and<br>HUI_040 = 6 and<br>HUI_045 = 1 and<br>HUI_050 = 6)<br>or<br>(HUI_030 = 2 and<br>HUI_035 = 1 and<br>HUI_040 = 6 and<br>HUI_045 = 2 and<br>HUI_050 = 1)<br>or<br>(HUI_030 = 2 and<br>HUI_035 = 1 and<br>HUI_040 =6 and<br>HUI_045 = 2 and<br>HUI_050 = 2) | Unable to hear in a group - corrected<br>Or<br>Unable to hear in a group and individual - corrected |
| 3 | (HUI_030 = 2 and<br>HUI_035 = 2 and<br>HUI_040 =1 and<br>HUI_045 = 1 and<br>HUI_050 = 6<br>or<br>(HUI_030 = 2 and<br>HUI_035 = 2 and<br>HUI_040 =1 and<br>HUI_045 = 2 and<br>HUI_050 = 1)<br>or<br>(HUI_030 = 2 and<br>HUI_035 = 2 and<br>HUI_040 =1 and<br>HUI_045 = 2 and<br>HUI_050 = 2)<br>or<br>(HUI_030 = 2 and<br>HUI_035 = 2 and<br>HUI_040 =2 and<br>HUI_045 = 6 and<br>HUI_050 = 6) | Unable to hear in a group - not corrected<br>Or<br>unable to hear in group and individual - not corrected<br>Or<br>Unable to hear |

## 3 ) Speech Health Status - Grouped

**Variable name:** HUIDGSPE

**Based on:** HUI_055, HUI_060, HUI_065, HUI_070

**Description:** Speech health status refers to a person's ability to speak and be understood. This is based on his or her ability to be understood by strangers and people who know him or her well.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 9 | (HUI_055 = DK, R, NS) or<br>(HUI_060 = DK, R, NS) or<br>(HUI_065 = DK, R, NS) or<br>(HUI_070 = DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | HUI_055 = 1 and<br>HUI_060 = 6 and<br>HUI_065 = 6 and<br>HUI_070 = 6 | Able to be well understood | |

| | | |
|---|---|---|
| 2 | HUI_055 = 2 and<br>HUI_060 = 1 and<br>HUI_065 = 1 and<br>HUI_070 = 6<br>or<br>HUI_055 = 2 and<br>HUI_060 = 1 and<br>HUI_065 = 2 and<br>HUI_070 = 1<br>or<br>(HUI_055 = 2 and<br>HUI_060 = 2 and<br>HUI_065 = 1 and<br>HUI_070 = 6)<br>or<br>(HUI_055 = 2 and<br>HUI_060 = 2 and<br>HUI_065 = 2 and<br>HUI_070 = 1)<br>or<br>(HUI_055 = 2 and<br>HUI_060 = 1 and<br>HUI_065 = 2 and<br>HUI_070 = 2)<br>or<br>(HUI_055 = 2 and<br>HUI_060 = 2 and<br>HUI_065 = 2 and<br>HUI_070 = 2) | Partially understood<br>Or<br>Unable to be understood |

## 4 ) Ambulation Health Status - Grouped

**Variable name:** HUIDGMOB

**Based on:** HUI_075, HUI_080, HUI_085, HUI_090, HUI_095

**Description:** Ambulation health status refers to a person's ambulation ability. This is based on his or her ability to walk or be mobile around the neighbourhood or for short distances. The use of mechanical support or a wheelchair as well as the help required from other people is taken into consideration in this concept of ability/disability.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 9 | (HUI_075 = DK, R, NS) or<br>(HUI_080 = DK, R, NS) or<br>(HUI_085 = DK, R, NS) or<br>(HUI_090 = DK, R, NS) or<br>(HUI_095 = DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | HUI_075 = 1 and<br>HUI_080 = 6 and<br>HUI_085 = 6 and<br>HUI_090 = 6 and<br>HUI_095 = 6 | Able to walk without difficulty | |
| 2 | HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 2 and<br>HUI_090 = 2 and<br>HUI_095 = 2 | Limitations walking - no aid required | |

| | | |
|---|---|---|
| 3 | HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 1 and<br>HUI_090 = 2 and<br>HUI_095 = 2<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 1 and<br>HUI_090 = 2 and<br>HUI_095 = 1)<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 2 and<br>HUI_090 = 2 and<br>HUI_095 = 1) | Limitations walking - requires walking equipment or wheelchair |
| 4 | (HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 1 and<br>HUI_090 = 1 and<br>HUI_095 = 1)<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 1 and<br>HUI_090 = 1 and<br>HUI_095 = 2)<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 2 and<br>HUI_090 = 1 and<br>HUI_095 = 1)<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 1 and<br>HUI_085 = 2 and<br>HUI_090 = 1 and<br>HUI_095 = 2)<br>or<br>(HUI_075 = 2 and<br>HUI_080 = 2 and<br>HUI_085 = 6 and<br>HUI_090 = 6 and<br>HUI_095 = 1) | Limitations walking - requires help from people<br>Or<br>Cannot walk at all |

## 5 ) Dexterity Health Status - Grouped

**Variable name:** HUIDGDEX

**Based on:** HUI_110, HUI_115, HUI_120, HUI_125

**Description:** Dexterity health status refers to a person's ability to use their hands. This is based on his or her ability to perform certain tasks using their hands or fingers. The use of special tools or the help of another person to aid in the performance of these tasks is factored into this concept of ability/disability.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 9 | (HUI_110 = DK, R, NS) or<br>(HUI_115 = DK, R, NS) or<br>(HUI_120 = DK, R, NS) or<br>(HUI_125 = DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | |
|---|---|---|
| 1 | HUI_110 = 1 and<br>HUI_115 = 6 and<br>HUI_120 = 6 and<br>HUI_125 = 6 | Has full use of hands and fingers |
| 2 | HUI_110 = 2 and<br>HUI_115 = 2 and<br>HUI_120 = 6 and<br>HUI_125 = 2 | Dexterity limitations, no help required |
| 3 | HUI_110 = 2 and<br>HUI_115 = 2 and<br>HUI_120 = 6 and<br>HUI_125 = 1<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 1 and<br>HUI_125 = 1)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 1 and<br>HUI_125 = 2)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 2 and<br>HUI_125 = 1)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 2 and<br>HUI_125 = 2)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 3 and<br>HUI_125 =1)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 3 and<br>HUI_125 = 2)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 4 and<br>HUI_125 = 1)<br>or<br>(HUI_110 = 2 and<br>HUI_115 = 1 and<br>HUI_120 = 4 and<br>HUI_125 = 2) | Dexterity limitations, requires special equipment or help with some tasks or help with most tasks or help with all tasks |

## 6 ) Emotion health status

**Variable name:** HUIDVEMO

**Based on:** HUI_130

**Description:** Emotion health status refers to a person's emotional well-being. This is based on different levels of happiness, interest in life, and unhappiness.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |

| | | | |
|---|---|---|---|
| 1 | HUI_130 = 1 | Happy and interested in life | |
| 2 | HUI_130 = 2 | Somewhat happy | |
| 3 | HUI_130 = 3 | Somewhat unhappy | |
| 4 | HUI_130 = 4 | Very unhappy | |
| 5 | HUI_130 = 5 | So unhappy that life is not worthwhile | |
| 9 | HUI_130 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |

## 7 ) Cognition health status

**Variable name:** HUIDVCOG

**Based on:** HUI_135, HUI_140

**Description:** Cognition health status refers to a person's cognition facility based on his or her ability to remember, think and solve problems.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOHUI = 2 | Module not selected | NA |
| 1 | HUI_135 = 1 and HUI_140 = 1 | Able to remember and think | |
| 2 | (HUI_135 = 1 and HUI_140 = 2) or (HUI_135 = 1 and HUI_140 = 3) | Able to remember and some difficulty thinking | |
| 3 | HUI_135 = 2 and HUI_140 = 1 | Somewhat forgetful and able to think | |
| 4 | (HUI_135 = 2 and HUI_140 = 2) or (HUI_135 = 2 and HUI_140 = 3) | Somewhat forgetful and some difficulty thinking | |
| 5 | (HUI_135 = 1 and HUI_140 = 4) or (HUI_135 = 2 and HUI_140 = 4) or (HUI_135 = 3 and HUI_140 = 1) or (HUI_135 = 3 and HUI_140 = 2) or (HUI_135 = 3 and HUI_140 = 3) or (HUI_135 = 3 and HUI_140 = 4) | Very forgetful or great deal of difficulty thinking | |

| | | | |
|---|---|---|---|
| 6 | (HUI_135 = 1 and HUI_140 = 5) or (HUI_135 = 2 and HUI_140 = 5) or (HUI_135 = 3 and HUI_140 = 5) or (HUI_135 = 4 and HUI_140 = 1) or (HUI_135 = 4 and HUI_140 = 2) or (HUI_135 = 4 and HUI_140 = 3) or (HUI_135 = 4 and HUI_140 = 4) or (HUI_135 = 4 and HUI_140 = 5) | Unable to remember or unable to think | |
| 99 | HUI_135 = (DK, RF, NS) or HUI_140 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 8 ) Pain health status

**Variable name:** HUIDVPAD

**Based on:** HUI_145, HUI_155

**Description:** Pain health status refers to the degree of pain that is usually felt by a person. This concept also considers whether this pain prevents him or her from performing certain activities. This variable is one of the 8 attributes used to calculate the Health Utility Index (HUIDVHSI).

**Note:** Prior to 2015, this variable was called HUPDPAD and was part of the Health utilities index - Pain and discomfort (HUP) module. Starting in 2015, the HUP questions were moved to HUI.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOHUI = 2 | Module not selected | NA |
| 1 | HUI_145 = 1 and HUI_155 = NA | No pain or discomfort | |
| 2 | HUI_145 = 2 and HUI_155 = 1 | Pain - does not prevent activity | |
| 3 | HUI_145 = 2 and HUI_155 = 2 | Pain prevents a few activities | |
| 4 | HUI_145 = 2 and HUI_155 = 3 | Pain prevents some activities | |
| 5 | HUI_145 = 2 and HUI_155 = 4 | Pain prevents most activities | |
| 9 | HUI_145 = (DK, RF, NS) or HUI_155 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 9 ) Health utilities index

**Variable name:** HUIDVHSI

**Based on:** HUIDVVIS, HUIDVHER, HUIDVSPE, HUIDVMOB, HUIDVDEX, HUIDVEMO, HUIDVCOG, HUIDVPAD

**Description:** This derived variable is a Health Utilities Index which provides a description of an individual's overall functional health, based on eight attributes: vision, hearing, speech, mobility (ability to get around), dexterity (use of hands and fingers), emotion (feelings), cognition (memory and thinking) and pain. The version of the index used in CCHS is adapted from the HUI Mark 3 (HUI3). The index is designed to produce both an overall health utility score and eight individual attribute scores. Analysts can use either a single-attribute utility scale or look at the complete health state (levels on all eight attributes) on the overall utility scale to produce a measure of an individual's perceived health related quality of life (HRQL).
The index is appropriate for use to describe and monitor the health of general populations, and has been extensively validated for use in cross-sectional and longitudinal population health studies.
The 8 single-attribute utility scores measure functional capacity within a single attribute, and range from 1.000 (normal) to 0.000 (most disabled). In combination, these scores are used to produce a multi-attribute utility index producing a score ranging from 1.000 (perfect health), through 0.000 (health status equal to death) to -0.359 (health status worse than death). Scores between 0.8 and 1.0 are considered to indicate good to full functional health; scores below 0.8 are considered to indicate moderate to poor functional health.

**Note:** HUI3 question content resides in the public domain, and is not subject to copyright restrictions. The HUI3 algorithm is the property of Health Utilities Inc. and is protected by copyright. Statistics Canada is authorized, when requested, to share this algorithm with users who wish to replicate results or analyses conducted by Statistics Canada. The use of the algorithm for other purposes, or the sharing of it with others, is prohibited.

Higher scale indicates better health index
Range: -0.359 to 1 in increments of 0.001

Reference: For a detailed explanation of the calculation of the HUI3 refer to:

- Feeny D, Furlong W, Torrance GW et al. Multiattribute and single-attribute utility functions for the Health Utilities Index Mark 3 system. Med Care 2002; 40: 113-128.

# Height and weight (8 DVs)

## 1 ) Height (Metres) - Self-Reported - Grouped

**Variable name:** HWTDGHTM

**Based on:** HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025

**Description:** This variable indicates the height of the respondent in metres, either as reported or converted from feet and inches (see note). If a respondent reported a height below or above a threshold deemed to be a disclosure risk, the value for HWTDGHTM is taken to be that threshold. The thresholds used vary by age group and sex. For example, if a 44 year old male reports a height below 1.6 metres, the value for HWTDGHTM is set to 1.6.

Note that the derived variables that calculate body mass index (BMI) or classify respondents according to their BMI have been recalculated based on this adjusted height variable.

**Note:** For example, an individual who reported being 5 feet and 8 inches will have a height of 1.727 metres. The 1.727 is the midpoint of the range (1.715-1.739) around the height 5 feet and 8 inches. The range values were calculated as follows for an individual who is 5'8": LOWER LIMIT: Take the exact value in metres for a person who is 5'7" and average it with the value for 5'8". UPPER LIMIT: Take the exact value in metres for a person who is 5'9" and average it with the value for 5’8" then subtract 0.001 from it.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9.996 | MAC_025 = 1 | Population exclusion - Pregnant women | NA |
| 9.999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9.999 | HWT_005 = (DK, RF, NS) or<br>HWT_020 = (DK, RF, NS) or<br>HWT_025 = (DK, RF, NS) or<br>HWT_030 = (DK, RF, NS) or<br>HWT_035 = (DK, RF, NS) or<br>ADM_PRX = 1 | At least one required question was not answered (don't know, refusal, not stated) | NS |
| x.xxx | Else | Respondent's reported height in metres | |

## 2 ) Weight (kilograms) - self-reported - Grouped

**Variable name:** HWTDGWTK

**Based on:** ADM_PRX, HWT_040, HWT_045, MAC_025

**Description:** This variable indicates the respondent’s self-reported weight in kilograms, either as reported or converted from pounds. If a respondent reported a weight below or above a threshold deemed to be a disclosure risk, the value for HWTDGWTK is taken to be that threshold. The thresholds used vary by age group and sex. For example, if a 44 year old male reports a weight below 55.8 kg, the value for HWTDGWTK is set to 55.8.

Note that the derived variables that calculate body mass index (BMI) or classify respondents according to their BMI have been recalculated based on this adjusted weight variable.

**Note:** This variable excludes female respondents who were pregnant.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.96 | MAC_025 = 1 | Population exclusion - Pregnant women | NA |
| 999.99 | ADM_PRX = 1 | Module not asked (proxy interview) | |
| 999.99 | HWT_040 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |

| | | | |
|---|---|---|---|
| HWT_040 | HWT_045 = 2 | Weight in Kg | (rounded to two decimal places) |
| HWT_040 × 0.45 | HWT_045 = 1 | Weight in Kg converted from Lbs. | (rounded to two decimal places) |

## 3 ) Body mass index (self-reported) - Grouped

**Variable name:** HWTDGBMI

**Based on:** DHH_SEX, ADM_PRX, HWTDVHTM, HWTDVWTK, MAC_025

**Description:** The Body Mass Index (BMI) for this variable is based on self-reported height and weight. BMI is a comparison of "weight" relative to the "height" of respondents. HWTGBMI values have been derived from the grouped height and weight variables HWTDGHTM and HWTDGWTK.

BMI values have been regrouped to a minimum of 12 and a maximum of 58.

**Note:** BMI is not calculated for pregnant women. Although calculation of BMI is not recommended for lactating women, the index provided here is calculated for women who report that they are breastfeeding (MEX_110 = 1).

This BMI classification is created using "self-reported height" and "self-reported weight" variables. For an adjusted BMI derived variable, see HWTDVCOR.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.96 | MAC_025 = 1 | Population exclusion - Pregnant women | NA |
| 999.99 | ADM_PRX = 1 | Module not asked (proxy interview) | NS |
| 999.99 | DHH_SEX = 2 and MAC_025 = (7, 8, 9) | Females who did not answer the pregnancy question (don't know, refusal, not stated) | NS |
| 999.99 | HWTDGHTM = 999.99 or HWTDGWTK = 999.99 | Respondents for whom a valid self-reported height and weight was not obtained | NS |
| 12 | HWTDGWTK / (HWTDGHTM × HWTDGHTM) < 12 | | |
| 58 | HWTDGWTK / (HWTDGHTM × HWTDGHTM) > 58 | | |
| HWTDGWTK / (HWTDGHTM × HWTDGHTM) | HWTDVHTM < NA and HWTDVWTK < NA | BMI calculated from both self-reported height and self-reported weight values | (Rounded to two decimal places) |

## 4 ) BMI classification for children aged 12 to 17 (self-reported) - Cole classification system

**Variable name:** HWTDVCOL

**Based on:** DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025

**Description:** This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex-specific BMI cut-off points as defined by Cole and Lobstein. The Cole-Lobstein cut-off points are based on pooled international data (Brazil, United Kingdom, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the widely internationally accepted adult BMI cut-off points of 18.5 (Normal), 25 (overweight) and 30 (obese).

These cut-offs, released in 2012, are updates of the original cut-offs produced by Cole et. al in 2000.

**Note:** This variable excludes respondents who are 18 years old or over (216 months) or females who were pregnant.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **AGET1** | | | |
| DHHTAGM / 12 | DHHTAGM < NA | Convert respondent's "age in months" to "age in years" | (Rounded to nearest 0.5) |
| **DHHTAGM** | | | |
| 9999 | (DHH_DOB = DK, R, NS) or (DHH_MOB = DK, R or NS) or (DHH_YOB = DK, R or NS) | A valid day of birth or month of birth or year of birth is not available for the respondent. | NS |
| Age in months | Interview date converted in months (ADM_YOI, ADM_MOI and ADM_DOI) - Date of birth converted in months (DHH_YOB, DHH_MOB and DHH_DOB) | Create respondent's age in months at time of the interview | (min:144; max:1224) |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17 | Population exclusion | NA |
| 9 | ADM_PRX = 1 | Module not asked (proxy interview) | NS |
| 9 | HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | |
|---|---|---|
| 4 | (AGET1 = 12 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (NA > HWTDVBMI >= 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (NA > HWTDVBMI >= 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (NA > HWTDVBMI >= 30.00)) | Obese |

| | | |
|---|---|---|
| 3 | (AGET1 = 12 and DHH_SEX = 1 and (21.20 <= HWTDVBMI < 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (21.59 <= HWTDVBMI < 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (21.54 <= HWTDVBMI < 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (22.05 <= HWTDVBMI < 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (21.89 <= HWTDVBMI < 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (22.49 <= HWTDVBMI < 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (22.24 <= HWTDVBMI < 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (22.90 <= HWTDVBMI < 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (22.60 <= HWTDVBMI < 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (23.27 <= HWTDVBMI < 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (22.95 <= HWTDVBMI < 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (23.60 <= HWTDVBMI < 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (23.28 <= HWTDVBMI < 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (23.89 <= HWTDVBMI < 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (23.59 <= HWTDVBMI < 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (24.13 <= HWTDVBMI < 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (23.89 <= HWTDVBMI < 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (24.34 <= HWTDVBMI < 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (24.18 <= HWTDVBMI < 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (24.53 <= HWTDVBMI < 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (24.46 <= HWTDVBMI < 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (24.70 <= HWTDVBMI < 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (24.73 <= HWTDVBMI < 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (24.85 <= HWTDVBMI < 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (25.00 <= HWTDVBMI < 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (25.00 <= HWTDVBMI < 30.00)) | Overweight |

| | | |
|---|---|---|
| 2 | (AGET1 = 12 and DHH_SEX = 1 and (15.36 <= HWTDVBMI < 21.20)) or (AGET1 = 12 and DHH_SEX = 2 and (15.59 <= HWTDVBMI < 21.59)) or (AGET1 = 12.5 and DHH_SEX = 1 and (15.59 <= HWTDVBMI < 21.54)) or (AGET1 = 12.5 and DHH_SEX = 2 and (15.91 <= HWTDVBMI < 22.05)) or (AGET1 = 13 and DHH_SEX = 1 and (15.84 <= HWTDVBMI < 21.89)) or (AGET1 = 13 and DHH_SEX = 2 and (16.23 <= HWTDVBMI < 22.49)) or (AGET1 = 13.5 and DHH_SEX = 1 and (16.11 <= HWTDVBMI < 22.24)) or (AGET1 = 13.5 and DHH_SEX = 2 and (16.55 <= HWTDVBMI < 22.90)) or (AGET1 = 14 and DHH_SEX = 1 and (16.39 <= HWTDVBMI < 22.60)) or (AGET1 = 14 and DHH_SEX = 2 and (16.86 <= HWTDVBMI < 23.27)) or (AGET1 = 14.5 and DHH_SEX = 1 and (16.68 <= HWTDVBMI < 22.95)) or (AGET1 = 14.5 and DHH_SEX = 2 and (17.16 <= HWTDVBMI < 23.60)) or (AGET1 = 15 and DHH_SEX = 1 and (16.98 <= HWTDVBMI < 23.28)) or (AGET1 = 15 and DHH_SEX = 2 and (17.43 <= HWTDVBMI < 23.89)) or (AGET1 = 15.5 and DHH_SEX = 1 and (17.26 <= HWTDVBMI < 23.59)) or (AGET1 = 15.5 and DHH_SEX = 2 and (17.68 <= HWTDVBMI < 24.13)) or (AGET1 = 16 and DHH_SEX = 1 and (17.53 <= HWTDVBMI < 23.89)) or (AGET1 = 16 and DHH_SEX = 2 and (17.90 <= HWTDVBMI < 24.34)) or (AGET1 = 16.5 and DHH_SEX = 1 and (17.79 <= HWTDVBMI < 24.18)) or (AGET1 = 16.5 and DHH_SEX = 2 and (18.08 <= HWTDVBMI < 24.53)) or (AGET1 = 17 and DHH_SEX = 1 and (18.04 <= HWTDVBMI < 24.46)) or (AGET1 = 17 and DHH_SEX = 2 and (18.24 <= HWTDVBMI < 24.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (18.28 <= HWTDVBMI < 24.73)) or (AGET1 = 17.5 and DHH_SEX = 2 and (18.38 <= HWTDVBMI < 24.85)) or (AGET1 = 18 and DHH_SEX = 1 and (18.50 <= HWTDVBMI < 25.00)) or (AGET1 = 18 and DHH_SEX = 2 and (18.50 <= HWTDVBMI < 25.00)) | Normal |
| 1 | Else | Thinness |

Reference: For more information about the Cole BMI classification system, see Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity, by T. J. Cole and T. Lobstein, published in Pediatric Obesity, Volume: 7, March 2012, and Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey, by Tim J Cole, Mary C Bellizzi, Katherine M. Flegal, William H Dietz, published in British Medical Journal, Volume: 320, May 2000.

## 5 ) BMI classification for adults aged 18 and over (self-reported) - international standard - Grouped

**Variable name:** HWTDGISW

**Based on:** DHH_AGE, HWTDGBMI, MAC_025

**Description:** This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; and obese class I, II, or III. The BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health

Organization (WHO) which has been widely used internationally.

**Note:** According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels.

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DHH_AGE < 18 or<br>MAC_025 = 1 or<br>HWTDGBMI = NA | Population exclusions | NA |
| 9 | HWTDGBMI = NS or<br>MAC_025 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | HWTDGBMI < 18.50 | Underweight | |
| 2 | (18.50 <= HWTDGBMI <= 24.99) | Normal weight | |
| 3 | (25.00 <= HWTDGBMI <= 29.99) | Overweight | |
| 4 | HWTDGBMI >= 30.00 | Obese - Class I, II, III | |

## 6 ) BMI classification for children aged 12 to 17 (self-reported) - WHO classification system

**Variable name:** HWTDVWHO

**Based on:** ADM_PRX, DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025, DHHTAGM, AGET1

**Description:** This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex specific BMI cut-off points as defined by the World Health Organization.

In 2007, the WHO produced growth references for children aged 5 to 19 years using data from NHES II and III and NHANES I. The WHO BMI growth curves for 5- to 19-year-olds were constructed to ensure a smooth transition from the WHO standard for 0- to 5-year-olds. Based on these growth curves, the WHO recommends that children whose BMI is more than two standard deviations (SDs) above the mean should be considered obese, and those whose BMI is between one and two SDs above the mean, overweight. At all ages, the WHO cut-off points yield higher percentages of boys and girls classified as overweight/obese than do the IOTF or CDC cut-off points.

**Note:** This variable excludes respondents who are greater than 6 feet 11 inches (2.108 metres) or females who were pregnant.

Reference: For more information about the WHO BMI classification system, see Development of a WHO growth reference for school-aged children and adolescents, by Mercedes de Onis, Adelheid W Onyango, Elaine Borghi, Amani Siyam, Chizuru Nishidaa & Jonathan Siekmanna, published in Bulletin of the World Health Organization, Sept 2007;85:660-667.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17 | Population exclusion | NA |
| 9 | ADM_PRX = 1 | Module not asked (proxy interview) | |
| 9 | HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | |
|---|---|---|
| 4 | (AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 29.24)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.52)) | Obese (Greater or equal to 2 standard deviations above the mean for the child's age in months, and sex) |

| | | |
|---|---|---|
| 3 | (AGET1 = 12 and DHH_SEX = 1 and<br>(HWTDVBMI >= 19.95 and HWTDVBMI < 23.58))<br>or<br>(AGET1 = 12 and DHH_SEX = 2 and<br>(HWTDVBMI >= 20.81 and HWTDVBMI < 24.97))<br>or<br>(AGET1 = 12.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 20.38 and HWTDVBMI < 24.17))<br>or<br>(AGET1 = 12.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 21.31 and HWTDVBMI < 25.60))<br>or<br>(AGET1 = 13 and DHH_SEX = 1 and<br>(HWTDVBMI >= 20.83 and HWTDVBMI < 24.76))<br>or<br>(AGET1 = 13 and DHH_SEX = 2 and<br>(HWTDVBMI >= 21.80 and HWTDVBMI < 26.21))<br>or<br>(AGET1 = 13.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 21.30 and HWTDVBMI < 25.35))<br>or<br>(AGET1 = 13.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 22.28 and HWTDVBMI < 26.79))<br>or<br>(AGET1 = 14 and DHH_SEX = 1 and<br>(HWTDVBMI >= 21.77 and HWTDVBMI < 25.92))<br>or<br>(AGET1 = 14 and DHH_SEX = 2 and<br>(HWTDVBMI >= 22.73 and HWTDVBMI < 27.32))<br>or<br>(AGET1 = 14.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 22.24 and HWTDVBMI < 26.46))<br>or<br>(AGET1 = 14.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 23.15 and HWTDVBMI < 27.80))<br>or<br>(AGET1 = 15 and DHH_SEX = 1 and<br>(HWTDVBMI >= 22.69 and HWTDVBMI < 26.97))<br>or<br>(AGET1 = 15 and DHH_SEX = 2 and<br>(HWTDVBMI >= 23.51 and HWTDVBMI < 28.22))<br>or<br>(AGET1 = 15.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 23.12 and HWTDVBMI < 27.44))<br>or<br>(AGET1 = 15.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 23.83 and HWTDVBMI < 28.58))<br>or<br>(AGET1 = 16 and DHH_SEX = 1 and<br>(HWTDVBMI >= 23.53 and HWTDVBMI < 27.88))<br>or<br>(AGET1 = 16 and DHH_SEX = 2 and<br>(HWTDVBMI >= 24.10 and HWTDVBMI < 28.87))<br>or<br>(AGET1 = 16.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 23.91 and HWTDVBMI < 28.27))<br>or<br>(AGET1 = 16.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 24.32 and HWTDVBMI < 29.11))<br>or<br>(AGET1 = 17 and DHH_SEX = 1 and<br>(HWTDVBMI >= 24.27 and HWTDVBMI < 28.63))<br>or<br>(AGET1 = 17 and DHH_SEX = 2 and<br>(HWTDVBMI >= 24.50 and HWTDVBMI < 29.28))<br>or<br>(AGET1 = 17.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 24.60 and HWTDVBMI < 28.95))<br>or<br>(AGET1 = 17.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 24.65 and HWTDVBMI < 29.42))<br>or<br>(AGET1 = 18 and DHH_SEX = 1 and | Overweight (Greater or equal to 1 standard deviation but less than 2 standard deviations above the mean for the child's age in months, and sex) |

(HWTDVBMI >= 24.91 and HWTDVBMI < 29.24))
or
(AGET1 = 18 and DHH_SEX = 2 and
(HWTDVBMI >= 24.77 and HWTDVBMI < 29.52))

| | | |
|---|---|---|
| 2 | (AGET1 = 12 and DHH_SEX = 1 and<br>(HWTDVBMI >= 14.45 and HWTDVBMI < 19.95))<br>or<br>(AGET1 = 12 and DHH_SEX = 2 and<br>(HWTDVBMI >= 14.39 and HWTDVBMI < 20.81))<br>or<br>(AGET1 = 12.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 14.68 and HWTDVBMI < 20.38))<br>or<br>(AGET1 = 12.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 14.66 and HWTDVBMI < 21.31))<br>or<br>(AGET1 = 13 and DHH_SEX = 1 and<br>(HWTDVBMI >= 14.94 and HWTDVBMI < 20.83))<br>or<br>(AGET1 = 13 and DHH_SEX = 2 and<br>(HWTDVBMI >= 14.94 and HWTDVBMI < 21.80))<br>or<br>(AGET1 = 13.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 15.20 and HWTDVBMI < 21.30))<br>or<br>(AGET1 = 13.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 15.20 and HWTDVBMI < 22.28))<br>or<br>(AGET1 = 14 and DHH_SEX = 1 and<br>(HWTDVBMI >= 15.48 and HWTDVBMI < 21.77))<br>or<br>(AGET1 = 14 and DHH_SEX = 2 and<br>(HWTDVBMI >= 15.45 and HWTDVBMI < 22.73))<br>or<br>(AGET1 = 14.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 15.75 and HWTDVBMI < 22.24))<br>or<br>(AGET1 = 14.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 15.67 and HWTDVBMI < 23.15))<br>or<br>(AGET1 = 15 and DHH_SEX = 1 and<br>(HWTDVBMI >= 16.01 and HWTDVBMI < 22.69))<br>or<br>(AGET1 = 15 and DHH_SEX = 2 and<br>(HWTDVBMI >= 15.87 and HWTDVBMI < 23.51))<br>or<br>(AGET1 = 15.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 16.27 and HWTDVBMI < 23.12))<br>or<br>(AGET1 = 15.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.04 and HWTDVBMI < 23.83))<br>or<br>(AGET1 = 16 and DHH_SEX = 1 and<br>(HWTDVBMI >= 16.51 and HWTDVBMI < 23.53))<br>or<br>(AGET1 = 16 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.17 and HWTDVBMI < 24.10))<br>or<br>(AGET1 = 16.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 16.73 and HWTDVBMI < 23.91))<br>or<br>(AGET1 = 16.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.28 and HWTDVBMI < 24.32))<br>or<br>(AGET1 = 17 and DHH_SEX = 1 and<br>(HWTDVBMI >= 16.93 and HWTDVBMI < 24.27))<br>or<br>(AGET1 = 17 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.35 and HWTDVBMI < 24.50))<br>or<br>(AGET1 = 17.5 and DHH_SEX = 1 and<br>(HWTDVBMI >= 17.12 and HWTDVBMI < 24.60))<br>or<br>(AGET1 = 17.5 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.41 and HWTDVBMI < 24.65))<br>or<br>(AGET1 = 18 and DHH_SEX = 1 and | Normal (Greater than or equal to 2 standard deviations below the mean and less than 1 standard deviation above the mean for the child's age in months, and sex) |

| | | |
|---|---|---|
| | (HWTDVBMI >= 17.28 and HWTDVBMI < 24.91)<br>or<br>(AGET1 = 18 and DHH_SEX = 2 and<br>(HWTDVBMI >= 16.45 and HWTDVBMI < 24.77)) | |
| 1 | Else | Thinness (Less than 2 standard deviations below the mean for the child's age in months, and sex) |

## 7 ) Body mass index (adjusted) - Grouped

**Variable name:** HWTDGCOR

**Based on:** DHH_AGE, DHH_SEX, ADM_PRX, HWTDGBMI, MAC_025

**Description:** This variable indicates the respondent's adjusted body mass index by applying a correction equation.

**Note:** A systematic review of the literature concluded that the use of self-reported data among adults underestimates weight and overestimates height, resulting in lower estimates of obesity than those obtained from measured data (Connor Gorber et al. 2007). Obesity estimates based on the CCHS are subject to these biases (Shields et al. 2008b). Using data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported values were collected, correction equations have been developed (Connor Gorber et al. 2008). These correction equations have been successfully applied to both 2005 and 2008 self-reported CCHS data to produce more accurate estimates of obesity (Connor Gorber et al. 2008; Shields et al. 2011). Differences between corrected estimates of obesity from the CCHS and measured estimates from the Canadian Health Measures Survey will be monitored over time to determine if the bias in self-reported values is changing and if new correction equations need to be developed.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.96 | DHH_AGE < 18 or<br>MAC_025 = 1 or<br>HWTDGBMI = NA | Population exclusions | NA |
| 999.99 | ADM_PRX = 1 | Module not asked (proxy interview) | NS |
| 999.99 | DHH_SEX=2 and<br>MAC_025 = (DK, RF, NS) | Females who did not answer the pregnancy question (don't know, refusal, not stated) | |
| 999.99 | HWTDVHTM = NS or<br>HWTDVWTK = NS or<br>HWTDGBMI = NS | Respondents for whom a valid self-reported height and weight was not obtained | |
| -1.07575 + 1.07592*HWTD GBMI | DHH_SEX = 1 | Male BMI adjustment | (Rounded to two decimal places) |
| -0.12374 + 1.05129*HWTD GBMI | DHH_SEX = 2 | Female BMI adjustment | (Rounded to two decimal places) |

Reference: 1. Connor Gorber S, Shields M, Tremblay MS, McDowell I. The feasibility of establishing correction factors to adjust selfreported estimates of obesity. Health Reports (Statistics Canada, Catalogue 82-003) 2008; 19(3): 71-82.
2. Connor Gorber S, Tremblay M, Moher D, Gorber B. A comparison of direct vs. self-report measures for assessing height, weight and body mass index: a systematic review. Obesity Reviews 2007; 8(4): 307-26.
3. Shields M, Connor Gorber S, Tremblay MS. Effects of measurement on obesity and morbidity. Health Reports (Statistics Canada, Catalogue 82-003) 2008a; 19(2): 77-84.
4. Shields M, Connor Gorber S, Tremblay MS. Estimates of obesity based on self-report versus direct measures. Health Reports (Statistics Canada, Catalogue 82-003) 2008b; 19(2): 61-76.
5. Shields M, Connor Gorber S, Janssen I, Tremblay MS. Bias in self-reported estimates of obesity in Canadian health surveys: an update on correction equations for adults. Health Reports 2011; 22(3): 35-45.

## 8 ) BMI classification for adults aged 18 and over (adjusted) - international standard - Grouped

**Variable name:** HWTDGBCC

**Based on:** DHH_AGE, ADM_PRX, HWTDGCOR, MAC_025

**Description:** This variable uses the respondent's adjusted BMI, calculated in HWTDGCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; and obese class I, II or III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DHH_AGE < 18 or<br>MAC_025 = 1 or<br>HWTDGBMI = NA | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked (proxy interview) | NS |
| 9 | HWTDGCOR = NS or<br>MAC_025 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated | NS |
| 1 | HWTDGCOR < 18.50 | Underweight | |
| 2 | (18.50 <= HWTDGCOR <= 24.99) | Normal weight | |
| 3 | (25.00 <= HWTDGCOR <= 29.99) | Overweight | |
| 4 | HWTDGCOR >= 30.00 | Obese - Class I, II, III | |

# Income (7 DVs)

Temporary variables: INCTRAT, INCTLIC, INCTINC
(Temporary variables are not disseminated on the master files.)

INCTRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCDVADR). It is the ratio between the total income of the respondent's household and the before-tax low income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter and clothing.

INCTRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low income cut-offs for each family and community size were obtained for the 2014 reference year from the Canadian Income Survey.

A low income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be 31,866.

Step 2: Individual ratios of household income to the low income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTINC) by the corresponding low income cut-off (INCTLIC).

Beginning in 2016, household and personal income data are taken from tax records, if possible. The flag INCFIMPH indicates whether household income variables (INC_005A-INC_005O, INC_010, INC_015, and INC_021) are taken from tax records, reported, or imputed. The flag INCFIMPP indicates the same information for personal income variables (INC_025A-INC_025O, INC_030, INC_035, INC_041). See the document 'CCHS_2016_Income_Tax_Data' for more information.

Ref.: Low income cut-offs (INCTLIC) were taken from : Statistics Canada, "Income Research Paper Series", Low income lines, 2013-2014, Table 2: Low income cut-offs (1992 base) before tax. Catalogue no. 75F0002M No. 2, December 2015.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **GEOTPSZ** | | | |
| 1 | GEODVUR = 0 | Rural Area | |
| 2 | Size of the population centre (or CMA) < 30,000 | Population Centre less than 30,000 people | |
| 3 | 30,000 <= Size of the population centre (or CMA) < 100,000 | Population Centre 30,000 to 99,999 people | |
| 4 | 100,000 <= Size of the population centre (or CMA) < 500,000 | Population Centre 100,000 to 499,999 people | |
| 5 | Size of the population centre (or CMA) >= 500,000 | Population Centre 500,000 people or more | |
| **INCTINC** | | | |
| 99999996 | GEO_PRV = (60, 61, 62) | Residents of Territories excluded | |
| 99999999 | INC_021 = NS | None of the income questions were stated | |
| 0 | INC_021<=0 | No income or income loss | Value of 0 assigned when income loss reported |
| INC_021 | 0 < INC_021 < NA | Specific and positive household income | |
| **INCTLIC** | | | |
| 16,747 | DHHDVHSZ = 1 and GEOTPSZ = 1 | LICO when the household size = 1 and population size group = rural area | |
| 20,849 | DHHDVHSZ = 2 and GEOTPSZ = 1 | LICO when the household size = 2 and population size group = rural area | |
| 25,630 | DHHDVHSZ = 3 and GEOTPSZ = 1 | LICO when the household size = 3 and population size group = rural area | |
| 31,120 | DHHDVHSZ = 4 and GEOTPSZ = 1 | LICO when the household size = 4 and population size group = rural area | |
| 35,294 | DHHDVHSZ = 5 and GEOTPSZ = 1 | LICO when the household size = 5 and population size group = rural area | |

| | | |
|---|---|---|
| 39,808 | DHHDVHSZ = 6 and GEOTPSZ = 1 | LICO when the number of persons in household = 6 and population size group = rural area |
| 44,319 | DHHDVHSZ >= 7 and GEOTPSZ = 1 | LICO when the household size >= 7 and population size group = rural area |
| 19,053 | DHHDVHSZ = 1 and GEOTPSZ = 2 | LICO when the household size = 1 and population size group = urban area - less than 30,000 people |
| 23,718 | DHHDVHSZ = 2 and GEOTPSZ = 2 | LICO when the household size = 2 and population size group = urban area - less than 30,000 people |
| 29,158 | DHHDVHSZ = 3 and GEOTPSZ = 2 | LICO when the household size = 3 and population size group = urban area - less than 30,000 people |
| 35,403 | DHHDVHSZ = 4 and GEOTPSZ = 2 | LICO when the household size = 4 and population size group = urban area - less than 30,000 people |
| 40,153 | DHHDVHSZ = 5 and GEOTPSZ = 2 | LICO when the household size = 5 and population size group = urban area - less than 30,000 people |
| 45,287 | DHHDVHSZ = 6 and GEOTPSZ = 2 | LICO when the household size = 6 and population size group = urban area - less than 30,000 people |
| 50,420 | DHHDVHSZ >= 7 and GEOTPSZ = 2 | LICO when the household size >= 7 and population size group = urban area - less than 30,000 people |
| 20,822 | DHHDVHSZ = 1 and GEOTPSZ = 3 | LICO when the household size = 1 and population size group = urban area - 30,000 to 99,999 people |
| 25,921 | DHHDVHSZ = 2 and GEOTPSZ = 3 | LICO when the household size = 2 and population size group = urban area - 30,000 to 99,999 people |
| 31,866 | DHHDVHSZ = 3 and GEOTPSZ = 3 | LICO when the household size = 3 and population size group = urban area - 30,000 to 99,999 people |
| 38,691 | DHHDVHSZ = 4 and GEOTPSZ = 3 | LICO when the household size = 4 and population size group = urban area - 30,000 to 99,999 people |
| 43,883 | DHHDVHSZ = 5 and GEOTPSZ = 3 | LICO when the household size = 5 and population size group = urban area - 30,000 to 99,999 people |
| 49,493 | DHHDVHSZ = 6 and GEOTPSZ = 3 | LICO when the household size = 6 and population size group = urban area - 30,000 to 99,999 people |
| 55,103 | DHHDVHSZ >= 7 and GEOTPSZ = 3 | LICO when the household size >= 7 and population size group = urban area - 30,000 to 99,999 people |
| 20,952 | DHHDVHSZ = 1 and GEOTPSZ = 4 | LICO when the household size = 1 and population size group = urban area - 100,000 to 499,999 people |
| 26,082 | DHHDVHSZ = 2 and GEOTPSZ = 4 | LICO when the household size = 2 and population size group = urban area - 100,000 to 499,999 people |
| 32,065 | DHHDVHSZ = 3 and GEOTPSZ = 4 | LICO when the household size = 3 and population size group = urban area - 100,000 to 499,999 people |
| 38,931 | DHHDVHSZ = 4 and GEOTPSZ = 4 | LICO when the household size = 4 and population size group = urban area - 100,000 to 499,999 people |
| 44,154 | DHHDVHSZ = 5 and GEOTPSZ = 4 | LICO when the household size = 5 and population size group = urban area - 100,000 to 499,999 people |
| 49,800 | DHHDVHSZ = 6 and GEOTPSZ = 4 | LICO when the household size = 6 and population size group = urban area - 100,000 to 499,999 people |
| 55,444 | DHHDVHSZ >= 7 and GEOTPSZ = 4 | LICO when the household size => 7 and population size group = urban area - 100,000 to 499,999 people |
| 24,328 | DHHDVHSZ = 1 and GEOTPSZ = 5 | LICO when the household size = 1 and population size group = urban area - 500,000 people or more |
| 30,286 | DHHDVHSZ = 2 and GEOTPSZ = 5 | LICO when the household size = 2 and population size group = urban area - 500,000 people or more |
| 37,234 | DHHDVHSZ = 3 and GEOTPSZ = 5 | LICO when the household size = 3 and population size group = urban area - 500,000 people or more |
| 45,206 | DHHDVHSZ = 4 and GEOTPSZ = 5 | LICO when the household size = 4 and population size group = urban area - 500,000 people or more |
| 51,272 | DHHDVHSZ = 5 and GEOTPSZ = 5 | LICO when the household size = 5 and population size group = urban area - 500,000 people or more |
| 57,826 | DHHDVHSZ = 6 and GEOTPSZ = 5 | LICO when the household size = 6 and population size group = urban area - 500,000 people or more |
| 64,381 | DHHDVHSZ >= 7 and GEOTPSZ = 5 | LICO when the household size >= 7 and population size group = urban area - 500,000 people or more |

**INCTRAT**

| | | | |
|---|---|---|---|
| 9999.999999996 | INCTINC = NA | Residents of territories excluded | 9 decimals |
| 9999.999999999 | INCTINC = NS | The ratio cannot be calculated because the household income was not stated | 9 decimals |
| INCTINC / INCTLIC | INCTINC <> (NA,NS) | Individual ratio of household income to the low income cut-off corresponding to the size of the household and the size of the community. The maximum ratio is based on the maximum household income accepted, which is $90,000,000 | 9 decimals; min: 0, max: 5530 |

## 1 ) Total household income - main source - Grouped

**Variable name:** INCG015

**Based on:** INC_015

**Description:** This variable groups the main source of total household income into four categories.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | (INC_015 = DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (INC_015 = 1, 2) | Wages/salaries or self-employment | |
| 2 | (INC_015 = 4, 5, 10) | Employment insurance or worker's compensation or social assistance/welfare | |
| 3 | (INC_015 = 6, 7, 8, 9) | Benefits from Canada or Quebec Pension Plan or job related retirement pensions, superannuation and annuities or RRSP/RRIF of Old Age Security and Guaranteed Income Supplement | |
| 4 | (INC_015 = 3, 11, 12, 13, 14, 15) | Dividends/interest or child tax benefit or child support or alimony or other or no income | |

## 2 ) Main source of personal income - Grouped

**Variable name:** INCG035

**Based on:** INC_035

**Description:** This variable groups the main source of personal income into four categories.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | INC_035=96 | Population exclusions | NA |
| 9 | (INC_035 = DK, R, NS) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | (INC_035 = 1, 2) | Wages/salaries or self-employment | |
| 2 | (INC_035 = 4, 5, 10) | Employment insurance or worker's compensation or social assistance/welfare | |
| 3 | (INC_035 = 6, 7, 8, 9) | Benefits from Canada or Quebec Pension Plan or job related retirement pensions, superannuation and annuities or RRSP/RRIF of Old Age Security and Guaranteed Income Supplement | |

| | | |
|---|---|---|
| 4 | (INC_035 = 3, 11, 12, 13, 14, 15) | Dividends/interest or child tax benefit or child support or alimony or other or no income |

## 3 ) Total Household Income - All Sources - Grouped

**Variable name:** INCDGHH

**Based on:** INCDVHH

**Description:** This variable groups the total household income from all sources.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | (INCDVHH = 97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | INCDVHH = (1, 2, 3, 4, 5) | No income or less than $20,000 | |
| 2 | INCDVHH = (6, 7) | $20,000 to $39,999 | |
| 3 | INCDVHH = (8, 9) | $40,000 to $59,999 | |
| 4 | INCDVHH = (10, 11) | $60,000 to $79,999 | |
| 5 | INCDVHH = (12, 13, 14, 15) | $80,000 or more | |

## 4 ) Personal Income - All Sources - Grouped

**Variable name:** INCDGPER

**Based on:** INCDVPER

**Description:** This variable indicates the respondent's personal income from all sources.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | (INCDVPER = 97, 98, 99) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 96 | INCDVPER = 96 | Population exclusions | NA |
| 1 | INCDVPER = 1 | No income | |
| 2 | INCDVPER = (2, 3, 4, or 5) | Less than $20,000 | |
| 3 | INCDVPER = 6 or 7 | $20,000 to $39,999 | |
| 4 | INCDVPER = 8 or 9 | $40,000 to $59,999 | |
| 5 | INCDVPER = 10 or 11 | $60,000 to $79,999 | |
| 6 | INCDVPER = (12, 13, or 14) | $80,000 or more | |

## 5 ) Distribution of household income - national level (excluding territories)

**Variable name:** INCDVRCA

**Based on:** GEO_PRV, INCDVADR

**Description:** This derived variable is a distribution of respondents in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents.

**Note:** Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | GEO_PRV = (60, 61, 62) | Not applicable | NA |
| 99 | INCDVADR = NS | Not stated | NS |
| 1 | First 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 1 | |
| 2 | Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 2 | |
| 3 | Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 3 | |
| 4 | Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 4 | |
| 5 | Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 5 | |
| 6 | Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 6 | |
| 7 | Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 7 | |
| 8 | Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 8 | |
| 9 | Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 9 | |
| 10 | Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 10 | |

## 6 ) Distribution of household income - provincial level

**Variable name:** INCDVRPR

**Based on:** GEO_PRV, INCDVADR

**Description:** This derived variable is a distribution of residents of each province in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province. The Territories are excluded from this derived variable.

**Note:** Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | GEO_PRV = (60, 61, 62) | Not applicable | NA |
| 99 | INCDVADR = NS | Not stated | NS |
| 1 | First 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 1 | |
| 2 | Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 2 | |
| 3 | Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 3 | |
| 4 | Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 4 | |
| 5 | Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 5 | |
| 6 | Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 6 | |
| 7 | Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 7 | |
| 8 | Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 8 | |
| 9 | Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 9 | |
| 10 | Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 10 | |

## 7 ) Distribution of household income - health region level

**Variable name:** INCDVRRS

**Based on:** GEO_PRV, GEODVHR4, INCDVADR

**Description:** This derived variable is a distribution of residents of each health region in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, ie. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region. The Territories are excluded from this derived variable.

**Note:** Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | GEO_PRV = (60, 61, 62) | Not applicable | NA |
| 99 | INCDVADR = NS | Not stated | NS |
| 1 | First 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 1 | |
| 2 | Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 2 | |

| | | |
|---|---|---|
| 3 | Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 3 |
| 4 | Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 4 |
| 5 | Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 5 |
| 6 | Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 6 |
| 7 | Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 7 |
| 8 | Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 8 |
| 9 | Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 9 |
| 10 | Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR) | Decile 10 |

# Injuries (10 DVs)

## 1 ) Most Serious Injury- repetitive strain- body part affected - Grouped

**Variable name:** INJG015

**Based on:** INJ_015

**Description:** This variable indicates the body part affected by the repetitive strain injury.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | INJ_015 = 96 | Population exclusions | NA |
| 99 | INJ_015= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_015=2 | Neck | |
| 2 | INJ_015=3 | Shoulder/upper arm | |
| 3 | INJ_015=4 | Elbow/lower arm | |
| 4 | INJ_015 = (5, 6) | Wrist/hand | |
| 5 | INJ_015 = 9 | Knee/Lower leg | |
| 6 | INJ_015 = 10 | Ankle/Foot | |
| 7 | INJ_015 = 11 | Upper back/Upper spine | |
| 8 | INJ_015=12 | Lower back/Lower spine | |
| 9 | INJ_015 = (1, 7, 8, 13, 14) | Other | |

## 2 ) Number of injuries in past 12 months - Grouped

**Variable name:** INJG035

**Based on:** INJ_035

**Description:** The number of injuries in past 12 months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | INJ_035 = 97,98,99 | Question was not answered (don't know, refusal, not stated) | NS |
| 6 | INJ_035=96 | Population exclusions | NA |
| 1 | INJ_035 = 1 | Respondent had 1 injury in the past 12 months. | |
| 2 | INJ_035 = 2 | Respondent had 2 injuries in the past 12 months. | |
| 3 | 3 =< INJ_035 =< 5 | Respondent had 3 to 5 injuries in the past 12 months. | |
| 4 | INJ_035 >= 6 | Respondent had 6 or more injuries in the past 12 months. | |

## 3 ) Most Serious Injury - body part - Grouped

**Variable name:** INJG055

**Based on:** INJ_055

**Description:** This variable groups responses of the most serious injury by body part affected.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | INJ_055 = 96 | Population exclusions | NA |
| 99 | INJ_055 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_055 = 1 | Multiple sites | |
| 2 | INJ_055 = (2, 3, 4) | Eyes/Head/Neck | |
| 3 | INJ_055 = 5 | Shoulder, upper arm | |
| 4 | INJ_055 = 6 | Elbow, lower arm | |
| 5 | INJ_055 = (7, 8) | Wrist/Hand | |
| 6 | INJ_055 = (9, 10) | Hip/Thigh | |
| 7 | INJ_055 = 11 | Knee, Lower leg | |
| 8 | INJ_055 = 12 | Ankle, Foot | |
| 9 | INJ_055 = (13, 14) | Upper back or spine/Lower back or spine | |
| 10 | INJ_055 = (15, 16) | Chest/ Abdomin or pelvis | |
| 11 | INJ_055 = 17 | Other | |

## 4 ) Most Serious Injury -Place of occurrence - Grouped

**Variable name:** INJG060

**Based on:** INJ_060

**Description:** This variable groups responses of the most serious injury by place of occurrence.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | INJ_060 = 96 | Population exclusions | NA |
| 99 | INJ_060 = (97, 98, 99) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_060 = 1 | In a home or its surrounding area | |
| 2 | INJ_060 = (2, 3, 6) | Residential institution/School, college, university/ Other institution | |
| 3 | INJ_060 = 4 | Sports or athletics area of school, college, university | |
| 4 | INJ_060 = 5 | Other sports area (exclude school sports areas) | |
| 5 | INJ_060 = 7 | Street, highway, sidewalk | |

| | | |
|---|---|---|
| 6 | INJ_060 = 8 | Commercial area |
| 7 | INJ_060 = (9, 10) | Industrial or construction area/ Farm |
| 8 | INJ_060 = (11, 12) | Other |

## 5 ) Most Serious Injury - activity when injured - Grouped

**Variable name:** INJG065

**Based on:** INJ_065

**Description:** This variable groups the responses of other injury by activity when injured.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOINJ = 2 or INJ_030 = 2 | Module not selected or respondent did not suffer an injury | NA |
| 99 | INJ_065 = (97,98,99) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_065 = (1, 2) | Organized sports/Leisure sports or physical exercise | |
| 2 | INJ_065 = 4 | Working at a job or business | |
| 3 | INJ_065 = 5 | Household chores, outdoor yard maintenance, home renovations or other unpaid work | |
| 4 | INJ_065 = (7, 10) | Going up and down stairs / walking | |
| 5 | INJ_065 = (8, 9) | Driver or passenger in/on road or off road motor vehicle | |
| 6 | INJ_065 = (3, 6, 11) | Other, including non-sport leisure or hobby and sleeping, eating, personal care | |

## 6 ) Most Serious Injury -type of fall - Grouped

**Variable name:** INJG075

**Based on:** INJ_075

**Description:** This variable groups the responses of other injury by how the respondent fell.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | INJ_075 = 96 | Population exclusions | NA |
| 99 | INJ_075 = (97, 98, 99) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_075 = 1 | While skating, skiing, or snowboarding | |
| 2 | INJ_075 = 2 | While practicing other sports | |
| 3 | INJ_075 = (3, 6, 7) | Going up or down stairs or steps/From furniture/From elevated possition | |
| 4 | INJ_075 = 4 | Slip, trip, stumble or loss of balance on ice and snow | |

| | | |
|---|---|---|
| 5 | INJ_075 = 5 | Slip, trip, stumble or loss of balance on any other surface |
| 6 | INJ_075 = (8, 9) | Due to health problems (e.g. faint, weakness, dizziness) / Other |

## 7 ) Most Serious Injury -place of treatment- Grouped

**Variable name:** INJG095

**Based on:** INJ_095

**Description:** This variable groups the responses of other injury by place of treatment.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | INJ_095=96 | Population exclusions | NA |
| 9 | INJ_095= (97, 98, 99) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_095 = 1 | Doctor's office | |
| 2 | INJ_095 = 2 | Hospital emergency room | |
| 3 | INJ_095 = 3 | Hospital outpatient clinic | |
| 4 | INJ_095 = (4, 5, 6, 7, 8, 9) | Other | |

## 8 ) Other injuries treated but not limiting activities - number - 12 mo - Grouped

**Variable name:** INJG115

**Based on:** INJ_115

**Description:** This variable caps the number of other injuries that were treated but did not limit activities.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | INJ_115 = 96 | Population exclusions | NA |
| 9 | INJ_115 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_115 = 1 | 1 Injury | |
| 2 | INJ_115 = 2 | 2 Injuries | |
| 3 | INJ_115 => 3 | 3 or more injuries | |

## 9 ) Cause of injury - Grouped

**Variable name:** INJDGCAU

**Based on:** INJ_030, INJ_070, INJ_080

**Description:** This variable categorizes and groups the respondent's cause of injury.

**Note:** Respondents who did not suffer any injuries in the 12 months before the interview have been excluded from the population. Respondents who indicated "poisoning" in INJ_050 are also excluded from the population.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOINJ = 2 | Module not selected | NA |
| 96 | INJ_030 = 2 or INJ_070 = 96 | Population exclusions | NA |
| 99 | INJ_070 = (2, 7, 8, 9) and INJ_080 = (7, 8, 9) | Required questions was not answered (don't know, refusal, not stated) | NS |
| 1 | INJ_070 = 1 | Fall (excluding transport) | |
| 2 | INJ_080 = 1 | Transportation accident | |
| 3 | INJ_080 = 2 | Accidentally bumped, pushed, bitten, etc. by person or animal | |
| 4 | INJ_080 = 3 | Accidentally struck or crushed | |
| 5 | INJ_080 = 4 | Accidental contact - sharp object, tool, machine | |
| 6 | INJ_080 = 8 | Overexertion or strenuous movement | |
| 7 | INJ_080 = (5, 6, 7, 9, 10, 11) | Other, including:<br>- smoke, fire, flames<br>- accidental contact with hot object, liquid or gas<br>- extreme weather or natural disaster<br>- physical assault<br>- intentional self-inflicted injury | |

## 10 ) Injury status

**Variable name:** INJDVSTT

**Based on:** INJ_030, INJ_110

**Description:** This variable indicates the injury status of the respondent.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DOINJ = 2 | Module not selected | NA |
| 9 | INJ_030 = (DK, RF, NS) or<br>INJ_110 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | INJ_030 = 2 and<br>INJ_110 = 2 | No injuries | |
| 1 | INJ_030 = 1 and<br>INJ_110 = 2 | Activity-limiting injury only | |
| 2 | INJ_030 = 2 and<br>INJ_110 = 1 | Treated (non-activity limiting) injury only | |
| 3 | INJ_030 = 1 and<br>INJ_110 = 1 | Both activity-limiting and treated (non-activity limiting) injuries | |

# Labour force (5 DVs)

## 1 ) Employment status - Grouped

**Variable name:** LBFG10

**Based on:** LBF_10

**Description:** This variable groups the employment status of the respondent.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | LBF_10 = 6 | Respondent did not work at a job or business in the past year or age was out of range | NA |
| 9 | LBF_10 = 3,7,8,9 | Respondent was working at a family business without pay or refused, did not know, or did not answer (don't know, refuse, not stated) | NS |
| 1 | LBF_10=1 | Employee | |
| 2 | LBF_10=2 | Self-employed | |

## 2 ) Working status last week

**Variable name:** LBFDVWSS

**Based on:** DHH_AGE, LBF_01, LBF_02

**Description:** This variable classifies the respondent based on his/her working status in the week prior to the interview.

**Note:** Respondents aged less than 15 or more than 75 years old have been excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DHH_AGE < 15 or<br>DHH_AGE > 75 | Population exclusions | NA |
| 1 | LBF_01 = 1 | Worked at a job or business | |
| 2 | LBF_02 = 1 | Had a job but did not work (absent) | |
| 3 | LBF_02 = 2 | Did not have a job | |
| 9 | LBF_02 = (DK, RF, NS) or<br>LBF_01 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | |

## 3 ) Occupation group - Grouped

**Variable name:** LBFDGOCG

**Based on:** DHH_AGE, LBFCSOC

**Description:** This variable groups the occupation classification of the respondent.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **LBFTSOC** | | | |
| 1st digit in LBFCSOC | LBFCSOC <> (XXXX, DK, RF, NS, NA) | | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DHH_AGE < 15 or<br>DHH_AGE > 75 or<br>LBFCSOC = NA | Population exclusions | NA |
| 9 | LBFCSOC = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | LBFTSOC = 01, 03, 04, 05, 06 | Occupations relating to Management, Natural and Applied Sciences , Health, Social Sciences, Education, Religion, Art, Culture and Recreation | |
| 2 | LBFTSOC = 02 | Occupations relating to Business, Finance, Administration | |
| 3 | LBFTSOC = 06 | Occupations relating to Sales and Service | |
| 4 | LBFTSOC = 07 | Occupations relating to Trades, Transport and Equipment Operator | |
| 5 | LBFTSOC = 08, 09 | Occupations Unique to Primary Industry, Processing, Manufacturing and Utilities | |

## 4 ) Total usual hours worked per week - Grouped

**Variable name:** LBFDGHPW

**Based on:** DHH_AGE, LBF_16, LBF_035

**Description:** This continuous variable indicates the total number of hours the respondent worked per week.

**Note:** Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16. This variable has been capped at 99 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 996 | DHH_AGE > 75 or<br>DHH_AGE < 15 or<br>LBF_16 = 999.6 | Population exclusions | NA |
| 999 | LBF_16 = (999.7, 999.8, 999.9) or<br>LBF_035 = (997, 998, 999) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| LBF_16 | LBF_16 < 99 and<br>LBF_035 = 996 | Number of hours usually worked per week for respondents with one job | |
| 99 | LBF_16 >= 99 and<br>LBF_035 = 996 | Number of hours usually worked per week for respondents with one job | |
| LBF_16 +<br>LBF_035 | (LBF_16 +<br>LBF_035) < 99 | Number of total hours usually worked per week for respondents with more than one job | |
| 99 | (LBF_16 +<br>LBF_035) >= 99 | Number of total hours usually worked per week for respondents with more than one job | |

## 5 ) Full-time/part-time working status (for total usual hours)

**Variable name:** LBFDVPFT

**Based on:** LBFDVHPW

**Description:** This variable indicates if the respondent works full-time or part-time.

**Note:** Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | LBFDVHPW = NA | Population exclusions | NA |
| 9 | LBFDVHPW = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | LBFDVHPW >= 30 | Full-time | |
| 2 | LBFDVHPW < 30 | Part-time | |

# Loss of productivity (11 DVs)

## 1 ) Did not working at a job / business - reason - 3 mo - Grouped

**Variable name:** LOPG010

**Based on:** LOP_010

**Description:** This variable groups the main reason for not working in the past three months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_010=96 | Population exclusions | NA |
| 99 | LOP_010=(97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | LOP_010=1 | Respondent's own chronic physical or mental health condition diagnosed by a health professional | |
| 2 | LOP_010 = 2 | Respondent's own injury (e.g., broken bone, bad cut, burn and sprain) | |
| 3 | LOP_010 = (3, 4, 5) | Respondent's own acute infectious disease, physical or mental health condition | |
| 4 | LOP_010 = 6 | Caring for own children | |
| 5 | LOP_010 = 7 | Caring for elderly relatives (60 years or older) | |
| 6 | LOP_010 = 8 | Maternity, paternity or parental leave | |
| 7 | LOP_010 = 9 | Education, training or school | |
| 8 | LOP_010 = (10, 12) | Temporary lay-off, strike or lockout | |
| 9 | LOP_010 = 11 | Permanent lay-off | |
| 10 | LOP_010 = 13 | Retired | |
| 11 | LOP_010 = 14 | Other | |

## 2 ) Number of work days lost due to chronic condition - Grouped

**Variable name:** LOPG020

**Based on:** LOP_020

**Description:** This variable indicates the number of work days missed because of a chronic condition.

**Note:** This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_020=96 | Population exclusions | NA |
| 99 | LOP_020 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_020 | LOP_020 < 31 | Number of work days missed because of a chronic condition | |
| 31 | LOP_020 >= 31 | 31 days or more | |

## 3 ) Chronic condition - Grouped

**Variable name:** LOPG025

**Based on:** LOP_025

**Description:** This variable indicates the chronic health condition that explains the missed days at work.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_025=96 | Population exclusions | NA |
| 99 | LOP_025= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | LOP_025= 1 or LOP_025=2 | Arthritis (such as rheumatoid arthirtis, osteoarthritis, lupus or gout) or osteoporosis | |
| 2 | LOP_025=3 | Cardiovascular disease (including stroke and hypertension) | |
| 3 | LOP_025=4 | Kidney disease | |
| 4 | LOP_025=5 | Asthma | |
| 5 | LOP_025=6 | Chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD) | |
| 6 | LOP_025=7 | Diabetes | |
| 7 | LOP_025=8 | Migraines | |
| 8 | LOP_025=9 | Back Problems | |
| 9 | LOP_025=10 | Cancer | |
| 10 | LOP_025=11 | Mental health conditions (e.g., depression, bipolar disorder, mania and schizophrenia) | |
| 11 | LOP_025=12 | Neurological conditions (e.g., Alzheimer disease, dementia, Parkinson's disease, multiple sclerosis, epilepsy and cerebral palsy; excluding spina bifida) | |
| 12 | LOP_025=14 | Digestive diseases (e.g., Crohn's disease, celiac disease, irritable bowel syndrome, and stomach ulcers) | |
| 13 | LOP_025=15 | Infectious disease (e.g., HIV, tuberculosis, and hepatitis B and C) | |
| 14 | LOP_025=17 | Eye and ear diseases (e.g., glaucoma) | |
| 15 | LOP_025=18 | Skin diseases (e.g., psoriasis) | |
| 16 | LOP_025=19 | Fibromyalgia, chronic fatigue syndrome or multiple chemical sensitivities | |
| 17 | LOP_025=20 or LOP_025=13 or LOP_025=16 | Other | |

## 4 ) Number of work days missed due to injury - Grouped

**Variable name:** LOPG035

**Based on:** LOP_035

**Description:** This variables indicates the number of work days missed because of an injury.

**Note:** This variable has been capped at 31 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_035=96 | Population exclusions | NA |
| 99 | LOP_035= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_035 | LOP_035 < 31 | Number of work days missed because of an injury | |
| 31 | LOP_035 >= 31 | 31 days or more | |

## 5 ) Number of work days missed due to cold - Grouped

**Variable name:** LOPG050

**Based on:** LOP_050

**Description:** This variable indicates the number of work days missed because of a cold.

**Note:** This variable has been capped at 8 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_050=96 | Population exclusions | NA |
| 99 | LOP_050= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_050 | LOP_050 < 8 | Number of work days missed because of a cold | |
| 8 | LOP_050 >= 8 | 8 days or more | |

## 6 ) Number of work days missed due to flu or influenza - Grouped

**Variable name:** LOPG055

**Based on:** LOP_055

**Description:** This variable indicates the number of work days missed because of a flu or influenza.

**Note:** This variable has been capped at 7 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | LOP_055 = 96 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 99 | LOP_055 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_055 | LOP_055 < 7 | Number of work days missed because of a flu or influenza | |
| 7 | LOP_055 >= 7 | 7 days or more | |

## 7 ) Number of work days missed due to other respiratory infection - Grouped

**Variable name:** LOPG060

**Based on:** LOP_060

**Description:** This variable indicates the number of work days missed because of an other respiratory infection.

**Note:** This variable has been capped at 5 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | LOP_060 = 96 | Population exclusions | NA |
| 9 | LOP_060 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_060 | LOP_060 < 5 | Number of work days missed because of an other respiratory infection | |
| 5 | LOP_060 >= 5 | 5 days or more | |

## 8 ) Number of work days missed due to stomach flu - Grouped

**Variable name:** LOPG065

**Based on:** LOP_065

**Description:** This variable indicates the number of work days missed because of a stomach flu.

**Note:** This variable has been capped at 4 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | LOP_065=96 | Population exclusions | NA |
| 9 | LOP_065= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_065 | LOP_065 < 4 | Number of work days missed because of a stomach flu | |
| 4 | LOP_065 > = 4 | 4 days or more | |

## 9 ) Number of work days missed due to other acute infectious disease - Grouped

**Variable name:** LOPG070

**Based on:** LOP_070

**Description:** This variable indicates the number of work days missed because of other acute infectious disease.

**Note:** This variable has been capped at 5 as a form of disclosure control.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | LOP_070=96 | Population exclusions | NA |
| 9 | LOP_070 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_070 | LOP_070 < 5 | Number of work days missed because of an infectious disease | |
| 5 | LOP_070 >=5 | 5 days or more | |

## 10 ) Number of work days missed due to other acute physical condition - Grouped

**Variable name:** LOPG080

**Based on:** LOP_080

**Description:** This variable indicates the number of work days missed because of another acute physical condtion.

**Note:** This variable has been capped at 11 as a form of disclosure control.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | LOP_080=96 | Population exclusions | NA |
| 99 | LOP_080=(97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_080 | LOP_080 < 11 | Number of work days missed because of another acute physical condtion | |
| 11 | LOP_080 >=11 | 11 days or more | |

## 11 ) Number of work days missed due to an acute mental health condition - Grouped

**Variable name:** LOPG090

**Based on:** LOP_090

**Description:** This variable indicates the number of work days missed because of an acute mental health condition.

**Note:** This variable has been capped at 11 as a form of disclosure control.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | LOP_090=96 | Population exclusions | NA |
| 99 | LOP_090= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| LOP_090 | LOP_090 < 11 | Number of work days missed because of an acute mental health condition | |

| | | |
|---|---|---|
| 11 | LOP_090 >= 11 | 11 days or more |

# Main Activity (1 DV)

## 1 ) Student status - Grouped

**Variable name:** MACG020

**Based on:** MAC_020

**Description:** Student status of respondent.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MAC_020 = 6 | Valid skip | |
| 9 | MAC_020 = (7, 8, 9) | Not stated | |
| 1 | MAC_020 = (1, 3) | A full-time student or both full-time and part-time | |
| 2 | MAC_020 = 2 | Part-time student | |

# Maternal experiences (5 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **MEXT115** | | | |
| 9999 | MEX_115 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 9996 | MEX_115 = NA | Still breastfeeding or giving breast milk to baby | NA |
| MEX_115 | MEX_115A = 1 | Length of time in days that respondent breastfed or gave breast milk to last baby. | |
| MEX_115 * 7 | MEX_115A = 2 | Length of time in days that respondent breastfed or gave breast milk to last baby. | |
| MEX_115 * 30 | MEX_115A = 3 | Length of time in days that respondent breastfed or gave breast milk to last baby. | |
| MEX_115 * 365 | MEX_115A = 4 | Length of time in days that respondent breastfed or gave breast milk to last baby. | |
| **MEXT115A** | | | |
| 99 | MEXT115 = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 96 | MEXT115 = NA | Population exclusions | NA |
| 01 | MEXT115 < 7 | Less than 1 week | |
| 02 | 7 <= MEXT115 <= 29 | 1 week to less than one month | |
| 03 | 30 <= MEXT115 <= 59 | 1 month to less than 2 months | |
| 04 | 60 <= MEXT115 <= 89 | 2 months to less than 3 months | |
| 05 | 90 <= MEXT115 <= 119 | 3 months to less than 4months | |
| 06 | 120 <= MEXT115 <= 149 | 4 months to less than 5 months | |
| 07 | 150 <= MEXT115 <= 179 | 5 months to less than 6 months | |
| 08 | MEXT115 >= 180 | 6 months or more | |
| **MEXT155** | | | |
| 9999 | MEX_155 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 9996 | MEX_155 = NA | Liquids not introduced to feed. | NA |
| MEX_155 | MEX_160 = 1 | Age in days of baby when other liquids first added to feed. | |
| MEX_155 * 7 | MEX_160 = 2 | Age in days of baby when other liquids first added to feed. | |
| MEX_155 * 30 | MEX_160 = 3 | Age in days of baby when other liquids first added to feed. | |
| MEX_155 * 365 | MEX_160 = 4 | Age in days of baby when other liquids first added to feed. | |
| **MEXT155A** | | | |
| 99 | MEXT155 = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 96 | MEXT155 = NA | Population exclusions | NA |
| 01 | MEXT155 < 7 | Less than 1 week | |
| 02 | 7 <= MEXT155 <= 29 | 1 week to less than one month | |
| 03 | 30 <= MEXT155 <= 59 | 1 month to less than 2 months | |
| 04 | 60 <= MEXT155 <= 89 | 2 months to less than 3 months | |
| 05 | 90 <= MEXT155 <= 119 | 3 months to less than 4 months | |
| 06 | 120 <= MEXT155 <= 149 | 4 months to less than 5 months | |

| | | | |
|---|---|---|---|
| 07 | 150 <= MEXT155 <= 179 | 5 months to less than 6 months | |
| 08 | MEXT155 >= 180 | 6 months or more | |
| **MEXT175** | | | |
| 9999 | MEX_175 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 9996 | MEX_175 = NA | Solid foods not introduced to feed. | NA |
| MEX_175 | MEX_180 = 1 | Age in days of baby when solids first added to feed. | |
| MEX_175 * 7 | MEX_180 = 2 | Age in days of baby when solids first added to feed. | |
| MEX_175 * 30 | MEX_180 = 3 | Age in days of baby when solids first added to feed. | |
| MEX_175 * 365 | MEX_180 = 4 | Age in days of baby when solids first added to feed. | |
| **MEXT175A** | | | |
| 99 | MEXT175 = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 96 | MEXT175 = NA | Population exclusions | NA |
| 01 | MEXT175 < 7 | Less than 1 week | |
| 02 | 7 <= MEXT175 <= 29 | 1 week to less than one month | |
| 03 | 30 <= MEXT175 <= 59 | 1 month to less than 2 months | |
| 04 | 60 <= MEXT175 <= 89 | 2 months to less than 3 months | |
| 05 | 90 <= MEXT175 <= 119 | 3 months to less than 4 months | |
| 06 | 120 <= MEXT175 <= 149 | 4 months to less than 5 months | |
| 07 | 150 <= MEXT175 <= 179 | 5 months to less than 6 months | |
| 08 | MEXT175 >= 180 | 6 months or more | |

## 1 ) Weight before pregnancy (in kilograms) - Grouped

**Variable name:** MEXDGWBK

**Based on:** DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_070, MEX_N075

**Description:** This variable indicates the respondent's weight in kilograms before pregnancy. If a respondent reported a weight below or above a threshold deemed to be a disclosure risk, the value for MEXDGWBK is taken to be that threshold. The thresholds used vary by age group.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 999.99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 999.96 | DOMEX = 2 or<br>DHH_SEX = 1 or<br>DHH_AGE < 15 or<br>DHH_AGE > 55 or<br>MEX_010 = 2 or<br>MEX_070 = NA | Population exclusions | NA |
| 999.99 | MEX_010 = (DK, RF, NS) or<br>MEX_070 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| MEX_070 | MEX_N075 = 2 | Weight in kilograms | (rounded to two decimal places) |
| MEX_070 * .45 | MEX_N075 = 1 | Weight converted from pounds to kilograms | (rounded to two decimal places) |

## 2 ) Weight gained during pregnancy (in kilograms) - Grouped

**Variable name:** MEXDGWGK

**Based on:** DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_080, MEX_N085

**Description:** This variable indicates the respondent's weight gain in kilograms during pregnancy.

**Note:** This variable has been capped at a minimum of 0 and a maximum of 30 as a form of disclosure control.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99.96 | DOMEX = 2 or<br>DHH_SEX = 1 or<br>DHH_AGE < 15 or<br>DHH_AGE > 55 or<br>MEX_010 = 2 or<br>MEX_080 = NA | Population exclusions | NA |
| 99.99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99.99 | MEX_010 = (DK, RF, NS) or<br>MEX_080 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | ( MEX_N085=2 and MEX_080 =< 0 ) or<br>(MEX_N085=1and MEX_080 =<0) | Weight gain during pregnancy less than or equal to 0 kilograms | (rounded to two decimal places) |
| 30 | ( MEX_N085=2 and MEX_080 => 30 ) or<br>(MEX_N085=1and MEX_080 =>66.6) | Weight gain during pregrancy was 30 kilograms or more | (rounded to two decimal places) |
| MEX_080 | MEX_N085 = 2 | Weight in kilograms | (rounded to two decimal places) |
| MEX_080 * .45 | MEX_N085 = 1 | Weight converted from pounds to kilograms | (rounded to two decimal places) |

## 3 ) Exclusively breastfed for 6 months (or more)

**Variable name:** MEXDVBM6

**Based on:** ADM_PRX, DHH_SEX, DHH_AGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

**Description:** This variable indicates whether the respondent exclusively breastfed or gave breast milk to her last baby for at least 6 months.

**Note:** Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded. Analysts can choose to collapse categories 2 and 3 to obtain all mothers who did not exclusively breastfeed or give breast milk for at least 6 months.

Category 1 indicates that the mother breastfed or gave breast milk to her last baby for at least 6 months and that liquids and solids were not introduced to the baby's feeds until after this point. Mothers may have continued breastfeeding non-exclusively after this point and would still fall under this category. There are two ways to meet this criteria:

1. Breastfeeding or feeding breast milk has ceased after 6 months and liquids were introduced only after 6 months or not at all and solids were introduced only after 6 months or not at all

2.The baby is 6 months old or more and breastfeeding or being fed breast milk is still occurring and liquids have been introduced only after 6 months or not at all and solids have been introduced only after 6 months or not at all.

Category 2 indicates that the mother did not breastfeed, or give breast milk to, her last baby exclusively for at least 6 months. This could be that breastfeeding or giving breast milk ended before 6 months, or that liquids or solids were introduced prior to

6 months (making that period non-exclusive).

Category 3 indicates that the mother did not breastfeed her last baby at all.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOMEX = 2 or<br>DHH_SEX = 1 or<br>DHH_AGE < 15 or<br>DHH_AGE > 55 or<br>SXB_005 = 2 or<br>MEX_010 = 2 or<br>(MEX_110 = 1 and<br>MEXT155 = NA and<br>MEXT175A = NA) | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | (MEX_010 = NS or<br>MEXT115A = NS or<br>MEXT155A = NS or<br>MEXT175A = NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (((MEXT155A = 8 and MEXT175A = (8, NA)) or<br>(MEXT155A = (8, NA) and MEXT175A = 8) or<br>(MEXT155A = 8 and MEXT175A = 8)) and<br>MEXT115A in (8, NA))<br>or<br>(MEX_110 = 2 and MEXT155A = (8, NA) and<br>MEXT175A = (8, NA) and MEXT115A = 8 | Had exclusively breastfed her last baby for at least 6 months | |
| 2 | MEXT115A < 8 or<br>MEXT155A < 8 or<br>MEXT175A < 8 | Had not exclusively breastfed her last baby for at least 6 months | |
| 3 | MEX_100 = 2 | Has not breastfed her last baby at all | |

## 4 ) Length of exclusive breastfeeding

**Variable name:** MEXDVLBM

**Based on:** ADM_PRX, DHH_SEX, DHH_AGE, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

**Description:** This variable provides the length of time that the respondent exclusively breastfed or gave breast milk to her last baby.

**Note:** Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who are still breastfeeding at the time of the interview and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOMEX = 2 or DHH_SEX = 1 or<br>DHH_AGE < 15 or<br>DHH_AGE > 55 or<br>MEX_010 = 2 or<br>MEX_110 = NA or<br>(MEX_110 = 1 and MEXT155A = NA and<br>MEXT175A = NA) | Population exclusions | NA |
| 99 | ADM_PRX = 1 | Module not asked - Proxy Interview | NS |
| 99 | MEXT115A = NS or<br>MEXT155A = NS or<br>MEXT175A = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | |
|---|---|---|
| 0 | MEX_100 = 2 | Has not breastfed or given breastmilk to last baby |
| 1 | ((MEXT155A = 1 or<br>MEXT175A = 1) and<br>(1 <= MEXT115A <= 8 or<br>MEXT115A = NA)) or<br>(MEXT115A = 1 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 1) | Less than 1 week |
| 2 | ((MEXT155A = 2 or MEXT175A = 2) and<br>(2 <= MEXT115A <= 8 or MEXT115A = NA)) or<br>(MEXT115A = 2 and<br>((MEXT155A > MEXT115A and MEXT155A < NA)<br>or (MEXT175A > MEXT115A and MEXT175A <<br>NA))) or ((MEXT155A = NA or MEXT175A = NA)<br>and<br>MEXT115A = 2) | 1 week to less than 1 month |
| 3 | ((MEXT155A = 3 or<br>MEXT175A = 3) and<br>(3 <= MEXT115A <= 8 or<br>MEXT115A = NA)) or<br>(MEXT115A = 3 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A= NA) and<br>MEXT115A = 3) | 1 month to less than 2 months |
| 4 | ((MEXT155A = 4 or<br>MEXT175A = 4) and<br>(4 <= MEXT115A <= 8 or<br>MEXT115A = NA)) or<br>(MEXT115A = 4 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 4) | 2 months to less than 3 months |
| 5 | ((MEXT155A = 5 or<br>MEXT175A = 5) and<br>(5 <= MEXT115A <= 8 or<br>MEXT115A = NA)) or<br>(MEXT115A = 5 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 5) | 3 months to less than 4 months |

| | | |
|---|---|---|
| 6 | ((MEXT155A = 6 or<br>MEXT175A = 6) and<br>(MEXT115A in (6,7,8) or<br>MEXT115A = NA)) or<br>(MEXT115A = 6 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A> MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 6) | 4 months to less than 5 months |
| 7 | ((MEXT155A = 7 or<br>MEXT175A = 7) and<br>(MEXT115A in (7,8) or<br>MEXT115A = NA)) or<br>(MEXT115A = 7 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 7) | 5 months to less than 6 months |
| 8 | ((MEXT155A = 8 or<br>MEXT175A = 8) and<br>(MEXT115A = 8 or<br>MEXT115A = NA)) or<br>(MEXT115A = 8 and<br>((MEXT155A > MEXT115A and<br>MEXT155A < NA) or<br>(MEXT175A > MEXT115A and<br>MEXT175A < NA))) or<br>((MEXT155A = NA or<br>MEXT175A = NA) and<br>MEXT115A = 8) | 6 months or more |

## 5 ) Child received vitamin D

**Variable name:** MEXDVVTD

**Based on:** ADM_PRX, DHH_SEX, DHH_AGE, CHILDAGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_125, MEX_130

**Description:** This variable determines whether a breastfed baby has received Vitamin D supplements up until the age of 1 year old, continued to receive Vitamin D after 1 year old, or not at all.

**Note:** Mothers with babies under the age of 12 months at time of interview were not asked MEX_130 (received Vitamin D after 12 months). They will be coded to category 9, 0 or 1, depending on the answer to MEX_Q125.

Respondent who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. This variable also excludes mothers who did not breastfeed.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOMEX = 2 or<br>DHH_SEX = 1 or<br>DHH_AGE < 15 or<br>DHH_AGE > 55 or<br>MEX_010 = 2 or<br>SXB_005 = 2 or<br>996 > CHILDAGE >= 72 | Population exclusions | NA |
| 6 | MEX_100 = 2 | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 9 | MEX_010 = (DK, RF, NS) or<br>MEX_100 = (DK, RF, NS) or<br>MEX_110 = (DK, RF, NS) or<br>MEX_125 = (DK, RF, NS) or<br>MEX_130 = (DK, RF) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | (MEX_125 = 2 and<br>MEX_130 = NA) | Baby never received vitamin D supplement | |
| 1 | (MEX_125 = 1 and<br>MEX_130 = (2, NA)) | Baby received vitamin D only when under 1 year old | |
| 2 | (MEX_125 = 1 and<br>MEX_130 = 1) | Baby received vitamin D both when under 1 year old and when older than 1 | Excluding mothers with babies less than 12 months old |

# Alcohol use during maternal experience (2 DVs)

## 1 ) Drank alcohol 3 months before last pregnancy - frq - Grouped

**Variable name:** MXAG010

**Based on:** MXA_010

**Description:** This variable groups the frequency of drinking 3 months before the respondent's last pregnancy.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MXA_010 = 96 | Population exclusions | NA |
| 9 | MXA_010 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | MXA_010 = 1 | Less than once per month | |
| 2 | MXA_010 = 2 | Once per month | |
| 3 | MXA_010 = 3 | 2 to 3 times per month | |
| 4 | MXA_010 = 4 | Once a week | |
| 5 | MXA_010 = (5, 6, 7) | More than once a week | |

## 2 ) Drank alcohol while breastfeeding last baby - frq - Grouped

**Variable name:** MXAG040

**Based on:** MXA_040

**Description:** This variable groups the frequency of drinking while breastfeeding last baby.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MXA_040 = 96 | Population exclusions | NA |
| 9 | MXA_040 = (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | MXA_040 = 1 | Less than once per month | |
| 2 | MXA_040 = (2, 3, 4, 5, 6, 7) | Once per month or more | |

# Smoking during maternal experience (2 DVs)

## 1 ) Smoked cigarettes after finding out about pregnancy- Grouped

**Variable name:** MXSG010

**Based on:** MXS_010

**Description:** Smoked cigarettes after finding out about pregnancy

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MXS_010=96 | Population exclusions | NA |
| 9 | MXS_010=97, 98, 99 | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | MXS_010=1 | Everyday | |
| 2 | MXS_010=2,3,4,5 | At least once | |
| 3 | MXS_010=6 | Never | |

## 2 ) Smoked cigarettes last 3 months of pregnancy - Grouped

**Variable name:** MXSG015

**Based on:** MXS_015

**Description:** Smoked cigarettes last 3 months of pregnancy

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | MXS_015=96 | Population exclusions | NA |
| 9 | MXS_015=97, 98, 99 | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | MXS_015=1 | Everyday | |
| 2 | MXS_015=2,3,4,5 | At least once | |
| 3 | MXS_015=6 | Never | |

# Nicotine dependence (1 DV)

The items and scoring used to derive the Fagerström Tolerance Test are based on the work of Fagerström, Heatherton and Kozlowski. The test allows physicians to classify smokers according to a level of nicotine dependency and to identify those most likely to need nicotine replacement therapy. The measure combines an index of cigarette consumption and difficulty tolerating reduced nicotine levels.

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **NDETIND** | | | |
| 0 | | Initialize NDETIND to 0 | This DV is used as a counter |
| NDETIND + 3 | NDE_005 = 1 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 2 | NDE_005 = 2 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | NDE_005 = 3 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | NDE_010 = 1 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | NDE_015 = 1 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | NDE_020 = 1 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | NDE_025 = 1 | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 1 | (11 <= SMK_045 <= 20) | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 2 | (21 <= SMK_045 <= 30) | Compute value of NDETIND for Fagerström Tolerance Test | |
| NDETIND + 3 | (31 <= SMK_045 <= NS) | Compute value of NDETIND for Fagerström Tolerance Test | |

## 1 ) Fagerström tolerance score

**Variable name:** NDEDVFTT

**Based on:** ADM_PRX, SMK_005, SMK_045, NDE_005, NDE_010, NDE_015, NDE_020, NDE_025, NDETIND

**Description:** This variable classifies current daily smokers into categories, according to level of nicotine dependency. The measure combines an index of consumption (cigarettes per day) with difficulty tolerating reduced nicotine levels.

**Note:** Occasional smokers and non-smokers are excluded from the population.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DONDE = 2 | Module not selected | NA |
| 6 | SMK_005 = (2, 3) | Population exclusion | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | SMK_005 = (DK, R, NS) or<br>SMK_045 = (DK, R, NS) or<br>NDE_005 = (DK, R, NS) or<br>NDE_010 = (DK, R, NS) or<br>NDE_015 = (DK, R, NS) or<br>NDE_020 = (DK, R, NS) or<br>NDE_025 = (DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (0 <= NDETIND <= 2) | Very low dependence | |
| 2 | (3 <= NDETIND <= 4) | Low dependence | |

| | | |
|---|---|---|
| 3 | NDETIND = 5 | Medium dependence |
| 4 | (6 <= NDETIND <= 7) | High dependence |
| 5 | (8 <= NDETIND <= 10) | Very high dependence |

Reference: Adapted from Fagerström, KO, Heatherton TF, Kozlowski LT. Nicotine addiction and its assessment. Ear Nose Throat J. 1991; 69: 763-765. Heatherton TF, Kozlowski LT, Frecker RC, Fagerström, KO. A Fagerström Test for Nicotine Dependence: A revision of the Fagerström Tolerance Questionnaire. British Journal of Addictions. 1991; 86: 1119-27.

# Physical activities - Adults 18 years and older (22 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **PAATOTH** | | | |
| Number of Days Selected (Numerical) | PAA_070 = (1:7) | Counts the total number of days a respondent performed other physical activities in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7. | (min:1; max:7) |
| 9 | PAA_070 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| **PAATREC** | | | |
| Number of Days Selected (Numerical) | PAA_040 = (1:7) | Counts the total number of days a respondent performed recreational activities in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7. | (min:1; max:7) |
| 9 | PAA_040 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| **PAATTRAV** | | | |
| Number of Days Selected (Numerical) | PAA_010 = (1:7) | Counts the total number of days a respondent used active ways to get places in the last 7 days. E.g. 1 day = 1; 3 days = 3; 7 days = 7. | (min:1; max:7) |
| 9 | PAA_010 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 1 ) Active transportation minutes per week

**Variable name:** PAADVTRV

**Based on:** DHH_AGE, PAA_005, PAA_015, PAA_020

**Description:** This variable derives the total number of minutes spent traveling in active ways in the last 7 days before the interview.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population exclusions | NA |
| 0 | PAA_005 = 2 | No minutes of active transportation in the last 7 days | |
| PAA_015 * 60 + PAA_020 | PAA_015 = (0:168) and PAA_020 = (0:9995) | Number of minutes of active transportation in the last 7 days | Min: 0; Max: 10080 |
| 99999 | PAA_005 = (DK, RF, NS) or PAA_015 = (DK, RF, NS) or PAA_020 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Average minutes per day of active transportation

**Variable name:** PAADVATR

**Based on:** DHH_AGE, PAADVTRV, PAA_010, PAATTRAV

**Description:** This derived variable determines the average number of minutes per day of active transportation in the last 7 days.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 9999.6 | DOPAA = 2 | Module not selected | NA |

| | | | |
|---|---|---|---|
| 9999.6 | DHH_AGE < 18 | Population exclusions | NA |
| 9999.9 | PAADVTRV = NS or<br>PAATTRAV = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAADVTRV = 0 | No active transportation last 7 days | |
| PAADVTRV / PAATTRAV | PAADVTRV = (1:10080) and<br>PAATTRAV = (1:7) | Average active transportation minutes last 7 days | Rounded to 1 decimal place |

## 3 ) Recreational activity minutes per week

**Variable name:** PAADVREC

**Based on:** DHH_AGE, PAA_030, PAA_035, PAA_045, PAA_050

**Description:** This derived variable represents the number minutes of moderate to vigorous recreational physical activity in the last 7 days before the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population exclusions | NA |
| 0 | PAA_030=2 or<br>PAA_035=2 | No minutes of recreational physical activity in the last 7 days | |
| PAA_045 * 60 + PAA_050 | PAA_045 = (0:168) and<br>PAA_050 = (0:9995) | Number of minutes of recreational physical activity in the last 7 days | Min: 0; Max: 10080 |
| 99999 | PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_045 = (DK, RF, NS) or<br>PAA_050 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 4 ) Average minutes per day of recreational activities

**Variable name:** PAADVARC

**Based on:** DHH_AGE, PAADVREC, PAA_040, PAATREC

**Description:** This derived variable determines the average number of minutes per day of recreational activities in the last 7 days.

**Note:** Moderate exercise is defined in the Canadian Physical Activity Guidelines as a physical activity of moderate intensity causing harder breathing and sweating at least a little. The average is based on the total number of minutes of activity in the week divided by the number of days they were active.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9999.6 | DOPAA = 2 | Module not selected | NA |
| 9999.6 | DHH_AGE < 18 | Population exclusions | NA |
| 9999.9 | PAADVREC = NS or<br>PAATREC = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAADVREC = 0 | No recreational activities in the last 7 days | |
| PAADVREC / PAATREC | PAADVREC = (1:10080) and<br>PAATREC = (1:7) | Average minutes per day of recreational activities in the last 7 days | Rounded to 1 decimal place |

## 5 ) Other activity minutes per week

**Variable name:** PAADVOTH

**Based on:** DHH_AGE, PAA_060, PAA_065, PAA_075, PAA_080

**Description:** This variable derives the total number of minutes of other moderate to vigorous physical activities in the last 7 days before the interview.

**Note:** Physical activity is considered to be moderate if it causes the participant to sweat at least a little and breathe harder.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population exclusions | NA |
| 0 | PAA_Q060 = 2 or<br>PAA_Q065 = 2 | No minutes of other physical activity in the last 7 days | |
| PAA_075 * 60 + PAA_080 | PAA_075 = (0:168) and<br>PAA_080 = (0:9995) | Number of minutes of other physical activity in the last 7 days | Min: 0; Max: 10080 |
| 99999 | PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_075 = (DK, RF, NS) or<br>PAA_080 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 6 ) Average minutes per day of other activities

**Variable name:** PAADVATH

**Based on:** DHH_AGE, PAADVOTH, PAA_070, PAATOTH

**Description:** This derived variable determines the average number of minutes per day of other physical activity in the last 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9999.6 | DOPAA = 2 | Module not selected | NA |
| 9999.6 | DHH_AGE < 18 | Population exclusions | NA |
| 9999.9 | PAADVOTH = NS or<br>PAATOTH = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAADVOTH = 0 | No other physical activities in the last 7 days | |
| PAADVOTH / PAATOTH | PAADVOTH = (1:10080) and<br>PAATOTH = (1:7) | Average minutes per day of other physical activities in the last 7 days | Rounded to 1 decimal place |

## 7 ) Total minutes of moderate to vigorous activity - last 7 days

**Variable name:** PAADVMVA

**Based on:** DHH_AGE, PAA_005, PAA_015, PAA_020, PAA_030, PAA_035, PAA_045, PAA_050, PAA_060, PAA_065, PAA_075, PAA_080

**Description:** This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational and other physical activities.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population Exclusions | NA |
| 99999 | PAA_005 = (DK, RF, NS) or<br>PAA_015 = (DK, RF, NS) or<br>PAA_020 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_045 = (DK, RF, NS) or<br>PAA_050 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_075 = (DK, RF, NS) or<br>PAA_080 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAA_005 = 2 and<br>(PAA_030 = 2 or PAA_035 = 2) and<br>(PAA_060 = 2 or PAA_065 = 2) | No minutes of activity in the last 7 days (no active transportation and no moderate recreational or other activity) | |
| PAA_015*60 +<br>PAA_020 +<br>PAA_045*60 +<br>PAA_050 +<br>PAA_075*60 +<br>PAA_080 | PAA_015 = (0:168) and<br>PAA_020 = (0:9995) and<br>PAA_045 = (0:168) and<br>PAA_050 = (0:9995) and<br>PAA_075 = (0:168) and<br>PAA_080 = (0:9995) | Number of minutes of active transport and moderate to vigorous physical activity | Min: 0; Max: 10080 |

## 8 ) Alternate physical activity indicator

**Variable name:** PAADVAC2

**Based on:** DHH_AGE, PAADVMVA

**Description:** This derived variable represents an alternate classification of physical activity for adults, based on the number of minutes of moderate to vigorous activity done in a week. This variable is similar to PAADVACV, but it breaks down those who were not above the threshold of 150 minutes per week into subcategories of their activity level.

**Note:** These levels of physical activity tend to be used more often internationally, so this DV may be favored over PAADVACV for international comparisons.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAADVMVA = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAADVMVA => 150 | Active | |
| 2 | 75 <= PAADVMVA < 150 | Moderately active | |
| 3 | 0 < PAADVMVA < 75 | Somewhat active | |
| 4 | PAADVMVA = 0 | Sedentary | |

## 9 ) Physical activity indicator

**Variable name:** PAADVACV

**Based on:** DHH_AGE, PAADVMVA

**Description:** This derived variable indicates whether a respondent is physically active according to the Canadian Physical Activity Guidelines (CPAG).

**Note:** Physically active is defined by the Canadian Physical Activity Guidelines as having at least 150 minutes of moderate- to vigorous-intensity aerobic physical activity per week, in bouts of 10 minutes or more.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAADVMVA = NS | At least one required question was not answered (not stated) | NS |
| 1 | PAADVMVA => 150 | Physically active at or above recommended level from CPAG | |
| 2 | 1 <= PAADVMVA <=149 | Physically active below recommended level from CPAG | |
| 3 | PAADVMVA = 0 | No physical activity minutes reported | |

## 10 ) Total minutes of vigorous activity - last 7 days

**Variable name:** PAADVVIG

**Based on:** DHH_AGE, PAA_095, PAA_100, PAA_105, PAADVMVA

**Description:** This derived variable indicates the number of minutes of physical activity reported that was vigorous in the last 7 days.

**Note:** Vigorous exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to be out of breath.

Inconsistencies with PAADVMVA (when PAADVVIG > PAADVMVA) were corrected by setting PAADVVIG to "not stated".

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population exclusions | NA |
| 99999 | PAA_095 = (DK, RF, NS) or<br>PAA_100 = (DK, RF, NS) or<br>PAA_105 = (DK, RF, NS) or<br>PAADVMVA = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAA_095 = 2 | No vigorous physical activity in last 7 days | |
| 0 | PAADVMVA = 0 | No minutes of moderate to vigorous physical activity in last 7 days | |
| PAA_100*60 + PAA_105 | PAA_095 = 1 | Total minutes of vigorous physical activity in last 7 days. | (Min:1, Max: 10080) |

## 11 ) Volume of weekly activity done in the past 7 days (METs*minutes/week)

**Variable name:** PAADVVOL

**Based on:** DHH_AGE, PAADVMVA, PAADVVIG

**Description:** This derived variable represents the volume of physical activity performed in the last seven days. It is measured in METs*minutes/week. A MET is a conceptual value that represents energy expended during physical activity. The volume of activity is calculated by multiplying the amount of minutes of activity (by level of intensity) by the MET value associated with that intensity.

**Note:** Physical activity at the moderate level is assumed to be 3 METs, while vigorous activity is 6 METs. A MET (metabolic equivalent) is the energy cost of activity expressed as kilocalories expended per kilogram of body weight per hour of activity.

**Source:** B.Nolin (2014). "ESCC 2015, VD globales, Adultes, Propositions", Institut national de santé publique du Québec.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAA = 2 | Module not selected | NA |
| 99996 | DHH_AGE < 18 | Population exclusions | NA |
| 99999 | PAADVMVA = (DK, RF, NS) or PAADVVIG = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAADVMVA = 0 | Total weekly volume of activity was 0 | No minutes of any activity |
| (PAADVMVA - PAADVVIG)*3 + (PAADVVIG)*6 | (0 < PAADVMVA <= 10080) and (0 < PAADVVIG <= 10080) | Total weekly volume of activity | |

## 12 ) Physically active, based on WHO guidelines

**Variable name:** PAADVWHO

**Based on:** DHH_AGE, PAADVVOL

**Description:** This derived variable classifies respondents according to the volume of physical activity they had performed in the past week (PAADVVOL). This classification uses levels of activity volume recommended by the World Health Organization (WHO).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAADVVOL = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAADVVOL => 900 | Active | |
| 2 | 450 <= PAADVVOL < 900 | Moderately active | |
| 3 | 0 < PAADVVOL < 450 | Somewhat Active | |
| 4 | PAADVVOL = 0 | Sedentary | |

## 13 ) Was physically active on Monday

**Variable name:** PAADVMON

**Based on:** DHH_AGE, PAA_005, PAA_010A, PAA_030, PAA_035, PAA_040A, PAA_060, PAA_065, PAA_070A

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Monday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010A = (DK, RF, NS) or<br>PAA_040A = (DK, RF, NS) or<br>PAA_070A = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010A = 1 or<br>PAA_040A = 1 or<br>PAA_070A = 1 | Performed physical activity on Monday | |
| 0 | (PAA_005 = 2 or PAA_010A = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040A = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070A = 2) | Did not perform physical activity on Monday | |

## 14 ) Was physically active on Tuesday

**Variable name:** PAADVTUE

**Based on:** DHH_AGE, PAA_005, PAA_010B, PAA_030, PAA_035, PAA_040B, PAA_060, PAA_065, PAA_070B

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Tuesday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010B = (DK, RF, NS) or<br>PAA_040B = (DK, RF, NS) or<br>PAA_070B = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010B = 1 or<br>PAA_040B = 1 or<br>PAA_070B = 1 | Performed physical activity on Tuesday | |

| | | |
|---|---|---|
| 0 | (PAA_005 = 2 or PAA_010B = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040B = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070B = 2) | Did not perform physical activity on Tuesday |

## 15 ) Was physically active on Wednesday

**Variable name:** PAADVWED

**Based on:** DHH_AGE, PAA_005, PAA_010C, PAA_030, PAA_035, PAA_040C, PAA_060, PAA_065, PAA_070C

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Wednesday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010C = (DK, RF, NS) or<br>PAA_040C = (DK, RF, NS) or<br>PAA_070C = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010C = 1 or<br>PAA_040C = 1 or<br>PAA_070C = 1 | Performed physical activity on Wednesday | |
| 0 | (PAA_005 = 2 or PAA_010C = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040C = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070C = 2) | Did not perform physical activity on Wednesday | |

## 16 ) Was physically active on Thursday

**Variable name:** PAADVTHU

**Based on:** DHH_AGE, PAA_005, PAA_010D, PAA_030, PAA_035, PAA_040D, PAA_060, PAA_065, PAA_070D

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Thursday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010D = (DK, RF, NS) or<br>PAA_040D = (DK, RF, NS) or<br>PAA_070D = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | |
|---|---|---|
| 1 | PAA_010D = 1 or<br>PAA_040D = 1 or<br>PAA_070D = 1 | Performed physical activity on Thursday |
| 0 | (PAA_005 = 2 or PAA_010D = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040D = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070D = 2) | Did not perform physical activity on Thursday |

## 17 ) Was physically active on Friday

**Variable name:** PAADVFRI

**Based on:** DHH_AGE, PAA_005, PAA_010E, PAA_030, PAA_035, PAA_040E, PAA_060, PAA_065, PAA_070E

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Friday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010E = (DK, RF, NS) or<br>PAA_040E = (DK, RF, NS) or<br>PAA_070E = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010E = 1 or<br>PAA_040E = 1 or<br>PAA_070E = 1 | Performed physical activity on Friday | |
| 0 | (PAA_005 = 2 or PAA_010E = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040E = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070E = 2) | Did not perform physical activity on Friday | |

## 18 ) Was physically active on Saturday

**Variable name:** PAADVSAT

**Based on:** DHH_AGE, PAA_005, PAA_010F, PAA_030, PAA_035, PAA_040F, PAA_060, PAA_065, PAA_070F

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Saturday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010F = (DK, RF, NS) or<br>PAA_040F = (DK, RF, NS) or<br>PAA_070F = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010F = 1 or<br>PAA_040F = 1 or<br>PAA_070F = 1 | Performed physical activity on Saturday | |
| 0 | (PAA_005 = 2 or PAA_010F = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040F = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070F = 2) | Did not perform physical activity on Saturday | |

## 19 ) Was physically active on Sunday

**Variable name:** PAADVSUN

**Based on:** DHH_AGE, PAA_005, PAA_010G, PAA_030, PAA_035, PAA_040G, PAA_060, PAA_065, PAA_070G

**Description:** Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Sunday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| 9 | PAA_005 = (DK, RF, NS) or<br>PAA_030 = (DK, RF, NS) or<br>PAA_035 = (DK, RF, NS) or<br>PAA_060 = (DK, RF, NS) or<br>PAA_065 = (DK, RF, NS) or<br>PAA_010G = (DK, RF, NS) or<br>PAA_040G = (DK, RF, NS) or<br>PAA_070G = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAA_010G = 1 or<br>PAA_040G = 1 or<br>PAA_070G = 1 | Performed physical activity on Sunday | |
| 0 | (PAA_005 = 2 or PAA_010G = 2) and<br>(PAA_030 = 2 or PAA_035 = 2 or PAA_040G = 2)<br>and<br>(PAA_060 = 2 or PAA_065 = 2 or PAA_070G = 2) | Did not perform physical activity on Sunday | |

## 20 ) Number of active days - last 7 days

**Variable name:** PAADVDYS

**Based on:** DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI, PAADVSAT, PAADVSUN

**Description:** This uses derived variables from Monday to Sunday for each type of physical activity to indicate the number of total days in the last 7 days the respondent was physically active

**Note:** The universe of this derived variable is individuals who have indicated physical activity.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOPAA = 2 | Module not selected | NA |
| 96 | DHH_AGE < 18 | Population exclusions | NA |
| PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI + PAADVSAT + PAADVSUN | PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1) and PAADVSAT = (0:1) and PAADVSUN = (0:1) | Number of days respondent was active in the last 7 days | (min:0; max: 7) |
| 99 | PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS) or PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 21 ) Number of weekdays active

**Variable name:** PAADVWKD

**Based on:** DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI

**Description:** This uses derived variables from Monday to Friday for each type of physical activity to indicate the number of weekdays the respondent was physically active in the past 7 days before the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI | PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1) | Number of weekdays physically active last week | (min:0; max:5) |
| 9 | PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 22 ) Number of weekend days active

**Variable name:** PAADVWND

**Based on:** DHH_AGE, PAADVSAT, PAADVSUN

**Description:** This uses derived variables from Saturday to Sunday for each type of physical activity to indicate the number of weekdays the respondent was physically active in the last 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAA = 2 | Module not selected | NA |

| | | | |
|---|---|---|---|
| 6 | DHH_AGE < 18 | Population exclusions | NA |
| PAADVSAT + PAADVSUN | PAADVSAT in (0:1) and PAADVSUN in (0:1) | Number of days physically active last weekend | (min:0; max: 2) |
| 9 | PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Physical Activities for Youth (23 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **PAYT15A** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15A*60 + PAY_15AN | PAY_010 = 1 and PAY_15A = (0:24) and PAY_15AN = (0:960) | Number of minutes of active transportation yesterday | |
| **PAYT15B** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15B*60 + PAY_15BN | PAY_010 = 1 and PAY_15B = (0:24) and PAY_15BN = (0:960) | Number of minutes of active transportation 2 days ago | |
| **PAYT15C** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15C*60 + PAY_15CN | PAY_010 = 1 and PAY_15C = (0:24) and PAY_15CN = (0:960) | Number of minutes of active transportation 3 days ago | |
| **PAYT15D** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15D*60 + PAY_15DN | PAY_010 = 1 and PAY_15D = (0:24) and PAY_15DN = (0:960) | Number of minutes of active transportation 4 days ago | |
| **PAYT15E** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15E*60 + PAY_15EN | PAY_010 = 1 and PAY_15E = (0:24) and PAY_15EN = (0:960) | Number of minutes of active transportation 5 days ago | |
| **PAYT15F** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15F*60 + PAY_15FN | PAY_010 = 1 and PAY_15F = (0:24) and PAY_15FN = (0:960) | Number of minutes of active transportation 6 days ago | |
| **PAYT15G** | | | |
| 0 | PAY_010 = 2 | No minutes of active transportation in last 7 days | |
| PAY_15G*60 + PAY_15GN | PAY_010 = 1 and PAY_15G = (0:24) and PAY_15GN = (0:960) | Number of minutes of active transportation 7 days ago | |
| **PAYT35A** | | | |
| 0 | PAY_EDTE = (3,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days | |
| PAY_35A*60 + PAY_35AN | PAY_025 = 1 and PAY_030 = 1 and PAY_35A in (0:24) and PAY_35AN in (0:960) and PAY_EDTE in (3,4,5,6,7) | Number of minutes of recreational physical activity at school or day camp yesterday | |
| **PAYT35B** | | | |
| 0 | PAY_EDTE = (1,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days | |
| PAY_35B*60 + PAY_35BN | PAY_025 = 1 and PAY_030 = 1 and PAY_35B = (0:24) and PAY_35BN = (0:960) and PAY_EDTE = (1,4,5,6,7) | Number of minutes of recreational physical activity at school or day camp 2 days ago | |
| **PAYT35C** | | | |
| 0 | PAY_EDTE = (1,2,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days | |
| PAY_35C*60 + PAY_35CN | PAY_025 = 1 and PAY_030 = 1 and PAY_35C = (0:24) and PAY_35CN = (0:960) and PAY_EDTE = (1,2,5,6,7) | Number of minutes of recreational physical activity at school or day camp 3 days ago | |
| **PAYT35D** | | | |
| 0 | PAY_EDTE = (1,2,3,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days | |
| PAY_35D*60 + PAY_35DN | PAY_025 = 1 and PAY_030 = 1 and PAY_35D = (0:24) and PAY_35DN = (0:960) and PAY_EDTE = (1,2,3,6,7) | Number of minutes of recreational physical activity at school or day camp 4 days ago | |

| | | |
|---|---|---|
| **PAYT35E** | | |
| 0 | PAY_EDTE = (1,2,3,4,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days |
| PAY_35E*60 + PAY_35EN | PAY_025 = 1 and PAY_030 = 1 and PAY_35E = (0:24) and PAY_35EN = (0:960) and PAY_EDTE = (1,2,3,4,7) | Number of minutes of recreational physical activity at school or day camp 5 days ago |
| **PAYT35F** | | |
| 0 | PAY_EDTE = (1,2,3,4,5) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days |
| PAY_35F*60 + PAY_35FN | PAY_025 = 1 and PAY_030 = 1 and PAY_35F = (0:24) and PAY_35FN = (0:960) and PAY_EDTE = (1,2,3,4,5) | Number of minutes of recreational physical activity at school or day camp 6 days ago |
| **PAYT35G** | | |
| 0 | PAY_EDTE = (2,3,4,5,6) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2) | No minutes of recreational physical activity at school or day camp in last 7 days |
| PAY_35G*60 + PAY_35GN | PAY_025 = 1 and PAY_030 = 1 and PAY_35G = (0:24) and PAY_35GN = (0:960) and PAY_EDTE = (2,3,4,5,6) | Number of minutes of recreational physical activity at school or day camp 7 days ago |
| **PAYT55A** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55A*60 + PAY_55AN | PAY_045 = 1 and PAY_050 = 1 and PAY_55A = (0:24) and PAY_55AN = (0:960) | Number of minutes of recreational physical activity during leisure yesterday |
| **PAYT55B** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55B*60 + PAY_55BN | PAY_045 = 1 and PAY_050 = 1 and PAY_55B = (0:24) and PAY_55BN = (0:960) | Number of minutes of recreational physical activity during leisure 2 days ago |
| **PAYT55C** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55C*60 + PAY_55CN | PAY_045 = 1 and PAY_050 = 1 and PAY_55C = (0:24) and PAY_55CN = (0:960) | Number of minutes of recreational physical activity during leisure 3 days ago |
| **PAYT55D** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55D*60 + PAY_55DN | PAY_045 = 1 and PAY_050 = 1 and PAY_55D = (0:24) and PAY_55DN = (0:960) | Number of minutes of recreational physical activity during leisure 4 days ago |
| **PAYT55E** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55E*60 + PAY_55EN | PAY_045 = 1 and PAY_050 = 1 and PAY_55E in (0:24) and PAY_55EN in (0:960) | Number of minutes of recreational physical activity during leisure 5 days ago |
| **PAYT55F** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55F*60 + PAY_55FN | PAY_045 = 1 and PAY_050 = 1 and PAY_55F = (0:24) and PAY_55FN = (0:960) | Number of minutes of recreational physical activity during leisure 6 days ago |
| **PAYT55G** | | |
| 0 | PAY_045 = 2 or PAY_050 = 2 | No minutes of recreational physical activity during leisure in last 7 days |
| PAY_55G*60 + PAY_55GN | PAY_045 = 1 and PAY_050 = 1 and PAY_55G = (0:24) and PAY_55GN = (0:960) | Number of minutes of recreational physical activity during leisure 7 days ago |
| **PAYT75A** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75A*60 + PAY_75AN | PAY_065 = 1 and PAY_070 = 1 and PAY_75A = (0:24) and PAY_75AN = (0:960) | Number of minutes of other physical activity yesterday |
| **PAYT75B** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |

| | | |
|---|---|---|
| PAY_75B*60 + PAY_75BN | PAY_065 = 1 and PAY_070 = 1 and PAY_75B = (0:24) and PAY_75BN = (0:960) | Number of minutes of other physical activity 2 days ago |
| **PAYT75C** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75C*60 + PAY_75CN | PAY_065 = 1 and PAY_070 = 1 and PAY_75C in (0:24) and PAY_75CN in (0:960) | Number of minutes of other physical activity 3 days ago |
| **PAYT75D** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75D*60 + PAY_75DN | PAY_065 = 1 and PAY_070 = 1 and PAY_75D = (0:24) and PAY_75DN = (0:960) | Number of minutes of other physical activity 4 days ago |
| **PAYT75E** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75E*60 + PAY_75EN | PAY_065 = 1 and PAY_070 = 1 and PAY_75E = (0:24) and PAY_75EN = (0:960) | Number of minutes of other physical activity 5 days ago |
| **PAYT75F** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75F*60 + PAY_75FN | PAY_065 = 1 and PAY_070 = 1 and PAY_75F = (0:24) and PAY_75FN = (0:960) | Number of minutes of other physical activity 6 days ago |
| **PAYT75G** | | |
| 0 | PAY_065 = 2 or PAY_070 = 2 | No minutes of other physical activity in last 7 days |
| PAY_75G*60 + PAY_75GN | PAY_065 = 1 and PAY_070 = 1 and PAY_75G = (0:24) and PAY_75GN = (0:960) | Number of minutes of other physical activity 7 days ago |

## 1 ) Total minutes of active transportation - last 7 days

**Variable name:** PAYDVTTR

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G

**Description:** This variable derives the total number of minutes spent traveling in active ways in the last 7 days

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAY_010 = (NSP, RF, ND) or<br>PAY_15A = (NSP, RF, ND) or<br>PAY_15AN = (NSP, RF, ND) or<br>PAY_15B = (NSP, RF, ND) or<br>PAY_15BN = (NSP, RF, ND) or<br>PAY_15C = (NSP, RF, ND) or<br>PAY_15CN = (NSP, RF, ND) or<br>PAY_15D = (NSP, RF, ND) or<br>PAY_15DN = (NSP, RF, ND) or<br>PAY_15E = (NSP, RF, ND) or<br>PAY_15EN = (NSP, RF, ND) or<br>PAY_15F = (NSP, RF, ND) or<br>PAY_15FN = (NSP, RF, ND) or<br>PAY_15G = (NSP, RF, ND) or<br>PAY_15GN = (NSP, RF, ND) | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | | |
|---|---|---|---|
| PAYT15A + PAYT15B + PAYT15C + PAYT15D + PAYT15E + PAYT15F + PAYT15G | PAY_EDTE = (1,2,3,4,5,6,7) | Number of minutes of active transportation in the last 7 days | (min: 1; max: 10080) |

## 2 ) Total minutes of physical activities at school or camp - last 5 weekdays

**Variable name:** PAYDVTSC

**Based on:** DHH_AGE, PAY_EDTE, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G

**Description:** This variable derives the total number of minutes of moderate recreational physical activity during school or day camp in the last 5 weekdays.

**Note:** The questions about activity during school or day camps was not asked for Saturday and Sunday. This variable sums the number of minutes of moderate recreational activity during school or day camp from Monday to Friday.

Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT35B + PAYT35C + PAYT35D + PAYT35E + PAYT35F | PAY_EDTE = 1 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |
| PAYT35C + PAYT35D + PAYT35E + PAYT35F + PAYT35G | PAY_EDTE = 2 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |
| PAYT35A + PAYT35D + PAYT35E + PAYT35F + PAYT35G | PAY_EDTE = 3 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |

| | | | |
|---|---|---|---|
| PAYT35A + PAYT35B + PAYT35E + PAYT35F + PAYT35G | PAY_EDTE = 4 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |
| PAYT35A + PAYT35B + PAYT35C + PAYT35F + PAYT35G | PAY_EDTE = 5 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |
| PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35G | PAY_EDTE = 6 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |
| PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35E | PAY_EDTE = 7 | Minutes of moderate recreational activity at school or day camp in last 5 weekdays | (min: 1; max: 7200) |

## 3 ) Total minutes of physical activities during leisure - last 7 days

**Variable name:** PAYDVADL

**Based on:** DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G

**Description:** This variable derives the total number of minutes of moderate to vigorous recreational physical activity during leisure time in the last 7 days

**Note:** Moderate exercise is defined in the Canadian Physical Activity Guidelines as breathing harder and sweating at least a little.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT55A + PAYT55B + PAYT55C + PAYT55D + PAYT55E + PAYT55F + PAYT55G | PAY_EDTE = (1,2,3,4,5,6,7) | Total minutes of activity during leisure in last 7 days | (min: 1; max: 10080) |

## 4 ) Total minutes of other activities - last 7 days

**Variable name:** PAYDVTOA

**Based on:** DHH_AGE, PAY_EDTE, PAY_060, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes of other moderate to vigorous physical activities in the last 7 days

**Note:** Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT75A +<br>PAYT75B +<br>PAYT75C +<br>PAYT75D +<br>PAYT75E +<br>PAYT75F +<br>PAYT75G | PAY_EDTE = (1,2,3,4,5,6,7) | Total minutes of other physical activities last 7 days | (min: 1; max: 10080) |

## 5 ) Total physical activity minutes - Monday

**Variable name:** PAYDVTMN

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Monday

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | | |
|---|---|---|---|
| PAYT15F + PAYT35F + PAYT55F + PAYT75F | PAY_EDTE = 1 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15G + PAYT35G + PAYT55G + PAYT75G | PAY_EDTE = 2 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15A + PAYT35A + PAYT55A + PAYT75A | PAY_EDTE = 3 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15B + PAYT35B + PAYT55B + PAYT75B | PAY_EDTE = 4 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15C + PAYT35C + PAYT55C + PAYT75C | PAY_EDTE = 5 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15D + PAYT35D + PAYT55D + PAYT75D | PAY_EDTE = 6 | Minutes of total activity - Monday | (min: 1; max: 1440) |
| PAYT15E + PAYT35E + PAYT55E + PAYT75E | PAY_EDTE = 7 | Minutes of total activity - Monday | (min: 1; max: 1440) |

## 6 ) Total physical activity minutes - Tuesday

**Variable name:** PAYDVTTU

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Tuesday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15E +<br>PAYT35E +<br>PAYT55E +<br>PAYT75E | PAY_EDTE = 1 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |

| | | | |
|---|---|---|---|
| PAYT15F + PAYT35F + PAYT55F + PAYT75F | PAY_EDTE = 2 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |
| PAYT15G + PAYT35G + PAYT55G + PAYT75G | PAY_EDTE = 3 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |
| PAYT15A + PAYT35A + PAYT55A + PAYT75A | PAY_EDTE = 4 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |
| PAYT15B + PAYT35B + PAYT55B + PAYT75B | PAY_EDTE = 5 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |
| PAYT15C + PAYT35C + PAYT55C + PAYT75C | PAY_EDTE = 6 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |
| PAYT15D + PAYT35D + PAYT55D + PAYT75D | PAY_EDTE = 7 | Minutes of total activity - Tuesday | (min: 1; max: 1440) |

## 7 ) Total physical activity minutes - Wednesday

**Variable name:** PAYDVTWD

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Wednesday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15D +<br>PAYT35D +<br>PAYT55D +<br>PAYT75D | PAY_EDTE = 1 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |

| | | | |
|---|---|---|---|
| PAYT15E + PAYT35E + PAYT55E + PAYT75E | PAY_EDTE = 2 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |
| PAYT15F + PAYT35F + PAYT55F + PAYT75F | PAY_EDTE = 3 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |
| PAYT15G + PAYT35G + PAYT55G + PAYT75G | PAY_EDTE = 4 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |
| PAYT15A + PAYT35A + PAYT55A + PAYT75A | PAY_EDTE = 5 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |
| PAYT15B + PAYT35B + PAYT55B + PAYT75B | PAY_EDTE = 6 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |
| PAYT15C + PAYT35C + PAYT55C + PAYT75C | PAY_EDTE = 7 | Minutes of total activity - Wednesday | (min: 1; max: 1440) |

## 8 ) Total physical activity minutes - Thursday

**Variable name:** PAYDVTTH

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Thursday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15C +<br>PAYT35C +<br>PAYT55C +<br>PAYT75C | PAY_EDTE = 1 | Minutes of total activity - Thursday | (min: 1; max: 1440) |

| | | | |
|---|---|---|---|
| PAYT15D + PAYT35D + PAYT55D + PAYT75D | PAY_EDTE = 2 | Minutes of total activity - Thursday | (min: 1; max: 1440) |
| PAYT15E + PAYT35E + PAYT55E + PAYT75E | PAY_EDTE = 3 | Minutes of total activity - Thursday | (min: 1; max: 1440) |
| PAYT15F + PAYT35F + PAYT55F + PAYT75F | PAY_EDTE = 4 | Minutes of total activity - Thursday | (min: 1; max: 1440) |
| PAYT15G + PAYT35G + PAYT55G + PAYT75G | PAY_EDTE = 5 | Minutes of total activity - Thursday | (min: 1; max: 1440) |
| PAYT15A + PAYT35A + PAYT55A + PAYT75A | PAY_EDTE = 6 | Minutes of total activity - Thursday | (min: 1; max: 1440) |
| PAYT15B + PAYT35B + PAYT55B + PAYT75B | PAY_EDTE = 7 | Minutes of total activity - Thursday | (min: 1; max: 1440) |

## 9 ) Total physical activity minutes - Friday

**Variable name:** PAYDVTFR

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Friday

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15B +<br>PAYT35B +<br>PAYT55B +<br>PAYT75B | PAY_EDTE = 1 | Minutes of total activity - Friday | (min: 1; max: 1440) |

| | | | |
|---|---|---|---|
| PAYT15C + PAYT35C + PAYT55C + PAYT75C | PAY_EDTE = 2 | Minutes of total activity - Friday | (min: 1; max: 1440) |
| PAYT15D + PAYT35D + PAYT55D + PAYT75D | PAY_EDTE = 3 | Minutes of total activity - Friday | (min: 1; max: 1440) |
| PAYT15E + PAYT35E + PAYT55E + PAYT75E | PAY_EDTE = 4 | Minutes of total activity - Friday | (min: 1; max: 1440) |
| PAYT15F + PAYT35F + PAYT55F + PAYT75F | PAY_EDTE = 5 | Minutes of total activity - Friday | (min: 1; max: 1440) |
| PAYT15G + PAYT35G + PAYT55G + PAYT75G | PAY_EDTE = 6 | Minutes of total activity - Friday | (min: 1; max: 1440) |
| PAYT15A + PAYT35A + PAYT55A + PAYT75A | PAY_EDTE = 7 | Minutes of total activity - Friday | (min: 1; max: 1440) |

## 10 ) Total physical activity minutes - Saturday

**Variable name:** PAYDVTST

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Saturday

**Note:** The questions about activity during school or day camps was not asked for Saturday. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15A +<br>PAYT55A +<br>PAYT75A | PAY_EDTE = 1 | Minutes of activity - Saturday | (min: 1; max: 1440) |
| PAYT15B +<br>PAYT55B +<br>PAYT75B | PAY_EDTE = 2 | Minutes of activity - Saturday | (min: 1; max: 1440) |

| | | | |
|---|---|---|---|
| PAYT15C + PAYT55C + PAYT75C | PAY_EDTE = 3 | Minutes of activity - Saturday | (min: 1; max: 1440) |
| PAYT15D + PAYT55D + PAYT75D | PAY_EDTE = 4 | Minutes of activity - Saturday | (min: 1; max: 1440) |
| PAYT15E + PAYT55E + PAYT75E | PAY_EDTE = 5 | Minutes of activity - Saturday | (min: 1; max: 1440) |
| PAYT15F + PAYT55F + PAYT75F | PAY_EDTE = 6 | Minutes of activity - Saturday | (min: 1; max: 1440) |
| PAYT15G + PAYT55G + PAYT75G | PAY_EDTE = 7 | Minutes of activity - Saturday | (min: 1; max: 1440) |

## 11 ) Total physical activity minutes - Sunday

**Variable name:** PAYDVTSN

**Based on:** DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

**Description:** This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Sunday

**Note:** The questions about activity during school or day camps was not asked on Sundays. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999 | PAY_010 = (DK, RF, NS) or<br>PAY_025 = (DK, RF, NS) or<br>PAY_030 = (DK, RF, NS) or<br>PAY_045 = (DK, RF, NS) or<br>PAY_050 = (DK, RF, NS) or<br>PAY_065 = (DK, RF, NS) or<br>PAY_070 = (DK, RF, NS) or<br>PAY_15A = (DK, RF, NS) or<br>PAY_15AN = (DK, RF, NS) or<br>PAY_35A = (DK, RF, NS) or<br>PAY_35AN = (DK, RF, NS) or<br>PAY_55A = (DK, RF, NS) or<br>PAY_55AN = (DK, RF, NS) or<br>PAY_75A = (DK, RF, NS) or<br>PAY_75AN = (DK, RF, NS) or<br>PAY_15B = (DK, RF, NS) or<br>PAY_15BN = (DK, RF, NS) or<br>PAY_35B = (DK, RF, NS) or<br>PAY_35BN = (DK, RF, NS) or<br>PAY_55B = (DK, RF, NS) or<br>PAY_55BN = (DK, RF, NS) or<br>PAY_75B = (DK, RF, NS) or<br>PAY_75BN = (DK, RF, NS) or<br>PAY_15C = (DK, RF, NS) or<br>PAY_15CN = (DK, RF, NS) or<br>PAY_35C = (DK, RF, NS) or<br>PAY_35CN = (DK, RF, NS) or<br>PAY_55C = (DK, RF, NS) or<br>PAY_55CN = (DK, RF, NS) or<br>PAY_75C = (DK, RF, NS) or<br>PAY_75CN = (DK, RF, NS) or<br>PAY_15D = (DK, RF, NS) or<br>PAY_15DN = (DK, RF, NS) or<br>PAY_35D = (DK, RF, NS) or<br>PAY_35DN = (DK, RF, NS) or<br>PAY_55D = (DK, RF, NS) or<br>PAY_55DN = (DK, RF, NS) or<br>PAY_75D = (DK, RF, NS) or<br>PAY_75DN = (DK, RF, NS) or<br>PAY_15E = (DK, RF, NS) or<br>PAY_15EN = (DK, RF, NS) or<br>PAY_35E = (DK, RF, NS) or<br>PAY_35EN = (DK, RF, NS) or<br>PAY_55E = (DK, RF, NS) or<br>PAY_55EN = (DK, RF, NS) or<br>PAY_75E = (DK, RF, NS) or<br>PAY_75EN = (DK, RF, NS) or<br>PAY_15F = (DK, RF, NS) or<br>PAY_15FN = (DK, RF, NS) or<br>PAY_35F = (DK, RF, NS) or<br>PAY_35FN = (DK, RF, NS) or<br>PAY_55F = (DK, RF, NS) or<br>PAY_55FN = (DK, RF, NS) or<br>PAY_75F = (DK, RF, NS) or<br>PAY_75FN = (DK, RF, NS) or<br>PAY_15G = (DK, RF, NS) or<br>PAY_15GN = (DK, RF, NS) or<br>PAY_35G = (DK, RF, NS) or<br>PAY_35GN = (DK, RF, NS) or<br>PAY_55G = (DK, RF, NS) or<br>PAY_55GN = (DK, RF, NS) or<br>PAY_75G = (DK, RF, NS) or<br>PAY_75GN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYT15G +<br>PAYT55G +<br>PAYT75G | PAY_EDTE = 1 | Minutes of total activity - Sunday | (min:0; max:1440) |
| PAYT15A +<br>PAYT55A +<br>PAYT75A | PAY_EDTE = 2 | Minutes of total activity - Sunday | (min:0; max:1440) |

| | | | |
|---|---|---|---|
| PAYT15B + PAYT55B + PAYT75B | PAY_EDTE = 3 | Minutes of total activity - Sunday | (min: 1; max: 1440) |
| PAYT15C + PAYT55C + PAYT75C | PAY_EDTE = 4 | Minutes of total activity - Sunday | (min: 1; max: 1440) |
| PAYT15D + PAYT55D + PAYT75D | PAY_EDTE = 5 | Minutes of total activity - Sunday | (min: 1; max: 1440) |
| PAYT15E + PAYT55E + PAYT75E | PAY_EDTE = 6 | Minutes of total activity - Sunday | (min: 1; max: 1440) |
| PAYT15F + PAYT55F + PAYT75F | PAY_EDTE = 7 | Minutes of total activity - Sunday | (min: 1; max: 1440) |

## 12 ) Total days physically active

**Variable name:** PAYDVDYS

**Based on:** DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

**Description:** This derived variable indicates the total number of days that the respondent did any physical activity in the last 7 days.

**Note:** This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVWK3.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **PAYTTDS** | | | |
| PAYTTDS + 1 | (1 <= PAYDVTMN <= 1440) | Performed physical activity on Monday | Initialize PAYTTDS to 0 |
| PAYTTDS + 1 | (1 <= PAYDVTTU <= 1440) | Performed physical activity on Tuesday | |
| PAYTTDS + 1 | (1 <= PAYDVTWD <= 1440) | Performed physical activity on Wednesday | |
| PAYTTDS + 1 | (1 <= PAYDVTTH <= 1440) | Performed physical activity on Thursday | |
| PAYTTDS + 1 | (1 <= PAYDVTFR <= 1440) | Performed physical activity on Friday | |
| PAYTTDS + 1 | (1 <= PAYDVTST <= 1440) | Performed physical activity on Saturday | |
| PAYTTDS + 1 | (1 <= PAYDVTSN <= 1440) | Performed physical activity on Sunday | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOPAY = 2 | Module not selected | NA |
| 96 | DHH_AGE > 17 | Population exclusions | NA |
| 99 | PAYDVTMN = NS or<br>PAYDVTTU = NS or<br>PAYDVTWD = NS or<br>PAYDVTTH = NS or<br>PAYDVTFR = NS or<br>PAYDVTST = NS or<br>PAYDVTSN = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |

| | | | |
|---|---|---|---|
| 0 | PAYDVTMN = 0 and<br>PAYDVTTU = 0 and<br>PAYDVTWD = 0 and<br>PAYDVTTH = 0 and<br>PAYDVTFR = 0 and<br>PAYDVTST = 0 and<br>PAYDVTSN = 0 | Respondent was not active in the last 7 days | |
| PAYTTDS | PAYTTDS > 0 | Number of days respondent was active in the last 7 days | (Min: 1; Max: 7) |

## 13 ) Total minutes of youth physical activity - last 7 days

**Variable name:** PAYDVMNS

**Based on:** DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

**Description:** This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational activities and other physical activities.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAYDVTMN = (DK, RF, NS) or<br>PAYDVTTU = (DK, RF, NS) or<br>PAYDVTWD = (DK, RF, NS) or<br>PAYDVTTH = (DK, RF, NS) or<br>PAYDVTFR = (DK, RF, NS) or<br>PAYDVTST = (DK, RF, NS) or<br>PAYDVTSN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYDVTMN +<br>PAYDVTTU +<br>PAYDVTWD +<br>PAYDVTTH +<br>PAYDVTFR +<br>PAYDVTST +<br>PAYDVTSN | (0 <= PAYDVTMN <= 1440) and<br>(0 <= PAYDVTTU <= 1440) and<br>(0 <= PAYDVTWD <= 1440) and<br>(0 <= PAYDVTTH <= 1440) and<br>(0 <= PAYDVTFR <= 1440) and<br>(0 <= PAYDVTST <= 1440) and<br>(0 <= PAYDVTSN <= 1440) | Number of minutes of active transportation and moderate to vigorous physical activity | (min: 1; max: 10080) |

## 14 ) Average number of minutes of physical activity per active day

**Variable name:** PAYDVAVG

**Based on:** DHH_AGE, PAYDVDYS, PAYDVMNS

**Description:** This derived variable indicates the average number of minutes of activity the respondent had in the last 7 days for each active day.

**Note:** The average is based on the total number of minutes of activity in the week divided by the number of days they were active.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9999.6 | DOPAY = 2 | Module not selected | NA |
| 9999.6 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9999.9 | PAYDVDYS = (DK, RF, NS) or (AYDVMNS = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAYDVMNS = 0 | No physical activity minutes in the last 7 days | |
| PAYDVMNS / PAYDVDYS | PAYDVMNS = (1:10080) and PAYDVDYS = (1:7) | Average minutes per active day in the last 7 days | Rounded to 1 decimal place |

## 15 ) Total weekday physical activity minutes - last 7 days

**Variable name:** PAYDVTWK

**Based on:** DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR

**Description:** Total number of physical activity minutes recorded on weekdays (Monday to Friday).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population exclusions | NA |
| 9999 | PAYDVTMN = (DK, RF, NS) or PAYDVTTU = (DK, RF, NS) or PAYDVTWD = (DK, RF, NS) or PAYDVTTH = (DK, RF, NS) or PAYDVTFR = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYDVTMN + PAYDVTTU + PAYDVTWD + PAYDVTTH + PAYDVTFR + | (0 <= PAYDVTMN <= 1440) and (0 <= PAYDVTTU <= 1440) and (0 <= PAYDVTWD <= 1440) and (0 <= PAYDVTTH <= 1440) and (0 <= PAYDVTFR <= 1440) | Number of minutes of moderate to vigorous physical activity Monday to Friday | (min: 0; max: 7200) |

## 16 ) Total weekend physical activity minutes - last 7 days

**Variable name:** PAYDVTWN

**Based on:** DHH_AGE, PAYDVTST, PAYDVTSN

**Description:** Total number of physical activity minutes recorded on weekend (Saturday or Sunday).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOPAY = 2 | Module not selected | NA |
| 9996 | DHH_AGE > 17 | Population Exclusions | NA |
| 9999 | PAYDVTST = (DK, RF, NS) or PAYDVTSN = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYDVTST + PAYDVTSN | (0 <= PAYDVTST <= 1440) and (0 <= PAYDVTSN <= 1440) | Number of minutes of moderate to vigorous physical activity Saturday to Sunday | (min: 0; max: 2880) |

## 17 ) Number of days meeting or exceeding physical activity guidelines

**Variable name:** PAYDVDPG

**Based on:** DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDV,TWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI

**Description:** This derived variable indicates the number of days where the recommended physical activity guidelines (CPAG) are met or exceeded.

**Note:** To meet the full guidelines set by the Canadian Physical Activity Guidelines, Canadians aged 12-17 are recommended to do 60 minutes of activity each day of the week. Thus, a respondent would be considered active under CPAG recommendations when this derived variable equals 7.

This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVWK2.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **PAYTGUI** | | | |
| PAYTGUI + 1 | (60 <= PAYDVTMN <= 1440) | Met Physical Activity Guidelines Monday | initialize PAYTGUI to 0 |
| PAYTGUI + 1 | (60 <= PAYDVTTU <= 1440) | Met Physical Activity Guidelines Tuesday | |
| PAYTGUI + 1 | (60 <= PAYDVTWD <= 1440) | Met Physical Activity Guidelines Wednesday | |
| PAYTGUI + 1 | (60 <= PAYDVTTH <= 1440) | Met Physical Activity Guidelines Thursday | |
| PAYTGUI + 1 | (60 <= PAYDVTFR <= 1440) | Met Physical Activity Guidelines Friday | |
| PAYTGUI + 1 | (60 <= PAYDVTST <= 1440) | Met Physical Activity Guidelines Saturday | |
| PAYTGUI + 1 | (60 <= PAYDVTSN <= 1440) | Met Physical Activity Guidelines Sunday | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOPAY = 2 | Module not selected | NA |
| 96 | DHH_AGE > 17 | Population exclusions | NA |
| 99 | (PAYDVTMN = DK, RF, NS) or (PAYDVTTU = DK, RF, NS) or (PAYDVTWD = DK, RF, NS) or (PAYDVTTH = DK, RF, NS) or (PAYDVTFR = DK, RF, NS) or (PAYDVTST = DK, RF, NS) or (PAYDVTSN = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| PAYTGUI | PAYTGUI in (0:7) | Number of days respondent met CPAG guidelines | (Min: 0; Max: 7) |

## 18 ) Youth physical activity indicator

**Variable name:** PAYDVPAI

**Based on:** DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

**Description:** This variable indicates whether a youth is physically active according to the Canadian Physical Activity Guidelines.

**Note:** Physical activity for youth aged 12-17 is defined as at least 60 minutes of moderate-to-vigorous physical activity each day. Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAY = 2 | Module not selected | NA |
| 6 | DHH_AGE > 17 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9 | PAYDVTMN = NS or<br>PAYDVTTU = NS or<br>PAYDVTWD = NS or<br>PAYDVTTH = NS or<br>PAYDVTFR = NS or<br>PAYDVTST = NS or<br>PAYDVTSN = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAYDVTMN = 0 and<br>PAYDVTTU = 0 and<br>PAYDVTWD = 0 and<br>PAYDVTTH = 0 and<br>PAYDVTFR = 0 and<br>PAYDVTST = 0 and<br>PAYDVTSN = 0 | No activity | |
| 1 | (60 <= PAYDVTMN <= 1440) and<br>(60 <= PAYDVTTU <= 1440) and<br>(60 <= PAYDVTWD <= 1440) and<br>(60 <= PAYDVTTH <= 1440) and<br>(60 <= PAYDVTFR <= 1440) and<br>(60 <= PAYDVTST <= 1440) and<br>(60 <= PAYDVTSN <= 1440) | Physically active according to the Canadian Physical Activity Guidelines. | |
| 2 | PAYDVTMN < 60 or<br>PAYDVTTU < 60 or<br>PAYDVTWD < 60 or<br>PAYDVTTH < 60 or<br>PAYDVTFR < 60 or<br>PAYDVTST < 60 or<br>PAYDVTSN < 60 | Not physically active according to the Canadian Physical Activity Guidelines. | |

## 19 ) Total minutes of vigorous physical activity - youth - last 7 days

**Variable name:** PAYDVVIG

**Based on:** DHH_AGE, PAYDVMNS, PAY_090, PAY_100, PAY_105

**Description:** This derived variable indicates the number of minutes of physical activity reported that was vigorous in the last 7 days.

**Note:** Vigorous exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to be out of breath.

Inconsistencies with PAYDVMNS (when PAYDVVIG > PAYDVMNS) were corrected by setting PAYDVVIG to "not stated".

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99996 | DOPAY = 2 | Module not selected | NA |
| 99996 | DHH_AGE > 17 | Population exclusions | NA |
| 99999 | PAY_090 = (DK, RF, NS) or<br>PAY_100 = (DK, RF, NS) or<br>PAY_105 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | PAY_090 = 2 | No vigorous physical activity in last 7 days | |
| 0 | PAYDVMNS = 0 | No minutes of moderate to vigorous physical activity in last 7 days | |
| PAY_100*60 + PAY_105 | PAY_090 = 1 | Total minutes of vigorous physical activity in last 7 days. | (min: 1; max: 10080) |

## 20 ) Physical activity - special weekly guideline 1

**Variable name:** PAYDVWK1

**Based on:** DHH_AGE, PAYDVDYS, PAYDVMNS

**Description:** This variable, number one of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

**Note:** The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level represents a range of achievement of meeting the total duration (minutes) of weekly guidelines.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAY = 2 | Module not selected | NA |
| 6 | DHH_AGE > 17 | Population exclusions | NA |
| 9 | PAYDVDYS = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAYDVDYS >= 1 and PAYDVMNS >= 420 | Level 1 (100% active) | |
| 2 | PAYDVDYS >= 1 and 210 <= PAYDVMNS < 420 | Level 2 (>= 50% and < 100% active) | |
| 3 | PAYDVDYS >= 1 and 105 <= PAYDVMNS < 210 | Level 3 (>= 25% and < 50% active) | |
| 4 | PAYDVDYS >= 1 and 0 < PAYDVMNS < 105 | Level 4 (> 0% and < 25% active) | |
| 5 | PAYDVDYS = 0 and PAYDVMNS = 0 | Level 5 (0% active) | |

## 21 ) Physical activity - special weekly guideline 2

**Variable name:** PAYDVWK2

**Based on:** DHH_AGE, PAYDVDYS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI, PAYTAB1, PAYTAB2, PAYTAB3

**Description:** This variable, number two of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

**Note:** The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on how many days the respondent was active, and how many minutes of activity they had on those days.

This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVDPG.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **PAYTAB1** | | | |
| PAYTAB1 + 1 | 40 <= PAYDVTMN <= 1440 | Performed at least 40 minutes of physical activity Monday | Initialize PAYTAB1 to 0 |
| PAYTAB1 + 1 | 40 <= PAYDVTTU <= 1440 | Performed at least 40 minutes of physical activity Tuesday | |

| | | | |
|---|---|---|---|
| PAYTAB1 + 1 | 40 <= PAYDVTWD <= 1440 | Performed at least 40 minutes of physical activity Wednesday | |
| PAYTAB1 + 1 | 40 <= PAYDVTTH <= 1440 | Performed at least 40 minutes of physical activity Thursday | |
| PAYTAB1 + 1 | 40 <= PAYDVTFR <= 1440 | Performed at least 40 minutes of physical activity Friday | |
| PAYTAB1 + 1 | 40 <= PAYDVTST <= 1440 | Performed at least 40 minutes of physical activity Saturday | |
| PAYTAB1 + 1 | 40 <= PAYDVTSN <= 1440 | Performed at least 40 minutes of physical activity Sunday | |
| **PAYTAB2** | | | |
| PAYTAB2 + 1 | 20 <= PAYDVTMN <= 1440 | Performed at least 20 minutes of physical activity Monday | Initialize PAYTAB2 to 0 |
| PAYTAB2 + 1 | 20 <= PAYDVTTU <= 1440 | Performed at least 20 minutes of physical activity Tuesday | |
| PAYTAB2 + 1 | 20 <= PAYDVTWD <= 1440 | Performed at least 20 minutes of physical activity Wednesday | |
| PAYTAB2 + 1 | 20 <= PAYDVTTH <= 1440 | Performed at least 20 minutes of physical activity Thursday | |
| PAYTAB2 + 1 | 20 <= PAYDVTFR <= 1440 | Performed at least 20 minutes of physical activity Friday | |
| PAYTAB2 + 1 | 20 <= PAYDVTST <= 1440 | Performed at least 20 minutes of physical activity Saturday | |
| PAYTAB2 + 1 | 20 <= PAYDVTSN <= 1440 | Performed at least 20 minutes of physical activity Sunday | |
| **PAYTAB3** | | | |
| PAYTAB3 + 1 | 0 < PAYDVTMN <= 1440 | Performed at least 1 minute of physical activity Monday | Initialize PAYTAB3 to 0 |
| PAYTAB3 + 1 | 0 < PAYDVTTU <= 1440 | Performed at least 1 minute of physical activity Tuesday | |
| PAYTAB3 + 1 | 0 < PAYDVTWD <= 1440 | Performed at least 1 minute of physical activity Wednesday | |
| PAYTAB3 + 1 | 0 < PAYDVTTH <= 1440 | Performed at least 1 minute of physical activity Thursday | |
| PAYTAB3 + 1 | 0 < PAYDVTFR <= 1440 | Performed at least 1 minute of physical activity Friday | |
| PAYTAB3 + 1 | 0 < PAYDVTST <= 1440 | Performed at least 1 minute of physical activity Saturday | |
| PAYTAB3 + 1 | 0 < PAYDVTSN <= 1440 | Performed at least 1 minute of physical activity Sunday | |
| **PAYTGUI** | | | |
| PAYTGUI + 1 | (60 <= PAYDVTMN <= 1440) | Met Physical Activity Guidelines Monday | Initialize PAYTGUI to 0 |
| PAYTGUI + 1 | (60 <= PAYDVTTU <= 1440) | Met Physical Activity Guidelines Tuesday | |
| PAYTGUI + 1 | (60 <= PAYDVTWD <= 1440) | Met Physical Activity Guidelines Wednesday | |
| PAYTGUI + 1 | (60 <= PAYDVTTH <= 1440) | Met Physical Activity Guidelines Thursday | |
| PAYTGUI + 1 | (60 <= PAYDVTFR <= 1440) | Met Physical Activity Guidelines Friday | |
| PAYTGUI + 1 | (60 <= PAYDVTST <= 1440) | Met Physical Activity Guidelines Saturday | |
| PAYTGUI + 1 | (60 <= PAYDVTSN <= 1440) | Met Physical Activity Guidelines Sunday | |

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DOPAY = 2 | Module not selected | NA |
| 6 | DHH_AGE > 17 | Population exclusions | NA |
| 9 | PAYDVTMN = NS or<br>PAYDVTTU = NS or<br>PAYDVTWD = NS or<br>PAYDVTTH = NS or<br>PAYDVTFR = NS or<br>PAYDVTST = NS or<br>PAYDVTSN = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAYDVDYS = 7 and<br>PAYTGUI = 7 | Level 1 (7 days of activity and >= 60 minutes on each day active) | |
| 2 | 5 <= PAYDVDYS and<br>PAYTAB1 => 5 | Level 2 (>= 5 days of activity and >=40 minutes on each day active) | |
| 3 | 3 <= PAYDVDYS and<br>PAYTAB2 => 3 | Level 3 (>= 3 days of activity and >= 20 minutes on each day active) | |
| 4 | 1 <= PAYDVDYS and<br>PAYTAB3 => 1 | Level 4 (>= 1 day of activity >= 1 minute on each day active) | |
| 5 | PAYDVDYS = 0 | Level 5 (no active days, no minutes of activity on any day) | |

## 22 ) Physical activity - special weekly guideline 3

**Variable name:** PAYDVWK3

**Based on:** DHH_AGE, PAYDVMNS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

**Description:** This variable, number three of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

**Note:** The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on the weekly total number of minutes of activity and on how many days the respondent was active.

This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVDYS.

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **PAYTTDS** | | | |
| PAYTTDS + 1 | (1 <= PAYDVTMN <= 1440) | Performed physical activity Monday | Initialize PAYTTDS to 0 |
| PAYTTDS + 1 | (1 <= PAYDVTTU <= 1440) | Performed physical activity Tuesday | |
| PAYTTDS + 1 | (1 <= PAYDVTWD <= 1440) | Performed physical activity Wednesday | |
| PAYTTDS + 1 | (1 <= PAYDVTTH <= 1440) | Performed physical activity Thursday | |
| PAYTTDS + 1 | (1 <= PAYDVTFR <= 1440) | Performed physical activity Friday | |
| PAYTTDS + 1 | (1 <= PAYDVTST <= 1440) | Performed physical activity Saturday | |
| PAYTTDS + 1 | (1 <= PAYDVTSN <= 1440) | Performed physical activity Sunday | |

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |

| | | | |
|---|---|---|---|
| 6 | DOPAY = 2 | Module not selected | NA |
| 6 | DHH_AGE > 17 | Population exclusions | NA |
| 9 | PAYTTDS = (DK, RF, NS) or<br>PAYDVMNS = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAYTTDS >= 5 and<br>PAYDVMNS >= 420 | Active | |
| 2 | PAYTTDS >= 3 and<br>PAYDVMNS >= 210 | Moderately active | |
| 3 | PAYTTDS >= 3 and<br>(210 > PAYDVMNS >= 105) | A bit active | |
| 4 | PAYTTDS >= 1 and<br>0 < PAYDVMNS < 105 | Very little activity | |
| 5 | PAYTTDS = 0 and<br>PAYDVMNS = 0 | Sedentary | |

## 23 ) Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity activities - last 7 days

**Variable name:** PAYDVPAG

**Based on:** DHH_AGE, PAYDVMSN, PAYDVPAI, PAY_090, PAY_095, PAY_095A, PAY_095B, PAY_095C, PAY_05D, PAY_095E, PAY_095F, PAY_095G, PAYTVIG1

**Description:** Indicates whether a youth respondent met the 60 minutes of daily moderate- to vigorous-intensity physical activity recommended by the Canadian Physical Activity Guidelines, including vigorous-intensity activities at least 3 of the last 7 days.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **PAYTVIG1** | | | |
| PAYTVIG1 + 1 | PAY_095A = 1 | Performed vigorous activities yesterday | initialize PAYTVIG1 to 0 |
| PAYTVIG1 + 1 | PAY_095B = 1 | Performed vigorous activities 2 days ago | |
| PAYTVIG1 + 1 | PAY_095C = 1 | Performed vigorous activities 3 days ago | |
| PAYTVIG1 + 1 | PAY_095D = 1 | Performed vigorous activities 4 days ago | |
| PAYTVIG1 + 1 | PAY_095E = 1 | Performed vigorous activities 5 days ago | |
| PAYTVIG1 + 1 | PAY_095F = 1 | Performed vigorous activities 6 days ago | |
| PAYTVIG1 + 1 | PAY_095G = 1 | Performed vigorous activities 7 days ago | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOPAY = 2 | Module not selected | NA |
| 6 | DHH_AGE > 17 | Population exclusions | NA |
| 9 | PAY_090 = (DK, RF, NS) or<br>PAY_095 = (DK, RF, NS) or<br>PAYDVMNS = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | PAYDVPAI = 1 and<br>PAYTVIG1 > 2 | Meets CPAG guidelines including 3 or more days with vigorous activities in the last 7 days. | |

| | | |
|---|---|---|
| 2 | PAYDVPAI = (0,2) or<br>PAY_090 = 2 or<br>PAYTVIG1 = (1,2) | Does not meet CPAG guidelines including 3 or more days with vigorous activities in the last 7 days. |

# Patient satisfaction - Community-based care (3 DVs)

## 1 ) Home nursing care - quality rating - Grouped

**Variable name:** PSCG025

**Based on:** PSC_025

**Description:** This variable groups the respondent's opinion of the quality of the home nursing care they received.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | PSC_025 = 6 | Module not selected or population exclusions | NA |
| 9 | PSC_025 = (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | PSC_025 = 1 | Excellent | |
| 2 | PSC_025 = 2 | Good | |
| 3 | PSC_025 = (3, 4) | Fair or poor | |

## 2 ) Home-based counsel/therapy - quality rating - Grouped

**Variable name:** PSCG040

**Based on:** PSC_040

**Description:** This variable groups the respondent's opinion of the quality of the home-based counselling or therapy they received.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | PSC_040 = 6 | Module not selected or population exclusions | NA |
| 9 | PSC_040 = (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | PSC_040 = 1 | Excellent | |
| 2 | PSC_040 = 2 | Good | |
| 3 | PSC_040 = (3, 4) | Fair or poor | |

## 3 ) Personal care services - quality rating - Grouped

**Variable name:** PSCG055

**Based on:** PSC_055

**Description:** This variable groups the respondent's opinion of the quality of the personal care services they received.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | PSC_055 = 6 | Module not selected or population exclusions | NA |

| | | |
|---|---|---|
| 9 | PSC_055 = (7, 8, 9) | Question was not answered (don't know, refusal, not stated) NS |
| 1 | PSC_055 = 1 | Excellent |
| 2 | PSC_055 = 2 | Good |
| 3 | PSC_055 = (3, 4) | Fair or poor |

# Sedentary activities (7 DVs)

## 1 ) Num of hours - reading (including electronic format) - 7 d - Grouped

**Variable name:** SACG005

**Based on:** SAC_005

**Description:** This variable groups the number of hours spent reading in the past 7 days.

**Note:** In the 2016 questionnaire, Braille and audio books for visually impaired were added to the list of inclusions for this question.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SAC_005=99.6 | Population exclusions | NA |
| 99 | SAC_005= (99.7, 99.8, 99.9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | SAC_005 <1 | None or less than 1 hour | |
| 2 | 1<=SAC_005<=2 | 1 to 2 hours | |
| 3 | 2<SAC_005<=5 | 2.5 to 5 hours | |
| 4 | 5<SAC_005<=10 | 5.5 to 10 hours | |
| 5 | 10<SAC_005<=14 | 10.5 to 14 hours | |
| 6 | 14<SAC_005<=20 | 14.5 to 20 hours | |
| 7 | 20<SAC_005<=30 | 20.5 to 30 hours | |
| 8 | 30<SAC_005<=40 | 30.5 to 40 hours | |
| 9 | SAC_005>40 | Greater than 40 hours | |

## 2 ) Num of hours - watching TV / movies / Internet videos - 7 d - Grouped

**Variable name:** SACG010

**Based on:** SAC_010

**Description:** This variable groups the number of hours spent watching tv/movies/internet videos in the past 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SAC_010=99.6 | Population exclusions | NA |
| 99 | SAC_010= (99.7, 99.8, 99.9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | SAC_010 <1 | None or less than 1 hour | |
| 2 | 1<=SAC_010<=2 | 1 to 2 hours | |
| 3 | 2<SAC_010<=5 | 2.5 to 5 hours | |
| 4 | 5<SAC_010<=10 | 5.5 to 10 hours | |
| 5 | 10<SAC_010<=14 | 10.5 to 14 hours | |
| 6 | 14<SAC_010<=20 | 14.5 to 20 hours | |

| | | |
|---|---|---|
| 7 | 20<SAC_010<=30 | 20.5 to 30 hours |
| 8 | 30<SAC_010<=40 | 30.5 to 40 hours |
| 9 | 40<SAC_010<=50 | 40.5 to 50 hours |
| 10 | 50<SAC_010<=60 | 50.5 to 60 hours |
| 11 | SAC_010>60 | Greater than 60 hours |

## 3 ) Num of hours - playing video games requiring physical activity - 7 d - Grouped

**Variable name:** SACG015

**Based on:** SAC_015

**Description:** This variable groups the number of hours spent playing video games requiring physical activity in the past 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | SAC_015=999.6 | Population exclusions | NA |
| 9 | SAC_015= (999.7, 999.8, 999.9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | SAC_015 <1 | None or less than 1 hour | |
| 2 | 1<=SAC_015<=2 | 1 to 2 hours | |
| 3 | 2<SAC_015<=5 | 2.5 to 5 hours | |
| 4 | 5<SAC_015<=10 | 5.5 to 10 hours | |
| 5 | SAC_015>10 | Greater than 10 hours | |

## 4 ) Num of hours - playing other video / computer games - 7 d - Grouped

**Variable name:** SACG020

**Based on:** SAC_020

**Description:** This variable groups the number of hours spent playing other video or computer games in the past 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 99 | SAC_020=99.6 | Population exclusions | NA |
| 99 | SAC_020= (99.7, 99.8, 99.9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | SAC_020 <1 | None or less than 1 hour | |
| 2 | 1<=SAC_020<=2 | 1 to 2 hours | |
| 3 | 2<SAC_020<=5 | 2.5 to 5 hours | |
| 4 | 5<SAC_020<=10 | 5.5 to 10 hours | |
| 5 | 10<SAC_020<=14 | 10.5 to 14 hours | |
| 6 | 14<SAC_020<=20 | 14.5 to 20 hours | |
| 7 | 20<SAC_020<=30 | 20.5 to 30 hours | |

| | | |
|---|---|---|
| 8 | 30<SAC_020<=40 | 30.5 to 40 hours |
| 9 | SAC_020>40 | Greater than 40 hours |

## 5 ) Num of hours - computer / tablet / smart phone - 7 d - Grouped

**Variable name:** SACG025

**Based on:** SAC_025

**Description:** This variable groups the number of hours spent on computer / tablet / smart phone in the past 7 days.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SAC_025=99.6 | Population exclusions | NA |
| 99 | SAC_025= (99.7, 99.8, 99.9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | SAC_025 <1 | None or less than 1 hour | |
| 2 | 1<=SAC_025<=2 | 1 to 2 hours | |
| 3 | 2<SAC_025<=5 | 2.5 to 5 hours | |
| 4 | 5<SAC_025<=10 | 5.5 to 10 hours | |
| 5 | 10<SAC_025<=14 | 10.5 to 14 hours | |
| 6 | 14<SAC_025<=20 | 14.5 to 20 hours | |
| 7 | 20<SAC_025<=30 | 20.5 to 30 hours | |
| 8 | 30<SAC_025<=40 | 30.5 to 40 hours | |
| 9 | SAC_025>40 | Greater than 40 hours | |

## 6 ) Total number of hours per week spent in sedentary activities (excluding reading)

**Variable name:** SACDVTER

**Based on:** SAC_010, SAC_020, SAC_025, SACTTER

**Description:** This variable estimates the total number of hours the respondent spent in the last seven days doing sedentary activities such as using a computer (including playing computer games), using the Internet, playing video games (e.g. Nintendo, PlayStation),and watching television or videos. For all activities, the time spent at school or work is excluded. Time spent in reading is not included.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **SACTTER** | | | |
| 999.6 | DOSAC = 2 | Module not selected | NA |
| 999.9 | SAC_010 = (DK, RF, NS) or<br>SAC_020 = (DK, RF, NS) or<br>SAC_025 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SAC_010 +<br>SAC_020 +<br>SAC_025 | (0 <= SAC_010 <= 95) and<br>(0 <= SAC_020 <= 95) and<br>(0 <= SAC_025 <= 95) | Total number of hours per week spent in sedentary activities (excluding reading) | (min:0; max:285.0) |

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | SACTTER = NA | Population exclusion | NA |
| 99 | SACTTER = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (0 <= SACTTER < 5) | Less than 5 hours | |
| 2 | (5 <= SACTTER < 10) | From 5 to 9 hours | |
| 3 | (10 <= SACTTER < 15) | From 10 to 14 hours | |
| 4 | (15 <= SACTTER < 20) | From 15 to 19 hours | |
| 5 | (20 <= SACTTER < 25) | From 20 to 24 hours | |
| 6 | (25 <= SACTTER < 30) | From 25 to 29 hours | |
| 7 | (30 <= SACTTER < 35) | From 30 to 34 hours | |
| 8 | (35 <= SACTTER < 40) | From 35 to 39 hours | |
| 9 | (40 <= SACTTER < 45) | From 40 to 44 hours | |
| 10 | (45 <= SACTTER < NA) | 45 hours or more | |

## 7 ) Total number of hours per week spent in sedentary activities

**Variable name:** SACDVTOT

**Based on:** SAC_005, SAC_010, SAC_020, SAC_025, SACTTOT

**Description:** This variable estimates the total number of hours the respondent spent in the last seven days doing sedentary activities such as using a computer (including playing computer games), using the Internet, playing video games (e.g. Nintendo, PlayStation), watching television or videos and reading. For all activities, the time spent at school or work is excluded.

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **SACTTOT** | | | |
| 999.6 | DOSAC = 2 | Module not selected | NA |
| 999.9 | SAC_005 = (DK, RF, NS) or<br>SAC_010 = (DK, RF, NS) or<br>SAC_020 = (DK, RF, NS) or<br>SAC_025 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SAC_005+<br>SAC_010+<br>SAC_020+<br>SAC_025 | (0 <= SAC_005 <= 95) and<br>(0 <= SAC_010 <= 95) and<br>(0 <= SAC_020 <= 95) and<br>(0 <= SAC_025 <= 95) | Total number of hours spent in sedentary activities | (min: 0; max: 380.0) |

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | SACTTOT = NA | Module not selected | NA |
| 99 | SACTTOT = NS | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | SACTTOT < 5 | Less than 5 hours | |
| 2 | (5 <= SACTTOT < 10) | From 5 to 9 hours | |
| 3 | (10 <= SACTTOT < 15) | From 10 to 14 hours | |

| | | |
|---|---|---|
| 4 | (15 <= SACTTOT < 20) | From 15 to 19 hours |
| 5 | (20 <= SACTTOT < 25) | From 20 to 24 hours |
| 6 | (25 <= SACTTOT < 30) | From 25 to 29 hours |
| 7 | (30 <= SACTTOT < 35) | From 30 to 34 hours |
| 8 | (35 <= SACTTOT < 40) | From 35 to 39 hours |
| 9 | (40 <= SACTTOT < 45) | From 40 to 44 hours |
| 10 | (45 <= SACTTOT < NA) | 45 hours or more |

# Smoking cessation methods (1 DV)

## 1 ) Attempted/successful quitting

**Variable name:** SCADVQUI

**Based on:** ADM_PRX, SMKDVSTY, SCA_005, SCA_035, SMK_005, SMK_020, SMK_060, SMK_080, SMK_095, SMK_100

**Description:** This variable classifies respondents into 4 categories: (a) current daily or occasional smokers who have not tried to quit in the past year, (b) current daily or occasional smokers who have tried to quit unsuccessfully in the past year, (c) former smokers who have successfully quit smoking in the past year and (d) former smokers who have successfully quit smoking more than 1 year ago.

**Note:** Current non-smokers and respondents who smoked less than 100 cigarettes in their lifetime were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOSCA = 2 | Module not selected | NA |
| 6 | SMK_020 = 2 and<br>SMK_005 = 3 | Population exclusion | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | SMK_005 = (1, 2) and<br>SCA_035 = 2 | Did not try to quit last year<br>(current daily or occasional smoker) | |
| 2 | SMK_005 = (1,2) and<br>SCA_035 = 1 | Tried to quit unsuccessfully in the last year<br>(current daily or occasional smoker) | |
| 3 | SMKDVSTY = (3,4) and<br>(SMK_060 = 1 or<br>SMK_080 = 1 or<br>SMK_100 = 1) | Successfully quit in the last year<br>(former smoker) | |
| 4 | SMKDVSTY = (3,4) and<br>[(2 <= SMK_060 <= 4) or<br>(SMK_095 = 1 and<br>(2 <= SMK_080 <= 4)) or<br>(2 <= SMK_100 <= 4)] | Successfully quit more than 1 year ago (former smoker) | |
| 9 | SMKDVSTY = NS or<br>SMK_005 = (DK, RF, NS) or<br>SMK_060 = (DK, RF, NS) or<br>SMK_080 = (DK, RF, NS) or<br>SMK_095 = (DK, RF, NS) or<br>SMK_100 = (DK, RF, NS) or<br>SCA_035 = (DK, RF, NS) | At least one required question was not answered<br>(don't know, refusal, not stated) | NS |

# Smoking - Stages of change (1 DV)

The stages of change model defines five stages of change in the process of smoking cessation:

1) Precontemplation - The person has no intention of changing behaviour in the foreseeable future (for example, quitting smoking).
2) Contemplation - The person is aware of the problem and is seriously thinking about changing the behaviour but has not yet made a commitment to take action or is not confident of being able to sustain the behavioural change (that is, seriously thinking of quitting in the next 30 days but did not try to quit for at least 24 hours in the past 12 months, or seriously thinking of quitting smoking in the next 6 months but not in the next 30 days).
3) Preparation - The person is seriously planning to take action in the next month and is confident of success (that is, seriously thinking of quitting smoking in the next 30 days and has already stopped smoking at least once during the past 12 months).
4) Action - The person has successfully modified the behaviour within the past 6 months (that is, has quit smoking less than six months ago).
5) Maintenance - The person has maintained the behaviour change for at least six months (that is, has quit smoking at least six months ago).

## 1 ) Smoking stages of change (current and former smokers)

**Variable name:** SCHDVSTG

**Based on:** ADM_PRX, ADM_MOI, SMK_005, SMK_060, SMK_065, SMK_080, SMK_085, SMK_095, SMK_100, SMK_105, SCH_005, SCH_010, SCH_015, SCH_020, SCHT065, SCHT085, SCHT105

**Description:** This variable classifies current and former smokers into categories based on the stages of change model.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **SCHT065** | | | |
| 96 | SMK_065 = (NA, DK, RF, NS) | Module not selected or population exclusions | NA |
| ADM_MOI - SMK_065 | ADM_MOI >= SMK_065 | Month of interview >= SMK_065 | |
| (12 - SMK_065) + ADM_MOI | ADM_MOI < SMK_065 | Month of interview < SMK_065 | |
| **SCHT085** | | | |
| 96 | SMK_085 = (NA, DK, RF, NS) | Module not selected or population exclusions | NA |
| ADM_MOI - SMK_085 | ADM_MOI >= SMK_085 | Month of interview >= SMK_085 | |
| (12 - SMK_085) + ADM_MOI | ADM_MOI < SMK_085 | Month of interview < SMK_085 | |
| **SCHT105** | | | |
| 96 | SMK_105 = (NA,DK,RF,NS) | Module not selected or population exclusions | NA |
| ADM_MOI - SMK_105 | ADM_MOI >= SMK_105 | Month of interview >= SMK_105 | |
| (12 - SMK_105) + ADM_MOI | ADM_MOI < SMK_105 | Month of interview < SMK_105 | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOSCH = 2 | Module not selected | NA |
| 6 | SMK_005 = 3 and SMK_020 = 2 | Population exclusion | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | SMK_005 = (1,2) and SCH_005 = 2 | Precontemplation stage (Current daily or occasional smokers) | |

| | | | |
|---|---|---|---|
| 2 | SMK_005 = (1,2) and<br>((SCH_005 = 1 and SCH_010 = 2) or<br>(SCH_010 = 1 and SCH_015 = 2)) | Contemplation stage<br>(Current daily or occasional smokers) | |
| 3 | SMK_005 = (1,2) and<br>SCH_010 = 1 and<br>(1 <= SCH_020 <= 95) | Preparation stage<br>(Current daily or occasional smokers) | |
| 4 | (SMK_005 = 3 and SCHT065 < 6)<br>or<br>(SMK_005 = 3 and SMK_095 = 1 and SCHT085 < 6)<br>or<br>(SMK_005 = 3 and SCHT105 < 6) | Action stage<br>(Former smoker)<br><br>Assesses whether respondent has stopped smoking within 6 months prior to completing survey | |
| 5 | (SMK_005 = 3 and (SMK_060 = (2,3,4) or<br>(SCHT065 >= 6 and SCHT065 < 96)))<br>or<br>(SMK_005 = 3 and SMK_095 = 1 and (SMK_080 = (2,3,4) or<br>(SCHT085 >= 6 and SCHT085 < 96)))<br>or<br>(SMK_005 = 3 and (SMK_100 = (2,3,4) or<br>(SCHT105 >= 6 and SCHT105 < 96))) | Maintenance stage<br>(Former smoker)<br><br>Assesses whether respondent stopped smoking 6 months or more prior to completing survey | |
| 9 | SMK_005 = (DK, RF, NS) or<br>SMK_065 = (DK, RF, NS) or<br>SMK_085 = (DK, RF, NS) or<br>SMK_095 = (DK, RF, NS) or<br>SMK_105 = (DK, RF, NS) or<br>SCH_005 = (DK, RF, NS) or<br>SCH_010 = (DK, RF, NS) or<br>SCH_015 = (DK, RF, NS) or<br>SCH_020 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

Reference: DiClemente, C.C., Prochaska, J.O., Fairhurst, S., Velicer, W.F., Rossi J.S., & Velasquez, M. (1991). The process of smoking cessation: An analysis of precontemplation, contemplation and contemplation/action. Journal of Consulting and Clinical Psychology, 59, 295-304.

# Socio-demographic characteristics (6 DVs)

## 1 ) Country of birth - Canada/other - Grouped

**Variable name:** SDCDGCB

**Based on:** SDCCCOB

**Description:** This variable classifies the respondent based on his/her country of birth in specific groups.

**Note:** The country code is based on the Standard Classification of Countries and Areas of Interest (SCCAI) of 2010. The SCCAI is Statistics Canada's official classification of countries and areas of interest for use in classifying statistical data.

**Internet site:** http://www.statcan.gc.ca/eng/subjects/standard/sccai/2010/sccai

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | SDCCCOB = 80000 | Population exclusions - Born at sea | NA |
| 9 | SDCCCOB = (DK, RF, NS, 90000) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | SDCCCOB = 11124 | Canada | |
| 2 | 10000 <= SDCCCOB < 62000 | Other | |

## 2 ) Immigrant flag

**Variable name:** SDCDVIMM

**Based on:** SDCCCOB, SDC_IM3

**Description:** This variable indicates if the respondent is an immigrant or not. The immigrant category includes landed immigrant and non-permanent resident. Respondents who declared being born in Canada are considered non-immigrant.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 1 | SDC_IM3 = 1 | The respondent is a landed immigrant | |
| 2 | SDCCCOB = 11124 | The respondent is a non-immigrant (Canadian born) | |
| 9 | SDCCCOB = (DK, RF, NS) or SDC_IM3 = (DK, RF, NS) | Required questions were not answered (don't know, refusal, not stated) | NS |
| 1 | SDC_IM3 = 2 | The respondent is a non-permanent resident | |

## 3 ) Length of time in Canada since immigration - Grouped

**Variable name:** SDCDGRES

**Based on:** ADM_YOI, SDCCCOB, SDC_IM4

**Description:** This variable indicates the length of time in years the respondent became a landed immigrant.

**Note:** Non-immigrants (Canadian born) and non-permanent residents were excluded from the population.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | SDC_IM4 = NA | Population exclusion | NA |
| 9 | SDC_IM4 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| 1 | (ADM_YOI (current year) - SDC_IM4 )<=9 | Length of time in Canada since immigration 0 - 9 years are grouped together | (min: 0; max: 9) |
| 2 | (ADM_YOI (current year) - SDC_IM4) >= 10 | Length of time in Canada since immigration 10 - 121 years are grouped together | (min: 10; max: 130) |

## 4 ) Culture / Race Flag - Grouped

**Variable name:** SDCDGCGT

**Based on:** SDC_015, SDC_020A, SDC_020B, SDC_020C, SDC_020D, SDC_020E, SDC_020F, SDC_020G, SDC_020H, SDC_020I SDC_020J, SDC_020K, SDC_020L

**Description:** This variable indicates the cultural or racial background of the respondent. This variable excludes all respondents who identify as aboriginal in SDC_015

**Note:** Respondents who identified themselves as aboriginal (SDC_015=1) were not asked about their cultural or racial background.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 9 | (SDC_020A = DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| 6 | SDC_015 = 1 | Aboriginal identity | NA |
| 1 | SDC_020A = 1 and<br>SDC_020B > 1 and<br>SDC_020C > 1 and<br>SDC_020D > 1 and<br>SDC_020E > 1 and<br>SDC_020F > 1 and<br>SDC_020G > 1 and<br>SDC_020H > 1 and<br>SDC_020I > 1 and<br>SDC_020J > 1 and<br>SDC_020K > 1 and<br>SDC_020L > 1 | White Only | |
| 2 | SDC_020A=>1 and (<br>SDC_020B = 1 or<br>SDC_020C = 1 or<br>SDC_020D = 1 or<br>SDC_020E= 1 or<br>SDC_020F = 1 or<br>SDC_020G = 1 or<br>SDC_020H = 1 or<br>SDC_020I = 1 or<br>SDC_020J = 1 or<br>SDC_020K = 1 or<br>SDC_020L = 1) | Other racial or cultural origin/Multiple racial or cultural origins | |

## 5 ) Language(s) spoken at home - Grouped

**Variable name:** SDCDGLHM

**Based on:** SDCC2_1, SDCC2_2, SDCC2_3, SDCT5B1, SDCT5_E, SDCT5_F, SDCT5_O

**Description:** This variable indicates the language(s) in which the respondent converses at home.

**Note:** The respondent could provide up to three languages spoken most often at home. Multiple responses were accepted only if the languages were spoken equally often at home.

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **SDCT5B1** | | | |
| 6 | SDCC2_1 = NA | Not applicable | |
| 9 | SDCC2_1 >= DK and SDCC2_1 <= NS | Not stated | |
| 1 | SDCC2_1 = 21010000 | First answer provided: English | |
| 2 | SDCC2_1 = 21020000 | First answer provided: French | |
| 3 | SDCC2_1 = 22240000 or (SDCC2_1 > 21020000 and SDCC2_1 < 90000000) | First answer provided: Other than English or French | |
| **SDCT5B2** | | | |
| 6 | SDCC2_2 = NA | Not applicable | |
| 9 | SDCC2_2 >= DK and SDCC2_2 <= NS | Not stated | |
| 1 | SDCC2_2 = 21010000 | Second answer provided: English | |
| 2 | SDCC2_2 = 21020000 | Second answer provided: French | |
| 3 | SDCC2_2 = 22240000 or (SDCC2_2 > 21020000 and SDCC2_2 < 90000000) | Second answer provided: Other than English or French | |
| **SDCT5B3** | | | |
| 6 | SDCC2_3 = NA | Not applicable | |
| 9 | SDCC2_3 >= DK and SDCC2_3 <= NS | Not stated | |
| 1 | SDCC2_3 = 21010000 | Third answer provided: English | |
| 2 | SDCC2_3 = 21020000 | Third answer provided: French | |
| 3 | SDCC2_3 = 22240000 or (SDCC2_3 > 21020000 and SDCC2_3 < 90000000) | Third answer provided: Other than English or French | |
| **SDCT5_E** | | | |
| 1 | SDCT5B1 = 1 or SDCT5B2 = 1 or SDCT5B3 = 1 | English provided in SDCC5B1 or SDCC5B2 or SDCC5B3 | |
| **SDCT5_F** | | | |
| 1 | SDCT5B1 = 2 or SDCT5B2 = 2 or SDCT5B3 = 2 | French provided in SDCC5B1 or SDCC5B2 or SDCC5B3 | |
| **SDCT5_O** | | | |
| 1 | SDCT5B1 = 3 or SDCT5B2 = 3 or SDCT5B3 = 3 | Other language provided in SDCC5B1 or SDCC5B2 or SDCC5B3 | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9 | SDCT5B1 = NS | Required question was not answered | NS |
| 1 | (SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 0) or (SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 1) | English (with or without language other than French) | |

| | | |
|---|---|---|
| 2 | (SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 0) or (SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 1) | French (with or without language other than English) |
| 3 | (SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 0) or (SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 1) | English & French (with or without other language) |
| 4 | SDCT5_E = 0 and SDCT5_F = 0 and SDCT5_O = 1 | Neither English nor French (Other) |

## 6 ) First official language spoken

**Variable name:** SDCDVFLS

**Based on:** PMK_PROXY, ADM_PRX, ADM_055, SDCDVFL1, SDCDVLHM, SDCDVLNG, SDC_025, SDCTLNG

**Description:** For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no. 94-320, Demography Division, Statistics Canada.

**Internet site:** http://www12.statcan.gc.ca/census-recensement/2011/ref/dict/pop095-eng.cfm

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **SDCTLNG** | | | |
| 4 | SDC_025 = 4 | Neither English nor French | |
| 9 | SDC_025 = (DK,RF,NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| 3 | SDC_025 = 3 | Both English and French | |
| 2 | SDC_025 = 2 | French only | |
| 1 | SDC_025 = 1 | English only | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 1 | [(SDCTLNG = 1 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 1) and | English | |

| | | |
|---|---|---|
| | SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and<br>SDCDVLHM = (1,5)] or<br>[(SDCTLNG = 3) and (SDCDVFL1 = 5) and<br>(SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and (SDCDVFL1 = 1) and<br>(SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = (3,4) and<br>SDCDVLHM = (1,5)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 5) and<br>SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 7 and<br>SDCDVLHM = (1,5)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (1,5) and<br>SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and<br>SDCDVLHM = (1,5)] or<br>[(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and<br>(SDCDVLHM = (7,NS) and (ADM_055 = 1) and<br>(ADM_PRX = 2 and PMKPROXY > 1)] or<br>[SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and<br>SDCDVLHM = (1,5)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (1,5) and<br>SDCDVLHM = NS)] | |
| 2 | [(SDCTLNG = 2 and (SDCDVFL1 =<br>(1,2,3,4,5,6,7,NS)) and<br>(SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 3) and (SDCDVFL1 = 2) and<br>SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and<br>SDCDVLHM = (2,6)] or<br>[(SDCTLNG = 3) and (SDCDVFL1 = 6) and<br>(SDCDVLHM i= (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and (SDCDVFL1 = 2) and<br>(SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = (3,4) and<br>SDCDVLHM = (2,6)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 6) and<br>SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 7 and<br>SDCDVLHM = (2,6)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (2,6) and<br>SDCDVLHM = (1,2,3,4,5,6,7,NS)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and<br>SDCDVLHM = (2,6)] or<br>[(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and<br>(SDCDVLHM = 7,NS) and (ADM_055 = 2) and<br>(ADM_PRX = 2 and PMKPROXY > 1)] or<br>[SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and<br>SDCDVLHM = (2,6)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = (2,6) and<br>SDCDVLHM = NS)] | French |

| | | | |
|---|---|---|---|
| 3 | [(SDCTLNG = 3) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = 3) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = 3) and SDCDVFL1 = 7 and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or<br>[(SDCTLNG = NS) and SDCDVFL1 in (3,4)and SDCDVLHM in (3,4,7)] or<br>[(SDCTLNG = NS) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or<br>[(SDCTLNG = 3 and SDCDVFL1 = NS and SDCDVLHM in (3,4,7,NS)] or<br>[(SDCTLNG = NS and SDCDVFL1= NS and SDCDVLHM in (3,4)] or<br>[(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM = NS] | English and French | |
| 4 | [(SDCTLNG = (4,NS) and SDCDVFL1 = (7,NS) and SDCDVLHM = (7,NS)] and NOT(SDCTLNG = NS and SDCDVFL1 = NS and SDCDVLHM = NS) | Neither English nor French | |
| 9 | [(SDCTLNG = NS) and (SDCDVFL1 = NS) and (SDCDVLHM = NS)] | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Sleep (1 DV)

## 1 ) Number of hours spent sleeping per night - Grouped

**Variable name:** SLPG005

**Based on:** SLP_005

**Description:** This variable groups the number of hours spent sleeping per night

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SLP_005 = 96 | Population exclusions | NA |
| 99 | SLP_005 in (97,98,99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | SLP_005 = 1 or 2 | Under 3 hours | |
| 2 | SLP_005 = 3 | 3 hours to less than 4 hours | |
| 3 | SLP_005 = 4 | 4 hours to less than 5 hours | |
| 4 | SLP_005 = 5 | 5 hours to less than 6 hours | |
| 5 | SLP_005 = 6 | 6 hours to less than 7 hours | |
| 6 | SLP_005 = 7 | 7 hours to less than 8 hours | |
| 7 | SLP_005 = 8 | 8 hours to less than 9 hours | |
| 8 | SLP_005 = 9 | 9 hours to less than 10 hours | |
| 9 | SLP_005 = 10 | 10 hours to less than 11 hours | |
| 10 | SLP_005 = 11 | 11 hours to less than 12 hours | |
| 11 | SLP_005 = 12 | 12 hours or more | |

# Smoking (7 DVs)

## 1 ) Age - smoked first whole cigarette - Grouped

**Variable name:** SMKG035

**Based on:** SMK_035

**Description:** This variable groups the age at which the respondent smoked their first whole cigarette.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SMK_035 = 96 | Not applicable | |
| 99 | SMK_035 = 99 | Not stated | |
| 1 | 5=<SMK_035=<11 | Respondent smoked their first whole cigarette between ages 5 and 11. | |
| 2 | 12=<SMK_035=<14 | Respondent smoked their first whole cigarette between ages 12 and 14. | |
| 3 | 15=<SMK_035=<17 | Respondent smoked their first whole cigarette between ages 15 and 17. | |
| 4 | 18=<SMK_035=<19 | Respondent smoked their first whole cigarette between ages 18 and 19. | |
| 5 | 20=<SMK_035=<24 | Respondent smoked their first whole cigarette between ages 20 and 24. | |
| 6 | 25=<SMK_035=<29 | Respondent smoked their first whole cigarette between ages 25 and 29. | |
| 7 | 30=<SMK_035=<34 | Respondent smoked their first whole cigarette between ages 30 and 34. | |
| 8 | 35=<SMK_035=<39 | Respondent smoked their first whole cigarette between ages 35 and 39. | |
| 9 | 40=<SMK_035=<44 | Respondent smoked their first whole cigarette between ages 40 and 44. | |
| 10 | 45=<SMK_035=<49 | Respondent smoked their first whole cigarette between ages 45 and 49. | |
| 11 | 50=<SMK_035 | Respondent smoked their first whole cigarette at age 50 or older. | |

## 2 ) Age - began smoking daily - Grouped

**Variable name:** SMKG040

**Based on:** SMK_040

**Description:** This variable groups the age at which the respondent began smoking daily.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | SMK_040 = 996 | Not applicable | |
| 99 | SMK_040 = (997, 998, 999) | Not stated | |

| | | |
|---|---|---|
| 1 | 5=<SMK_040=<11 | Respondent began smoking daily between ages 5 and 11. |
| 2 | 12=<SMK_040=<14 | Respondent began smoking daily between ages 12 and 14. |
| 3 | 15=<SMK_040=<17 | Respondent began smoking daily between ages 15 and 17. |
| 4 | 18=<SMK_040=<19 | Respondent began smoking daily between ages 18 and 19. |
| 5 | 20=<SMK_040=<24 | Respondent began smoking daily between ages 20 and 24. |
| 6 | 25=<SMK_040=<29 | Respondent began smoking daily between ages 25 and 29. |
| 7 | 30=<SMK_040=<34 | Respondent began smoking daily between ages 30 and 34. |
| 8 | 35=<SMK_040=<39 | Respondent began smoking daily between ages 35 and 39. |
| 9 | 40=<SMK_040=<44 | Respondent began smoking daily between ages 40 and 44. |
| 10 | 45=<SMK_040=<49 | Respondent began smoking daily between ages 45 and 49. |
| 11 | 50=<SMK_040 | Respondent began smoking daily at age 50 or older. |

## 3 ) Stopped smoking daily - num of years (former daily smoker) - Grouped

**Variable name:** SMKG090

**Based on:** SMK_090

**Description:** This variable groups the number of years since the respondent stopped smoking daily.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | SMK_090 = 996 | Population exclusions | NA |
| 9 | SMK_090 = (997, 998, 999) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | 3 <= SMK_090 <= 5 | Respondent stopped smoking daily between 3 and 5 years ago. | |
| 2 | 6 <= SMK_090 <= 10 | Respondent stopped smoking daily between 6 and 10 years ago. | |
| 3 | SMK_090 >= 11 | Respondent stopped smoking daily 11 or more years ago. | |

## 4 ) Quit smoking completely - num of years (former daily smoker) - Grouped

**Variable name:** SMKG110

**Based on:** SMK_110

**Description:** This variable groups the number of years since the respondent stopped smoking completely (former daily smoker).

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | SMK_110 = 996 | Population exclusions | NA |
| 9 | SMK_110 = (997, 998, 999) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | 3 <= SMK_110 <= 5 | Respondent stopped smoking between 3 and 5 years ago. | |
| 2 | 6 <= SMK_110 <= 10 | Respondent stopped smoking between 6 and 10 years ago. | |
| 3 | SMK_110 >= 11 | Respondent stopped smoking 11 or more years ago. | |

## 5 ) Smoking status (type 2) - traditional definition

**Variable name:** SMKDVSTY

**Based on:** SMK_005, SMK_020, SMK_025, SMK_030

**Description:** This variable indicates the type of smoker the respondent is, based on his/her smoking habits.

**Note:** This variable includes lifetime cigarette consumption.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 1 | SMK_005 = 1 | Current daily smoker | |
| 2 | SMK_005 = 2 | Current occasional smoker | |
| 3 | SMK_005 = 3 and<br>SMK_020 = 1 and<br>SMK_030 = 1 | Former daily smoker (non-smoker now) | |
| 4 | SMK_005 = 3 and<br>SMK_020 = 1 and<br>SMK_030 = 2 | Former occasional smoker (non-smoker now) | |
| 5 | SMK_005 = 3 and<br>SMK_020 = 2 and<br>SMK_025 = 1 | Experimental smoker (at least 1 whole cigarette, non-smoker now) | |
| 6 | SMK_005 = 3 and<br>SMK_020 = 2 and<br>SMK_025 = 2 | Lifetime abstainer (never smoked a whole cigarette) | |
| 99 | SMK_005 = (DK, RF, NS) or<br>SMK_020 = (DK, RF, NS) or<br>SMK_025 = (DK, RF, NS) or<br>SMK_030 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 6 ) Number of years smoked daily (current daily smokers only) - Grouped

**Variable name:** SMKDGYCS

**Based on:** SMK_005, SMK_040, DHH_AGE

**Description:** This variable indicates the number of years the respondent has smoked daily.

**Note:** Respondents who are not daily smokers have been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | SMK_005 = (2, 3) | Population exclusions | NA |
| 9 | (SMK_005 = DK, RF, NS) or<br>(SMK_040 = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | SMK_005 = 1 and<br>(DHH_AGE - SMK_040) <= 2 | Respondent has smoked daily for 2 years or less | |
| 2 | SMK_005 = 1 and<br>3 < = (DHH_AGE - SMK_040) <= 5 | Respondent has smoked daily for 3 to 5 years | |
| 3 | SMK_005 = 1 and<br>6 < = (DHH_AGE - SMK_040) <= 10 | Respondent has smoked daily for 6 to 10 years | |
| 4 | SMK_005 = 1 and<br>(DHH_AGE - SMK_040) >= 11 | Respondent has smoked daily for 11 years or more | |

## 7 ) Number of Years Since Stopping Smoking Completely - Grouped

**Variable name:** SMKDGSTP

**Based on:** SMKDVSTY, SMK_060, SMK_070, SMK_080, SMK_090, SMK_095, SMK_100, SMK_110

**Description:** This variable indicates the approximate number of years since former smokers completely quit smoking.

**Note:** Current smokers and respondents who have never smoked a whole cigarette and respondents who did not smoked a total of 100 cigarettes or more lifetime were excluded from the population.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | SMKDVSTY = (1,2,5,6) or<br>(SMK_005 = 3 and<br>SMK_020 = 2 and<br>SMK_025 = 1) | Population exclusions | NA |
| 9 | SMKDVSTY = NS or<br>SMK_060 = (DK, RF, NS) or<br>SMK_070 = (DK, RF, NS) or<br>SMK_080 = (DK, RF, NS) or<br>SMK_090 = (DK, RF, NS) or<br>SMK_095 = (DK, RF, NS) or<br>SMK_100 = (DK, RF, NS) or<br>SMK_110 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 0 | SMKDVSTP=0 | Less than 1 year | |
| 1 | SMKDVSTP= (1,2) | 1 to 2 years | |
| 2 | SMKDVSTP= (3,4,5) | 3 to 5 years | |
| 3 | 6= <SMKDVSTP >=10 | 6 to 10 years | |
| 4 | SMKDVSTP>=11 | 11 or more years | |

# Social Provisions (6 DVs)

| Temporary Reformat | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| **SPST005** | | | |
| 5 - SPS_005 | SPS_005 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST010** | | | |
| 5 - SPS_010 | SPS_010 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST015** | | | |
| 5 - SPS_015 | SPS_015 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST020** | | | |
| 5 - SPS_020 | SPS_020 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST025** | | | |
| 5 - SPS_025 | SPS_025 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST030** | | | |
| 5 - SPS_030 | SPS_030 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST035** | | | |
| 5 - SPS_035 | SPS_035 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST040** | | | |
| 5 - SPS_040 | SPS_040 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST045** | | | |
| 5 - SPS_045 | SPS_045<= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |
| **SPST050** | | | |
| 5 - SPS_050 | SPS_050 <= 4 | Invert from “1 to 4” to “4 to 1”, where 1 becomes “Strongly disagree” and 4 becomes “Strongly agree”. | |

## 1 ) Social provisions scale - guidance

**Variable name:** SPSDVGUI

**Based on:** ADM_PRX, SPS_020, SPS_030, SPST020, SPST030

**Description:** This variable is used to measure the score of the respondent on the "Guidance" sub-scale. A higher score reflects a higher level of perceived "Guidance" which is defined as advice or information.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 99 | SPS_020 = (DK,RF,NS) or<br>SPS_030 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST020 +<br>SPST030 | (1 <= SPS_020 <= 4) and<br>(1 <= SPS_030 <= 4) | Score obtained on Social Provisions Scale - Guidance | (min: 2; max 8) |

## 2 ) Social provisions scale - social integration

**Variable name:** SPSDVINT

**Based on:** ADM_PRX, SPS_010, SPS_035, SPST010, SPST035

**Description:** This variable is used to measure the score of the respondent on the "Social Integration" sub-scale. A higher score reflects a higher level of perceived "Social Integration" which is defined as a sense of belonging to a group of friends.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | SPS_010 = (DK,RF,NS) or<br>SPS_035 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST010 +<br>SPST035 | (1 <= SPS_010 <= 4) and<br>(1 <= SPS_035 <= 4) | Score obtained on Social Provisions Scale - Social Integration | (min: 2; max 8) |

## 3 ) Social provisions scale - attachment

**Variable name:** SPSDVATT

**Based on:** ADM_PRX, SPS_015, SPS_040, SPST015, SPST040

**Description:** This variable is used to measure the score of the respondent on the "Attachment" sub-scale. A higher score reflects a higher level of perceived "Attachment". Which is defined as emotional closeness.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | SPS_015 = (DK,RF,NS) or<br>SPS_040 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST015 +<br>SPST040 | (1 <= SPS_015 <= 4) and<br>(1 <= SPS_040 <= 4) | Score obtained on Social Provisions Scale - Attachment | (min: 2; max 8) |

## 4 ) Social provisions scale - reassurance of worth

**Variable name:** SPSDVWOR

**Based on:** ADM_PRX, SPS_025, SPS_045, SPST025, SPST045

**Description:** This variable is used to measure the score of the respondent on the "Reassurance of Worth" sub-scale. A higher score reflects a higher level of perceived "Reassurance of Worth" which is defined as recognition of one's competence.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | SPS_025 = (DK,RF,NS) or SPS_045 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST025 + SPST045 | (1 <= SPS_025 <= 4) and (1 <= SPS_045 <= 4) | Score obtained on Social Provisions Scale - Reassurance of Worth | (min: 2; max 8) |

## 5 ) Social provisions scale - reliable alliance

**Variable name:** SPSDVALL

**Based on:** ADM_PRX, SPS_005, SPS_050, SPST005, SPST050

**Description:** This variable is used to measure the score of the respondent on the "Reliable Alliance" sub-scale. A higher score reflects a higher level of perceived "Reliable Alliance" which is defined as assurance that others can be counted on in times of stress.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | SPS_005 = (DK,RF,NS) or SPS_050 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST005 + SPST050 | (1 <= SPS_005 <= 4) and (1 <= SPS_050 <= 4) | Score obtained on Social Provisions Scale - Reliable Alliance | (min: 2; max 8) |

## 6 ) Social provisions overall scale

**Variable name:** SPSDVCON

**Based on:** ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, SPS_050, SPST005, SPST010, SPST015, SPST020, SPST025, SPST030, SPST035, SPST040, SPST045, SPST050

**Description:** This variable is used to measure the overall score for the Social Provisions Scale. The range is 10-40, where a higher score reflects a higher level of perceived social support.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOSPS = 2 | Module not selected | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 99 | SPS_005 = (DK,RF,NS) or<br>SPS_010 = (DK,RF,NS) or<br>SPS_015 = (DK,RF,NS) or<br>SPS_020 = (DK,RF,NS) or<br>SPS_025 = (DK,RF,NS) or<br>SPS_030 = (DK,RF,NS) or<br>SPS_035 = (DK,RF,NS) or<br>SPS_040 = (DK,RF,NS) or<br>SPS_045 = (DK,RF,NS) or<br>SPS_050 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SPST005 +<br>SPST010 +<br>SPST015 +<br>SPST020 +<br>SPST025 +<br>SPST030 +<br>SPST035 +<br>SPST040 +<br>SPST045 +<br>SPST050 | (1 <= SPS_005 <= 4) and<br>(1 <= SPS_010 <= 4) and<br>(1 <= SPS_015 <= 4) and<br>(1 <= SPS_020 <= 4) and<br>(1 <= SPS_025 <= 4) and<br>(1 <= SPS_030 <= 4) and<br>(1 <= SPS_035 <= 4) and<br>(1 <= SPS_040 <= 4) and<br>(1 <= SPS_045 <= 4) and<br>(1 <= SPS_050 <= 4) | Score obtained on Social Provisions Scale | (min: 10; max 40) |

# Sun safety behaviours (1 DV)

## 1 ) Respondent protects self from sun

**Variable name:** SSBDVPRT

**Based on:** ADM_PRX, SSB_010, SSB_015, SSB_020, SSB_025, SSB_035, SSB_040, SSB_045, SSB_050

**Description:** This variable indicates if the respondent protects themselves from the sun, according to recommendations from the Canadian Partnership Against Cancer.

**Note:** The CPAC indicates that protection from the sun is: Typically spending fewer than 30 minutes in the sun during peak hours OR spending 30 minutes or more in the sun and always/often doing at least one of the following: seeking shade and avoiding the sun OR wearing protective clothing and a hat OR wearing sunscreen SPF≥15 on face and body.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOSSB = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | SSB_010 = (DK,RF,NS) or<br>SSB_015 = (DK,RF,NS) or<br>SSB_020 = (DK,RF,NS) or<br>SSB_025 = (DK,RF,NS) or<br>SSB_035 = (DK,RF,NS) or<br>SSB_040 = (DK,RF,NS) or<br>SSB_045 = (DK,RF,NS) or<br>SSB_050 = (DK,RF,NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | SSB_010 = (1,2) or<br>(SSB_010 = (3,4, 5, 6, 7) and<br>(SSB_015 = (1,2) or<br>(SSB_020 = (1,2) and SSB_025 = (1,2)) or<br>(SSB_035 = (1,2) and SSB_040 = (2,3,4) and<br>SSB_045 = (1,2) and SSB_050 = (2,3,4)))) | Respondent appropriately protects self from sun during peak hours. | |
| 2 | SSB_010 = (3,4,5,6,7) and<br>SSB_015 = (3,4,5) and<br>(SSB_020 = (3,4,5) or SSB_025 = (3,4,5)) and<br>((SSB_035 in (1,2) and SSB_040 = 1) or<br>(SSB_045 = (1,2) and SSB_050 = 1) or<br>SSB_035 = (3,4,5) or SSB_045 = (3,4,5)) | Respondent does not protect self appropriately from sun. | |

# Sexual behaviours (3 DVs)

## 1 ) Total number of sexual partners last 12 months

**Variable name:** SXBDVPRT

**Based on:** DHH_AGE, ADM_PRX, SXB_005, SXB_010, SXB_030, SXB_035, SXB_060, SXB_065

**Description:** This variable counts the number of sexual partners the respondent had in the past 12 months.

**Note:** This variable excludes those who have never had sex. If respondents have ever had sex, but not in the last 12 months, they are assigned the value 0.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOSXB = 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or DHH_AGE > 64 | Population exclusions | NA |
| 9996 | SXB_005 = 2 | Population exclusions - Has not ever had sex | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 0 | (SXB_010 = 2 and SXB_030 = 2) or<br>(SXB_010 = 1 and SXB_060 = 2) or<br>(SXB_010 = 3 and SXB_030 = 2 and SXB_060 = 2) | Has had sex in lifetime, but not in past 12 months | |
| (SXB_035 + SXB_065) | SXB_010 = 3 and<br>SXB_035 < NA and<br>SXB_065 < NA | Number of sexual partners in last 12 months | (min: 1; max: 1000) |
| SXB_035 | if SXB_010 = 3 and<br>SXB_035 = (1:500) and<br>SXB_065 = NA | Number of sexual partners in last 12 months | (min: 1; max: 500) |
| SXB_065 | if SXB_010 = 3 and<br>SXB_035 = NA and<br>SXB_065 = (1:500) | Number of sexual partners in last 12 months | (min: 1; max: 500) |
| SXB_035 | SXB_010 = 2 and<br>SXB_035 < NA | Number of sexual partners in last 12 months | (min: 1; max: 500) |
| SXB_065 | SXB_010 = 1 and<br>SXB_065 < NA | Number of sexual partners in last 12 months | (min: 1; max: 500) |
| 9999 | SXB_005 = (DK, RF, NS) or<br>SXB_010 = (DK, RF, NS) or<br>SXB_030 = (DK, RF, NS) or<br>SXB_035 = (DK, RF, NS) or<br>SXB_060 = (DK, RF, NS) or<br>SXB_065 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Ever been tested for an STI, other than through blood donation

**Variable name:** SXBDVSTI

**Based on:** DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_130

**Description:** This variable indicates if the respondent indicated they had ever had a test for sexually transmitted infections.

**Note:** For women, includes HIV testing that was done as part of prenatal screening. Does not include PAP tests.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOSXB = 2 | Module not selected | NA |
| 6 | DHH_AGE < 15 or DHH_AGE > 64 | Population exclusions | NA |
| 6 | SXB_005 = 2 | Population exclusions - has not ever had sex | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 1 | SXB_110 = 1 or<br>SXB_130 = 1 | Has been tested for HIV or an STI | |
| 2 | SXB_110 = 2 and SXB_130 = 2 | Has never been tested for HIV or other STIs | |
| 9 | SXB_110 = (DK, RF, NS) or<br>SXB_130 = (DK, RF, NS) | All required questions not answered (don't know, refusal, not stated) | NS |

## 3 ) Most recent test for sexually transmitted infections (STI)

**Variable name:** SXBDVTST

**Based on:** DHH_AGE, ADM_PRX, SXB_005, SXB_110, SXB_115, SXB_130, SXB_135

**Description:** This variable indicates the most recent time that the respondent had been tested for an STI.

**Note:** The respondent may have indicated being tested for HIV, other STIs, or both. This variable takes the most recent test the respondent had between the two. Answer categories are taken from the most recent from SXB_115 and SXB_135:
1.Within the past month
2.From 1 to less than 6 months ago
3.From 6 to less than 12 months ago
4.One year ago or more

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOSXB = 2 | Module not selected | NA |
| 6 | DHH_AGE < 15 or DHH_AGE > 64 | Population exclusions | NA |
| 6 | SXB_005 = 2 | Population exclusions - has not ever had sex | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 6 | SXB_110 = 2 and<br>SXB_130 = 2 | Population exclusions - no tests | NA |
| 9 | SXB_110 = (DK, R, NS) or<br>SXB_115 = (DK, R, NS) or<br>SXB_130 = (DK, R, NS) or<br>SXB_135 = (DK, R, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| SXB_115 | SXB_110 = 1 and<br>SXB_130 = 2 | Most recent test | Respondent only tested for HIV, no other STIs |
| SXB_135 | SXB_110 = 2 and<br>SXB_130 = 1 | Most recent test | Respondent only tested for other STIs, not HIV |
| Minimum of SXB_115 and SXB_135 | SXB_110 = 1 and<br>SXB_130 = 1 | Most recent test | Respondent had been tested for both HIV and other STIs |

# Tobacco Products Alternatives (1 DV)

## 1 ) Alternative tobacco product usage

**Variable name:** TALDVUSE

**Based on:** TAL_005, TAL_015, TAL_020, TAL_025, TAL_030, TAL_035

**Description:** This variable determines whether a respondent has used any of six tobacco products other than cigarettes.

**Note:** Other tobacco products include little cigars or cigarillos, other cigars, electronic cigarettes, pipes, chewing tobacco or pinch or snuff, and tobacco water-pipes.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOTAL = 2 | Module not selected | NA |
| 1 | TAL_005 = 1 or<br>TAL_015 = 1 or<br>TAL_020 = 1 or<br>TAL_025 = 1 or<br>TAL_030 = 1 or<br>TAL_035 = 1 | Has used an alternative tobacco product | |
| 2 | TAL_005 = 2 and<br>TAL_015 = 2 and<br>TAL_020 = 2 and<br>TAL_025 = 2 and<br>TAL_030 = 2 and<br>TAL_035 = 2 | Has not used an alternative tobacco product | |
| 9 | TAL_005 = (DK, RF, NS) or<br>TAL_015 = (DK, RF, NS) or<br>TAL_020 = (DK, RF, NS) or<br>TAL_025 = (DK, RF, NS) or<br>TAL_030 = (DK, RF, NS) or<br>TAL_035 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Use of protective equipment (3 DVs)

## 1 ) Wears protective equipment when in-line skating

**Variable name:** UPEDVILS

**Based on:** ADM_PRX, UPE_015, UPE_020, UPE_025, UPE_030, UPE_035

**Description:** This variable indicates whether the respondent wears a helmet, wrist guards or elbow pads always or most of the time when in-line skating.

**Note:** Respondents that do not in-line skate were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOUPE = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 6 | UPE_015 = 2 | Population exclusions | NA |
| 1 | (UPE_020 = 1, 2) and<br>(UPE_025 = 1, 2) and<br>(UPE_030 = 1, 2) and<br>(UPE_035 = 1, 2) | Wears a helmet, wrist guards, elbow pads and knee pads always or most of the time | |
| 2 | (UPE_020 = 3, 4) or<br>(UPE_025 = 3, 4) or<br>(UPE_030 = 3, 4) or<br>(UPE_035 = 3, 4) | Does not wear a helmet, wrist guards, elbow pads or knee pads always or most of the time | |
| 9 | (UPE_020 = DK, RF, NS) or<br>(UPE_025 = DK, RF, NS) or<br>(UPE_030 = DK, RF, NS) or<br>(UPE_035 = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 2 ) Wears protective equipment when snowboarding

**Variable name:** UPEDVSNB

**Based on:** ADM_PRX, UPE_040, UPE_050, UPE_055

**Description:** This variable indicates whether the respondent wears a helmet or wrist guards always or most of the time when snowboarding.

**Note:** Respondents that have not snowboarded in past 12 months were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOUPE = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 6 | (UPE_040 = 1, 4) | Population exclusion | NA |
| 1 | (UPE_050 = 1, 2) and<br>(UPE_055 = 1, 2) | Wears a helmet and wrist guards always or most of the time | |
| 2 | (UPE_050 = 3, 4) or<br>(UPE_055 = 3, 4) | Does not wear a helmet or wrist guards always or most of the time | |
| 9 | (UPE_050 = DK, RF, NS) or<br>(UPE_055 = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

## 3 ) Wears protective equipment when skateboarding

**Variable name:** UPEDVSKB

**Based on:** ADM_PRX, UPE_060, UPE_065, UPE_070, UPE_075

**Description:** This variable indicates whether respondents wear a helmet, wrist guards or elbow pads always or most of the time when skateboarding.

**Note:** Respondents that have not skateboarded in the past 12 months were excluded from the population.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | DOUPE = 2 | Module not selected | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 6 | UPE_060 = 2 | Population exclusions | NA |
| 1 | (UPE_065 = 1, 2) and<br>(UPE_070 = 1, 2) and<br>(UPE_075 = 1, 2) | Wears a helmet, wrist guards and elbow pads always or most of the time | |
| 2 | (UPE_065 = 3, 4) or<br>(UPE_070 = 3, 4) or<br>(UPE_075 = 3, 4) | Does not wear a helmet, wrist guards or elbow pads always or most of the time | |
| 9 | (UPE_065 = DK, RF, NS) or<br>(UPE_070 = DK, RF, NS) or<br>(UPE_075 = DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |

# Work stress (7 DVs)

The work stress items are sub-divided into six dimensions. As is the case for the overall index, answers to the items indicate the respondent's perceptions about various dimensions of his/her work. The name of each subscale reflects the dimension which is measured. Respondents between the age of 15 and 75 who worked at a job or business at anytime in the past 12 months were asked to evaluate their main job in the past 12 months. The 12-item index, based on a larger pool of items from Karasek and Theorell (1990), reflects a respondent's perceptions of various dimensions of his/her work including job security, social support, monotony, physical effort required, and extent of participation in decision-making.

Please note: questions WST_Q020, WST_Q025, WST_Q040 and WST_Q050 have to be inverted for use in DV 1 (WSTDVSKI), DV 3 (WSTDVPSY), DV 6 (WSTDVSOC) and DV 7 (WSTDVJST).

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **WSTT005** | | | |
| (WST_005 - 1) | WST_005 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT010** | | | |
| (WST_010 - 1) | WST_010 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT015** | | | |
| (WST_015 - 1) | WST_015 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT020** | | | |
| (WST_020 - 1) | WST_020 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| (4 - WSTT020) | WSTT020 <= 4 | Invert scale of rescaled questions | |
| **WSTT025** | | | |
| (WST_025 - 1) | WST_025 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| (4 - WSTT025) | WSTT025 <= 4 | Invert scale of rescaled questions | |
| **WSTT030** | | | |
| (WST_030 - 1) | WST_030 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT035** | | | |
| (WST_035- 1) | WST_035 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT040** | | | |
| (WST_040 - 1) | WST_040 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| (4 - WSTT040) | WSTT040 <= 4 | Invert scale of rescaled questions | |
| **WSTT045** | | | |
| (WST_045 - 1) | WST_045 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT050** | | | |
| (WST_050 - 1) | WST_050 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| (4 - WSTT050) | WSTT050 <= 4 | Invert scale of rescaled questions | |
| **WSTT055** | | | |
| (WST_055 - 1) | WST_055 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |
| **WSTT060** | | | |
| (WST_060 - 1) | WST_060 <= 5 | Rescale question answers from 1 - 5 to 0 - 4 | |

## 1 ) Derived work stress scale - decision latitude: skill discretion

**Variable name:** WSTDVSKI

**Based on:** ADM_PRX, WST_005, WST_010, WST_020, WSTT005, WSTT010, WSTT020

**Description:** This variable indicates the respondent's task variety at their main work in the past 12 months. It is based on questions about whether the respondent was required to keep learning new things, whether his/her job required a high level of skill and whether the job required that the respondent do things over and over (monotony).

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher scores represent lower level of skill discretion.
2.According to the original instrument, jobs that offer little decision latitude are associated with indicators of mental health such as anxiety and depression.
3.Scores were reversed in the temporary reformat for question WST_Q020.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOWST = 2 | Module not selected | NA |
| 96 | WST_005 = NA | Population exclusions | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | WST_005 = (DK, RF, NS) or<br>WST_010 = (DK, RF, NS) or<br>WST_020 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WSTT005 +<br>WSTT010+<br>WSTT020 | (0 <= WSTT005 <= 4) and<br>(0 <= WSTT010 <= 4) and<br>(0 <= WSTT020 <= 4) | Score obtained on the skill discretion scale | (min: 0; max: 12) |

## 2 ) Derived work stress scale - psychological demands

**Variable name:** WSTDVPSY

**Based on:** ADM_PRX, WST_005, WST_025, WST_030

**Description:** This variable indicates whether the respondent is free from conflicting demands that others make and if their main job in the past 12 months was very hectic.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher scores indicate greater psychological demands.
2.Higher scores indicate greater work stress.
3.Scores were inverted in the temporary reformat for question WST_Q025.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOWST = 2 | Module not selected | NA |
| 96 | WST_005 = NA | Population exclusions | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | WST_025 = (DK, RF, NS) or<br>WST_030 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WSTT025 +<br>WSTT030 | (0 <= WSTT025 <= 4) and<br>(0 <= WSTT030 <= 4) | Score obtained on the psychological demand scale | (min: 0 ; max: 8) |

## 3 ) Derived work stress scale - job insecurity

**Variable name:** WSTDVJIN

**Based on:** ADM_PRX, WST_005, WST_025, WST_030, WSTT025, WSTT030

**Description:** This variable indicates how the respondent feels about their level of job security in their main job.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.

1. Higher scores indicate greater job insecurity.
2. Higher scores indicate greater work stress.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DOWST = 2 | Module not selected | NA |
| 6 | WST_005 = NA | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | WST_035 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WSTT035 | (0 <= WSTT035 <= 4) | Score obtained on the job insecurity scale | (min: 0 ; max: 4) |

## 4 ) Derived work stress scale - physical exertion

**Variable name:** WSTDVPHY

**Based on:** ADM_PRX, WST_005, WST_040, WSTT040

**Description:** This variable indicates whether the main job in the past 12 months requires a lot of physical effort.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1. Higher scores indicate greater physical demands at work.
2. Higher scores indicate greater work stress.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | DOWST = 2 | Module not selected | NA |
| 6 | WST_005 = NA | Population exclusions | NA |
| 9 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9 | WST_040 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WSTT040 | (0 <= WSTT040 <= 4) | Score obtained on the physical exertion scale | (min: 0; max: 4) |

## 5 ) Derived work stress scale - decision latitude: decision authority

**Variable name:** WSTDVAUT

**Based on:** ADM_PRX, WST_005, WST_015, WST_045, WSTT015, WSTT045

**Description:** This variable indicates whether the respondent's main job in the past 12 months allows them freedom in how to do their job and if they have a lot of say in what happens with regard to their job. This measure can be used to assess the extent to which workers can use their skills and discretion on the job.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher values indicate lower decision authority.
2.Higher scores indicate greater work stress.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 96 | DOWST = 2 | Module not selected | NA |

| | | | |
|---|---|---|---|
| 96 | WST_005 = NA | Population exclusions | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | WST_015 = (DK, RF, NS) or<br>WST_045 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WSTT015 + WSTT045 | (0 <= WSTT015 <= 4) and<br>(0 <= WSTT045 <= 4) | Score obtained on the decision authority scale | (min: 0; max: 8) |

## 6 ) Derived work stress scale - job strain

**Variable name:** WSTDVJST

**Based on:** ADM_PRX, WST_005, WST_010, WST_015, WST_020, WST_025, WST_030, WST_045, WSTT005, WSTT010, WSTT015, WSTT020, WSTT025, WSTT030, WSTT045

**Description:** This variable indicates whether the respondent experienced job strain at their main work in the past 12 months. Job strain is measured as a ratio of psychological demands and decision latitude which includes skill discretion and decision authority.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1. Higher values indicate greater job strain.
2. Higher scores indicate greater work stress. As psychological demands increase or decision latitude decreases (less decision authority and less skill discretion), job strain increases.
3. Scores were inverted here for questions WST_Q005, WST_Q010, WST_Q015, WST_Q045 (decision latitude questions) for use in the denominator. Since WST_Q020 has been inverted for the calculation of WSTDVSKI, it is inverted again here before calculating WSTDVJST.
4. At the beginning of this section, scores were inverted in the temporary reformat for question WST_Q025. The inverted WST_Q025 is used here (as in WSTDVPSY).

**Temporary Reformat**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| **WSTTa005** | | | |
| 4 - WSTT005 | WSTT005 <= 4 | Invert scale of rescaled questions (from 1 to 5 to 0 to 4) | |
| **WSTTa010** | | | |
| 4 - WSTT010 | WSTT010 <= 4 | Invert scale of rescaled questions (from 1 to 5 to 0 to 4) | |
| **WSTTa015** | | | |
| 4 - WSTT015 | WSTT015 <= 4 | Invert scale of rescaled questions (from 1 to 5 to 0 to 4) | |
| **WSTTa020** | | | |
| 4 - WSTT020 | WSTT020 <= 4 | Invert scale of rescaled questions (from 1 to 5 to 0 to 4) | |
| **WSTTa045** | | | |
| 4 - WSTT045 | WSTT045 <= 4 | Invert scale of rescaled questions (from 1 to 5 to 0 to 4) | |

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9.96 | DOWST = 2 | Module not selected | NA |
| 9.96 | WST_005 = NA | Population exclusions | NA |
| 9.99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 9.99 | WST_005 = (DK, RF, NS) or<br>WST_010 = (DK, RF, NS) or<br>WST_015 = (DK, RF, NS) or<br>WST_020 = (DK, RF, NS) or<br>WST_025 = (DK, RF, NS) or<br>WST_030 = (DK, RF, NS) or<br>WST_045 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| {[(WSTT025 + 1) + (WSTT030 + 1)] / 2} / {[(WSTTa005 + 1) + (WSTTa010 + 1) + (WSTTa020 + 1) + (WSTTa015 + 1) + (WSTTa045 + 1)] / 5 } | (WSTTa005 <= 4) and<br>(WSTTa010 <= 4) and<br>(WSTTa015 <= 4) and<br>(WSTTa020 <= 4) and<br>(WSTT025 <= 4) and<br>(WSTT030 <= 4) and<br>(WSTTa045 <= 4) | Score obtained on the job stress scale | (min: 0.20; max: 5.00) |

## 7 ) Derived work stress scale - social support

**Variable name:** WSTDVSOC

**Based on:** ADM_PRX, WST_005, WST_050, WST_055, WST_060, WSTT050, WSTT055, WSTT060

**Description:** This variable indicates the social support available to the respondent at his/her main job in the past 12 months. It is based on questions about whether or not the respondent's supervisor and the people the respondent worked with were helpful in getting the job done, and whether the respondent was exposed to hostility or conflict from the people they worked with.

**Note:** Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population.
1.Higher values indicate lower social support at work.
2.Higher scores indicate greater work stress.
3.Scores were inverted in the temporary reformat for question WST_Q050.

Please note that a "Not applicable" response category was added to each of the questions used in the creation of this DV (WST_Q050, WST_Q055, WST_Q060), to be selected when the respondent worked alone, or did not have a supervisor. For this DV, respondents are assigned the value 96 (Not applicable) when a response of "Not applicable" is reported in any of these three items (WST_Q050, WST_Q055, WST_Q060).

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | DOWST = 2 | Module not selected | NA |
| 96 | WST_005 = NA | Population exclusions | NA |
| 96 | WST_050 = 6 or<br>WST_055 = 6 or<br>WST_060 = 6 | Population exclusions. Respondent did not have a boss or worked alone. | NA |
| 99 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 99 | WST_050 = (DK, RF, NS) or<br>WST_055 = (DK, RF, NS) or<br>WST_060 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WSTT050 + WSTT055 + WSTT060 | (0 <= WSTT050 <= 4) and<br>(0 <= WSTT055 <= 4) and<br>(0 <= WSTT060 <= 4) | Score obtained on the social support scale | (min: 0; max: 12) |

# Waiting times (30 DVs)

## 1 ) Last visit to medical specialist - Type of condition - Grouped

**Variable name:** WTMG010

**Based on:** WTM_010

**Description:** This variable groups the type of condition.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | WTM_010=96 | Population exclusions | NA |
| 99 | WTM_010= (97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_010=1 | Heart condition or stroke | |
| 2 | WTM_010=2 | Cancer | |
| 3 | WTM_010=3 | Asthma or other breathing conditions | |
| 4 | WTM_010=4 | Arthritis | |
| 5 | WTM_010=5 | Cataract or other eye conditions | |
| 6 | WTM_010=6 | Mental health disorder | |
| 7 | WTM_010=8 | Skin conditions | |
| 8 | WTM_010=9 | Gynaecological problems | |
| 9 | WTM_010=7 or WTM_010=10 | Diabetes/ Other | |

## 2 ) Difficulties seeing specialist- getting referral/ appointment - Grouped

**Variable name:** WTMG030B

**Based on:** WTM_030A, WTM_030B

**Description:** Difficulties seeing specialist- difficulty getting a referral, difficulty getting an appointment

**Note:** This is a regrouping of WTM_030A, WTM_030B

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_030B=6 | Population exclusions | NA |
| 9 | WTM_030A=(7,8,9) or WTM_030B=(7,8,9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_030A=1 or WTM_030B=1 | Yes | |
| 2 | WTM_030A=2 and WTM_030B=2 | No | |

## 3 ) Difficulties seeing specialist- not available in area/time required - Grouped

**Variable name:** WTMG030F

**Based on:** WTM_030E, WTM_030F

**Description:** Difficulties seeing specialist- service not available at time required, service not available in the area

**Note:** This is a regrouping of WTM_030E, WTM_030F

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_030F=6 | Population exclusions | NA |
| 9 | WTM_030E=(7,8,9) or WTM_030F=(7,8,9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_030E=1 or WTM_030F=1 | Yes | |
| 2 | WTM_030E=2 and WTM_030F=2 | No | |

## 4 ) Difficulties seeing specialist- other - Grouped

**Variable name:** WTMG030M

**Based on:** WTM_030G, WTM_030I, WTM_030J, WTM_030K, WTM_030M

**Description:** Difficulties seeing specialist- Transportation, Cost, General deterioration of health, Appointment cancelled or deferred by specialist, other

**Note:** This is a regrouping of WTM_030G, WTM_030I, WTM_030J, WTM_030K, WTM_030M

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_030M=6 | Population exclusions | NA |
| 9 | WTM_030G=(7,8,9) or WTM_030I=(7,8,9) or WTM_030J=(7,8,9) or WTM_030K=(7,8,9) or WTM_030M=(7,8,9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_030G=1 or WTM_030I=1 or WTM_030J=1 or WTM_030K=1 or WTM_030M=1 | Yes | |
| 2 | WTM_030G=2 and WTM_030I=2 and WTM_030J=2 and WTM_030K=2 and WTM_030M=2 | No | |

## 5 ) Appt with specialist cancelled / postponed- by respondent/other - Grouped

**Variable name:** WTMG060C

**Based on:** WTM_060A, WTM_060C

**Description:** Appointment with specialist was cancelled or postponed by the respondent or other

**Note:** This is a regrouping of WTM_060A, WTM_060C

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_060A=6 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9 | WTM_060A=(7,8,9) or WTM_060C=(7,8,9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_060A=1 or WTM_060C=1 | Yes | |
| 2 | WTM_060A=2 and WTM_060C=2 | No | |

## 6 ) Life affected by wait - Other - Grouped

**Variable name:** WTMG070L

**Based on:** WTM_070E, WTM_070F, WTM_070G, WTM_070J, WTM_070L

**Description:** Life was affected by waiting for visit: Loss of work, Loss of income, Increased dependence relatives / friends, Health problem improved, other

**Note:** This is a regrouping of WTM_070E, WTM_070F, WTM_070G, WTM_070J, WTM_070L

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_070J=6 | Population exclusions | NA |
| 9 | WTM_070E=(7, 8, 9) or WTM_070F=(7, 8, 9) or WTM_070G=(7, 8, 9) or WTM_070J=(7, 8, 9) or WTM_070L=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_070E=1 or WTM_070F=1 or WTM_070G=1or WTM_070J=1 or WTM_070L=1 | Yes | |
| 2 | WTM_070E=2 and WTM_070F=2 and WTM_070G=2 and WTM_070J=2 and WTM_070L=2 | No | |

## 7 ) Last non-emergency surgery - 12 mo - type- Grouped

**Variable name:** WTMG075

**Based on:** WTMG075

**Description:**

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 96 | WTM_075=96 | Population exclusions | NA |
| 99 | WTM_075=(97, 98, 99) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_075=1 | Cardiac surgery | |
| 2 | WTM_075=2 | Cancer related surgery | |
| 3 | WTM_075=3 | Hip or knee replacement surgery | |
| 4 | WTM_075=4 | Cataract or other eye surgery | |
| 5 | WTM_075=6 | Removal of gall bladder | |
| 6 | WTM_075=5 or WTM_075=7 | Other | |

## 8 ) Difficulties getting surgery- getting an appointment/ diagnosis - Grouped

**Variable name:** WTMG095B

**Based on:** WTM_095A, WTM_095B

**Description:** Difficulties getting surgery: difficulty getting an appointment, difficulty getting a diagnosis including obtaining a diagnostic test

**Note:** This is a regrouping of WTM_095A, WTM_095B

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_095B=6 | Population exclusions | NA |
| 9 | WTM_095A=(7, 8, 9) or WTM_095B=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_095A=1 or WTM_095B=1 | Yes | |
| 2 | WTM_095A=2 and WTM_095A=2 | No | |

## 9 ) Difficulties getting surgery- Waited too long for a hospital bed/ surgery - Grouped

**Variable name:** WTMG095D

**Based on:** WTM_095C, WTM_095D

**Description:** Difficulties getting surgery: waited too long for a hospital bed to become available, waited too long for surgery

**Note:** This is a regrouping of WTM_095C, WTM_095D

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_095D=6 | Population exclusions | NA |
| 9 | WTM_095C=(7, 8, 9) or WTM_095D=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_095C=1 or WTM_095D=1 | Yes | |
| 2 | WTM_095C=2 and WTM_095D=2 | No | |

## 10 ) Difficulties getting surgery- not available at time/area required/ cancelled or deferred - Grouped

**Variable name:** WTMG095K

**Based on:** WTM_095E, WTM_095F, WTM_095K

**Description:** Difficulties getting surgery: service not available at time required, service n/a in the area, appointment cancelled or deferred by surgeon or hospital

**Note:** This is a regrouping of WTM_095E, WTM_095F, WTM_095K

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_095K=6 | Population exclusions | NA |

| | | | |
|---|---|---|---|
| 9 | WTM_095E=(7, 8, 9) or WTM_095F=(7, 8, 9) or WTM_095K=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_095E=1 or WTM_095F=1 or WTM_095K=1 | Yes | |
| 2 | WTM_095E=2 and WTM_095F=2 and WTM_095K=2 | No | |

## 11 ) Difficulties getting surgery- Other - Grouped

**Variable name:** WTMG095M

**Based on:** WTM_095G, WTM_095I, WTM_095J, WTM_095M

**Description:** Difficulties getting surgery:stransportation problems, cost, general deterioration of health, other

**Note:** This is a regrouping of WTM_095G, WTM_095I, WTM_095J, WTM_095M

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_095M=6 | Population exclusions | NA |
| 9 | WTM_095G=(7, 8, 9) or WTM_095I=(7, 8, 9) or WTM_095J=(7, 8, 9) or WTM_095M=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_095G=1 or WTM_095I=1 or WTM_095J=1 or WTM_095M=1 | Yes | |
| 2 | WTM_095G=2 and WTM_095I=2 and WTM_095J=2 and WTM_095M=2 | No | |

## 12 ) Life affected by wait - Worry, anxiety, stress - Grouped

**Variable name:** WTMG140B

**Based on:** WTM_140A, WTM_140B

**Description:** Life affected as a result of waiting for surgery: worry, anxiety, stress, or worry or stress for family or friends

**Note:** This is a regrouping of WTM_140A, WTM_140B

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_140B=6 | Population exclusions | NA |
| 9 | WTM_140A=(7 ,8, 9) or WTM_140B=(7 ,8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_140A=1 or WTM_140B=1 | Yes | |
| 2 | WTM_140A=2 and WTM_140B=2 | No | |

## 13 ) Life affected by wait - increased use of over the- counter drugs/overall health deteriorated, condition got worse - Grouped

**Variable name:** WTMG140I

**Based on:** WTM_140H, WTM_140I

**Description:** Life affected as a result of waiting for surgery: increased use of overthe- counter drugs, overall health deteriorated, condition got worse

**Note:** This is a regrouping of WTM_140H, WTM_140I

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_140I=6 | Population exclusions | NA |
| 9 | WTM_140H=(7, 8, 9) or WTM_140I=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_140H=1 or WTM_140I=1 | Yes | |
| 2 | WTM_140H=2 and WTM_140I=2 | No | |

## 14 ) Life affected by wait - other - Grouped

**Variable name:** WTMG140L

**Based on:** WTM_140J, WTM_140K, WTM_140L

**Description:** Life affected as a result of waiting for surgery: health problem improved, personal relationships suffered, other

**Note:** This is a regrouping of WTM_140J, WTM_140K, WTM_140L

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_140L=6 | Population exclusions | NA |
| 9 | WTM_140J=(7, 8, 9) or WTM_140K=(7, 8, 9) or WTM_140L=(7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_140J=1 or WTM_140K=1 or WTM_140L=1 | Yes | |
| 2 | WTM_140J=2 and WTM_140K=2 and WTM_140L=2 | No | |

## 15 ) Last non-emergency test - place - Grouped

**Variable name:** WTMG160

**Based on:** WTM_160

**Description:** Location of MRIs, CAT Scans and angiographies provided in a non-emergency situation.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_160=6 | Population exclusions | NA |
| 9 | WTM_160= (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_160=1 | Hospital | |

| | | |
|---|---|---|
| 2 | WTM_160=( 2,3,4) | Other |

## 16 ) Type of difficulties - Waited too long to get an appointment/ test - Grouped

**Variable name:** WTMG180D

**Based on:** WTM_180C, WTM_180D

**Description:** Difficulties in obtaining an MRI, CAT scan or angiography:Waited too long to get an appointment, Waited too long to get test (i.e. in-office waiting)

**Note:** This is a regrouping of WTM_180C, WTM_180D

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_180C=6 | Population exclusions | NA |
| 9 | WTM_180C= (7, 8, 9) or WTM_180D= (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_180C=1 or WTM_180D=1 | Yes | |
| 2 | WTM_180C=2 and WTM_180D=2 | No | |

## 17 ) Type of difficulties - Service not available in the area/ at time required - Grouped

**Variable name:** WTMG180F

**Based on:** WTM_180E, WTM_180F

**Description:** Difficulties in obtaining an MRI, CAT scan or angiography: Service not available at time required, Service not available in the area

**Note:** This is a regrouping of WTM_180E, WTM_180F

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_180E=6 | Population exclusions | NA |
| 9 | WTM_180E= (7, 8, 9) or WTM_180F= (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_180E=1 or WTM_180F=1 | Yes | |
| 2 | WTM_180E=2 and WTM_180F=2 | No | |

## 18 ) Type of difficulties - Other - Grouped

**Variable name:** WTMG180M

**Based on:** WTM_180A,WTM_180B, WTM_180G, WTM_180M

**Description:** Difficulties in obtaining an MRI, CAT scan or angiography: getting a referral, getting an appt, transportation problems or other

**Note:** This is a regrouping of WTM_180A,WTM_180B, WTM_180G, WTM_180M

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | WTM_180M=6 | Population exclusions | NA |
| 9 | WTM_180A= (7,8,9) or WTM_180B= (7,8,9) or WTM_180G= (7,8,9) or WTM_180M= (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_180A= (1) or WTM_180B= (1) or WTM_180G= (1) or WTM_180M= (1) | Yes | |
| 2 | WTM_180A= (2) and WTM_180B= (2) and WTM_180G= (2) and WTM_180M= (2) | No | |

## 19 ) Test cancelled or postponed by - Grouped

**Variable name:** WTMG210

**Based on:** WTM_210

**Description:** This variable groups who cancelled or postponed the test.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | WTM_210= 6 | Population exclusions | NA |
| 9 | WTM_210= (7, 8, 9) | Question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_210=3 | The hospital | |
| 2 | WTM_210=1 or WTM_210=2 or WTM_210=4 or WTM_210=5 | The respondent, specialist, clinic or other | |

## 20 ) Life affected by wait - loss of work/income - Grouped

**Variable name:** WTMG220F

**Based on:** WTM_220E, WTM_220F

**Description:** Life affected as a result of waiting for test: loss of work/ loss of income

**Note:** This is a regrouping of WTM_220E, WTM_220F

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 6 | WTM_220F=6 | Population exclusions | NA |
| 9 | WTM_220E=(7,8,9) or WTM_220F=(7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_220E=1 or WTM_220F=1 | Yes | |
| 2 | WTM_220E=2 and WTM_220F=2 | No | |

## 21 ) Life affected by wait - other - Grouped

**Variable name:** WTMG220L

**Based on:** WTM_220G, WTM_220H, WTM_220J WTM_220K, WTM_220L

**Description:** Life affected as a result of waiting for test: increased dependence on relatives or friends, increased use of over-the-counter drugs, health problem improved, personal relationships suffered, or other.

**Note:** This is a regrouping of WTM_220G, WTM_220H, WTM_220J, WTM_220K, WTM_220L

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 6 | WTM_220G = 6 | Population exclusions | NA |
| 9 | WTM_220G = (7,8,9) or<br>WTM_220H = (7,8,9) or<br>WTM_220J = (7,8,9) or<br>WTM_220K = (7,8,9) or<br>WTM_220L = (7,8,9) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| 1 | WTM_220G = 1 or<br>WTM_220H = 1 or<br>WTM_220J = 1 or<br>WTM_220K = 1 or<br>WTM_220L = 1 | Yes | |
| 2 | WTM_220G = 2 and<br>WTM_220H = 2 and<br>WTM_220J = 2 and<br>WTM_220K = 2 and<br>WTM_220L = 2 | No | |

## 22 ) Number of waiting days to receive non-emergency surgery - surgery not done

**Variable name:** WTMDVCN

**Based on:** DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_110, WTM_110A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive non-emergency surgery and when the interview took place.

**Note:** For this variable, the number of waiting days was only considered for respondents 15 years and older who were referred for non-emergency surgery during the past 12 months, but who did not receive the needed surgery at the time of the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_020 = 2 or<br>WTM_080 = 1 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | WTM_110 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_110 | WTM_110A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_110 * 7 | WTM_110A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_110 * 30 | WTM_110A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 23 ) Number of waiting days to receive non-emergency surgery - surgery done

**Variable name:** WTMDVCO

**Based on:** DHH_AGE, ADM_PRX, ACC_020, WTM_080, WTM_100, WTM_100A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive non-emergency surgery and when the surgery actually took place.

**Note:** For this variable, the number of waiting days was only considered for respondents 15 years and older who received non-emergency surgery during the past 12 months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_020 = 2 or<br>WTM_080 = 2 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | WTM_100 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_100 | WTM_100A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_100 * 7 | WTM_100A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_100 * 30 | WTM_100A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 24 ) Number of acceptable waiting days to receive non-emergency surgery

**Variable name:** WTMDVCA

**Based on:** DHH_AGE, ADM_PRX, WTMDVCO, WTMDVCN, ACC_020, WTM_100, WTM_110, WTM_115, WTM_120, WTM_120A

**Description:** This variable indicates the number of days, in the respondent's view, he or she can wait to receive a non-emergency surgery and still find it acceptable.

**Note:** The number of acceptable waiting days was only considered for respondents 15 years and older who were referred to receive non-emergency surgery during the past 12 months, whether the respondent received his surgery or not at the time of the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_020 = 2 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | (WTM_100 = (DK, RF, NS) and WTM_115 = 1) or<br>(WTM_110 = (DK, RF, NS) and WTM_115 = 1) or<br>WTM_120 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WTMDVCO | WTM_100 < 996 and<br>WTM_115 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTMDVCN | WTM_110 < 996 and<br>WTM_115 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |

| | | | |
|---|---|---|---|
| WTM_120 | WTM_120A = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_120 * 7 | WTM_120A = 2 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_120 * 30 | WTM_120A = 3 | Number of acceptable waiting days | (Min: 1; Max: 365) |

## 25 ) Number of waiting days to see a medical specialist - didn't see specialist

**Variable name:** WTMDVSN

**Based on:** DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_040, WTM_040A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should see a specialist and when the interview took place.

**Note:** For this variable, the number of waiting days has only been considered for respondents 15 years and older who were referred to a specialist due to a new health related problem during the past 12 months, but who did not see the specialist with whom they had an appointment.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_005 = 2 or<br>WTM_005 = 2 or<br>WTM_020 = 1 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | (WTM_040 = DK,RF,NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_040 | WTM_040A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_040 * 7 | WTM_040A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_040 * 30 | WTM_040A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 26 ) Number of waiting days to see a medical specialist - saw specialist

**Variable name:** WTMDVSO

**Based on:** DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_020, WTM_035, WTM_035A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided that the respondent should see a medical specialist and when the actual visit with the specialist took place.

**Note:** For this variable, the number of waiting days has only been considered for respondents 15 years and older who consulted a medical specialist due to a new health related problem during the past 12 months.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_005 = 2 or<br>WTM_005 = 2 or<br>WTM_020 = 2 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |

| | | | |
|---|---|---|---|
| 9999 | WTM_035 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_035 | WTM_035A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_035 * 7 | WTM_035A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_035 * 30 | WTM_035A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 27 ) Number of acceptable waiting days to see a medical specialist

**Variable name:** WTMDVSA

**Based on:** DHH_AGE, ADM_PRX, ACC_005, WTM_005, WTM_035, WTM_040, WTM_045, WTM_050, WTM_050A, WTMDVSO, WTMDVSN

**Description:** This variable indicates the number of days, in the respondent's view, he or she can wait to see a medical specialist and still find it acceptable.

**Note:** The number of acceptable waiting days has only been considered for respondents 15 years and older who were referred to a medical specialist due to a new health related problem during the past 12 months, whether or not they saw the specialist at the time of the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_005 = 2 or<br>WTM_005 = 2 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | (WTM_035 = (DK, RF, NS) and WTM_045 = 1) or<br>(WTM_040 = (DK, RF, NS) and WTM_045 = 1) or<br>WTM_050 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WTMDVSO | WTM_035 < 996 and<br>WTM_045 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTMDVSN | WTM_040 < 996 and<br>WTM_045 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_050 | WTM_050A = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_050 * 7 | WTM_050A = 2 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_050 * 30 | WTM_050A = 3 | Number of acceptable waiting days | (Min: 1; Max: 365) |

## 28 ) Number of waiting days for diagnostic test - test not done

**Variable name:** WTMDVTN

**Based on:** DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_190, WTM_190A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and when the interview took place.

**Note:** For this variable, the number of waiting days was only considered for respondents 15 years and older who were referred to receive a MRI or a CT-SCAN exam, or a non-emergency heart test during the past 12 months, but who had not received the test at the time of the interview.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_035 = 2 or<br>WTM_145 = 4 or<br>WTM_155 = 1 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | WTM_190 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_190 | WTM_190A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_190 * 7 | WTM_190A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_190 * 30 | WTM_190A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 29 ) Number of waiting days for diagnostic test - test done

**Variable name:** WTMDVTO

**Based on:** DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_155, WTM_185, WTM_185A

**Description:** This variable indicates the number of days that passed between the moment the respondent and his or her doctor decided the respondent should receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and when the test was actually received.

**Note:** For this variable, the number of waiting days was only considered for respondents of 15 years and older who received a MRI or a CT-SCAN exam, or a non-emergency heart test during the past 12 months.

| Specifications | | | |
|---|---|---|---|
| **Value** | **Condition(s)** | **Description** | **Notes** |
| 9996 | DOWTM= 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_035 = 2 or<br>WTM_145 = 4 or<br>WTM_155 = 2 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | WTM_185 = (DK, RF, NS) | Required question was not answered (don't know, refusal, not stated) | NS |
| WTM_185 | WTM_185A = 1 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_185 * 7 | WTM_185A = 2 | Number of waiting days | (Min: 1; Max: 365) |
| WTM_185 * 30 | WTM_185A = 3 | Number of waiting days | (Min: 1; Max: 365) |

## 30 ) Number of acceptable waiting days for diagnostic test

**Variable name:** WTMDVTA

**Based on:** DHH_AGE, ADM_PRX, ACC_035, WTM_145, WTM_185, WTM_190, WTM_195, WTM_200, WTM_200A, WTMDVTO, WTMDVTN

**Description:** This variable indicates the number of days, in the respondent's view, he or she can wait to receive a magnetic resonance imaging test (MRI), a Computed Tomography exam (CT-SCAN) or a non-emergency angiography (heart test) and still find it acceptable.

**Note:** The number of acceptable waiting days was only considered for respondents 15 years and older who were referred to pass a MRI or a CT-SCAN exam, or a non- emergency heart test during the past 12 months, whether the respondent received the test or not at the time of the interview.

**Specifications**

| Value | Condition(s) | Description | Notes |
|---|---|---|---|
| 9996 | DOWTM = 2 | Module not selected | NA |
| 9996 | DHH_AGE < 15 or<br>ACC_035 = 2 or<br>WTM_145 = 4 | Population exclusions | NA |
| 9999 | ADM_PRX = 1 | Module not asked - proxy interview | NS |
| 9999 | (WTM_185 = (DK, RF, NS) and WTM_195 = 1) or<br>(WTM_190 = (DK, RF, NS) and WTM_195 = 1) or<br>WTM_200 = (DK, RF, NS) | At least one required question was not answered (don't know, refusal, not stated) | NS |
| WTMDVTO | WTM_185 < 996 and<br>WTM_195 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTMDVTN | WTM_190 < 996 and<br>WTM_195 = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_200 | WTM_200A = 1 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_200 * 7 | WTM_200A = 2 | Number of acceptable waiting days | (Min: 1; Max: 365) |
| WTM_200 * 30 | WTM_200A = 3 | Number of acceptable waiting days | (Min: 1; Max: 365) |