# CHMS Cycle 1: Data Dictionary

## Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLINICID | **Length** | 8 | **Position** | 1 - 8 |
| **Question Name** | | | | | |
| **Concept** | Clinic identifier of selected respondent | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SITE | **Length** | 2 | **Position** | 9 - 10 |
| **Question Name** | | | | | |
| **Concept** | Collection site | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| CLARINGTON | 1 | 395 | 2,584,500 |
| MONTREAL RIVE-SUD | 2 | 390 | 1,855,000 |
| MONCTON | 3 | 410 | 2,068,000 |
| TORONTO | 4 | 225 | 1,358,000 |
| MONTRÉAL CENTRE-VILLE | 5 | 315 | 1,567,000 |
| KITCHENER-WATERLOO | 6 | 360 | 2,009,500 |
| VANCOUVER | 7 | 365 | 1,891,000 |
| RED DEER | 8 | 380 | 2,555,500 |
| WILLIAMS LAKE / QUESNEL | 9 | 425 | 2,023,500 |
| EDMONTON | 10 | 385 | 2,381,000 |
| MAURICIE | 11 | 410 | 1,561,000 |
| QUEBEC CITY | 12 | 425 | 1,872,000 |
| NORTHUMBERLAND COUNTY | 13 | 400 | 1,979,000 |
| ST. CATHARINES | 14 | 380 | 1,810,500 |
| TORONTO EAST | 15 | 330 | 1,719,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SITESTRT | **Length** | 8 | **Position** | 11 - 18 |
| **Question Name** | | | | | |
| **Concept** | Date that the collection started for a particular site | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SITEEND | **Length** | 8 | **Position** | 19 - 26 |
| **Question Name** | | | | | |
| **Concept** | Date the collection ended for a particular site | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DHH_PRN | **Length** | 2 | **Position** | 27 - 28 |
| **Question Name** | | | | | |
| **Concept** | Province of residence of respondent | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEW BRUNSWICK | 13 | 410 | 2,068,000 |
| QUEBEC | 24 | 1,545 | 6,855,000 |
| ONTARIO | 35 | 2,090 | 11,461,500 |
| ALBERTA | 48 | 765 | 4,936,500 |
| BRITISH COLUMBIA | 59 | 790 | 3,914,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DHH_OWN | **Length** | 1 | **Position** | 29 |
| **Question Name** | | | | | |
| **Concept** | Dwelling - owned by a member of household | | | | |
| **Question** | Is this dwelling owned by a member of this household? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,110 | 20,818,000 |
| NO | 2 | 1,485 | 8,363,000 |
| DON'T KNOW | 7 | 5 | 48,500 |
| REFUSAL | 8 | 5 | 6,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DHH_MTG | **Length** | 1 | **Position** | 30 |
| **Question Name** | | | | | |
| **Concept** | Dwelling - mortgaged | | | | |
| **Question** | Is there a mortgage on this dwelling? | | | | |
| **Universe** | Respondents who answered DHH_OWN = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,700 | 13,452,000 |
| NO | 2 | 1,325 | 6,791,000 |
| NOT APPLICABLE | 6 | 1,485 | 8,363,000 |
| DON'T KNOW | 7 | 30 | 207,500 |
| REFUSAL | 8 | 60 | 367,500 |
| NOT STATED | 9 | 10 | 54,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHH_BED **Length** 2 **Position** 31 - 32

**Question Name**

**Concept** Dwelling - number of bedrooms

**Question** How many bedrooms are there in this dwelling?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF BEDROOMS | 0 - 13 | 5,585 | 29,084,000 |
| DON'T KNOW | 97 | 15 | 114,500 |
| REFUSAL | 98 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHH_YOB **Length** 4 **Position** 33 - 36

**Question Name**

**Concept** Year of birth

**Question** What is your date of birth? Enter a four-digit year.

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEAR | 1927 - 2002 | 5,430 | 28,069,000 |
| DON'T KNOW | 9997 | 85 | 686,000 |
| REFUSAL | 9998 | 90 | 480,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHH_MOB **Length** 2 **Position** 37 - 38

**Question Name**

**Concept** Month of birth

**Question** What is your date of birth? Enter the month.

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MONTH (1 TO 12) | 1 - 12 | 5,430 | 28,096,500 |
| DON'T KNOW | 97 | 80 | 653,500 |
| REFUSAL | 98 | 90 | 485,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** DHH_DOB **Length** 2 **Position** 39 - 40

**Question Name**

**Concept** Day of birth

**Question** What is your date of birth? Enter the day.

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DAY (1 TO 31) | 1 - 31 | 5,425 | 28,018,000 |
| DON'T KNOW | 97 | 90 | 732,500 |
| REFUSAL | 98 | 90 | 485,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DHH_AGE | **Length** | 3 | **Position** | 41 - 43 |
| **Question Name** | | | | | |
| **Concept** | Age at household interview | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| YEARS | 6 - 79 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DHH_SEX | **Length** | 1 | **Position** | 44 |
| **Question Name** | | | | | |
| **Concept** | Sex | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| MALE | 1 | 2,705 | 14,559,000 |
| FEMALE | 2 | 2,900 | 14,676,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHH_MS **Length** 2 **Position** 45 - 46

**Question Name**

**Concept** Marital status

**Question** What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MARRIED | 1 | 1,810 | 12,815,500 |
| COMMON-LAW | 2 | 430 | 3,386,000 |
| WIDOWED | 3 | 180 | 721,500 |
| SEPARATED | 4 | 140 | 609,000 |
| DIVORCED | 5 | 305 | 1,370,000 |
| SINGLE, NEVER MARRIED | 6 | 2,735 | 10,283,500 |
| DON'T KNOW | 97 | 5 | 22,000 |
| REFUSAL | 98 | 5 | 27,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHH_ED1 **Length** 1 **Position** 47

**Question Name**

**Concept** Highest grade of elementary or high school completed

**Question** What is the highest grade of elementary or high school you ever completed?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRADE 8 OR LOWER (QUE. SEC II OR LOWER) | 1 | 1,705 | 4,664,500 |
| GRADE 9-10(QUE.SEC III, IV; NFLD SEC 1) | 2 | 490 | 2,241,500 |
| GRADE 11-13(QUE. SEC V; NFLD SEC 2 - 4) | 3 | 3,380 | 22,071,000 |
| DON'T KNOW | 7 | 30 | 256,500 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHH_ED2 **Length** 1 **Position** 48

**Question Name**

**Concept** Graduated from high school (secondary school)

**Question** Did you graduate from high school (secondary school)?

**Universe** Respondents who answered DHH_ED1 = 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,025 | 20,158,000 |
| NO | 2 | 350 | 1,879,500 |
| NOT APPLICABLE | 6 | 2,195 | 6,906,000 |
| DON'T KNOW | 7 | 5 | 34,000 |
| NOT STATED | 9 | 30 | 258,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHH_ED3 **Length** 1 **Position** 49

**Question Name**

**Concept** Received other education

**Question** Have you received any other education that could be counted towards a degree, certificate or diploma from an educational institution?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,630 | 16,971,000 |
| NO | 2 | 2,950 | 12,045,000 |
| DON'T KNOW | 7 | 20 | 217,000 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHH_ED4 **Length** 2 **Position** 50 - 51

**Question Name**

**Concept** Highest degree, certificate or diploma obtained

**Question** What is the highest degree, certificate or diploma you have obtained?

**Universe** Respondents who answered DHH_ED3 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO POST-SECONDARY DEGREE,CERT. OR DIPL. | 1 | 440 | 2,599,500 |
| TRADES CERTIFICATE OR DIPLOMA | 2 | 400 | 2,394,500 |
| DIPLOMA / CERTIFICATE - COLLEGE / CEGEP | 3 | 775 | 5,017,000 |
| UNIV. CERTIFICATE < BACHELOR'S LEVEL | 4 | 100 | 698,500 |
| BACHELOR'S DEGREE | 5 | 620 | 4,174,500 |
| UNIV. DEGREE OR CERT. > BAC. LEVEL | 6 | 290 | 1,987,500 |
| NOT APPLICABLE | 96 | 2,950 | 12,045,000 |
| DON'T KNOW | 97 | 5 | 100,000 |
| NOT STATED | 99 | 25 | 219,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHHDDWE **Length** 2 **Position** 52 - 53

**Question Name**

**Concept** Type of dwelling - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SINGLE DETACHED | 1 | 3,635 | 18,435,000 |
| DOUBLE | 2 | 200 | 1,127,500 |
| ROW OR TERRACE | 3 | 305 | 1,493,000 |
| DUPLEX | 4 | 210 | 1,032,500 |
| LOW-RISE APARTMENT (STORIES < 5/FLAT) | 5 | 675 | 3,815,000 |
| HIGH-RISE APARTMENT (STORIES ≥ 5) | 6 | 400 | 2,543,000 |
| HOTEL / ROOMING HOUSE / CAMP | 8 | 5 | 10,500 |
| MOBILE HOME | 9 | 55 | 229,000 |
| OTHER | 10 | 95 | 444,500 |
| NOT STATED | 99 | 30 | 105,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** DHHDHSZ **Length** 2 **Position** 54 - 55

**Question Name**

**Concept** Household size - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 1 - 11 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHHDECF **Length** 2 **Position** 56 - 57

**Question Name**

**Concept** Household type - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| UNATTACHED INDIVIDUAL | 1 | 820 | 3,766,500 |
| UNATTACHED INDIVIDUAL LIVING W/OTHERS | 2 | 120 | 1,135,000 |
| COUPLE ALONE | 3 | 950 | 7,063,000 |
| COUPLE WITH NO CHILDREN, OTHERS | 4 | 30 | 213,500 |
| COUPLE, CHILDREN < 25 | 5 | 2,665 | 12,062,500 |
| COUPLE, CHILDREN < 25, OTHERS | 6 | 155 | 1,066,500 |
| COUPLE, ALL CHILDREN >= 25 | 7 | 70 | 614,000 |
| COUPLE, ALL CHILDREN >=25, OTHERS | 8 | 25 | 173,500 |
| FEMALE LONE PAR., CHILDREN < 25 | 9 | 215 | 797,000 |
| FEMALE LONE PAR., CHILDREN <25, OTHERS | 10 | 370 | 1,374,000 |
| FEMALE LONE PAR., ALL CHILDREN >= 25 | 11 | 35 | 232,500 |
| FEM. LONE PAR.,ALL CHILDREN >=25, OTHERS | 12 | 10 | 75,000 |
| MALE LONE PAR., CHILDREN < 25 | 13 | 50 | 185,500 |
| MALE LONE PAR., CHILDREN < 25, OTHERS | 14 | 65 | 235,500 |
| MALE LONE PAR., ALL CHILDREN >= 25 | 15 | 5 | 62,500 |
| OTHER HOUSEHOLD TYPE | 17 | 15 | 179,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHHDLVG **Length** 2 **Position** 58 - 59

**Question Name**

**Concept** Living arrangement of selected respondent - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| UNATTACHED INDIVIDUAL LIVING ALONE | 1 | 820 | 3,766,500 |
| UNATTACHED INDIVIDUAL LIVING WITH OTHERS | 2 | 155 | 1,355,500 |
| LIVING WITH SPOUSE / PARTNER | 3 | 950 | 7,063,000 |
| PARENT LIVING W. SPOUSE/PARTN.,CHILDREN | 4 | 1,120 | 7,821,500 |
| SINGLE PARENT LIVING WITH CHILDREN | 5 | 235 | 1,154,000 |
| CHILD LIVING WITH SINGLE PARENT | 6 | 170 | 551,000 |
| CHILD LIVING W. SINGLE PARENT, SIBLINGS | 7 | 275 | 940,500 |
| CHILD LIVING WITH TWO PARENTS | 8 | 295 | 927,500 |
| CHILD LIVING WITH TWO PARENTS, SIBLINGS | 9 | 1,325 | 3,927,500 |
| OTHER | 10 | 265 | 1,728,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHHDLE5 **Length** 2 **Position** 60 - 61

**Question Name**

**Concept** Number of persons 5 years old or less in household - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 0 - 6 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHHD611 **Length** 2 **Position** 62 - 63
**Question Name**
**Concept** Number of persons 6 to 11 years old in household - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 0 - 4 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHHDL12 **Length** 2 **Position** 64 - 65
**Question Name**
**Concept** Number of persons less than 12 years old in household - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 0 - 8 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DHHDYKD **Length** 2 **Position** 66 - 67
**Question Name**
**Concept** Number of persons 15 years old or less in household - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 0 - 8 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DHHDOKD **Length** 2 **Position** 68 - 69

**Question Name**

**Concept** Number of dependents 16 or 17 years old in household - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PERSONS | 0 - 3 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** EDUDR04 **Length** 1 **Position** 70

**Question Name**

**Concept** Highest level of education - respondent, 4 levels - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN SECONDARY SCHOOL GRADUATION | 1 | 2,290 | 7,388,000 |
| SECONDARY SCHOOL GRADUATION | 2 | 650 | 4,575,000 |
| SOME POST-SECONDARY | 3 | 440 | 2,599,500 |
| POST-SECONDARY GRADUATION | 4 | 2,180 | 14,253,500 |
| NOT STATED | 9 | 45 | 419,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** EDUDR10 **Length** 2 **Position** 71 - 72

**Question Name**

**Concept** Highest level of education - respondent, 10 levels - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRADE 8 OR LOWER (QUE. SEC II OR LOWER) | 1 | 1,655 | 4,418,500 |
| GRADE 9-10 (QUE.SEC III, IV; NFLD SEC I) | 2 | 370 | 1,698,500 |
| GRADE 11-13 (QUE. SEC V; NFLD SEC 2 - 4) | 3 | 265 | 1,271,500 |
| SECONDARY SCHOOL GRAD., NO POST-SEC. | 4 | 650 | 4,575,000 |
| SOME POST-SECONDARY | 5 | 440 | 2,599,500 |
| TRADES CERTIFICATE OR DIPLOMA | 6 | 400 | 2,376,000 |
| DIPLOMA / CERTIFICATE - COLLEGE / CEGEP | 7 | 775 | 5,017,000 |
| UNIV. CERTIFICATE < BACHELOR'S LEVEL | 8 | 100 | 698,500 |
| BACHELOR'S DEGREE | 9 | 620 | 4,174,500 |
| UNIV. DEGREE OR CERT. > BAC. LEVEL | 10 | 290 | 1,987,500 |
| NOT STATED | 99 | 45 | 419,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | EDUDH04 | **Length** | 1 | **Position** | 73 |
| **Question Name** | | | | | |
| **Concept** | Highest level of education – household, 4 levels - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN SECONDARY SCHOOL GRADUATION | 1 | 350 | 1,604,000 |
| SECONDARY SCHOOL GRADUATION | 2 | 585 | 3,293,500 |
| SOME POST-SECONDARY | 3 | 350 | 1,879,000 |
| POST-SECONDARY GRADUATION | 4 | 4,175 | 21,399,500 |
| NOT STATED | 9 | 145 | 1,059,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** EDUDH10 **Length** 2 **Position** 74 - 75

**Question Name**

**Concept** Highest level of education - household, 10 levels - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRADE 8 OR LOWER (QUE. SEC II OR LOWER) | 1 | 115 | 487,000 |
| GRADE 9-10 (QUE.SEC III, IV; NFLD SEC I) | 2 | 135 | 671,500 |
| GRADE 11-13 (QUE. SEC V; NFLD SEC 2 - 4) | 3 | 100 | 445,500 |
| SECONDARY SCHOOL GRAD., NO POST-SEC. | 4 | 585 | 3,293,500 |
| SOME POST-SECONDARY | 5 | 350 | 1,879,000 |
| TRADES CERTIFICATE OR DIPLOMA | 6 | 580 | 2,952,500 |
| DIPLOMA / CERTIFICATE - COLLEGE / CEGEP | 7 | 1,435 | 7,210,500 |
| UNIV. CERTIFICATE < BACHELOR'S LEVEL | 8 | 215 | 1,133,500 |
| BACHELOR'S DEGREE | 9 | 1,220 | 6,394,000 |
| UNIV. DEGREE OR CERT. > BAC. LEVEL | 10 | 725 | 3,708,500 |
| NOT STATED | 99 | 145 | 1,059,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PROXY **Length** 1 **Position** 76

**Question Name**

**Concept** Health component completed by proxy

**Question**

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROXY | 1 | 1,115 | 2,381,000 |
| NON-PROXY | 2 | 4,490 | 26,854,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PPI_02 **Length** 1 **Position** 77

**Question Name**

**Concept** Person providing health component info - parent/guardian

**Question** Is the person providing the information a parent or guardian of [Respondent Name]?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,115 | 2,371,000 |
| NO | 2 | 5 | 10,000 |
| NOT APPLICABLE | 6 | 4,490 | 26,854,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PPI_03 **Length** 1 **Position** 78

**Question Name**

**Concept** Person providing health component info - biological parent

**Question** Is the person providing the information a birth or biological parent of [Respondent name]?

**Universe** All respondents who answered PPI_02 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,075 | 2,284,000 |
| NO | 2 | 35 | 87,000 |
| NOT APPLICABLE | 6 | 4,490 | 26,864,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GEN_11 **Length** 1 **Position** 79

**Question Name**

**Concept** Self-perceived health

**Question** To start, in general, would you say your health is: (excellent, very good, good, fair, or poor)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXCELLENT | 1 | 1,285 | 5,147,500 |
| VERY GOOD | 2 | 2,085 | 11,544,000 |
| GOOD | 3 | 1,725 | 9,702,000 |
| FAIR | 4 | 415 | 2,344,500 |
| POOR | 5 | 95 | 494,000 |
| REFUSAL | 8 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GEN_12 **Length** 1 **Position** 80

**Question Name**

**Concept** Self-perceived health compared to one year ago

**Question** Compared to one year ago, how would you say your health is now? Is it: (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MUCH BETTER NOW THAN 1 YEAR AGO | 1 | 465 | 2,317,500 |
| SOMEWHAT BETTER NOW THAN 1 YEAR AGO | 2 | 945 | 4,926,000 |
| ABOUT THE SAME AS 1 YEAR AGO | 3 | 3,605 | 18,458,500 |
| SOMEWHAT WORSE NOW THAN 1 YEAR AGO | 4 | 530 | 3,189,500 |
| MUCH WORSE NOW THAN 1 YEAR AGO | 5 | 55 | 344,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GEN_13 | **Length** | 1 | **Position** | 81 |
| **Question Name** | | | | | |
| **Concept** | Satisfaction with life in general | | | | |
| **Question** | How satisfied are you with your life in general? | | | | |
| **Universe** | Non-proxy respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| VERY SATISFIED | 1 | 1,720 | 10,157,500 |
| SATISFIED | 2 | 2,330 | 14,102,500 |
| NEITHER SATISFIED NOR DISSATISFIED | 3 | 300 | 1,724,500 |
| SOMEWHAT DISSATISFIED | 4 | 125 | 819,500 |
| VERY DISSATISFIED | 5 | 15 | 43,500 |
| DON'T KNOW | 7 | 5 | 7,000 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GEN_14 | **Length** | 1 | **Position** | 82 |
| **Question Name** | | | | | |
| **Concept** | Self-perceived mental health | | | | |
| **Question** | In general, would you say your mental health is: (excellent, very good, good, fair, or poor)? | | | | |
| **Universe** | Non-proxy respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| EXCELLENT | 1 | 1,675 | 9,932,000 |
| VERY GOOD | 2 | 1,705 | 10,571,000 |
| GOOD | 3 | 910 | 5,209,000 |
| FAIR | 4 | 170 | 990,500 |
| POOR | 5 | 25 | 151,500 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GEN_15 **Length** 1 **Position** 83

**Question Name**

**Concept** Self-perceived stress

**Question** Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

**Universe** Non-proxy respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT AT ALL STRESSFUL | 1 | 425 | 2,478,000 |
| NOT VERY STRESSFUL | 2 | 1,165 | 7,207,000 |
| A BIT STRESSFUL | 3 | 1,745 | 11,161,500 |
| QUITE A BIT STRESSFUL | 4 | 650 | 4,209,500 |
| EXTREMELY STRESSFUL | 5 | 115 | 723,500 |
| NOT APPLICABLE | 6 | 1,500 | 3,436,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GEN_16 **Length** 1 **Position** 84

**Question Name**

**Concept** Worked at job or business

**Question** Have you worked at a job or business at any time in the past 12 months?

**Universe** Non-proxy respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,930 | 20,089,500 |
| NO | 2 | 1,000 | 4,901,000 |
| NOT APPLICABLE | 6 | 1,660 | 4,122,000 |
| NOT STATED | 9 | 15 | 122,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GEN_17 | **Length** | 1 | **Position** | 85 |
| **Question Name** | | | | | |
| **Concept** | Self-perceived work stress | | | | |
| **Question** | The next question is about your main job or business in the past 12 months. Would you say that most days at work were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)? | | | | |
| **Universe** | Respondents who answered GEN_16 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT AT ALL STRESSFUL | 1 | 290 | 1,740,500 |
| NOT VERY STRESSFUL | 2 | 655 | 4,326,500 |
| A BIT STRESSFUL | 3 | 1,150 | 7,951,000 |
| QUITE A BIT STRESSFUL | 4 | 695 | 5,193,500 |
| EXTREMELY STRESSFUL | 5 | 140 | 877,500 |
| NOT APPLICABLE | 6 | 2,660 | 9,023,500 |
| NOT STATED | 9 | 15 | 122,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GEN_18 **Length** 1 **Position** 86

**Question Name**

**Concept** Sense of belonging to local community

**Question** How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

**Universe** Non-proxy respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| VERY STRONG | 1 | 815 | 4,479,000 |
| SOMEWHAT STRONG | 2 | 2,090 | 11,891,000 |
| SOMEWHAT WEAK | 3 | 1,200 | 8,003,500 |
| VERY WEAK | 4 | 375 | 2,452,500 |
| DON'T KNOW | 7 | 5 | 23,000 |
| REFUSAL | 8 | 5 | 5,000 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GEN_19 **Length** 1 **Position** 87

**Question Name**

**Concept** Self-perceived quality of life

**Question** Would you rate your quality of life as: (excellent, very good, good, fair or poor)?

**Universe** Non-proxy respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXCELLENT | 1 | 1,270 | 7,163,500 |
| VERY GOOD | 2 | 1,890 | 11,462,000 |
| GOOD | 3 | 1,100 | 6,851,000 |
| FAIR | 4 | 190 | 1,129,500 |
| POOR | 5 | 40 | 246,000 |
| DON'T KNOW | 7 | 5 | 2,500 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GEN_20 | **Length** | 1 | **Position** | 88 |
| **Question Name** | | | | | |
| **Concept** | Family doctor | | | | |
| **Question** | Do you have a regular medical doctor? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,880 | 24,892,500 |
| NO | 2 | 720 | 4,332,000 |
| DON'T KNOW | 7 | 5 | 11,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GENDHDI | **Length** | 1 | **Position** | 89 |
| **Question Name** | | | | | |
| **Concept** | Self-rated health - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| POOR | 0 | 95 | 494,000 |
| FAIR | 1 | 415 | 2,344,500 |
| GOOD | 2 | 1,725 | 9,702,000 |
| VERY GOOD | 3 | 2,085 | 11,544,000 |
| EXCELLENT | 4 | 1,285 | 5,147,500 |
| NOT STATED | 9 | 5 | 3,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GENDMHI | **Length** | 1 | **Position** | 90 |
| **Question Name** | | | | | |
| **Concept** | Self-rated mental health - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| POOR | 0 | 25 | 151,500 |
| FAIR | 1 | 170 | 990,500 |
| GOOD | 2 | 910 | 5,209,000 |
| VERY GOOD | 3 | 1,705 | 10,571,000 |
| EXCELLENT | 4 | 1,675 | 9,932,000 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PRS_11 | **Length** | 1 | **Position** | 91 |
| **Question Name** | | | | | |
| **Concept** | Pregnant | | | | |
| **Question** | It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant? | | | | |
| **Universe** | Female respondents aged 14 to 59 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 204,500 |
| NO | 2 | 1,645 | 10,449,500 |
| NOT APPLICABLE | 6 | 3,920 | 18,541,500 |
| DON'T KNOW | 7 | 5 | 39,000 |
| NOT STATED | 9 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SLP_11 **Length** 4.1 **Position** 92 - 95

**Question Name**

**Concept** Number hours usually spent sleeping in 24 hour period

**Question** How many hours do you usually spend sleeping in a 24 hour period, excluding time spent resting?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 1.0 - 16.0 | 5,605 | 29,232,500 |
| DON'T KNOW | 99.7 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SLP_12 **Length** 1 **Position** 96

**Question Name**

**Concept** Frequency - trouble sleeping

**Question** How often do you have trouble going to sleep or staying asleep?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 1,385 | 7,045,500 |
| RARELY | 2 | 1,720 | 8,963,000 |
| SOMETIMES | 3 | 1,620 | 8,494,500 |
| MOST OF THE TIME | 4 | 625 | 3,389,500 |
| ALL THE TIME | 5 | 245 | 1,333,000 |
| DON'T KNOW | 7 | 5 | 7,500 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SLP_13 | **Length** | 1 | **Position** | 97 |
| **Question Name** | | | | | |
| **Concept** | Duration - trouble sleeping | | | | |
| **Question** | How long have you had this trouble? | | | | |
| **Universe** | Respondents who answered SLP_12 = (4, 5) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 2 WEEKS | 1 | 5 | 1,000 |
| 2 WEEKS TO LESS THAN 6 MONTHS | 2 | 45 | 222,500 |
| 6 MONTHS TO LESS THAN ONE YEAR | 3 | 50 | 320,500 |
| 1 YEAR TO LESS THAN 2 YEARS | 4 | 125 | 675,000 |
| 2 YEARS OR MORE | 5 | 650 | 3,503,500 |
| NOT APPLICABLE | 6 | 4,730 | 24,502,500 |
| NOT STATED | 9 | 5 | 10,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SLP_14 | **Length** | 1 | **Position** | 98 |
| **Question Name** | | | | | |
| **Concept** | Frequency - sleep is refreshing | | | | |
| **Question** | How often do you find your sleep refreshing? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 115 | 709,500 |
| RARELY | 2 | 435 | 2,659,500 |
| SOMETIMES | 3 | 1,245 | 7,202,000 |
| MOST OF THE TIME | 4 | 2,740 | 14,007,500 |
| ALL THE TIME | 5 | 1,060 | 4,654,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SLP_15 **Length** 1 **Position** 99

**Question Name**

**Concept** Duration - sleep not refreshing

**Question** How long has your sleep not been refreshing?

**Universe** Respondents who answered SLP_14 = (1, 2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 2 WEEKS | 1 | 10 | 17,500 |
| 2 WEEKS TO LESS THAN 6 MONTHS | 2 | 30 | 154,500 |
| 6 MONTHS TO LESS THAN ONE YEAR | 3 | 45 | 330,500 |
| 1 YEAR TO LESS THAN 2 YEARS | 4 | 65 | 384,000 |
| 2 YEARS OR MORE | 5 | 405 | 2,480,500 |
| NOT APPLICABLE | 6 | 5,050 | 25,863,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| NOT STATED | 9 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** SLP_16 **Length** 1 **Position** 100

**Question Name**

**Concept** Frequency - difficulty staying awake during waking hours

**Question** How often do you find it difficult to stay awake during your normal waking hours when you want to?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 2,420 | 11,134,500 |
| RARELY | 2 | 1,845 | 10,132,500 |
| SOMETIMES | 3 | 1,160 | 6,758,000 |
| MOST OF THE TIME | 4 | 150 | 1,026,000 |
| ALL THE TIME | 5 | 30 | 181,500 |
| NOT STATED | 9 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SLP_17 **Length** 1 **Position** 101

**Question Name**

**Concept** Duration - difficulty staying awake

**Question** How long have you had difficulty staying awake when you want to?

**Universe** Respondents who answered SLP_16 = (4, 5)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 2 WEEKS | 1 | 5 | 44,000 |
| 2 WEEKS TO LESS THAN 6 MONTHS | 2 | 10 | 57,000 |
| 6 MONTHS TO LESS THAN ONE YEAR | 3 | 20 | 103,500 |
| 1 YEAR TO LESS THAN 2 YEARS | 4 | 30 | 307,000 |
| 2 YEARS OR MORE | 5 | 115 | 696,000 |
| NOT APPLICABLE | 6 | 5,420 | 28,025,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWT_2 **Length** 2 **Position** 102 - 103

**Question Name**

**Concept** Height / self-reported

**Question** How tall are you without shoes on?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 2'0" TO 2'11" (59.7 TO 90.1 CM) | 2 | 5 | 2,000 |
| 3'0" TO 3'11" (90.2 TO 120.6 CM) | 3 | 130 | 282,000 |
| 4'0" TO 4'11" (120.7 TO 151.0 CM) | 4 | 790 | 1,827,500 |
| 5'0" TO 5'11" (151.1 TO 181.5 CM) | 5 | 4,015 | 23,534,500 |
| 6'0" TO 6'11" (181.6 TO 212.0 CM) | 6 | 470 | 3,055,000 |
| DON'T KNOW | 97 | 200 | 526,500 |
| REFUSAL | 98 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_2A **Length** 2 **Position** 104 - 105

**Question Name**

**Concept** Height - exact height from 1'0" to 1'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 1'0" to 1' 11"

**Universe** Respondents who answered HWT_2 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,400 | 28,701,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HWT_2B **Length** 2 **Position** 106 - 107

**Question Name**

**Concept** Height - exact height from 2'0" to 2'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 2'0" to 2'11"

**Universe** Respondents who answered HWT_2 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 2'6" (30 INCHES) (74.9 TO 77.4 CM) | 6 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 5,400 | 28,699,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_2C **Length** 2 **Position** 108 - 109

**Question Name**

**Concept** Height - exact height from 3'0" to 3'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 3'0" to 3' 11"

**Universe** Respondents who answered HWT_2 = 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 3'0" (36 INCHES) (90.2 TO 92.6 CM) | 0 | 10 | 32,500 |
| 3'1" (37 INCHES) (92.7 TO 95.2 CM) | 1 | 5 | 22,000 |
| 3'2" (38 INCHES) (95.3 TO 97.7 CM) | 2 | 5 | 8,000 |
| 3'3" (39 INCHES) (97.8 TO 100.2 CM) | 3 | 5 | 2,500 |
| 3'4" (40 INCHES) (100.3 TO 102.8 CM) | 4 | 5 | 7,500 |
| 3'5" (41 INCHES) (102.9 TO 105.3 CM) | 5 | 10 | 28,000 |
| 3'6" (42 INCHES) (105.4 TO 107.9 CM) | 6 | 10 | 22,000 |
| 3'7" (43 INCHES) (108.0 TO 110.4 CM) | 7 | 5 | 5,000 |
| 3'8" (44 INCHES) (110.5 TO 112.9 CM) | 8 | 10 | 23,000 |
| 3'9" (45 INCHES) (113.0 TO 115.5 CM) | 9 | 10 | 19,000 |
| 3'10" (46 INCHES) (115.6 TO 118.0 CM) | 10 | 25 | 49,000 |
| 3'11" (47 INCHES) (118.1 TO 120.6 CM) | 11 | 20 | 31,500 |
| NOT APPLICABLE | 96 | 5,270 | 28,419,000 |
| DON'T KNOW | 97 | 10 | 32,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_2D **Length** 2 **Position** 110 - 111

**Question Name**

**Concept** Height - exact height from 4'0" to 4'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 4'0" to 4' 11"

**Universe** Respondents who answered HWT_2 = 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 4'0" (48 INCHES) (120.7 TO 123.1 CM) | 0 | 105 | 221,000 |
| 4'1" (49 INCHES) (123.2 TO 125.6 CM) | 1 | 40 | 70,500 |
| 4'2" (50 INCHES) (125.7 TO 128.2 CM) | 2 | 45 | 82,000 |
| 4'3" (51 INCHES) (128.3 TO 130.7 CM) | 3 | 45 | 95,000 |
| 4'4" (52 INCHES) (130.8 TO 133.3 CM) | 4 | 55 | 103,000 |
| 4'5" (53 INCHES) (133.4 TO 135.8 CM) | 5 | 60 | 124,000 |
| 4'6" (54 INCHES) (135.9 TO 138.3 CM) | 6 | 85 | 215,000 |
| 4'7" (55 INCHES) (138.4 TO 140.9 CM) | 7 | 40 | 98,500 |
| 4'8" (56 INCHES) (141.0 TO 143.4 CM) | 8 | 60 | 122,000 |
| 4'9" (57 INCHES) (143.5 TO 146.0 CM) | 9 | 50 | 129,000 |
| 4'10" (58 INCHES) (146.1 TO 148.5 CM) | 10 | 80 | 193,000 |
| 4'11" (59 INCHES) (148.6 TO 151.0 CM) | 11 | 110 | 354,500 |
| NOT APPLICABLE | 96 | 4,610 | 26,873,000 |
| DON'T KNOW | 97 | 15 | 20,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_2E **Length** 2 **Position** 112 - 113

**Question Name**

**Concept** Height - exact height from 5'0" to 5'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 5'0" to 5'11"

**Universe** Respondents who answered HWT_2 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 5'0" (60 INCHES) (151.1 TO 153.6 CM) | 0 | 185 | 770,000 |
| 5'1" (61 INCHES) (153.7 TO 156.1 CM) | 1 | 220 | 1,173,000 |
| 5'2" (62 INCHES) (156.2 TO 158.7 CM) | 2 | 345 | 1,904,000 |
| 5'3" (63 INCHES) (158.8 TO 161.2 CM) | 3 | 350 | 2,118,000 |
| 5'4" (64 INCHES) (161.3 TO 163.7 CM) | 4 | 410 | 2,194,000 |
| 5'5" (65 INCHES) (163.8 TO 166.3 CM) | 5 | 375 | 2,133,500 |
| 5'6" (66 INCHES) (166.4 TO 168.8 CM) | 6 | 430 | 2,595,000 |
| 5'7" (67 INCHES) (168.9 TO 171.4 CM) | 7 | 380 | 2,558,000 |
| 5'8" (68 INCHES) (171.5 TO 173.9 CM) | 8 | 375 | 2,241,500 |
| 5'9" (69 INCHES) (174.0 TO 176.4 CM) | 9 | 300 | 1,792,500 |
| 5'10" (70 INCHES) (176.5 TO 179.0 CM) | 10 | 335 | 2,255,500 |
| 5'11" (71 INCHES) (179.1 TO 181.5 CM) | 11 | 295 | 1,756,000 |
| NOT APPLICABLE | 96 | 1,390 | 5,166,500 |
| DON'T KNOW | 97 | 5 | 43,500 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_2F **Length** 2 **Position** 114 - 115

**Question Name**

**Concept** Height - exact height from 6'0" to 6'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 6'0" to 6' 11"

**Universe** Respondents who answered HWT_2 = 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 6'0" (72 INCHES) (181.6 TO 184.1 CM) | 0 | 220 | 1,487,500 |
| 6'1" (73 INCHES) (184.2 TO 186.6 CM) | 1 | 110 | 622,000 |
| 6'2" (74 INCHES) (186.7 TO 189.1 CM) | 2 | 70 | 411,000 |
| 6'3" (75 INCHES) (189.2 TO 191.7 CM) | 3 | 40 | 293,000 |
| 6'4" (76 INCHES) (191.8 TO 194.2 CM) | 4 | 15 | 125,500 |
| 6'5" (77 INCHES) (194.3 TO 196.8 CM) | 5 | 5 | 50,500 |
| 6'6" (78 INCHES) (196.9 TO 199.3 CM) | 6 | 5 | 48,500 |
| 6'7" (79 INCHES) (199.4 TO 201.8 CM) | 7 | 5 | 14,500 |
| 6'9" (81 INCHES) (204.5 TO 206.9 CM) | 9 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 4,935 | 25,646,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HWT_2G **Length** 2 **Position** 116 - 117

**Question Name**

**Concept** Height - exact height from 7'0" to 7'11" / self-reported

**Question** How tall are you without shoes on? - Exact height from 7'0" to 7' 11"

**Universe** Respondents who answered HWT_2 = 7

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,400 | 28,701,000 |
| NOT STATED | 99 | 205 | 534,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWTDCM **Length** 3 **Position** 118 - 120

**Question Name**

**Concept** Height (centimeters) / self-reported - (D)

**Question**

**Universe** All respondents with valid answer to HWT_2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN CENITMETRES | 76 - 206 | 5,370 | 28,605,000 |
| NOT STATED | 999 | 235 | 630,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWTDIN **Length** 2 **Position** 121 - 122

**Question Name**

**Concept** Height (inches) / self-reported - (D)

**Question**

**Universe** All respondents with valid answer to HWT_2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN INCHES | 30 - 81 | 5,370 | 28,605,000 |
| NOT STATED | 99 | 235 | 630,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HWT_3 | **Length** | 3 | **Position** | 123 - 125 |
| **Question Name** | | | | | |
| **Concept** | Weight / self-reported | | | | |
| **Question** | How much do you weigh? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 16 - 400 | 5,425 | 28,583,500 |
| DON'T KNOW | 997 | 180 | 644,500 |
| REFUSAL | 998 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HWT_3N | **Length** | 1 | **Position** | 126 |
| **Question Name** | | | | | |
| **Concept** | Weight - unit of measure in pounds/kilograms / self-reported | | | | |
| **Question** | INTERVIEWER: Was that in pounds or in kilograms? | | | | |
| **Universe** | All respondents with valid answer to HWT_3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 5,065 | 26,548,500 |
| KILOGRAMS | 2 | 355 | 2,035,000 |
| NOT STATED | 9 | 180 | 652,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWTDKG **Length** 3 **Position** 127 - 129

**Question Name**

**Concept** Weight (kilograms) / self-reported - (D)

**Question**

**Universe** All respondents with valid answer to HWT_3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 11 - 181 | 5,425 | 28,583,500 |
| NOT STATED | 999 | 180 | 652,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWTDLB **Length** 3 **Position** 130 - 132

**Question Name**

**Concept** Weight (pounds) / self-reported - (D)

**Question**

**Universe** All respondents with valid answer to HWT_3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 25 - 400 | 5,425 | 28,583,500 |
| NOT STATED | 999 | 180 | 652,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWT_4 **Length** 1 **Position** 133

**Question Name**

**Concept** Respondent's opinion of own weight - self-reported

**Question** Do you consider yourself: (overweight, underweight or just about right)?

**Universe** Non-proxy respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| OVERWEIGHT | 1 | 1,880 | 11,893,500 |
| UNDERWEIGHT | 2 | 200 | 1,081,500 |
| JUST ABOUT RIGHT | 3 | 2,405 | 13,868,500 |
| DON'T KNOW | 7 | 5 | 3,000 |
| REFUSAL | 8 | 5 | 8,000 |
| NOT STATED | 9 | 1,115 | 2,381,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWTDHTM **Length** 4.2 **Position** 134 - 137

**Question Name**

**Concept** Height (meters) / self-reported - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN METRES | 0.76 - 2.06 | 5,370 | 28,605,000 |
| NOT STATED | 9.99 | 235 | 630,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWTDBMI **Length** 5.2 **Position** 138 - 142

**Question Name**

**Concept** BMI (SR)

**Question** BMI (SR)

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BODY MASS INDEX SCORE | 6.82 - 59.14 | 5,225 | 27,945,500 |
| NOT APPLICABLE | 99.96 | 30 | 204,500 |
| NOT STATED | 99.99 | 350 | 1,085,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWTDBMIA **Length** 2 **Position** 143 - 144

**Question Name**

**Concept** BMI Class Adults 18 +(SR) - Int'l Std

**Question** BMI Classification for Adults Aged 18 and Over (self-reported) - International Standard

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| UNDERWEIGHT | 1 | 65 | 437,000 |
| NORMAL WEIGHT | 2 | 1,505 | 10,259,500 |
| OVERWEIGHT | 3 | 1,315 | 8,392,000 |
| OBESE | 4 | 515 | 3,391,500 |
| VERY OBESE | 5 | 150 | 1,013,000 |
| SEVERELY OBESE | 6 | 80 | 439,000 |
| NOT APPLICABLE | 96 | 1,625 | 4,217,500 |
| NOT STATED | 99 | 350 | 1,085,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HWTDBMIK | **Length** | 1 | **Position** | 145 |
| **Question Name** | | | | | |
| **Concept** | BMI Class Child 2-17 (SR) - CDC BMI-for-age | | | | |
| **Question** | BMI Classification for Children Aged 2 to 17 (self-reported) - CDC BMI-for-age | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| UNDERWEIGHT | 1 | 95 | 191,500 |
| NORMAL WEIGHT | 2 | 1,050 | 2,577,000 |
| OVERWEIGHT | 3 | 205 | 530,000 |
| OBESE | 4 | 185 | 511,500 |
| NOT APPLICABLE | 6 | 3,560 | 23,160,000 |
| NOT STATED | 9 | 515 | 2,265,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HWTDCOL | **Length** | 1 | **Position** | 146 |
| **Question Name** | | | | | |
| **Concept** | BMI class. (12 to 17) / self-report - Cole system - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEITHER OVERWEIGHT NOR OBESE | 1 | 1,155 | 2,787,000 |
| OVERWEIGHT | 2 | 255 | 652,500 |
| OBESE | 3 | 120 | 370,500 |
| NOT APPLICABLE | 6 | 3,560 | 23,160,000 |
| NOT STATED | 9 | 515 | 2,265,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_11 **Length** 3 **Position** 147 - 149

**Question Name**

**Concept** Weight one year ago

**Question** How much did you weigh a year ago?

**Universe** Respondents aged 18 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 15 - 428 | 3,685 | 24,354,000 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| DON'T KNOW | 997 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTC_11N **Length** 1 **Position** 150

**Question Name**

**Concept** Weight - unit of measure in pounds/kilograms / self-reported

**Question** INTERVIEWER: Was that in pounds or kilograms?

**Universe** Respondents aged 18 and older with valid answer to WTC_11

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 3,435 | 22,493,500 |
| KILOGRAMS | 2 | 250 | 1,861,000 |
| NOT APPLICABLE | 6 | 1,885 | 4,727,500 |
| NOT STATED | 9 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTCD11KG **Length** 3 **Position** 151 - 153

**Question Name**

**Concept** Weight (kilograms) / self-reported - (D)

**Question**

**Universe** Respondents aged 18 and older with valid answer to WTC_11

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 7 - 194 | 3,685 | 24,354,000 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| NOT STATED | 999 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTCD11LB **Length** 3 **Position** 154 - 156

**Question Name**

**Concept** Weight (pounds) / self-reported - (D)

**Question**

**Universe** Respondents aged 18 and older with valid answer to WTC_11

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 15 - 428 | 3,685 | 24,354,000 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| NOT STATED | 999 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_12 **Length** 1 **Position** 157

**Question Name**

**Concept** Weight change intentional

**Question** Was the change between your current weight and your weight a year ago intentional?

**Universe** Respondents aged 18 and older with a change of at least 10 pounds / 4 kilograms between their current weight and their weight one year ago

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 365 | 2,490,000 |
| NO | 2 | 660 | 4,225,500 |
| NOT APPLICABLE | 6 | 4,525 | 22,221,000 |
| NOT STATED | 9 | 50 | 299,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTC_21 **Length** 3 **Position** 158 - 160

**Question Name**

**Concept** Weight ten years ago

**Question** How much did you weigh 10 years ago?

**Universe** Respondents aged 28 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 38 - 425 | 3,075 | 19,845,000 |
| NOT APPLICABLE | 996 | 2,465 | 9,035,500 |
| DON'T KNOW | 997 | 35 | 240,500 |
| REFUSAL | 998 | 5 | 1,500 |
| NOT STATED | 999 | 25 | 112,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_21N **Length** 1 **Position** 161

**Question Name**

**Concept** Weight - unit of measure in pounds/kilograms / self-reported

**Question** INTERVIEWER: Was that in pounds or kilograms?

**Universe** Respondents aged 28 and older with valid answer to WTC_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 2,840 | 18,113,000 |
| KILOGRAMS | 2 | 235 | 1,732,000 |
| NOT APPLICABLE | 6 | 2,465 | 9,035,500 |
| NOT STATED | 9 | 60 | 355,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** WTCD21KG **Length** 3 **Position** 162 - 164

**Question Name**

**Concept** Weight (kilograms) / self-reported - (D)

**Question**

**Universe** Respondents aged 28 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 38 - 193 | 3,075 | 19,845,000 |
| NOT APPLICABLE | 996 | 2,465 | 9,035,500 |
| NOT STATED | 999 | 60 | 355,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTCD21LB | **Length** | 3 | **Position** | 165 - 167 |
| **Question Name** | | | | | |
| **Concept** | Weight (pounds) / self-reported - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 28 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 84 - 425 | 3,075 | 19,845,000 |
| NOT APPLICABLE | 996 | 2,465 | 9,035,500 |
| NOT STATED | 999 | 60 | 355,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTC_22 | **Length** | 3 | **Position** | 168 - 170 |
| **Question Name** | | | | | |
| **Concept** | Weight at age 25 | | | | |
| **Question** | How much did you weigh at age 25? | | | | |
| **Universe** | Respondents aged 27 and older excluding 35 year olds | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 40 - 370 | 3,045 | 19,775,500 |
| NOT APPLICABLE | 996 | 2,480 | 9,064,500 |
| DON'T KNOW | 997 | 45 | 265,000 |
| REFUSAL | 998 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 128,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_22N **Length** 1 **Position** 171

**Question Name**

**Concept** Weight - unit of measure in pounds/kilograms / self-reported

**Question** INTERVIEWER: Was that in pounds or kilograms?

**Universe** Respondents aged 27 and older excluding 35 year with valid answer to WTC_22

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 2,815 | 18,069,000 |
| KILOGRAMS | 2 | 230 | 1,706,500 |
| NOT APPLICABLE | 6 | 2,480 | 9,064,500 |
| NOT STATED | 9 | 80 | 395,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTCD22KG **Length** 3 **Position** 172 - 174

**Question Name**

**Concept** Weight (kilograms) / self-reported - (D)

**Question**

**Universe** Respondents aged 27 and older excluding 35 year olds

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 36 - 168 | 3,045 | 19,775,500 |
| NOT APPLICABLE | 996 | 2,480 | 9,064,500 |
| NOT STATED | 999 | 80 | 395,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTCD22LB **Length** 3 **Position** 175 - 177

**Question Name**

**Concept** Weight (pounds) / self-reported - (D)

**Question**

**Universe** Respondents aged 27 and older excluding 35 year olds

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 80 - 370 | 3,045 | 19,775,500 |
| NOT APPLICABLE | 996 | 2,480 | 9,064,500 |
| NOT STATED | 999 | 80 | 395,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTC_23 **Length** 3 **Position** 178 - 180

**Question Name**

**Concept** Most ever weighed

**Question** What is the most you have ever weighed [excluding during pregnancy]?

**Universe** Respondents aged 18 and older (excluding pregnancy)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 47 - 525 | 3,670 | 24,240,500 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| DON'T KNOW | 997 | 15 | 113,500 |
| NOT STATED | 999 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_23N **Length** 1 **Position** 181

**Question Name**

**Concept** Weight - unit of measure in pounds/kilograms / self-reported

**Question** INTERVIEWER: Was that in pounds or kilograms?

**Universe** Respondents aged 18 and older (excluding pregnancy) with valid answer to WTC_23

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 3,430 | 22,427,500 |
| KILOGRAMS | 2 | 245 | 1,813,000 |
| NOT APPLICABLE | 6 | 1,885 | 4,727,500 |
| NOT STATED | 9 | 50 | 267,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTCD23KG **Length** 3 **Position** 182 - 184

**Question Name**

**Concept** Weight (kilograms) / self-reported - (D)

**Question**

**Universe** Respondents aged 18 and older (excluding pregnancy)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 44 - 238 | 3,670 | 24,240,500 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| NOT STATED | 999 | 50 | 267,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTCD23LB | **Length** | 3 | **Position** | 185 - 187 |
| **Question Name** | | | | | |
| **Concept** | Weight (pounds) / self-reported - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 18 and older (excluding pregnancy) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 98 - 525 | 3,670 | 24,240,500 |
| NOT APPLICABLE | 996 | 1,885 | 4,727,500 |
| NOT STATED | 999 | 50 | 267,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTC_24 | **Length** | 2 | **Position** | 188 - 189 |
| **Question Name** | | | | | |
| **Concept** | Age when first weighted most | | | | |
| **Question** | How old were you when you first weighed this amount? | | | | |
| **Universe** | Respondents aged 18 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 12 - 79 | 3,640 | 24,080,500 |
| NOT APPLICABLE | 96 | 1,885 | 4,727,500 |
| DON'T KNOW | 97 | 45 | 274,000 |
| NOT STATED | 99 | 35 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTC_25 | **Length** | 3 | **Position** | 190 - 192 |
| **Question Name** | | | | | |
| **Concept** | Least weighed since age 18 | | | | |
| **Question** | What is the least you have ever weighed since age 18? | | | | |
| **Universe** | Respondents aged 19 and over | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT | 38 - 270 | 3,500 | 23,446,000 |
| NOT APPLICABLE | 996 | 1,995 | 5,136,500 |
| DON'T KNOW | 997 | 75 | 502,500 |
| NOT STATED | 999 | 35 | 150,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WTC_25N | **Length** | 1 | **Position** | 193 |
| **Question Name** | | | | | |
| **Concept** | Weight - unit of measure in pounds/kilograms / self-reported | | | | |
| **Question** | INTERVIEWER: Was that in pounds or kilograms? | | | | |
| **Universe** | Respondents aged 19 and older who answered WTC_25 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS | 1 | 3,255 | 21,587,500 |
| KILOGRAMS | 2 | 245 | 1,858,500 |
| NOT APPLICABLE | 6 | 1,995 | 5,136,500 |
| NOT STATED | 9 | 110 | 653,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTCD25KG **Length** 3 **Position** 194 - 196
**Question Name**
**Concept** Weight (kilograms) / self-reported - (D)
**Question**
**Universe** Respondents aged 19 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 27 - 122 | 3,500 | 23,446,000 |
| NOT APPLICABLE | 996 | 1,995 | 5,136,500 |
| NOT STATED | 999 | 110 | 653,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTCD25LB **Length** 3 **Position** 197 - 199
**Question Name**
**Concept** Weight (pounds) / self-reported - (D)
**Question**
**Universe** Respondents aged 19 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 60 - 270 | 3,500 | 23,446,000 |
| NOT APPLICABLE | 996 | 1,995 | 5,136,500 |
| NOT STATED | 999 | 110 | 653,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_26 **Length** 2 **Position** 200 - 201

**Question Name**

**Concept** Age when weighed least since age 18

**Question** How old were you when you first weighed this amount?

**Universe** Respondents aged 19 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 18 - 79 | 3,485 | 23,305,500 |
| NOT APPLICABLE | 96 | 1,995 | 5,136,500 |
| DON'T KNOW | 97 | 90 | 631,000 |
| REFUSAL | 98 | 5 | 12,000 |
| NOT STATED | 99 | 35 | 150,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WTC_27 **Length** 1 **Position** 202

**Question Name**

**Concept** Weight change 10 lb./4 kgs or more in a year since age 18

**Question** Since age 18, has your weight increased or decreased by 10 pounds/4 kilograms or more in a single year?

**Universe** Respondents aged 19 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,115 | 14,426,000 |
| NO | 2 | 1,435 | 9,403,000 |
| NOT APPLICABLE | 6 | 1,995 | 5,136,500 |
| DON'T KNOW | 7 | 25 | 119,500 |
| NOT STATED | 9 | 35 | 150,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WTC_28 **Length** 3 **Position** 203 - 205

**Question Name**

**Concept** Times gained/lost 10lbs/4kgs or more in a year since age 18

**Question** How many times has this happened (gaining or losing 10 pounds/4 kilograms or more in a single year)?

**Universe** Respondents who answered WTC_27 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 100 | 2,085 | 14,264,500 |
| NOT APPLICABLE | 996 | 3,430 | 14,539,500 |
| DON'T KNOW | 997 | 35 | 161,500 |
| NOT STATED | 999 | 60 | 270,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MFC_11 **Length** 3 **Position** 206 - 208

**Question Name**

**Concept** Eats red meat - number times

**Question** How often do you usually eat red meat, such as beef, hamburger, pork or lamb?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_11N | **Length** | 1 | **Position** | 209 |
| **Question Name** | | | | | |
| **Concept** | Eats red meat - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 700 | 3,823,000 |
| PER WEEK | 2 | 4,250 | 21,896,500 |
| PER MONTH | 3 | 405 | 2,151,000 |
| PER YEAR | 4 | 50 | 236,000 |
| NOT APPLICABLE | 6 | 200 | 1,129,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD11Y | **Length** | 4 | **Position** | 210 - 213 |
| **Question Name** | | | | | |
| **Concept** | Eats red meat - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2555 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFC_12 **Length** 3 **Position** 214 - 216

**Question Name**

**Concept** Eats liver - number times

**Question** How often do you usually eat liver (including all types of liver such as beef, veal, port or chicken, but excluding liverwurst and liver pâté)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 15 | 5,600 | 29,202,500 |
| DON'T KNOW | 997 | 5 | 33,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MFC_12N **Length** 1 **Position** 217

**Question Name**

**Concept** Eats liver - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to MFC_12

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 41,500 |
| PER WEEK | 2 | 125 | 543,500 |
| PER MONTH | 3 | 570 | 3,334,000 |
| PER YEAR | 4 | 800 | 5,179,500 |
| NOT APPLICABLE | 6 | 4,100 | 20,104,000 |
| NOT STATED | 9 | 5 | 33,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD12Y | **Length** | 4 | **Position** | 218 - 221 |
| **Question Name** | | | | | |
| **Concept** | Eats liver - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_12 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,600 | 29,202,500 |
| NOT STATED | 9999 | 5 | 33,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_13 | **Length** | 3 | **Position** | 222 - 224 |
| **Question Name** | | | | | |
| **Concept** | Eats other organ meats - number times | | | | |
| **Question** | (How often do you usually eat:) ... other organ meats such as kidneys, heart or giblets? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 20 | 5,600 | 29,143,000 |
| DON'T KNOW | 997 | 5 | 92,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_13N | **Length** | 1 | **Position** | 225 |
| **Question Name** | | | | | |
| **Concept** | Eats other organ meats - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 51,000 |
| PER WEEK | 2 | 35 | 160,000 |
| PER MONTH | 3 | 150 | 836,000 |
| PER YEAR | 4 | 425 | 2,672,500 |
| NOT APPLICABLE | 6 | 4,990 | 25,423,500 |
| NOT STATED | 9 | 5 | 92,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD13Y | **Length** | 4 | **Position** | 226 - 229 |
| **Question Name** | | | | | |
| **Concept** | Eats other organ meats - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 730 | 5,600 | 29,143,000 |
| NOT STATED | 9999 | 5 | 92,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_14 | **Length** | 3 | **Position** | 230 - 232 |
| **Question Name** | | | | | |
| **Concept** | Eats beef or pork hot dogs - number times | | | | |
| **Question** | (How often do you usually eat:) ... beef or pork hot dogs? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_14N | **Length** | 1 | **Position** | 233 |
| **Question Name** | | | | | |
| **Concept** | Eats beef or pork hot dogs - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 25 | 129,500 |
| PER WEEK | 2 | 975 | 4,339,000 |
| PER MONTH | 3 | 2,095 | 10,238,500 |
| PER YEAR | 4 | 1,225 | 7,016,000 |
| NOT APPLICABLE | 6 | 1,285 | 7,512,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD14Y | **Length** | 4 | **Position** | 234 - 237 |
| **Question Name** | | | | | |
| **Concept** | Eats beef or pork hot dogs - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1460 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_15 | **Length** | 3 | **Position** | 238 - 240 |
| **Question Name** | | | | | |
| **Concept** | Eats sausage or bacon - number times | | | | |
| **Question** | (How often do you usually eat:) ... sausage or bacon (including all types of sausages such as breakfast, pepperoni and Kielbassa but excluding low-fat, light or turkey varieties)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_15N | **Length** | 1 | **Position** | 241 |
| **Question Name** | | | | | |
| **Concept** | Eats sausage or bacon - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 60 | 227,500 |
| PER WEEK | 2 | 2,020 | 10,473,000 |
| PER MONTH | 3 | 2,260 | 11,705,000 |
| PER YEAR | 4 | 535 | 2,968,500 |
| NOT APPLICABLE | 6 | 725 | 3,861,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD15Y | **Length** | 4 | **Position** | 242 - 245 |
| **Question Name** | | | | | |
| **Concept** | Eats sausage or bacon- times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1460 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFC_16 **Length** 3 **Position** 246 - 248

**Question Name**

**Concept** Eats salt water fish - number times

**Question** How often do you usually eat salt water fish such as salmon, tuna or fish sticks?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MFC_16N **Length** 1 **Position** 249

**Question Name**

**Concept** Eats salt water fish - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to MFC_16

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 35 | 177,000 |
| PER WEEK | 2 | 2,560 | 13,720,000 |
| PER MONTH | 3 | 1,905 | 9,927,500 |
| PER YEAR | 4 | 310 | 1,668,000 |
| NOT APPLICABLE | 6 | 790 | 3,743,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD16Y | **Length** | 4 | **Position** | 250 - 253 |
| **Question Name** | | | | | |
| **Concept** | Eats salt water fish - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_16 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 730 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_17 | **Length** | 3 | **Position** | 254 - 256 |
| **Question Name** | | | | | |
| **Concept** | Eats fresh water fish - number times | | | | |
| **Question** | (How often do you usually eat:) ... fresh water fish such as trout, walleye or pickerel? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,595 | 29,203,000 |
| DON'T KNOW | 997 | 10 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_17N | **Length** | 1 | **Position** | 257 |
| **Question Name** | | | | | |
| **Concept** | Eats fresh water fish- reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 50,500 |
| PER WEEK | 2 | 600 | 3,054,000 |
| PER MONTH | 3 | 1,150 | 6,019,000 |
| PER YEAR | 4 | 1,085 | 6,206,000 |
| NOT APPLICABLE | 6 | 2,755 | 13,874,000 |
| NOT STATED | 9 | 10 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD17Y | **Length** | 4 | **Position** | 258 - 261 |
| **Question Name** | | | | | |
| **Concept** | Eats fresh water fish - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 730 | 5,595 | 29,203,000 |
| NOT STATED | 9999 | 10 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFC_18 **Length** 3 **Position** 262 - 264

**Question Name**

**Concept** Eats shellfish - number times

**Question** (How often do you usually eat:) ... shellfish, such as shrimp, mussels, scallops, lobster, clams, oysters or crab?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 52 | 5,600 | 29,227,500 |
| DON'T KNOW | 997 | 5 | 8,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MFC_18N **Length** 1 **Position** 265

**Question Name**

**Concept** Eats shellfish - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to MFC_18

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 15,000 |
| PER WEEK | 2 | 815 | 4,576,500 |
| PER MONTH | 3 | 2,010 | 10,856,500 |
| PER YEAR | 4 | 1,095 | 5,746,500 |
| NOT APPLICABLE | 6 | 1,680 | 8,032,000 |
| NOT STATED | 9 | 5 | 8,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFCD18Y **Length** 4 **Position** 266 - 269

**Question Name**

**Concept** Eats shellfish - times per year - (D)

**Question**

**Universe** Respondents with answer >0 to MFC_18

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 365 | 5,600 | 29,227,500 |
| NOT STATED | 9999 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MFC_19 **Length** 3 **Position** 270 - 272

**Question Name**

**Concept** Eats eggs and egg dishes - number times

**Question** (How often do you usually eat:) ... eggs and egg dishes including the yolk (excluding all egg dishes made with only egg whites)? Egg dishes could include such things as eggs, omelette, frittata or quiche.

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,232,500 |
| DON'T KNOW | 997 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_19N | **Length** | 1 | **Position** | 273 |
| **Question Name** | | | | | |
| **Concept** | Eats eggs and egg dishes - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MFC_19 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 255 | 1,293,000 |
| PER WEEK | 2 | 3,785 | 20,076,500 |
| PER MONTH | 3 | 1,115 | 5,626,000 |
| PER YEAR | 4 | 85 | 522,000 |
| NOT APPLICABLE | 6 | 360 | 1,715,500 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD19Y | **Length** | 4 | **Position** | 274 - 277 |
| **Question Name** | | | | | |
| **Concept** | Eats eggs and egg dishes - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_19 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1460 | 5,605 | 29,232,500 |
| NOT STATED | 9999 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFC_20 **Length** 3 **Position** 278 - 280

**Question Name**

**Concept** Eats cooked dried beans - number times

**Question** (How often do you usually eat:) ... cooked dried beans, such as refried beans, baked beans, pea soup or kidney beans, excluding green and yellow beans?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,605 | 29,232,500 |
| DON'T KNOW | 997 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MFC_20N **Length** 1 **Position** 281

**Question Name**

**Concept** Eats cooked dried beans - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to MFC_20

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 100 | 600,000 |
| PER WEEK | 2 | 1,845 | 10,019,000 |
| PER MONTH | 3 | 2,045 | 10,965,500 |
| PER YEAR | 4 | 495 | 2,827,000 |
| NOT APPLICABLE | 6 | 1,120 | 4,821,000 |
| NOT STATED | 9 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFCD20Y | **Length** | 4 | **Position** | 282 - 285 |
| **Question Name** | | | | | |
| **Concept** | Eats cooked dried beans - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MFC_20 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 730 | 5,605 | 29,232,500 |
| NOT STATED | 9999 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MFC_21 | **Length** | 3 | **Position** | 286 - 288 |
| **Question Name** | | | | | |
| **Concept** | Eats peanuts, walnuts, seeds or other nuts - number times | | | | |
| **Question** | (How often do you usually eat:) ... peanuts, walnuts, seeds, or other nuts, excluding nut butters such as peanut butter? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,600 | 29,218,000 |
| DON'T KNOW | 997 | 5 | 17,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MFC_21N **Length** 1 **Position** 289

**Question Name**

**Concept** Eats peanuts, walnuts, seeds or other nuts -reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to MFC_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 600 | 3,253,500 |
| PER WEEK | 2 | 2,145 | 11,817,000 |
| PER MONTH | 3 | 1,530 | 7,744,500 |
| PER YEAR | 4 | 510 | 2,716,000 |
| NOT APPLICABLE | 6 | 810 | 3,687,000 |
| NOT STATED | 9 | 5 | 17,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MFCD21Y **Length** 4 **Position** 290 - 293

**Question Name**

**Concept** Eats nuts - times per year - (D)

**Question**

**Universe** Respondents with answer >0 to MFC_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2920 | 5,600 | 29,218,000 |
| NOT STATED | 9999 | 5 | 17,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MDC_11 **Length** 3 **Position** 294 - 296
**Question Name**
**Concept** Drink milk - number of times
**Question** How often do you drink milk or enriched milk substitutes or use them on cereal?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MDC_11N **Length** 1 **Position** 297
**Question Name**
**Concept** Drink milk - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** All respondents who answered MDC_11 > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 3,610 | 17,274,500 |
| PER WEEK | 2 | 1,270 | 7,447,000 |
| PER MONTH | 3 | 255 | 1,583,500 |
| PER YEAR | 4 | 50 | 381,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MDCD11Y **Length** 4 **Position** 298 - 301

**Question Name**

**Concept** Drink milk - times per year - (D)

**Question**

**Universe** All respondents or those with MDC_11 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 4380 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MDC_12A **Length** 1 **Position** 302

**Question Name**

**Concept** Type of milk used - 3.25%

**Question** What kind of milk do you usually drink or use on cereal? - 3.25% (Whole or homo)

**Universe** Respondents who answered MDC_B11 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 455 | 2,351,500 |
| NO | 2 | 4,730 | 24,330,000 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12B | **Length** | 1 | **Position** | 303 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - 2% | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - 2% | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,475 | 11,870,000 |
| NO | 2 | 2,705 | 14,811,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12C | **Length** | 1 | **Position** | 304 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - 1% | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - 1% | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,470 | 8,067,000 |
| NO | 2 | 3,715 | 18,614,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12D | **Length** | 1 | **Position** | 305 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - 0.5% | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - 0.5% | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 30,000 |
| NO | 2 | 5,180 | 26,651,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12E | **Length** | 1 | **Position** | 306 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - skim | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - Skim or Non-Fat | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 690 | 3,745,500 |
| NO | 2 | 4,495 | 22,936,000 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12F | **Length** | 1 | **Position** | 307 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - flavoured milk beverages | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - Flavoured milk beverages (chocolate milk and flavoured milk beverage such as Oh Henry®) | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 180 | 654,500 |
| NO | 2 | 5,000 | 26,027,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12G | **Length** | 1 | **Position** | 308 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - rice | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - Rice | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 145,000 |
| NO | 2 | 5,150 | 26,536,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12H | **Length** | 1 | **Position** | 309 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - soya | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - Soya | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 265 | 1,695,500 |
| NO | 2 | 4,920 | 24,986,000 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_12I | **Length** | 1 | **Position** | 310 |
| **Question Name** | | | | | |
| **Concept** | Type of milk used - other | | | | |
| **Question** | What kind of milk do you usually drink or use on cereal? - Other | | | | |
| **Universe** | Respondents who answered MDC_B11 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 440,000 |
| NO | 2 | 5,095 | 26,241,500 |
| NOT APPLICABLE | 6 | 420 | 2,549,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_13 | **Length** | 3 | **Position** | 311 - 313 |
| **Question Name** | | | | | |
| **Concept** | Eats cottage cheese - number of times | | | | |
| **Question** | How often do you usually eat cottage cheese? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_13N | **Length** | 1 | **Position** | 314 |
| **Question Name** | | | | | |
| **Concept** | Eats cottage cheese - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MDC_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 65 | 372,500 |
| PER WEEK | 2 | 555 | 3,008,000 |
| PER MONTH | 3 | 920 | 5,108,500 |
| PER YEAR | 4 | 615 | 3,518,500 |
| NOT APPLICABLE | 6 | 3,445 | 17,228,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDCD13Y | **Length** | 4 | **Position** | 315 - 318 |
| **Question Name** | | | | | |
| **Concept** | Eats cottage cheese - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MDC_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_14 | **Length** | 3 | **Position** | 319 - 321 |
| **Question Name** | | | | | |
| **Concept** | Eats yogurt - number of times | | | | |
| **Question** | (How often do you usually eat:) ... yogurt, excluding frozen yogurt? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 45 | 5,600 | 29,226,000 |
| DON'T KNOW | 997 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_14N | **Length** | 1 | **Position** | 322 |
| **Question Name** | | | | | |
| **Concept** | Eats yogurt - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MDC_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,290 | 6,589,500 |
| PER WEEK | 2 | 2,360 | 11,795,500 |
| PER MONTH | 3 | 830 | 4,643,000 |
| PER YEAR | 4 | 180 | 1,038,500 |
| NOT APPLICABLE | 6 | 940 | 5,159,500 |
| NOT STATED | 9 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDCD14Y | **Length** | 4 | **Position** | 323 - 326 |
| **Question Name** | | | | | |
| **Concept** | Eats yogurt - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MDC_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2190 | 5,600 | 29,226,000 |
| NOT STATED | 9999 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_15 | **Length** | 3 | **Position** | 327 - 329 |
| **Question Name** | | | | | |
| **Concept** | Eats ice cream or frozen yogurt - number of times | | | | |
| **Question** | (How often do you usually eat:) ... ice cream or frozen yogurt? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 100 | 5,605 | 29,234,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDC_15N | **Length** | 1 | **Position** | 330 |
| **Question Name** | | | | | |
| **Concept** | Eats ice cream or frozen yogurt - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to MDC_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 190 | 758,500 |
| PER WEEK | 2 | 2,230 | 10,247,500 |
| PER MONTH | 3 | 2,005 | 10,925,000 |
| PER YEAR | 4 | 610 | 3,989,500 |
| NOT APPLICABLE | 6 | 570 | 3,313,000 |
| NOT STATED | 9 | 5 | 1,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MDCD15Y | **Length** | 4 | **Position** | 331 - 334 |
| **Question Name** | | | | | |
| **Concept** | Eats ice cream or frozen yogurt - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to MDC_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 730 | 5,605 | 29,234,000 |
| NOT STATED | 9999 | 5 | 1,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_11 | **Length** | 3 | **Position** | 335 - 337 |
| **Question Name** | | | | | |
| **Concept** | Eats hot or cold cereal - number of times | | | | |
| **Question** | How often do you usually eat hot or cold cereal? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_11N | **Length** | 1 | **Position** | 338 |
| **Question Name** | | | | | |
| **Concept** | Eats hot or cold cereal - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to GFV_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,600 | 7,672,500 |
| PER WEEK | 2 | 2,530 | 12,466,000 |
| PER MONTH | 3 | 715 | 4,283,500 |
| PER YEAR | 4 | 155 | 1,014,000 |
| NOT APPLICABLE | 6 | 605 | 3,799,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD11Y | **Length** | 4 | **Position** | 339 - 342 |
| **Question Name** | | | | | |
| **Concept** | Eats hot or cold cereal - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2555 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_12 **Length** 3 **Position** 343 - 345

**Question Name**

**Concept** Eats brown bread - number of times

**Question** How often do you usually eat brown bread, including bagels, rolls, pita bread or tortillas?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 25 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** GFV_12N **Length** 1 **Position** 346

**Question Name**

**Concept** Eats brown bread - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_12

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 2,415 | 12,879,000 |
| PER WEEK | 2 | 1,870 | 9,998,000 |
| PER MONTH | 3 | 360 | 1,877,500 |
| PER YEAR | 4 | 65 | 354,000 |
| NOT APPLICABLE | 6 | 895 | 4,127,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD12Y | **Length** | 4 | **Position** | 347 - 350 |
| **Question Name** | | | | | |
| **Concept** | Eats brown bread - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_12 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2920 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_13 | **Length** | 3 | **Position** | 351 - 353 |
| **Question Name** | | | | | |
| **Concept** | Eats white bread - number times | | | | |
| **Question** | (How often do you usually eat:) ... white bread, including bagels, rolls, pita bread or tortillas? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_13N | **Length** | 1 | **Position** | 354 |
| **Question Name** | | | | | |
| **Concept** | Eats white bread - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to GFV_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,220 | 5,414,000 |
| PER WEEK | 2 | 1,965 | 10,452,500 |
| PER MONTH | 3 | 775 | 4,357,500 |
| PER YEAR | 4 | 165 | 861,500 |
| NOT APPLICABLE | 6 | 1,480 | 8,150,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD13Y | **Length** | 4 | **Position** | 355 - 358 |
| **Question Name** | | | | | |
| **Concept** | Eats white bread - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 3650 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_14 **Length** 3 **Position** 359 - 361

**Question Name**

**Concept** Eats any kind of pasta - number of times

**Question** (How often do you usually eat:) ... any kind of pasta (including spaghetti, noodles, macaroni & cheese or pasta salad)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 20 | 5,605 | 29,232,500 |
| DON'T KNOW | 997 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** GFV_14N **Length** 1 **Position** 362

**Question Name**

**Concept** Eats any kind of pasta - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_14

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 115 | 599,500 |
| PER WEEK | 2 | 4,325 | 22,104,000 |
| PER MONTH | 3 | 960 | 5,447,000 |
| PER YEAR | 4 | 65 | 315,000 |
| NOT APPLICABLE | 6 | 135 | 766,500 |
| NOT STATED | 9 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFVD14Y **Length** 4 **Position** 363 - 366

**Question Name**

**Concept** Eats any kind of pasta - times per year - (D)

**Question**

**Universe** Respondents with answer >0 to GFV_14

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1825 | 5,605 | 29,232,500 |
| NOT STATED | 9999 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFV_15 **Length** 3 **Position** 367 - 369

**Question Name**

**Concept** Eats any kind of rice - number of times

**Question** (How often do you usually eat:) ... any kind of rice?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 23 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_15N | **Length** | 1 | **Position** | 370 |
| **Question Name** | | | | | |
| **Concept** | Eats any kind of rice - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to GFV_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 390 | 2,147,500 |
| PER WEEK | 2 | 3,610 | 18,582,500 |
| PER MONTH | 3 | 1,230 | 6,638,000 |
| PER YEAR | 4 | 105 | 652,000 |
| NOT APPLICABLE | 6 | 265 | 1,216,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD15Y | **Length** | 4 | **Position** | 371 - 374 |
| **Question Name** | | | | | |
| **Concept** | Eats any kind of rice - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_16 **Length** 3 **Position** 375 - 377

**Question Name**

**Concept** Eats instant, seasoned or wild rice - number of times

**Question** How often do you usually eat instant, seasoned or wild rice (such as Minute Rice®, Dainty®, Rice-a-Roni®)?

**Universe** Respondents with answer >0 to GFV_15

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 20 | 5,300 | 27,835,500 |
| NOT APPLICABLE | 996 | 265 | 1,216,000 |
| DON'T KNOW | 997 | 35 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFV_16N **Length** 1 **Position** 378

**Question Name**

**Concept** Eats instant, seasoned or wild rice - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_16

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 25 | 149,500 |
| PER WEEK | 2 | 1,350 | 6,995,000 |
| PER MONTH | 3 | 755 | 4,156,500 |
| PER YEAR | 4 | 120 | 632,500 |
| NOT APPLICABLE | 6 | 3,310 | 17,118,000 |
| NOT STATED | 9 | 35 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFVD16Y **Length** 4 **Position** 379 - 382

**Question Name**

**Concept** Eats instant, seasoned or wild rice - times per year - (D)

**Question**

**Universe** Respondents with answer >0 to GFV_16

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,300 | 27,835,500 |
| NOT APPLICABLE | 9996 | 265 | 1,216,000 |
| NOT STATED | 9999 | 35 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFV_17 **Length** 3 **Position** 383 - 385

**Question Name**

**Concept** Eats fruit - number of times

**Question** (How often do you usually eat:) ... fruit (fresh, frozen or canned)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 150 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_17N | **Length** | 1 | **Position** | 386 |
| **Question Name** | | | | | |
| **Concept** | Eats fruit - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to GFV_17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 3,735 | 18,786,000 |
| PER WEEK | 2 | 1,585 | 8,645,500 |
| PER MONTH | 3 | 190 | 1,250,500 |
| PER YEAR | 4 | 25 | 183,500 |
| NOT APPLICABLE | 6 | 70 | 369,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD17Y | **Length** | 4 | **Position** | 387 - 390 |
| **Question Name** | | | | | |
| **Concept** | Eats fruit - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 3650 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_18 **Length** 3 **Position** 391 - 393

**Question Name**

**Concept** Eats tomatoes or tomato sauce - number of times

**Question** (How often do you usually eat:) ... tomatoes or tomato sauce, including salsa, tomato soup and spaghetti sauce but excluding tomato paste, ketchup or pizza sauce?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 20 | 5,605 | 29,233,500 |
| DON'T KNOW | 997 | 5 | 2,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** GFV_18N **Length** 1 **Position** 394

**Question Name**

**Concept** Eats tomatoes or tomato sauce - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_18

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 685 | 3,763,000 |
| PER WEEK | 2 | 4,125 | 21,270,000 |
| PER MONTH | 3 | 540 | 3,170,000 |
| PER YEAR | 4 | 25 | 121,000 |
| NOT APPLICABLE | 6 | 230 | 909,500 |
| NOT STATED | 9 | 5 | 2,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFVD18Y **Length** 4 **Position** 395 - 398
**Question Name**
**Concept** Eats tomatoes or tomato sauce - times per year - (D)
**Question**
**Universe** Respondents with answer >0 to GFV_18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1825 | 5,605 | 29,233,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFV_19 **Length** 3 **Position** 399 - 401
**Question Name**
**Concept** Eats lettuce or green leafy salad - number of times
**Question** (How often do you usually eat:) … lettuce or green leafy salad with or without other vegetables?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_19N | **Length** | 1 | **Position** | 402 |
| **Question Name** | | | | | |
| **Concept** | Eats lettuce or green leafy salad - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to GFV_19 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 930 | 5,058,500 |
| PER WEEK | 2 | 3,665 | 19,522,000 |
| PER MONTH | 3 | 555 | 2,904,000 |
| PER YEAR | 4 | 50 | 307,000 |
| NOT APPLICABLE | 6 | 405 | 1,444,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD19Y | **Length** | 4 | **Position** | 403 - 406 |
| **Question Name** | | | | | |
| **Concept** | Eats lettuce or green leafy salad - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_19 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2555 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_20 **Length** 3 **Position** 407 - 409

**Question Name**

**Concept** Eats spinach, mustard greens or collards - number of times

**Question** (How often do you usually eat:) spinach, mustard greens or collards excluding kale?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFV_20N **Length** 1 **Position** 410

**Question Name**

**Concept** Eats spinach, mustard greens or collards - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_20

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 105 | 518,000 |
| PER WEEK | 2 | 1,335 | 7,374,000 |
| PER MONTH | 3 | 1,445 | 8,149,500 |
| PER YEAR | 4 | 400 | 2,212,500 |
| NOT APPLICABLE | 6 | 2,320 | 10,981,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD20Y | **Length** | 4 | **Position** | 411 - 414 |
| **Question Name** | | | | | |
| **Concept** | Eats spinach, mustard greens or collards - times per year | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_20 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_21 | **Length** | 3 | **Position** | 415 - 417 |
| **Question Name** | | | | | |
| **Concept** | Eats french/home fries or hash brown potatoes - number times | | | | |
| **Question** | How often do you usually eat french fries, home fries, or hash brown potatoes? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_21N **Length** 1 **Position** 418

**Question Name**

**Concept** Eats french/home fries or hash brown potatoes - rep. per.

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 40 | 252,000 |
| PER WEEK | 2 | 2,580 | 12,701,500 |
| PER MONTH | 3 | 2,050 | 10,816,500 |
| PER YEAR | 4 | 340 | 1,949,000 |
| NOT APPLICABLE | 6 | 595 | 3,516,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFVD21Y **Length** 4 **Position** 419 - 422

**Question Name**

**Concept** Eats french/home fries/hash brown potatoes - times/year

**Question**

**Universe** Respondents with answer >0 to GFV_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 4745 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_22 **Length** 3 **Position** 423 - 425

**Question Name**

**Concept** Eats other potatoes - number of times

**Question** (How often do you usually eat:) ... other potatoes including baked, boiled, mashed or in potato salad, but excluding sweet potatoes?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,232,500 |
| DON'T KNOW | 997 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** GFV_22N **Length** 1 **Position** 426

**Question Name**

**Concept** Eats other potatoes - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_22

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 220 | 1,117,000 |
| PER WEEK | 2 | 3,885 | 19,866,500 |
| PER MONTH | 3 | 1,085 | 6,007,000 |
| PER YEAR | 4 | 105 | 772,500 |
| NOT APPLICABLE | 6 | 305 | 1,470,000 |
| NOT STATED | 9 | 5 | 3,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFVD22Y | **Length** | 4 | **Position** | 427 - 430 |
| **Question Name** | | | | | |
| **Concept** | Eats other potatoes - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to GFV_22 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1460 | 5,605 | 29,232,500 |
| NOT STATED | 9999 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GFV_23 | **Length** | 3 | **Position** | 431 - 433 |
| **Question Name** | | | | | |
| **Concept** | Eats all other types of vegetables - number of times | | | | |
| **Question** | (How often do you usually eat:) ... all other types of vegetables, excluding those already mentioned? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 25 | 5,605 | 29,217,500 |
| DON'T KNOW | 997 | 5 | 18,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GFV_23N **Length** 1 **Position** 434

**Question Name**

**Concept** Eats all other types of vegetables - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to GFV_23

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 3,255 | 16,285,500 |
| PER WEEK | 2 | 2,125 | 11,833,500 |
| PER MONTH | 3 | 150 | 836,000 |
| PER YEAR | 4 | 15 | 63,500 |
| NOT APPLICABLE | 6 | 60 | 199,000 |
| NOT STATED | 9 | 5 | 18,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GFVD23Y **Length** 4 **Position** 435 - 438

**Question Name**

**Concept** Eats all other types of vegetables - times per year - (D)

**Question**

**Universe** Respondents with answer >0 to GFV_23

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 3650 | 5,605 | 29,217,500 |
| NOT STATED | 9999 | 5 | 18,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DFC_11 **Length** 3 **Position** 439 - 441

**Question Name**

**Concept** Eats regular-fat salad dressing - number of times

**Question** How often do you usually eat regular-fat salad dressing or mayonnaise (including on salads and sandwiches)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 36 | 5,600 | 29,231,000 |
| DON'T KNOW | 997 | 5 | 4,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** DFC_11N **Length** 1 **Position** 442

**Question Name**

**Concept** Eats regular-fat salad dressing - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to DFC_11

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 560 | 2,799,000 |
| PER WEEK | 2 | 2,890 | 15,125,000 |
| PER MONTH | 3 | 655 | 3,756,500 |
| PER YEAR | 4 | 80 | 466,000 |
| NOT APPLICABLE | 6 | 1,420 | 7,084,500 |
| NOT STATED | 9 | 5 | 4,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** DFCD11Y **Length** 4 **Position** 443 - 446

**Question Name**

**Concept** Eats regular-fat salad dressing - times per year

**Question**

**Universe** Respondents with answer >0 to DFC_11

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2555 | 5,600 | 29,231,000 |
| NOT STATED | 9999 | 5 | 4,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** DFC_12 **Length** 3 **Position** 447 - 449

**Question Name**

**Concept** Eats regular-fat potato chips/tortilla/corn chips - nb times

**Question** How often do you usually eat regular-fat potato chips, tortilla chips or corn chips (excluding low fat chips and pretzels)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 30 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DFC_12N | **Length** | 1 | **Position** | 450 |
| **Question Name** | | | | | |
| **Concept** | Eats reg-fat potato/tortilla/corn chips - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to DFC_12 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 135 | 689,500 |
| PER WEEK | 2 | 2,465 | 12,099,500 |
| PER MONTH | 3 | 1,770 | 9,414,500 |
| PER YEAR | 4 | 380 | 2,222,500 |
| NOT APPLICABLE | 6 | 850 | 4,809,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | DFCD12Y | **Length** | 4 | **Position** | 451 - 454 |
| **Question Name** | | | | | |
| **Concept** | Eats regular-fat chips - times/yr | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to DFC_12 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_11 | **Length** | 3 | **Position** | 455 - 457 |
| **Question Name** | | | | | |
| **Concept** | Drinks regular soft drinks - number of times | | | | |
| **Question** | How often do you usually drink regular soft drinks? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_11N | **Length** | 1 | **Position** | 458 |
| **Question Name** | | | | | |
| **Concept** | Drinks regular soft drinks - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to WSD_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 490 | 2,741,500 |
| PER WEEK | 2 | 1,580 | 8,212,000 |
| PER MONTH | 3 | 1,075 | 5,102,500 |
| PER YEAR | 4 | 320 | 1,539,500 |
| NOT APPLICABLE | 6 | 2,140 | 11,640,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSDD11Y | **Length** | 4 | **Position** | 459 - 462 |
| **Question Name** | | | | | |
| **Concept** | Drinks regular soft drinks - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to WSD_11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 5840 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_12 | **Length** | 3 | **Position** | 463 - 465 |
| **Question Name** | | | | | |
| **Concept** | Drinks diet soft drinks - number of times | | | | |
| **Question** | How often do you usually drink diet soft drinks? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 15 | 5,600 | 29,221,000 |
| DON'T KNOW | 997 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WSD_12N **Length** 1 **Position** 466
**Question Name**
**Concept** Drinks diet soft drinks - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents with answer >0 to WSD_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 325 | 1,880,000 |
| PER WEEK | 2 | 720 | 4,074,500 |
| PER MONTH | 3 | 450 | 2,481,500 |
| PER YEAR | 4 | 125 | 651,000 |
| NOT APPLICABLE | 6 | 3,980 | 20,134,500 |
| NOT STATED | 9 | 5 | 14,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** WSDD12Y **Length** 4 **Position** 467 - 470
**Question Name**
**Concept** Drinks diet soft drinks - times per year - (D)
**Question**
**Universe** Respondents with answer >0 to WSD_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2920 | 5,600 | 29,221,000 |
| NOT STATED | 9999 | 5 | 14,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WSD_13 **Length** 3 **Position** 471 - 473

**Question Name**

**Concept** Drinks sport drinks - number of times

**Question** (How often do you usually drink:) ... sport drinks, such as Gatorade® or Powerade®?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 60 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** WSD_13N **Length** 1 **Position** 474

**Question Name**

**Concept** Drinks sport drinks - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to WSD_13

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 65 | 353,500 |
| PER WEEK | 2 | 645 | 3,012,000 |
| PER MONTH | 3 | 835 | 3,790,500 |
| PER YEAR | 4 | 435 | 2,053,500 |
| NOT APPLICABLE | 6 | 3,625 | 20,026,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSDD13Y | **Length** | 4 | **Position** | 475 - 478 |
| **Question Name** | | | | | |
| **Concept** | Drinks sport drinks - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to WSD_13 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_14 | **Length** | 3 | **Position** | 479 - 481 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit juices - number of times | | | | |
| **Question** | How often do you usually drink fruit juices? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 120 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_14N | **Length** | 1 | **Position** | 482 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit juices - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to WSD_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 2,280 | 10,745,500 |
| PER WEEK | 2 | 2,090 | 11,198,500 |
| PER MONTH | 3 | 545 | 3,500,000 |
| PER YEAR | 4 | 100 | 693,500 |
| NOT APPLICABLE | 6 | 585 | 3,098,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSDD14Y | **Length** | 4 | **Position** | 483 - 486 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit juices - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to WSD_14 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 3650 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_15 | **Length** | 3 | **Position** | 487 - 489 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit flavoured drinks - number of times | | | | |
| **Question** | (How often do you usually drink:) ... fruit flavoured drinks? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 32 | 5,605 | 29,234,500 |
| DON'T KNOW | 997 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_15N | **Length** | 1 | **Position** | 490 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit flavoured drinks - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to WSD_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 590 | 2,389,000 |
| PER WEEK | 2 | 1,120 | 5,233,000 |
| PER MONTH | 3 | 550 | 2,936,500 |
| PER YEAR | 4 | 150 | 833,000 |
| NOT APPLICABLE | 6 | 3,195 | 17,842,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSDD15Y | **Length** | 4 | **Position** | 491 - 494 |
| **Question Name** | | | | | |
| **Concept** | Drinks fruit flavoured drinks - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to WSD_15 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2555 | 5,605 | 29,234,500 |
| NOT STATED | 9999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_16 | **Length** | 3 | **Position** | 495 - 497 |
| **Question Name** | | | | | |
| **Concept** | Drinks vegetable juices - number of times | | | | |
| **Question** | (How often do you usually drink:) ... vegetable juices? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 50 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_16N | **Length** | 1 | **Position** | 498 |
| **Question Name** | | | | | |
| **Concept** | Drinks vegetable juices - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to WSD_16 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 200 | 1,051,000 |
| PER WEEK | 2 | 905 | 4,912,500 |
| PER MONTH | 3 | 865 | 4,868,000 |
| PER YEAR | 4 | 315 | 1,786,500 |
| NOT APPLICABLE | 6 | 3,325 | 16,617,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSDD16Y | **Length** | 4 | **Position** | 499 - 502 |
| **Question Name** | | | | | |
| **Concept** | Drinks vegetable juices - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to WSD_16 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2190 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_21 | **Length** | 3 | **Position** | 503 - 505 |
| **Question Name** | | | | | |
| **Concept** | Drinks water - number of times | | | | |
| **Question** | (How often do you usually drink:) ... water? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 28 | 5,600 | 29,229,000 |
| DON'T KNOW | 997 | 5 | 6,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_21N | **Length** | 1 | **Position** | 506 |
| **Question Name** | | | | | |
| **Concept** | Drinks water - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents with answer >0 to WSD_21 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5,200 | 27,202,500 |
| PER WEEK | 2 | 300 | 1,481,500 |
| PER MONTH | 3 | 30 | 194,000 |
| PER YEAR | 4 | 5 | 19,500 |
| NOT APPLICABLE | 6 | 65 | 331,500 |
| NOT STATED | 9 | 5 | 6,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WSDD21Y **Length** 4 **Position** 507 - 510
**Question Name**
**Concept** Drinks water - times per year - (D)
**Question**
**Universe** Respondents with answer >0 to WSD_21
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 7300 | 5,600 | 29,229,000 |
| NOT STATED | 9999 | 5 | 6,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WSD_22 **Length** 1 **Position** 511
**Question Name**
**Concept** Primary source of drinking water
**Question** When you drink water at home or away from home, what is your primary source of drinking water?)
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| TAP WATER | 1 | 3,225 | 16,454,000 |
| BOTTLED WATER | 2 | 2,175 | 11,646,500 |
| OTHER | 3 | 195 | 1,089,000 |
| DON'T KNOW | 7 | 5 | 13,000 |
| REFUSAL | 8 | 5 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** WSD_23 **Length** 1 **Position** 512

**Question Name**

**Concept** Source of tap water in the home

**Question** What is the source of the tap water in this home?

**Universe** One respondent per household

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MUNICIPALLY TREATED WATER | 1 | 4,825 | 25,182,000 |
| PRIVATE WELL | 2 | 715 | 3,683,500 |
| SURFACE SOURCE | 3 | 35 | 166,000 |
| OTHER | 4 | 10 | 52,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 5 | 66,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** WSD_24A **Length** 1 **Position** 513

**Question Name**

**Concept** Water treatment - filter

**Question** Is the water in this home treated using: a filter, for example a Brita® filter?

**Universe** One respondent per household

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,545 | 8,910,500 |
| NO | 2 | 4,025 | 20,119,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_24B | **Length** | 1 | **Position** | 514 |
| **Question Name** | | | | | |
| **Concept** | Water treatment - water softener | | | | |
| **Question** | Is the water in this home treated using: a water softener? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 380 | 1,934,000 |
| NO | 2 | 5,190 | 27,096,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_24C | **Length** | 1 | **Position** | 515 |
| **Question Name** | | | | | |
| **Concept** | Water treatment - ultraviolet system | | | | |
| **Question** | Is the water in this home treated using: an ultraviolet system? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 411,500 |
| NO | 2 | 5,490 | 28,618,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_24D | **Length** | 1 | **Position** | 516 |
| **Question Name** | | | | | |
| **Concept** | Water treatment - reverse osmosis | | | | |
| **Question** | Is the water in this home treated using: reverse osmosis? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 835,000 |
| NO | 2 | 5,415 | 28,195,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_24E | **Length** | 1 | **Position** | 517 |
| **Question Name** | | | | | |
| **Concept** | Water treatment - other | | | | |
| **Question** | Is the water in this home treated using: Other - specify | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 922,500 |
| NO | 2 | 5,415 | 28,107,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WSD_24F | **Length** | 1 | **Position** | 518 |
| **Question Name** | | | | | |
| **Concept** | Water treatment - no treatment | | | | |
| **Question** | Is the water in this home treated using: No treatment | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,485 | 17,243,500 |
| NO | 2 | 2,085 | 11,787,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 25 | 120,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SLT_11 | **Length** | 1 | **Position** | 519 |
| **Question Name** | | | | | |
| **Concept** | Salt added to food | | | | |
| **Question** | How often do you usually add salt to your food, excluding during cooking? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ALWAYS | 1 | 510 | 2,987,500 |
| OFTEN | 2 | 615 | 3,303,000 |
| SOMETIMES | 3 | 985 | 5,305,500 |
| RARELY | 4 | 1,480 | 7,748,500 |
| NEVER | 5 | 2,020 | 9,891,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SLT_12 | **Length** | 1 | **Position** | 520 |
| **Question Name** | | | | | |
| **Concept** | Type of salt usually used | | | | |
| **Question** | What type of salt is usually used? | | | | |
| **Universe** | Respondents who answered SLT_11 = (1,2,3,4) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ORDINARY TABLE SALT | 1 | 2,665 | 14,529,500 |
| SEA, KOSHER, SEASONED, FLAVOURED SALT | 2 | 840 | 4,373,500 |
| LIGHT SALT | 3 | 40 | 209,000 |
| SALT SUBSTITUTE | 4 | 15 | 112,500 |
| OTHER | 5 | 25 | 115,000 |
| NOT APPLICABLE | 6 | 2,020 | 9,891,000 |
| DON'T KNOW | 7 | 5 | 4,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SLT_13 | **Length** | 1 | **Position** | 521 |
| **Question Name** | | | | | |
| **Concept** | Ordinary table salt added cooking or preparation of foods | | | | |
| **Question** | How often is ordinary table salt added during the cooking or preparation of foods in this household? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ALWAYS | 1 | 1,290 | 6,843,000 |
| OFTEN | 2 | 895 | 4,954,500 |
| SOMETIMES | 3 | 1,135 | 6,030,500 |
| RARELY | 4 | 1,125 | 5,845,500 |
| NEVER | 5 | 1,110 | 5,297,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 180,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11A | **Length** | 1 | **Position** | 522 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - walking | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Walking for exercise | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,095 | 18,793,500 |
| NO | 2 | 1,430 | 8,255,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11B | **Length** | 1 | **Position** | 523 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - gardening or yard work | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Gardening or yard work | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,000 | 11,933,000 |
| NO | 2 | 2,520 | 15,116,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11C | **Length** | 1 | **Position** | 524 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - swimming | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Swimming | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,315 | 6,973,000 |
| NO | 2 | 3,210 | 20,076,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11D | **Length** | 1 | **Position** | 525 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - bicycling | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Bicycling | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,340 | 7,078,500 |
| NO | 2 | 3,180 | 19,971,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11E | **Length** | 1 | **Position** | 526 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - popular or social dance | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Popular or social dance | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 960 | 5,690,500 |
| NO | 2 | 3,565 | 21,359,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11F | **Length** | 1 | **Position** | 527 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - home exercises | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Home exercises | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,525 | 9,171,000 |
| NO | 2 | 2,995 | 17,878,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11G | **Length** | 1 | **Position** | 528 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - ice hockey | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Ice hockey | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 270 | 1,514,500 |
| NO | 2 | 4,255 | 25,535,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11H | **Length** | 1 | **Position** | 529 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - ice skating | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Ice skating | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 395 | 2,190,500 |
| NO | 2 | 4,125 | 24,859,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11I | **Length** | 1 | **Position** | 530 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - in-line skating or rollerblading | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - In-line skating or rollerblading | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 280 | 1,222,000 |
| NO | 2 | 4,245 | 25,827,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11J | **Length** | 1 | **Position** | 531 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - jogging or running | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Jogging or running | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,090 | 5,997,000 |
| NO | 2 | 3,435 | 21,052,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11K | **Length** | 1 | **Position** | 532 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - golfing | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Golfing | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 470 | 2,908,000 |
| NO | 2 | 4,050 | 24,141,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11L | **Length** | 1 | **Position** | 533 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - exercise class or aerobics | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Exercise class or aerobics | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 500 | 2,909,500 |
| NO | 2 | 4,025 | 24,140,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11M | **Length** | 1 | **Position** | 534 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - downhill skiing or snowboarding | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Downhill skiing or snowboarding | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 325 | 1,788,000 |
| NO | 2 | 4,195 | 25,261,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11N | **Length** | 1 | **Position** | 535 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - bowling | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Bowling | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 540 | 3,169,000 |
| NO | 2 | 3,985 | 23,880,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11O | **Length** | 1 | **Position** | 536 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - baseball or softball | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Baseball or softball | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 270 | 1,143,500 |
| NO | 2 | 4,255 | 25,906,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11P | **Length** | 1 | **Position** | 537 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - tennis | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Tennis | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 290 | 1,408,000 |
| NO | 2 | 4,230 | 25,641,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11Q | **Length** | 1 | **Position** | 538 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - weight training | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Weight training | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 900 | 5,827,500 |
| NO | 2 | 3,620 | 21,222,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11R | **Length** | 1 | **Position** | 539 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - fishing | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Fishing | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 390 | 2,110,000 |
| NO | 2 | 4,130 | 24,939,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11S | **Length** | 1 | **Position** | 540 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - volleyball | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Volleyball | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 395 | 1,802,500 |
| NO | 2 | 4,125 | 25,247,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11T | **Length** | 1 | **Position** | 541 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - basketball | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Basketball | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 555 | 2,356,000 |
| NO | 2 | 3,970 | 24,693,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11U | **Length** | 1 | **Position** | 542 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - soccer | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Soccer | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 585 | 2,530,000 |
| NO | 2 | 3,935 | 24,519,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11V | **Length** | 1 | **Position** | 543 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - any other | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - Any other | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 805 | 4,586,000 |
| NO | 2 | 3,715 | 22,463,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11W | **Length** | 1 | **Position** | 544 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - no activity | | | | |
| **Question** | Have you done any of the following in the past 3 months, that is from [date 3 months ago] to yesterday? - No physical activity | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 300 | 1,979,000 |
| NO | 2 | 4,220 | 25,070,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_11X | **Length** | 1 | **Position** | 545 |
| **Question Name** | | | | | |
| **Concept** | Activity / last 3 months - other activity (#2) | | | | |
| **Question** | In the past three months, did you do any other physical activity for leisure? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 170 | 857,000 |
| NO | 2 | 635 | 3,729,000 |
| NOT APPLICABLE | 6 | 4,795 | 24,649,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_11Y **Length** 1 **Position** 546

**Question Name**

**Concept** Activity / last 3 months - other activity (#3)

**Question** In the past three months, did you do any other physical activity for leisure?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 229,500 |
| NO | 2 | 130 | 627,500 |
| NOT APPLICABLE | 6 | 5,435 | 28,378,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12A **Length** 3 **Position** 547 - 549

**Question Name**

**Concept** Number of times / last 3 months - walking

**Question** In the past 3 months, how many times did you walk for exercise in your leisure time?

**Universe** Respondents aged 12 and older who answered PAC_11A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 270 | 3,090 | 18,752,500 |
| NOT APPLICABLE | 996 | 2,510 | 10,441,500 |
| DON'T KNOW | 997 | 5 | 41,000 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13A **Length** 1 **Position** 550

**Question Name**

**Concept** Time spent - walking

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 310 | 1,749,000 |
| 16 TO 30 MINUTES | 2 | 1,265 | 7,498,500 |
| 31 TO 60 MINUTES | 3 | 1,150 | 7,341,500 |
| MORE THAN ONE HOUR | 4 | 370 | 2,164,000 |
| NOT APPLICABLE | 6 | 2,510 | 10,441,500 |
| NOT STATED | 9 | 5 | 41,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12B **Length** 2 **Position** 551 - 552

**Question Name**

**Concept** Number of times / last 3 months - gardening or yard work

**Question** In the past 3 months, how many times did you do gardening or yard work?

**Universe** Respondents aged 12 and older who answered PAC_11B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 95 | 2,000 | 11,927,500 |
| NOT APPLICABLE | 96 | 3,600 | 17,301,500 |
| DON'T KNOW | 97 | 5 | 6,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13B **Length** 1 **Position** 553

**Question Name**

**Concept** Time spent - gardening or yard work

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 100 | 496,500 |
| 16 TO 30 MINUTES | 2 | 435 | 2,557,000 |
| 31 TO 60 MINUTES | 3 | 650 | 3,951,000 |
| MORE THAN ONE HOUR | 4 | 810 | 4,923,000 |
| NOT APPLICABLE | 6 | 3,600 | 17,301,500 |
| NOT STATED | 9 | 5 | 6,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12C **Length** 2 **Position** 554 - 555

**Question Name**

**Concept** Number of times / last 3 months - swimming

**Question** In the past 3 months, how many times did you go swimming?

**Universe** Respondents aged 12 and older who answered PAC_11C = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 1,315 | 6,973,000 |
| NOT APPLICABLE | 96 | 4,290 | 22,262,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13C **Length** 1 **Position** 556

**Question Name**

**Concept** Time spent - swimming

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11C = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 115 | 665,500 |
| 16 TO 30 MINUTES | 2 | 335 | 1,847,000 |
| 31 TO 60 MINUTES | 3 | 480 | 2,551,500 |
| MORE THAN ONE HOUR | 4 | 385 | 1,909,000 |
| NOT APPLICABLE | 6 | 4,290 | 22,262,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12D **Length** 3 **Position** 557 - 559

**Question Name**

**Concept** Number of times / last 3 months - bicycling

**Question** In the past 3 months, how many times did you bicycle for leisure?

**Universe** Respondents aged 12 and older who answered PAC_11D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 180 | 1,340 | 7,078,500 |
| NOT APPLICABLE | 996 | 4,260 | 22,156,500 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13D **Length** 1 **Position** 560

**Question Name**

**Concept** Time spent - bicycling

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 150 | 686,000 |
| 16 TO 30 MINUTES | 2 | 410 | 2,124,000 |
| 31 TO 60 MINUTES | 3 | 420 | 2,303,500 |
| MORE THAN ONE HOUR | 4 | 360 | 1,965,000 |
| NOT APPLICABLE | 6 | 4,260 | 22,156,500 |
| NOT STATED | 9 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAC_12E **Length** 2 **Position** 561 - 562

**Question Name**

**Concept** Number of times / last 3 months - popular or social dance

**Question** In the past 3 months, how many times did you do any popular or social dance?

**Universe** Respondents aged 12 and older who answered PAC_11E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 91 | 960 | 5,690,500 |
| NOT APPLICABLE | 96 | 4,645 | 23,544,500 |
| NOT STATED | 99 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13E **Length** 1 **Position** 563

**Question Name**

**Concept** Time spent - popular or social dance

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 70 | 486,000 |
| 16 TO 30 MINUTES | 2 | 85 | 458,000 |
| 31 TO 60 MINUTES | 3 | 165 | 850,500 |
| MORE THAN ONE HOUR | 4 | 635 | 3,895,500 |
| NOT APPLICABLE | 6 | 4,645 | 23,544,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12F **Length** 2 **Position** 564 - 565

**Question Name**

**Concept** Number of times / last 3 months - home exercises

**Question** In the past 3 months, how many times did you do home exercises?

**Universe** Respondents aged 12 and older who answered PAC_11F = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 94 | 1,525 | 9,169,500 |
| NOT APPLICABLE | 96 | 4,075 | 20,064,000 |
| DON'T KNOW | 97 | 5 | 1,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13F **Length** 1 **Position** 566

**Question Name**

**Concept** Time spent - home exercises

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11F = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 395 | 2,253,000 |
| 16 TO 30 MINUTES | 2 | 725 | 4,260,500 |
| 31 TO 60 MINUTES | 3 | 350 | 2,266,500 |
| MORE THAN ONE HOUR | 4 | 60 | 390,000 |
| NOT APPLICABLE | 6 | 4,075 | 20,064,000 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12G **Length** 2 **Position** 567 - 568

**Question Name**

**Concept** Number of times / last 3 months - ice hockey

**Question** In the past 3 months, how many times did you play ice hockey?

**Universe** Respondents aged 12 and older who answered PAC_11G = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 95 | 270 | 1,511,500 |
| NOT APPLICABLE | 96 | 5,335 | 27,720,500 |
| DON'T KNOW | 97 | 5 | 3,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13G **Length** 1 **Position** 569

**Question Name**

**Concept** Time spent - ice hockey

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11G = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 16 TO 30 MINUTES | 2 | 5 | 2,000 |
| 31 TO 60 MINUTES | 3 | 95 | 497,000 |
| MORE THAN ONE HOUR | 4 | 170 | 1,012,500 |
| NOT APPLICABLE | 6 | 5,335 | 27,720,500 |
| NOT STATED | 9 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12H **Length** 2 **Position** 570 - 571

**Question Name**

**Concept** Number of times / last 3 months - ice skating

**Question** In the past 3 months, how many times did you go ice skating?

**Universe** Respondents aged 12 and older who answered PAC_11H = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 395 | 2,190,500 |
| NOT APPLICABLE | 96 | 5,210 | 27,044,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13H **Length** 1 **Position** 572

**Question Name**

**Concept** Time spent - ice skating

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11H = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 19,000 |
| 16 TO 30 MINUTES | 2 | 50 | 290,000 |
| 31 TO 60 MINUTES | 3 | 180 | 1,028,500 |
| MORE THAN ONE HOUR | 4 | 165 | 853,000 |
| NOT APPLICABLE | 6 | 5,210 | 27,044,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12I **Length** 2 **Position** 573 - 574

**Question Name**

**Concept** Number of times / last 3 months - rollerblading

**Question** In the past 3 months, how many times did you go in-line skating or rollerblading?

**Universe** Respondents aged 12 and older who answered PAC_11I = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 80 | 280 | 1,222,000 |
| NOT APPLICABLE | 96 | 5,325 | 28,013,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13I **Length** 1 **Position** 575

**Question Name**

**Concept** Time spent - in-line skating or rollerblading

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11I = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 25 | 88,500 |
| 16 TO 30 MINUTES | 2 | 90 | 380,500 |
| 31 TO 60 MINUTES | 3 | 85 | 393,500 |
| MORE THAN ONE HOUR | 4 | 75 | 360,000 |
| NOT APPLICABLE | 6 | 5,325 | 28,013,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12J **Length** 2 **Position** 576 - 577

**Question Name**

**Concept** Number of times / last 3 months - jogging or running

**Question** In the past 3 months, how many times did you go jogging or running?

**Universe** Respondents aged 12 and older who answered PAC_11J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 95 | 1,090 | 5,997,000 |
| NOT APPLICABLE | 96 | 4,515 | 23,237,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13J **Length** 1 **Position** 578

**Question Name**

**Concept** Time spent - jogging or running

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 240 | 1,034,500 |
| 16 TO 30 MINUTES | 2 | 495 | 2,872,500 |
| 31 TO 60 MINUTES | 3 | 310 | 1,914,000 |
| MORE THAN ONE HOUR | 4 | 45 | 176,000 |
| NOT APPLICABLE | 6 | 4,515 | 23,237,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12K **Length** 2 **Position** 579 - 580

**Question Name**

**Concept** Number of times / last 3 months - golfing

**Question** In the past 3 months, how many times did you go golfing?

**Universe** Respondents aged 12 and older who answered PAC_11K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 470 | 2,908,000 |
| NOT APPLICABLE | 96 | 5,135 | 26,326,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13K **Length** 1 **Position** 581

**Question Name**

**Concept** Time spent - golfing

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 16 TO 30 MINUTES | 2 | 10 | 37,500 |
| 31 TO 60 MINUTES | 3 | 20 | 69,500 |
| MORE THAN ONE HOUR | 4 | 440 | 2,801,500 |
| NOT APPLICABLE | 6 | 5,135 | 26,326,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12L **Length** 2 **Position** 582 - 583

**Question Name**

**Concept** Number of times / last 3 months - exercise class or aerobics

**Question** In the past 3 months, how many times did you participate in an exercise class or aerobics?

**Universe** Respondents aged 12 and older who answered PAC_11L = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 500 | 2,909,500 |
| NOT APPLICABLE | 96 | 5,105 | 26,325,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13L **Length** 1 **Position** 584

**Question Name**

**Concept** Time spent - exercise class or aerobics

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11L = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 15 | 45,000 |
| 16 TO 30 MINUTES | 2 | 65 | 321,500 |
| 31 TO 60 MINUTES | 3 | 300 | 1,791,000 |
| MORE THAN ONE HOUR | 4 | 115 | 751,500 |
| NOT APPLICABLE | 6 | 5,105 | 26,325,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12M **Length** 2 **Position** 585 - 586

**Question Name**

**Concept** Nb of times / last 3 months - downhill skiing/snowboarding

**Question** In the past 3 months, how many times did you go downhill skiing or snowboarding?

**Universe** Respondents aged 12 and older who answered PAC_11M = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 50 | 325 | 1,788,000 |
| NOT APPLICABLE | 96 | 5,275 | 27,447,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13M **Length** 1 **Position** 587

**Question Name**

**Concept** Time spent - downhill skiing or snowboarding

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11M = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 2,000 |
| 31 TO 60 MINUTES | 3 | 5 | 6,500 |
| MORE THAN ONE HOUR | 4 | 320 | 1,779,000 |
| NOT APPLICABLE | 6 | 5,275 | 27,447,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12N **Length** 2 **Position** 588 - 589

**Question Name**

**Concept** Number of times / last 3 months - bowling

**Question** In the past 3 months, how many times did you go bowling?

**Universe** Respondents aged 12 and older who answered PAC_11N = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 39 | 540 | 3,169,000 |
| NOT APPLICABLE | 96 | 5,065 | 26,066,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13N **Length** 1 **Position** 590

**Question Name**

**Concept** Time spent - bowling

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11N = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 18,000 |
| 16 TO 30 MINUTES | 2 | 15 | 87,500 |
| 31 TO 60 MINUTES | 3 | 130 | 723,500 |
| MORE THAN ONE HOUR | 4 | 390 | 2,340,000 |
| NOT APPLICABLE | 6 | 5,065 | 26,066,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12O **Length** 2 **Position** 591 - 592

**Question Name**

**Concept** Number of times / last 3 months - baseball or softball

**Question** In the past 3 months, how many times did you play baseball or softball?

**Universe** Respondents aged 12 and older who answered PAC_11O = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 270 | 1,143,500 |
| NOT APPLICABLE | 96 | 5,335 | 28,091,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13O **Length** 1 **Position** 593

**Question Name**

**Concept** Time spent - baseball or softball

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11O = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 11,500 |
| 16 TO 30 MINUTES | 2 | 35 | 125,000 |
| 31 TO 60 MINUTES | 3 | 70 | 240,500 |
| MORE THAN ONE HOUR | 4 | 160 | 766,500 |
| NOT APPLICABLE | 6 | 5,335 | 28,091,500 |
| NOT STATED | 9 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAC_12P **Length** 2 **Position** 594 - 595

**Question Name**

**Concept** Number of times / last 3 months - tennis

**Question** In the past 3 months, how many times did you play tennis?

**Universe** Respondents aged 12 and older who answered PAC_11P = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 95 | 290 | 1,401,000 |
| NOT APPLICABLE | 96 | 5,310 | 27,827,000 |
| DON'T KNOW | 97 | 5 | 7,000 |
| NOT STATED | 99 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13P **Length** 1 **Position** 596

**Question Name**

**Concept** Time spent - tennis

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11P = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 7,000 |
| 16 TO 30 MINUTES | 2 | 30 | 152,000 |
| 31 TO 60 MINUTES | 3 | 105 | 566,500 |
| MORE THAN ONE HOUR | 4 | 150 | 675,500 |
| NOT APPLICABLE | 6 | 5,310 | 27,827,000 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12Q **Length** 2 **Position** 597 - 598

**Question Name**

**Concept** Number of times / last 3 months - weight training

**Question** In the past 3 months, how many times did you do weight training?

**Universe** Respondents aged 12 and older who answered PAC_11Q = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 91 | 900 | 5,827,500 |
| NOT APPLICABLE | 96 | 4,700 | 23,407,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13Q **Length** 1 **Position** 599
**Question Name**
**Concept** Time spent - weight training
**Question** About how much time did you spend on each occasion?
**Universe** Respondents aged 12 and older who answered PAC_11Q = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 130 | 764,000 |
| 16 TO 30 MINUTES | 2 | 310 | 1,946,500 |
| 31 TO 60 MINUTES | 3 | 315 | 2,238,500 |
| MORE THAN ONE HOUR | 4 | 150 | 878,500 |
| NOT APPLICABLE | 6 | 4,700 | 23,407,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12R **Length** 2 **Position** 600 - 601
**Question Name**
**Concept** Number of times / last 3 months - fishing
**Question** In the past 3 months, how many times did you go fishing?
**Universe** Respondents aged 12 and older who answered PAC_11R = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 390 | 2,110,000 |
| NOT APPLICABLE | 96 | 5,210 | 27,125,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13R **Length** 1 **Position** 602

**Question Name**

**Concept** Time spent - fishing

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11R = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 10 | 90,500 |
| 16 TO 30 MINUTES | 2 | 10 | 18,500 |
| 31 TO 60 MINUTES | 3 | 20 | 86,000 |
| MORE THAN ONE HOUR | 4 | 350 | 1,914,500 |
| NOT APPLICABLE | 6 | 5,210 | 27,125,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12S **Length** 2 **Position** 603 - 604

**Question Name**

**Concept** Number of times / last 3 months - volleyball

**Question** In the past 3 months, how many times did you play volleyball?

**Universe** Respondents aged 12 and older who answered PAC_11S = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 395 | 1,802,500 |
| NOT APPLICABLE | 96 | 5,205 | 27,432,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13S **Length** 1 **Position** 605
**Question Name**
**Concept** Time spent - volleyball
**Question** About how much time did you spend on each occasion?
**Universe** Respondents aged 12 and older who answered PAC_11S = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 21,500 |
| 16 TO 30 MINUTES | 2 | 60 | 256,500 |
| 31 TO 60 MINUTES | 3 | 140 | 577,000 |
| MORE THAN ONE HOUR | 4 | 185 | 947,500 |
| NOT APPLICABLE | 6 | 5,205 | 27,432,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12T **Length** 2 **Position** 606 - 607
**Question Name**
**Concept** Number of times / last 3 months - basketball
**Question** In the past 3 months, how many times did you play basketball?
**Universe** Respondents aged 12 and older who answered PAC_11T = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 91 | 555 | 2,356,000 |
| NOT APPLICABLE | 96 | 5,050 | 26,879,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13T **Length** 1 **Position** 608

**Question Name**

**Concept** Time spent - basketball

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11T = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 25 | 134,000 |
| 16 TO 30 MINUTES | 2 | 145 | 685,000 |
| 31 TO 60 MINUTES | 3 | 200 | 711,000 |
| MORE THAN ONE HOUR | 4 | 185 | 826,000 |
| NOT APPLICABLE | 6 | 5,050 | 26,879,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12U **Length** 2 **Position** 609 - 610

**Question Name**

**Concept** Number of times / last 3 months - soccer

**Question** In the past 3 months, how many times did you play soccer?

**Universe** Respondents aged 12 and older who answered PAC_11U = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 95 | 585 | 2,530,000 |
| NOT APPLICABLE | 96 | 5,015 | 26,705,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13U **Length** 1 **Position** 611

**Question Name**

**Concept** Time spent - soccer

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11U = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 25 | 150,000 |
| 16 TO 30 MINUTES | 2 | 125 | 493,500 |
| 31 TO 60 MINUTES | 3 | 185 | 788,000 |
| MORE THAN ONE HOUR | 4 | 250 | 1,098,500 |
| NOT APPLICABLE | 6 | 5,015 | 26,705,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12V **Length** 3 **Position** 612 - 614

**Question Name**

**Concept** Number of times / last 3 months - other activity (#1)

**Question** In the past 3 months, how many times did you participate in [other activity #1]?

**Universe** Respondents aged 12 and older who answered PAC_11V = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 91 | 805 | 4,582,500 |
| NOT APPLICABLE | 996 | 4,795 | 24,649,000 |
| DON'T KNOW | 997 | 5 | 3,500 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13V **Length** 1 **Position** 615

**Question Name**

**Concept** Time spent - other activity (#1)

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11V = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 35 | 181,000 |
| 16 TO 30 MINUTES | 2 | 95 | 540,000 |
| 31 TO 60 MINUTES | 3 | 230 | 1,244,000 |
| MORE THAN ONE HOUR | 4 | 445 | 2,617,000 |
| NOT APPLICABLE | 6 | 4,795 | 24,649,000 |
| NOT STATED | 9 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12X **Length** 3 **Position** 616 - 618

**Question Name**

**Concept** Number of times / last 3 months - other activity (#2)

**Question** In the past 3 months, how many times did you participate in [other activity #2]?

**Universe** Respondents aged 12 and older who answered PAC_11X = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 110 | 170 | 857,000 |
| NOT APPLICABLE | 996 | 5,435 | 28,378,000 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13X **Length** 1 **Position** 619

**Question Name**

**Concept** Time spent - other activity (#2)

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11X = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 10 | 31,500 |
| 16 TO 30 MINUTES | 2 | 20 | 147,500 |
| 31 TO 60 MINUTES | 3 | 55 | 288,000 |
| MORE THAN ONE HOUR | 4 | 80 | 390,500 |
| NOT APPLICABLE | 6 | 5,435 | 28,378,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_12Y **Length** 3 **Position** 620 - 622

**Question Name**

**Concept** Number of times / last 3 months - other activity (#3)

**Question** In the past 3 months, how many times did you participate in [other activity #3]?

**Universe** Respondents aged 12 and older who answered PAC_11Y = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 65 | 40 | 229,500 |
| NOT APPLICABLE | 996 | 5,560 | 29,005,500 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_13Y **Length** 1 **Position** 623

**Question Name**

**Concept** Time spent - other activity (#3)

**Question** About how much time did you spend on each occasion?

**Universe** Respondents aged 12 and older who answered PAC_11Y = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 5 | 11,000 |
| 16 TO 30 MINUTES | 2 | 5 | 63,500 |
| 31 TO 60 MINUTES | 3 | 15 | 72,500 |
| MORE THAN ONE HOUR | 4 | 15 | 82,500 |
| NOT APPLICABLE | 6 | 5,560 | 29,005,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAC_21 **Length** 2 **Position** 624 - 625

**Question Name**

**Concept** Normal week / last 3 months - hours walking

**Question** In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 925 | 5,340,000 |
| LESS THAN 1 HOUR | 2 | 685 | 3,956,500 |
| FROM 1 TO 5 HOURS | 3 | 2,080 | 12,688,500 |
| FROM 6 TO 10 HOURS | 4 | 490 | 3,072,500 |
| FROM 11 TO 20 HOURS | 5 | 145 | 914,000 |
| MORE THAN 20 HOURS | 6 | 190 | 1,077,500 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAC_22 **Length** 2 **Position** 626 - 627

**Question Name**

**Concept** Normal week/last 3 months - number of hours biking

**Question** (In a typical week in the past 3 months,) How many hours did you usually spend bicycling to work or to school or while doing errands?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 4,050 | 24,746,500 |
| LESS THAN 1 HOUR | 2 | 200 | 930,500 |
| FROM 1 TO 5 HOURS | 3 | 215 | 1,153,500 |
| FROM 6 TO 10 HOURS | 4 | 35 | 146,500 |
| FROM 11 TO 20 HOURS | 5 | 10 | 26,500 |
| MORE THAN 20 HOURS | 6 | 10 | 45,500 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAC_23 | **Length** | 1 | **Position** | 628 |
| **Question Name** | | | | | |
| **Concept** | Level of physical activity for usual day | | | | |
| **Question** | Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| USUALLY SIT | 1 | 1,410 | 8,623,000 |
| STAND OR WALK QUITE A LOT | 2 | 1,775 | 10,385,000 |
| USUALLY LIFT OR CARRY LIGHT LOADS | 3 | 1,085 | 6,404,500 |
| DO HEAVY WORK OR CARRY VERY HEAVY LOADS | 4 | 250 | 1,622,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 15,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PACFD | **Length** | 1 | **Position** | 629 |
| **Question Name** | | | | | |
| **Concept** | Participant in daily physical activity > 15 min. - (F) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,165 | 18,340,000 |
| NO | 2 | 1,355 | 8,709,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PACFLEI | **Length** | 1 | **Position** | 630 |
| **Question Name** | | | | | |
| **Concept** | Participant in leisure physical activity - (F) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,220 | 25,070,500 |
| NO | 2 | 300 | 1,979,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PACDFR | **Length** | 1 | **Position** | 631 |
| **Question Name** | | | | | |
| **Concept** | Frequency of all physical activity > 15 min. - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| REGULAR | 1 | 3,805 | 22,482,500 |
| OCCASIONAL | 2 | 220 | 1,370,000 |
| INFREQUENT | 3 | 495 | 3,197,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PACDFM **Length** 3 **Position** 632 - 634

**Question Name**

**Concept** Monthly frequency - physical activity lasting >15 min. - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MONTHLY FREQUENCY | 0 - 631 | 4,520 | 27,049,500 |
| NOT APPLICABLE | 996 | 1,080 | 2,185,500 |
| NOT STATED | 999 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PACDEE **Length** 4.1 **Position** 635 - 638

**Question Name**

**Concept** Daily energy expenditure - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| AMOUNT OF ENERGY EXPENDITURE | 0.0 - 23.1 | 4,520 | 27,049,500 |
| NOT APPLICABLE | 99.6 | 1,080 | 2,185,500 |
| NOT STATED | 99.9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PACDPAI **Length** 1 **Position** 639

**Question Name**

**Concept** Physical activity index - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ACTIVE | 1 | 1,205 | 6,420,000 |
| MODERATELY ACTIVE | 2 | 1,135 | 6,560,500 |
| INACTIVE | 3 | 2,180 | 14,069,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CPA_11 **Length** 1 **Position** 640

**Question Name**

**Concept** Number of days physically active - past 7 days

**Question** Over the past 7 days, on how many days was s/he physically active for a total of at least 60 minutes per day?

**Universe** Respondents aged 11 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE (ZERO DAYS) | 1 | 20 | 29,000 |
| 1 DAY | 2 | 25 | 67,500 |
| 2 TO 3 DAYS | 3 | 140 | 275,000 |
| 4 OR MORE DAYS | 4 | 895 | 1,811,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CPA_12 **Length** 1 **Position** 641

**Question Name**

**Concept** Number of days physically active - usual week

**Question** Over a typical or usual week, on how many days is s/he physically active for a total of at least 60 minutes per day?

**Universe** Respondents aged 11 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE (ZERO DAYS) | 1 | 15 | 23,500 |
| 1 DAY | 2 | 20 | 51,000 |
| 2 TO 3 DAYS | 3 | 140 | 291,000 |
| 4 OR MORE DAYS | 4 | 905 | 1,817,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CPA_13 **Length** 1 **Position** 642

**Question Name**

**Concept** Hours/week - physical activity - free time at school

**Question** About how many hours a week does s/he usually take part in physical activity (that makes him/her out of breath or warmer than usual) in his/her free time at school (for example, at lunch)?

**Universe** Respondents aged 11 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 25 | 56,500 |
| LESS THAN 2 HOURS PER WEEK | 2 | 160 | 340,500 |
| 2 TO 3 HOURS PER WEEK | 3 | 350 | 656,500 |
| 4 TO 6 HOURS PER WEEK | 4 | 435 | 880,000 |
| 7 OR MORE HOURS PER WEEK | 5 | 100 | 229,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 10 | 20,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CPA_14 | **Length** | 1 | **Position** | 643 |
| **Question Name** | | | | | |
| **Concept** | Hours/week - physical activity - class time at school | | | | |
| **Question** | About how many hours a week does s/he usually take part in physical activity (that makes him/her out of breath or warmer than usual) in his/her class time at school (for example, at lunch)? | | | | |
| **Universe** | Respondents aged 11 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 20 | 38,500 |
| LESS THAN 2 HOURS PER WEEK | 2 | 445 | 874,500 |
| 2 TO 3 HOURS PER WEEK | 3 | 485 | 975,500 |
| 4 TO 6 HOURS PER WEEK | 4 | 105 | 229,000 |
| 7 OR MORE HOURS PER WEEK | 5 | 15 | 36,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 15 | 29,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CPA_15 | **Length** | 1 | **Position** | 644 |
| **Question Name** | | | | | |
| **Concept** | Hours/week - physical activity - participating in lessons | | | | |
| **Question** | (About how many hours a week does s/he usually take part in physical activity (that makes him/her out of breath or warmer than usual):) ... outside of school while participating in lessons or league or team sports? | | | | |
| **Universe** | Respondents aged 11 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 355 | 711,500 |
| LESS THAN 2 HOURS PER WEEK | 2 | 205 | 401,500 |
| 2 TO 3 HOURS PER WEEK | 3 | 310 | 665,500 |
| 4 TO 6 HOURS PER WEEK | 4 | 150 | 281,000 |
| 7 OR MORE HOURS PER WEEK | 5 | 60 | 117,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CPA_16 | **Length** | 1 | **Position** | 645 |
| **Question Name** | | | | | |
| **Concept** | Hrs/week of physical activity - unorganized activities | | | | |
| **Question** | (About how many hours a week does s/he usually take part in physical activity (that makes him/her out of breath or warmer than usual):) ... outside of school while participating in unorganized activities, either on his/her own or with friends? | | | | |
| **Universe** | Respondents aged 11 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 50 | 88,500 |
| LESS THAN 2 HOURS PER WEEK | 2 | 170 | 335,500 |
| 2 TO 3 HOURS PER WEEK | 3 | 275 | 544,500 |
| 4 TO 6 HOURS PER WEEK | 4 | 230 | 504,500 |
| 7 OR MORE HOURS PER WEEK | 5 | 350 | 703,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CPA_17 | **Length** | 2 | **Position** | 646 - 647 |
| **Question Name** | | | | | |
| **Concept** | Hours/day - watching TV | | | | |
| **Question** | On average, about how many hours a day does [Respondent Name] watch TV or videos or play video games? | | | | |
| **Universe** | Respondents aged 11 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| I DON'T WATCH TV OR VIDEOS OR PLAY GAME | 1 | 10 | 23,500 |
| LESS THAN 1 HOUR A DAY | 2 | 210 | 414,500 |
| 1 TO 2 HOURS A DAY | 3 | 595 | 1,232,500 |
| 3 TO 4 HOURS A DAY | 4 | 220 | 430,000 |
| 5 TO 6 HOURS A DAY | 5 | 25 | 51,000 |
| 7 OR MORE HOURS A DAY | 6 | 20 | 31,500 |
| NOT APPLICABLE | 96 | 4,525 | 27,050,000 |
| NOT STATED | 99 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CPA_18 **Length** 2 **Position** 648 - 649

**Question Name**

**Concept** Hours/day - on computer

**Question** On average, about how many hours a day does s/he spend on a computer (working, playing games, e-mailing, chatting, surfing the Internet, etc.)?

**Universe** Respondents aged 11 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| I DON'T USE A COMPUTER | 1 | 145 | 356,500 |
| LESS THAN 1 HOUR A DAY | 2 | 670 | 1,353,000 |
| 1 TO 2 HOURS A DAY | 3 | 230 | 416,500 |
| 3 TO 4 HOURS A DAY | 4 | 30 | 48,500 |
| 5 TO 6 HOURS A DAY | 5 | 5 | 3,500 |
| 7 OR MORE HOURS A DAY | 6 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 4,525 | 27,050,000 |
| DON'T KNOW | 97 | 5 | 3,000 |
| NOT STATED | 99 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CPADSAC **Length** 3 **Position** 650 - 652

**Question Name**

**Concept** Total number of hours per day spent in sedentary activities

**Question** Total number of hours per day spent in sedentary activities

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 0 - 14 | 1,080 | 2,179,500 |
| NOT APPLICABLE | 996 | 4,525 | 27,050,000 |
| NOT STATED | 999 | 5 | 6,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CPADTOT **Length** 3 **Position** 653 - 655

**Question Name**

**Concept** Total # hours/week participated in physical activities

**Question** Total number of hours per week participated in physical activities

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 0 - 26 | 1,060 | 2,137,000 |
| NOT APPLICABLE | 996 | 4,525 | 27,050,000 |
| NOT STATED | 999 | 20 | 48,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SAC_11 **Length** 2 **Position** 656 - 657

**Question Name**

**Concept** Number of hours/typical week - on a computer - past 3 months

**Question** In a typical week in the past 3 months, how much time did you usually spend on a computer, including using the Internet, playing computer games, e-mailing or chatting on-line?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 955 | 5,754,500 |
| LESS THAN 1 HOUR | 2 | 485 | 2,991,500 |
| FROM 1 TO 2 HOURS | 3 | 645 | 4,065,000 |
| FROM 3 TO 5 HOURS | 4 | 725 | 4,475,000 |
| FROM 6 TO 10 HOURS | 5 | 835 | 4,920,500 |
| FROM 11 TO 14 HOURS | 6 | 325 | 1,788,500 |
| FROM 15 TO 20 HOURS | 7 | 180 | 967,000 |
| MORE THAN 20 HOURS | 8 | 375 | 2,087,000 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SAC_12 **Length** 2 **Position** 658 - 659

**Question Name**

**Concept** Number of hours/typical week - video games - past 3 months

**Question** In a typical week in the past 3 months, how much time did you usually spend playing video games, such as XBOX, Nintendo and Playstation?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 3,505 | 21,661,000 |
| LESS THAN 1 HOUR | 2 | 315 | 1,673,000 |
| FROM 1 TO 2 HOURS | 3 | 260 | 1,380,500 |
| FROM 3 TO 5 HOURS | 4 | 210 | 1,157,500 |
| FROM 6 TO 10 HOURS | 5 | 125 | 683,000 |
| FROM 11 TO 14 HOURS | 6 | 35 | 190,000 |
| FROM 15 TO 20 HOURS | 7 | 30 | 120,000 |
| MORE THAN 20 HOURS | 8 | 40 | 183,500 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SAC_13 **Length** 2 **Position** 660 - 661

**Question Name**

**Concept** Hours/typ. Week - television/DVD/videos - past 3 months

**Question** (In a typical week in the past 3 months, how much time did you usually spend:) ... watching television, DVD's or videos?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 80 | 539,000 |
| LESS THAN 1 HOUR | 2 | 110 | 718,500 |
| FROM 1 TO 2 HOURS | 3 | 340 | 1,985,000 |
| FROM 3 TO 5 HOURS | 4 | 785 | 4,488,500 |
| FROM 6 TO 10 HOURS | 5 | 1,100 | 7,026,500 |
| FROM 11 TO 14 HOURS | 6 | 790 | 4,634,000 |
| FROM 15 TO 20 HOURS | 7 | 400 | 2,437,500 |
| MORE THAN 20 HOURS | 8 | 920 | 5,216,500 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| DON'T KNOW | 97 | 5 | 4,000 |
| NOT STATED | 99 | 5 | 1,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SAC_14 **Length** 2 **Position** 662 - 663

**Question Name**

**Concept** Number of hours/typical week - reading - past 3 months

**Question** (In a typical week in the past 3 months, how much time did you usually spend:) ... reading, not counting at work or at school?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 440 | 2,768,000 |
| LESS THAN 1 HOUR | 2 | 455 | 2,474,500 |
| FROM 1 TO 2 HOURS | 3 | 835 | 5,158,000 |
| FROM 3 TO 5 HOURS | 4 | 1,050 | 6,327,500 |
| FROM 6 TO 10 HOURS | 5 | 1,050 | 6,167,000 |
| FROM 11 TO 14 HOURS | 6 | 345 | 2,085,500 |
| FROM 15 TO 20 HOURS | 7 | 160 | 982,000 |
| MORE THAN 20 HOURS | 8 | 190 | 1,087,000 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SACDTOT **Length** 2 **Position** 664 - 665

**Question Name**

**Concept** Total number hours - sedentary activities - past 3 mo - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 5 HOURS | 1 | 140 | 994,500 |
| FROM 5 TO 9 HOURS | 2 | 475 | 2,850,000 |
| FROM 10 TO 14 HOURS | 3 | 625 | 3,824,000 |
| FROM 15 TO 19 HOURS | 4 | 645 | 4,197,500 |
| FROM 20 TO 24 HOURS | 5 | 955 | 5,640,500 |
| FROM 25 TO 29 HOURS | 6 | 625 | 3,690,000 |
| FROM 30 TO 34 HOURS | 7 | 400 | 2,158,000 |
| FROM 35 TO 39 HOURS | 8 | 250 | 1,388,000 |
| FROM 40 TO 44 HOURS | 9 | 225 | 1,322,000 |
| 45 OR MORE HOURS | 10 | 1,265 | 3,166,000 |
| NOT STATED | 99 | 5 | 4,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SEB_12 **Length** 2 **Position** 666 - 667

**Question Name**

**Concept** Amount of time in sun - 11 am to 4 pm

**Question** About how much time each day do you spend in the sun between 11 am and 4 pm?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 335 | 2,168,500 |
| LESS THAN 30 MINUTES | 2 | 575 | 3,106,500 |
| 30 TO 59 MINUTES | 3 | 610 | 3,262,500 |
| 1 HOUR TO LESS THAN 2 HOURS | 4 | 875 | 4,619,500 |
| 2 HOURS TO LESS THAN 3 HOURS | 5 | 1,210 | 6,430,000 |
| 3 HOURS TO LESS THAN 4 HOURS | 6 | 765 | 3,564,500 |
| 4 HOURS TO LESS THAN 5 HOURS | 7 | 490 | 2,347,000 |
| 5 HOURS | 8 | 745 | 3,714,000 |
| DON'T KNOW | 97 | 5 | 22,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SEB_13 | **Length** | 1 | **Position** | 668 |
| **Question Name** | | | | | |
| **Concept** | Frequency - use sunscreen | | | | |
| **Question** | In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more how often do you use sunscreen? | | | | |
| **Universe** | Respondents who answered SEB_12 = (3, 4, 5, 6, 7 or 8) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ALWAYS | 1 | 1,060 | 4,596,000 |
| OFTEN | 2 | 790 | 3,797,000 |
| SOMETIMES | 3 | 880 | 4,483,000 |
| RARELY | 4 | 755 | 4,175,500 |
| NEVER | 5 | 1,205 | 6,886,500 |
| NOT APPLICABLE | 6 | 905 | 5,275,000 |
| NOT STATED | 9 | 5 | 22,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_11 | **Length** | 1 | **Position** | 669 |
| **Question Name** | | | | | |
| **Concept** | Self-perceived health of mouth | | | | |
| **Question** | In general, would you say the health of your mouth is: (excellent, very good, good, fair or poor)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| EXCELLENT | 1 | 1,255 | 5,754,000 |
| VERY GOOD | 2 | 1,910 | 9,886,500 |
| GOOD | 3 | 1,700 | 9,043,000 |
| FAIR | 4 | 550 | 3,388,500 |
| POOR | 5 | 185 | 1,158,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHM_12 **Length** 1 **Position** 670

**Question Name**

**Concept** Satisfaction with appearance of teeth/dentures

**Question** How satisfied are you with the appearance of your teeth and/or dentures?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| VERY SATISFIED | 1 | 1,360 | 6,380,500 |
| SATISFIED | 2 | 2,740 | 14,469,500 |
| NEITHER SATISFIED NOR DISSATISFIED | 3 | 885 | 5,107,000 |
| SOMEWHAT DISSATISFIED | 4 | 535 | 2,757,500 |
| VERY DISSATISFIED | 5 | 80 | 509,000 |
| DON'T KNOW | 7 | 5 | 8,000 |
| REFUSAL | 8 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHM_21 **Length** 1 **Position** 671

**Question Name**

**Concept** Freq. uncomfortable eating food - prob w mouth - past 12 mth

**Question** In the past 12 months, that is, from [date 1 year ago] to yesterday, how often have you found it uncomfortable to eat any food because of problems with your mouth?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| OFTEN | 1 | 235 | 1,355,000 |
| SOMETIMES | 2 | 780 | 4,362,500 |
| RARELY | 3 | 1,210 | 6,316,000 |
| NEVER | 4 | 3,375 | 17,194,000 |
| REFUSAL | 8 | 5 | 7,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_22 | **Length** | 1 | **Position** | 672 |
| **Question Name** | | | | | |
| **Concept** | Frequency avoided eating food - mouth prob. - past 12 months | | | | |
| **Question** | In the past 12 months, how often have you avoided eating particular foods because of problems with your mouth? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| OFTEN | 1 | 180 | 961,500 |
| SOMETIMES | 2 | 470 | 2,607,000 |
| RARELY | 3 | 695 | 3,800,500 |
| NEVER | 4 | 4,260 | 21,859,000 |
| REFUSAL | 8 | 5 | 7,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_23 | **Length** | 1 | **Position** | 673 |
| **Question Name** | | | | | |
| **Concept** | Frequency other persistent pain in mouth - past 12 months | | | | |
| **Question** | In the past 12 months, how often have you had any other persistent or on-going pain anywhere in your mouth? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| OFTEN | 1 | 125 | 731,500 |
| SOMETIMES | 2 | 465 | 2,651,500 |
| RARELY | 3 | 805 | 4,396,500 |
| NEVER | 4 | 4,205 | 21,448,500 |
| REFUSAL | 8 | 5 | 7,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHM_24 **Length** 1 **Position** 674

**Question Name**

**Concept** Away from normal activities dental check-ups/prob. -past yr

**Question** In the past 12 months, have you taken time away from work, school or your normal activities for dental check-ups or treatments or because of problems with your mouth?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,240 | 11,434,000 |
| NO | 2 | 3,360 | 17,785,500 |
| DON'T KNOW | 7 | 5 | 12,500 |
| REFUSAL | 8 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHM_25 **Length** 4.1 **Position** 675 - 678

**Question Name**

**Concept** Hours away from normal activities - past 12 months

**Question** In the past 12 months, how many hours were you away from your normal activities?

**Universe** Respondents who answered OHM_24 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 0.5 - 95.5 | 2,235 | 11,416,000 |
| NOT APPLICABLE | 99.6 | 3,360 | 17,785,500 |
| DON'T KNOW | 99.7 | 5 | 18,000 |
| NOT STATED | 99.9 | 5 | 16,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHM_31 **Length** 3 **Position** 679 - 681

**Question Name**

**Concept** Brushing teeth - number times

**Question** How often do you usually brush your teeth and /or dentures?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 40 | 5,600 | 29,230,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| REFUSAL | 998 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHM_31N **Length** 1 **Position** 682

**Question Name**

**Concept** Brushing teeth - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to OHM_31

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5,365 | 28,130,500 |
| PER WEEK | 2 | 200 | 918,000 |
| PER MONTH | 3 | 15 | 82,000 |
| PER YEAR | 4 | 5 | 5,000 |
| NOT APPLICABLE | 6 | 15 | 94,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHMD31Y | **Length** | 4 | **Position** | 683 - 686 |
| **Question Name** | | | | | |
| **Concept** | Brushing teeth - number times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with answer >0 to OHM_31 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 3650 | 5,600 | 29,230,000 |
| NOT STATED | 9999 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_32 | **Length** | 3 | **Position** | 687 - 689 |
| **Question Name** | | | | | |
| **Concept** | Flossing teeth - number times | | | | |
| **Question** | How often do you usually floss your teeth? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 111 | 5,600 | 29,226,000 |
| DON'T KNOW | 997 | 5 | 5,500 |
| REFUSAL | 998 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHM_32N **Length** 2 **Position** 690 - 691

**Question Name**

**Concept** Flossing teeth - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents with answer >0 to OHM_32

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,310 | 7,570,500 |
| PER WEEK | 2 | 1,540 | 8,623,000 |
| PER MONTH | 3 | 620 | 3,030,000 |
| PER YEAR | 4 | 110 | 640,500 |
| NEVER | 5 | 1,800 | 8,231,000 |
| FULL SET OF DENTURES | 6 | 220 | 1,131,500 |
| NOT STATED | 99 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHMD32Y **Length** 4 **Position** 692 - 695

**Question Name**

**Concept** Flossing teeth - number times per year - (D)

**Question**

**Universe** Respondents with answer >0 to OHM_32

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 4380 | 5,385 | 28,094,500 |
| NOT APPLICABLE | 9996 | 220 | 1,131,500 |
| NOT STATED | 9999 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_33 | **Length** | 1 | **Position** | 696 |
| **Question Name** | | | | | |
| **Concept** | Frequency - see dental professional | | | | |
| **Question** | Do you usually see a dental professional: (more than once a year for check-ups or treatment, about once a year for check-ups or treatment, less than once a year for check-ups or treatment, only for emergency care or never)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MORE THAN ONCE A YEAR FOR CHECK-UPS | 1 | 2,565 | 12,434,000 |
| ABOUT ONCE A YEAR FOR CHECK-UPS | 2 | 1,755 | 9,260,500 |
| LESS THAN ONCE A YEAR FOR CHECK-UPS | 3 | 440 | 2,686,500 |
| ONLY FOR EMERGENCY CARE | 4 | 650 | 3,910,500 |
| NEVER | 5 | 190 | 939,000 |
| DON'T KNOW | 7 | 5 | 1,500 |
| REFUSAL | 8 | 5 | 4,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHM_34 **Length** 2 **Position** 697 - 698

**Question Name**

**Concept** Last time dental professional seen

**Question** When was the last time you saw a dental professional?

**Universe** Respondents who answered OHM_33 = (1, 2, 3 or 4)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 YEAR AGO | 1 | 4,200 | 21,056,500 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | 2 | 550 | 3,168,500 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | 3 | 210 | 1,344,500 |
| 3 YEARS TO LESS THAN 4 YEARS AGO | 4 | 110 | 759,500 |
| 4 YEARS TO LESS THAN 5 YEARS AGO | 5 | 70 | 421,000 |
| 5 OR MORE YEARS AGO | 6 | 265 | 1,532,500 |
| NOT APPLICABLE | 96 | 190 | 939,000 |
| DON'T KNOW | 97 | 5 | 9,500 |
| NOT STATED | 99 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHM_41 **Length** 1 **Position** 699

**Question Name**

**Concept** Avoided seeing dental professional / last 12 months - cost

**Question** In the past 12 months, have you avoided going to a dental professional because of the cost of dental care?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 885 | 5,078,000 |
| NO | 2 | 4,715 | 24,129,500 |
| DON'T KNOW | 7 | 5 | 12,500 |
| REFUSAL | 8 | 5 | 15,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_42 | **Length** | 1 | **Position** | 700 |
| **Question Name** | | | | | |
| **Concept** | Avoided dental treatment recommended / last year - cost | | | | |
| **Question** | In the past 12 months, have you avoided having all the dental treatment that was recommended because of the cost? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 845 | 4,815,000 |
| NO | 2 | 4,750 | 24,392,500 |
| DON'T KNOW | 7 | 5 | 12,500 |
| REFUSAL | 8 | 5 | 15,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_43 | **Length** | 1 | **Position** | 701 |
| **Question Name** | | | | | |
| **Concept** | Has insurance that covers dental expenses | | | | |
| **Question** | Do you have insurance or a government program that covers all or part of your dental expenses? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,785 | 19,838,500 |
| NO | 2 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 30 | 107,500 |
| REFUSAL | 8 | 5 | 4,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_44A | **Length** | 1 | **Position** | 702 |
| **Question Name** | | | | | |
| **Concept** | Type of insurance - employer sponsored | | | | |
| **Question** | Is it: an employer-sponsored plan? | | | | |
| **Universe** | Respondents who answered OHM_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,180 | 17,026,000 |
| NO | 2 | 585 | 2,743,500 |
| NOT APPLICABLE | 6 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 20 | 69,500 |
| NOT STATED | 9 | 30 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_44B | **Length** | 1 | **Position** | 703 |
| **Question Name** | | | | | |
| **Concept** | Type insurance - provincial program for children or seniors | | | | |
| **Question** | Is it: a provincial program for children or seniors? | | | | |
| **Universe** | Respondents who answered OHM_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 205 | 612,500 |
| NO | 2 | 3,560 | 19,157,000 |
| NOT APPLICABLE | 6 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 20 | 69,500 |
| NOT STATED | 9 | 30 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_44C | **Length** | 1 | **Position** | 704 |
| **Question Name** | | | | | |
| **Concept** | Type of insurance - private plan | | | | |
| **Question** | Is it: a private plan? | | | | |
| **Universe** | Respondents who answered OHM_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 210 | 1,182,000 |
| NO | 2 | 3,555 | 18,587,000 |
| NOT APPLICABLE | 6 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 20 | 69,500 |
| NOT STATED | 9 | 30 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_44D | **Length** | 1 | **Position** | 705 |
| **Question Name** | | | | | |
| **Concept** | Type of insurance - government program welfare clients | | | | |
| **Question** | Is it: a government program for social service (welfare) clients? | | | | |
| **Universe** | Respondents who answered OHM_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 175 | 786,000 |
| NO | 2 | 3,590 | 18,983,000 |
| NOT APPLICABLE | 6 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 20 | 69,500 |
| NOT STATED | 9 | 30 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHM_44E | **Length** | 1 | **Position** | 706 |
| **Question Name** | | | | | |
| **Concept** | Type of insurance - gov. program First Nations and Inuit | | | | |
| **Question** | Is it: a government program for First Nations and Inuit? | | | | |
| **Universe** | Respondents who answered OHM_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 279,000 |
| NO | 2 | 3,735 | 19,490,500 |
| NOT APPLICABLE | 6 | 1,790 | 9,285,500 |
| DON'T KNOW | 7 | 20 | 69,500 |
| NOT STATED | 9 | 30 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_11 | **Length** | 1 | **Position** | 707 |
| **Question Name** | | | | | |
| **Concept** | Has asthma | | | | |
| **Question** | Do you have asthma? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 535 | 2,412,500 |
| NO | 2 | 5,065 | 26,806,500 |
| DON'T KNOW | 7 | 5 | 16,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_12 **Length** 2 **Position** 708 - 709
**Question Name**
**Concept** Asthma - age first diagnosed
**Question** How old were you when this was first diagnosed?
**Universe** Respondents who answered CCC_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 74 | 525 | 2,376,500 |
| NOT APPLICABLE | 96 | 5,065 | 26,806,500 |
| DON'T KNOW | 97 | 10 | 35,500 |
| NOT STATED | 99 | 5 | 16,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_13 **Length** 1 **Position** 710
**Question Name**
**Concept** Asthma - had symptoms or attacks
**Question** Have you had any asthma symptoms or asthma attacks in the past 12 months?
**Universe** Respondents who answered CCC_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 290 | 1,365,000 |
| NO | 2 | 240 | 1,047,000 |
| NOT APPLICABLE | 6 | 5,065 | 26,806,500 |
| NOT STATED | 9 | 5 | 16,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_21 | **Length** | 1 | **Position** | 711 |
| **Question Name** | | | | | |
| **Concept** | Has fibromyalgia | | | | |
| **Question** | Do you have fibromyalgia? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 65 | 490,500 |
| NO | 2 | 4,455 | 26,554,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 4,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_22 | **Length** | 1 | **Position** | 712 |
| **Question Name** | | | | | |
| **Concept** | Has arthritis or rheumatism | | | | |
| **Question** | Do you have arthritis or rheumatism, excluding fibromyalgia? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 695 | 3,763,500 |
| NO | 2 | 3,820 | 23,268,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 17,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_23 **Length** 1 **Position** 713

**Question Name**

**Concept** Kind of arthritis / rheumatism

**Question** What kind of arthritis do you have?

**Universe** Respondents aged 12 and older who answered CCC_22 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RHEUMATOID ARTHRITIS | 1 | 115 | 610,500 |
| OSTEOARTHRITIS | 2 | 365 | 1,921,500 |
| RHEUMATISM | 3 | 50 | 273,000 |
| OTHER | 4 | 35 | 181,500 |
| NOT APPLICABLE | 6 | 4,900 | 25,454,000 |
| DON'T KNOW | 7 | 135 | 777,000 |
| NOT STATED | 9 | 5 | 18,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_24 **Length** 1 **Position** 714

**Question Name**

**Concept** Has back problems excluding fibromyalgia and arthritis

**Question** Do you have back problems, excluding fibromyalgia and arthritis?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 800 | 4,819,000 |
| NO | 2 | 3,720 | 22,222,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 8,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_31 | **Length** | 1 | **Position** | 715 |
| **Question Name** | | | | | |
| **Concept** | Has high blood pressure | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you have high blood pressure? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 685 | 3,915,500 |
| NO | 2 | 3,820 | 23,054,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 15 | 79,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_32 | **Length** | 1 | **Position** | 716 |
| **Question Name** | | | | | |
| **Concept** | Medication - high blood pressure - past month | | | | |
| **Question** | In the past month have you taken any medicine for high blood pressure? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 680 | 3,672,500 |
| NO | 2 | 3,840 | 23,363,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 13,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_33 | **Length** | 1 | **Position** | 717 |
| **Question Name** | | | | | |
| **Concept** | Ever had blood cholesterol measured | | | | |
| **Question** | Have you ever had your blood cholesterol measured? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,580 | 16,367,000 |
| NO | 2 | 1,840 | 10,163,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 105 | 519,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_34 | **Length** | 1 | **Position** | 718 |
| **Question Name** | | | | | |
| **Concept** | Ever told blood cholesterol high | | | | |
| **Question** | Have you ever been told by a health professional that your blood cholesterol was high? | | | | |
| **Universe** | Respondents aged 12 and older who answered CCC_33 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 870 | 5,112,500 |
| NO | 2 | 1,700 | 11,211,500 |
| NOT APPLICABLE | 6 | 2,920 | 12,349,000 |
| DON'T KNOW | 7 | 10 | 43,000 |
| NOT STATED | 9 | 105 | 519,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_41 | **Length** | 1 | **Position** | 719 |
| **Question Name** | | | | | |
| **Concept** | Has chronic bronchitis | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 454,500 |
| NO | 2 | 5,505 | 28,736,500 |
| DON'T KNOW | 7 | 10 | 44,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_42 | **Length** | 2 | **Position** | 720 - 721 |
| **Question Name** | | | | | |
| **Concept** | Chronic bronchitis - age first diagnosed | | | | |
| **Question** | How old were you when this was first diagnosed? | | | | |
| **Universe** | Respondents who answered CCC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 71 | 90 | 447,500 |
| NOT APPLICABLE | 96 | 5,505 | 28,736,500 |
| DON'T KNOW | 97 | 5 | 7,000 |
| NOT STATED | 99 | 10 | 44,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_43 | **Length** | 1 | **Position** | 722 |
| **Question Name** | | | | | |
| **Concept** | Has emphysema | | | | |
| **Question** | Do you have emphysema? | | | | |
| **Universe** | Respondents aged 30 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 113,500 |
| NO | 2 | 3,010 | 19,189,500 |
| NOT APPLICABLE | 6 | 2,565 | 9,907,000 |
| DON'T KNOW | 7 | 5 | 16,500 |
| NOT STATED | 9 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_44 | **Length** | 2 | **Position** | 723 - 724 |
| **Question Name** | | | | | |
| **Concept** | Emphysema - age first diagnosed | | | | |
| **Question** | How old were you when this was first diagnosed? | | | | |
| **Universe** | Respondents aged 30 and older who answered CCC_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 29 - 79 | 20 | 113,500 |
| NOT APPLICABLE | 96 | 5,580 | 29,097,000 |
| NOT STATED | 99 | 5 | 25,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_45 **Length** 1 **Position** 725

**Question Name**

**Concept** Has chronic obstructive pulmonary disease

**Question** Do you have chronic obstructive pulmonary disease (COPD)?

**Universe** Respondents aged 30 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 202,500 |
| NO | 2 | 2,985 | 19,072,000 |
| NOT APPLICABLE | 6 | 2,565 | 9,907,000 |
| DON'T KNOW | 7 | 10 | 45,000 |
| NOT STATED | 9 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_46 **Length** 2 **Position** 726 - 727

**Question Name**

**Concept** Chronic obstructive pulmonary disease - age first diagnosed

**Question** How old were you when this was first diagnosed?

**Universe** Respondents aged 30 and older who answered CCC_45 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 28 - 74 | 35 | 189,000 |
| NOT APPLICABLE | 96 | 5,550 | 28,979,500 |
| DON'T KNOW | 97 | 5 | 13,000 |
| NOT STATED | 99 | 15 | 53,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_51 | **Length** | 1 | **Position** | 728 |
| **Question Name** | | | | | |
| **Concept** | Has diabetes | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you have diabetes? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 220 | 1,162,000 |
| NO | 2 | 5,380 | 28,043,000 |
| DON'T KNOW | 7 | 5 | 30,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_52A | **Length** | 1 | **Position** | 729 |
| **Question Name** | | | | | |
| **Concept** | Diabetes - insulin dependant | | | | |
| **Question** | Were you diagnosed with: insulin dependent diabetes (Type 1)? | | | | |
| **Universe** | Respondents who answered CCC_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 238,000 |
| NO | 2 | 180 | 913,500 |
| NOT APPLICABLE | 6 | 5,380 | 28,043,000 |
| DON'T KNOW | 7 | 5 | 10,500 |
| NOT STATED | 9 | 5 | 30,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_52B | **Length** | 1 | **Position** | 730 |
| **Question Name** | | | | | |
| **Concept** | Diabetes - non-insulin dependant | | | | |
| **Question** | Were you diagnosed with: non-insulin dependent diabetes (Type 2)? | | | | |
| **Universe** | Respondents who answered CCC_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 180 | 913,500 |
| NO | 2 | 40 | 238,000 |
| NOT APPLICABLE | 6 | 5,380 | 28,043,000 |
| DON'T KNOW | 7 | 5 | 10,500 |
| NOT STATED | 9 | 5 | 30,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_52C | **Length** | 1 | **Position** | 731 |
| **Question Name** | | | | | |
| **Concept** | Diabetes - gestational | | | | |
| **Question** | Were you diagnosed with: gestational diabetes? | | | | |
| **Universe** | Respondents who answered CCC_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 105 | 571,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 10,500 |
| NOT STATED | 9 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_53 **Length** 2 **Position** 732 - 733
**Question Name**
**Concept** Diabetes - age first diagnosed
**Question** How old were you when this was first diagnosed?
**Universe** Respondents who answered CCC_52A = 1 or CCC_52B = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 6 - 78 | 215 | 1,140,500 |
| NOT APPLICABLE | 96 | 5,380 | 28,043,000 |
| DON'T KNOW | 97 | 5 | 11,000 |
| NOT STATED | 99 | 10 | 41,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_61 **Length** 1 **Position** 734
**Question Name**
**Concept** Has heart disease
**Question** Do you have heart disease?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 235 | 1,265,000 |
| NO | 2 | 5,360 | 27,936,000 |
| DON'T KNOW | 7 | 5 | 34,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_62 **Length** 2 **Position** 735 - 736
**Question Name**
**Concept** Heart disease - age first diagnosed
**Question** How old were you when this was first diagnosed?
**Universe** Respondents who answered CCC_61 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 78 | 235 | 1,231,000 |
| NOT APPLICABLE | 96 | 5,360 | 27,936,000 |
| DON'T KNOW | 97 | 5 | 34,500 |
| NOT STATED | 99 | 5 | 34,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_63 **Length** 1 **Position** 737
**Question Name**
**Concept** Ever had a heart attack
**Question** Have you ever been told by a health professional that you have had a heart attack?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 125 | 671,000 |
| NO | 2 | 5,475 | 28,549,500 |
| DON'T KNOW | 7 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_71 | **Length** | 1 | **Position** | 738 |
| **Question Name** | | | | | |
| **Concept** | Has cancer | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you have cancer? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 65 | 299,000 |
| NO | 2 | 5,540 | 28,936,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_72 | **Length** | 1 | **Position** | 739 |
| **Question Name** | | | | | |
| **Concept** | Ever had cancer | | | | |
| **Question** | Have you ever been diagnosed with cancer? | | | | |
| **Universe** | Respondents who answered CCC_71 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 210 | 1,095,500 |
| NO | 2 | 5,330 | 27,831,500 |
| NOT APPLICABLE | 6 | 65 | 299,000 |
| DON'T KNOW | 7 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_73 **Length** 2 **Position** 740 - 741
**Question Name**
**Concept** Cancer - age first diagnosed
**Question** How old were you when this was first diagnosed?
**Universe** Respondents who answered CCC_71 = 1 or CCC_72 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 77 | 270 | 1,392,000 |
| NOT APPLICABLE | 96 | 5,330 | 27,831,500 |
| DON'T KNOW | 97 | 5 | 2,500 |
| NOT STATED | 99 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_74A **Length** 1 **Position** 742
**Question Name**
**Concept** Type of cancer - breast
**Question** What type of cancer do you have? - Breast
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 256,500 |
| NO | 2 | 110 | 547,500 |
| NOT APPLICABLE | 6 | 5,455 | 28,421,500 |
| NOT STATED | 9 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_74B | **Length** | 1 | **Position** | 743 |
| **Question Name** | | | | | |
| **Concept** | Type of cancer - colorectal | | | | |
| **Question** | What type of cancer do you have? - Colorectal | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 22,500 |
| NO | 2 | 145 | 782,000 |
| NOT APPLICABLE | 6 | 5,455 | 28,421,500 |
| NOT STATED | 9 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_74C | **Length** | 1 | **Position** | 744 |
| **Question Name** | | | | | |
| **Concept** | Type of cancer - skin (melanoma) | | | | |
| **Question** | What type of cancer do you have? - Skin - Melanoma | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 48,000 |
| NO | 2 | 140 | 756,500 |
| NOT APPLICABLE | 6 | 5,455 | 28,421,500 |
| NOT STATED | 9 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_74D **Length** 1 **Position** 745
**Question Name**
**Concept** Type of cancer - skin (non-melanoma)
**Question** What type of cancer do you have? - Skin - Non-melanoma
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 124,500 |
| NO | 2 | 130 | 680,000 |
| NOT APPLICABLE | 6 | 5,455 | 28,421,500 |
| NOT STATED | 9 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_74E **Length** 1 **Position** 746
**Question Name**
**Concept** Type of cancer - other
**Question** What type of cancer do you have? - Other - Specify
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 377,500 |
| NO | 2 | 70 | 427,000 |
| NOT APPLICABLE | 6 | 5,455 | 28,421,500 |
| NOT STATED | 9 | 5 | 9,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_75A | **Length** | 1 | **Position** | 747 |
| **Question Name** | | | | | |
| **Concept** | Type of cancer - prostate | | | | |
| **Question** | What type of cancer did/do you have? - prostate | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 111,000 |
| NO | 2 | 90 | 444,000 |
| NOT APPLICABLE | 6 | 5,480 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 20,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_75B | **Length** | 1 | **Position** | 748 |
| **Question Name** | | | | | |
| **Concept** | Type of cancer - colorectal | | | | |
| **Question** | What type of cancer did/do you have? - Colorectal | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 23,500 |
| NO | 2 | 115 | 531,500 |
| NOT APPLICABLE | 6 | 5,480 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 20,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_75C **Length** 1 **Position** 749
**Question Name**
**Concept** Type of cancer - skin (melanoma)
**Question** What type of cancer did/do you have? - Skin - Melanoma
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 68,500 |
| NO | 2 | 105 | 486,500 |
| NOT APPLICABLE | 6 | 5,480 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 20,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_75D **Length** 1 **Position** 750
**Question Name**
**Concept** Type of cancer - skin (non-melanoma)
**Question** What type of cancer did/do you have? - Skin - Non-melanoma
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 131,500 |
| NO | 2 | 85 | 423,000 |
| NOT APPLICABLE | 6 | 5,480 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 20,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_75E | **Length** | 1 | **Position** | 751 |
| **Question Name** | | | | | |
| **Concept** | Type of cancer - other | | | | |
| **Question** | What type of cancer did/do you have? - Other - Specify | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 243,000 |
| NO | 2 | 75 | 312,000 |
| NOT APPLICABLE | 6 | 5,480 | 28,645,500 |
| DON'T KNOW | 7 | 5 | 20,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_81 | **Length** | 1 | **Position** | 752 |
| **Question Name** | | | | | |
| **Concept** | Suffers from the effects of a stroke | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you suffer from the effects of a stroke? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 219,500 |
| NO | 2 | 4,480 | 26,817,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 12,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_82 | **Length** | 1 | **Position** | 753 |
| **Question Name** | | | | | |
| **Concept** | Has a thyroid condition | | | | |
| **Question** | Do you have a thyroid condition? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 305 | 1,961,500 |
| NO | 2 | 4,205 | 25,004,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 10 | 84,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_83 | **Length** | 1 | **Position** | 754 |
| **Question Name** | | | | | |
| **Concept** | Has a mood disorder | | | | |
| **Question** | Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 360 | 2,281,000 |
| NO | 2 | 5,235 | 26,942,000 |
| DON'T KNOW | 7 | 5 | 12,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_84 | **Length** | 1 | **Position** | 755 |
| **Question Name** | | | | | |
| **Concept** | Has a learning disability | | | | |
| **Question** | Do you have a learning disability? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 275 | 1,063,500 |
| NO | 2 | 5,320 | 28,139,000 |
| DON'T KNOW | 7 | 5 | 32,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_85A | **Length** | 1 | **Position** | 756 |
| **Question Name** | | | | | |
| **Concept** | Learning disability - ADD, no hyperactivity | | | | |
| **Question** | What kind of learning disability do you have? - Attention Deficit Disorder, no hyperactivity (ADD) | | | | |
| **Universe** | Respondents who answered CCC_84 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 286,500 |
| NO | 2 | 185 | 730,000 |
| NOT APPLICABLE | 6 | 5,320 | 28,139,000 |
| DON'T KNOW | 7 | 15 | 47,000 |
| NOT STATED | 9 | 5 | 32,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_85B | **Length** | 1 | **Position** | 757 |
| **Question Name** | | | | | |
| **Concept** | Learning disability - ADHD | | | | |
| **Question** | What kind of learning disability do you have? - Attention Deficit Hyperactivity Disorder | | | | |
| **Universe** | Respondents who answered CCC_84 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 65 | 219,500 |
| NO | 2 | 200 | 797,000 |
| NOT APPLICABLE | 6 | 5,320 | 28,139,000 |
| DON'T KNOW | 7 | 15 | 47,000 |
| NOT STATED | 9 | 5 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_85C | **Length** | 1 | **Position** | 758 |
| **Question Name** | | | | | |
| **Concept** | Learning disability - dyslexia | | | | |
| **Question** | What kind of learning disability do you have? - Dyslexia | | | | |
| **Universe** | Respondents who answered CCC_84 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 229,000 |
| NO | 2 | 205 | 787,500 |
| NOT APPLICABLE | 6 | 5,320 | 28,139,000 |
| DON'T KNOW | 7 | 15 | 47,000 |
| NOT STATED | 9 | 5 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_85D | **Length** | 1 | **Position** | 759 |
| **Question Name** | | | | | |
| **Concept** | Learning disability - other | | | | |
| **Question** | What kind of learning disability do you have? - Other - Specify | | | | |
| **Universe** | Respondents who answered CCC_84 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 318,000 |
| NO | 2 | 180 | 699,000 |
| NOT APPLICABLE | 6 | 5,320 | 28,139,000 |
| DON'T KNOW | 7 | 15 | 47,000 |
| NOT STATED | 9 | 5 | 32,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_91 | **Length** | 1 | **Position** | 760 |
| **Question Name** | | | | | |
| **Concept** | Has eating disorder | | | | |
| **Question** | (Remember, we're interested in conditions diagnosed by a health professional.) Do you have an eating disorder such as anorexia or bulimia? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 169,000 |
| NO | 2 | 5,585 | 29,066,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_92 | **Length** | 1 | **Position** | 761 |
| **Question Name** | | | | | |
| **Concept** | Has kidney dysfunction or disease | | | | |
| **Question** | Do you suffer from kidney dysfunction or disease? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 404,000 |
| NO | 2 | 4,445 | 26,618,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 27,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_93 | **Length** | 1 | **Position** | 762 |
| **Question Name** | | | | | |
| **Concept** | Has liver disease or gallbladder problems | | | | |
| **Question** | Do you have liver disease or gallbladder problems? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 145 | 852,500 |
| NO | 2 | 4,370 | 26,177,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 19,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_94A **Length** 1 **Position** 763

**Question Name**

**Concept** Liver disease or gallbladder problem - hepatitis A

**Question** What kind of liver disease or gallbladder problem do you have? - Hepatitis A

**Universe** Respondents aged 12 and older who answered CCC_93 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 145 | 845,500 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_94B **Length** 1 **Position** 764

**Question Name**

**Concept** Liver disease or gallbladder problem - hepatitis B

**Question** What kind of liver disease or gallbladder problem do you have? - Hepatitis B

**Universe** Respondents aged 12 and older who answered CCC_93 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 56,000 |
| NO | 2 | 140 | 793,000 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CCC_94C **Length** 1 **Position** 765

**Question Name**

**Concept** Liver disease or gallbladder problem - hepatitis C

**Question** What kind of liver disease or gallbladder problem do you have? - Hepatitis C

**Universe** Respondents aged 12 and older who answered CCC_93 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 30,500 |
| NO | 2 | 135 | 818,500 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CCC_94D **Length** 1 **Position** 766

**Question Name**

**Concept** Liver disease or gallbladder problem - jaundice

**Question** What kind of liver disease or gallbladder problem do you have? - Jaundice

**Universe** Respondents aged 12 and older who answered CCC_93 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 48,500 |
| NO | 2 | 140 | 800,000 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_94E | **Length** | 1 | **Position** | 767 |
| **Question Name** | | | | | |
| **Concept** | Liver disease or gallbladder problem - cirrhosis | | | | |
| **Question** | What kind of liver disease or gallbladder problem do you have? - Cirrhosis | | | | |
| **Universe** | Respondents aged 12 and older who answered CCC_93 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 10,500 |
| NO | 2 | 140 | 838,500 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_94F | **Length** | 1 | **Position** | 768 |
| **Question Name** | | | | | |
| **Concept** | Liver disease or gallbladder problem - gallstones | | | | |
| **Question** | What kind of liver disease or gallbladder problem do you have? - Gall Stones | | | | |
| **Universe** | Respondents aged 12 and older who answered CCC_93 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 461,500 |
| NO | 2 | 65 | 387,500 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_94G | **Length** | 1 | **Position** | 769 |
| **Question Name** | | | | | |
| **Concept** | Liver disease or gallbladder problem - other | | | | |
| **Question** | What kind of liver disease or gallbladder problem do you have? - Other - specify | | | | |
| **Universe** | Respondents aged 12 and older who answered CCC_93 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 294,000 |
| NO | 2 | 95 | 555,000 |
| NOT APPLICABLE | 6 | 5,450 | 28,362,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 20,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_95 | **Length** | 1 | **Position** | 770 |
| **Question Name** | | | | | |
| **Concept** | Has hepatitis | | | | |
| **Question** | Do you have hepatitis? | | | | |
| **Universe** | Respondents who answered CCC_94A = 2; CCC_94B = 2; CCC_94C = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 285,000 |
| NO | 2 | 5,550 | 28,906,500 |
| DON'T KNOW | 7 | 5 | 43,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_96A | **Length** | 1 | **Position** | 771 |
| **Question Name** | | | | | |
| **Concept** | Type of hepatitis - A | | | | |
| **Question** | What type of hepatitis do you have? - Hepatitis A | | | | |
| **Universe** | Respondents who answered CCC_95 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 45,000 |
| NO | 2 | 30 | 179,000 |
| NOT APPLICABLE | 6 | 5,550 | 28,906,500 |
| DON'T KNOW | 7 | 5 | 61,000 |
| NOT STATED | 9 | 5 | 43,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_96B | **Length** | 1 | **Position** | 772 |
| **Question Name** | | | | | |
| **Concept** | Type of hepatitis - B | | | | |
| **Question** | What type of hepatitis do you have? - Hepatitis B | | | | |
| **Universe** | Respondents who answered CCC_95 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 127,500 |
| NO | 2 | 20 | 96,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,906,500 |
| DON'T KNOW | 7 | 5 | 61,000 |
| NOT STATED | 9 | 5 | 43,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_96C | **Length** | 1 | **Position** | 773 |
| **Question Name** | | | | | |
| **Concept** | Type of hepatitis - C | | | | |
| **Question** | What type of hepatitis do you have? - Hepatitis C | | | | |
| **Universe** | Respondents who answered CCC_95 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 64,000 |
| NO | 2 | 25 | 160,000 |
| NOT APPLICABLE | 6 | 5,550 | 28,906,500 |
| DON'T KNOW | 7 | 5 | 61,000 |
| NOT STATED | 9 | 5 | 43,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCC_101 | **Length** | 1 | **Position** | 774 |
| **Question Name** | | | | | |
| **Concept** | Other long term physical or mental health condition | | | | |
| **Question** | Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,000 | 5,445,000 |
| NO | 2 | 4,600 | 23,783,500 |
| DON'T KNOW | 7 | 5 | 7,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CCCF1 | **Length** | 1 | **Position** | 775 |
| **Question Name** | | | | | |
| **Concept** | Has a chronic condition - (F) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,915 | 16,222,000 |
| NO | 2 | 2,495 | 12,005,000 |
| NOT STATED | 9 | 195 | 1,008,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PLM_11 | **Length** | 1 | **Position** | 776 |
| **Question Name** | | | | | |
| **Concept** | Cough with phlegm - 3 months or more / past year | | | | |
| **Question** | During the past year, that is from [date one year ago] to yesterday, have you had a cough where you brought up phlegm that lasted 3 months or more? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 225 | 1,277,000 |
| NO | 2 | 5,375 | 27,936,000 |
| DON'T KNOW | 7 | 5 | 22,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PLM_12 | **Length** | 1 | **Position** | 777 |
| **Question Name** | | | | | |
| **Concept** | Cough with phlegm - 3 months or more / year before past year | | | | |
| **Question** | During the previous year, that is from [date two years ago] to [date one year ago] did you have a cough where you brought up phlegm that lasted 3 months or more? | | | | |
| **Universe** | Respondents who answered PLM_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 130 | 829,000 |
| NO | 2 | 90 | 442,500 |
| NOT APPLICABLE | 6 | 5,375 | 27,936,000 |
| DON'T KNOW | 7 | 5 | 5,500 |
| NOT STATED | 9 | 5 | 22,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | FMH_11 | **Length** | 1 | **Position** | 778 |
| **Question Name** | | | | | |
| **Concept** | Immediate family member ever diagnosed with heart disease | | | | |
| **Question** | Has anyone in your immediate family ever been diagnosed with heart disease (including heart attack or angina)? | | | | |
| **Universe** | One respondent unless multiple family household (1 rep per family) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,475 | 8,757,500 |
| NO | 2 | 3,985 | 19,786,500 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 115 | 602,000 |
| REFUSAL | 8 | 5 | 6,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** FMH_12 **Length** 3 **Position** 779 - 781

**Question Name**

**Concept** Youngest age - fam member first diagnosed with heart disease

**Question** What is the youngest age at which a member of your immediate family was first diagnosed with heart disease?

**Universe** Respondents who answered FMH_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 94 | 1,405 | 8,336,500 |
| NOT APPLICABLE | 996 | 4,010 | 19,870,000 |
| DON'T KNOW | 997 | 70 | 418,500 |
| REFUSAL | 998 | 5 | 2,500 |
| NOT STATED | 999 | 115 | 608,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** FMH_13 **Length** 1 **Position** 782

**Question Name**

**Concept** Immediate family member ever had stroke

**Question** Has anyone in your immediate family ever had a stroke?

**Universe** One respondent unless multiple family household (1 rep per family)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 720 | 4,215,000 |
| NO | 2 | 4,745 | 24,276,500 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 110 | 652,000 |
| REFUSAL | 8 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** FMH_14 **Length** 3 **Position** 783 - 785
**Question Name**
**Concept** Youngest age - immediate family member had stroke
**Question** What is the youngest age at which a member of your immediate family had a stroke?
**Universe** Respondents who answered FMH_13 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 6 - 99 | 715 | 4,181,500 |
| NOT APPLICABLE | 996 | 4,770 | 24,360,000 |
| DON'T KNOW | 997 | 10 | 33,500 |
| NOT STATED | 999 | 110 | 660,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** FMH_15 **Length** 1 **Position** 786
**Question Name**
**Concept** Immediate family member ever had high blood pressure
**Question** Has anyone in your immediate family ever had high blood pressure, excluding during pregnancy?
**Universe** One respondent unless multiple family household (1 rep per family)
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,095 | 12,665,000 |
| NO | 2 | 3,175 | 14,797,500 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 305 | 1,681,000 |
| REFUSAL | 8 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** FMH_16 **Length** 3 **Position** 787 - 789

**Question Name**

**Concept** Youngest age - immediate fam member diagno high blood pres

**Question** What is the youngest age at which a member of your immediate family was first diagnosed with high blood pressure?

**Universe** Respondents who answered FMH_15 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 5 - 92 | 1,855 | 11,160,500 |
| NOT APPLICABLE | 996 | 3,205 | 14,881,000 |
| DON'T KNOW | 997 | 235 | 1,504,500 |
| NOT STATED | 999 | 305 | 1,689,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** FMH_17 **Length** 1 **Position** 790

**Question Name**

**Concept** Immediate family member had arthritis

**Question** Has anyone in your immediate family ever had arthritis?

**Universe** One respondent unless multiple family household (1 rep per family)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,585 | 9,538,000 |
| NO | 2 | 3,805 | 18,497,500 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 185 | 1,110,500 |
| REFUSAL | 8 | 5 | 6,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** FMH_18 **Length** 3 **Position** 791 - 793

**Question Name**

**Concept** Youngest age imme fam member first diagnosed with arthritis

**Question** What is the youngest age at which a member of your immediate family was first diagnosed with arthritis?

**Universe** Respondents who answered FMH_17 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 1 - 88 | 1,405 | 8,457,000 |
| NOT APPLICABLE | 996 | 3,830 | 18,581,000 |
| DON'T KNOW | 997 | 180 | 1,081,500 |
| NOT STATED | 999 | 185 | 1,116,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** FMH_19 **Length** 1 **Position** 794

**Question Name**

**Concept** Immediate family had diabetes

**Question** Has anyone in your immediate family ever had diabetes, excluding during pregnancy?

**Universe** One respondent unless multiple family household (1 rep per family)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,130 | 7,227,000 |
| NO | 2 | 4,335 | 21,310,500 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 110 | 609,000 |
| REFUSAL | 8 | 5 | 6,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** FMH_21 **Length** 1 **Position** 795

**Question Name**

**Concept** Type of diabetes

**Question** Was this: (… insulin dependent diabetes (Type 1), … non-insulin dependent diabetes (Type 2) or … both)?

**Universe** Respondents who answered FMH_19 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| INSULIN DEPENDENT DIABETES (TYPE1) | 1 | 300 | 2,036,500 |
| NON-INSULIN DEPENDENT DIABETES (TYPE 2) | 2 | 715 | 4,505,000 |
| BOTH | 3 | 40 | 290,500 |
| NOT APPLICABLE | 6 | 4,360 | 21,394,000 |
| DON'T KNOW | 7 | 75 | 394,500 |
| NOT STATED | 9 | 115 | 615,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** FMH_22 **Length** 3 **Position** 796 - 798

**Question Name**

**Concept** Youngest age - immediate family member diagnosed diabetes

**Question** What is the youngest age at which a member of your immediate family was first diagnosed with diabetes?

**Universe** Respondents who answered FMH_19 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 1 - 90 | 1,045 | 6,602,000 |
| NOT APPLICABLE | 996 | 4,360 | 21,394,000 |
| DON'T KNOW | 997 | 85 | 625,000 |
| NOT STATED | 999 | 115 | 615,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | FMH_23 | **Length** | 1 | **Position** | 799 |
| **Question Name** | | | | | |
| **Concept** | Immediate family had asthma | | | | |
| **Question** | Has anyone in your immediate family ever had asthma? | | | | |
| **Universe** | One respondent unless multiple family household (1 rep per family) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,290 | 6,506,500 |
| NO | 2 | 4,185 | 22,044,000 |
| NOT APPLICABLE | 6 | 25 | 83,500 |
| DON'T KNOW | 7 | 100 | 595,500 |
| REFUSAL | 8 | 5 | 6,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | FMH_24 | **Length** | 1 | **Position** | 800 |
| **Question Name** | | | | | |
| **Concept** | Parents diagnosed with asthma | | | | |
| **Question** | Was it one of your parents that was diagnosed with asthma? | | | | |
| **Universe** | Respondents who answered FMH_23 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 630 | 2,776,500 |
| NO | 2 | 655 | 3,702,000 |
| NOT APPLICABLE | 6 | 4,215 | 22,127,500 |
| DON'T KNOW | 7 | 5 | 27,500 |
| NOT STATED | 9 | 100 | 601,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HEP_11 **Length** 1 **Position** 801

**Question Name**

**Concept** Ever received hepatitis A vaccination

**Question** Have you ever received a hepatitis A vaccination? This vaccine is given to people who travel outside of Canada. It has been available since the mid 1990s.

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,360 | 7,804,500 |
| NO | 2 | 3,970 | 19,735,500 |
| DON'T KNOW | 7 | 275 | 1,695,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HEP_12 **Length** 1 **Position** 802

**Question Name**

**Concept** Ever received complete series of hepatitis B vaccines

**Question** Hepatitis B vaccinations usually come in a 2 or 3 dose series. Have you received a complete series of hepatitis B vaccines?

**Universe** Respondents who answered HEP_11 = (1,2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,290 | 11,542,000 |
| NO | 2 | 2,910 | 15,313,000 |
| DON'T KNOW | 7 | 405 | 2,380,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HEP_13 **Length** 1 **Position** 803

**Question Name**

**Concept** Received blood transfusion in Canada between 1978 and 1985

**Question** Did you receive a blood transfusion in Canada between 1978 and 1985?

**Universe** Respondents who answered HEP_11 = (1,2) and were born before 1986

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 105 | 720,000 |
| NO | 2 | 3,255 | 21,535,000 |
| NOT APPLICABLE | 6 | 2,210 | 6,690,000 |
| DON'T KNOW | 7 | 35 | 238,000 |
| NOT STATED | 9 | 5 | 52,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUI_01 **Length** 1 **Position** 804

**Question Name**

**Concept** Vision - read newsprint without glasses / contacts

**Question** Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,625 | 17,817,000 |
| NO | 2 | 1,975 | 11,418,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUI_02 **Length** 1 **Position** 805

**Question Name**

**Concept** Vision - read newsprint with glasses / contacts

**Question** Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?

**Universe** Respondents who answered HUI_01 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,945 | 11,271,000 |
| NO | 2 | 25 | 107,000 |
| NOT APPLICABLE | 6 | 3,625 | 17,817,000 |
| DON'T KNOW | 7 | 5 | 40,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUI_03 **Length** 1 **Position** 806

**Question Name**

**Concept** Vision - able to see

**Question** Are you able to see at all?

**Universe** Respondents who answered HUI_01 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 129,500 |
| NO | 2 | 5 | 18,000 |
| NOT APPLICABLE | 6 | 5,575 | 29,088,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUI_04 **Length** 1 **Position** 807

**Question Name**

**Concept** Vision - recognize a friend without glasses / contacts

**Question** Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?

**Universe** Respondents who answered HUI_01 = 1 or HUI_02 =1 or HUI_03 =1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,255 | 21,359,000 |
| NO | 2 | 1,340 | 7,836,500 |
| NOT APPLICABLE | 6 | 5 | 18,000 |
| DON'T KNOW | 7 | 5 | 22,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUI_05 **Length** 1 **Position** 808

**Question Name**

**Concept** Vision - recognize a friend with glasses / contacts

**Question** Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?

**Universe** Respondents who answered HUI_04 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,315 | 7,712,500 |
| NO | 2 | 25 | 100,500 |
| NOT APPLICABLE | 6 | 4,260 | 21,377,000 |
| DON'T KNOW | 7 | 5 | 23,500 |
| NOT STATED | 9 | 5 | 22,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_06 | **Length** | 1 | **Position** | 809 |
| **Question Name** | | | | | |
| **Concept** | Hearing - in group without hearing aid | | | | |
| **Question** | Are you usually able to hear what is being said in a group conversation with at least 3 other people without a hearing aid? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,455 | 28,542,000 |
| NO | 2 | 150 | 693,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_07 | **Length** | 1 | **Position** | 810 |
| **Question Name** | | | | | |
| **Concept** | Hearing - in group with hearing aid | | | | |
| **Question** | Are you usually able to hear what is being said in a group conversation with at least 3 other people with a hearing aid? | | | | |
| **Universe** | Respondents who answered HUI_06 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 339,000 |
| NO | 2 | 30 | 147,500 |
| NOT APPLICABLE | 6 | 5,455 | 28,542,000 |
| DON'T KNOW | 7 | 40 | 198,500 |
| REFUSAL | 8 | 5 | 8,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_07A | **Length** | 1 | **Position** | 811 |
| **Question Name** | | | | | |
| **Concept** | Hearing - able to hear | | | | |
| **Question** | Are you able to hear at all? | | | | |
| **Universe** | Respondents who answered HUI_07 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 344,000 |
| NO | 2 | 5 | 10,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,881,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_08 | **Length** | 1 | **Position** | 812 |
| **Question Name** | | | | | |
| **Concept** | Hearing - in quiet room without hearing aid | | | | |
| **Question** | Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid? | | | | |
| **Universe** | Respondents who answered HUI_07 =1 or HUI_07A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 125 | 584,000 |
| NO | 2 | 20 | 80,500 |
| NOT APPLICABLE | 6 | 5,455 | 28,552,500 |
| DON'T KNOW | 7 | 5 | 18,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_09 | **Length** | 1 | **Position** | 813 |
| **Question Name** | | | | | |
| **Concept** | Hearing - in quiet room with hearing aid | | | | |
| **Question** | Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid? | | | | |
| **Universe** | Respondents who answered HUI_08 = 2 and HUI_Q07=1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 72,000 |
| NO | 2 | 5 | 8,500 |
| NOT APPLICABLE | 6 | 5,580 | 29,136,500 |
| DON'T KNOW | 7 | 5 | 18,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_10 | **Length** | 1 | **Position** | 814 |
| **Question Name** | | | | | |
| **Concept** | Speech - completely understood by strangers | | | | |
| **Question** | Are you usually able to be understood completely when speaking with strangers in your own language? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,555 | 29,079,000 |
| NO | 2 | 50 | 156,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUI_11 **Length** 1 **Position** 815

**Question Name**

**Concept** Speech - partially understood by strangers

**Question** Are you able to be understood partially when speaking with strangers?

**Universe** Respondents who answered HUI_10 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 151,500 |
| NO | 2 | 5 | 5,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,079,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HUI_12 **Length** 1 **Position** 816

**Question Name**

**Concept** Speech - completely understood by non-strangers

**Question** Are you able to be understood completely when speaking with those who know you well?

**Universe** Respondents who answered HUI_10 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 125,000 |
| NO | 2 | 10 | 31,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,079,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_13 | **Length** | 1 | **Position** | 817 |
| **Question Name** | | | | | |
| **Concept** | Speech - partially understood by non-strangers | | | | |
| **Question** | Are you able to be understood partially when speaking with those who know you well? | | | | |
| **Universe** | Respondents who answered HUI_12 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 29,000 |
| NO | 2 | 5 | 2,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,204,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_14 | **Length** | 1 | **Position** | 818 |
| **Question Name** | | | | | |
| **Concept** | Mobility - walk without difficulty and without support | | | | |
| **Question** | Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,480 | 28,624,000 |
| NO | 2 | 120 | 603,500 |
| DON'T KNOW | 7 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_15 | **Length** | 1 | **Position** | 819 |
| **Question Name** | | | | | |
| **Concept** | Mobility - able to walk | | | | |
| **Question** | Are you able to walk at all? | | | | |
| **Universe** | Respondents who answered HUI_14 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 110 | 562,500 |
| NO | 2 | 10 | 41,000 |
| NOT APPLICABLE | 6 | 5,480 | 28,624,000 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_16 | **Length** | 1 | **Position** | 820 |
| **Question Name** | | | | | |
| **Concept** | Mobility - requires support to walk | | | | |
| **Question** | Do you require mechanical support such as braces, a cane or crutches to be able to walk? | | | | |
| **Universe** | Respondents who answered HUI_15 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 421,500 |
| NO | 2 | 25 | 140,500 |
| NOT APPLICABLE | 6 | 5,490 | 28,665,500 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_17 | **Length** | 1 | **Position** | 821 |
| **Question Name** | | | | | |
| **Concept** | Mobility - requires help of person to walk | | | | |
| **Question** | Do you require the help of another person to be able to walk? | | | | |
| **Universe** | Respondents who answered HUI_15 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 64,000 |
| NO | 2 | 100 | 498,500 |
| NOT APPLICABLE | 6 | 5,490 | 28,665,500 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_18 | **Length** | 1 | **Position** | 822 |
| **Question Name** | | | | | |
| **Concept** | Mobility - requires a wheelchair | | | | |
| **Question** | Do you require a wheelchair to get around? | | | | |
| **Universe** | Respondents who answered HUI_14 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 47,500 |
| NO | 2 | 110 | 556,000 |
| NOT APPLICABLE | 6 | 5,480 | 28,624,000 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_19 | **Length** | 1 | **Position** | 823 |
| **Question Name** | | | | | |
| **Concept** | Mobility - frequency of wheelchair use | | | | |
| **Question** | How often do you use a wheelchair? | | | | |
| **Universe** | Respondents who answered HUI_18 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ALWAYS | 1 | 10 | 36,500 |
| OFTEN | 2 | 5 | 3,500 |
| SOMETIMES | 3 | 5 | 4,500 |
| NEVER | 4 | 5 | 3,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,180,000 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_20 | **Length** | 1 | **Position** | 824 |
| **Question Name** | | | | | |
| **Concept** | Mobility - requires help to get around in wheelchair | | | | |
| **Question** | Do you need the help of another person to get around in the wheelchair? | | | | |
| **Universe** | Respondents who answered HUI_18 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 14,500 |
| NO | 2 | 10 | 33,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,180,000 |
| NOT STATED | 9 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_21 | **Length** | 1 | **Position** | 825 |
| **Question Name** | | | | | |
| **Concept** | Dexterity - able to grasp and handle small objects | | | | |
| **Question** | Are you usually able to grasp and handle small objects such as a pencil or scissors? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,575 | 29,088,500 |
| NO | 2 | 30 | 147,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_22 | **Length** | 1 | **Position** | 826 |
| **Question Name** | | | | | |
| **Concept** | Dexterity - requires help due to limitation in use of hands | | | | |
| **Question** | Do you require the help of another person because of limitations in the use of hands or fingers? | | | | |
| **Universe** | Respondents who answered HUI_21 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 64,500 |
| NO | 2 | 20 | 82,500 |
| NOT APPLICABLE | 6 | 5,575 | 29,088,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_23 | **Length** | 1 | **Position** | 827 |
| **Question Name** | | | | | |
| **Concept** | Dexterity - requires help with tasks | | | | |
| **Question** | Do you require the help of another person with: (… some tasks, … most tasks, … almost all tasks or … all tasks)? | | | | |
| **Universe** | Respondents who answered HUI_22 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| SOME TASKS | 1 | 5 | 63,500 |
| MOST TASKS | 2 | 5 | 1,000 |
| NOT APPLICABLE | 6 | 5,595 | 29,171,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_24 | **Length** | 1 | **Position** | 828 |
| **Question Name** | | | | | |
| **Concept** | Dexterity - requires special equipment / hand limitation | | | | |
| **Question** | Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers? | | | | |
| **Universe** | Respondents who answered HUI_21 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 72,500 |
| NO | 2 | 20 | 74,500 |
| NOT APPLICABLE | 6 | 5,575 | 29,088,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUI_25 **Length** 1 **Position** 829

**Question Name**

**Concept** Emotion - self evaluation

**Question** Would you describe yourself as being usually: (… happy and interested in life, … somewhat happy, … somewhat unhappy, … unhappy with little interest in life or … so unhappy that life is not worthwhile)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HAPPY AND INTERESTED IN LIFE | 1 | 4,570 | 23,306,000 |
| SOMEWHAT HAPPY | 2 | 880 | 4,963,000 |
| SOMEWHAT UNHAPPY | 3 | 125 | 775,500 |
| UNHAPPY WITH LITTLE INTEREST IN LIFE | 4 | 20 | 173,000 |
| SO UNHAPPY THAT LIFE IS NOT WORTHWHILE | 5 | 5 | 11,000 |
| DON'T KNOW | 7 | 5 | 6,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUI_26 **Length** 1 **Position** 830

**Question Name**

**Concept** Cognition - ability to remember things

**Question** How would you describe your usual ability to remember things?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ABLE TO REMEMBER MOST THINGS | 1 | 4,270 | 21,973,500 |
| SOMEWHAT FORGETFUL | 2 | 1,230 | 6,772,500 |
| VERY FORGETFUL | 3 | 100 | 488,500 |
| DON'T KNOW | 7 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUI_27 **Length** 1 **Position** 831
**Question Name**
**Concept** Cognition - ability to think and solve problems
**Question** How would you describe your usual ability to think and solve day-to-day problems?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ABLE TO THINK CLEARLY & SOLVE PROBLEMS | 1 | 5,010 | 26,511,000 |
| HAVING A LITTLE DIFFICULTY | 2 | 470 | 2,163,500 |
| HAVING SOME DIFFICULTY | 3 | 110 | 523,000 |
| HAVING A GREAT DEAL OF DIFFICULTY | 4 | 10 | 33,500 |
| UNABLE TO THINK OR SOLVE PROBLEMS | 5 | 5 | 2,000 |
| DON'T KNOW | 7 | 5 | 3,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HUI_28 **Length** 1 **Position** 832
**Question Name**
**Concept** Usually free of pain or discomfort
**Question** Are you usually free of pain or discomfort?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,745 | 24,314,000 |
| NO | 2 | 860 | 4,921,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_29 | **Length** | 1 | **Position** | 833 |
| **Question Name** | | | | | |
| **Concept** | Pain and discomfort - usual intensity | | | | |
| **Question** | How would you describe the usual intensity of your pain or discomfort? | | | | |
| **Universe** | Respondents who answered HUI_28 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MILD | 1 | 315 | 1,942,000 |
| MODERATE | 2 | 420 | 2,340,500 |
| SEVERE | 3 | 120 | 639,000 |
| NOT APPLICABLE | 6 | 4,745 | 24,314,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUI_30 | **Length** | 1 | **Position** | 834 |
| **Question Name** | | | | | |
| **Concept** | Pain and discomfort - number of activities prevented | | | | |
| **Question** | How many activities does your pain or discomfort prevent? | | | | |
| **Universe** | Respondents who answered HUI_28 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NONE | 1 | 270 | 1,437,000 |
| A FEW | 2 | 265 | 1,581,500 |
| SOME | 3 | 180 | 1,099,500 |
| MOST | 4 | 145 | 803,500 |
| NOT APPLICABLE | 6 | 4,745 | 24,314,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUIDCOG **Length** 2 **Position** 835 - 836
**Question Name**
**Concept** Cognition problems - function code - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO COGNITIVE PROBLEMS | 1 | 4,030 | 20,989,500 |
| A LITTLE DIFFICULTY THINKING | 2 | 235 | 976,000 |
| SOMEWHAT FORGETFUL | 3 | 925 | 5,237,500 |
| SOMEWHAT FORGETFUL/LITTLE DIFF. THINK. | 4 | 300 | 1,523,500 |
| VERY FORGETFUL/GREAT DEAL DIFF. THINK. | 5 | 110 | 504,000 |
| UNABLE TO REMEMBER OR TO THINK | 6 | 5 | 1,000 |
| NOT STATED | 99 | 5 | 4,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUIDDEX **Length** 2 **Position** 837 - 838
**Question Name**
**Concept** Dexterity trouble - function code - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO DEXTERITY PROBLEMS | 1 | 5,575 | 29,088,500 |
| DEXT. PROBL. - NO HELP REQUIRED | 2 | 15 | 67,000 |
| DEXT. PROBL.- REQUIRE SPECIAL EQUIPMENT | 3 | 5 | 15,500 |
| DEXT. PROBL. - HELP WITH SOME TASKS | 4 | 5 | 63,500 |
| DEXT. PROBL. - HELP WITH MOST TASKS | 5 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUIDEMO **Length** 1 **Position** 839
**Question Name**
**Concept** Emotional problems - function code - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HAPPY AND INTERESTED IN LIFE | 1 | 4,570 | 23,306,000 |
| SOMEWHAT HAPPY | 2 | 880 | 4,963,000 |
| SOMEWHAT UNHAPPY | 3 | 125 | 775,500 |
| VERY UNHAPPY | 4 | 20 | 173,000 |
| SO UNHAPPY THAT LIFE IS NOT WORTHWHILE | 5 | 5 | 11,000 |
| NOT STATED | 9 | 5 | 6,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HUIDHER **Length** 2 **Position** 840 - 841
**Question Name**
**Concept** Hearing problems - function code - (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO HEARING PROBLEMS | 1 | 5,455 | 28,542,000 |
| PROBL. HEAR. IN GROUP - CORRECTED | 2 | 60 | 277,500 |
| PROBL. HEAR. IN GROUP & IND. -CORRECTED | 3 | 15 | 61,000 |
| PROBL. HEAR. IN GROUP - NOT CORRECTED | 4 | 25 | 118,000 |
| PROBL. HEAR. IN GROUP & IND.- IND. CORR. | 5 | 5 | 10,500 |
| CANNOT HEAR | 6 | 5 | 19,000 |
| NOT STATED | 99 | 45 | 207,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUIDMOB **Length** 2 **Position** 842 - 843

**Question Name**

**Concept** Mobility trouble - function code - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO MOBILITY PROBLEMS | 1 | 5,480 | 28,624,000 |
| PROBLEM - NO AID REQUIRED | 2 | 20 | 133,000 |
| PROBLEM - REQUIRES MECHANICAL SUPPORT | 3 | 75 | 357,500 |
| PROBLEM - REQUIRES WHEELCHAIR | 4 | 5 | 7,500 |
| PROBLEM - REQUIRES HELP FROM PEOPLE | 5 | 10 | 64,000 |
| CANNOT WALK | 6 | 10 | 41,000 |
| NOT STATED | 99 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUIDPAD **Length** 1 **Position** 844

**Question Name**

**Concept** Activities prevented by pain - function code - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO PAIN OR DISCOMFORT | 1 | 4,745 | 24,314,000 |
| PAIN PREVENTS NO ACTIVITIES | 2 | 270 | 1,437,000 |
| PAIN PREVENTS A FEW ACTIVITIES | 3 | 265 | 1,581,500 |
| PAIN PREVENTS SOME ACTIVITIES | 4 | 180 | 1,099,500 |
| PAIN PREVENTS MOST ACTIVITIES | 5 | 145 | 803,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HUIDSPE **Length** 1 **Position** 845

**Question Name**

**Concept** Speech trouble - function code - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SPEECH PROBLEMS | 1 | 5,555 | 29,079,000 |
| PARTIALLY UNDERSTOOD BY STRANGERS | 2 | 35 | 123,500 |
| PARTIALLY UNDERSTOOD BY FRIENDS | 3 | 10 | 28,000 |
| NOT UNDERSTOOD BY STRANGERS | 4 | 5 | 2,500 |
| NOT UNDERSTOOD BY FRIENDS | 5 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HUIDVIS **Length** 2 **Position** 846 - 847

**Question Name**

**Concept** Vision trouble - function code - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO VISUAL PROBLEMS | 1 | 3,075 | 14,301,000 |
| PROBLEMS CORRECTED BY LENSES | 2 | 2,475 | 14,706,000 |
| PROBLEM SEEING DISTANCE - NOT CORRECTED | 3 | 10 | 53,000 |
| PROBLEM SEEING CLOSE - NOT CORRECTED | 4 | 15 | 41,500 |
| PROBLEM CLOSE &DISTANCE - NOT CORRECTED | 5 | 10 | 47,000 |
| NO SIGHT AT ALL | 6 | 5 | 18,000 |
| NOT STATED | 99 | 10 | 68,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUIDHSI | **Length** | 5.3 | **Position** | 848 - 852 |
| **Question Name** | | | | | |
| **Concept** | Health Utility Index (HUI3) - (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | -.148 - 1.000 | 5,545 | 28,946,500 |
| NOT STATED | 9.999 | 60 | 289,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HUIDHSC | **Length** | 1 | **Position** | 853 |
| **Question Name** | | | | | |
| **Concept** | HUI score into 4 cat. - no/mild/moderate/severe dis (D) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO DISABILITY | 1 | 1,890 | 8,162,500 |
| MILD DISABILITY | 2 | 2,295 | 13,433,000 |
| MODERATE DISABILITY | 3 | 800 | 4,180,500 |
| SEVERE DISABILITY | 4 | 565 | 3,170,500 |
| NOT STATED | 9 | 60 | 289,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SMK_11 | **Length** | 1 | **Position** | 854 |
| **Question Name** | | | | | |
| **Concept** | Smoked 100 or more cigarettes - lifetime | | | | |
| **Question** | In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,950 | 12,722,500 |
| NO | 2 | 2,575 | 14,324,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| DON'T KNOW | 7 | 5 | 2,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SMK_12 | **Length** | 1 | **Position** | 855 |
| **Question Name** | | | | | |
| **Concept** | Type of smoker | | | | |
| **Question** | At the present time, do you smoke cigarettes daily, occasionally or not at all? | | | | |
| **Universe** | Respondents aged 12 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| DAILY | 1 | 665 | 4,595,500 |
| OCCASIONALLY | 2 | 155 | 914,000 |
| NOT AT ALL | 3 | 3,705 | 21,540,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_21 **Length** 2 **Position** 856 - 857

**Question Name**

**Concept** Age - smoked first whole cigarette

**Question** At what age did you smoke your first whole cigarette?

**Universe** Respondents aged 12 and older who answered SMK_11 = 1 or SMK_12 = (1, 2) or (SMK_11 = (DK, RF) and SMK_12 = (1, 2, 3))

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 5 - 50 | 1,970 | 12,790,000 |
| NOT APPLICABLE | 96 | 3,625 | 16,402,000 |
| DON'T KNOW | 97 | 5 | 40,000 |
| NOT STATED | 99 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_22 **Length** 2 **Position** 858 - 859

**Question Name**

**Concept** Age - started smoking at least 1 cigarette/month

**Question** How old were you when you started smoking at least 1 cigarette a month?

**Universe** Respondents aged 12 and older who answered SMK_11 = 1 or SMK_12 = (1, 2) or (SMK_11 = (DK, RF) and SMK_12 = (1, 2, 3))

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 60 | 1,965 | 12,796,000 |
| NOT APPLICABLE | 96 | 3,625 | 16,402,000 |
| DON'T KNOW | 97 | 10 | 34,500 |
| NOT STATED | 99 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_23 **Length** 2 **Position** 860 - 861

**Question Name**

**Concept** Number days/typical month smoked at least 1 cigarette

**Question** When you were [age started smoking 1 cigarette/month] years old, how many days in a typical month did you smoke at least 1 cigarette?

**Universe** Respondents aged 12 and older who answered SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DAYS | 1 - 31 | 1,910 | 12,530,000 |
| NOT APPLICABLE | 96 | 3,640 | 16,443,000 |
| DON'T KNOW | 97 | 40 | 224,500 |
| NOT STATED | 99 | 10 | 37,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_24 **Length** 2 **Position** 862 - 863

**Question Name**

**Concept** # Cig/day smoked at age started smoking at least 1 cig/mth.

**Question** When you were [age started smoking 1 cigarette/month] years old, (on the days you smoked) how many cigarettes did you usually smoke (each day)?

**Universe** Respondents aged 12 and older who answered SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF CIGARETTES | 1 - 75 | 1,910 | 12,552,500 |
| NOT APPLICABLE | 96 | 3,640 | 16,443,000 |
| DON'T KNOW | 97 | 40 | 202,000 |
| NOT STATED | 99 | 10 | 37,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_31 **Length** 2 **Position** 864 - 865

**Question Name**

**Concept** Number of cigarettes smoked per day (daily smoker)

**Question** How many cigarettes do you smoke each day now?

**Universe** Respondents aged 12 and older who answered SMK_12 = 1 and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF CIGARETTES | 1 - 50 | 665 | 4,583,500 |
| NOT APPLICABLE | 96 | 4,940 | 24,639,500 |
| NOT STATED | 99 | 5 | 12,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_41 **Length** 2 **Position** 866 - 867

**Question Name**

**Concept** Number of cigarettes smoked per day (occasional smoker)

**Question** On the days that you smoke, how many cigarettes do you usually smoke?

**Universe** Respondents aged 12 and older who answered SMK_12 = 1 and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF CIGARETTES | 1 - 25 | 145 | 886,500 |
| NOT APPLICABLE | 96 | 5,455 | 28,335,500 |
| DON'T KNOW | 97 | 5 | 8,500 |
| NOT STATED | 99 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_42 **Length** 2 **Position** 868 - 869

**Question Name**

**Concept** Number of days/past mth - smoked 1 cig or more (occ smoker)

**Question** In the past month, on how many days have you smoked 1 or more cigarettes?

**Universe** Respondents aged 12 and older who answered SMK_12 = 1 and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DAYS | 0 - 31 | 145 | 895,000 |
| NOT APPLICABLE | 96 | 5,455 | 28,335,500 |
| NOT STATED | 99 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_51 **Length** 1 **Position** 870

**Question Name**

**Concept** Ever smoked cigarettes daily

**Question** Have you ever smoked cigarettes daily?

**Universe** Respondents aged 12 and older who answered SMK_12 = (2, 3) and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,135 | 7,244,000 |
| NO | 2 | 155 | 927,000 |
| NOT APPLICABLE | 6 | 4,305 | 21,039,000 |
| NOT STATED | 9 | 10 | 25,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_52 **Length** 2 **Position** 871 - 872

**Question Name**

**Concept** Age started smoking daily

**Question** At what age did you begin to smoke (cigarettes) daily?

**Universe** Respondents aged 12 and older who answered SMK_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 7 - 50 | 1,130 | 7,226,000 |
| NOT APPLICABLE | 96 | 4,460 | 21,966,000 |
| DON'T KNOW | 97 | 5 | 18,000 |
| NOT STATED | 99 | 10 | 25,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_53 **Length** 2 **Position** 873 - 874

**Question Name**

**Concept** Number cigs usually smoked each day (former daily smoker)

**Question** How many cigarettes did you usually smoke each day?

**Universe** Respondents aged 12 and older who answered SMK_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF CIGARETTES | 1 - 95 | 1,130 | 7,215,000 |
| NOT APPLICABLE | 96 | 4,460 | 21,966,000 |
| DON'T KNOW | 97 | 5 | 29,000 |
| NOT STATED | 99 | 10 | 25,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_54 **Length** 2 **Position** 875 - 876

**Question Name**

**Concept** Age stopped smoking cigarettes daily/completely

**Question** At what age did you stop smoking cigarettes daily/completely?

**Universe** Respondents aged 12 and older who answered SMK_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 12 - 78 | 1,135 | 7,242,500 |
| NOT APPLICABLE | 96 | 4,460 | 21,966,000 |
| DON'T KNOW | 97 | 5 | 2,000 |
| NOT STATED | 99 | 10 | 25,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_60 **Length** 1 **Position** 877

**Question Name**

**Concept** Smoked cigars/pipe or used snuff or chewing tob - past month

**Question** In the past month have you smoked cigars or a pipe or used snuff or chewing tobacco?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 260 | 1,724,500 |
| NO | 2 | 4,265 | 25,325,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMK_TAR **Length** 5.2 **Position** 878 - 882

**Question Name**

**Concept** Tar value for brand currently smoked

**Question**

**Universe** Respondents aged 12 and older who answered SMK_12 = (1, 2) and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| TAR VALUE | 0.70 - 19.00 | 670 | 4,592,500 |
| NOT APPLICABLE | 99.96 | 4,790 | 23,740,000 |
| NOT STATED | 99.99 | 140 | 903,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SMK_DISC **Length** 2 **Position** 883 - 884

**Question Name**

**Concept** Discount cigarette brand currently smoked

**Question**

**Universe** Respondents aged 12 and older who answered SMK_12 = (1, 2) and SMK_22 > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 667,000 |
| NO | 2 | 210 | 1,319,000 |
| NOT APPLICABLE | 96 | 4,790 | 23,740,000 |
| NOT STATED | 99 | 510 | 3,510,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMKDSTY **Length** 2 **Position** 885 - 886
**Question Name**
**Concept** Type of smoker - (D)
**Question**
**Universe** Respondents aged 12 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DAILY SMOKER | 1 | 665 | 4,583,500 |
| OCCASIONAL SMOKER (FORMER DAILY SMOKER) | 2 | 95 | 643,000 |
| ALWAYS AN OCCASIONAL SMOKER | 3 | 55 | 266,500 |
| FORMER DAILY SMOKER | 4 | 1,040 | 6,601,000 |
| FORMER OCCASIONAL SMOKER | 5 | 110 | 702,000 |
| NEVER SMOKED | 6 | 2,545 | 14,216,000 |
| NOT APPLICABLE | 96 | 1,080 | 2,185,500 |
| NOT STATED | 99 | 10 | 37,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** SMKDSTP **Length** 3 **Position** 887 - 889
**Question Name**
**Concept** Number of years since stopping smoking completely - (D)
**Question**
**Universe** Respondents aged 12 and older + former smoker
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF YEARS | 0 - 61 | 1,040 | 6,599,000 |
| NOT APPLICABLE | 996 | 4,550 | 22,597,000 |
| NOT STATED | 999 | 10 | 39,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SMKDYFS **Length** 3 **Position** 890 - 892

**Question Name**

**Concept** Number of years smoked (former daily smokers) - (D)

**Question**

**Universe** Respondents aged 12 and older + former smoker

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF YEARS | 0 - 62 | 1,130 | 7,210,500 |
| NOT APPLICABLE | 996 | 4,465 | 21,981,500 |
| NOT STATED | 999 | 15 | 43,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_11 **Length** 1 **Position** 893

**Question Name**

**Concept** Drank alcohol - past 12 months

**Question** During the past 12 months, that is from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

**Universe** Respondents aged 12 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,475 | 21,955,500 |
| NO | 2 | 1,050 | 5,094,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_12 **Length** 2 **Position** 894 - 895

**Question Name**

**Concept** Frequency of drinking alcohol

**Question** During the past 12 months, how often did you drink alcoholic beverages?

**Universe** Respondents aged 12 and older who answered ALC_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN ONCE A MONTH | 1 | 765 | 4,591,000 |
| ONCE A MONTH | 2 | 355 | 2,114,500 |
| 2 TO 3 TIMES A MONTH | 3 | 505 | 3,051,000 |
| ONCE A WEEK | 4 | 495 | 3,056,000 |
| 2 TO 3 TIMES A WEEK | 5 | 735 | 5,124,000 |
| 4 TO 6 TIMES A WEEK | 6 | 285 | 1,882,500 |
| EVERY DAY | 7 | 335 | 2,136,000 |
| NOT APPLICABLE | 96 | 2,130 | 7,279,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_13 **Length** 2 **Position** 896 - 897

**Question Name**

**Concept** Frequency of having 5 or more drinks

**Question** How often in the past 12 months have you had 5 or more drinks on one occasion?

**Universe** Respondents aged 12 and olderwho answered ALC_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 1,715 | 10,090,000 |
| LESS THAN ONCE A MONTH | 2 | 905 | 6,093,500 |
| ONCE A MONTH | 3 | 270 | 1,689,500 |
| 2 TO 3 TIMES A MONTH | 4 | 260 | 1,828,000 |
| ONCE A WEEK | 5 | 190 | 1,337,000 |
| MORE THAN ONCE A WEEK | 6 | 135 | 907,000 |
| NOT APPLICABLE | 96 | 2,130 | 7,279,500 |
| DON'T KNOW | 97 | 5 | 10,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_14 **Length** 1 **Position** 898

**Question Name**

**Concept** Drank alcohol - past week

**Question** Thinking back over the past week, that is from [date last week] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

**Universe** Respondents aged 12 and older who answered ALC_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,310 | 14,888,000 |
| NO | 2 | 1,165 | 7,067,000 |
| NOT APPLICABLE | 6 | 2,130 | 7,279,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_15A **Length** 2 **Position** 899 - 900

**Question Name**

**Concept** Number of drinks - Sunday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Sunday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 24 | 2,310 | 14,874,000 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 14,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_15B **Length** 2 **Position** 901 - 902

**Question Name**

**Concept** Number of drinks - Monday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Monday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 11 | 2,310 | 14,861,000 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 27,000 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_15C **Length** 2 **Position** 903 - 904

**Question Name**

**Concept** Number of drinks - Tuesday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Tuesday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 12 | 2,305 | 14,849,500 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 38,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_15D **Length** 2 **Position** 905 - 906

**Question Name**

**Concept** Number of drinks - Wednesday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Wednesday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 15 | 2,305 | 14,858,500 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 29,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_15E **Length** 2 **Position** 907 - 908

**Question Name**

**Concept** Number of drinks - Thursday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Thursday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 30 | 2,300 | 14,835,500 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 10 | 52,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_15F **Length** 2 **Position** 909 - 910

**Question Name**

**Concept** Number of drinks - Friday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Friday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 24 | 2,305 | 14,837,500 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 50,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_15G **Length** 2 **Position** 911 - 912

**Question Name**

**Concept** Number of drinks - Saturday

**Question** Starting with yesterday, that is [day name] how many drinks did you have? - Saturday

**Universe** Respondents aged 12 and older who answered ALC_14 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 29 | 2,310 | 14,867,500 |
| NOT APPLICABLE | 96 | 3,290 | 14,347,000 |
| DON'T KNOW | 97 | 5 | 20,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_16 **Length** 1 **Position** 913

**Question Name**

**Concept** Usual consumption of alcohol

**Question** Is the amount you drank over the last week more, about the same or less compared to most weeks?

**Universe** Respondents aged 12 and older who answered ALC_14 = 1 and ALC_15 <> RF

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MORE | 1 | 785 | 5,193,500 |
| ABOUT THE SAME | 2 | 1,335 | 8,567,000 |
| LESS | 3 | 195 | 1,127,500 |
| NOT APPLICABLE | 6 | 3,290 | 14,347,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_17 **Length** 1 **Position** 914
**Question Name**
**Concept** Ever had a drink
**Question** Have you ever had a drink?
**Universe** Respondents aged 12 and older who answered ALC_11 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 450 | 2,380,500 |
| NO | 2 | 600 | 2,713,500 |
| NOT APPLICABLE | 6 | 4,555 | 24,141,000 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALC_18 **Length** 1 **Position** 915
**Question Name**
**Concept** Regularly drank more than 12 drinks a week
**Question** Did you ever regularly drink more than 12 drinks a week?
**Universe** Respondents aged 12 and older who answered ALC_17 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 566,000 |
| NO | 2 | 335 | 1,815,000 |
| NOT APPLICABLE | 6 | 5,155 | 26,854,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALC_19 **Length** 2 **Position** 916 - 917
**Question Name**
**Concept** Age - started drinking alcoholic beverages
**Question** Not counting small sips, how old were you when you started drinking alcoholic beverages?
**Universe** Respondents aged 12 and older who answered ALC_11 = 1 or ALC_17 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 5 - 70 | 3,890 | 24,141,500 |
| NOT APPLICABLE | 96 | 1,680 | 4,899,000 |
| DON'T KNOW | 97 | 30 | 194,500 |
| NOT STATED | 99 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALCDTYP **Length** 1 **Position** 918
**Question Name**
**Concept** Type of drinker - (D)
**Question**
**Universe** Respondents aged 12 and older.
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| REGULAR DRINKER | 1 | 2,710 | 17,364,000 |
| OCCASIONAL DRINKER | 2 | 765 | 4,591,000 |
| FORMER DRINKER | 3 | 450 | 2,380,500 |
| NEVER DRANK | 4 | 600 | 2,713,500 |
| NOT APPLICABLE | 6 | 1,080 | 2,185,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ALCDWKY **Length** 3 **Position** 919 - 921

**Question Name**

**Concept** Number of drinks - past week - (D)

**Question**

**Universe** Respondents aged 12 and older who had at least 1 drink in the past 12 months.

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 75 | 3,445 | 21,791,500 |
| NOT APPLICABLE | 996 | 2,130 | 7,279,500 |
| NOT STATED | 999 | 30 | 164,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ALCDDLY **Length** 3 **Position** 922 - 924

**Question Name**

**Concept** Average daily alcohol consumption - (D)

**Question**

**Universe** Respondents aged 12 and older.

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DRINKS | 0 - 11 | 3,445 | 21,791,500 |
| NOT APPLICABLE | 996 | 2,130 | 7,279,500 |
| NOT STATED | 999 | 30 | 164,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** IDU_11 **Length** 1 **Position** 925
**Question Name**
**Concept** Used or tried marijuana, cannabis or hashish
**Question** Have you ever used or tried marijuana, cannabis or hashish?
**Universe** Non proxy respondents aged 14 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,020 | 13,693,500 |
| NO | 2 | 2,195 | 12,390,000 |
| NOT APPLICABLE | 6 | 1,370 | 3,018,000 |
| DON'T KNOW | 7 | 5 | 6,000 |
| REFUSAL | 8 | 5 | 1,000 |
| NOT STATED | 9 | 15 | 127,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** IDU_12 **Length** 1 **Position** 926
**Question Name**
**Concept** Used prescription drugs for recreational purposes
**Question** Have you ever used prescription drugs for recreational purposes?
**Universe** Non proxy respondents aged 14 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 100 | 800,000 |
| NO | 2 | 4,115 | 25,286,000 |
| NOT APPLICABLE | 6 | 1,370 | 3,018,000 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 20 | 128,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | IDU_13 | **Length** | 1 | **Position** | 927 |
| **Question Name** | | | | | |
| **Concept** | Used or tried street drugs | | | | |
| **Question** | Have you ever used or tried street drugs such as cocaine, speed, solvents or steroids? | | | | |
| **Universe** | Non proxy respondents aged 14 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 545 | 3,849,000 |
| NO | 2 | 3,670 | 22,237,000 |
| NOT APPLICABLE | 6 | 1,370 | 3,018,000 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 20 | 128,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | IDU_14 | **Length** | 1 | **Position** | 928 |
| **Question Name** | | | | | |
| **Concept** | Ever injected drugs | | | | |
| **Question** | Have you ever injected drugs? | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered IDU_13 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 201,500 |
| NO | 2 | 510 | 3,648,000 |
| NOT APPLICABLE | 6 | 5,040 | 25,255,000 |
| NOT STATED | 9 | 20 | 131,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | IDU_15 | **Length** | 1 | **Position** | 929 |
| **Question Name** | | | | | |
| **Concept** | Ever lent injection equipment to another person | | | | |
| **Question** | Have you ever lent injection equipment to another person? | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered IDU_14 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 34,000 |
| NO | 2 | 30 | 167,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,902,500 |
| NOT STATED | 9 | 20 | 131,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | IDU_16 | **Length** | 1 | **Position** | 930 |
| **Question Name** | | | | | |
| **Concept** | Ever borrowed injection equipment | | | | |
| **Question** | Have you ever borrowed injection equipment from another person (excluding needle exchange programs)? | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered IDU_14 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 77,000 |
| NO | 2 | 20 | 124,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,902,500 |
| NOT STATED | 9 | 20 | 131,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SXB_11 | **Length** | 1 | **Position** | 931 |
| **Question Name** | | | | | |
| **Concept** | Ever had sexual intercourse | | | | |
| **Question** | Have you ever had sexual intercourse? | | | | |
| **Universe** | Non proxy respondents aged 14 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,680 | 23,898,000 |
| NO | 2 | 520 | 2,073,500 |
| NOT APPLICABLE | 6 | 1,370 | 3,018,000 |
| REFUSAL | 8 | 20 | 118,500 |
| NOT STATED | 9 | 15 | 127,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SXB_12 | **Length** | 1 | **Position** | 932 |
| **Question Name** | | | | | |
| **Concept** | Sexual intercourse - past 12 months | | | | |
| **Question** | In the past 12 months, have you had sexual intercourse? | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered SXB_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,870 | 19,784,000 |
| NO | 2 | 800 | 3,994,500 |
| NOT APPLICABLE | 6 | 1,890 | 5,091,500 |
| DON'T KNOW | 7 | 5 | 1,500 |
| REFUSAL | 8 | 10 | 118,000 |
| NOT STATED | 9 | 35 | 246,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_13 **Length** 1 **Position** 933

**Question Name**

**Concept** Number of different partners

**Question** With how many different partners?

**Universe** Non proxy respondents aged 14 and older who answered SXB_12 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 PARTNER | 1 | 2,480 | 17,527,000 |
| 2 PARTNERS | 2 | 200 | 1,157,500 |
| 3 PARTNERS | 3 | 90 | 536,000 |
| 4 OR MORE PARTNERS | 4 | 95 | 548,000 |
| NOT APPLICABLE | 6 | 2,685 | 9,086,000 |
| REFUSAL | 8 | 5 | 15,500 |
| NOT STATED | 9 | 50 | 366,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_21 **Length** 1 **Position** 934

**Question Name**

**Concept** Ever diagnosed with a sexually transmitted disease

**Question** Have you ever been diagnosed with a sexually transmitted disease?

**Universe** Non proxy respondents aged 14 and older who answered SXB_12 = (1,2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 335 | 2,038,000 |
| NO | 2 | 3,330 | 21,723,000 |
| NOT APPLICABLE | 6 | 1,890 | 5,091,500 |
| DON'T KNOW | 7 | 5 | 4,500 |
| REFUSAL | 8 | 5 | 13,000 |
| NOT STATED | 9 | 50 | 366,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SXB_22A | **Length** | 1 | **Position** | 935 |
| **Question Name** | | | | | |
| **Concept** | Sexually transmitted disease - HIV | | | | |
| **Question** | Which sexually transmitted disease(s) have you been diagnosed with? - HIV (Human Immunodeficiency Virus) | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered SXB_21 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 58,000 |
| NO | 2 | 315 | 1,886,000 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SXB_22B | **Length** | 1 | **Position** | 936 |
| **Question Name** | | | | | |
| **Concept** | Sexually transmitted disease - AIDS | | | | |
| **Question** | Which sexually transmitted disease(s) have you been diagnosed with? - AIDS (Acquired Immunodeficiency Syndrome) | | | | |
| **Universe** | Non proxy respondents aged 14 and older who answered SXB_21 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 8,500 |
| NO | 2 | 315 | 1,935,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_22C **Length** 1 **Position** 937

**Question Name**

**Concept** Sexually transmitted disease - Chlamydia

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Chlamydia

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 130 | 752,500 |
| NO | 2 | 190 | 1,191,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_22D **Length** 1 **Position** 938

**Question Name**

**Concept** Sexually transmitted disease - Genital Herpes

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Genital Herpes (Herpes Simplex Type II)

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 430,500 |
| NO | 2 | 270 | 1,513,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_22E **Length** 1 **Position** 939

**Question Name**

**Concept** Sexually transmitted disease - Syphilis

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Syphilis

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 75,000 |
| NO | 2 | 305 | 1,869,000 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_22F **Length** 1 **Position** 940

**Question Name**

**Concept** Sexually transmitted disease - Gonorrhoea

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Gonorrhoea

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 445,000 |
| NO | 2 | 245 | 1,499,000 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_22G **Length** 1 **Position** 941

**Question Name**

**Concept** Sexually transmitted disease - Genital Warts

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Genital Warts (Human Papilloma Virus or HPV)

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 220,000 |
| NO | 2 | 270 | 1,724,000 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_22H **Length** 1 **Position** 942

**Question Name**

**Concept** Sexually transmitted disease - Venereal disease

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Venereal disease

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 46,500 |
| NO | 2 | 310 | 1,897,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_22I **Length** 1 **Position** 943

**Question Name**

**Concept** Sexually transmitted disease - Hepatitis B

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Hepatitis B

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 34,500 |
| NO | 2 | 315 | 1,909,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_22J **Length** 1 **Position** 944

**Question Name**

**Concept** Sexually transmitted disease - other

**Question** Which sexually transmitted disease(s) have you been diagnosed with? - Other - Specify

**Universe** Non proxy respondents aged 14 and older who answered SXB_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 274,500 |
| NO | 2 | 275 | 1,669,500 |
| NOT APPLICABLE | 6 | 5,220 | 26,814,000 |
| DON'T KNOW | 7 | 15 | 94,000 |
| NOT STATED | 9 | 50 | 383,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SXB_23 **Length** 1 **Position** 945

**Question Name**

**Concept** Use of condom / last time had sexual intercourse

**Question** Did you or your partner use a condom the last time you had sexual intercourse?

**Universe** Non proxy respondents aged 14 and older who answered SXB_12 = 1, excluding married or common-law respondents who answered SXB_13 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 435 | 2,647,500 |
| NO | 2 | 545 | 3,020,000 |
| NOT APPLICABLE | 6 | 4,570 | 23,159,000 |
| DON'T KNOW | 7 | 5 | 2,500 |
| REFUSAL | 8 | 5 | 29,000 |
| NOT STATED | 9 | 50 | 377,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SXB_24 **Length** 1 **Position** 946

**Question Name**

**Concept** Usual use of condom

**Question** Do you or your partner usually use a condom when you have sexual intercourse?

**Universe** Non proxy respondents aged 14 and older who answered SXB_12 = 1, excluding married or common-law respondents who answered SXB_13 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 470 | 2,864,000 |
| NO | 2 | 510 | 2,806,000 |
| NOT APPLICABLE | 6 | 4,570 | 23,159,000 |
| REFUSAL | 8 | 5 | 29,000 |
| NOT STATED | 9 | 50 | 377,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_11 **Length** 1 **Position** 947

**Question Name**

**Concept** Ever given birth

**Question** Have you ever given birth?

**Universe** Non proxy female respondents aged 14 and older who responded SXB_11 = (1, DK, RF)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,415 | 8,375,000 |
| NO | 2 | 535 | 3,652,000 |
| NOT APPLICABLE | 6 | 3,635 | 17,022,000 |
| NOT STATED | 9 | 20 | 186,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_12 **Length** 2 **Position** 948 - 949

**Question Name**

**Concept** Number of live births

**Question** How many live births have you had (excluding stillborns and miscarriages)?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF BIRTHS | 0 - 10 | 1,415 | 8,372,000 |
| NOT APPLICABLE | 96 | 4,170 | 20,674,000 |
| DON'T KNOW | 97 | 5 | 3,000 |
| NOT STATED | 99 | 20 | 186,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_21A | **Length** | 1 | **Position** | 950 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - first baby | | | | |
| **Question** | Did you breastfeed your first baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_12 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 975 | 5,691,000 |
| NO | 2 | 440 | 2,676,000 |
| NOT APPLICABLE | 6 | 4,170 | 20,679,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_21B **Length** 2 **Position** 951 - 952

**Question Name**

**Concept** Length of time breastfed first baby

**Question** For how long did you breastfeed your first baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21A=1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 30 | 152,000 |
| 1 TO 2 WEEKS | 2 | 50 | 328,000 |
| 3 TO 4 WEEKS | 3 | 90 | 563,500 |
| 5 TO 8 WEEKS | 4 | 95 | 586,500 |
| 9 ≤ > 12 WEEKS | 5 | 30 | 209,500 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 120 | 736,500 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 60 | 330,000 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 35 | 205,000 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 125 | 770,000 |
| 7 TO 9 MONTHS | 10 | 135 | 798,500 |
| 10 TO 12 MONTHS | 11 | 95 | 518,000 |
| MORE THAN 1 YEAR | 12 | 105 | 483,000 |
| NOT APPLICABLE | 96 | 4,610 | 23,355,000 |
| DON'T KNOW | 97 | 5 | 10,500 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_22A | **Length** | 1 | **Position** | 953 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - second baby | | | | |
| **Question** | Did you breastfeed your second baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_12 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 675 | 3,932,000 |
| NO | 2 | 415 | 2,502,000 |
| NOT APPLICABLE | 6 | 4,490 | 22,608,000 |
| DON'T KNOW | 7 | 5 | 4,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_22B **Length** 2 **Position** 954 - 955

**Question Name**

**Concept** Length of time breastfed second baby

**Question** For how long did you breastfeed your second baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_22A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 15 | 52,000 |
| 1 TO 2 WEEKS | 2 | 25 | 122,500 |
| 3 TO 4 WEEKS | 3 | 45 | 311,000 |
| 5 TO 8 WEEKS | 4 | 60 | 394,000 |
| 9 ≤ > 12 WEEKS | 5 | 35 | 213,000 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 70 | 470,000 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 60 | 336,000 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 30 | 171,500 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 105 | 549,000 |
| 7 TO 9 MONTHS | 10 | 80 | 452,000 |
| 10 TO 12 MONTHS | 11 | 75 | 423,000 |
| MORE THAN 1 YEAR | 12 | 85 | 437,500 |
| NOT APPLICABLE | 96 | 4,905 | 25,110,000 |
| NOT STATED | 99 | 25 | 193,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_23A | **Length** | 1 | **Position** | 956 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - third baby | | | | |
| **Question** | Did you breastfeed your third baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_12 = 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 265 | 1,542,500 |
| NO | 2 | 185 | 1,153,500 |
| NOT APPLICABLE | 6 | 5,130 | 26,350,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_23B **Length** 2 **Position** 957 - 958

**Question Name**

**Concept** Length of time breastfed third baby

**Question** For how long did you breastfeed your third baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_23A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 5 | 7,500 |
| 1 TO 2 WEEKS | 2 | 10 | 44,500 |
| 3 TO 4 WEEKS | 3 | 20 | 139,500 |
| 5 TO 8 WEEKS | 4 | 15 | 75,000 |
| 9 ≤ > 12 WEEKS | 5 | 15 | 88,000 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 20 | 98,500 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 25 | 178,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 15 | 108,000 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 40 | 225,500 |
| 7 TO 9 MONTHS | 10 | 40 | 228,000 |
| 10 TO 12 MONTHS | 11 | 30 | 159,000 |
| MORE THAN 1 YEAR | 12 | 35 | 190,500 |
| NOT APPLICABLE | 96 | 5,315 | 27,503,500 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_24A | **Length** | 1 | **Position** | 959 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - fourth baby | | | | |
| **Question** | Did you breastfeed your fourth baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_12 = 4 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 451,500 |
| NO | 2 | 75 | 431,000 |
| NOT APPLICABLE | 6 | 5,425 | 28,163,500 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_24B **Length** 2 **Position** 960 - 961

**Question Name**

**Concept** Length of time breastfed fourth baby

**Question** For how long did you breastfeed your fourth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_24A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 5 | 11,500 |
| 1 TO 2 WEEKS | 2 | 5 | 30,000 |
| 3 TO 4 WEEKS | 3 | 5 | 34,500 |
| 5 TO 8 WEEKS | 4 | 5 | 12,000 |
| 9 ≤ > 12 WEEKS | 5 | 5 | 8,500 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 10 | 35,500 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 5 | 48,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 5 | 23,000 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 15 | 86,500 |
| 7 TO 9 MONTHS | 10 | 10 | 47,000 |
| 10 TO 12 MONTHS | 11 | 10 | 39,000 |
| MORE THAN 1 YEAR | 12 | 10 | 75,500 |
| NOT APPLICABLE | 96 | 5,500 | 28,594,500 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_25A | **Length** | 1 | **Position** | 962 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - fifth baby | | | | |
| **Question** | Did you breastfeed your fifth baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_12 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 184,000 |
| NO | 2 | 30 | 207,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,655,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_25B **Length** 2 **Position** 963 - 964

**Question Name**

**Concept** Length of time breastfed fifth baby

**Question** For how long did you breastfeed your fifth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_25A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 5 | 3,000 |
| 1 TO 2 WEEKS | 2 | 5 | 15,000 |
| 3 TO 4 WEEKS | 3 | 5 | 10,500 |
| 5 TO 8 WEEKS | 4 | 5 | 20,500 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 5 | 17,000 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 5 | 23,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 5 | 5,000 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 10 | 41,500 |
| 7 TO 9 MONTHS | 10 | 5 | 25,000 |
| 10 TO 12 MONTHS | 11 | 5 | 7,000 |
| MORE THAN 1 YEAR | 12 | 5 | 10,000 |
| NOT APPLICABLE | 96 | 5,545 | 28,862,000 |
| DON'T KNOW | 97 | 5 | 6,000 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_26A **Length** 1 **Position** 965

**Question Name**

**Concept** Breastfed - sixth baby

**Question** Did you breastfeed your sixth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_12 = 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 80,000 |
| NO | 2 | 15 | 85,500 |
| NOT APPLICABLE | 6 | 5,555 | 28,880,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_26B **Length** 2 **Position** 966 - 967

**Question Name**

**Concept** Length of time breastfed sixth baby

**Question** For how long did you breastfeed your sixth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_26A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 2 WEEKS | 2 | 5 | 18,000 |
| 3 TO 4 WEEKS | 3 | 5 | 9,500 |
| 3 MONTHS (12 ≤ > 16 WEEKS) | 6 | 5 | 12,000 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 5 | 8,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 5 | 16,000 |
| 6 MONTHS (24 ≤ >28 WEEKS) | 9 | 5 | 7,000 |
| 7 TO 9 MONTHS | 10 | 5 | 7,500 |
| 10 TO 12 MONTHS | 11 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 5,565 | 28,966,000 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_27A **Length** 1 **Position** 968

**Question Name**

**Concept** Breastfed - seventh baby

**Question** Did you breastfeed your seventh baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_12 = 7

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 22,500 |
| NO | 2 | 5 | 44,500 |
| NOT APPLICABLE | 6 | 5,570 | 28,979,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_27B **Length** 2 **Position** 969 - 970

**Question Name**

**Concept** Length of time breastfed seventh baby

**Question** For how long did you breastfeed your seventh baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_27A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 3 TO 4 WEEKS | 3 | 5 | 5,000 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 5 | 8,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 5 | 1,500 |
| 7 TO 9 MONTHS | 10 | 5 | 5,500 |
| 10 TO 12 MONTHS | 11 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 5,575 | 29,023,500 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_28A **Length** 1 **Position** 971

**Question Name**

**Concept** Breastfed - eighth baby

**Question** Did you breastfeed your eighth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_12 = 8

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 10,500 |
| NO | 2 | 5 | 31,000 |
| NOT APPLICABLE | 6 | 5,575 | 29,004,500 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_28B **Length** 2 **Position** 972 - 973

**Question Name**

**Concept** Length of time breastfed eighth baby

**Question** For how long did you breastfeed your eighth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_28A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 2 WEEKS | 2 | 5 | 5,500 |
| 4 MONTHS (16 ≤ > 20 WEEKS) | 7 | 5 | 3,500 |
| 5 MONTHS (20 ≤ > 24 WEEKS) | 8 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 5,580 | 29,035,500 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_29A **Length** 1 **Position** 974

**Question Name**

**Concept** Breastfed - ninth baby

**Question** Did you breastfeed your ninth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_12 = 9

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 5 | 17,000 |
| NOT APPLICABLE | 6 | 5,580 | 29,029,000 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_29B **Length** 2 **Position** 975 - 976

**Question Name**

**Concept** Length of time breastfed ninth baby

**Question** For how long did you breastfeed your ninth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_29A=1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_30A **Length** 1 **Position** 977

**Question Name**

**Concept** Breastfed - tenth baby

**Question** Did you breastfeed your tenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_12 = 10

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 5 | 5,500 |
| NOT APPLICABLE | 6 | 5,580 | 29,040,500 |
| NOT STATED | 9 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** MBF_30B **Length** 2 **Position** 978 - 979

**Question Name**

**Concept** Length of time breastfed tenth baby

**Question** For how long did you breastfeed your tenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_30A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_31A | **Length** | 1 | **Position** | 980 |
| **Question Name** | | | | | |
| **Concept** | Breastfed - eleventh baby | | | | |
| **Question** | Did you breastfeed your eleventh baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_21 = 11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,580 | 29,046,000 |
| NOT STATED | 9 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MBF_31B | **Length** | 2 | **Position** | 981 - 982 |
| **Question Name** | | | | | |
| **Concept** | Length of time breastfed eleventh baby | | | | |
| **Question** | For how long did you breastfeed your eleventh baby? | | | | |
| **Universe** | Non proxy female respondents aged 14 and older who answered MBF_21 = 11 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_32A **Length** 1 **Position** 983

**Question Name**

**Concept** Breastfed - twelfth baby

**Question** Did you breastfeed your twelfth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 12

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,580 | 29,046,000 |
| NOT STATED | 9 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MBF_32B **Length** 2 **Position** 984 - 985

**Question Name**

**Concept** Length of time breastfed twelfth baby

**Question** For how long did you breastfeed your twelfth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 12

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_33A **Length** 1 **Position** 986

**Question Name**

**Concept** Breastfed - thirteenth baby

**Question** Did you breastfeed your thirteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 13

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,580 | 29,046,000 |
| NOT STATED | 9 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MBF_33B **Length** 2 **Position** 987 - 988

**Question Name**

**Concept** Length of time breastfed thirteenth baby

**Question** For how long did you breastfeed your thirteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 13

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_34A **Length** 1 **Position** 989

**Question Name**

**Concept** Breastfed - fourteenth baby

**Question** Did you breastfeed your fourteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 14

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,580 | 29,046,000 |
| NOT STATED | 9 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MBF_34B **Length** 2 **Position** 990 - 991

**Question Name**

**Concept** Length of time breastfed fourteenth baby

**Question** For how long did you breastfeed your fourteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 14

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** MBF_35A **Length** 1 **Position** 992

**Question Name**

**Concept** Breastfed - fifteenth baby

**Question** Did you breastfeed your fifteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 15

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,580 | 29,046,000 |
| NOT STATED | 9 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** MBF_35B **Length** 2 **Position** 993 - 994

**Question Name**

**Concept** Length of time breastfed fifteenth baby

**Question** For how long did you breastfeed your fifteenth baby?

**Universe** Non proxy female respondents aged 14 and older who answered MBF_21 = 15

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 96 | 5,580 | 29,046,000 |
| NOT STATED | 99 | 20 | 189,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PRG_11 **Length** 1 **Position** 995

**Question Name**

**Concept** Smoked during pregnancy

**Question** Did you smoke during your pregnancy with [Respondent Name]?

**Universe** Birth or biological parent of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 165 | 361,000 |
| NO | 2 | 880 | 1,747,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 5 | 5,500 |
| NOT STATED | 9 | 35 | 72,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PRG_12 **Length** 2 **Position** 996 - 997

**Question Name**

**Concept** Number of cigarettes/day

**Question** How many cigarettes per day did you smoke?

**Universe** Birth or biological parent of respondent aged less than 12 who answered PRG_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF CIGARETTES | 1 - 25 | 160 | 359,500 |
| NOT APPLICABLE | 96 | 5,405 | 28,797,000 |
| DON'T KNOW | 97 | 5 | 1,500 |
| NOT STATED | 99 | 35 | 77,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PRG_13A **Length** 1 **Position** 998

**Question Name**

**Concept** Stage of pregnancy - first trimester

**Question** At what stage in your pregnancy did you smoke this amount? - During the first three months

**Universe** Birth or biological parent of respondent aged less than 12 who answered PRG_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 25,000 |
| NO | 2 | 150 | 336,000 |
| NOT APPLICABLE | 6 | 5,405 | 28,797,000 |
| NOT STATED | 9 | 35 | 77,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PRG_13B **Length** 1 **Position** 999

**Question Name**

**Concept** Stage of pregnancy - second trimester

**Question** At what stage in your pregnancy did you smoke this amount? - During the second three months

**Universe** Birth or biological parent of respondent aged less than 12 who answered PRG_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 20,000 |
| NO | 2 | 155 | 341,000 |
| NOT APPLICABLE | 6 | 5,405 | 28,797,000 |
| NOT STATED | 9 | 35 | 77,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PRG_13C **Length** 1 **Position** 1000

**Question Name**

**Concept** Stage of pregnancy - third trimester

**Question** At what stage in your pregnancy did you smoke this amount? - During the third three months

**Universe** Birth or biological parent of respondent aged less than 12 who answered PRG_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 7,500 |
| NO | 2 | 155 | 353,500 |
| NOT APPLICABLE | 6 | 5,405 | 28,797,000 |
| NOT STATED | 9 | 35 | 77,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PRG_13D **Length** 1 **Position** 1001

**Question Name**

**Concept** Stage of pregnancy - throughout

**Question** At what stage in your pregnancy did you smoke this amount? - Throughout

**Universe** Birth or biological parent of respondent aged less than 12 who answered PRG_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 140 | 313,500 |
| NO | 2 | 25 | 47,500 |
| NOT APPLICABLE | 6 | 5,405 | 28,797,000 |
| NOT STATED | 9 | 35 | 77,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BIR_11 **Length** 1 **Position** 1002

**Question Name**

**Concept** Weight at birth

**Question** How much did s/he weight at birth?

**Universe** Parent or guardian of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| POUNDS AND OUNCES | 1 | 985 | 2,018,000 |
| GRAMS | 2 | 65 | 103,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 35 | 61,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BIR_12 **Length** 2 **Position** 1003 - 1004

**Question Name**

**Concept** Weight - Pounds

**Question** INTERVIEWER: Enter pounds only

**Universe** Parent or guardian of respondent aged less than 12 who answered BIR_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF POUNDS | 1 - 11 | 985 | 2,018,000 |
| NOT APPLICABLE | 96 | 4,585 | 27,153,500 |
| NOT STATED | 99 | 35 | 64,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BIR_13 **Length** 2 **Position** 1005 - 1006

**Question Name**

**Concept** Weight - Ounces

**Question** INTERVIEWER: Enter ounces only

**Universe** Parent or guardian of respondent aged less than 12 who answered BIR_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF OUNCES | 0 - 15 | 985 | 2,018,000 |
| NOT APPLICABLE | 96 | 4,585 | 27,153,500 |
| NOT STATED | 99 | 35 | 64,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BIR_14 **Length** 4 **Position** 1007 - 1010

**Question Name**

**Concept** Weight - Grams

**Question** INTERVIEWER: Enter grams

**Universe** Parent or guardian of respondent aged less than 12 who answered BIR_11 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF GRAMS | 35 - 4000 | 65 | 103,500 |
| NOT APPLICABLE | 9996 | 5,505 | 29,068,000 |
| NOT STATED | 9999 | 35 | 64,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BIR_21 **Length** 1 **Position** 1011

**Question Name**

**Concept** Born before, on or after due date

**Question** Was s/he born before, after or on the due date?

**Universe** Parent or guardian of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BEFORE THE DUE DATE | 1 | 440 | 890,500 |
| AFTER THE DUE DATE | 2 | 350 | 668,500 |
| ON THE DUE DATE | 3 | 265 | 574,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 25 | 49,500 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BIR_22 **Length** 3 **Position** 1012 - 1014

**Question Name**

**Concept** Days before/after due date

**Question** How many days [before/after] the due date was s/he born?

**Universe** Respondents aged less than 12 who answered BIR_21 = (1, 2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DAYS | 1 - 70 | 785 | 1,549,000 |
| NOT APPLICABLE | 996 | 4,785 | 27,624,000 |
| DON'T KNOW | 997 | 5 | 10,000 |
| NOT STATED | 999 | 25 | 52,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BIR_23 **Length** 1 **Position** 1015

**Question Name**

**Concept** Type of birth

**Question** Was this a single birth, or was it twins or triplets?

**Universe** Parent or guardian of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SINGLE BIRTH | 1 | 1,060 | 2,132,500 |
| TWINS | 2 | 15 | 44,000 |
| TRIPLETS | 3 | 5 | 6,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BIR_24 **Length** 1 **Position** 1016

**Question Name**

**Concept** Respondent admitted to neonatal unit

**Question** Was [Respondent Name] admitted to a special neonatal unit or an intensive care unit immediately following birth, before s/he left the hospital?

**Universe** Parent or guardian of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 278,500 |
| NO | 2 | 920 | 1,891,000 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 5 | 13,500 |
| NOT STATED | 9 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BIR_25 **Length** 3 **Position** 1017 - 1019

**Question Name**

**Concept** Days care received

**Question** For how many days, in total, was the care received?

**Universe** Parent or guardian of respondent aged less than 12 who answered BIR_24 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF DAYS | 0 - 200 | 155 | 276,500 |
| NOT APPLICABLE | 996 | 5,445 | 28,940,500 |
| DON'T KNOW | 997 | 5 | 2,000 |
| NOT STATED | 999 | 5 | 16,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BIR_26 **Length** 2 **Position** 1020 - 1021

**Question Name**

**Concept** Age of mother

**Question** How old were you when [Respondent Name] was born?

**Universe** Parent or guardian of child respondent less than 12 years of age

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 16 - 47 | 1,070 | 2,167,000 |
| NOT APPLICABLE | 96 | 4,525 | 27,050,000 |
| DON'T KNOW | 97 | 5 | 14,500 |
| REFUSAL | 98 | 5 | 1,000 |
| NOT STATED | 99 | 5 | 3,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | BRI_11 | **Length** | 1 | **Position** | 1022 |
| **Question Name** | | | | | |
| **Concept** | Respondent breastfed | | | | |
| **Question** | Did you breastfeed [Respondent Name] as an infant, even if only for a short period of time? | | | | |
| **Universe** | Birth or biological parent of child respondent less than 12 years of age | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 865 | 1,761,000 |
| NO | 2 | 185 | 350,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| DON'T KNOW | 7 | 5 | 2,000 |
| NOT STATED | 9 | 35 | 72,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BRI_12 **Length** 2 **Position** 1023 - 1024

**Question Name**

**Concept** Length of time breastfed

**Question** For how long did you breastfeed?

**Universe** Birth or biological parent of respondent aged less than 12 who answered BRI_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 20 | 41,500 |
| 1 TO 2 WEEKS | 2 | 30 | 64,000 |
| 3 TO 4 WEEKS | 3 | 60 | 133,000 |
| 5 TO 8 WEEKS | 4 | 60 | 113,500 |
| 9 TO LESS THAN 12 WEEKS | 5 | 30 | 79,500 |
| 3 TO 6 MONTHS | 6 | 250 | 543,000 |
| 7 TO 9 MONTHS | 7 | 130 | 228,500 |
| 10 TO 12 MONTHS | 8 | 120 | 292,000 |
| MORE THAN 1 YEAR | 9 | 160 | 264,000 |
| NOT APPLICABLE | 96 | 4,705 | 27,400,500 |
| DON'T KNOW | 97 | 5 | 2,000 |
| NOT STATED | 99 | 35 | 74,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BRI_13 **Length** 2 **Position** 1025 - 1026

**Question Name**

**Concept** Length of time fed only breast milk

**Question** For how long was [Respondent Name] fed only breast milk?

**Universe** Birth or biological parent of respondent aged less than 12 who answered BRI_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 1 WEEK | 1 | 60 | 118,500 |
| 1 TO 2 WEEKS | 2 | 50 | 91,000 |
| 3 TO 4 WEEKS | 3 | 85 | 173,000 |
| 5 TO 8 WEEKS | 4 | 90 | 185,000 |
| 9 TO LESS THAN 12 WEEKS | 5 | 75 | 179,500 |
| 3 TO 6 MONTHS | 6 | 400 | 810,500 |
| MORE THAN 6 MONTHS | 7 | 80 | 162,500 |
| NOT APPLICABLE | 96 | 4,705 | 27,400,500 |
| DON'T KNOW | 97 | 20 | 41,000 |
| NOT STATED | 99 | 35 | 74,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BRIFEB6 **Length** 1 **Position** 1027

**Question Name**

**Concept** Exclusive breastfeeding for at least 3 months - (D)

**Question**

**Universe** Respondents aged 12 and under who answered BRI_13 IN (6,7)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 480 | 973,000 |
| NO | 2 | 545 | 1,097,500 |
| NOT APPLICABLE | 6 | 4,525 | 27,050,000 |
| NOT STATED | 9 | 55 | 115,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_11 | **Length** | 1 | **Position** | 1028 |
| **Question Name** | | | | | |
| **Concept** | Considerate of other people's feelings | | | | |
| **Question** | [Respondent Name] is considerate of other people's feelings. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 15 | 46,500 |
| SOMEWHAT TRUE | 2 | 285 | 693,500 |
| CERTAINLY TRUE | 3 | 1,410 | 3,456,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_12 | **Length** | 1 | **Position** | 1029 |
| **Question Name** | | | | | |
| **Concept** | Restless, overactive, cannot stay still for long | | | | |
| **Question** | S/he is restless, overactive, cannot stay still for long. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,070 | 2,693,000 |
| SOMEWHAT TRUE | 2 | 440 | 1,004,500 |
| CERTAINLY TRUE | 3 | 205 | 502,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 1,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQ_13 **Length** 1 **Position** 1030

**Question Name**

**Concept** Complains of headaches, stomach aches or sickness

**Question** S/he often complains of headaches, stomach aches or sickness.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,265 | 3,141,500 |
| SOMEWHAT TRUE | 2 | 365 | 855,000 |
| CERTAINLY TRUE | 3 | 85 | 203,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQ_14 **Length** 1 **Position** 1031

**Question Name**

**Concept** Shares readily with other children

**Question** S/he shares readily with other children/youth, for example toys/CDs, treats/games, pencils/food.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 40 | 141,500 |
| SOMEWHAT TRUE | 2 | 280 | 662,500 |
| CERTAINLY TRUE | 3 | 1,395 | 3,395,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_15 | **Length** | 1 | **Position** | 1032 |
| **Question Name** | | | | | |
| **Concept** | Loses temper | | | | |
| **Question** | S/he often loses his/her temper. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 940 | 2,419,500 |
| SOMEWHAT TRUE | 2 | 605 | 1,411,000 |
| CERTAINLY TRUE | 3 | 170 | 369,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_16 | **Length** | 1 | **Position** | 1033 |
| **Question Name** | | | | | |
| **Concept** | Solitary, would rather be alone | | | | |
| **Question** | [Respondent Name] (is rather solitary, prefers to play alone)/ (would rather be alone than with other youth). | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,280 | 3,136,000 |
| SOMEWHAT TRUE | 2 | 310 | 790,000 |
| CERTAINLY TRUE | 3 | 125 | 274,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQ_17 **Length** 1 **Position** 1034

**Question Name**

**Concept** Well behaved, usually does what adults request

**Question** S/he is generally well behaved, usually does what adults request.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 40 | 112,000 |
| SOMEWHAT TRUE | 2 | 340 | 735,500 |
| CERTAINLY TRUE | 3 | 1,340 | 3,352,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQ_18 **Length** 1 **Position** 1035

**Question Name**

**Concept** Many worries

**Question** S/he has many worries or often seems worried.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,155 | 2,806,000 |
| SOMEWHAT TRUE | 2 | 435 | 1,102,000 |
| CERTAINLY TRUE | 3 | 125 | 292,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_19 | **Length** | 1 | **Position** | 1036 |
| **Question Name** | | | | | |
| **Concept** | Helpful if someone is hurt, upset or feeling ill | | | | |
| **Question** | S/he is helpful if someone is hurt, upset or feeling ill. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 20 | 38,000 |
| SOMEWHAT TRUE | 2 | 175 | 388,500 |
| CERTAINLY TRUE | 3 | 1,520 | 3,768,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 4,500 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_20 | **Length** | 1 | **Position** | 1037 |
| **Question Name** | | | | | |
| **Concept** | Constantly fidgeting or squirming | | | | |
| **Question** | S/he is constantly fidgeting or squirming. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,205 | 3,051,000 |
| SOMEWHAT TRUE | 2 | 330 | 757,500 |
| CERTAINLY TRUE | 3 | 180 | 390,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 1,500 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_21 | **Length** | 1 | **Position** | 1038 |
| **Question Name** | | | | | |
| **Concept** | At least one good friend | | | | |
| **Question** | [Respondent Name] has at least one good friend. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 25 | 49,000 |
| SOMEWHAT TRUE | 2 | 40 | 87,500 |
| CERTAINLY TRUE | 3 | 1,655 | 4,063,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_22 | **Length** | 1 | **Position** | 1039 |
| **Question Name** | | | | | |
| **Concept** | Fights with other children/youth or bullies them | | | | |
| **Question** | S/he often fights with other children/youth or bullies them. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,590 | 3,890,000 |
| SOMEWHAT TRUE | 2 | 100 | 251,500 |
| CERTAINLY TRUE | 3 | 30 | 58,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_23 | **Length** | 1 | **Position** | 1040 |
| **Question Name** | | | | | |
| **Concept** | Often unhappy, depressed or tearful | | | | |
| **Question** | S/he is often unhappy, depressed or tearful. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,535 | 3,780,000 |
| SOMEWHAT TRUE | 2 | 160 | 373,000 |
| CERTAINLY TRUE | 3 | 20 | 47,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_24 | **Length** | 1 | **Position** | 1041 |
| **Question Name** | | | | | |
| **Concept** | Generally liked by other children/youth | | | | |
| **Question** | S/he is generally liked by other children/youth. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 20 | 48,500 |
| SOMEWHAT TRUE | 2 | 110 | 247,000 |
| CERTAINLY TRUE | 3 | 1,590 | 3,904,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQ_25 **Length** 1 **Position** 1042

**Question Name**

**Concept** Easily distracted, concentration wanders

**Question** S/he is easily distracted, his/her concentration wanders.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 890 | 2,209,000 |
| SOMEWHAT TRUE | 2 | 560 | 1,320,500 |
| CERTAINLY TRUE | 3 | 270 | 670,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQ_26 **Length** 1 **Position** 1043

**Question Name**

**Concept** Nervous/clingy in new situations, easily loses confidence

**Question** [Respondent Name] is nervous (or clingy) in new situations, easily loses confidence.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 980 | 2,431,000 |
| SOMEWHAT TRUE | 2 | 530 | 1,263,000 |
| CERTAINLY TRUE | 3 | 205 | 506,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_27 | **Length** | 1 | **Position** | 1044 |
| **Question Name** | | | | | |
| **Concept** | Kind to younger children | | | | |
| **Question** | S/he is kind to younger children. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 5 | 13,500 |
| SOMEWHAT TRUE | 2 | 100 | 281,500 |
| CERTAINLY TRUE | 3 | 1,610 | 3,904,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_28 | **Length** | 1 | **Position** | 1045 |
| **Question Name** | | | | | |
| **Concept** | Often lies or cheats | | | | |
| **Question** | S/he often lies or cheats. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,415 | 3,449,000 |
| SOMEWHAT TRUE | 2 | 260 | 668,500 |
| CERTAINLY TRUE | 3 | 40 | 81,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 1,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_29 | **Length** | 1 | **Position** | 1046 |
| **Question Name** | | | | | |
| **Concept** | Picked on or bullied by other children/youth | | | | |
| **Question** | S/he is picked on or bullied by other children/youth. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,365 | 3,406,500 |
| SOMEWHAT TRUE | 2 | 285 | 623,500 |
| CERTAINLY TRUE | 3 | 65 | 168,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 2,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_30 | **Length** | 1 | **Position** | 1047 |
| **Question Name** | | | | | |
| **Concept** | Often offers to help others (parents, teachers, othr chldrn) | | | | |
| **Question** | S/he often offers to help others (parents, teachers, other children). | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 65 | 137,000 |
| SOMEWHAT TRUE | 2 | 375 | 919,500 |
| CERTAINLY TRUE | 3 | 1,275 | 3,136,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 7,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_31 | **Length** | 1 | **Position** | 1048 |
| **Question Name** | | | | | |
| **Concept** | Thinks things out before acting | | | | |
| **Question** | [Respondent Name] thinks things out before acting . | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 150 | 325,500 |
| SOMEWHAT TRUE | 2 | 785 | 1,922,000 |
| CERTAINLY TRUE | 3 | 780 | 1,950,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 1,500 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_32 | **Length** | 1 | **Position** | 1049 |
| **Question Name** | | | | | |
| **Concept** | Steals from home, school or elsewhere | | | | |
| **Question** | S/he steals from home, school or elsewhere. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,670 | 4,078,500 |
| SOMEWHAT TRUE | 2 | 30 | 86,500 |
| CERTAINLY TRUE | 3 | 10 | 33,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 2,500 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_33 | **Length** | 1 | **Position** | 1050 |
| **Question Name** | | | | | |
| **Concept** | Gets along better with adults than with other children/youth | | | | |
| **Question** | S/he gets along better with adults than with other children/youth. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,250 | 3,086,500 |
| SOMEWHAT TRUE | 2 | 320 | 722,500 |
| CERTAINLY TRUE | 3 | 140 | 383,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| DON'T KNOW | 7 | 5 | 7,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQ_34 | **Length** | 1 | **Position** | 1051 |
| **Question Name** | | | | | |
| **Concept** | Has many fears, is easily scared | | | | |
| **Question** | S/he has many fears, is easily scared. | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 1,245 | 3,094,500 |
| SOMEWHAT TRUE | 2 | 360 | 835,000 |
| CERTAINLY TRUE | 3 | 115 | 270,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQ_35 **Length** 1 **Position** 1052

**Question Name**

**Concept** Has good attention span,sees chores/homework through to end

**Question** S/he has a good attention span, sees chores or homework through to the end.

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT TRUE | 1 | 195 | 407,000 |
| SOMEWHAT TRUE | 2 | 580 | 1,431,500 |
| CERTAINLY TRUE | 3 | 940 | 2,361,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** SDQDCON **Length** 2 **Position** 1053 - 1054

**Question Name**

**Concept** Conduct Problems - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 0 - 10 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQDEMO **Length** 2 **Position** 1055 - 1056

**Question Name**

**Concept** Emotional Problems - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 0 - 10 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQDHYP **Length** 2 **Position** 1057 - 1058

**Question Name**

**Concept** Hyperactivity/Inattention - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 0 - 10 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQDPRO **Length** 2 **Position** 1059 - 1060

**Question Name**

**Concept** Prosocial Behaviour - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 1 - 10 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQDPRP **Length** 2 **Position** 1061 - 1062

**Question Name**

**Concept** Peer Relationship Problems - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 0 - 10 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQDTOT **Length** 2 **Position** 1063 - 1064

**Question Name**

**Concept** Total Difficulties Score - (D)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| SCORE | 0 - 32 | 1,715 | 4,200,000 |
| NOT APPLICABLE | 96 | 3,720 | 24,508,000 |
| NOT STATED | 99 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQGCON **Length** 1 **Position** 1065

**Question Name**

**Concept** Conduct Problems - (D, G)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,485 | 3,680,000 |
| BORDERLINE | 2 | 115 | 252,500 |
| ABNORMAL | 3 | 120 | 267,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDQGEMO **Length** 1 **Position** 1066

**Question Name**

**Concept** Emotional Problems - (D, G)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,435 | 3,523,000 |
| BORDERLINE | 2 | 105 | 259,500 |
| ABNORMAL | 3 | 175 | 417,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDQGHYP **Length** 1 **Position** 1067

**Question Name**

**Concept** Hyperactivity/Inattention - (D, G)

**Question**

**Universe** Parent or guardian of child respondent aged 6 to 17

**Note** The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds.

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,450 | 3,581,000 |
| BORDERLINE | 2 | 100 | 232,000 |
| ABNORMAL | 3 | 165 | 387,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQGPRO | **Length** | 1 | **Position** | 1068 |
| **Question Name** | | | | | |
| **Concept** | Prosocial Behaviour - (D, G) | | | | |
| **Question** | | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,675 | 4,103,500 |
| BORDERLINE | 2 | 30 | 58,500 |
| ABNORMAL | 3 | 15 | 38,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQGPRP | **Length** | 1 | **Position** | 1069 |
| **Question Name** | | | | | |
| **Concept** | Peer Relationship Problems - (D, G) | | | | |
| **Question** | | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,495 | 3,679,500 |
| BORDERLINE | 2 | 100 | 231,000 |
| ABNORMAL | 3 | 120 | 289,500 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDQGTOT | **Length** | 1 | **Position** | 1070 |
| **Question Name** | | | | | |
| **Concept** | Total Difficulties Score - (D, G) | | | | |
| **Question** | | | | | |
| **Universe** | Parent or guardian of child respondent aged 6 to 17 | | | | |
| **Note** | The SDQ is a brief behavioural screening questionnaire, developed for 3-16 year olds. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,530 | 3,738,500 |
| BORDERLINE | 2 | 80 | 184,500 |
| ABNORMAL | 3 | 110 | 277,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,508,000 |
| NOT STATED | 9 | 165 | 527,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ETS_11 | **Length** | 1 | **Position** | 1071 |
| **Question Name** | | | | | |
| **Concept** | Someone smokes inside home | | | | |
| **Question** | Including both household members and regular visitors, does anyone smoke inside this home, every day or almost every day? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 785 | 4,360,500 |
| NO | 2 | 4,810 | 24,789,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ETS_12 **Length** 2 **Position** 1072 - 1073

**Question Name**

**Concept** Number of people who smoke inside home

**Question** How many people smoke inside this home every day or almost every day?

**Universe** One respondent per household who answered ETS_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PEOPLE | 1 - 5 | 785 | 4,360,500 |
| NOT APPLICABLE | 96 | 4,820 | 24,875,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ETS_13 **Length** 1 **Position** 1074

**Question Name**

**Concept** Overall exposure to second-hand smoke

**Question** Overall, (excluding your own smoking,) in the past month were you exposed to second-hand smoke inside this home: (… every day, … almost every day, … at least once a week, … at … least once in the past month or … never)?

**Universe** One respondent per household who answered ETS_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EVERY DAY | 1 | 420 | 2,377,000 |
| ALMOST EVERY DAY | 2 | 125 | 667,500 |
| AT LEAST ONCE A WEEK | 3 | 85 | 484,500 |
| AT LEAST ONCE IN THE PAST MONTH | 4 | 55 | 302,500 |
| NEVER | 5 | 110 | 613,500 |
| NOT APPLICABLE | 6 | 4,810 | 24,789,500 |
| NOT STATED | 9 | 5 | 1,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ETS_14 | **Length** | 1 | **Position** | 1075 |
| **Question Name** | | | | | |
| **Concept** | Exposed to second-hand smoke in private vehicle | | | | |
| **Question** | In the past month were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle? | | | | |
| **Universe** | One respondent per household who answered ETS_11 = (1,2) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 645 | 4,127,000 |
| NO | 2 | 4,955 | 25,108,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ETS_15 | **Length** | 1 | **Position** | 1076 |
| **Question Name** | | | | | |
| **Concept** | Exposed to second-hand smoke in public places | | | | |
| **Question** | In the past month were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)? | | | | |
| **Universe** | One respondent per household who answered ETS_11 = (1,2) | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 490 | 3,037,500 |
| NO | 2 | 5,115 | 26,194,500 |
| DON'T KNOW | 7 | 5 | 3,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ETS_16 **Length** 1 **Position** 1077

**Question Name**

**Concept** Exposed to second-hand smoke at place of work

**Question** In the past month were you exposed to second-hand smoke every day or almost every day at your place of work?

**Universe** One respondent per household who answered GEN_16 = 1 and ETS_11 = (1, 2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 345 | 2,524,500 |
| NO | 2 | 2,585 | 17,565,000 |
| NOT APPLICABLE | 6 | 2,660 | 9,023,500 |
| NOT STATED | 9 | 15 | 122,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ETS_17 **Length** 1 **Position** 1078

**Question Name**

**Concept** Exposed to second-hand smoke - overall in past month

**Question** Overall, (excluding your own smoking,) (and) (excluding inside your own home), in the past month were you exposed to second-hand smoke: (… every day, … almost every day, … at least once a week, … at least once in the past month or … never)?

**Universe** One respondent per household who answered ETS_11 = (1, 2)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EVERY DAY | 1 | 360 | 2,223,500 |
| ALMOST EVERY DAY | 2 | 405 | 2,313,000 |
| AT LEAST ONCE A WEEK | 3 | 760 | 4,030,000 |
| AT LEAST ONCE IN THE PAST MONTH | 4 | 1,210 | 6,620,500 |
| NEVER | 5 | 2,860 | 14,015,000 |
| DON'T KNOW | 7 | 5 | 30,000 |
| REFUSAL | 8 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_11 **Length** 2 **Position** 1079 - 1080

**Question Name**

**Concept** Age of home

**Question** How old is this home? Is it: (… less than 10 years old, … 10 years old to less than 20, … 20 years old to less than 30, … 30 years old to less than 40, … 40 years old to less than 50 or 50 or more years old)?

**Universe** One respondent per household

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 10 YEARS OLD | 1 | 715 | 4,212,000 |
| 10 YEARS OLD TO LESS THAN 20 | 2 | 950 | 4,887,500 |
| 20 YEARS OLD TO LESS THAN 30 | 3 | 825 | 4,068,500 |
| 30 YEARS OLD TO LESS THAN 40 | 4 | 940 | 4,935,500 |
| 40 YEARS OLD TO LESS THAN 50 | 5 | 585 | 2,975,500 |
| 50 OR MORE YEARS OLD | 6 | 1,320 | 6,439,500 |
| NOT APPLICABLE | 96 | 10 | 85,500 |
| DON'T KNOW | 97 | 260 | 1,631,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HSC_12 **Length** 2 **Position** 1081 - 1082

**Question Name**

**Concept** Time lived in dwelling

**Question** How long have you lived in this home?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF YEARS | 0 - 75 | 5,600 | 29,220,500 |
| DON'T KNOW | 97 | 5 | 15,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13A | **Length** | 1 | **Position** | 1083 |
| **Question Name** | | | | | |
| **Concept** | Heat source - oil furnace | | | | |
| **Question** | What is the main source of heat in this home? - Oil furnace | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 425 | 2,182,000 |
| NO | 2 | 5,055 | 26,296,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13B | **Length** | 1 | **Position** | 1084 |
| **Question Name** | | | | | |
| **Concept** | Heat source - gas furnace | | | | |
| **Question** | What is the main source of heat in this home? - Gas furnace | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,755 | 15,160,000 |
| NO | 2 | 2,725 | 13,318,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13C | **Length** | 1 | **Position** | 1085 |
| **Question Name** | | | | | |
| **Concept** | Heat source - electric heat | | | | |
| **Question** | What is the main source of heat in this home? - Electric Heat | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,960 | 9,597,000 |
| NO | 2 | 3,520 | 18,880,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13D | **Length** | 1 | **Position** | 1086 |
| **Question Name** | | | | | |
| **Concept** | Heat source - wood-burning stove | | | | |
| **Question** | What is the main source of heat in this home? - Wood-burning stove | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 335 | 1,462,000 |
| NO | 2 | 5,145 | 27,016,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13E | **Length** | 1 | **Position** | 1087 |
| **Question Name** | | | | | |
| **Concept** | Heat source - wood-burning fireplace | | | | |
| **Question** | What is the main source of heat in this home? - Wood-burning fireplace | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 455,000 |
| NO | 2 | 5,400 | 28,023,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13F | **Length** | 1 | **Position** | 1088 |
| **Question Name** | | | | | |
| **Concept** | Heat source - gas fireplace | | | | |
| **Question** | What is the main source of heat in this home? - Gas fireplace | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 110 | 598,000 |
| NO | 2 | 5,370 | 27,879,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_13G | **Length** | 1 | **Position** | 1089 |
| **Question Name** | | | | | |
| **Concept** | Heat source - other | | | | |
| **Question** | What is the main source of heat in this home? - Other - Specify | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 340 | 1,683,000 |
| NO | 2 | 5,140 | 26,794,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 115 | 672,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_31 | **Length** | 1 | **Position** | 1090 |
| **Question Name** | | | | | |
| **Concept** | Pesticide/insecticide use - past month | | | | |
| **Question** | In the past month, were any chemicals used to treat this home to control roaches, ants or termites, or were any insecticides used on indoor house plants? | | | | |
| **Universe** | One respondent per household | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 230 | 1,103,500 |
| NO | 2 | 5,340 | 27,915,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_33A **Length** 1 **Position** 1091

**Question Name**

**Concept** Area of home pesticide/insecticide used - living room

**Question** In which area(s) of this home were these products used? - Living room

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 308,500 |
| NO | 2 | 180 | 783,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HSC_33B **Length** 1 **Position** 1092

**Question Name**

**Concept** Area of home pesticide/insecticide used - family room

**Question** In which area(s) of this home were these products used? - Family room

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 94,000 |
| NO | 2 | 210 | 998,000 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_33C **Length** 1 **Position** 1093

**Question Name**

**Concept** Area of home pesticide/insecticide used - dining room

**Question** In which area(s) of this home were these products used? - Dining room

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 111,000 |
| NO | 2 | 215 | 981,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HSC_33D **Length** 1 **Position** 1094

**Question Name**

**Concept** Area of home pesticide/insecticide used - kitchen

**Question** In which area(s) of this home were these products used? - Kitchen

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 577,500 |
| NO | 2 | 115 | 514,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_33E | **Length** | 1 | **Position** | 1095 |
| **Question Name** | | | | | |
| **Concept** | Area of home pesticide/insecticide used - bathroom(s) | | | | |
| **Question** | In which area(s) of this home were these products used? - Bathroom(s) | | | | |
| **Universe** | One respondent per household who answered HSC_31 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 234,000 |
| NO | 2 | 185 | 858,000 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HSC_33F | **Length** | 1 | **Position** | 1096 |
| **Question Name** | | | | | |
| **Concept** | Area of home pesticide/insecticide used - bedroom(s) | | | | |
| **Question** | In which area(s) of this home were these products used? - Bedroom(s) | | | | |
| **Universe** | One respondent per household who answered HSC_31 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 102,500 |
| NO | 2 | 205 | 989,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_33G **Length** 1 **Position** 1097

**Question Name**

**Concept** Area of home pesticide/insecticide used - other rooms

**Question** In which area(s) of this home were these products used? - Other rooms (den, play room, rec room, etc.)

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 132,500 |
| NO | 2 | 195 | 959,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HSC_33H **Length** 1 **Position** 1098

**Question Name**

**Concept** Area of home pesticide/insecticide used - outside

**Question** In which area(s) of this home were these products used? - Outside (foundation of building)

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 166,500 |
| NO | 2 | 190 | 925,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_33I **Length** 1 **Position** 1099

**Question Name**

**Concept** Area of home pesticide/insecticide used - entire home

**Question** In which area(s) of this home were these products used? - Entire home

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 121,500 |
| NO | 2 | 205 | 970,500 |
| NOT APPLICABLE | 6 | 5,350 | 28,000,500 |
| DON'T KNOW | 7 | 5 | 11,500 |
| NOT STATED | 9 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HSC_34 **Length** 2 **Position** 1100 - 1101

**Question Name**

**Concept** Chemical prod used in home/past mth-app by smone liv in home

**Question** (In the past month,) When these chemical products were used to treat this home, how many times did someone living in this home personally apply these products?

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 20 | 230 | 1,100,500 |
| NOT APPLICABLE | 96 | 5,350 | 28,000,500 |
| DON'T KNOW | 97 | 5 | 3,000 |
| NOT STATED | 99 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_35 **Length** 2 **Position** 1102 - 1103

**Question Name**

**Concept** Chemical products used in home/past mth - app by profl ext

**Question** (In the past month, when these chemical products were used to treat this home,) How many times did a professional exterminator apply these products?

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2 | 230 | 1,103,500 |
| NOT APPLICABLE | 96 | 5,350 | 28,000,500 |
| NOT STATED | 99 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HSC_36 **Length** 2 **Position** 1104 - 1105

**Question Name**

**Concept** Chemical prod used in hm/past mon - app by someone other

**Question** How many times did someone other than a professional or household member apply these products? (For example: a neighbour or relative living outside this home)

**Universe** One respondent per household who answered HSC_31 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 7 | 230 | 1,103,500 |
| NOT APPLICABLE | 96 | 5,350 | 28,000,500 |
| NOT STATED | 99 | 20 | 132,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_37 **Length** 1 **Position** 1106

**Question Name**

**Concept** Chemical products used in home/past month - lice or fleas

**Question** In the past month, were any chemicals used in this home to control head lice on family members or fleas on pets?

**Universe** One respondent per household

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 200 | 1,003,000 |
| NO | 2 | 5,380 | 28,065,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 15 | 81,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HSC_41 **Length** 1 **Position** 1107

**Question Name**

**Concept** Chemicals used around outside/past mth - insects or weeds

**Question** Did anyone treat the lawn or yard of this home, or the surrounding fields, woods or orchards with chemical products to kill insects or weeds, or to control plant diseases?

**Universe** One respondent per household

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 430 | 2,271,000 |
| NO | 2 | 5,010 | 26,007,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 150 | 872,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_42 **Length** 2 **Position** 1108 - 1109

**Question Name**

**Concept** Chem around outside home/past mth-app by someone liv in home

**Question** (In the past month,) When these chemical products were used to treat the area around this home, how many times did someone living in this home personally apply these products?

**Universe** One respondent per household who answered HSC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 6 | 430 | 2,253,500 |
| NOT APPLICABLE | 96 | 5,020 | 26,092,500 |
| DON'T KNOW | 97 | 5 | 17,500 |
| NOT STATED | 99 | 150 | 872,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HSC_43 **Length** 2 **Position** 1110 - 1111

**Question Name**

**Concept** Chemicals used around outside of home/past month-app by prof

**Question** (In the past month, when these chemical products were used to treat the area around this home,) how many times did a professional apply these products?

**Universe** One respondent per household who answered HSC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 4 | 425 | 2,239,000 |
| NOT APPLICABLE | 96 | 5,020 | 26,092,500 |
| DON'T KNOW | 97 | 5 | 32,500 |
| NOT STATED | 99 | 150 | 872,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HSC_44 **Length** 2 **Position** 1112 - 1113

**Question Name**

**Concept** Chemicals used outside /past month - app by someone other

**Question** How many times did someone other than a professional or household member apply these products? (For example: a neighbour or relative living outside this home)

**Universe** One respondent per household who answered HSC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 2 | 430 | 2,248,500 |
| NOT APPLICABLE | 96 | 5,020 | 26,092,500 |
| DON'T KNOW | 97 | 5 | 22,500 |
| NOT STATED | 99 | 150 | 872,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_11A **Length** 1 **Position** 1114

**Question Name**

**Concept** Leisure activity / last 3 months - arts

**Question** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,070 | 7,524,000 |
| NO | 2 | 3,535 | 21,702,500 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11B | **Length** | 1 | **Position** | 1115 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - pottery | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 120 | 353,000 |
| NO | 2 | 5,485 | 28,873,500 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11C | **Length** | 1 | **Position** | 1116 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - model making | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 400 | 1,575,500 |
| NO | 2 | 5,200 | 27,651,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_11D **Length** 1 **Position** 1117

**Question Name**

**Concept** Leisure activity / last 3 months - making fishing sinkers

**Question** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 90,000 |
| NO | 2 | 5,580 | 29,136,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_11E **Length** 1 **Position** 1118

**Question Name**

**Concept** Leisure activity / last 3 months - welding

**Question** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 270 | 1,527,000 |
| NO | 2 | 5,335 | 27,699,500 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11F | **Length** | 1 | **Position** | 1119 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - auto repairs | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 475 | 3,023,000 |
| NO | 2 | 5,130 | 26,203,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11G | **Length** | 1 | **Position** | 1120 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - electronics assembly | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 330 | 1,850,000 |
| NO | 2 | 5,270 | 27,376,500 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11H | **Length** | 1 | **Position** | 1121 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - plumbing | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 320 | 2,206,000 |
| NO | 2 | 5,280 | 27,020,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11I | **Length** | 1 | **Position** | 1122 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - refinishing furniture | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 170 | 1,014,500 |
| NO | 2 | 5,430 | 28,212,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11J | **Length** | 1 | **Position** | 1123 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - woodworking | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 615 | 3,367,000 |
| NO | 2 | 4,985 | 25,859,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | HOB_11K | **Length** | 1 | **Position** | 1124 |
| **Question Name** | | | | | |
| **Concept** | Leisure activity / last 3 months - none | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,605 | 15,771,500 |
| NO | 2 | 3,000 | 13,455,000 |
| DON'T KNOW | 7 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_12 **Length** 3 **Position** 1125 - 1127
**Question Name**
**Concept** Arts - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do arts?
**Universe** Respondents who answered HOB_11A = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 50 | 2,060 | 7,498,000 |
| NOT APPLICABLE | 996 | 3,535 | 21,702,500 |
| DON'T KNOW | 997 | 10 | 26,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_12N **Length** 1 **Position** 1128
**Question Name**
**Concept** Arts - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 350 | 976,500 |
| PER WEEK | 2 | 1,165 | 3,834,500 |
| PER MONTH | 3 | 405 | 2,005,500 |
| PER YEAR | 4 | 140 | 681,500 |
| NOT APPLICABLE | 6 | 3,535 | 21,702,500 |
| NOT STATED | 9 | 10 | 35,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD12Y **Length** 4 **Position** 1129 - 1132
**Question Name**
**Concept** Arts - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 1825 | 2,060 | 7,498,000 |
| NOT APPLICABLE | 9996 | 3,535 | 21,702,500 |
| NOT STATED | 9999 | 10 | 35,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_12T **Length** 1 **Position** 1133
**Question Name**
**Concept** Arts - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing arts)
**Universe** Respondents who had a valid answer to HOB_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 400 | 1,315,000 |
| 30 TO 60 MINUTES | 2 | 1,160 | 3,992,000 |
| 61 TO 90 MINUTES | 3 | 235 | 961,500 |
| MORE THAN AN HOUR AND A HALF | 4 | 260 | 1,219,000 |
| NOT APPLICABLE | 6 | 3,535 | 21,702,500 |
| DON'T KNOW | 7 | 5 | 10,000 |
| NOT STATED | 9 | 10 | 35,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_13 **Length** 3 **Position** 1134 - 1136
**Question Name**
**Concept** Pottery - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do pottery or ceramics?
**Universe** Respondents who answered HOB_11B = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 24 | 120 | 353,000 |
| NOT APPLICABLE | 996 | 5,485 | 28,873,500 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_13N **Length** 1 **Position** 1137
**Question Name**
**Concept** Pottery - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_13
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 20,000 |
| PER WEEK | 2 | 25 | 59,500 |
| PER MONTH | 3 | 40 | 109,000 |
| PER YEAR | 4 | 50 | 164,000 |
| NOT APPLICABLE | 6 | 5,485 | 28,873,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD13Y **Length** 4 **Position** 1138 - 1141
**Question Name**
**Concept** Pottery - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_13
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 1248 | 120 | 353,000 |
| NOT APPLICABLE | 9996 | 5,485 | 28,873,500 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_13T **Length** 1 **Position** 1142
**Question Name**
**Concept** Pottery - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing pottery or ceramics)
**Universe** Respondents who had a valid answer to HOB_13
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 15 | 33,500 |
| 30 TO 60 MINUTES | 2 | 60 | 172,000 |
| 61 TO 90 MINUTES | 3 | 25 | 78,000 |
| MORE THAN AN HOUR AND A HALF | 4 | 25 | 69,500 |
| NOT APPLICABLE | 6 | 5,485 | 28,873,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_14 **Length** 3 **Position** 1143 - 1145
**Question Name**
**Concept** Model making - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do model making?
**Universe** Respondents who answered HOB_11C = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 20 | 395 | 1,569,500 |
| NOT APPLICABLE | 996 | 5,200 | 27,651,000 |
| DON'T KNOW | 997 | 5 | 6,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_14N **Length** 1 **Position** 1146
**Question Name**
**Concept** Model making - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_14
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 15 | 43,500 |
| PER WEEK | 2 | 110 | 396,500 |
| PER MONTH | 3 | 140 | 529,000 |
| PER YEAR | 4 | 135 | 600,500 |
| NOT APPLICABLE | 6 | 5,200 | 27,651,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD14Y **Length** 4 **Position** 1147 - 1150
**Question Name**
**Concept** Model making - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_14
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 730 | 395 | 1,569,500 |
| NOT APPLICABLE | 9996 | 5,200 | 27,651,000 |
| NOT STATED | 9999 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_14T **Length** 1 **Position** 1151
**Question Name**
**Concept** Model making - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing model making?)
**Universe** Respondents who had a valid answer to HOB_14
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 90 | 378,500 |
| 30 TO 60 MINUTES | 2 | 180 | 622,500 |
| 61 TO 90 MINUTES | 3 | 45 | 184,500 |
| MORE THAN AN HOUR AND A HALF | 4 | 80 | 384,000 |
| NOT APPLICABLE | 6 | 5,200 | 27,651,000 |
| NOT STATED | 9 | 5 | 15,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_15 **Length** 3 **Position** 1152 - 1154

**Question Name**

**Concept** Making fishing sinkers - number of times / 3 months

**Question** (In the past three months,) How often did you usually - making fishing sinkers or weights?

**Universe** Respondents who answered HOB_11D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 7 | 25 | 90,000 |
| NOT APPLICABLE | 996 | 5,580 | 29,136,000 |
| NOT STATED | 999 | 5 | 9,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** HOB_15N **Length** 1 **Position** 1155

**Question Name**

**Concept** Making fishing sinkers - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents who had a valid answer to HOB_15

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER WEEK | 2 | 5 | 15,000 |
| PER MONTH | 3 | 10 | 41,500 |
| PER YEAR | 4 | 10 | 33,500 |
| NOT APPLICABLE | 6 | 5,580 | 29,136,000 |
| NOT STATED | 9 | 5 | 9,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD15Y **Length** 4 **Position** 1156 - 1159
**Question Name**
**Concept** Making fishing sinkers - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_15
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 156 | 25 | 90,000 |
| NOT APPLICABLE | 9996 | 5,580 | 29,136,000 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_15T **Length** 1 **Position** 1160
**Question Name**
**Concept** Making fishing sinkers - time spent each occasion
**Question** About how much time did you spend on each occasion? (making fishing sinkers or weights)
**Universe** Respondents who had a valid answer to HOB_15
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 10 | 25,500 |
| 30 TO 60 MINUTES | 2 | 5 | 41,500 |
| 61 TO 90 MINUTES | 3 | 5 | 2,000 |
| MORE THAN AN HOUR AND A HALF | 4 | 5 | 21,000 |
| NOT APPLICABLE | 6 | 5,580 | 29,136,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_16 **Length** 3 **Position** 1161 - 1163

**Question Name**

**Concept** Welding - number of times / 3 months

**Question** (In the past three months,) How often did you usually - do welding or soldering?

**Universe** Respondents who answered HOB_11E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 30 | 270 | 1,527,000 |
| NOT APPLICABLE | 996 | 5,335 | 27,699,500 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_16N **Length** 1 **Position** 1164

**Question Name**

**Concept** Welding - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents who had a valid answer to HOB_16

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 40,500 |
| PER WEEK | 2 | 65 | 326,500 |
| PER MONTH | 3 | 105 | 668,500 |
| PER YEAR | 4 | 90 | 491,000 |
| NOT APPLICABLE | 6 | 5,335 | 27,699,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD16Y **Length** 4 **Position** 1165 - 1168
**Question Name**
**Concept** Welding - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_16
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 730 | 270 | 1,527,000 |
| NOT APPLICABLE | 9996 | 5,335 | 27,699,500 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_16T **Length** 1 **Position** 1169
**Question Name**
**Concept** Welding - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing welding or soldering)
**Universe** Respondents who had a valid answer to HOB_16
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 100 | 640,000 |
| 30 TO 60 MINUTES | 2 | 100 | 566,000 |
| 61 TO 90 MINUTES | 3 | 20 | 102,500 |
| MORE THAN AN HOUR AND A HALF | 4 | 50 | 202,500 |
| NOT APPLICABLE | 6 | 5,335 | 27,699,500 |
| DON'T KNOW | 7 | 5 | 16,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_17 **Length** 3 **Position** 1170 - 1172
**Question Name**
**Concept** Auto repairs - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do auto repairs?
**Universe** Respondents who answered HOB_11F = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 475 | 3,023,000 |
| NOT APPLICABLE | 996 | 5,130 | 26,203,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_17N **Length** 1 **Position** 1173
**Question Name**
**Concept** Auto repairs - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_17
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 10 | 75,500 |
| PER WEEK | 2 | 100 | 545,000 |
| PER MONTH | 3 | 220 | 1,508,000 |
| PER YEAR | 4 | 140 | 895,000 |
| NOT APPLICABLE | 6 | 5,130 | 26,203,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD17Y **Length** 4 **Position** 1174 - 1177
**Question Name**
**Concept** Auto repairs - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_17
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 1825 | 475 | 3,023,000 |
| NOT APPLICABLE | 9996 | 5,130 | 26,203,000 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_17T **Length** 1 **Position** 1178
**Question Name**
**Concept** Auto repairs - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing auto repairs)
**Universe** Respondents who had a valid answer to HOB_17
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 65 | 318,000 |
| 30 TO 60 MINUTES | 2 | 190 | 1,203,500 |
| 61 TO 90 MINUTES | 3 | 90 | 619,500 |
| MORE THAN AN HOUR AND A HALF | 4 | 130 | 882,500 |
| NOT APPLICABLE | 6 | 5,130 | 26,203,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_18 **Length** 3 **Position** 1179 - 1181
**Question Name**
**Concept** Electronics - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do electronics?
**Universe** Respondents who answered HOB_11G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 330 | 1,850,000 |
| NOT APPLICABLE | 996 | 5,270 | 27,376,500 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_18N **Length** 1 **Position** 1182
**Question Name**
**Concept** Electronics - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 10 | 33,500 |
| PER WEEK | 2 | 75 | 331,500 |
| PER MONTH | 3 | 135 | 897,500 |
| PER YEAR | 4 | 110 | 588,000 |
| NOT APPLICABLE | 6 | 5,270 | 27,376,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD18Y **Length** 4 **Position** 1183 - 1186
**Question Name**
**Concept** Electronics - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 730 | 330 | 1,850,000 |
| NOT APPLICABLE | 9996 | 5,270 | 27,376,500 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_18T **Length** 1 **Position** 1187
**Question Name**
**Concept** Electronics - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing electronics)
**Universe** Respondents who had a valid answer to HOB_18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 110 | 519,000 |
| 30 TO 60 MINUTES | 2 | 130 | 746,000 |
| 61 TO 90 MINUTES | 3 | 35 | 212,000 |
| MORE THAN AN HOUR AND A HALF | 4 | 60 | 373,000 |
| NOT APPLICABLE | 6 | 5,270 | 27,376,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_19 **Length** 3 **Position** 1188 - 1190
**Question Name**
**Concept** Plumbing - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do plumbing?
**Universe** Respondents who answered HOB_11H = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 320 | 2,206,000 |
| NOT APPLICABLE | 996 | 5,280 | 27,020,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_19N **Length** 1 **Position** 1191
**Question Name**
**Concept** Plumbing - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_19
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 1,500 |
| PER WEEK | 2 | 15 | 134,000 |
| PER MONTH | 3 | 105 | 652,500 |
| PER YEAR | 4 | 200 | 1,418,000 |
| NOT APPLICABLE | 6 | 5,280 | 27,020,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD19Y **Length** 4 **Position** 1192 - 1195
**Question Name**
**Concept** Plumbing - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_19
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 1095 | 320 | 2,206,000 |
| NOT APPLICABLE | 9996 | 5,280 | 27,020,000 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_19T **Length** 1 **Position** 1196
**Question Name**
**Concept** Plumbing - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing plumbing)
**Universe** Respondents who had a valid answer to HOB_19
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 65 | 429,500 |
| 30 TO 60 MINUTES | 2 | 100 | 673,000 |
| 61 TO 90 MINUTES | 3 | 50 | 377,000 |
| MORE THAN AN HOUR AND A HALF | 4 | 100 | 726,500 |
| NOT APPLICABLE | 6 | 5,280 | 27,020,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_20 **Length** 3 **Position** 1197 - 1199

**Question Name**

**Concept** Refinishing furniture - number of times / 3 months

**Question** (In the past three months,) How often did you usually - refinish furniture?

**Universe** Respondents who answered HOB_11I = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 10 | 170 | 1,014,500 |
| NOT APPLICABLE | 996 | 5,430 | 28,212,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_20N **Length** 1 **Position** 1200

**Question Name**

**Concept** Refinishing furniture - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents who had a valid answer to HOB_20

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 13,000 |
| PER WEEK | 2 | 25 | 140,500 |
| PER MONTH | 3 | 60 | 369,000 |
| PER YEAR | 4 | 80 | 486,500 |
| NOT APPLICABLE | 6 | 5,430 | 28,212,000 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD20Y **Length** 4 **Position** 1201 - 1204
**Question Name**
**Concept** Refinishing furniture - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_20
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 365 | 170 | 1,014,500 |
| NOT APPLICABLE | 9996 | 5,430 | 28,212,000 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_20T **Length** 1 **Position** 1205
**Question Name**
**Concept** Refinishing furniture - time spent each occasion
**Question** About how much time did you spend on each occasion? (refinishing furniture)
**Universe** Respondents who had a valid answer to HOB_20
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 15 | 90,000 |
| 30 TO 60 MINUTES | 2 | 35 | 174,000 |
| 61 TO 90 MINUTES | 3 | 30 | 139,000 |
| MORE THAN AN HOUR AND A HALF | 4 | 90 | 606,000 |
| NOT APPLICABLE | 6 | 5,430 | 28,212,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOB_21 **Length** 3 **Position** 1206 - 1208
**Question Name**
**Concept** Woodworking - number of times / 3 months
**Question** (In the past three months,) How often did you usually - do woodworking?
**Universe** Respondents who answered HOB_11J = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 90 | 615 | 3,367,000 |
| NOT APPLICABLE | 996 | 4,985 | 25,859,000 |
| NOT STATED | 999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_21N **Length** 1 **Position** 1209
**Question Name**
**Concept** Woodworking - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to HOB_21
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 25 | 140,000 |
| PER WEEK | 2 | 215 | 1,030,500 |
| PER MONTH | 3 | 205 | 1,206,000 |
| PER YEAR | 4 | 175 | 991,000 |
| NOT APPLICABLE | 6 | 4,985 | 25,859,000 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HOBD21Y **Length** 4 **Position** 1210 - 1213
**Question Name**
**Concept** Woodworking - time per year - (D)
**Question**
**Universe** Respondents who had a valid answer to HOB_21
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 730 | 615 | 3,367,000 |
| NOT APPLICABLE | 9996 | 4,985 | 25,859,000 |
| NOT STATED | 9999 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HOB_21T **Length** 1 **Position** 1214
**Question Name**
**Concept** Woodworking - time spent each occasion
**Question** About how much time did you spend on each occasion? (doing woodworking)
**Universe** Respondents who had a valid answer to HOB_21
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN 30 MINUTES | 1 | 60 | 274,000 |
| 30 TO 60 MINUTES | 2 | 170 | 805,500 |
| 61 TO 90 MINUTES | 3 | 105 | 576,500 |
| MORE THAN AN HOUR AND A HALF | 4 | 285 | 1,708,000 |
| NOT APPLICABLE | 6 | 4,985 | 25,859,000 |
| DON'T KNOW | 7 | 5 | 3,500 |
| NOT STATED | 9 | 5 | 9,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11A | **Length** | 1 | **Position** | 1215 |
| **Question Name** | | | | | |
| **Concept** | Fragrance use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - fragrance (including perfumes, cologne and aftershave)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,235 | 18,624,500 |
| NO | 2 | 2,365 | 10,609,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11B | **Length** | 1 | **Position** | 1216 |
| **Question Name** | | | | | |
| **Concept** | Eye makeup use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - eye make-up? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,880 | 10,335,500 |
| NO | 2 | 3,725 | 18,898,000 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11C | **Length** | 1 | **Position** | 1217 |
| **Question Name** | | | | | |
| **Concept** | Lipstick use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - lipstick (including lip gloss)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,170 | 11,394,500 |
| NO | 2 | 3,430 | 17,839,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11D | **Length** | 1 | **Position** | 1218 |
| **Question Name** | | | | | |
| **Concept** | Hair dye use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - hair dye? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,405 | 8,155,500 |
| NO | 2 | 4,195 | 21,078,000 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11E | **Length** | 1 | **Position** | 1219 |
| **Question Name** | | | | | |
| **Concept** | Hair style product use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - hair style products (including hair spray, gel, mousse and other hair styling products)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,870 | 15,942,000 |
| NO | 2 | 2,735 | 13,291,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11F | **Length** | 1 | **Position** | 1220 |
| **Question Name** | | | | | |
| **Concept** | Manicure preparation use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - manicure preparations? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,305 | 6,795,500 |
| NO | 2 | 4,300 | 22,438,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11G | **Length** | 1 | **Position** | 1221 |
| **Question Name** | | | | | |
| **Concept** | Scented body product use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - scented body products (including lotion, cream and body wash)? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,190 | 22,553,500 |
| NO | 2 | 1,410 | 6,680,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_11H | **Length** | 1 | **Position** | 1222 |
| **Question Name** | | | | | |
| **Concept** | No grooming/cosmetic product use - past 3 months | | | | |
| **Question** | In the past 3 months, that is from [date 3 months ago] to yesterday, have you used any of the following: - none? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 585 | 2,386,500 |
| NO | 2 | 5,015 | 26,847,000 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPU_12 **Length** 3 **Position** 1223 - 1225
**Question Name**
**Concept** Uses fragrance - number of times
**Question** How often do you usually use fragrance? (For example: twice a day, three times a week, once a month)
**Universe** Respondents who answered GPU_11A = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 36 | 3,235 | 18,624,500 |
| NOT APPLICABLE | 996 | 2,365 | 10,609,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_12N **Length** 1 **Position** 1226
**Question Name**
**Concept** Uses fragrance - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to GPU_12
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,475 | 8,916,500 |
| PER WEEK | 2 | 1,180 | 6,749,500 |
| PER MONTH | 3 | 495 | 2,508,000 |
| PER YEAR | 4 | 85 | 450,500 |
| NOT APPLICABLE | 6 | 2,365 | 10,609,500 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPUD12Y | **Length** | 4 | **Position** | 1227 - 1230 |
| **Question Name** | | | | | |
| **Concept** | Uses fragrance - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents who answered GPU_11A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 2190 | 3,235 | 18,624,500 |
| NOT APPLICABLE | 9996 | 2,365 | 10,609,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_13 | **Length** | 3 | **Position** | 1231 - 1233 |
| **Question Name** | | | | | |
| **Concept** | Uses eye makeup - number of times | | | | |
| **Question** | How often do you usually use eye make-up? | | | | |
| **Universe** | Respondents who answered GPU_11B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 12 | 1,880 | 10,335,500 |
| NOT APPLICABLE | 996 | 3,725 | 18,898,000 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_13N | **Length** | 1 | **Position** | 1234 |
| **Question Name** | | | | | |
| **Concept** | Uses eye makeup - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents who answered GPU_13 > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 950 | 5,850,000 |
| PER WEEK | 2 | 580 | 2,993,500 |
| PER MONTH | 3 | 255 | 1,114,500 |
| PER YEAR | 4 | 95 | 377,500 |
| NOT APPLICABLE | 6 | 3,725 | 18,898,000 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPUD13Y | **Length** | 4 | **Position** | 1235 - 1238 |
| **Question Name** | | | | | |
| **Concept** | Uses eye makeup - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents who answered GPU_11B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 1825 | 1,880 | 10,335,500 |
| NOT APPLICABLE | 9996 | 3,725 | 18,898,000 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPU_14 **Length** 3 **Position** 1239 - 1241
**Question Name**
**Concept** Uses lipstick - number of times
**Question** How often do you usually use lipstick?
**Universe** Respondents who answered GPU_11C = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 20 | 2,170 | 11,394,500 |
| NOT APPLICABLE | 996 | 3,430 | 17,839,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_14N **Length** 1 **Position** 1242
**Question Name**
**Concept** Uses lipstick - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to GPU_14
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,115 | 6,707,000 |
| PER WEEK | 2 | 720 | 3,356,000 |
| PER MONTH | 3 | 265 | 992,500 |
| PER YEAR | 4 | 75 | 339,000 |
| NOT APPLICABLE | 6 | 3,430 | 17,839,500 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPUD14Y **Length** 4 **Position** 1243 - 1246
**Question Name**
**Concept** Uses lipstick - times per year - (D)
**Question**
**Universe** Respondents who answered GPU_11C = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 7300 | 2,170 | 11,394,500 |
| NOT APPLICABLE | 9996 | 3,430 | 17,839,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_15 **Length** 3 **Position** 1247 - 1249
**Question Name**
**Concept** Uses hair dye - number of times
**Question** How often do you usually use hair dye?
**Universe** Respondents who answered GPU_11D = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 18 | 1,405 | 8,155,500 |
| NOT APPLICABLE | 996 | 4,195 | 21,078,000 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPU_15N **Length** 1 **Position** 1250
**Question Name**
**Concept** Uses hair dye - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to GPU_15
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 5 | 19,000 |
| PER WEEK | 2 | 5 | 22,000 |
| PER MONTH | 3 | 395 | 2,273,000 |
| PER YEAR | 4 | 1,005 | 5,842,000 |
| NOT APPLICABLE | 6 | 4,195 | 21,078,000 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPUD15Y **Length** 4 **Position** 1251 - 1254
**Question Name**
**Concept** Uses hair dye - times per year - (D)
**Question**
**Universe** Respondents who answered GPU_11D = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 1 - 730 | 1,405 | 8,155,500 |
| NOT APPLICABLE | 9996 | 4,195 | 21,078,000 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPU_16 **Length** 3 **Position** 1255 - 1257

**Question Name**

**Concept** Uses hair style products - number of times

**Question** How often do you usually use hair style products?

**Universe** Respondents who answered GPU_11E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 15 | 2,870 | 15,942,000 |
| NOT APPLICABLE | 996 | 2,735 | 13,291,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_16N **Length** 1 **Position** 1258

**Question Name**

**Concept** Uses hair style products - reporting period

**Question** INTERVIEWER: Select the reporting period.

**Universe** Respondents who had a valid answer to GPU_16

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 1,135 | 7,430,000 |
| PER WEEK | 2 | 1,255 | 6,423,500 |
| PER MONTH | 3 | 370 | 1,616,500 |
| PER YEAR | 4 | 105 | 468,000 |
| NOT APPLICABLE | 6 | 2,735 | 13,291,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPUD16Y **Length** 4 **Position** 1259 - 1262
**Question Name**
**Concept** Uses hair style products - times per year - (D)
**Question**
**Universe** Respondents who answered GPU_11E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1095 | 2,870 | 15,942,000 |
| NOT APPLICABLE | 9996 | 2,735 | 13,291,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_17 **Length** 3 **Position** 1263 - 1265
**Question Name**
**Concept** Uses manicure preparations - number of times
**Question** How often do you usually use manicure preparations?
**Universe** Respondents who answered GPU_11F = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 24 | 1,305 | 6,795,500 |
| NOT APPLICABLE | 996 | 4,300 | 22,438,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPU_17N | **Length** | 1 | **Position** | 1266 |
| **Question Name** | | | | | |
| **Concept** | Uses manicure preparations - reporting period | | | | |
| **Question** | INTERVIEWER: Select the reporting period. | | | | |
| **Universe** | Respondents who had a valid answer to GPU_17 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 20 | 109,000 |
| PER WEEK | 2 | 400 | 2,049,000 |
| PER MONTH | 3 | 670 | 3,353,500 |
| PER YEAR | 4 | 210 | 1,258,000 |
| NOT APPLICABLE | 6 | 4,300 | 22,438,500 |
| NOT STATED | 9 | 5 | 27,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | GPUD17Y | **Length** | 4 | **Position** | 1267 - 1270 |
| **Question Name** | | | | | |
| **Concept** | Uses manicure preparations - times per year - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents who answered GPU_11F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1460 | 1,305 | 6,795,500 |
| NOT APPLICABLE | 9996 | 4,300 | 22,438,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPU_18 **Length** 3 **Position** 1271 - 1273
**Question Name**
**Concept** Uses scented body products - number of times
**Question** How often do you usually use scented body products?
**Universe** Respondents who answered GPU_11G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 16 | 4,190 | 22,553,500 |
| NOT APPLICABLE | 996 | 1,410 | 6,680,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GPU_18N **Length** 1 **Position** 1274
**Question Name**
**Concept** Uses scented body products - reporting period
**Question** INTERVIEWER: Select the reporting period.
**Universe** Respondents who had a valid answer to GPU_18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PER DAY | 1 | 3,265 | 18,502,500 |
| PER WEEK | 2 | 805 | 3,534,500 |
| PER MONTH | 3 | 115 | 482,500 |
| PER YEAR | 4 | 10 | 26,000 |
| NOT APPLICABLE | 6 | 1,410 | 6,680,500 |
| NOT STATED | 9 | 5 | 10,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GPUD18Y **Length** 4 **Position** 1275 - 1278

**Question Name**

**Concept** Uses scented body products - times per year - (D)

**Question**

**Universe** Respondents who answered GPU_11G = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TIMES | 0 - 1825 | 4,190 | 22,553,500 |
| NOT APPLICABLE | 9996 | 1,410 | 6,680,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_01 **Length** 1 **Position** 1279

**Question Name**

**Concept** Worked at job or business last week

**Question** Last week, did you work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.

**Universe** Respondents aged 15 to 75

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,405 | 16,873,000 |
| NO | 2 | 1,500 | 8,004,000 |
| PERMANENTLY UNABLE TO WORK | 3 | 35 | 216,500 |
| NOT APPLICABLE | 6 | 1,660 | 4,122,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_02 **Length** 1 **Position** 1280

**Question Name**

**Concept** Absent from job or business last week

**Question** Last week, did you have a job or business from which you were absent?

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 195 | 1,361,000 |
| NO | 2 | 1,305 | 6,643,000 |
| NOT APPLICABLE | 6 | 4,100 | 21,212,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_03 **Length** 1 **Position** 1281

**Question Name**

**Concept** Had more than one job or business last week

**Question** Did you have more than one job or business last week?

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 285 | 1,957,000 |
| NO | 2 | 2,310 | 16,277,500 |
| NOT APPLICABLE | 6 | 3,000 | 10,982,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_11 | **Length** | 1 | **Position** | 1282 |
| **Question Name** | | | | | |
| **Concept** | Looked for work - past 4 weeks | | | | |
| **Question** | In the past 4 weeks, did you do anything to find work? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_02 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 195 | 1,072,500 |
| NO | 2 | 1,110 | 5,571,000 |
| NOT APPLICABLE | 6 | 4,295 | 22,573,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_13 **Length** 2 **Position** 1283 - 1284

**Question Name**

**Concept** Main reason not currently working

**Question** What is the main reason that you are not currently working at a job or business?

**Universe** Respondents aged 15 to 75 who answered LBF_11 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| OWN ILLNESS OR DISABILITY | 1 | 85 | 443,000 |
| CARING FOR - OWN CHILDREN | 2 | 110 | 613,000 |
| CARING FOR - ELDER RELATIVES | 3 | 5 | 9,000 |
| PREGNANCY (FEMALES ONLY) | 4 | 5 | 36,500 |
| OTHER PERSONAL/FAMILY RESPONSIBILITIES | 5 | 20 | 90,500 |
| VACATION | 6 | 10 | 28,000 |
| SCHOOL OR EDUCATIONAL LEAVE | 7 | 225 | 1,096,500 |
| RETIRED | 8 | 595 | 2,823,000 |
| BELIEVES NO WORK AVAILABLE(AREA/SKILLS) | 9 | 5 | 47,500 |
| OTHER | 10 | 60 | 383,500 |
| NOT APPLICABLE | 96 | 4,490 | 23,645,500 |
| NOT STATED | 99 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_14 **Length** 1 **Position** 1285

**Question Name**

**Concept** Not working - Health

**Question** Is this due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason?

**Universe** Respondents aged 15 to 75 who answered LBF_13 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PHYSICAL HEALTH | 1 | 65 | 319,500 |
| EMOTIONAL OR MENTAL HEALTH(INC. STRESS) | 2 | 15 | 98,000 |
| ANOTHER REASON | 4 | 5 | 25,500 |
| NOT APPLICABLE | 6 | 5,520 | 28,773,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_21 **Length** 1 **Position** 1286

**Question Name**

**Concept** Worked at job or business at any time - past 12 months

**Question** Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 3 or LBF_02 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 350 | 2,005,500 |
| NO | 2 | 990 | 4,854,000 |
| NOT APPLICABLE | 6 | 4,260 | 22,356,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_22 | **Length** | 1 | **Position** | 1287 |
| **Question Name** | | | | | |
| **Concept** | Did anything to find work - past 12 months | | | | |
| **Question** | During the past 12 months did you do anything to find work? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_21 <> 1, excluding those who answered LBF_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 77,500 |
| NO | 2 | 925 | 4,585,500 |
| NOT APPLICABLE | 6 | 4,665 | 24,553,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_23 | **Length** | 1 | **Position** | 1288 |
| **Question Name** | | | | | |
| **Concept** | Had more than one job or business - past 12 months | | | | |
| **Question** | During that 12 months did you work at more than one job or business at the same time? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_21 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 165,500 |
| NO | 2 | 320 | 1,840,000 |
| NOT APPLICABLE | 6 | 5,250 | 27,210,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_31 | **Length** | 1 | **Position** | 1289 |
| **Question Name** | | | | | |
| **Concept** | Employee or self-employed | | | | |
| **Question** | Were/Are you an employee or self-employed? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| EMPLOYEE | 1 | 2,430 | 16,772,000 |
| SELF-EMPLOYED | 2 | 505 | 3,414,500 |
| WORKING - A FAMILY BUSINESS WITHOUT PAY | 3 | 15 | 53,000 |
| NOT APPLICABLE | 6 | 2,650 | 8,976,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_31A | **Length** | 1 | **Position** | 1290 |
| **Question Name** | | | | | |
| **Concept** | Has employees | | | | |
| **Question** | Did/Do you have any employees? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_31 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 954,500 |
| NO | 2 | 350 | 2,460,000 |
| NOT APPLICABLE | 6 | 5,095 | 25,802,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_SIC **Length** 5 **Position** 1291 - 1295

**Question Name**

**Concept** Standard Industrial Classification

**Question**

**Universe** Respondents who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| STANDARD INDUSTRIAL CLASSIFICATION | 1100 - 9191 | 2,950 | 20,237,500 |
| NOT APPLICABLE | 99996 | 2,655 | 8,983,500 |
| NOT STATED | 99999 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_SOC **Length** 4 **Position** 1296 - 1299

**Question Name**

**Concept** Standard Occupational Classification

**Question**

**Universe** Respondents who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| STANDARD OCCUPATIONAL CLASSIFICATION | A012 - J319 | 2,950 | 20,237,500 |
| NOT APPLICABLE | 9996 | 2,655 | 8,983,500 |
| NOT STATED | 9999 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_36A **Length** 1 **Position** 1300

**Question Name**

**Concept** Job or business permanent

**Question** Was/is your job permanent, or was/is there some way that it was/is not permanent? (For example: seasonal, temporary, term, casual)

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PERMANENT | 1 | 2,395 | 17,004,500 |
| NOT PERMANENT | 2 | 555 | 3,233,500 |
| NOT APPLICABLE | 6 | 2,650 | 8,976,500 |
| DON'T KNOW | 7 | 5 | 1,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_36B **Length** 1 **Position** 1301

**Question Name**

**Concept** Reason job/business not permanent

**Question** In what way was/is your job not permanent?

**Universe** Respondents aged 15 to 75 who answered LBF_36A = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SEASONAL | 1 | 145 | 741,500 |
| TEMPORARY, TERM OR CONTRACT | 2 | 225 | 1,460,000 |
| CASUAL JOB | 3 | 160 | 899,500 |
| WORK DONE THROUGH A TEMP. HELP AGENCY | 4 | 5 | 12,000 |
| OTHER | 5 | 15 | 117,000 |
| NOT APPLICABLE | 6 | 5,045 | 25,980,500 |
| DON'T KNOW | 7 | 5 | 3,000 |
| NOT STATED | 9 | 5 | 21,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBF_37 | **Length** | 1 | **Position** | 1302 |
| **Question Name** | | | | | |
| **Concept** | Smoking restrictions at work | | | | |
| **Question** | At your place of work, what were/are the restrictions on smoking? | | | | |
| **Universe** | Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| RESTRICTED COMPLETELY | 1 | 2,345 | 16,150,500 |
| ALLOWED IN DESIGNATED AREAS | 2 | 360 | 2,609,000 |
| RESTRICTED ONLY IN CERTAIN PLACES | 3 | 70 | 477,500 |
| NOT RESTRICTED AT ALL | 4 | 165 | 986,000 |
| NOT APPLICABLE | 6 | 2,650 | 8,976,500 |
| DON'T KNOW | 7 | 5 | 16,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_41 **Length** 2 **Position** 1303 - 1304

**Question Name**

**Concept** Main reason absent from work - last week

**Question** What was the main reason you were absent from work last week?

**Universe** Respondents aged 15 to 75 who answered LBF_02 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| OWN ILLNESS OR DISABILITY | 1 | 35 | 282,500 |
| CARING FOR - OWN CHILDREN | 2 | 5 | 16,500 |
| CARING FOR - ELDERLY RELATIVES | 3 | 5 | 8,000 |
| MATERNITY LEAVE (FEMALES ONLY) | 4 | 20 | 157,500 |
| OTHER PERSONAL /FAMILY RESPONSIBILITIES | 5 | 5 | 22,500 |
| VACATION | 6 | 90 | 604,000 |
| TEMP. LAYOFF DUE TO BUSINESS CONDITIONS | 8 | 5 | 18,500 |
| SEASONAL LAYOFF | 9 | 5 | 38,000 |
| CASUAL JOB, NO WORK AVAILABLE | 10 | 5 | 19,000 |
| WORK SCHEDULE | 11 | 5 | 7,000 |
| SELF-EMPLOYED, NO WORK AVAILABLE | 12 | 5 | 32,500 |
| SEASONAL BUSINESS | 13 | 5 | 13,000 |
| SCHOOL OR EDUCATIONAL LEAVE | 14 | 5 | 56,500 |
| OTHER | 15 | 15 | 84,500 |
| NOT APPLICABLE | 96 | 5,400 | 27,838,500 |
| NOT STATED | 99 | 5 | 35,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_41A **Length** 1 **Position** 1305

**Question Name**

**Concept** Reason for not working - own illness or disability

**Question** Was that due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason?

**Universe** Respondents aged 15 to 75 who answered LBF_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PHYSICAL HEALTH | 1 | 30 | 266,000 |
| EMOTIONAL OR MENTAL HEALTH(INC. STRESS) | 2 | 5 | 15,500 |
| ANOTHER REASON | 4 | 5 | 1,500 |
| NOT APPLICABLE | 6 | 5,215 | 26,928,000 |
| NOT STATED | 9 | 355 | 2,024,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_42 **Length** 3 **Position** 1306 - 1308

**Question Name**

**Concept** Hours/week usually worked at job/business

**Question** About how many hours a week did/do you usually work at your job/business? If you usually worked/work extra hours, paid or unpaid, please include these hours.

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 1 - 168 | 2,935 | 20,163,500 |
| NOT APPLICABLE | 996 | 2,650 | 8,976,500 |
| DON'T KNOW | 997 | 15 | 68,500 |
| REFUSAL | 998 | 5 | 7,500 |
| NOT STATED | 999 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_44 **Length** 2 **Position** 1309 - 1310

**Question Name**

**Concept** Usual shift worked

**Question** Which of the following best describes the hours you usually worked/work at your job/business?

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| REGULAR DAYTIME SCHEDULE OR SHIFT | 1 | 1,995 | 14,047,500 |
| REGULAR EVENING SHIFT | 2 | 230 | 1,400,000 |
| REGULAR NIGHT SHIFT | 3 | 60 | 383,000 |
| ROTATING SHIFT | 4 | 255 | 1,765,500 |
| SPLIT SHIFT | 5 | 30 | 263,000 |
| ON CALL | 6 | 50 | 378,000 |
| IRREGULAR SCHEDULE | 7 | 300 | 1,855,000 |
| OTHER | 8 | 20 | 148,000 |
| NOT APPLICABLE | 96 | 2,650 | 8,976,500 |
| NOT STATED | 99 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_45 **Length** 2 **Position** 1311 - 1312

**Question Name**

**Concept** Main reason for work schedule

**Question** What is the main reason that you worked/work this schedule?

**Universe** Respondents aged 15 to 75 who answered LBF_44 <> 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| REQUIREMENT OF JOB / NO CHOICE | 1 | 665 | 4,480,000 |
| GOING TO SCHOOL | 2 | 135 | 647,500 |
| CARING FOR - OWN CHILDREN | 3 | 30 | 231,000 |
| TO EARN MORE MONEY | 5 | 15 | 141,000 |
| LIKES TO WORK THIS SCHEDULE | 6 | 85 | 593,500 |
| OTHER | 7 | 20 | 99,000 |
| NOT APPLICABLE | 96 | 4,650 | 23,024,000 |
| NOT STATED | 99 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** LBF_46 **Length** 1 **Position** 1313

**Question Name**

**Concept** Weekend work

**Question** Do/did you usually work on weekends at this job/business?

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,340 | 9,044,000 |
| NO | 2 | 1,610 | 11,195,500 |
| NOT APPLICABLE | 6 | 2,650 | 8,976,500 |
| NOT STATED | 9 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_51 **Length** 2 **Position** 1314 - 1315

**Question Name**

**Concept** Number weeks in a row worked more than 1 job - past 12 mnths

**Question** You indicated that you had/have more than one job. For how many weeks in a row have you worked/did you work at more than one job (in the past 12 months)?

**Universe** Respondents aged 15 to 75 who answered LBF_03 = 1 or LBF_23 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF WEEKS | 1 - 52 | 310 | 2,114,500 |
| NOT APPLICABLE | 96 | 5,285 | 27,094,000 |
| DON'T KNOW | 97 | 5 | 5,000 |
| REFUSAL | 98 | 5 | 2,500 |
| NOT STATED | 99 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_52 **Length** 2 **Position** 1316 - 1317

**Question Name**

**Concept** Main reason worked more than one job - past 12 months

**Question** What is the main reason that you worked/work at more than one job?

**Universe** Respondents aged 15 to 75 who answered LBF_03 = 1 or LBF_23 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| TO MEET REGULAR HOUSEHOLD EXPENSES | 1 | 80 | 509,500 |
| TO PAY OFF DEBTS | 2 | 25 | 165,000 |
| TO BUY SOMETHING SPECIAL | 3 | 5 | 46,000 |
| TO SAVE FOR THE FUTURE | 4 | 25 | 149,000 |
| TO GAIN EXPERIENCE | 5 | 25 | 153,000 |
| TO BUILD UP A BUSINESS | 6 | 30 | 177,500 |
| ENJOYS THE WORK OF THE SECOND JOB | 7 | 70 | 522,500 |
| OTHER | 8 | 50 | 399,500 |
| NOT APPLICABLE | 96 | 5,285 | 27,094,000 |
| NOT STATED | 99 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** LBF_53 **Length** 3 **Position** 1318 - 1320

**Question Name**

**Concept** Hours/week usually worked at other job(s)

**Question** About how many hours a week did/do you usually work at your other job(s)? If you usually worked/work extra hours, paid or unpaid, please include these hours.

**Universe** Respondents aged 15 to 75 who answered LBF_03 = 1 or LBF_23 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF HOURS | 1 - 120 | 310 | 2,105,000 |
| NOT APPLICABLE | 996 | 5,285 | 27,094,000 |
| DON'T KNOW | 997 | 5 | 17,000 |
| NOT STATED | 999 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_54 **Length** 1 **Position** 1321

**Question Name**

**Concept** Weekends worked at other job(s)

**Question** Did/Do you usually work on weekends at your other job(s)?

**Universe** Respondents aged 15 to 75 who answered LBF_03 = 1 or LBF_23 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 180 | 1,213,500 |
| NO | 2 | 135 | 908,500 |
| NOT APPLICABLE | 6 | 5,285 | 27,094,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_61 **Length** 2 **Position** 1322 - 1323

**Question Name**

**Concept** Weeks worked at job/business - past 52 weeks

**Question** During the past 52 weeks how many weeks did you do any work at a job or a business? (Include paid vacation leave, paid maternity leave, and paid sick leave.)

**Universe** Respondents aged 15 to 75 who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF WEEKS | 1 - 52 | 2,945 | 20,206,000 |
| NOT APPLICABLE | 96 | 2,650 | 8,976,500 |
| DON'T KNOW | 97 | 5 | 34,000 |
| NOT STATED | 99 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_71 **Length** 2 **Position** 1324 - 1325

**Question Name**

**Concept** Weeks looking for work - past 52 weeks

**Question** How many weeks were you looking for work?

**Universe** Respondents aged 15 to 75 who answered LBF_61 <> 52 or LBF_22 = 1 or LBF_21 <> 1 and LBF_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF WEEKS | 0 - 52 | 995 | 5,637,500 |
| NOT APPLICABLE | 96 | 4,605 | 23,571,000 |
| DON'T KNOW | 97 | 5 | 7,500 |
| NOT STATED | 99 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBF_72 **Length** 1 **Position** 1326

**Question Name**

**Concept** Number weeks - neither working nor looking for work

**Question** That leaves [# weeks] during which you were neither working nor looking for work. Is that correct?

**Universe** Respondents aged 15 to 75 who answered (LBF_61 < 52 and LBF_71 < (52 - LBF_61)) or ((LBF_22 = 1 or LBF_21 <> 1 and LBF_11 = 1) and LBF_71 < 52)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 850 | 4,763,000 |
| NOT APPLICABLE | 6 | 4,745 | 24,418,000 |
| NOT STATED | 9 | 10 | 55,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_73 **Length** 2 **Position** 1327 - 1328

**Question Name**

**Concept** Main reason was not looking for work

**Question** What is the main reason that you were not looking for work?

**Universe** Respondents aged 15 to 75 who answered (LBF_01 = 1 or LBF_02 = 1 or LBF_11 = 1) and LBF_72 <> 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| OWN ILLNESS OR DISABILITY | 1 | 40 | 244,000 |
| CARING FOR - OWN CHILDREN | 2 | 40 | 210,500 |
| CARING FOR - ELDER RELATIVES | 3 | 5 | 4,500 |
| PREGNANCY (FEMALES ONLY) | 4 | 15 | 72,500 |
| OTHER PERSONAL /FAMILY RESPONSIBILITIES | 5 | 10 | 81,500 |
| VACATION | 6 | 120 | 798,500 |
| TEMP. LAYOFF DUE TO BUSINESS CONDITIONS | 8 | 10 | 120,500 |
| SEASONAL LAYOFF | 9 | 35 | 278,000 |
| CASUAL JOB, NO WORK AVAILABLE | 10 | 10 | 55,000 |
| WORK SCHEDULE | 11 | 10 | 48,500 |
| SCHOOL OR EDUCATIONAL LEAVE | 12 | 205 | 1,012,500 |
| RETIRED | 13 | 25 | 115,000 |
| BELIEVES NO WORK AVAILABLE(AREA/SKILLS) | 14 | 5 | 4,500 |
| OTHER | 15 | 85 | 578,000 |
| NOT APPLICABLE | 96 | 4,940 | 25,407,000 |
| NOT STATED | 99 | 55 | 205,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBF_74 **Length** 1 **Position** 1329

**Question Name**

**Concept** Reason was not looking for work - own illness or disability

**Question** Was that due to your physical health, to your emotional or mental health, to your use of alcohol or drugs, or to another reason?

**Universe** Respondents aged 15 to 75 who answered LBF_73 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PHYSICAL HEALTH | 1 | 35 | 206,500 |
| EMOTIONAL OR MENTAL HEALTH(INC. STRESS) | 2 | 5 | 36,000 |
| ANOTHER REASON | 4 | 5 | 1,500 |
| NOT APPLICABLE | 6 | 5,510 | 28,786,000 |
| NOT STATED | 9 | 55 | 205,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBFDHPW **Length** 3 **Position** 1330 - 1332

**Question Name**

**Concept** Total usual hours worked per week - (D)

**Question**

**Universe** Respondents who answered LBF_01 = 1 or LBF_02 = 1 or LBF_21

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER WEEK | 1 - 168 | 2,930 | 20,146,500 |
| NOT APPLICABLE | 996 | 2,650 | 8,976,500 |
| NOT STATED | 999 | 20 | 112,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBFDJST **Length** 2 **Position** 1333 - 1334

**Question Name**

**Concept** Job status - 12 months - (D)

**Question**

**Universe** Respondents aged 15 to 75 who worked in the week preceding the interview

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HAS HAD A JOB THROUGH PAST YEAR | 1 | 2,020 | 14,863,500 |
| WAS W/O JOB / LOOKING PAST YEAR | 2 | 10 | 34,000 |
| WAS W/O JOB / NOT LOOKING PAST YEAR | 3 | 925 | 4,585,500 |
| HAD JOB PART YEAR / LOOKING PART YEAR | 4 | 130 | 813,000 |
| HAD JOB PART YR / NOT LOOKING PART YR | 5 | 620 | 3,662,000 |
| LOOKING PART YR / NOT LOOKING PART YR | 6 | 55 | 235,000 |
| HAD JOB / LOOKING / NOT LOOKING | 7 | 170 | 866,000 |
| NOT APPLICABLE | 96 | 1,660 | 4,122,000 |
| NOT STATED | 99 | 10 | 55,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBFDMJS | **Length** | 1 | **Position** | 1335 |
| **Question Name** | | | | | |
| **Concept** | Multiple job status - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 15 to 75 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HAS MULT. JOBS-HAD THEM ALL L. Y. | 1 | 150 | 1,138,500 |
| HAS MULT. JOBS-DID NOT HAVE L. Y. | 2 | 140 | 821,500 |
| CURRENTLY HAS ONLY ONE JOB | 3 | 2,310 | 16,277,500 |
| DOES NOT HAVE JOB-MULTIPLE JOBS L. Y. | 4 | 25 | 154,500 |
| DOESN’T HAVE JOB-ONLY 1 AT A TIME L. Y. | 5 | 1,310 | 6,694,500 |
| NOT APPLICABLE | 6 | 1,660 | 4,122,000 |
| NOT STATED | 9 | 5 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBFDPFT | **Length** | 1 | **Position** | 1336 |
| **Question Name** | | | | | |
| **Concept** | Usual hours worked - full-time / part-time status - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 15 to 75 who worked in the year preceding the interview | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FULL-TIME | 1 | 2,190 | 16,016,000 |
| PART-TIME | 2 | 740 | 4,130,500 |
| NOT APPLICABLE | 6 | 2,650 | 8,976,500 |
| NOT STATED | 9 | 20 | 112,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBFDRNW **Length** 2 **Position** 1337 - 1338

**Question Name**

**Concept** Main reason for not working last week - (D)

**Question**

**Universe** Respondents aged 15 to 75 who worked in the week preceding the interview

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PERMANENTLY UNABLE TO WORK | 1 | 30 | 200,000 |
| OWN ILLNESS OR DISABILITY | 2 | 115 | 725,500 |
| CARING FOR - OWN CHILDREN | 3 | 115 | 630,000 |
| CARING FOR - ELDER RELATIVES | 4 | 5 | 17,000 |
| PREGNANCY / MATERNITY LEAVE | 5 | 25 | 194,000 |
| OTHER PERSONAL /FAMILY RESPONSIBILITIES | 6 | 20 | 113,000 |
| VACATION | 7 | 100 | 632,000 |
| SCHOOL OR EDUCATIONAL LEAVE | 8 | 230 | 1,153,000 |
| RETIRED | 9 | 595 | 2,823,000 |
| BELIEVES NO WORK AVAILABLE(AREA/SKILLS) | 10 | 5 | 47,500 |
| TEMP. LAYOFF DUE TO BUSINESS CONDITIONS | 12 | 5 | 18,500 |
| SEASONAL LAYOFF | 13 | 5 | 38,000 |
| CASUAL JOB, NO WORK AVAILABLE | 14 | 5 | 19,000 |
| SELF-EMPLOYED, NO WORK AVAILABLE | 15 | 5 | 32,500 |
| SEASONAL BUSINESS | 16 | 5 | 13,000 |
| LOOKING FOR WORK | 17 | 195 | 1,072,500 |
| WORK SCHEDULE | 18 | 5 | 7,000 |
| OTHER | 19 | 75 | 467,500 |
| NOT APPLICABLE | 96 | 4,065 | 20,995,500 |
| NOT STATED | 99 | 5 | 35,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LBFDSTU **Length** 1 **Position** 1339
**Question Name**
**Concept** Student working status - (D)
**Question**
**Universe** Respondents aged 15 to 75 who were studying at the time of the interview
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WORKED / SCHOOL FULL-TIME | 1 | 480 | 2,249,500 |
| WORKED / SCHOOL PART-TIME | 2 | 120 | 993,500 |
| DID NOT WORK / SCHOOL FULL-TIME | 3 | 150 | 666,500 |
| DID NOT WORK / SCHOOL PART-TIME | 4 | 25 | 153,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,153,000 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LBFDWSL **Length** 2 **Position** 1340 - 1341
**Question Name**
**Concept** Working status last week - 6 groups - (D)
**Question**
**Universe** Respondents aged 15 to 75
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HAD A JOB - AT WORK LAST WEEK | 1 | 2,405 | 16,873,000 |
| HAD A JOB - TEMPORARY / SEASONAL LAYOFF | 2 | 20 | 121,500 |
| HAD A JOB -ABSENT FOR SOME OTHER REASON | 3 | 175 | 1,239,500 |
| NO JOB - LOOKED OVER PAST 4 WEEKS | 4 | 195 | 1,072,500 |
| NO JOB - DID NOT LOOK OVER PAST 4 WEEKS | 5 | 1,110 | 5,571,000 |
| PERMANENTLY UNABLE TO WORK | 6 | 30 | 200,000 |
| NOT APPLICABLE | 96 | 1,660 | 4,122,000 |
| NOT STATED | 99 | 5 | 35,500 |
| | **Total** | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LBFDWSS | **Length** | 1 | **Position** | 1342 |
| **Question Name** | | | | | |
| **Concept** | Working status last week - 4 groups - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 15 to 75 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HAD A JOB - AT WORK LAST WEEK | 1 | 2,405 | 16,873,000 |
| HAD A JOB - ABSENT FROM WORK LAST WEEK | 2 | 195 | 1,361,000 |
| DID NOT HAVE A JOB LAST WEEK | 3 | 1,305 | 6,643,000 |
| PERMANENTLY UNABLE TO WORK | 4 | 35 | 216,500 |
| NOT APPLICABLE | 6 | 1,660 | 4,122,000 |
| NOT STATED | 9 | 5 | 19,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_11 | **Length** | 2 | **Position** | 1343 - 1344 |
| **Question Name** | | | | | |
| **Concept** | Country of birth | | | | |
| **Question** | In what country were you born? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| CANADA | 1 | 4,580 | 22,971,500 |
| CHINA | 2 | 90 | 545,000 |
| FRANCE | 3 | 25 | 218,500 |
| GERMANY | 4 | 25 | 135,000 |
| GREECE | 5 | 10 | 33,000 |
| GUYANA | 6 | 10 | 84,000 |
| HONG KONG | 7 | 15 | 128,000 |
| HUNGARY | 8 | 10 | 52,500 |
| INDIA | 9 | 65 | 482,000 |
| ITALY | 10 | 25 | 148,500 |
| JAMAICA | 11 | 20 | 123,500 |
| NETHERLANDS / HOLLAND | 12 | 30 | 151,000 |
| PHILIPPINES | 13 | 35 | 268,000 |
| POLAND | 14 | 20 | 150,500 |
| PORTUGAL | 15 | 15 | 85,000 |
| UNITED KINGDOM | 16 | 105 | 498,500 |
| UNITED STATES | 17 | 70 | 449,000 |
| VIETNAM | 18 | 10 | 156,000 |
| SRI LANKA | 19 | 5 | 27,500 |
| OTHER | 20 | 435 | 2,526,500 |
| REFUSAL | 98 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDCCCB | **Length** | 3 | **Position** | 1345 - 1347 |
| **Question Name** | | | | | |
| **Concept** | Country of birth - (C) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTRY OF BIRTH | 13 - 813 | 5,605 | 29,233,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_12 | **Length** | 1 | **Position** | 1348 |
| **Question Name** | | | | | |
| **Concept** | Canadian citizen by birth | | | | |
| **Question** | Were you born a Canadian citizen? | | | | |
| **Universe** | Respondents who answered SDC_11 > 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 140,000 |
| NO | 2 | 1,000 | 6,122,000 |
| NOT APPLICABLE | 6 | 4,580 | 22,971,500 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDC_13 **Length** 4 **Position** 1349 - 1352

**Question Name**

**Concept** Year of immigration to Canada

**Question** In what year did you first come to Canada to live?

**Universe** Respondents who answered SDC_12 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEAR | 1927 - 2008 | 1,000 | 6,122,000 |
| NOT APPLICABLE | 9996 | 4,605 | 23,111,500 |
| NOT STATED | 9999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDC_21A **Length** 1 **Position** 1353

**Question Name**

**Concept** Ethnic origin - Canadian

**Question** To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Canadian

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,945 | 9,399,000 |
| NO | 2 | 3,630 | 19,685,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21B | **Length** | 1 | **Position** | 1354 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - French | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - French | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,585 | 7,930,500 |
| NO | 2 | 3,990 | 21,154,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21C | **Length** | 1 | **Position** | 1355 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - English | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - English | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,415 | 7,122,500 |
| NO | 2 | 4,160 | 21,962,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21D | **Length** | 1 | **Position** | 1356 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - German | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - German | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 695 | 3,549,500 |
| NO | 2 | 4,880 | 25,535,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21E | **Length** | 1 | **Position** | 1357 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Scottish | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Scottish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,015 | 5,441,500 |
| NO | 2 | 4,560 | 23,643,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21F | **Length** | 1 | **Position** | 1358 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Irish | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Irish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 960 | 4,746,500 |
| NO | 2 | 4,615 | 24,338,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21G | **Length** | 1 | **Position** | 1359 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Italian | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Italian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 200 | 1,086,500 |
| NO | 2 | 5,375 | 27,998,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21H | **Length** | 1 | **Position** | 1360 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Ukrainian | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Ukrainian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 240 | 1,335,500 |
| NO | 2 | 5,335 | 27,749,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21I | **Length** | 1 | **Position** | 1361 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Dutch (Netherlands) | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Dutch (Netherlands) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 240 | 1,125,500 |
| NO | 2 | 5,335 | 27,959,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21J | **Length** | 1 | **Position** | 1362 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Chinese | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Chinese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 190 | 1,077,000 |
| NO | 2 | 5,385 | 28,007,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21K | **Length** | 1 | **Position** | 1363 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Jewish | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Jewish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 65 | 300,500 |
| NO | 2 | 5,510 | 28,784,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21L | **Length** | 1 | **Position** | 1364 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Polish | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Polish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 160 | 767,000 |
| NO | 2 | 5,415 | 28,317,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21M | **Length** | 1 | **Position** | 1365 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Portuguese | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Portuguese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 299,000 |
| NO | 2 | 5,530 | 28,785,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21N | **Length** | 1 | **Position** | 1366 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - South Asian | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - South Asian (e.g., East Indian, Pakistani, Sri Lankan) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 1,012,000 |
| NO | 2 | 5,420 | 28,072,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21O | **Length** | 1 | **Position** | 1367 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Norwegian | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Norwegian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 110 | 538,500 |
| NO | 2 | 5,465 | 28,546,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21P | **Length** | 1 | **Position** | 1368 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Welsh | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Welsh | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 380,500 |
| NO | 2 | 5,485 | 28,704,000 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21Q | **Length** | 1 | **Position** | 1369 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Swedish | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Swedish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 319,000 |
| NO | 2 | 5,490 | 28,765,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21R | **Length** | 1 | **Position** | 1370 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - North American Indian | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - North American Indian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 215 | 1,169,000 |
| NO | 2 | 5,360 | 27,915,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21S | **Length** | 1 | **Position** | 1371 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Métis | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Métis | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 332,000 |
| NO | 2 | 5,495 | 28,752,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21T | **Length** | 1 | **Position** | 1372 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Inuit | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Inuit | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,000 |
| NO | 2 | 5,575 | 29,077,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_21U | **Length** | 1 | **Position** | 1373 |
| **Question Name** | | | | | |
| **Concept** | Ethnic origin - Other | | | | |
| **Question** | To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian) - Other - Specify | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,075 | 5,470,000 |
| NO | 2 | 4,500 | 23,614,500 |
| DON'T KNOW | 7 | 30 | 149,000 |
| REFUSAL | 8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_22 | **Length** | 1 | **Position** | 1374 |
| **Question Name** | | | | | |
| **Concept** | Aboriginal person | | | | |
| **Question** | Are you an Aboriginal person, that is, North American Indian, Métis or Inuit? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 910,500 |
| NO | 2 | 5,445 | 28,288,500 |
| DON'T KNOW | 7 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_23A | **Length** | 1 | **Position** | 1375 |
| **Question Name** | | | | | |
| **Concept** | Aboriginal person - North American Indian | | | | |
| **Question** | Are you: - North American Indian? | | | | |
| **Universe** | Respondents who answered SDC_22 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 605,000 |
| NO | 2 | 60 | 284,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,288,500 |
| DON'T KNOW | 7 | 5 | 21,000 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_23B | **Length** | 1 | **Position** | 1376 |
| **Question Name** | | | | | |
| **Concept** | Aboriginal person - Métis | | | | |
| **Question** | Are you: - Métis? | | | | |
| **Universe** | Respondents who answered SDC_22 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 60 | 283,500 |
| NO | 2 | 85 | 606,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,288,500 |
| DON'T KNOW | 7 | 5 | 21,000 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_23C | **Length** | 1 | **Position** | 1377 |
| **Question Name** | | | | | |
| **Concept** | Aboriginal person - Inuit | | | | |
| **Question** | Are you: - Inuit? | | | | |
| **Universe** | Respondents who answered SDC_22 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 1,500 |
| NO | 2 | 145 | 888,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,288,500 |
| DON'T KNOW | 7 | 5 | 21,000 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24A | **Length** | 1 | **Position** | 1378 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - White | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - White? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,685 | 23,889,000 |
| NO | 2 | 760 | 4,399,500 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24B | **Length** | 1 | **Position** | 1379 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Chinese | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Chinese? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 180 | 1,030,000 |
| NO | 2 | 5,265 | 27,258,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDC_24C **Length** 1 **Position** 1380

**Question Name**

**Concept** Cultural/racial origin - South Asian

**Question** People living in Canada come from many different cultural and racial backgrounds. Are you: - South Asian (e.g., East Indian, Pakistani, Sri Lankan)?

**Universe** Respondents who answered SDC_22 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 993,500 |
| NO | 2 | 5,295 | 27,295,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDC_24D **Length** 1 **Position** 1381

**Question Name**

**Concept** Cultural/racial origin - Black

**Question** People living in Canada come from many different cultural and racial backgrounds. Are you: - Black?

**Universe** Respondents who answered SDC_22 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 647,000 |
| NO | 2 | 5,295 | 27,641,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24E | **Length** | 1 | **Position** | 1382 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Filipino | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Filipino? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 352,000 |
| NO | 2 | 5,390 | 27,936,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24F | **Length** | 1 | **Position** | 1383 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Latin American | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Latin American? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 506,500 |
| NO | 2 | 5,360 | 27,782,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24G | **Length** | 1 | **Position** | 1384 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Southeast Asian | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Southeast Asian (e.g., Cambodian, Indonesian, Laotian, Vietnamese)? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 228,500 |
| NO | 2 | 5,415 | 28,059,500 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24H | **Length** | 1 | **Position** | 1385 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Arab | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Arab? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 237,500 |
| NO | 2 | 5,400 | 28,051,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24I | **Length** | 1 | **Position** | 1386 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - West Asian | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - West Asian (e.g., Afghan, Iranian)? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 72,500 |
| NO | 2 | 5,430 | 28,215,500 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24J | **Length** | 1 | **Position** | 1387 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Japanese | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Japanese? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 66,000 |
| NO | 2 | 5,430 | 28,222,500 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24K | **Length** | 1 | **Position** | 1388 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - Korean | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Korean? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 107,000 |
| NO | 2 | 5,420 | 28,181,500 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_24L | **Length** | 1 | **Position** | 1389 |
| **Question Name** | | | | | |
| **Concept** | Cultural/racial origin - other | | | | |
| **Question** | People living in Canada come from many different cultural and racial backgrounds. Are you: - Other - Specify? | | | | |
| **Universe** | Respondents who answered SDC_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 398,500 |
| NO | 2 | 5,365 | 27,890,000 |
| NOT APPLICABLE | 6 | 155 | 910,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31A | **Length** | 1 | **Position** | 1390 |
| **Question Name** | | | | | |
| **Concept** | Can converse - English | | | | |
| **Question** | In what languages can you conduct a conversation? - English | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,710 | 25,513,000 |
| NO | 2 | 895 | 3,722,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31B | **Length** | 1 | **Position** | 1391 |
| **Question Name** | | | | | |
| **Concept** | Can converse - French | | | | |
| **Question** | In what languages can you conduct a conversation? - French | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,135 | 9,857,000 |
| NO | 2 | 3,470 | 19,378,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31C | **Length** | 1 | **Position** | 1392 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Arabic | | | | |
| **Question** | In what languages can you conduct a conversation? - Arabic | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 312,000 |
| NO | 2 | 5,555 | 28,923,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31D | **Length** | 1 | **Position** | 1393 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Chinese | | | | |
| **Question** | In what languages can you conduct a conversation? - Chinese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 890,500 |
| NO | 2 | 5,455 | 28,345,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31E | **Length** | 1 | **Position** | 1394 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Cree | | | | |
| **Question** | In what languages can you conduct a conversation? - Cree | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 11,500 |
| NO | 2 | 5,600 | 29,223,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31F | **Length** | 1 | **Position** | 1395 |
| **Question Name** | | | | | |
| **Concept** | Can converse - German | | | | |
| **Question** | In what languages can you conduct a conversation? - German | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 105 | 696,500 |
| NO | 2 | 5,500 | 28,539,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31G | **Length** | 1 | **Position** | 1396 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Greek | | | | |
| **Question** | In what languages can you conduct a conversation? - Greek | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 137,500 |
| NO | 2 | 5,580 | 29,098,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31H | **Length** | 1 | **Position** | 1397 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Hungarian | | | | |
| **Question** | In what languages can you conduct a conversation? - Hungarian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 98,500 |
| NO | 2 | 5,585 | 29,137,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31I | **Length** | 1 | **Position** | 1398 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Italian | | | | |
| **Question** | In what languages can you conduct a conversation? - Italian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 543,500 |
| NO | 2 | 5,530 | 28,691,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31J | **Length** | 1 | **Position** | 1399 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Korean | | | | |
| **Question** | In what languages can you conduct a conversation? - Korean | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 98,000 |
| NO | 2 | 5,585 | 29,137,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31K | **Length** | 1 | **Position** | 1400 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Persian (Farsi) | | | | |
| **Question** | In what languages can you conduct a conversation? - Persian (Farsi) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 94,500 |
| NO | 2 | 5,580 | 29,141,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31L | **Length** | 1 | **Position** | 1401 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Polish | | | | |
| **Question** | In what languages can you conduct a conversation? - Polish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 168,500 |
| NO | 2 | 5,580 | 29,067,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31M | **Length** | 1 | **Position** | 1402 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Portuguese | | | | |
| **Question** | In what languages can you conduct a conversation? - Portuguese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 269,500 |
| NO | 2 | 5,575 | 28,966,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31N | **Length** | 1 | **Position** | 1403 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Punjabi | | | | |
| **Question** | In what languages can you conduct a conversation? - Punjabi | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 427,500 |
| NO | 2 | 5,560 | 28,808,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31O | **Length** | 1 | **Position** | 1404 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Spanish | | | | |
| **Question** | In what languages can you conduct a conversation? - Spanish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 195 | 1,210,500 |
| NO | 2 | 5,410 | 28,025,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31P | **Length** | 1 | **Position** | 1405 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Tagalog (Pilipino) | | | | |
| **Question** | In what languages can you conduct a conversation? - Tagalog (Pilipino) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 267,500 |
| NO | 2 | 5,570 | 28,968,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31Q | **Length** | 1 | **Position** | 1406 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Ukrainian | | | | |
| **Question** | In what languages can you conduct a conversation? - Ukrainian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 118,500 |
| NO | 2 | 5,575 | 29,117,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31R | **Length** | 1 | **Position** | 1407 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Vietnamese | | | | |
| **Question** | In what languages can you conduct a conversation? - Vietnamese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 204,000 |
| NO | 2 | 5,585 | 29,031,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31S | **Length** | 1 | **Position** | 1408 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Dutch | | | | |
| **Question** | In what languages can you conduct a conversation? - Dutch | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 198,000 |
| NO | 2 | 5,570 | 29,037,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31T | **Length** | 1 | **Position** | 1409 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Hindi | | | | |
| **Question** | In what languages can you conduct a conversation? - Hindi | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 482,500 |
| NO | 2 | 5,550 | 28,753,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31U | **Length** | 1 | **Position** | 1410 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Russian | | | | |
| **Question** | In what languages can you conduct a conversation? - Russian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 243,000 |
| NO | 2 | 5,560 | 28,992,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31V | **Length** | 1 | **Position** | 1411 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Tamil | | | | |
| **Question** | In what languages can you conduct a conversation? - Tamil | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 37,000 |
| NO | 2 | 5,590 | 29,198,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_31W | **Length** | 1 | **Position** | 1412 |
| **Question Name** | | | | | |
| **Concept** | Can converse - Other | | | | |
| **Question** | In what languages can you conduct a conversation? - Other - Specify | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 330 | 1,885,500 |
| NO | 2 | 5,275 | 27,350,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_32 | **Length** | 2 | **Position** | 1413 - 1414 |
| **Question Name** | | | | | |
| **Concept** | Language spoken most often at home | | | | |
| **Question** | What language do you speak most often at home? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ENGLISH | 1 | 3,615 | 19,264,500 |
| FRENCH | 2 | 1,470 | 6,701,500 |
| ARABIC | 3 | 15 | 62,000 |
| CHINESE | 4 | 105 | 628,000 |
| GERMAN | 6 | 10 | 52,500 |
| GREEK | 7 | 5 | 30,000 |
| HUNGARIAN | 8 | 5 | 15,000 |
| ITALIAN | 9 | 10 | 71,000 |
| KOREAN | 10 | 10 | 58,000 |
| PERSIAN (FARSI) | 11 | 15 | 71,000 |
| POLISH | 12 | 10 | 86,000 |
| PORTUGUESE | 13 | 10 | 62,500 |
| PUNJABI | 14 | 30 | 260,000 |
| SPANISH | 15 | 60 | 368,000 |
| TAGALOG (PILIPINO) | 16 | 15 | 212,000 |
| UKRAINIAN | 17 | 5 | 15,500 |
| VIETNAMESE | 18 | 15 | 151,000 |
| DUTCH | 19 | 5 | 11,000 |
| HINDI | 20 | 5 | 14,000 |
| RUSSIAN | 21 | 25 | 101,500 |
| TAMIL | 22 | 10 | 14,500 |
| OTHER | 23 | 155 | 978,000 |
| DON'T KNOW | 97 | 5 | 7,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33A | **Length** | 1 | **Position** | 1415 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - English | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - English | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,275 | 17,306,000 |
| NO | 2 | 2,330 | 11,929,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33B | **Length** | 1 | **Position** | 1416 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - French | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - French | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,525 | 6,885,000 |
| NO | 2 | 4,080 | 22,350,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33C | **Length** | 1 | **Position** | 1417 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Arabic | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Arabic | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 243,000 |
| NO | 2 | 5,565 | 28,992,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33D | **Length** | 1 | **Position** | 1418 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Chinese | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Chinese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 135 | 811,000 |
| NO | 2 | 5,470 | 28,424,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33E | **Length** | 1 | **Position** | 1419 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Cree | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Cree | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,500 |
| NO | 2 | 5,600 | 29,228,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33F | **Length** | 1 | **Position** | 1420 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - German | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - German | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 461,500 |
| NO | 2 | 5,535 | 28,774,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33G | **Length** | 1 | **Position** | 1421 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Greek | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Greek | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 120,000 |
| NO | 2 | 5,580 | 29,115,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33H | **Length** | 1 | **Position** | 1422 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Hungarian | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Hungarian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 100,500 |
| NO | 2 | 5,585 | 29,135,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33I | **Length** | 1 | **Position** | 1423 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Italian | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Italian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 341,500 |
| NO | 2 | 5,555 | 28,894,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33J | **Length** | 1 | **Position** | 1424 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Korean | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Korean | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 67,500 |
| NO | 2 | 5,590 | 29,168,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33K | **Length** | 1 | **Position** | 1425 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Persian(Farsi) | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 85,000 |
| NO | 2 | 5,585 | 29,150,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33L | **Length** | 1 | **Position** | 1426 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Polish | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Polish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 154,500 |
| NO | 2 | 5,580 | 29,081,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33M | **Length** | 1 | **Position** | 1427 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Portuguese | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Portuguese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 167,500 |
| NO | 2 | 5,580 | 29,068,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33N | **Length** | 1 | **Position** | 1428 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Punjabi | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Punjabi | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 311,000 |
| NO | 2 | 5,570 | 28,924,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33O | **Length** | 1 | **Position** | 1429 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Spanish | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Spanish | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 568,000 |
| NO | 2 | 5,525 | 28,667,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33P | **Length** | 1 | **Position** | 1430 |
| **Question Name** | | | | | |
| **Concept** | First language learned & still understood-Tagalog (Pilipino) | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Tagalog (Pilipino) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 258,500 |
| NO | 2 | 5,575 | 28,977,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33Q | **Length** | 1 | **Position** | 1431 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Ukrainian | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Ukrainian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 80,000 |
| NO | 2 | 5,585 | 29,155,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33R | **Length** | 1 | **Position** | 1432 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Vietnamese | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Vietnamese | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 168,000 |
| NO | 2 | 5,590 | 29,067,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33S | **Length** | 1 | **Position** | 1433 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Dutch | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Dutch | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 182,000 |
| NO | 2 | 5,575 | 29,053,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33T | **Length** | 1 | **Position** | 1434 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Hindi | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Hindi | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 50,500 |
| NO | 2 | 5,600 | 29,184,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33U | **Length** | 1 | **Position** | 1435 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Russian | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Russian | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 122,500 |
| NO | 2 | 5,575 | 29,113,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33V | **Length** | 1 | **Position** | 1436 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Tamil | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Tamil | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 21,500 |
| NO | 2 | 5,595 | 29,214,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDC_33W | **Length** | 1 | **Position** | 1437 |
| **Question Name** | | | | | |
| **Concept** | First language learned and still understood - Other | | | | |
| **Question** | What is the language that you first learned at home in childhood and can still understand? - Other - Specify | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 265 | 1,511,500 |
| NO | 2 | 5,335 | 27,724,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDCDAIM | **Length** | 3 | **Position** | 1438 - 1440 |
| **Question Name** | | | | | |
| **Concept** | Age at time of immigration - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents born outside Canada who were not born as Canadian citizens | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 69 | 970 | 5,913,500 |
| NOT APPLICABLE | 996 | 4,605 | 23,111,500 |
| NOT STATED | 999 | 30 | 210,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SDCDCGT | **Length** | 2 | **Position** | 1441 - 1442 |
| **Question Name** | | | | | |
| **Concept** | Cultural or racial group - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Non-Aboriginal respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WHITE | 1 | 4,635 | 23,724,000 |
| BLACK | 2 | 140 | 615,000 |
| KOREAN | 3 | 20 | 100,000 |
| FILIPINO | 4 | 45 | 295,000 |
| JAPANESE | 5 | 10 | 62,000 |
| CHINESE | 6 | 160 | 958,000 |
| SOUTH ASIAN | 7 | 145 | 979,000 |
| SOUTHEAST ASIAN | 8 | 30 | 222,500 |
| ARAB | 9 | 40 | 218,500 |
| WEST ASIAN | 10 | 15 | 72,500 |
| LATIN AMERICAN | 11 | 70 | 470,500 |
| OTHER RACIAL OR CULTURAL ORIGIN | 12 | 70 | 365,500 |
| MULTIPLE RACIAL / CULTURAL ORIGINS | 13 | 60 | 205,000 |
| NOT APPLICABLE | 96 | 155 | 910,500 |
| NOT STATED | 99 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDCDFL1 **Length** 2 **Position** 1443 - 1444
**Question Name**
**Concept** First official language learned and still understood - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ENGLISH ONLY | 1 | 3,165 | 16,659,500 |
| FRENCH ONLY | 2 | 1,465 | 6,598,500 |
| ENGLISH AND FRENCH ONLY | 3 | 45 | 214,500 |
| ENGLISH AND FRENCH AND OTHER | 4 | 5 | 15,000 |
| ENGLISH AND OTHER (NOT FRENCH) | 5 | 60 | 417,500 |
| FRENCH AND OTHER (NOT ENGLISH) | 6 | 10 | 57,500 |
| NEITHER ENGLISH NOR FRENCH (OTHER) | 7 | 855 | 5,273,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDCDLNG **Length** 2 **Position** 1445 - 1446
**Question Name**
**Concept** Languages - can converse - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ENGLISH ONLY | 1 | 2,670 | 14,291,000 |
| FRENCH ONLY | 2 | 795 | 3,169,000 |
| ENGLISH AND FRENCH ONLY | 3 | 1,030 | 5,070,500 |
| ENGLISH AND FRENCH AND OTHER | 4 | 255 | 1,437,500 |
| ENGLISH AND OTHER (NOT FRENCH) | 5 | 755 | 4,714,000 |
| FRENCH AND OTHER (NOT ENGLISH) | 6 | 55 | 180,000 |
| NEITHER ENGLISH NOR FRENCH (OTHER) | 7 | 45 | 373,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDCDRES **Length** 3 **Position** 1447 - 1449

**Question Name**

**Concept** Length of time in Canada since immigration - (D)

**Question**

**Universe** Respondents born outside Canada who were not born as Canadian citizens

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEARS | 0 - 80 | 1,000 | 6,122,000 |
| NOT APPLICABLE | 996 | 4,605 | 23,111,500 |
| NOT STATED | 999 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDCFABT **Length** 1 **Position** 1450

**Question Name**

**Concept** Aboriginal origin or identity - (D)

**Question**

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ABORIGINAL (I.E. NORTH AMERICAN INDIAN) | 1 | 155 | 910,500 |
| NOT ABORIGINAL | 2 | 5,445 | 28,288,500 |
| NOT STATED | 9 | 5 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SDCFIMM **Length** 1 **Position** 1451
**Question Name**
**Concept** Immigrant - (F)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,000 | 6,122,000 |
| NO | 2 | 4,605 | 23,111,500 |
| NOT STATED | 9 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SDCGCB **Length** 2 **Position** 1452 - 1453
**Question Name**
**Concept** Country of birth - (G)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| CANADA | 1 | 4,580 | 22,971,500 |
| OTHER NORTH AMERICA | 2 | 90 | 572,500 |
| SOUTH, CENTRAL AMERICA AND CARIBBEAN | 3 | 120 | 776,500 |
| EUROPE | 4 | 385 | 2,097,500 |
| AFRICA | 5 | 75 | 407,000 |
| ASIA | 6 | 350 | 2,356,500 |
| OCEANIA | 7 | 10 | 52,500 |
| NOT STATED | 99 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | EDU_01 | **Length** | 1 | **Position** | 1454 |
| **Question Name** | | | | | |
| **Concept** | Currently attending a school, college or university | | | | |
| **Question** | Are you currently attending a school, college or university? | | | | |
| **Universe** | Respondents aged 14 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,280 | 7,506,500 |
| NO | 2 | 3,320 | 21,709,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | EDU_02 | **Length** | 1 | **Position** | 1455 |
| **Question Name** | | | | | |
| **Concept** | Full or part-time student | | | | |
| **Question** | Are you enrolled as a full-time student or as a part-time student? | | | | |
| **Universe** | Respondents aged 14 and older who answered EDU_01 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FULL-TIME | 1 | 2,130 | 6,352,500 |
| PART-TIME | 2 | 150 | 1,154,000 |
| NOT APPLICABLE | 6 | 3,320 | 21,709,500 |
| NOT STATED | 9 | 5 | 19,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11A | **Length** | 1 | **Position** | 1456 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - wages and salaries | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,240 | 23,059,500 |
| NO | 2 | 1,275 | 5,731,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11B | **Length** | 1 | **Position** | 1457 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - self employment | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self employment | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,330 | 6,923,000 |
| NO | 2 | 4,185 | 21,867,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_11C **Length** 1 **Position** 1458

**Question Name**

**Concept** Source of household income - dividends and interest

**Question** Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)

**Universe** All respondents

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,130 | 6,066,000 |
| NO | 2 | 4,385 | 22,724,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_11D **Length** 1 **Position** 1459

**Question Name**

**Concept** Source of household income - employment insurance

**Question** Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Employment insurance

**Universe** All respondents

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 465 | 2,547,500 |
| NO | 2 | 5,050 | 26,242,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11E | **Length** | 1 | **Position** | 1460 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - worker's compensation | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 125 | 699,500 |
| NO | 2 | 5,390 | 28,091,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11F | **Length** | 1 | **Position** | 1461 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - Canada / Quebec pension plan | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,030 | 5,034,000 |
| NO | 2 | 4,485 | 23,756,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11G | **Length** | 1 | **Position** | 1462 |
| **Question Name** | | | | | |
| **Concept** | Source of hhld income - pensions/superannuation/annuities | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Retirement pensions, superannuation and annuities | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 795 | 4,048,000 |
| NO | 2 | 4,720 | 24,742,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11H | **Length** | 1 | **Position** | 1463 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - Old Age Security / GIS | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Old Age Security / GIS | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 700 | 3,382,000 |
| NO | 2 | 4,815 | 25,408,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11I | **Length** | 1 | **Position** | 1464 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - Child Tax Benefit | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Tax Benefit | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 2,230 | 8,600,000 |
| NO | 2 | 3,285 | 20,190,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11J | **Length** | 1 | **Position** | 1465 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - social assistance / welfare | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Provincial or municipal social assistance or welfare | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 280 | 1,284,500 |
| NO | 2 | 5,240 | 27,506,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_11K **Length** 1 **Position** 1466

**Question Name**

**Concept** Source of household income - child support

**Question** Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child support

**Universe** All respondents

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 385 | 1,409,500 |
| NO | 2 | 5,130 | 27,381,000 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** INC_11L **Length** 1 **Position** 1467

**Question Name**

**Concept** Source of household income - alimony

**Question** Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony

**Universe** All respondents

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 128,000 |
| NO | 2 | 5,490 | 28,662,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11M | **Length** | 1 | **Position** | 1468 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - other | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 565 | 2,898,000 |
| NO | 2 | 4,955 | 25,892,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_11N | **Length** | 1 | **Position** | 1469 |
| **Question Name** | | | | | |
| **Concept** | Source of household income - none | | | | |
| **Question** | Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None | | | | |
| **Universe** | All respondents | | | | |
| **Note** | In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 15,000 |
| NO | 2 | 5,510 | 28,775,500 |
| NOT APPLICABLE | 6 | 10 | 85,500 |
| DON'T KNOW | 7 | 35 | 148,500 |
| REFUSAL | 8 | 40 | 211,000 |
| **Total** | | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_12 **Length** 2 **Position** 1470 - 1471

**Question Name**

**Concept** Total household income - main source

**Question** What was the main source of income?

**Universe** Respondents with more than once source of income reported in INC_11A to INC_11M

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents.

| Content | Code | Sample | Population |
|---|---|---|---|
| WAGES AND SALARIES | 1 | 3,660 | 19,963,500 |
| INCOME FROM SELF-EMPLOYMENT | 2 | 660 | 3,400,500 |
| DIVIDENDS AND INTEREST | 3 | 70 | 352,500 |
| EMPLOYMENT INSURANCE | 4 | 30 | 66,000 |
| WORKERS' COMPENSATION | 5 | 15 | 62,000 |
| BENEFITS FROM CANADA OR QUEBEC PENSION | 6 | 180 | 753,000 |
| RETIREMENT PENSIONS, ETC. | 7 | 455 | 2,253,500 |
| OLD AGE SECURITY AND G.I.S. | 8 | 85 | 364,500 |
| CHILD TAX BENEFIT | 9 | 15 | 70,000 |
| PROV. / MUNIC. SOCIAL ASSIS. / WELFARE | 10 | 185 | 790,500 |
| CHILD SUPPORT | 11 | 25 | 123,500 |
| ALIMONY | 12 | 5 | 19,500 |
| OTHER(I.E. RENTAL INCOME, SCHOLARSHIPS) | 13 | 90 | 403,500 |
| NONE | 14 | 5 | 15,000 |
| NOT APPLICABLE | 96 | 10 | 85,500 |
| DON'T KNOW | 97 | 30 | 144,500 |
| REFUSAL | 98 | 5 | 7,500 |
| NOT STATED | 99 | 75 | 359,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_21 **Length** 6 **Position** 1472 - 1477

**Question Name**

**Concept** Total household income

**Question** What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months?

**Universe** All respondents

**Note** In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. Total household income (INC_21) was imputed in all cases where it was not reported during the interview. The flag INCFIMP4 indicates whether the value in INC_21 was imputed, and if so, on what information the imputation was based.

| Content | Code | Sample | Population |
|---|---|---|---|
| AMOUNT IN DOLLARS | 6 - 500000 | 5,595 | 29,196,500 |
| NONE | 0 | 10 | 39,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_22 **Length** 1 **Position** 1478

**Question Name**

**Concept** Total household income - < $20,000 or $20,000 +

**Question** Can you estimate in which of the following groups your household income falls? Was the total household income less than $20,000 or $20,000 or more?

**Universe** Respondents with INCFIMP4 = (2, 3, or 4) or INC_21 = 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $20,000 | 1 | 110 | 509,500 |
| $20,000 OR MORE | 2 | 1,015 | 5,527,000 |
| NO INCOME | 3 | 5 | 6,500 |
| NOT APPLICABLE | 6 | 4,225 | 21,790,500 |
| DON'T KNOW | 7 | 105 | 608,000 |
| REFUSAL | 8 | 60 | 348,500 |
| NOT STATED | 9 | 90 | 445,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_23 **Length** 1 **Position** 1479

**Question Name**

**Concept** Total household income - < $10,000 or $10,000 +

**Question** Was the total household income from all sources less than $10,000 or $10,000 or more?

**Universe** Respondents who answered INC_22 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $10,000 | 1 | 15 | 64,000 |
| $10,000 OR MORE | 2 | 95 | 438,500 |
| NOT APPLICABLE | 6 | 5,240 | 27,324,500 |
| DON'T KNOW | 7 | 5 | 6,500 |
| NOT STATED | 9 | 250 | 1,401,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_24 **Length** 1 **Position** 1480

**Question Name**

**Concept** Total household income - < $5,000 or $5,000 +

**Question** Was the total household income from all sources less than $5,000 or $5,000 or more?

**Universe** Respondents who answered INC_23 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $5,000 | 1 | 5 | 1,000 |
| $5,000 OR MORE | 2 | 15 | 50,000 |
| NOT APPLICABLE | 6 | 5,335 | 27,763,000 |
| DON'T KNOW | 7 | 5 | 13,000 |
| NOT STATED | 9 | 255 | 1,408,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_25 **Length** 1 **Position** 1481

**Question Name**

**Concept** Total household income - < $15,000 or $15,000 +

**Question** Was the total household income from all sources less than $15,000 or $15,000 or more?

**Universe** Respondents who answered INC_23 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $10,000 TO LESS THAN $15,000 | 1 | 40 | 169,500 |
| $15,000 OR MORE | 2 | 45 | 229,000 |
| NOT APPLICABLE | 6 | 5,255 | 27,388,500 |
| DON'T KNOW | 7 | 5 | 40,500 |
| NOT STATED | 9 | 255 | 1,408,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_26 **Length** 1 **Position** 1482

**Question Name**

**Concept** Total household income - < $40,000 or $40,000 +

**Question** Was the total household income from all sources less than $40,000 or $40,000 or more?

**Universe** Respondents who answered INC_22 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $20,000 TO LESS THAN $40,000 | 1 | 205 | 998,500 |
| $40,000 OR MORE | 2 | 775 | 4,336,500 |
| NOT APPLICABLE | 6 | 4,335 | 22,307,000 |
| DON'T KNOW | 7 | 30 | 159,000 |
| REFUSAL | 8 | 10 | 32,500 |
| NOT STATED | 9 | 250 | 1,401,500 |
| | **Total** | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_27 | **Length** | 1 | **Position** | 1483 |
| **Question Name** | | | | | |
| **Concept** | Total household income - < $30,000 or $30,000 + | | | | |
| **Question** | Was the total household income from all sources less than $30,000 or $30,000 or more? | | | | |
| **Universe** | Respondents who answered INC_26 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| $20,000 TO LESS THAN $30,000 | 1 | 80 | 426,500 |
| $30,000 OR MORE | 2 | 120 | 532,000 |
| NOT APPLICABLE | 6 | 5,110 | 26,643,500 |
| DON'T KNOW | 7 | 10 | 22,500 |
| REFUSAL | 8 | 5 | 18,000 |
| NOT STATED | 9 | 290 | 1,593,500 |
| **Total** | | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_28 | **Length** | 1 | **Position** | 1484 |
| **Question Name** | | | | | |
| **Concept** | Total household income - $40,000 + | | | | |
| **Question** | Was the total household income from all sources: (less than $50,000?, $50,000 to less than $60,000?, $60,000 to less than $80,000, $80,000 to less than $100,000?, $100,000 or more?) | | | | |
| **Universe** | Respondents who answered INC_26 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| $40,000 TO LESS THAN $50,000 | 1 | 110 | 559,500 |
| $50,000 TO LESS THAN $60,000 | 2 | 110 | 628,500 |
| $60,000 TO LESS THAN $80,000 | 3 | 165 | 919,500 |
| $80,000 OR MORE | 4 | 110 | 645,000 |
| $100,000 OR MORE | 5 | 240 | 1,309,000 |
| NOT APPLICABLE | 6 | 4,540 | 23,305,500 |
| DON'T KNOW | 7 | 30 | 185,500 |
| REFUSAL | 8 | 10 | 89,500 |
| NOT STATED | 9 | 290 | 1,593,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_31 **Length** 6 **Position** 1485 - 1490

**Question Name**

**Concept** Total personal income - best estimate

**Question** What is your best estimate of your total personal income, before taxes and other deductions, from all sources in the past 12 months?

**Universe** Respondents aged 15 and older with INC_22 <>3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| AMOUNT IN DOLLARS | 6 - 500000 | 3,320 | 21,326,000 |
| NONE | 0 | 210 | 1,028,500 |
| NOT APPLICABLE | 999996 | 1,505 | 3,458,000 |
| DON'T KNOW | 999997 | 365 | 2,147,500 |
| REFUSAL | 999998 | 30 | 192,500 |
| NOT STATED | 999999 | 180 | 1,083,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_32 **Length** 1 **Position** 1491

**Question Name**

**Concept** Total personal income - < $20,000 or $20,000 +

**Question** Can you estimate in which of the following groups your personal income falls? Was the total personal income less than $20,000 or $20,000 or more?

**Universe** Respondents aged 15 and older who answered "Don't know" or "Refused" at INC_31 (INC_31 > 999995)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $20,000 | 1 | 150 | 732,000 |
| $20,000 OR MORE | 2 | 215 | 1,428,500 |
| NO INCOME | 3 | 5 | 3,000 |
| NOT APPLICABLE | 6 | 5,035 | 25,812,500 |
| DON'T KNOW | 7 | 15 | 80,500 |
| REFUSAL | 8 | 15 | 95,500 |
| NOT STATED | 9 | 180 | 1,083,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_33 | **Length** | 1 | **Position** | 1492 |
| **Question Name** | | | | | |
| **Concept** | Total personal income - < $10,000 or $10,000 + | | | | |
| **Question** | Was your total personal income less than $10,000 or $10,000 or more? | | | | |
| **Universe** | Respondents aged 15 and older who answered INC_32 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $10,000 | 1 | 75 | 312,000 |
| $10,000 OR MORE | 2 | 70 | 410,500 |
| NOT APPLICABLE | 6 | 5,250 | 27,244,000 |
| DON'T KNOW | 7 | 5 | 9,500 |
| NOT STATED | 9 | 205 | 1,259,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INC_34 | **Length** | 1 | **Position** | 1493 |
| **Question Name** | | | | | |
| **Concept** | Total personal income - < $5,000 or $5,000 + | | | | |
| **Question** | Was your total personal income less than $5,000 or $5,000 or more? | | | | |
| **Universe** | Respondents aged 15 and older who answered INC_33 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LESS THAN $5,000 | 1 | 30 | 109,000 |
| $5,000 OR MORE | 2 | 45 | 203,000 |
| NOT APPLICABLE | 6 | 5,320 | 27,655,000 |
| NOT STATED | 9 | 210 | 1,268,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_35 **Length** 1 **Position** 1494

**Question Name**

**Concept** Total personal income - < $15,000 or $15,000 +

**Question** Was your total personal income less than $15,000 or $15,000 or more?

**Universe** Respondents aged 15 and older who answered INC_33 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $10,000 TO LESS THAN $15,000 | 1 | 35 | 221,500 |
| $15,000 OR MORE | 2 | 35 | 186,000 |
| NOT APPLICABLE | 6 | 5,325 | 27,556,000 |
| DON'T KNOW | 7 | 5 | 3,000 |
| NOT STATED | 9 | 210 | 1,268,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_36 **Length** 1 **Position** 1495

**Question Name**

**Concept** Total personal income - < $40,000 or $40,000 +

**Question** Was your total personal income less than $40,000 or $40,000 or more?

**Universe** Respondents aged 15 and older who answered INC_32 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $20,000 TO LESS THAN $40,000 | 1 | 95 | 659,500 |
| $40,000 OR MORE | 2 | 120 | 761,000 |
| NOT APPLICABLE | 6 | 5,185 | 26,547,500 |
| DON'T KNOW | 7 | 5 | 5,500 |
| REFUSAL | 8 | 5 | 2,500 |
| NOT STATED | 9 | 205 | 1,259,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** INC_37 **Length** 1 **Position** 1496

**Question Name**

**Concept** Total personal income - < $30,000 or $30,000 +

**Question** Was your total personal income less than $30,000 or $30,000 or more?

**Universe** Respondents aged 15 and older who answered INC_36 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $20,000 TO LESS THAN $30,000 | 1 | 45 | 357,500 |
| $30,000 OR MORE | 2 | 45 | 279,500 |
| NOT APPLICABLE | 6 | 5,305 | 27,308,500 |
| REFUSAL | 8 | 5 | 22,500 |
| NOT STATED | 9 | 205 | 1,267,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** INC_38 **Length** 1 **Position** 1497

**Question Name**

**Concept** Total personal income - $40,000 +

**Question** Was your total personal income: (less than $50,000?, $50,000 to less than $60,000?, $60,000 to less than $80,000?, $80,000 to less than $100,000? Or $100,000 or more?)

**Universe** Respondents aged 15 and older who answered INC_36 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| $40,000 TO LESS THAN $50,000 | 1 | 35 | 189,500 |
| $50,000 TO LESS THAN $60,000 | 2 | 15 | 77,000 |
| $60,000 TO LESS THAN $80,000 | 3 | 25 | 214,000 |
| $80,000 OR MORE | 4 | 10 | 60,500 |
| $100,000 OR MORE | 5 | 30 | 167,500 |
| NOT APPLICABLE | 6 | 5,275 | 27,207,000 |
| DON'T KNOW | 7 | 5 | 6,500 |
| REFUSAL | 8 | 5 | 46,000 |
| NOT STATED | 9 | 205 | 1,267,500 |
| | **Total** | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCFIMP4 | **Length** | 1 | **Position** | 1498 |
| **Question Name** | | | | | |
| **Concept** | Total household income imputation flag - (F) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | This flag indicates whether the value in INC_21 was imputed, and if so, whether the imputation was based on a complete household income range (INC_22 to INC_28 fully reported), without a household income range (INC_22 to INC_28 not reported) or a partial household income range (INC_22 to INC_28 partially reported). | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO IMPUTATION | 1 | 4,225 | 21,790,500 |
| IMPUTED BASED ON COMPLETE RANGE | 2 | 1,035 | 5,483,500 |
| IMPUTED WITHOUT RANGE | 3 | 270 | 1,495,000 |
| IMPUTED BASED ON PARTIAL RANGE | 4 | 75 | 466,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCDHH | **Length** | 2 | **Position** | 1499 - 1500 |
| **Question Name** | | | | | |
| **Concept** | Total household income from all sources - (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | This variable is based on INC_21 (Total household income) which includes imputed values. The flag INCFIMP4 indicates whether the value in INC_21 was imputed, and if so, on what information the imputation was based. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INCOME | 1 | 10 | 39,000 |
| LESS THAN $5,000 | 2 | 15 | 106,000 |
| $5,000 TO $9,999 | 3 | 60 | 279,000 |
| $10,000 TO $14,999 | 4 | 185 | 829,500 |
| $15,000 TO $19,999 | 5 | 180 | 772,500 |
| $20,000 TO $29,999 | 6 | 490 | 2,341,500 |
| $30,000 TO $39,999 | 7 | 555 | 2,587,500 |
| $40,000 TO $49,999 | 8 | 550 | 2,690,500 |
| $50,000 TO $59,999 | 9 | 495 | 2,737,500 |
| $60,000 TO $79,999 | 10 | 880 | 4,858,500 |
| $80,000 TO $99,999 | 11 | 645 | 3,688,000 |
| $100,000 OR MORE | 12 | 1,530 | 8,305,500 |
| | **Total** | 5,604 | 29,235,444 |

# Master file - Imputed Income - Rounded

*March 2014*

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCDPER | **Length** | 2 | **Position** | 1501 - 1502 |
| **Question Name** | | | | | |
| **Concept** | Total personal income from all sources - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 15 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INCOME | 1 | 215 | 1,053,500 |
| LESS THAN $5,000 | 2 | 310 | 1,189,500 |
| $5,000 TO $9,999 | 3 | 320 | 1,641,500 |
| $10,000 TO $14,999 | 4 | 335 | 2,030,500 |
| $15,000 TO $19,999 | 5 | 275 | 1,636,500 |
| $20,000 TO $29,999 | 6 | 515 | 3,445,000 |
| $30,000 TO $39,999 | 7 | 510 | 3,465,500 |
| $40,000 TO $49,999 | 8 | 370 | 2,486,000 |
| $50,000 TO $59,999 | 9 | 275 | 1,927,500 |
| $60,000 TO $79,999 | 10 | 370 | 2,826,000 |
| $80,000 TO $99,999 | 11 | 165 | 1,270,000 |
| $100,000 OR MORE | 12 | 220 | 1,472,500 |
| NOT APPLICABLE | 96 | 1,500 | 3,436,000 |
| NOT STATED | 99 | 220 | 1,355,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCDDIA2 | **Length** | 1 | **Position** | 1503 |
| **Question Name** | | | | | |
| **Concept** | Income adequacy - 2 groups - (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | This variable is based on INC_21 (Total household income) which includes imputed values. The flag INCFIMP4 indicates whether the value in INC_21 was imputed, and if so, on what information the imputation was based. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LOW INCOME | 1 | 380 | 1,601,500 |
| MIDDLE OR HIGH INCOME | 2 | 5,220 | 27,634,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCDDIA4 | **Length** | 1 | **Position** | 1504 |
| **Question Name** | | | | | |
| **Concept** | Income adequacy - 4 groups - (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | This variable is based on INC_21 (Total household income) which includes imputed values. The flag INCFIMP4 indicates whether the value in INC_21 was imputed, and if so, on what information the imputation was based. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LOWEST INCOME GROUPING | 1 | 380 | 1,601,500 |
| LOWER MIDDLE INCOME GROUPING | 2 | 955 | 4,472,000 |
| UPPER MIDDLE INCOME GROUPING | 3 | 1,800 | 9,337,000 |
| HIGHEST INCOME GROUPING | 4 | 2,465 | 13,824,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INCDDIA5 | **Length** | 1 | **Position** | 1505 |
| **Question Name** | | | | | |
| **Concept** | Income adequacy - 5 groups - (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | This variable is based on INC_21 (Total household income) which includes imputed values. The flag INCFIMP4 indicates whether the value in INC_21 was imputed, and if so, on what information the imputation was based. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LOWEST INCOME GROUPING | 1 | 100 | 450,000 |
| LOWER MIDDLE INCOME GROUPING | 2 | 280 | 1,152,000 |
| MIDDLE INCOME GROUPING | 3 | 955 | 4,472,000 |
| UPPER MIDDLE INCOME GROUPING | 4 | 1,800 | 9,337,000 |
| HIGHEST INCOME GROUPING | 5 | 2,465 | 13,824,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | C2_YEAR | **Length** | 4 | **Position** | 1506 - 1509 |
| **Question Name** | | | | | |
| **Concept** | Year of household interview | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEAR | 2007 - 2009 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | C2_MTH | **Length** | 2 | **Position** | 1510 - 1511 |
| **Question Name** | | | | | |
| **Concept** | Month of household interview | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| MONTH (1 TO 12) | 1 - 12 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | C2_DAY | **Length** | 2 | **Position** | 1512 - 1513 |
| **Question Name** | | | | | |
| **Concept** | Day of household interview | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| DAY (1 TO 31) | 1 - 31 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_YEAR | **Length** | 4 | **Position** | 1514 - 1517 |
| **Question Name** | | | | | |
| **Concept** | Year of clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| YEAR | 2007 - 2009 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_MTH | **Length** | 2 | **Position** | 1518 - 1519 |
| **Question Name** | | | | | |
| **Concept** | Month of clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MONTH (1 TO 12) | 1 - 12 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_DAY | **Length** | 2 | **Position** | 1520 - 1521 |
| **Question Name** | | | | | |
| **Concept** | Day of clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| DAY (1 TO 31) | 1 - 31 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_HOUR | **Length** | 2 | **Position** | 1522 - 1523 |
| **Question Name** | | | | | |
| **Concept** | Hour of clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOUR OF THE DAY | 6 - 20 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_MIN | **Length** | 2 | **Position** | 1524 - 1525 |
| **Question Name** | | | | | |
| **Concept** | Minute of clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| MINUTE OF THE DAY | 0 - 59 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | V2_TYPE | **Length** | 1 | **Position** | 1526 |
| **Question Name** | | | | | |
| **Concept** | Type of visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| CLINIC VISIT | 1 | 5,585 | 29,118,000 |
| HOME VISIT | 2 | 20 | 117,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_YOB | **Length** | 4 | **Position** | 1527 - 1530 |
| **Question Name** | | | | | |
| **Concept** | Year of birth | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YEAR | 1927 - 2002 | 5,605 | 29,227,500 |
| REFUSAL | 9998 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_MOB | **Length** | 2 | **Position** | 1531 - 1532 |
| **Question Name** | | | | | |
| **Concept** | Month of birth | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MONTH (1 TO 12) | 1 - 12 | 5,605 | 29,227,500 |
| REFUSAL | 98 | 5 | 8,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_DOB | **Length** | 2 | **Position** | 1533 - 1534 |
| **Question Name** | | | | | |
| **Concept** | Day of birth | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| DAY (1 TO 31) | 1 - 31 | 5,605 | 29,227,500 |
| REFUSAL | 98 | 5 | 8,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_AGE | **Length** | 3 | **Position** | 1535 - 1537 |
| **Question Name** | | | | | |
| **Concept** | Age at clinic visit | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| YEARS | 6 - 80 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_SEX | **Length** | 1 | **Position** | 1538 |
| **Question Name** | | | | | |
| **Concept** | Sex | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| MALE | 1 | 2,705 | 14,559,000 |
| FEMALE | 2 | 2,900 | 14,676,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CLC_LNG | **Length** | 1 | **Position** | 1539 |
| **Question Name** | | | | | |
| **Concept** | Preferred official language | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| ENGLISH | 1 | 4,110 | 22,503,500 |
| FRENCH | 2 | 1,495 | 6,732,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CON_11 | **Length** | 1 | **Position** | 1540 |
| **Question Name** | | | | | |
| **Concept** | Read consent booklet | | | | |
| **Question** | Before we start the clinic tests, we need to review the consent booklet that was given to you during the interview at your home. Did you have a chance to read that booklet? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,375 | 28,029,000 |
| NO | 2 | 230 | 1,206,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CON_15 | **Length** | 1 | **Position** | 1541 |
| **Question Name** | | | | | |
| **Concept** | Parent or guardian consented to physical measures | | | | |
| **Question** | INSTRUCTION: Record whether a parent or guardian has consented to the respondent participating in the physical measure tests. | | | | |
| **Universe** | Respondents aged 13 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,365 | 3,010,000 |
| NOT APPLICABLE | 6 | 4,240 | 26,225,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CON_16 | **Length** | 1 | **Position** | 1542 |
| **Question Name** | | | | | |
| **Concept** | Respondent consented to physical measures | | | | |
| **Question** | INSTRUCTION: Record whether the respondent has consented to participating in the physical measures tests. | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | CON_23 | **Length** | 1 | **Position** | 1543 |
| **Question Name** | | | | | |
| **Concept** | Respondent consented to provide Hep B/C info to province | | | | |
| **Question** | INSTRUCTION: Record whether Statistics Canada has been authorised to provide information regarding Hepatitis B and C to the appropriate provincial authority. | | | | |
| **Universe** | Respondents aged 14 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,205 | 26,037,000 |
| NO | 2 | 35 | 188,500 |
| NOT APPLICABLE | 6 | 1,365 | 3,010,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CON_24 **Length** 1 **Position** 1544

**Question Name**

**Concept** Parent or guardian consented to storage of blood and urine

**Question** INSTRUCTION: Record whether a parent or guardian has consented to storage of the respondent’s blood and urine.

**Universe** Respondents aged 13 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,325 | 2,917,500 |
| NO | 2 | 40 | 92,500 |
| NOT APPLICABLE | 6 | 4,240 | 26,225,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** CON_25 **Length** 1 **Position** 1545

**Question Name**

**Concept** Respondent consented to storage of blood and urine

**Question** INSTRUCTION: Record whether the respondent has agreed to storage of blood and urine.

**Universe** Respondents aged 14 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,115 | 25,392,000 |
| NO | 2 | 125 | 833,500 |
| NOT APPLICABLE | 6 | 1,365 | 3,010,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CON_26 **Length** 1 **Position** 1546

**Question Name**

**Concept** Respondent consented to storage of DNA

**Question** INSTRUCTION: Record whether the respondent has agreed to storage of DNA.

**Universe** Respondents aged 20 and older

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,320 | 22,281,000 |
| NO | 2 | 200 | 1,452,000 |
| NOT APPLICABLE | 6 | 2,085 | 5,502,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ATG_11H **Length** 2 **Position** 1547 - 1548

**Question Name**

**Concept** Time last ate/drank - hour

**Question** When did you last eat or drink anything other than water?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HOUR OF THE DAY | 0 - 23 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** ATG_11M **Length** 2 **Position** 1549 - 1550

**Question Name**

**Concept** Time last ate/drank - minute

**Question** When did you last eat or drink anything other than water?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTE OF THE DAY | 0 - 59 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ATG_12 **Length** 1 **Position** 1551

**Question Name**

**Concept** Met fasting requirements

**Question** INSTRUCTION: Probe to determine what and how much the respondent ate or drank. Record whether the respondent met the fasting requirements.

**Universe** Respondents who ate or drank less than 10 hours before clinic appointment

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 322,000 |
| NO | 2 | 2,545 | 13,555,000 |
| NOT APPLICABLE | 6 | 2,995 | 15,169,500 |
| NOT STATED | 9 | 20 | 189,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATGD12 | **Length** | 1 | **Position** | 1552 |
| **Question Name** | | | | | |
| **Concept** | Fasting status - (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FASTED | 1 | 3,035 | 15,644,500 |
| NOT FASTED | 2 | 2,570 | 13,591,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_13 | **Length** | 1 | **Position** | 1553 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | INSTRUCTION: Record whether the respondent should be screened out of the mCAFT. | | | | |
| **Universe** | Respondents aged 69 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 2,365 | 12,695,000 |
| NOT APPLICABLE | 6 | 3,235 | 16,536,500 |
| NOT STATED | 9 | 5 | 4,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_21 | **Length** | 1 | **Position** | 1554 |
| **Question Name** | | | | | |
| **Concept** | Smoked within past 2 hours | | | | |
| **Question** | Have you smoked cigarettes or used other tobacco or nicotine products during the past 2 hours? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 165 | 1,154,500 |
| NO | 2 | 5,440 | 28,081,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_31 | **Length** | 1 | **Position** | 1555 |
| **Question Name** | | | | | |
| **Concept** | Drank alcohol since midnight | | | | |
| **Question** | Have you consumed any alcohol since midnight? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 208,000 |
| NO | 2 | 5,580 | 29,027,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_32 | **Length** | 1 | **Position** | 1556 |
| **Question Name** | | | | | |
| **Concept** | Alcohol exclusion from tests | | | | |
| **Question** | INSTRUCTION: Probe to determine when and how much the respondent drank. Record whether the respondent should be excluded from one or more tests. | | | | |
| **Universe** | Respondents who answered ATG_31 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 25 | 208,000 |
| NOT APPLICABLE | 6 | 5,580 | 29,027,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_33A | **Length** | 1 | **Position** | 1557 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded? - grip strength | | | | |
| **Universe** | Respondents who answered ATG_32 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_33B | **Length** | 1 | **Position** | 1558 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded? - mCAFT | | | | |
| **Universe** | Respondents who answered ATG_32 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_33C | **Length** | 1 | **Position** | 1559 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded? - sit and reach | | | | |
| **Universe** | Respondents who answered ATG_32 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_33D | **Length** | 1 | **Position** | 1560 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded? - partial curl-ups | | | | |
| **Universe** | Respondents who answered ATG_32 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NOT APPLICABLE | 6 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_41 | **Length** | 1 | **Position** | 1561 |
| **Question Name** | | | | | |
| **Concept** | Exercised today | | | | |
| **Question** | Have you exercised today? (e.g., running, swimming, weight training, etc.) | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 650 | 2,540,500 |
| NO | 2 | 4,955 | 26,695,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ATG_42 | **Length** | 1 | **Position** | 1562 |
| **Question Name** | | | | | |
| **Concept** | Length of exercise | | | | |
| **Question** | For how long did you exercise? | | | | |
| **Universe** | Respondents who answered ATG_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 15 MINUTES | 1 | 200 | 818,500 |
| 16 TO 30 MINUTES | 2 | 195 | 750,000 |
| 31 TO 60 MINUTES | 3 | 160 | 615,500 |
| MORE THAN ONE HOUR | 4 | 95 | 356,500 |
| NOT APPLICABLE | 6 | 4,955 | 26,695,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_11 | **Length** | 1 | **Position** | 1563 |
| **Question Name** | | | | | |
| **Concept** | Pregnant | | | | |
| **Question** | Are you currently pregnant? | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 231,500 |
| NO | 2 | 1,560 | 9,685,000 |
| NOT APPLICABLE | 6 | 4,015 | 19,316,500 |
| DON'T KNOW | 7 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHC_12 **Length** 2 **Position** 1564 - 1565

**Question Name**

**Concept** Number of weeks pregnant

**Question** In what week are you?

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF WEEKS | 5 - 38 | 30 | 231,500 |
| NOT APPLICABLE | 96 | 5,570 | 29,001,500 |
| NOT STATED | 99 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PHC_31 **Length** 1 **Position** 1566

**Question Name**

**Concept** Asthma / Breathing condition that worsens with exercise

**Question** Have you been diagnosed with exercise induced asthma or a breathing condition that worsens with exercise? (For example: chronic bronchitis, emphysema, COPD.)

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 295 | 1,333,500 |
| NO | 2 | 5,310 | 27,902,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHC_32 **Length** 1 **Position** 1567

**Question Name**

**Concept** Reported asthma during home interview - confirmed

**Question** During the interview in your home, it was reported that you had asthma. Is this correct?

**Universe** Respondents who answered PHC_31 = 2 and CCC_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 295 | 1,354,500 |
| NO | 2 | 30 | 114,000 |
| NOT APPLICABLE | 6 | 5,280 | 27,767,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PHC_33 **Length** 1 **Position** 1568

**Question Name**

**Concept** Reported chronic bronchitis during home interview -confirmed

**Question** During the interview in your home, it was reported that you had chronic bronchitis. Is this correct?

**Universe** Respondents who answered PHC_31 = 2 and CCC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 158,000 |
| NO | 2 | 5 | 12,000 |
| NOT APPLICABLE | 6 | 5,570 | 29,065,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_34 | **Length** | 1 | **Position** | 1569 |
| **Question Name** | | | | | |
| **Concept** | Reported emphysema during home interview - confirmed | | | | |
| **Question** | During the interview in your home, it was reported that you had emphysema. Is this correct? | | | | |
| **Universe** | Respondents who answered PHC_31 = 2 and CCC_43 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 29,500 |
| NOT APPLICABLE | 6 | 5,600 | 29,206,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_35 | **Length** | 1 | **Position** | 1570 |
| **Question Name** | | | | | |
| **Concept** | Reported COPD during home interview - confirmed | | | | |
| **Question** | During the interview in your home, it was reported that you had chronic obstructive pulmonary disease (COPD). Is this correct? | | | | |
| **Universe** | Respondents who answered PHC_31 = 2 and CCC_45 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 54,500 |
| NO | 2 | 5 | 9,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,171,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_36 | **Length** | 1 | **Position** | 1571 |
| **Question Name** | | | | | |
| **Concept** | Currently taking medication for breathing condition(s) | | | | |
| **Question** | Are you currently taking any medication for your breathing condition(s)? | | | | |
| **Universe** | Respondents who answered PHC_31 = 1 or PHC_32 = 1 or PHC_33 = 1 or PHC_34 = 1 or PHC_35 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 360 | 1,684,500 |
| NO | 2 | 270 | 1,245,500 |
| NOT APPLICABLE | 6 | 4,970 | 26,305,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_37 | **Length** | 1 | **Position** | 1572 |
| **Question Name** | | | | | |
| **Concept** | Medication available | | | | |
| **Question** | Do you have your medication with you? | | | | |
| **Universe** | Respondents aged 69 and under who answered PHC_36 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 245 | 1,246,500 |
| NO | 2 | 80 | 276,000 |
| NOT APPLICABLE | 6 | 5,285 | 27,713,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_41 | **Length** | 1 | **Position** | 1573 |
| **Question Name** | | | | | |
| **Concept** | Has acute condition | | | | |
| **Question** | Do you have an acute condition (e.g., sprained ankle, cold, flu, other infection) that may prevent you from participating in any of the tests today? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 780 | 4,091,000 |
| NO | 2 | 4,825 | 25,144,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_42A | **Length** | 1 | **Position** | 1574 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - phlebotomy | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - phlebotomy | | | | |
| **Universe** | Respondents who answered PHC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 780 | 4,076,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_42B | **Length** | 1 | **Position** | 1575 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - urine | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - urine | | | | |
| **Universe** | Respondents who answered PHC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 780 | 4,076,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_42C | **Length** | 1 | **Position** | 1576 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - height and weight | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - height and weight | | | | |
| **Universe** | Respondents who answered PHC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 780 | 4,076,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHC_42D **Length** 1 **Position** 1577

**Question Name**

**Concept** Test exclusion - skinfolds

**Question** From which tests should the respondent be excluded because of this condition? - skinfolds

**Universe** Respondents who answered PHC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 30,500 |
| NO | 2 | 770 | 4,046,000 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PHC_42E **Length** 1 **Position** 1578

**Question Name**

**Concept** Test exclusion - activity monitor

**Question** From which tests should the respondent be excluded because of this condition? - activity monitor

**Universe** Respondents who answered PHC_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 43,000 |
| NO | 2 | 770 | 4,033,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_42F | **Length** | 1 | **Position** | 1579 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - spirometry | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - spirometry | | | | |
| **Universe** | Respondents who answered PHC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 47,000 |
| NO | 2 | 760 | 4,029,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_42G | **Length** | 1 | **Position** | 1580 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PHC_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 80 | 425,000 |
| NO | 2 | 700 | 3,651,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHC_42H **Length** 1 **Position** 1581
**Question Name**
**Concept** Test exclusion - grip strength
**Question** From which tests should the respondent be excluded because of this condition? - grip strength
**Universe** Respondents who answered PHC_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 28,000 |
| NO | 2 | 770 | 4,048,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PHC_42I **Length** 1 **Position** 1582
**Question Name**
**Concept** Test exclusion - sit and reach
**Question** From which tests should the respondent be excluded because of this condition? - sit and reach
**Universe** Respondents who answered PHC_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 321,500 |
| NO | 2 | 725 | 3,755,000 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHC_42J **Length** 1 **Position** 1583
**Question Name**
**Concept** Test exclusion - partial curl-ups
**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups
**Universe** Respondents who answered PHC_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 433,000 |
| NO | 2 | 705 | 3,643,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PHC_42K **Length** 1 **Position** 1584
**Question Name**
**Concept** Test exclusion - oral health
**Question** From which tests should the respondent be excluded because of this condition? - oral health
**Universe** Respondents who answered PHC_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 780 | 4,076,500 |
| NOT APPLICABLE | 6 | 4,825 | 25,144,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_51 | **Length** | 1 | **Position** | 1585 |
| **Question Name** | | | | | |
| **Concept** | Has haemophilia | | | | |
| **Question** | Do you have haemophilia? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 8,000 |
| NO | 2 | 5,600 | 29,227,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PHC_52 | **Length** | 1 | **Position** | 1586 |
| **Question Name** | | | | | |
| **Concept** | Received chemotherapy - past four weeks | | | | |
| **Question** | Have you received chemotherapy in the past four weeks? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 24,000 |
| NO | 2 | 5,600 | 29,211,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_11 | **Length** | 1 | **Position** | 1587 |
| **Question Name** | | | | | |
| **Concept** | Wheezing or whistling - any time in the past | | | | |
| **Question** | Has your child ever had wheezing or whistling in the chest at any time in the past? | | | | |
| **Universe** | Parent or guardian of respondents aged 12 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 310 | 633,000 |
| NO | 2 | 905 | 1,946,000 |
| NOT APPLICABLE | 6 | 4,390 | 26,656,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_12 | **Length** | 1 | **Position** | 1588 |
| **Question Name** | | | | | |
| **Concept** | Wheezing or whistling - last 12 months | | | | |
| **Question** | Has your child had wheezing or whistling in the chest in the last 12 months? | | | | |
| **Universe** | Parent or guardian of respondents aged 12 and under who answered SPQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 95 | 191,500 |
| NO | 2 | 215 | 441,500 |
| NOT APPLICABLE | 6 | 5,295 | 28,602,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPQ_13 **Length** 1 **Position** 1589
**Question Name**
**Concept** Number of attacks of wheezing - last 12 months
**Question** How many attacks of wheezing has your child had in the last 12 months?
**Universe** Parent or guardian of respondents aged 12 and under who answered SPQ_12 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| 1 TO 3 ATTACKS | 1 | 65 | 126,000 |
| 4 TO 12 ATTACKS | 2 | 20 | 56,000 |
| MORE THAN 12 ATTACKS | 3 | 5 | 9,500 |
| NOT APPLICABLE | 6 | 5,510 | 29,044,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** SPQ_14 **Length** 1 **Position** 1590
**Question Name**
**Concept** Sleep disturbed due to wheezing - last 12 months
**Question** In the last 12 months, how often, on average, has your child’s sleep been disturbed due to wheezing?
**Universe** Parent or guardian of respondents aged 12 and under who answered SPQ_12 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEVER | 1 | 60 | 124,500 |
| LESS THAN ONE NIGHT PER WEEK | 2 | 30 | 59,500 |
| ONE OR MORE NIGHTS PER WEEK | 3 | 5 | 7,500 |
| NOT APPLICABLE | 6 | 5,510 | 29,044,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPQ_15 **Length** 1 **Position** 1591

**Question Name**

**Concept** Wheezing limiting speech - last 12 months

**Question** In the last 12 months, has wheezing ever been severe enough to limit your child’s speech to only one or two words at a time between breaths?

**Universe** Parent or guardian of respondents aged 12 and under who answered SPQ_12 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 29,000 |
| NO | 2 | 80 | 163,000 |
| NOT APPLICABLE | 6 | 5,510 | 29,044,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPQ_16 **Length** 1 **Position** 1592

**Question Name**

**Concept** Wheezy during or after exercise - last 12 months

**Question** In the last 12 months, has your child’s chest sounded wheezy during or after exercise?

**Universe** Parent or guardian of respondents aged 12 and under

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 111,000 |
| NO | 2 | 1,160 | 2,468,000 |
| NOT APPLICABLE | 6 | 4,390 | 26,656,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_17 | **Length** | 1 | **Position** | 1593 |
| **Question Name** | | | | | |
| **Concept** | Dry cough at night - last 12 months | | | | |
| **Question** | In the last 12 months, has your child had a dry cough at night, apart from a cough associated with a cold or a chest infection? | | | | |
| **Universe** | Parent or guardian of respondents aged 12 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 233,000 |
| NO | 2 | 1,100 | 2,346,000 |
| NOT APPLICABLE | 6 | 4,390 | 26,656,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_21 | **Length** | 1 | **Position** | 1594 |
| **Question Name** | | | | | |
| **Concept** | Cough regularly | | | | |
| **Question** | Do you cough regularly? | | | | |
| **Universe** | Respondents aged 13 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 595 | 3,759,000 |
| NO | 2 | 3,795 | 22,897,500 |
| NOT APPLICABLE | 6 | 1,215 | 2,579,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_22 | **Length** | 1 | **Position** | 1595 |
| **Question Name** | | | | | |
| **Concept** | Cough up phlegm regularly | | | | |
| **Question** | Do you cough up phlegm regularly? | | | | |
| **Universe** | Respondents aged 13 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 490 | 3,092,000 |
| NO | 2 | 3,900 | 23,564,500 |
| NOT APPLICABLE | 6 | 1,215 | 2,579,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_23 | **Length** | 1 | **Position** | 1596 |
| **Question Name** | | | | | |
| **Concept** | Simple chores make short of breath | | | | |
| **Question** | Do even simple chores make you short of breath? | | | | |
| **Universe** | Respondents aged 13 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 410 | 2,373,000 |
| NO | 2 | 3,980 | 24,283,500 |
| NOT APPLICABLE | 6 | 1,215 | 2,579,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_24 | **Length** | 1 | **Position** | 1597 |
| **Question Name** | | | | | |
| **Concept** | Wheeze from exertion or at night | | | | |
| **Question** | Do you wheeze when you exert yourself, or at night? | | | | |
| **Universe** | Respondents aged 13 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 355 | 2,035,500 |
| NO | 2 | 4,035 | 24,618,000 |
| NOT APPLICABLE | 6 | 1,215 | 2,579,000 |
| DON'T KNOW | 7 | 5 | 2,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPQ_25 | **Length** | 1 | **Position** | 1598 |
| **Question Name** | | | | | |
| **Concept** | Frequent persistent colds | | | | |
| **Question** | Do you get frequent colds that persist longer than those of other people you know? | | | | |
| **Universe** | Respondents aged 13 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 330 | 1,847,500 |
| NO | 2 | 4,060 | 24,808,500 |
| NOT APPLICABLE | 6 | 1,215 | 2,579,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_411 | **Length** | 1 | **Position** | 1599 |
| **Question Name** | | | | | |
| **Concept** | Used performance enhancing or recreational drugs - past week | | | | |
| **Question** | In the past week have you used any performance enhancing or recreational drugs such as steroids, marijuana or cocaine? | | | | |
| **Universe** | Respondents aged 14 and older | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 370 | 2,544,500 |
| NO | 2 | 3,870 | 23,681,000 |
| NOT APPLICABLE | 6 | 1,365 | 3,010,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_611A | **Length** | 1 | **Position** | 1600 |
| **Question Name** | | | | | |
| **Concept** | Medication exclusion - spirometry | | | | |
| **Question** | From which tests should the respondent be excluded because of medication use? - spirometry | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 5,600 | 29,232,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_611B | **Length** | 1 | **Position** | 1601 |
| **Question Name** | | | | | |
| **Concept** | Medication exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of medication use? - mCAFT | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 295 | 1,529,000 |
| NO | 2 | 5,305 | 27,706,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_611C | **Length** | 1 | **Position** | 1602 |
| **Question Name** | | | | | |
| **Concept** | Medication exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of medication use? - grip strength | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_611D | **Length** | 1 | **Position** | 1603 |
| **Question Name** | | | | | |
| **Concept** | Medication exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of medication use? - sit and reach | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 11,000 |
| NO | 2 | 5,600 | 29,224,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | MHR_611E | **Length** | 1 | **Position** | 1604 |
| **Question Name** | | | | | |
| **Concept** | Medication exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of medication use? - partial curl-ups | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 84,500 |
| NO | 2 | 5,585 | 29,151,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_11 **Length** 1 **Position** 1605

**Question Name**

**Concept** Heart condition limiting physical activity

**Question** Has your doctor ever said that you have a heart condition and that you should only do physical activity recommended by a doctor?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 100 | 489,500 |
| NO | 2 | 5,500 | 28,746,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_21 **Length** 1 **Position** 1606

**Question Name**

**Concept** Chest pain with physical activity

**Question** Do you feel pain in your chest when you do physical activity?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 170 | 865,000 |
| NO | 2 | 5,435 | 28,370,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_31 **Length** 1 **Position** 1607
**Question Name**
**Concept** Chest pain not during physical activity - past month
**Question** In the past month, have you had chest pain when you were not doing physical activity?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 260 | 1,589,500 |
| NO | 2 | 5,340 | 27,646,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_41 **Length** 1 **Position** 1608
**Question Name**
**Concept** Loses balance due to dizziness / loses consciousness
**Question** Do you lose your balance because of dizziness or do you ever lose consciousness?
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 435 | 2,362,500 |
| NO | 2 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_42 **Length** 1 **Position** 1609
**Question Name**
**Concept** Loses balance due to dizziness / loses consciousness
**Question** Do you lose your balance because of dizziness or do you ever lose consciousness?
**Universe** Respondents who answered PAR_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LOST BALANCE | 1 | 335 | 1,747,000 |
| LOST CONSCIOUSNESS | 2 | 45 | 339,500 |
| BOTH | 3 | 50 | 276,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_43 **Length** 1 **Position** 1610
**Question Name**
**Concept** Lost balance/consciousness - last year
**Question** Was the last time that you lost your balance or lost consciousness within the last year?
**Universe** Respondents who answered PAR_41 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 370 | 2,007,500 |
| NO | 2 | 65 | 343,500 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| NOT STATED | 9 | 5 | 11,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_44A | **Length** | 1 | **Position** | 1611 |
| **Question Name** | | | | | |
| **Concept** | Lost balance/consciousness - standing up quickly | | | | |
| **Question** | Under which condition(s) does this happen? - standing up quickly | | | | |
| **Universe** | Respondents who answered PAR_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 180 | 945,000 |
| NO | 2 | 255 | 1,417,500 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_44B | **Length** | 1 | **Position** | 1612 |
| **Question Name** | | | | | |
| **Concept** | Lost balance/consciousness - getting up from lying down | | | | |
| **Question** | Under which condition(s) does this happen? - getting up from lying down | | | | |
| **Universe** | Respondents who answered PAR_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 105 | 578,000 |
| NO | 2 | 330 | 1,784,500 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_44C **Length** 1 **Position** 1613

**Question Name**

**Concept** Lost balance/consciousness - after an injury/accident

**Question** Under which condition(s) does this happen? - after an injury/accident (e.g., concussion, head injury)

**Universe** Respondents who answered PAR_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 134,500 |
| NO | 2 | 410 | 2,228,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_44D **Length** 1 **Position** 1614

**Question Name**

**Concept** Lost balance/consciousness - during an illness

**Question** Under which condition(s) does this happen? - during an illness (e.g., inner ear infection)

**Universe** Respondents who answered PAR_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 284,500 |
| NO | 2 | 385 | 2,078,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_44E **Length** 1 **Position** 1615

**Question Name**

**Concept** Lost balance/consciousness - during or after exercise

**Question** Under which condition(s) does this happen? - during or after exercise

**Universe** Respondents who answered PAR_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 60 | 343,500 |
| NO | 2 | 375 | 2,019,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_44F **Length** 1 **Position** 1616

**Question Name**

**Concept** Lost balance/consciousness - after fasting for a long period

**Question** Under which condition(s) does this happen? - after fasting for a long period of time

**Universe** Respondents who answered PAR_41 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 288,000 |
| NO | 2 | 385 | 2,074,500 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_44G | **Length** | 1 | **Position** | 1617 |
| **Question Name** | | | | | |
| **Concept** | Lost balance/consciousness - on hot days | | | | |
| **Question** | Under which condition(s) does this happen? - on hot days | | | | |
| **Universe** | Respondents who answered PAR_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 197,500 |
| NO | 2 | 400 | 2,165,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_44H | **Length** | 1 | **Position** | 1618 |
| **Question Name** | | | | | |
| **Concept** | Lost balance/consciousness - at random | | | | |
| **Question** | Under which condition(s) does this happen? - at random | | | | |
| **Universe** | Respondents who answered PAR_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 140 | 819,500 |
| NO | 2 | 295 | 1,543,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_44I | **Length** | 1 | **Position** | 1619 |
| **Question Name** | | | | | |
| **Concept** | Lost balance/consciousness - other | | | | |
| **Question** | Under which condition(s) does this happen? - other | | | | |
| **Universe** | Respondents who answered PAR_41 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 125 | 716,500 |
| NO | 2 | 310 | 1,646,000 |
| NOT APPLICABLE | 6 | 5,170 | 26,873,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_45 | **Length** | 1 | **Position** | 1620 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | Should the respondent be excluded from the mCAFT because of this condition? | | | | |
| **Universe** | Respondents who answered PAR_43 = 1 and PAR_44I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 143,000 |
| NO | 2 | 80 | 460,000 |
| NOT APPLICABLE | 6 | 5,500 | 28,632,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_51 | **Length** | 1 | **Position** | 1621 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem | | | | |
| **Question** | Do you have a bone or joint problem (for example back, knee or hip) that could be made worse by a change in your physical activity? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 905 | 5,124,500 |
| NO | 2 | 4,700 | 24,111,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_52A | **Length** | 1 | **Position** | 1622 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem - head/jaw | | | | |
| **Question** | In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - head/jaw | | | | |
| **Universe** | Respondents who answered PAR_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 72,000 |
| NO | 2 | 890 | 5,052,500 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_52B **Length** 1 **Position** 1623

**Question Name**

**Concept** Bone or joint problem - neck

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - neck

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 465,500 |
| NO | 2 | 830 | 4,659,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_52C **Length** 1 **Position** 1624

**Question Name**

**Concept** Bone or joint problem - back/spine

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - back/spine (excluding neck)

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 395 | 2,369,500 |
| NO | 2 | 510 | 2,755,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_52D **Length** 1 **Position** 1625

**Question Name**

**Concept** Bone or joint problem - shoulder

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - shoulder

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 110 | 664,000 |
| NO | 2 | 795 | 4,460,500 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_52E **Length** 1 **Position** 1626

**Question Name**

**Concept** Bone or joint problem - arm/elbow

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - arm/elbow

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 271,000 |
| NO | 2 | 860 | 4,853,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_52F | **Length** | 1 | **Position** | 1627 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem - wrist | | | | |
| **Question** | In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - wrist | | | | |
| **Universe** | Respondents who answered PAR_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 229,000 |
| NO | 2 | 855 | 4,895,500 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_52G | **Length** | 1 | **Position** | 1628 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem - hand/finger | | | | |
| **Question** | In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - hand/finger | | | | |
| **Universe** | Respondents who answered PAR_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 470,000 |
| NO | 2 | 820 | 4,654,500 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_52H | **Length** | 1 | **Position** | 1629 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem - hip | | | | |
| **Question** | In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - hip | | | | |
| **Universe** | Respondents who answered PAR_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 160 | 910,500 |
| NO | 2 | 745 | 4,214,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_52I | **Length** | 1 | **Position** | 1630 |
| **Question Name** | | | | | |
| **Concept** | Bone or joint problem - leg/knee | | | | |
| **Question** | In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - leg/knee | | | | |
| **Universe** | Respondents who answered PAR_51 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 440 | 2,378,500 |
| NO | 2 | 465 | 2,746,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_52J **Length** 1 **Position** 1631

**Question Name**

**Concept** Bone or joint problem - ankle

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - ankle

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 306,500 |
| NO | 2 | 850 | 4,818,000 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_52K **Length** 1 **Position** 1632

**Question Name**

**Concept** Bone or joint problem - foot/toe

**Question** In completing the questionnaire you reported that you have a bone or joint problem. The problem is with which bone or joint? - foot/toe

**Universe** Respondents who answered PAR_51 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 241,000 |
| NO | 2 | 855 | 4,883,500 |
| NOT APPLICABLE | 6 | 4,700 | 24,111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5A1 **Length** 2 **Position** 1633 - 1634
**Question Name**
**Concept** Condition affecting head/jaw
**Question** What is the condition that affects your head or jaw?
**Universe** Respondents who answered PAR_52A = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 10 | 53,000 |
| OSTEOPOROSIS | 3 | 5 | 5,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 5,500 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 8,500 |
| NOT APPLICABLE | 96 | 5,590 | 29,163,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5A2A **Length** 1 **Position** 1635
**Question Name**
**Concept** Activities aggravating head/jaw problem - bending
**Question** What types of activities aggravate your head or jaw problem? - bending
**Universe** Respondents who answered PAR_52A = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 15,500 |
| NO | 2 | 10 | 56,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2B | **Length** | 1 | **Position** | 1636 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - lifting | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 15,500 |
| NO | 2 | 10 | 56,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2C | **Length** | 1 | **Position** | 1637 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 15 | 72,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2D | **Length** | 1 | **Position** | 1638 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - walking/running | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 15 | 72,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2E | **Length** | 1 | **Position** | 1639 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - squeezing | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 15 | 72,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5A2F **Length** 1 **Position** 1640

**Question Name**

**Concept** Activities aggravating head/jaw problem - twisting

**Question** What types of activities aggravate your head or jaw problem? - twisting

**Universe** Respondents who answered PAR_52A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 14,500 |
| NO | 2 | 10 | 57,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5A2G **Length** 1 **Position** 1641

**Question Name**

**Concept** Activities aggravating head/jaw problem- stretching/reaching

**Question** What types of activities aggravate your head or jaw problem? - stretching or reaching

**Universe** Respondents who answered PAR_52A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 15 | 72,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2H | **Length** | 1 | **Position** | 1642 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - other | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 13,000 |
| NO | 2 | 10 | 59,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A2I | **Length** | 1 | **Position** | 1643 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating head/jaw problem - none | | | | |
| **Question** | What types of activities aggravate your head or jaw problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 29,000 |
| NO | 2 | 10 | 43,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5A3A **Length** 1 **Position** 1644

**Question Name**

**Concept** Test exclusion - mCAFT

**Question** From which tests should the respondent be excluded because of this condition? - mCAFT

**Universe** Respondents who answered PAR_52A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 10 | 68,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5A3B **Length** 1 **Position** 1645

**Question Name**

**Concept** Test exclusion - grip strength

**Question** From which tests should the respondent be excluded because of this condition? - grip strength

**Universe** Respondents who answered PAR_52A = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 15 | 72,000 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A3C | **Length** | 1 | **Position** | 1646 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 10 | 68,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5A3D | **Length** | 1 | **Position** | 1647 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52A = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 10 | 68,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5A3E **Length** 1 **Position** 1648
**Question Name**
**Concept** Test exclusion - none
**Question** From which tests should the respondent be excluded because of this condition? - none
**Universe** Respondents who answeredPAR_52A = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 68,500 |
| NO | 2 | 5 | 3,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,163,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5B1 **Length** 2 **Position** 1649 - 1650
**Question Name**
**Concept** Condition affecting neck
**Question** What is the condition that affects your neck?
**Universe** Respondents who answered PAR_52B = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 30 | 185,500 |
| VERTEBRAL DISORDER | 2 | 20 | 133,500 |
| OSTEOPOROSIS | 3 | 5 | 39,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 28,500 |
| CHRONIC JOINT CONDITION | 5 | 5 | 5,500 |
| ACUTE SOFT TISSUE CONDITION | 6 | 5 | 46,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 5,500 |
| OTHER | 10 | 5 | 21,500 |
| NOT APPLICABLE | 96 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2A | **Length** | 1 | **Position** | 1651 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - bending | | | | |
| **Question** | What types of activities aggravate your neck problem? - bending | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 63,000 |
| NO | 2 | 55 | 402,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2B | **Length** | 1 | **Position** | 1652 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - lifting | | | | |
| **Question** | What types of activities aggravate your neck problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 151,000 |
| NO | 2 | 55 | 314,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2C | **Length** | 1 | **Position** | 1653 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your neck problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 17,000 |
| NO | 2 | 70 | 448,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2D | **Length** | 1 | **Position** | 1654 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - walking/running | | | | |
| **Question** | What types of activities aggravate your neck problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 15,500 |
| NO | 2 | 70 | 450,000 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2E | **Length** | 1 | **Position** | 1655 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - squeezing | | | | |
| **Question** | What types of activities aggravate your neck problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 75 | 465,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2F | **Length** | 1 | **Position** | 1656 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - twisting | | | | |
| **Question** | What types of activities aggravate your neck problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 130,500 |
| NO | 2 | 55 | 335,000 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2G | **Length** | 1 | **Position** | 1657 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - stretching/reaching | | | | |
| **Question** | What types of activities aggravate your neck problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 113,500 |
| NO | 2 | 55 | 352,000 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B2H | **Length** | 1 | **Position** | 1658 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating neck problem - other | | | | |
| **Question** | What types of activities aggravate your neck problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 107,500 |
| NO | 2 | 55 | 358,000 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5B2I **Length** 1 **Position** 1659

**Question Name**

**Concept** Activities aggravating neck problem - none

**Question** What types of activities aggravate your neck problem? - none

**Universe** Respondents who answered PAR_52B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 109,000 |
| NO | 2 | 55 | 356,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5B3A **Length** 1 **Position** 1660

**Question Name**

**Concept** Test exclusion - mCAFT

**Question** From which tests should the respondent be excluded because of this condition? - mCAFT

**Universe** Respondents who answered PAR_52B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 70 | 463,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5B3B **Length** 1 **Position** 1661

**Question Name**

**Concept** Test exclusion - grip strength

**Question** From which tests should the respondent be excluded because of this condition? - grip strength

**Universe** Respondents who answered PAR_52B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 11,500 |
| NO | 2 | 70 | 453,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5B3C **Length** 1 **Position** 1662

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52B = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 72,000 |
| NO | 2 | 65 | 393,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B3D | **Length** | 1 | **Position** | 1663 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 94,500 |
| NO | 2 | 60 | 371,000 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5B3E | **Length** | 1 | **Position** | 1664 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - none | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - none | | | | |
| **Universe** | Respondents who answered PAR_52B = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 349,000 |
| NO | 2 | 15 | 116,500 |
| NOT APPLICABLE | 6 | 5,530 | 28,770,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5C1 **Length** 2 **Position** 1665 - 1666
**Question Name**
**Concept** Condition affecting back or spine
**Question** What is the condition that affects your back or spine?
**Universe** Respondents who answered PAR_52C = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 85 | 456,000 |
| VERTEBRAL DISORDER | 2 | 135 | 772,500 |
| OSTEOPOROSIS | 3 | 20 | 120,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 15 | 76,500 |
| CHRONIC JOINT CONDITION | 5 | 25 | 169,000 |
| ACUTE SOFT TISSUE CONDITION | 6 | 35 | 307,500 |
| ACUTE JOINT CONDITION | 7 | 5 | 21,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 11,500 |
| OTHER | 10 | 70 | 427,000 |
| NOT APPLICABLE | 96 | 5,205 | 26,866,000 |
| DON'T KNOW | 97 | 5 | 8,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5C2A **Length** 1 **Position** 1667
**Question Name**
**Concept** Activities aggravating back/spine problem - bending
**Question** What types of activities aggravate your back or spine problem? - bending
**Universe** Respondents who answered PAR_52C= 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 190 | 1,247,000 |
| NO | 2 | 205 | 1,122,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2B | **Length** | 1 | **Position** | 1668 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - lifting | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 185 | 1,197,500 |
| NO | 2 | 210 | 1,171,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2C | **Length** | 1 | **Position** | 1669 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 371,000 |
| NO | 2 | 330 | 1,998,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2D | **Length** | 1 | **Position** | 1670 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - walking/running | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 95 | 585,000 |
| NO | 2 | 300 | 1,784,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2E | **Length** | 1 | **Position** | 1671 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - squeezing | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 34,500 |
| NO | 2 | 390 | 2,335,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2F | **Length** | 1 | **Position** | 1672 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - twisting | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 613,000 |
| NO | 2 | 305 | 1,756,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2G | **Length** | 1 | **Position** | 1673 |
| **Question Name** | | | | | |
| **Concept** | Activity aggravating back/spine problem- stretching/reaching | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 504,000 |
| NO | 2 | 325 | 1,865,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2H | **Length** | 1 | **Position** | 1674 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - other | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 100 | 560,000 |
| NO | 2 | 295 | 1,809,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C2I | **Length** | 1 | **Position** | 1675 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating back/spine problem - none | | | | |
| **Question** | What types of activities aggravate your back or spine problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 218,500 |
| NO | 2 | 360 | 2,150,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C3A | **Length** | 1 | **Position** | 1676 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 217,500 |
| NO | 2 | 355 | 2,151,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C3B | **Length** | 1 | **Position** | 1677 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 5,500 |
| NO | 2 | 395 | 2,364,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C3C | **Length** | 1 | **Position** | 1678 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 313,000 |
| NO | 2 | 340 | 2,056,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5C3D | **Length** | 1 | **Position** | 1679 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52C= 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 491,500 |
| NO | 2 | 320 | 1,877,500 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5C3E **Length** 1 **Position** 1680
**Question Name**
**Concept** Test exclusion - none
**Question** From which tests should the respondent be excluded because of this condition? - none
**Universe** Respondents who answeredPAR_52C= 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 300 | 1,782,000 |
| NO | 2 | 95 | 587,000 |
| NOT APPLICABLE | 6 | 5,205 | 26,866,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5D1 **Length** 2 **Position** 1681 - 1682
**Question Name**
**Concept** Condition affecting shoulder
**Question** What is the condition that affects your shoulder?
**Universe** Respondents who answered PAR_52D = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 40 | 215,500 |
| OSTEOPOROSIS | 3 | 5 | 10,000 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 15 | 134,500 |
| CHRONIC JOINT CONDITION | 5 | 20 | 77,500 |
| ACUTE SOFT TISSUE CONDITION | 6 | 5 | 34,000 |
| ACUTE JOINT CONDITION | 7 | 5 | 6,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 11,500 |
| OTHER | 10 | 25 | 175,000 |
| NOT APPLICABLE | 96 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2A | **Length** | 1 | **Position** | 1683 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - bending | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - bending | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 90,500 |
| NO | 2 | 95 | 573,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2B | **Length** | 1 | **Position** | 1684 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - lifting | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 348,000 |
| NO | 2 | 50 | 316,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2C | **Length** | 1 | **Position** | 1685 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 110 | 662,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2D | **Length** | 1 | **Position** | 1686 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - walking/running | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 10,500 |
| NO | 2 | 105 | 653,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5D2E **Length** 1 **Position** 1687
**Question Name**
**Concept** Activities aggravating shoulder problem - squeezing
**Question** What types of activities aggravate your shoulder problem? - squeezing
**Universe** Respondents who answered PAR_52D = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 20,000 |
| NO | 2 | 105 | 644,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5D2F **Length** 1 **Position** 1688
**Question Name**
**Concept** Activities aggravating shoulder problem - twisting
**Question** What types of activities aggravate your shoulder problem? - twisting
**Universe** Respondents who answered PAR_52D = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 38,000 |
| NO | 2 | 100 | 626,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2G | **Length** | 1 | **Position** | 1689 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem- stretching/reaching | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 278,000 |
| NO | 2 | 65 | 386,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2H | **Length** | 1 | **Position** | 1690 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - other | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 116,500 |
| NO | 2 | 85 | 547,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D2I | **Length** | 1 | **Position** | 1691 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating shoulder problem - none | | | | |
| **Question** | What types of activities aggravate your shoulder problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 90,000 |
| NO | 2 | 95 | 574,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5D3A | **Length** | 1 | **Position** | 1692 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52D = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 4,000 |
| NO | 2 | 110 | 660,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5D3B **Length** 1 **Position** 1693

**Question Name**

**Concept** Test exclusion - grip strength

**Question** From which tests should the respondent be excluded because of this condition? - grip strength

**Universe** Respondents who answered PAR_52D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,500 |
| NO | 2 | 105 | 660,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5D3C **Length** 1 **Position** 1694

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 26,500 |
| NO | 2 | 100 | 637,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5D3D **Length** 1 **Position** 1695

**Question Name**

**Concept** Test exclusion - partial curl-ups

**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups

**Universe** Respondents who answered PAR_52D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 16,500 |
| NO | 2 | 105 | 647,500 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5D3E **Length** 1 **Position** 1696

**Question Name**

**Concept** Test exclusion - none

**Question** From which tests should the respondent be excluded because of this condition? - none

**Universe** Respondents who answered PAR_52D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 100 | 636,000 |
| NO | 2 | 10 | 28,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,571,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5E1 **Length** 2 **Position** 1697 - 1698
**Question Name**
**Concept** Condition affecting arm or elbow
**Question** What is the condition that affects your arm or elbow?
**Universe** Respondents who answered PAR_52E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 20 | 110,500 |
| VERTEBRAL DISORDER | 2 | 5 | 4,000 |
| OSTEOPOROSIS | 3 | 5 | 10,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 28,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 29,500 |
| ACUTE JOINT CONDITION | 7 | 5 | 2,500 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 5,500 |
| OTHER | 10 | 10 | 81,000 |
| NOT APPLICABLE | 96 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5E2A **Length** 1 **Position** 1699
**Question Name**
**Concept** Activities aggravating arm/elbow problem - bending
**Question** What types of activities aggravate your arm or elbow problem? - bending
**Universe** Respondents who answered PAR_52E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 17,500 |
| NO | 2 | 45 | 253,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2B | **Length** | 1 | **Position** | 1700 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - lifting | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 116,000 |
| NO | 2 | 25 | 155,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2C | **Length** | 1 | **Position** | 1701 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 45 | 269,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2D | **Length** | 1 | **Position** | 1702 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - walking/running | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 45 | 271,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2E | **Length** | 1 | **Position** | 1703 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - squeezing | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 42,000 |
| NO | 2 | 45 | 229,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5E2F **Length** 1 **Position** 1704
**Question Name**
**Concept** Activities aggravating arm/elbow problem - twisting
**Question** What types of activities aggravate your arm or elbow problem? - twisting
**Universe** Respondents who answered PAR_52E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 32,500 |
| NO | 2 | 40 | 238,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5E2G **Length** 1 **Position** 1705
**Question Name**
**Concept** Activities aggravating arm/elbow problem stretching/reaching
**Question** What types of activities aggravate your arm or elbow problem? - stretching or reaching
**Universe** Respondents who answered PAR_52E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 101,000 |
| NO | 2 | 35 | 170,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2H | **Length** | 1 | **Position** | 1706 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - other | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 40,500 |
| NO | 2 | 35 | 230,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E2I | **Length** | 1 | **Position** | 1707 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating arm/elbow problem - none | | | | |
| **Question** | What types of activities aggravate your arm or elbow problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 65,500 |
| NO | 2 | 35 | 205,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E3A | **Length** | 1 | **Position** | 1708 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 45 | 269,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5E3B | **Length** | 1 | **Position** | 1709 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52E = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 45 | 269,500 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5E3C **Length** 1 **Position** 1710

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 6,000 |
| NO | 2 | 45 | 265,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5E3D **Length** 1 **Position** 1711

**Question Name**

**Concept** Test exclusion - partial curl-ups

**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups

**Universe** Respondents who answered PAR_52E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,500 |
| NO | 2 | 45 | 264,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5E3E **Length** 1 **Position** 1712
**Question Name**
**Concept** Test exclusion - none
**Question** From which tests should the respondent be excluded because of this condition? - none
**Universe** Respondents who answered PAR_52E = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 262,000 |
| NO | 2 | 5 | 9,000 |
| NOT APPLICABLE | 6 | 5,560 | 28,964,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5F1 **Length** 2 **Position** 1713 - 1714
**Question Name**
**Concept** Condition affecting wrist
**Question** What is the condition that affects your wrist?
**Universe** Respondents who answered PAR_52F = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 30 | 126,500 |
| OSTEOPOROSIS | 3 | 5 | 5,000 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 12,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 31,500 |
| ACUTE JOINT CONDITION | 7 | 5 | 5,500 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 11,500 |
| OTHER | 10 | 5 | 37,500 |
| NOT APPLICABLE | 96 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2A | **Length** | 1 | **Position** | 1715 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - bending | | | | |
| **Question** | What types of activities aggravate your wrist problem? - bending | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 44,500 |
| NO | 2 | 40 | 184,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2B | **Length** | 1 | **Position** | 1716 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - lifting | | | | |
| **Question** | What types of activities aggravate your wrist problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 62,000 |
| NO | 2 | 35 | 167,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2C | **Length** | 1 | **Position** | 1717 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your wrist problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 50 | 227,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2D | **Length** | 1 | **Position** | 1718 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - walking/running | | | | |
| **Question** | What types of activities aggravate your wrist problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 50 | 227,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2E | **Length** | 1 | **Position** | 1719 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - squeezing | | | | |
| **Question** | What types of activities aggravate your wrist problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 60,500 |
| NO | 2 | 35 | 168,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2F | **Length** | 1 | **Position** | 1720 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - twisting | | | | |
| **Question** | What types of activities aggravate your wrist problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 62,500 |
| NO | 2 | 35 | 166,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2G | **Length** | 1 | **Position** | 1721 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - stretching/reaching | | | | |
| **Question** | What types of activities aggravate your wrist problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 22,500 |
| NO | 2 | 45 | 206,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2H | **Length** | 1 | **Position** | 1722 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - other | | | | |
| **Question** | What types of activities aggravate your wrist problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 57,500 |
| NO | 2 | 40 | 171,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F2I | **Length** | 1 | **Position** | 1723 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating wrist problem - none | | | | |
| **Question** | What types of activities aggravate your wrist problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 31,000 |
| NO | 2 | 40 | 198,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F3A | **Length** | 1 | **Position** | 1724 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 229,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F3B | **Length** | 1 | **Position** | 1725 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 5,500 |
| NO | 2 | 50 | 223,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F3C | **Length** | 1 | **Position** | 1726 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 229,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F3D | **Length** | 1 | **Position** | 1727 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 229,000 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5F3E | **Length** | 1 | **Position** | 1728 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - none | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - none | | | | |
| **Universe** | Respondents who answered PAR_52F = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 223,000 |
| NO | 2 | 5 | 5,500 |
| NOT APPLICABLE | 6 | 5,555 | 29,006,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5G1 **Length** 2 **Position** 1729 - 1730
**Question Name**
**Concept** Condition affecting hand or fingers
**Question** What is the condition that affects your hand or fingers?
**Universe** Respondents who answered PAR_52G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 65 | 349,000 |
| OSTEOPOROSIS | 3 | 5 | 10,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 12,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 18,000 |
| ACUTE SOFT TISSUE CONDITION | 6 | 5 | 24,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 12,000 |
| AMPUTATION | 9 | 5 | 4,500 |
| OTHER | 10 | 5 | 40,000 |
| NOT APPLICABLE | 96 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5G2A **Length** 1 **Position** 1731
**Question Name**
**Concept** Activities aggravating hand/finger problem - bending
**Question** What types of activities aggravate your hand or finger problem? - bending
**Universe** Respondents who answered PAR_52G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 79,500 |
| NO | 2 | 75 | 390,500 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2B | **Length** | 1 | **Position** | 1732 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hand/finger problem - lifting | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 62,500 |
| NO | 2 | 70 | 407,500 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2C | **Length** | 1 | **Position** | 1733 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hand/finger problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 85 | 468,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5G2D **Length** 1 **Position** 1734
**Question Name**
**Concept** Activities aggravating hand/finger problem - walking/running
**Question** What types of activities aggravate your hand or finger problem? - walking or running
**Universe** Respondents who answered PAR_52G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 85 | 468,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5G2E **Length** 1 **Position** 1735
**Question Name**
**Concept** Activities aggravating hand/finger problem - squeezing
**Question** What types of activities aggravate your hand or finger problem? - squeezing
**Universe** Respondents who answered PAR_52G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 222,000 |
| NO | 2 | 50 | 248,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2F | **Length** | 1 | **Position** | 1736 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hand/finger problem - twisting | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 38,500 |
| NO | 2 | 80 | 431,500 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2G | **Length** | 1 | **Position** | 1737 |
| **Question Name** | | | | | |
| **Concept** | Activity aggravates hand/finger problem- stretching/reaching | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 17,000 |
| NO | 2 | 80 | 453,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2H | **Length** | 1 | **Position** | 1738 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hand/finger problem - other | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 82,000 |
| NO | 2 | 70 | 388,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G2I | **Length** | 1 | **Position** | 1739 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hand/finger problem - none | | | | |
| **Question** | What types of activities aggravate your hand or finger problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 134,000 |
| NO | 2 | 65 | 336,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G3A | **Length** | 1 | **Position** | 1740 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 85 | 470,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5G3B | **Length** | 1 | **Position** | 1741 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52G = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 6,500 |
| NO | 2 | 85 | 464,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5G3C **Length** 1 **Position** 1742

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52G = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 1,500 |
| NO | 2 | 85 | 468,500 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5G3D **Length** 1 **Position** 1743

**Question Name**

**Concept** Test exclusion - partial curl-ups

**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups

**Universe** Respondents who answered PAR_52G = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 85 | 470,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5G3E **Length** 1 **Position** 1744
**Question Name**
**Concept** Test exclusion - none
**Question** From which tests should the respondent be excluded because of this condition? - none
**Universe** Respondents who answered PAR_52G = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 462,000 |
| NO | 2 | 5 | 8,000 |
| NOT APPLICABLE | 6 | 5,515 | 28,765,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5H1 **Length** 2 **Position** 1745 - 1746
**Question Name**
**Concept** Condition affecting hip problem
**Question** What is the condition that affects your hip?
**Universe** Respondents who answered PAR_52H = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 70 | 396,500 |
| VERTEBRAL DISORDER | 2 | 5 | 13,000 |
| OSTEOPOROSIS | 3 | 10 | 74,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 32,000 |
| CHRONIC JOINT CONDITION | 5 | 15 | 76,500 |
| ACUTE SOFT TISSUE CONDITION | 6 | 5 | 9,000 |
| ACUTE JOINT CONDITION | 7 | 5 | 44,500 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 5,500 |
| OTHER | 10 | 45 | 259,500 |
| NOT APPLICABLE | 96 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2A | **Length** | 1 | **Position** | 1747 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - bending | | | | |
| **Question** | What types of activities aggravate your hip problem? - bending | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 163,000 |
| NO | 2 | 130 | 747,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2B | **Length** | 1 | **Position** | 1748 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - lifting | | | | |
| **Question** | What types of activities aggravate your hip problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 135,000 |
| NO | 2 | 135 | 775,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2C | **Length** | 1 | **Position** | 1749 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your hip problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 306,000 |
| NO | 2 | 110 | 604,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2D | **Length** | 1 | **Position** | 1750 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - walking/running | | | | |
| **Question** | What types of activities aggravate your hip problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 75 | 408,500 |
| NO | 2 | 85 | 502,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2E | **Length** | 1 | **Position** | 1751 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - squeezing | | | | |
| **Question** | What types of activities aggravate your hip problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,000 |
| NO | 2 | 160 | 903,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2F | **Length** | 1 | **Position** | 1752 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - twisting | | | | |
| **Question** | What types of activities aggravate your hip problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 60,000 |
| NO | 2 | 145 | 850,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2G | **Length** | 1 | **Position** | 1753 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - stretching/reaching | | | | |
| **Question** | What types of activities aggravate your hip problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 76,500 |
| NO | 2 | 145 | 834,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2H | **Length** | 1 | **Position** | 1754 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - other | | | | |
| **Question** | What types of activities aggravate your hip problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 185,000 |
| NO | 2 | 130 | 725,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H2I | **Length** | 1 | **Position** | 1755 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating hip problem - none | | | | |
| **Question** | What types of activities aggravate your hip problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 209,500 |
| NO | 2 | 130 | 701,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H3A | **Length** | 1 | **Position** | 1756 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 186,500 |
| NO | 2 | 125 | 724,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H3B | **Length** | 1 | **Position** | 1757 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 160 | 910,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H3C | **Length** | 1 | **Position** | 1758 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 9,500 |
| NO | 2 | 155 | 901,000 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H3D | **Length** | 1 | **Position** | 1759 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 31,500 |
| NO | 2 | 150 | 878,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5H3E | **Length** | 1 | **Position** | 1760 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - none | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - none | | | | |
| **Universe** | Respondents who answered PAR_52H = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 125 | 722,000 |
| NO | 2 | 35 | 188,500 |
| NOT APPLICABLE | 6 | 5,445 | 28,325,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5I1 **Length** 2 **Position** 1761 - 1762
**Question Name**
**Concept** Condition affecting leg or knee
**Question** What is the condition that affects your leg or knee?
**Universe** Respondents who answered PAR_52I = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 175 | 930,500 |
| VERTEBRAL DISORDER | 2 | 5 | 17,500 |
| OSTEOPOROSIS | 3 | 10 | 52,000 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 40 | 188,000 |
| CHRONIC JOINT CONDITION | 5 | 75 | 458,500 |
| ACUTE SOFT TISSUE CONDITION | 6 | 25 | 103,000 |
| ACUTE JOINT CONDITION | 7 | 5 | 37,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 19,500 |
| AMPUTATION | 9 | 5 | 4,500 |
| OTHER | 10 | 105 | 555,000 |
| NOT APPLICABLE | 96 | 5,165 | 26,857,000 |
| DON'T KNOW | 97 | 5 | 13,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5I2A **Length** 1 **Position** 1763
**Question Name**
**Concept** Activities aggravating leg/knee problem - bending
**Question** What types of activities aggravate your leg or knee problem? - bending
**Universe** Respondents who answered PAR_52I = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 654,000 |
| NO | 2 | 325 | 1,724,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2B | **Length** | 1 | **Position** | 1764 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - lifting | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 254,000 |
| NO | 2 | 390 | 2,124,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2C | **Length** | 1 | **Position** | 1765 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 200 | 1,047,000 |
| NO | 2 | 240 | 1,331,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2D | **Length** | 1 | **Position** | 1766 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - walking/running | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 215 | 1,078,500 |
| NO | 2 | 225 | 1,300,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2E | **Length** | 1 | **Position** | 1767 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - squeezing | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 14,500 |
| NO | 2 | 435 | 2,364,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2F | **Length** | 1 | **Position** | 1768 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - twisting | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - twisting | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 268,500 |
| NO | 2 | 390 | 2,110,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2G | **Length** | 1 | **Position** | 1769 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem- stretching/reaching | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 99,500 |
| NO | 2 | 420 | 2,279,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2H | **Length** | 1 | **Position** | 1770 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - other | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 455,000 |
| NO | 2 | 350 | 1,923,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I2I | **Length** | 1 | **Position** | 1771 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating leg/knee problem - none | | | | |
| **Question** | What types of activities aggravate your leg or knee problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 274,500 |
| NO | 2 | 400 | 2,103,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I3A | **Length** | 1 | **Position** | 1772 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 100 | 438,000 |
| NO | 2 | 345 | 1,940,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I3B | **Length** | 1 | **Position** | 1773 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 440 | 2,378,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I3C | **Length** | 1 | **Position** | 1774 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 90,000 |
| NO | 2 | 425 | 2,288,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5I3D | **Length** | 1 | **Position** | 1775 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52I = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 70,500 |
| NO | 2 | 430 | 2,308,000 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5I3E **Length** 1 **Position** 1776
**Question Name**
**Concept** Test exclusion - none
**Question** From which tests should the respondent be excluded because of this condition? - none
**Universe** Respondents who answered PAR_52I = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 335 | 1,909,000 |
| NO | 2 | 105 | 469,500 |
| NOT APPLICABLE | 6 | 5,165 | 26,857,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5J1 **Length** 2 **Position** 1777 - 1778
**Question Name**
**Concept** Condition affecting ankle
**Question** What is the condition that affects your ankle?
**Universe** Respondents who answered PAR_52J = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 20 | 105,000 |
| OSTEOPOROSIS | 3 | 5 | 8,500 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 24,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 27,000 |
| ACUTE SOFT TISSUE CONDITION | 6 | 10 | 58,000 |
| ACUTE JOINT CONDITION | 7 | 5 | 21,000 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 5,500 |
| OTHER | 10 | 10 | 57,000 |
| NOT APPLICABLE | 96 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2A | **Length** | 1 | **Position** | 1779 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - bending | | | | |
| **Question** | What types of activities aggravate your ankle problem? - bending | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 9,000 |
| NO | 2 | 55 | 297,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2B | **Length** | 1 | **Position** | 1780 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - lifting | | | | |
| **Question** | What types of activities aggravate your ankle problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,000 |
| NO | 2 | 55 | 303,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2C | **Length** | 1 | **Position** | 1781 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your ankle problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 122,500 |
| NO | 2 | 35 | 184,000 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2D | **Length** | 1 | **Position** | 1782 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - walking/running | | | | |
| **Question** | What types of activities aggravate your ankle problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 157,000 |
| NO | 2 | 25 | 149,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5J2E **Length** 1 **Position** 1783

**Question Name**

**Concept** Activities aggravating ankle problem - squeezing

**Question** What types of activities aggravate your ankle problem? - squeezing

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,000 |
| NO | 2 | 55 | 299,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5J2F **Length** 1 **Position** 1784

**Question Name**

**Concept** Activities aggravating ankle problem - twisting

**Question** What types of activities aggravate your ankle problem? - twisting

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 35,000 |
| NO | 2 | 50 | 271,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2G | **Length** | 1 | **Position** | 1785 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - stretching/reaching | | | | |
| **Question** | What types of activities aggravate your ankle problem? - stretching or reaching | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 13,500 |
| NO | 2 | 55 | 293,000 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J2H | **Length** | 1 | **Position** | 1786 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating ankle problem - other | | | | |
| **Question** | What types of activities aggravate your ankle problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 66,000 |
| NO | 2 | 45 | 240,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5J2I **Length** 1 **Position** 1787

**Question Name**

**Concept** Activities aggravating ankle problem - none

**Question** What types of activities aggravate your ankle problem? - none

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 63,500 |
| NO | 2 | 45 | 242,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5J3A **Length** 1 **Position** 1788

**Question Name**

**Concept** Test exclusion - mCAFT

**Question** From which tests should the respondent be excluded because of this condition? - mCAFT

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 30,500 |
| NO | 2 | 50 | 276,000 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5J3B **Length** 1 **Position** 1789

**Question Name**

**Concept** Test exclusion - grip strength

**Question** From which tests should the respondent be excluded because of this condition? - grip strength

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 55 | 306,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5J3C **Length** 1 **Position** 1790

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 55 | 306,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J3D | **Length** | 1 | **Position** | 1791 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - partial curl-ups | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - partial curl-ups | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 55 | 306,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5J3E | **Length** | 1 | **Position** | 1792 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - none | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - none | | | | |
| **Universe** | Respondents who answered PAR_52J = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 276,000 |
| NO | 2 | 10 | 30,500 |
| NOT APPLICABLE | 6 | 5,550 | 28,929,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5K1 **Length** 2 **Position** 1793 - 1794

**Question Name**

**Concept** Condition affecting foot or toes

**Question** What is the condition that affects your foot or toes?

**Universe** Respondents who answered PAR_52K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ARTHRITIS | 1 | 25 | 114,000 |
| OSTEOPOROSIS | 3 | 5 | 7,000 |
| CHRONIC SOFT TISSUE CONDITION | 4 | 5 | 27,000 |
| CHRONIC JOINT CONDITION | 5 | 5 | 10,000 |
| ACUTE SOFT TISSUE CONDITION | 6 | 5 | 5,000 |
| ACUTE JOINT CONDITION | 7 | 5 | 5,500 |
| NEUROMUSCULAR DISORDER | 8 | 5 | 7,000 |
| OTHER | 10 | 10 | 52,500 |
| NOT APPLICABLE | 96 | 5,555 | 28,994,500 |
| DON'T KNOW | 97 | 5 | 13,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PAR_5K2A **Length** 1 **Position** 1795

**Question Name**

**Concept** Activities aggravating foot/toe problem - bending

**Question** What types of activities aggravate your foot or toe problem? - bending

**Universe** Respondents who answered PAR_52K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 50 | 239,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2B | **Length** | 1 | **Position** | 1796 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - lifting | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - lifting | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2C | **Length** | 1 | **Position** | 1797 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - climbing stairs | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - climbing stairs | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 42,500 |
| NO | 2 | 45 | 198,500 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2D | **Length** | 1 | **Position** | 1798 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - walking/running | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - walking or running | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 122,000 |
| NO | 2 | 25 | 119,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2E | **Length** | 1 | **Position** | 1799 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - squeezing | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - squeezing | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5K2F **Length** 1 **Position** 1800
**Question Name**
**Concept** Activities aggravating foot/toe problem - twisting
**Question** What types of activities aggravate your foot or toe problem? - twisting
**Universe** Respondents who answered PAR_52K = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 50 | 239,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5K2G **Length** 1 **Position** 1801
**Question Name**
**Concept** Activities aggravating foot/toe problem- stretching/reaching
**Question** What types of activities aggravate your foot or toe problem? - stretching or reaching
**Universe** Respondents who answered PAR_52K = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2H | **Length** | 1 | **Position** | 1802 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - other | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - other | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 52,000 |
| NO | 2 | 40 | 189,500 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K2I | **Length** | 1 | **Position** | 1803 |
| **Question Name** | | | | | |
| **Concept** | Activities aggravating foot/toe problem - none | | | | |
| **Question** | What types of activities aggravate your foot or toe problem? - none | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 76,000 |
| NO | 2 | 30 | 165,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5K3A **Length** 1 **Position** 1804
**Question Name**
**Concept** Test exclusion - mCAFT
**Question** From which tests should the respondent be excluded because of this condition? - mCAFT
**Universe** Respondents who answered PAR_52K = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 30,000 |
| NO | 2 | 45 | 211,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5K3B **Length** 1 **Position** 1805
**Question Name**
**Concept** Test exclusion - grip strength
**Question** From which tests should the respondent be excluded because of this condition? - grip strength
**Universe** Respondents who answered PAR_52K = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_5K3C **Length** 1 **Position** 1806

**Question Name**

**Concept** Test exclusion - sit and reach

**Question** From which tests should the respondent be excluded because of this condition? - sit and reach

**Universe** Respondents who answered PAR_52K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** PAR_5K3D **Length** 1 **Position** 1807

**Question Name**

**Concept** Test exclusion - partial curl-ups

**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups

**Universe** Respondents who answered PAR_52K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 50 | 241,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_5K3E | **Length** | 1 | **Position** | 1808 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - none | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - none | | | | |
| **Universe** | Respondents who answered PAR_52K = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 211,000 |
| NO | 2 | 5 | 30,000 |
| NOT APPLICABLE | 6 | 5,555 | 28,994,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_61 | **Length** | 1 | **Position** | 1809 |
| **Question Name** | | | | | |
| **Concept** | Drugs for blood pressure or heart condition | | | | |
| **Question** | Is your doctor currently prescribing drugs (for example, water pills) for your blood pressure or a heart condition? | | | | |
| **Universe** | Respondents who previously reported that they had high blood pressure or heart condition | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 750 | 4,011,500 |
| NO | 2 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62A | **Length** | 1 | **Position** | 1810 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - high blood pressure | | | | |
| **Question** | For which condition(s) are you taking the drugs? - high blood pressure | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 660 | 3,531,500 |
| NO | 2 | 90 | 480,000 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62B | **Length** | 1 | **Position** | 1811 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - low blood pressure | | | | |
| **Question** | For which condition(s) are you taking the drugs? - low blood pressure | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,000 |
| NO | 2 | 745 | 4,008,500 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62C | **Length** | 1 | **Position** | 1812 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - angina | | | | |
| **Question** | For which condition(s) are you taking the drugs? - angina | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 130,000 |
| NO | 2 | 720 | 3,881,500 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62D | **Length** | 1 | **Position** | 1813 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - previous heart attack | | | | |
| **Question** | For which condition(s) are you taking the drugs? - previous heart attack | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 259,500 |
| NO | 2 | 690 | 3,751,500 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62E | **Length** | 1 | **Position** | 1814 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - aneurysm | | | | |
| **Question** | For which condition(s) are you taking the drugs? - aneurysm | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 5,500 |
| NO | 2 | 745 | 4,006,000 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62F | **Length** | 1 | **Position** | 1815 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - arrhythmia | | | | |
| **Question** | For which condition(s) are you taking the drugs? - arrhythmia | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 148,500 |
| NO | 2 | 720 | 3,863,000 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62G | **Length** | 1 | **Position** | 1816 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - other heart condition | | | | |
| **Question** | For which condition(s) are you taking the drugs? - other heart condition | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 231,000 |
| NO | 2 | 695 | 3,780,500 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_62H | **Length** | 1 | **Position** | 1817 |
| **Question Name** | | | | | |
| **Concept** | Reason taking drugs - other medical condition | | | | |
| **Question** | For which condition(s) are you taking the drugs? - other medical condition | | | | |
| **Universe** | Respondents who answered PAR_61 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 158,000 |
| NO | 2 | 715 | 3,853,500 |
| NOT APPLICABLE | 6 | 4,855 | 25,224,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_71 | **Length** | 1 | **Position** | 1818 |
| **Question Name** | | | | | |
| **Concept** | Other reason should not do physical activity | | | | |
| **Question** | Do you know of any other reason why you should not do physical activity? | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 95 | 635,000 |
| NO | 2 | 5,505 | 28,600,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_72A | **Length** | 1 | **Position** | 1819 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - mCAFT | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - mCAFT | | | | |
| **Universe** | Respondents who answered PAR_71 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 289,000 |
| NO | 2 | 15 | 127,000 |
| NOT APPLICABLE | 6 | 5,505 | 28,600,500 |
| NOT STATED | 9 | 40 | 219,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_72B | **Length** | 1 | **Position** | 1820 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - grip strength | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - grip strength | | | | |
| **Universe** | Respondents who answered PAR_71 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 7,000 |
| NO | 2 | 55 | 408,500 |
| NOT APPLICABLE | 6 | 5,505 | 28,600,500 |
| NOT STATED | 9 | 40 | 219,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | PAR_72C | **Length** | 1 | **Position** | 1821 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - sit and reach | | | | |
| **Question** | From which tests should the respondent be excluded because of this condition? - sit and reach | | | | |
| **Universe** | Respondents who answered PAR_71 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 209,500 |
| NO | 2 | 30 | 206,000 |
| NOT APPLICABLE | 6 | 5,505 | 28,600,500 |
| NOT STATED | 9 | 40 | 219,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PAR_72D **Length** 1 **Position** 1822

**Question Name**

**Concept** Test exclusion - partial curl-ups

**Question** From which tests should the respondent be excluded because of this condition? - partial curl-ups

**Universe** Respondents who answered PAR_71 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 264,000 |
| NO | 2 | 20 | 151,500 |
| NOT APPLICABLE | 6 | 5,505 | 28,600,500 |
| NOT STATED | 9 | 40 | 219,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ORS_0 **Length** 1 **Position** 1823

**Question Name**

**Concept** Other reasons for screening out of physical tests

**Question** Are there any other reasons why you should not participate in one or more of the physical tests?

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 85,500 |
| NO | 2 | 5,580 | 29,150,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ORS_1 | **Length** | 1 | **Position** | 1824 |
| **Question Name** | | | | | |
| **Concept** | Other reasons for screening out - grip strength | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 20,500 |
| NO | 2 | 5,600 | 29,215,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ORS_2 | **Length** | 1 | **Position** | 1825 |
| **Question Name** | | | | | |
| **Concept** | Other reasons for screening out - spirometry | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 57,000 |
| NO | 2 | 5,590 | 29,178,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ORS_3 | **Length** | 1 | **Position** | 1826 |
| **Question Name** | | | | | |
| **Concept** | Other reasons for screening out - mCAFT | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 69 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 78,000 |
| NO | 2 | 5,165 | 27,393,000 |
| NOT APPLICABLE | 6 | 415 | 1,764,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ORS_4 | **Length** | 1 | **Position** | 1827 |
| **Question Name** | | | | | |
| **Concept** | Other reasons for screening out - sit and reach | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 69 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 55,500 |
| NO | 2 | 5,175 | 27,415,500 |
| NOT APPLICABLE | 6 | 415 | 1,764,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ORS_5 | **Length** | 1 | **Position** | 1828 |
| **Question Name** | | | | | |
| **Concept** | Other reasons for screening out - partial curl-up | | | | |
| **Question** | | | | | |
| **Universe** | Respondents aged 69 and under | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 78,000 |
| NO | 2 | 5,165 | 27,393,000 |
| NOT APPLICABLE | 6 | 415 | 1,764,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | ANCDELG | **Length** | 2 | **Position** | 1829 - 1830 |
| **Question Name** | | | | | |
| **Concept** | Eligibility - Anthropometric component (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWM_11 **Length** 1 **Position** 1831

**Question Name**

**Concept** Method of capture - height

**Question** INSTRUCTION: Record how the data will be captured.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 5,525 | 28,871,000 |
| MANUALLY | 2 | 70 | 321,500 |
| SELF-REPORTED | 3 | 10 | 43,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWM_11CM **Length** 6.2 **Position** 1832 - 1837

**Question Name**

**Concept** Standing height (centimetres)

**Question** INSTRUCTION: Record the standing height in centimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN CENTIMETRES | 104.00 - 200.35 | 5,600 | 29,230,000 |
| DON'T KNOW | 999.97 | 5 | 3,500 |
| REFUSAL | 999.98 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMD11IN **Length** 4.1 **Position** 1838 - 1841

**Question Name**

**Concept** Standing height (inches) - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN INCHES | 40.9 - 78.9 | 5,600 | 29,230,000 |
| NOT STATED | 99.9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWM_12CM **Length** 6.2 **Position** 1842 - 1847

**Question Name**

**Concept** Sitting height (centimetres)

**Question** INSTRUCTION: Record the sitting height in centimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN CENTIMETRES | 56.02 - 105.51 | 5,585 | 29,164,500 |
| NOT APPLICABLE | 999.96 | 10 | 43,000 |
| DON'T KNOW | 999.97 | 5 | 20,500 |
| REFUSAL | 999.98 | 5 | 7,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMD12IN **Length** 4.1 **Position** 1848 - 1851

**Question Name**

**Concept** Sitting height (inches) - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN INCHES | 22.1 - 41.5 | 5,585 | 29,164,500 |
| NOT APPLICABLE | 99.6 | 10 | 43,000 |
| NOT STATED | 99.9 | 10 | 28,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWM_13 **Length** 1 **Position** 1852

**Question Name**

**Concept** Method of capture - weight

**Question** INSTRUCTION: Record how the data will be captured.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 5,540 | 28,877,500 |
| MANUALLY | 2 | 65 | 358,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWM_13KG **Length** 6.2 **Position** 1853 - 1858

**Question Name**

**Concept** Weight (kilograms)

**Question** INSTRUCTION: When the measurement is stable, record the weight in kilograms.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN KILOGRAMS | 16.30 - 190.60 | 5,600 | 29,190,000 |
| DON'T KNOW | 999.97 | 5 | 42,000 |
| REFUSAL | 999.98 | 5 | 1,500 |
| NOT STATED | 999.99 | 5 | 1,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMD13LB **Length** 5.1 **Position** 1859 - 1863

**Question Name**

**Concept** Weight (pounds) - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WEIGHT IN POUNDS | 35.9 - 420.3 | 5,600 | 29,190,000 |
| NOT STATED | 999.9 | 5 | 45,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWM_14CM **Length** 5.1 **Position** 1864 - 1868

**Question Name**

**Concept** Waist circumference (centimetres)

**Question** INSTRUCTION: Record the waist circumference in centimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WAIST CIRCUMFERENCE IN CENTIMETRES | 43.0 - 165.0 | 5,560 | 28,947,000 |
| NOT APPLICABLE | 999.6 | 30 | 231,500 |
| DON'T KNOW | 999.7 | 15 | 55,000 |
| REFUSAL | 999.8 | 5 | 2,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMD14IN **Length** 4.1 **Position** 1869 - 1872

**Question Name**

**Concept** Waist circumference (inches) - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WAIST CIRCUMFERENCE IN INCHES | 16.9 - 65.0 | 5,560 | 28,947,000 |
| NOT APPLICABLE | 99.6 | 30 | 231,500 |
| NOT STATED | 99.9 | 15 | 57,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWM_15CM **Length** 5.1 **Position** 1873 - 1877

**Question Name**

**Concept** Hip circumference (centimetres)

**Question** INSTRUCTION: Record the hip circumference in centimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HIP CIRCUMFERENCE - CENTIMETRES | 35.0 - 179.4 | 5,565 | 28,959,500 |
| NOT APPLICABLE | 999.6 | 30 | 231,500 |
| DON'T KNOW | 999.7 | 10 | 44,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMD15IN **Length** 4.1 **Position** 1878 - 1881

**Question Name**

**Concept** Hip circumference (inches) - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HIP CIRCUMFERENCE - INCHES | 13.8 - 70.6 | 5,565 | 28,959,500 |
| NOT APPLICABLE | 99.6 | 30 | 231,500 |
| NOT STATED | 99.9 | 10 | 44,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMDBMI **Length** 5.2 **Position** 1882 - 1886

**Question Name**

**Concept** Body Mass Index - (D)

**Question**

**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BODY MASS INDEX SCORE | 12.61 - 63.88 | 5,565 | 28,987,000 |
| NOT APPLICABLE | 99.96 | 30 | 231,500 |
| NOT STATED | 99.99 | 5 | 16,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMDBMIA **Length** 2 **Position** 1887 - 1888

**Question Name**

**Concept** BMI norms for respondents 18 or older - (D)

**Question**

**Universe** Respondents aged 18 and older with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| UNDERWEIGHT | 1 | 50 | 359,000 |
| NORMAL WEIGHT | 2 | 1,365 | 9,199,000 |
| OVERWEIGHT | 3 | 1,365 | 8,919,000 |
| OBESE | 4 | 565 | 3,663,500 |
| VERY OBESE | 5 | 215 | 1,416,500 |
| SEVERELY OBESE | 6 | 130 | 729,000 |
| NOT APPLICABLE | 96 | 1,910 | 4,936,000 |
| NOT STATED | 99 | 5 | 13,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMDBMIK **Length** 1 **Position** 1889

**Question Name**

**Concept** BMI norms for respondents less than 18 - (D)

**Question**

**Universe** Respondents aged less than 18 with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| UNDERWEIGHT | 1 | 60 | 170,000 |
| NORMAL WEIGHT | 2 | 1,355 | 3,288,000 |
| OVERWEIGHT | 3 | 255 | 615,500 |
| OBESE | 4 | 210 | 627,500 |
| NOT APPLICABLE | 6 | 3,725 | 24,531,000 |
| NOT STATED | 9 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMDCOL **Length** 1 **Position** 1890

**Question Name**

**Concept** BMI class. (12 to 17) / Measured - Cole system - (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEITHER OVERWEIGHT NOR OBESE | 1 | 1,440 | 3,492,500 |
| OVERWEIGHT | 2 | 300 | 803,500 |
| OBESE | 3 | 135 | 405,000 |
| NOT APPLICABLE | 6 | 3,720 | 24,507,500 |
| NOT STATED | 9 | 10 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMDWSTA **Length** 1 **Position** 1891
**Question Name**
**Concept** Waist circumference norms for respondents 15 - 69 - (D)
**Question**
**Universe** Respondents aged 15 to 69 with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 780 | 5,135,500 |
| FAIR | 1 | 505 | 3,277,000 |
| GOOD | 2 | 50 | 381,500 |
| VERY GOOD | 3 | 690 | 4,401,000 |
| EXCELLENT | 4 | 1,635 | 10,595,000 |
| NOT APPLICABLE | 6 | 1,935 | 5,408,500 |
| NOT STATED | 9 | 10 | 36,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMDWTH **Length** 4.2 **Position** 1892 - 1895
**Question Name**
**Concept** Waist-to-hip ratio - (D)
**Question**
**Universe** Respondents with ANCDELG = 1 who answered PHC_42C = 2 excluding pregnant females
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WAIST-TO-HIP RATIO | 0.56 - 3.00 | 5,555 | 28,941,500 |
| NOT APPLICABLE | 9.96 | 30 | 231,500 |
| NOT STATED | 9.99 | 15 | 62,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMDHTM **Length** 5.3 **Position** 1896 - 1900

**Question Name**

**Concept** Respondent's standing height in meters (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEIGHT IN METRES | 1.040 - 2.004 | 5,600 | 29,230,000 |
| NOT STATED | 9.999 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** HWMDLLN **Length** 6.2 **Position** 1901 - 1906

**Question Name**

**Concept** Leg length in centimeters (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LEG LENGTH IN CENTIMETRES | 29.80 - 107.00 | 5,585 | 29,164,500 |
| NOT APPLICABLE | 999.96 | 10 | 43,000 |
| NOT STATED | 999.99 | 10 | 28,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** HWMDMAT **Length** 5.2 **Position** 1907 - 1911

**Question Name**

**Concept** Age at peak height velocity (D)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MATURITY OFFSET | -3.89 - 5.08 | 1,345 | 3,555,500 |
| NOT APPLICABLE | 99.96 | 4,255 | 25,678,500 |
| NOT STATED | 99.99 | 5 | 1,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_01 **Length** 1 **Position** 1912

**Question Name**

**Concept** Skinfolds done

**Question** INSTRUCTION: Show the skinfold calipers to the respondent and demonstrate the technique on the palm of the respondent’s hand.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,590 | 22,899,000 |
| NOT APPLICABLE | 6 | 1,010 | 6,305,000 |
| REFUSAL | 8 | 5 | 17,500 |
| NOT STATED | 9 | 5 | 14,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_11 **Length** 4.1 **Position** 1913 - 1916

**Question Name**

**Concept** Skinfold - tricep (1)

**Question** INSTRUCTION: Record the first triceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.4 - 51.0 | 4,585 | 22,877,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 5 | 22,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_12 **Length** 4.1 **Position** 1917 - 1920

**Question Name**

**Concept** Skinfold - bicep (1)

**Question** INSTRUCTION: Record the first biceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 1.2 - 31.4 | 4,585 | 22,888,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 5 | 10,500 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_13 **Length** 4.1 **Position** 1921 - 1924

**Question Name**

**Concept** Skinfold - subscapular (1)

**Question** INSTRUCTION: Record the first subscapular skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 1.0 - 57.2 | 4,575 | 22,842,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 10 | 44,500 |
| REFUSAL | 99.8 | 5 | 12,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_14 **Length** 4.1 **Position** 1925 - 1928

**Question Name**

**Concept** Skinfold - iliac crest (1)

**Question** INSTRUCTION: Record the first iliac crest skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 3.0 - 62.0 | 4,575 | 22,847,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 15 | 52,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_15 **Length** 4.1 **Position** 1929 - 1932

**Question Name**

**Concept** Skinfold - medial calf (1)

**Question** INSTRUCTION: Record the first medial calf skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 0.2 - 53.0 | 4,560 | 22,778,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 25 | 119,000 |
| REFUSAL | 99.8 | 5 | 2,500 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_21 **Length** 4.1 **Position** 1933 - 1936

**Question Name**

**Concept** Skinfold - tricep (2)

**Question** INSTRUCTION: Record the second triceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.4 - 51.4 | 4,580 | 22,875,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 5 | 22,000 |
| REFUSAL | 99.8 | 5 | 2,500 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_22 **Length** 4.1 **Position** 1937 - 1940

**Question Name**

**Concept** Skinfold - bicep (2)

**Question** INSTRUCTION: Record the second biceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 1.6 - 37.0 | 4,580 | 22,885,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 5 | 10,500 |
| REFUSAL | 99.8 | 5 | 3,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_23 **Length** 4.1 **Position** 1941 - 1944

**Question Name**

**Concept** Skinfold - subscapular (2)

**Question** INSTRUCTION: Record the second subscapular skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 3.2 - 56.8 | 4,570 | 22,839,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 10 | 44,500 |
| REFUSAL | 99.8 | 5 | 15,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_24 **Length** 4.1 **Position** 1945 - 1948

**Question Name**

**Concept** Skinfold - iliac crest (2)

**Question** INSTRUCTION: Record the second iliac crest skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.8 - 64.0 | 4,570 | 22,844,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 15 | 52,000 |
| REFUSAL | 99.8 | 5 | 3,000 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_25 **Length** 4.1 **Position** 1949 - 1952

**Question Name**

**Concept** Skinfold - medial calf (2)

**Question** INSTRUCTION: Record the second medial calf skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with ANCDELG = 1 who answered PHC_42D = 2, excluding respondents with HWMDBMI > 29.99 and pregnant females

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 0.6 - 47.0 | 4,555 | 22,775,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| DON'T KNOW | 99.7 | 25 | 119,000 |
| REFUSAL | 99.8 | 5 | 5,500 |
| NOT STATED | 99.9 | 10 | 31,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_31 **Length** 4.1 **Position** 1953 - 1956

**Question Name**

**Concept** Skinfold - tricep (3)

**Question** INSTRUCTION: Record the third triceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with difference between SFM_11 and SFM_21 > 0.4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 3.4 - 47.0 | 1,420 | 7,545,000 |
| NOT APPLICABLE | 99.6 | 4,165 | 21,631,500 |
| DON'T KNOW | 99.7 | 5 | 1,000 |
| REFUSAL | 99.8 | 5 | 4,500 |
| NOT STATED | 99.9 | 15 | 53,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_32 **Length** 4.1 **Position** 1957 - 1960

**Question Name**

**Concept** Skinfold - bicep (3)

**Question** INSTRUCTION: Record the third biceps skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with difference between SFM_12 and SFM_22 > 0.4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.6 - 36.4 | 1,000 | 5,302,500 |
| NOT APPLICABLE | 99.6 | 4,585 | 23,887,500 |
| DON'T KNOW | 99.7 | 5 | 1,000 |
| REFUSAL | 99.8 | 5 | 3,000 |
| NOT STATED | 99.9 | 15 | 42,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_33 **Length** 4.1 **Position** 1961 - 1964

**Question Name**

**Concept** Skinfold - subscapular (3)

**Question** INSTRUCTION: Record the third subscapular skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with difference between SFM_13 and SFM_23 > 0.4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.0 - 54.0 | 1,490 | 8,186,000 |
| NOT APPLICABLE | 99.6 | 4,090 | 20,953,500 |
| DON'T KNOW | 99.7 | 5 | 5,500 |
| REFUSAL | 99.8 | 5 | 3,000 |
| NOT STATED | 99.9 | 20 | 88,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFM_34 **Length** 4.1 **Position** 1965 - 1968

**Question Name**

**Concept** Skinfold - iliac crest (3)

**Question** INSTRUCTION: Record the third iliac crest skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with difference between SFM_14 and SFM_24 > 0.4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 3.0 - 65.0 | 1,910 | 10,038,500 |
| NOT APPLICABLE | 99.6 | 3,665 | 19,108,500 |
| DON'T KNOW | 99.7 | 5 | 1,000 |
| REFUSAL | 99.8 | 5 | 4,000 |
| NOT STATED | 99.9 | 20 | 83,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFM_35 **Length** 4.1 **Position** 1969 - 1972

**Question Name**

**Concept** Skinfold - medial calf (3)

**Question** INSTRUCTION: Record the third medial calf skinfold measurement to the nearest 0.2 millimetres.

**Universe** Respondents with difference between SFM_15 and SFM_25 > 0.4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.4 - 47.6 | 1,335 | 7,205,500 |
| NOT APPLICABLE | 99.6 | 4,230 | 21,874,500 |
| REFUSAL | 99.8 | 5 | 3,000 |
| NOT STATED | 99.9 | 35 | 152,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFMDTSA **Length** 4.1 **Position** 1973 - 1976

**Question Name**

**Concept** Skinfold average - triceps - (D)

**Question**

**Universe** Respondents with valid values for SFM_11, SFM_21 and/or SFM_31

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.4 - 51.2 | 4,585 | 22,877,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| NOT STATED | 99.9 | 15 | 53,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFMDBSA **Length** 4.1 **Position** 1977 - 1980

**Question Name**

**Concept** Skinfold average - biceps - (D)

**Question**

**Universe** Respondents with valid values for SFM_12, SFM_22 and/or SFM_32

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 1.6 - 31.2 | 4,585 | 22,888,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| NOT STATED | 99.9 | 15 | 42,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFMDSSA **Length** 4.1 **Position** 1981 - 1984

**Question Name**

**Concept** Skinfold average - subscapular - (D).

**Question**

**Universe** Respondents with valid values for SFM_13, SFM_23 and/or SFM_33

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 3.2 - 57.0 | 4,575 | 22,842,500 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| NOT STATED | 99.9 | 20 | 88,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFMDICA **Length** 4.1 **Position** 1985 - 1988

**Question Name**

**Concept** Skinfold average - iliac crest - (D)

**Question**

**Universe** Respondents with valid values for SFM_14, SFM_24 and/or SFM_34

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.9 - 64.5 | 4,575 | 22,847,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| NOT STATED | 99.9 | 20 | 83,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFMDMCA **Length** 4.1 **Position** 1989 - 1992

**Question Name**

**Concept** Skinfold average - medial calf - (D)

**Question**

**Universe** Respondents with valid values for SFM_15, SFM_25 and/or SFM_35

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 2.0 - 47.4 | 4,560 | 22,778,000 |
| NOT APPLICABLE | 99.6 | 1,010 | 6,305,000 |
| NOT STATED | 99.9 | 35 | 152,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFMDS5 **Length** 5.1 **Position** 1993 - 1997

**Question Name**

**Concept** Sum of five skinfolds - (D)

**Question**

**Universe** Respondents with valid values for SFMDTSA, SFMDBSA, SFMDSSA, SFMDICA, SFMDMCA

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SKINFOLD IN MILLIMETRES | 13.3 - 187.7 | 4,540 | 22,674,500 |
| NOT APPLICABLE | 999.6 | 1,010 | 6,305,000 |
| NOT STATED | 999.9 | 60 | 255,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SFMDS5A **Length** 1 **Position** 1998

**Question Name**

**Concept** Sum of five skinfolds norms for respondents 15 - 69 - (D)

**Question**

**Universe** Respondents aged 15 to 69 with valid value for SFMDS5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GOOD | 2 | 555 | 3,896,000 |
| VERY GOOD | 3 | 945 | 6,298,000 |
| EXCELLENT | 4 | 1,295 | 7,911,000 |
| NOT APPLICABLE | 6 | 2,775 | 10,966,000 |
| NOT STATED | 9 | 30 | 164,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SFMDBCA **Length** 1 **Position** 1999
**Question Name**
**Concept** Body composition norms for respondents 15 - 69 - (D)
**Question**
**Universe** Respondents aged 15 to 69 who answered PHC_42C = 2 excluding pregnant females
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 785 | 5,148,500 |
| FAIR | 1 | 275 | 1,985,000 |
| GOOD | 2 | 280 | 1,675,500 |
| VERY GOOD | 3 | 815 | 5,226,500 |
| EXCELLENT | 4 | 1,510 | 9,786,500 |
| NO STANDARDS | 5 | 1,905 | 5,177,000 |
| NOT APPLICABLE | 6 | 30 | 231,500 |
| NOT STATED | 9 | 5 | 5,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_100 **Length** 1 **Position** 2000
**Question Name**
**Concept** Method of capture - first set
**Question** INSTRUCTION: Record how the first set of data will be captured.
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 5,530 | 28,934,000 |
| MANUALLY | 2 | 70 | 301,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_101A **Length** 3 **Position** 2001 - 2003
**Question Name**
**Concept** Systolic blood pressure - first set (0)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 60 - 200 | 5,490 | 28,816,000 |
| DON'T KNOW | 997 | 100 | 385,500 |
| REFUSAL | 998 | 5 | 5,000 |
| NOT STATED | 999 | 10 | 29,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_101B **Length** 3 **Position** 2004 - 2006
**Question Name**
**Concept** Diastolic blood pressure - first set (0)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 157 | 5,490 | 28,816,500 |
| DON'T KNOW | 997 | 5 | 19,000 |
| NOT STATED | 999 | 110 | 399,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_102 **Length** 3 **Position** 2007 - 2009
**Question Name**
**Concept** Heart rate - first set (0)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 37 - 152 | 5,490 | 28,814,000 |
| DON'T KNOW | 997 | 5 | 22,000 |
| NOT STATED | 999 | 110 | 399,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_111A **Length** 3 **Position** 2010 - 2012
**Question Name**
**Concept** Systolic blood pressure - first set (1)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 60 - 218 | 5,445 | 28,737,000 |
| DON'T KNOW | 997 | 130 | 381,500 |
| REFUSAL | 998 | 5 | 5,500 |
| NOT STATED | 999 | 30 | 111,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_111B **Length** 3 **Position** 2013 - 2015
**Question Name**
**Concept** Diastolic blood pressure - first set (1)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 41 - 157 | 5,445 | 28,738,500 |
| DON'T KNOW | 997 | 5 | 10,000 |
| NOT STATED | 999 | 155 | 487,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_112 **Length** 3 **Position** 2016 - 2018
**Question Name**
**Concept** Heart rate - first set (1)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 37 - 195 | 5,445 | 28,732,500 |
| DON'T KNOW | 997 | 5 | 7,500 |
| NOT STATED | 999 | 155 | 495,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_121A **Length** 3 **Position** 2019 - 2021
**Question Name**
**Concept** Systolic blood pressure - first set (2)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 61 - 201 | 5,410 | 28,527,500 |
| DON'T KNOW | 997 | 135 | 497,500 |
| NOT STATED | 999 | 60 | 210,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_121B **Length** 3 **Position** 2022 - 2024
**Question Name**
**Concept** Diastolic blood pressure - first set (2)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 149 | 5,410 | 28,518,000 |
| DON'T KNOW | 997 | 5 | 12,500 |
| NOT STATED | 999 | 190 | 705,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_122 **Length** 3 **Position** 2025 - 2027
**Question Name**
**Concept** Heart rate - first set (2)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 38 - 170 | 5,410 | 28,527,500 |
| DON'T KNOW | 997 | 5 | 3,000 |
| NOT STATED | 999 | 190 | 705,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_131A **Length** 3 **Position** 2028 - 2030
**Question Name**
**Concept** Systolic blood pressure - first set (3)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 62 - 236 | 5,430 | 28,670,000 |
| DON'T KNOW | 997 | 90 | 282,500 |
| REFUSAL | 998 | 5 | 5,500 |
| NOT STATED | 999 | 80 | 277,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_131B **Length** 3 **Position** 2031 - 2033
**Question Name**
**Concept** Diastolic blood pressure - first set (3)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 151 | 5,430 | 28,667,500 |
| DON'T KNOW | 997 | 5 | 9,500 |
| NOT STATED | 999 | 170 | 558,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_132 **Length** 3 **Position** 2034 - 2036
**Question Name**
**Concept** Heart rate - first set (3)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 38 - 171 | 5,430 | 28,673,000 |
| DON'T KNOW | 997 | 5 | 2,500 |
| NOT STATED | 999 | 170 | 560,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_141A **Length** 3 **Position** 2037 - 2039
**Question Name**
**Concept** Systolic blood pressure - first set (4)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 67 - 244 | 5,380 | 28,439,500 |
| DON'T KNOW | 997 | 125 | 434,000 |
| REFUSAL | 998 | 5 | 7,000 |
| NOT STATED | 999 | 95 | 355,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_141B **Length** 3 **Position** 2040 - 2042
**Question Name**
**Concept** Diastolic blood pressure - first set (4) (M)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 160 | 5,385 | 28,441,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 220 | 793,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | BPM_142 | **Length** | 3 | **Position** | 2043 - 2045 |
| **Question Name** | | | | | |
| **Concept** | Heart rate - first set (4) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 39 - 148 | 5,385 | 28,440,500 |
| NOT STATED | 999 | 220 | 795,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | BPM_151A | **Length** | 3 | **Position** | 2046 - 2048 |
| **Question Name** | | | | | |
| **Concept** | Systolic blood pressure - first set (5) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 61 - 206 | 5,350 | 28,264,000 |
| DON'T KNOW | 997 | 130 | 457,000 |
| REFUSAL | 998 | 5 | 27,500 |
| NOT STATED | 999 | 120 | 487,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_151B **Length** 3 **Position** 2049 - 2051
**Question Name**
**Concept** Diastolic blood pressure - first set (5)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 158 | 5,350 | 28,262,500 |
| DON'T KNOW | 997 | 5 | 10,000 |
| NOT STATED | 999 | 250 | 963,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_152 **Length** 3 **Position** 2052 - 2054
**Question Name**
**Concept** Heart rate - first set (5)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 39 - 141 | 5,355 | 28,271,500 |
| DON'T KNOW | 997 | 5 | 1,000 |
| NOT STATED | 999 | 250 | 963,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_160 **Length** 1 **Position** 2055

**Question Name**

**Concept** Accept/Re-do measurements

**Question** INSTRUCTION: Check the blood pressure and heart rate data.

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ACCEPT THE MEASUREMENT(S) | 1 | 5,480 | 28,686,000 |
| RE-DO THE MEASUREMENT(S) | 2 | 120 | 535,500 |
| NOT STATED | 9 | 5 | 14,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMD161 **Length** 3 **Position** 2056 - 2058

**Question Name**

**Concept** Average systolic blood pressure - first set - (D)

**Question**

**Universe** Respondents who answered BPM_160 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 74 - 197 | 5,480 | 28,686,000 |
| NOT APPLICABLE | 996 | 120 | 535,500 |
| NOT STATED | 999 | 5 | 14,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMD162 **Length** 3 **Position** 2059 - 2061
**Question Name**
**Concept** Average diastolic blood pressure - first set - (D)
**Question**
**Universe** Respondents who answered BPM_160 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 43 - 146 | 5,480 | 28,686,000 |
| NOT APPLICABLE | 996 | 120 | 535,500 |
| NOT STATED | 999 | 5 | 14,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMD163 **Length** 3 **Position** 2062 - 2064
**Question Name**
**Concept** Average resting heart rate - first set - (D)
**Question**
**Universe** Respondents who answered BPM_160 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 39 - 146 | 5,480 | 28,686,000 |
| NOT APPLICABLE | 996 | 120 | 535,500 |
| NOT STATED | 999 | 5 | 14,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_200 **Length** 1 **Position** 2065

**Question Name**

**Concept** Method of capture - second set

**Question** INSTRUCTION: Record how the second set of data will be captured.

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 595 | 2,478,500 |
| MANUALLY | 2 | 35 | 204,000 |
| NOT APPLICABLE | 6 | 4,970 | 26,549,500 |
| NOT STATED | 9 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_201A **Length** 3 **Position** 2066 - 2068

**Question Name**

**Concept** Systolic blood pressure - second set (0)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 72 - 210 | 595 | 2,566,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 25 | 71,000 |
| REFUSAL | 998 | 5 | 24,500 |
| NOT STATED | 999 | 10 | 35,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_201B **Length** 3 **Position** 2069 - 2071

**Question Name**

**Concept** Diastolic blood pressure - second set (0)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 43 - 136 | 595 | 2,566,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 21,000 |
| NOT STATED | 999 | 35 | 109,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_202 **Length** 3 **Position** 2072 - 2074

**Question Name**

**Concept** Heart rate - second set (0)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 140 | 595 | 2,562,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 25,000 |
| NOT STATED | 999 | 35 | 109,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_211A **Length** 3 **Position** 2075 - 2077

**Question Name**

**Concept** Systolic blood pressure - second set (1)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 65 - 207 | 600 | 2,570,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 15 | 52,000 |
| NOT STATED | 999 | 20 | 75,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_211B **Length** 3 **Position** 2078 - 2080

**Question Name**

**Concept** Diastolic blood pressure - second set (1)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 41 - 122 | 600 | 2,570,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 22,000 |
| NOT STATED | 999 | 30 | 105,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_212 **Length** 3 **Position** 2081 - 2083

**Question Name**

**Concept** Heart rate - second set (1)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 142 | 600 | 2,566,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 26,000 |
| NOT STATED | 999 | 30 | 105,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_221A **Length** 3 **Position** 2084 - 2086

**Question Name**

**Concept** Systolic blood pressure - second set (2)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 71 - 207 | 590 | 2,537,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 25 | 77,500 |
| REFUSAL | 998 | 5 | 1,000 |
| NOT STATED | 999 | 20 | 81,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_221B **Length** 3 **Position** 2087 - 2089

**Question Name**

**Concept** Diastolic blood pressure - second set (2)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 127 | 590 | 2,537,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 34,000 |
| NOT STATED | 999 | 40 | 125,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_222 **Length** 3 **Position** 2090 - 2092

**Question Name**

**Concept** Heart rate - second set (2)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 177 | 590 | 2,543,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 28,500 |
| NOT STATED | 999 | 40 | 125,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_231A **Length** 3 **Position** 2093 - 2095

**Question Name**

**Concept** Systolic blood pressure - second set (3)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 66 - 195 | 590 | 2,522,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 20 | 81,500 |
| REFUSAL | 998 | 5 | 1,000 |
| NOT STATED | 999 | 25 | 92,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_231B **Length** 3 **Position** 2096 - 2098

**Question Name**

**Concept** Diastolic blood pressure - second set (3)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 126 | 590 | 2,524,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 21,000 |
| NOT STATED | 999 | 45 | 151,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_232 **Length** 3 **Position** 2099 - 2101

**Question Name**

**Concept** Heart rate - second set (3)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 165 | 585 | 2,514,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 28,500 |
| NOT STATED | 999 | 45 | 154,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_241A **Length** 3 **Position** 2102 - 2104

**Question Name**

**Concept** Systolic blood pressure - second set (4)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 67 - 191 | 570 | 2,485,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 35 | 118,000 |
| REFUSAL | 998 | 5 | 1,000 |
| NOT STATED | 999 | 25 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_241B **Length** 3 **Position** 2105 - 2107

**Question Name**

**Concept** Diastolic blood pressure - second set (4)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 131 | 570 | 2,485,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 27,000 |
| NOT STATED | 999 | 60 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_242 **Length** 3 **Position** 2108 - 2110

**Question Name**

**Concept** Heart rate - second set (4)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 166 | 570 | 2,481,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 31,000 |
| NOT STATED | 999 | 60 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_251A **Length** 3 **Position** 2111 - 2113

**Question Name**

**Concept** Systolic blood pressure - second set (5)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 70 - 192 | 590 | 2,547,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 15 | 54,500 |
| REFUSAL | 998 | 5 | 1,000 |
| NOT STATED | 999 | 30 | 94,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_251B **Length** 3 **Position** 2114 - 2116

**Question Name**

**Concept** Diastolic blood pressure - second set (5)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 114 | 590 | 2,544,500 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 27,000 |
| NOT STATED | 999 | 45 | 125,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_252 **Length** 3 **Position** 2117 - 2119

**Question Name**

**Concept** Heart rate - second set (5)

**Question**

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 180 | 585 | 2,543,000 |
| NOT APPLICABLE | 996 | 4,970 | 26,538,500 |
| DON'T KNOW | 997 | 5 | 28,500 |
| NOT STATED | 999 | 45 | 125,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_260 **Length** 1 **Position** 2120

**Question Name**

**Concept** Accept/Re-do measurements

**Question** INSTRUCTION: Check the blood pressure and heart rate data.

**Universe** Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2 or BPMD161 > 144 or BPMD162 > 94 or BPMD163 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ACCEPT THE MEASUREMENT(S) | 1 | 600 | 2,564,500 |
| RE-DO THE MEASUREMENT(S) | 2 | 20 | 73,000 |
| NOT APPLICABLE | 6 | 4,970 | 26,538,500 |
| NOT STATED | 9 | 15 | 59,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMD261 **Length** 3 **Position** 2121 - 2123
**Question Name**
**Concept** Average systolic blood pressure - second set - (D)
**Question**
**Universe** Respondents who answered BPM_260 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 73 - 193 | 600 | 2,564,500 |
| NOT APPLICABLE | 996 | 4,985 | 26,610,000 |
| NOT STATED | 999 | 15 | 61,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMD262 **Length** 3 **Position** 2124 - 2126
**Question Name**
**Concept** Average diastolic blood pressure - second set - (D)
**Question**
**Universe** Respondents who answered BPM_260 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 115 | 600 | 2,564,500 |
| NOT APPLICABLE | 996 | 4,985 | 26,610,000 |
| NOT STATED | 999 | 15 | 61,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMD263 **Length** 3 **Position** 2127 - 2129

**Question Name**

**Concept** Average resting heart rate - second set - (D)

**Question**

**Universe** Respondents who answered BPM_260 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 40 - 161 | 600 | 2,564,500 |
| NOT APPLICABLE | 996 | 4,985 | 26,610,000 |
| NOT STATED | 999 | 15 | 61,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_300 **Length** 1 **Position** 2130

**Question Name**

**Concept** Method of capture - third set

**Question** INSTRUCTION: Record how the third set of data will be captured.

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 40 | 162,500 |
| MANUALLY | 2 | 45 | 197,500 |
| NOT APPLICABLE | 6 | 5,510 | 28,861,500 |
| NOT STATED | 9 | 5 | 14,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_301A **Length** 3 **Position** 2131 - 2133

**Question Name**

**Concept** Systolic blood pressure - third set (0)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 78 - 193 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 6,500 |
| REFUSAL | 998 | 5 | 14,500 |
| NOT STATED | 999 | 20 | 97,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_301B **Length** 3 **Position** 2134 - 2136

**Question Name**

**Concept** Diastolic blood pressure - third set (0)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 44 - 118 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_302 **Length** 3 **Position** 2137 - 2139

**Question Name**

**Concept** Heart rate - third set (0)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 49 - 138 | 75 | 306,500 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 5,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_311A **Length** 3 **Position** 2140 - 2142

**Question Name**

**Concept** Systolic blood pressure - third set (1)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 79 - 191 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 6,500 |
| NOT STATED | 999 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_311B **Length** 3 **Position** 2143 - 2145

**Question Name**

**Concept** Diastolic blood pressure - third set (1)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 43 - 123 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_312 **Length** 3 **Position** 2146 - 2148

**Question Name**

**Concept** Heart rate - third set (1)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 52 - 130 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_321A **Length** 3 **Position** 2149 - 2151

**Question Name**

**Concept** Systolic blood pressure - third set (2)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 69 - 179 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 6,500 |
| NOT STATED | 999 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_321B **Length** 3 **Position** 2152 - 2154

**Question Name**

**Concept** Diastolic blood pressure - third set (2)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 46 - 108 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_322 **Length** 3 **Position** 2155 - 2157

**Question Name**

**Concept** Heart rate - third set (2)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 54 - 127 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 116,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_331A **Length** 3 **Position** 2158 - 2160

**Question Name**

**Concept** Systolic blood pressure - third set (3)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 74 - 182 | 75 | 303,500 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 13,500 |
| NOT STATED | 999 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_331B **Length** 3 **Position** 2161 - 2163

**Question Name**

**Concept** Diastolic blood pressure - third set (3)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 45 - 114 | 75 | 303,500 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 123,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_332 **Length** 3 **Position** 2164 - 2166

**Question Name**

**Concept** Heart rate - third set (3)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 47 - 134 | 75 | 303,500 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 123,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_341A **Length** 3 **Position** 2167 - 2169

**Question Name**

**Concept** Systolic blood pressure - third set (4)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 78 - 190 | 75 | 309,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 7,500 |
| NOT STATED | 999 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_341B **Length** 3 **Position** 2170 - 2172

**Question Name**

**Concept** Diastolic blood pressure - third set (4)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 46 - 110 | 75 | 309,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 117,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_342 **Length** 3 **Position** 2173 - 2175

**Question Name**

**Concept** Heart rate - third set (4)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 43 - 124 | 75 | 309,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 117,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_351A **Length** 3 **Position** 2176 - 2178

**Question Name**

**Concept** Systolic blood pressure - third set (5)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 77 - 178 | 75 | 302,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 15,000 |
| NOT STATED | 999 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_351B **Length** 3 **Position** 2179 - 2181

**Question Name**

**Concept** Diastolic blood pressure - third set (5)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 114 | 75 | 302,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 125,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPM_352 **Length** 3 **Position** 2182 - 2184

**Question Name**

**Concept** Heart rate - third set (5)

**Question**

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 51 - 143 | 75 | 302,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,807,000 |
| DON'T KNOW | 997 | 5 | 1,500 |
| NOT STATED | 999 | 30 | 125,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPM_360 **Length** 1 **Position** 2185

**Question Name**

**Concept** Accept/Re-do measurements

**Question** INSTRUCTION: Check the blood pressure and heart rate data.

**Universe** Respondents who answered (BPM_260 = 1 and failed error conditions) or BPM_260 = 2 or BPMD261 > 144 or BPMD262 > 94 or BPMD263 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ACCEPT THE MEASUREMENT(S) | 1 | 75 | 310,000 |
| RE-DO THE MEASUREMENT(S) | 2 | 5 | 7,500 |
| NOT APPLICABLE | 6 | 5,500 | 28,807,000 |
| NOT STATED | 9 | 25 | 110,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** BPMD361 **Length** 3 **Position** 2186 - 2188

**Question Name**

**Concept** Average systolic blood pressure - third set - (D)

**Question**

**Universe** Respondents who answered BPM_360 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 80 - 184 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,813,500 |
| NOT STATED | 999 | 25 | 112,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMD362 **Length** 3 **Position** 2189 - 2191
**Question Name**
**Concept** Average diastolic blood pressure - third set - (D)
**Question**
**Universe** Respondents who answered BPM_360 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 45 - 112 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,813,500 |
| NOT STATED | 999 | 25 | 112,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMD363 **Length** 3 **Position** 2192 - 2194
**Question Name**
**Concept** Average resting heart rate - third set - (D)
**Question**
**Universe** Respondents who answered BPM_360 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 51 - 123 | 75 | 310,000 |
| NOT APPLICABLE | 996 | 5,500 | 28,813,500 |
| NOT STATED | 999 | 25 | 112,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMDSBPS **Length** 3 **Position** 2195 - 2197
**Question Name**
**Concept** Final screening average systolic blood pressure - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 73 - 193 | 5,590 | 29,186,500 |
| NOT APPLICABLE | 996 | 5 | 9,000 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMDSBPD **Length** 3 **Position** 2198 - 2200
**Question Name**
**Concept** Final screening average diastolic blood pressure - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 115 | 5,590 | 29,186,500 |
| NOT APPLICABLE | 996 | 5 | 9,000 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMDSHR **Length** 3 **Position** 2201 - 2203
**Question Name**
**Concept** Final screening average resting heart rate - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 39 - 123 | 5,590 | 29,186,500 |
| NOT APPLICABLE | 996 | 5 | 9,000 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMDPBPS **Length** 3 **Position** 2204 - 2206
**Question Name**
**Concept** Final prevalence average systolic blood pressure - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 73 - 197 | 5,595 | 29,195,500 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMDPBPD **Length** 3 **Position** 2207 - 2209
**Question Name**
**Concept** Final prevalence average diastolic blood pressure - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 146 | 5,595 | 29,195,500 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMDPHR **Length** 3 **Position** 2210 - 2212
**Question Name**
**Concept** Final prevalence average resting heart rate - (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 39 - 124 | 5,595 | 29,195,500 |
| NOT STATED | 999 | 10 | 40,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BPMDBPA **Length** 2 **Position** 2213 - 2214
**Question Name**
**Concept** Blood pressure norms for respondents 18 or older - (D)
**Question**
**Universe** Respondents aged 18 and older
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| WITHIN ACCEPTABLE RANGE | 1 | 3,080 | 20,705,000 |
| AT HIGH END OF ACCEPTABLE RANGE | 2 | 330 | 2,256,000 |
| ABOVE ACCEPTRANGE | 3 | 260 | 1,258,000 |
| MODERATELY HIGH | 4 | 40 | 191,500 |
| HIGH | 5 | 15 | 117,500 |
| NOT APPLICABLE | 96 | 1,880 | 4,704,500 |
| NOT STATED | 99 | 5 | 3,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BPMDBPK **Length** 1 **Position** 2215
**Question Name**
**Concept** Blood pressure norms for respondents less than 18 - (D)
**Question**
**Universe** Respondents aged less than 18
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 1,800 | 4,500,500 |
| AT HIGH END OF NORMAL RANGE | 2 | 50 | 113,000 |
| HIGH | 3 | 20 | 69,000 |
| VERY HIGH | 4 | 5 | 9,000 |
| NOT APPLICABLE | 6 | 3,725 | 24,531,000 |
| NOT STATED | 9 | 5 | 13,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PHBDELG **Length** 2 **Position** 2216 - 2217

**Question Name**

**Concept** Eligibility - Phlebotomy component

**Question**

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,595 | 29,203,500 |
| NOT ELIGIBLE - HEMOPHILIA | 10 | 5 | 8,000 |
| NOT ELIGIBLE-CHEMOTHERAPHY < FOUR WEEKS | 11 | 5 | 24,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** BDC_11 **Length** 1 **Position** 2218

**Question Name**

**Concept** Received blood - past 2 months

**Question** In the past 2 months, that is, from [date 2 months ago] to yesterday, did you receive a blood transfusion?

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 13,500 |
| NO | 2 | 5,590 | 29,189,500 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_12 **Length** 1 **Position** 2219

**Question Name**

**Concept** Donated blood - past 2 months

**Question** In the past 2 months, did you donate blood?

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 197,500 |
| NO | 2 | 5,565 | 29,005,500 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_13Y **Length** 4 **Position** 2220 - 2223

**Question Name**

**Concept** Year of blood dontation

**Question** What was the date when you last donated blood ? Enter a four-digit year.

**Universe** Respondents who answered BDC_12 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YEAR | 2007 - 2009 | 30 | 197,500 |
| NOT APPLICABLE | 9996 | 5,575 | 29,037,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_13M **Length** 2 **Position** 2224 - 2225
**Question Name**
**Concept** Month of blood donation
**Question** What was the date when you last donated blood? Enter the month.
**Universe** Respondents who answered BDC_12 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MONTH (1 TO 12) | 1 - 11 | 30 | 197,500 |
| NOT APPLICABLE | 96 | 5,575 | 29,037,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_13D **Length** 2 **Position** 2226 - 2227
**Question Name**
**Concept** Day of blood donation
**Question** What was the date when you last donated blood? Enter the day.
**Universe** Respondents who answered BDC_12 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DAY (1 TO 31) | 3 - 31 | 30 | 197,500 |
| NOT APPLICABLE | 96 | 5,575 | 29,037,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | BDCD13 | **Length** | 1 | **Position** | 2228 |
| **Question Name** | | | | | |
| **Concept** | Donated blood - yesterday - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with BDC_13Y/BDC_13M/BDC_13D = yesterday | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 30 | 197,500 |
| NOT APPLICABLE | 6 | 5,575 | 29,037,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | BDC_21 | **Length** | 1 | **Position** | 2229 |
| **Question Name** | | | | | |
| **Concept** | Blood draw | | | | |
| **Question** | Now I am going to do the blood draw. Have you ever had blood taken? | | | | |
| **Universe** | Respondents with PHBDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,375 | 28,478,500 |
| NO | 2 | 95 | 335,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| REFUSAL | 8 | 110 | 352,000 |
| NOT STATED | 9 | 20 | 38,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23A **Length** 1 **Position** 2230
**Question Name**
**Concept** Blood tube collected - 01
**Question** INSTRUCTION: Record which of the required tubes of blood were collected - first tube
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,370 | 28,476,000 |
| NO | 2 | 5 | 2,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 225 | 725,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_23B **Length** 1 **Position** 2231
**Question Name**
**Concept** Blood tube collected - 02
**Question** INSTRUCTION: Record which of the required tubes of blood were collected - second tube
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,360 | 28,450,000 |
| NO | 2 | 10 | 28,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 225 | 725,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23C **Length** 1 **Position** 2232

**Question Name**

**Concept** Blood tube collected - 03

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - third tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,355 | 28,433,500 |
| NO | 2 | 20 | 45,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 225 | 725,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_23D **Length** 1 **Position** 2233

**Question Name**

**Concept** Blood tube collected - 04

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - fourth tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,325 | 28,317,500 |
| NO | 2 | 45 | 161,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 225 | 725,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23E **Length** 1 **Position** 2234

**Question Name**

**Concept** Blood tube collected - 05

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - fifth tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,005 | 27,404,000 |
| NO | 2 | 65 | 240,000 |
| NOT APPLICABLE | 6 | 330 | 940,000 |
| NOT STATED | 9 | 200 | 652,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_23F **Length** 1 **Position** 2235

**Question Name**

**Concept** Blood tube collected - 06

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - sixth tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,160 | 21,231,500 |
| NO | 2 | 30 | 209,000 |
| NOT APPLICABLE | 6 | 2,385 | 7,561,000 |
| NOT STATED | 9 | 25 | 234,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23G **Length** 1 **Position** 2236
**Question Name**
**Concept** Blood tube collected - 07
**Question** INSTRUCTION: Record which of the required tubes of blood were collected - seventh tube
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,370 | 26,252,000 |
| NO | 2 | 65 | 339,000 |
| NOT APPLICABLE | 6 | 1,080 | 2,197,500 |
| NOT STATED | 9 | 90 | 447,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_23H **Length** 1 **Position** 2237
**Question Name**
**Concept** Blood tube collected - 08
**Question** INSTRUCTION: Record which of the required tubes of blood were collected - eighth tube
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,250 | 25,495,000 |
| NO | 2 | 65 | 321,500 |
| NOT APPLICABLE | 6 | 1,210 | 3,055,000 |
| NOT STATED | 9 | 75 | 363,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23I **Length** 1 **Position** 2238

**Question Name**

**Concept** Blood tube collected - 09

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - ninth tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,235 | 21,759,000 |
| NO | 2 | 55 | 324,000 |
| NOT APPLICABLE | 6 | 2,290 | 6,975,500 |
| NOT STATED | 9 | 20 | 177,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_23J **Length** 1 **Position** 2239

**Question Name**

**Concept** Blood tube collected - 10

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - tenth tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,230 | 21,731,500 |
| NO | 2 | 65 | 351,000 |
| NOT APPLICABLE | 6 | 2,290 | 6,975,500 |
| NOT STATED | 9 | 20 | 177,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_23K **Length** 1 **Position** 2240

**Question Name**

**Concept** Blood tube collected - 11

**Question** INSTRUCTION: Record which of the required tubes of blood were collected - eleventh tube

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,190 | 25,156,000 |
| NO | 2 | 115 | 595,500 |
| NOT APPLICABLE | 6 | 1,225 | 3,122,500 |
| NOT STATED | 9 | 75 | 361,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** BDC_24 **Length** 1 **Position** 2241

**Question Name**

**Concept** Respondent position during blood draw

**Question** INSTRUCTION: Record whether the respondent was seated or supine during the blood draw.

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SEATED | 1 | 4,990 | 26,998,500 |
| SUPINE | 2 | 385 | 1,480,000 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 225 | 725,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** BDC_25 **Length** 2 **Position** 2242 - 2243
**Question Name**
**Concept** Reason tubes not collected
**Question** INSTRUCTION: Record the reason why all required tubes were not collected.
**Universe** Respondents who did not provide all required tubes of blood
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RESPONDENT REFUSED | 1 | 165 | 476,500 |
| RESPONDENT FAINTED | 2 | 30 | 151,500 |
| UNABLE TO FIND VEIN | 3 | 50 | 204,000 |
| BLOOD FLOW STOPPED | 4 | 125 | 558,500 |
| PHYSICAL LIMITATION | 5 | 5 | 32,000 |
| OTHER | 6 | 10 | 17,000 |
| NOT APPLICABLE | 96 | 5,220 | 27,787,000 |
| NOT STATED | 99 | 5 | 9,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** URCDELG **Length** 2 **Position** 2244 - 2245
**Question Name**
**Concept** Eligibility - Urine collection component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,605 | 29,235,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | URC_01 | **Length** | 1 | **Position** | 2246 |
| **Question Name** | | | | | |
| **Concept** | Urine sample provided | | | | |
| **Question** | INSTRUCTION: Record whether the respondent provided a urine sample. | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,540 | 28,975,000 |
| NO | 2 | 65 | 260,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | URC_02 | **Length** | 1 | **Position** | 2247 |
| **Question Name** | | | | | |
| **Concept** | Reason urine sample not provided | | | | |
| **Question** | INSTRUCTION: Record the reason why the respondent did not provide a urine sample. | | | | |
| **Universe** | Respondents who answered URC_N01 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| REFUSAL | 1 | 20 | 65,000 |
| UNABLE TO PROVIDE | 2 | 40 | 170,500 |
| OTHER | 3 | 5 | 25,500 |
| NOT APPLICABLE | 6 | 5,540 | 28,975,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMCDELG | **Length** | 2 | **Position** | 2248 - 2249 |
| **Question Name** | | | | | |
| **Concept** | Eligibility - Activity Monitor component (D) | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,595 | 29,192,500 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 10 | 43,000 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMC_10 | **Length** | 1 | **Position** | 2250 |
| **Question Name** | | | | | |
| **Concept** | Activity monitor available | | | | |
| **Question** | INSTRUCTION: Record whether an activity monitor is available. | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,470 | 28,632,000 |
| NO | 2 | 125 | 560,500 |
| NOT APPLICABLE | 6 | 10 | 43,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMC_11 **Length** 1 **Position** 2251

**Question Name**

**Concept** Willing to wear activity Monitor

**Question** Would you be willing to wear an activity monitor for the next 7 days?

**Universe** Respondents who answered AMCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,415 | 28,318,500 |
| NO | 2 | 50 | 313,500 |
| NOT APPLICABLE | 6 | 10 | 43,000 |
| NOT STATED | 9 | 125 | 560,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** AMC_12 **Length** 2 **Position** 2252 - 2253

**Question Name**

**Concept** Reason not willing to wear activity monitor

**Question** INSTRUCTION: Record the reason why the respondent is not willing to wear an activity monitor for the next 7 days.

**Universe** Respondents who answered AM_11 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BURDEN | 1 | 20 | 76,000 |
| INVASIVE | 2 | 5 | 19,000 |
| AWAY DURING COLLECTION PERIOD | 4 | 10 | 72,500 |
| SICK OR LAID UP | 6 | 5 | 13,500 |
| WORRIED ABOUT LOSING/DAMAGING DEVICE | 7 | 5 | 49,000 |
| OTHER | 8 | 10 | 83,500 |
| NOT APPLICABLE | 96 | 5,425 | 28,361,500 |
| NOT STATED | 99 | 125 | 560,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMC_21 **Length** 1 **Position** 2254

**Question Name**

**Concept** Activity monitor taken

**Question** INSTRUCTION: Record whether the respondent took an activity monitor.

**Universe** Respondents who answered AMCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,410 | 28,300,500 |
| NO | 2 | 5 | 18,500 |
| NOT APPLICABLE | 6 | 60 | 356,500 |
| NOT STATED | 9 | 125 | 560,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** AMC_22 **Length** 2 **Position** 2255 - 2256

**Question Name**

**Concept** Reason activity monitor not taken

**Question** INSTRUCTION: Record the reason why the respondent did not take an activity monitor.

**Universe** Respondents who answered AM_21 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| AWAY DURING COLLECTION PERIOD | 4 | 5 | 4,000 |
| NOT APPLICABLE | 96 | 5,475 | 28,656,500 |
| REFUSAL | 98 | 5 | 14,000 |
| NOT STATED | 99 | 125 | 560,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPCDELG **Length** 2 **Position** 2257 - 2258
**Question Name**
**Concept** Eligibility - Spirometry component (D)
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,560 | 29,051,500 |
| NOT ELIGIBLE – PREGNANT >27 WEEKS | 7 | 10 | 82,500 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 15 | 47,000 |
| NOT ELIGIBLE - MEDICATION USE | 12 | 5 | 3,500 |
| NOT ELIGIBLE - OTHER REASON | 14 | 15 | 51,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPR_11 **Length** 1 **Position** 2259
**Question Name**
**Concept** Heart attack - past 3 months
**Question** Have you had a heart attack within the past 3 months?
**Universe** Respondents with SPCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 38,500 |
| NO | 2 | 5,560 | 29,013,000 |
| NOT APPLICABLE | 6 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPR_12 | **Length** | 1 | **Position** | 2260 |
| **Question Name** | | | | | |
| **Concept** | Major chest or abdomen surgery - past 3 months | | | | |
| **Question** | Have you had major surgery on your chest or abdomen in the past 3 months? | | | | |
| **Universe** | Respondents with SPCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 125,500 |
| NO | 2 | 5,540 | 28,887,500 |
| NOT APPLICABLE | 6 | 45 | 222,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_022 | **Length** | 1 | **Position** | 2261 |
| **Question Name** | | | | | |
| **Concept** | Race adjustment | | | | |
| **Question** | INSTRUCTION: Record the appropriate race adjustment for the respondent. | | | | |
| **Universe** | Respondents aged 12 and older who answered SPR_11 = 2 and SPR_12 = 2 | | | | |
| **Note** | SPM_022 should only be used for spirometry analysis. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| WHITE | 1 | 4,900 | 25,255,500 |
| BLACK | 2 | 420 | 2,173,000 |
| HISPANIC | 3 | 30 | 237,500 |
| ASIAN | 4 | 175 | 1,119,000 |
| OTHER | 5 | 10 | 67,500 |
| NOT APPLICABLE | 6 | 65 | 348,000 |
| NOT STATED | 9 | 5 | 35,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_PFVC **Length** 4.2 **Position** 2262 - 2265
**Question Name**
**Concept** Respondent's predicted FVC (L)
**Question**
**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 1.06 - 6.81 | 5,435 | 28,435,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 105 | 452,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_PV1 **Length** 4.2 **Position** 2266 - 2269
**Question Name**
**Concept** Respondent's predicted FEV1 (L)
**Question**
**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.90 - 5.59 | 5,435 | 28,435,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 105 | 452,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_PV1F **Length** 4.2 **Position** 2270 - 2273

**Question Name**

**Concept** Respondent's predicted FEV1/FVC (%)

**Question**

**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.70 - 0.92 | 5,435 | 28,435,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 105 | 452,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_CFVC **Length** 4.2 **Position** 2274 - 2277

**Question Name**

**Concept** Confidence interval for predicted FVC (L)

**Question**

**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.29 - 1.18 | 5,125 | 27,838,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 410 | 1,048,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_CV1 **Length** 4.2 **Position** 2278 - 2281
**Question Name**
**Concept** Confidence interval for predicted FEV1 (L)
**Question**
**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.24 - 1.00 | 5,125 | 27,838,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 410 | 1,048,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_CV1F **Length** 4.2 **Position** 2282 - 2285
**Question Name**
**Concept** Confidence interval for predicted FEV1/FVC (%)
**Question**
**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.09 - 0.11 | 5,125 | 27,838,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 410 | 1,048,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_NUME **Length** 2 **Position** 2286 - 2287
**Question Name**
**Concept** Number of subject efforts (maximum of 8)
**Question**
**Universe** Respondents who answered SPR_11 = 2 and SPR_12 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF ATTEMPTS | 1 - 8 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 96 | 65 | 348,000 |
| NOT STATED | 99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_NUMA **Length** 2 **Position** 2288 - 2289
**Question Name**
**Concept** Number of acceptable maneuvers out of all trials (max. of 8)
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF ACCEPTABLE ATTEMPTS | 0 - 8 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 96 | 65 | 348,000 |
| NOT STATED | 99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_REP | **Length** | 1 | **Position** | 2290 |
| **Question Name** | | | | | |
| **Concept** | Test repeatability for FVC and FEV1 within 150 ml | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,845 | 25,819,000 |
| NO | 2 | 465 | 2,122,000 |
| NOT APPLICABLE | 6 | 65 | 348,000 |
| NOT STATED | 9 | 235 | 946,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_QFVC | **Length** | 1 | **Position** | 2291 |
| **Question Name** | | | | | |
| **Concept** | FVC Quality factor | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| A: EXCELLENT REPRODUCIBILITYAND QUALITY | 0 | 3,530 | 18,390,500 |
| B: GOOD REPRODUCIBILITYAND QUALITY | 1 | 705 | 3,346,000 |
| C: QUESTIONABLE REPRODUCIBILITYAND QUALI | 2 | 810 | 5,208,000 |
| D: HIGHLY QUESTIONABLE REPRODUCIBILITYAN | 3 | 260 | 991,500 |
| F: UNACCEPTABLE TEST RESULTS | 4 | 195 | 777,000 |
| NOT APPLICABLE | 6 | 65 | 348,000 |
| NOT STATED | 9 | 40 | 174,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_QV1 **Length** 1 **Position** 2292
**Question Name**
**Concept** FEV1 Quality factor
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| A: EXCELLENT REPRODUCIBILITYAND QUALITY | 0 | 4,600 | 24,658,500 |
| B: GOOD REPRODUCIBILITYAND QUALITY | 1 | 390 | 1,902,500 |
| C: QUESTIONABLE REPRODUCIBILITYAND QUALI | 2 | 120 | 569,000 |
| D: HIGHLY QUESTIONABLE REPRODUCIBILITYAN | 3 | 195 | 806,500 |
| F: UNACCEPTABLE TEST RESULTS | 4 | 195 | 777,000 |
| NOT APPLICABLE | 6 | 65 | 348,000 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BFVC **Length** 4.2 **Position** 2293 - 2296
**Question Name**
**Concept** Largest FVC (L) from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.38 - 8.27 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_B05 **Length** 4.2 **Position** 2297 - 2300
**Question Name**
**Concept** Largest FEV0.5 (L) from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.21 - 4.61 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_B05F **Length** 5.3 **Position** 2301 - 2305
**Question Name**
**Concept** Best FEV0.5/FVC from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.142 - 0.863 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_B75 **Length** 4.2 **Position** 2306 - 2309
**Question Name**
**Concept** Largest FEV0.75 (L) from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.29 - 5.93 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_B75F **Length** 5.3 **Position** 2310 - 2314
**Question Name**
**Concept** Best FEV0.75/FVC from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.182 - 0.989 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_B1 **Length** 4.2 **Position** 2315 - 2318
**Question Name**
**Concept** Largest FEV1 (L) from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.35 - 6.62 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_B1F **Length** 5.3 **Position** 2319 - 2323
**Question Name**
**Concept** Best FEV1/FVC from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.219 - 1.000 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_B3 | **Length** | 4.2 | **Position** | 2324 - 2327 |
| **Question Name** | | | | | |
| **Concept** | Largest FEV3 (L) from acceptable trials | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.37 - 7.68 | 5,250 | 27,790,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 290 | 1,097,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_B3F | **Length** | 5.3 | **Position** | 2328 - 2332 |
| **Question Name** | | | | | |
| **Concept** | Best FEV3/FVC from acceptable trials | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.458 - 1.075 | 5,250 | 27,790,000 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 290 | 1,097,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_B6 | **Length** | 4.2 | **Position** | 2333 - 2336 |
| **Question Name** | | | | | |
| **Concept** | Largest FEV6 (L) from acceptable trials | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.37 - 8.05 | 4,580 | 25,645,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 960 | 3,242,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_B6F | **Length** | 5.3 | **Position** | 2337 - 2341 |
| **Question Name** | | | | | |
| **Concept** | Best FEV6/FVC from acceptable trials | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.423 - 1.398 | 4,580 | 25,645,000 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 960 | 3,242,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_B16 **Length** 5.3 **Position** 2342 - 2346
**Question Name**
**Concept** Best FEV1/FEV6 from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.300 - 2.037 | 4,580 | 25,645,000 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 960 | 3,242,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BPEF **Length** 5.2 **Position** 2347 - 2351
**Question Name**
**Concept** Largest PEF (L/second) from acceptable trials
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.49 - 14.49 | 5,305 | 27,936,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 235 | 951,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_BF25 **Length** 5.2 **Position** 2352 - 2356

**Question Name**

**Concept** FEF25% (L/s) from acceptable trials & largest sum FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Instantaneous forced expiratory flow when 25% of the FVC has been expired (FEF25%) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.36 - 13.88 | 5,495 | 28,700,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 45 | 186,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BF50 **Length** 5.2 **Position** 2357 - 2361

**Question Name**

**Concept** FEF50% (L/s) from accept. trials & largest sum of FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Instantaneous forced expiratory flow when 50% of the FVC has been expired (FEF50%) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.18 - 9.04 | 5,495 | 28,700,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 45 | 186,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_BF75 **Length** 4.2 **Position** 2362 - 2365

**Question Name**

**Concept** FEF75% (L/s) from accept. trials & largest sum of FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Instantaneous forced expiratory flow when 75% of the FVC has been expired (FEF75%) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.07 - 5.44 | 5,495 | 28,700,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 45 | 186,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BM25 **Length** 4.2 **Position** 2366 - 2369

**Question Name**

**Concept** FEF25-75% (L/s) from accept. trials & larg sum of FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Mean forced expiratory flow between 25% and 75% of the FVC (FEF25-75%) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.15 - 8.00 | 5,470 | 28,622,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 70 | 264,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_BM75 **Length** 4.2 **Position** 2370 - 2373

**Question Name**

**Concept** FEF75-85% (L/s) from accept. trials & larg sum of FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Mean forced expiratory flow between 75% and 85% of the FVC (FEF75-85%) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.05 - 5.17 | 5,490 | 28,690,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 45 | 197,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BM1L **Length** 5.2 **Position** 2374 - 2378

**Question Name**

**Concept** FEF212 (L/s) from accept. trials & largest sum of FVC + FEV1

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note** Mean forced expiratory flow between 0.2 L and 1.2 L of the FVC (FEF212) (L/s) from acceptable trials and largest sum of FVC + FEV1

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.14 - 13.04 | 5,465 | 28,660,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 70 | 227,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPMDBFVP | **Length** | 5.1 | **Position** | 2379 - 2383 |
| **Question Name** | | | | | |
| **Concept** | Percent of predicted FVC - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| % PREDICTED FVC | 23.2 - 159.7 | 5,310 | 28,022,000 |
| NOT STATED | 999.9 | 295 | 1,213,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPMDB1P | **Length** | 5.1 | **Position** | 2384 - 2388 |
| **Question Name** | | | | | |
| **Concept** | Percent of predicted FEV1 - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| % PREDICTED FEV1 | 25.2 - 144.7 | 5,310 | 28,022,000 |
| NOT STATED | 999.9 | 295 | 1,213,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPMDB1FP | **Length** | 5.1 | **Position** | 2389 - 2393 |
| **Question Name** | | | | | |
| **Concept** | Percent of predicted FEV1/FVC - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| % PREDICTED FEV1/FVC | 29.6 - 121.9 | 5,310 | 28,022,000 |
| NOT STATED | 999.9 | 295 | 1,213,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_BMET | **Length** | 4.2 | **Position** | 2394 - 2397 |
| **Question Name** | | | | | |
| **Concept** | Largest MET (s) from acceptable trials | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.14 - 5.88 | 5,490 | 28,687,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 45 | 199,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_BET **Length** 5.2 **Position** 2398 - 2402

**Question Name**

**Concept** Largest Expiratory time (s) from acceptable trials

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 1.02 - 32.93 | 5,490 | 28,687,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 45 | 199,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_BNUM **Length** 2 **Position** 2403 - 2404

**Question Name**

**Concept** Index or trial # of best curve (largest sum of FVC + FEV1)

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF BEST SPIROMETRY TRIAL | 1 - 8 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 96 | 65 | 348,000 |
| NOT STATED | 99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_1ACC | **Length** | 1 | **Position** | 2405 |
| **Question Name** | | | | | |
| **Concept** | Effort #1 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,930 | 26,319,000 |
| NO | 2 | 570 | 2,390,000 |
| NOT APPLICABLE | 6 | 65 | 348,000 |
| NOT STATED | 9 | 40 | 178,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_1FVC | **Length** | 4.2 | **Position** | 2406 - 2409 |
| **Question Name** | | | | | |
| **Concept** | Effort #1 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 0 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.53 - 8.27 | 5,500 | 28,706,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 181,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_105 **Length** 4.2 **Position** 2410 - 2413
**Question Name**
**Concept** Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.19 - 4.57 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_105F **Length** 5.3 **Position** 2414 - 2418
**Question Name**
**Concept** Effort #1 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.142 - 1.000 | 5,500 | 28,706,000 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 40 | 181,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_175 **Length** 4.2 **Position** 2419 - 2422
**Question Name**
**Concept** Effort #1 FEV0.75 (L) forced expiratory vol. in 0.75 seconds
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.17 - 5.86 | 5,500 | 28,712,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 175,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_175F **Length** 5.3 **Position** 2423 - 2427
**Question Name**
**Concept** Effort #1 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.182 - 1.086 | 5,495 | 28,705,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 40 | 182,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_11 **Length** 4.2 **Position** 2428 - 2431
**Question Name**
**Concept** Effort #1 FEV1 (L) forced expiratory volume in one second
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.32 - 6.51 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_11F **Length** 4.2 **Position** 2432 - 2435
**Question Name**
**Concept** Effort #1 FEV1/FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.22 - 1.24 | 5,500 | 28,710,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 177,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_13 **Length** 5.3 **Position** 2436 - 2440
**Question Name**
**Concept** Effort #1 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.300 - 0.996 | 4,080 | 23,629,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 1,460 | 5,258,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_13F **Length** 4.2 **Position** 2441 - 2444
**Question Name**
**Concept** Effort #1 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.57 - 7.68 | 5,170 | 27,549,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 370 | 1,338,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_16 **Length** 5.3 **Position** 2445 - 2449
**Question Name**
**Concept** Effort #1 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.363 - 9.990 | 5,170 | 27,549,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 370 | 1,338,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_16F **Length** 4.2 **Position** 2450 - 2453
**Question Name**
**Concept** Effort #1 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.81 - 8.04 | 4,080 | 23,629,500 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 1,460 | 5,258,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_116 **Length** 5.3 **Position** 2454 - 2458
**Question Name**
**Concept** Effort #1 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.730 - 1.673 | 4,075 | 23,626,500 |
| NOT APPLICABLE | 9.996 | 65 | 348,000 |
| NOT STATED | 9.999 | 1,460 | 5,261,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1PEF **Length** 5.2 **Position** 2459 - 2463
**Question Name**
**Concept** Effort #1 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 1.22 - 14.49 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_1F25 **Length** 5.2 **Position** 2464 - 2468

**Question Name**

**Concept** Effort #1 FEF25% (L/s) forced exp. flow at 25% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.32 - 13.52 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1F50 **Length** 5.2 **Position** 2469 - 2473

**Question Name**

**Concept** Effort #1 FEF50% (L/s) forced exp. flow at 50% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 0

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.15 - 9.11 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_1F75 **Length** 4.2 **Position** 2474 - 2477
**Question Name**
**Concept** Effort #1 FEF75% (L/s) forced expira. flow at 75% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.07 - 5.44 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1M25 **Length** 4.2 **Position** 2478 - 2481
**Question Name**
**Concept** Effort #1 FEF2575% (L/s) forced exp. flow from 25-75% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.15 - 8.08 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_1M75 **Length** 4.2 **Position** 2482 - 2485
**Question Name**
**Concept** Effort #1 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.06 - 5.17 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1M1L **Length** 5.2 **Position** 2486 - 2490
**Question Name**
**Concept** Effort#1 FEF212 (L/s) forced ex. flow from 0.2 to 1.2 liters
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.14 - 13.01 | 5,475 | 28,669,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 65 | 218,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_1MET **Length** 4.2 **Position** 2491 - 2494
**Question Name**
**Concept** Effort #1 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.14 - 5.33 | 5,500 | 28,713,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1ET **Length** 5.2 **Position** 2495 - 2499
**Question Name**
**Concept** Effort #1 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 1.00 - 32.93 | 5,495 | 28,705,500 |
| NOT APPLICABLE | 99.96 | 65 | 348,000 |
| NOT STATED | 99.99 | 40 | 182,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_1BV **Length** 4.2 **Position** 2500 - 2503
**Question Name**
**Concept** Effort #1 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.10 - 1.38 | 5,500 | 28,709,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 178,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_1BVF **Length** 4.2 **Position** 2504 - 2507
**Question Name**
**Concept** Effort #1 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 0
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | 0.00 - 0.98 | 5,500 | 28,706,000 |
| NOT APPLICABLE | 9.96 | 65 | 348,000 |
| NOT STATED | 9.99 | 40 | 181,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_2ACC | **Length** | 1 | **Position** | 2508 |
| **Question Name** | | | | | |
| **Concept** | Effort #2 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 1 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,560 | 24,428,500 |
| NO | 2 | 920 | 4,207,000 |
| NOT APPLICABLE | 6 | 85 | 426,000 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_2FVC | **Length** | 4.2 | **Position** | 2509 - 2512 |
| **Question Name** | | | | | |
| **Concept** | Effort #2 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.29 - 8.19 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_205 **Length** 4.2 **Position** 2513 - 2516
**Question Name**
**Concept** Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.20 - 4.53 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_205F **Length** 5.3 **Position** 2517 - 2521
**Question Name**
**Concept** Effort #2 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.052 - 4.207 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.996 | 85 | 426,000 |
| NOT STATED | 9.999 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_275 **Length** 4.2 **Position** 2522 - 2525
**Question Name**
**Concept** Effort #2 FEV0.75 (L) forced expiratory volume in 0.75 sec.
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.43 - 5.79 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_275F **Length** 5.3 **Position** 2526 - 2530
**Question Name**
**Concept** Effort #2 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.120 - 5.552 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.996 | 85 | 426,000 |
| NOT STATED | 9.999 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_21 **Length** 4.2 **Position** 2531 - 2534

**Question Name**

**Concept** Effort #2 FEV1 (L) forced expiratory volume in one second

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.49 - 6.57 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_21F **Length** 4.2 **Position** 2535 - 2538

**Question Name**

**Concept** Effort #2 FEV1/FVC

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.22 - 6.55 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_23 **Length** 5.3 **Position** 2539 - 2543
**Question Name**
**Concept** Effort #2 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.229 - 1.039 | 3,915 | 22,986,500 |
| NOT APPLICABLE | 9.996 | 85 | 426,000 |
| NOT STATED | 9.999 | 1,605 | 5,823,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_23F **Length** 4.2 **Position** 2544 - 2547
**Question Name**
**Concept** Effort #2 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.76 - 7.63 | 5,070 | 27,280,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 445 | 1,528,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_26 **Length** 5.3 **Position** 2548 - 2552
**Question Name**
**Concept** Effort #2 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.448 - 7.517 | 5,070 | 27,280,500 |
| NOT APPLICABLE | 9.996 | 85 | 426,000 |
| NOT STATED | 9.999 | 445 | 1,528,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_26F **Length** 4.2 **Position** 2553 - 2556
**Question Name**
**Concept** Effort #2 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.84 - 8.05 | 3,915 | 22,986,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 1,605 | 5,823,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_216 **Length** 5.3 **Position** 2557 - 2561
**Question Name**
**Concept** Effort #2 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.702 - 1.534 | 3,915 | 22,986,500 |
| NOT APPLICABLE | 9.996 | 85 | 426,000 |
| NOT STATED | 9.999 | 1,605 | 5,823,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2PEF **Length** 5.2 **Position** 2562 - 2566
**Question Name**
**Concept** Effort #2 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 1.06 - 14.12 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 99.96 | 85 | 426,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_2F25 **Length** 5.2 **Position** 2567 - 2571

**Question Name**

**Concept** Effort #2 FEF25% (L/s) forced expir. flow at 25% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.36 - 13.88 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 99.96 | 85 | 426,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2F50 **Length** 5.2 **Position** 2572 - 2576

**Question Name**

**Concept** Effort #2 FEF50% (L/s) forced expira. flow at 50% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.18 - 9.00 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 99.96 | 85 | 426,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_2F75 **Length** 4.2 **Position** 2577 - 2580
**Question Name**
**Concept** Effort #1 FEF75% (L/s) forced expira. flow at 75% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.07 - 5.26 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2M25 **Length** 4.2 **Position** 2581 - 2584
**Question Name**
**Concept** Effort #2 FEF2575% (L/s) forced exp flow from 25-75% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.15 - 8.00 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_2M75 **Length** 4.2 **Position** 2585 - 2588

**Question Name**

**Concept** Effort #2 FEF7585% (L/s) forced exp flow from 75-85% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.05 - 4.79 | 5,475 | 28,621,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 188,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2M1L **Length** 5.2 **Position** 2589 - 2593

**Question Name**

**Concept** Effort #2 FEF212 (L/s) forced expira. flow from 0.2 to 1.2 L

**Question**

**Universe** Respondents with SPM_NUME > 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.14 - 13.04 | 5,455 | 28,591,000 |
| NOT APPLICABLE | 99.96 | 85 | 426,000 |
| NOT STATED | 99.99 | 65 | 218,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_2MET **Length** 4.2 **Position** 2594 - 2597
**Question Name**
**Concept** Effort 2 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.14 - 5.88 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2ET **Length** 5.2 **Position** 2598 - 2602
**Question Name**
**Concept** Effort #2 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 0.94 - 31.27 | 5,480 | 28,633,500 |
| NOT APPLICABLE | 99.96 | 85 | 426,000 |
| NOT STATED | 99.99 | 40 | 176,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_2BV **Length** 4.2 **Position** 2603 - 2606
**Question Name**
**Concept** Effort #2 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.01 - 1.71 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_2BVF **Length** 4.2 **Position** 2607 - 2610
**Question Name**
**Concept** Effort #2 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | -.03 - 0.99 | 5,480 | 28,635,500 |
| NOT APPLICABLE | 9.96 | 85 | 426,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_3ACC | **Length** | 1 | **Position** | 2611 |
| **Question Name** | | | | | |
| **Concept** | Effort #3 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 2 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,535 | 24,337,000 |
| NO | 2 | 920 | 4,168,500 |
| NOT APPLICABLE | 6 | 110 | 546,000 |
| NOT STATED | 9 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_3FVC | **Length** | 4.2 | **Position** | 2612 - 2615 |
| **Question Name** | | | | | |
| **Concept** | Effort #3 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.38 - 8.09 | 5,455 | 28,505,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_305 **Length** 4.2 **Position** 2616 - 2619

**Question Name**

**Concept** Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.10 - 4.53 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_305F **Length** 5.3 **Position** 2620 - 2624

**Question Name**

**Concept** Effort #3 FEV0.5/FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.094 - 1.023 | 5,455 | 28,505,500 |
| NOT APPLICABLE | 9.996 | 110 | 546,000 |
| NOT STATED | 9.999 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_375 **Length** 4.2 **Position** 2625 - 2628

**Question Name**

**Concept** Effort #3 FEV0.75 (L) forced exp. volume in 0.75 seconds

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.13 - 5.85 | 5,455 | 28,514,000 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_375F **Length** 5.3 **Position** 2629 - 2633

**Question Name**

**Concept** Effort #3 FEV0.75/FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.129 - 1.605 | 5,455 | 28,504,000 |
| NOT APPLICABLE | 9.996 | 110 | 546,000 |
| NOT STATED | 9.999 | 40 | 185,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_31 **Length** 4.2 **Position** 2634 - 2637

**Question Name**

**Concept** Effort #3 FEV1 (L) forced expiratory volume in one second

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.25 - 6.57 | 5,455 | 28,514,000 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_31F **Length** 4.2 **Position** 2638 - 2641

**Question Name**

**Concept** Effort #3 FEV1/FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.23 - 1.79 | 5,455 | 28,514,000 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_33 **Length** 5.3 **Position** 2642 - 2646
**Question Name**
**Concept** Effort #3 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.302 - 1.031 | 3,865 | 22,864,500 |
| NOT APPLICABLE | 9.996 | 110 | 546,000 |
| NOT STATED | 9.999 | 1,630 | 5,825,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_33F **Length** 4.2 **Position** 2647 - 2650
**Question Name**
**Concept** Effort #3 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.37 - 7.52 | 5,035 | 27,238,000 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 460 | 1,451,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_36 **Length** 5.3 **Position** 2651 - 2655
**Question Name**
**Concept** Effort #3 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.421 - 1.625 | 5,035 | 27,233,000 |
| NOT APPLICABLE | 9.996 | 110 | 546,000 |
| NOT STATED | 9.999 | 465 | 1,457,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_36F **Length** 4.2 **Position** 2656 - 2659
**Question Name**
**Concept** Effort #3 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.37 - 7.87 | 3,865 | 22,864,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 1,630 | 5,825,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_316 **Length** 5.3 **Position** 2660 - 2664
**Question Name**
**Concept** Effort #3 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.752 - 1.259 | 3,865 | 22,859,500 |
| NOT APPLICABLE | 9.996 | 110 | 546,000 |
| NOT STATED | 9.999 | 1,635 | 5,830,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3PEF **Length** 5.2 **Position** 2665 - 2669
**Question Name**
**Concept** Effort #3 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.49 - 14.26 | 5,455 | 28,512,000 |
| NOT APPLICABLE | 99.96 | 110 | 546,000 |
| NOT STATED | 99.99 | 40 | 177,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_3F25 **Length** 5.2 **Position** 2670 - 2674

**Question Name**

**Concept** Effort #3 FEF25% (L/s) forced expir.flow at 25% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.18 - 13.85 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 99.96 | 110 | 546,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3F50 **Length** 5.2 **Position** 2675 - 2679

**Question Name**

**Concept** Effort #3 FEF50% (L/s) forced expir. flow at 50% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.15 - 9.04 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 99.96 | 110 | 546,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_3F75 **Length** 4.2 **Position** 2680 - 2683

**Question Name**

**Concept** Effort #3 FEF75% (L/s) forced expira. flow at 75% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.07 - 6.09 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3M25 **Length** 4.2 **Position** 2684 - 2687

**Question Name**

**Concept** Effort #3 FEF2575% (L/s) forced exp. flow from 25-75% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.14 - 7.98 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_3M75 **Length** 4.2 **Position** 2688 - 2691
**Question Name**
**Concept** Effort #3 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.06 - 5.29 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3M1L **Length** 5.2 **Position** 2692 - 2696
**Question Name**
**Concept** Effort #3 FEF212 (L/s) forced expir. flow from 0.2 to 1.2 L
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.10 - 13.06 | 5,425 | 28,454,500 |
| NOT APPLICABLE | 99.96 | 110 | 546,000 |
| NOT STATED | 99.99 | 75 | 235,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_3MET **Length** 4.2 **Position** 2697 - 2700
**Question Name**
**Concept** Effort #3 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.15 - 6.21 | 5,460 | 28,515,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3ET **Length** 5.2 **Position** 2701 - 2705
**Question Name**
**Concept** Effort #3 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 1.03 - 53.27 | 5,455 | 28,504,500 |
| NOT APPLICABLE | 99.96 | 110 | 546,000 |
| NOT STATED | 99.99 | 40 | 185,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_3BV **Length** 4.2 **Position** 2706 - 2709
**Question Name**
**Concept** Effort #3 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | 0.00 - 1.08 | 5,455 | 28,505,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_3BVF **Length** 4.2 **Position** 2710 - 2713
**Question Name**
**Concept** Effort #3 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | 0.00 - 0.99 | 5,455 | 28,505,500 |
| NOT APPLICABLE | 9.96 | 110 | 546,000 |
| NOT STATED | 9.99 | 40 | 184,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_4ACC | **Length** | 1 | **Position** | 2714 |
| **Question Name** | | | | | |
| **Concept** | Effort #4 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 3 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,155 | 22,231,000 |
| NO | 2 | 1,045 | 4,903,000 |
| NOT APPLICABLE | 6 | 365 | 1,927,000 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_4FVC | **Length** | 4.2 | **Position** | 2715 - 2718 |
| **Question Name** | | | | | |
| **Concept** | Effort #4 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.34 - 7.96 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_405 **Length** 4.2 **Position** 2719 - 2722
**Question Name**
**Concept** Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.16 - 4.61 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_405F **Length** 5.3 **Position** 2723 - 2727
**Question Name**
**Concept** Effort #4 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.161 - 2.088 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.996 | 365 | 1,927,000 |
| NOT STATED | 9.999 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_475 **Length** 4.2 **Position** 2728 - 2731
**Question Name**
**Concept** Effort #4 FEV0.75 (L) forced exp. volume in 0.75 seconds
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.28 - 5.93 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_475F **Length** 5.3 **Position** 2732 - 2736
**Question Name**
**Concept** Effort #4 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.231 - 9.990 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.996 | 365 | 1,927,000 |
| NOT STATED | 9.999 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_41 **Length** 4.2 **Position** 2737 - 2740
**Question Name**
**Concept** Effort #4 FEV1 (L) forced expiratory volume in one second
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.09 - 6.62 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_41F **Length** 4.2 **Position** 2741 - 2744
**Question Name**
**Concept** Effort #4 FEV1/FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.06 - 3.85 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_43 **Length** 5.3 **Position** 2745 - 2749
**Question Name**
**Concept** Effort #4 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.390 - 1.000 | 3,585 | 21,004,500 |
| NOT APPLICABLE | 9.996 | 365 | 1,927,000 |
| NOT STATED | 9.999 | 1,655 | 6,304,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_43F **Length** 4.2 **Position** 2750 - 2753
**Question Name**
**Concept** Effort #4 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.50 - 7.38 | 4,755 | 25,748,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 485 | 1,560,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_46 **Length** 5.3 **Position** 2754 - 2758
**Question Name**
**Concept** Effort #4 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.325 - 4.294 | 4,750 | 25,737,500 |
| NOT APPLICABLE | 9.996 | 365 | 1,927,000 |
| NOT STATED | 9.999 | 490 | 1,570,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_46F **Length** 4.2 **Position** 2759 - 2762
**Question Name**
**Concept** Effort #4 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.81 - 7.82 | 3,585 | 21,004,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 1,655 | 6,304,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_416 **Length** 5.3 **Position** 2763 - 2767
**Question Name**
**Concept** Effort #4 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.702 - 1.370 | 3,580 | 20,994,000 |
| NOT APPLICABLE | 9.996 | 365 | 1,927,000 |
| NOT STATED | 9.999 | 1,660 | 6,314,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4PEF **Length** 5.2 **Position** 2768 - 2772
**Question Name**
**Concept** Effort #4 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.78 - 14.14 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 99.96 | 365 | 1,927,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_4F25 **Length** 5.2 **Position** 2773 - 2777
**Question Name**
**Concept** Effort #4 FEF25% (L/s) forced exp. flow at 25% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.21 - 13.75 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 99.96 | 365 | 1,927,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4F50 **Length** 5.2 **Position** 2778 - 2782
**Question Name**
**Concept** Effort #4 FEF50% (L/s) forced exp. flow at 50% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.11 - 9.09 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 99.96 | 365 | 1,927,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_4F75 **Length** 4.2 **Position** 2783 - 2786
**Question Name**
**Concept** Effort #4 FEF75% (L/s) forced exp. flow at 75% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.07 - 5.66 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4M25 **Length** 4.2 **Position** 2787 - 2790
**Question Name**
**Concept** Effort #4 FEF2575% (L/s) forced exp. flow from 25-75% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.11 - 8.15 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_4M75 **Length** 4.2 **Position** 2791 - 2794
**Question Name**
**Concept** Effort #4 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.05 - 5.24 | 5,200 | 27,132,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 176,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4M1L **Length** 5.2 **Position** 2795 - 2799
**Question Name**
**Concept** Effort #4 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.15 - 13.13 | 5,160 | 27,038,000 |
| NOT APPLICABLE | 99.96 | 365 | 1,927,000 |
| NOT STATED | 99.99 | 80 | 270,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_4MET **Length** 4.2 **Position** 2800 - 2803
**Question Name**
**Concept** Effort #4 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.22 - 5.81 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4ET **Length** 5.2 **Position** 2804 - 2808
**Question Name**
**Concept** Effort #4 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 1.01 - 27.61 | 5,200 | 27,134,000 |
| NOT APPLICABLE | 99.96 | 365 | 1,927,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_4BV **Length** 4.2 **Position** 2809 - 2812
**Question Name**
**Concept** Effort #4 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.02 - 1.60 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_4BVF **Length** 4.2 **Position** 2813 - 2816
**Question Name**
**Concept** Effort #4 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | 0.00 - 0.99 | 5,195 | 27,123,500 |
| NOT APPLICABLE | 9.96 | 365 | 1,927,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_5ACC | **Length** | 1 | **Position** | 2817 |
| **Question Name** | | | | | |
| **Concept** | Effort #5 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 4 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,135 | 16,785,500 |
| NO | 2 | 1,075 | 4,667,000 |
| NOT APPLICABLE | 6 | 1,355 | 7,609,000 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_5FVC | **Length** | 4.2 | **Position** | 2818 - 2821 |
| **Question Name** | | | | | |
| **Concept** | Effort #5 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 4 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.10 - 7.96 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_505 **Length** 4.2 **Position** 2822 - 2825

**Question Name**

**Concept** Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.07 - 4.41 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_505F **Length** 5.3 **Position** 2826 - 2830

**Question Name**

**Concept** Effort #5 FEV0.5/FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.060 - 5.885 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.996 | 1,355 | 7,609,000 |
| NOT STATED | 9.999 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_575 **Length** 4.2 **Position** 2831 - 2834
**Question Name**
**Concept** Effort #5 FEV0.75 (L) forced exp. volume in 0.75 seconds
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.10 - 5.67 | 4,210 | 21,447,500 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 178,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_575F **Length** 5.3 **Position** 2835 - 2839
**Question Name**
**Concept** Effort #5 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.188 - 7.115 | 4,210 | 21,447,500 |
| NOT APPLICABLE | 9.996 | 1,355 | 7,609,000 |
| NOT STATED | 9.999 | 40 | 178,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_51 **Length** 4.2 **Position** 2840 - 2843

**Question Name**

**Concept** Effort #5 FEV1 (L) forced expiratory volume in one second

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.09 - 6.35 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_51F **Length** 4.2 **Position** 2844 - 2847

**Question Name**

**Concept** Effort #5 FEV1/FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.08 - 7.92 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_53 **Length** 5.3 **Position** 2848 - 2852
**Question Name**
**Concept** Effort #5 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.310 - 1.403 | 2,695 | 15,895,000 |
| NOT APPLICABLE | 9.996 | 1,355 | 7,609,000 |
| NOT STATED | 9.999 | 1,555 | 5,731,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_53F **Length** 4.2 **Position** 2853 - 2856
**Question Name**
**Concept** Effort #5 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.34 - 7.43 | 3,765 | 20,060,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 480 | 1,566,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_56 **Length** 5.3 **Position** 2857 - 2861
**Question Name**
**Concept** Effort #5 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.252 - 9.308 | 3,765 | 20,060,000 |
| NOT APPLICABLE | 9.996 | 1,355 | 7,609,000 |
| NOT STATED | 9.999 | 480 | 1,566,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_56F **Length** 4.2 **Position** 2862 - 2865
**Question Name**
**Concept** Effort #5 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.54 - 7.84 | 2,695 | 15,895,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 1,555 | 5,731,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_516 **Length** 5.3 **Position** 2866 - 2870
**Question Name**
**Concept** Effort #5 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.762 - 9.923 | 2,695 | 15,895,000 |
| NOT APPLICABLE | 9.996 | 1,355 | 7,609,000 |
| NOT STATED | 9.999 | 1,555 | 5,731,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5PEF **Length** 5.2 **Position** 2871 - 2875
**Question Name**
**Concept** Effort #5 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.61 - 14.06 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 99.96 | 1,355 | 7,609,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_5F25 **Length** 5.2 **Position** 2876 - 2880

**Question Name**

**Concept** Effort #5 FEF25% (L/s) forced exp flow at 25% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.25 - 11.96 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 99.96 | 1,355 | 7,609,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5F50 **Length** 5.2 **Position** 2881 - 2885

**Question Name**

**Concept** Effort #5 FEF50% (L/s) forced exp flow at 50% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.12 - 9.10 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 99.96 | 1,355 | 7,609,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_5F75 **Length** 4.2 **Position** 2886 - 2889

**Question Name**

**Concept** Effort #5 FEF75% (L/s) forced exp. flow at 75% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.08 - 6.53 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5M25 **Length** 4.2 **Position** 2890 - 2893

**Question Name**

**Concept** Effort #5 FEF2575% (L/s) forced exp. flow from 25-75% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.12 - 7.18 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_5M75 **Length** 4.2 **Position** 2894 - 2897

**Question Name**

**Concept** Effort #5 FEF7585% (L/s) forced exp. flow from 75-85% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.05 - 5.84 | 4,210 | 21,449,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 177,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5M1L **Length** 5.2 **Position** 2898 - 2902

**Question Name**

**Concept** Effort #5 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L

**Question**

**Universe** Respondents with SPM_NUME > 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.12 - 12.77 | 4,145 | 21,294,500 |
| NOT APPLICABLE | 99.96 | 1,355 | 7,609,000 |
| NOT STATED | 99.99 | 100 | 332,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_5MET **Length** 4.2 **Position** 2903 - 2906
**Question Name**
**Concept** Effort #5 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.09 - 5.19 | 4,210 | 21,449,500 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 177,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5ET **Length** 5.2 **Position** 2907 - 2911
**Question Name**
**Concept** Effort #5 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 0.63 - 32.63 | 4,210 | 21,450,500 |
| NOT APPLICABLE | 99.96 | 1,355 | 7,609,000 |
| NOT STATED | 99.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_5BV **Length** 4.2 **Position** 2912 - 2915
**Question Name**
**Concept** Effort #5 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.02 - 1.83 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_5BVF **Length** 4.2 **Position** 2916 - 2919
**Question Name**
**Concept** Effort #5 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 4
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | -.08 - 0.95 | 4,210 | 21,452,000 |
| NOT APPLICABLE | 9.96 | 1,355 | 7,609,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_6ACC | **Length** | 1 | **Position** | 2920 |
| **Question Name** | | | | | |
| **Concept** | Effort #6 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 5 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,940 | 10,029,000 |
| NO | 2 | 915 | 3,730,000 |
| NOT APPLICABLE | 6 | 2,710 | 15,302,000 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_6FVC | **Length** | 4.2 | **Position** | 2921 - 2924 |
| **Question Name** | | | | | |
| **Concept** | Effort #6 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.12 - 7.90 | 2,855 | 13,742,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 191,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_605 **Length** 4.2 **Position** 2925 - 2928
**Question Name**
**Concept** Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.05 - 4.48 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_605F **Length** 5.3 **Position** 2929 - 2933
**Question Name**
**Concept** Effort #6 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.057 - 6.000 | 2,855 | 13,742,500 |
| NOT APPLICABLE | 9.996 | 2,710 | 15,302,000 |
| NOT STATED | 9.999 | 40 | 191,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_675 **Length** 4.2 **Position** 2934 - 2937
**Question Name**
**Concept** Effort #6 FEV0.75 (L) forced exp. volume in 0.75 seconds
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.15 - 5.78 | 2,850 | 13,749,000 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 184,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_675F **Length** 5.3 **Position** 2938 - 2942
**Question Name**
**Concept** Effort #6 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.188 - 6.667 | 2,850 | 13,732,500 |
| NOT APPLICABLE | 9.996 | 2,710 | 15,302,000 |
| NOT STATED | 9.999 | 45 | 201,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_61 **Length** 4.2 **Position** 2943 - 2946
**Question Name**
**Concept** Effort #6 FEV1 (L) forced expiratory volume in one second
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.13 - 6.51 | 2,855 | 13,754,000 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 179,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_61F **Length** 4.2 **Position** 2947 - 2950
**Question Name**
**Concept** Effort #6 FEV1/FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.11 - 7.33 | 2,850 | 13,737,000 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 196,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_63 **Length** 5.3 **Position** 2951 - 2955
**Question Name**
**Concept** Effort #6 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.272 - 1.231 | 1,625 | 9,446,500 |
| NOT APPLICABLE | 9.996 | 2,710 | 15,302,000 |
| NOT STATED | 9.999 | 1,270 | 4,487,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_63F **Length** 4.2 **Position** 2956 - 2959
**Question Name**
**Concept** Effort #6 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.15 - 7.32 | 2,420 | 12,341,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 475 | 1,592,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_66 **Length** 5.3 **Position** 2960 - 2964
**Question Name**
**Concept** Effort #6 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.184 - 8.167 | 2,420 | 12,325,000 |
| NOT APPLICABLE | 9.996 | 2,710 | 15,302,000 |
| NOT STATED | 9.999 | 475 | 1,608,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_66F **Length** 4.2 **Position** 2965 - 2968
**Question Name**
**Concept** Effort #6 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.78 - 7.76 | 1,625 | 9,446,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 1,270 | 4,487,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_616 **Length** 5.3 **Position** 2969 - 2973
**Question Name**
**Concept** Effort #6 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.740 - 1.366 | 1,625 | 9,446,500 |
| NOT APPLICABLE | 9.996 | 2,710 | 15,302,000 |
| NOT STATED | 9.999 | 1,270 | 4,487,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6PEF **Length** 5.2 **Position** 2974 - 2978
**Question Name**
**Concept** Effort #6 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.53 - 14.07 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 99.96 | 2,710 | 15,302,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_6F25 **Length** 5.2 **Position** 2979 - 2983

**Question Name**

**Concept** Effort #6 FEF25% (L/s) forced exp. flow at 25% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.10 - 13.85 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 99.96 | 2,710 | 15,302,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6F50 **Length** 5.2 **Position** 2984 - 2988

**Question Name**

**Concept** Effort #6 FEF50% (L/s) forced exp. flow at 50% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.19 - 9.15 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 99.96 | 2,710 | 15,302,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_6F75 **Length** 4.2 **Position** 2989 - 2992

**Question Name**

**Concept** Effort #6 FEF75% (L/s) forced exp. flow at 75% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.06 - 5.34 | 2,855 | 13,757,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 176,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6M25 **Length** 4.2 **Position** 2993 - 2996

**Question Name**

**Concept** Effort #6 FEF2575% (L/s) forced exp. flow from 25-75% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.08 - 7.25 | 2,855 | 13,742,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 191,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_6M75 **Length** 4.2 **Position** 2997 - 3000
**Question Name**
**Concept** Effort #6 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.05 - 4.88 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6M1L **Length** 5.2 **Position** 3001 - 3005
**Question Name**
**Concept** Effort #6 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.12 - 13.01 | 2,780 | 13,591,500 |
| NOT APPLICABLE | 99.96 | 2,710 | 15,302,000 |
| NOT STATED | 99.99 | 115 | 342,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_6MET **Length** 4.2 **Position** 3006 - 3009

**Question Name**

**Concept** Effort #6 MET (s)

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.08 - 4.47 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6ET **Length** 5.2 **Position** 3010 - 3014

**Question Name**

**Concept** Effort #6 Expiratory Time (s)

**Question**

**Universe** Respondents with SPM_NUME > 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 0.94 - 56.81 | 2,855 | 13,759,500 |
| NOT APPLICABLE | 99.96 | 2,710 | 15,302,000 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_6BV **Length** 4.2 **Position** 3015 - 3018
**Question Name**
**Concept** Effort #6 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.18 - 1.72 | 2,855 | 13,742,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 191,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_6BVF **Length** 4.2 **Position** 3019 - 3022
**Question Name**
**Concept** Effort #6 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 5
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | -1.5 - 0.87 | 2,855 | 13,742,500 |
| NOT APPLICABLE | 9.96 | 2,710 | 15,302,000 |
| NOT STATED | 9.99 | 40 | 191,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_7ACC | **Length** | 1 | **Position** | 3023 |
| **Question Name** | | | | | |
| **Concept** | Effort #7 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 6 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,020 | 4,847,000 |
| NO | 2 | 630 | 2,548,000 |
| NOT APPLICABLE | 6 | 3,915 | 21,666,500 |
| NOT STATED | 9 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_7FVC | **Length** | 4.2 | **Position** | 3024 - 3027 |
| **Question Name** | | | | | |
| **Concept** | Effort #7 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 6 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.13 - 7.76 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_705 **Length** 4.2 **Position** 3028 - 3031
**Question Name**
**Concept** Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.12 - 4.48 | 1,650 | 7,393,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 176,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_705F **Length** 5.3 **Position** 3032 - 3036
**Question Name**
**Concept** Effort #7 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.056 - 4.677 | 1,650 | 7,393,000 |
| NOT APPLICABLE | 9.996 | 3,915 | 21,666,500 |
| NOT STATED | 9.999 | 40 | 176,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_775 **Length** 4.2 **Position** 3037 - 3040

**Question Name**

**Concept** Effort #7 FEV0.75 (L) forced exp. volume in 0.75 seconds

**Question**

**Universe** Respondents with SPM_NUME > 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.12 - 5.90 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_775F **Length** 5.3 **Position** 3041 - 3045

**Question Name**

**Concept** Effort #7 FEV0.75/FVC

**Question**

**Universe** Respondents with SPM_NUME > 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.106 - 5.613 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.996 | 3,915 | 21,666,500 |
| NOT STATED | 9.999 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_71 **Length** 4.2 **Position** 3046 - 3049
**Question Name**
**Concept** Effort #7 FEV1 (L) forced expiratory volume in one second
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.12 - 6.58 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_71F **Length** 4.2 **Position** 3050 - 3053
**Question Name**
**Concept** Effort #7 FEV1/FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.16 - 6.02 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_73 **Length** 5.3 **Position** 3054 - 3058
**Question Name**
**Concept** Effort #7 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.258 - 2.293 | 820 | 4,608,000 |
| NOT APPLICABLE | 9.996 | 3,915 | 21,666,500 |
| NOT STATED | 9.999 | 870 | 2,961,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_73F **Length** 4.2 **Position** 3059 - 3062
**Question Name**
**Concept** Effort #7 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.33 - 7.27 | 1,345 | 6,445,500 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 345 | 1,123,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_76 **Length** 5.3 **Position** 3063 - 3067

**Question Name**

**Concept** Effort #7 FEV3/FVC

**Question**

**Universe** Respondents with SPM_NUME > 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.406 - 7.177 | 1,345 | 6,445,500 |
| NOT APPLICABLE | 9.996 | 3,915 | 21,666,500 |
| NOT STATED | 9.999 | 345 | 1,123,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_76F **Length** 4.2 **Position** 3068 - 3071

**Question Name**

**Concept** Effort #7 FEV6 (L) forced expiratory volume in 6-seconds

**Question**

**Universe** Respondents with SPM_NUME > 6

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.41 - 7.62 | 820 | 4,608,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 870 | 2,961,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_716 **Length** 5.3 **Position** 3072 - 3076
**Question Name**
**Concept** Effort #7 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.325 - 1.670 | 820 | 4,608,000 |
| NOT APPLICABLE | 9.996 | 3,915 | 21,666,500 |
| NOT STATED | 9.999 | 870 | 2,961,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7PEF **Length** 5.2 **Position** 3077 - 3081
**Question Name**
**Concept** Effort #7 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.50 - 14.17 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 99.96 | 3,915 | 21,666,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_7F25 **Length** 5.2 **Position** 3082 - 3086
**Question Name**
**Concept** Effort #7 FEF25% (L/s) forced exp. flow at 25% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.31 - 11.60 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 99.96 | 3,915 | 21,666,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7F50 **Length** 5.2 **Position** 3087 - 3091
**Question Name**
**Concept** Effort #7 FEF50% (L/s) forced exp. flow at 50% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.21 - 8.73 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 99.96 | 3,915 | 21,666,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_7F75 **Length** 4.2 **Position** 3092 - 3095
**Question Name**
**Concept** Effort #7 FEF75% (L/s) forced exp. flow at 75% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.08 - 4.98 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7M25 **Length** 4.2 **Position** 3096 - 3099
**Question Name**
**Concept** Effort #7 FEF2575% (L/s) forced exp. flow from 25-75% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.14 - 7.45 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_7M75 **Length** 4.2 **Position** 3100 - 3103
**Question Name**
**Concept** Effort #7 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.06 - 4.13 | 1,650 | 7,393,500 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7M1L **Length** 5.2 **Position** 3104 - 3108
**Question Name**
**Concept** Effort #7 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.12 - 12.82 | 1,590 | 7,251,500 |
| NOT APPLICABLE | 99.96 | 3,915 | 21,666,500 |
| NOT STATED | 99.99 | 100 | 317,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_7MET **Length** 4.2 **Position** 3109 - 3112
**Question Name**
**Concept** Effort #7 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.09 - 4.00 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7ET **Length** 5.2 **Position** 3113 - 3117
**Question Name**
**Concept** Effort #7 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 1.03 - 28.15 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 99.96 | 3,915 | 21,666,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_7BV **Length** 4.2 **Position** 3118 - 3121
**Question Name**
**Concept** Effort #7 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.06 - 0.46 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_7BVF **Length** 4.2 **Position** 3122 - 3125
**Question Name**
**Concept** Effort #7 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 6
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | -.10 - 0.42 | 1,650 | 7,395,000 |
| NOT APPLICABLE | 9.96 | 3,915 | 21,666,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_8ACC | **Length** | 1 | **Position** | 3126 |
| **Question Name** | | | | | |
| **Concept** | Effort #8 Acceptable curve | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 7 | | | | |
| **Note** | This variable denotes a trial as acceptable (1) or not (2). Only acceptable trials are used to determine the best test data. | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 485 | 2,186,000 |
| NO | 2 | 440 | 1,770,500 |
| NOT APPLICABLE | 6 | 4,640 | 25,103,500 |
| NOT STATED | 9 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | SPM_8FVC | **Length** | 4.2 | **Position** | 3127 - 3130 |
| **Question Name** | | | | | |
| **Concept** | Effort #8 FVC (L) forced vital capacity | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with SPM_NUME > 7 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| FVC | 0.14 - 7.84 | 925 | 3,956,500 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_805 **Length** 4.2 **Position** 3131 - 3134
**Question Name**
**Concept** Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.5 SEC | 0.10 - 4.26 | 925 | 3,958,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_805F **Length** 5.3 **Position** 3135 - 3139
**Question Name**
**Concept** Effort #8 FEV0.5/FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.5 TO FVC | 0.155 - 1.440 | 920 | 3,955,500 |
| NOT APPLICABLE | 9.996 | 4,640 | 25,103,500 |
| NOT STATED | 9.999 | 40 | 176,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_875 **Length** 4.2 **Position** 3140 - 3143
**Question Name**
**Concept** Effort #8 FEV0.75 (L) forced exp. volume in 0.75 seconds
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 0.75 SEC | 0.10 - 5.19 | 925 | 3,957,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_875F **Length** 5.3 **Position** 3144 - 3148
**Question Name**
**Concept** Effort #8 FEV0.75/FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 0.75 TO FVC | 0.040 - 1.733 | 920 | 3,955,500 |
| NOT APPLICABLE | 9.996 | 4,640 | 25,103,500 |
| NOT STATED | 9.999 | 40 | 176,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_81 **Length** 4.2 **Position** 3149 - 3152
**Question Name**
**Concept** Effort #8 FEV1 (L) forced expiratory volume in one second
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 1 SEC | 0.10 - 5.69 | 925 | 3,957,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_81F **Length** 4.2 **Position** 3153 - 3156
**Question Name**
**Concept** Effort #8 FEV1/FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FVC | 0.04 - 1.93 | 925 | 3,957,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_83 **Length** 5.3 **Position** 3157 - 3161
**Question Name**
**Concept** Effort #8 FEV1/FEV6
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 1 TO FEV 6 | 0.178 - 1.003 | 410 | 2,102,500 |
| NOT APPLICABLE | 9.996 | 4,640 | 25,103,500 |
| NOT STATED | 9.999 | 550 | 2,029,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_83F **Length** 4.2 **Position** 3162 - 3165
**Question Name**
**Concept** Effort #8 FEV3 (L) forced expiratory volume in three seconds
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 3 SEC | 0.14 - 7.19 | 715 | 3,259,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 245 | 873,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_86 **Length** 5.3 **Position** 3166 - 3170
**Question Name**
**Concept** Effort #8 FEV3/FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 3 TO FVC | 0.500 - 3.354 | 715 | 3,257,500 |
| NOT APPLICABLE | 9.996 | 4,640 | 25,103,500 |
| NOT STATED | 9.999 | 245 | 874,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_86F **Length** 4.2 **Position** 3171 - 3174
**Question Name**
**Concept** Effort #8 FEV6 (L) forced expiratory volume in 6-seconds
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FEV 6 SEC | 0.70 - 7.66 | 410 | 2,102,500 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 550 | 2,029,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_816 **Length** 5.3 **Position** 3175 - 3179
**Question Name**
**Concept** Effort #8 FEV6/FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RATIO FEV 6 TO FVC | 0.852 - 5.571 | 410 | 2,101,500 |
| NOT APPLICABLE | 9.996 | 4,640 | 25,103,500 |
| NOT STATED | 9.999 | 555 | 2,030,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8PEF **Length** 5.2 **Position** 3180 - 3184
**Question Name**
**Concept** Effort #8 PEF (L/s) peak expiratory flow
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PEAK EXPIRATORY FLOW | 0.45 - 14.52 | 925 | 3,958,000 |
| NOT APPLICABLE | 99.96 | 4,640 | 25,103,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_8F25 **Length** 5.2 **Position** 3185 - 3189
**Question Name**
**Concept** Effort #8 FEF25% (L/s) forced exp. flow at 25% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 25% OF FVC | 0.40 - 12.63 | 925 | 3,958,000 |
| NOT APPLICABLE | 99.96 | 4,640 | 25,103,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8F50 **Length** 5.2 **Position** 3190 - 3194
**Question Name**
**Concept** Effort #8 FEF50% (L/s) forced exp. flow at 50% of the FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 50% OF FVC | 0.29 - 11.48 | 925 | 3,958,000 |
| NOT APPLICABLE | 99.96 | 4,640 | 25,103,500 |
| NOT STATED | 99.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_8F75 **Length** 4.2 **Position** 3195 - 3198

**Question Name**

**Concept** Effort #8 FEF75% (L/s) forced exp. flow at 75% of the FVC

**Question**

**Universe** Respondents with SPM_NUME > 7

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW AT 75% OF FVC | 0.10 - 6.34 | 925 | 3,958,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8M25 **Length** 4.2 **Position** 3199 - 3202

**Question Name**

**Concept** Effort #8 FEF2575% (L/s) forced exp. flow from 25-75% of FVC

**Question**

**Universe** Respondents with SPM_NUME > 7

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 25-75% OF FVC | 0.07 - 6.46 | 925 | 3,943,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 189,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_8M75 **Length** 4.2 **Position** 3203 - 3206
**Question Name**
**Concept** Effort #8 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 75-85% OF FVC | 0.06 - 4.52 | 920 | 3,956,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 176,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8M1L **Length** 5.2 **Position** 3207 - 3211
**Question Name**
**Concept** Effort #8 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| FORCED EXPIRATORY FLOW 0.2 TO 1.2 L | 0.20 - 12.77 | 870 | 3,830,000 |
| NOT APPLICABLE | 99.96 | 4,640 | 25,103,500 |
| NOT STATED | 99.99 | 95 | 302,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_8MET **Length** 4.2 **Position** 3212 - 3215
**Question Name**
**Concept** Effort #8 MET (s)
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MET | 0.14 - 3.57 | 925 | 3,958,000 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 174,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8ET **Length** 5.2 **Position** 3216 - 3220
**Question Name**
**Concept** Effort #8 Expiratory Time (s)
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| EXPIRATORY TIME | 0.76 - 24.74 | 920 | 3,954,000 |
| NOT APPLICABLE | 99.96 | 4,640 | 25,103,500 |
| NOT STATED | 99.99 | 40 | 178,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_8BV **Length** 4.2 **Position** 3221 - 3224
**Question Name**
**Concept** Effort #8 Backextrapolated Volume (L)
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME | -.17 - 1.54 | 925 | 3,956,500 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SPM_8BVF **Length** 4.2 **Position** 3225 - 3228
**Question Name**
**Concept** Effort #8 Backextrapolated Volume (Fraction of FVC)
**Question**
**Universe** Respondents with SPM_NUME > 7
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BACKEXTRAPOLATED VOLUME (FRACTION FVC) | -.23 - 0.90 | 925 | 3,956,500 |
| NOT APPLICABLE | 9.96 | 4,640 | 25,103,500 |
| NOT STATED | 9.99 | 40 | 175,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SPM_901 **Length** 2 **Position** 3229 - 3230

**Question Name**

**Concept** Reason less than 3 trials performed

**Question** INSTRUCTION: Why were fewer than 3 trials performed?

**Universe** Respondents with SPM_NUME < 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| RESP. UNABLE TO CONTINUE-HEALTH REASONS | 1 | 10 | 46,500 |
| RESPONDENT UNABLE TO UNDERSTAND TECH. | 2 | 45 | 179,000 |
| RESPONDENT REFUSES TO CONTINUE | 3 | 5 | 46,500 |
| OTHER | 6 | 5 | 13,000 |
| NOT APPLICABLE | 96 | 5,525 | 28,895,500 |
| NOT STATED | 99 | 10 | 55,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFCDELG **Length** 2 **Position** 3231 - 3232
**Question Name**
**Concept** Eligibility - mCAFT component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 4,150 | 21,404,500 |
| NOT ELIGIBLE - HOME VISIT | 2 | 20 | 117,500 |
| NOT ELIGIBLE - AGE | 3 | 405 | 1,709,500 |
| NOT ELIGIBLE – PREGNANT >12 WEEKS | 6 | 20 | 147,500 |
| NOT ELIGIBLE - NOT BRING BREATHING MED. | 8 | 75 | 270,000 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 60 | 321,500 |
| NOT ELIGIBLE - MEDICATION USE | 12 | 180 | 1,033,500 |
| NOT ELIGIBLE - PAR-Q ANSWER | 13 | 625 | 3,865,000 |
| NOT ELIGIBLE - OTHER REASON | 14 | 5 | 16,000 |
| NOT ELIGIBLE - HIGH BLOOD PRESSURE | 15 | 45 | 278,000 |
| NOT ELIGIBLE - HIGH HEART RATE | 16 | 15 | 73,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFTD01 **Length** 1 **Position** 3233
**Question Name**
**Concept** Starting stage - (D)
**Question**
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MCAFT STARTING STAGE | 1 - 5 | 4,150 | 21,404,500 |
| NOT APPLICABLE | 6 | 1,450 | 7,831,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFTD02 **Length** 3 **Position** 3234 - 3236
**Question Name**
**Concept** Ceiling stage - (D)
**Question**
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 128 - 182 | 4,150 | 21,404,500 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_11 **Length** 3 **Position** 3237 - 3239
**Question Name**
**Concept** Heart rate - end of stage 1
**Question** INSTRUCTION: Record the heart rate at the end of stage 1
**Universe** Respondents with AFTD01 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 65 - 167 | 460 | 2,736,000 |
| NOT APPLICABLE | 996 | 5,140 | 26,461,000 |
| DON'T KNOW | 997 | 5 | 38,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_12 **Length** 3 **Position** 3240 - 3242

**Question Name**

**Concept** Heart rate - end of stage 2

**Question** INSTRUCTION: Record the heart rate at the end of stage 2.

**Universe** Respondents with AFTD01 = 2 or AFT_11 < AFTD02

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 77 - 177 | 880 | 5,919,000 |
| NOT APPLICABLE | 996 | 4,705 | 23,126,500 |
| DON'T KNOW | 997 | 15 | 143,500 |
| REFUSAL | 998 | 5 | 8,000 |
| NOT STATED | 999 | 5 | 38,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_13 **Length** 3 **Position** 3243 - 3245

**Question Name**

**Concept** Heart rate - end of stage 3

**Question** INSTRUCTION: Record the heart rate at the end of stage 3.

**Universe** Respondents with AFTD01 = 3 or AFT_12 < AFTD02

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 85 - 190 | 2,005 | 13,577,500 |
| NOT APPLICABLE | 996 | 3,505 | 15,006,000 |
| DON'T KNOW | 997 | 70 | 455,000 |
| NOT STATED | 999 | 25 | 196,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_14 **Length** 3 **Position** 3246 - 3248
**Question Name**
**Concept** Heart rate - end of stage 4
**Question** INSTRUCTION: Record the heart rate at the end of stage 4.
**Universe** Respondents with AFTD01 = 4 or AFT_13 < AFTD02
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 90 - 197 | 1,970 | 12,981,000 |
| NOT APPLICABLE | 996 | 3,485 | 15,122,500 |
| DON'T KNOW | 997 | 60 | 483,000 |
| NOT STATED | 999 | 95 | 649,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_15 **Length** 3 **Position** 3249 - 3251
**Question Name**
**Concept** Heart rate - end of stage 5
**Question** INSTRUCTION: Record the heart rate at the end of stage 5.
**Universe** Respondents with AFTD01 = 5 or AFT_14 < AFTD02
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 91 - 204 | 2,400 | 10,905,500 |
| NOT APPLICABLE | 996 | 2,715 | 16,256,500 |
| DON'T KNOW | 997 | 330 | 925,500 |
| NOT STATED | 999 | 160 | 1,148,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_16 **Length** 3 **Position** 3252 - 3254
**Question Name**
**Concept** Heart rate - end of stage 6
**Question** INSTRUCTION: Record the heart rate at the end of stage 6.
**Universe** Respondents with AFT_15 < AFTD02
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 121 - 203 | 1,495 | 5,768,500 |
| NOT APPLICABLE | 996 | 3,525 | 21,075,000 |
| DON'T KNOW | 997 | 95 | 320,500 |
| NOT STATED | 999 | 490 | 2,071,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_17 **Length** 3 **Position** 3255 - 3257
**Question Name**
**Concept** Heart rate - end of stage 7
**Question** INSTRUCTION: Record the heart rate at the end of stage 7.
**Universe** Respondents with AFT_16 < AFTD02
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 130 - 200 | 655 | 2,413,000 |
| NOT APPLICABLE | 996 | 4,285 | 24,245,000 |
| DON'T KNOW | 997 | 80 | 186,000 |
| NOT STATED | 999 | 585 | 2,392,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_18 **Length** 3 **Position** 3258 - 3260

**Question Name**

**Concept** Heart rate - end of stage 8

**Question** INSTRUCTION: Record the heart rate at the end of stage 8.

**Universe** Respondents with AFT_17 < AFTD02

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 146 - 188 | 70 | 339,500 |
| NOT APPLICABLE | 996 | 5,320 | 27,219,000 |
| DON'T KNOW | 997 | 5 | 68,500 |
| NOT STATED | 999 | 210 | 1,609,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFTD21 **Length** 2 **Position** 3261 - 3262

**Question Name**

**Concept** Final stepping stage - (D)

**Question**

**Universe** Respondents with AFCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| MCAFT END STAGE | 1 - 8 | 3,790 | 20,321,000 |
| NOT APPLICABLE | 96 | 1,450 | 7,831,000 |
| NOT STATED | 99 | 365 | 1,083,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AFTD22 | **Length** | 3 | **Position** | 3263 - 3265 |
| **Question Name** | | | | | |
| **Concept** | Immediate post-exercise heart rate - (D) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with AFCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 95 - 204 | 3,790 | 20,321,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| NOT STATED | 999 | 365 | 1,083,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AFT_22 | **Length** | 1 | **Position** | 3266 |
| **Question Name** | | | | | |
| **Concept** | Method of capture | | | | |
| **Question** | INSTRUCTION: Record how the data will be captured. | | | | |
| **Universe** | Respondents with AFCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| ELECTRONICALLY | 1 | 3,730 | 19,890,000 |
| MANUALLY | 2 | 80 | 482,000 |
| NOT APPLICABLE | 6 | 1,450 | 7,831,000 |
| NOT STATED | 9 | 340 | 1,032,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_31A **Length** 3 **Position** 3267 - 3269

**Question Name**

**Concept** Systolic blood pressure (1)

**Question** INSTRUCTION: Record the systolic blood pressure measurement.

**Universe** Respondents with AFCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 61 - 219 | 3,645 | 19,647,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 135 | 525,500 |
| NOT STATED | 999 | 370 | 1,232,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_31B **Length** 3 **Position** 3270 - 3272

**Question Name**

**Concept** Diastolic blood pressure (1)

**Question** INSTRUCTION: Record the diastolic blood pressure measurement.

**Universe** Respondents with AFCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 158 | 3,645 | 19,649,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 20 | 67,000 |
| NOT STATED | 999 | 485 | 1,688,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_32 **Length** 3 **Position** 3273 - 3275

**Question Name**

**Concept** Heart rate (1)

**Question** INSTRUCTION: Record the heart rate.

**Universe** Respondents with AFCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 49 - 169 | 3,650 | 19,651,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 20 | 68,000 |
| NOT STATED | 999 | 485 | 1,685,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_41A **Length** 3 **Position** 3276 - 3278

**Question Name**

**Concept** Systolic blood pressure (2)

**Question** INSTRUCTION: Record the systolic blood pressure measurement.

**Universe** Respondents with AFCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 64 - 209 | 3,670 | 19,731,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 95 | 360,000 |
| NOT STATED | 999 | 385 | 1,313,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_41B **Length** 3 **Position** 3279 - 3281
**Question Name**
**Concept** Diastolic blood pressure (2)
**Question** INSTRUCTION: Record the diastolic blood pressure measurement.
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 149 | 3,670 | 19,735,000 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 15 | 102,000 |
| NOT STATED | 999 | 465 | 1,567,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_42 **Length** 3 **Position** 3282 - 3284
**Question Name**
**Concept** Heart rate (2)
**Question** INSTRUCTION: Record the heart rate.
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 30 - 164 | 3,675 | 19,759,500 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| DON'T KNOW | 997 | 15 | 77,500 |
| NOT STATED | 999 | 465 | 1,567,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_49 **Length** 1 **Position** 3285

**Question Name**

**Concept** Another measurement done

**Question** Your [blood pressure/heart rate] still high from doing the exercise so please sit and relax for 2 minutes and then I will take your blood pressure and heart rate again.

**Universe** Respondents with AFT_41A > 144 or AFT_41B > 94 or AFT_42 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,100 | 5,743,500 |
| NOT APPLICABLE | 6 | 4,020 | 21,825,500 |
| NOT STATED | 9 | 480 | 1,666,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_51A **Length** 3 **Position** 3286 - 3288

**Question Name**

**Concept** Systolic blood pressure (3)

**Question** INSTRUCTION: Record the systolic blood pressure measurement.

**Universe** Respondents with AFT_41A > 144 or AFT_41B > 94 or AFT_42 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 68 - 177 | 1,145 | 5,851,500 |
| NOT APPLICABLE | 996 | 4,020 | 21,825,500 |
| DON'T KNOW | 997 | 45 | 202,000 |
| REFUSAL | 998 | 5 | 3,000 |
| NOT STATED | 999 | 395 | 1,353,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_51B **Length** 3 **Position** 3289 - 3291

**Question Name**

**Concept** Diastolic blood pressure (3)

**Question** INSTRUCTION: Record the diastolic blood pressure measurement.

**Universe** Respondents with AFT_41A > 144 or AFT_41B > 94 or AFT_42 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 40 - 150 | 1,145 | 5,855,500 |
| NOT APPLICABLE | 996 | 4,020 | 21,825,500 |
| DON'T KNOW | 997 | 10 | 38,500 |
| NOT STATED | 999 | 430 | 1,515,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_52 **Length** 3 **Position** 3292 - 3294

**Question Name**

**Concept** Heart rate (3)

**Question** INSTRUCTION: Record the heart rate.

**Universe** Respondents with AFT_41A > 144 or AFT_41B > 94 or AFT_42 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 60 - 166 | 1,145 | 5,865,000 |
| NOT APPLICABLE | 996 | 4,020 | 21,825,500 |
| DON'T KNOW | 997 | 5 | 30,000 |
| NOT STATED | 999 | 430 | 1,515,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_59 **Length** 1 **Position** 3295

**Question Name**

**Concept** Another measurement done

**Question** Your [blood pressure/heart rate] still high so please sit and relax for another 2 minutes then I will take your blood pressure and heart rate again.

**Universe** Respondents with AFT_51A > 144 or AFT_51B > 94 or AFT_52 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 615 | 2,992,000 |
| NOT APPLICABLE | 6 | 4,550 | 24,689,500 |
| REFUSAL | 8 | 5 | 1,500 |
| NOT STATED | 9 | 440 | 1,553,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_61A **Length** 3 **Position** 3296 - 3298

**Question Name**

**Concept** Systolic blood pressure (4)

**Question** INSTRUCTION: Record the systolic blood pressure measurement.

**Universe** Respondents with AFT_51A > 144 or AFT_51B > 94 or AFT_52 > 99

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SYSTOLIC BLOOD PRESSURE | 70 - 168 | 615 | 2,993,000 |
| NOT APPLICABLE | 996 | 4,550 | 24,689,500 |
| DON'T KNOW | 997 | 35 | 148,000 |
| NOT STATED | 999 | 405 | 1,405,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_61B **Length** 3 **Position** 3299 - 3301
**Question Name**
**Concept** Diastolic blood pressure (4)
**Question** INSTRUCTION: Record the diastolic blood pressure measurement.
**Universe** Respondents with AFT_51A > 144 or AFT_51B > 94 or AFT_52 > 99
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DIASTOLIC BLOOD PRESSURE | 42 - 153 | 615 | 3,000,000 |
| NOT APPLICABLE | 996 | 4,550 | 24,689,500 |
| DON'T KNOW | 997 | 5 | 28,000 |
| NOT STATED | 999 | 435 | 1,518,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFT_62 **Length** 3 **Position** 3302 - 3304
**Question Name**
**Concept** Heart rate (4)
**Question** INSTRUCTION: Record the heart rate.
**Universe** Respondents with AFT_51A > 144 or AFT_51B > 94 or AFT_52 > 99
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| HEART RATE | 66 - 149 | 615 | 3,007,000 |
| NOT APPLICABLE | 996 | 4,550 | 24,689,500 |
| DON'T KNOW | 997 | 5 | 21,500 |
| NOT STATED | 999 | 435 | 1,518,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFTD71 **Length** 4.1 **Position** 3305 - 3308
**Question Name**
**Concept** Oxygen cost - (D)
**Question**
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| O2 COST STAGE 1 | 15.9 | 45 | 237,000 |
| O2 COST STAGE 2 | 18.0 | 180 | 1,176,000 |
| O2 COST STAGE 3 | 22.0 | 485 | 3,329,000 |
| O2 COST STAGE 4 | 24.5 | 680 | 4,671,000 |
| O2 COST STAGE F=5 | 26.3 | 380 | 1,721,000 |
| O2 COST STAGE M=5F=6 | 29.5 | 920 | 4,698,500 |
| O2 COST STAGE M=6F=7 | 33.6 | 625 | 2,607,000 |
| O2 COST STAGE M=7F=8 | 36.2 | 410 | 1,588,500 |
| O2 COST STAGE M=8 | 40.1 | 60 | 292,500 |
| NOT APPLICABLE | 99.6 | 1,450 | 7,831,000 |
| NOT STATED | 99.9 | 365 | 1,083,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AFTD72 **Length** 3 **Position** 3309 - 3311
**Question Name**
**Concept** Aerobic fitness score - (D)
**Question**
**Universe** Respondents with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| AEROBIC FITNESS SCORE | 156 - 617 | 3,790 | 20,319,500 |
| NOT APPLICABLE | 996 | 1,450 | 7,831,000 |
| NOT STATED | 999 | 365 | 1,085,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFTD73 **Length** 1 **Position** 3312
**Question Name**
**Concept** Aerobic fitness norms for respondents >14 (D)
**Question**
**Universe** Respondents aged 15 to 69 with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 415 | 2,766,500 |
| FAIR | 1 | 665 | 4,965,000 |
| GOOD | 2 | 885 | 5,612,500 |
| VERY GOOD | 3 | 520 | 3,172,000 |
| EXCELLENT | 4 | 190 | 1,205,500 |
| NOT APPLICABLE | 6 | 2,860 | 11,063,000 |
| NOT STATED | 9 | 65 | 450,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** AFTD74 **Length** 1 **Position** 3313
**Question Name**
**Concept** Aerobic fitness norms for respondents < 15 (D)
**Question**
**Universe** Respondents aged < 15 with AFCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 220 | 513,000 |
| FAIR | 1 | 435 | 987,000 |
| GOOD | 2 | 295 | 691,500 |
| VERY GOOD | 3 | 110 | 311,000 |
| NO STANDARDS | 5 | 45 | 95,000 |
| NOT APPLICABLE | 6 | 4,195 | 26,003,000 |
| NOT STATED | 9 | 295 | 634,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AFT_81 **Length** 2 **Position** 3314 - 3315

**Question Name**

**Concept** Reason respondent did not complete test

**Question** INSTRUCTION: Record the reason why the respondent did not complete the test.

**Universe** Respondents who did not complete all required stages

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| REFUSAL | 1 | 50 | 298,500 |
| UNABLE TO MAINTAIN PROPER CADENCE | 2 | 515 | 1,637,000 |
| DIZZINESS | 3 | 5 | 40,000 |
| EXTREME LEG PAIN | 4 | 35 | 376,000 |
| CHEST PAIN | 6 | 5 | 1,500 |
| FACIAL PALLOR | 7 | 5 | 4,500 |
| TECHNICAL DIFFICULTY | 8 | 5 | 12,000 |
| BONE OR JOINT PROBLEM | 9 | 15 | 73,500 |
| OTHER HEALTH REASON | 10 | 10 | 98,000 |
| OTHER | 11 | 20 | 78,000 |
| NOT APPLICABLE | 96 | 4,945 | 26,614,500 |
| NOT STATED | 99 | 5 | 2,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GSCDELG **Length** 2 **Position** 3316 - 3317
**Question Name**
**Concept** Eligibility - Grip Strength component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,585 | 29,155,500 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 10 | 28,000 |
| NOT ELIGIBLE - PAR-Q ANSWER | 13 | 10 | 32,000 |
| NOT ELIGIBLE - OTHER REASON | 14 | 5 | 20,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GSM_11 **Length** 3 **Position** 3318 - 3320
**Question Name**
**Concept** Right hand grip strength (1)
**Question** INSTRUCTION: Record the first grip strength measurement for the right hand.
**Universe** Respondents with GSCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRIP STRENGTH | 1 - 73 | 5,560 | 29,060,000 |
| NOT APPLICABLE | 996 | 20 | 80,000 |
| DON'T KNOW | 997 | 15 | 68,000 |
| REFUSAL | 998 | 5 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GSM_12 **Length** 3 **Position** 3321 - 3323

**Question Name**

**Concept** Left hand grip strength (1)

**Question** INSTRUCTION: Record the first grip strength measurement for the left hand.

**Universe** Respondents with GSCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRIP STRENGTH | 1 - 73 | 5,560 | 29,021,500 |
| NOT APPLICABLE | 996 | 20 | 80,000 |
| DON'T KNOW | 997 | 15 | 103,500 |
| REFUSAL | 998 | 5 | 3,000 |
| NOT STATED | 999 | 5 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GSM_21 **Length** 3 **Position** 3324 - 3326

**Question Name**

**Concept** Right hand grip strength (2)

**Question** INSTRUCTION: Record the second grip strength measurement for the right hand.

**Universe** Respondents with GSCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRIP STRENGTH | 1 - 74 | 5,560 | 29,038,500 |
| NOT APPLICABLE | 996 | 20 | 80,000 |
| DON'T KNOW | 997 | 20 | 71,500 |
| REFUSAL | 998 | 5 | 18,000 |
| NOT STATED | 999 | 5 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GSM_22 **Length** 3 **Position** 3327 - 3329
**Question Name**
**Concept** Left hand grip strength (2)
**Question** INSTRUCTION: Record the second grip strength measurement for the left hand.
**Universe** Respondents with GSCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRIP STRENGTH | 1 - 114 | 5,560 | 29,021,500 |
| NOT APPLICABLE | 996 | 20 | 80,000 |
| DON'T KNOW | 997 | 15 | 104,000 |
| REFUSAL | 998 | 5 | 3,000 |
| NOT STATED | 999 | 5 | 27,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** GSMD51 **Length** 3 **Position** 3330 - 3332
**Question Name**
**Concept** Total hand grip strength - (D)
**Question**
**Universe** Respondents with GSCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| GRIP STRENGTH | 5 - 146 | 5,550 | 28,970,500 |
| NOT APPLICABLE | 996 | 20 | 80,000 |
| NOT STATED | 999 | 35 | 185,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** GSMD52 **Length** 1 **Position** 3333
**Question Name**
**Concept** Grip strength norms for respondents less than 15 - (D)
**Question**
**Universe** Respondents aged 15 to 69 with GSCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 910 | 5,579,000 |
| FAIR | 1 | 740 | 4,830,000 |
| GOOD | 2 | 770 | 5,139,500 |
| VERY GOOD | 3 | 720 | 4,810,500 |
| EXCELLENT | 4 | 530 | 3,508,000 |
| NO STANDARDS | 5 | 405 | 1,723,000 |
| NOT APPLICABLE | 6 | 1,510 | 3,487,000 |
| NOT STATED | 9 | 25 | 159,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** GSMD53 **Length** 1 **Position** 3334
**Question Name**
**Concept** Grip strength norms for respondents less than 15 - (D)
**Question**
**Universe** Respondents aged < 15 with GSCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BELOW AVERAGE | 1 | 870 | 1,930,000 |
| AVERAGE | 2 | 225 | 558,000 |
| ABOVE AVERAGE | 3 | 230 | 572,000 |
| NO STANDARDS | 5 | 160 | 321,000 |
| NOT APPLICABLE | 6 | 4,115 | 25,829,000 |
| NOT STATED | 9 | 10 | 26,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SRCDELG **Length** 2 **Position** 3335 - 3336
**Question Name**
**Concept** Eligibility - Sit and Reach component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,075 | 26,779,500 |
| NOT ELIGIBLE - HOME VISIT | 2 | 20 | 117,500 |
| NOT ELIGIBLE - AGE | 3 | 405 | 1,709,500 |
| NOT ELIGIBLE – PREGNANT >12 WEEKS | 6 | 20 | 147,500 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 40 | 254,000 |
| NOT ELIGIBLE - MEDICATION USE | 12 | 5 | 1,000 |
| NOT ELIGIBLE - PAR-Q ANSWER | 13 | 35 | 199,000 |
| NOT ELIGIBLE - OTHER REASON | 14 | 10 | 27,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SRM_01 **Length** 4.1 **Position** 3337 - 3340
**Question Name**
**Concept** Sit and reach - attempt 1
**Question** INSTRUCTION: Record the first sit and reach attempt.
**Universe** Respondents with SRCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SIT AND REACH IN CENTIMETRES | 0.0 - 54.6 | 5,020 | 26,524,500 |
| NOT APPLICABLE | 99.6 | 530 | 2,455,500 |
| DON'T KNOW | 99.7 | 40 | 195,500 |
| REFUSAL | 99.8 | 10 | 59,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SRM_02 **Length** 4.1 **Position** 3341 - 3344
**Question Name**
**Concept** Sit and reach - attempt 2
**Question** INSTRUCTION: Record the second sit and reach attempt.
**Universe** Respondents with SRCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SIT AND REACH IN CENTIMETRES | 0.0 - 55.4 | 5,020 | 26,514,000 |
| NOT APPLICABLE | 99.6 | 530 | 2,455,500 |
| DON'T KNOW | 99.7 | 45 | 206,000 |
| NOT STATED | 99.9 | 10 | 59,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SRMD11 **Length** 4.1 **Position** 3345 - 3348
**Question Name**
**Concept** Sit and reach measure - (D)
**Question**
**Universe** Respondents with SRCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SIT AND REACH IN CENTIMETRES | 0.0 - 55.4 | 5,020 | 26,524,500 |
| NOT APPLICABLE | 99.6 | 530 | 2,455,500 |
| NOT STATED | 99.9 | 55 | 255,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** SRMD12 **Length** 1 **Position** 3349
**Question Name**
**Concept** Sit and reach norms for respondents 15 - 69 - (D)
**Question**
**Universe** Respondents aged 15 to 69 with SRCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 1,225 | 7,547,000 |
| FAIR | 1 | 655 | 4,543,000 |
| GOOD | 2 | 595 | 4,084,500 |
| VERY GOOD | 3 | 575 | 3,695,500 |
| EXCELLENT | 4 | 505 | 3,293,500 |
| NOT APPLICABLE | 6 | 2,015 | 5,861,000 |
| NOT STATED | 9 | 35 | 211,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** SRMD13 **Length** 1 **Position** 3350
**Question Name**
**Concept** Sit and reach norms for respondents less than 15 - (D)
**Question**
**Universe** Respondents aged < 15 with SRCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| BELOW AVERAGE | 1 | 740 | 1,766,000 |
| AVERAGE | 2 | 305 | 700,500 |
| ABOVE AVERAGE | 3 | 265 | 582,500 |
| NO STANDARDS | 5 | 155 | 311,500 |
| NOT APPLICABLE | 6 | 4,120 | 25,830,500 |
| NOT STATED | 9 | 20 | 44,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PCCDELG **Length** 2 **Position** 3351 - 3352
**Question Name**
**Concept** Eligibility - Partial Curl-up component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 4,620 | 23,974,000 |
| NOT ELIGIBLE - HOME VISIT | 2 | 20 | 117,500 |
| NOT ELIGIBLE - AGE | 3 | 405 | 1,709,500 |
| NOT ELIGIBLE – PREGNANT >12 WEEKS | 6 | 20 | 147,500 |
| NOT ELIGIBLE - ACUTE CONDITION | 9 | 55 | 362,000 |
| NOT ELIGIBLE - MEDICATION USE | 12 | 10 | 43,000 |
| NOT ELIGIBLE - PAR-Q ANSWER | 13 | 375 | 2,348,500 |
| NOT ELIGIBLE - OTHER REASON | 14 | 10 | 40,000 |
| NOT ELIGIBLE - HIGH BLOOD PRESSURE | 15 | 65 | 410,500 |
| NOT ELIGIBLE - HIGH HEART RATE | 16 | 15 | 83,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** PCM_01 **Length** 2 **Position** 3353 - 3354
**Question Name**
**Concept** Partial curl-ups completed in one minute
**Question**
**Universe** Respondents with PCCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF PARTIAL CURL-UPS | 0 - 25 | 4,555 | 23,609,500 |
| NOT APPLICABLE | 96 | 980 | 5,261,500 |
| DON'T KNOW | 97 | 45 | 246,000 |
| REFUSAL | 98 | 15 | 102,500 |
| NOT STATED | 99 | 5 | 16,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** PCMD11 **Length** 1 **Position** 3355
**Question Name**
**Concept** Partial curl-up norms for respondents 15 - 69 - (D)
**Question**
**Universe** Respondents aged 15 to 69 with PCCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 1,305 | 8,349,000 |
| FAIR | 1 | 190 | 1,165,500 |
| GOOD | 2 | 240 | 1,439,500 |
| VERY GOOD | 3 | 425 | 2,851,000 |
| EXCELLENT | 4 | 980 | 6,574,500 |
| NO STANDARDS | 5 | 1,410 | 3,230,000 |
| NOT APPLICABLE | 6 | 980 | 5,261,500 |
| NOT STATED | 9 | 70 | 364,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHCDELG **Length** 2 **Position** 3356 - 3357
**Question Name**
**Concept** Eligibility - Oral Health component
**Question**
**Universe** All respondents
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ELIGIBLE | 1 | 5,605 | 29,235,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_11 | **Length** | 1 | **Position** | 3358 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions | | | | |
| **Question** | Do you think you have any untreated dental conditions? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,650 | 9,651,000 |
| NO | 2 | 3,950 | 19,573,000 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12A | **Length** | 1 | **Position** | 3359 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - prevention | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - prevention | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 190 | 1,000,500 |
| NO | 2 | 1,460 | 8,650,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHQ_12B **Length** 1 **Position** 3360
**Question Name**
**Concept** Untreated dental conditions - fillings
**Question** What untreated dental condition(s) do you think you have? - fillings
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 905 | 5,158,000 |
| NO | 2 | 745 | 4,492,500 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHQ_12C **Length** 1 **Position** 3361
**Question Name**
**Concept** Untreated dental conditions - TMD
**Question** What untreated dental condition(s) do you think you have? - temporomandibular joint disorder (TMD)
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 164,500 |
| NO | 2 | 1,635 | 9,486,500 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHQ_12D **Length** 1 **Position** 3362
**Question Name**
**Concept** Untreated dental conditions - surgery
**Question** What untreated dental condition(s) do you think you have? - surgery
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 230 | 1,575,000 |
| NO | 2 | 1,420 | 8,076,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHQ_12E **Length** 1 **Position** 3363
**Question Name**
**Concept** Untreated dental conditions - periodontics
**Question** What untreated dental condition(s) do you think you have? - periodontics
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 130 | 921,500 |
| NO | 2 | 1,520 | 8,729,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12F | **Length** | 1 | **Position** | 3364 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - endodontics | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - endodontics | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 187,500 |
| NO | 2 | 1,615 | 9,463,500 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12G | **Length** | 1 | **Position** | 3365 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - endodontics | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - endodontics | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 680,000 |
| NO | 2 | 1,560 | 8,971,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12H | **Length** | 1 | **Position** | 3366 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - orthodontics | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - orthodontics | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 667,500 |
| NO | 2 | 1,495 | 8,983,500 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12I | **Length** | 1 | **Position** | 3367 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - soft tissue | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - soft tissue | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 138,000 |
| NO | 2 | 1,630 | 9,513,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHQ_12J **Length** 1 **Position** 3368
**Question Name**
**Concept** Untreated dental conditions-prosthetics;partial/full denture
**Question** What untreated dental condition(s) do you think you have? - prosthetics, partial or full denture
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 140 | 806,500 |
| NO | 2 | 1,510 | 8,844,500 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHQ_12K **Length** 1 **Position** 3369
**Question Name**
**Concept** Untreated dental conditions-prosthetics;implant/bridge/crown
**Question** What untreated dental condition(s) do you think you have? - prosthetics; implant, bridge or crown
**Universe** Respondents who answered OHQ_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 1,048,000 |
| NO | 2 | 1,495 | 8,603,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_12L | **Length** | 1 | **Position** | 3370 |
| **Question Name** | | | | | |
| **Concept** | Untreated dental conditions - other | | | | |
| **Question** | What untreated dental condition(s) do you think you have? - other | | | | |
| **Universe** | Respondents who answered OHQ_11 = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 104,000 |
| NO | 2 | 1,625 | 9,547,000 |
| NOT APPLICABLE | 6 | 3,950 | 19,573,000 |
| NOT STATED | 9 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_21 | **Length** | 1 | **Position** | 3371 |
| **Question Name** | | | | | |
| **Concept** | Toothache - past month | | | | |
| **Question** | In the past month, that is, from [date last month] to yesterday, have you had a toothache? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 540 | 2,898,000 |
| NO | 2 | 5,060 | 26,326,000 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_22 | **Length** | 1 | **Position** | 3372 |
| **Question Name** | | | | | |
| **Concept** | Tooth pain when consuming hot/cold foods/drinks - past month | | | | |
| **Question** | In the past month, have you had pain in your teeth when consuming hot or cold foods or drinks? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,110 | 6,653,000 |
| NO | 2 | 4,490 | 22,565,500 |
| DON'T KNOW | 7 | 5 | 5,500 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_23 | **Length** | 1 | **Position** | 3373 |
| **Question Name** | | | | | |
| **Concept** | Tooth/mouth pain at night - past month | | | | |
| **Question** | (In the past month, have you had:) … severe tooth or mouth pain at night? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 105 | 605,500 |
| NO | 2 | 5,495 | 28,618,500 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_24 | **Length** | 1 | **Position** | 3374 |
| **Question Name** | | | | | |
| **Concept** | Pain in/around jaw joints - past month | | | | |
| **Question** | (In the past month, have you had:) … pain in or around your jaw joints? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 390 | 2,279,000 |
| NO | 2 | 5,210 | 26,945,000 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_25 | **Length** | 1 | **Position** | 3375 |
| **Question Name** | | | | | |
| **Concept** | Other mouth pain - past month | | | | |
| **Question** | (In the past month, have you had:) … other pain in your mouth? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 485 | 2,791,500 |
| NO | 2 | 5,115 | 26,432,500 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_26 | **Length** | 1 | **Position** | 3376 |
| **Question Name** | | | | | |
| **Concept** | Bleeding gums - past month | | | | |
| **Question** | In the past month, have you had bleeding gums when brushing your teeth? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,375 | 7,260,500 |
| NO | 2 | 4,225 | 21,963,500 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHQ_27 | **Length** | 1 | **Position** | 3377 |
| **Question Name** | | | | | |
| **Concept** | Persistent dry mouth - past month | | | | |
| **Question** | (In the past month, have you had:) … persistent dry mouth? | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 400 | 2,392,500 |
| NO | 2 | 5,200 | 26,831,500 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHQ_28 **Length** 1 **Position** 3378
**Question Name**
**Concept** Persistent bad breath - past month
**Question** (In the past month, have you had:) … persistent bad breath?
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 435 | 2,459,000 |
| NO | 2 | 5,165 | 26,765,000 |
| REFUSAL | 8 | 5 | 6,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHR_11 **Length** 1 **Position** 3379
**Question Name**
**Concept** Takes antibiotics before check-up/dental care
**Question** Do you have to take antibiotics (for example, penicillin) before you have a check-up or get dental care?
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 140 | 733,500 |
| NO | 2 | 5,450 | 28,464,500 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHR_12 **Length** 1 **Position** 3380

**Question Name**

**Concept** Diagnosed heart murmur requiring antibiotics for dental work

**Question** Have you ever been diagnosed by a health professional with a heart murmur that requires you to take antibiotics for dental treatment?

**Universe** Respondents who answered OHR_11 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 60 | 317,500 |
| NO | 2 | 5,390 | 28,147,000 |
| NOT APPLICABLE | 6 | 150 | 765,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHR_13 **Length** 1 **Position** 3381

**Question Name**

**Concept** Diagnosed with a heart valve problem

**Question** Have you ever been diagnosed by a health professional with a heart valve problem?

**Universe** Respondents who answered OHR_12 = 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 245,500 |
| NO | 2 | 5,350 | 27,901,500 |
| NOT APPLICABLE | 6 | 210 | 1,083,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHR_14 **Length** 1 **Position** 3382
**Question Name**
**Concept** Diagnosed with congenital heart disease
**Question** (Have you ever been diagnosed by a health professional with:) … congenital heart disease?
**Universe** Respondents who answered OHR_13 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 87,500 |
| NO | 2 | 5,330 | 27,814,000 |
| NOT APPLICABLE | 6 | 250 | 1,328,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHR_15 **Length** 1 **Position** 3383
**Question Name**
**Concept** Diagnosed with bacterial endocarditis
**Question** (Have you ever been diagnosed by a health professional with:) … bacterial endocarditis?
**Universe** Respondents who answered OHR_14 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 6,500 |
| NO | 2 | 5,330 | 27,807,500 |
| NOT APPLICABLE | 6 | 270 | 1,416,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_16 | **Length** | 1 | **Position** | 3384 |
| **Question Name** | | | | | |
| **Concept** | Diagnosed with rheumatic fever? | | | | |
| **Question** | (Have you ever been diagnosed by a health professional with:) … rheumatic fever? | | | | |
| **Universe** | Respondents who answered OHR_15 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 125,000 |
| NO | 2 | 5,310 | 27,682,500 |
| NOT APPLICABLE | 6 | 270 | 1,422,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_17 | **Length** | 1 | **Position** | 3385 |
| **Question Name** | | | | | |
| **Concept** | Had bypass surgery - past year | | | | |
| **Question** | Have you had bypass surgery in the past year? | | | | |
| **Universe** | Respondents who answered OHR_16 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 50,000 |
| NO | 2 | 5,300 | 27,632,500 |
| NOT APPLICABLE | 6 | 290 | 1,547,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHR_18 **Length** 1 **Position** 3386
**Question Name**
**Concept** Has pacemaker / automatic defibrillator
**Question** Do you have a pacemaker or other automatic defibrillator?
**Universe** Respondents who answered OHR_17 = 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 67,500 |
| NO | 2 | 5,290 | 27,565,000 |
| NOT APPLICABLE | 6 | 300 | 1,597,500 |
| NOT STATED | 9 | 5 | 5,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHR_19 **Length** 1 **Position** 3387
**Question Name**
**Concept** Had pacemaker/other automatic defibrillator less than 1 year
**Question** Have you had your pacemaker or other automatic defibrillator for less than one year?
**Universe** Respondents who answered OHR_18 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 23,000 |
| NO | 2 | 10 | 44,500 |
| NOT APPLICABLE | 6 | 5,590 | 29,162,500 |
| NOT STATED | 9 | 5 | 5,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_20 | **Length** | 1 | **Position** | 3388 |
| **Question Name** | | | | | |
| **Concept** | Has other artificial material in heart/veins/arteries | | | | |
| **Question** | Do you have other artificial material in your heart, veins or arteries? | | | | |
| **Universe** | Respondents who answered OHR_18 = 2 or OHR_19 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 253,000 |
| NO | 2 | 5,260 | 27,356,500 |
| NOT APPLICABLE | 6 | 305 | 1,620,500 |
| NOT STATED | 9 | 5 | 5,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_21 | **Length** | 1 | **Position** | 3389 |
| **Question Name** | | | | | |
| **Concept** | Had joint replacement | | | | |
| **Question** | Have you ever had a joint replacement? | | | | |
| **Universe** | Respondents who answere OHR_20 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 287,500 |
| NO | 2 | 5,205 | 27,069,000 |
| NOT APPLICABLE | 6 | 340 | 1,873,500 |
| NOT STATED | 9 | 5 | 5,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_22 | **Length** | 1 | **Position** | 3390 |
| **Question Name** | | | | | |
| **Concept** | Received organ transplant | | | | |
| **Question** | Have you ever received an organ transplant? | | | | |
| **Universe** | Respondents who answered OHR_21 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 11,000 |
| NO | 2 | 5,200 | 27,058,000 |
| NOT APPLICABLE | 6 | 395 | 2,160,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_23 | **Length** | 1 | **Position** | 3391 |
| **Question Name** | | | | | |
| **Concept** | Has kidney disease that requires dialysis | | | | |
| **Question** | Do you have kidney disease that requires dialysis? | | | | |
| **Universe** | Respondents who answered OHR_22 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 18,000 |
| NO | 2 | 5,200 | 27,040,000 |
| NOT APPLICABLE | 6 | 400 | 2,172,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHR_24 | **Length** | 1 | **Position** | 3392 |
| **Question Name** | | | | | |
| **Concept** | Immunosupressed or on immunosuppression therapy | | | | |
| **Question** | Are you immunosupressed or are you on immunosuppression therapy? (For example, chemotherapy.) | | | | |
| **Universe** | Respondents who answered OHR_23 = 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 123,500 |
| NO | 2 | 5,175 | 26,916,500 |
| NOT APPLICABLE | 6 | 405 | 2,189,500 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHRD25 | **Length** | 1 | **Position** | 3393 |
| **Question Name** | | | | | |
| **Concept** | Test exclusion - probing | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 420 | 2,281,000 |
| NO | 2 | 5,175 | 26,916,500 |
| NOT APPLICABLE | 6 | 10 | 32,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_11 **Length** 1 **Position** 3394

**Question Name**

**Concept** Dental status

**Question** INSTRUCTION: Record the dental status of the respondent.

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| DENTATE - BOTH ARCHES | 1 | 5,020 | 26,139,000 |
| DENTATE - UPPER ARCH ONLY | 2 | 5 | 18,000 |
| DENTATE - LOWER ARCH ONLY | 3 | 260 | 1,487,500 |
| EDENTULOUS WITH IMPLANT(S) | 4 | 10 | 44,500 |
| EDENTULOUS | 5 | 290 | 1,469,000 |
| DON'T KNOW | 7 | 5 | 5,500 |
| REFUSAL | 8 | 15 | 67,000 |
| NOT STATED | 9 | 5 | 5,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_12A **Length** 1 **Position** 3395

**Question Name**

**Concept** Upper arch prosthetic status - no prosthetics

**Question** INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - no prosthetics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,565 | 23,426,000 |
| NO | 2 | 1,020 | 5,731,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_12B **Length** 1 **Position** 3396

**Question Name**

**Concept** Upper arch prosthetic status - fixed bridge

**Question** INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - fixed bridge

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 250 | 1,408,500 |
| NO | 2 | 5,335 | 27,749,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_12C **Length** 1 **Position** 3397

**Question Name**

**Concept** Upper arch prosthetic status - implant

**Question** INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - implant

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 113,500 |
| NO | 2 | 5,560 | 29,044,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_12D | **Length** | 1 | **Position** | 3398 |
| **Question Name** | | | | | |
| **Concept** | Upper arch prosthetic status - partial denture, acrylic | | | | |
| **Question** | INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - partial denture, acrylic | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 55 | 437,000 |
| NO | 2 | 5,530 | 28,720,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_12E | **Length** | 1 | **Position** | 3399 |
| **Question Name** | | | | | |
| **Concept** | Upper arch prosthetic status - partial denture, cast chrome | | | | |
| **Question** | INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - partial denture, cast chrome | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 918,000 |
| NO | 2 | 5,435 | 28,239,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_12F **Length** 1 **Position** 3400

**Question Name**

**Concept** Upper arch prosthetic status - full denture

**Question** INSTRUCTION: Record the prosthetic status of the upper arch of the respondent - full denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 545 | 2,920,000 |
| NO | 2 | 5,040 | 26,237,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_13A **Length** 1 **Position** 3401

**Question Name**

**Concept** Lower arch prosthetic status - no prosthetics

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - no prosthetics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 4,935 | 25,796,500 |
| NO | 2 | 650 | 3,361,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_13B **Length** 1 **Position** 3402

**Question Name**

**Concept** Lower arch prosthetic status - fixed bridge

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - fixed bridge

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 145 | 672,500 |
| NO | 2 | 5,440 | 28,485,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_13C **Length** 1 **Position** 3403

**Question Name**

**Concept** Lower arch prosthetic status - implant

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - implant

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 157,000 |
| NO | 2 | 5,555 | 29,000,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_13D **Length** 1 **Position** 3404

**Question Name**

**Concept** Lower arch prosthetic status - partial denture, acrylic

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - partial denture, acrylic

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 223,500 |
| NO | 2 | 5,550 | 28,934,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_13E **Length** 1 **Position** 3405

**Question Name**

**Concept** Lower arch prosthetic status - partial denture, cast chrome

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - partial denture, cast chrome

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 170 | 928,000 |
| NO | 2 | 5,415 | 28,229,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_13F **Length** 1 **Position** 3406

**Question Name**

**Concept** Lower arch prosthetic status - full denture

**Question** INSTRUCTION: Record the prosthetic status of the lower arch of the respondent - full denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 280 | 1,425,500 |
| NO | 2 | 5,310 | 27,732,000 |
| NOT STATED | 9 | 20 | 78,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHE_14A **Length** 1 **Position** 3407

**Question Name**

**Concept** Mucosal status - no mucosal abnormalities

**Question** INSTRUCTION: Record the mucosal status of the respondent - no mucosal abnormalities

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,095 | 26,258,000 |
| NO | 2 | 490 | 2,899,500 |
| NOT STATED | 9 | 20 | 78,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_14B **Length** 1 **Position** 3408

**Question Name**

**Concept** Mucosal status - angular chelitis

**Question** INSTRUCTION: Record the mucosal status of the respondent - angular chelitis

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 120,500 |
| NO | 2 | 5,560 | 29,037,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_14C **Length** 1 **Position** 3409

**Question Name**

**Concept** Mucosal status - mucosal white patches

**Question** INSTRUCTION: Record the mucosal status of the respondent - mucosal white patches

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 65 | 373,500 |
| NO | 2 | 5,520 | 28,784,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_14D **Length** 1 **Position** 3410
**Question Name**
**Concept** Mucosal status - denture stomatitis
**Question** INSTRUCTION: Record the mucosal status of the respondent - denture stomatitis
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 165 | 912,500 |
| NO | 2 | 5,420 | 28,245,000 |
| NOT STATED | 9 | 20 | 78,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHE_14E **Length** 1 **Position** 3411
**Question Name**
**Concept** Mucosal status - denture induced hyperplasia (epulis)
**Question** INSTRUCTION: Record the mucosal status of the respondent - denture induced hyperplasia (epulis)
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 176,500 |
| NO | 2 | 5,560 | 28,981,000 |
| NOT STATED | 9 | 20 | 78,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_14F **Length** 1 **Position** 3412
**Question Name**
**Concept** Mucosal status - glossitis
**Question** INSTRUCTION: Record the mucosal status of the respondent - glossitis
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 171,000 |
| NO | 2 | 5,560 | 28,986,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_14G **Length** 1 **Position** 3413
**Question Name**
**Concept** Mucosal status - sinus or fistula
**Question** INSTRUCTION: Record the mucosal status of the respondent - sinus or fistula
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 50 | 285,500 |
| NO | 2 | 5,535 | 28,872,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_14H **Length** 1 **Position** 3414

**Question Name**

**Concept** Mucosal status - aphthous ulcer

**Question** INSTRUCTION: Record the mucosal status of the respondent - aphthous ulcer

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 124,500 |
| NO | 2 | 5,560 | 29,033,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_14I **Length** 1 **Position** 3415

**Question Name**

**Concept** Mucosal status - traumatic or unspecified ulcer

**Question** INSTRUCTION: Record the mucosal status of the respondent - traumatic or unspecified ulcer

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 481,500 |
| NO | 2 | 5,515 | 28,676,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_14J | **Length** | 1 | **Position** | 3416 |
| **Question Name** | | | | | |
| **Concept** | Mucosal status - other | | | | |
| **Question** | INSTRUCTION: Record the mucosal status of the respondent - other | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 85 | 483,000 |
| NO | 2 | 5,505 | 28,674,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_15 | **Length** | 1 | **Position** | 3417 |
| **Question Name** | | | | | |
| **Concept** | Mucosal white patches - type | | | | |
| **Question** | INSTRUCTION: Record the type of mucosal white patches. | | | | |
| **Universe** | Respondents who answered OHE_14C = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LEUKOPLAKIA | 1 | 40 | 242,500 |
| LICHEN PLANUS | 2 | 5 | 18,500 |
| CANDIDIASIS | 3 | 20 | 112,500 |
| NOT APPLICABLE | 6 | 5,520 | 28,784,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_20 **Length** 2 **Position** 3418 - 3419

**Question Name**

**Concept** Fluorosis score - most affected teeth - 12, 11, 21 or 22

**Question** INSTRUCTION: Record the fluorosis score for the most affected pair of teeth for teeth 12, 11, 21 or 22. If the two teeth are not equally affected, record the score for the less affected of the two.

**Universe** Respondents aged < 12

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 1 | 645 | 1,307,000 |
| QUESTIONABLE | 2 | 225 | 514,000 |
| VERY MILD | 3 | 115 | 263,500 |
| MILD | 4 | 35 | 97,000 |
| MODERATE | 5 | 5 | 4,500 |
| ALL 4 ANTERIOR TEETH ABSENT | 7 | 180 | 381,500 |
| NOT APPLICABLE | 96 | 4,390 | 26,656,500 |
| DON'T KNOW | 97 | 5 | 1,000 |
| NOT STATED | 99 | 5 | 10,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_21A **Length** 1 **Position** 3420

**Question Name**

**Concept** Occlusal condition - acceptable occlusion

**Question** INSTRUCTION: Record all occlusal conditions that are present - acceptable occlusion

**Universe** Respondents who answered OHE_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,865 | 19,901,000 |
| NO | 2 | 1,155 | 6,237,500 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_21B **Length** 1 **Position** 3421
**Question Name**
**Concept** Occlusal condition - anterior crossbite
**Question** INSTRUCTION: Record all occlusal conditions that are present - anterior crossbite
**Universe** Respondents who answered OHE_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 380 | 2,033,500 |
| NO | 2 | 4,640 | 24,105,500 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_21C **Length** 1 **Position** 3422
**Question Name**
**Concept** Occlusal condition - severe crowding
**Question** INSTRUCTION: Record all occlusal conditions that are present - severe crowding
**Universe** Respondents who answered OHE_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 310 | 1,749,000 |
| NO | 2 | 4,710 | 24,390,000 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_21D **Length** 1 **Position** 3423
**Question Name**
**Concept** Occlusal condition - severe spacing
**Question** INSTRUCTION: Record all occlusal conditions that are present - severe spacing
**Universe** Respondents who answered OHE_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 567,000 |
| NO | 2 | 4,905 | 25,572,000 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_21E **Length** 1 **Position** 3424
**Question Name**
**Concept** Occlusal condition - posterior crossbite
**Question** INSTRUCTION: Record all occlusal conditions that are present - posterior crossbite
**Universe** Respondents who answered OHE_11 = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 425 | 2,588,500 |
| NO | 2 | 4,595 | 23,550,500 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_21F **Length** 1 **Position** 3425

**Question Name**

**Concept** Occlusal condition - anterior open bite (> 9 mm)

**Question** INSTRUCTION: Record all occlusal conditions that are present - anterior open bite (> 9 mm)

**Universe** Respondents who answered OHE_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 186,500 |
| NO | 2 | 4,980 | 25,952,500 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_21G **Length** 1 **Position** 3426

**Question Name**

**Concept** Occlusal condition - excessive overbite (100% or more)

**Question** INSTRUCTION: Record all occlusal conditions that are present - excessive overbite (100% or more)

**Universe** Respondents who answered OHE_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 288,000 |
| NO | 2 | 4,975 | 25,851,000 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_21H **Length** 1 **Position** 3427

**Question Name**

**Concept** Occlusal condition - excessive overjet (> 9 mm)

**Question** INSTRUCTION: Record all occlusal conditions that are present - excessive overjet (> 9 mm)

**Universe** Respondents who answered OHE_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 70 | 279,500 |
| NO | 2 | 4,950 | 25,859,000 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_21I **Length** 1 **Position** 3428

**Question Name**

**Concept** Occlusal condition - midline shift (> 4 mm)

**Question** INSTRUCTION: Record all occlusal conditions that are present - midline shift (> 4 mm)

**Universe** Respondents who answered OHE_11 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 218,000 |
| NO | 2 | 4,985 | 25,921,000 |
| NOT APPLICABLE | 6 | 565 | 3,018,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_22 **Length** 1 **Position** 3429

**Question Name**

**Concept** Orthodontic treatment status

**Question** INSTRUCTION: Record the current orthodontic treatment status of the respondent.

**Universe** Respondents who answered OHE_11 < 4

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO ORTHODONTIC TREATMENT | 1 | 4,990 | 26,523,500 |
| REMOVABLE APPLIANCES | 2 | 40 | 163,000 |
| FIXED APPLIANCES | 3 | 165 | 492,500 |
| BOTH FIXED AND REMOVABLE APPLIANCES | 4 | 10 | 27,000 |
| RETAINER - POST COMPLETION | 5 | 75 | 438,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_23 **Length** 1 **Position** 3430

**Question Name**

**Concept** Past orthodontic treatment

**Question** INSTRUCTION: Record whether the respondent has received orthodontic treatment in the past.

**Universe** Respondents who answered OHE_11 < 4 and OHE_22 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 705 | 4,228,000 |
| NO | 2 | 4,285 | 22,291,000 |
| NOT APPLICABLE | 6 | 595 | 2,633,500 |
| DON'T KNOW | 7 | 5 | 4,500 |
| NOT STATED | 9 | 20 | 78,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G1 | **Length** | 1 | **Position** | 3431 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 16 (55) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 16 (55) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,980 | 10,386,000 |
| MILD INFLAMMATION | 2 | 2,225 | 10,651,500 |
| MODERATE INFLAMMATION | 3 | 375 | 2,151,500 |
| SEVERE INFLAMMATION | 4 | 15 | 143,500 |
| TOOTH MISSING | 5 | 685 | 4,304,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G2 | **Length** | 1 | **Position** | 3432 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 12 (52) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 12 (52) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,975 | 10,795,000 |
| MILD INFLAMMATION | 2 | 2,190 | 10,813,500 |
| MODERATE INFLAMMATION | 3 | 545 | 2,959,000 |
| SEVERE INFLAMMATION | 4 | 30 | 163,500 |
| TOOTH MISSING | 5 | 540 | 2,900,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 11,000 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G3 | **Length** | 1 | **Position** | 3433 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 24 (64) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 24 (64) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,985 | 10,616,500 |
| MILD INFLAMMATION | 2 | 2,245 | 10,932,000 |
| MODERATE INFLAMMATION | 3 | 380 | 2,183,000 |
| SEVERE INFLAMMATION | 4 | 20 | 137,500 |
| TOOTH MISSING | 5 | 645 | 3,762,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 11,000 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G4 | **Length** | 1 | **Position** | 3434 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 36 (75) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 36 (75) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,725 | 8,337,000 |
| MILD INFLAMMATION | 2 | 2,250 | 10,989,500 |
| MODERATE INFLAMMATION | 3 | 425 | 2,653,500 |
| SEVERE INFLAMMATION | 4 | 20 | 107,500 |
| TOOTH MISSING | 5 | 860 | 5,544,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 11,000 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G5 | **Length** | 1 | **Position** | 3435 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 32 (72) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 32 (72) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,510 | 7,748,000 |
| MILD INFLAMMATION | 2 | 2,770 | 14,303,500 |
| MODERATE INFLAMMATION | 3 | 820 | 4,535,000 |
| SEVERE INFLAMMATION | 4 | 80 | 644,500 |
| TOOTH MISSING | 5 | 100 | 401,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 11,000 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_31G6 | **Length** | 1 | **Position** | 3436 |
| **Question Name** | | | | | |
| **Concept** | Gingivitis - tooth 44 (84) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each tooth - gingivitis tooth 44 (84) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 1 | 1,820 | 9,270,500 |
| MILD INFLAMMATION | 2 | 2,630 | 13,499,500 |
| MODERATE INFLAMMATION | 3 | 490 | 3,101,000 |
| SEVERE INFLAMMATION | 4 | 25 | 147,500 |
| TOOTH MISSING | 5 | 315 | 1,618,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D1 | **Length** | 1 | **Position** | 3437 |
| **Question Name** | | | | | |
| **Concept** | Debris - teeth 17/16 (55) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris teeth 17/16 (55). | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 1,770 | 10,746,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 2,395 | 11,305,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 605 | 2,642,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 135 | 694,000 |
| TEETH MISSING | 5 | 375 | 2,227,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 8,000 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D2 | **Length** | 1 | **Position** | 3438 |
| **Question Name** | | | | | |
| **Concept** | Debris - tooth 11 (51) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris tooth 11 (51) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 3,275 | 18,524,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,245 | 5,464,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 280 | 1,015,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 65 | 274,000 |
| TEETH MISSING | 5 | 415 | 2,333,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 12,500 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D3 | **Length** | 1 | **Position** | 3439 |
| **Question Name** | | | | | |
| **Concept** | Debris - teeth 26/27 (65) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris teeth 26/27 (65) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 1,575 | 9,373,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 2,535 | 12,365,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 640 | 2,844,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 130 | 658,500 |
| TEETH MISSING | 5 | 395 | 2,372,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 10,500 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C1 | **Length** | 1 | **Position** | 3440 |
| **Question Name** | | | | | |
| **Concept** | Calculus - teeth 17/16 (55) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus teeth 17/16 (55). | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 excluding OHE_32D1 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 3,570 | 16,811,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,180 | 7,520,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 135 | 897,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 20 | 159,500 |
| TEETH MISSING | 5 | 375 | 2,227,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 8,000 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C2 | **Length** | 1 | **Position** | 3441 |
| **Question Name** | | | | | |
| **Concept** | Calculus - tooth 11 (51) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus tooth 11 (51) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 excluding OHE_32D2 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 4,490 | 22,871,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 345 | 2,219,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 30 | 156,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 5 | 30,500 |
| TEETH MISSING | 5 | 415 | 2,333,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 12,500 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C3 | **Length** | 1 | **Position** | 3442 |
| **Question Name** | | | | | |
| **Concept** | Calculus - teeth 26/27 (65) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus teeth 26/27 (65) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 2 excluding OHE_32D3 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 3,505 | 16,481,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,225 | 7,672,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 135 | 917,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 15 | 170,500 |
| TEETH MISSING | 5 | 395 | 2,372,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 10,500 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32R1 **Length** 2 **Position** 3443 - 3444

**Question Name**

**Concept** Recession - teeth 17/16 (55)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession teeth 17/16 (55).

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D1 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 12 | 3,170 | 20,427,500 |
| NOT APPLICABLE | 96 | 2,420 | 8,740,000 |
| DON'T KNOW | 97 | 5 | 4,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32R2 **Length** 2 **Position** 3445 - 3446

**Question Name**

**Concept** Recession - tooth 11 (51)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession tooth 11 (51)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D2 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 9 | 3,145 | 20,355,500 |
| NOT APPLICABLE | 96 | 2,445 | 8,812,000 |
| DON'T KNOW | 97 | 5 | 4,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32R3 **Length** 2 **Position** 3447 - 3448

**Question Name**

**Concept** Recession - teeth 26/27 (65)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession teeth 26/27 (65)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D3 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 12 | 3,150 | 20,320,500 |
| NOT APPLICABLE | 96 | 2,440 | 8,847,000 |
| DON'T KNOW | 97 | 5 | 4,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32P1 **Length** 2 **Position** 3449 - 3450

**Question Name**

**Concept** Probing - teeth 17/16 (55)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing teeth 17/16 (55).

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D1 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 9 | 3,165 | 20,423,500 |
| NOT APPLICABLE | 96 | 2,420 | 8,740,000 |
| DON'T KNOW | 97 | 5 | 5,000 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32P2 **Length** 2 **Position** 3451 - 3452

**Question Name**

**Concept** Probing - tooth 11 (51)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing tooth 11 (51)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D2 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 8 | 3,145 | 20,353,500 |
| NOT APPLICABLE | 96 | 2,445 | 8,812,000 |
| DON'T KNOW | 97 | 5 | 3,000 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32P3 **Length** 2 **Position** 3453 - 3454

**Question Name**

**Concept** Probing - teeth 26/27 (65)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing teeth 26/27 (65)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 2 excluding OHE_32D3 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 9 | 3,145 | 20,301,500 |
| NOT APPLICABLE | 96 | 2,440 | 8,847,000 |
| DON'T KNOW | 97 | 5 | 20,000 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D4 | **Length** | 1 | **Position** | 3455 |
| **Question Name** | | | | | |
| **Concept** | Debris - teeth 37/36 (75) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris teeth 37/36 (75) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 1,060 | 6,098,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 3,230 | 16,007,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 570 | 3,094,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 85 | 558,500 |
| TEETH MISSING | 5 | 330 | 1,851,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 14,500 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D5 | **Length** | 1 | **Position** | 3456 |
| **Question Name** | | | | | |
| **Concept** | Debris - tooth 31 (71) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris tooth 31 (71) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 2,705 | 14,793,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 2,010 | 10,103,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 410 | 1,888,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 75 | 409,000 |
| TEETH MISSING | 5 | 80 | 425,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32D6 | **Length** | 1 | **Position** | 3457 |
| **Question Name** | | | | | |
| **Concept** | Debris - teeth 46/47 (85) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - debris teeth 46/47 (85) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 1 | 1,040 | 5,978,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 3,270 | 16,455,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 575 | 2,904,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 80 | 508,000 |
| TEETH MISSING | 5 | 310 | 1,773,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| REFUSAL | 8 | 5 | 18,500 |
| NOT STATED | 9 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C4 | **Length** | 1 | **Position** | 3458 |
| **Question Name** | | | | | |
| **Concept** | Calculus - teeth 37/36 (75) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus teeth 37/36 (75) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 excluding OHE_32D4 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 3,510 | 16,559,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,290 | 8,286,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 130 | 804,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 10 | 108,000 |
| TEETH MISSING | 5 | 330 | 1,851,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 14,500 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C5 | **Length** | 1 | **Position** | 3459 |
| **Question Name** | | | | | |
| **Concept** | Calculus - tooth 31 (71) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus tooth 31 (71) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 excluding OHE_32D5 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 3,580 | 17,255,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,435 | 8,697,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 160 | 1,085,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 25 | 156,000 |
| TEETH MISSING | 5 | 80 | 425,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_32C6 | **Length** | 1 | **Position** | 3460 |
| **Question Name** | | | | | |
| **Concept** | Calculus - teeth 46/47 (85) | | | | |
| **Question** | INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - calculus teeth 46/47 (85) | | | | |
| **Universe** | Respondents who answered OHE_11 = 1 or 3 excluding OHE_32D6 = 5 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 1 | 3,490 | 16,626,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 2 | 1,340 | 8,320,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 3 | 120 | 740,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 4 | 20 | 160,000 |
| TEETH MISSING | 5 | 310 | 1,773,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| DON'T KNOW | 7 | 5 | 5,000 |
| REFUSAL | 8 | 5 | 5,500 |
| NOT STATED | 9 | 20 | 93,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32R4 **Length** 2 **Position** 3461 - 3462

**Question Name**

**Concept** Recession - teeth 37/36 (75)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession teeth 37/36 (75)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D4 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 12 | 3,200 | 20,790,500 |
| NOT APPLICABLE | 96 | 2,390 | 8,369,500 |
| DON'T KNOW | 97 | 5 | 11,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32R5 **Length** 2 **Position** 3463 - 3464

**Question Name**

**Concept** Recession - tooth 31 (71)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession tooth 31 (71)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D5 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 11 | 3,395 | 21,877,000 |
| NOT APPLICABLE | 96 | 2,190 | 7,276,000 |
| DON'T KNOW | 97 | 5 | 18,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32R6 **Length** 2 **Position** 3465 - 3466

**Question Name**

**Concept** Recession - teeth 46/47 (85)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - recession teeth 46/47 (85)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D6 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ATTACHMENT LOSS IN MILLIMETRES | 0 - 10 | 3,220 | 20,867,000 |
| NOT APPLICABLE | 96 | 2,365 | 8,293,500 |
| DON'T KNOW | 97 | 5 | 11,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32P4 **Length** 2 **Position** 3467 - 3468

**Question Name**

**Concept** Probing - teeth 37/36 (75)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing teeth 37/36 (75)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D4 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 9 | 3,195 | 20,780,000 |
| NOT APPLICABLE | 96 | 2,390 | 8,369,500 |
| DON'T KNOW | 97 | 5 | 18,500 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_32P5 **Length** 2 **Position** 3469 - 3470

**Question Name**

**Concept** Probing - tooth 31 (71)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing tooth 31 (71)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D5 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 9 | 3,395 | 21,872,500 |
| NOT APPLICABLE | 96 | 2,190 | 7,276,000 |
| DON'T KNOW | 97 | 5 | 20,000 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_32P6 **Length** 2 **Position** 3471 - 3472

**Question Name**

**Concept** Probing - teeth 46/47 (85)

**Question** INSTRUCTION: Record the worst score for each condition for each sextant (by tooth or pair of teeth) - probing teeth 46/47 (85)

**Universe** Respondents aged 15 and older with PHC_51 = 2 and PHC_52 = 2 and OHRD25 = 2 and OHE_11 = 1 or 3 excluding OHE_32D6 = 5

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| PROBING DEPTH IN MILLIMETRES | 0 - 9 | 3,220 | 20,863,000 |
| NOT APPLICABLE | 96 | 2,365 | 8,293,500 |
| DON'T KNOW | 97 | 5 | 12,500 |
| REFUSAL | 98 | 5 | 8,000 |
| NOT STATED | 99 | 10 | 59,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T55 **Length** 2 **Position** 3473 - 3474

**Question Name**

**Concept** Tooth condition - baby tooth 55

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 55

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 640 | 1,369,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 34,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 1,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,080 | 24,168,500 |
| DECAYED SEVERELY | 7 | 5 | 2,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 13,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 15 | 36,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 15,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 155 | 279,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 100 | 217,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 12,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 4,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T54 **Length** 2 **Position** 3475 - 3476

**Question Name**

**Concept** Tooth condition - baby tooth 54

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 54

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 505 | 1,056,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 23,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 10 | 17,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,275 | 24,609,500 |
| DECAYED SEVERELY | 7 | 5 | 15,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 7,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 25 | 52,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 10,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 95 | 178,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 80 | 177,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 2,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 1,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 2,500 |
| OTHER | 21 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T53 **Length** 2 **Position** 3477 - 3478

**Question Name**

**Concept** Tooth condition - baby tooth 53

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 53

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 810 | 1,715,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 1,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 11,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,190 | 24,384,500 |
| DECAYED SEVERELY | 7 | 5 | 2,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 10 | 21,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 4,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 10 | 14,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T52 **Length** 2 **Position** 3479 - 3480
**Question Name**
**Concept** Tooth condition - baby tooth 52
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 52
**Universe** Respondents who answered OHE_11 = 1 or 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 270 | 559,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 12,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,750 | 25,566,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 6,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 11,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_1T51 **Length** 2 **Position** 3481 - 3482
**Question Name**
**Concept** Tooth condition - baby tooth 51
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 51
**Universe** Respondents who answered OHE_11 = 1 or 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 130 | 275,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 12,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,885 | 25,850,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 9,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 6,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T61 **Length** 2 **Position** 3483 - 3484
**Question Name**
**Concept** Tooth condition - baby tooth 61
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 61
**Universe** Respondents who answered OHE_11 = 1 or 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 125 | 264,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 12,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,885 | 25,855,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 12,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 9,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_1T62 **Length** 2 **Position** 3485 - 3486
**Question Name**
**Concept** Tooth condition - baby tooth 62
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 62
**Universe** Respondents who answered OHE_11 = 1 or 2
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 265 | 544,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 12,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,750 | 25,584,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 9,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T63 **Length** 2 **Position** 3487 - 3488

**Question Name**

**Concept** Tooth condition - baby tooth 63

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 63

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 815 | 1,753,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 1,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,195 | 24,365,500 |
| DECAYED SEVERELY | 7 | 5 | 1,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 6,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 11,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 4,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 12,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T64 **Length** 2 **Position** 3489 - 3490

**Question Name**

**Concept** Tooth condition - baby tooth 64

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 64

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 520 | 1,082,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 21,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 7,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,275 | 24,604,000 |
| DECAYED SEVERELY | 7 | 5 | 7,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 10,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 20 | 41,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 11,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 100 | 194,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 80 | 166,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 5,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 5,000 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T65 **Length** 2 **Position** 3491 - 3492

**Question Name**

**Concept** Tooth condition - baby tooth 65

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 65

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 625 | 1,360,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 25,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 5,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,080 | 24,132,000 |
| DECAYED SEVERELY | 7 | 5 | 4,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 22,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 25 | 55,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 14,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 145 | 293,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 105 | 231,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 9,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 1,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C17 **Length** 2 **Position** 3493 - 3494

**Question Name**

**Concept** Tooth condition - crown 17

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 17

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,400 | 7,532,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 250 | 1,426,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 7,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 320 | 2,016,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,110 | 2,370,000 |
| DECAYED SEVERELY | 7 | 15 | 116,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 70 | 398,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 30 | 174,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 41,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,080 | 7,066,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 650 | 4,423,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 35 | 235,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 41,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 53,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 35 | 245,500 |
| IMPLANT | 19 | 5 | 5,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C16 **Length** 2 **Position** 3495 - 3496

**Question Name**

**Concept** Tooth condition - crown 16

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 16

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,505 | 6,252,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 610 | 1,976,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 27,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 445 | 2,947,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 85 | 179,500 |
| DECAYED SEVERELY | 7 | 20 | 201,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 60 | 303,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 25 | 173,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 40,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,170 | 7,203,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 920 | 5,825,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 90 | 548,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 20 | 203,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 15 | 50,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 16,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 40 | 191,500 |
| IMPLANT | 19 | 5 | 6,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 2,000 |
| OTHER | 21 | 5 | 5,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C15 **Length** 2 **Position** 3497 - 3498

**Question Name**

**Concept** Tooth condition - crown 15

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 15

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,240 | 12,860,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 80 | 380,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 55 | 370,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 7,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 305 | 1,953,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 970 | 2,097,500 |
| DECAYED SEVERELY | 7 | 15 | 107,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 10,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 30 | 281,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 49,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 555 | 3,394,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 660 | 4,075,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 116,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 57,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 47,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 5,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 55 | 299,000 |
| IMPLANT | 19 | 5 | 17,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 23,500 |
| OTHER | 21 | 5 | 2,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C14 **Length** 2 **Position** 3499 - 3500

**Question Name**

**Concept** Tooth condition - crown 14

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 14

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,495 | 14,041,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 90 | 338,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 195 | 1,221,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 235 | 1,329,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 800 | 1,717,500 |
| DECAYED SEVERELY | 7 | 15 | 133,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 28,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 45 | 322,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 20,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 450 | 2,725,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 600 | 3,748,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 25 | 139,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 56,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 79,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 32,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 40 | 200,000 |
| IMPLANT | 19 | 5 | 12,500 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C13 **Length** 2 **Position** 3501 - 3502

**Question Name**

**Concept** Tooth condition - crown 13

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 13

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,330 | 19,434,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 15 | 78,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 60 | 371,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 920 | 1,997,000 |
| DECAYED SEVERELY | 7 | 10 | 60,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 55 | 302,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 12,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 55 | 336,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 435 | 2,760,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 106,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 3,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 25,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 105 | 627,500 |
| IMPLANT | 19 | 5 | 3,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 19,500 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C12 **Length** 2 **Position** 3503 - 3504

**Question Name**

**Concept** Tooth condition - crown 12

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 12

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,580 | 18,607,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 45,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 57,500 |
| MISSING - DUE TO TRAUMA | 4 | 20 | 170,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 150 | 848,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 385 | 895,500 |
| DECAYED SEVERELY | 7 | 10 | 44,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 65,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 60 | 362,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 50 | 295,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 625 | 3,999,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 15 | 69,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 15 | 86,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 5,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 75 | 506,000 |
| IMPLANT | 19 | 5 | 11,500 |
| FRACTURED DUE TO TRAUMA | 20 | 15 | 77,000 |
| OTHER | 21 | 5 | 7,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C11 **Length** 2 **Position** 3505 - 3506

**Question Name**

**Concept** Tooth condition - crown 11

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 11

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,635 | 18,227,500 |
| MISSING - DUE TO TRAUMA | 4 | 30 | 227,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 125 | 758,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 175 | 379,500 |
| DECAYED SEVERELY | 7 | 5 | 40,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 60 | 401,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 25,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 760 | 4,780,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 27,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 20 | 111,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 4,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 105 | 708,000 |
| IMPLANT | 19 | 5 | 17,000 |
| FRACTURED DUE TO TRAUMA | 20 | 85 | 433,500 |
| OTHER | 21 | 5 | 13,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C21 **Length** 2 **Position** 3507 - 3508

**Question Name**

**Concept** Tooth condition - crown 21

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 21

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,660 | 18,720,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 5,500 |
| MISSING - DUE TO TRAUMA | 4 | 35 | 225,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 120 | 782,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 175 | 376,000 |
| DECAYED SEVERELY | 7 | 5 | 43,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 65 | 453,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 15,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 17,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 720 | 4,222,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 43,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 4,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 25 | 127,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 8,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 110 | 719,500 |
| IMPLANT | 19 | 5 | 25,000 |
| FRACTURED DUE TO TRAUMA | 20 | 75 | 350,000 |
| OTHER | 21 | 10 | 18,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C22 **Length** 2 **Position** 3509 - 3510

**Question Name**

**Concept** Tooth condition - crown 22

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 22

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,580 | 18,732,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 40,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 35,000 |
| MISSING - DUE TO TRAUMA | 4 | 15 | 126,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 135 | 853,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 385 | 896,000 |
| DECAYED SEVERELY | 7 | 10 | 98,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 56,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 60 | 349,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 30,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 50 | 338,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 630 | 3,752,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 93,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 30 | 175,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 70 | 514,500 |
| IMPLANT | 19 | 5 | 1,000 |
| FRACTURED DUE TO TRAUMA | 20 | 10 | 53,500 |
| OTHER | 21 | 5 | 9,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C23 **Length** 2 **Position** 3511 - 3512

**Question Name**

**Concept** Tooth condition - crown 23

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 23

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,350 | 19,834,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 10 | 54,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 70 | 439,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 920 | 2,017,500 |
| DECAYED SEVERELY | 7 | 10 | 74,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 2,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 45 | 241,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 1,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 60 | 347,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 435 | 2,457,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 67,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 8,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 81,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 85 | 524,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 3,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C24 **Length** 2 **Position** 3513 - 3514

**Question Name**

**Concept** Tooth condition - crown 24

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 24

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,525 | 14,072,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 95 | 410,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 185 | 1,187,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 250 | 1,569,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 790 | 1,727,000 |
| DECAYED SEVERELY | 7 | 15 | 86,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 51,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 55 | 348,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 55,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 410 | 2,486,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 590 | 3,633,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 167,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 28,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 15 | 61,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 45 | 239,000 |
| IMPLANT | 19 | 5 | 25,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C25 **Length** 2 **Position** 3515 - 3516

**Question Name**

**Concept** Tooth condition - crown 25

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 25

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,205 | 12,572,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 80 | 346,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 55 | 344,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 300 | 1,834,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 970 | 2,117,000 |
| DECAYED SEVERELY | 7 | 20 | 103,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 10,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 258,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 55,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 585 | 3,624,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 665 | 4,267,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 30 | 192,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 54,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 68,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 18,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 35 | 251,500 |
| IMPLANT | 19 | 5 | 11,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 22,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C26 **Length** 2 **Position** 3517 - 3518

**Question Name**

**Concept** Tooth condition - crown 26

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 26

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,570 | 6,659,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 585 | 1,897,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 30,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 450 | 2,927,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 85 | 161,500 |
| DECAYED SEVERELY | 7 | 15 | 140,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 45 | 258,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 272,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 12,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,165 | 7,328,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 905 | 5,477,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 75 | 486,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 20 | 150,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 20 | 117,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 5,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 35 | 213,000 |
| IMPLANT | 19 | 5 | 10,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 3,000 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C27 **Length** 2 **Position** 3519 - 3520

**Question Name**

**Concept** Tooth condition - crown 27

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 27

**Universe** Respondents who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,425 | 7,960,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 245 | 1,292,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 365 | 2,248,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,080 | 2,357,000 |
| DECAYED SEVERELY | 7 | 15 | 126,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 65 | 336,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 237,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 59,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,030 | 6,712,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 650 | 4,252,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 35 | 253,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 20 | 81,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 19,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 8,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 30 | 191,000 |
| OTHER | 21 | 5 | 6,500 |
| NOT APPLICABLE | 96 | 560 | 3,000,500 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R17 **Length** 2 **Position** 3521 - 3522

**Question Name**

**Concept** Tooth condition - root 17

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 17

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,745 | 18,942,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 7,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 320 | 2,013,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 67,500 |
| DECAYED SEVERELY | 7 | 10 | 58,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 5 | 52,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 30 | 179,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 25 | 120,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| IMPLANT | 19 | 5 | 5,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 16,000 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R16 **Length** 2 **Position** 3523 - 3524

**Question Name**

**Concept** Tooth condition - root 16

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 16

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,600 | 17,919,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 10,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 445 | 2,936,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 17,000 |
| DECAYED SEVERELY | 7 | 10 | 117,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 79,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 15 | 63,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 55 | 297,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 9,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 1,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,000 |
| IMPLANT | 19 | 5 | 6,000 |
| OTHER | 21 | 5 | 4,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R15 **Length** 2 **Position** 3525 - 3526

**Question Name**

**Concept** Tooth condition - root 15

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 15

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,700 | 18,520,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 45 | 323,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 7,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 305 | 1,953,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 20 | 117,500 |
| DECAYED SEVERELY | 7 | 10 | 93,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 5 | 32,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 17,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 60 | 369,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 7,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 3,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,000 |
| IMPLANT | 19 | 5 | 17,000 |
| OTHER | 21 | 5 | 2,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R14 **Length** 2 **Position** 3527 - 3528

**Question Name**

**Concept** Tooth condition - root 14

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 14

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,615 | 18,124,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 165 | 1,128,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 235 | 1,329,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 15 | 92,500 |
| DECAYED SEVERELY | 7 | 15 | 78,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 5 | 50,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 29,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 90 | 589,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 22,500 |
| IMPLANT | 19 | 5 | 12,500 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R13 **Length** 2 **Position** 3529 - 3530

**Question Name**

**Concept** Tooth condition - root 13

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 13

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,960 | 20,323,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 15 | 78,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 60 | 371,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 15 | 74,000 |
| DECAYED SEVERELY | 7 | 10 | 67,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 47,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 3,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 80 | 476,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 5,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 6,500 |
| IMPLANT | 19 | 5 | 3,000 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R12 **Length** 2 **Position** 3531 - 3532

**Question Name**

**Concept** Tooth condition - root 12

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 12

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,900 | 19,976,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 54,500 |
| MISSING - DUE TO TRAUMA | 4 | 20 | 170,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 150 | 848,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 25 | 142,000 |
| DECAYED SEVERELY | 7 | 5 | 35,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 5 | 27,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 35 | 178,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 14,000 |
| IMPLANT | 19 | 5 | 11,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,500 |
| OTHER | 21 | 5 | 7,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R11 **Length** 2 **Position** 3533 - 3534

**Question Name**

**Concept** Tooth condition - root 11

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 11

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,945 | 20,241,500 |
| MISSING - DUE TO TRAUMA | 4 | 30 | 221,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 125 | 758,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 5,000 |
| DECAYED SEVERELY | 7 | 5 | 33,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 30,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 30 | 143,000 |
| IMPLANT | 19 | 5 | 17,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 3,500 |
| OTHER | 21 | 5 | 13,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R21 **Length** 2 **Position** 3535 - 3536

**Question Name**

**Concept** Tooth condition - root 21

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 21

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,940 | 20,204,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 5,500 |
| MISSING - DUE TO TRAUMA | 4 | 35 | 220,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 120 | 782,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 1,500 |
| DECAYED SEVERELY | 7 | 5 | 22,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 32,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 30 | 123,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 29,000 |
| IMPLANT | 19 | 5 | 25,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 3,000 |
| OTHER | 21 | 5 | 16,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R22 **Length** 2 **Position** 3537 - 3538

**Question Name**

**Concept** Tooth condition - root 22

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 22

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,920 | 20,000,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 32,000 |
| MISSING - DUE TO TRAUMA | 4 | 15 | 126,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 135 | 853,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 30 | 143,500 |
| DECAYED SEVERELY | 7 | 5 | 52,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 57,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 25 | 167,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 24,500 |
| IMPLANT | 19 | 5 | 1,000 |
| OTHER | 21 | 5 | 9,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R23 **Length** 2 **Position** 3539 - 3540

**Question Name**

**Concept** Tooth condition - root 23

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 23

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,955 | 20,324,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 10 | 54,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 70 | 439,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 15 | 82,500 |
| DECAYED SEVERELY | 7 | 5 | 41,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 78,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 10,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 75 | 394,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 42,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R24 **Length** 2 **Position** 3541 - 3542

**Question Name**

**Concept** Tooth condition - root 24

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 24

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,625 | 18,032,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 155 | 1,096,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 250 | 1,569,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 105,000 |
| DECAYED SEVERELY | 7 | 10 | 39,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 110,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 12,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 75 | 455,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 16,500 |
| IMPLANT | 19 | 5 | 25,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R25 **Length** 2 **Position** 3543 - 3544

**Question Name**

**Concept** Tooth condition - root 25

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 25

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,715 | 18,804,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 45 | 309,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 300 | 1,834,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 20 | 126,000 |
| DECAYED SEVERELY | 7 | 10 | 79,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 5 | 15,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 17,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 45 | 256,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 10,000 |
| IMPLANT | 19 | 5 | 11,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R26 **Length** 2 **Position** 3545 - 3546

**Question Name**

**Concept** Tooth condition - root 26

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 26

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,610 | 18,076,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 10,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 450 | 2,927,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 6,500 |
| DECAYED SEVERELY | 7 | 10 | 76,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 41,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 20 | 79,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 40 | 226,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 4,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 8,000 |
| IMPLANT | 19 | 5 | 10,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R27 **Length** 2 **Position** 3547 - 3548

**Question Name**

**Concept** Tooth condition - root 27

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 27

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 2

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,705 | 18,711,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 365 | 2,245,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 93,000 |
| DECAYED SEVERELY | 7 | 5 | 17,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 25 | 144,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 25 | 133,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 15 | 89,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 13,500 |
| OTHER | 21 | 5 | 6,500 |
| NOT APPLICABLE | 96 | 2,440 | 7,705,000 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T75 **Length** 2 **Position** 3549 - 3550

**Question Name**

**Concept** Tooth condition - baby tooth 75

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 75

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 630 | 1,402,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 15 | 23,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 6,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,310 | 25,535,500 |
| DECAYED SEVERELY | 7 | 5 | 8,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 15 | 30,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 3,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 11,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 155 | 320,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 125 | 272,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 7,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 3,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T74 **Length** 2 **Position** 3551 - 3552

**Question Name**

**Concept** Tooth condition - baby tooth 74

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 74

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 510 | 1,058,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 9,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 10 | 18,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,545 | 26,110,500 |
| DECAYED SEVERELY | 7 | 5 | 5,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 15,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 10 | 15,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 10,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 95 | 184,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 85 | 194,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 3,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T73 **Length** 2 **Position** 3553 - 3554
**Question Name**
**Concept** Tooth condition - baby tooth 73
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 73
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 685 | 1,432,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 2,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,580 | 26,179,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 4,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 1,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHE_1T72 **Length** 2 **Position** 3555 - 3556
**Question Name**
**Concept** Tooth condition - baby tooth 72
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 72
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 180 | 387,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5,100 | 27,237,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T71 **Length** 2 **Position** 3557 - 3558
**Question Name**
**Concept** Tooth condition - baby tooth 71
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 71
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 65 | 125,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5,210 | 27,497,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_1T81 **Length** 2 **Position** 3559 - 3560
**Question Name**
**Concept** Tooth condition - baby tooth 81
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 81
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 65 | 131,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5,210 | 27,491,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T82 **Length** 2 **Position** 3561 - 3562
**Question Name**
**Concept** Tooth condition - baby tooth 82
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 82
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 175 | 385,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5,100 | 27,238,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_1T83 **Length** 2 **Position** 3563 - 3564
**Question Name**
**Concept** Tooth condition - baby tooth 83
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 83
**Universe** Respondents who answered OHE_11 = 1 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 670 | 1,400,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 1,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,590 | 26,204,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 5 | 6,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 1,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 5 | 9,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T84 **Length** 2 **Position** 3565 - 3566

**Question Name**

**Concept** Tooth condition - baby tooth 84

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 84

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 515 | 1,056,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 10 | 15,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 10 | 12,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,535 | 26,086,500 |
| DECAYED SEVERELY | 7 | 5 | 1,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 16,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 10 | 24,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 7,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 100 | 189,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 85 | 216,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1T85 **Length** 2 **Position** 3567 - 3568

**Question Name**

**Concept** Tooth condition - baby tooth 85

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - baby tooth 85

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 615 | 1,387,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 25 | 63,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 5 | 15,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 4,320 | 25,493,000 |
| DECAYED SEVERELY | 7 | 5 | 6,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 39,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 15 | 27,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 9,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 130 | 260,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 130 | 299,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 4,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 12,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 6,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C37 **Length** 2 **Position** 3569 - 3570

**Question Name**

**Concept** Tooth condition - crown 37

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 37

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,265 | 6,832,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 230 | 1,095,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 1,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 630 | 3,658,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,020 | 2,195,500 |
| DECAYED SEVERELY | 7 | 25 | 221,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 85 | 385,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 30 | 326,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 10 | 82,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,025 | 6,686,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 810 | 5,321,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 45 | 316,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 15 | 69,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 25 | 162,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 40,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 55 | 209,500 |
| IMPLANT | 19 | 5 | 3,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,500 |
| OTHER | 21 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C36 **Length** 2 **Position** 3571 - 3572

**Question Name**

**Concept** Tooth condition - crown 36

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 36

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,500 | 6,336,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 570 | 1,656,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 10,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 17,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 855 | 5,604,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 80 | 203,000 |
| DECAYED SEVERELY | 7 | 25 | 199,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 60 | 222,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 50 | 394,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 15 | 85,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 970 | 5,832,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 975 | 6,072,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 85 | 451,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 30 | 276,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 25 | 91,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 34,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 15 | 88,500 |
| IMPLANT | 19 | 5 | 17,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 30,000 |
| OTHER | 21 | 5 | 2,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C35 **Length** 2 **Position** 3573 - 3574

**Question Name**

**Concept** Tooth condition - crown 35

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 35

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,505 | 14,582,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 95 | 467,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 55 | 405,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 365 | 2,063,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,005 | 2,276,000 |
| DECAYED SEVERELY | 7 | 20 | 150,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 47,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 45 | 256,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 33,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 555 | 3,408,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 525 | 3,375,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 141,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 15 | 105,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 54,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 50 | 201,000 |
| IMPLANT | 19 | 5 | 9,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 46,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C34 **Length** 2 **Position** 3575 - 3576

**Question Name**

**Concept** Tooth condition - crown 34

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 34

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,300 | 19,026,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 95 | 506,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 135 | 843,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 170 | 923,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 785 | 1,638,000 |
| DECAYED SEVERELY | 7 | 20 | 142,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 10 | 46,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 35 | 253,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 7,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 305 | 1,821,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 350 | 2,033,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 20 | 92,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 28,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 33,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 6,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 40 | 193,500 |
| IMPLANT | 19 | 5 | 3,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 6,000 |
| OTHER | 21 | 5 | 17,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C33 **Length** 2 **Position** 3577 - 3578

**Question Name**

**Concept** Tooth condition - crown 33

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 33

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,120 | 23,759,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 42,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 25 | 128,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 755 | 1,572,500 |
| DECAYED SEVERELY | 7 | 10 | 88,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 55 | 275,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 3,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 30 | 188,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 230 | 1,297,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 21,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 30,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 1,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 30 | 199,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 13,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C32 **Length** 2 **Position** 3579 - 3580

**Question Name**

**Concept** Tooth condition - crown 32

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 32

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,750 | 25,452,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 9,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 48,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 55 | 300,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 220 | 475,000 |
| DECAYED SEVERELY | 7 | 5 | 57,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 25 | 155,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 3,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 8,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 175 | 914,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 23,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 20 | 131,000 |
| FRACTURED DUE TO TRAUMA | 20 | 10 | 37,000 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C31 **Length** 2 **Position** 3581 - 3582

**Question Name**

**Concept** Tooth condition - crown 31

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 31

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,855 | 25,560,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 26,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 52,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 85 | 475,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 80 | 185,000 |
| DECAYED SEVERELY | 7 | 5 | 40,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 20 | 117,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 3,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 4,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 175 | 933,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 39,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 20 | 111,000 |
| IMPLANT | 19 | 5 | 4,000 |
| FRACTURED DUE TO TRAUMA | 20 | 10 | 60,000 |
| OTHER | 21 | 5 | 6,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C41 **Length** 2 **Position** 3583 - 3584

**Question Name**

**Concept** Tooth condition - crown 41

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 41

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,880 | 25,697,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 47,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 48,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 85 | 450,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 85 | 210,000 |
| DECAYED SEVERELY | 7 | 5 | 22,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 20 | 123,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 3,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 3,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 155 | 832,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 1,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 16,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 20 | 121,500 |
| IMPLANT | 19 | 5 | 4,000 |
| FRACTURED DUE TO TRAUMA | 20 | 10 | 33,500 |
| OTHER | 21 | 5 | 6,000 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C42 **Length** 2 **Position** 3585 - 3586

**Question Name**

**Concept** Tooth condition - crown 42

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 42

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,765 | 25,549,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 13,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 61,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 55 | 259,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 220 | 477,500 |
| DECAYED SEVERELY | 7 | 5 | 22,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 30 | 159,500 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 3,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 7,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 150 | 830,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 20,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 24,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 15 | 118,000 |
| FRACTURED DUE TO TRAUMA | 20 | 10 | 60,000 |
| OTHER | 21 | 5 | 11,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C43 **Length** 2 **Position** 3587 - 3588

**Question Name**

**Concept** Tooth condition - crown 43

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 43

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 4,160 | 23,899,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 5 | 6,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 7,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 35 | 158,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 745 | 1,551,500 |
| DECAYED SEVERELY | 7 | 5 | 75,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 9,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 270,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 30 | 181,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 215 | 1,248,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 45,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 18,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 25 | 148,500 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C44 **Length** 2 **Position** 3589 - 3590

**Question Name**

**Concept** Tooth condition - crown 44

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 44

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,290 | 18,919,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 95 | 540,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 125 | 771,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 180 | 949,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 795 | 1,675,500 |
| DECAYED SEVERELY | 7 | 10 | 79,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 7,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 266,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 10,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 300 | 1,839,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 360 | 2,168,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 25 | 130,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 20,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 53,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 4,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 35 | 187,000 |
| IMPLANT | 19 | 5 | 3,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C45 **Length** 2 **Position** 3591 - 3592

**Question Name**

**Concept** Tooth condition - crown 45

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 45

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,460 | 14,290,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 105 | 559,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 60 | 434,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 410 | 2,335,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,000 | 2,326,000 |
| DECAYED SEVERELY | 7 | 10 | 66,500 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 5 | 35,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 308,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 41,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 555 | 3,466,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 530 | 3,234,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 25 | 102,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 10 | 86,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 10 | 55,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 12,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 45 | 248,000 |
| IMPLANT | 19 | 5 | 15,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 3,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C46 **Length** 2 **Position** 3593 - 3594

**Question Name**

**Concept** Tooth condition - crown 46

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 46

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,490 | 6,100,500 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 555 | 1,763,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 9,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 845 | 5,591,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 85 | 205,500 |
| DECAYED SEVERELY | 7 | 30 | 184,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 50 | 272,000 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 40 | 232,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 5 | 25,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 965 | 5,901,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 1,010 | 6,200,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 105 | 594,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 35 | 233,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 15 | 126,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 38,500 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 20 | 106,500 |
| IMPLANT | 19 | 5 | 25,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1C47 **Length** 2 **Position** 3595 - 3596

**Question Name**

**Concept** Tooth condition - crown 47

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - crown 47

**Universe** Respondents who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 1,300 | 6,809,000 |
| CROWN SEALED, NEVER DECAYED/RESTORED | 2 | 235 | 1,133,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 8,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 1,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 610 | 3,521,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 1,005 | 2,146,000 |
| DECAYED SEVERELY | 7 | 25 | 160,000 |
| DECAYED - PIT AND FISSURE CARIES | 8 | 95 | 554,500 |
| DECAYED - SMOOTH SURFACE CARIES | 9 | 30 | 235,000 |
| DECAYED-SMOOTH SURF&PIT&FISSURE CARIES | 10 | 15 | 160,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 1,030 | 6,969,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 805 | 5,117,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 35 | 212,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 20 | 166,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 15 | 79,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 39,000 |
| BRIDGE ABUTMENT,SPECIAL CROWN OR VENEER | 18 | 45 | 252,500 |
| IMPLANT | 19 | 5 | 54,000 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 1,000 |
| OTHER | 21 | 5 | 4,500 |
| NOT APPLICABLE | 96 | 310 | 1,531,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R37 **Length** 2 **Position** 3597 - 3598

**Question Name**

**Concept** Tooth condition - root 37

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 37

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,665 | 18,517,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 1,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 630 | 3,639,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 66,500 |
| DECAYED SEVERELY | 7 | 15 | 101,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 25 | 184,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 40 | 282,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 10 | 90,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 35,000 |
| IMPLANT | 19 | 5 | 3,000 |
| OTHER | 21 | 5 | 2,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R36 **Length** 2 **Position** 3599 - 3600

**Question Name**

**Concept** Tooth condition - root 36

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 36

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,430 | 16,439,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 10,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 17,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 855 | 5,592,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 65,000 |
| DECAYED SEVERELY | 7 | 15 | 118,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 144,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 30 | 214,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 35 | 270,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 43,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 4,500 |
| IMPLANT | 19 | 5 | 17,000 |
| OTHER | 21 | 5 | 2,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R35 **Length** 2 **Position** 3601 - 3602

**Question Name**

**Concept** Tooth condition - root 35

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 35

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,835 | 19,351,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 50 | 394,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 365 | 2,063,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 35 | 259,500 |
| DECAYED SEVERELY | 7 | 10 | 94,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 20 | 154,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 20 | 149,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 60 | 436,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 3,500 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 2,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 13,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| IMPLANT | 19 | 5 | 9,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R34 **Length** 2 **Position** 3603 - 3604

**Question Name**

**Concept** Tooth condition - root 34

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 34

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,955 | 20,186,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 115 | 766,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 170 | 923,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 28,500 |
| DECAYED SEVERELY | 7 | 10 | 70,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 20 | 123,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 20 | 153,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 100 | 638,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 13,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 4,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 4,500 |
| IMPLANT | 19 | 5 | 3,500 |
| OTHER | 21 | 5 | 17,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R33 **Length** 2 **Position** 3605 - 3606

**Question Name**

**Concept** Tooth condition - root 33

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 33

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,245 | 22,113,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 4,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 25 | 128,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 10,000 |
| DECAYED SEVERELY | 7 | 5 | 37,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 35 | 207,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 5 | 15,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 80 | 394,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 13,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| FRACTURED DUE TO TRAUMA | 20 | 5 | 9,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R32 **Length** 2 **Position** 3607 - 3608

**Question Name**

**Concept** Tooth condition - root 32

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 32

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,285 | 22,262,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 8,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 48,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 55 | 300,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 11,500 |
| DECAYED SEVERELY | 7 | 5 | 45,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 110,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 30 | 143,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 3,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| OTHER | 21 | 5 | 1,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R31 **Length** 2 **Position** 3609 - 3610

**Question Name**

**Concept** Tooth condition - root 31

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 31

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,260 | 22,090,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 26,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 48,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 85 | 475,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 51,500 |
| DECAYED SEVERELY | 7 | 5 | 27,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 73,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 20 | 128,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 3,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| IMPLANT | 19 | 5 | 4,000 |
| OTHER | 21 | 5 | 6,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R41 **Length** 2 **Position** 3611 - 3612

**Question Name**

**Concept** Tooth condition - root 41

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 41

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,265 | 22,104,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 47,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 48,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 85 | 450,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 61,500 |
| DECAYED SEVERELY | 7 | 5 | 27,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 49,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 20 | 128,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 11,000 |
| IMPLANT | 19 | 5 | 4,000 |
| OTHER | 21 | 5 | 6,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R42 **Length** 2 **Position** 3613 - 3614

**Question Name**

**Concept** Tooth condition - root 42

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 42

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,305 | 22,421,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 1,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 61,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 55 | 259,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 18,000 |
| DECAYED SEVERELY | 7 | 5 | 30,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 10 | 40,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 20 | 93,500 |
| OTHER | 21 | 5 | 11,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R43 **Length** 2 **Position** 3615 - 3616

**Question Name**

**Concept** Tooth condition - root 43

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 43

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 3,275 | 22,258,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 7,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 35 | 158,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 5 | 1,000 |
| DECAYED SEVERELY | 7 | 5 | 38,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 20 | 133,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 10 | 91,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 60 | 238,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 3,000 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| OTHER | 21 | 5 | 5,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R44 **Length** 2 **Position** 3617 - 3618

**Question Name**

**Concept** Tooth condition - root 44

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 44

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,970 | 20,400,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 105 | 699,000 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 180 | 946,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 41,500 |
| DECAYED SEVERELY | 7 | 10 | 68,000 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 25 | 170,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 20 | 158,500 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 85 | 439,500 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 3,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 2,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| IMPLANT | 19 | 5 | 3,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R45 **Length** 2 **Position** 3619 - 3620

**Question Name**

**Concept** Tooth condition - root 45

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 45

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,795 | 19,078,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 55 | 424,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 5,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 410 | 2,334,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 40 | 305,500 |
| DECAYED SEVERELY | 7 | 5 | 32,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 15 | 148,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 25 | 162,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 55 | 421,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 7,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| IMPLANT | 19 | 5 | 15,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R46 **Length** 2 **Position** 3621 - 3622

**Question Name**

**Concept** Tooth condition - root 46

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 46

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,425 | 16,561,000 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 14,000 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 9,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 845 | 5,589,000 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 65,500 |
| DECAYED SEVERELY | 7 | 15 | 63,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 20 | 74,000 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 45 | 257,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 35 | 263,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 4,000 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 10,000 |
| IMPLANT | 19 | 5 | 25,000 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_1R47 **Length** 2 **Position** 3623 - 3624

**Question Name**

**Concept** Tooth condition - root 47

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - root 47

**Universe** Respondents aged 18 and older who answered OHE_11 = 1 or 3

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| SOUND - NEVER DECAYED OR RESTORED | 1 | 2,685 | 18,699,500 |
| MISSING - DUE TO ORTHODONTIC TREATMENT | 3 | 5 | 8,500 |
| MISSING - DUE TO TRAUMA | 4 | 5 | 1,500 |
| MISSING-DUE CARIES/PERIODONTAL DISEASE | 5 | 610 | 3,518,500 |
| EXFOLIAT/UNERUPT/CONGEN MISS/UNEXP ROOT | 6 | 10 | 58,500 |
| DECAYED SEVERELY | 7 | 10 | 79,500 |
| DECAYED - SMOOTH SURFACE CARIES | 11 | 20 | 165,500 |
| FILLED WITH AMALGAM, NO OTHER DECAY | 12 | 35 | 245,000 |
| FILLED WITH OTHER MAT., NO OTHER DECAY | 13 | 15 | 76,000 |
| FILLED AMALG&OTHER MAT, NO OTHER DECAY | 14 | 5 | 4,000 |
| FILLED AMALG. FILLING NEEDS REPLACEMENT | 15 | 5 | 3,500 |
| FILLED OTHER MAT. NEEDS REPLACEMENT | 16 | 5 | 15,500 |
| FILLED AMALG&OTHER MAT.NEED REPLACEMENT | 17 | 5 | 2,500 |
| IMPLANT | 19 | 5 | 54,000 |
| OTHER | 21 | 5 | 4,500 |
| NOT APPLICABLE | 96 | 2,185 | 6,235,500 |
| REFUSAL | 98 | 5 | 5,500 |
| NOT STATED | 99 | 10 | 58,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_42 **Length** 2 **Position** 3625 - 3626
**Question Name**
**Concept** Tooth surfaces with amalgam fillings
**Question** INSTRUCTION: Count and record the number of tooth surfaces with amalgam fillings.
**Universe** Respondents who answered OHE_11 = 1, 2 or 3
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| # TOOTH SURFACES WITH AMALGAM FILLINGS | 0 - 64 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_3T12 **Length** 2 **Position** 3627 - 3628
**Question Name**
**Concept** Damage - tooth 12
**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 12
**Universe** Respondents who answered OHE_11 = 1 or 2 and OHE_1C12 in (1, 2, 7 - 21)
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,325 | 23,194,500 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 80 | 536,500 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 5 | 7,500 |
| RESTORED FRACTURE - FULL CROWN | 5 | 15 | 81,000 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 25 | 185,500 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 5 | 107,000 |
| NOT APPLICABLE | 96 | 1,120 | 4,972,500 |
| REFUSAL | 98 | 5 | 65,000 |
| NOT STATED | 99 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T11 **Length** 2 **Position** 3629 - 3630

**Question Name**

**Concept** Damage - tooth 11

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 11

**Universe** Respondents who answered OHE_11 = 1 or 2 and OHE_1C11 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,150 | 21,473,500 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 270 | 1,742,000 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 15 | 85,500 |
| UNTREATED DAMAGE - DARK DISCOLOURATION, | 4 | 10 | 61,000 |
| RESTORED FRACTURE - FULL CROWN | 5 | 65 | 377,500 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 155 | 945,000 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 15 | 39,500 |
| NOT APPLICABLE | 96 | 890 | 4,366,000 |
| REFUSAL | 98 | 10 | 60,000 |
| NOT STATED | 99 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T21 **Length** 2 **Position** 3631 - 3632

**Question Name**

**Concept** Damage - tooth 21

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 21

**Universe** Respondents who answered OHE_11 = 1 or 2 and OHE_1C21 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,180 | 21,785,000 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 250 | 1,403,000 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 15 | 83,500 |
| UNTREATED DAMAGE - DARK DISCOLOURATION, | 4 | 5 | 11,500 |
| RESTORED FRACTURE - FULL CROWN | 5 | 50 | 304,500 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 155 | 897,500 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 25 | 208,500 |
| NOT APPLICABLE | 96 | 895 | 4,390,000 |
| REFUSAL | 98 | 10 | 66,500 |
| NOT STATED | 99 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T22 **Length** 2 **Position** 3633 - 3634

**Question Name**

**Concept** Damage - tooth 22

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 22

**Universe** Respondents who answered OHE_11 = 1 or 2 and OHE_1C22 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,350 | 23,505,000 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 70 | 404,000 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 5 | 45,000 |
| UNTREATED DAMAGE - DARK DISCOLOURATION, | 4 | 5 | 3,000 |
| RESTORED FRACTURE - FULL CROWN | 5 | 15 | 93,500 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 20 | 103,000 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 10 | 39,500 |
| NOT APPLICABLE | 96 | 1,110 | 4,911,500 |
| REFUSAL | 98 | 5 | 45,000 |
| NOT STATED | 99 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T32 **Length** 2 **Position** 3635 - 3636

**Question Name**

**Concept** Damage - tooth 32

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 32

**Universe** Respondents who answered OHE_11 = 1 or 3 and OHE_1C32 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,945 | 26,513,500 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 30 | 148,000 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 5 | 5,500 |
| RESTORED FRACTURE - FULL CROWN | 5 | 5 | 46,000 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 10 | 49,000 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 5 | 1,500 |
| NOT APPLICABLE | 96 | 590 | 2,364,500 |
| REFUSAL | 98 | 5 | 22,000 |
| NOT STATED | 99 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T31 **Length** 2 **Position** 3637 - 3638

**Question Name**

**Concept** Damage - tooth 31

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 31

**Universe** Respondents who answered OHE_11 = 1 or 3 and OHE_1C31 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 5,005 | 26,371,000 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 45 | 250,500 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 10 | 67,000 |
| RESTORED FRACTURE - FULL CROWN | 5 | 5 | 17,000 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 25 | 132,500 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 5 | 16,000 |
| NOT APPLICABLE | 96 | 485 | 2,270,000 |
| REFUSAL | 98 | 5 | 25,500 |
| NOT STATED | 99 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T41 **Length** 2 **Position** 3639 - 3640

**Question Name**

**Concept** Damage - tooth 41

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 41

**Universe** Respondents who answered OHE_11 = 1 or 3 and OHE_1C41 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 5,015 | 26,383,500 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 45 | 252,500 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 10 | 78,000 |
| UNTREATED DAMAGE - DARK DISCOLOURATION, | 4 | 5 | 20,000 |
| RESTORED FRACTURE - FULL CROWN | 5 | 5 | 33,500 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 15 | 55,000 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 5 | 15,000 |
| NOT APPLICABLE | 96 | 485 | 2,286,500 |
| REFUSAL | 98 | 5 | 25,500 |
| NOT STATED | 99 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_3T42 **Length** 2 **Position** 3641 - 3642

**Question Name**

**Concept** Damage - tooth 42

**Question** INSTRUCTION: Record the condition of each tooth in the appropriate box - damage tooth 42

**Universe** Respondents who answered OHE_11 = 1 or 3 and OHE_1C42 in (1, 2, 7 - 21)

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO EVIDENCE OF TRAUMATIC INJURY | 1 | 4,935 | 26,500,000 |
| UNREST ENAMEL FRACTURE-EXCLUDES DENTIN | 2 | 25 | 114,500 |
| UNREST. ENAMEL FRACT. - INVOLVES DENTIN | 3 | 5 | 46,500 |
| UNTREATED DAMAGE - DARK DISCOLOURATION, | 4 | 5 | 3,500 |
| RESTORED FRACTURE - FULL CROWN | 5 | 5 | 31,500 |
| RESTORED FRACTURE - OTHER RESTORATION | 6 | 10 | 62,000 |
| LINGUAL RESTOR. PLUS ROOT CANAL HISTORY | 7 | 5 | 18,500 |
| NOT APPLICABLE | 96 | 590 | 2,342,500 |
| REFUSAL | 98 | 5 | 31,500 |
| NOT STATED | 99 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_51A **Length** 1 **Position** 3643

**Question Name**

**Concept** Upper arch prosthetic needs - no prosthetic needed

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - no prothetics needed

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,240 | 27,186,500 |
| NO | 2 | 345 | 1,963,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_51B **Length** 1 **Position** 3644

**Question Name**

**Concept** Upper arch prosthetic needs - fixed bridge

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - fixed bridge

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 170,500 |
| NO | 2 | 5,555 | 28,979,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_51C **Length** 1 **Position** 3645

**Question Name**

**Concept** Upper arch prosthetic needs - implant

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - implant

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 35 | 268,500 |
| NO | 2 | 5,545 | 28,881,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_51D **Length** 1 **Position** 3646

**Question Name**

**Concept** Upper arch prosthetic needs - denture repair or reline

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - denture repair or reline

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 235,000 |
| NO | 2 | 5,545 | 28,915,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_51E **Length** 1 **Position** 3647

**Question Name**

**Concept** Upper arch prosthetic needs - new partial denture

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - new partial denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 95 | 553,500 |
| NO | 2 | 5,485 | 28,596,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_51F **Length** 1 **Position** 3648

**Question Name**

**Concept** Upper arch prosthetic needs - new full denture

**Question** INSTRUCTION: Record the prosthetic needs of the upper arch of the respondent - new full denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 150 | 837,000 |
| NO | 2 | 5,435 | 28,313,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_52A **Length** 1 **Position** 3649

**Question Name**

**Concept** Lower arch prosthetic needs - no prosthetic needed

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - no prothetics needed

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,155 | 26,821,000 |
| NO | 2 | 425 | 2,329,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_52B **Length** 1 **Position** 3650

**Question Name**

**Concept** Lower arch prosthetic needs - fixed bridge

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - fixed bridge

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 25 | 109,000 |
| NO | 2 | 5,560 | 29,041,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_52C **Length** 1 **Position** 3651

**Question Name**

**Concept** Lower arch prosthetic needs - implant

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - implant

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 60 | 406,000 |
| NO | 2 | 5,525 | 28,744,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_52D **Length** 1 **Position** 3652

**Question Name**

**Concept** Lower arch prosthetic needs - denture repair or reline

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - denture repair or reline

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 40 | 212,000 |
| NO | 2 | 5,540 | 28,938,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_52E **Length** 1 **Position** 3653

**Question Name**

**Concept** Lower arch prosthetic needs - new partial denture

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - new partial denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 200 | 1,141,000 |
| NO | 2 | 5,385 | 28,009,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_52F **Length** 1 **Position** 3654

**Question Name**

**Concept** Lower arch prosthetic needs - new full denture

**Question** INSTRUCTION: Record the prosthetic needs of the lowerarch of the respondent - new full denture

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 115 | 564,000 |
| NO | 2 | 5,470 | 28,586,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_53A **Length** 1 **Position** 3655

**Question Name**

**Concept** Treatment needed - no treatment needed

**Question** INSTRUCTION: Record the treatment currently needed by the respondent - no treatment needed

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 3,880 | 19,581,500 |
| NO | 2 | 1,705 | 9,568,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_53B **Length** 1 **Position** 3656
**Question Name**
**Concept** Treatment needed - prevention
**Question** INSTRUCTION: Record the treatment currently needed by the respondent - prevention
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 685 | 4,006,500 |
| NO | 2 | 4,900 | 25,143,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_53C **Length** 1 **Position** 3657
**Question Name**
**Concept** Treatment needed - fillings
**Question** INSTRUCTION: Record the treatment currently needed by the respondent - fillings
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,065 | 5,950,500 |
| NO | 2 | 4,520 | 23,199,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_53D | **Length** | 1 | **Position** | 3658 |
| **Question Name** | | | | | |
| **Concept** | Treatment needed - TMD | | | | |
| **Question** | INSTRUCTION: Record the treatment currently needed by the respondent - temporomandibular disorder (TMD) | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 10,000 |
| NO | 2 | 5,580 | 29,140,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | OHE_53E | **Length** | 1 | **Position** | 3659 |
| **Question Name** | | | | | |
| **Concept** | Treatment needed - surgery | | | | |
| **Question** | INSTRUCTION: Record the treatment currently needed by the respondent - surgery | | | | |
| **Universe** | Respondents with OHCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 310 | 2,168,500 |
| NO | 2 | 5,275 | 26,981,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_53F **Length** 1 **Position** 3660

**Question Name**

**Concept** Treatment needed - periodontics

**Question** INSTRUCTION: Record the treatment currently needed by the respondent - periodontics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 230 | 1,477,500 |
| NO | 2 | 5,355 | 27,672,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_53G **Length** 1 **Position** 3661

**Question Name**

**Concept** Treatment needed - esthetics

**Question** INSTRUCTION: Record the treatment currently needed by the respondent - esthetics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 253,000 |
| NO | 2 | 5,540 | 28,897,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_53H **Length** 1 **Position** 3662

**Question Name**

**Concept** Treatment needed - endodontics

**Question** INSTRUCTION: Record the treatment currently needed by the respondent - endodontics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 90 | 567,000 |
| NO | 2 | 5,495 | 28,583,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_53I **Length** 1 **Position** 3663

**Question Name**

**Concept** Treatment needed - orthodontics

**Question** INSTRUCTION: Record the treatment currently needed by the respondent - orthodontics

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 190 | 606,500 |
| NO | 2 | 5,395 | 28,543,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_53J **Length** 1 **Position** 3664
**Question Name**
**Concept** Treatment needed - soft tissue
**Question** INSTRUCTION: Record the treatment currently needed by the respondent - soft tissue
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 45,000 |
| NO | 2 | 5,570 | 29,105,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_53K **Length** 1 **Position** 3665
**Question Name**
**Concept** Treatment needed - other
**Question** INSTRUCTION: Record the treatment currently needed by the respondent - other
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 305,000 |
| NO | 2 | 5,540 | 28,845,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_61 **Length** 1 **Position** 3666

**Question Name**

**Concept** Fillings needed urgently

**Question** INSTRUCTION: Record whether the respondent needs fillings urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53C = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 275,500 |
| NO | 2 | 1,015 | 5,675,000 |
| NOT APPLICABLE | 6 | 4,520 | 23,199,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_62 **Length** 1 **Position** 3667

**Question Name**

**Concept** TMD treatment needed urgently

**Question** INSTRUCTION: Record whether the respondent needs treatment for Temporomandibular joint disorder (TMD) urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53D = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO | 2 | 5 | 10,000 |
| NOT APPLICABLE | 6 | 5,580 | 29,140,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_63 **Length** 1 **Position** 3668

**Question Name**

**Concept** Surgery needed urgently

**Question** INSTRUCTION: Record whether the respondent needs surgery urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53E = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 30 | 203,000 |
| NO | 2 | 280 | 1,966,000 |
| NOT APPLICABLE | 6 | 5,275 | 26,981,500 |
| NOT STATED | 9 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHE_64 **Length** 1 **Position** 3669

**Question Name**

**Concept** Periodontics needed urgently

**Question** INSTRUCTION: Record whether the respondent needs periodontics urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53F = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 32,500 |
| NO | 2 | 225 | 1,444,500 |
| NOT APPLICABLE | 6 | 5,355 | 27,672,500 |
| NOT STATED | 9 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_65 **Length** 1 **Position** 3670

**Question Name**

**Concept** Endodontics needed urgently

**Question** INSTRUCTION: Record whether the respondent needs endodontics urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53H = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 98,000 |
| NO | 2 | 75 | 469,000 |
| NOT APPLICABLE | 6 | 5,495 | 28,583,000 |
| NOT STATED | 9 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHE_66 **Length** 1 **Position** 3671

**Question Name**

**Concept** Orthodontics needed urgently

**Question** INSTRUCTION: Record whether the respondent needs orthodontics urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53I = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 3,000 |
| NO | 2 | 190 | 603,500 |
| NOT APPLICABLE | 6 | 5,395 | 28,543,500 |
| NOT STATED | 9 | 20 | 85,500 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_67 **Length** 1 **Position** 3672

**Question Name**

**Concept** Soft tissue treatment needed urgently

**Question** INSTRUCTION: Record whether the respondent needs soft tissue treatment urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53J = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 2,000 |
| NO | 2 | 15 | 43,000 |
| NOT APPLICABLE | 6 | 5,570 | 29,105,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_68 **Length** 1 **Position** 3673

**Question Name**

**Concept** Other treatment needed urgently

**Question** INSTRUCTION: Record whether the respondent needs other treatment urgently (i.e., within a week).

**Universe** Respondents who answered OHE_53K = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5 | 45,000 |
| NO | 2 | 40 | 260,000 |
| NOT APPLICABLE | 6 | 5,540 | 28,845,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHE_71 **Length** 1 **Position** 3674

**Question Name**

**Concept** Serious medical condition discovered

**Question** INSTRUCTION: Was a serious medical condition that requires immediate attention discovered during the dental examination?

**Universe** Respondents with OHCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 10 | 76,500 |
| NO | 2 | 5,575 | 29,073,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHE_72 **Length** 1 **Position** 3675

**Question Name**

**Concept** Serious medical condition

**Question** INSTRUCTION: Record the serious medical condition discovered during the dental examination.

**Universe** Respondents who answered OHE_71 = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| ORAL LESION | 1 | 5 | 62,500 |
| OTHER | 3 | 5 | 14,000 |
| NOT APPLICABLE | 6 | 5,575 | 29,073,500 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDFLUO **Length** 2 **Position** 3676 - 3677
**Question Name**
**Concept** Fluorosis score recode (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NORMAL | 0 | 645 | 1,307,000 |
| QUESTIONABLE | 1 | 225 | 514,000 |
| VERY MILD | 2 | 115 | 263,500 |
| MILD | 3 | 35 | 97,000 |
| MODERATE | 4 | 5 | 4,500 |
| ALL 4 ANTERIOR TEETH ABSENT | 6 | 180 | 381,500 |
| NOT APPLICABLE | 96 | 4,390 | 26,656,500 |
| NOT STATED | 99 | 5 | 11,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDGS12 **Length** 1 **Position** 3678
**Question Name**
**Concept** Gingivitis score recode - tooth 12 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,975 | 10,795,000 |
| MILD INFLAMMATION | 1 | 2,190 | 10,813,500 |
| MODERATE INFLAMMATION | 2 | 545 | 2,959,000 |
| SEVERE INFLAMMATION | 3 | 30 | 163,500 |
| TOOTH MISSING | 4 | 540 | 2,900,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 91,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDGS16 **Length** 1 **Position** 3679
**Question Name**
**Concept** Gingivitis score recode - tooth 16 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,980 | 10,386,000 |
| MILD INFLAMMATION | 1 | 2,225 | 10,651,500 |
| MODERATE INFLAMMATION | 2 | 375 | 2,151,500 |
| SEVERE INFLAMMATION | 3 | 15 | 143,500 |
| TOOTH MISSING | 4 | 685 | 4,304,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDGS24 **Length** 1 **Position** 3680
**Question Name**
**Concept** Gingivitis score recode - tooth 24 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,985 | 10,616,500 |
| MILD INFLAMMATION | 1 | 2,245 | 10,932,000 |
| MODERATE INFLAMMATION | 2 | 380 | 2,183,000 |
| SEVERE INFLAMMATION | 3 | 20 | 137,500 |
| TOOTH MISSING | 4 | 645 | 3,762,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 91,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDGS32 **Length** 1 **Position** 3681
**Question Name**
**Concept** Gingivitis score recode - tooth 32 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,510 | 7,748,000 |
| MILD INFLAMMATION | 1 | 2,770 | 14,303,500 |
| MODERATE INFLAMMATION | 2 | 820 | 4,535,000 |
| SEVERE INFLAMMATION | 3 | 80 | 644,500 |
| TOOTH MISSING | 4 | 100 | 401,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 91,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDGS36 **Length** 1 **Position** 3682
**Question Name**
**Concept** Gingivitis score recode - tooth 36 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,725 | 8,337,000 |
| MILD INFLAMMATION | 1 | 2,250 | 10,989,500 |
| MODERATE INFLAMMATION | 2 | 425 | 2,653,500 |
| SEVERE INFLAMMATION | 3 | 20 | 107,500 |
| TOOTH MISSING | 4 | 860 | 5,544,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 91,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDGS44 **Length** 1 **Position** 3683
**Question Name**
**Concept** Gingivitis score recode - tooth 44 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO INFLAMMATION | 0 | 1,820 | 9,270,500 |
| MILD INFLAMMATION | 1 | 2,630 | 13,499,500 |
| MODERATE INFLAMMATION | 2 | 490 | 3,101,000 |
| SEVERE INFLAMMATION | 3 | 25 | 147,500 |
| TOOTH MISSING | 4 | 315 | 1,618,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 20 | 85,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDS01 **Length** 1 **Position** 3684
**Question Name**
**Concept** Debris score recode - teeth 17 and 16 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 1,770 | 10,746,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 2,395 | 11,305,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 605 | 2,642,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 135 | 694,000 |
| TEETH MISSING | 4 | 375 | 2,227,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 107,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDS02 **Length** 1 **Position** 3685
**Question Name**
**Concept** Debris score recode - tooth 11 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 3,275 | 18,524,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,245 | 5,464,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 280 | 1,015,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 65 | 274,000 |
| TEETH MISSING | 4 | 415 | 2,333,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 111,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHEDDS03 **Length** 1 **Position** 3686
**Question Name**
**Concept** Debris score recode - teeth 26 and 27 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 1,575 | 9,373,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 2,535 | 12,365,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 640 | 2,844,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 130 | 658,500 |
| TEETH MISSING | 4 | 395 | 2,372,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 109,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDS04 **Length** 1 **Position** 3687
**Question Name**
**Concept** Debris score recode - teeth 37 and 36 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 1,060 | 6,098,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 3,230 | 16,007,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 570 | 3,094,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 85 | 558,500 |
| TEETH MISSING | 4 | 330 | 1,851,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 113,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDS05 **Length** 1 **Position** 3688
**Question Name**
**Concept** Debris score recode - tooth 31 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 2,705 | 14,793,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 2,010 | 10,103,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 410 | 1,888,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 75 | 409,000 |
| TEETH MISSING | 4 | 80 | 425,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 104,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDS06 **Length** 1 **Position** 3689
**Question Name**
**Concept** Debris score recode - teeth 46 and 47 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO SOFT DEBRIS OR STAIN | 0 | 1,040 | 5,978,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 3,270 | 16,455,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 575 | 2,904,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 80 | 508,000 |
| TEETH MISSING | 4 | 310 | 1,773,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 104,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDCS01 **Length** 1 **Position** 3690
**Question Name**
**Concept** Calculus score recode - teeth 17 and 16 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 3,570 | 16,811,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,180 | 7,520,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 135 | 897,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 20 | 159,500 |
| TEETH MISSING | 4 | 375 | 2,227,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 107,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDCS02 **Length** 1 **Position** 3691
**Question Name**
**Concept** Calculus score recode - tooth 11 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 4,490 | 22,871,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 345 | 2,219,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 30 | 156,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 5 | 30,500 |
| TEETH MISSING | 4 | 415 | 2,333,500 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 111,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDCS03 **Length** 1 **Position** 3692
**Question Name**
**Concept** Calculus score recode - teeth 26 and 27 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 3,505 | 16,481,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,225 | 7,672,500 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 135 | 917,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 15 | 170,500 |
| TEETH MISSING | 4 | 395 | 2,372,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 109,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDCS04 **Length** 1 **Position** 3693
**Question Name**
**Concept** Calculus score recode - teeth 37 and 36 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 3,510 | 16,559,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,290 | 8,286,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 130 | 804,500 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 10 | 108,000 |
| TEETH MISSING | 4 | 330 | 1,851,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 113,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDCS05 **Length** 1 **Position** 3694
**Question Name**
**Concept** Calculus score recode - tooth 31 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 3,580 | 17,255,500 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,435 | 8,697,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 160 | 1,085,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 25 | 156,000 |
| TEETH MISSING | 4 | 80 | 425,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 104,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDCS06 **Length** 1 **Position** 3695
**Question Name**
**Concept** Calculus score recode - teeth 46 and 47 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NO CALCULUS | 0 | 3,490 | 16,626,000 |
| LESS THAN 1/3 OF SURFACE COVERED | 1 | 1,340 | 8,320,000 |
| 1/3 TO 2/3 OF SURFACE COVERED | 2 | 120 | 740,000 |
| MORE THAN 2/3 OF SURFACE COVERED | 3 | 20 | 160,000 |
| TEETH MISSING | 4 | 310 | 1,773,000 |
| NOT APPLICABLE | 6 | 300 | 1,513,000 |
| NOT STATED | 9 | 25 | 104,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC01 **Length** 2 **Position** 3696 - 3697
**Question Name**
**Concept** Total number of adult crowns - code 1 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 28 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC02 **Length** 2 **Position** 3698 - 3699
**Question Name**
**Concept** Total number of adult crowns - code 2 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 21 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC03 **Length** 2 **Position** 3700 - 3701
**Question Name**
**Concept** Total number of adult crowns - code 3 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC04 **Length** 2 **Position** 3702 - 3703
**Question Name**
**Concept** Total number of adult crowns - code 4 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 8 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC05 **Length** 2 **Position** 3704 - 3705
**Question Name**
**Concept** Total number of adult crowns - code 5 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 22 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC06 **Length** 2 **Position** 3706 - 3707
**Question Name**
**Concept** Total number of adult crowns - code 6 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 28 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC07 **Length** 2 **Position** 3708 - 3709
**Question Name**
**Concept** Total number of adult crowns - code 7 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 21 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC08 **Length** 2 **Position** 3710 - 3711
**Question Name**
**Concept** Total number of adult crowns - code 8 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 8 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC09 **Length** 2 **Position** 3712 - 3713
**Question Name**
**Concept** Total number of adult crowns - code 9 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 15 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC10 **Length** 2 **Position** 3714 - 3715
**Question Name**
**Concept** Total number of adult crowns - code 10 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC12 **Length** 2 **Position** 3716 - 3717
**Question Name**
**Concept** Total number of adult crowns - code 12 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 17 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC13 **Length** 2 **Position** 3718 - 3719
**Question Name**
**Concept** Total number of adult crowns - code 13 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 27 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC14 **Length** 2 **Position** 3720 - 3721
**Question Name**
**Concept** Total number of adult crowns - code 14 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 9 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC15 **Length** 2 **Position** 3722 - 3723
**Question Name**
**Concept** Total number of adult crowns - code 15 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 4 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC16 **Length** 2 **Position** 3724 - 3725
**Question Name**
**Concept** Total number of adult crowns - code 16 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 8 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC17 **Length** 2 **Position** 3726 - 3727
**Question Name**
**Concept** Total number of adult crowns - code 17 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 3 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC18 **Length** 2 **Position** 3728 - 3729
**Question Name**
**Concept** Total number of adult crowns - code 18 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 16 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC19 **Length** 2 **Position** 3730 - 3731
**Question Name**
**Concept** Total number of adult crowns - code 19 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAC20 **Length** 2 **Position** 3732 - 3733
**Question Name**
**Concept** Total number of adult crowns - code 20 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 4 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAC21 **Length** 2 **Position** 3734 - 3735
**Question Name**
**Concept** Total number of adult crowns - code 21 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 7 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR01 **Length** 2 **Position** 3736 - 3737
**Question Name**
**Concept** Total number of adult roots - code 1 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 28 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR03 **Length** 2 **Position** 3738 - 3739
**Question Name**
**Concept** Total number of adult roots - code 3 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR04 **Length** 2 **Position** 3740 - 3741
**Question Name**
**Concept** Total number of adult roots - code 4 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 8 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR05 **Length** 2 **Position** 3742 - 3743
**Question Name**
**Concept** Total number of adult roots - code 5 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 22 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR06 **Length** 2 **Position** 3744 - 3745
**Question Name**
**Concept** Total number of adult roots - code 6 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 15 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR07 **Length** 2 **Position** 3746 - 3747
**Question Name**
**Concept** Total number of adult roots - code 7 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 21 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR11 **Length** 2 **Position** 3748 - 3749
**Question Name**
**Concept** Total number of adult roots - code 11 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 13 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR12 **Length** 2 **Position** 3750 - 3751
**Question Name**
**Concept** Total number of adult roots - code 12 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 11 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR13 **Length** 2 **Position** 3752 - 3753
**Question Name**
**Concept** Total number of adult roots - code 13 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 18 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR14 **Length** 2 **Position** 3754 - 3755
**Question Name**
**Concept** Total number of adult roots - code 14 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR15 **Length** 2 **Position** 3756 - 3757
**Question Name**
**Concept** Total number of adult roots - code 15 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 1 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR16 **Length** 2 **Position** 3758 - 3759
**Question Name**
**Concept** Total number of adult roots - code 16 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 7 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR17 **Length** 2 **Position** 3760 - 3761
**Question Name**
**Concept** Total number of adult roots - code 17(D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 10 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR19 **Length** 2 **Position** 3762 - 3763
**Question Name**
**Concept** Total number of adult roots - code 19(D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDAR20 **Length** 2 **Position** 3764 - 3765
**Question Name**
**Concept** Total number of adult roots - code 20(D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 2 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDAR21 **Length** 2 **Position** 3766 - 3767
**Question Name**
**Concept** Total number of adult roots - code 21 (D)
**Question**
**Universe** Respondents aged 15 and older where PHC_51<>1 or PHC_52<>1 or OHRD25<>1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 7 | 3,410 | 22,954,500 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 1,890 | 4,768,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT01 **Length** 2 **Position** 3768 - 3769
**Question Name**
**Concept** Total number of deciduous teeth - code 1 (D)
**Question**
**Universe** Respondents with OHCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 20 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT02 **Length** 2 **Position** 3770 - 3771
**Question Name**
**Concept** Total number of deciduous teeth - code 2 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 6 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT03 **Length** 2 **Position** 3772 - 3773
**Question Name**
**Concept** Total number of deciduous teeth - code 3 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 2 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT04 **Length** 2 **Position** 3774 - 3775
**Question Name**
**Concept** Total number of deciduous teeth - code 4 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 0 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** OHEDDT05 **Length** 2 **Position** 3776 - 3777
**Question Name**
**Concept** Total number of deciduous teeth - code 5 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT06 **Length** 2 **Position** 3778 - 3779
**Question Name**
**Concept** Total number of deciduous teeth - code 6 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 20 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT07 **Length** 2 **Position** 3780 - 3781
**Question Name**
**Concept** Total number of deciduous teeth - code 7 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 2 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT08 **Length** 2 **Position** 3782 - 3783
**Question Name**
**Concept** Total number of deciduous teeth - code 8 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 5 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT09 **Length** 2 **Position** 3784 - 3785
**Question Name**
**Concept** Total number of deciduous teeth - code9 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 8 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT10 **Length** 2 **Position** 3786 - 3787
**Question Name**
**Concept** Total number of deciduous teeth - code 10 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 7 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT12 **Length** 2 **Position** 3788 - 3789
**Question Name**
**Concept** Total number of deciduous teeth - code 12 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 10 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT13 **Length** 2 **Position** 3790 - 3791
**Question Name**
**Concept** Total number of deciduous teeth - code 13 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 9 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT14 **Length** 2 **Position** 3792 - 3793
**Question Name**
**Concept** Total number of deciduous teeth - code 14 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 2 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT15 **Length** 2 **Position** 3794 - 3795
**Question Name**
**Concept** Total number of deciduous teeth - code 15 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 1 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT16 **Length** 2 **Position** 3796 - 3797
**Question Name**
**Concept** Total number of deciduous teeth - code 16 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 1 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT17 **Length** 2 **Position** 3798 - 3799
**Question Name**
**Concept** Total number of deciduous teeth - code 17 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 1 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** OHEDDT20 **Length** 2 **Position** 3800 - 3801
**Question Name**
**Concept** Total number of deciduous teeth - code 20 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 2 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** OHEDDT21 **Length** 2 **Position** 3802 - 3803
**Question Name**
**Concept** Total number of deciduous teeth - code 21 (D)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NUMBER OF TEETH | 0 - 4 | 5,285 | 27,642,000 |
| NOT APPLICABLE | 96 | 300 | 1,513,000 |
| NOT STATED | 99 | 20 | 80,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** RMCDMSK **Length** 1 **Position** 3804
**Question Name**
**Concept** Musculo-skeletal fitness norms for respondents 15 - 69 - (D)
**Question**
**Universe** Respondents aged 15 - 69
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 480 | 2,877,000 |
| FAIR | 1 | 1,030 | 6,809,500 |
| GOOD | 2 | 1,195 | 7,542,000 |
| VERY GOOD | 3 | 750 | 5,203,500 |
| EXCELLENT | 4 | 230 | 1,567,000 |
| NOT APPLICABLE | 6 | 1,905 | 5,177,000 |
| NOT STATED | 9 | 15 | 59,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** RMCDBCK **Length** 1 **Position** 3805

**Question Name**

**Concept** Back fitness norms for respondents 15 - 69 - (D)

**Question**

**Universe** Respondents aged 15 - 69

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| NEEDS IMPROVEMENT | 0 | 605 | 3,900,500 |
| FAIR | 1 | 685 | 4,420,500 |
| GOOD | 2 | 770 | 4,877,000 |
| VERY GOOD | 3 | 1,150 | 7,524,000 |
| EXCELLENT | 4 | 460 | 3,159,000 |
| NOT APPLICABLE | 6 | 1,905 | 5,177,000 |
| NOT STATED | 9 | 30 | 177,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** ECQ_LNK **Length** 1 **Position** 3806

**Question Name**

**Concept** Permission to link data

**Question** We are seeking your permission to combine information collected during the Canadian Health Measures Survey with health information from your provincial ministry of health or cancer/vital statistics registrars.

**Universe** All respondents

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 5,590 | 29,139,500 |
| NO | 2 | 15 | 96,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_WBC **Length** 4.1 **Position** 3807 - 3810
**Question Name**
**Concept** White blood cell count (WBC) (10-9/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2.2 - 18.6 | 5,270 | 27,952,500 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 320 | 1,235,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_RBC **Length** 4.2 **Position** 3811 - 3814
**Question Name**
**Concept** Red blood cell count (RBC) (10-12/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2.53 - 6.67 | 5,285 | 28,094,000 |
| NOT APPLICABLE | 9.96 | 15 | 48,000 |
| DON'T KNOW | 9.97 | 5 | 6,500 |
| NOT STATED | 9.99 | 305 | 1,087,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_HGB **Length** 3 **Position** 3815 - 3817
**Question Name**
**Concept** Haemoglobin (g/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 60 - 196 | 5,285 | 28,103,000 |
| NOT APPLICABLE | 996 | 15 | 48,000 |
| NOT STATED | 999 | 305 | 1,084,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_HCT **Length** 5.3 **Position** 3818 - 3822
**Question Name**
**Concept** Haematocrit (L/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.220 - 0.587 | 5,285 | 28,103,000 |
| NOT APPLICABLE | 9.996 | 15 | 48,000 |
| NOT STATED | 9.999 | 305 | 1,084,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_MCV **Length** 5.1 **Position** 3823 - 3827
**Question Name**
**Concept** Mean corpuscular volume (MCV) (fL)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 53.0 - 110.9 | 5,285 | 28,103,000 |
| NOT APPLICABLE | 999.6 | 15 | 48,000 |
| NOT STATED | 999.9 | 305 | 1,084,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_MCH **Length** 4.1 **Position** 3828 - 3831
**Question Name**
**Concept** Mean corpuscular haemoglobin (MCH) (pg)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 14.5 - 38.5 | 5,285 | 28,097,000 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 305 | 1,090,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_MCHC **Length** 3 **Position** 3832 - 3834

**Question Name**

**Concept** Mean corpuscular haemoglobin concentration (MCHC) (g/L)

**Question**

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 274 - 359 | 5,285 | 28,097,000 |
| NOT APPLICABLE | 996 | 15 | 48,000 |
| NOT STATED | 999 | 305 | 1,090,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_RDW **Length** 4.1 **Position** 3835 - 3838

**Question Name**

**Concept** Red cell distribution width (RDW) (%)

**Question**

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 10.5 - 25.6 | 5,285 | 28,101,500 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 305 | 1,086,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_PLT **Length** 3 **Position** 3839 - 3841
**Question Name**
**Concept** Platelet count (10-9/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 35 - 603 | 5,280 | 28,070,000 |
| NOT APPLICABLE | 996 | 15 | 48,000 |
| NOT STATED | 999 | 310 | 1,117,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_MPV **Length** 4.1 **Position** 3842 - 3845
**Question Name**
**Concept** Mean platelet volume (MPV)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 5.9 - 16.1 | 5,275 | 28,062,500 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 315 | 1,124,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_LY **Length** 4.1 **Position** 3846 - 3849

**Question Name**

**Concept** Lymphocytes (10-9 /L)

**Question**

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.5 - 11.6 | 5,270 | 27,952,500 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 320 | 1,235,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_MO **Length** 3.1 **Position** 3850 - 3852

**Question Name**

**Concept** Monocytes (10-9/L)

**Question**

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1 - 2.8 | 5,270 | 27,952,500 |
| NOT APPLICABLE | 9.6 | 15 | 48,000 |
| NOT STATED | 9.9 | 320 | 1,235,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_NE **Length** 4.1 **Position** 3853 - 3856
**Question Name**
**Concept** Neutrophils (10-9/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.6 - 13.5 | 5,270 | 27,952,500 |
| NOT APPLICABLE | 99.6 | 15 | 48,000 |
| NOT STATED | 99.9 | 320 | 1,235,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** CBC_EO **Length** 3.1 **Position** 3857 - 3859
**Question Name**
**Concept** Eosinophils (10-9/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0 - 4.1 | 5,270 | 27,951,000 |
| NOT APPLICABLE | 9.6 | 15 | 48,000 |
| NOT STATED | 9.9 | 320 | 1,236,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** CBC_BA **Length** 3.1 **Position** 3860 - 3862
**Question Name**
**Concept** Basophils (10-9/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0 - 0.4 | 5,270 | 27,951,000 |
| NOT APPLICABLE | 9.6 | 15 | 48,000 |
| NOT STATED | 9.9 | 320 | 1,236,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_HBA1 **Length** 6.4 **Position** 3863 - 3868
**Question Name**
**Concept** Glycosylated haemoglobin (%)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0438 - 0.1315 | 5,220 | 27,518,500 |
| NOT APPLICABLE | 9.9996 | 10 | 32,000 |
| DON'T KNOW | 9.9997 | 5 | 26,000 |
| NOT STATED | 9.9999 | 375 | 1,659,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_FOL **Length** 5.2 **Position** 3869 - 3873
**Question Name**
**Concept** Folate (ng/mL)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2.42 - 53.90 | 5,295 | 28,120,000 |
| NOT APPLICABLE | 99.96 | 10 | 32,000 |
| DON'T KNOW | 99.97 | 40 | 193,500 |
| NOT STATED | 99.99 | 265 | 890,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDRBCF **Length** 4 **Position** 3874 - 3877
**Question Name**
**Concept** Red blood cell folate (nmol/L) (D)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 153 - 4992 | 5,250 | 27,936,000 |
| NOT APPLICABLE | 9996 | 10 | 32,000 |
| NOT STATED | 9999 | 350 | 1,267,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_GLUP **Length** 4.1 **Position** 3878 - 3881
**Question Name**
**Concept** Glucose (plasma) (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2.4 - 25.4 | 5,360 | 28,455,000 |
| NOT APPLICABLE | 99.6 | 10 | 32,000 |
| NOT STATED | 99.9 | 235 | 748,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_HCY **Length** 4.1 **Position** 3882 - 3885
**Question Name**
**Concept** Homocysteine (µmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.0 - 33.3 | 5,315 | 28,282,000 |
| LESS THAN LIMIT OF DETECTION | 99.5 | 5 | 1,000 |
| NOT APPLICABLE | 99.6 | 10 | 32,000 |
| NOT STATED | 99.9 | 280 | 920,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_VITD **Length** 8.4 **Position** 3886 - 3893

**Question Name**

**Concept** Vitamin D (nmol/L)

**Question**

**Universe** Respondents with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 11.6164 - 274.5600 | 5,300 | 28,172,000 |
| LESS THAN LIMIT OF DETECTION | 999.9995 | 10 | 57,500 |
| NOT APPLICABLE | 999.9996 | 10 | 32,000 |
| DON'T KNOW | 999.9997 | 5 | 1,500 |
| NOT STATED | 999.9999 | 290 | 972,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_FIB **Length** 5.3 **Position** 3894 - 3898

**Question Name**

**Concept** Fibrinogen (g/L)

**Question**

**Universe** Respondents aged 12 and older with PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.015 - 0.051 | 4,310 | 25,839,500 |
| LESS THAN LIMIT OF DETECTION | 9.995 | 25 | 163,000 |
| NOT APPLICABLE | 9.996 | 1,070 | 2,169,500 |
| DON'T KNOW | 9.997 | 10 | 71,500 |
| NOT STATED | 9.999 | 195 | 992,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_TP **Length** 3 **Position** 3899 - 3901
**Question Name**
**Concept** Total protein (g/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 43 - 101 | 5,270 | 27,886,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 325 | 1,317,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_URIC **Length** 3 **Position** 3902 - 3904
**Question Name**
**Concept** Uric acid (µmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 75 - 714 | 5,270 | 27,884,000 |
| LESS THAN LIMIT OF DETECTION | 995 | 5 | 2,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 325 | 1,317,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_ALB **Length** 2 **Position** 3905 - 3906
**Question Name**
**Concept** Albumin (g/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 25 - 59 | 5,295 | 27,955,000 |
| NOT APPLICABLE | 96 | 10 | 32,000 |
| DON'T KNOW | 97 | 5 | 6,000 |
| NOT STATED | 99 | 300 | 1,242,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_CL **Length** 3 **Position** 3907 - 3909
**Question Name**
**Concept** Chloride (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 83 - 123 | 5,300 | 27,964,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 295 | 1,238,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_K **Length** 3.1 **Position** 3910 - 3912
**Question Name**
**Concept** Potassium (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 3.2 - 6.8 | 5,270 | 27,747,500 |
| NOT APPLICABLE | 9.6 | 10 | 32,000 |
| NOT STATED | 9.9 | 330 | 1,456,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_NA **Length** 3 **Position** 3913 - 3915
**Question Name**
**Concept** Sodium (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 124 - 165 | 5,300 | 27,964,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 295 | 1,238,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_ECO2 **Length** 2 **Position** 3916 - 3917
**Question Name**
**Concept** Bicarbonate (Total CO2) (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 11 - 37 | 5,270 | 27,881,500 |
| NOT APPLICABLE | 96 | 10 | 32,000 |
| NOT STATED | 99 | 325 | 1,322,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_PHOS **Length** 4.2 **Position** 3918 - 3921
**Question Name**
**Concept** Phosphate (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.70 - 2.10 | 5,295 | 27,948,500 |
| NOT APPLICABLE | 9.96 | 10 | 32,000 |
| NOT STATED | 9.99 | 300 | 1,255,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LAB_BCRE | **Length** | 3 | **Position** | 3922 - 3924 |
| **Question Name** | | | | | |
| **Concept** | Creatinine (serum) (µmol/L) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with PHBDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 24 - 881 | 5,330 | 28,198,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 265 | 1,005,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LAB_UREA | **Length** | 4.1 | **Position** | 3925 - 3928 |
| **Question Name** | | | | | |
| **Concept** | Urea (mmol/L) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with PHBDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.5 - 25.9 | 5,270 | 27,870,500 |
| NOT APPLICABLE | 99.6 | 10 | 32,000 |
| NOT STATED | 99.9 | 330 | 1,333,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_CA **Length** 4.2 **Position** 3929 - 3932
**Question Name**
**Concept** Calcium (total) (mmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.64 - 3.15 | 5,300 | 27,964,500 |
| NOT APPLICABLE | 9.96 | 10 | 32,000 |
| NOT STATED | 9.99 | 295 | 1,238,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_TBIL **Length** 3 **Position** 3933 - 3935
**Question Name**
**Concept** Total bilirubin (µmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2 - 233 | 4,835 | 25,589,000 |
| LESS THAN LIMIT OF DETECTION | 995 | 345 | 1,707,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 415 | 1,907,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_AST **Length** 3 **Position** 3936 - 3938
**Question Name**
**Concept** Asparate aminotransferase (AST) (U/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 8 - 630 | 5,295 | 27,948,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 300 | 1,255,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_ALKP **Length** 3 **Position** 3939 - 3941
**Question Name**
**Concept** Alkaline phosphatase (U/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 30 - 602 | 5,270 | 27,870,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 330 | 1,333,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_ALT **Length** 3 **Position** 3942 - 3944
**Question Name**
**Concept** Alanine aminotransferase (ALT) (U/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 10 - 683 | 4,850 | 25,343,500 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| NOT STATED | 999 | 745 | 3,860,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_LDH **Length** 4 **Position** 3945 - 3948
**Question Name**
**Concept** Lactate dehydrogenase (LDH) (U/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 116 - 2028 | 4,820 | 25,258,500 |
| NOT APPLICABLE | 9996 | 10 | 32,000 |
| NOT STATED | 9999 | 775 | 3,944,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_GGT **Length** 4 **Position** 3949 - 3952
**Question Name**
**Concept** Gamma-glutamyltransferase (GGT) (U/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 6 - 1022 | 5,300 | 27,961,000 |
| LESS THAN LIMIT OF DETECTION | 9995 | 5 | 4,000 |
| NOT APPLICABLE | 9996 | 10 | 32,000 |
| NOT STATED | 9999 | 295 | 1,238,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** LAB_CRP **Length** 5.1 **Position** 3953 - 3957
**Question Name**
**Concept** C-reactive protein (mg/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1 - 15.0 | 4,430 | 25,017,000 |
| LESS THAN LIMIT OF DETECTION | 999.5 | 790 | 2,606,000 |
| NOT APPLICABLE | 999.6 | 10 | 32,000 |
| DON'T KNOW | 999.7 | 85 | 532,000 |
| NOT STATED | 999.9 | 290 | 1,048,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_B12 **Length** 3 **Position** 3958 - 3960
**Question Name**
**Concept** Vitamin B12 (pmol/L)
**Question**
**Universe** Respondents with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 111 - 738 | 5,085 | 27,172,500 |
| LESS THAN LIMIT OF DETECTION | 995 | 35 | 268,000 |
| NOT APPLICABLE | 996 | 10 | 32,000 |
| DON'T KNOW | 997 | 200 | 819,500 |
| NOT STATED | 999 | 275 | 943,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_HAV **Length** 1 **Position** 3961
**Question Name**
**Concept** anti-HAV
**Question**
**Universe** Respondents aged 14 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,590 | 10,117,000 |
| NO | 2 | 2,540 | 15,498,500 |
| NOT APPLICABLE | 6 | 1,360 | 3,007,500 |
| NOT STATED | 9 | 115 | 612,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_HBS **Length** 1 **Position** 3962
**Question Name**
**Concept** anti-HBs
**Question**
**Universe** Respondents aged 14 and older with CON_N23 = 1 and PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 1,235 | 7,500,000 |
| NO | 2 | 2,875 | 18,009,000 |
| NOT APPLICABLE | 6 | 1,380 | 3,117,500 |
| NOT STATED | 9 | 110 | 609,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_HBC **Length** 1 **Position** 3963
**Question Name**
**Concept** anti-HBc
**Question**
**Universe** Respondents aged 14 and older with CON_N23 = 1 and PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 155 | 1,025,500 |
| NO | 2 | 3,955 | 24,483,500 |
| NOT APPLICABLE | 6 | 1,380 | 3,117,500 |
| NOT STATED | 9 | 110 | 609,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_HBSA **Length** 1 **Position** 3964

**Question Name**

**Concept** HBsAg

**Question**

**Universe** Respondents aged 14 and older with CON_N23 = 1 and PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 15 | 126,000 |
| NO | 2 | 140 | 899,500 |
| NOT APPLICABLE | 6 | 5,335 | 27,601,000 |
| NOT STATED | 9 | 110 | 609,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_HCV **Length** 1 **Position** 3965

**Question Name**

**Concept** Hepatitis C virus antibody

**Question**

**Universe** Respondents aged 14 and older with CON_23 = 1 and PHBDELG = 1

**Note** HepC status should be derived from both the the HCV (LAB_HCV) and HCV-confirmation (LAB_HCVC) tests measured in serum: if LAB_HCV = 1 (positive) AND LAB_HCVC = 1 (positive), then HepC status is confirmed. As such, respondents with LAB_HCVC = 2 or 7 are not HepC positive. Refer to the CHMS cycle 2 derived variable documentation for more information.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 45 | 306,500 |
| NO | 2 | 4,070 | 25,202,500 |
| NOT APPLICABLE | 6 | 1,380 | 3,117,500 |
| NOT STATED | 9 | 110 | 609,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_HCVC **Length** 1 **Position** 3966

**Question Name**

**Concept** Hepatitis C virus confirmation

**Question**

**Universe** Respondents aged 14 and older with CON_23 = 1 and PHBDELG = 1

**Note** HepC status should be derived from both the the HCV (LAB_HCV) and HCV-confirmation (LAB_HCVC) tests measured in serum: if LAB_HCV = 1 (positive) AND LAB_HCVC = 1 (positive), then HepC status is confirmed. As such, respondents with LAB_HCVC = 2 or 7 are not HepC positive. Refer to the CHMS cycle 2 derived variable documentation for more information.

| Content | Code | Sample | Population |
|---|---|---|---|
| YES | 1 | 20 | 134,500 |
| NO | 2 | 15 | 109,500 |
| NOT APPLICABLE | 6 | 5,450 | 28,320,000 |
| DON'T KNOW | 7 | 5 | 62,500 |
| NOT STATED | 9 | 110 | 609,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_UCRE **Length** 5.2 **Position** 3967 - 3971

**Question Name**

**Concept** Creatinine (urine) (mmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.34 - 63.08 | 5,515 | 28,873,000 |
| LESS THAN LIMIT OF DETECTION | 99.95 | 10 | 39,500 |
| NOT STATED | 99.99 | 75 | 323,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_IDNE **Length** 9.4 **Position** 3972 - 3980

**Question Name**

**Concept** Iodine (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1580 - 45.3697 | 5,305 | 27,697,500 |
| LESS THAN LIMIT OF DETECTION | 9999.9995 | 130 | 878,000 |
| DON'T KNOW | 9999.9997 | 5 | 2,500 |
| NOT STATED | 9999.9999 | 165 | 657,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDICR **Length** 5 **Position** 3981 - 3985

**Question Name**

**Concept** Iodine/Creatinine Ratio (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 10 - 6881 | 5,295 | 27,669,000 |
| NOT STATED | 99999 | 310 | 1,566,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_HDL **Length** 4.2 **Position** 3986 - 3989

**Question Name**

**Concept** High Density Lipoprotein (HDL) (mmol/L)

**Question**

**Universe** Respondents with ATGD12 = 1 and PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.33 - 3.45 | 5,310 | 28,157,000 |
| NOT APPLICABLE | 9.96 | 130 | 502,000 |
| NOT STATED | 9.99 | 160 | 576,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_CHOL **Length** 4.1 **Position** 3990 - 3993

**Question Name**

**Concept** Total cholesterol (mmol/L)

**Question**

**Universe** Respondents with ATGD12 = 1 and PHBDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.8 - 10.7 | 5,310 | 28,157,000 |
| NOT APPLICABLE | 99.6 | 130 | 502,000 |
| NOT STATED | 99.9 | 160 | 576,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LABDTCHR **Length** 5.2 **Position** 3994 - 3998
**Question Name**
**Concept** Total cholesterol / HDL cholesterol ratio (D)
**Question**
**Universe** Respondents with ATGD12 = 1 and PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.51 - 14.24 | 5,310 | 28,157,000 |
| NOT APPLICABLE | 99.96 | 130 | 502,000 |
| NOT STATED | 99.99 | 160 | 576,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BAS **Length** 9.4 **Position** 3999 - 4007
**Question Name**
**Concept** Blood arsenic (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 3.0000 - 555.0000 | 4,935 | 26,575,000 |
| LESS THAN LIMIT OF DETECTION | 9999.9995 | 385 | 1,674,000 |
| NOT APPLICABLE | 9999.9996 | 10 | 32,000 |
| NOT STATED | 9999.9999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BCD **Length** 9.5 **Position** 4008 - 4016
**Question Name**
**Concept** Blood cadmium (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.40600 - 159.00000 | 5,165 | 27,767,500 |
| LESS THAN LIMIT OF DETECTION | 999.99995 | 155 | 481,500 |
| NOT APPLICABLE | 999.99996 | 10 | 32,000 |
| NOT STATED | 999.99999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BCU **Length** 6.3 **Position** 4017 - 4022
**Question Name**
**Concept** Blood copper (µmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 8.150 - 37.700 | 5,320 | 28,248,500 |
| NOT APPLICABLE | 99.996 | 10 | 32,000 |
| NOT STATED | 99.999 | 280 | 955,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BPB **Length** 7.5 **Position** 4023 - 4029
**Question Name**
**Concept** Blood lead (µmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.00996 - 1.53000 | 5,320 | 28,245,000 |
| LESS THAN LIMIT OF DETECTION | 9.99995 | 5 | 4,000 |
| NOT APPLICABLE | 9.99996 | 10 | 32,000 |
| NOT STATED | 9.99999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BMN **Length** 8.3 **Position** 4030 - 4037
**Question Name**
**Concept** Blood manganese (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 46.100 - 1056.000 | 5,310 | 28,203,500 |
| NOT APPLICABLE | 9999.996 | 10 | 32,000 |
| NOT STATED | 9999.999 | 285 | 1,000,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BHG **Length** 7.3 **Position** 4038 - 4044
**Question Name**
**Concept** Blood total mercury (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.500 - 231.000 | 4,700 | 25,764,000 |
| LESS THAN LIMIT OF DETECTION | 999.995 | 620 | 2,485,500 |
| NOT APPLICABLE | 999.996 | 10 | 32,000 |
| NOT STATED | 999.999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BMO **Length** 7.3 **Position** 4045 - 4051
**Question Name**
**Concept** Blood molybdenum (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.020 - 855.000 | 5,315 | 28,239,000 |
| LESS THAN LIMIT OF DETECTION | 999.995 | 5 | 10,000 |
| NOT APPLICABLE | 999.996 | 10 | 32,000 |
| NOT STATED | 999.999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BNI **Length** 8.4 **Position** 4052 - 4059
**Question Name**
**Concept** Blood nickel (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 6.0000 - 560.0000 | 4,965 | 26,377,000 |
| LESS THAN LIMIT OF DETECTION | 999.9995 | 355 | 1,872,500 |
| NOT APPLICABLE | 999.9996 | 10 | 32,000 |
| NOT STATED | 999.9999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BSE **Length** 6.4 **Position** 4060 - 4065
**Question Name**
**Concept** Blood selenium (µmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.1100 - 7.6500 | 5,320 | 28,249,500 |
| NOT APPLICABLE | 9.9996 | 10 | 32,000 |
| NOT STATED | 9.9999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BU **Length** 9.6 **Position** 4066 - 4074
**Question Name**
**Concept** Blood uranium (nmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.020000 - 0.845000 | 370 | 2,156,500 |
| LESS THAN LIMIT OF DETECTION | 99.999995 | 4,935 | 25,999,000 |
| NOT APPLICABLE | 99.999996 | 10 | 32,000 |
| NOT STATED | 99.999999 | 290 | 1,048,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LAB_BZN **Length** 8.4 **Position** 4075 - 4082
**Question Name**
**Concept** Blood zinc (µmol/L)
**Question**
**Universe** Respondents aged 20 and older with PHBDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 49.3000 - 207.0796 | 5,320 | 28,249,500 |
| NOT APPLICABLE | 999.9996 | 10 | 32,000 |
| NOT STATED | 999.9999 | 275 | 954,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_MALB **Length** 4 **Position** 4083 - 4086
**Question Name**
**Concept** Microalbumin (mg/L)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 3 - 949 | 3,245 | 15,799,500 |
| LESS THAN LIMIT OF DETECTION | 9995 | 2,250 | 12,980,000 |
| DON'T KNOW | 9997 | 20 | 99,500 |
| NOT STATED | 9999 | 90 | 356,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDMCR **Length** 6.2 **Position** 4087 - 4092
**Question Name**
**Concept** Microalbumin/Creatinine Ratio (mg/mmol)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.13 - 224.91 | 3,235 | 15,766,500 |
| NOT STATED | 999.99 | 2,370 | 13,469,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_COT **Length** 11.6 **Position** 4093 - 4103

**Question Name**

**Concept** Cotinine (ng/mL)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.101510 - 4952.440000 | 1,445 | 8,473,500 |
| LESS THAN LIMIT OF DETECTION | 9999.999995 | 4,080 | 20,439,000 |
| NOT STATED | 9999.999999 | 75 | 323,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDCOT **Length** 10.4 **Position** 4104 - 4113

**Question Name**

**Concept** Cotinine adjusted for urine creatinine (ng/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.4868 - 12781.3771 | 1,440 | 8,458,500 |
| NOT STATED | 99999.9999 | 4,165 | 20,777,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UHG **Length** 7.3 **Position** 4114 - 4120

**Question Name**

**Concept** Urine inorganic mercury (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.000 - 137.366 | 2,740 | 15,297,000 |
| LESS THAN LIMIT OF DETECTION | 999.995 | 2,700 | 13,313,500 |
| NOT STATED | 999.999 | 160 | 625,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUHG **Length** 8.5 **Position** 4121 - 4128

**Question Name**

**Concept** Mercury adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.03025 - 15.59349 | 2,735 | 15,284,000 |
| NOT STATED | 99.99999 | 2,865 | 13,951,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UAS **Length** 8.5 **Position** 4129 - 4136

**Question Name**

**Concept** Urine arsenic (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.00767 - 15.70000 | 5,480 | 28,678,500 |
| LESS THAN LIMIT OF DETECTION | 99.99995 | 10 | 89,000 |
| NOT STATED | 99.99999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUAS **Length** 8.6 **Position** 4137 - 4144

**Question Name**

**Concept** Total arsenic adjusted for urine creatinine (µmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.002260 - 1.579365 | 5,470 | 28,636,500 |
| NOT STATED | 9.999999 | 135 | 599,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UCD **Length** 6.3 **Position** 4145 - 4150

**Question Name**

**Concept** Urine cadmium (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.800 - 86.700 | 4,960 | 26,006,000 |
| LESS THAN LIMIT OF DETECTION | 99.995 | 535 | 2,760,500 |
| NOT STATED | 99.999 | 115 | 469,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUCD **Length** 8.5 **Position** 4151 - 4158

**Question Name**

**Concept** Cadmium adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.05795 - 12.51969 | 4,950 | 25,966,500 |
| NOT STATED | 99.99999 | 655 | 3,269,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UCU **Length** 8.5 **Position** 4159 - 4166

**Question Name**

**Concept** Urine copper (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.00543 - 10.10000 | 5,475 | 28,660,000 |
| LESS THAN LIMIT OF DETECTION | 99.99995 | 15 | 107,500 |
| NOT STATED | 99.99999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUCU **Length** 9.7 **Position** 4167 - 4175

**Question Name**

**Concept** Copper adjusted for urine creatinine (µmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0007950 - 9.3181818 | 5,465 | 28,618,000 |
| NOT STATED | 9.9999999 | 140 | 617,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UMN **Length** 9.4 **Position** 4176 - 4184
**Question Name**
**Concept** Urine manganese (nmol/L)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.0000 - 2010.0000 | 3,500 | 18,005,000 |
| LESS THAN LIMIT OF DETECTION | 9999.9995 | 1,930 | 10,404,500 |
| NOT STATED | 9999.9999 | 175 | 826,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUMN **Length** 9.5 **Position** 4185 - 4193
**Question Name**
**Concept** Manganese adjusted for urine creatinine (nmol/mmol)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.03552 - 117.77778 | 3,495 | 17,988,000 |
| NOT STATED | 999.99999 | 2,110 | 11,247,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LAB_UMO | **Length** | 7.2 | **Position** | 4194 - 4200 |
| **Question Name** | | | | | |
| **Concept** | Urine molybdenum (nmol/L) | | | | |
| **Question** | | | | | |
| **Universe** | Respondents with URCDELG = 1 | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 9.19 - 6730.00 | 5,490 | 28,768,000 |
| NOT STATED | 9999.99 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | LABDUMO | **Length** | 11.7 | **Position** | 4201 - 4211 |
| **Question Name** | | | | | |
| **Concept** | Molybdenum adjusted for urine creatinine (nmol/mmol) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 3.3777778 - 738.7755102 | 5,480 | 28,725,500 |
| NOT STATED | 999.9999999 | 125 | 509,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UNI **Length** 8.4 **Position** 4212 - 4219

**Question Name**

**Concept** Urine nickel (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 3.0100 - 406.0000 | 5,320 | 27,785,000 |
| LESS THAN LIMIT OF DETECTION | 999.9995 | 175 | 965,000 |
| NOT STATED | 999.9999 | 115 | 485,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUNI **Length** 9.5 **Position** 4220 - 4228

**Question Name**

**Concept** Nickel adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.24390 - 128.81356 | 5,305 | 27,755,000 |
| NOT STATED | 999.99999 | 300 | 1,480,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UPB **Length** 8.6 **Position** 4229 - 4236

**Question Name**

**Concept** Urine lead (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.000504 - 0.124000 | 5,080 | 26,748,500 |
| LESS THAN LIMIT OF DETECTION | 9.999995 | 415 | 2,019,500 |
| NOT STATED | 9.999999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUPB **Length** 8.3 **Position** 4237 - 4244

**Question Name**

**Concept** Lead adjusted for urine creatinine (µmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.000 - 0.023 | 5,065 | 26,709,000 |
| NOT STATED | 9999.999 | 535 | 2,526,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_USE **Length** 6.4 **Position** 4245 - 4250

**Question Name**

**Concept** Urine selenium (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0800 - 5.9500 | 5,465 | 28,611,500 |
| LESS THAN LIMIT OF DETECTION | 9.9995 | 25 | 156,000 |
| NOT STATED | 9.9999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUSE **Length** 8.4 **Position** 4251 - 4258

**Question Name**

**Concept** Selenium adjusted for urine creatinine (µmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0195 - 1.4629 | 5,455 | 28,570,000 |
| NOT STATED | 999.9999 | 150 | 665,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UU **Length** 9.6 **Position** 4259 - 4267

**Question Name**

**Concept** Urine uranium (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.040000 - 17.100000 | 710 | 3,865,000 |
| LESS THAN LIMIT OF DETECTION | 99.999995 | 4,780 | 24,900,500 |
| NOT STATED | 99.999999 | 115 | 470,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUU **Length** 10.8 **Position** 4268 - 4277

**Question Name**

**Concept** Uranium adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.00116549 - 1.94760820 | 710 | 3,852,500 |
| NOT STATED | 9.99999999 | 4,895 | 25,383,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UZN **Length** 6.3 **Position** 4278 - 4283

**Question Name**

**Concept** Urine zinc (µmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.200 - 87.200 | 5,450 | 28,505,000 |
| LESS THAN LIMIT OF DETECTION | 99.995 | 45 | 263,000 |
| NOT STATED | 99.999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUZN **Length** 7.5 **Position** 4284 - 4290

**Question Name**

**Concept** Zinc adjusted for urine creatinine (µmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.04118 - 8.72180 | 5,435 | 28,463,000 |
| NOT STATED | 9.99999 | 170 | 772,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_USB **Length** 8.5 **Position** 4291 - 4298

**Question Name**

**Concept** Urine antimony (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.20000 - 74.80000 | 4,260 | 22,000,000 |
| LESS THAN LIMIT OF DETECTION | 99.99995 | 1,230 | 6,768,000 |
| NOT STATED | 99.99999 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUSB **Length** 8.6 **Position** 4299 - 4306

**Question Name**

**Concept** Antimony adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.007969 - 6.750903 | 4,255 | 21,978,000 |
| NOT STATED | 9.999999 | 1,350 | 7,257,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_UV **Length** 6.2 **Position** 4307 - 4312

**Question Name**

**Concept** Urine vanadium (nmol/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 2.00 - 141.00 | 530 | 3,004,000 |
| LESS THAN LIMIT OF DETECTION | 999.95 | 4,965 | 25,763,500 |
| NOT STATED | 999.99 | 110 | 467,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDUV **Length** 9.5 **Position** 4313 - 4321

**Question Name**

**Concept** Vanadium adjusted for urine creatinine (nmol/mmol)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.06167 - 20.11412 | 525 | 2,991,000 |
| NOT STATED | 999.99999 | 5,080 | 26,244,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_BPA **Length** 8.4 **Position** 4322 - 4329

**Question Name**

**Concept** Urine Bisphenol-A (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.2000 - 104.0200 | 4,970 | 25,845,000 |
| LESS THAN LIMIT OF DETECTION | 999.9995 | 505 | 2,823,500 |
| NOT APPLICABLE | 999.9996 | 20 | 140,500 |
| NOT STATED | 999.9999 | 110 | 426,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDBPA **Length** 8.4 **Position** 4330 - 4337

**Question Name**

**Concept** Bisphenol-A adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1012 - 177.0680 | 4,960 | 25,825,000 |
| NOT APPLICABLE | 999.9996 | 20 | 140,500 |
| NOT STATED | 999.9999 | 625 | 3,270,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DEDT **Length** 9.6 **Position** 4338 - 4346
**Question Name**
**Concept** Urine diethyldithiophosphate (DEDTP) (µg/L)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.300000 - 54.192300 | 175 | 744,500 |
| LESS THAN LIMIT OF DETECTION | 99.999995 | 5,300 | 27,954,000 |
| NOT APPLICABLE | 99.999996 | 15 | 62,500 |
| NOT STATED | 99.999999 | 115 | 474,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDEDT **Length** 7.4 **Position** 4347 - 4353
**Question Name**
**Concept** DEDTP adjusted for urine creatinine (µg/g)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1037 - 41.3696 | 170 | 740,000 |
| NOT APPLICABLE | 99.9996 | 15 | 62,500 |
| NOT STATED | 99.9999 | 5,420 | 28,433,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DEP **Length** 10.6 **Position** 4354 - 4363
**Question Name**
**Concept** Urine diethyl phosphate (DEP) (µg/L)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.000000 - 747.088000 | 4,360 | 22,535,000 |
| LESS THAN LIMIT OF DETECTION | 999.999995 | 1,115 | 6,163,000 |
| NOT APPLICABLE | 999.999996 | 15 | 62,500 |
| NOT STATED | 999.999999 | 115 | 474,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDEP **Length** 8.4 **Position** 4364 - 4371
**Question Name**
**Concept** DEP adjusted for urine creatinine (µg/g)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.3905 - 523.7318 | 4,350 | 22,517,000 |
| NOT APPLICABLE | 999.9996 | 15 | 62,500 |
| NOT STATED | 999.9999 | 1,240 | 6,656,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DETP **Length** 10.6 **Position** 4372 - 4381

**Question Name**

**Concept** Urine diethylthiophosphate (DETP) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.600100 - 281.671000 | 2,200 | 10,743,500 |
| LESS THAN LIMIT OF DETECTION | 999.999995 | 3,270 | 17,953,000 |
| NOT APPLICABLE | 999.999996 | 15 | 62,500 |
| NOT STATED | 999.999999 | 115 | 476,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDETP **Length** 8.4 **Position** 4382 - 4389

**Question Name**

**Concept** DETP adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.2007 - 251.2585 | 2,200 | 10,730,000 |
| NOT APPLICABLE | 999.9996 | 15 | 62,500 |
| NOT STATED | 999.9999 | 3,395 | 18,443,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DMDT **Length** 10.6 **Position** 4390 - 4399

**Question Name**

**Concept** Urine dimethyldithiophosphate (DMDTP) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.300580 - 171.487500 | 2,085 | 10,490,500 |
| LESS THAN LIMIT OF DETECTION | 999.999995 | 3,390 | 18,207,500 |
| NOT APPLICABLE | 999.999996 | 15 | 62,500 |
| NOT STATED | 999.999999 | 115 | 474,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDMDT **Length** 9.5 **Position** 4400 - 4408

**Question Name**

**Concept** DMDTP adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.08667 - 189.99258 | 2,080 | 10,482,000 |
| NOT APPLICABLE | 999.99996 | 15 | 62,500 |
| NOT STATED | 999.99999 | 3,510 | 18,691,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DMP **Length** 9.5 **Position** 4409 - 4417

**Question Name**

**Concept** Urine dimethylphosphate (DMP) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.00041 - 280.03500 | 4,360 | 22,159,500 |
| LESS THAN LIMIT OF DETECTION | 999.99995 | 1,110 | 6,503,000 |
| NOT APPLICABLE | 999.99996 | 15 | 62,500 |
| NOT STATED | 999.99999 | 125 | 510,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDMP **Length** 8.4 **Position** 4418 - 4425

**Question Name**

**Concept** DMP adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.3525 - 455.0530 | 4,350 | 22,141,500 |
| NOT APPLICABLE | 999.9996 | 15 | 62,500 |
| NOT STATED | 999.9999 | 1,240 | 7,031,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_DMTP **Length** 10.6 **Position** 4426 - 4435

**Question Name**

**Concept** Urine dimethylthiophosphate (DMTP) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.600000 - 522.932000 | 3,790 | 19,219,500 |
| LESS THAN LIMIT OF DETECTION | 999.999995 | 1,685 | 9,475,500 |
| NOT APPLICABLE | 999.999996 | 15 | 62,500 |
| NOT STATED | 999.999999 | 115 | 477,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDDMTP **Length** 9.4 **Position** 4436 - 4444

**Question Name**

**Concept** DMTP adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1544 - 2046.5568 | 3,785 | 19,205,000 |
| NOT APPLICABLE | 9999.9996 | 15 | 62,500 |
| NOT STATED | 9999.9999 | 1,805 | 9,968,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_CDCC **Length** 8.4 **Position** 4445 - 4452

**Question Name**

**Concept** Urine cis-DCCA (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0070 - 117.6540 | 5,345 | 27,990,000 |
| LESS THAN LIMIT OF DETECTION | 999.9995 | 85 | 418,500 |
| NOT APPLICABLE | 999.9996 | 15 | 62,500 |
| NOT STATED | 999.9999 | 160 | 764,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDCDCC **Length** 9.6 **Position** 4453 - 4461

**Question Name**

**Concept** cis-DCCA adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.005733 - 35.938540 | 5,335 | 27,947,000 |
| NOT APPLICABLE | 99.999996 | 15 | 62,500 |
| NOT STATED | 99.999999 | 260 | 1,225,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_CDBC **Length** 5.3 **Position** 4462 - 4466

**Question Name**

**Concept** Urine cis-DBCA (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.006 - 1.916 | 2,495 | 12,451,500 |
| LESS THAN LIMIT OF DETECTION | 9.995 | 2,530 | 13,788,000 |
| NOT APPLICABLE | 9.996 | 15 | 62,500 |
| NOT STATED | 9.999 | 570 | 2,933,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDCDBC **Length** 8.6 **Position** 4467 - 4474

**Question Name**

**Concept** cis-DBCA adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.002146 - 2.753274 | 2,490 | 12,438,500 |
| NOT APPLICABLE | 9.999996 | 15 | 62,500 |
| NOT STATED | 9.999999 | 3,100 | 16,734,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_TDCC **Length** 7.3 **Position** 4475 - 4481

**Question Name**

**Concept** Urine trans-DCCA (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.010 - 345.800 | 5,435 | 28,496,500 |
| LESS THAN LIMIT OF DETECTION | 999.995 | 20 | 123,000 |
| NOT APPLICABLE | 999.996 | 15 | 62,500 |
| NOT STATED | 999.999 | 135 | 553,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABDTDCC **Length** 9.6 **Position** 4482 - 4490

**Question Name**

**Concept** trans-DCCA adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.009982 - 94.118814 | 5,420 | 28,453,500 |
| NOT APPLICABLE | 99.999996 | 15 | 62,500 |
| NOT STATED | 99.999999 | 170 | 719,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_3PBA **Length** 7.3 **Position** 4491 - 4497

**Question Name**

**Concept** Urine 3-Phenoxybenzoic acid (3-PBA) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.010 - 399.156 | 5,415 | 28,406,000 |
| LESS THAN LIMIT OF DETECTION | 999.995 | 35 | 174,500 |
| NOT APPLICABLE | 999.996 | 15 | 62,500 |
| NOT STATED | 999.999 | 140 | 592,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABD3PBA **Length** 9.5 **Position** 4498 - 4506

**Question Name**

**Concept** 3-PBA adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.01057 - 121.92602 | 5,405 | 28,363,500 |
| NOT APPLICABLE | 999.99996 | 15 | 62,500 |
| NOT STATED | 999.99999 | 185 | 809,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_4F3P **Length** 6.4 **Position** 4507 - 4512

**Question Name**

**Concept** 4-Fluoro-3-phenoxybenzoic acid (4-F-3-PBA) (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.0080 - 8.2680 | 2,275 | 11,515,000 |
| LESS THAN LIMIT OF DETECTION | 9.9995 | 2,950 | 15,657,000 |
| NOT APPLICABLE | 9.9996 | 15 | 62,500 |
| NOT STATED | 9.9999 | 365 | 2,000,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABD4F3P **Length** 9.6 **Position** 4513 - 4521

**Question Name**

**Concept** 4-F-3-PBA adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.002419 - 16.485722 | 2,270 | 11,492,000 |
| NOT APPLICABLE | 99.999996 | 15 | 62,500 |
| NOT STATED | 99.999999 | 3,320 | 17,680,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_24D **Length** 8.5 **Position** 4522 - 4529

**Question Name**

**Concept** 2,4-D (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 1.00410 - 35.61220 | 255 | 1,228,500 |
| LESS THAN LIMIT OF DETECTION | 99.99995 | 5,225 | 27,487,000 |
| NOT APPLICABLE | 99.99996 | 10 | 56,500 |
| NOT STATED | 99.99999 | 115 | 463,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABD24D **Length** 8.5 **Position** 4530 - 4537

**Question Name**

**Concept** 2,4-D adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.36080 - 30.95495 | 255 | 1,228,500 |
| NOT APPLICABLE | 99.99996 | 10 | 56,500 |
| NOT STATED | 99.99999 | 5,335 | 27,950,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_24DX **Length** 8.5 **Position** 4538 - 4545

**Question Name**

**Concept** 2,4-dichlorophenoxyacetic acid (µg/L)

**Question**

**Universe** Respondents with URCDELG = 1

**Note** Re-tested using a new method with a smaller LOD.

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.20000 - 35.61220 | 2,295 | 11,841,000 |
| LESS THAN LIMIT OF DETECTION | 99.99995 | 3,185 | 16,874,500 |
| NOT APPLICABLE | 99.99996 | 10 | 56,500 |
| NOT STATED | 99.99999 | 115 | 463,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABD24DX **Length** 8.5 **Position** 4546 - 4553

**Question Name**

**Concept** 2,4-D adjusted for urine creatinine (µg/g)

**Question**

**Universe**

**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.04944 - 30.95495 | 2,295 | 11,838,000 |
| NOT STATED | 99.99999 | 3,310 | 17,397,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** LAB_24DC **Length** 10.6 **Position** 4554 - 4563
**Question Name**
**Concept** 2,4-dichlorophenol (µg/L)
**Question**
**Universe** Respondents with URCDELG = 1
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.300000 - 173.459000 | 4,285 | 22,154,500 |
| LESS THAN LIMIT OF DETECTION | 999.999995 | 1,195 | 6,559,000 |
| NOT APPLICABLE | 999.999996 | 10 | 56,500 |
| NOT STATED | 999.999999 | 115 | 465,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** LABD24DC **Length** 8.4 **Position** 4564 - 4571
**Question Name**
**Concept** 2,4-dichlorophenol adjusted for urine creatinine (µg/g)
**Question**
**Universe**
**Note**

| Content | Code | Sample | Population |
|---|---|---|---|
| LAB RESULT | 0.1082 - 434.6403 | 4,275 | 22,116,000 |
| NOT APPLICABLE | 999.9996 | 10 | 56,500 |
| NOT STATED | 999.9999 | 1,320 | 7,063,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDACT1 **Length** 9.4 **Position** 4572 - 4580
**Question Name**
**Concept** Average counts - Day 1 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 1905.5000 | 5,135 | 26,729,000 |
| NOT STATED | 9999.9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDACT2 **Length** 9.4 **Position** 4581 - 4589
**Question Name**
**Concept** Average counts - Day 2 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 2267.9833 | 5,150 | 26,806,500 |
| NOT STATED | 9999.9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDACT3 **Length** 9.4 **Position** 4590 - 4598
**Question Name**
**Concept** Average counts - Day 3 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 4443.5455 | 5,150 | 26,808,500 |
| NOT STATED | 9999.9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDACT4 **Length** 9.4 **Position** 4599 - 4607
**Question Name**
**Concept** Average counts - Day 4 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 4545.0000 | 5,150 | 26,793,500 |
| NOT STATED | 9999.9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDACT5 **Length** 9.4 **Position** 4608 - 4616
**Question Name**
**Concept** Average counts - Day 5 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 6823.0000 | 5,150 | 26,781,500 |
| NOT STATED | 9999.9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDACT6 **Length** 9.4 **Position** 4617 - 4625
**Question Name**
**Concept** Average counts - Day 6 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 3938.6667 | 5,145 | 26,775,000 |
| NOT STATED | 9999.9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDACT7 **Length** 9.4 **Position** 4626 - 4634
**Question Name**
**Concept** Average counts - Day 7 (counts per minute)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER MINUTE | 0.0000 - 4788.0000 | 5,120 | 26,646,500 |
| NOT STATED | 9999.9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDHR1 **Length** 7.4 **Position** 4635 - 4641
**Question Name**
**Concept** Wear time - Day 1 (hours per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 22.0500 | 5,135 | 26,729,000 |
| NOT STATED | 99.9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR2 | **Length** | 7.4 | **Position** | 4642 - 4648 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 2 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 24.0000 | 5,150 | 26,806,500 |
| NOT STATED | 99.9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR3 | **Length** | 7.4 | **Position** | 4649 - 4655 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 3 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 24.0000 | 5,150 | 26,808,500 |
| NOT STATED | 99.9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR4 | **Length** | 7.4 | **Position** | 4656 - 4662 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 4 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 24.0000 | 5,150 | 26,793,500 |
| NOT STATED | 99.9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR5 | **Length** | 7.4 | **Position** | 4663 - 4669 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 5 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 22.4667 | 5,150 | 26,781,500 |
| NOT STATED | 99.9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR6 | **Length** | 7.4 | **Position** | 4670 - 4676 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 6 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 24.0000 | 5,145 | 26,775,000 |
| NOT STATED | 99.9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDHR7 | **Length** | 7.4 | **Position** | 4677 - 4683 |
| **Question Name** | | | | | |
| **Concept** | Wear time - Day 7 (hours per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| HOURS PER DAY | 0.0000 - 24.0000 | 5,120 | 26,646,500 |
| NOT STATED | 99.9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDIA1 **Length** 4 **Position** 4684 - 4687
**Question Name**
**Concept** Total inactivity - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 483 - 1440 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDIA2 **Length** 4 **Position** 4688 - 4691
**Question Name**
**Concept** Total inactivity - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 349 - 1440 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDIA3 **Length** 4 **Position** 4692 - 4695
**Question Name**
**Concept** Total inactivity - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 50 - 1440 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDIA4 **Length** 4 **Position** 4696 - 4699
**Question Name**
**Concept** Total inactivity - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 121 - 1440 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDIA5 | **Length** | 4 | **Position** | 4700 - 4703 |
| **Question Name** | | | | | |
| **Concept** | Total inactivity - Day 5 (minutes per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 104 - 1440 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDIA6 | **Length** | 4 | **Position** | 4704 - 4707 |
| **Question Name** | | | | | |
| **Concept** | Total inactivity - Day 6 (minutes per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 11 - 1440 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDIA7 **Length** 4 **Position** 4708 - 4711
**Question Name**
**Concept** Total inactivity - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 182 - 1440 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDLA1 **Length** 4 **Position** 4712 - 4715
**Question Name**
**Concept** Total light physical activity - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 725 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDLA2 **Length** 4 **Position** 4716 - 4719
**Question Name**
**Concept** Total light physical activity - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 734 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDLA3 **Length** 4 **Position** 4720 - 4723
**Question Name**
**Concept** Total light physical activity - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 708 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDLA4 **Length** 4 **Position** 4724 - 4727
**Question Name**
**Concept** Total light physical activity - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 705 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDLA5 **Length** 4 **Position** 4728 - 4731
**Question Name**
**Concept** Total light physical activity - Day 5 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 749 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDLA6 **Length** 4 **Position** 4732 - 4735
**Question Name**
**Concept** Total light physical activity - Day 6 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 799 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDLA7 **Length** 4 **Position** 4736 - 4739
**Question Name**
**Concept** Total light physical activity - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 876 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMA1 **Length** 4 **Position** 4740 - 4743
**Question Name**
**Concept** Total moderate physical activity - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 320 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMA2 **Length** 4 **Position** 4744 - 4747
**Question Name**
**Concept** Total moderate physical activity - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 429 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMA3 **Length** 4 **Position** 4748 - 4751
**Question Name**
**Concept** Total moderate physical activity - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 316 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMA4 **Length** 4 **Position** 4752 - 4755
**Question Name**
**Concept** Total moderate physical activity - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 274 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMA5 **Length** 4 **Position** 4756 - 4759
**Question Name**
**Concept** Total moderate physical activity - Day 5 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 434 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMA6 **Length** 4 **Position** 4760 - 4763
**Question Name**
**Concept** Total moderate physical activity - Day 6 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 357 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMA7 **Length** 4 **Position** 4764 - 4767
**Question Name**
**Concept** Total moderate physical activity - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 442 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMB1 **Length** 4 **Position** 4768 - 4771
**Question Name**
**Concept** Bouts of moderate physical activity - Day 1 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 311 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMB2 **Length** 4 **Position** 4772 - 4775
**Question Name**
**Concept** Bouts of moderate physical activity - Day 2 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 440 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMB3 **Length** 4 **Position** 4776 - 4779
**Question Name**
**Concept** Bouts of moderate physical activity - Day 3 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 299 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMB4 **Length** 4 **Position** 4780 - 4783
**Question Name**
**Concept** Bouts of moderate physical activity - Day 4 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 244 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMB5 **Length** 4 **Position** 4784 - 4787
**Question Name**
**Concept** Bouts of moderate physical activity - Day 5 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 412 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMB6 **Length** 4 **Position** 4788 - 4791
**Question Name**
**Concept** Bouts of moderate physical activity - Day 6 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 330 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMB7 **Length** 4 **Position** 4792 - 4795
**Question Name**
**Concept** Bouts of moderate physical activity - Day 7 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 432 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVA1 **Length** 4 **Position** 4796 - 4799
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 330 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVA2 **Length** 4 **Position** 4800 - 4803
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 432 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVA3 **Length** 4 **Position** 4804 - 4807
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 325 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVA4 **Length** 4 **Position** 4808 - 4811
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 292 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVA5 **Length** 4 **Position** 4812 - 4815
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 5 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 444 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVA6 **Length** 4 **Position** 4816 - 4819
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 6 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 380 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVA7 **Length** 4 **Position** 4820 - 4823
**Question Name**
**Concept** Total mod-to-vig physical activity - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 445 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVB1 **Length** 4 **Position** 4824 - 4827
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 1 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 321 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVB2 **Length** 4 **Position** 4828 - 4831
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 2 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 440 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVB3 **Length** 4 **Position** 4832 - 4835
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 3 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 303 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVB4 **Length** 4 **Position** 4836 - 4839
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 4 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 266 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVB5 **Length** 4 **Position** 4840 - 4843
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 5 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 423 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDMVB6 **Length** 4 **Position** 4844 - 4847
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 6 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 358 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDMVB7 **Length** 4 **Position** 4848 - 4851
**Question Name**
**Concept** Bouts of mod-to-vig physical activity - Day 7 (mins per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 432 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDSA1 **Length** 4 **Position** 4852 - 4855
**Question Name**
**Concept** Total sedentary time - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 546 | 5,135 | 26,729,000 |
| NOT STATED | 9999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDSA2 **Length** 4 **Position** 4856 - 4859
**Question Name**
**Concept** Total sedentary time - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 725 | 5,150 | 26,806,500 |
| NOT STATED | 9999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDSA3 **Length** 4 **Position** 4860 - 4863
**Question Name**
**Concept** Total sedentary time - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 635 | 5,150 | 26,808,500 |
| NOT STATED | 9999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDSA4 **Length** 4 **Position** 4864 - 4867
**Question Name**
**Concept** Total sedentary time - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 672 | 5,150 | 26,793,500 |
| NOT STATED | 9999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSA5 | **Length** | 4 | **Position** | 4868 - 4871 |
| **Question Name** | | | | | |
| **Concept** | Total sedentary time - Day 5 (minutes per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 579 | 5,150 | 26,781,500 |
| NOT STATED | 9999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSA6 | **Length** | 4 | **Position** | 4872 - 4875 |
| **Question Name** | | | | | |
| **Concept** | Total sedentary time - Day 6 (minutes per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Activity Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 517 | 5,145 | 26,775,000 |
| NOT STATED | 9999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDSA7 **Length** 4 **Position** 4876 - 4879
**Question Name**
**Concept** Total sedentary time - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 517 | 5,120 | 26,646,500 |
| NOT STATED | 9999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDSST1 **Length** 5 **Position** 4880 - 4884
**Question Name**
**Concept** Total steps - Day 1 (steps per day)
**Question**
**Universe**
**Note** Activity Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 40028 | 5,135 | 26,729,000 |
| NOT STATED | 99999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST2 | **Length** | 5 | **Position** | 4885 - 4889 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 2 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 52519 | 5,150 | 26,806,500 |
| NOT STATED | 99999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST3 | **Length** | 5 | **Position** | 4890 - 4894 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 3 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 41032 | 5,150 | 26,808,500 |
| NOT STATED | 99999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST4 | **Length** | 5 | **Position** | 4895 - 4899 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 4 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 37319 | 5,150 | 26,793,500 |
| NOT STATED | 99999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST5 | **Length** | 5 | **Position** | 4900 - 4904 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 5 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 52140 | 5,150 | 26,781,500 |
| NOT STATED | 99999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST6 | **Length** | 5 | **Position** | 4905 - 4909 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 6 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 45699 | 5,145 | 26,775,000 |
| NOT STATED | 99999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDSST7 | **Length** | 5 | **Position** | 4910 - 4914 |
| **Question Name** | | | | | |
| **Concept** | Total steps - Day 7 (steps per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| STEPS PER DAY | 0 - 52581 | 5,120 | 26,646,500 |
| NOT STATED | 99999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDTCT1 **Length** 7 **Position** 4915 - 4921
**Question Name**
**Concept** Total counts - Day 1 (counts per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1361821 | 5,135 | 26,729,000 |
| NOT STATED | 9999999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDTCT2 **Length** 7 **Position** 4922 - 4928
**Question Name**
**Concept** Total counts - Day 2 (counts per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1282765 | 5,150 | 26,806,500 |
| NOT STATED | 9999999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDTCT3 | **Length** | 7 | **Position** | 4929 - 4935 |
| **Question Name** | | | | | |
| **Concept** | Total counts - Day 3 (counts per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1551910 | 5,150 | 26,808,500 |
| NOT STATED | 9999999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDTCT4 | **Length** | 7 | **Position** | 4936 - 4942 |
| **Question Name** | | | | | |
| **Concept** | Total counts - Day 4 (counts per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1227443 | 5,150 | 26,793,500 |
| NOT STATED | 9999999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDTCT5 | **Length** | 7 | **Position** | 4943 - 4949 |
| **Question Name** | | | | | |
| **Concept** | Total counts - Day 5 (counts per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1664720 | 5,150 | 26,781,500 |
| NOT STATED | 9999999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | AMMDTCT6 | **Length** | 7 | **Position** | 4950 - 4956 |
| **Question Name** | | | | | |
| **Concept** | Total counts - Day 6 (counts per day) | | | | |
| **Question** | | | | | |
| **Universe** | | | | | |
| **Note** | Acvitiy Monitor | | | | |

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1368743 | 5,145 | 26,775,000 |
| NOT STATED | 9999999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDTCT7 **Length** 7 **Position** 4957 - 4963
**Question Name**
**Concept** Total counts - Day 7 (counts per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| COUNTS PER DAY | 0 - 1758703 | 5,120 | 26,646,500 |
| NOT STATED | 9999999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVA1 **Length** 3 **Position** 4964 - 4966
**Question Name**
**Concept** Total vigorous physical activity - Day 1 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 114 | 5,135 | 26,729,000 |
| NOT STATED | 999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVA2 **Length** 3 **Position** 4967 - 4969
**Question Name**
**Concept** Total vigorous physical activity - Day 2 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 147 | 5,150 | 26,806,500 |
| NOT STATED | 999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVA3 **Length** 3 **Position** 4970 - 4972
**Question Name**
**Concept** Total vigorous physical activity - Day 3 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 132 | 5,150 | 26,808,500 |
| NOT STATED | 999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVA4 **Length** 3 **Position** 4973 - 4975
**Question Name**
**Concept** Total vigorous physical activity - Day 4 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 91 | 5,150 | 26,793,500 |
| NOT STATED | 999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVA5 **Length** 3 **Position** 4976 - 4978
**Question Name**
**Concept** Total vigorous physical activity - Day 5 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 111 | 5,150 | 26,781,500 |
| NOT STATED | 999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVA6 **Length** 3 **Position** 4979 - 4981
**Question Name**
**Concept** Total vigorous physical activity - Day 6 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 95 | 5,145 | 26,775,000 |
| NOT STATED | 999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVA7 **Length** 3 **Position** 4982 - 4984
**Question Name**
**Concept** Total vigorous physical activity - Day 7 (minutes per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 128 | 5,120 | 26,646,500 |
| NOT STATED | 999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVB1 **Length** 3 **Position** 4985 - 4987
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 1 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 104 | 5,135 | 26,729,000 |
| NOT STATED | 999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVB2 **Length** 3 **Position** 4988 - 4990
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 2 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 149 | 5,150 | 26,806,500 |
| NOT STATED | 999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVB3 **Length** 3 **Position** 4991 - 4993
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 3 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 88 | 5,150 | 26,808,500 |
| NOT STATED | 999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVB4 **Length** 3 **Position** 4994 - 4996
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 4 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 81 | 5,150 | 26,793,500 |
| NOT STATED | 999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVB5 **Length** 3 **Position** 4997 - 4999
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 5 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 105 | 5,150 | 26,781,500 |
| NOT STATED | 999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDVB6 **Length** 3 **Position** 5000 - 5002
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 6 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 100 | 5,145 | 26,775,000 |
| NOT STATED | 999 | 460 | 2,460,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDVB7 **Length** 3 **Position** 5003 - 5005
**Question Name**
**Concept** Bouts of vigorous physical activity - Day 7 (mins per day)
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 129 | 5,120 | 26,646,500 |
| NOT STATED | 999 | 485 | 2,589,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDBMV1 **Length** 3 **Position** 5006 - 5008
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 1
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 25 | 5,135 | 26,729,000 |
| NOT STATED | 999 | 470 | 2,506,500 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDBMV2 **Length** 3 **Position** 5009 - 5011
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 2
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 29 | 5,150 | 26,806,500 |
| NOT STATED | 999 | 455 | 2,429,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDBMV3 **Length** 3 **Position** 5012 - 5014
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 3
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 20 | 5,150 | 26,808,500 |
| NOT STATED | 999 | 455 | 2,427,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDBMV4 **Length** 3 **Position** 5015 - 5017
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 4
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 22 | 5,150 | 26,793,500 |
| NOT STATED | 999 | 455 | 2,442,000 |
| | **Total** | 5,604 | 29,235,444 |

**Variable Name** AMMDBMV5 **Length** 3 **Position** 5018 - 5020
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 5
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 23 | 5,150 | 26,781,500 |
| NOT STATED | 999 | 455 | 2,454,000 |
| | **Total** | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

**Variable Name** AMMDBMV6 **Length** 3 **Position** 5021 - 5023
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 6
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 18 | 5,145 | 26,775,000 |
| NOT STATED | 999 | 460 | 2,460,500 |
| **Total** | | 5,604 | 29,235,444 |

**Variable Name** AMMDBMV7 **Length** 3 **Position** 5024 - 5026
**Question Name**
**Concept** Total number bouts of mod-to-vig physical activity - Day 7
**Question**
**Universe**
**Note** Acvitiy Monitor

| Content | Code | Sample | Population |
|---|---|---|---|
| MINUTES PER DAY | 0 - 33 | 5,120 | 26,646,500 |
| NOT STATED | 999 | 485 | 2,589,000 |
| **Total** | | 5,604 | 29,235,444 |

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | INIT_FLG | **Length** | 1 | **Position** | 5027 |
| **Question Name** | | | | | |
| **Concept** | FLAG | | | | |
| **Question** | FLAG | | | | |
| **Universe** | | | | | |
| **Note** | | | | | |

| **Content** | **Code** | **Sample** | **Population** |
|---|---|---|---|
| NO ERROR | 0 | 5,095 | 26,568,000 |
| ERROR | 1 | 55 | 252,000 |
| NOT STATED | 9 | 450 | 2,415,500 |
| **Total** | | 5,604 | 29,235,444 |

| | | | | | |
|---|---|---|---|---|---|
| **Variable Name** | WGT_FULL | **Length** | 15.8 | **Position** | 5028 - 5042 |
| **Question Name** | | | | | |
| **Concept** | Full sample weight | | | | |
| **Question** | | | | | |
| **Universe** | All respondents | | | | |
| **Note** | | | | | |