CHMS Cycle 3: Data Dictionary

Full Sample - Clinic - Rounded

October 2014

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	CLINICID	**Length**	8	**Position**	1 - 8
Question Name					
Concept	Clinic identifier of selected respondent				
Question					
Universe					
Note					

Variable Name	SITE	**Length**	2	**Position**	9 - 10
Question Name					
Concept	Collection site				
Question					
Universe	All respondents				
Note	The population count next to the name of each site below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the site represents.				

Content	Code	Sample	Population
EAST MONTREAL	1	310	2,002,500
SOUTH-CENTRAL LAURENTIANS	2	325	1,735,000
OSHAWA-WHITBY	3	310	2,618,000
NORTH TORONTO	4	335	1,609,500
BRAMPTON	5	345	2,458,500
LETHBRIDGE	6	415	2,969,000
HALIFAX	7	430	1,051,500
VICTORIA-SAANICH	8	365	1,947,500
BRANTFORD-BRANT COUNTY	9	325	1,791,500
SOUTHWEST CALGARY	10	375	2,618,000
WINDSOR	11	365	2,183,500
VANCOUVER	12	380	2,240,000
SOUTHWEST MONTÉRÉGIE	13	360	1,685,000
WEST MONTREAL	14	380	1,924,000
KENT COUNTY	15	415	1,085,000
ORILLIA	16	350	1,745,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	V2_DAY	**Length**	2	**Position**	11 - 12
Question Name					
Concept	Day of clinic visit				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
DAY (1 TO 31)	1 - 31	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	V2_MTH	**Length**	2	**Position**	13 - 14
Question Name					
Concept	Month of clinic visit				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
MONTH (1 TO 12)	1 - 12	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	V2_YEAR	**Length**	4	**Position**	15 - 18
Question Name					
Concept	Year of clinic visit				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
YEAR	2012 - 2013	5,785	31,664,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name V2_HOUR **Length** 2 **Position** 19 - 20
Question Name
Concept Hour of clinic visit
Question
Universe All respondents
Note

Content	Code	Sample	Population
HOUR OF THE DAY	6 - 19	5,785	31,656,500
NOT STATED	99	5	7,500
Total		5,785	31,663,899

Variable Name V2_MIN **Length** 2 **Position** 21 - 22
Question Name
Concept Minute of clinic visit
Question
Universe All respondents
Note

Content	Code	Sample	Population
MINUTE OF THE DAY	0 - 59	5,785	31,656,500
NOT STATED	99	5	7,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	V2_TYPE	**Length**	1	**Position**	23
Question Name					
Concept	Type of visit				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
CLINIC VISIT	1	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	SITESTRT	**Length**	8	**Position**	24 - 31
Question Name					
Concept	Date that the collection started for a particular site				
Question					
Universe	All respondents				
Note					

Variable Name	SITEEND	**Length**	8	**Position**	32 - 39
Question Name					
Concept	Date the collection ended for a particular site				
Question					
Universe	All respondents				
Note					

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	CLC_YOB	**Length**	4	**Position**	40 - 43
Question Name					
Concept	Year of birth				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
YEAR	1932 - 2010	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	CLC_MOB	**Length**	2	**Position**	44 - 45
Question Name					
Concept	Month of birth				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
MONTH (1 TO 12)	1 - 12	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	CLC_DOB	**Length**	2	**Position**	46 - 47
Question Name					
Concept	Day of birth				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
DAY (1 TO 31)	1 - 31	5,785	31,664,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	CLC_AGE	**Length**	3	**Position**	48 - 50
Question Name					
Concept	Age at clinic visit				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
YEARS	3 - 80	5,785	31,664,000
	Total	5,785	31,663,899

Variable Name	CLC_SEX	**Length**	1	**Position**	51
Question Name					
Concept	Sex				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
MALE	1	2,875	15,814,000
FEMALE	2	2,910	15,850,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name URG_13 **Length** 1 **Position** 52

Question Name

Concept Respondant is in a wheelchair

Question INSTRUCTION: Is the respondent in a wheelchair?

Universe All respondents

Note

Content	Code	Sample	Population
YES	1	10	23,000
NO	2	5,775	31,641,000
Total		5,785	31,663,899

Variable Name URG_14 **Length** 1 **Position** 53

Question Name

Concept Respondant uses a catheter

Question The laboratories that analyse the urine samples require that these samples are provided without the use of a catheter. For this reason, we need to know if you use a catheter.

Universe Respondents who answered URG_13 = 1

Note

Content	Code	Sample	Population
YES	1	5	1,000
NO	2	5	22,500
NOT APPLICABLE	6	5,775	31,641,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name U1CDELG **Length** 2 **Position** 54 - 55
Question Name
Concept Eligibility - Urine collection 1 component - (D)
Question
Universe All respondents
Note

Content	Code	Sample	Population
ELIGIBLE	1	5,785	31,663,500
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	5	1,000
Total		5,785	31,663,899

Variable Name UC1_40 **Length** 1 **Position** 56
Question Name
Concept Urine sample given
Question INSTRUCTION: Record whether the respondent provided a urine sample.
Universe Respondents with U1CDELG = 1
Note

Content	Code	Sample	Population
YES	1	5,710	31,435,500
NO	2	70	222,000
NOT APPLICABLE	6	5	6,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name UC1_42A **Length** 1 **Position** 57

Question Name

Concept Urine collection hat used

Question INSTRUCTION: Was the urine collection hat used for the urine collection?

Universe Respondents with U1CDELG = 1 and UC1_40 = 1

Note

Content	Code	Sample	Population
YES	1	810	2,877,000
NO	2	4,900	28,558,500
NOT APPLICABLE	6	75	228,500
Total		5,785	31,663,899

Variable Name UC1_43 **Length** 1 **Position** 58

Question Name

Concept Urinated - last time before sample

Question In order to complete an accurate analysis of the sample provided, we would like to know how long ago you urinated prior to providing this sample.

Universe Respondents with U1CDELG = 1 and UC1_40 = 1

Note

Content	Code	Sample	Population
LESS THAN 1 HOUR AGO	1	390	1,992,000
1 TO 2 HOURS AGO	2	1,465	8,757,500
MORE THAN 2 HOURS AGO	3	3,850	20,666,000
NOT APPLICABLE	6	75	228,500
NOT STATED	9	10	20,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name U2CDELG **Length** 2 **Position** 59 - 60

Question Name

Concept Eligibility - Urine collection 2 component - (D)

Question

Universe All respondents

Note

Content	Code	Sample	Population
ELIGIBLE	1	1,295	7,398,500
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	5	1,000
NOT ELIGIBLE – NOT REQUIRED	19	4,490	24,265,000
Total		5,785	31,663,899

Variable Name URCDSPL **Length** 1 **Position** 61

Question Name

Concept Type of sample used if urine provided

Question

Universe Respondents with U1CDELG = 1

Note

Content	Code	Sample	Population
NO SAMPLE PROVIDED	1	70	222,000
POOLED SAMPLED (1ST AND 2ND SAMPLES)	2	1,200	7,089,000
SINGLE CATCH SAMPLE	3	4,505	24,335,500
SAMPLE COULD NOT BE USED FOR TESTING	4	5	2,500
NOT APPLICABLE	6	5	1,000
NOT STATED	9	5	14,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name ATG_11 **Length** 1 **Position** 62
Question Name
Concept Date
Question INSTRUCTION: Confirm the date.
Universe
Note

Content	Code	Sample	Population
YESTERDAY	1	2,825	16,252,500
TODAY	2	2,960	15,411,500
Total		5,785	31,663,899

Variable Name ATG_11H **Length** 2 **Position** 63 - 64
Question Name
Concept Time last ate/drank - hour
Question
Universe All respondents
Note

Content	Code	Sample	Population
HOUR OF THE DAY	0 - 23	5,785	31,664,000
Total		5,785	31,663,899

Variable Name ATG_11M **Length** 2 **Position** 65 - 66
Question Name
Concept Time last ate/drank - minute
Question
Universe All respondents
Note

Content	Code	Sample	Population
MINUTE OF THE DAY	0 - 59	5,785	31,664,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name ATG_14 **Length** 1 **Position** 67

Question Name

Concept Past 3 hours - ate beets/broccoli

Question Within the past three hours have you eaten beets, broccoli, cabbage, celery, lettuce, spinach, or radishes?

Universe Respondents aged 6 and older who ate in the last 3 hours

Note New for cycle 3

Content	Code	Sample	Population
YES	1	25	111,500
NO	2	205	1,092,000
NOT APPLICABLE	6	3,345	17,358,000
NOT STATED	9	2,210	13,103,000
	Total	5,785	31,663,899

Variable Name ATG_15 **Length** 1 **Position** 68

Question Name

Concept Past 3 hours - ate smoked fish/ham/bacon

Question Within the past three hours have you eaten smoked fish, ham, bacon, or hot dogs, not including vegetarian?

Universe Respondents aged 6 and older who ate in the last 3 hours

Note New for cycle 3

Content	Code	Sample	Population
YES	1	25	124,000
NO	2	205	1,079,000
NOT APPLICABLE	6	3,345	17,358,000
NOT STATED	9	2,210	13,103,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ATG_21	**Length**	1	**Position**	69
Question Name					
Concept	Past 2 hours - smoked				
Question	Have you smoked cigarettes or used other tobacco or nicotine products during the past 2 hours?				
Universe	Respondents aged 12 and older				
Note					

Content	Code	Sample	Population
YES	1	165	1,556,000
NO	2	4,035	26,817,000
NOT APPLICABLE	6	1,585	3,290,500
	Total	5,785	31,663,899

Variable Name	ATG_21B	**Length**	1	**Position**	70
Question Name					
Concept	Past 2 hours - exposed to second-hand smoke				
Question	Have you been exposed to second-hand smoke during the past 2 hours (e.g., from a cigarette, cigar, or pipe)?				
Universe	Respondents aged 6 and older or ATG_21 = 2				
Note					

Content	Code	Sample	Population
YES	1	210	1,462,000
NO	2	4,850	27,517,500
NOT APPLICABLE	6	725	2,685,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ATG_22	**Length**	1	**Position**	71
Question Name					
Concept	Past 2 hours - consumed caffeinated products				
Question	Have you consumed any caffeinated products (e.g., coffee, pop, energy drinks, tea or chocolate) during the past 2 hours?				
Universe	Respondents aged 6 and older				
Note					

Content	Code	Sample	Population
YES	1	205	1,069,500
NO	2	5,025	29,465,500
NOT APPLICABLE	6	555	1,129,000
	Total	5,785	31,663,899

Variable Name	ATG_31	**Length**	1	**Position**	72
Question Name					
Concept	Past 6 hours - drank alcohol				
Question	Have you consumed any alcohol during the past 6 hours?				
Universe	Respondents aged 12 and older				
Note					

Content	Code	Sample	Population
YES	1	15	97,000
NO	2	4,190	28,276,000
NOT APPLICABLE	6	1,585	3,290,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ATG_41	**Length**	1	**Position**	73
Question Name					
Concept	Have exercised today - 10 minutes at a time				
Question	Have you exercised today for at least ten minutes at a time (e.g., running, moderate or vigorous walking, swimming, weight training)?				
Universe	All respondents				
Note	Question has been modified for cycle 3.				

Content	Code	Sample	Population
YES	1	810	2,975,500
NO	2	4,975	28,688,500
Total		5,785	31,663,899

Variable Name	ATG_43	**Length**	1	**Position**	74
Question Name					
Concept	How long - since last exercised				
Question	How long has it been since you last exercised?				
Universe	Respondents who answered ATG_41 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
1 TO LESS THAN 30 MINUTES AGO	1	75	248,500
30 MINUTES TO LESS THAN 1 HOUR AGO	2	80	374,000
1 HOUR TO LESS THAN 2 HOURS AGO	3	130	364,000
MORE THAN 2 HOURS AGO	4	525	1,989,500
NOT APPLICABLE	6	4,975	28,688,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ATG_50	**Length**	1	**Position**	75
Question Name					
Concept	Listened to loud music today				
Question	Have you listened to loud music today?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	140	628,500
NO	2	5,645	31,035,000
Total		5,785	31,663,899

Variable Name	ATG_51	**Length**	1	**Position**	76
Question Name					
Concept	Past 24 hours - exposed to loud noise without protection				
Question	In the past 24 hours, have you been exposed to loud noise without hearing protection?				
Universe	All respondents				
Note	Examples of loud noise include power tools, farm machinery, guns, motorcycle riding at highway speed or any activity where you had to speak in a raise voice to be heard or communicate.				

Content	Code	Sample	Population
YES	1	300	1,720,000
NO	2	5,485	29,944,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name PHC_11 **Length** 1 **Position** 77

Question Name

Concept Pregnant

Question Are you currently pregnant?

Universe Female respondents aged 14 to 59

Note

Content	Code	Sample	Population
YES	1	25	92,000
NO	2	1,425	10,756,000
NOT APPLICABLE	6	4,330	20,780,000
DON'T KNOW	7	5	35,500
	Total	5,785	31,663,899

Variable Name PHC_12 **Length** 2 **Position** 78 - 79

Question Name

Concept Number of weeks pregnant

Question In what week are you?

Universe Female respondents aged 14 to 59 who answered PHC_11 = 1

Note

Content	Code	Sample	Population
NUMBER OF WEEKS	2 - 36	25	92,000
NOT APPLICABLE	96	5,755	31,536,500
NOT STATED	99	5	35,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_13	**Length**	1	**Position**	80
Question Name					
Concept	Had menstrual period in the past 6 months				
Question	Have you had a menstrual period in the past 6 months?				
Universe	Female respondents aged 12 to 13 or (aged 14 to 59 and who answered PHC_11 = 2 or DK)				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	1,215	8,154,000
NO	2	330	2,893,000
NOT APPLICABLE	6	4,225	20,524,000
DON'T KNOW	7	5	1,500
NOT STATED	9	15	91,000
	Total	5,785	31,663,899

Variable Name	PHC_14	**Length**	1	**Position**	81
Question Name					
Concept	Regular menstrual cycle				
Question	Is your menstrual cycle regular? Here, "regular" is defined as having a menstrual period every 20 to 36 days.				
Universe	Female respondents who answered PHC_13 = 1, NS				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	805	5,208,000
NO	2	400	2,910,000
NOT APPLICABLE	6	4,555	23,417,500
DON'T KNOW	7	10	36,000
NOT STATED	9	15	92,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_15	**Length**	2	**Position**	82 - 83
Question Name					
Concept	Length of typical menstrual cycle				
Question	What is the length of your typical menstrual cycle, that is, from day 1 of the last menstrual period to day 1 of the next?				
Universe	Female respondents who answered PHC_14 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF DAYS	20 - 36	770	5,045,500
NOT APPLICABLE	96	4,955	26,327,500
DON'T KNOW	97	40	162,500
NOT STATED	99	25	128,500
	Total	5,785	31,663,899

Variable Name	PHC_16D	**Length**	2	**Position**	84 - 85
Question Name					
Concept	First day of last menstrual period - day				
Question	When was the first day of your last menstrual period? - day				
Universe	Female respondents who answered PHC_14 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
DAY (1 TO 31)	1 - 31	760	5,005,500
NOT APPLICABLE	96	4,955	26,327,500
DON'T KNOW	97	45	200,000
REFUSAL	98	5	2,000
NOT STATED	99	25	128,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name PHC_16M **Length** 2 **Position** 86 - 87

Question Name

Concept First day of last menstrual period - month

Question When was the first day of your last menstrual period? - month

Universe Female respondents who answered PHC_14 = 1

Note New for cycle 3

Content	Code	Sample	Population
MONTH (1 TO 12)	1 - 12	795	5,155,000
NOT APPLICABLE	96	4,955	26,327,500
DON'T KNOW	97	10	51,500
REFUSAL	98	5	1,500
NOT STATED	99	25	128,500
	Total	5,785	31,663,899

Variable Name PHC_16Y **Length** 4 **Position** 88 - 91

Question Name

Concept First day of last menstrual period - year

Question When was the first day of your last menstrual period? - year

Universe Female respondents who answered PHC_14 = 1

Note New for cycle 3

Content	Code	Sample	Population
YEAR	2011 - 2013	795	5,080,500
NOT APPLICABLE	9996	4,955	26,327,500
DON'T KNOW	9997	10	125,500
REFUSAL	9998	5	2,000
NOT STATED	9999	25	128,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHCD16	**Length**	4	**Position**	92 - 95
Question Name					
Concept	Number of days since last menstrual period				
Question					
Universe	Female respondents who answered PHC_14 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF DAYS	0 - 108	795	5,080,500
NOT APPLICABLE	9996	1,780	11,599,500
NOT STATED	9999	3,210	14,984,000
	Total	5,785	31,663,899

Variable Name	PHC_20	**Length**	1	**Position**	96
Question Name					
Concept	Currently suffering from allergy/cold/respiratory infection				
Question	Are you currently suffering from the effects of an allergy, cold or respiratory infection?				
Universe	Respondents aged 6 to 79				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	885	4,501,000
NO	2	4,345	26,034,000
NOT APPLICABLE	6	555	1,129,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_21	**Length**	1	**Position**	97
Question Name					
Concept	Have a runny or stuffy nose/sore throat/phlegm				
Question	Do you have a runny or stuffy nose, post nasal drip, sore throat or phlegm as a result of your allergy, cold, or respiratory infection?				
Universe	Respondents who answered PHC_20 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	715	3,660,500
NO	2	170	840,500
NOT APPLICABLE	6	4,900	27,163,000
Total		5,785	31,663,899

Variable Name	PHC_41	**Length**	1	**Position**	98
Question Name					
Concept	Has acute condition				
Question	Do you have any other acute conditions, for example sprained wrist, flu or other infection? An acute condition develops suddenly and is short-term.				
Universe	All respondents				
Note					

Content	Code	Sample	Population
YES	1	235	1,069,500
NO	2	5,550	30,594,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_41A	**Length**	1	**Position**	99
Question Name					
Concept	Has acute condition-Bone, joint or muscle problem				
Question	INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Bone, joint or muscle problem				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	140	741,000
NO	2	95	328,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

Variable Name	PHC_41B	**Length**	1	**Position**	100
Question Name					
Concept	Has acute condition- Flu or other infection				
Question	INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Flu or other infection				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	50	148,000
NO	2	185	921,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_41C	**Length**	1	**Position**	101
Question Name					
Concept	Has acute condition-Medical procedure				
Question	INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Medical procedure (recovery)				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	1,000
NO	2	235	1,069,000
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

Variable Name	PHC_41D	**Length**	1	**Position**	102
Question Name					
Concept	Has acute condition-Other health problem				
Question	INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Other health problem				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	40	182,000
NO	2	190	887,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_41F	**Length**	1	**Position**	103
Question Name					
Concept	Has acute condition-Fever				
Question	INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Fever				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
NO	2	235	1,069,500
NOT APPLICABLE	6	5,550	30,594,000
Total		5,785	31,663,899

Variable Name	PHC_42E	**Length**	1	**Position**	104
Question Name					
Concept	Test exclusion - Activity monitor				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Activity monitor				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
NO	2	235	1,069,500
NOT APPLICABLE	6	5,550	30,594,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_42F	**Length**	1	**Position**	105
Question Name					
Concept	Test exclusion - Spirometry				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Spirometry				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	3,500
NO	2	230	1,066,000
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

Variable Name	PHC_42H	**Length**	1	**Position**	106
Question Name					
Concept	Test exclusion - Grip strength				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Grip strength				
Universe	Respondents who answered PHC_41 = 1				
Note					

Content	Code	Sample	Population
YES	1	10	56,000
NO	2	225	1,013,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_42L	**Length**	1	**Position**	107
Question Name					
Concept	Test exclusion - None				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - None				
Universe	Respondents who answered PHC_41 = 1				
Note	In cycle 2, this variable was PHC_42K				

Content	Code	Sample	Population
YES	1	225	1,010,000
NO	2	10	59,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

Variable Name	PHC_42M	**Length**	1	**Position**	108
Question Name					
Concept	Test exclusion - FENO				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - FENO (Fractional Exhaled Nitric Oxide)				
Universe	Respondents who answered PHC_41 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	235	1,069,500
NOT APPLICABLE	6	5,550	30,594,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_42N	**Length**	1	**Position**	109
Question Name					
Concept	Test exclusion - Hearing				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Hearing				
Universe	Respondents who answered PHC_41 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	235	1,069,500
NOT APPLICABLE	6	5,550	30,594,000
Total		5,785	31,663,899

Variable Name	PHC_42O	**Length**	1	**Position**	110
Question Name					
Concept	Test exclusion - Skin Pigmentation				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Skin Pigmentation				
Universe	Respondents who answered PHC_41 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	235	1,069,500
NOT APPLICABLE	6	5,550	30,594,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_43	**Length**	1	**Position**	111
Question Name					
Concept	Has chronic condition				
Question	Do you have a chronic condition, for example arthritis, heart condition, multiple sclerosis, or colostomy bag that may prevent you from participating in any of the tests today?				
Universe	All respondents				
Note	A chronic condition develops slowly and is long lasting.				

Content	Code	Sample	Population
YES	1	715	4,201,000
NO	2	5,070	27,463,000
Total		5,785	31,663,899

Variable Name	PHC_43A	**Length**	1	**Position**	112
Question Name					
Concept	Has chronic condition - Bone, joint or muscle problem				
Question	INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Bone, joint or muscle problem				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	395	2,424,500
NO	2	320	1,776,500
NOT APPLICABLE	6	5,070	27,463,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name PHC_43B **Length** 1 **Position** 113

Question Name

Concept Has chronic condition - Cardiovascular condition

Question INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Cardiovascular condition

Universe Respondents who answered PHC_43 = 1

Note

Content	Code	Sample	Population
YES	1	155	772,000
NO	2	560	3,429,500
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

Variable Name PHC_43C **Length** 1 **Position** 114

Question Name

Concept Has chronic condition - Respiratory condition

Question INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Respiratory condition

Universe Respondents who answered PHC_43 = 1

Note

Content	Code	Sample	Population
YES	1	135	831,500
NO	2	580	3,369,500
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_43D	**Length**	1	**Position**	115
Question Name					
Concept	Has chronic condition - Physically impaired				
Question	INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Physically impaired				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	10	31,500
NO	2	705	4,169,500
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

Variable Name	PHC_43E	**Length**	1	**Position**	116
Question Name					
Concept	Has chronic condition - Other health problem				
Question	INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Other health problem				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	150	718,000
NO	2	565	3,483,000
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_44E	**Length**	1	**Position**	117
Question Name					
Concept	Test exclusion - Activity monitor				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Activity monitor				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	14,500
NO	2	710	4,186,500
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

Variable Name	PHC_44F	**Length**	1	**Position**	118
Question Name					
Concept	Test exclusion - Spirometry				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Spirometry				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	32,000
NO	2	710	4,169,000
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_44H	**Length**	1	**Position**	119
Question Name					
Concept	Test exclusion - Grip strength				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Grip strength				
Universe	Respondents who answered PHC_43 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	26,000
NO	2	710	4,175,000
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

Variable Name	PHC_44L	**Length**	1	**Position**	120
Question Name					
Concept	Test exclusion - None				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - None				
Universe	Respondents who answered PHC_43 = 1				
Note	In cycle 2, this variable was PHC_44K				

Content	Code	Sample	Population
YES	1	705	4,147,000
NO	2	10	54,000
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_44M	**Length**	1	**Position**	121
Question Name					
Concept	Test exclusion - FENO				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - FENO (Fractional Exhaled Nitric Oxide)				
Universe	Respondents who answered PHC_43 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5	17,000
NO	2	710	4,184,000
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

Variable Name	PHC_44N	**Length**	1	**Position**	122
Question Name					
Concept	Test exclusion - Hearing				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Hearing				
Universe	Respondents who answered PHC_43 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5	1,000
NO	2	715	4,200,500
NOT APPLICABLE	6	5,070	27,463,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_44O	**Length**	1	**Position**	123
Question Name					
Concept	Test exclusion - Skin Pigmentation				
Question	INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Skin Pigmentation				
Universe	Respondents who answered PHC_43 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	715	4,201,000
NOT APPLICABLE	6	5,070	27,463,000
Total		5,785	31,663,899

Variable Name	PHC_51	**Length**	1	**Position**	124
Question Name					
Concept	Has a clotting condition				
Question	Do you have a clotting condition such as haemophilia or von Willebrand disease?				
Universe	All respondents				
Note	Question has been modified for cycle 3.				

Content	Code	Sample	Population
YES	1	5	6,000
NO	2	5,780	31,658,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_52	**Length**	1	**Position**	125
Question Name					
Concept	Received chemotherapy - past four weeks				
Question	Have you received chemotherapy in the past four weeks?				
Universe	All respondents				
Note					

Content	Code	Sample	Population
YES	1	5	43,500
NO	2	5,780	31,620,500
	Total	5,785	31,663,899

Variable Name	PHC_53	**Length**	1	**Position**	126
Question Name					
Concept	Received a blood transfusion - past 2 months				
Question	In the past 2 months, that is, from [Date 2 months ago] to today, did you receive a blood transfusion?				
Universe	All respondents				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_11				

Content	Code	Sample	Population
YES	1	5	10,500
NO	2	5,780	31,653,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_54	**Length**	1	**Position**	127
Question Name					
Concept	Donated blood - past 2 months				
Question	In the past 2 months, did you donate blood?				
Universe	All respondents				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_12				

Content	Code	Sample	Population
YES	1	35	391,500
NO	2	5,750	31,272,500
	Total	5,785	31,663,899

Variable Name	PHC_55D	**Length**	2	**Position**	128 - 129
Question Name					
Concept	Donated blood - day				
Question	What was the date when you last donated blood? - day				
Universe	Respondents who answered PHC_54 = 1				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_13D				

Content	Code	Sample	Population
DAY (1 TO 31)	1 - 28	35	391,500
NOT APPLICABLE	96	5,750	31,272,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHC_55M	**Length**	2	**Position**	130 - 131
Question Name					
Concept	Donated blood - month				
Question	What was the date when you last donated blood? - month				
Universe	Respondents who answered PHC_54 = 1				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_13M				

Content	Code	Sample	Population
MONTH (1 TO 12)	1 - 12	35	391,500
NOT APPLICABLE	96	5,750	31,272,500
	Total	5,785	31,663,899

Variable Name	PHC_55Y	**Length**	4	**Position**	132 - 135
Question Name					
Concept	Donated blood - year				
Question	What was the date when you last donated blood? - year				
Universe	Respondents who answered PHC_54 = 1				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_13Y				

Content	Code	Sample	Population
YEAR	2012 - 2013	35	391,500
NOT APPLICABLE	9996	5,750	31,272,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	PHCD55	**Length**	2	**Position**	136 - 137
Question Name					
Concept	Donated blood the day before the clinic visit - (D)				
Question					
Universe	Respondents who answered PHC_54 = 1				
Note	In Cycle 1 and 2, this variable was calculated just before the blood collection. It has been moved to screening component for Cycle 03.				

Content	Code	Sample	Population
NO	2	35	391,500
NOT APPLICABLE	96	5,750	31,272,500
	Total	5,785	31,663,899

Variable Name	PHC_56	**Length**	1	**Position**	138
Question Name					
Concept	Felt dizzy/fainted during a blood draw				
Question	Have you ever felt dizzy or fainted during a blood draw?				
Universe	All respondents				
Note	New for cycle 3 - In Cycle 2, this variable was BDC_14				

Content	Code	Sample	Population
YES	1	435	2,823,500
NO	2	5,350	28,840,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HER_10	**Length**	1	**Position**	139
Question Name					
Concept	Last time - hearing tested				
Question	When was the last time you had your hearing tested?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN A YEAR AGO	1	360	1,731,000
1 TO LESS THAN 5 YEARS AGO	2	960	4,832,500
5 TO LESS THAN 10 YEARS AGO	3	570	2,764,000
10 OR MORE YEARS AGO	4	960	7,122,000
NEVER	5	2,785	14,346,500
DON'T KNOW	7	155	868,500
Total		5,785	31,663,899

Variable Name	HER_20	**Length**	1	**Position**	140
Question Name					
Concept	Ever been diagnosed with hearing problem				
Question	Has a health professional ever diagnosed you with a hearing problem?				
Universe	Respondents who answered HER_10 <> 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	395	2,385,500
NO	2	2,600	14,899,500
NOT APPLICABLE	6	2,785	14,346,500
DON'T KNOW	7	5	32,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HER_30	**Length**	1	**Position**	141
Question Name					
Concept	Past 3 months - surgery on inside of ear				
Question	Have you had any surgery performed on the inside of your ear in the past three months?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5	57,500
NO	2	5,780	31,606,500
Total		5,785	31,663,899

Variable Name	HER_31	**Length**	1	**Position**	142
Question Name					
Concept	Which ear(s)- surgery in past 3 months				
Question	On which ear(s)?				
Universe	Respondents who answered HER_30 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
RIGHT	1	5	1,000
LEFT	2	5	2,500
BOTH	3	5	53,500
NOT APPLICABLE	6	5,780	31,606,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HER_40	**Length**	1	**Position**	143
Question Name					
Concept	Current ear infection/pain				
Question	Do you currently have an ear infection or pain in your ear(s)?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	90	475,500
NO	2	5,695	31,188,500
Total		5,785	31,663,899

Variable Name	HER_41	**Length**	1	**Position**	144
Question Name					
Concept	Which ear(s) - current infection/pain				
Question	In which ear(s)?				
Universe	Respondents who answered HER_40 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
RIGHT	1	30	245,500
LEFT	2	40	117,500
BOTH	3	20	112,000
NOT APPLICABLE	6	5,695	31,188,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HER_50	**Length**	1	**Position**	145
Question Name					
Concept	Has a cochlear implant				
Question	Do you have a cochlear implant?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5	3,500
NO	2	5,785	31,660,500
Total		5,785	31,663,899

Variable Name	HER_51	**Length**	1	**Position**	146
Question Name					
Concept	Which ear(s) - cochlear implant				
Question	In which ear(s)?				
Universe	Respondents who answered HER_50 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
BOTH	3	5	3,500
NOT APPLICABLE	6	5,785	31,660,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HER_52	**Length**	1	**Position**	147
Question Name					
Concept	Has a hearing aid				
Question	Do you have a hearing aid?				
Universe	Respondents who answered HER_51 <> 3				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	105	618,500
NO	2	5,680	31,041,500
NOT APPLICABLE	6	5	3,500
	Total	5,785	31,663,899

Variable Name	HER_53	**Length**	1	**Position**	148
Question Name					
Concept	Which ear(s) - hearing aid				
Question	In which ear(s)?				
Universe	Respondents who answered HER_52 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
RIGHT	1	20	94,000
LEFT	2	5	47,500
BOTH	3	75	477,000
NOT APPLICABLE	6	5,680	31,045,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPQ_11	**Length**	1	**Position**	149
Question Name					
Concept	Wheezing or whistling - any time in the past				
Question	Has your child ever had wheezing or whistling in the chest at any time in the past?				
Universe	Parent or guardian of respondents aged 6 to 12				
Note					

Content	Code	Sample	Population
YES	1	260	548,500
NO	2	905	1,986,000
NOT APPLICABLE	6	4,625	29,129,500
	Total	5,785	31,663,899

Variable Name	SPQ_12	**Length**	1	**Position**	150
Question Name					
Concept	Wheezing or whistling - last 12 months				
Question	Has your child had wheezing or whistling in the chest in the last 12 months?				
Universe	Parent or guardian of respondents aged 6 to 12 who answered SPQ_11 = 1				
Note					

Content	Code	Sample	Population
YES	1	85	151,500
NO	2	170	396,500
NOT APPLICABLE	6	5,525	31,115,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPQ_13 **Length** 1 **Position** 151

Question Name

Concept Number of attacks of wheezing - last 12 months

Question How many attacks of wheezing has your child had in the last 12 months?

Universe Parent or guardian of respondents aged 6 to 12 who answered SPQ_12 = 1

Note

Content	Code	Sample	Population
1 TO 3 ATTACKS	1	60	100,000
4 TO 12 ATTACKS	2	15	28,000
MORE THAN 12 ATTACKS	3	10	23,500
NOT APPLICABLE	6	5,700	31,512,000
Total		5,785	31,663,899

Variable Name SPQ_14 **Length** 1 **Position** 152

Question Name

Concept Sleep disturbed due to wheezing - last 12 months

Question In the last 12 months, how often, on average, has your child’s sleep been disturbed due to wheezing?

Universe Parent or guardian of respondents aged 6 to 12 who answered SPQ_12 = 1

Note

Content	Code	Sample	Population
NEVER	1	45	63,500
LESS THAN ONE NIGHT PER WEEK	2	30	68,000
ONE OR MORE NIGHTS PER WEEK	3	10	20,500
NOT APPLICABLE	6	5,700	31,512,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPQ_15	**Length**	1	**Position**	153
Question Name					
Concept	Wheezing limiting speech - last 12 months				
Question	In the last 12 months, has wheezing ever been severe enough to limit your child’s speech to only one or two words at a time between breaths?				
Universe	Parent or guardian of respondents aged 6 to 12 who answered SPQ_12 = 1				
Note					

Content	Code	Sample	Population
YES	1	5	12,000
NO	2	80	139,500
NOT APPLICABLE	6	5,700	31,512,000
	Total	5,785	31,663,899

Variable Name	SPQ_16	**Length**	1	**Position**	154
Question Name					
Concept	Wheezy during or after exercise - last 12 months				
Question	In the last 12 months, has your child’s chest sounded wheezy during or after exercise?				
Universe	Parent or guardian of respondents aged 6 to 12				
Note					

Content	Code	Sample	Population
YES	1	65	121,500
NO	2	1,100	2,413,000
NOT APPLICABLE	6	4,625	29,129,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPQ_17	**Length**	1	**Position**	155
Question Name					
Concept	Dry cough at night - last 12 months				
Question	In the last 12 months, has your child had a dry cough at night, apart from a cough associated with a cold or a chest infection?				
Universe	Parent or guardian of respondents aged 6 to 12				
Note					

Content	Code	Sample	Population
YES	1	80	156,500
NO	2	1,080	2,377,500
NOT APPLICABLE	6	4,625	29,129,500
	Total	5,785	31,663,899

Variable Name	SPQ_21	**Length**	1	**Position**	156
Question Name					
Concept	Cough regularly				
Question	Do you cough regularly?				
Universe	Respondents aged 13 and older				
Note					

Content	Code	Sample	Population
YES	1	585	4,127,000
NO	2	3,480	23,874,000
NOT APPLICABLE	6	1,720	3,663,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPQ_22	**Length**	1	**Position**	157
Question Name					
Concept	Cough up phlegm regularly				
Question	Do you cough up phlegm regularly?				
Universe	Respondents aged 13 and older				
Note					

Content	Code	Sample	Population
YES	1	350	2,386,000
NO	2	3,715	25,614,500
NOT APPLICABLE	6	1,720	3,663,000
	Total	5,785	31,663,899

Variable Name	SPQ_23	**Length**	1	**Position**	158
Question Name					
Concept	Simple chores make short of breath				
Question	Do even simple chores make you short of breath?				
Universe	Respondents aged 13 and older				
Note					

Content	Code	Sample	Population
YES	1	335	2,270,500
NO	2	3,730	25,730,500
NOT APPLICABLE	6	1,720	3,663,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPQ_24	**Length**	1	**Position**	159
Question Name					
Concept	Wheeze from exertion or at night				
Question	Do you wheeze when you exert yourself, or at night?				
Universe	Respondents aged 13 and older				
Note					

Content	Code	Sample	Population
YES	1	365	2,457,000
NO	2	3,700	25,544,000
NOT APPLICABLE	6	1,720	3,663,000
	Total	5,785	31,663,899

Variable Name	SPQ_25	**Length**	1	**Position**	160
Question Name					
Concept	Frequent persistent colds				
Question	Do you get frequent colds that persist longer than those of other people you know?				
Universe	Respondents aged 13 and older				
Note					

Content	Code	Sample	Population
YES	1	205	1,339,500
NO	2	3,860	26,661,500
NOT APPLICABLE	6	1,720	3,663,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPR_11	**Length**	1	**Position**	161
Question Name					
Concept	Heart attack - past 3 months				
Question	Have you had a heart attack within the past 3 months?				
Universe	Respondents aged 6 to 79 excluding pregnant females (> 27 weeks) and respondents for whom PHC_42F = 1 or PHC_44F = 1				
Note					

Content	Code	Sample	Population
YES	1	5	14,500
NO	2	5,210	30,454,500
NOT APPLICABLE	6	570	1,195,000
	Total	5,785	31,663,899

Variable Name	SPR_12	**Length**	1	**Position**	162
Question Name					
Concept	Major chest or abdomen surgery - past 3 months				
Question	Have you had major surgery on your chest or abdomen in the past 3 months?				
Universe	Respondents aged 6 to 79 excluding pregnant females (> 27 weeks), respondents for whom PHC_42F = 1 or PHC_44F = 1 and those who answered SPR_11 = 1				
Note					

Content	Code	Sample	Population
YES	1	25	97,500
NO	2	5,185	30,356,500
NOT APPLICABLE	6	575	1,209,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPR_13	**Length**	1	**Position**	163
Question Name					
Concept	Eye surgery - past 6 weeks				
Question	Have you had eye surgery in the past 6 weeks?				
Universe	Respondents aged 6 to 79 excluding pregnant females (> 27 weeks), respondents for whom PHC_42F=1 or PHC_44F=1 and those with SPR_11=1 or SPR_12=1				
Note					

Content	Code	Sample	Population
YES	1	20	189,500
NO	2	5,170	30,167,000
NOT APPLICABLE	6	600	1,307,000
Total		5,785	31,663,899

Variable Name	MEDC_411	**Length**	1	**Position**	164
Question Name					
Concept	Past week - used performance enhancing/recreational drugs				
Question	In the past week have you used any performance enhancing or recreational drugs such as steroids, marijuana or cocaine?				
Universe	Respondents aged 14 and older				
Note	New for cycle 3. In Cycle 2, this variable was MHR_411				

Content	Code	Sample	Population
YES	1	370	2,686,500
NO	2	3,565	24,973,500
NOT APPLICABLE	6	1,850	4,001,000
REFUSAL	8	5	3,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	MEDC_611	**Length**	2	**Position**	165 - 166
Question Name					
Concept	Exclusion due to medication use - which tests				
Question	INSTRUCTION: From which tests should the respondent be excluded because of medication use?				
Universe	Respondents who declared taking prescription or over the counter medication				
Note	New for cycle 3. In Cycle 2, this variable was MHR_611				

Content	Code	Sample	Population
SPIROMETRY	1	5	2,500
NONE	6	4,520	27,245,500
NOT APPLICABLE	96	1,265	4,415,500
	Total	5,785	31,663,899

Variable Name	ORS_0	**Length**	1	**Position**	167
Question Name					
Concept	Other reasons for screening out of physical tests				
Question	Other than what you have already mentioned, are there any other reasons you should not participate in one or more of the physical tests?				
Universe	All respondents				
Note					

Content	Code	Sample	Population
YES	1	5	15,000
NO	2	5,780	31,649,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name ORS_1 **Length** 1 **Position** 168

Question Name

Concept Other reasons for screening out - grip strength test

Question INSTRUCTION: Is there any other reason why the respondent should not perform the Grip Strength test?

Universe Respondents aged 6 to 79

Note

Content	Code	Sample	Population
YES	1	5	11,000
NO	2	5,225	30,524,500
NOT APPLICABLE	6	555	1,129,000
	Total	5,785	31,663,899

Variable Name ORS_2 **Length** 1 **Position** 169

Question Name

Concept Other reasons for screening out - spirometry test

Question INSTRUCTION: Is there any other reason why the respondent should not perform the Spirometry test?

Universe Respondents aged 6 to 79

Note

Content	Code	Sample	Population
YES	1	5	21,500
NO	2	5,225	30,513,500
NOT APPLICABLE	6	555	1,129,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ORS_6	**Length**	1	**Position**	170
Question Name					
Concept	Other reasons for screening out - FENO test				
Question	INSTRUCTION: Is there any other reason why the respondent should not perform the Fractional Exhaled Nitric Oxide (FENO) test?				
Universe	Respondents aged 6 to 79				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	10	49,500
NO	2	5,220	30,485,500
NOT APPLICABLE	6	555	1,129,000
	Total	5,785	31,663,899

Variable Name	ORS_7	**Length**	1	**Position**	171
Question Name					
Concept	Other reasons for screening out - hearing tests				
Question	INSTRUCTION: Is there any other reason why the respondent should not perform the Hearing tests?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	5,785	31,664,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	ORS_8	**Length**	1	**Position**	172
Question Name					
Concept	Other reasons for screening out - skin pigmentation test				
Question	INSTRUCTION: Is there any other reason why the respondent should not perform the skin pigmentation measurements?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	5,785	31,664,000
Total		5,785	31,663,899

Variable Name	WAQ_02	**Length**	1	**Position**	173
Question Name					
Concept	Last time in a swimming pool/hot tub/steam room				
Question	When did you last spend time in a swimming pool, in a hot tub, or in a steam room?				
Universe	Respondents aged 12 to 79 who were selected for the blood volatile organic compounds subsample				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 6 HOURS AGO	1	15	51,500
6 TO LESS THAN 12 HOURS AGO	2	25	172,000
12 TO LESS THAN 24 HOURS AGO	3	95	479,500
24 OR MORE HOURS AGO	4	2,520	15,850,500
NOT APPLICABLE	6	3,120	15,089,500
DON'T KNOW	7	5	10,000
REFUSAL	8	5	6,000
NOT STATED	9	5	5,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name WAQ_03 **Length** 1 **Position** 174

Question Name

Concept Last time - hot shower (5+ min) or bath (20+ min)

Question When did you last take a hot shower, for 5 minutes or longer, or a hot bath, for twenty minutes or longer?

Universe Respondents aged 12 to 79 who were selected for the blood volatile organic compounds subsample

Note New for cycle 3

Content	Code	Sample	Population
LESS THAN 6 HOURS AGO	1	900	6,042,000
6 TO LESS THAN 12 HOURS AGO	2	555	3,876,500
12 TO LESS THAN 24 HOURS AGO	3	665	3,706,500
24 OR MORE HOURS AGO	4	540	2,926,500
NOT APPLICABLE	6	3,120	15,089,500
DON'T KNOW	7	5	11,500
REFUSAL	8	5	6,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name WAQ_04 **Length** 3 **Position** 175 - 177

Question Name

Concept Drinks black, white or green tea - Number of times

Question How often do you drink black, white or green tea? Examples of black tea include Orange Pekoe, Earl Grey and English Breakfast. Please do not include herbal teas.

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 365	2,190	10,521,000
NOT APPLICABLE	996	3,585	21,119,500
DON'T KNOW	997	5	20,000
REFUSAL	998	5	2,000
NOT STATED	999	5	1,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name WAQD04Y **Length** 4 **Position** 178 - 181

Question Name

Concept Drinks black, white or green tea - times per year (D)

Question

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample with WAQ_04 <> 0

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 3650	2,190	10,521,000
NOT APPLICABLE	9996	3,585	21,119,500
NOT STATED	9999	10	23,000
	Total	5,785	31,663,899

Variable Name WAQ_05A **Length** 1 **Position** 182

Question Name

Concept Drinks black, white or green tea - Reporting period

Question INSTRUCTION: Select the reporting period.

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample with WAQ_04 <> 0

Note New for cycle 3

Content	Code	Sample	Population
PER DAY	1	365	2,549,500
PER WEEK	2	340	1,846,000
PER MONTH	3	220	985,000
PER YEAR	4	80	520,000
NOT APPLICABLE	6	4,770	25,740,500
NOT STATED	9	10	23,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name WAQ_06 **Length** 1 **Position** 183

Question Name

Concept Drinks black, white or green tea - Amount (in cups)

Question When you drink black, white or green tea, how much do you usually drink in cups?

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample with WAQ_04 <> 0

Note New for cycle 3

Content	Code	Sample	Population
LESS THAN 1 CUP	1	140	581,500
1 TO LESS THAN 2 CUPS	2	675	3,998,500
2 OR MORE CUPS	3	190	1,321,000
NOT APPLICABLE	6	4,770	25,740,500
NOT STATED	9	10	23,000
	Total	5,785	31,663,899

Variable Name WAQ_07 **Length** 1 **Position** 184

Question Name

Concept Last time drank black, white or green tea

Question When did you last drink black, white or green tea?

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample with WAQ_04 <> 0

Note New for cycle 3

Content	Code	Sample	Population
LESS THAN 6 HOURS AGO	1	55	323,000
6 TO LESS THAN 12 HOURS AGO	2	65	479,000
12 TO LESS THAN 24 HOURS AGO	3	250	1,523,500
24 OR MORE HOURS AGO	4	640	3,575,000
NOT APPLICABLE	6	4,770	25,740,500
NOT STATED	9	10	23,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name WAQ_08 **Length** 2 **Position** 185 - 186

Question Name

Concept Last time received fluoride treatments at the dentist

Question When did you last receive fluoride treatments at the dentist?

Universe Respondents aged 6 to 79 who were selected for the urine fluoride subsample

Note New for cycle 3

Content	Code	Sample	Population
LESS THAN 3 MONTHS AGO	1	405	1,524,500
3 TO LESS THAN 6 MONTHS AGO	2	415	1,743,000
6 TO LESS THAN 9 MONTHS AGO	3	335	1,439,000
9 TO LESS THAN 12 MONTHS AGO	4	180	633,500
12 OR MORE MONTHS AGO	5	695	3,852,000
NEVER	6	595	2,163,500
NOT APPLICABLE	96	3,060	20,054,000
DON'T KNOW	97	95	251,500
REFUSAL	98	5	2,000
NOT STATED	99	5	1,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	WAQ_09	**Length**	1	**Position**	187
Question Name					
Concept	Uses fluoride-containing products at home				
Question	Do you use fluoride-containing products at home, such as toothpaste, mouthwash, or 24-hour fluoride treatment?				
Universe	Respondents aged 6 to 79 who were selected for the urine fluoride subsample				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	2,060	8,883,500
NO	2	430	1,666,000
NOT APPLICABLE	6	3,060	20,054,000
DON'T KNOW	7	235	1,057,000
REFUSAL	8	5	2,000
NOT STATED	9	5	1,000
	Total	5,785	31,663,899

Variable Name	WAQ_10	**Length**	1	**Position**	188
Question Name					
Concept	Last time used a fluoride-containing product				
Question	When was the last time you used one of these products?				
Universe	Respondents aged 6 to 79 who were selected for the urine fluoride subsample with WAQ_09 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 6 HOURS AGO	1	1,080	5,069,500
6 TO LESS THAN 12 HOURS AGO	2	560	2,380,500
12 TO LESS THAN 24 HOURS AGO	3	300	1,003,500
24 OR MORE HOURS AGO	4	120	413,500
NOT APPLICABLE	6	3,490	21,720,000
DON'T KNOW	7	5	16,000
NOT STATED	9	235	1,060,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10A	**Length**	1	**Position**	189
Question Name					
Concept	Ate shellfish over past month - lobster				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - lobster				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11A.				

Content	Code	Sample	Population
YES	1	645	3,325,500
NO	2	5,115	28,242,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10B	**Length**	1	**Position**	190
Question Name					
Concept	Ate shellfish over past month - shrimp				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - shrimp				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11B.				

Content	Code	Sample	Population
YES	1	2,335	14,631,000
NO	2	3,425	16,937,000
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10C	**Length**	1	**Position**	191
Question Name					
Concept	Ate shellfish over past month - mussels				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - mussels				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11C.				

Content	Code	Sample	Population
YES	1	430	2,865,500
NO	2	5,330	28,702,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10D	**Length**	1	**Position**	192
Question Name					
Concept	Ate shellfish over past month - scallops				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - scallops				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11D.				

Content	Code	Sample	Population
YES	1	675	4,402,500
NO	2	5,085	27,165,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10E	**Length**	1	**Position**	193
Question Name					
Concept	Ate shellfish over past month - oysters				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - oysters				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11E.				

Content	Code	Sample	Population
YES	1	225	1,714,500
NO	2	5,535	29,853,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10F	**Length**	1	**Position**	194
Question Name					
Concept	Ate shellfish over past month - squid/calamari				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - squid or calamari				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11F.				

Content	Code	Sample	Population
YES	1	550	3,767,500
NO	2	5,215	27,800,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10G	**Length**	1	**Position**	195
Question Name					
Concept	Ate shellfish over past month - clams				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - clams				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11G.				

Content	Code	Sample	Population
YES	1	330	2,118,500
NO	2	5,430	29,449,000
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10H	**Length**	1	**Position**	196
Question Name					
Concept	Ate shellfish over past month - crab				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - crab				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11H.				

Content	Code	Sample	Population
YES	1	560	3,830,500
NO	2	5,205	27,737,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10I	**Length**	1	**Position**	197
Question Name					
Concept	Ate shellfish over past month - surimi or imitation crab				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - surimi or imitation crab				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	395	2,700,500
NO	2	5,365	28,867,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10J	**Length**	1	**Position**	198
Question Name					
Concept	Ate shellfish over past month - any other shellfish				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - any other shellfish				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11I.				

Content	Code	Sample	Population
YES	1	50	375,000
NO	2	5,710	31,193,000
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10K	**Length**	1	**Position**	199
Question Name					
Concept	Ate shellfish over past month - no shellfish				
Question	Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - no shellfish				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_11J.				

Content	Code	Sample	Population
YES	1	2,860	14,503,500
NO	2	2,900	17,064,500
DON'T KNOW	7	15	57,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_10X	**Length**	1	**Position**	200
Question Name					
Concept	Any other sellfish over past month				
Question	Over the past month, did you consume any other sellfish?				
Universe	Respondents with FSF_10J <> 2				
Note	In cycle 2, the variable name was FSF_11X.				

Content	Code	Sample	Population
YES	1	5	31,500
NO	2	45	335,500
NOT APPLICABLE	6	5,710	31,193,000
NOT STATED	9	25	103,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_10Y	**Length**	1	**Position**	201
Question Name					
Concept	Any other sellfish over past month				
Question	Over the past month, did you consume any other sellfish?				
Universe	Respondents with FSF_10X <> 2				
Note	In cycle 2, the variable name was FSF_11Y.				

Content	Code	Sample	Population
NO	2	5	31,500
NOT APPLICABLE	6	5,755	31,529,000
NOT STATED	9	25	103,500
	Total	5,785	31,663,899

Variable Name	FSF_12	**Length**	2	**Position**	202 - 203
Question Name					
Concept	Ate lobster over past month - # of times				
Question	Over the past month, how many times did you eat lobster?				
Universe	Respondents who answered FSF_10A <> 2				
Note	In cycle 2, the variable name was FSF_13.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 15	640	3,296,500
NOT APPLICABLE	96	5,115	28,242,500
NOT STATED	99	30	124,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_12N	**Length**	1	**Position**	204
Question Name					
Concept	Reporting period - ate lobster past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10A <> 2				
Note	In cycle 2, the variable name was FSF_13N.				

Content	Code	Sample	Population
PER MONTH	1	635	3,261,500
PER WEEK	2	5	26,000
PER DAY	3	5	9,500
NOT APPLICABLE	6	5,115	28,242,500
NOT STATED	9	30	124,500
	Total	5,785	31,663,899

Variable Name	FSFD12Y	**Length**	3	**Position**	205 - 207
Question Name					
Concept	Eats lobster - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10A <> 2				
Note	In cycle 2, the variable name was FSFD13Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	640	3,296,500
NOT APPLICABLE	996	5,115	28,242,500
NOT STATED	999	30	124,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_13	**Length**	2	**Position**	208 - 209
Question Name					
Concept	Ate shrimp over past month - # of times				
Question	Over the past month, how many times did you eat shrimp?				
Universe	Respondents who answered FSF_10B <> 2				
Note	In cycle 2, the variable name was FSF_14.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 15	2,325	14,570,500
NOT APPLICABLE	96	3,425	16,937,000
DON'T KNOW	97	5	41,000
NOT STATED	99	25	115,500
	Total	5,785	31,663,899

Variable Name	FSF_13N	**Length**	1	**Position**	210
Question Name					
Concept	Reporting period - ate shrimp past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10B <> 2				
Note	In cycle 2, the variable name was FSF_14N.				

Content	Code	Sample	Population
PER MONTH	1	2,190	13,419,500
PER WEEK	2	140	1,165,500
PER DAY	3	5	1,500
NOT APPLICABLE	6	3,425	16,937,000
NOT STATED	9	30	140,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD13Y	**Length**	4	**Position**	211 - 214
Question Name					
Concept	Eats shrimp - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10B <> 2				
Note	In cycle 2, the variable name was FSFD14Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 1188	2,330	14,586,500
NOT APPLICABLE	9996	3,425	16,937,000
NOT STATED	9999	30	140,500
	Total	5,785	31,663,899

Variable Name	FSF_14	**Length**	2	**Position**	215 - 216
Question Name					
Concept	Ate mussels over past month - # of times				
Question	Over the past month, how many times did you eat mussels?				
Universe	Respondents who answered FSF_10C <> 2				
Note	In cycle 2, the variable name was FSF_15.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 7	430	2,865,500
NOT APPLICABLE	96	5,330	28,702,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_14N	**Length**	1	**Position**	217
Question Name					
Concept	Reporting period - ate mussels past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10C <> 2				
Note	In cycle 2, the variable name was FSF_15N.				

Content	Code	Sample	Population
PER MONTH	1	415	2,757,500
PER WEEK	2	15	108,000
NOT APPLICABLE	6	5,330	28,702,500
NOT STATED	9	25	96,000
	Total	5,785	31,663,899

Variable Name	FSFD14Y	**Length**	3	**Position**	218 - 220
Question Name					
Concept	Eats mussels - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10C <> 2				
Note	In cycle 2, the variable name was FSFD15Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	430	2,865,500
NOT APPLICABLE	996	5,330	28,702,500
NOT STATED	999	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_15	**Length**	2	**Position**	221 - 222
Question Name					
Concept	Ate scallops over past month - # of times				
Question	Over the past month, how many times did you eat scallops?				
Universe	Respondents who answered FSF_10D <> 2				
Note	In cycle 2, the variable name was FSF_16.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 7	675	4,402,500
NOT APPLICABLE	96	5,085	27,165,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

Variable Name	FSF_15N	**Length**	1	**Position**	223
Question Name					
Concept	Reporting period - ate scallops past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10D <> 2				
Note	In cycle 2, the variable name was FSF_16N.				

Content	Code	Sample	Population
PER MONTH	1	655	4,096,000
PER WEEK	2	20	306,500
NOT APPLICABLE	6	5,085	27,165,500
NOT STATED	9	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD15Y	**Length**	3	**Position**	224 - 226
Question Name					
Concept	Eats scallops - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10D <> 2				
Note	In cycle 2, the variable name was FSFD16Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	675	4,402,500
NOT APPLICABLE	996	5,085	27,165,500
NOT STATED	999	25	96,000
	Total	5,785	31,663,899

Variable Name	FSF_16	**Length**	2	**Position**	227 - 228
Question Name					
Concept	Ate oysters over past month - # of times				
Question	Over the past month, how many times did you eat oysters?				
Universe	Respondents who answered FSF_10E <> 2				
Note	In cycle 2, the variable name was FSF_17.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 7	225	1,701,500
NOT APPLICABLE	96	5,535	29,853,500
DON'T KNOW	97	5	12,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_16N	**Length**	1	**Position**	229
Question Name					
Concept	Reporting period - ate oysters past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10E <> 2				
Note	In cycle 2, the variable name was FSF_17N.				

Content	Code	Sample	Population
PER MONTH	1	220	1,611,500
PER WEEK	2	5	90,000
NOT APPLICABLE	6	5,535	29,853,500
NOT STATED	9	25	108,500
	Total	5,785	31,663,899

Variable Name	FSFD16Y	**Length**	3	**Position**	230 - 232
Question Name					
Concept	Eats oysters - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10E <> 2				
Note	In cycle 2, the variable name was FSFD17Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	225	1,701,500
NOT APPLICABLE	996	5,535	29,853,500
NOT STATED	999	25	108,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_17	**Length**	2	**Position**	233 - 234
Question Name					
Concept	Ate squid/calamari over past month - # of times				
Question	Over the past month, how many times did you eat squid or calamari?				
Universe	Respondents who answered FSF_10F <> 2				
Note	In cycle 2, the variable name was FSF_18.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 10	550	3,767,500
NOT APPLICABLE	96	5,215	27,800,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

Variable Name	FSF_17N	**Length**	1	**Position**	235
Question Name					
Concept	Reporting period - ate squid/calmari past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10F <> 2				
Note	In cycle 2, the variable name was FSF_18N.				

Content	Code	Sample	Population
PER MONTH	1	535	3,691,500
PER WEEK	2	15	74,500
PER DAY	3	5	2,000
NOT APPLICABLE	6	5,215	27,800,500
NOT STATED	9	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD17Y	**Length**	3	**Position**	236 - 238
Question Name					
Concept	Eats squid or calamari - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10F <> 2				
Note	In cycle 2, the variable name was FSFD18Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	550	3,767,500
NOT APPLICABLE	996	5,215	27,800,500
NOT STATED	999	25	96,000
	Total	5,785	31,663,899

Variable Name	FSF_18	**Length**	2	**Position**	239 - 240
Question Name					
Concept	Ate clams over past month - # of times				
Question	Over the past month, how many times did you eat clams?				
Universe	Respondents who answered FSF_10G <> 2				
Note	In cycle 2, the variable name was FSF_19.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 8	330	2,118,500
NOT APPLICABLE	96	5,430	29,449,000
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_18N	**Length**	1	**Position**	241
Question Name					
Concept	Reporting period - ate clams past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10G <> 2				
Note	In cycle 2, the variable name was FSF_19N.				

Content	Code	Sample	Population
PER MONTH	1	325	2,089,000
PER WEEK	2	5	30,000
NOT APPLICABLE	6	5,430	29,449,000
NOT STATED	9	25	96,000
	Total	5,785	31,663,899

Variable Name	FSFD18Y	**Length**	3	**Position**	242 - 244
Question Name					
Concept	Eats clams - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10G <> 2				
Note	In cycle 2, the variable name was FSFD19Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 96	330	2,118,500
NOT APPLICABLE	996	5,430	29,449,000
NOT STATED	999	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_19	**Length**	2	**Position**	245 - 246
Question Name					
Concept	Ate crab over past month - # of times				
Question	Over the past month, how many times did you eat crab?				
Universe	Respondents who answered FSF_10H <> 2				
Note	In cycle 2, the variable name was FSF_20.				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 13	555	3,825,000
NOT APPLICABLE	96	5,205	27,737,500
DON'T KNOW	97	5	5,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

Variable Name	FSF_19N	**Length**	1	**Position**	247
Question Name					
Concept	Reporting period - ate crab past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10H <> 2				
Note	In cycle 2, the variable name was FSF_20N.				

Content	Code	Sample	Population
PER MONTH	1	540	3,503,500
PER WEEK	2	20	321,500
NOT APPLICABLE	6	5,205	27,737,500
NOT STATED	9	25	101,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSFD19Y **Length** 3 **Position** 248 - 250

Question Name

Concept Eats crab - times per year - (D)

Question

Universe Respondents who answered FSF_10H <> 2

Note In cycle 2, the variable name was FSFD20Y.

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	555	3,825,000
NOT APPLICABLE	996	5,205	27,737,500
NOT STATED	999	25	101,500
	Total	5,785	31,663,899

Variable Name FSF_20 **Length** 2 **Position** 251 - 252

Question Name

Concept Ate surimi/imitation crab over past month - # of times

Question Over the past month, how many times did you eat surimi or imitation crab?

Universe Respondents who answered FSF_10I <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 12	395	2,700,500
NOT APPLICABLE	96	5,365	28,867,500
NOT STATED	99	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_20N	**Length**	1	**Position**	253
Question Name					
Concept	Reporting period - ate surimi/imitation crab past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10I <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER MONTH	1	375	2,453,500
PER WEEK	2	20	247,000
NOT APPLICABLE	6	5,365	28,867,500
NOT STATED	9	25	96,000
	Total	5,785	31,663,899

Variable Name	FSFD20Y	**Length**	3	**Position**	254 - 256
Question Name					
Concept	Eats surimi or imitation crab - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10I <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	395	2,700,500
NOT APPLICABLE	996	5,365	28,867,500
NOT STATED	999	25	96,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_21	**Length**	2	**Position**	257 - 258
Question Name					
Concept	Ate [other shellfish #1] over past month - # of times				
Question	Over the past month, how many times did you eat [other shellfish #1]?				
Universe	Respondents who answered FSF_10J <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 5	45	364,000
NOT APPLICABLE	96	5,710	31,196,000
DON'T KNOW	97	5	1,000
NOT STATED	99	25	103,500
	Total	5,785	31,663,899

Variable Name	FSF_21N	**Length**	1	**Position**	259
Question Name					
Concept	Reporting period - ate [other shellfish #1] past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10J <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	45	364,000
NOT APPLICABLE	6	5,710	31,196,000
NOT STATED	9	30	104,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD21Y	**Length**	3	**Position**	260 - 262
Question Name					
Concept	Eats other shellfish (#1) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10J <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 60	45	364,000
NOT APPLICABLE	996	5,710	31,196,000
NOT STATED	999	30	104,000
	Total	5,785	31,663,899

Variable Name	FSF_22	**Length**	2	**Position**	263 - 264
Question Name					
Concept	Ate [other shellfish #2] over past month - # of times				
Question	Over the past month, how many times did you eat [other shellfish #2]?				
Universe	Respondents who answered FSF_10X <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	2 - 2	5	31,500
NOT APPLICABLE	96	5,755	31,529,000
NOT STATED	99	25	103,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_22N	**Length**	1	**Position**	265
Question Name					
Concept	Reporting period - ate (other shellfish #2) past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10X <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	5	31,500
NOT APPLICABLE	6	5,755	31,529,000
NOT STATED	9	25	103,500
	Total	5,785	31,663,899

Variable Name	FSFD22Y	**Length**	3	**Position**	266 - 268
Question Name					
Concept	Eats other shellfish (#2) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10X <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	24 - 24	5	31,500
NOT APPLICABLE	996	5,755	31,529,000
NOT STATED	999	25	103,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_23	**Length**	2	**Position**	269 - 270
Question Name					
Concept	Ate [other shellfish #3] over past month - # of times				
Question	Over the past month, how many times did you eat [other shellfish #3]?				
Universe	Respondents who answered FSF_10Y <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NOT APPLICABLE	96	5,760	31,560,500
NOT STATED	99	25	103,500
Total		5,785	31,663,899

Variable Name	FSF_23N	**Length**	1	**Position**	271
Question Name					
Concept	Reporting period - ate (other shellfish #3) past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_10Y <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,760	31,560,500
NOT STATED	9	25	103,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD23Y	**Length**	3	**Position**	272 - 274
Question Name					
Concept	Eats other shellfish (#3) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_10Y <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NOT APPLICABLE	996	5,760	31,560,500
NOT STATED	999	25	103,500
Total		5,785	31,663,899

Variable Name	FSF_24AA	**Length**	1	**Position**	275
Question Name					
Concept	Ate fish over past month - fish sticks				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - fish sticks				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AA.				

Content	Code	Sample	Population
YES	1	575	2,425,500
NO	2	5,150	28,989,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AB	**Length**	1	**Position**	276
Question Name					
Concept	Ate fish over past month - tuna in a can or pouch				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tuna in a can or pouch				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AB.				

Content	Code	Sample	Population
YES	1	1,600	9,839,000
NO	2	4,125	21,575,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AC	**Length**	1	**Position**	277
Question Name					
Concept	Ate fish over past month - tuna (fresh or frozen)				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tuna (fresh or frozen)				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	335	3,058,000
NO	2	5,395	28,356,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AD	**Length**	1	**Position**	278
Question Name					
Concept	Ate fish over past month - salmon in a can or pouch				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - salmon in a can or pouch				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AD.				

Content	Code	Sample	Population
YES	1	415	2,775,000
NO	2	5,310	28,639,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AE	**Length**	1	**Position**	279
Question Name					
Concept	Ate fish over past month - salmon - fresh, frozen or smoked				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - salmon - fresh, frozen or smoked				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	2,250	13,789,500
NO	2	3,475	17,625,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AF	**Length**	1	**Position**	280
Question Name					
Concept	Ate fish over past month - smelt				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - smelt				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	25	134,000
NO	2	5,705	31,280,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AG	**Length**	1	**Position**	281
Question Name					
Concept	Ate fish over past month - shark				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - shark				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AG.				

Content	Code	Sample	Population
YES	1	15	82,000
NO	2	5,710	31,333,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AH	**Length**	1	**Position**	282
Question Name					
Concept	Ate fish over past month - marlin				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - marlin				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AH.				

Content	Code	Sample	Population
YES	1	5	21,000
NO	2	5,720	31,394,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AI	**Length**	1	**Position**	283
Question Name					
Concept	Ate fish over past month - swordfish				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - swordfish				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AI.				

Content	Code	Sample	Population
YES	1	20	68,500
NO	2	5,705	31,346,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AJ	**Length**	1	**Position**	284
Question Name					
Concept	Ate fish over past month - halibut				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - halibut				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AP.				

Content	Code	Sample	Population
YES	1	630	4,276,000
NO	2	5,095	27,139,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AK	**Length**	1	**Position**	285
Question Name					
Concept	Ate fish over past month - rainbow trout				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - rainbow trout				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AS.				

Content	Code	Sample	Population
YES	1	325	1,984,500
NO	2	5,405	29,430,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AL	**Length**	1	**Position**	286
Question Name					
Concept	Ate fish over past month - Atlantic cod				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - Atlantic cod				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AT.				

Content	Code	Sample	Population
YES	1	555	3,380,500
NO	2	5,175	28,034,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AM	**Length**	1	**Position**	287
Question Name					
Concept	Ate fish over past month - mackerel				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - mackerel				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	165	1,039,000
NO	2	5,565	30,375,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AN	**Length**	1	**Position**	288
Question Name					
Concept	Ate fish over past month - herring				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - herring				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AV.				

Content	Code	Sample	Population
YES	1	75	474,500
NO	2	5,650	30,940,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AO	**Length**	1	**Position**	289
Question Name					
Concept	Ate fish over past month - sardines				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - sardines				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12AW.				

Content	Code	Sample	Population
YES	1	315	2,174,000
NO	2	5,410	29,240,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AP	**Length**	1	**Position**	290
Question Name					
Concept	Ate fish over past month - sole, flounder or plaice				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - sole, flounder or plaice				
Universe	All respondents				
Note	New for cycle 3. It re-groups FSF_12AX, FSF_12AY and FSF_12Z from cycle 2				

Content	Code	Sample	Population
YES	1	490	2,666,000
NO	2	5,235	28,749,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AQ	**Length**	1	**Position**	291
Question Name					
Concept	Ate fish over past month - haddock				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - haddock				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12BB.				

Content	Code	Sample	Population
YES	1	730	3,029,000
NO	2	4,995	28,386,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AR	**Length**	1	**Position**	292
Question Name					
Concept	Ate fish over past month - tilapia				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tilapia				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12BH.				

Content	Code	Sample	Population
YES	1	765	4,890,000
NO	2	4,965	26,525,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AS	**Length**	1	**Position**	293
Question Name					
Concept	Ate fish over past month - any other fish				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - any other fish				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
NO	2	5,725	31,415,000
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AT	**Length**	1	**Position**	294
Question Name					
Concept	Ate fish over past month - no fish				
Question	Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - no fish				
Universe	All respondents				
Note	In cycle 2, the variable name was FSF_12BK.				

Content	Code	Sample	Population
YES	1	1,520	7,147,500
NO	2	4,205	24,267,500
DON'T KNOW	7	50	210,500
REFUSAL	8	5	33,000
NOT STATED	9	5	5,500
	Total	5,785	31,663,899

Variable Name	FSF_24AX	**Length**	1	**Position**	295
Question Name					
Concept	Ate any other fish over past month				
Question	In the past month, did you consume any other fish?				
Universe	All respondents				
Note	In cycle 2, the variable was FSF_12X				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,725	31,415,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24AY	**Length**	1	**Position**	296
Question Name					
Concept	Ate any other fish over past month				
Question	In the past month, did you consume any other fish?				
Universe	All respondents				
Note	In cycle 2, the variable was FSF_12Y				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,725	31,415,000
NOT STATED	9	60	249,000
Total		5,785	31,663,899

Variable Name	FSF_24	**Length**	2	**Position**	297 - 298
Question Name					
Concept	Ate fishsticks over past month - # of times				
Question	Over the past month, how many times did you eat fishsticks?				
Universe	Respondents who answered FSF_24AA <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 8	575	2,425,500
NOT APPLICABLE	96	5,150	28,989,500
NOT STATED	99	60	249,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_24N	**Length**	1	**Position**	299
Question Name					
Concept	Reporting period - ate fishsticks past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AA <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	550	2,371,500
PER WEEK	2	30	54,000
NOT APPLICABLE	6	5,150	28,989,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD24Y	**Length**	3	**Position**	300 - 302
Question Name					
Concept	Eats fish sticks - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AA <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	575	2,425,500
NOT APPLICABLE	996	5,150	28,989,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSF_25 **Length** 1 **Position** 303

Question Name

Concept Type of tuna in a can or pouch eaten over the past month

Question Over the past month, when you ate tuna in a can or pouch, was it:

Universe Respondents who answered FSF_24AB <> 2

Note Same as in cycle 2

Content	Code	Sample	Population
LIGHT (FLAKED OR CHUNK) TUNA	1	1,210	7,222,500
WHITE (SOLID) TUNA	2	245	1,653,500
BOTH	3	90	679,000
NOT APPLICABLE	6	4,125	21,575,500
DON'T KNOW	7	55	283,500
REFUSAL	8	5	1,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name FSF_25A **Length** 2 **Position** 304 - 305

Question Name

Concept Ate light (flake/chunk) tuna can/pouch past month- # times

Question Over the past month, how many times did you eat light (flaked or chunk) tuna in a can or pouch?

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 2

Note Same as in cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 20	1,300	7,898,000
NOT APPLICABLE	96	4,375	23,229,000
DON'T KNOW	97	5	3,000
NOT STATED	99	115	533,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSF_25AN **Length** 1 **Position** 306

Question Name

Concept Rep. period - ate light (flake/chunk) tuna can past month

Question INSTRUCTION: Select the reporting period.

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 2

Note Same as in cycle 2

Content	Code	Sample	Population
PER MONTH	1	1,155	7,105,000
PER WEEK	2	135	780,500
PER DAY	3	5	12,500
NOT APPLICABLE	6	4,375	23,229,000
NOT STATED	9	115	536,500
	Total	5,785	31,663,899

Variable Name FSFD25AY **Length** 3 **Position** 307 - 309

Question Name

Concept Eats light tuna in a can or pouch - times per year - (D)

Question

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 2

Note Same as in cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	1,300	7,898,000
NOT APPLICABLE	996	4,375	23,229,000
NOT STATED	999	115	536,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSF_25B **Length** 2 **Position** 310 - 311

Question Name

Concept Ate white (solid) tuna can/pouch over past month -# of times

Question Over the past month, how many times did you eat white (solid) tuna in a can or pouch?

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1

Note Same as in cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 10	335	2,329,000
NOT APPLICABLE	96	5,335	28,798,000
DON'T KNOW	97	5	3,000
NOT STATED	99	115	533,500
	Total	5,785	31,663,899

Variable Name FSF_25BN **Length** 1 **Position** 312

Question Name

Concept Reporting period - ate white (solid) tuna past month

Question INSTRUCTION: Select the reporting period.

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1

Note Same as in cycle 2

Content	Code	Sample	Population
PER MONTH	1	305	2,039,500
PER WEEK	2	30	289,500
PER DAY	3	5	1,000
NOT APPLICABLE	6	5,335	28,798,000
NOT STATED	9	115	536,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSFD25BY **Length** 3 **Position** 313 - 315

Question Name

Concept Eats white tuna in a can or pouch - times per year - (D)

Question

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1

Note Same as in cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	335	2,329,000
NOT APPLICABLE	996	5,335	28,798,000
NOT STATED	999	115	536,500
	Total	5,785	31,663,899

Variable Name FSF_25C **Length** 2 **Position** 316 - 317

Question Name

Concept Ate tuna can/pouch over past month - # of times

Question Over the past month, how many times did you eat tuna in a can or pouch?

Universe Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1, 2

Note Same as in cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 4	55	284,500
NOT APPLICABLE	96	5,670	31,130,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_25CN	**Length**	1	**Position**	318
Question Name					
Concept	Reporting period - ate tuna can/pouch past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1, 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	50	278,500
PER WEEK	2	5	2,500
PER DAY	3	5	4,000
NOT APPLICABLE	6	5,670	31,130,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD25CY	**Length**	3	**Position**	319 - 321
Question Name					
Concept	Eats tuna in a can or pouch - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AB <> 2 and FSF_25 <> 1, 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	55	284,500
NOT APPLICABLE	996	5,670	31,130,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_26	**Length**	2	**Position**	322 - 323
Question Name					
Concept	Ate tuna fresh/frozen over past month - # of times				
Question	Over the past month, how many times did you eat tuna (fresh or frozen)?				
Universe	Respondents who answered FSF_24AC <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 8	335	3,058,000
NOT APPLICABLE	96	5,395	28,356,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_26N	**Length**	1	**Position**	324
Question Name					
Concept	Reporting period - ate tuna fresh/frozen past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AC <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER MONTH	1	315	2,836,000
PER WEEK	2	20	222,500
NOT APPLICABLE	6	5,395	28,356,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD26Y	**Length**	3	**Position**	325 - 327
Question Name					
Concept	Eats tuna (fresh or frozen) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AC <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	335	3,058,000
NOT APPLICABLE	996	5,395	28,356,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_27	**Length**	2	**Position**	328 - 329
Question Name					
Concept	Ate salmon can/pouch over past month - # of times				
Question	Over the past month, how many times did you eat salmon in a can or pouch?				
Universe	Respondents who answered FSF_24AD <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 10	415	2,775,000
NOT APPLICABLE	96	5,310	28,639,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_27N	**Length**	1	**Position**	330
Question Name					
Concept	Reporting period - ate salmon can/pouch past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AD <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	380	2,644,500
PER WEEK	2	35	130,500
NOT APPLICABLE	6	5,310	28,639,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD27Y	**Length**	3	**Position**	331 - 333
Question Name					
Concept	Eats salmon in a can or pouch - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AD <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	415	2,775,000
NOT APPLICABLE	996	5,310	28,639,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSF_28 **Length** 2 **Position** 334 - 335

Question Name

Concept Ate salmon fresh/frozen/smoked over past month - # of times

Question Over the past month, how many times did you eat salmon - fresh, frozen or smoked?

Universe Respondents who answered FSF_24AE <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 15	2,250	13,776,000
NOT APPLICABLE	96	3,475	17,625,500
DON'T KNOW	97	5	13,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name FSF_28N **Length** 1 **Position** 336

Question Name

Concept Reporting period -ate salmon fresh/frozen/smoked past month

Question INSTRUCTION: Select the reporting period.

Universe Respondents who answered FSF_24AE <> 2

Note New for cycle 3

Content	Code	Sample	Population
PER MONTH	1	1,980	12,199,000
PER WEEK	2	265	1,572,500
PER DAY	3	5	4,500
NOT APPLICABLE	6	3,475	17,625,500
NOT STATED	9	60	262,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD28Y	**Length**	3	**Position**	337 - 339
Question Name					
Concept	Eats salmon (fresh, frozen, smoked) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AE <> 2				
Note	New for cycle 3. It re-groups FSFD28Y and FSFD29Y from cycle 2.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	2,250	13,776,000
NOT APPLICABLE	996	3,475	17,625,500
NOT STATED	999	60	262,500
	Total	5,785	31,663,899

Variable Name	FSF_29	**Length**	2	**Position**	340 - 341
Question Name					
Concept	Ate smelt over past month - # of times				
Question	Over the past month, how many times did you eat smelt?				
Universe	Respondents who answered FSF_24AF <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 7	25	134,000
NOT APPLICABLE	96	5,705	31,280,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_29N	**Length**	1	**Position**	342
Question Name					
Concept	Reporting period - ate smelt past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AF <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER MONTH	1	25	125,500
PER WEEK	2	5	8,500
NOT APPLICABLE	6	5,705	31,280,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD29Y	**Length**	3	**Position**	343 - 345
Question Name					
Concept	Eats smelt - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AF <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	25	134,000
NOT APPLICABLE	996	5,705	31,280,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_30	**Length**	2	**Position**	346 - 347
Question Name					
Concept	Ate shark over past month - # of times				
Question	Over the past month, how many times did you eat shark?				
Universe	Respondents who answered FSF_24AG <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 2	15	82,000
NOT APPLICABLE	96	5,710	31,333,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_30N	**Length**	1	**Position**	348
Question Name					
Concept	Reporting period - ate shark past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AG <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	15	79,500
PER WEEK	2	5	2,500
NOT APPLICABLE	6	5,710	31,333,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD30Y	**Length**	3	**Position**	349 - 351
Question Name					
Concept	Eats shark - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AG <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 52	15	82,000
NOT APPLICABLE	996	5,710	31,333,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_31	**Length**	2	**Position**	352 - 353
Question Name					
Concept	Ate marlin over past month - # of times				
Question	Over the past month, how many times did you eat marlin?				
Universe	Respondents who answered FSF_24AH <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 2	5	21,000
NOT APPLICABLE	96	5,720	31,394,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_31N	**Length**	1	**Position**	354
Question Name					
Concept	Reporting period - ate marlin past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AH <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	5	21,000
NOT APPLICABLE	6	5,720	31,394,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD31Y	**Length**	3	**Position**	355 - 357
Question Name					
Concept	Eats marlin - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AH <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 24	5	21,000
NOT APPLICABLE	996	5,720	31,394,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_32	**Length**	2	**Position**	358 - 359
Question Name					
Concept	Ate swordfish over past month - # of times				
Question	Over the past month, how many times did you eat swordfish?				
Universe	Respondents who answered FSF_24AI <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 2	20	68,500
NOT APPLICABLE	96	5,705	31,346,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_32N	**Length**	1	**Position**	360
Question Name					
Concept	Reporting period - ate swordfish past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AI <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
PER MONTH	1	20	64,000
PER WEEK	2	5	4,500
NOT APPLICABLE	6	5,705	31,346,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD32Y	**Length**	3	**Position**	361 - 363
Question Name					
Concept	Eats swordfish - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AI <> 2				
Note	Same as in cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 52	20	68,500
NOT APPLICABLE	996	5,705	31,346,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_33	**Length**	2	**Position**	364 - 365
Question Name					
Concept	Ate halibut over past month - # of times				
Question	Over the past month, how many times did you eat halibut?				
Universe	Respondents who answered FSF_24AJ <> 2				
Note	In cycle 2, the variable was FSF_39				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 40	630	4,262,500
NOT APPLICABLE	96	5,095	27,139,000
DON'T KNOW	97	5	13,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_33N	**Length**	1	**Position**	366
Question Name					
Concept	Reporting period - ate halibut past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AJ <> 2				
Note	In cycle 2, the variable was FSF_39N				

Content	Code	Sample	Population
PER MONTH	1	600	4,050,500
PER WEEK	2	30	212,000
NOT APPLICABLE	6	5,095	27,139,000
NOT STATED	9	60	262,500
	Total	5,785	31,663,899

Variable Name	FSFD33Y	**Length**	3	**Position**	367 - 369
Question Name					
Concept	Eats halibut - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AJ <> 2				
Note	In cycle 2, the variable name was FSFD39Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 480	630	4,262,500
NOT APPLICABLE	996	5,095	27,139,000
NOT STATED	999	60	262,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_34	**Length**	2	**Position**	370 - 371
Question Name					
Concept	Ate rainbow trout over past month - # of times				
Question	Over the past month, how many times did you eat rainbow trout?				
Universe	Respondents who answered FSF_24AK <> 2				
Note	In cycle 2, the variable was FSF_42B				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 7	325	1,984,500
NOT APPLICABLE	96	5,405	29,430,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_34N	**Length**	1	**Position**	372
Question Name					
Concept	Reporting period - ate rainbow trout past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AK <> 2				
Note	In cycle 2, the variable was FSF_42BN				

Content	Code	Sample	Population
PER MONTH	1	295	1,850,500
PER WEEK	2	30	134,000
NOT APPLICABLE	6	5,405	29,430,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD34Y	**Length**	3	**Position**	373 - 375
Question Name					
Concept	Eats rainbow trout - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AK <> 2				
Note	In cycle 2, the variable name was FSFD42BY.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	325	1,984,500
NOT APPLICABLE	996	5,405	29,430,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_35	**Length**	2	**Position**	376 - 377
Question Name					
Concept	Ate Atlantic cod over past month - # of times				
Question	Over the past month, how many times did you eat Atlantic cod?				
Universe	Respondents who answered FSF_24AL <> 2				
Note	In cycle 2, the variable was FSF_43				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 15	555	3,380,500
NOT APPLICABLE	96	5,175	28,034,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_35N	**Length**	1	**Position**	378
Question Name					
Concept	Reporting period - ate Atlantic cod past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AL <> 2				
Note	In cycle 2, the variable was FSF_43N				

Content	Code	Sample	Population
PER MONTH	1	520	3,249,500
PER WEEK	2	35	131,000
NOT APPLICABLE	6	5,175	28,034,000
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD35Y	**Length**	3	**Position**	379 - 381
Question Name					
Concept	Eats Atlantic cod - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AL <> 2				
Note	In cycle 2, the variable name was FSFD43Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	555	3,380,500
NOT APPLICABLE	996	5,175	28,034,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_36	**Length**	2	**Position**	382 - 383
Question Name					
Concept	Ate mackerel over past month - # of times				
Question	Over the past month, how many times did you eat mackerel?				
Universe	Respondents who answered FSF_24AM <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 10	165	1,039,000
NOT APPLICABLE	96	5,565	30,375,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_36N	**Length**	1	**Position**	384
Question Name					
Concept	Reporting period - ate mackerel past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AM <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER MONTH	1	145	927,000
PER WEEK	2	20	112,500
NOT APPLICABLE	6	5,565	30,375,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD36Y	**Length**	3	**Position**	385 - 387
Question Name					
Concept	Eats mackerel - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AM <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 208	165	1,039,000
NOT APPLICABLE	996	5,565	30,375,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_37	**Length**	2	**Position**	388 - 389
Question Name					
Concept	Ate herring over past month - # of times				
Question	Over the past month, how many times did you eat herring?				
Universe	Respondents who answered FSF_24AN <> 2				
Note	In cycle 2, the variable was FSF_45				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 10	75	474,500
NOT APPLICABLE	96	5,650	30,940,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_37N	**Length**	1	**Position**	390
Question Name					
Concept	Reporting period - ate herring past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AN <> 2				
Note	In cycle 2, the variable was FSF_45N				

Content	Code	Sample	Population
PER MONTH	1	70	454,500
PER WEEK	2	5	20,000
NOT APPLICABLE	6	5,650	30,940,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

Variable Name	FSFD37Y	**Length**	3	**Position**	391 - 393
Question Name					
Concept	Eats herring - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AN <> 2				
Note	In cycle 2, the variable name was FSFD45Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 120	75	474,500
NOT APPLICABLE	996	5,650	30,940,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_38	**Length**	2	**Position**	394 - 395
Question Name					
Concept	Ate sardines over past month - # of times				
Question	Over the past month, how many times did you eat sardines?				
Universe	Respondents who answered FSF_24AO <> 2				
Note	In cycle 2, the variable was FSF_46				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 20	315	2,174,000
NOT APPLICABLE	96	5,410	29,240,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_38N	**Length**	1	**Position**	396
Question Name					
Concept	Reporting period - ate sardines past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AO <> 2				
Note	In cycle 2, the variable was FSF_46N				

Content	Code	Sample	Population
PER MONTH	1	280	2,023,000
PER WEEK	2	30	145,500
PER DAY	3	5	5,500
NOT APPLICABLE	6	5,410	29,240,500
NOT STATED	9	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSFD38Y **Length** 3 **Position** 397 - 399

Question Name

Concept Eats sardines - times per year - (D)

Question

Universe Respondents who answered FSF_24AO <> 2

Note In cycle 2, the variable name was FSFD46Y.

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 365	315	2,174,000
NOT APPLICABLE	996	5,410	29,240,500
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name FSF_39 **Length** 2 **Position** 400 - 401

Question Name

Concept Ate sole/flounder/plaice over past month - # of times

Question Over the past month, how many times did you eat sole, flounder or plaice?

Universe Respondents who answered FSF_24AP <> 2

Note New for cycle 3. It re-groups FSF_47, FSF_48 and FSF_49 from cycle 2

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 12	490	2,665,500
NOT APPLICABLE	96	5,235	28,749,000
DON'T KNOW	97	5	1,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_39N	**Length**	1	**Position**	402
Question Name					
Concept	Reporting period - ate sole/flounder/plaice past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AP <> 2				
Note	New for cycle 3. It re-groups FSF_47N, FSF_48N and FSF_49N from cycle 2				

Content	Code	Sample	Population
PER MONTH	1	440	2,455,000
PER WEEK	2	50	210,500
NOT APPLICABLE	6	5,235	28,749,000
NOT STATED	9	60	249,500
	Total	5,785	31,663,899

Variable Name	FSFD39Y	**Length**	3	**Position**	403 - 405
Question Name					
Concept	Eats sole, flounder or plaice - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AP <> 2				
Note	New for cycle 3. It re-groups FSFD47Y, FSFD48Y and FSFD49Y from cycle 2				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 364	490	2,665,500
NOT APPLICABLE	996	5,235	28,749,000
NOT STATED	999	60	249,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_40	**Length**	2	**Position**	406 - 407
Question Name					
Concept	Ate haddock over past month - # of times				
Question	Over the past month, how many times did you eat haddock?				
Universe	Respondents who answered FSF_24AQ <> 2				
Note	In cycle 2, the variable was FSF_51				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 12	730	3,015,500
NOT APPLICABLE	96	4,995	28,386,000
DON'T KNOW	97	5	13,500
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

Variable Name	FSF_40N	**Length**	1	**Position**	408
Question Name					
Concept	Reporting period - ate haddock past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AQ <> 2				
Note	In cycle 2, the variable was FSF_51N				

Content	Code	Sample	Population
PER MONTH	1	685	2,788,000
PER WEEK	2	40	227,000
NOT APPLICABLE	6	4,995	28,386,000
NOT STATED	9	60	262,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FSFD40Y **Length** 3 **Position** 409 - 411

Question Name

Concept Eats haddock - times per year - (D)

Question

Universe Respondents who answered FSF_24AQ <> 2

Note In cycle 2, the variable name was FSFD51Y.

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 156	730	3,015,500
NOT APPLICABLE	996	4,995	28,386,000
NOT STATED	999	60	262,500
	Total	5,785	31,663,899

Variable Name FSF_41 **Length** 2 **Position** 412 - 413

Question Name

Concept Ate tilapia over past month - # of times

Question Over the past month, how many times did you eat tilapia?

Universe Respondents who answered FSF_24AR <> 2

Note In cycle 2, the variable was FSF_57

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 20	760	4,873,000
NOT APPLICABLE	96	4,965	26,525,000
DON'T KNOW	97	5	17,000
NOT STATED	99	60	249,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_41N	**Length**	1	**Position**	414
Question Name					
Concept	Reporting period - ate tilapia past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AR <> 2				
Note	In cycle 2, the variable was FSF_57N				

Content	Code	Sample	Population
PER MONTH	1	710	4,614,500
PER WEEK	2	55	258,500
NOT APPLICABLE	6	4,965	26,525,000
NOT STATED	9	60	266,500
	Total	5,785	31,663,899

Variable Name	FSFD41Y	**Length**	3	**Position**	415 - 417
Question Name					
Concept	Eats tilapia - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AR <> 2				
Note	In cycle 2, the variable name was FSFD57Y.				

Content	Code	Sample	Population
NUMBER OF TIMES	12 - 260	760	4,873,000
NOT APPLICABLE	996	4,965	26,525,000
NOT STATED	999	60	266,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_42	**Length**	2	**Position**	418 - 419
Question Name					
Concept	Ate [other fish #1] over past month - # of times				
Question	Over the past month, how many times did you eat [other fish #1]?				
Universe	Respondents who answered FSF_24AS <> 2				
Note	In cycle 2, the variable was FSF_59				

Content	Code	Sample	Population
NOT APPLICABLE	96	5,725	31,415,000
NOT STATED	99	60	249,000
Total		5,785	31,663,899

Variable Name	FSF_42N	**Length**	1	**Position**	420
Question Name					
Concept	Reporting period - ate other fish (#1) past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AS <> 2				
Note	In cycle 2, the variable was FSF_59N				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,725	31,415,000
NOT STATED	9	60	249,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD42Y	**Length**	3	**Position**	421 - 423
Question Name					
Concept	Eats other fish (#1) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AS <> 2				
Note	In cycle 2, the variable name was FSFD59Y.				

Content	Code	Sample	Population
NOT APPLICABLE	996	5,725	31,415,000
NOT STATED	999	60	249,000
Total		5,785	31,663,899

Variable Name	FSF_43	**Length**	2	**Position**	424 - 425
Question Name					
Concept	Ate [other fish #2] over past month - # of times				
Question	Over the past month, how many times did you eat [other fish #2]?				
Universe	Respondents who answered FSF_24AX <> 2				
Note	In cycle 2, the variable was FSF_60				

Content	Code	Sample	Population
NOT APPLICABLE	96	5,725	31,415,000
NOT STATED	99	60	249,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_43N	**Length**	1	**Position**	426
Question Name					
Concept	Reporting period - ate other fish (#2) past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AX <> 2				
Note	In cycle 2, the variable was FSF_60N				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,725	31,415,000
NOT STATED	9	60	249,000
Total		5,785	31,663,899

Variable Name	FSFD43Y	**Length**	3	**Position**	427 - 429
Question Name					
Concept	Eats other fish (#2) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AX <> 2				
Note	In cycle 2, the variable name was FSFD60Y.				

Content	Code	Sample	Population
NOT APPLICABLE	996	5,725	31,415,000
NOT STATED	999	60	249,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSF_44	**Length**	2	**Position**	430 - 431
Question Name					
Concept	Ate [other fish #3] over past month - # of times				
Question	Over the past month, how many times did you eat [other fish #3]?				
Universe	Respondents who answered FSF_24AY <> 2				
Note	In cycle 2, the variable was FSF_61				

Content	Code	Sample	Population
NOT APPLICABLE	96	5,725	31,415,000
NOT STATED	99	60	249,000
Total		5,785	31,663,899

Variable Name	FSF_44N	**Length**	1	**Position**	432
Question Name					
Concept	Reporting period - ate other fish (#3) past month				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered FSF_24AY <> 2				
Note	In cycle 2, the variable was FSF_61N				

Content	Code	Sample	Population
NOT APPLICABLE	6	5,725	31,415,000
NOT STATED	9	60	249,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	FSFD44Y	**Length**	3	**Position**	433 - 435
Question Name					
Concept	Eats other fish (#3) - times per year - (D)				
Question					
Universe	Respondents who answered FSF_24AY <> 2				
Note	In cycle 2, the variable name was FSFD61Y.				

Content	Code	Sample	Population
NOT APPLICABLE	996	5,725	31,415,000
NOT STATED	999	60	249,000
	Total	5,785	31,663,899

Variable Name	HAB_07	**Length**	1	**Position**	436
Question Name					
Concept	Able to hear - conversation with 3 + people				
Question	Are you usually able to hear what is said in a group conversation with at least 3 other people [without a hearing aid]?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5,555	30,527,000
NO	2	200	1,031,500
DON'T KNOW	7	20	71,500
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HAB_08	**Length**	1	**Position**	437
Question Name					
Concept	Able to hear - conversation with 3 + people with hearing aid				
Question	Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?				
Universe	Respondents who answered HER_52=1 and HAB_Q07=2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	45	183,500
NO	2	10	139,000
NOT APPLICABLE	6	5,730	31,341,500
	Total	5,785	31,663,899

Variable Name	HAB_09	**Length**	1	**Position**	438
Question Name					
Concept	Are you able to hear at all				
Question	Are you able to hear at all?				
Universe	Respondents who answered HAB_08 = 2, DK, RF				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	145	815,500
NO	2	15	32,500
NOT APPLICABLE	6	5,595	30,710,500
NOT STATED	9	30	105,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HAB_10	**Length**	1	**Position**	439
Question Name					
Concept	Hear conversation - one person in quiet room				
Question	Are you usually able to hear what is said in a conversation with one other person in a quiet room [without a hearing aid]?				
Universe	Respondents who answered HAB_08 = 1 or HAB_09 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	170	932,500
NO	2	20	66,000
NOT APPLICABLE	6	5,570	30,560,000
NOT STATED	9	30	105,500
	Total	5,785	31,663,899

Variable Name	HAB_11	**Length**	1	**Position**	440
Question Name					
Concept	Hear conversation - 1 person in quiet room with hearing aid				
Question	Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?				
Universe	Respondents who answered HER_52=1 and HAB_10 = 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	15	39,500
NO	2	5	5,000
NOT APPLICABLE	6	5,770	31,619,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HABDHER **Length** 2 **Position** 441 - 442

Question Name

Concept Hearing problems - function code - (D)

Question

Universe All respondents aged 6 to 79

Note This variable is the same as HUIDHER in cycles 1 and 2

Content	Code	Sample	Population
NO HEARING PROBLEMS	1	5,010	29,429,000
PROBL. HEAR. IN GROUP - CORRECTED	2	30	144,500
PROBL. HEAR. IN GROUP & IND. -CORRECTED	3	15	39,000
PROBL. HEAR. IN GROUP - NOT CORRECTED	4	130	764,500
PROBL. HEAR. IN GROUP & IND.- IND. CORR.	5	5	5,500
CANNOT HEAR	6	15	51,500
NOT APPLICABLE	96	555	1,129,000
NOT STATED	99	25	101,500
	Total	5,785	31,663,899

Variable Name NEX_01 **Length** 1 **Position** 443

Question Name

Concept Worked in a noisy environment

Question At any time in your life, have you worked in a noisy environment?

Universe Respondents aged 16 years and older

Note New for cycle 3

Content	Code	Sample	Population
YES	1	1,500	11,239,500
NO	2	2,145	15,495,000
NOT APPLICABLE	6	2,120	4,855,000
DON'T KNOW	7	10	42,000
REFUSAL	8	5	21,500
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_02	**Length**	1	**Position**	444
Question Name					
Concept	How long did you work in a noisy environment				
Question	For how long did you work in a noisy environment?				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 12 MONTHS	1	370	2,680,000
1 TO LESS THAN 5 YEARS	2	395	3,236,000
5 TO LESS THAN 10 YEARS	3	210	1,805,500
10 OR MORE YEARS	4	525	3,515,500
NOT APPLICABLE	6	4,265	20,350,000
DON'T KNOW	7	5	2,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

Variable Name	NEX_03A	**Length**	1	**Position**	445
Question Name					
Concept	Source of loud noise - machinery				
Question	What was the source of the loud noise? - Machinery such as bulldozers, backhoes or sawmill equipment				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	1,100	8,518,500
NO	2	400	2,721,000
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_03B	**Length**	1	**Position**	446
Question Name					
Concept	Source of loud noise - modes of transportation				
Question	What was the source of the loud noise? - Modes of transportation such as trains, airplanes, cars or trucks				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	135	1,196,000
NO	2	1,365	10,043,500
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

Variable Name	NEX_03C	**Length**	1	**Position**	447
Question Name					
Concept	Source of loud noise - munitions/guns/canons				
Question	What was the source of the loud noise? - Munitions such as guns or canons				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	40	281,500
NO	2	1,460	10,958,000
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_03D	**Length**	1	**Position**	448
Question Name					
Concept	Source of loud noise - music				
Question	What was the source of the loud noise? - Music, for example, at a concert or other amplified music				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	195	1,523,000
NO	2	1,305	9,716,500
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

Variable Name	NEX_03E	**Length**	1	**Position**	449
Question Name					
Concept	Source of loud noise - people				
Question	What was the source of the loud noise? - People				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	145	846,500
NO	2	1,355	10,393,000
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_03F	**Length**	1	**Position**	450
Question Name					
Concept	Source of loud noise - other				
Question	What was the source of the loud noise? - Other				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	150	899,500
NO	2	1,350	10,340,000
NOT APPLICABLE	6	4,265	20,350,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

Variable Name	NEX_04	**Length**	1	**Position**	451
Question Name					
Concept	Currently working in a noisy environment				
Question	Are you currently working in a noisy environment?				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	455	3,667,000
NO	2	1,045	7,568,500
NOT APPLICABLE	6	4,265	20,350,000
DON'T KNOW	7	5	4,500
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_05	**Length**	1	**Position**	452
Question Name					
Concept	How often - use hearing protection at work				
Question	How often [do/did] you use hearing protection at work when in a noisy area?				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	315	2,447,500
OFTEN	2	205	1,792,000
SOMETIMES	3	205	1,538,000
RARELY	4	160	1,107,000
NEVER	5	615	4,350,500
NOT APPLICABLE	6	4,265	20,350,000
DON'T KNOW	7	5	5,000
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

Variable Name	NEX_06	**Length**	1	**Position**	453
Question Name					
Concept	Required to wear hearing protection at work				
Question	[Are/Were] you required to wear hearing protection at work?				
Universe	Respondents aged 16 years and older with NEX_01 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	495	3,962,000
NO	2	955	6,999,500
NOT APPLICABLE AT WORK	3	40	250,500
NOT APPLICABLE	6	4,265	20,350,000
DON'T KNOW	7	10	27,500
NOT STATED	9	20	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_07 **Length** 1 **Position** 454

Question Name

Concept Past 12 months - exposed to noise from loud power tools

Question Within the past 12 months, have you been exposed to noise from ... loud power tools such as circular saws, grinders, belt sanders or hammer drills?

Universe All respondents

Note New for cycle 3

Content	Code	Sample	Population
YES	1	1,825	11,833,000
NO	2	3,930	19,746,000
DON'T KNOW	7	15	51,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name NEX_151 **Length** 3 **Position** 455 - 457

Question Name

Concept Exposed to loud power tools – number of times

Question During the past 12 months, how often were you exposed to noise from loud power tools?
INSTRUCTION: Enter frequency only.

Universe Respondents with NEX_07 <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 200	1,825	11,831,000
NOT APPLICABLE	996	3,930	19,746,000
DON'T KNOW	997	5	2,000
NOT STATED	999	25	85,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_151N	**Length**	1	**Position**	458
Question Name					
Concept	Exposed to loud power tools – reporting period				
Question	During the past 12 months, how often were you exposed to noise from loud power tools? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_07 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	155	1,308,500
PER WEEK	2	405	2,906,500
PER MONTH	3	360	2,163,500
PER YEAR	4	905	5,452,500
NOT APPLICABLE	6	3,930	19,746,000
NOT STATED	9	30	87,000
	Total	5,785	31,663,899

Variable Name	NEX_152	**Length**	1	**Position**	459
Question Name					
Concept	Exposed to loud power tools – time spent				
Question	(During the past 12 months, how often were you exposed to noise from loud power tools?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_07 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	600	3,472,500
10 MINUTES TO LESS THAN 30 MINUTES	2	515	2,876,500
30 MINUTES TO LESS THAN 1.5 HOURS	3	390	2,720,000
1.5 HOURS TO LESS THAN 5 HOURS	4	230	1,912,000
5 HOURS OR MORE	5	90	849,000
NOT APPLICABLE	6	3,930	19,746,000
DON'T KNOW	7	5	1,000
NOT STATED	9	30	87,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_153 **Length** 1 **Position** 460

Question Name

Concept Exposed to loud power tools – wore hearing protection

Question (During the past 12 months, how often were you exposed to noise from loud power tools?)
How often did you wear hearing protection?

Universe Respondents with NEX_07 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	160	1,214,500
OFTEN	2	135	1,489,500
SOMETIMES	3	150	920,000
RARELY	4	130	724,000
NEVER	5	1,255	7,483,000
NOT APPLICABLE	6	3,930	19,746,000
NOT STATED	9	30	87,000
	Total	5,785	31,663,899

Variable Name NEXD15Y **Length** 5 **Position** 461 - 465

Question Name

Concept Exposed to noise from power tools - times per year - (D)

Question

Universe All respondents

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 43800	5,755	31,577,000
NOT STATED	99999	30	87,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_08 **Length** 1 **Position** 466

Question Name

Concept Past 12 months - noise from loud heavy industrial/farming

Question Within the past 12 months, have you been exposed to noise from. ... loud heavy industrial, farming or construction equipment such as bulldozers, gas turbines or large compressors?

Universe All respondents

Note New for cycle 3

Content	Code	Sample	Population
YES	1	780	5,102,000
NO	2	4,980	26,478,000
DON'T KNOW	7	15	50,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name NEX_161 **Length** 3 **Position** 467 - 469

Question Name

Concept Exposed to heavy ind/farm/constr equipment – number of times

Question During the past 12 months, how often were you exposed to noise from loud heavy industrial, farming or construction equipment?
INSTRUCTION: Enter frequency only.

Universe Respondents with NEX_08 <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 200	780	5,101,000
NOT APPLICABLE	996	4,980	26,478,000
DON'T KNOW	997	5	1,000
NOT STATED	999	25	84,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_161N	**Length**	1	**Position**	470
Question Name					
Concept	Exposed / heavy ind/farm/constr equipment – reporting period				
Question	During the past 12 months, how often were you exposed to noise from loud heavy industrial, farming or construction equipment? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_08 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	110	734,000
PER WEEK	2	195	1,542,500
PER MONTH	3	140	884,500
PER YEAR	4	335	1,940,500
NOT APPLICABLE	6	4,980	26,478,000
NOT STATED	9	25	85,000
	Total	5,785	31,663,899

Variable Name	NEX_162	**Length**	1	**Position**	471
Question Name					
Concept	Exposed to heavy ind/farm/constr equipment – time spent				
Question	(During the past 12 months, how often were you exposed to noise from loud heavy industrial, farming or construction equipment?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_08 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	210	1,202,000
10 MINUTES TO LESS THAN 30 MINUTES	2	180	879,000
30 MINUTES TO LESS THAN 1.5 HOURS	3	165	1,185,000
1.5 HOURS TO LESS THAN 5 HOURS	4	125	958,500
5 HOURS OR MORE	5	100	876,500
NOT APPLICABLE	6	4,980	26,478,000
NOT STATED	9	25	85,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_163 **Length** 1 **Position** 472

Question Name

Concept Exposed to heavy ind/farm/constr equip. – hearing protection

Question (During the past 12 months, how often were you exposed to noise from loud heavy industrial, farming or construction equipment?)
How often did you wear hearing protection?

Universe Respondents with NEX_08 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	100	900,500
OFTEN	2	55	630,500
SOMETIMES	3	65	567,500
RARELY	4	55	291,000
NEVER	5	500	2,706,500
NOT APPLICABLE	6	4,980	26,478,000
DON'T KNOW	7	5	4,500
NOT STATED	9	25	85,000
	Total	5,785	31,663,899

Variable Name NEXD16Y **Length** 5 **Position** 473 - 477

Question Name

Concept Exposed to heavy ind/farm/constr equipment - # per year-(D)

Question

Universe All respondents

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 36500	5,760	31,579,000
NOT STATED	99999	25	85,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_09 **Length** 1 **Position** 478

Question Name

Concept Past 12 months - exposed to noise from gasoline engines

Question Within the past 12 months, have you been exposed to noise from ... loud hand-held gasoline engines such as gas-powered chainsaws, hedge trimmers or leaf blowers? Please do not include lawn mowers.

Universe All respondents

Note New for cycle 3

Content	Code	Sample	Population
YES	1	1,130	7,237,000
NO	2	4,625	24,342,500
DON'T KNOW	7	15	50,500
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name NEX_171 **Length** 3 **Position** 479 - 481

Question Name

Concept Exposed to hand-held gas engines – number of times

Question During the past 12 months, how often were you exposed to loud noise from hand-held gasoline engines? INSTRUCTION: Enter frequency only.

Universe Respondents with NEX_09 <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 200	1,130	7,231,000
NOT APPLICABLE	996	4,625	24,342,500
DON'T KNOW	997	5	6,000
NOT STATED	999	25	84,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_171N	**Length**	1	**Position**	482
Question Name					
Concept	Exposed to hand-held gas engines – reporting period				
Question	During the past 12 months, how often were you exposed to loud noise from hand-held gasoline engines? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_09 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	30	270,000
PER WEEK	2	205	1,395,000
PER MONTH	3	220	1,359,000
PER YEAR	4	670	4,207,000
NOT APPLICABLE	6	4,625	24,342,500
NOT STATED	9	30	90,500
	Total	5,785	31,663,899

Variable Name	NEX_172	**Length**	1	**Position**	483
Question Name					
Concept	Exposed to hand-held gas engines – time spent				
Question	(During the past 12 months, how often were you exposed to loud noise from hand-held gasoline engines?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_09 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	260	1,481,500
10 MINUTES TO LESS THAN 30 MINUTES	2	350	1,943,500
30 MINUTES TO LESS THAN 1.5 HOURS	3	345	2,154,000
1.5 HOURS TO LESS THAN 5 HOURS	4	135	1,365,500
5 HOURS OR MORE	5	35	286,000
NOT APPLICABLE	6	4,625	24,342,500
NOT STATED	9	30	90,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_173 **Length** 1 **Position** 484

Question Name

Concept Exposed to hand-held gas engines– wore hearing protection

Question (During the past 12 months, how often were you exposed to loud noise from hand-held gasoline engines?) How often did you wear hearing protection?

Universe Respondents with NEX_09 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	120	861,500
OFTEN	2	65	570,500
SOMETIMES	3	65	306,500
RARELY	4	50	260,500
NEVER	5	835	5,231,500
NOT APPLICABLE	6	4,625	24,342,500
NOT STATED	9	30	90,500
	Total	5,785	31,663,899

Variable Name NEXD17Y **Length** 5 **Position** 485 - 489

Question Name

Concept Exposed to hand-held gas engines - times per year - (D)

Question

Universe Respondents who answered NEX_09 = 1

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 7300	5,755	31,573,500
NOT STATED	99999	30	90,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_10 **Length** 1 **Position** 490

Question Name

Concept Past 12 months - noise motorcycle/snowmobile, highway speed

Question Within the past 12 months, have you been exposed to noise from ... motorcycles or snowmobiles driven at highway speed?

Universe All respondents

Note New for cycle 3

Content	Code	Sample	Population
YES	1	655	4,337,000
NO	2	5,105	27,239,500
DON'T KNOW	7	15	54,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name NEX_181 **Length** 3 **Position** 491 - 493

Question Name

Concept Exposed to motorcycles/snowmobiles – number of times

Question During the past 12 months, how often were you exposed to noise from motorcycles or snowmobiles driven at highway speeds?
INSTRUCTION: Enter frequency only.

Universe Respondents with NEX_10 <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 230	650	4,329,500
NOT APPLICABLE	996	5,105	27,239,500
DON'T KNOW	997	5	7,000
NOT STATED	999	25	88,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_181N	**Length**	1	**Position**	494
Question Name					
Concept	Exposed to motorcycles/snowmobiles – reporting period				
Question	During the past 12 months, how often were you exposed to noise from motorcycles or snowmobiles driven at highway speeds? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_10 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	40	168,000
PER WEEK	2	110	857,500
PER MONTH	3	105	893,500
PER YEAR	4	390	2,410,500
NOT APPLICABLE	6	5,105	27,239,500
NOT STATED	9	30	95,000
	Total	5,785	31,663,899

Variable Name	NEX_182	**Length**	1	**Position**	495
Question Name					
Concept	Exposed to motorcycles/snowmobiles – time spent				
Question	(During the past 12 months, how often were you exposed to noise from motorcycles or snowmobiles driven at highway speeds?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_10 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	265	1,669,500
10 MINUTES TO LESS THAN 30 MINUTES	2	90	624,000
30 MINUTES TO LESS THAN 1.5 HOURS	3	160	1,100,500
1.5 HOURS TO LESS THAN 5 HOURS	4	100	735,500
5 HOURS OR MORE	5	30	200,000
NOT APPLICABLE	6	5,105	27,239,500
NOT STATED	9	30	95,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_183 **Length** 1 **Position** 496

Question Name

Concept Exposed to motorcycles/snowmobiles – wore hearing protection

Question (During the past 12 months, how often were you exposed to noise from motorcycles or snowmobiles driven at highway speeds?)
How often did you wear hearing protection?

Universe Respondents with NEX_10 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	65	450,000
OFTEN	2	15	171,000
SOMETIMES	3	25	129,500
RARELY	4	20	117,000
NEVER	5	525	3,462,000
NOT APPLICABLE	6	5,105	27,239,500
NOT STATED	9	30	95,000
	Total	5,785	31,663,899

Variable Name NEXD18Y **Length** 5 **Position** 497 - 501

Question Name

Concept Exposed to motorcycles/snowmobiles - times per year - (D)

Question

Universe Respondents who answered NEX_10 = 1

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 3650	5,755	31,569,000
NOT STATED	99999	30	95,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_11	**Length**	1	**Position**	502
Question Name					
Concept	Past 12 months - exposed loud sporting/entertainment event				
Question	Within the past 12 months, have you been exposed to noise from ... loud sporting or entertainment events such as hockey, rodeo or demolition derby?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	1,470	7,987,000
NO	2	4,285	23,592,500
DON'T KNOW	7	15	50,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name	NEX_191	**Length**	3	**Position**	503 - 505
Question Name					
Concept	Exposed to sporting/entertainment events – number of times				
Question	During the past 12 months, how often did you attend loud sporting or entertainment events? INSTRUCTION: Enter frequency only.				
Universe	Respondents with NEX_11 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 150	1,470	7,987,000
NOT APPLICABLE	996	4,285	23,592,500
NOT STATED	999	25	84,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_191N	**Length**	1	**Position**	506
Question Name					
Concept	Exposed to sporting/entertainment events – reporting period				
Question	During the past 12 months, how often did you attend loud sporting or entertainment events? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_11 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	5	46,500
PER WEEK	2	95	461,500
PER MONTH	3	145	1,076,500
PER YEAR	4	1,225	6,402,500
NOT APPLICABLE	6	4,285	23,592,500
NOT STATED	9	25	84,000
	Total	5,785	31,663,899

Variable Name	NEX_192	**Length**	1	**Position**	507
Question Name					
Concept	Exposed to sporting/entertainment events – time spent				
Question	(During the past 12 months, how often did you attend loud sporting or entertainment events?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_11 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	15	38,000
10 MINUTES TO LESS THAN 30 MINUTES	2	35	76,000
30 MINUTES TO LESS THAN 1.5 HOURS	3	285	1,450,000
1.5 HOURS TO LESS THAN 5 HOURS	4	1,105	6,171,500
5 HOURS OR MORE	5	30	252,000
NOT APPLICABLE	6	4,285	23,592,500
NOT STATED	9	25	84,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_193 **Length** 1 **Position** 508

Question Name

Concept Exposed to sporting/entertainment events – wore hearing prot

Question (During the past 12 months, how often did you attend loud sporting or entertainment events?)
How often did you wear hearing protection?

Universe Respondents with NEX_11 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	35	71,000
OFTEN	2	10	49,000
SOMETIMES	3	30	123,000
RARELY	4	25	131,500
NEVER	5	1,375	7,613,000
NOT APPLICABLE	6	4,285	23,592,500
NOT STATED	9	25	84,000
	Total	5,785	31,663,899

Variable Name NEXD19Y **Length** 5 **Position** 509 - 513

Question Name

Concept Exposed to sporting/entertainment events - # per year-(D)

Question

Universe Respondents who answered NEX_11 = 1

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 7300	5,760	31,580,000
NOT STATED	99999	25	84,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_12	**Length**	1	**Position**	514
Question Name					
Concept	Past 12 months - exposed to loud amplified music				
Question	Within the past 12 months, have you been exposed to noise from ... loud amplified music such as at concerts or nightclubs or as a member of a band?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	1,935	12,373,500
NO	2	3,825	19,206,500
DON'T KNOW	7	15	50,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name	NEX_201	**Length**	3	**Position**	515 - 517
Question Name					
Concept	Exposed to loud amplified music – number of times				
Question	During the past 12 months, how often were you exposed to loud amplified music such as at concerts or nightclubs or as a member of a band? INSTRUCTION: Enter frequency only.				
Universe	Respondents with NEX_12 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 200	1,930	12,366,500
NOT APPLICABLE	996	3,825	19,206,500
DON'T KNOW	997	5	5,500
NOT STATED	999	25	85,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_201N	**Length**	1	**Position**	518
Question Name					
Concept	Exposed to loud amplified music – reporting period				
Question	During the past 12 months, how often were you exposed to loud amplified music such as at concerts or nightclubs or as a member of a band? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_12 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	15	73,500
PER WEEK	2	185	1,422,000
PER MONTH	3	255	2,000,000
PER YEAR	4	1,475	8,871,000
NOT APPLICABLE	6	3,825	19,206,500
NOT STATED	9	30	91,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_202	**Length**	1	**Position**	519
Question Name					
Concept	Exposed to loud amplified music – time spent				
Question	(During the past 12 months, how often were you exposed to loud amplified music ?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_12 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	15	57,000
10 MINUTES TO LESS THAN 30 MINUTES	2	55	268,500
30 MINUTES TO LESS THAN 1.5 HOURS	3	360	2,101,500
1.5 HOURS TO LESS THAN 5 HOURS	4	1,425	9,497,500
5 HOURS OR MORE	5	70	442,000
NOT APPLICABLE	6	3,825	19,206,500
DON'T KNOW	7	5	1,000
NOT STATED	9	30	91,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_203 **Length** 1 **Position** 520

Question Name

Concept Exposed to loud amplified music – wore hearing protection

Question (During the past 12 months, how often were you exposed to loud amplified music?)
How often did you wear hearing protection?

Universe Respondents with NEX_12 <> 2

Note New for cycle 3

Content	Code	Sample	Population
ALWAYS	1	30	261,000
OFTEN	2	15	31,000
SOMETIMES	3	40	431,500
RARELY	4	45	246,500
NEVER	5	1,800	11,395,500
NOT APPLICABLE	6	3,825	19,206,500
REFUSAL	8	5	1,500
NOT STATED	9	30	91,000
	Total	5,785	31,663,899

Variable Name NEXD20Y **Length** 5 **Position** 521 - 525

Question Name

Concept Exposed to loud amplified music - times per year - (D)

Question

Universe Respondents who answered NEX_12 = 1

Note

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 1825	5,755	31,573,000
NOT STATED	99999	30	91,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_13	**Length**	1	**Position**	526
Question Name					
Concept	Past 12 months - loud music without headphones/earbuds				
Question	Within the past 12 months, have you been exposed to noise from ... other types of loud music without the use of headphones or earbuds, for example, a home or car stereo?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	1,900	11,194,000
NO	2	3,860	20,386,000
DON'T KNOW	7	15	50,000
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

Variable Name	NEX_211	**Length**	3	**Position**	527 - 529
Question Name					
Concept	Listened to loud music without headphones – number of times				
Question	During the past 12 months, how often did you listen to other types of loud music without the use of headphones or earbuds? INSTRUCTION: Enter frequency only.				
Universe	Respondents with NEX_13 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 300	1,895	11,181,000
NOT APPLICABLE	996	3,860	20,386,000
DON'T KNOW	997	5	13,000
NOT STATED	999	25	84,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_211N	**Length**	1	**Position**	530
Question Name					
Concept	Listened to loud music without headphones – reporting period				
Question	During the past 12 months, how often did you listen to other types of loud music without the use of headphones or earbuds? INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_13 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	485	3,309,500
PER WEEK	2	775	4,163,000
PER MONTH	3	325	1,939,500
PER YEAR	4	305	1,768,500
NOT APPLICABLE	6	3,860	20,386,000
NOT STATED	9	30	96,500
	Total	5,785	31,663,899

Variable Name	NEX_212	**Length**	1	**Position**	531
Question Name					
Concept	Exposed to loud music without headphones – time spent				
Question	(During the past 12 months, how often did you listen to other types of loud music without the use of headphones or earbuds?) How much time did you typically spend on each occasion?				
Universe	Respondents with NEX_13 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 10 MINUTES	1	355	1,542,500
10 MINUTES TO LESS THAN 30 MINUTES	2	700	4,038,000
30 MINUTES TO LESS THAN 1.5 HOURS	3	595	3,918,500
1.5 HOURS TO LESS THAN 5 HOURS	4	220	1,394,500
5 HOURS OR MORE	5	25	288,000
NOT APPLICABLE	6	3,860	20,386,000
NOT STATED	9	30	96,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_213	**Length**	1	**Position**	532
Question Name					
Concept	Listened to music without headphones/earbuds				
Question	(During the past 12 months, how often did you listen to other types of loud music without the use of headphones or earbuds?) How often did you wear hearing protection?				
Universe	Respondents with NEX_13 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	5	8,000
OFTEN	2	10	28,000
SOMETIMES	3	10	16,000
RARELY	4	25	81,000
NEVER	5	1,850	11,048,500
NOT APPLICABLE	6	3,860	20,386,000
NOT STATED	9	30	96,500
	Total	5,785	31,663,899

Variable Name	NEXD21Y	**Length**	5	**Position**	533 - 537
Question Name					
Concept	Exposed to music without headphones - times per year - (D)				
Question					
Universe	Respondents who answered NEX_13 = 1				
Note					

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 2920	5,755	31,567,000
NOT STATED	99999	30	96,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_14	**Length**	1	**Position**	538
Question Name					
Concept	Past 12 months - exposed to noise of firearms				
Question	Within the past 12 months, have you been exposed to noise from ... firearms, for example guns?				
Universe	Respondents aged 12 and older				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	295	1,946,000
NO	2	3,885	26,351,500
NOT APPLICABLE	6	1,585	3,290,500
DON'T KNOW	7	10	43,000
REFUSAL	8	5	21,500
NOT STATED	9	5	11,000
Total		5,785	31,663,899

Variable Name	NEX_23	**Length**	1	**Position**	539
Question Name					
Concept	Fired/been exposed to noise of firearm - number of times				
Question	In the past 12 months, how many times have you fired, or been exposed to noise from the shot of a gun or firearm?				
Universe	Respondents with NEX_14 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
1 TO 19 TIMES	1	170	1,172,000
20 TO 99 TIMES	2	75	445,000
100 TO 9,999 TIMES	3	45	326,500
10,000 TIMES OR MORE	4	5	2,500
NOT APPLICABLE	6	5,470	29,642,000
NOT STATED	9	20	75,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_24	**Length**	1	**Position**	540
Question Name					
Concept	Fired/exposed to noise of firearm - wore hearing protection				
Question	How often did you wear hearing protection?				
Universe	Respondents with NEX_14 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	80	453,000
OFTEN	2	20	299,000
SOMETIMES	3	25	271,500
RARELY	4	5	34,500
NEVER	5	160	888,000
NOT APPLICABLE	6	5,470	29,642,000
NOT STATED	9	20	75,500
	Total	5,785	31,663,899

Variable Name	NEX_25	**Length**	1	**Position**	541
Question Name					
Concept	Past 12 months - used headphones/earbuds with audio devices				
Question	In the past 12 months have you listened to audio devices using headphones or earbuds?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	3,040	15,990,000
NO	2	2,720	15,585,500
DON'T KNOW	7	15	54,500
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name NEX_26 **Length** 3 **Position** 542 - 544

Question Name

Concept Listened to music using headphone/earbuds - hours per week

Question On average, in the past 12 months, how many hours per week did you usually listen to music, movies or other types of audio using headphones or earbuds?

Universe Respondents with NEX_25 <> 2

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF HOURS	0 - 66	3,030	15,969,500
NOT APPLICABLE	996	2,720	15,585,500
DON'T KNOW	997	10	20,500
NOT STATED	999	25	88,500
	Total	5,785	31,663,899

Variable Name NEX_26A **Length** 3 **Position** 545 - 547

Question Name

Concept Listened to music using headphone/earbuds - minutes

Question INSTRUCTION: Enter number of minutes.

Universe Respondents with NEX_25 <> 2 and NEX_26 > 0

Note New for cycle 3

Content	Code	Sample	Population
NUMBER OF MINUTES	0 - 320	3,030	15,969,500
NOT APPLICABLE	996	2,720	15,585,500
NOT STATED	999	35	109,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_26B	**Length**	1	**Position**	548
Question Name					
Concept	Listened to music using headphone/earbuds - reporting period				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_25 <> 2 and NEX_26 > 0 and NEX_26A > 0				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	850	4,441,500
PER WEEK	2	1,945	10,379,000
NOT APPLICABLE	6	2,950	16,734,500
NOT STATED	9	35	109,000
	Total	5,785	31,663,899

Variable Name	NEXD26	**Length**	5.1	**Position**	549 - 553
Question Name					
Concept	Listened to music with headphone/earbuds - Hrs/wk - (D)				
Question					
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
HOURS PER WEEK	0.0 - 112.0	5,750	31,555,000
NOT STATED	999.9	35	109,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_27	**Length**	1	**Position**	554
Question Name					
Concept	Volume level usually at or above 3/4 the maximum volume				
Question	Is the volume level usually at or above three quarters of the maximum volume?				
Universe	Respondents with NEX_25 <> 2 and NEX_26 > 0 and NEX_26A > 0				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	850	4,861,500
NO	2	1,945	9,883,500
NOT APPLICABLE	6	2,950	16,734,500
DON'T KNOW	7	15	96,000
NOT STATED	9	25	88,500
	Total	5,785	31,663,899

Variable Name	NEX_28	**Length**	1	**Position**	555
Question Name					
Concept	Volume requires someone to speak in a raised voice				
Question	Is the volume usually so loud that someone standing an arm's length away would have to speak in a raised voice for you to understand what they were saying?				
Universe	Respondents with NEX_25 <> 2 and NEX_26 > 0 and NEX_26A > 0				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	800	5,000,000
NO	2	2,000	9,819,500
NOT APPLICABLE	6	2,950	16,734,500
DON'T KNOW	7	5	21,500
NOT STATED	9	25	88,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_29	**Length**	3	**Position**	556 - 558
Question Name					
Concept	Listened to loud music using headphone/earbuds - hours				
Question	How many hours per week do you usually listen to audio devices, using headphones or earbuds, at a volume that is at or above three quarters of the maximum volume?				
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF HOURS	0 - 50	1,105	6,379,000
NOT APPLICABLE	996	4,640	25,172,000
DON'T KNOW	997	5	1,000
NOT STATED	999	40	112,500
	Total	5,785	31,663,899

Variable Name	NEX_29A	**Length**	3	**Position**	559 - 561
Question Name					
Concept	Listened to loud music using headphone/earbuds - minutes				
Question	INSTRUCTION: Enter number of minutes.				
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF MINUTES	0 - 50	1,105	6,379,000
NOT APPLICABLE	996	4,640	25,172,000
NOT STATED	999	40	113,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_29B	**Length**	1	**Position**	562
Question Name					
Concept	Listened to loud music w. headphone/earbuds - reporting per.				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
PER DAY	1	335	1,741,500
PER WEEK	2	770	4,637,000
NOT APPLICABLE	6	4,640	25,172,000
NOT STATED	9	40	113,000
	Total	5,785	31,663,899

Variable Name	NEXD29	**Length**	5.1	**Position**	563 - 567
Question Name					
Concept	Listened to loud music with headphone/earbuds - Hrs/wk - (D)				
Question					
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
HOURS PER WEEK	0.0 - 91.0	2,695	14,483,000
NOT APPLICABLE	999.6	3,050	17,068,000
NOT STATED	999.9	40	113,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_30	**Length**	3	**Position**	568 - 570
Question Name					
Concept	Usual listening volume - duration				
Question	For how long has this been your usual listening volume?				
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
DURATION	1 - 45	1,085	6,224,500
NOT APPLICABLE	996	4,640	25,172,000
DON'T KNOW	997	20	149,500
REFUSAL	998	5	5,500
NOT STATED	999	40	112,500
	Total	5,785	31,663,899

Variable Name	NEX_30N	**Length**	1	**Position**	571
Question Name					
Concept	Usual listening volume - reporting period				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
DAYS	1	5	2,000
WEEKS	2	10	62,500
MONTHS	3	145	587,000
YEARS	4	925	5,573,000
NOT APPLICABLE	6	4,640	25,172,000
NOT STATED	9	60	267,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEXD30	**Length**	3	**Position**	572 - 574
Question Name					
Concept	Usual listening volume - Total duration (years) - (D)				
Question					
Universe	Respondents with NEX_25 <> 2 and NEX_27 <> 2 and NEX_28 <> 2				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF YEARS	0 - 45	1,085	6,224,500
NOT APPLICABLE	996	4,640	25,172,000
NOT STATED	999	60	267,500
	Total	5,785	31,663,899

Variable Name	NEX_40	**Length**	1	**Position**	575
Question Name					
Concept	Ever experienced tinnitus				
Question	Have you ever experienced tinnitus?				
Universe	All respondents				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	2,175	12,871,000
NO	2	3,565	18,675,000
DON'T KNOW	7	35	83,500
REFUSAL	8	10	23,000
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_41	**Length**	1	**Position**	576
Question Name					
Concept	Last time experienced tinnitus in ears				
Question	When was the last time you experienced these sounds in your ears?				
Universe	Respondents who answered NEX_40 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
WITHIN THE LAST 7 DAYS	1	665	4,070,000
8 DAYS TO LESS THAN 1 MONTH AGO	2	375	1,973,000
1 MONTH TO LESS THAN 6 MONTHS AGO	3	450	2,620,000
6 MONTHS TO LESS THAN 1 YEAR AGO	4	250	1,760,500
1 YEAR AGO OR MORE	5	345	2,072,500
NOT APPLICABLE	6	3,565	18,675,000
DON'T KNOW	7	90	375,000
NOT STATED	9	45	117,500
	Total	5,785	31,663,899

Variable Name	NEX_42	**Length**	1	**Position**	577
Question Name					
Concept	Experiencing tinnitus at time of interview				
Question	Are you experiencing these sounds right now?				
Universe	Respondents who answered NEX_41 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	215	1,350,500
NO	2	445	2,716,000
NOT APPLICABLE	6	4,990	27,101,000
DON'T KNOW	7	5	3,500
NOT STATED	9	135	493,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_43	**Length**	1	**Position**	578
Question Name					
Concept	Experienced tinnitus when it's quiet				
Question	When it is quiet, do you experience these sounds in your ears... ?				
Universe	Respondents with NEX_40 <> 2 and NEX_41 <> 3,4,5				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	160	1,120,000
OFTEN	2	160	923,000
SOMETIMES	3	410	2,207,000
RARELY	4	275	1,628,000
NEVER	5	30	154,000
NOT APPLICABLE	6	4,615	25,128,000
DON'T KNOW	7	5	11,500
NOT STATED	9	135	493,000
	Total	5,785	31,663,899

Variable Name	NEX_44	**Length**	3	**Position**	579 - 581
Question Name					
Concept	Experienced tinnitus - duration				
Question	For how long have you had this?				
Universe	Respondents with NEX_40 <> 2 and NEX_41 <> 3,4,5				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 70	295	1,865,500
NOT APPLICABLE	996	5,330	29,117,000
DON'T KNOW	997	30	188,500
NOT STATED	999	135	493,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_44N	**Length**	1	**Position**	582
Question Name					
Concept	Experienced tinnitus - reporting period				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents with NEX_40 <> 2 and NEX_41 <> 3,4,5				
Note	New for cycle 3				

Content	Code	Sample	Population
DAYS	1	5	4,500
WEEKS	2	5	4,500
MONTHS	3	10	81,500
YEARS	4	280	1,775,500
NOT APPLICABLE	6	5,330	29,117,000
NOT STATED	9	160	681,500
	Total	5,785	31,663,899

Variable Name	NEXD44	**Length**	3	**Position**	583 - 585
Question Name					
Concept	Experienced tinnitus - Total duration (years) - (D)				
Question					
Universe	Respondents with NEX_40 <> 2 and NEX_43 <> 3,4,5				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF YEARS	0 - 70	295	1,865,500
NOT APPLICABLE	996	5,330	29,117,000
NOT STATED	999	160	681,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_45	**Length**	1	**Position**	586
Question Name					
Concept	Tinnitus bothers/affects sleep, concentration, mood				
Question	[Does/Did] this bother you? For example, [does/did] it affect your sleep, concentration or mood?				
Universe	Respondents with NEX_41 = 1, 2, 3, 4, DK, NS				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	325	2,005,500
NO	2	1,415	8,412,000
NOT APPLICABLE	6	3,915	20,747,500
DON'T KNOW	7	5	5,500
NOT STATED	9	135	493,000
	Total	5,785	31,663,899

Variable Name	NEX_47	**Length**	1	**Position**	587
Question Name					
Concept	Experienced tinnitus after using headphones				
Question	In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced ...after using headphones or earbuds to listen to audio devices?				
Universe	Respondents aged 10 and older with NEX_25 = 1 and NEX_40 = 1 and NEX_41 < 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	115	477,500
NO	2	880	5,228,500
NOT APPLICABLE	6	4,705	25,537,000
DON'T KNOW	7	15	122,500
REFUSAL	8	5	2,000
NOT STATED	9	70	297,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_48	**Length**	1	**Position**	588
Question Name					
Concept	Experienced tinnitus after loud music				
Question	(In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced ...) ...after being exposed to loud amplified music?				
Universe	Respondents aged 10 and older with NEX_12 <> 2 and NEX_25 <> 2 and NEX_41 < 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	340	2,294,000
NO	2	415	3,080,500
NOT APPLICABLE	6	4,960	26,040,000
DON'T KNOW	7	5	15,500
NOT STATED	9	65	234,000
	Total	5,785	31,663,899

Variable Name	NEX_49	**Length**	1	**Position**	589
Question Name					
Concept	Experienced tinnitus after loud event				
Question	(In the past 12 months, when you experienced these noises in your ears, [were they louder or more pronounced/did they occur] ...) ...after being at a loud sporting or entertainment event?				
Universe	Respondents aged 10 and older with NEX_11 <> 2 and NEX_25 <> 2 and NEX_41 < 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	85	615,000
NO	2	370	2,184,500
NOT APPLICABLE	6	5,270	28,648,000
DON'T KNOW	7	5	14,500
NOT STATED	9	55	202,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_50	**Length**	1	**Position**	590
Question Name					
Concept	Experienced tinnitus after loud power tools				
Question	(In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced ...) ...after being exposed to noise from loud power tools ?				
Universe	Respondents aged 10 and older with NEX_07 <> 2 and NEX_25 <> 2 and NEX_41 < 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	140	1,117,500
NO	2	550	3,541,500
NOT APPLICABLE	6	5,040	26,692,000
DON'T KNOW	7	5	131,500
NOT STATED	9	50	181,000
	Total	5,785	31,663,899

Variable Name	NEX_51	**Length**	1	**Position**	591
Question Name					
Concept	Experienced tinnitus after firearm noise				
Question	(In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced ...) ...after being exposed to noise from firearms or guns?				
Universe	Respondents aged 10 and older with NEX_14 <> 2 and NEX_25 <> 2 and NEX_41 < 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	35	225,000
NO	2	90	478,500
NOT APPLICABLE	6	5,625	30,844,500
NOT STATED	9	30	115,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	NEX_52	**Length**	1	**Position**	592
Question Name					
Concept	Experienced tinnitus/specific circumstances				
Question	(In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced/ ...) ... in any other specific circumstances?				
Universe	Respondents aged 10 and older				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	195	1,104,000
NO	2	1,445	9,059,000
NOT APPLICABLE	6	4,030	20,980,000
DON'T KNOW	7	5	61,000
NOT STATED	9	110	460,000
	Total	5,785	31,663,899

Variable Name	SEB_01	**Length**	1	**Position**	593
Question Name					
Concept	Attended school/daycare (May-September)				
Question	Did you attend school [or daycare] at any time during these months?				
Universe	Respondents aged 3 to 11 years				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
YES	1	1,285	2,602,000
NO	2	295	681,000
NOT APPLICABLE	6	4,200	28,373,000
DON'T KNOW	7	5	4,000
REFUSAL	8	5	3,000
NOT STATED	9	5	1,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_02	**Length**	1	**Position**	594
Question Name					
Concept	Worked at a job/business/attended school (May-Sept)				
Question	Did you do any of the following during these months: - work at a job? - work at a business? - attend school?				
Universe	Respondents aged 12 years and older				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
YES	1	2,935	20,674,000
NO	2	1,250	7,651,500
NOT APPLICABLE	6	1,580	3,283,000
DON'T KNOW	7	5	25,000
REFUSAL	8	5	2,500
NOT STATED	9	10	28,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_03	**Length**	1	**Position**	595
Question Name					

Concept Time in sun between 10 am - 4 pm - at work/school/daycare

Question During these months, how much time did you spend in the sun between 10 a.m. and 4 p.m., on a typical day at [work/school/ daycare]?

Universe Respondents who answered SEB_01 = 1 or SEB_02 = 1

Note New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Content	Code	Sample	Population
LESS THAN 5 MINUTES	1	620	4,930,000
5 TO LESS THAN 30 MINUTES	2	715	5,472,500
30 TO LESS THAN 1 HOUR	3	1,040	4,447,500
1 HOUR TO LESS THAN 2 HOURS	4	1,105	4,238,500
2 HOURS OR MORE	5	740	4,176,500
NOT APPLICABLE	6	1,545	8,332,500
DON'T KNOW	7	5	10,500
NOT STATED	9	20	55,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_04	**Length**	1	**Position**	596
Question Name					
Concept	Wore something on head - at work/school/daycare				
Question	When you were exposed to the sun during these hours on a day at [work/school/daycare], how often did you wear something on your head that shaded your face, ears, or neck, for example, a cap [veil] or sunhat?				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	585	3,082,000
OFTEN	2	405	1,850,000
SOMETIMES	3	510	2,160,000
RARELY	4	525	2,449,000
NEVER	5	1,575	8,793,000
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	1,000
NOT STATED	9	25	66,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_05	**Length**	1	**Position**	597
Question Name					
Concept	Typically covered or uncovered : Face, ears or neck				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	430	1,881,000
UNCOVERED	2	3,165	16,454,000
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	1,000
NOT STATED	9	25	66,000
Total		5,785	31,663,899

Variable Name	SEB_06	**Length**	1	**Position**	598
Question Name					
Concept	Typically covered or uncovered : Hands				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	95	720,500
UNCOVERED	2	3,505	17,614,500
NOT APPLICABLE	6	2,160	13,263,000
NOT STATED	9	25	66,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_07	**Length**	1	**Position**	599
Question Name					
Concept	Typically covered or uncovered : Arms				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	520	3,327,500
UNCOVERED	2	3,080	15,002,500
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	5,500
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

Variable Name	SEB_08	**Length**	1	**Position**	600
Question Name					
Concept	Typically covered or uncovered : Legs				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	1,800	11,518,000
UNCOVERED	2	1,795	6,807,500
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	10,000
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SEB_09 **Length** 1 **Position** 601

Question Name

Concept Typically covered or uncovered : Feet

Question Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet

Universe Respondents who answered SEB_03 = 2, 3, 4 or 5

Note New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Content	Code	Sample	Population
COVERED	1	2,980	15,434,500
UNCOVERED	2	620	2,901,000
NOT APPLICABLE	6	2,160	13,263,000
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

Variable Name SEB_10 **Length** 1 **Position** 602

Question Name

Concept Typically covered or uncovered : Other

Question Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)

Universe Respondents who answered SEB_03 = 2, 3, 4 or 5

Note New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Content	Code	Sample	Population
COVERED	1	3,405	17,127,500
UNCOVERED	2	195	1,203,000
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	5,000
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_11	**Length**	1	**Position**	603
Question Name					
Concept	Uses sunscreen on face, ears or neck				
Question	How often did you usually use sunscreen on your face, ears or neck?				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	435	1,673,000
OFTEN	2	480	1,942,000
SOMETIMES	3	575	2,731,500
RARELY	4	580	2,560,500
NEVER	5	1,530	9,427,500
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	1,500
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_12A	**Length**	1	**Position**	604
Question Name					
Concept	Uses sunscreen on other areas (hands/arms/legs)				
Question	How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?				
Universe	Respondents who answered SEB_03 = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	335	1,168,500
OFTEN	2	405	1,569,000
SOMETIMES	3	555	2,348,500
RARELY	4	565	2,712,000
NEVER	5	1,740	10,536,000
NOT APPLICABLE	6	2,160	13,263,000
DON'T KNOW	7	5	1,500
NOT STATED	9	25	66,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_13A	**Length**	1	**Position**	605
Question Name					
Concept	Time in sun between 10 am - 4 pm not at work/school/daycare				
Question	During these months, how much time did you spend in the sun between 10 a.m. and 4 p.m. on a typical day when not at [work/ school/or daycare]?				
Universe	All respondents				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
LESS THAN 5 MINUTES	1	135	1,020,000
5 TO LESS THAN 30 MINUTES	2	415	2,677,000
30 TO LESS THAN 1 HOUR	3	675	4,164,500
1 HOUR TO LESS THAN 2 HOURS	4	1,355	7,199,000
2 HOURS OR MORE	5	3,185	16,549,000
DON'T KNOW	7	10	39,000
REFUSAL	8	5	5,500
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_14	**Length**	1	**Position**	606
Question Name					
Concept	Wore something on head - not at work/school/daycare				
Question	When you were exposed to the sun during these hours on a day when you were not at [work/school/daycare], how often did you wear something on your head that shaded your face, ears or neck, for example a cap, veil or sunhat?				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	940	4,740,000
OFTEN	2	990	4,922,500
SOMETIMES	3	1,115	5,685,500
RARELY	4	785	4,016,000
NEVER	5	1,805	11,225,000
NOT APPLICABLE	6	135	1,020,000
NOT STATED	9	20	55,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_15	**Length**	1	**Position**	607
Question Name					
Concept	Typically covered or uncovered : Face, ears or neck				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	820	3,832,000
UNCOVERED	2	4,810	26,754,000
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	3,000
NOT STATED	9	20	55,000
	Total	5,785	31,663,899

Variable Name	SEB_16	**Length**	1	**Position**	608
Question Name					
Concept	Typically covered or uncovered : Hands				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	105	737,000
UNCOVERED	2	5,525	29,852,000
NOT APPLICABLE	6	135	1,020,000
NOT STATED	9	20	55,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_17	**Length**	1	**Position**	609
Question Name					
Concept	Typically covered or uncovered : Arms				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	465	2,912,500
UNCOVERED	2	5,165	27,671,500
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	5,000
NOT STATED	9	20	55,000
Total		5,785	31,663,899

Variable Name	SEB_18	**Length**	1	**Position**	610
Question Name					
Concept	Typically covered or uncovered : Legs				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	1,580	10,453,500
UNCOVERED	2	4,050	20,115,000
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	20,500
NOT STATED	9	20	55,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_19	**Length**	1	**Position**	611
Question Name					
Concept	Typically covered or uncovered : Feet				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	3,200	17,769,500
UNCOVERED	2	2,430	12,806,000
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	14,000
NOT STATED	9	20	55,000
Total		5,785	31,663,899

Variable Name	SEB_20	**Length**	1	**Position**	612
Question Name					
Concept	Typically covered or uncovered : Other				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
COVERED	1	4,530	24,643,500
UNCOVERED	2	1,105	5,945,000
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	1,000
NOT STATED	9	20	55,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_21	**Length**	1	**Position**	613
Question Name					
Concept	How often - use sunscreen of face, ears or neck				
Question	How often did you usually use sunscreen on your face, ears or neck?				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	985	4,569,500
OFTEN	2	1,245	5,371,500
SOMETIMES	3	1,145	5,758,500
RARELY	4	825	5,216,000
NEVER	5	1,435	9,673,000
NOT APPLICABLE	6	135	1,020,000
NOT STATED	9	20	55,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_22	**Length**	1	**Position**	614
Question Name					
Concept	How often - use sunscreen on other areas (hands/arms/legs)				
Question	How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3. If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.				

Content	Code	Sample	Population
ALWAYS	1	765	3,014,000
OFTEN	2	1,120	4,665,500
SOMETIMES	3	1,235	6,595,000
RARELY	4	910	5,753,500
NEVER	5	1,605	10,560,000
NOT APPLICABLE	6	135	1,020,000
DON'T KNOW	7	5	1,000
NOT STATED	9	20	55,000
	Total	5,785	31,663,899

Variable Name	SEB_23	**Length**	1	**Position**	615
Question Name					
Concept	Past 2 months - travelled to warm, sunny climate				
Question	In the past 2 months, that is, from [date 2 months ago] to yesterday, have you travelled to a warm, sunny climate?				
Universe	Respondents who answered SEB_13A = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	580	3,823,500
NO	2	5,185	27,795,000
DON'T KNOW	7	10	29,000
REFUSAL	8	5	5,500
NOT STATED	9	5	11,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_24	**Length**	2	**Position**	616 - 617
Question Name					
Concept	Stayed in warm, sunny climate - amount of time				
Question	How long were you there?				
Universe	Respondents who answered SEB_23 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
AMOUNT OF TIME	1 - 61	580	3,823,500
NOT APPLICABLE	96	5,185	27,795,000
NOT STATED	99	20	45,500
	Total	5,785	31,663,899

Variable Name	SEB_24N	**Length**	1	**Position**	618
Question Name					
Concept	Stayed in warm, sunny climate - reporting period				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered SEB_23 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
DAYS	1	275	1,687,000
WEEKS	2	255	1,712,500
MONTHS	3	50	419,500
YEARS	4	5	5,000
NOT APPLICABLE	6	5,185	27,795,000
NOT STATED	9	20	45,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEBD24	**Length**	4	**Position**	619 - 622
Question Name					
Concept	Time spent in warm sunny climate - past 2 mths - (D)				
Question					
Universe	Respondents who answered SEB_23 = 1				
Note					

Content	Code	Sample	Population
NUMBER OF DAYS	0 - 8760	5,765	31,618,500
NOT STATED	9999	20	45,500
	Total	5,785	31,663,899

Variable Name	SEB_25	**Length**	1	**Position**	623
Question Name					
Concept	Time spent in sun between 10 a.m. - 4 p.m. - warm climate				
Question	While you were in this warm, sunny climate how much time did you typically spend in the sun between 10 a.m. and 4 p.m.?				
Universe	Respondents who answered SEB_23 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
LESS THAN 5 MINUTES	1	15	205,000
5 TO LESS THAN 30 MINUTES	2	20	132,500
30 TO LESS THAN 1 HOUR	3	25	146,000
1 HOUR TO LESS THAN 2 HOURS	4	65	671,500
2 HOURS OR MORE	5	450	2,668,000
NOT APPLICABLE	6	5,185	27,795,000
DON'T KNOW	7	5	1,000
NOT STATED	9	20	45,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_26	**Length**	1	**Position**	624
Question Name					
Concept	Wore something on head - warm, sunny, climate				
Question	While you were in this warm, sunny climate - during these hours, how often did you wear something on your head that shaded your face, ears or neck, for example, a cap/veil/sunhat?				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	125	855,500
OFTEN	2	105	654,000
SOMETIMES	3	95	453,000
RARELY	4	45	297,000
NEVER	5	195	1,358,500
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

Variable Name	SEB_27	**Length**	1	**Position**	625
Question Name					
Concept	Typically covered or uncovered : Face, ears or neck				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	90	677,000
UNCOVERED	2	475	2,941,000
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_28	**Length**	1	**Position**	626
Question Name					
Concept	Typically covered or uncovered : Hands				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	5	18,000
UNCOVERED	2	560	3,599,500
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

Variable Name	SEB_29	**Length**	1	**Position**	627
Question Name					
Concept	Typically covered or uncovered : Arms				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	45	408,000
UNCOVERED	2	525	3,210,000
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_30	**Length**	1	**Position**	628
Question Name					
Concept	Typically covered or uncovered : Legs				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	110	795,000
UNCOVERED	2	455	2,823,000
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

Variable Name	SEB_31	**Length**	1	**Position**	629
Question Name					
Concept	Typically covered or uncovered : Feet				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	215	1,179,500
UNCOVERED	2	350	2,438,000
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_32	**Length**	1	**Position**	630
Question Name					
Concept	Typically covered or uncovered : Other				
Question	Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
COVERED	1	340	2,114,500
UNCOVERED	2	225	1,503,500
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

Variable Name	SEB_33	**Length**	1	**Position**	631
Question Name					
Concept	How often - use sunscreen of face, ears or neck				
Question	How often did you usually use sunscreen on your face, ears or neck?				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	205	1,061,500
OFTEN	2	115	671,000
SOMETIMES	3	75	606,000
RARELY	4	40	248,000
NEVER	5	130	1,031,000
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_34	**Length**	1	**Position**	632
Question Name					
Concept	How often - use sunscreen on other areas (hands/arms/legs)				
Question	How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?				
Universe	Respondents who answered SEB_25 = 2, 3, 4 or 5				
Note	New for cycle 3				

Content	Code	Sample	Population
ALWAYS	1	175	895,500
OFTEN	2	115	710,500
SOMETIMES	3	85	610,000
RARELY	4	50	330,500
NEVER	5	145	1,071,500
NOT APPLICABLE	6	5,200	28,000,000
NOT STATED	9	20	46,000
	Total	5,785	31,663,899

Variable Name	SEB_35	**Length**	1	**Position**	633
Question Name					
Concept	Past 12 months - used a tanning bed/booth with tanning lamps				
Question	In the past 12 months, have you used a tanning bed or booth with tanning lamps?				
Universe	Respondents aged 12 and older				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	185	1,518,000
NO	2	4,000	26,801,500
NOT APPLICABLE	6	1,585	3,290,500
DON'T KNOW	7	10	30,500
REFUSAL	8	5	2,500
NOT STATED	9	5	20,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_36	**Length**	3	**Position**	634 - 636
Question Name					
Concept	Used a tanning bed/booth - number of times				
Question	How often?				
Universe	Respondents who answered SEB_35 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
NUMBER OF TIMES	1 - 90	185	1,516,500
NOT APPLICABLE	996	5,585	30,092,000
DON'T KNOW	997	5	1,500
NOT STATED	999	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_36N	**Length**	1	**Position**	637
Question Name					
Concept	Used a tanning bed/booth - number of times				
Question	INSTRUCTION: Select the reporting period.				
Universe	Respondents who answered SEB_35 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
PER WEEK	2	45	402,000
PER MONTH	3	25	263,500
PER YEAR	4	110	851,500
NOT APPLICABLE	6	5,585	30,092,000
NOT STATED	9	15	55,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEBD36	**Length**	4	**Position**	638 - 641
Question Name					
Concept	# of times used a tanning bed - past year - (D)				
Question					
Universe	Respondents who answered SEB_35 = 1				
Note					

Content	Code	Sample	Population
NUMBER OF TIMES	0 - 208	4,185	28,318,000
NOT STATED	9999	1,600	3,346,000
	Total	5,785	31,663,899

Variable Name	SEB_37	**Length**	1	**Position**	642
Question Name					
Concept	Past 2 months - used a tanning bed/booth with tanning lamps				
Question	Have you used a tanning bed or booth with tanning lamps in the past 2 months, that is from [date 2 months ago] to today?				
Universe	Respondents who answered SEB_35 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	70	692,000
NO	2	115	826,000
NOT APPLICABLE	6	5,585	30,092,000
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38A	**Length**	1	**Position**	643
Question Name					
Concept	Uses a tanning bed in January				
Question	During which months do you typically use a tanning bed or booth? - January				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	55	420,500
NO	2	130	1,094,000
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38B	**Length**	1	**Position**	644
Question Name					
Concept	Uses a tanning bed in February				
Question	During which months do you typically use a tanning bed or booth? - February				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	55	536,000
NO	2	125	978,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38C	**Length**	1	**Position**	645
Question Name					
Concept	Uses a tanning bed in March				
Question	During which months do you typically use a tanning bed or booth? - March				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	50	375,500
NO	2	130	1,138,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38D	**Length**	1	**Position**	646
Question Name					
Concept	Uses a tanning bed in April				
Question	During which months do you typically use a tanning bed or booth? - April				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	45	284,000
NO	2	140	1,230,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38E	**Length**	1	**Position**	647
Question Name					
Concept	Uses a tanning bed in May				
Question	During which months do you typically use a tanning bed or booth? - May				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	40	218,000
NO	2	145	1,296,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38F	**Length**	1	**Position**	648
Question Name					
Concept	Uses a tanning bed in June				
Question	During which months do you typically use a tanning bed or booth? - June				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	20	137,000
NO	2	160	1,377,000
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38G	**Length**	1	**Position**	649
Question Name					
Concept	Uses a tanning bed in July				
Question	During which months do you typically use a tanning bed or booth? - July				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	10	95,500
NO	2	170	1,419,000
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38H	**Length**	1	**Position**	650
Question Name					
Concept	Uses a tanning bed in August				
Question	During which months do you typically use a tanning bed or booth? - August				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	5	70,000
NO	2	175	1,444,000
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38I	**Length**	1	**Position**	651
Question Name					
Concept	Uses a tanning bed in September				
Question	During which months do you typically use a tanning bed or booth? - September				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	15	144,000
NO	2	170	1,370,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38J	**Length**	1	**Position**	652
Question Name					
Concept	Uses a tanning bed in October				
Question	During which months do you typically use a tanning bed or booth? - October				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	20	177,000
NO	2	165	1,337,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SEB_38K	**Length**	1	**Position**	653
Question Name					
Concept	Uses a tanning bed in November				
Question	During which months do you typically use a tanning bed or booth? - November				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	30	371,500
NO	2	150	1,143,000
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

Variable Name	SEB_38L	**Length**	1	**Position**	654
Question Name					
Concept	Uses a tanning bed in December				
Question	During which months do you typically use a tanning bed or booth? - December				
Universe	Respondents who answered SEB_37 = 1 or 2				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	35	430,000
NO	2	145	1,084,500
NOT APPLICABLE	6	5,585	30,092,000
DON'T KNOW	7	5	3,500
NOT STATED	9	15	54,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKCDELG	**Length**	2	**Position**	655 - 656
Question Name					
Concept	Eligibility - Skin pigmentation component - (D)				
Question					
Universe	All respondents				
Note					

Content	**Code**	**Sample**	**Population**
ELIGIBLE	1	5,785	31,664,000
Total		5,785	31,663,899

Variable Name	SKM_04	**Length**	1	**Position**	657
Question Name					
Concept	Arm used for inner arm skin pigmentation measure				
Question	INSTRUCTION: Record which arm will be used for the arm skin pigmentation measurement.				
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	**Code**	**Sample**	**Population**
RIGHT	1	5,755	31,587,000
LEFT	2	20	57,500
NONE	3	10	17,500
NOT STATED	9	5	2,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_06	**Length**	1	**Position**	658
Question Name					
Concept	Hand used for hand skin pigmentation measure				
Question	INSTRUCTION: Record which hand will be used for the hand skin pigmentation measurement.				
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
RIGHT	1	5,735	31,433,500
LEFT	2	35	184,500
NONE	3	20	43,500
NOT STATED	9	5	2,000
	Total	5,785	31,663,899

Variable Name	SKM_09	**Length**	1	**Position**	659
Question Name					
Concept	Used sunless tanning products - past 10 days				
Question	In the past 10 days, that is, from [date 10 days ago] to today, have you used sunless tanning products such as creams or lotions, or received a spray-on or mist tan?				
Universe	Respondents aged 12 and older				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	80	571,000
NO	2	4,115	27,785,500
NOT APPLICABLE	6	1,585	3,296,500
DON'T KNOW	7	5	9,000
NOT STATED	9	5	2,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_10	**Length**	1	**Position**	660
Question Name					
Concept	Sunless tanning products used on the back of hands				
Question	Was it applied to the back of your hands?				
Universe	Respondents who answered SKM_09 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	40	266,000
NO	2	40	304,500
NOT APPLICABLE	6	5,705	31,091,000
NOT STATED	9	5	2,000
	Total	5,785	31,663,899

Variable Name	SKM_11	**Length**	1	**Position**	661
Question Name					
Concept	Sunless tanning products used on inner arm				
Question	Was it applied to your inner arms between the elbow and armpit?				
Universe	Respondents who answered SKM_09 = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
YES	1	40	308,500
NO	2	40	249,500
NOT APPLICABLE	6	5,705	31,091,000
DON'T KNOW	7	5	13,000
NOT STATED	9	5	2,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_211A	**Length**	7.2	**Position**	662 - 668
Question Name					
Concept	Erythema - inner arm (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	-000.09 - 68.47	5,775	31,618,000
NOT STATED	9999.99	10	46,000
	Total	5,785	31,663,899

Variable Name	SKM_212A	**Length**	6.2	**Position**	669 - 674
Question Name					
Concept	Melanin - inner arm (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 126.23	5,775	31,618,000
NOT STATED	999.99	10	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_213A	**Length**	6.2	**Position**	675 - 680
Question Name					
Concept	L* - inner arm (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 79.12	5,775	31,618,000
NOT STATED	999.99	10	46,000
	Total	5,785	31,663,899

Variable Name	SKM_214A	**Length**	7.2	**Position**	681 - 687
Question Name					
Concept	a* - inner arm (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	-001.09 - 26.86	5,775	31,618,000
NOT STATED	9999.99	10	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_215A	**Length**	7.2	**Position**	688 - 694
Question Name					
Concept	b* - inner arm (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 53.09	5,775	31,618,000
NOT STATED	9999.99	10	46,000
	Total	5,785	31,663,899

Variable Name	SKM_221A	**Length**	7.2	**Position**	695 - 701
Question Name					
Concept	Erythema - inner arm (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 31.08	5,775	31,617,000
REFUSAL	9999.98	5	1,000
NOT STATED	9999.99	10	46,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_222A	**Length**	6.2	**Position**	702 - 707
Question Name					
Concept	Melanin - inner arm (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 117.34	5,775	31,617,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

Variable Name	SKM_223A	**Length**	6.2	**Position**	708 - 713
Question Name					
Concept	L* - inner arm (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 80.55	5,775	31,617,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_224A	**Length**	7.2	**Position**	714 - 720
Question Name					
Concept	a* - inner arm (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 29.78	5,775	31,617,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

Variable Name	SKM_225A	**Length**	7.2	**Position**	721 - 727
Question Name					
Concept	b* - inner arm (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 62.51	5,775	31,617,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_231A	**Length**	7.2	**Position**	728 - 734
Question Name					
Concept	Erythema - inner arm (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	4.57 - 32.84	5,775	31,617,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

Variable Name	SKM_232A	**Length**	6.2	**Position**	735 - 740
Question Name					
Concept	Melanin - inner arm (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	3.48 - 117.12	5,775	31,617,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_233A	**Length**	6.2	**Position**	741 - 746
Question Name					
Concept	L* - inner arm (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	3.44 - 79.55	5,775	31,617,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

Variable Name	SKM_234A	**Length**	7.2	**Position**	747 - 753
Question Name					
Concept	a* - inner arm (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	1.36 - 30.31	5,775	31,617,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKM_235A **Length** 7.2 **Position** 754 - 760

Question Name

Concept b* - inner arm (3)

Question

Universe Respondents with SKCDELG = 1

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	1.91 - 67.97	5,775	31,617,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

Variable Name SKM_241A **Length** 7.2 **Position** 761 - 767

Question Name

Concept Erythema - inner arm (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth inner arm measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	7.52 - 21.57	60	307,000
NOT APPLICABLE	9999.96	5,710	31,310,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKM_242A **Length** 6.2 **Position** 768 - 773

Question Name

Concept Melanin - inner arm (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth inner arm measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	30.91 - 107.96	60	307,000
NOT APPLICABLE	999.96	5,710	31,310,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

Variable Name SKM_243A **Length** 6.2 **Position** 774 - 779

Question Name

Concept L* - inner arm (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth inner arm measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	4.17 - 43.37	60	307,000
NOT APPLICABLE	999.96	5,710	31,310,000
NOT STATED	999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKM_244A **Length** 7.2 **Position** 780 - 786

Question Name

Concept a* - inner arm (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth inner arm measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	2.88 - 16.93	60	307,000
NOT APPLICABLE	9999.96	5,710	31,310,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

Variable Name SKM_245A **Length** 7.2 **Position** 787 - 793

Question Name

Concept b* - inner arm (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth inner arm measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	2.71 - 21.03	60	307,000
NOT APPLICABLE	9999.96	5,710	31,310,000
NOT STATED	9999.99	10	47,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKMDARME **Length** 6.2 **Position** 794 - 799
Question Name
Concept Erythema - inner arm (final average)
Question
Universe Respondents with SKCDELG = 1
Note

Content	Code	Sample	Population
SKIN PIGMENTATION	3.12 - 116.31	5,765	31,543,000
NOT STATED	999.99	20	121,000
	Total	5,785	31,663,899

Variable Name SKMDARMM **Length** 7.2 **Position** 800 - 806
Question Name
Concept Melanin - inner arm (final average)
Question
Universe Respondents with SKCDELG = 1
Note

Content	Code	Sample	Population
SKIN PIGMENTATION	5.12 - 22.56	5,765	31,543,000
NOT STATED	9999.99	20	121,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKMDARML **Length** 6.2 **Position** 807 - 812

Question Name

Concept L* - inner arm (final average)

Question

Universe Respondents with SKCDELG = 1

Note

Content	Code	Sample	Population
SKIN PIGMENTATION	3.39 - 79.74	5,765	31,543,000
NOT STATED	999.99	20	121,000
	Total	5,785	31,663,899

Variable Name SKMDARMA **Length** 7.2 **Position** 813 - 819

Question Name

Concept a* - inner arm (final average)

Question

Universe Respondents with SKCDELG = 1

Note

Content	Code	Sample	Population
SKIN PIGMENTATION	1.46 - 26.26	5,765	31,543,000
NOT STATED	9999.99	20	121,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKMDARMB	**Length**	7.2	**Position**	820 - 826
Question Name					
Concept	b* - inner arm (final average)				
Question					
Universe	Respondents with SKCDELG = 1				
Note					

Content	Code	Sample	Population
SKIN PIGMENTATION	1.78 - 53.45	5,765	31,543,000
NOT STATED	9999.99	20	121,000
	Total	5,785	31,663,899

Variable Name	SKM_311A	**Length**	7.2	**Position**	827 - 833
Question Name					
Concept	Erythema - back of the hand (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	7.19 - 96.93	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_312A	**Length**	6.2	**Position**	834 - 839
Question Name					
Concept	Melanin - back of the hand (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	5.40 - 119.82	5,765	31,591,000
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKM_313A	**Length**	6.2	**Position**	840 - 845
Question Name					
Concept	L* - back of the hand (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	3.29 - 73.80	5,765	31,591,000
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_314A	**Length**	7.2	**Position**	846 - 852
Question Name					
Concept	a* - back of the hand (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	1.15 - 46.27	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKM_315A	**Length**	7.2	**Position**	853 - 859
Question Name					
Concept	b* - back of the hand (1)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	2.10 - 54.91	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_321A	**Length**	7.2	**Position**	860 - 866
Question Name					
Concept	Erythema - back of the hand (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 86.55	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKM_322A	**Length**	6.2	**Position**	867 - 872
Question Name					
Concept	Melanin - back of the hand (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 120.41	5,765	31,591,000
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_323A	**Length**	6.2	**Position**	873 - 878
Question Name					
Concept	L* - back of the hand (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 72.19	5,765	31,591,000
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKM_324A	**Length**	7.2	**Position**	879 - 885
Question Name					
Concept	a* - back of the hand (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 37.38	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_325A	**Length**	7.2	**Position**	886 - 892
Question Name					
Concept	b* - back of the hand (2)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 56.77	5,765	31,591,000
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKM_331A	**Length**	7.2	**Position**	893 - 899
Question Name					
Concept	Erythema - back of the hand (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 71.95	5,760	31,585,000
NOT STATED	9999.99	25	79,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_332A	**Length**	6.2	**Position**	900 - 905
Question Name					
Concept	Melanin - back of the hand (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 136.94	5,760	31,585,000
NOT STATED	999.99	25	79,000
	Total	5,785	31,663,899

Variable Name	SKM_333A	**Length**	6.2	**Position**	906 - 911
Question Name					
Concept	L* - back of the hand (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 73.70	5,760	31,585,000
NOT STATED	999.99	25	79,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_334A	**Length**	7.2	**Position**	912 - 918
Question Name					
Concept	a* - back of the hand (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 42.06	5,760	31,585,000
NOT STATED	9999.99	25	79,000
	Total	5,785	31,663,899

Variable Name	SKM_335A	**Length**	7.2	**Position**	919 - 925
Question Name					
Concept	b* - back of the hand (3)				
Question					
Universe	Respondents with SKCDELG = 1				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 113.80	5,760	31,585,000
NOT STATED	9999.99	25	79,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKM_341A **Length** 7.2 **Position** 926 - 932

Question Name

Concept Erythema - back of the hand (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth hand measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 49.38	115	692,000
NOT APPLICABLE	9999.96	5,645	30,898,500
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

Variable Name SKM_342A **Length** 6.2 **Position** 933 - 938

Question Name

Concept Melanin - back of the hand (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth hand measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 157.01	115	692,000
NOT APPLICABLE	999.96	5,645	30,898,500
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKM_343A **Length** 6.2 **Position** 939 - 944

Question Name

Concept L* - back of the hand (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth hand measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 38.66	115	692,000
NOT APPLICABLE	999.96	5,645	30,898,500
NOT STATED	999.99	20	73,000
	Total	5,785	31,663,899

Variable Name SKM_344A **Length** 7.2 **Position** 945 - 951

Question Name

Concept a* - back of the hand (4)

Question

Universe Respondents with SKCDELG = 1 and a fourth hand measurement was required

Note New for cycle 3

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 20.81	115	692,000
NOT APPLICABLE	9999.96	5,645	30,898,500
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SKM_345A	**Length**	7.2	**Position**	952 - 958
Question Name					
Concept	b* - back of the hand (4)				
Question					
Universe	Respondents with SKCDELG = 1 and a fourth hand measurement was required				
Note	New for cycle 3				

Content	Code	Sample	Population
SKIN PIGMENTATION	0.00 - 47.37	115	692,000
NOT APPLICABLE	9999.96	5,645	30,898,500
NOT STATED	9999.99	20	73,000
	Total	5,785	31,663,899

Variable Name	SKMDHANE	**Length**	6.2	**Position**	959 - 964
Question Name					
Concept	Erythema - back of the hand (final average)				
Question					
Universe	Respondents with SKCDELG = 1				
Note					

Content	Code	Sample	Population
SKIN PIGMENTATION	5.59 - 119.26	5,750	31,556,000
NOT STATED	999.99	35	108,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKMDHANM **Length** 7.2 **Position** 965 - 971
Question Name
Concept Melanin - back of the hand (final average)
Question
Universe Respondents with SKCDELG = 1
Note

Content	Code	Sample	Population
SKIN PIGMENTATION	7.40 - 28.63	5,750	31,556,000
NOT STATED	9999.99	35	108,000
	Total	5,785	31,663,899

Variable Name SKMDHANL **Length** 6.2 **Position** 972 - 977
Question Name
Concept L* - back of the hand (final average)
Question
Universe Respondents with SKCDELG = 1
Note

Content	Code	Sample	Population
SKIN PIGMENTATION	3.07 - 72.31	5,750	31,556,000
NOT STATED	999.99	35	108,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SKMDHANA **Length** 7.2 **Position** 978 - 984

Question Name

Concept a* - back of the hand (final average)

Question

Universe Respondents with SKCDELG = 1

Note

Content	Code	Sample	Population
SKIN PIGMENTATION	1.17 - 34.39	5,750	31,556,000
NOT STATED	9999.99	35	108,000
	Total	5,785	31,663,899

Variable Name SKMDHANB **Length** 7.2 **Position** 985 - 991

Question Name

Concept b* - back of the hand (final average)

Question

Universe Respondents with SKCDELG = 1

Note

Content	Code	Sample	Population
SKIN PIGMENTATION	1.81 - 52.83	5,750	31,556,000
NOT STATED	9999.99	35	108,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name ANCDELG **Length** 2 **Position** 992 - 993

Question Name

Concept Eligibility - Anthropometric component - (D)

Question

Universe All respondents

Note

Content	Code	Sample	Population
ELIGIBLE	1	5,785	31,664,000
Total		5,785	31,663,899

Variable Name HWM_11 **Length** 1 **Position** 994

Question Name

Concept Method of capture - height

Question INSTRUCTION: Record how the data will be captured

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
ELECTRONICALLY	1	5,740	31,208,500
MANUALLY WITH A PORTABLE DEVICE	2	5	109,500
SELF-REPORT	3	20	97,000
ELECTRONIC DATA ENTERED MANUALLY	4	15	239,500
NOT STATED	9	5	9,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWM_11CM **Length** 6.2 **Position** 995 - 1000

Question Name

Concept Standing height (centimetres) measured

Question INSTRUCTION: Record the standing height in centimetres

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
HEIGHT IN CENTIMETRES	85.66 - 201.69	5,770	31,616,000
DON'T KNOW	999.97	5	13,000
REFUSAL	999.98	5	25,500
NOT STATED	999.99	5	9,000
	Total	5,785	31,663,899

Variable Name HWMD11IN **Length** 4.1 **Position** 1001 - 1004

Question Name

Concept Standing height (inches) measured - (D)

Question

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
HEIGHT IN INCHES	33.7 - 79.4	5,770	31,616,000
NOT STATED	99.9	15	47,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWM_12CM **Length** 6.2 **Position** 1005 - 1010

Question Name

Concept Sitting height (centimetres) measured

Question INSTRUCTION: Record the sitting height in centimetres

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
HEIGHT SITTING IN CENTIMETRES	46.31 - 107.08	5,740	31,381,500
DON'T KNOW	999.97	15	21,500
REFUSAL	999.98	5	18,500
NOT STATED	999.99	30	242,000
	Total	5,785	31,663,899

Variable Name HWMD12IN **Length** 4.1 **Position** 1011 - 1014

Question Name

Concept Sitting height (inches) measured - (D)

Question

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
HEIGHT SITTING IN INCHES	18.2 - 42.2	5,740	31,381,500
NOT STATED	99.9	45	282,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWM_13 **Length** 1 **Position** 1015

Question Name

Concept Method of capture - weight

Question INSTRUCTION: Record how the data will be captured.

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
ELECTRONICALLY	1	4,850	25,234,500
MANUALLY WITH A PORTABLE DEVICE	2	130	655,000
SELF-REPORT	3	5	13,500
ELECTRONIC DATA ENTERED MANUALLY	4	790	5,751,500
NOT STATED	9	5	9,000
	Total	5,785	31,663,899

Variable Name HWM_13KG **Length** 6.2 **Position** 1016 - 1021

Question Name

Concept Weight (kilograms) measured

Question INSTRUCTION: When the measurement is stable, record the weight in kilograms

Universe Respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
WEIGHT IN KILOGRAMS	10.05 - 188.70	5,770	31,602,000
DON'T KNOW	999.97	10	37,500
REFUSAL	999.98	5	14,500
NOT STATED	999.99	5	9,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMD13LB **Length** 5.1 **Position** 1022 - 1026
Question Name
Concept Weight (pounds) measured - (D)
Question
Universe Respondents with ANCDELG = 1
Note

Content	Code	Sample	Population
WEIGHT IN POUNDS	22.2 - 416.1	5,770	31,602,000
NOT STATED	999.9	15	61,500
	Total	5,785	31,663,899

Variable Name HWM_14CX **Length** 5.1 **Position** 1027 - 1031
Question Name
Concept Waist circumference (centimetres) - NIH protocol
Question INSTRUCTION: Record the waist circumference in centimetres.
Universe Respondents with ANCDELG = 1 excluding pregnant females
Note

Content	Code	Sample	Population
WAIST CIRCUMFERENCE IN CENTIMETRES	37.4 - 226.3	5,735	31,425,500
NOT APPLICABLE	999.6	25	92,000
DON'T KNOW	999.7	15	88,500
REFUSAL	999.8	5	48,500
NOT STATED	999.9	5	9,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMD14IN **Length** 4.1 **Position** 1032 - 1035

Question Name

Concept Waist circumference (inches) - NIH protocol - (D)

Question

Universe Respondents with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
WAIST CIRCUMFERENCE IN INCHES	14.7 - 89.1	5,735	31,425,500
NOT APPLICABLE	99.6	25	92,000
NOT STATED	99.9	25	146,500
	Total	5,785	31,663,899

Variable Name HWM_15CM **Length** 5.1 **Position** 1036 - 1040

Question Name

Concept Hip circumference (centimetres) measured

Question INSTRUCTION: Record the hip circumference in centimetres

Universe Respondents with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
HIP CIRCUMFERENCE - CENTIMETRES	44.2 - 226.1	5,710	31,411,500
NOT APPLICABLE	999.6	25	92,000
DON'T KNOW	999.7	40	112,000
REFUSAL	999.8	5	39,500
NOT STATED	999.9	5	9,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMD15IN **Length** 4.1 **Position** 1041 - 1044

Question Name

Concept Hip circumference (inches) measured - (D)

Question

Universe Respondents with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
HIP CIRCUMFERENCE IN INCHES	17.4 - 89.0	5,710	31,411,500
NOT APPLICABLE	99.6	25	92,000
NOT STATED	99.9	50	160,500
	Total	5,785	31,663,899

Variable Name HWMDBMI **Length** 5.2 **Position** 1045 - 1049

Question Name

Concept Body Mass Index measured - (D)

Question

Universe Respondents with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
BODY MASS INDEX SCORE	11.37 - 61.39	5,735	31,461,000
NOT APPLICABLE	99.96	25	92,000
NOT STATED	99.99	25	111,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMDBMIA **Length** 2 **Position** 1050 - 1051

Question Name

Concept BMI classifications for respondents 18 or older measured(D)

Question

Universe Respondents aged 18 and older with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
UNDERWEIGHT	1	45	448,000
NORMAL WEIGHT	2	1,180	9,356,500
OVERWEIGHT	3	1,205	9,185,000
OBESE - CLASS I	4	600	4,503,000
OBESE - CLASS II	5	200	1,438,000
OBESE - CLASS III	6	130	867,500
NOT APPLICABLE	96	2,410	5,769,500
NOT STATED	99	20	96,500
	Total	5,785	31,663,899

Variable Name HWMDBMIK **Length** 1 **Position** 1052

Question Name

Concept BMI classifications for respondents < 18 measured - (D)

Question

Universe Respondents aged less than 18 with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
UNDERWEIGHT	1	100	280,500
NORMAL WEIGHT	2	1,675	3,922,000
OVERWEIGHT	3	340	782,500
OBESE	4	270	678,000
NOT APPLICABLE	6	3,400	25,986,500
NOT STATED	9	5	14,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMDWSTA **Length** 2 **Position** 1053 - 1054
Question Name
Concept Waist circumference classif. for respondents 15-69 - NIH (D)
Question
Universe Respondents aged 15 to 69 with ANCDELG = 1 excluding pregnant females
Note

Content	Code	Sample	Population
NEEDS IMPROVEMENT	0	795	6,030,000
FAIR	1	570	4,132,500
GOOD	2	40	328,000
VERY GOOD	3	650	5,276,000
EXCELLENT	4	1,310	9,227,500
NOT APPLICABLE	96	2,390	6,506,000
NOT STATED	99	25	163,500
	Total	5,785	31,663,899

Variable Name HWMDWTH **Length** 4.2 **Position** 1055 - 1058
Question Name
Concept Waist-to-hip ratio - (D)
Question
Universe Respondents with ANCDELG = 1 excluding pregnant females
Note Waist circumfrence was measured using the NIH protocol

Content	Code	Sample	Population
WAIST-TO-HIP RATIO	0.52 - 1.41	5,715	31,384,500
NOT APPLICABLE	9.96	15	51,500
NOT STATED	9.99	60	227,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMDCOL **Length** 1 **Position** 1059

Question Name

Concept BMI class. (3 to 17) measured - Cole system - (D)

Question

Universe Respondents aged 3 to 18 years with ANCDELG = 1 excluding pregnant females

Note

Content	Code	Sample	Population
NEITHER OVERWEIGHT NOR OBESE	1	1,925	4,638,000
OVERWEIGHT	2	395	1,032,000
OBESE	3	170	379,000
NOT APPLICABLE	6	3,290	25,596,500
NOT STATED	9	5	18,000
	Total	5,785	31,663,899

Variable Name HWMDHTM **Length** 5.3 **Position** 1060 - 1064

Question Name

Concept Standing height (metres) measured - (D)

Question

Universe All respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
HEIGHT IN METRES	0.857 - 2.017	5,770	31,616,000
NOT STATED	9.999	15	47,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HWMDLLN **Length** 6.2 **Position** 1065 - 1070

Question Name

Concept Leg length (centimetres) - (D)

Question

Universe All respondents with ANCDELG = 1

Note

Content	Code	Sample	Population
LEG LENGTH IN CENTIMETRES	36.58 - 102.15	5,740	31,381,500
NOT STATED	999.99	45	282,500
	Total	5,785	31,663,899

Variable Name HWMDMAT **Length** 5.2 **Position** 1071 - 1075

Question Name

Concept Age at peak height velocity (maturity offset) - (D)

Question

Universe Female respondents aged 8 to 16 years old, and male respondents aged 10 to 18 years old with ANCDELG = 1

Note

Content	Code	Sample	Population
MATURITY OFFSET	-4.28 - 5.34	1,320	3,335,500
NOT APPLICABLE	99.96	4,460	28,321,000
NOT STATED	99.99	5	7,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	HWMDWHOK	**Length**	1	**Position**	1076
Question Name					
Concept	BMI class. (5 to 18) measured - WHO - (D)				
Question					
Universe	Respondents aged 5 to 18 with ANCDELG = 1 excluding pregnant females				
Note					

Content	Code	Sample	Population
THINNESS	1	35	84,000
NORMAL	2	1,390	3,538,500
OVERWEIGHT	3	410	982,000
OBESE	4	260	663,500
NOT APPLICABLE	6	3,680	26,380,500
NOT STATED	9	5	15,500
	Total	5,785	31,663,899

Variable Name	HWMDWHOP	**Length**	1	**Position**	1077
Question Name					
Concept	BMI class. (3 to 4) measured - WHO - (D)				
Question					
Universe	Respondents aged 3 to 4 years with ANCDELG = 1				
Note					

Content	Code	Sample	Population
NORMAL	2	280	543,500
AT RISK OF OVERWEIGHT	3	90	174,500
OVERWEIGHT	4	10	39,500
OBESE	5	10	23,500
NOT APPLICABLE	6	5,395	30,880,500
NOT STATED	9	5	2,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPCDELG **Length** 2 **Position** 1078 - 1079

Question Name

Concept Eligibility - Blood Pressure component - (D)

Question

Universe All respondents

Note The age eligibility for the blood pressure component is 6 to 79 years.

Content	Code	Sample	Population
ELIGIBLE	1	5,230	30,535,000
NOT ELIGIBLE - AGE	3	555	1,129,000
Total		5,785	31,663,899

Variable Name BPM_101A **Length** 3 **Position** 1080 - 1082

Question Name

Concept Systolic blood pressure - first set (0)

Question

Universe Respondents with BPCDELG = 1

Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 240	4,990	29,538,000
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	170	554,000
REFUSAL	998	5	2,000
NOT STATED	999	65	441,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_102A **Length** 3 **Position** 1083 - 1085
Question Name
Concept Diastolic blood pressure - first set (0)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 160	4,990	29,541,000
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	5	6,500
NOT STATED	999	235	987,500
	Total	5,785	31,663,899

Variable Name BPM_103A **Length** 3 **Position** 1086 - 1088
Question Name
Concept Heart rate - first set (0)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	36 - 139	4,990	29,541,000
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	5	6,500
NOT STATED	999	235	987,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_111A **Length** 3 **Position** 1089 - 1091
Question Name
Concept Systolic blood pressure - first set (1)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	64 - 246	4,935	29,286,000
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	200	746,000
NOT STATED	999	95	503,000
	Total	5,785	31,663,899

Variable Name BPM_112A **Length** 3 **Position** 1092 - 1094
Question Name
Concept Diastolic blood pressure - first set (1)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	42 - 159	4,930	29,282,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	17,500
NOT STATED	999	290	1,235,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_113A **Length** 3 **Position** 1095 - 1097
Question Name
Concept Heart rate - first set (1)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	38 - 137	4,935	29,289,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	5	10,500
NOT STATED	999	290	1,235,000
	Total	5,785	31,663,899

Variable Name BPM_121A **Length** 3 **Position** 1098 - 1100
Question Name
Concept Systolic blood pressure - first set (2)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 240	4,930	29,343,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	175	618,000
NOT STATED	999	120	573,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_122A **Length** 3 **Position** 1101 - 1103
Question Name
Concept Diastolic blood pressure - first set (2)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 156	4,930	29,326,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	29,000
NOT STATED	999	290	1,180,000
	Total	5,785	31,663,899

Variable Name BPM_123A **Length** 3 **Position** 1104 - 1106
Question Name
Concept Heart rate - first set (2)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	39 - 161	4,930	29,343,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	5	9,000
NOT STATED	999	295	1,182,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_131A **Length** 3 **Position** 1107 - 1109
Question Name
Concept Systolic blood pressure - first set (3)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 247	4,905	29,342,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	180	563,500
NOT STATED	999	140	629,000
	Total	5,785	31,663,899

Variable Name BPM_132A **Length** 3 **Position** 1110 - 1112
Question Name
Concept Diastolic blood pressure - first set (3)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 160	4,905	29,323,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	31,000
NOT STATED	999	310	1,180,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_133A **Length** 3 **Position** 1113 - 1115
Question Name
Concept Heart rate - first set (3)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	38 - 172	4,910	29,344,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	10,000
NOT STATED	999	310	1,180,500
	Total	5,785	31,663,899

Variable Name BPM_141A **Length** 3 **Position** 1116 - 1118
Question Name
Concept Systolic blood pressure - first set (4)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	62 - 246	4,860	29,177,000
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	190	577,000
REFUSAL	998	5	6,500
NOT STATED	999	170	775,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_142A **Length** 3 **Position** 1119 - 1121
Question Name
Concept Diastolic blood pressure - first set (4)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 156	4,860	29,175,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	12,500
NOT STATED	999	360	1,347,000
	Total	5,785	31,663,899

Variable Name BPM_143A **Length** 3 **Position** 1122 - 1124
Question Name
Concept Heart rate - first set (4)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	37 - 148	4,860	29,178,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	9,500
NOT STATED	999	360	1,347,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_151A **Length** 3 **Position** 1125 - 1127
Question Name
Concept Systolic blood pressure - first set (5)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	61 - 237	4,835	29,082,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	170	515,000
REFUSAL	998	5	9,000
NOT STATED	999	220	929,000
	Total	5,785	31,663,899

Variable Name BPM_152A **Length** 3 **Position** 1128 - 1130
Question Name
Concept Diastolic blood pressure - first set (5)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 151	4,835	29,084,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	29,500
NOT STATED	999	385	1,421,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_153A **Length** 3 **Position** 1131 - 1133
Question Name
Concept Heart rate - first set (5)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
HEART RATE	38 - 140	4,835	29,086,500
NOT APPLICABLE	996	555	1,129,000
DON'T KNOW	997	10	27,000
NOT STATED	999	385	1,421,500
	Total	5,785	31,663,899

Variable Name BPM_160 **Length** 1 **Position** 1134
Question Name
Concept Accept/Re-do measurements
Question INSTRUCTION: Check the blood pressure and heart rate data.
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
ACCEPT THE MEASUREMENT(S)	1	5,080	29,879,000
RE-DO THE MEASUREMENT(S)	2	140	649,000
NOT APPLICABLE	6	555	1,129,000
NOT STATED	9	10	7,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_161 **Length** 1 **Position** 1135

Question Name

Concept Anyone present during blood pressure measure

Question INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

Universe Respondents with BPCDELG = 1

Note

Content	Code	Sample	Population
YES	1	400	1,113,500
NO	2	4,675	28,765,500
NOT APPLICABLE	6	700	1,778,000
NOT STATED	9	10	7,000
	Total	5,785	31,663,899

Variable Name BPMD161 **Length** 4 **Position** 1136 - 1139

Question Name

Concept Average systolic blood pressure (mmHg) - first set - (D)

Question

Universe Respondents with BPM_160 = 1

Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	63 - 240	5,105	29,952,500
NOT STATED	999	680	1,711,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPMD162 **Length** 4 **Position** 1140 - 1143
Question Name
Concept Average diastolic blood pressure (mmHg) - first set - (D)
Question
Universe Respondents with BPM_160 = 1
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 156	5,105	29,952,500
NOT STATED	999	680	1,711,500
	Total	5,785	31,663,899

Variable Name BPMD163 **Length** 4 **Position** 1144 - 1147
Question Name
Concept Average resting heart rate - first set - (D)
Question
Universe Respondents with BPM_160 = 1
Note

Content	Code	Sample	Population
HEART RATE	38 - 146	5,105	29,952,500
NOT STATED	999	680	1,711,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_201A **Length** 3 **Position** 1148 - 1150
Question Name
Concept Systolic blood pressure - second set (0)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	66 - 175	165	703,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	25	67,500
REFUSAL	998	5	1,000
NOT STATED	999	10	17,500
	Total	5,785	31,663,899

Variable Name BPM_202A **Length** 3 **Position** 1151 - 1153
Question Name
Concept Diastolic blood pressure - second set (0)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 152	160	701,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	17,500
NOT STATED	999	30	70,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_203A **Length** 3 **Position** 1154 - 1156
Question Name
Concept Heart rate - second set (0)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
HEART RATE	43 - 116	165	704,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	5	14,000
NOT STATED	999	30	70,500
	Total	5,785	31,663,899

Variable Name BPM_211A **Length** 3 **Position** 1157 - 1159
Question Name
Concept Systolic blood pressure - second set (1)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 177	165	694,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	20	77,000
NOT STATED	999	15	18,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_212A **Length** 3 **Position** 1160 - 1162
Question Name
Concept Diastolic blood pressure - second set (1)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	42 - 137	165	695,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	20,500
NOT STATED	999	25	74,000
	Total	5,785	31,663,899

Variable Name BPM_213A **Length** 3 **Position** 1163 - 1165
Question Name
Concept Heart rate - second set (1)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
HEART RATE	48 - 126	170	703,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	5	11,500
NOT STATED	999	25	74,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_221A **Length** 3 **Position** 1166 - 1168

Question Name

Concept Systolic blood pressure - second set (2)

Question

Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	65 - 199	170	751,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	15	19,500
NOT STATED	999	15	18,000
	Total	5,785	31,663,899

Variable Name BPM_222A **Length** 3 **Position** 1169 - 1171

Question Name

Concept Diastolic blood pressure - second set (2)

Question

Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 121	165	743,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	18,000
NOT STATED	999	25	28,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_223A **Length** 3 **Position** 1172 - 1174

Question Name

Concept Heart rate - second set (2)

Question

Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note

Content	Code	Sample	Population
HEART RATE	48 - 120	175	754,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	5	7,000
NOT STATED	999	25	28,000
	Total	5,785	31,663,899

Variable Name BPM_231A **Length** 3 **Position** 1175 - 1177

Question Name

Concept Systolic blood pressure - second set (3)

Question

Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 180	165	716,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	20	52,000
NOT STATED	999	15	21,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_232A **Length** 3 **Position** 1178 - 1180
Question Name
Concept Diastolic blood pressure - second set (3)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 133	165	715,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	17,500
NOT STATED	999	25	56,500
	Total	5,785	31,663,899

Variable Name BPM_233A **Length** 3 **Position** 1181 - 1183
Question Name
Concept Heart rate - second set (3)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
HEART RATE	45 - 111	170	720,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	5	13,000
NOT STATED	999	25	56,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_241A **Length** 3 **Position** 1184 - 1186
Question Name
Concept Systolic blood pressure - second set (4)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	60 - 176	160	684,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	15	61,500
REFUSAL	998	5	12,000
NOT STATED	999	20	32,000
	Total	5,785	31,663,899

Variable Name BPM_242A **Length** 3 **Position** 1187 - 1189
Question Name
Concept Diastolic blood pressure - second set (4)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	41 - 136	160	680,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	29,500
NOT STATED	999	30	79,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_243A **Length** 3 **Position** 1190 - 1192
Question Name
Concept Heart rate - second set (4)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
HEART RATE	46 - 113	160	684,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	25,500
NOT STATED	999	30	79,000
	Total	5,785	31,663,899

Variable Name BPM_251A **Length** 3 **Position** 1193 - 1195
Question Name
Concept Systolic blood pressure - second set (5)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	66 - 176	155	701,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	20	37,000
REFUSAL	998	5	14,500
NOT STATED	999	25	36,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_252A **Length** 3 **Position** 1196 - 1198
Question Name
Concept Diastolic blood pressure - second set (5)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	41 - 92	150	697,000
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	15	32,000
NOT STATED	999	35	60,500
	Total	5,785	31,663,899

Variable Name BPM_253A **Length** 3 **Position** 1199 - 1201
Question Name
Concept Heart rate - second set (5)
Question
Universe Respondents who answered (BPM_160 = 1 and failed error conditions) or BPM_160 = 2
Note

Content	Code	Sample	Population
HEART RATE	47 - 116	155	702,500
NOT APPLICABLE	996	5,585	30,874,500
DON'T KNOW	997	10	26,500
NOT STATED	999	35	60,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPM_260 **Length** 1 **Position** 1202

Question Name

Concept Accept/Re-do measurements

Question INSTRUCTION: Check the blood pressure and heart rate data.

Universe

Note

Content	Code	Sample	Population
ACCEPT THE MEASUREMENT(S)	1	180	759,500
RE-DO THE MEASUREMENT(S)	2	10	18,500
NOT APPLICABLE	6	5,585	30,874,500
NOT STATED	9	10	11,000
Total		5,785	31,663,899

Variable Name BPM_261 **Length** 1 **Position** 1203

Question Name

Concept Anyone present during blood pressure measure

Question INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

Universe Respondents with BPCDELG = 1

Note

Content	Code	Sample	Population
YES	1	65	141,000
NO	2	115	618,500
NOT APPLICABLE	6	5,595	30,893,000
NOT STATED	9	10	11,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPMD261 **Length** 4 **Position** 1204 - 1207

Question Name

Concept Average systolic blood pressure (mmHg) - second set - (D)

Question

Universe Respondents with BPM_260 = 1

Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	73 - 176	180	759,500
NOT STATED	999	5,605	30,904,500
	Total	5,785	31,663,899

Variable Name BPMD262 **Length** 4 **Position** 1208 - 1211

Question Name

Concept Average diastolic blood pressure (mmHg) - second set - (D)

Question

Universe Respondents with BPM_260 = 1

Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	42 - 92	180	759,500
NOT STATED	999	5,605	30,904,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPMD263 **Length** 4 **Position** 1212 - 1215
Question Name
Concept Average resting heart rate - second set - (D)
Question
Universe Respondents with BPM_260 = 1
Note

Content	Code	Sample	Population
HEART RATE	47 - 115	185	762,500
NOT STATED	999	5,600	30,901,500
	Total	5,785	31,663,899

Variable Name BPMDPBPS **Length** 3 **Position** 1216 - 1218
Question Name
Concept Final prevalence avg. systolic blood pressure (mmHg) - (D)
Question
Universe Respondents with BPCDELG = 1
Note

Content	Code	Sample	Population
SYSTOLIC BLOOD PRESSURE	71 - 240	5,215	30,514,000
NOT APPLICABLE	996	555	1,129,000
NOT STATED	999	15	21,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPMDPBPD **Length** 3 **Position** 1219 - 1221

Question Name

Concept Final prevalence avg. diastolic blood pressure (mmHg) - (D)

Question

Universe Respondents with BPCDELG = 1

Note

Content	Code	Sample	Population
DIASTOLIC BLOOD PRESSURE	40 - 125	5,215	30,514,000
NOT APPLICABLE	996	555	1,129,000
NOT STATED	999	15	21,000
	Total	5,785	31,663,899

Variable Name BPMDPHR **Length** 3 **Position** 1222 - 1224

Question Name

Concept Final prevalence average resting heart rate - (D)

Question

Universe Respondents with BPCDELG = 1

Note

Content	Code	Sample	Population
HEART RATE	38 - 146	5,215	30,514,000
NOT APPLICABLE	996	555	1,129,000
NOT STATED	999	15	21,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name BPMDBPA **Length** 2 **Position** 1225 - 1226
Question Name
Concept Blood pressure norms for respondents 18 or older - (D)
Question
Universe Respondents aged 18 and older
Note

Content	Code	Sample	Population
WITHIN ACCEPTABLE RANGE	1	2,880	22,119,500
AT HIGH END OF ACCEPTABLE RANGE	2	265	2,037,500
ABOVE ACCEPTABLE RANGE	3	205	1,562,500
MODERATELY HIGH	4	35	196,000
HIGH	5	5	21,000
VERY HIGH	6	5	22,000
NOT APPLICABLE	96	2,390	5,689,500
NOT STATED	99	5	15,500
Total		5,785	31,663,899

Variable Name BPMDBPK **Length** 1 **Position** 1227
Question Name
Concept Blood pressure norms for respondents 6 to 17 - (D)
Question
Universe Respondents aged 6 to 17
Note

Content	Code	Sample	Population
NORMAL	1	1,705	4,260,000
AT HIGH END OF NORMAL RANGE	2	45	148,500
HIGH	3	50	116,500
VERY HIGH	4	15	30,500
NOT APPLICABLE	6	3,955	27,103,000
NOT STATED	9	10	5,500
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name AMCDELG **Length** 2 **Position** 1228 - 1229
Question Name
Concept Eligibility - Activity Monitor component - (D)
Question
Universe All respondents
Note

Content	Code	Sample	Population
ELIGIBLE	1	5,785	31,649,500
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	5	14,500
Total		5,785	31,663,899

Variable Name AMC_10 **Length** 1 **Position** 1230
Question Name
Concept Activity monitor available
Question INSTRUCTION: Record whether an activity monitor is available.
Universe Respondents with AMCDELG = 1
Note

Content	Code	Sample	Population
YES	1	5,630	30,770,500
NO	2	150	873,500
NOT APPLICABLE	6	5	14,500
NOT STATED	9	5	6,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name AMC_21 **Length** 1 **Position** 1231

Question Name

Concept Activity monitor taken

Question INSTRUCTION: Record whether the respondent took an activity monitor.

Universe Respondents with AMC_10 = 1

Note

Content	Code	Sample	Population
YES	1	5,545	30,202,500
NO	2	75	455,500
NOT APPLICABLE	6	150	888,500
NOT STATED	9	10	117,500
	Total	5,785	31,663,899

Variable Name IACDELG **Length** 2 **Position** 1232 - 1233

Question Name

Concept Eligibility - Indoor Air component - (D)

Question

Universe All respondents

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
ELIGIBLE	1	5,785	31,664,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAS_11	**Length**	1	**Position**	1234
Question Name					
Concept	Indoor air sampler available				
Question	INSTRUCTION: Record whether an indoor air sampler is available.				
Universe	Respondents with IAQDELG = 1 and who were selected as part of the indoor air sampler subsample				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	5,745	31,416,500
NO	2	15	67,000
NOT STATED	9	20	180,000
	Total	5,785	31,663,899

Variable Name	IAS_21	**Length**	1	**Position**	1235
Question Name					
Concept	Took indoor air sampler				
Question	INSTRUCTION: Record whether the respondent took an indoor air sampler.				
Universe	Respondents with IAQDELG = 1 and who were selected as part of the indoor air sampler subsample				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	5,695	31,188,000
NO	2	45	212,500
NOT APPLICABLE	6	15	67,000
NOT STATED	9	30	196,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_04	**Length**	2	**Position**	1236 - 1237
Question Name					
Concept	Age of home				
Question	How old is your home? Is it...?				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_11 in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
LESS THAN 10 YEARS OLD	1	855	4,965,000
10 YEARS OLD TO LESS THAN 20	2	845	4,246,000
20 YEARS OLD TO LESS THAN 30	3	700	4,004,000
30 YEARS OLD TO LESS THAN 40	4	755	4,666,000
40 YEARS OLD TO LESS THAN 50	5	550	3,018,000
50 OR MORE YEARS OLD	6	1,420	7,284,000
DON'T KNOW	97	560	2,969,500
REFUSAL	98	10	35,500
NOT STATED	99	90	476,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQD04 **Length** 5 **Position** 1238 - 1242

Question Name

Concept Type of dwelling - (D)

Question

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
SINGLE DETACHED	1	3,605	18,861,500
DOUBLE	2	240	1,455,500
ROW OR TERRACE	3	415	2,032,500
DUPLEX	4	315	1,923,000
LOW-RISE APARTMENT (STORIES < 5) OR FLAT	5	645	3,847,000
HIGH-RISE APARTMENT (STORIES => 5)	6	370	2,439,000
HOTEL / ROOMING HOUSE / CAMP	8	5	3,500
MOBILE HOME	9	20	73,500
OTHER	10	85	553,000
NOT STATED	99	90	476,000
	Total	5,785	31,663,899

Variable Name IAQ_05 **Length** 2 **Position** 1243 - 1244

Question Name

Concept Time lived in dwelling - years

Question How long have you lived in your home?

Universe Respondents who answered IAS_21 = 1

Note New for cycle 3 - HSC_12 in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
TIME	0 - 79	5,680	31,153,500
DON'T KNOW	97	15	34,500
NOT STATED	99	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQ_06 **Length** 2 **Position** 1245 - 1246

Question Name

Concept Approximate area of home

Question Excluding the basement and garage, what is the approximate area of your home in square feet or square metres? Would you say it is...?

Universe Respondents who answered IAS_21 = 1

Note New for cycle 3 - HSC_12B in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
600 SQ. FT. (55 SQ. M.) OR LESS	1	175	1,246,500
601 TO 1,000 SQ. FT (56 TO 95 SQ. M.)	2	855	6,237,000
1,001 TO 2,000 SQ. FT (96 TO 185 SQ. M.)	3	2,140	10,788,000
2,001 TO 3,000 SQ. FT (186 TO 280 SQ.M.)	4	860	4,470,500
3,001 TO 4,000 SQ. FT (281 TO 371 SQ.M.)	5	210	982,000
4,001 SQ. FT (372 SQUARE METRES) OR MORE	6	75	316,500
DON'T KNOW	97	1,365	7,113,500
REFUSAL	98	15	33,500
NOT STATED	99	90	476,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_07A	**Length**	1	**Position**	1247
Question Name					
Concept	Main heat source - Oil furnace				
Question	What is the main source of heat in your home? - Oil furnace				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13A in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	510	1,871,500
NO	2	4,915	27,811,000
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

Variable Name	IAQ_07B	**Length**	1	**Position**	1248
Question Name					
Concept	Main heat source - Gas furnace				
Question	What is the main source of heat in your home? - Gas furnace				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13B in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	2,425	15,093,000
NO	2	3,000	14,589,500
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_07C	**Length**	1	**Position**	1249
Question Name					
Concept	Main heat source - Electric heat				
Question	What is the main source of heat in your home? - Electric heat				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13C in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	2,185	11,273,000
NO	2	3,240	18,410,000
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

Variable Name	IAQ_07D	**Length**	1	**Position**	1250
Question Name					
Concept	Main heat source - Wood-burning stove				
Question	What is the main source of heat in your home? - Wood-burning stove				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13D in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	260	1,269,000
NO	2	5,165	28,413,500
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_07E	**Length**	1	**Position**	1251
Question Name					
Concept	Main heat source - Wood-burning fireplace				
Question	What is the main source of heat in your home? - Wood-burning fireplace				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13E in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	80	376,000
NO	2	5,350	29,306,500
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

Variable Name	IAQ_07F	**Length**	1	**Position**	1252
Question Name					
Concept	Main heat source - Gas fireplace				
Question	What is the main source of heat in your home? - Gas fireplace				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13F in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	55	308,500
NO	2	5,370	29,374,000
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_07G	**Length**	1	**Position**	1253
Question Name					
Concept	Main heat source - Other				
Question	What is the main source of heat in your home? - Other				
Universe	Respondents who answered IAS_21 = 1				
Note	New for cycle 3 - HSC_13G in cycle 2. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	170	800,000
NO	2	5,255	28,882,500
DON'T KNOW	7	265	1,502,000
REFUSAL	8	5	2,000
NOT STATED	9	90	477,500
	Total	5,785	31,663,899

Variable Name	IAQ_11	**Length**	1	**Position**	1254
Question Name					
Concept	Has a garage on property				
Question	Do you have a garage on your property?				
Universe	Respondents with IAQD04 = 1, 2, 3, 4, 8, 9 or 10				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	3,005	16,888,500
NO	2	1,675	8,014,000
NOT APPLICABLE	6	1,015	6,285,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_12	**Length**	1	**Position**	1255
Question Name					
Concept	Type of garage on property				
Question	Is it a... ?				
Universe	Respondents with IAQ_11 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
DETACHED GARAGE	1	900	5,216,000
ATT.GARAGE WITHOUT CONNECTING DOOR HOME	2	420	2,536,500
ATT.GARAGE WITH CONNECTING DOOR HOME	3	1,685	9,129,500
NOT APPLICABLE	6	2,690	14,299,500
DON'T KNOW	7	5	6,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQ_13 **Length** 1 **Position** 1256

Question Name

Concept Number of times vehicle parked in garage after use

Question In the past month, that is from [date one month ago] until today, how often has a car, truck, or other vehicle been parked in this garage after being used?

Universe Respondents with IAQ_11 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
MORE THAN 5 TIMES A WEEK	1	1,060	5,843,000
1 TO 5 TIMES A WEEK	2	190	1,350,000
LESS THAN ONCE A WEEK	3	150	821,500
NEVER	4	1,595	8,841,500
NOT APPLICABLE	6	2,690	14,299,500
DON'T KNOW	7	5	17,000
REFUSAL	8	5	15,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name IAQ_14A **Length** 1 **Position** 1257

Question Name

Concept Parking facilities - indoor/underground parking lot

Question Does your building have any of the following parking facilities? -Indoor or underground parking lot

Universe Respondents with IAQD04 = 5, 6, 7 or (IAQD04 = 8, 9 or 10 and IAQ_11 = 1)

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
YES	1	495	3,296,000
NO	2	555	3,224,000
NOT APPLICABLE	6	4,640	24,664,500
DON'T KNOW	7	5	3,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_14B	**Length**	1	**Position**	1258
Question Name					
Concept	Parking facilities - outdoor/partially enclosed				
Question	Does your building have any of the following parking facilities? - Outdoor or partially enclosed parking lot				
Universe	Respondents with IAQD04 = 5, 6, 7 or (IAQD04 = 8, 9 or 10 and IAQ_11 = 1)				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	465	2,711,000
NO	2	585	3,809,000
NOT APPLICABLE	6	4,640	24,664,500
DON'T KNOW	7	5	3,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_14C	**Length**	1	**Position**	1259
Question Name					
Concept	Parking facilities - neither				
Question	Does your building have any of the following parking facilities? - Neither				
Universe	Respondents with IAQD04 = 5, 6, 7 or (IAQD04 = 8, 9 or 10 and IAQ_11 = 1)				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	210	1,137,000
NO	2	845	5,383,000
NOT APPLICABLE	6	4,640	24,664,500
DON'T KNOW	7	5	3,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_15	**Length**	1	**Position**	1260
Question Name					
Concept	Past month - smelled vehicle fumes in home				
Question	In the past month, that is from [date one month ago] until today, have you or anyone else ever smelled fumes in your home from cars, trucks or other vehicles?				
Universe	All respondents				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	185	947,000
NO	2	5,505	30,220,500
DON'T KNOW	7	5	20,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_16	**Length**	1	**Position**	1261
Question Name					
Concept	Number of times smelled vehicle fumes				
Question	How often were these fumes smelt?				
Universe	Respondents who answered IAQ_15 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
MORE THAN 5 TIMES A WEEK	1	35	257,000
1 TO 5 TIMES A WEEK	2	45	346,000
LESS THAN ONCE A WEEK	3	100	340,500
NOT APPLICABLE	6	5,510	30,241,500
DON'T KNOW	7	5	3,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_17	**Length**	1	**Position**	1262
Question Name					
Concept	Past month - major home renovation				
Question	In the past month, have you had a major home renovation such as finishing of the basement, painting walls or windows, changing floors/ceilings or upgrading a kitchen or bathroom?				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	675	3,281,500
NO	2	5,015	27,888,000
DON'T KNOW	7	5	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_18	**Length**	1	**Position**	1263
Question Name					
Concept	Past month - new carpeting or rugs in home				
Question	In the past month, have new carpeting or rugs been installed in your home?				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	80	370,000
NO	2	5,610	30,807,500
DON'T KNOW	7	5	10,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQ_19A **Length** 1 **Position** 1264

Question Name

Concept Past week - gasoline used inside home

Question In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Gasoline or gasoline-powered devices

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
YES	1	20	134,500
NO	2	5,665	31,035,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name IAQ_19B **Length** 1 **Position** 1265

Question Name

Concept Past week - kerosense used inside home

Question In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Kerosene

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
YES	1	20	311,500
NO	2	5,665	30,858,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_19C	**Length**	1	**Position**	1266
Question Name					
Concept	Past week - moth balls used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Moth balls or moth crystals				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	45	132,500
NO	2	5,640	31,037,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_19D	**Length**	1	**Position**	1267
Question Name					
Concept	Past week - oil-based paints used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Oil-based (alkyd) paints				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	60	405,500
NO	2	5,630	30,764,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_19E	**Length**	1	**Position**	1268
Question Name					
Concept	Past week -latex paints used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Latex paint				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	300	1,448,000
NO	2	5,385	29,721,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_19F	**Length**	1	**Position**	1269
Question Name					
Concept	Past week - paint remover used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Paint remover				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	45	312,500
NO	2	5,640	30,857,000
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_19G	**Length**	1	**Position**	1270
Question Name					
Concept	Past week - solvents used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Solvents				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	80	621,000
NO	2	5,605	30,548,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_19H	**Length**	1	**Position**	1271
Question Name					
Concept	Past week - oil-based wood stains used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Oil based (alkyd) wood stains				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	25	164,000
NO	2	5,660	31,005,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_19I	**Length**	1	**Position**	1272
Question Name					
Concept	Past week - latex wood stains used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Latex wood stains				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	25	69,500
NO	2	5,660	31,100,000
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_19J	**Length**	1	**Position**	1273
Question Name					
Concept	Past week - candles used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Candles				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	1,760	10,086,000
NO	2	3,925	21,083,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQ_19K **Length** 1 **Position** 1274

Question Name

Concept Past week - paints, type unknown used inside home

Question In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Paints, type unknown

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
YES	1	150	640,500
NO	2	5,535	30,529,000
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name IAQ_19L **Length** 1 **Position** 1275

Question Name

Concept Past week - wood stains, type unknown used inside home

Question In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - Wood stains, type unknown

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
YES	1	40	304,000
NO	2	5,650	30,865,500
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	IAQ_19M	**Length**	1	**Position**	1276
Question Name					
Concept	Past week - no product used inside home				
Question	In the past week, that is from [date one week ago] to today, which of the following products did you or anyone else use inside your home? - None				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	3,525	18,880,000
NO	2	2,165	12,290,000
DON'T KNOW	7	10	18,500
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name	IAQ_20	**Length**	1	**Position**	1277
Question Name					
Concept	Past week - opened windows/doors to get fresh air in home				
Question	On a typical day over the past week, did you normally open windows or doors to get fresh air into your home?				
Universe	Respondents who answered IAS_21 = 1				
Note	In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.				

Content	Code	Sample	Population
YES	1	4,350	24,141,000
NO	2	1,340	7,035,000
DON'T KNOW	7	5	12,000
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name IAQ_21 **Length** 1 **Position** 1278

Question Name

Concept Past 6 months - brought home item from dry cleaners

Question In the past 6 months, that is from [date 6 months ago] to today, how often did you or anyone else in your home bring home clothing or any other items from the dry cleaners?

Universe Respondents who answered IAS_21 = 1

Note In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

Content	Code	Sample	Population
MORE THAN ONCE A WEEK	1	40	183,000
ABOUT ONCE A WEEK	2	175	1,236,500
LESS THAN ONCE A WEEK	3	1,170	6,734,500
NEVER	4	4,295	22,916,000
DON'T KNOW	7	15	118,000
NOT STATED	9	90	476,000
	Total	5,785	31,663,899

Variable Name FNODELG **Length** 2 **Position** 1279 - 1280

Question Name

Concept Eligibility - FENO component - (D)

Question

Universe All respondents

Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
ELIGIBLE	1	5,220	30,485,000
NOT ELIGIBLE - AGE	3	555	1,129,000
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	5	17,000
NOT ELIGIBLE - OTHER REASON	14	10	33,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FNO_208 **Length** 3 **Position** 1281 - 1283
Question Name
Concept FENO measurement - Trial 1 (ppb)
Question
Universe All respondents aged 6 to 79 with FNODELG = 1
Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
PARTS PER BILLION (PPB)	5 - 193	4,645	27,452,500
LESS THAN LIMIT OF DETECTION	995	235	1,338,000
NOT APPLICABLE	996	565	1,179,000
NOT STATED	999	335	1,694,500
	Total	5,785	31,663,899

Variable Name FNO_408 **Length** 3 **Position** 1284 - 1286
Question Name
Concept FENO measurement - Trial 2 (ppb)
Question
Universe All respondents aged 6 to 79 with FNODELG = 1
Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
PARTS PER BILLION (PPB)	5 - 179	4,685	27,803,500
LESS THAN LIMIT OF DETECTION	995	140	775,000
NOT APPLICABLE	996	565	1,179,000
NOT STATED	999	395	1,906,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FNO_608 **Length** 3 **Position** 1287 - 1289

Question Name

Concept FENO measurement - Trial 3 (ppb)

Question

Universe All respondents aged 6 to 79 with FNODELG = 1

Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
PARTS PER BILLION (PPB)	5 - 140	510	2,802,000
LESS THAN LIMIT OF DETECTION	995	5	25,500
NOT APPLICABLE	996	565	1,179,000
NOT STATED	999	4,700	27,657,500
	Total	5,785	31,663,899

Variable Name FNO_808 **Length** 3 **Position** 1290 - 1292

Question Name

Concept FENO measurement - Trial 4 (ppb)

Question

Universe All respondents aged 6 to 79 with FNODELG = 1

Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
PARTS PER BILLION (PPB)	5 - 91	35	166,000
LESS THAN LIMIT OF DETECTION	995	5	2,000
NOT APPLICABLE	996	565	1,179,000
NOT STATED	999	5,185	30,317,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name FNODRSLT **Length** 3 **Position** 1293 - 1295

Question Name

Concept Mean FENO result (ppb) - (D)

Question

Universe All respondents aged 6 to 79 with FNODELG = 1

Note FENO - fractional exhaled nitric oxide - new for cycle 3

Content	Code	Sample	Population
PARTS PER BILLION (PPB)	5 - 186	4,550	27,015,500
LESS THAN LIMIT OF DETECTION	995	115	594,000
NOT APPLICABLE	996	565	1,179,000
NOT STATED	999	555	2,876,000
	Total	5,785	31,663,899

Variable Name SPCDELG **Length** 2 **Position** 1296 - 1297

Question Name

Concept Eligibility - Spirometry component - (D)

Question

Universe All respondents

Note The age eligibility for the spirometry component is 6 to 79 years

Content	Code	Sample	Population
ELIGIBLE	1	5,165	30,164,500
NOT ELIGIBLE - AGE	3	555	1,129,000
NOT ELIGIBLE – PREGNANT >27 WEEKS	7	5	30,500
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	55	338,000
NOT ELIGIBLE - MEDICATION USE	12	5	2,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_022 **Length** 1 **Position** 1298

Question Name

Concept Race adjustment category

Question INSTRUCTION: Record the appropriate race adjustment for the respondent.

Universe Respondents with SPCDELG = 1

Note SPM_022 should only be used for spirometry analysis.

Content	Code	Sample	Population
WHITE	1	4,185	23,899,000
BLACK	2	220	1,310,000
HISPANIC	3	75	359,500
ASIAN	4	640	4,353,000
OTHER	5	35	210,500
NOT APPLICABLE	6	625	1,518,000
NOT STATED	9	5	14,000
	Total	5,785	31,663,899

Variable Name SPM_PFVC **Length** 4.2 **Position** 1299 - 1302

Question Name

Concept Respondent's predicted FVC (L)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FVC	1.02 - 6.96	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_RELI	**Length**	1	**Position**	1303
Question Name					
Concept	Test reliability factor				
Question					
Universe	Respondents with SPCDELG = 1				
Note	This variable denotes the overall test as reliable (1) or not (2). Only reliable tests are recommended for use in analysis. Refer to the Data User Guide for more detailed information on the meaning of these spirometry codes, also known as "reliability factors".				

Content	Code	Sample	Population
RELIABLE	1	5,005	29,623,500
NOT RELIABLE	2	115	422,500
NOT APPLICABLE	6	625	1,520,000
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_PV1	**Length**	4.2	**Position**	1304 - 1307
Question Name					
Concept	Respondent's predicted FEV1 (L)				
Question					
Universe	Respondents with SPCDELG = 1				
Note					

Content	Code	Sample	Population
FEV 1 SEC	0.87 - 5.47	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_PV1F **Length** 4.2 **Position** 1308 - 1311

Question Name

Concept Respondent's predicted FEV1/FVC (%)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.70 - 0.93	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_CFVC **Length** 4.2 **Position** 1312 - 1315

Question Name

Concept Confidence interval for predicted FVC (L)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FVC	0.33 - 1.20	4,810	29,298,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	345	845,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_CV1 **Length** 4.2 **Position** 1316 - 1319
Question Name
Concept Confidence interval for predicted FEV1 (L)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 1 SEC	0.28 - 1.01	4,810	29,298,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	345	845,500
	Total	5,785	31,663,899

Variable Name SPM_CV1F **Length** 4.2 **Position** 1320 - 1323
Question Name
Concept Confidence interval for predicted FEV1/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.09 - 0.11	4,810	29,298,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	345	845,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_NUME **Length** 2 **Position** 1324 - 1325
Question Name
Concept Number of efforts (max. of 8)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
NUMBER OF ATTEMPTS	1 - 8	5,120	30,046,000
NOT APPLICABLE	96	625	1,520,000
DON'T KNOW	97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_NUMA **Length** 2 **Position** 1326 - 1327
Question Name
Concept Number of acceptable efforts (max. of 8)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
NUMBER OF ACCEPTABLE ATTEMPTS	0 - 8	5,120	30,046,000
NOT APPLICABLE	96	625	1,520,000
DON'T KNOW	97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_REP **Length** 1 **Position** 1328

Question Name

Concept Repeatability for FVC and FEV1 in the 150mL limit

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
YES	1	4,905	29,055,500
NO	2	215	990,500
NOT APPLICABLE	6	625	1,520,000
DON'T KNOW	7	40	98,000
Total		5,785	31,663,899

Variable Name SPM_QFVC **Length** 1 **Position** 1329

Question Name

Concept FVC Quality factor

Question

Universe Respondents with SPCDELG = 1

Note Indicates the quality and reproducibility of the largest forced vital Capacity (FVC) (L) from acceptable efforts. See User Guide, Section 10.3.3.7 for more detailed information on the meaning of these spirometry codes, also known as "quality factors".

Content	Code	Sample	Population
A	0	3,050	16,700,500
B	1	1,450	9,557,500
C	2	515	3,356,000
D	3	80	376,500
F	4	25	55,500
NOT APPLICABLE	6	625	1,520,000
DON'T KNOW	7	40	98,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_QV1 **Length** 1 **Position** 1330

Question Name

Concept FEV1 Quality factor

Question

Universe Respondents with SPCDELG = 1

Note Indicates the quality and reproducibility of the largest forced expiratory volume in 1 second (FEV1) (L) from acceptable efforts. Refer to the Data User Guide for more detailed information on the meaning of these spirometry codes, also known as "quality factors".

Content	Code	Sample	Population
A	0	4,635	27,300,500
B	1	340	2,026,500
C	2	90	433,500
D	3	30	230,500
F	4	20	54,500
NOT APPLICABLE	6	625	1,520,000
DON'T KNOW	7	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_BFVC **Length** 4.2 **Position** 1331 - 1334

Question Name

Concept Largest FVC (L) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FVC	0.65 - 7.98	5,115	30,033,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	110,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B05 **Length** 4.2 **Position** 1335 - 1338
Question Name
Concept Largest FEV0.5 (L) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.40 - 4.82	5,110	30,005,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	50	139,000
	Total	5,785	31,663,899

Variable Name SPM_B05F **Length** 5.3 **Position** 1339 - 1343
Question Name
Concept Best FEV0.5/FVC (%) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.232 - 0.920	5,110	30,005,000
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	50	139,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B75 **Length** 4.2 **Position** 1344 - 1347

Question Name

Concept Largest FEV0.75 (L) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.52 - 5.70	4,835	28,406,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	320	1,737,500
	Total	5,785	31,663,899

Variable Name SPM_B75F **Length** 5.3 **Position** 1348 - 1352

Question Name

Concept Best FEV0.75/FVC (%) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.305 - 0.994	4,835	28,406,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	320	1,737,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B1 **Length** 4.2 **Position** 1353 - 1356

Question Name

Concept Largest FEV1 (L) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FEV 1 SEC	0.49 - 6.19	5,115	30,033,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	110,000
	Total	5,785	31,663,899

Variable Name SPM_B1F **Length** 5.3 **Position** 1357 - 1361

Question Name

Concept Best FEV1/FVC (%) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.358 - 1.000	5,115	30,033,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	45	110,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B3 **Length** 4.2 **Position** 1362 - 1365
Question Name
Concept Largest FEV3 (L) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 3 SEC	0.20 - 7.56	5,035	29,790,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	120	354,000
	Total	5,785	31,663,899

Variable Name SPM_B3F **Length** 5.3 **Position** 1366 - 1370
Question Name
Concept Best FEV3/FVC (%) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.231 - 1.375	5,035	29,790,000
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	120	354,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B6 **Length** 4.2 **Position** 1371 - 1374
Question Name
Concept Largest FEV6 (L) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 6 SEC	0.75 - 7.89	4,305	27,591,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	850	2,552,000
	Total	5,785	31,663,899

Variable Name SPM_B6F **Length** 5.3 **Position** 1375 - 1379
Question Name
Concept Best FEV6/FVC (%) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.643 - 1.353	4,305	27,591,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	850	2,552,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_B16 **Length** 5.3 **Position** 1380 - 1384
Question Name
Concept Best FEV1/FEV6 (%) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.411 - 1.276	4,305	27,591,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	850	2,552,000
	Total	5,785	31,663,899

Variable Name SPM_BPEF **Length** 5.2 **Position** 1385 - 1389
Question Name
Concept Largest PEF (L/sec) from acceptable efforts
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	0.83 - 15.32	5,115	30,033,500
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	45	110,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_BF25 **Length** 5.2 **Position** 1390 - 1394

Question Name

Concept FEF25% (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Instantaneous forced expiratory flow when 25% of the FVC has been expired (FEF25%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.31 - 13.00	5,110	30,005,000
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	50	139,000
	Total	5,785	31,663,899

Variable Name SPM_BF50 **Length** 5.2 **Position** 1395 - 1399

Question Name

Concept FEF50% (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Instantaneous forced expiratory flow when 50% of the FVC has been expired (FEF50%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.25 - 9.53	5,110	30,005,000
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	50	139,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_BF75 **Length** 4.2 **Position** 1400 - 1403

Question Name

Concept FEF75% (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Instantaneous forced expiratory flow when 75% of the FVC has been expired (FEF75%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.06 - 5.05	5,110	30,005,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	50	139,000
	Total	5,785	31,663,899

Variable Name SPM_BM25 **Length** 4.2 **Position** 1404 - 1407

Question Name

Concept FEF25-75% (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Mean forced expiratory flow between 25% and 75% of the FVC (FEF25-75%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.21 - 7.73	5,115	30,033,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	110,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_BM75 **Length** 4.2 **Position** 1408 - 1411

Question Name

Concept FEF75-85% (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Mean forced expiratory flow between 75% and 85% of the FVC (FEF75-85%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 4.55	5,110	30,003,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	50	140,500
	Total	5,785	31,663,899

Variable Name SPM_BM1L **Length** 5.2 **Position** 1412 - 1416

Question Name

Concept FEF212 (L/sec) from the best acceptable effort

Question

Universe Respondents with SPCDELG = 1

Note Mean forced expiratory flow between 0.2 L and 1.2 L of the FVC (FEF212) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.14 - 14.11	5,090	29,954,500
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	65	189,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPMDBFVP **Length** 5.1 **Position** 1417 - 1421

Question Name

Concept Percent of predicted FVC - (D)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
% PREDICTED FVC	23.3 - 139.9	5,115	30,033,500
NOT APPLICABLE	999.6	625	1,520,000
NOT STATED	999.9	45	110,000
	Total	5,785	31,663,899

Variable Name SPMDB1P **Length** 5.1 **Position** 1422 - 1426

Question Name

Concept Percent of predicted FEV1 - (D)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
% PREDICTED FEV1	25.7 - 164.3	5,115	30,033,500
NOT APPLICABLE	999.6	625	1,520,000
NOT STATED	999.9	45	110,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPMDB1FP **Length** 5.1 **Position** 1427 - 1431

Question Name

Concept Percent of predicted FEV1/FVC - (D)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
% PREDICTED FEV1/FVC	48.4 - 133.1	5,115	30,033,500
NOT APPLICABLE	999.6	625	1,520,000
NOT STATED	999.9	45	110,000
	Total	5,785	31,663,899

Variable Name SPM_BMET **Length** 4.2 **Position** 1432 - 1435

Question Name

Concept Largest MET (sec) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.24 - 7.70	5,110	30,005,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	50	139,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_BET **Length** 5.2 **Position** 1436 - 1440

Question Name

Concept Largest expiratory time (sec) from acceptable efforts

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.02 - 18.77	5,115	30,033,500
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	45	110,000
	Total	5,785	31,663,899

Variable Name SPM_BNUM **Length** 2 **Position** 1441 - 1442

Question Name

Concept Identification number of best effort (largest sum FVC+FEV1)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
NUMBER OF BEST SPIROMETRY TRIAL	0 - 7	5,120	30,046,000
NOT APPLICABLE	96	625	1,520,000
DON'T KNOW	97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_1ACC	**Length**	1	**Position**	1443
Question Name					
Concept	Effort #1 effort acceptability				
Question					
Universe	Respondents with SPCDELG = 1				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	5,045	29,711,500
NO	2	70	334,500
NOT APPLICABLE	6	625	1,520,000
DON'T KNOW	7	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_1FVC	**Length**	4.2	**Position**	1444 - 1447
Question Name					
Concept	Effort #1 FVC (L) forced vital capacity				
Question					
Universe	Respondents with SPCDELG = 1				
Note					

Content	Code	Sample	Population
FVC	0.75 - 7.98	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_105 **Length** 4.2 **Position** 1448 - 1451
Question Name
Concept Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.32 - 4.76	5,115	30,017,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_105F **Length** 5.3 **Position** 1452 - 1456
Question Name
Concept Effort #1 FEV0.5/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.214 - 0.951	5,115	30,017,000
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_175 **Length** 4.2 **Position** 1457 - 1460

Question Name

Concept Effort #1 FEV0.75 (L) forced expiratory vol. in 0.75 seconds

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.39 - 5.67	4,840	28,414,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	320	1,730,000
	Total	5,785	31,663,899

Variable Name SPM_175F **Length** 5.3 **Position** 1461 - 1465

Question Name

Concept Effort #1 FEV0.75/FVC (%)

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.286 - 1.000	4,840	28,414,000
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	320	1,730,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_11 **Length** 4.2 **Position** 1466 - 1469
Question Name
Concept Effort #1 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 1 SEC	0.09 - 6.19	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_11F **Length** 4.2 **Position** 1470 - 1473
Question Name
Concept Effort #1 FEV1/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.11 - 1.00	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_13 **Length** 5.3 **Position** 1474 - 1478
Question Name
Concept Effort #1 FEV1/FEV6 (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.393 - 1.152	3,775	25,512,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	1,385	4,631,000
	Total	5,785	31,663,899

Variable Name SPM_13F **Length** 4.2 **Position** 1479 - 1482
Question Name
Concept Effort #1 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 3 SEC	0.72 - 7.50	4,845	29,253,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	315	890,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_16 **Length** 5.3 **Position** 1483 - 1487
Question Name
Concept Effort #1 FEV3/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.477 - 1.523	4,845	29,253,000
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	315	890,500
	Total	5,785	31,663,899

Variable Name SPM_16F **Length** 4.2 **Position** 1488 - 1491
Question Name
Concept Effort #1 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 6 SEC	0.75 - 7.89	3,775	25,512,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	1,385	4,631,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_116 **Length** 5.3 **Position** 1492 - 1496
Question Name
Concept Effort #1 FEV6/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.721 - 1.353	3,775	25,512,500
NOT APPLICABLE	9.996	625	1,520,000
DON'T KNOW	9.997	1,385	4,631,000
	Total	5,785	31,663,899

Variable Name SPM_1PEF **Length** 5.2 **Position** 1497 - 1501
Question Name
Concept Effort #1 PEF (L/s) peak expiratory flow
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	0.83 - 15.02	5,120	30,046,000
NOT APPLICABLE	99.96	625	1,520,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_1F25 **Length** 5.2 **Position** 1502 - 1506
Question Name
Concept Effort #1 FEF25% (L/s) forced exp. flow at 25% of the FVC
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.31 - 13.00	5,115	30,017,000
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_1F50 **Length** 5.2 **Position** 1507 - 1511
Question Name
Concept Effort #1 FEF50% (L/s) forced exp. flow at 50% of the FVC
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.21 - 9.50	5,115	30,017,000
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_1F75 **Length** 4.2 **Position** 1512 - 1515

Question Name

Concept Effort #1 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.06 - 5.23	5,115	30,017,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_1M25 **Length** 4.2 **Position** 1516 - 1519

Question Name

Concept Effort #1 FEF2575% (L/s) forced exp. flow from 25-75% of FVC

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.21 - 7.73	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_1M75 **Length** 4.2 **Position** 1520 - 1523

Question Name

Concept Effort #1 FEF7585% (L/s) forced exp. flow from 75-85% of FVC

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 4.55	5,110	30,007,500
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	136,000
	Total	5,785	31,663,899

Variable Name SPM_1M1L **Length** 5.2 **Position** 1524 - 1528

Question Name

Concept Effort#1 FEF212 (L/s) forced ex. flow from 0.2 to 1.2 liters

Question

Universe Respondents with SPCDELG = 1

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.17 - 14.11	5,100	29,961,500
NOT APPLICABLE	99.96	625	1,520,000
DON'T KNOW	99.97	60	182,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_1MET **Length** 4.2 **Position** 1529 - 1532

Question Name

Concept Effort #1 MET (seconds) mid-expiratory time

Question

Universe Respondents with SPCDELG = 1

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.25 - 6.36	5,115	30,017,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_1ET **Length** 5.2 **Position** 1533 - 1537

Question Name

Concept Effort #1 Expiratory Time (seconds)

Question

Universe Respondents with SPCDELG = 1

Note SPIRO

Content	Code	Sample	Population
EXPIRATORY TIME	1.00 - 20.20	5,120	30,046,000
NOT APPLICABLE	99.96	625	1,520,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_1BV **Length** 4.2 **Position** 1538 - 1541
Question Name
Concept Effort #1 Backextrapolated Volume (L)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	-.07 - 1.27	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_1BVF **Length** 4.2 **Position** 1542 - 1545
Question Name
Concept Effort #1 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	-.05 - 0.99	5,120	30,046,000
NOT APPLICABLE	9.96	625	1,520,000
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_2ACC	**Length**	1	**Position**	1546
Question Name					
Concept	Effort #2 effort acceptability				
Question					
Universe	Respondents with 1 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	4,710	27,795,500
NO	2	400	2,215,000
NOT APPLICABLE	6	640	1,555,500
DON'T KNOW	7	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_2FVC	**Length**	4.2	**Position**	1547 - 1550
Question Name					
Concept	Effort #2 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 1 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.65 - 7.86	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_205 **Length** 4.2 **Position** 1551 - 1554

Question Name

Concept Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.35 - 4.76	5,105	29,982,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_205F **Length** 5.3 **Position** 1555 - 1559

Question Name

Concept Effort #2 FEV0.5/FVC (%)

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.226 - 1.000	5,105	29,982,000
NOT APPLICABLE	9.996	640	1,555,500
DON'T KNOW	9.997	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_275 **Length** 4.2 **Position** 1560 - 1563
Question Name
Concept Effort #2 FEV0.75 (L) forced exp. volume in 0.75 seconds
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.21 - 5.68	4,830	28,383,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	315	1,725,000
	Total	5,785	31,663,899

Variable Name SPM_275F **Length** 5.3 **Position** 1564 - 1568
Question Name
Concept Effort #2 FEV0.75/FVC (%)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.212 - 1.000	4,830	28,383,000
NOT APPLICABLE	9.996	640	1,555,500
DON'T KNOW	9.997	315	1,725,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_21 **Length** 4.2 **Position** 1569 - 1572

Question Name

Concept Effort #2 FEV1 (L) forced expiratory volume in 1 second

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 1 SEC	0.22 - 6.18	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_21F **Length** 4.2 **Position** 1573 - 1576

Question Name

Concept Effort #2 FEV1/FVC (%)

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.22 - 2.97	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_23 **Length** 5.3 **Position** 1577 - 1581
Question Name
Concept Effort #2 FEV1/FEV6 (%)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.411 - 1.030	3,560	24,146,500
NOT APPLICABLE	9.996	640	1,555,500
DON'T KNOW	9.997	1,585	5,962,000
	Total	5,785	31,663,899

Variable Name SPM_23F **Length** 4.2 **Position** 1582 - 1585
Question Name
Concept Effort #2 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.20 - 7.56	4,795	29,090,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	350	1,018,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_26 **Length** 5.3 **Position** 1586 - 1590
Question Name
Concept Effort #2 FEV3/FVC (%)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.303 - 1.682	4,795	29,090,000
NOT APPLICABLE	9.996	640	1,555,500
DON'T KNOW	9.997	350	1,018,000
	Total	5,785	31,663,899

Variable Name SPM_26F **Length** 4.2 **Position** 1591 - 1594
Question Name
Concept Effort #2 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 6 SEC	0.67 - 7.77	3,560	24,146,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	1,585	5,962,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_216 **Length** 5.3 **Position** 1595 - 1599
Question Name
Concept Effort #2 FEV6/FVC (%)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.579 - 1.359	3,560	24,146,500
NOT APPLICABLE	9.996	640	1,555,500
DON'T KNOW	9.997	1,585	5,962,000
	Total	5,785	31,663,899

Variable Name SPM_2PEF **Length** 5.2 **Position** 1600 - 1604
Question Name
Concept Effort #2 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	1.01 - 15.32	5,110	30,010,500
NOT APPLICABLE	99.96	640	1,555,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_2F25 **Length** 5.2 **Position** 1605 - 1609

Question Name

Concept Effort #2 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.41 - 12.61	5,105	29,982,000
NOT APPLICABLE	99.96	640	1,555,500
DON'T KNOW	99.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_2F50 **Length** 5.2 **Position** 1610 - 1614

Question Name

Concept Effort #2 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.25 - 9.53	5,105	29,982,000
NOT APPLICABLE	99.96	640	1,555,500
DON'T KNOW	99.97	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_2F75 **Length** 4.2 **Position** 1615 - 1618

Question Name

Concept Effort #1 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.07 - 5.04	5,105	29,982,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_2M25 **Length** 4.2 **Position** 1619 - 1622

Question Name

Concept Effort #2 FEF2575% (L/s) forced ex. flow from 25-75% of FVC

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.08 - 7.68	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_2M75 **Length** 4.2 **Position** 1623 - 1626
Question Name
Concept Effort #2 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 4.27	5,105	29,982,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_2M1L **Length** 5.2 **Position** 1627 - 1631
Question Name
Concept Effort #2 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.12 - 14.06	5,080	29,908,000
NOT APPLICABLE	99.96	640	1,555,500
DON'T KNOW	99.97	65	200,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_2MET **Length** 4.2 **Position** 1632 - 1635

Question Name

Concept Effort #2 MET (sec) mid-expiratory time

Question

Universe Respondents with 1 < SPM_NUME < 96

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.14 - 7.70	5,105	29,982,000
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_2ET **Length** 5.2 **Position** 1636 - 1640

Question Name

Concept Effort #2 Expiratory Time (seconds)

Question

Universe Respondents with 1 < SPM_NUME < 96

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.01 - 39.12	5,110	30,010,500
NOT APPLICABLE	99.96	640	1,555,500
DON'T KNOW	99.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_2BV **Length** 4.2 **Position** 1641 - 1644
Question Name
Concept Effort #2 Backextrapolated Volume (L)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	-.09 - 1.30	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_2BVF **Length** 4.2 **Position** 1645 - 1648
Question Name
Concept Effort #2 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 1 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	-.07 - 0.95	5,110	30,010,500
NOT APPLICABLE	9.96	640	1,555,500
DON'T KNOW	9.97	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_3ACC	**Length**	1	**Position**	1649
Question Name					
Concept	Effort #3 effort acceptability				
Question					
Universe	Respondents with 2 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	4,725	27,866,500
NO	2	365	2,033,000
NOT APPLICABLE	6	655	1,667,000
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_3FVC	**Length**	4.2	**Position**	1650 - 1653
Question Name					
Concept	Effort #3 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 2 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.36 - 7.88	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_305 **Length** 4.2 **Position** 1654 - 1657

Question Name

Concept Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.20 - 4.82	5,090	29,870,500
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_305F **Length** 5.3 **Position** 1658 - 1662

Question Name

Concept Effort #3 FEV0.5/FVC (%)

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.193 - 3.222	5,085	29,869,500
NOT APPLICABLE	9.996	655	1,667,000
NOT STATED	9.999	45	127,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_375 **Length** 4.2 **Position** 1663 - 1666
Question Name
Concept Effort #3 FEV0.75 (L) forced exp. volume in 0.75 seconds
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.20 - 5.70	4,815	28,273,500
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	315	1,723,500
	Total	5,785	31,663,899

Variable Name SPM_375F **Length** 5.3 **Position** 1667 - 1671
Question Name
Concept Effort #3 FEV0.75/FVC (%)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.050 - 4.056	4,815	28,273,500
NOT APPLICABLE	9.996	655	1,667,000
NOT STATED	9.999	315	1,723,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_31 **Length** 4.2 **Position** 1672 - 1675
Question Name
Concept Effort #3 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.24 - 6.16	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_31F **Length** 4.2 **Position** 1676 - 1679
Question Name
Concept Effort #3 FEV1/FVC (%)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.06 - 4.72	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_33 **Length** 5.3 **Position** 1680 - 1684
Question Name
Concept Effort #3 FEV1/FEV6 (%)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.062 - 0.986	3,570	24,247,500
NOT APPLICABLE	9.996	655	1,667,000
NOT STATED	9.999	1,560	5,749,500
	Total	5,785	31,663,899

Variable Name SPM_33F **Length** 4.2 **Position** 1685 - 1688
Question Name
Concept Effort #3 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.35 - 7.50	4,755	28,802,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	375	1,195,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_36 **Length** 5.3 **Position** 1689 - 1693

Question Name

Concept Effort #3 FEV3/FVC (%)

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.307 - 5.583	4,755	28,802,000
NOT APPLICABLE	9.996	655	1,667,000
NOT STATED	9.999	375	1,195,000
	Total	5,785	31,663,899

Variable Name SPM_36F **Length** 4.2 **Position** 1694 - 1697

Question Name

Concept Effort #3 FEV6 (L) forced expiratory volume in 6 seconds

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 6 SEC	0.81 - 7.78	3,570	24,247,500
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	1,560	5,749,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_316 **Length** 5.3 **Position** 1698 - 1702
Question Name
Concept Effort #3 FEV6/FVC (%)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.737 - 1.257	3,570	24,247,500
NOT APPLICABLE	9.996	655	1,667,000
NOT STATED	9.999	1,560	5,749,500
	Total	5,785	31,663,899

Variable Name SPM_3PEF **Length** 5.2 **Position** 1703 - 1707
Question Name
Concept Effort #3 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	1.23 - 15.32	5,090	29,899,000
NOT APPLICABLE	99.96	655	1,667,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_3F25 **Length** 5.2 **Position** 1708 - 1712

Question Name

Concept Effort #3 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.40 - 13.68	5,090	29,870,500
NOT APPLICABLE	99.96	655	1,667,000
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_3F50 **Length** 5.2 **Position** 1713 - 1717

Question Name

Concept Effort #3 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.21 - 9.31	5,090	29,870,500
NOT APPLICABLE	99.96	655	1,667,000
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_3F75 **Length** 4.2 **Position** 1718 - 1721

Question Name

Concept Effort #3 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.06 - 4.75	5,090	29,870,500
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_3M25 **Length** 4.2 **Position** 1722 - 1725

Question Name

Concept Effort #3 FEF2575% (L/s) forced ex. flow from 25-75% of FVC

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.08 - 7.98	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_3M75 **Length** 4.2 **Position** 1726 - 1729

Question Name

Concept Effort #3 FEF7585% (L/s) forced exp. flow from 75-85% of FVC

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 3.85	5,085	29,869,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	45	128,000
	Total	5,785	31,663,899

Variable Name SPM_3M1L **Length** 5.2 **Position** 1730 - 1734

Question Name

Concept Effort #3 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.14 - 14.25	5,060	29,785,500
NOT APPLICABLE	99.96	655	1,667,000
NOT STATED	99.99	75	211,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_3MET **Length** 4.2 **Position** 1735 - 1738

Question Name

Concept Effort #3 MET (sec) mid-expiratory time

Question

Universe Respondents with 2 < SPM_NUME < 96

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.21 - 5.74	5,090	29,870,500
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_3ET **Length** 5.2 **Position** 1739 - 1743

Question Name

Concept Effort #3 Expiratory Time (seconds)

Question

Universe Respondents with 2 < SPM_NUME < 96

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.02 - 23.19	5,090	29,899,000
NOT APPLICABLE	99.96	655	1,667,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_3BV **Length** 4.2 **Position** 1744 - 1747
Question Name
Concept Effort #3 Backextrapolated Volume (L)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	0.00 - 1.07	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_3BVF **Length** 4.2 **Position** 1748 - 1751
Question Name
Concept Effort #3 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 2 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	0.00 - 0.85	5,090	29,899,000
NOT APPLICABLE	9.96	655	1,667,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_4ACC	**Length**	1	**Position**	1752
Question Name					
Concept	Effort #4 effort acceptability				
Question					
Universe	Respondents with 3 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	4,055	24,243,500
NO	2	750	3,641,000
NOT APPLICABLE	6	945	3,681,500
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_4FVC	**Length**	4.2	**Position**	1753 - 1756
Question Name					
Concept	Effort #4 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 3 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.29 - 7.87	4,800	27,884,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_405 **Length** 4.2 **Position** 1757 - 1760

Question Name

Concept Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.22 - 4.80	4,795	27,852,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	45	130,500
	Total	5,785	31,663,899

Variable Name SPM_405F **Length** 5.3 **Position** 1761 - 1765

Question Name

Concept Effort #4 FEV0.5/FVC (%)

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.194 - 2.143	4,795	27,852,000
NOT APPLICABLE	9.996	945	3,681,500
NOT STATED	9.999	45	130,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_475 **Length** 4.2 **Position** 1766 - 1769
Question Name
Concept Effort #4 FEV0.75 (L) forced exp. volume in 0.75 seconds
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.24 - 5.70	4,535	26,309,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	305	1,673,000
	Total	5,785	31,663,899

Variable Name SPM_475F **Length** 5.3 **Position** 1770 - 1774
Question Name
Concept Effort #4 FEV0.75/FVC (%)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.273 - 2.821	4,535	26,309,500
NOT APPLICABLE	9.996	945	3,681,500
NOT STATED	9.999	305	1,673,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_41 **Length** 4.2 **Position** 1775 - 1778
Question Name
Concept Effort #4 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.26 - 6.16	4,800	27,884,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,500
	Total	5,785	31,663,899

Variable Name SPM_41F **Length** 4.2 **Position** 1779 - 1782
Question Name
Concept Effort #4 FEV1/FVC (%)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.12 - 3.27	4,800	27,884,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_43 **Length** 5.3 **Position** 1783 - 1787
Question Name
Concept Effort #4 FEV1/FEV6 (%)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.421 - 0.993	3,160	21,307,000
NOT APPLICABLE	9.996	945	3,681,500
NOT STATED	9.999	1,680	6,675,000
	Total	5,785	31,663,899

Variable Name SPM_43F **Length** 4.2 **Position** 1788 - 1791
Question Name
Concept Effort #4 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.15 - 7.44	4,390	26,544,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	450	1,438,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_46 **Length** 5.3 **Position** 1792 - 1796
Question Name
Concept Effort #4 FEV3/FVC (%)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.098 - 1.794	4,390	26,544,500
NOT APPLICABLE	9.996	945	3,681,500
NOT STATED	9.999	450	1,438,000
	Total	5,785	31,663,899

Variable Name SPM_46F **Length** 4.2 **Position** 1797 - 1800
Question Name
Concept Effort #4 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 6 SEC	0.70 - 7.76	3,160	21,307,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	1,680	6,675,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_416 **Length** 5.3 **Position** 1801 - 1805
Question Name
Concept Effort #4 FEV6/FVC (%)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.765 - 1.460	3,160	21,307,000
NOT APPLICABLE	9.996	945	3,681,500
NOT STATED	9.999	1,680	6,675,000
	Total	5,785	31,663,899

Variable Name SPM_4PEF **Length** 5.2 **Position** 1806 - 1810
Question Name
Concept Effort #4 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	0.62 - 14.80	4,800	27,884,500
NOT APPLICABLE	99.96	945	3,681,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_4F25 **Length** 5.2 **Position** 1811 - 1815

Question Name

Concept Effort #4 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.46 - 13.43	4,800	27,856,000
NOT APPLICABLE	99.96	945	3,681,500
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_4F50 **Length** 5.2 **Position** 1816 - 1820

Question Name

Concept Effort #4 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.28 - 8.66	4,800	27,856,000
NOT APPLICABLE	99.96	945	3,681,500
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_4F75 **Length** 4.2 **Position** 1821 - 1824

Question Name

Concept Effort #4 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.05 - 5.03	4,800	27,856,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_4M25 **Length** 4.2 **Position** 1825 - 1828

Question Name

Concept Effort #4 FEF2575% (L/s) forced ex. flow from 25-75% of FVC

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.25 - 8.00	4,800	27,884,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_4M75 **Length** 4.2 **Position** 1829 - 1832

Question Name

Concept Effort #4 FEF7585% (L/s) forced exp. flow from 75-85% of FVC

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.06 - 4.45	4,800	27,856,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_4M1L **Length** 5.2 **Position** 1833 - 1837

Question Name

Concept Effort #4 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L

Question

Universe Respondents with 3 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.19 - 14.12	4,760	27,718,000
NOT APPLICABLE	99.96	945	3,681,500
NOT STATED	99.99	85	264,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_4MET **Length** 4.2 **Position** 1838 - 1841
Question Name
Concept Effort #4 MET (sec) mid-expiratory time
Question
Universe Respondents with 3 < SPM_NUME < 96
Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.17 - 4.97	4,800	27,856,000
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_4ET **Length** 5.2 **Position** 1842 - 1846
Question Name
Concept Effort #4 Expiratory Time (seconds)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.01 - 19.46	4,800	27,884,500
NOT APPLICABLE	99.96	945	3,681,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_4BV **Length** 4.2 **Position** 1847 - 1850
Question Name
Concept Effort #4 Backextrapolated Volume (L)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	-.13 - 1.00	4,800	27,884,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_4BVF **Length** 4.2 **Position** 1851 - 1854
Question Name
Concept Effort #4 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 3 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	-.11 - 1.00	4,800	27,884,500
NOT APPLICABLE	9.96	945	3,681,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_5ACC	**Length**	1	**Position**	1855
Question Name					
Concept	Effort #5 effort acceptability				
Question					
Universe	Respondents with 4 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	2,845	16,620,500
NO	2	1,075	5,025,000
NOT APPLICABLE	6	1,825	9,920,500
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_5FVC	**Length**	4.2	**Position**	1856 - 1859
Question Name					
Concept	Effort #5 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 4 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.25 - 7.50	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_505 **Length** 4.2 **Position** 1860 - 1863
Question Name
Concept Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.14 - 4.72	3,915	21,613,000
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	45	130,500
	Total	5,785	31,663,899

Variable Name SPM_505F **Length** 5.3 **Position** 1864 - 1868
Question Name
Concept Effort #5 FEV0.5/FVC (%)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.068 - 1.117	3,915	21,613,000
NOT APPLICABLE	9.996	1,825	9,920,500
NOT STATED	9.999	45	130,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_575 **Length** 4.2 **Position** 1869 - 1872

Question Name

Concept Effort #5 FEV0.75 (L) forced exp. volume in 0.75 seconds

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.16 - 5.60	3,710	20,473,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	250	1,270,000
	Total	5,785	31,663,899

Variable Name SPM_575F **Length** 5.3 **Position** 1873 - 1877

Question Name

Concept Effort #5 FEV0.75/FVC (%)

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.131 - 1.339	3,710	20,473,500
NOT APPLICABLE	9.996	1,825	9,920,500
NOT STATED	9.999	250	1,270,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_51 **Length** 4.2 **Position** 1878 - 1881
Question Name
Concept Effort #5 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.16 - 6.10	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_51F **Length** 4.2 **Position** 1882 - 1885
Question Name
Concept Effort #5 FEV1/FVC (%)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.33 - 1.94	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_53 **Length** 5.3 **Position** 1886 - 1890
Question Name
Concept Effort #5 FEV1/FEV6 (%)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.310 - 1.000	2,305	15,420,000
NOT APPLICABLE	9.996	1,825	9,920,500
NOT STATED	9.999	1,655	6,323,500
	Total	5,785	31,663,899

Variable Name SPM_53F **Length** 4.2 **Position** 1891 - 1894
Question Name
Concept Effort #5 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.41 - 7.33	3,475	20,254,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	485	1,489,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_56 **Length** 5.3 **Position** 1895 - 1899
Question Name
Concept Effort #5 FEV3/FVC (%)
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.507 - 5.698	3,475	20,254,500
NOT APPLICABLE	9.996	1,825	9,920,500
NOT STATED	9.999	485	1,489,000
	Total	5,785	31,663,899

Variable Name SPM_56F **Length** 4.2 **Position** 1900 - 1903
Question Name
Concept Effort #5 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with SPCDELG = 1
Note

Content	Code	Sample	Population
FEV 6 SEC	0.72 - 7.43	2,305	15,420,000
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	1,655	6,323,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_516 **Length** 5.3 **Position** 1904 - 1908
Question Name
Concept Effort #5 FEV6/FVC (%)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.780 - 6.254	2,305	15,420,000
NOT APPLICABLE	9.996	1,825	9,920,500
NOT STATED	9.999	1,655	6,323,500
	Total	5,785	31,663,899

Variable Name SPM_5PEF **Length** 5.2 **Position** 1909 - 1913
Question Name
Concept Effort #5 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	0.52 - 14.51	3,920	21,645,500
NOT APPLICABLE	99.96	1,825	9,920,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_5F25 **Length** 5.2 **Position** 1914 - 1918

Question Name

Concept Effort #5 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.46 - 13.56	3,915	21,617,000
NOT APPLICABLE	99.96	1,825	9,920,500
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_5F50 **Length** 5.2 **Position** 1919 - 1923

Question Name

Concept Effort #5 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.24 - 9.00	3,915	21,617,000
NOT APPLICABLE	99.96	1,825	9,920,500
NOT STATED	99.99	45	126,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_5F75 **Length** 4.2 **Position** 1924 - 1927

Question Name

Concept Effort #5 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.10 - 5.26	3,915	21,617,000
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_5M25 **Length** 4.2 **Position** 1928 - 1931

Question Name

Concept Effort #5 FEF2575% (L/s) forced ex. flow from 25-75% of FVC

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.09 - 7.97	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_5M75 **Length** 4.2 **Position** 1932 - 1935
Question Name
Concept Effort #5 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 4.55	3,915	21,617,000
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_5M1L **Length** 5.2 **Position** 1936 - 1940
Question Name
Concept Effort #5 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.21 - 14.12	3,875	21,518,000
NOT APPLICABLE	99.96	1,825	9,920,500
NOT STATED	99.99	85	225,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_5MET **Length** 4.2 **Position** 1941 - 1944

Question Name

Concept Effort #5 MET (sec) mid-expiratory time

Question

Universe Respondents with 4 < SPM_NUME < 96

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.22 - 4.61	3,915	21,617,000
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	45	126,500
	Total	5,785	31,663,899

Variable Name SPM_5ET **Length** 5.2 **Position** 1945 - 1949

Question Name

Concept Effort #5 Expiratory Time (seconds)

Question

Universe Respondents with 4 < SPM_NUME < 96

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.00 - 19.18	3,920	21,645,500
NOT APPLICABLE	99.96	1,825	9,920,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_5BV **Length** 4.2 **Position** 1950 - 1953
Question Name
Concept Effort #5 Backextrapolated Volume (L)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	0.00 - 1.56	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_5BVF **Length** 4.2 **Position** 1954 - 1957
Question Name
Concept Effort #5 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 4 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	0.00 - 0.91	3,920	21,645,500
NOT APPLICABLE	9.96	1,825	9,920,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_6ACC	**Length**	1	**Position**	1958
Question Name					
Concept	Effort #6 effort acceptability				
Question					
Universe	Respondents with 5 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	1,835	9,545,000
NO	2	1,070	5,906,000
NOT APPLICABLE	6	2,840	16,115,000
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_6FVC	**Length**	4.2	**Position**	1959 - 1962
Question Name					
Concept	Effort #6 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 5 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.64 - 7.48	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_605 **Length** 4.2 **Position** 1963 - 1966
Question Name
Concept Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.30 - 4.59	2,900	15,425,500
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	123,000
	Total	5,785	31,663,899

Variable Name SPM_605F **Length** 5.3 **Position** 1967 - 1971
Question Name
Concept Effort #6 FEV0.5/FVC (%)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.186 - 0.991	2,900	15,425,500
NOT APPLICABLE	9.996	2,840	16,115,000
NOT STATED	9.999	40	123,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_675 **Length** 4.2 **Position** 1972 - 1975
Question Name
Concept Effort #6 FEV0.75 (L) forced exp. volume in 0.75 seconds
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.19 - 5.46	2,755	14,583,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	190	965,500
	Total	5,785	31,663,899

Variable Name SPM_675F **Length** 5.3 **Position** 1976 - 1980
Question Name
Concept Effort #6 FEV0.75/FVC (%)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.241 - 1.000	2,755	14,583,000
NOT APPLICABLE	9.996	2,840	16,115,000
NOT STATED	9.999	190	965,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_61 **Length** 4.2 **Position** 1981 - 1984
Question Name
Concept Effort #6 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.09 - 6.00	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_61F **Length** 4.2 **Position** 1985 - 1988
Question Name
Concept Effort #6 FEV1/FVC (%)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.11 - 1.10	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_63 **Length** 5.3 **Position** 1989 - 1993

Question Name

Concept Effort #6 FEV1/FEV6 (%)

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.384 - 1.109	1,530	10,028,500
NOT APPLICABLE	9.996	2,840	16,115,000
NOT STATED	9.999	1,415	5,520,500
	Total	5,785	31,663,899

Variable Name SPM_63F **Length** 4.2 **Position** 1994 - 1997

Question Name

Concept Effort #6 FEV3 (L) forced expiratory volume in 3 seconds

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 3 SEC	0.40 - 7.22	2,510	13,990,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	435	1,559,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_66 **Length** 5.3 **Position** 1998 - 2002

Question Name

Concept Effort #6 FEV3/FVC (%)

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.273 - 1.784	2,510	13,990,000
NOT APPLICABLE	9.996	2,840	16,115,000
NOT STATED	9.999	435	1,559,000
	Total	5,785	31,663,899

Variable Name SPM_66F **Length** 4.2 **Position** 2003 - 2006

Question Name

Concept Effort #6 FEV6 (L) forced expiratory volume in 6 seconds

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 6 SEC	0.90 - 7.45	1,530	10,028,500
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	1,415	5,520,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_616 **Length** 5.3 **Position** 2007 - 2011
Question Name
Concept Effort #6 FEV6/FVC (%)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.820 - 2.149	1,530	10,028,500
NOT APPLICABLE	9.996	2,840	16,115,000
NOT STATED	9.999	1,415	5,520,500
	Total	5,785	31,663,899

Variable Name SPM_6PEF **Length** 5.2 **Position** 2012 - 2016
Question Name
Concept Effort #6 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	1.21 - 14.80	2,905	15,451,000
NOT APPLICABLE	99.96	2,840	16,115,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_6F25 **Length** 5.2 **Position** 2017 - 2021

Question Name

Concept Effort #6 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.50 - 12.86	2,900	15,425,500
NOT APPLICABLE	99.96	2,840	16,115,000
NOT STATED	99.99	40	123,000
	Total	5,785	31,663,899

Variable Name SPM_6F50 **Length** 5.2 **Position** 2022 - 2026

Question Name

Concept Effort #6 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.26 - 9.35	2,900	15,425,500
NOT APPLICABLE	99.96	2,840	16,115,000
NOT STATED	99.99	40	123,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_6F75 **Length** 4.2 **Position** 2027 - 2030

Question Name

Concept Effort #6 FEF75% (L/s) forced exp. flow at 75% of the FVC

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.07 - 6.29	2,900	15,425,500
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	123,000
	Total	5,785	31,663,899

Variable Name SPM_6M25 **Length** 4.2 **Position** 2031 - 2034

Question Name

Concept Effort #6 FEF2575% (L/s) forced ex. flow from 25-75% of FVC

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.13 - 8.38	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_6M75 **Length** 4.2 **Position** 2035 - 2038

Question Name

Concept Effort #6 FEF7585% (L/s) forced exp. flow from 75-85% of FVC

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 4.45	2,900	15,425,500
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	123,000
	Total	5,785	31,663,899

Variable Name SPM_6M1L **Length** 5.2 **Position** 2039 - 2043

Question Name

Concept Effort #6 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.24 - 13.24	2,855	15,239,000
NOT APPLICABLE	99.96	2,840	16,115,000
NOT STATED	99.99	90	310,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_6MET **Length** 4.2 **Position** 2044 - 2047

Question Name

Concept Effort #6 MET (sec) mid-expiratory time

Question

Universe Respondents with 5 < SPM_NUME < 96

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.13 - 3.88	2,900	15,425,500
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	123,000
	Total	5,785	31,663,899

Variable Name SPM_6ET **Length** 5.2 **Position** 2048 - 2052

Question Name

Concept Effort #6 Expiratory Time (seconds)

Question

Universe Respondents with 5 < SPM_NUME < 96

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.00 - 18.61	2,905	15,451,000
NOT APPLICABLE	99.96	2,840	16,115,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_6BV **Length** 4.2 **Position** 2053 - 2056
Question Name
Concept Effort #6 Backextrapolated Volume (L)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	0.00 - 0.73	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_6BVF **Length** 4.2 **Position** 2057 - 2060
Question Name
Concept Effort #6 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 5 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	0.00 - 0.35	2,905	15,451,000
NOT APPLICABLE	9.96	2,840	16,115,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_7ACC	**Length**	1	**Position**	2061
Question Name					
Concept	Effort #7 effort acceptability				
Question					
Universe	Respondents with 6 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	1,040	5,501,000
NO	2	920	4,042,000
NOT APPLICABLE	6	3,790	22,023,000
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_7FVC	**Length**	4.2	**Position**	2062 - 2065
Question Name					
Concept	Effort #7 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 6 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.19 - 7.23	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_705 **Length** 4.2 **Position** 2066 - 2069

Question Name

Concept Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.19 - 4.05	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_705F **Length** 5.3 **Position** 2070 - 2074

Question Name

Concept Effort #7 FEV0.5/FVC (%)

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.081 - 1.000	1,960	9,543,000
NOT APPLICABLE	9.996	3,790	22,023,000
NOT STATED	9.999	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_775 **Length** 4.2 **Position** 2075 - 2078

Question Name

Concept Effort #7 FEV0.75 (L) forced exp. volume in 0.75 seconds

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.19 - 4.91	1,860	9,051,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	135	590,000
	Total	5,785	31,663,899

Variable Name SPM_775F **Length** 5.3 **Position** 2079 - 2083

Question Name

Concept Effort #7 FEV0.75/FVC (%)

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.109 - 1.137	1,860	9,051,000
NOT APPLICABLE	9.996	3,790	22,023,000
NOT STATED	9.999	135	590,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_71 **Length** 4.2 **Position** 2084 - 2087
Question Name
Concept Effort #7 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.19 - 5.59	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_71F **Length** 4.2 **Position** 2088 - 2091
Question Name
Concept Effort #7 FEV1/FVC (%)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.13 - 1.71	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_73 **Length** 5.3 **Position** 2092 - 2096
Question Name
Concept Effort #7 FEV1/FEV6 (%)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.135 - 1.000	920	5,807,000
NOT APPLICABLE	9.996	3,790	22,023,000
NOT STATED	9.999	1,075	3,834,000
	Total	5,785	31,663,899

Variable Name SPM_73F **Length** 4.2 **Position** 2097 - 2100
Question Name
Concept Effort #7 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.51 - 6.85	1,630	8,263,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	370	1,378,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_76 **Length** 5.3 **Position** 2101 - 2105
Question Name
Concept Effort #7 FEV3/FVC (%)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.418 - 1.784	1,630	8,263,000
NOT APPLICABLE	9.996	3,790	22,023,000
NOT STATED	9.999	370	1,378,000
	Total	5,785	31,663,899

Variable Name SPM_76F **Length** 4.2 **Position** 2106 - 2109
Question Name
Concept Effort #7 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 6 SEC	0.51 - 7.17	920	5,807,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	1,075	3,834,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_716 **Length** 5.3 **Position** 2110 - 2114
Question Name
Concept Effort #7 FEV6/FVC (%)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.418 - 1.500	920	5,807,000
NOT APPLICABLE	9.996	3,790	22,023,000
NOT STATED	9.999	1,075	3,834,000
	Total	5,785	31,663,899

Variable Name SPM_7PEF **Length** 5.2 **Position** 2115 - 2119
Question Name
Concept Effort #7 PEF (L/s) peak expiratory flow
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
PEAK EXPIRATORY FLOW	0.51 - 14.48	1,960	9,543,000
NOT APPLICABLE	99.96	3,790	22,023,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_7F25 **Length** 5.2 **Position** 2120 - 2124

Question Name

Concept Effort #7 FEF25% (L/s) forced exp. flow at 25% of the FVC

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.25 - 13.01	1,960	9,543,000
NOT APPLICABLE	99.96	3,790	22,023,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_7F50 **Length** 5.2 **Position** 2125 - 2129

Question Name

Concept Effort #7 FEF50% (L/s) forced exp. flow at 50% of the FVC

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.23 - 8.43	1,960	9,543,000
NOT APPLICABLE	99.96	3,790	22,023,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_7F75 **Length** 4.2 **Position** 2130 - 2133
Question Name
Concept Effort #7 FEF75% (L/s) forced exp. flow at 75% of the FVC
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.07 - 4.77	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_7M25 **Length** 4.2 **Position** 2134 - 2137
Question Name
Concept Effort #7 FEF2575% (L/s) forced ex. flow from 25-75% of FVC
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.09 - 7.31	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_7M75 **Length** 4.2 **Position** 2138 - 2141
Question Name
Concept Effort #7 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.05 - 3.95	1,955	9,541,500
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	99,500
	Total	5,785	31,663,899

Variable Name SPM_7M1L **Length** 5.2 **Position** 2142 - 2146
Question Name
Concept Effort #7 FEF212 (L/s) forced exp.flow from 0.2 to 1.2 L
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.14 - 13.95	1,905	9,446,000
NOT APPLICABLE	99.96	3,790	22,023,000
NOT STATED	99.99	90	195,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_7MET **Length** 4.2 **Position** 2147 - 2150

Question Name

Concept Effort #7 MET (sec) mid-expiratory time

Question

Universe Respondents with 6 < SPM_NUME < 96

Note The time (sec) required to exhale from 25 to 75% of forced vital capacity.

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.15 - 6.61	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_7ET **Length** 5.2 **Position** 2151 - 2155

Question Name

Concept Effort #7 Expiratory Time (seconds)

Question

Universe Respondents with 6 < SPM_NUME < 96

Note

Content	Code	Sample	Population
EXPIRATORY TIME	1.00 - 25.01	1,960	9,543,000
NOT APPLICABLE	99.96	3,790	22,023,000
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_7BV **Length** 4.2 **Position** 2156 - 2159
Question Name
Concept Effort #7 Backextrapolated Volume (L)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	-.19 - 1.29	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_7BVF **Length** 4.2 **Position** 2160 - 2163
Question Name
Concept Effort #7 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 6 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	-.14 - 0.91	1,960	9,543,000
NOT APPLICABLE	9.96	3,790	22,023,000
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_8ACC	**Length**	1	**Position**	2164
Question Name					
Concept	Effort #8 effort acceptability				
Question					
Universe	Respondents with 7 < SPM_NUME < 96				
Note	This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.				

Content	Code	Sample	Population
YES	1	535	2,748,000
NO	2	710	3,181,500
NOT APPLICABLE	6	4,500	25,636,500
NOT STATED	9	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_8FVC	**Length**	4.2	**Position**	2165 - 2168
Question Name					
Concept	Effort #8 FVC (L) forced vital capacity				
Question					
Universe	Respondents with 7 < SPM_NUME < 96				
Note					

Content	Code	Sample	Population
FVC	0.43 - 7.10	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_805 **Length** 4.2 **Position** 2169 - 2172

Question Name

Concept Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question

Universe Respondents with 7 < SPM_NUME < 96

Note

Content	Code	Sample	Population
FEV 0.5 SEC	0.17 - 4.01	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_805F **Length** 5.3 **Position** 2173 - 2177

Question Name

Concept Effort #8 FEV0.5/FVC (%)

Question

Universe Respondents with 7 < SPM_NUME < 96

Note

Content	Code	Sample	Population
RATIO FEV 0.5 TO FVC	0.169 - 1.299	1,245	5,826,000
NOT APPLICABLE	9.996	4,500	25,636,500
NOT STATED	9.999	40	201,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_875 **Length** 4.2 **Position** 2178 - 2181
Question Name
Concept Effort #8 FEV0.75 (L) forced exp. volume in 0.75 seconds
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 0.75 SEC	0.20 - 4.70	1,185	5,685,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	105	341,500
	Total	5,785	31,663,899

Variable Name SPM_875F **Length** 5.3 **Position** 2182 - 2186
Question Name
Concept Effort #8 FEV0.75/FVC (%)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 0.75 TO FVC	0.051 - 1.494	1,185	5,685,500
NOT APPLICABLE	9.996	4,500	25,636,500
NOT STATED	9.999	105	341,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_81 **Length** 4.2 **Position** 2187 - 2190
Question Name
Concept Effort #8 FEV1 (L) forced expiratory volume in 1 second
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 1 SEC	0.28 - 5.35	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_81F **Length** 4.2 **Position** 2191 - 2194
Question Name
Concept Effort #8 FEV1/FVC (%)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FVC	0.07 - 1.83	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_83 **Length** 5.3 **Position** 2195 - 2199
Question Name
Concept Effort #8 FEV1/FEV6 (%)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 1 TO FEV 6	0.366 - 2.150	520	3,158,000
NOT APPLICABLE	9.996	4,500	25,636,500
NOT STATED	9.999	765	2,869,500
	Total	5,785	31,663,899

Variable Name SPM_83F **Length** 4.2 **Position** 2200 - 2203
Question Name
Concept Effort #8 FEV3 (L) forced expiratory volume in 3 seconds
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 3 SEC	0.48 - 6.64	995	5,180,000
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	295	847,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_86 **Length** 5.3 **Position** 2204 - 2208
Question Name
Concept Effort #8 FEV3/FVC (%)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 3 TO FVC	0.385 - 1.929	995	5,180,000
NOT APPLICABLE	9.996	4,500	25,636,500
NOT STATED	9.999	295	847,000
	Total	5,785	31,663,899

Variable Name SPM_86F **Length** 4.2 **Position** 2209 - 2212
Question Name
Concept Effort #8 FEV6 (L) forced expiratory volume in 6 seconds
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FEV 6 SEC	0.20 - 7.09	520	3,158,000
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	765	2,869,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_816 **Length** 5.3 **Position** 2213 - 2217
Question Name
Concept Effort #8 FEV6/FVC (%)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
RATIO FEV 6 TO FVC	0.465 - 1.381	520	3,158,000
NOT APPLICABLE	9.996	4,500	25,636,500
NOT STATED	9.999	765	2,869,500
	Total	5,785	31,663,899

Variable Name SPM_8PEF **Length** 5.2 **Position** 2218 - 2222
Question Name
Concept Effort #8 PEF (L/sec) peak expiratory flow
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
NOT APPLICABLE	99.96	4,500	25,636,500
NOT STATED	99.99	1,285	6,027,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_8F25 **Length** 5.2 **Position** 2223 - 2227
Question Name
Concept Effort #8 FEF25% (L/sec) forced exp. flow at 25% of the FVC
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 25% OF FVC	0.41 - 12.90	1,250	5,929,500
NOT APPLICABLE	99.96	4,500	25,636,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_8F50 **Length** 5.2 **Position** 2228 - 2232
Question Name
Concept Effort #8 FEF50% (L/sec) forced exp. flow at 50% of the FVC
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 50% OF FVC	0.28 - 8.63	1,250	5,929,500
NOT APPLICABLE	99.96	4,500	25,636,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_8F75 **Length** 4.2 **Position** 2233 - 2236
Question Name
Concept Effort #8 FEF75% (L/sec) forced exp. flow at 75% of the FVC
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW AT 75% OF FVC	0.06 - 4.96	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_8M25 **Length** 4.2 **Position** 2237 - 2240
Question Name
Concept Effort #8 FEF2575% (L/s) forced ex. flow from 25-75% of FVC
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 25-75% OF FVC	0.08 - 7.72	1,245	5,928,000
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	99,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_8M75 **Length** 4.2 **Position** 2241 - 2244
Question Name
Concept Effort #8 FEF7585% (L/s) forced exp. flow from 75-85% of FVC
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 75-85% OF FVC	0.06 - 5.21	1,245	5,925,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	102,000
	Total	5,785	31,663,899

Variable Name SPM_8M1L **Length** 5.2 **Position** 2245 - 2249
Question Name
Concept Effort #8 FEF212 (L/s) forced exp. flow from 0.2 to 1.2 L
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
FORCED EXPIRATORY FLOW 0.2 TO 1.2 L	0.20 - 11.94	1,195	5,803,500
NOT APPLICABLE	99.96	4,500	25,636,500
NOT STATED	99.99	95	223,500
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name	SPM_8MET	**Length**	4.2	**Position**	2250	-	2253
Question Name							
Concept	Effort #8 MET (sec) mid-expiratory time						
Question							
Universe	Respondents with 7 < SPM_NUME < 96						
Note	The time (sec) required to exhale from 25 to 75% of forced vital capacity.						

Content	Code	Sample	Population
MID-EXPIRATORY TIME	0.13 - 9.07	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name	SPM_8ET	**Length**	5.2	**Position**	2254	-	2258
Question Name							
Concept	Effort #8 Expiratory Time (seconds)						
Question							
Universe	Respondents with 7 < SPM_NUME < 96						
Note							

Content	Code	Sample	Population
EXPIRATORY TIME	1.03 - 37.57	1,250	5,929,500
NOT APPLICABLE	99.96	4,500	25,636,500
NOT STATED	99.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name SPM_8BV **Length** 4.2 **Position** 2259 - 2262
Question Name
Concept Effort #8 Backextrapolated Volume (L)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME	-.03 - 0.32	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

Variable Name SPM_8BVF **Length** 4.2 **Position** 2263 - 2266
Question Name
Concept Effort #8 Backextrapolated Volume (Fraction of FVC)
Question
Universe Respondents with 7 < SPM_NUME < 96
Note

Content	Code	Sample	Population
BACKEXTRAPOLATED VOLUME (FRACTION FVC)	-.05 - 0.21	1,250	5,929,500
NOT APPLICABLE	9.96	4,500	25,636,500
NOT STATED	9.99	40	98,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name HRCDELG **Length** 2 **Position** 2267 - 2268
Question Name
Concept Eligibility - Hearing components - (D)
Question
Universe All respondents
Note

Content	Code	Sample	Population
ELIGIBLE	1	5,760	31,547,500
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	25	116,500
Total		5,785	31,663,899

Variable Name GSCDELG **Length** 2 **Position** 2269 - 2270
Question Name
Concept Eligibility - Grip Strength component - (D)
Question
Universe All respondents
Note The age eligibility for the grip strength component is 6 to 79 years

Content	Code	Sample	Population
ELIGIBLE	1	5,215	30,453,000
NOT ELIGIBLE - AGE	3	555	1,129,000
NOT ELIGIBLE - ACUTE/CHRONIC CONDITION	9	15	82,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name GSM_11 **Length** 3 **Position** 2271 - 2273

Question Name

Concept Right hand grip strength (kilograms) - (1)

Question INSTRUCTION: Record the first grip strength measurement for the right hand to the nearest kilogram (kg).

Universe Respondents with GSCDELG = 1

Note

Content	Code	Sample	Population
GRIP STRENGTH	3 - 81	5,170	30,268,000
NOT APPLICABLE	996	570	1,211,000
DON'T KNOW	997	30	143,000
REFUSAL	998	10	29,000
NOT STATED	999	5	13,000
	Total	5,785	31,663,899

Variable Name GSM_12 **Length** 3 **Position** 2274 - 2276

Question Name

Concept Left hand grip strength (kilograms) - (1)

Question INSTRUCTION: Record the first grip strength measurement for the left hand to the nearest kilogram (kg).

Universe Respondents with GSCDELG = 1

Note

Content	Code	Sample	Population
GRIP STRENGTH	3 - 76	5,165	30,247,000
NOT APPLICABLE	996	580	1,240,000
DON'T KNOW	997	30	160,500
REFUSAL	998	5	3,500
NOT STATED	999	5	13,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name GSM_21 **Length** 3 **Position** 2277 - 2279

Question Name

Concept Right hand grip strength (kilograms) - (2)

Question INSTRUCTION: Record the second grip strength measurement for the right hand to the nearest kilogram (kg).

Universe Respondents with GSCDELG = 1

Note

Content	Code	Sample	Population
GRIP STRENGTH	4 - 81	5,165	30,259,000
NOT APPLICABLE	996	580	1,240,000
DON'T KNOW	997	35	152,000
NOT STATED	999	5	13,000
Total		5,785	31,663,899

Variable Name GSM_22 **Length** 3 **Position** 2280 - 2282

Question Name

Concept Left hand grip strength (kilograms) - (2)

Question INSTRUCTION: Record the second grip strength measurement for the left hand to the nearest kilogram (kg).

Universe Respondents with GSCDELG = 1

Note

Content	Code	Sample	Population
GRIP STRENGTH	2 - 74	5,165	30,209,000
NOT APPLICABLE	996	580	1,240,000
DON'T KNOW	997	35	199,000
REFUSAL	998	5	3,500
NOT STATED	999	5	13,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name GSMD51 **Length** 3 **Position** 2283 - 2285
Question Name
Concept Total hand grip strength (kilograms) - (D)
Question
Universe Respondents with GSCDELG = 1
Note No standards for...

Content	Code	Sample	Population
GRIP STRENGTH	7 - 157	5,150	30,186,500
NOT APPLICABLE	996	570	1,211,000
NOT STATED	999	65	266,500
	Total	5,785	31,663,899

Variable Name GSMD52 **Length** 1 **Position** 2286
Question Name
Concept Grip strength norms for respondents 15 - 69 - (D)
Question
Universe Respondents aged 15 to 79 with GSCDELG = 1
Note No standards for...

Content	Code	Sample	Population
NEEDS IMPROVEMENT	0	955	7,494,500
FAIR	1	775	5,968,000
GOOD	2	675	4,843,500
VERY GOOD	3	575	3,920,500
EXCELLENT	4	380	2,718,000
NO STANDARDS	5	360	1,888,000
NOT APPLICABLE	6	2,010	4,577,500
NOT STATED	9	50	254,000
	Total	5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name GSMD53 **Length** 1 **Position** 2287
Question Name
Concept Grip strength norms for respondents 6 - 14 - (D)
Question
Universe Respondents aged 6 to 14 with GSCDELG = 1
Note

Content	Code	Sample	Population
BELOW AVERAGE	1	825	1,900,000
AVERAGE	2	215	521,500
ABOVE AVERAGE	3	220	553,000
NO STANDARDS	5	165	380,500
NOT APPLICABLE	6	4,345	28,297,000
NOT STATED	9	10	12,500
Total		5,785	31,663,899

Variable Name LABDELG **Length** 2 **Position** 2288 - 2289
Question Name
Concept Eligibility - Lab component - (D)
Question
Universe All Respondents
Note

Content	Code	Sample	Population
ELIGIBLE	1	5,785	31,664,000
Total		5,785	31,663,899

(The sum of individual rounded items in the “Sample” and “Population” columns may not necessarily equal the totals)

Variable Name PHBDELG **Length** 2 **Position** 2290 - 2291
Question Name
Concept Eligibility - Phlebotomy component - (D)
Question
Universe All respondents
Note

Content	Code	Sample	Population
ELIGIBLE	1	5,775	31,614,500
NOT ELIGIBLE - HEMOPHILIA	10	5	6,000
NOT ELIGIBLE-CHEMOTHERAPHY < FOUR WEEKS	11	5	43,500
Total		5,785	31,663,899

Variable Name PHID12 **Length** 2 **Position** 2292 - 2293
Question Name
Concept Fasting status
Question
Universe Respondents with PHBDELG = 1
Note

Content	Code	Sample	Population
SELECTED FOR SUBSAMPLE, FASTED	1	2,620	14,979,500
SELECTED FOR SUBSAMPLE, NOT FASTED	2	355	2,019,500
NOT SELECTED FOR SUBSAMPLE, FASTED	3	280	1,716,000
NOT SELECTED FOR SUBSAMPLE, NOT FASTED	4	2,520	12,899,500
NOT APPLICABLE	96	10	49,500
Total		5,785	31,663,899

Variable Name WGT_FULL **Length** 15.8 **Position** 2294 - 2308
Question Name
Concept Full sample weight
Question
Universe All respondents
Note