Canadian Health Measures Survey

Cycle 4: Data Dictionary - Clinic

October 2016

Statistics Canada Statistique Canada

Canada

Table of Contents

Variable	Position	Description	Page
CLINICID	0001-0008	Clinic identifier of selected respondent	17
SITE	0009-0010	Collection site	17
V2_DAY	0011-0012	Day of clinic visit	17
V2_MTH	0013-0014	Month of clinic visit	18
V2_YEAR	0015-0018	Year of clinic visit	18
V2_HOUR	0019-0020	Hour of clinic visit	18
V2_MIN	0021-0022	Minute of clinic visit	19
V2_TYPE	0023-0023	Type of visit	19
SITESTRT	0024-0031	Date that the collection started for a particular site	19
SITEEND	0032-0039	Date the collection ended for a particular site	20
CLC_YOB	0040-0043	Year of birth	20
CLC_MOB	0044-0045	Month of birth	20
CLC_DOB	0046-0047	Day of birth	21
CLC_AGE	0048-0050	Age at clinic visit	21
CLC_SEX	0051-0051	Sex	21
URG_13	0052-0052	Respondant is in a wheelchair	22
URG_14	0053-0053	Respondant uses a catheter	22
U1CDELG	0054-0055	Eligibility - Urine collection 1 component - (D)	22
UC1_40	0056-0056	Urine sample given	23
UC1_43	0057-0057	Urinated - last time before sample	23
U2CDELG	0058-0059	Eligibility - Urine collection 2 component - (D)	24
URCDSPL	0060-0060	Type of sample used if urine provided - (D)	24
ATG_11	0061-0061	Date	24
ATG_11H	0062-0063	Time last ate/drank - hour	25
ATG_11M	0064-0065	Time last ate/drank - minute	25
ATG_21	0066-0066	Past 2 hours - smoked	25
ATG_22	0067-0067	Past 2 hours - consumed caffeinated products	26
ATG_31	0068-0068	Past 6 hours - drank alcohol	26
ATG_41	0069-0069	Have exercised today - 10 minutes at a time	27
ATG_43	0070-0070	How long - since last exercised	27
ATG_50	0071-0071	Listened to loud music today	27
ATG_51	0072-0072	Past 24 hours - exposed to loud noise without protection	28
PHC_11	0073-0073	Pregnant	28
PHC_12	0074-0075	Number of weeks pregnant	29
PHC_13	0076-0076	Had menstrual period in the past 6 months	29
PHC_14	0077-0077	Regular menstrual cycle	29
PHC_15	0078-0079	Length of typical menstrual cycle	30
PHC_16D	0080-0081	First day of last menstrual period - day	30
PHC_16M	0082-0083	First day of last menstrual period - month	30
PHC_16Y	0084-0087	First day of last menstrual period - year	31
PHCD16	0088-0091	Number of days since last menstrual period - (D)	31
PHC_41	0092-0092	Has acute condition	32
PHC_41A	0093-0093	Has acute condition-Bone, joint or muscle problem	32
PHC_41B	0094-0094	Has acute condition- Flu or other infection	32
PHC_41C	0095-0095	Has acute condition-Medical procedure	33
PHC_41D	0096-0096	Has acute condition-Other health problem	33
PHC_41F	0097-0097	Has acute condition-Fever	34
PHC_42E	0098-0098	Test exclusion - Activity monitor	34
PHC_42F	0099-0099	Test exclusion - Spirometry	34
PHC_42H	0100-0100	Test exclusion - Grip strength	35
PHC_42L	0101-0101	Test exclusion - None	35
PHC_42N	0102-0102	Test exclusion - Hearing	35
PHC_42O	0103-0103	Test exclusion - Skin Pigmentation	36
PHC_43	0104-0104	Has chronic condition	36
PHC_43A	0105-0105	Has chronic condition - Bone, joint or muscle problem	37
PHC_43B	0106-0106	Has chronic condition - Cardiovascular condition	37
PHC_43C	0107-0107	Has chronic condition - Respiratory condition	37
PHC_43D	0108-0108	Has chronic condition - Physically impaired	38

PHC_43E	0109-0109	Has chronic condition - Other health problem	38
PHC_44E	0110-0110	Test exclusion - Activity monitor	38
PHC_44F	0111-0111	Test exclusion - Spirometry	39
PHC_44H	0112-0112	Test exclusion - Grip strength	39
PHC_44L	0113-0113	Test exclusion - None	40
PHC_44N	0114-0114	Test exclusion - Hearing	40
PHC_44O	0115-0115	Test exclusion - Skin Pigmentation	40
PHC_51	0116-0116	Has a clotting condition	41
PHC_52	0117-0117	Received chemotherapy - past four weeks	41
PHC_53	0118-0118	Received a blood transfusion - past 2 months	41
PHC_54	0119-0119	Donated blood - past 2 months	42
PHC_55D	0120-0121	Donated blood - day	42
PHC_55M	0122-0123	Donated blood - month	43
PHC_55Y	0124-0127	Donated blood - year	43
PHCD55	0128-0129	Donated blood the day before the clinic visit - (D)	43
PHC_56	0130-0130	Felt dizzy/fainted during a blood draw	44
PHC_57A	0131-0131	Had a mastectomy	44
PHC_57B	0132-0132	Had a mastectomy - which side	44
PHC_58	0133-0133	Drugs for blood pressure or heart condition	45
PHC_59A	0134-0134	Reason taking drugs - High blood pressure	45
PHC_59B	0135-0135	Reason taking drugs - Low blood pressure	46
PHC_59C	0136-0136	Reason taking drugs - Angina	46
PHC_59D	0137-0137	Reason taking drugs - Previous heart attack	46
PHC_59E	0138-0138	Reason taking drugs - Aneurysm	47
PHC_59F	0139-0139	Reason taking drugs - Arrhythmia	47
PHC_59G	0140-0140	Reason taking drugs - Other heart condition	48
PHC_59H	0141-0141	Reason taking drugs - Other medical condition	48
HER_10	0142-0142	Last time - hearing tested	48
HER_20	0143-0143	Ever been diagnosed with hearing problem	49
HER_30	0144-0144	Past 3 months - surgery on inside of ear	49
HER_31	0145-0145	Which ear(s)- surgery in past 3 months	50
HER_40	0146-0146	Current ear infection/pain	50
HER_41	0147-0147	Which ear(s) - current infection/pain	50
HER_50	0148-0148	Has a cochlear implant	51
HER_51	0149-0149	Which ear(s) - cochlear implant	51
HER_52	0150-0150	Has a hearing aid	51
HER_53	0151-0151	Which ear(s) - hearing aid	52
SPQ_11	0152-0152	Wheezing or whistling - any time in the past	52
SPQ_12	0153-0153	Wheezing or whistling - last 12 months	53
SPQ_13	0154-0154	Number of attacks of wheezing - last 12 months	53
SPQ_14	0155-0155	Sleep disturbed due to wheezing - last 12 months	53
SPQ_15	0156-0156	Wheezing limiting speech - last 12 months	54
SPQ_16	0157-0157	Wheezy during or after exercise - last 12 months	54
SPQ_17	0158-0158	Dry cough at night - last 12 months	54
SPQ_21	0159-0159	Cough regularly	55
SPQ_22	0160-0160	Cough up phlegm regularly	55
SPQ_23	0161-0161	Simple chores make short of breath	56
SPQ_24	0162-0162	Wheeze from exertion or at night	56
SPQ_25	0163-0163	Frequent persistent colds	56
SPR_11	0164-0164	Heart attack - past 3 months	57
SPR_12	0165-0165	Major chest or abdomen surgery - past 3 months	57
SPR_13	0166-0166	Eye surgery - past 6 weeks	57
MEDC_411	0167-0167	Past week - used performance enhancing/recreational drugs	58
MEDC_611	0168-0169	Exclusion due to medication use - which tests	58
ORS_0	0170-0170	Other reasons for screening out of physical tests	59
ORS_1	0171-0171	Other reasons for screening out - grip strength test	59
ORS_2	0172-0172	Other reasons for screening out - spirometry test	59
ORS_7	0173-0173	Other reasons for screening out - hearing tests	60
ORS_8	0174-0174	Other reasons for screening out - skin pigmentation test	60
WAQ_02	0175-0175	Last time in a swimming pool/hot tub/steam room	60
WAQ_03	0176-0176	Last time - hot shower (5+ min) or hot bath (20+ min)	61
WAQ_04	0177-0179	Drinks black, white or green tea - Number of times	61
WAQD04Y	0180-0183	Drinks black, white or green tea - number of times per year - (D)	62

WAQ_05A	0184-0184	Drinks black, white or green tea - Reporting period	62
WAQ_06	0185-0185	Drinks black, white or green tea - Amount (in cups)	62
WAQ_07	0186-0186	Last time drank black, white or green tea	63
WAQ_08	0187-0188	Last time received fluoride treatments at the dentist	63
WAQ_09	0189-0189	Uses fluoride-containing products at home	64
WAQ_10	0190-0190	Last time used a fluoride-containing product	64
FSF_10A	0191-0191	Ate shellfish over past month - lobster	65
FSF_10B	0192-0192	Ate shellfish over past month - shrimp	65
FSF_10C	0193-0193	Ate shellfish over past month - mussels	65
FSF_10D	0194-0194	Ate shellfish over past month - scallops	66
FSF_10E	0195-0195	Ate shellfish over past month - oysters	66
FSF_10F	0196-0196	Ate shellfish over past month - squid/calamari	67
FSF_10G	0197-0197	Ate shellfish over past month - clams	67
FSF_10H	0198-0198	Ate shellfish over past month - crab	67
FSF_10I	0199-0199	Ate shellfish over past month - surimi or imitation crab	68
FSF_10J	0200-0200	Ate shellfish over past month - any other shellfish	68
FSF_10K	0201-0201	Ate shellfish over past month - no shellfish	69
FSF_10X	0202-0202	Any other sellfish over past month	69
FSF_10Y	0203-0203	Any other sellfish over past month	69
FSF_12	0204-0205	Ate lobster over past month - number of times	70
FSF_12N	0206-0206	Reporting period - ate lobster past month	70
FSFD12Y	0207-0210	Eats lobster - times per year - (D)	71
FSF_13	0211-0212	Ate shrimp over past month - number of times	71
FSF_13N	0213-0213	Reporting period - ate shrimp past month	71
FSFD13Y	0214-0217	Eats shrimp - times per year - (D)	72
FSF_14	0218-0219	Ate mussels over past month - number of times	72
FSF_14N	0220-0220	Reporting period - ate mussels past month	73
FSFD14Y	0221-0224	Eats mussels - times per year - (D)	73
FSF_15	0225-0226	Ate scallops over past month - number of times	73
FSF_15N	0227-0227	Reporting period - ate scallops past month	74
FSFD15Y	0228-0231	Eats scallops - times per year - (D)	74
FSF_16	0232-0233	Ate oysters over past month - number of times	74
FSF_16N	0234-0234	Reporting period - ate oysters past month	75
FSFD16Y	0235-0238	Eats oysters - times per year - (D)	75
FSF_17	0239-0240	Ate squid/calamari over past month - number of times	76
FSF_17N	0241-0241	Reporting period - ate squid/calmari past month	76
FSFD17Y	0242-0245	Eats squid or calamari - times per year - (D)	76
FSF_18	0246-0247	Ate clams over past month - number of times	77
FSF_18N	0248-0248	Reporting period - ate clams past month	77
FSFD18Y	0249-0252	Eats clams - times per year - (D)	77
FSF_19	0253-0254	Ate crab over past month - number of times	78
FSF_19N	0255-0255	Reporting period - ate crab past month	78
FSFD19Y	0256-0259	Eats crab - times per year - (D)	79
FSF_20	0260-0261	Ate surimi/imitation crab over past month - number of times	79
FSF_20N	0262-0262	Reporting period - ate surimi/imitation crab past month	79
FSFD20Y	0263-0266	Eats surimi or imitation crab - times per year - (D)	80
FSF_21	0267-0268	Ate [other shellfish #1] over past month - number of times	80
FSF_21N	0269-0269	Reporting period - ate [other shellfish #1] past month	80
FSFD21Y	0270-0273	Eats other shellfish (#1) - times per year - (D)	81
FSF_22	0274-0275	Ate [other shellfish #2] over past month - number of times	81
FSF_22N	0276-0276	Reporting period - ate (other shellfish #2) past month	81
FSFD22Y	0277-0280	Eats other shellfish (#2) - times per year - (D)	82
FSF_23	0281-0282	Ate [other shellfish #3] over past month - number of times	82
FSF_23N	0283-0283	Reporting period - ate (other shellfish #3) past month	83
FSFD23Y	0284-0287	Eats other shellfish (#3) - times per year - (D)	83
FSF_24AA	0288-0288	Ate fish over past month - fish sticks	83
FSF_24AB	0289-0289	Ate fish over past month - tuna in a can or pouch	84
FSF_24AC	0290-0290	Ate fish over past month - tuna (fresh or frozen)	84
FSF_24AD	0291-0291	Ate fish over past month - salmon in a can or pouch	85
FSF_24AE	0292-0292	Ate fish over past month - salmon - fresh, frozen or smoked	85
FSF_24AF	0293-0293	Ate fish over past month - smelt	85
FSF_24AG	0294-0294	Ate fish over past month - shark	86
FSF_24AH	0295-0295	Ate fish over past month - marlin	86

FSF_24AI	0296-0296	Ate fish over past month - swordfish	87
FSF_24AJ	0297-0297	Ate fish over past month - halibut	87
FSF_24AK	0298-0298	Ate fish over past month - rainbow trout	87
FSF_24AL	0299-0299	Ate fish over past month - Atlantic cod	88
FSF_24AM	0300-0300	Ate fish over past month - mackerel	88
FSF_24AN	0301-0301	Ate fish over past month - herring	89
FSF_24AO	0302-0302	Ate fish over past month - sardines	89
FSF_24AP	0303-0303	Ate fish over past month - sole, flounder or plaice	89
FSF_24AQ	0304-0304	Ate fish over past month - haddock	90
FSF_24AR	0305-0305	Ate fish over past month - tilapia	90
FSF_24AS	0306-0306	Ate fish over past month - any other fish	91
FSF_24AT	0307-0307	Ate fish over past month - no fish	91
FSF_24AU	0308-0308	Ate fish over past month - sablefish or black cod	91
FSF_24AX	0309-0309	Ate any other fish over past month	92
FSF_24AY	0310-0310	Ate any other fish over past month	92
FSF_24	0311-0312	Ate fishsticks over past month - number of times	92
FSF_24N	0313-0313	Reporting period - ate fishsticks past month	93
FSFD24Y	0314-0317	Eats fish sticks - times per year - (D)	93
FSF_25	0318-0318	Type of tuna in a can or pouch eaten over the past month	94
FSF_25A	0319-0320	Ate light (flake/chunk) tuna can/pouch past month - number of times	94
FSF_25AN	0321-0321	Rep. period - ate light (flake/chunk) tuna can past month	94
FSFD25AY	0322-0325	Eats light tuna in a can or pouch - times per year - (D)	95
FSF_25B	0326-0327	Ate white (solid) tuna can/pouch over past month - number of times	95
FSF_25BN	0328-0328	Reporting period - ate white (solid) tuna past month	96
FSFD25BY	0329-0332	Eats white tuna in a can or pouch - times per year - (D)	96
FSF_25C	0333-0334	Ate tuna can/pouch over past month - number of times	96
FSF_25CN	0335-0335	Reporting period - ate tuna can/pouch past month	97
FSFD25CY	0336-0339	Eats tuna in a can or pouch - times per year - (D)	97
FSF_26	0340-0341	Ate tuna fresh/frozen over past month - number of times	98
FSF_26N	0342-0342	Reporting period - ate tuna fresh/frozen past month	98
FSFD26Y	0343-0346	Eats tuna (fresh or frozen) - times per year - (D)	98
FSF_27	0347-0348	Ate salmon can/pouch over past month - number of times	99
FSF_27N	0349-0349	Reporting period - ate salmon can/pouch past month	99
FSFD27Y	0350-0353	Eats salmon in a can or pouch - times per year - (D)	99
FSF_28	0354-0355	Ate salmon fresh/frozen/smoked over past month - number of times	100
FSF_28N	0356-0356	Reporting period -ate salmon fresh/frozen/smoked past month	100
FSFD28Y	0357-0360	Eats salmon (fresh, frozen, smoked) - times per year - (D)	101
FSF_29	0361-0362	Ate smelt over past month - number of times	101
FSF_29N	0363-0363	Reporting period - ate smelt past month	101
FSFD29Y	0364-0367	Eats smelt - times per year - (D)	102
FSF_30	0368-0369	Ate shark over past month - number of times	102
FSF_30N	0370-0370	Reporting period - ate shark past month	103
FSFD30Y	0371-0374	Eats shark - times per year - (D)	103
FSF_31	0375-0376	Ate marlin over past month - number of times	103
FSF_31N	0377-0377	Reporting period - ate marlin past month	104
FSFD31Y	0378-0381	Eats marlin - times per year - (D)	104
FSF_32	0382-0383	Ate swordfish over past month - number of times	104
FSF_32N	0384-0384	Reporting period - ate swordfish past month	105
FSFD32Y	0385-0388	Eats swordfish - times per year - (D)	105
FSF_33	0389-0390	Ate halibut over past month - number of times	106
FSF_33N	0391-0391	Reporting period - ate halibut past month	106
FSFD33Y	0392-0395	Eats halibut - times per year - (D)	106
FSF_34	0396-0397	Ate rainbow trout over past month - number of times	107
FSF_34N	0398-0398	Reporting period - ate rainbow trout past month	107
FSFD34Y	0399-0402	Eats rainbow trout - times per year - (D)	107
FSF_35	0403-0404	Ate Atlantic cod over past month - number of times	108
FSF_35N	0405-0405	Reporting period - ate Atlantic cod past month	108
FSFD35Y	0406-0409	Eats Atlantic cod - times per year - (D)	109
FSF_36	0410-0411	Ate mackerel over past month - number of times	109
FSF_36N	0412-0412	Reporting period - ate mackerel past month	109
FSFD36Y	0413-0416	Eats mackerel - times per year - (D)	110
FSF_37	0417-0418	Ate herring over past month - number of times	110
FSF_37N	0419-0419	Reporting period - ate herring past month	110

FSFD37Y	0420-0423	Eats herring - times per year - (D)	111
FSF_38	0424-0425	Ate sardines over past month - number of times	111
FSF_38N	0426-0426	Reporting period - ate sardines past month	112
FSFD38Y	0427-0430	Eats sardines - times per year - (D)	112
FSF_39	0431-0432	Ate sole/flounder/plaice over past month - number of times	112
FSF_39N	0433-0433	Reporting period - ate sole/flounder/plaice past month	113
FSFD39Y	0434-0437	Eats sole, flounder or plaice - times per year - (D)	113
FSF_40	0438-0439	Ate haddock over past month - number of times	113
FSF_40N	0440-0440	Reporting period - ate haddock past month	114
FSFD40Y	0441-0444	Eats haddock - times per year - (D)	114
FSF_41	0445-0446	Ate tilapia over past month - number of times	115
FSF_41N	0447-0447	Reporting period - ate tilapia past month	115
FSFD41Y	0448-0451	Eats tilapia - times per year - (D)	115
FSF_42	0452-0453	Ate [other fish #1] over past month - number of times	116
FSF_42N	0454-0454	Reporting period - ate [other fish #1] past month	116
FSFD42Y	0455-0458	Eats other fish (#1) - times per year - (D)	116
FSF_43	0459-0460	Ate [other fish #2] over past month - number of times	117
FSF_43N	0461-0461	Reporting period - ate [other fish #2] past month	117
FSFD43Y	0462-0465	Eats other fish (#2) - times per year - (D)	118
FSF_44	0466-0467	Ate [other fish #3] over past month - number of times	118
FSF_44N	0468-0468	Reporting period - ate [other fish #3] past month	118
FSFD44Y	0469-0472	Eats other fish (#3) - times per year - (D)	119
FSF_45	0473-0474	Ate sablefish or black cod over past month - number of times	119
FSF_45N	0475-0475	Reporting period - ate sablefish or black	120
FSFD45Y	0476-0479	Eats sablefish or black cod - times per year - (D)	120
HAB_07	0480-0480	Able to hear - conversation with 3 people or more	120
HAB_08	0481-0481	Able to hear - conversation with 3 people and more with hearing aid	121
HAB_09	0482-0482	Able to hear at all	121
HAB_10	0483-0483	Hear conversation with one person in quiet room	121
HAB_11	0484-0484	Hear conversation with one person in quiet room with hearing aid	122
HABDHER	0485-0486	Hearing problems - function code - (D)	122
NEX_01	0487-0487	Worked in a noisy environment	123
NEX_02	0488-0488	How long did you work in a noisy environment	123
NEX_03A	0489-0489	Source of loud noise - machinery	124
NEX_03B	0490-0490	Source of loud noise - modes of transportation	124
NEX_03C	0491-0491	Source of loud noise - munitions/guns/canons	124
NEX_03D	0492-0492	Source of loud noise - music	125
NEX_03E	0493-0493	Source of loud noise - people	125
NEX_03F	0494-0494	Source of loud noise - other	126
NEX_04	0495-0495	Currently working in a noisy environment	126
NEX_05	0496-0496	How often - use hearing protection at work	126
NEX_06	0497-0497	Required to wear hearing protection at work	127
NEX_07	0498-0498	Past 12 months - exposed to noise from loud power tools	127
NEX_151	0499-0501	Exposed to loud power tools - number of times	128
NEX_151N	0502-0502	Exposed to loud power tools - reporting period	128
NEX_152	0503-0503	Exposed to loud power tools - time spent	128
NEX_153	0504-0504	Exposed to loud power tools - hearing protection	129
NEXD15Y	0505-0509	Exposed to noise from power tools - times per year - (D)	129
NEX_08	0510-0510	Past 12 months - exposed to noise from loud heavy industrial/farming	130
NEX_161	0511-0513	Exposed to noise from heavy equipment - number of times	130
NEX_161N	0514-0514	Exposed to noise from heavy equipment - reporting period	130
NEX_162	0515-0515	Exposed to noise from heavy equipment - time spent	131
NEX_163	0516-0516	Exposed to noise from heavy equipment - hearing protection	131
NEXD16Y	0517-0521	Exposed to noise from heavy equipment - times per year - (D)	132
NEX_09	0522-0522	Past 12 months - exposed to noise from gasoline engines	132
NEX_171	0523-0525	Exposed to hand-held gas engines - number of times	133
NEX_171N	0526-0526	Exposed to hand-held gas engines - reporting period	133
NEX_172	0527-0527	Exposed to hand-held gas engines - time spent	133
NEX_173	0528-0528	Exposed to hand-held gas engines - hearing protection	134
NEXD17Y	0529-0533	Exposed to hand-held gas engines - times per year - (D)	134
NEX_10	0534-0534	Past 12 months - exposed to noise from motorcycle/snowmobile	135
NEX_181	0535-0537	Exposed to motorcycles/snowmobiles - number of times	135
NEX_181N	0538-0538	Exposed to motorcycles/snowmobiles - reporting period	135

NEX_182	0539-0539	Exposed to motorcycles/snowmobiles - time spent	136
NEX_183	0540-0540	Exposed to motorcycles/snowmobile - hearing protection	136
NEXD18Y	0541-0545	Exposed to motorcycles/snowmobiles - times per year - (D)	137
NEX_11	0546-0546	Past 12 months - exposed to loud sporting/entertainment events	137
NEX_191	0547-0549	Exposed to sporting/entertainment events - number of times	137
NEX_191N	0550-0550	Exposed to sporting/entertainment events - reporting period	138
NEX_192	0551-0551	Exposed to sporting/entertainment events - time spent	138
NEX_193	0552-0552	Exposed to sporting/entertainment events - hearing protection	139
NEXD19Y	0553-0557	Exposed to sporting/entertainment events - times per year - (D)	139
NEX_12	0558-0558	Past 12 months - exposed to loud amplified music	140
NEX_201	0559-0561	Exposed to loud amplified music - number of times	140
NEX_201N	0562-0562	Exposed to loud amplified music - reporting period	140
NEX_202	0563-0563	Exposed to loud amplified music - time spent	141
NEX_203	0564-0564	Exposed to loud amplified music - hearing protection	141
NEXD20Y	0565-0569	Exposed to loud amplified music - times per year - (D)	142
NEX_13	0570-0570	Past 12 months - exposed to loud music without headphones/earbuds	142
NEX_211	0571-0573	Listened to loud music without headphones/earbuds - number of times	142
NEX_211N	0574-0574	Listened to loud music without headphones/earbuds - reporting period	143
NEX_212	0575-0575	Listened to loud music without headphones/earbuds - time spent	143
NEX_213	0576-0576	Listened to loud music without headphones/earbuds - hearing protection	144
NEXD21Y	0577-0581	Listened to loud music without headphones - times per year - (D)	144
NEX_14	0582-0582	Past 12 months - exposed to noise of firearms	144
NEX_23	0583-0583	Fired/been exposed to noise of firearm - number of times	145
NEX_24	0584-0584	Fired/exposed to noise of firearm - hearing protection	145
NEX_25	0585-0585	Past 12 months - used headphones/earbuds	146
NEX_26	0586-0588	Used headphone/earbuds - hours per week	146
NEX_26A	0589-0591	Used headphone/earbuds - minutes	147
NEX_26B	0592-0592	Used headphone/earbuds - reporting period	147
NEXD26	0593-0597	Used headphone/earbuds - hours per week - (D)	147
NEX_27	0598-0598	Volume level usually at or above 3/4 the maximum volume	148
NEX_28	0599-0599	Volume requires someone to speak in a raised voice	148
NEX_29	0600-0602	Used headphone/earbuds at high volume - hours per week	148
NEX_29A	0603-0605	Used headphone/earbuds at high volume - minutes	149
NEX_29B	0606-0606	Used headphone/earbuds at high volume - reporting period	149
NEXD29	0607-0611	Used headphone/earbuds at high volume - hours per week - (D)	150
NEX_30	0612-0614	Usual listening volume - duration	150
NEX_30N	0615-0615	Usual listening volume - reporting period	150
NEXD30	0616-0618	Usual listening volume - total duration (years) - (D)	151
NEX_40	0619-0619	Ever experienced tinnitus	151
NEX_41	0620-0620	Last time experienced tinnitus	152
NEX_42	0621-0621	Experiencing tinnitus at time of interview	152
NEX_43	0622-0622	Experiences tinnitus when it is quiet	152
NEX_44	0623-0625	Experienced tinnitus - duration	153
NEX_44N	0626-0626	Experienced tinnitus - reporting period	153
NEXD44	0627-0629	Experienced tinnitus - total duration (years) - (D)	154
NEX_45	0630-0630	Tinnitus bothers (affects sleep, concentration, mood)	154
NEX_47	0631-0631	Experienced tinnitus after using headphones/earbuds	154
NEX_48	0632-0632	Experienced tinnitus - loud music	155
NEX_49	0633-0633	Experienced tinnitus - loud event	155
NEX_50	0634-0634	Experienced tinnitus - loud power tools	156
NEX_51	0635-0635	Experienced tinnitus - firearm noise	156
NEX_52	0636-0636	Experienced tinnitus - specific circumstances	157
SEB_01	0637-0637	Attended school/daycare (May to September)	157
SEB_02	0638-0638	Worked at a job/business/attended school (May to September)	157
SEB_03	0639-0639	Time in sun between 10 am - 4 pm - at work/school/daycare	158
SEB_04	0640-0640	Wore something on their head - at work/school/daycare	158
SEB_05	0641-0641	Typically covered or uncovered : face, ears or neck	159
SEB_06	0642-0642	Typically covered or uncovered: hands	159
SEB_07	0643-0643	Typically covered or uncovered: arms	160
SEB_08	0644-0644	Typically covered or uncovered: legs	160
SEB_09	0645-0645	Typically covered or uncovered: feet	161
SEB_10	0646-0646	Typically covered or uncovered: other	161
SEB_11	0647-0647	Used sunscreen on face, ears or neck	162

SEB_12A	0648-0648	Used sunscreen on other areas	162
SEB_13A	0649-0649	Time in sun between 10 am - 4 pm not at work/school/daycare	163
SEB_14	0650-0650	Wore something on their head - not at work/school/daycare	163
SEB_15	0651-0651	Typically covered or uncovered: face, ears or neck	164
SEB_16	0652-0652	Typically covered or uncovered: hands	164
SEB_17	0653-0653	Typically covered or uncovered: arms	165
SEB_18	0654-0654	Typically covered or uncovered: legs	165
SEB_19	0655-0655	Typically covered or uncovered: feet	165
SEB_20	0656-0656	Typically covered or uncovered: other	166
SEB_21	0657-0657	Used sunscreen on face, ears or neck	166
SEB_22	0658-0658	Used sunscreen on other areas	167
SEB_23	0659-0659	Past 2 months - travelled to warm, sunny climate	167
SEB_24	0660-0661	Stayed in warm, sunny climate - amount of time	168
SEB_24N	0662-0662	Stayed in warm, sunny climate - reporting period	168
SEBD24	0663-0666	Time spent in warm sunny climate - past 2 months - (D)	169
SEB_25	0667-0667	Time spent in sun between 10 a.m. - 4 p.m. - warm, sunny climate	169
SEB_26	0668-0668	Wore something on their head - warm, sunny climate	169
SEB_27	0669-0669	Typically covered or uncovered: face, ears or neck	170
SEB_28	0670-0670	Typically covered or uncovered: hands	170
SEB_29	0671-0671	Typically covered or uncovered: arms	171
SEB_30	0672-0672	Typically covered or uncovered: legs	171
SEB_31	0673-0673	Typically covered or uncovered: feet	172
SEB_32	0674-0674	Typically covered or uncovered: other	172
SEB_33	0675-0675	Used sunscreen on face, ears or neck	172
SEB_34	0676-0676	Used sunscreen on other areas	173
SEB_35	0677-0677	Past 12 months - used a tanning bed or booth with tanning lamps	173
SEB_36	0678-0680	Used a tanning bed/booth - number of times	174
SEB_36N	0681-0681	Used a tanning bed/booth - reporting period	174
SEBD36	0682-0686	Number of times used a tanning bed - past year - (D)	174
SEB_37	0687-0687	Past 2 months - used a tanning bed/booth with tanning lamps	175
SEB_38A	0688-0688	Uses a tanning bed/booth in January	175
SEB_38B	0689-0689	Uses a tanning bed/booth in February	176
SEB_38C	0690-0690	Uses a tanning bed/booth in March	176
SEB_38D	0691-0691	Uses a tanning bed/booth in April	176
SEB_38E	0692-0692	Uses a tanning bed/booth in May	177
SEB_38F	0693-0693	Uses a tanning bed/booth in June	177
SEB_38G	0694-0694	Uses a tanning bed/booth in July	178
SEB_38H	0695-0695	Uses a tanning bed/booth in August	178
SEB_38I	0696-0696	Uses a tanning bed/booth in September	178
SEB_38J	0697-0697	Uses a tanning bed/booth in October	179
SEB_38K	0698-0698	Uses a tanning bed/booth in November	179
SEB_38L	0699-0699	Uses a tanning bed/booth in December	180
SEB_38M	0700-0700	Uses a tanning bed/booth - All months	180
SKCDELG	0701-0702	Eligibility - Skin pigmentation component - (D)	180
SKM_04	0703-0703	Arm used for inner arm skin pigmentation measure	181
SKM_06	0704-0704	Hand used for skin pigmentation measure	181
SKM_09	0705-0705	Used sunless tanning products - past 10 days	182
SKM_10	0706-0706	Sunless tanning products used on the back of hands	182
SKM_11	0707-0707	Sunless tanning products used on inner arm	182
SKM_211A	0708-0714	Erythema - inner arm (1)	183
SKM_212A	0715-0720	Melanin - inner arm (1)	183
SKM_213A	0721-0726	L* - inner arm (1)	184
SKM_214A	0727-0733	a* - inner arm (1)	184
SKM_215A	0734-0740	b* - inner arm (1)	184
SKM_221A	0741-0747	Erythema - inner arm (2)	185
SKM_222A	0748-0753	Melanin - inner arm (2)	185
SKM_223A	0754-0759	L* - inner arm (2)	185
SKM_224A	0760-0766	a* - inner arm (2)	186
SKM_225A	0767-0773	b* - inner arm (2)	186
SKM_231A	0774-0780	Erythema - inner arm (3)	187
SKM_232A	0781-0786	Melanin - inner arm (3)	187
SKM_233A	0787-0792	L* - inner arm (3)	187
SKM_234A	0793-0799	a* - inner arm (3)	188

SKM_235A	0800-0806	b* - inner arm (3)	188
SKM_241A	0807-0813	Erythema - inner arm (4)	188
SKM_242A	0814-0819	Melanin - inner arm (4)	189
SKM_243A	0820-0825	L* - inner arm (4)	189
SKM_244A	0826-0832	a* - inner arm (4)	190
SKM_245A	0833-0839	b* - inner arm (4)	190
SKMDARME	0840-0845	Erythema - inner arm (final average) - (D)	190
SKMDARMM	0846-0852	Melanin - inner arm (final average) - (D)	191
SKMDARML	0853-0858	L* - inner arm (final average) - (D)	191
SKMDARMA	0859-0865	a* - inner arm (final average) - (D)	191
SKMDARMB	0866-0872	b* - inner arm (final average) - (D)	192
SKM_311A	0873-0879	Erythema - back of hand (1)	192
SKM_312A	0880-0885	Melanin - back of the hand (1)	193
SKM_313A	0886-0891	L* - back of the hand (1)	193
SKM_314A	0892-0898	a* - back of the hand (1)	193
SKM_315A	0899-0905	b* - back of the hand (1)	194
SKM_321A	0906-0912	Erythema - back of the hand (2)	194
SKM_322A	0913-0918	Melanin - back of the hand (2)	194
SKM_323A	0919-0924	L* - back of the hand (2)	195
SKM_324A	0925-0931	a* - back of the hand (2)	195
SKM_325A	0932-0938	b* - back of the hand (2)	196
SKM_331A	0939-0945	Erythema - back of the hand (3)	196
SKM_332A	0946-0951	Melanin - back of the hand (3)	196
SKM_333A	0952-0957	L* - back of the hand (3)	197
SKM_334A	0958-0964	a* - back of the hand (3)	197
SKM_335A	0965-0971	b* - back of the hand (3)	197
SKM_341A	0972-0978	Erythema - back of the hand (4)	198
SKM_342A	0979-0984	Melanin - back of the hand (4)	198
SKM_343A	0985-0990	L* - back of the hand (4)	198
SKM_344A	0991-0997	a* - back of the hand (4)	199
SKM_345A	0998-1004	b* - back of the hand (4)	199
SKMDHANE	1005-1010	Erythema - back of the hand (final average) - (D)	200
SKMDHANM	1011-1017	Melanin - back of the hand (final average) - (D)	200
SKMDHANL	1018-1023	L* - back of the hand (final average) - (D)	200
SKMDHANA	1024-1030	a* - back of the hand (final average) - (D)	201
SKMDHANB	1031-1037	b* - back of the hand (final average) - (D)	201
ANCDELG	1038-1039	Eligibility - Anthropometric component - (D)	201
HWM_11	1040-1040	Method of capture - height	202
HWM_11CM	1041-1046	Standing height measured (centimetres)	202
HWMD11IN	1047-1050	Standing height measured (inches) - (D)	203
HWM_12CM	1051-1056	Sitting height measured (centimetres)	203
HWMD12IN	1057-1060	Sitting height measured (inches) - (D)	203
HWM_13	1061-1061	Method of capture - weight	204
HWM_13KG	1062-1067	Weight measured (kilograms)	204
HWMD13LB	1068-1072	Weight measured (pounds) - (D)	204
HWM_14CX	1073-1077	Waist circumference (centimetres) - NIH protocol	205
HWMD14IN	1078-1081	Waist circumference (inches) - NIH protocol - (D)	205
HWM_15CM	1082-1086	Hip circumference measured (centimetres)	206
HWMD15IN	1087-1090	Hip circumference measured (inches) - (D)	206
HWMDBMI	1091-1095	Body Mass Index measured - (D)	206
HWMDBMIA	1096-1097	BMI classifications for 18 years old or older measure - (D)	207
HWMDBMIK	1098-1098	BMI classifications for less then 18 years old measured - (D)	207
HWMDWSTA	1099-1100	Waist circumference classification for 15 to 69 years old - NIH (D)	208
HWMDWTH	1101-1104	Waist-to-hip ratio - (D)	208
HWMDCOL	1105-1105	BMI classification measured (3 to 17 years old) - Cole system - (D)	209
HWMDHTM	1106-1110	Standing height measured (metres) - (D)	209
HWMDLLN	1111-1116	Leg length (centimetres) - (D)	209
HWMDMAT	1117-1121	Age at peak height velocity (maturity offset) - (D)	210
HWMDWHOK	1122-1122	BMI classification measured (5 to 18 years old) - WHO - (D)	210
HWMDWHOP	1123-1123	BMI classification measured (3 to 5 years old) - WHO - (D)	210
BPCDELG	1124-1125	Eligibility - Blood Pressure component - (D)	211
BPM_101A	1126-1128	Systolic blood pressure - first set (0)	211
BPM_102A	1129-1131	Diastolic blood pressure - first set (0)	212

BPM_103A	1132-1134	Heart rate - first set (0)	212
BPM_111A	1135-1137	Systolic blood pressure - first set (1)	212
BPM_112A	1138-1140	Diastolic blood pressure - first set (1)	213
BPM_113A	1141-1143	Heart rate - first set (1)	213
BPM_121A	1144-1146	Systolic blood pressure - first set (2)	214
BPM_122A	1147-1149	Diastolic blood pressure - first set (2)	214
BPM_123A	1150-1152	Heart rate - first set (2)	214
BPM_131A	1153-1155	Systolic blood pressure - first set (3)	215
BPM_132A	1156-1158	Diastolic blood pressure - first set (3)	215
BPM_133A	1159-1161	Heart rate - first set (3)	216
BPM_141A	1162-1164	Systolic blood pressure - first set (4)	216
BPM_142A	1165-1167	Diastolic blood pressure - first set (4)	216
BPM_143A	1168-1170	Heart rate - first set (4)	217
BPM_151A	1171-1173	Systolic blood pressure - first set (5)	217
BPM_152A	1174-1176	Diastolic blood pressure - first set (5)	217
BPM_153A	1177-1179	Heart rate - first set (5)	218
BPM_160	1180-1180	Accept/re-do measurements	218
BPM_161	1181-1181	Anyone present during blood pressure measure	219
BPMD161	1182-1184	Average systolic blood pressure (mmHg) - first set - (D)	219
BPMD162	1185-1187	Average diastolic blood pressure (mmHg) - first set - (D)	219
BPMD163	1188-1190	Average resting heart rate - first set - (D)	220
BPM_201A	1191-1193	Systolic blood pressure - second set (0)	220
BPM_202A	1194-1196	Diastolic blood pressure - second set (0)	221
BPM_203A	1197-1199	Heart rate - second set (0)	221
BPM_211A	1200-1202	Systolic blood pressure - second set (1)	221
BPM_212A	1203-1205	Diastolic blood pressure - second set (1)	222
BPM_213A	1206-1208	Heart rate - second set (1)	222
BPM_221A	1209-1211	Systolic blood pressure - second set (2)	222
BPM_222A	1212-1214	Diastolic blood pressure - second set (2)	223
BPM_223A	1215-1217	Heart rate - second set (2)	223
BPM_231A	1218-1220	Systolic blood pressure - second set (3)	224
BPM_232A	1221-1223	Diastolic blood pressure - second set (3)	224
BPM_233A	1224-1226	Heart rate - second set (3)	224
BPM_241A	1227-1229	Systolic blood pressure - second set (4)	225
BPM_242A	1230-1232	Diastolic blood pressure - second set (4)	225
BPM_243A	1233-1235	Heart rate - second set (4)	226
BPM_251A	1236-1238	Systolic blood pressure - second set (5)	226
BPM_252A	1239-1241	Diastolic blood pressure - second set (5)	226
BPM_253A	1242-1244	Heart rate - second set (5)	227
BPM_260	1245-1245	Accept/reject measurements	227
BPM_261	1246-1246	Anyone present during blood pressure measure	228
BPMD261	1247-1249	Average systolic blood pressure (mmHg) - second set - (D)	228
BPMD262	1250-1252	Average diastolic blood pressure (mmHg) - second set - (D)	228
BPMD263	1253-1255	Average resting heart rate - second set - (D)	229
BPMDPBPS	1256-1258	Final prevalence average systolic blood pressure (mmHg) - (D)	229
BPMDPBPD	1259-1261	Final prevalence average diastolic blood pressure (mmHg) - (D)	229
BPMDPHR	1262-1264	Final prevalence average resting heart rate - (D)	230
BPMDBPA	1265-1266	Blood pressure norms - 18 years old and older - (D)	230
BPMDBPK	1267-1267	Blood pressure norms - 6 to 17 years old - (D)	231
AMCDELG	1268-1269	Eligibility - Activity Monitor component - (D)	231
AMC_10	1270-1270	Activity monitor available	231
AMC_21	1271-1271	Activity monitor taken	232
IACDELG	1272-1273	Eligibility - Indoor Air component - (D)	232
SPCDELG	1274-1275	Eligibility - Spirometry component - (D)	233
SPM_022	1276-1276	Race adjustment category	233
SPM_PFVC	1277-1280	Respondent's predicted FVC (L)	233
SPM_RELI	1281-1281	Test reliability factor	234
SPM_PV1	1282-1285	Respondent's predicted FEV1 (L)	234
SPM_PV1F	1286-1289	Respondent's predicted FEV1/FVC (%)	235
SPM_CFVC	1290-1293	Confidence interval for predicted FVC (L)	235
SPM_CV1	1294-1297	Confidence interval for predicted FEV1 (L)	235
SPM_CV1F	1298-1301	Confidence interval for predicted FEV1/FVC (%)	236
SPM_NUME	1302-1303	Number of efforts (maximum of 8)	236

SPM_NUMA	1304-1305	Number of acceptable efforts (maximum of 8)	236
SPM_REP	1306-1306	Repeatability for FVC and FEV1 in the 150mL limit	237
SPM_QFVC	1307-1307	FVC Quality factor	237
SPM_QV1	1308-1308	FEV1 Quality factor	238
SPM_BFVC	1309-1312	Largest FVC (L) from acceptable efforts	238
SPM_B05	1313-1316	Largest FEV0.5 (L) from acceptable efforts	239
SPM_B05F	1317-1321	Ratio - Largest FEV0.5/Largest FVC (%) from acceptable efforts	239
SPM_B75	1322-1325	Largest FEV0.75 (L) from acceptable efforts	239
SPM_B75F	1326-1330	Ratio - Largest FEV0.75/Largest FVC (%) from acceptable efforts	240
SPM_B1	1331-1334	Largest FEV1 (L) from acceptable efforts	240
SPM_B1F	1335-1339	Ratio - Largest FEV1/Largest FVC (%) from acceptable efforts	240
SPM_B3	1340-1343	Largest FEV3 (L) from acceptable efforts	241
SPM_B3F	1344-1348	Ratio - Largest FEV3/Largest FVC (%) from acceptable efforts	241
SPM_B6	1349-1352	Largest FEV6 (L) from acceptable efforts	242
SPM_B6F	1353-1357	Ratio - Largest FEV6/Largest FVC (%) from acceptable efforts	242
SPM_B16	1358-1362	Ratio - Largest FEV1/Largest FEV6 (%) from acceptable efforts	242
SPM_BPEF	1363-1367	Largest PEF (L/sec) from acceptable efforts	243
SPM_BF25	1368-1372	FEF25% (L/sec) from the best acceptable effort	243
SPM_BF50	1373-1377	FEF50% (L/sec) from the best acceptable effort	243
SPM_BF75	1378-1381	FEF75% (L/sec) from the best acceptable effort	244
SPM_BM25	1382-1385	FEF25-75% (L/sec) from the best acceptable effort	244
SPM_BM75	1386-1389	FEF75-85% (L/sec) from the best acceptable effort	245
SPM_BM1L	1390-1394	FEF212 (L/sec) from the best acceptable effort	245
SPMDBFVP	1395-1399	Percent of predicted FVC - (D)	245
SPMDB1P	1400-1404	Percent of predicted FEV1 - (D)	246
SPMDB1FP	1405-1409	Percent of predicted FEV1/FVC - (D)	246
SPM_BMET	1410-1413	MET (seconds) from the best acceptable effort	247
SPM_BET	1414-1418	Expiratory time (seconds) of the trial with the largest FVC	247
SPM_BNUM	1419-1420	Identification number of best effort (largest sum FVC+FEV1)	247
SPM_1ACC	1421-1421	Effort #1 Effort acceptability	248
SPM_1FVC	1422-1425	Effort #1 FVC (L) forced vital capacity	248
SPM_105	1426-1429	Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds	248
SPM_105F	1430-1434	Effort #1 FEV0.5/FVC (%)	249
SPM_175	1435-1438	Effort #1 FEV0.75 (L) forced expiratory volume in 0.75 seconds	249
SPM_175F	1439-1443	Effort #1 FEV0.75/FVC (%)	250
SPM_11	1444-1447	Effort #1 FEV1 (L) forced expiratory volume in 1 second	250
SPM_11F	1448-1452	Effort #1 FEV1/FVC (%)	250
SPM_116	1453-1457	Effort #1 FEV1/FEV6 (%)	251
SPM_13	1458-1461	Effort #1 FEV3 (L) forced expiratory volume in 3 seconds	251
SPM_13F	1462-1466	Effort #1 FEV3/FVC (%)	251
SPM_16	1467-1470	Effort #1 FEV6 (L) forced expiratory volume in 6 seconds	252
SPM_16F	1471-1475	Effort #1 FEV6/FVC (%)	252
SPM_1PEF	1476-1480	Effort #1 PEF (L/s) peak expiratory flow	253
SPM_1F25	1481-1485	Effort #1 FEF25% (L/s) forced expiratory flow at 25% of the FVC	253
SPM_1F50	1486-1490	Effort #1 FEF50% (L/s) forced expiratory flow at 50% of the FVC	253
SPM_1F75	1491-1494	Effort #1 FEF75% (L/s) forced expiratory flow at 75% of the FVC	254
SPM_1M25	1495-1498	Effort #1 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	254
SPM_1M75	1499-1502	Effort #1 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	254
SPM_1M1L	1503-1507	Effort #1 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	255
SPM_1MET	1508-1511	Effort #1 MET (seconds) mid-expiratory time	255
SPM_1ET	1512-1516	Effort #1 Expiratory Time (seconds)	256
SPM_1BV	1517-1520	Effort #1 Back extrapolated volume (L)	256
SPM_1BVF	1521-1524	Effort #1 Back extrapolated volume (fraction of FVC)	256
SPM_2ACC	1525-1525	Effort #2 Effort acceptability	257
SPM_2FVC	1526-1529	Effort #2 FVC (L) forced vital capacity	257
SPM_205	1530-1533	Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds	257
SPM_205F	1534-1538	Effort #2 FEV0.5/FVC (%)	258
SPM_275	1539-1542	Effort #2 FEV0.75 (L) forced expiratory volume in 0.75 seconds	258
SPM_275F	1543-1547	Effort #2 FEV0.75/FVC (%)	259
SPM_21	1548-1551	Effort #2 FEV1 (L) forced expiratory volume in 1 second	259
SPM_21F	1552-1556	Effort #2 FEV1/FVC (%)	259
SPM_216	1557-1561	Effort #2 FEV1/FEV6 (%)	260
SPM_23	1562-1565	Effort #2 FEV3 (L) forced expiratory volume in 3 seconds	260

SPM_23F	1566-1570	Effort #2 FEV3/FVC (%)	260
SPM_26	1571-1574	Effort #2 FEV6 (L) forced expiratory volume in 6 seconds	261
SPM_26F	1575-1579	Effort #2 FEV6/FVC (%)	261
SPM_2PEF	1580-1584	Effort #2 PEF (L/s) peak expiratory flow	262
SPM_2F25	1585-1589	Effort #2 FEF25% (L/s) forced expiratory flow at 25% of the FVC	262
SPM_2F50	1590-1594	Effort #2 FEF50% (L/s) forced expiratory flow at 50% of the FVC	262
SPM_2F75	1595-1598	Effort #2 FEF75% (L/s) forced expiratory flow at 75% of the FVC	263
SPM_2M25	1599-1602	Effort #2 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	263
SPM_2M75	1603-1606	Effort #2 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	263
SPM_2M1L	1607-1611	Effort #2 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	264
SPM_2MET	1612-1615	Effort #2 MET (seconds) mid-expiratory time	264
SPM_2ET	1616-1620	Effort #2 Expiratory Time (seconds)	265
SPM_2BV	1621-1624	Effort #2 Back extrapolated volume (L)	265
SPM_2BVF	1625-1628	Effort #2 Back extrapolated volume (fraction of FVC)	265
SPM_3ACC	1629-1629	Effort #3 Effort acceptability	266
SPM_3FVC	1630-1633	Effort #3 FVC (L) forced vital capacity	266
SPM_305	1634-1637	Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds	266
SPM_305F	1638-1642	Effort #3 FEV0.5/FVC (%)	267
SPM_375	1643-1646	Effort #3 FEV0.75 (L) forced expiratory volume in 0.75 seconds	267
SPM_375F	1647-1651	Effort #3 FEV0.75/FVC (%)	268
SPM_31	1652-1655	Effort #3 FEV1 (L) forced expiratory volume in 1 second	268
SPM_31F	1656-1660	Effort #3 FEV1/FVC (%)	268
SPM_316	1661-1665	Effort #3 FEV1/FEV6 (%)	269
SPM_33	1666-1669	Effort #3 FEV3 (L) forced expiratory volume in 3 seconds	269
SPM_33F	1670-1674	Effort #3 FEV3/FVC (%)	269
SPM_36	1675-1678	Effort #3 FEV6 (L) forced expiratory volume in 6 seconds	270
SPM_36F	1679-1683	Effort #3 FEV6/FVC (%)	270
SPM_3PEF	1684-1688	Effort #3 PEF (L/s) peak expiratory flow	271
SPM_3F25	1689-1693	Effort #3 FEF25% (L/s) forced expiratory flow at 25% of the FVC	271
SPM_3F50	1694-1698	Effort #3 FEF50% (L/s) forced expiratory flow at 50% of the FVC	271
SPM_3F75	1699-1702	Effort #3 FEF75% (L/s) forced expiratory flow at 75% of the FVC	272
SPM_3M25	1703-1706	Effort #3 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	272
SPM_3M75	1707-1710	Effort #3 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	272
SPM_3M1L	1711-1715	Effort #3 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	273
SPM_3MET	1716-1719	Effort #3 MET (seconds) mid-expiratory time	273
SPM_3ET	1720-1724	Effort #3 Expiratory Time (seconds)	274
SPM_3BV	1725-1728	Effort #3 Back extrapolated volume (L)	274
SPM_3BVF	1729-1732	Effort #3 Back extrapolated volume (fraction of FVC)	274
SPM_4ACC	1733-1733	Effort #4 Effort acceptability	275
SPM_4FVC	1734-1737	Effort #4 FVC (L) forced vital capacity	275
SPM_405	1738-1741	Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds	275
SPM_405F	1742-1746	Effort #4 FEV0.5/FVC (%)	276
SPM_475	1747-1750	Effort #4 FEV0.75 (L) forced expiratory volume in 0.75 seconds	276
SPM_475F	1751-1755	Effort #4 FEV0.75/FVC (%)	277
SPM_41	1756-1759	Effort #4 FEV1 (L) forced expiratory volume in 1 second	277
SPM_41F	1760-1764	Effort #4 FEV1/FVC (%)	277
SPM_416	1765-1769	Effort #4 FEV1/FEV6 (%)	278
SPM_43	1770-1773	Effort #4 FEV3 (L) forced expiratory volume in 3 seconds	278
SPM_43F	1774-1778	Effort #4 FEV3/FVC (%)	278
SPM_46	1779-1782	Effort #4 FEV6 (L) forced expiratory volume in 6 seconds	279
SPM_46F	1783-1787	Effort #4 FEV6/FVC (%)	279
SPM_4PEF	1788-1792	Effort #4 PEF (L/s) peak expiratory flow	280
SPM_4F25	1793-1797	Effort #4 FEF25% (L/s) forced expiratory flow at 25% of the FVC	280
SPM_4F50	1798-1802	Effort #4 FEF50% (L/s) forced expiratory flow at 50% of the FVC	280
SPM_4F75	1803-1806	Effort #4 FEF75% (L/s) forced expiratory flow at 75% of the FVC	281
SPM_4M25	1807-1810	Effort #4 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	281
SPM_4M75	1811-1814	Effort #4 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	281
SPM_4M1L	1815-1819	Effort #4 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	282
SPM_4MET	1820-1823	Effort #4 MET (sec) mid-expiratory time	282
SPM_4ET	1824-1828	Effort #4 Expiratory Time (seconds)	283
SPM_4BV	1829-1832	Effort #4 Back extrapolated volume (L)	283
SPM_4BVF	1833-1836	Effort #4 Back extrapolated volume (fraction of FVC)	283
SPM_5ACC	1837-1837	Effort #5 Effort acceptability	284

SPM_5FVC	1838-1841	Effort #5 FVC (L) forced vital capacity	284
SPM_505	1842-1845	Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds	284
SPM_505F	1846-1850	Effort #5 FEV0.5/FVC (%)	285
SPM_575	1851-1854	Effort #5 FEV0.75 (L) forced expiratory volume in 0.75 seconds	285
SPM_575F	1855-1859	Effort #5 FEV0.75/FVC (%)	286
SPM_51	1860-1863	Effort #5 FEV1 (L) forced expiratory volume in 1 second	286
SPM_51F	1864-1868	Effort #5 FEV1/FVC (%)	286
SPM_516	1869-1873	Effort #5 FEV1/FEV6 (%)	287
SPM_53	1874-1877	Effort #5 FEV3 (L) forced expiratory volume in 3 seconds	287
SPM_53F	1878-1882	Effort #5 FEV3/FVC (%)	287
SPM_56	1883-1886	Effort #5 FEV6 (L) forced expiratory volume in 6 seconds	288
SPM_56F	1887-1891	Effort #5 FEV6/FVC (%)	288
SPM_5PEF	1892-1896	Effort #5 PEF (L/s) peak expiratory flow	289
SPM_5F25	1897-1901	Effort #5 FEF25% (L/s) forced expiratory flow at 25% of the FVC	289
SPM_5F50	1902-1906	Effort #5 FEF50% (L/s) forced expiratory flow at 50% of the FVC	289
SPM_5F75	1907-1910	Effort #5 FEF75% (L/s) forced expiratory flow at 75% of the FVC	290
SPM_5M25	1911-1914	Effort #5 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	290
SPM_5M75	1915-1918	Effort #5 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	290
SPM_5M1L	1919-1923	Effort #5 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	291
SPM_5MET	1924-1927	Effort #5 MET (seconds) mid-expiratory time	291
SPM_5ET	1928-1932	Effort #5 Expiratory Time (seconds)	292
SPM_5BV	1933-1936	Effort #5 Back extrapolated volume (L)	292
SPM_5BVF	1937-1940	Effort #5 Back extrapolated volume (fraction of FVC)	292
SPM_6ACC	1941-1941	Effort #6 Effort acceptability	293
SPM_6FVC	1942-1945	Effort #6 FVC (L) forced vital capacity	293
SPM_605	1946-1949	Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds	293
SPM_605F	1950-1954	Effort #6 FEV0.5/FVC (%)	294
SPM_675	1955-1958	Effort #6 FEV0.75 (L) forced expiratory volume in 0.75 seconds	294
SPM_675F	1959-1963	Effort #6 FEV0.75/FVC (%)	295
SPM_61	1964-1967	Effort #6 FEV1 (L) forced expiratory volume in 1 second	295
SPM_61F	1968-1972	Effort #6 FEV1/FVC (%)	295
SPM_616	1973-1977	Effort #6 FEV1/FEV6 (%)	296
SPM_63	1978-1981	Effort #6 FEV3 (L) forced expiratory volume in 3 seconds	296
SPM_63F	1982-1986	Effort #6 FEV3/FVC (%)	296
SPM_66	1987-1990	Effort #6 FEV6 (L) forced expiratory volume in 6 seconds	297
SPM_66F	1991-1995	Effort #6 FEV6/FVC (%)	297
SPM_6PEF	1996-2000	Effort #6 PEF (L/s) peak expiratory flow	298
SPM_6F25	2001-2005	Effort #6 FEF25% (L/s) forced expiratory flow at 25% of the FVC	298
SPM_6F50	2006-2010	Effort #6 FEF50% (L/s) forced expiratory flow at 50% of the FVC	298
SPM_6F75	2011-2014	Effort #6 FEF75% (L/s) forced expiratory flow at 75% of the FVC	299
SPM_6M25	2015-2018	Effort #6 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	299
SPM_6M75	2019-2022	Effort #6 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	299
SPM_6M1L	2023-2027	Effort #6 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	300
SPM_6MET	2028-2031	Effort #6 MET (seconds) mid-expiratory time	300
SPM_6ET	2032-2036	Effort #6 Expiratory Time (seconds)	301
SPM_6BV	2037-2040	Effort #6 Back extrapolated volume (L)	301
SPM_6BVF	2041-2044	Effort #6 Back extrapolated volume (fraction of FVC)	301
SPM_7ACC	2045-2045	Effort #7 Effort acceptability	302
SPM_7FVC	2046-2049	Effort #7 FVC (L) forced vital capacity	302
SPM_705	2050-2053	Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds	302
SPM_705F	2054-2058	Effort #7 FEV0.5/FVC (%)	303
SPM_775	2059-2062	Effort #7 FEV0.75 (L) forced expiratory volume in 0.75 seconds	303
SPM_775F	2063-2067	Effort #7 FEV0.75/FVC (%)	304
SPM_71	2068-2071	Effort #7 FEV1 (L) forced expiratory volume in 1 second	304
SPM_71F	2072-2076	Effort #7 FEV1/FVC (%)	304
SPM_716	2077-2081	Effort #7 FEV1/FEV6 (%)	305
SPM_73	2082-2085	Effort #7 FEV3 (L) forced expiratory volume in 3 seconds	305
SPM_73F	2086-2090	Effort #7 FEV3/FVC (%)	305
SPM_76	2091-2094	Effort #7 FEV6 (L) forced expiratory volume in 6 seconds	306
SPM_76F	2095-2099	Effort #7 FEV6/FVC (%)	306
SPM_7PEF	2100-2104	Effort #7 PEF (L/s) peak expiratory flow	307
SPM_7F25	2105-2109	Effort #7 FEF25% (L/s) forced expiratory flow at 25% of the FVC	307
SPM_7F50	2110-2114	Effort #7 FEF50% (L/s) forced expiratory flow at 50% of the FVC	307

SPM_7F75	2115-2118	Effort #7 FEF75% (L/s) forced expiratory flow at 75% of the FVC	308
SPM_7M25	2119-2122	Effort #7 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	308
SPM_7M75	2123-2126	Effort #7 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	308
SPM_7M1L	2127-2131	Effort #7 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	309
SPM_7MET	2132-2135	Effort #7 MET (seconds) mid-expiratory time	309
SPM_7ET	2136-2140	Effort #7 Expiratory Time (seconds)	310
SPM_7BV	2141-2144	Effort #7 Back extrapolated volume (L)	310
SPM_7BVF	2145-2148	Effort #7 Back extrapolated volume (fraction of FVC)	310
SPM_8ACC	2149-2149	Effort #8 Effort acceptability	311
SPM_8FVC	2150-2153	Effort #8 FVC (L) forced vital capacity	311
SPM_805	2154-2157	Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds	311
SPM_805F	2158-2162	Effort #8 FEV0.5/FVC (%)	312
SPM_875	2163-2166	Effort #8 FEV0.75 (L) forced expiratory volume in 0.75 seconds	312
SPM_875F	2167-2171	Effort #8 FEV0.75/FVC (%)	313
SPM_81	2172-2175	Effort #8 FEV1 (L) forced expiratory volume in 1 second	313
SPM_81F	2176-2180	Effort #8 FEV1/FVC (%)	313
SPM_816	2181-2185	Effort #8 FEV1/FEV6 (%)	314
SPM_83	2186-2189	Effort #8 FEV3 (L) forced expiratory volume in 3 seconds	314
SPM_83F	2190-2194	Effort #8 FEV3/FVC (%)	314
SPM_86	2195-2198	Effort #8 FEV6 (L) forced expiratory volume in 6 seconds	315
SPM_86F	2199-2203	Effort #8 FEV6/FVC (%)	315
SPM_8PEF	2204-2208	Effort #8 PEF (L/sec) peak expiratory flow	316
SPM_8F25	2209-2213	Effort #8 FEF25% (L/sec) forced expiratory flow at 25% of the FVC	316
SPM_8F50	2214-2218	Effort #8 FEF50% (L/sec) forced expiratory flow at 50% of the FVC	316
SPM_8F75	2219-2222	Effort #8 FEF75% (L/sec) forced expiratory flow at 75% of the FVC	317
SPM_8M25	2223-2226	Effort #8 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	317
SPM_8M75	2227-2230	Effort #8 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	317
SPM_8M1L	2231-2235	Effort #8 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	318
SPM_8MET	2236-2239	Effort #8 MET (seconds) mid-expiratory time	318
SPM_8ET	2240-2244	Effort #8 Expiratory Time (seconds)	319
SPM_8BV	2245-2248	Effort #8 Back extrapolated volume (L)	319
SPM_8BVF	2249-2252	Effort #8 Back extrapolated volume (fraction of FVC)	319
HRCDELG	2253-2254	Eligibility - Hearing components - (D)	320
GSCDELG	2255-2256	Eligibility - Grip Strength component - (D)	320
GSM_11	2257-2259	Right hand grip strength (kilograms) - (1)	321
GSM_12	2260-2262	Left hand grip strength (kilograms) - (1)	321
GSM_21	2263-2265	Right hand grip strength (kilograms) - (2)	321
GSM_22	2266-2268	Left hand grip strength (kilograms) - (2)	322
GSMD51	2269-2271	Total hand grip strength (kilograms) - (D)	322
GSMD52	2272-2272	Grip strength norms - 15 to 69 years old - (D)	323
GSMD53	2273-2273	Grip strength norms - 7 to14 years old - (D)	323
PHBDELG	2274-2275	Eligibility - Phlebotomy component - (D)	323
PHID12	2276-2276	Fasting status - (D)	324
LABDELG	2277-2278	Eligibility - Lab component - (D)	324
WGT_FULL	2279-2294	Full sample weight	325

Topical Index 327
Variable Index 341

Variable Name: CLINICID **Length:** 8.0 **Position:** 1

Question Name:

Concept: Clinic identifier of selected respondent

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: SITE **Length:** 2.0 **Position:** 9

Question Name:

Concept: Collection site

Question Text:

Universe: All respondents

Note: The population count next to the name of each site below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the site represents.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Brockville	01	295	1,796,500	5.6
Hamilton	02	365	2,463,500	7.6
Edmonton	03	385	3,109,000	9.6
Toronto West	04	335	2,191,000	6.8
Saguenay	05	425	1,953,000	6.1
Shelburne	06	375	1,105,000	3.4
Saint-Hyacinthe	07	445	1,706,500	5.3
Kelowna	08	345	2,241,000	6.9
Fredericton	09	380	1,047,000	3.2
Laval West	10	325	1,938,500	6.0
Montreal West	11	345	1,893,500	5.9
Terrace Kitimat	12	345	1,960,000	6.1
Thunder Bay	13	360	2,076,500	6.4
Kitchener/Waterloo	14	360	2,086,500	6.5
Regina	15	365	2,758,000	8.5
Toronto	16	340	1,950,000	6.0
Total		5,794	32,275,596	100.0

Variable Name: V2_DAY **Length:** 2.0 **Position:** 11

Question Name:

Concept: Day of clinic visit

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Day (1 to 31)		01 - 31	5,795	32,275,500	100.0
	Total		5,794	32,275,596	100.0

Variable Name: V2_MTH **Length:** 2.0 **Position:** 13

Question Name:

Concept: Month of clinic visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Month (1 to 12)		01 - 12	5,795	32,275,500	100.0
	Total		5,794	32,275,596	100.0

Variable Name: V2_YEAR **Length:** 4.0 **Position:** 15

Question Name:

Concept: Year of clinic visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Year		2014 - 2015	5,795	32,275,500	100.0
	Total		5,794	32,275,596	100.0

Variable Name: V2_HOUR **Length:** 2.0 **Position:** 19

Question Name:

Concept: Hour of clinic visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Hour of the day		05 - 19	5,790	32,264,000	100.0
Don't know		97	5	11,500	0.0
	Total		5,794	32,275,596	100.0

Variable Name: V2_MIN **Length:** 2.0 **Position:** 21

Question Name:

Concept: Minute of clinic visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Minute of the day		00 - 59	5,790	32,264,000	100.0
Don't know		97	5	11,500	0.0
	Total		5,794	32,275,596	100.0

Variable Name: V2_TYPE **Length:** 1.0 **Position:** 23

Question Name:

Concept: Type of visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Clinic visit		1	5,790	32,264,000	100.0
Home visit		2	5	11,500	0.0
	Total		5,794	32,275,596	100.0

Variable Name: SITESTRT **Length:** 8.0 **Position:** 24

Totals may not add up due to rounding.

Question Name:

Concept: Date that the collection started for a particular site

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: SITEEND **Length:** 8.0 **Position:** 32

Question Name:

Concept: Date the collection ended for a particular site

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: CLC_YOB **Length:** 4.0 **Position:** 40

Question Name:

Concept: Year of birth

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Year	1934 - 2012	5,790	32,270,500	100.0
Not stated	9999	5	5,000	0.0
Total		5,794	32,275,596	100.0

Variable Name: CLC_MOB **Length:** 2.0 **Position:** 44

Question Name:

Concept: Month of birth

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Month (1 to 12)		01 - 12	5,790	32,270,500	100.0
Not stated		99	5	5,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: CLC_DOB **Length:** 2.0 **Position:** 46

Question Name:

Concept: Day of birth

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Day (1 to 31)		01 - 31	5,790	32,270,500	100.0
Not stated		99	5	5,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: CLC_AGE **Length:** 3.0 **Position:** 48

Question Name:

Concept: Age at clinic visit

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Years		003 - 080	5,795	32,275,500	100.0
	Total		5,794	32,275,596	100.0

Variable Name: CLC_SEX **Length:** 1.0 **Position:** 51

Question Name:

Concept: Sex

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Male	1	2,895	16,105,000	49.9
Female	2	2,900	16,171,000	50.1
Total		5,794	32,275,596	100.0

Variable Name: URG_13 **Length:** 1.0 **Position:** 52

Question Name: URG_N13

Concept: Respondant is in a wheelchair

Question Text: INSTRUCTION: Is the respondent in a wheelchair?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	68,000	0.2
No	2	5,780	32,207,500	99.8
Total		5,794	32,275,596	100.0

Variable Name: URG_14 **Length:** 1.0 **Position:** 53

Question Name: URG_Q14

Concept: Respondant uses a catheter

Question Text: The laboratories that analyse the urine samples require that these samples are provided without the use of a catheter. For this reason, we need to know if you use a catheter.

Universe: URG_13 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	34,500	0.1
No	2	10	33,500	0.1
Valid skip	6	5,780	32,207,500	99.8
Total		5,794	32,275,596	100.0

Variable Name: U1CDELG **Length:** 2.0 **Position:** 54

Question Name:

Concept: Eligibility - Urine collection 1 component - (D)

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,785	32,241,000	99.9
Not eligible - Acute/chronic condition	09	5	34,500	0.1
Total		5,794	32,275,596	100.0

Variable Name: UC1_40 **Length:** 1.0 **Position:** 56

Question Name: UC1_N40

Concept: Urine sample given

Question Text: INSTRUCTION: Record whether the respondent provided a urine sample.

Universe: U1CDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,680	31,833,500	98.6
No	2	85	264,500	0.8
Valid skip	6	5	34,500	0.1
Not stated	9	20	143,000	0.4
Total		5,794	32,275,596	100.0

Variable Name: UC1_43 **Length:** 1.0 **Position:** 57

Question Name: UC1_Q43

Concept: Urinated - last time before sample

Question Text: In order to complete an accurate analysis of the sample provided, we would like to know how long ago you urinated prior to providing this sample.

Universe: UC1_40 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 hour ago	1	400	2,444,500	7.6
1 to 2 hours ago	2	1,410	8,697,500	26.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
More than 2 hours ago	3	3,845	20,632,000	63.9
Valid skip	6	90	299,500	0.9
Don't know	7	25	56,000	0.2
Not stated	9	20	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: U2CDELG **Length:** 2.0 **Position:** 58

Question Name:

Concept: Eligibility - Urine collection 2 component - (D)

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	690	3,498,500	10.8
Not eligible - Acute/chronic condition	09	5	34,500	0.1
Not eligible - Not required	19	5,095	28,742,500	89.1
Total		5,794	32,275,596	100.0

Variable Name: URCDSPL **Length:** 1.0 **Position:** 60

Question Name:

Concept: Type of sample used if urine provided - (D)

Question Text:

Universe: U1CDELG = 1

Note: See document on derived variable.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No sample provided	1	85	264,500	0.8
Pooled sampled (1st and 2nd samples)	2	535	2,952,000	9.1
Single catch sample	3	5,140	28,846,500	89.4
Sample could not be used for testing	4	5	29,000	0.1
Valid skip	6	5	34,500	0.1
Not stated	9	25	148,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: ATG_11 **Length:** 1.0 **Position:** 61

Question Name: ATG_N11

Concept: Date

Question Text: INSTRUCTION: Confirm the date.

Universe: All respondents.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yesterday	1	2,665	16,287,000	50.5
Today	2	3,130	15,988,500	49.5
Total		5,794	32,275,596	100.0

Variable Name: ATG_11H **Length:** 2.0 **Position:** 62

Question Name:

Concept: Time last ate/drank - hour

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hour of the day	00 - 23	5,795	32,275,500	100.0
Total		5,794	32,275,596	100.0

Variable Name: ATG_11M **Length:** 2.0 **Position:** 64

Question Name:

Concept: Time last ate/drank - minute

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Minute of the day	00 - 59	5,795	32,275,500	100.0
Total		5,794	32,275,596	100.0

Variable Name: ATG_21 **Length:** 1.0 **Position:** 66

Totals may not add up due to rounding.

Question Name: ATG_Q21

Concept: Past 2 hours - smoked

Question Text: Have you smoked cigarettes or used other tobacco or nicotine products during the past 2 hours?

Universe: CLC_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	185	1,769,500	5.5
No	2	4,020	27,180,000	84.2
Valid skip	6	1,590	3,326,500	10.3
Total		5,794	32,275,596	100.0

Variable Name: ATG_22 **Length:** 1.0 **Position:** 67

Question Name: ATG_Q22

Concept: Past 2 hours - consumed caffeinated products

Question Text: Have you consumed any caffeinated products (e.g., coffee, pop, energy drinks, tea or chocolate) during the past 2 hours?

Universe: CLC_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	260	1,670,500	5.2
No	2	4,970	29,486,000	91.4
Valid skip	6	560	1,119,000	3.5
Total		5,794	32,275,596	100.0

Variable Name: ATG_31 **Length:** 1.0 **Position:** 68

Question Name: ATG_Q31

Concept: Past 6 hours - drank alcohol

Question Text: Have you consumed any alcohol during the past 6 hours?

Universe: CLC_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	121,000	0.4

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	4,195	28,828,000	89.3
Valid skip		6	1,590	3,326,500	10.3
	Total		5,794	32,275,596	100.0

Variable Name: ATG_41 **Length:** 1.0 **Position:** 69

Question Name: ATG_Q41

Concept: Have exercised today - 10 minutes at a time

Question Text: Have you exercised today for at least ten minutes at a time (e.g., running, moderate or vigorous walking, swimming, weight training)?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	975	3,626,000	11.2
No		2	4,820	28,650,000	88.8
	Total		5,794	32,275,596	100.0

Variable Name: ATG_43 **Length:** 1.0 **Position:** 70

Question Name: ATG_Q43

Concept: How long - since last exercised

Question Text: How long has it been since you last exercised?

Universe: ATG_41 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
1 to less than 30 minutes ago		1	75	272,000	0.8
30 minutes to less than 1 hour ago		2	85	356,000	1.1
1 hour to less than 2 hours ago		3	170	525,500	1.6
More than 2 hours ago		4	640	2,472,500	7.7
Valid skip		6	4,820	28,650,000	88.8
	Total		5,794	32,275,596	100.0

Variable Name: ATG_50 **Length:** 1.0 **Position:** 71

Question Name: ATG_Q50

Concept: Listened to loud music today

Totals may not add up due to rounding.

Question Text: Have you listened to loud music today?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	160	815,500	2.5
No	2	5,635	31,460,000	97.5
Total		5,794	32,275,596	100.0

Variable Name: ATG_51 **Length:** 1.0 **Position:** 72

Question Name: ATG_Q51

Concept: Past 24 hours - exposed to loud noise without protection

Question Text: In the past 24 hours, have you been exposed to loud noise without hearing protection?

Universe: All respondents

Note: Examples of loud noise include power tools, farm machinery, guns, motorcycle riding at highway speed or any activity where you had to speak in a raise voice to be heard or communicate.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	325	1,680,500	5.2
No	2	5,470	30,595,000	94.8
Total		5,794	32,275,596	100.0

Variable Name: PHC_11 **Length:** 1.0 **Position:** 73

Question Name: PHC_Q11

Concept: Pregnant

Question Text: Are you currently pregnant?

Universe: 13 < CLC_AGE < 60 and CLC_SEX = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	25	234,500	0.7
No	2	1,425	10,732,000	33.3
Valid skip	6	4,340	21,307,500	66.0
Don’t know	7	5	1,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_12 **Length:** 2.0 **Position:** 74

Question Name: PHC_Q12

Concept: Number of weeks pregnant

Question Text: In what week are you?

Universe: PHC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of weeks	05 - 39	25	234,500	0.7
Valid skip	96	5,765	32,039,500	99.3
Not stated	99	5	1,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_13 **Length:** 1.0 **Position:** 76

Question Name: PHC_Q13

Concept: Had menstrual period in the past 6 months

Question Text: Have you had a menstrual period in the past 6 months?

Universe: (11 < CLC_AGE < 14 and CLC_SEX = 2) or PHC_11 = 2, DK

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,240	8,332,500	25.8
No	2	325	2,737,500	8.5
Valid skip	6	4,230	21,205,000	65.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_14 **Length:** 1.0 **Position:** 77

Question Name: PHC_Q14

Concept: Regular menstrual cycle

Question Text: Is your menstrual cycle regular? Here, "regular" is defined as having a menstrual period every 20 to 36 days.

Universe: PHC_13 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	830	5,599,000	17.3
No		2	395	2,618,000	8.1
Valid skip		6	4,555	23,943,000	74.2
Don't know		7	10	115,500	0.4
	Total		5,794	32,275,596	100.0

Variable Name: PHC_15 **Length:** 2.0 **Position:** 78

Question Name: PHC_Q15

Concept: Length of typical menstrual cycle

Question Text: What is the length of your typical menstrual cycle, that is, from day 1 of the last menstrual period to day 1 of the next?

Universe: PHC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of days		20 - 36	755	5,248,000	16.3
Valid skip		96	4,955	26,561,000	82.3
Don't know		97	75	350,500	1.1
Not stated		99	10	115,500	0.4
	Total		5,794	32,275,596	100.0

Variable Name: PHC_16D **Length:** 2.0 **Position:** 80

Question Name:

Concept: First day of last menstrual period - day

Question Text: When was the first day of your last menstrual period? - day

Universe: PHC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Day (1 to 31)		01 - 31	735	5,119,500	15.9
Valid skip		96	4,955	26,561,000	82.3
Don't know		97	95	479,500	1.5
Not stated		99	10	115,500	0.4
	Total		5,794	32,275,596	100.0

Variable Name: PHC_16M **Length:** 2.0 **Position:** 82

Question Name:

Concept: First day of last menstrual period - month

Question Text: When was the first day of your last menstrual period? - month

Universe: PHC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Month (1 to 12)	01 - 12	825	5,585,500	17.3
Valid skip	96	4,955	26,561,000	82.3
Don't know	97	5	13,500	0.0
Not stated	99	10	115,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: PHC_16Y **Length:** 4.0 **Position:** 84

Question Name:

Concept: First day of last menstrual period - year

Question Text: When was the first day of your last menstrual period? - year

Universe: PHC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Year	2014 - 2015	825	5,575,000	17.3
Valid skip	9996	4,955	26,561,000	82.3
Don't know	9997	5	24,000	0.1
Not stated	9999	10	115,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: PHCD16 **Length:** 4.0 **Position:** 88

Question Name:

Concept: Number of days since last menstrual period - (D)

Question Text:

Universe: PHC_14 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	0000 - 0107	735	5,119,500	15.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		9996	4,955	26,561,000	82.3
Not stated		9999	105	595,000	1.8
	Total		5,794	32,275,596	100.0

Variable Name: PHC_41 **Length:** 1.0 **Position:** 92

Question Name: PHC_Q41

Concept: Has acute condition

Question Text: Do you have any acute conditions, for example sprained wrist, flu or other infection? An acute condition develops suddenly and is short-term.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	500	3,007,500	9.3
No		2	5,295	29,268,500	90.7
	Total		5,794	32,275,596	100.0

Variable Name: PHC_41A **Length:** 1.0 **Position:** 93

Question Name: PHC_N41

Concept: Has acute condition-Bone, joint or muscle problem

Question Text: INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Bone, joint or muscle problem

Universe: PHC_41 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	155	951,500	2.9
No		2	345	2,055,500	6.4
Valid skip		6	5,295	29,268,500	90.7
	Total		5,794	32,275,596	100.0

Variable Name: PHC_41B **Length:** 1.0 **Position:** 94

Question Name: PHC_N41

Concept: Has acute condition- Flu or other infection

Question Text: INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Flu or other infection

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	280	1,640,000	5.1
No	2	220	1,367,000	4.2
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_41C **Length:** 1.0 **Position:** 95

Question Name: PHC_N41

Concept: Has acute condition-Medical procedure

Question Text: INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Medical procedure (recovery)

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	8,500	0.0
No	2	500	2,998,500	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_41D **Length:** 1.0 **Position:** 96

Question Name: PHC_N41

Concept: Has acute condition-Other health problem

Question Text: INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Other health problem

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	75	473,500	1.5
No	2	425	2,533,500	7.9
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: PHC_41F **Length:** 1.0 **Position:** 97

Question Name:

Concept: Has acute condition-Fever

Question Text: INSTRUCTION: What type(s) of acute condition(s) does the respondent have? - Fever

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	500	3,007,500	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42E **Length:** 1.0 **Position:** 98

Question Name:

Concept: Test exclusion - Activity monitor

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Activity monitor

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	500	3,007,500	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42F **Length:** 1.0 **Position:** 99

Question Name:

Concept: Test exclusion - Spirometry

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Spirometry

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	75,500	0.2
No	2	495	2,932,000	9.1
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42H **Length:** 1.0 **Position:** 100

Question Name:

Concept: Test exclusion - Grip strength

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Grip strength

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	16,000	0.1
No	2	495	2,991,000	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42L **Length:** 1.0 **Position:** 101

Question Name:

Concept: Test exclusion - None

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - None

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	490	2,924,500	9.1
No	2	10	83,000	0.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42N **Length:** 1.0 **Position:** 102

Question Name: PHC_N42

Totals may not add up due to rounding.

Concept: Test exclusion - Hearing

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Hearing

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	500	3,007,500	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_42O **Length:** 1.0 **Position:** 103

Question Name: PHC_N42

Concept: Test exclusion - Skin Pigmentation

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Skin Pigmentation

Universe: PHC_41 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	500	3,007,500	9.3
Valid skip	6	5,295	29,268,500	90.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43 **Length:** 1.0 **Position:** 104

Question Name: PHC_Q43

Concept: Has chronic condition

Question Text: Do you have a chronic condition, for example arthritis, heart condition, multiple sclerosis, or colostomy bag that may prevent you from participating in any of the tests today?

Universe: All respondents

Note: A chronic condition develops slowly and is long lasting.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	695	4,607,000	14.3
No	2	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43A **Length:** 1.0 **Position:** 105

Question Name: PHC_N43

Concept: Has chronic condition - Bone, joint or muscle problem

Question Text: INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Bone, joint or muscle problem

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	370	2,739,500	8.5
No	2	325	1,867,500	5.8
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43B **Length:** 1.0 **Position:** 106

Question Name: PHC_N43

Concept: Has chronic condition - Cardiovascular condition

Question Text: INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Cardiovascular condition

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	175	1,117,500	3.5
No	2	520	3,490,000	10.8
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43C **Length:** 1.0 **Position:** 107

Question Name: PHC_N43

Concept: Has chronic condition - Respiratory condition

Question Text: INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Respiratory condition

Universe: PHC_43 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	120	712,500	2.2
No	2	575	3,894,500	12.1
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43D **Length:** 1.0 **Position:** 108

Question Name: PHC_N43

Concept: Has chronic condition - Physically impaired

Question Text: INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Physically impaired

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	33,000	0.1
No	2	690	4,574,000	14.2
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_43E **Length:** 1.0 **Position:** 109

Question Name: PHC_N43

Concept: Has chronic condition - Other health problem

Question Text: INSTRUCTION: What type(s) of chronic condition(s) does the respondent have? - Other health problem

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	170	1,012,000	3.1
No	2	530	3,595,000	11.1
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_44E **Length:** 1.0 **Position:** 110

Question Name:

Concept: Test exclusion - Activity monitor

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Activity monitor

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	13,500	0.0
No	2	695	4,593,500	14.2
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_44F **Length:** 1.0 **Position:** 111

Question Name:

Concept: Test exclusion - Spirometry

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Spirometry

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	76,500	0.2
No	2	690	4,530,500	14.0
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_44H **Length:** 1.0 **Position:** 112

Question Name:

Concept: Test exclusion - Grip strength

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Grip strength

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	27,000	0.1
No	2	690	4,580,000	14.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,095	27,668,500	85.7
	Total		5,794	32,275,596	100.0

Variable Name: PHC_44L **Length:** 1.0 **Position:** 113

Question Name:

Concept: Test exclusion - None

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - None

Universe: PHC_43 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	680	4,486,000	13.9
No		2	15	121,000	0.4
Valid skip		6	5,095	27,668,500	85.7
	Total		5,794	32,275,596	100.0

Variable Name: PHC_44N **Length:** 1.0 **Position:** 114

Question Name: PHC_N44

Concept: Test exclusion - Hearing

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Hearing

Universe: PHC_43 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	24,000	0.1
No		2	695	4,583,000	14.2
Valid skip		6	5,095	27,668,500	85.7
	Total		5,794	32,275,596	100.0

Variable Name: PHC_44O **Length:** 1.0 **Position:** 115

Question Name: PHC_N44

Concept: Test exclusion - Skin Pigmentation

Question Text: INSTRUCTION: From which test(s) should the respondent be excluded because of this condition? - Skin Pigmentation

Universe: PHC_43 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	1,500	0.0
No	2	695	4,605,500	14.3
Valid skip	6	5,095	27,668,500	85.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_51 **Length:** 1.0 **Position:** 116

Question Name: PHC_Q51

Concept: Has a clotting condition

Question Text: Do you have a clotting condition such as haemophilia or von Willebrand disease?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	91,500	0.3
No	2	5,785	32,184,000	99.7
Total		5,794	32,275,596	100.0

Variable Name: PHC_52 **Length:** 1.0 **Position:** 117

Question Name: PHC_Q52

Concept: Received chemotherapy - past four weeks

Question Text: Have you received chemotherapy in the past four weeks?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	43,000	0.1
No	2	5,785	32,232,500	99.9
Total		5,794	32,275,596	100.0

Variable Name: PHC_53 **Length:** 1.0 **Position:** 118

Totals may not add up due to rounding.

Question Name: PHC_Q53

Concept: Received a blood transfusion - past 2 months

Question Text: In the past 2 months, that is, from [Date 2 months ago] to today, did you receive a blood transfusion?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	13,000	0.0
No	2	5,790	32,262,500	100.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_54 **Length:** 1.0 **Position:** 119

Question Name: PHC_Q54

Concept: Donated blood - past 2 months

Question Text: In the past 2 months, did you donate blood?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	514,500	1.6
No	2	5,750	31,760,500	98.4
Don’t know	7	5	1,000	0.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_55D **Length:** 2.0 **Position:** 120

Question Name:

Concept: Donated blood - day

Question Text: What was the date when you last donated blood? - day

Universe: PHC_54 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Day (1 to 31)	01 - 30	40	513,500	1.6
Valid skip	96	5,750	31,760,500	98.4
Don’t know	97	5	1,000	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	5	1,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: PHC_55M **Length:** 2.0 **Position:** 122

Question Name:

Concept: Donated blood - month

Question Text: What was the date when you last donated blood? - month

Universe: PHC_54 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Month (1 to 12)		01 - 12	40	514,500	1.6
Valid skip		96	5,750	31,760,500	98.4
Not stated		99	5	1,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: PHC_55Y **Length:** 4.0 **Position:** 124

Question Name:

Concept: Donated blood - year

Question Text: What was the date when you last donated blood? - year

Universe: PHC_54 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Year		2013 - 2015	40	514,500	1.6
Valid skip		9996	5,750	31,760,500	98.4
Not stated		9999	5	1,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: PHCD55 **Length:** 2.0 **Position:** 128

Question Name:

Concept: Donated blood the day before the clinic visit - (D)

Question Text:

Totals may not add up due to rounding.

Universe: PHC_54 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	01	5	1,500	0.0
No	02	40	512,000	1.6
Valid skip	96	5,750	31,760,500	98.4
Not stated	99	5	1,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_56 **Length:** 1.0 **Position:** 130

Question Name: PHC_Q56

Concept: Felt dizzy/fainted during a blood draw

Question Text: Have you ever felt dizzy or fainted during a blood draw?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	455	3,613,500	11.2
No	2	5,340	28,662,000	88.8
Total		5,794	32,275,596	100.0

Variable Name: PHC_57A **Length:** 1.0 **Position:** 131

Question Name: PHC_Q57A

Concept: Had a mastectomy

Question Text: Have you ever had a mastectomy?

Universe: CLC_AGE > 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	350,500	1.1
No	2	3,240	25,783,000	79.9
Valid skip	6	2,510	6,142,000	19.0
Total		5,794	32,275,596	100.0

Variable Name: PHC_57B **Length:** 1.0 **Position:** 132

Question Name: PHC_Q57B

Concept: Had a mastectomy - which side

Question Text: On which side?

Universe: PHC_57A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	20	165,000	0.5
Left	2	20	166,000	0.5
Both	3	5	19,500	0.1
Valid skip	6	5,750	31,925,000	98.9
Total		5,794	32,275,596	100.0

Variable Name: PHC_58 **Length:** 1.0 **Position:** 133

Question Name: PHC_Q58

Concept: Drugs for blood pressure or heart condition

Question Text: Is your doctor currently prescribing drugs (for example, water pills) for your blood pressure or a heart condition?

Universe: CLC_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,541,000	14.1
No	2	4,585	26,615,500	82.5
Valid skip	6	560	1,119,000	3.5
Total		5,794	32,275,596	100.0

Variable Name: PHC_59A **Length:** 1.0 **Position:** 134

Question Name: PHC_Q59

Concept: Reason taking drugs - High blood pressure

Question Text: For which condition(s) are you taking the drugs? - High blood pressure

Universe: PHC_58 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	570	3,981,000	12.3

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	75	533,000	1.7
Valid skip		6	5,145	27,734,500	85.9
Don't know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: PHC_59B **Length:** 1.0 **Position:** 135

Question Name: PHC_Q59

Concept: Reason taking drugs - Low blood pressure

Question Text: For which condition(s) are you taking the drugs? - Low blood pressure

Universe: PHC_58 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	48,000	0.1
No		2	635	4,465,500	13.8
Valid skip		6	5,145	27,734,500	85.9
Don't know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: PHC_59C **Length:** 1.0 **Position:** 136

Question Name: PHC_Q59

Concept: Reason taking drugs - Angina

Question Text: For which condition(s) are you taking the drugs? - Angina

Universe: PHC_58 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	20	129,500	0.4
No		2	625	4,384,500	13.6
Valid skip		6	5,145	27,734,500	85.9
Don't know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: PHC_59D **Length:** 1.0 **Position:** 137

Question Name: PHC_Q59

Concept: Reason taking drugs - Previous heart attack

Question Text: For which condition(s) are you taking the drugs? - Previous heart attack

Universe: PHC_58 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	30	254,000	0.8
No	2	610	4,259,500	13.2
Valid skip	6	5,145	27,734,500	85.9
Don't know	7	5	27,500	0.1
Total		5,794	32,275,596	100.0

Variable Name: PHC_59E **Length:** 1.0 **Position:** 138

Question Name: PHC_Q59

Concept: Reason taking drugs - Aneurysm

Question Text: For which condition(s) are you taking the drugs? - Aneurysm

Universe: PHC_58 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	37,000	0.1
No	2	640	4,476,500	13.9
Valid skip	6	5,145	27,734,500	85.9
Don't know	7	5	27,500	0.1
Total		5,794	32,275,596	100.0

Variable Name: PHC_59F **Length:** 1.0 **Position:** 139

Question Name: PHC_Q59

Concept: Reason taking drugs - Arrhythmia

Question Text: For which condition(s) are you taking the drugs? - Arrhythmia

Universe: PHC_58 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	35	378,500	1.2
No	2	605	4,135,500	12.8
Valid skip	6	5,145	27,734,500	85.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don’t know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: PHC_59G **Length:** 1.0 **Position:** 140

Question Name: PHC_Q59

Concept: Reason taking drugs - Other heart condition

Question Text: For which condition(s) are you taking the drugs? - Other heart condition

Universe: PHC_58 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	40	246,000	0.8
No		2	605	4,267,500	13.2
Valid skip		6	5,145	27,734,500	85.9
Don’t know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: PHC_59H **Length:** 1.0 **Position:** 141

Question Name: PHC_Q59

Concept: Reason taking drugs - Other medical condition

Question Text: For which condition(s) are you taking the drugs? - Other medical condition

Universe: PHC_58 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	20	122,500	0.4
No		2	620	4,391,000	13.6
Valid skip		6	5,145	27,734,500	85.9
Don’t know		7	5	27,500	0.1
	Total		5,794	32,275,596	100.0

Variable Name: HER_10 **Length:** 1.0 **Position:** 142

Question Name: HER_Q10

Concept: Last time - hearing tested

Question Text: When was the last time you had your hearing tested?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than a year ago	1	385	1,876,000	5.8
1 to less than 5 years ago	2	955	4,862,500	15.1
5 to less than 10 years ago	3	555	3,423,000	10.6
10 or more years ago	4	950	6,555,000	20.3
Never	5	2,720	14,335,500	44.4
Don't know	7	230	1,223,500	3.8
Total		5,794	32,275,596	100.0

Variable Name: HER_20 **Length:** 1.0 **Position:** 143

Question Name: HER_Q20

Concept: Ever been diagnosed with hearing problem

Question Text: Has a health professional ever diagnosed you with a hearing problem?

Universe: HER_10 = 1, 2, 3, 4, DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	325	2,222,000	6.9
No	2	2,745	15,711,000	48.7
Valid skip	6	2,720	14,335,500	44.4
Don't know	7	5	7,000	0.0
Total		5,794	32,275,596	100.0

Variable Name: HER_30 **Length:** 1.0 **Position:** 144

Question Name: HER_Q30

Concept: Past 3 months - surgery on inside of ear

Question Text: Have you had any surgery performed on the inside of your ear in the past three months?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	21,000	0.1
No	2	5,790	32,254,500	99.9
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: HER_31 **Length:** 1.0 **Position:** 145

Question Name: HER_Q31

Concept: Which ear(s)- surgery in past 3 months

Question Text: On which ear(s)?

Universe: HER_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Left	2	5	1,000	0.0
Both	3	5	21,000	0.1
Valid skip	6	5,790	32,254,500	99.9
Total		5,794	32,275,596	100.0

Variable Name: HER_40 **Length:** 1.0 **Position:** 146

Question Name: HER_Q40

Concept: Current ear infection/pain

Question Text: Do you currently have an ear infection or pain in your ear(s)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	159,000	0.5
No	2	5,755	32,116,500	99.5
Total		5,794	32,275,596	100.0

Variable Name: HER_41 **Length:** 1.0 **Position:** 147

Question Name: HER_Q41

Concept: Which ear(s) - current infection/pain

Question Text: In which ear(s)?

Universe: HER_40 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	15	81,500	0.3
Left	2	15	37,000	0.1
Both	3	10	40,000	0.1
Valid skip	6	5,755	32,116,500	99.5
Total		5,794	32,275,596	100.0

Variable Name: HER_50 **Length:** 1.0 **Position:** 148

Question Name: HER_Q50

Concept: Has a cochlear implant

Question Text: Do you have a cochlear implant?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	27,000	0.1
No	2	5,790	32,249,000	99.9
Total		5,794	32,275,596	100.0

Variable Name: HER_51 **Length:** 1.0 **Position:** 149

Question Name: HER_Q51

Concept: Which ear(s) - cochlear implant

Question Text: In which ear(s)?

Universe: HER_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	5	3,500	0.0
Left	2	5	5,000	0.0
Both	3	5	18,000	0.1
Valid skip	6	5,790	32,249,000	99.9
Total		5,794	32,275,596	100.0

Variable Name: HER_52 **Length:** 1.0 **Position:** 150

Question Name: HER_Q52

Concept: Has a hearing aid

Totals may not add up due to rounding.

Question Text: Do you have a hearing aid?

Universe: HER_50 = 2 or HER_51 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	105	837,000	2.6
No	2	5,690	31,420,500	97.4
Valid skip	6	5	18,000	0.1
Total		5,794	32,275,596	100.0

Variable Name: HER_53 **Length:** 1.0 **Position:** 151

Question Name: HER_Q53

Concept: Which ear(s) - hearing aid

Question Text: In which ear(s)?

Universe: HER_52 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	10	126,000	0.4
Left	2	15	98,000	0.3
Both	3	80	613,000	1.9
Valid skip	6	5,690	31,438,500	97.4
Total		5,794	32,275,596	100.0

Variable Name: SPQ_11 **Length:** 1.0 **Position:** 152

Question Name: SPQ_Q11

Concept: Wheezing or whistling - any time in the past

Question Text: Has your child ever had wheezing or whistling in the chest at any time in the past?

Universe: 5 < CLC_AGE < 13

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	290	665,500	2.1
No	2	905	1,979,500	6.1
Valid skip	6	4,600	29,630,500	91.8
Total		5,794	32,275,596	100.0

Variable Name: SPQ_12 **Length:** 1.0 **Position:** 153

Question Name: SPQ_Q12

Concept: Wheezing or whistling - last 12 months

Question Text: Has your child had wheezing or whistling in the chest in the last 12 months?

Universe: SPQ_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	85	214,500	0.7
No	2	205	450,500	1.4
Valid skip	6	5,505	31,610,000	97.9
Total		5,794	32,275,596	100.0

Variable Name: SPQ_13 **Length:** 1.0 **Position:** 154

Question Name: SPQ_Q13

Concept: Number of attacks of wheezing - last 12 months

Question Text: How many attacks of wheezing has your child had in the last 12 months?

Universe: SPQ_12 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 3 attacks	1	60	157,000	0.5
4 to 12 attacks	2	20	33,000	0.1
More than 12 attacks	3	5	25,000	0.1
Valid skip	6	5,710	32,061,000	99.3
Total		5,794	32,275,596	100.0

Variable Name: SPQ_14 **Length:** 1.0 **Position:** 155

Question Name: SPQ_Q14

Concept: Sleep disturbed due to wheezing - last 12 months

Question Text: In the last 12 months, how often, on average, has your child's sleep been disturbed due to wheezing?

Universe: SPQ_12 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Never woken with wheezing	1	50	112,500	0.3
Less than one night per week	2	25	70,000	0.2
One or more nights per week	3	5	32,500	0.1
Valid skip	6	5,710	32,061,000	99.3
Total		5,794	32,275,596	100.0

Variable Name: SPQ_15 **Length:** 1.0 **Position:** 156

Question Name: SPQ_Q15

Concept: Wheezing limiting speech - last 12 months

Question Text: In the last 12 months, has wheezing ever been severe enough to limit your child's speech to only one or two words at a time between breaths?

Universe: SPQ_12 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	18,000	0.1
No	2	80	197,000	0.6
Valid skip	6	5,710	32,061,000	99.3
Total		5,794	32,275,596	100.0

Variable Name: SPQ_16 **Length:** 1.0 **Position:** 157

Question Name: SPQ_Q16

Concept: Wheezy during or after exercise - last 12 months

Question Text: In the last 12 months, has your child's chest sounded wheezy during or after exercise?

Universe: 5 < CLC_AGE < 13

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	65	154,000	0.5
No	2	1,130	2,491,000	7.7
Valid skip	6	4,600	29,630,500	91.8
Total		5,794	32,275,596	100.0

Variable Name: SPQ_17 **Length:** 1.0 **Position:** 158

Question Name: SPQ_Q17

Concept: Dry cough at night - last 12 months

Question Text: In the last 12 months, has your child had a dry cough at night, apart from a cough associated with a cold or a chest infection?

Universe: 5 < CLC_AGE < 13

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	80	176,500	0.5
No	2	1,115	2,468,500	7.6
Valid skip	6	4,600	29,630,500	91.8
Total		5,794	32,275,596	100.0

Variable Name: SPQ_21 **Length:** 1.0 **Position:** 159

Question Name: SPQ_Q21

Concept: Cough regularly

Question Text: Do you cough regularly?

Universe: CLC_AGE > 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	580	4,108,500	12.7
No	2	3,460	24,403,000	75.6
Valid skip	6	1,755	3,764,000	11.7
Total		5,794	32,275,596	100.0

Variable Name: SPQ_22 **Length:** 1.0 **Position:** 160

Question Name: SPQ_Q22

Concept: Cough up phlegm regularly

Question Text: Do you cough up phlegm regularly?

Universe: CLC_AGE > 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	375	2,810,000	8.7
No	2	3,660	25,702,000	79.6
Valid skip	6	1,755	3,764,000	11.7
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPQ_23 **Length:** 1.0 **Position:** 161

Question Name: SPQ_Q23

Concept: Simple chores make short of breath

Question Text: Do even simple chores make you short of breath?

Universe: CLC_AGE > 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	315	2,362,500	7.3
No	2	3,725	26,149,000	81.0
Valid skip	6	1,755	3,764,000	11.7
Total		5,794	32,275,596	100.0

Variable Name: SPQ_24 **Length:** 1.0 **Position:** 162

Question Name: SPQ_Q24

Concept: Wheeze from exertion or at night

Question Text: Do you wheeze when you exert yourself, or at night?

Universe: CLC_AGE > 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	360	2,700,000	8.4
No	2	3,680	25,811,500	80.0
Valid skip	6	1,755	3,764,000	11.7
Total		5,794	32,275,596	100.0

Variable Name: SPQ_25 **Length:** 1.0 **Position:** 163

Question Name: SPQ_Q25

Concept: Frequent persistent colds

Question Text: Do you get frequent colds that persist longer than those of other people you know?

Universe: CLC_AGE > 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	245	2,263,000	7.0
No	2	3,795	26,248,500	81.3
Valid skip	6	1,755	3,764,000	11.7
Total		5,794	32,275,596	100.0

Variable Name: SPR_11 **Length:** 1.0 **Position:** 164

Question Name: SPR_Q11

Concept: Heart attack - past 3 months

Question Text: Have you had a heart attack within the past 3 months?

Universe: CLC_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	10,500	0.0
No	2	5,205	30,980,500	96.0
Valid skip	6	585	1,284,500	4.0
Total		5,794	32,275,596	100.0

Variable Name: SPR_12 **Length:** 1.0 **Position:** 165

Question Name: SPR_Q12

Concept: Major chest or abdomen surgery - past 3 months

Question Text: Have you had major surgery on your chest or abdomen in the past 3 months?

Universe: SPR_11 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	20	170,000	0.5
No	2	5,185	30,810,000	95.5
Valid skip	6	590	1,295,000	4.0
Total		5,794	32,275,596	100.0

Variable Name: SPR_13 **Length:** 1.0 **Position:** 166

Question Name: SPR_Q13

Concept: Eye surgery - past 6 weeks

Totals may not add up due to rounding.

Question Text: Have you had eye surgery in the past 6 weeks?

Universe: SPR_12 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	136,500	0.4
No	2	5,170	30,673,500	95.0
Valid skip	6	610	1,465,500	4.5
Total		5,794	32,275,596	100.0

Variable Name: MEDC_411 **Length:** 1.0 **Position:** 167

Question Name: MEDC_Q411

Concept: Past week - used performance enhancing/recreational drugs

Question Text: In the past week have you used any performance enhancing or recreational drugs such as steroids, marijuana or cocaine?

Universe: CLC_AGE > 13

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	410	3,295,500	10.2
No	2	3,490	24,846,000	77.0
Valid skip	6	1,895	4,131,500	12.8
Don’t know	7	5	2,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: MEDC_611 **Length:** 2.0 **Position:** 168

Question Name: MEDC_N611

Concept: Exclusion due to medication use - which tests

Question Text: INSTRUCTION: From which tests should the respondent be excluded because of medication use?

Universe: Respondents who declared taking prescription or over the counter medication

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Spirometry	01	5	2,000	0.0
None	06	4,450	27,410,500	84.9
Valid skip	96	1,340	4,863,000	15.1
Total		5,794	32,275,596	100.0

Variable Name: ORS_0 **Length:** 1.0 **Position:** 170

Question Name: ORS_Q1

Concept: Other reasons for screening out of physical tests

Question Text: Other than what you have already mentioned, are there any other reasons you should not participate in one or more of the physical tests?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	97,000	0.3
No		2	5,790	32,179,000	99.7
	Total		5,794	32,275,596	100.0

Variable Name: ORS_1 **Length:** 1.0 **Position:** 171

Question Name: ORS_N1

Concept: Other reasons for screening out - grip strength test

Question Text: INSTRUCTION: Is there any other reason why the respondent should not perform the Grip Strength test?

Universe: CLC_AGE > 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	25,000	0.1
No		2	5,225	31,131,500	96.5
Valid skip		6	560	1,119,000	3.5
	Total		5,794	32,275,596	100.0

Variable Name: ORS_2 **Length:** 1.0 **Position:** 172

Question Name: ORS_N2

Concept: Other reasons for screening out - spirometry test

Question Text: INSTRUCTION: Is there any other reason why the respondent should not perform the Spirometry test?

Universe: CLC_AGE > 5

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	10	107,500	0.3
No		2	5,225	31,049,000	96.2
Valid skip		6	560	1,119,000	3.5
	Total		5,794	32,275,596	100.0

Variable Name: ORS_7 **Length:** 1.0 **Position:** 173

Question Name: ORS_N7

Concept: Other reasons for screening out - hearing tests

Question Text: INSTRUCTION: Is there any other reason why the respondent should not perform the Hearing tests?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	39,500	0.1
No		2	5,790	32,236,000	99.9
	Total		5,794	32,275,596	100.0

Variable Name: ORS_8 **Length:** 1.0 **Position:** 174

Question Name: ORS_N8

Concept: Other reasons for screening out - skin pigmentation test

Question Text: INSTRUCTION: Is there any other reason why the respondent should not perform the skin pigmentation measurements?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	17,500	0.1
No		2	5,790	32,258,000	99.9
	Total		5,794	32,275,596	100.0

Variable Name: WAQ_02 **Length:** 1.0 **Position:** 175

Question Name: WAQ_Q02

Concept: Last time in a swimming pool/hot tub/steam room

Question Text: When did you last spend time in a swimming pool, in a hot tub, or in a steam room?

Universe: CLC_AGE > 5 and selected for the blood volatile organic subsample

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 6 hours ago	1	10	33,000	0.1
6 to less than 12 hours ago	2	20	98,000	0.3
12 to less than 24 hours ago	3	70	338,000	1.0
24 or more hours ago	4	2,535	16,755,500	51.9
Valid skip	6	3,090	14,634,000	45.3
Don't know	7	5	4,500	0.0
Not stated	9	70	412,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_03 **Length:** 1.0 **Position:** 176

Question Name: WAQ_Q03

Concept: Last time - hot shower (5+ min) or hot bath (20+ min)

Question Text: When did you last take a hot shower, for 5 minutes or longer, or a hot bath, for twenty minutes or longer?

Universe: CLC_AGE > 5 and selected for the blood volatile organic subsample

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 6 hours ago	1	875	5,929,000	18.4
6 to less than 12 hours ago	2	510	3,417,500	10.6
12 to less than 24 hours ago	3	700	3,999,000	12.4
24 or more hours ago	4	550	3,881,000	12.0
Valid skip	6	3,090	14,634,000	45.3
Don't know	7	5	2,500	0.0
Not stated	9	70	412,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_04 **Length:** 3.0 **Position:** 177

Question Name: WAQ_Q04

Concept: Drinks black, white or green tea - Number of times

Question Text: How often do you drink black, white or green tea? Examples of black tea include Orange Pekoe, Earl Grey and English Breakfast. Please do not include herbal teas.

Universe: CLC_AGE > 5 and selected for the urine fluoride subsample

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 365	2,145	10,903,500	33.8
Valid skip		996	3,590	20,965,500	65.0
Not stated		999	60	406,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: WAQD04Y **Length:** 4.0 **Position:** 180

Question Name:

Concept: Drinks black, white or green tea - number of times per year - (D)

Question Text:

Universe: WAQ_04 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 3650	2,145	10,903,500	33.8
Valid skip		9996	3,590	20,965,500	65.0
Not stated		9999	60	406,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: WAQ_05A **Length:** 1.0 **Position:** 184

Question Name: WAQ_N05A

Concept: Drinks black, white or green tea - Reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < WAQ_04 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	295	1,863,000	5.8
Per week		2	340	2,383,000	7.4
Per month		3	230	1,278,000	4.0
Per year		4	70	424,500	1.3
Valid skip		6	4,800	25,920,500	80.3
Not stated		9	60	406,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: WAQ_06 **Length:** 1.0 **Position:** 185

Question Name: WAQ_Q06

Concept: Drinks black, white or green tea - Amount (in cups)

Question Text: When you drink black, white or green tea, how much do you usually drink in cups?

Universe: 0 < WAQ_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 cup	1	135	557,500	1.7
1 to less than 2 cups	2	655	4,224,000	13.1
2 or more cups	3	145	1,167,000	3.6
Valid skip	6	4,800	25,920,500	80.3
Not stated	9	60	406,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_07 **Length:** 1.0 **Position:** 186

Question Name: WAQ_Q07

Concept: Last time drank black, white or green tea

Question Text: When did you last drink black, white or green tea?

Universe: 0 < WAQ_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 6 hours ago	1	50	321,000	1.0
6 to less than 12 hours ago	2	55	314,500	1.0
12 to less than 24 hours ago	3	210	1,319,500	4.1
24 or more hours ago	4	620	3,993,500	12.4
Valid skip	6	4,800	25,920,500	80.3
Not stated	9	60	406,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_08 **Length:** 2.0 **Position:** 187

Question Name: WAQ_Q08

Concept: Last time received fluoride treatments at the dentist

Question Text: When did you last receive fluoride treatments at the dentist?

Universe: CLC_AGE > 5 and selected for the urine fluoride subsample

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 3 months ago	01	400	1,649,500	5.1
3 to less than 6 months ago	02	425	1,532,000	4.7
6 to less than 9 months ago	03	340	1,463,000	4.5
9 to less than 12 months ago	04	160	741,000	2.3
12 or more months ago	05	695	4,127,500	12.8
Never	06	550	1,939,500	6.0
Valid skip	96	3,055	19,926,500	61.7
Don't know	97	105	484,500	1.5
Not stated	99	65	411,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_09 **Length:** 1.0 **Position:** 189

Question Name: WAQ_Q09

Concept: Uses fluoride-containing products at home

Question Text: Do you use fluoride-containing products at home, such as toothpaste, mouthwash, or 24-hour fluoride treatment?

Universe: CLC_AGE > 5 and selected for the urine fluoride subsample

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,080	9,541,500	29.6
No	2	405	1,656,000	5.1
Valid skip	6	3,055	19,926,500	61.7
Don't know	7	190	740,500	2.3
Not stated	9	65	411,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: WAQ_10 **Length:** 1.0 **Position:** 190

Question Name: WAQ_Q10

Concept: Last time used a fluoride-containing product

Question Text: When was the last time you used one of these products?

Universe: WAQ_09 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 6 hours ago	1	1,150	5,477,000	17.0
6 to less than 12 hours ago	2	550	2,466,500	7.6
12 to less than 24 hours ago	3	265	961,000	3.0
24 or more hours ago	4	110	621,500	1.9
Valid skip	6	3,460	21,582,500	66.9
Don't know	7	5	15,500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	255	1,151,500	3.6
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10A **Length:** 1.0 **Position:** 191

Question Name: FSF_Q10

Concept: Ate shellfish over past month - lobster

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - lobster

Universe: All respondents

Note: .

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	490	2,694,000	8.3
No		2	5,270	29,340,000	90.9
Don't know		7	15	82,000	0.3
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10B **Length:** 1.0 **Position:** 192

Question Name: FSF_Q10

Concept: Ate shellfish over past month - shrimp

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - shrimp

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,160	14,084,000	43.6
No		2	3,600	17,950,000	55.6
Don't know		7	15	82,000	0.3
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10C **Length:** 1.0 **Position:** 193

Question Name: FSF_Q10

Totals may not add up due to rounding.

Concept: Ate shellfish over past month - mussels

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - mussels

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	390	3,034,500	9.4
No	2	5,370	29,000,000	89.9
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10D **Length:** 1.0 **Position:** 194

Question Name: FSF_Q10

Concept: Ate shellfish over past month - scallops

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - scallops

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	685	4,298,000	13.3
No	2	5,075	27,736,500	85.9
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10E **Length:** 1.0 **Position:** 195

Question Name: FSF_Q10

Concept: Ate shellfish over past month - oysters

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - oysters

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	225	1,747,000	5.4
No		2	5,535	30,287,500	93.8
Don't know		7	15	82,000	0.3
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10F **Length:** 1.0 **Position:** 196

Question Name: FSF_Q10

Concept: Ate shellfish over past month - squid/calamari

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - squid or calamari

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	520	3,956,500	12.3
No		2	5,240	28,078,000	87.0
Don't know		7	15	82,000	0.3
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10G **Length:** 1.0 **Position:** 197

Question Name: FSF_Q10

Concept: Ate shellfish over past month - clams

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - clams

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	285	1,693,000	5.2
No		2	5,475	30,341,500	94.0
Don't know		7	15	82,000	0.3
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_10H **Length:** 1.0 **Position:** 198

Totals may not add up due to rounding.

Question Name: FSF_Q10

Concept: Ate shellfish over past month - crab

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - crab

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	3,210,500	9.9
No	2	5,260	28,823,500	89.3
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10I **Length:** 1.0 **Position:** 199

Question Name: FSF_Q10

Concept: Ate shellfish over past month - surimi or imitation crab

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - surimi or imitation crab

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	430	2,554,500	7.9
No	2	5,330	29,479,500	91.3
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10J **Length:** 1.0 **Position:** 200

Question Name: FSF_Q10

Concept: Ate shellfish over past month - any other shellfish

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - any other shellfish

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	227,000	0.7
No	2	5,715	31,807,000	98.5
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10K **Length:** 1.0 **Position:** 201

Question Name: FSF_Q10

Concept: Ate shellfish over past month - no shellfish

Question Text: Have you eaten any of the following shellfish over the past month, that is, from [date last month] to today? - no shellfish

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,985	14,935,000	46.3
No	2	2,775	17,099,500	53.0
Don't know	7	15	82,000	0.3
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_10X **Length:** 1.0 **Position:** 202

Question Name: FSF_Q10X

Concept: Any other sellfish over past month

Question Text: Over the past month, did you consume any other sellfish?

Universe: FSF_10J = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	4,000	0.0
No	2	40	211,500	0.7
Valid skip	6	5,715	31,807,000	98.5
Not stated	9	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_10Y **Length:** 1.0 **Position:** 203

Totals may not add up due to rounding.

Question Name: FSF_Q10Y

Concept: Any other sellfish over past month

Question Text: Over the past month, did you consume any other sellfish?

Universe: FSF_10X = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	5	4,000	0.0
Valid skip	6	5,755	32,018,500	99.2
Not stated	9	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_12 **Length:** 2.0 **Position:** 204

Question Name:

Concept: Ate lobster over past month - number of times

Question Text: Over the past month, how many times did you eat lobster?

Universe: FSF_10A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 09	485	2,690,500	8.3
Valid skip	96	5,270	29,340,000	90.9
Don’t know	97	5	4,000	0.0
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_12N **Length:** 1.0 **Position:** 206

Question Name:

Concept: Reporting period - ate lobster past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	480	2,664,000	8.3
Per week	2	10	26,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,270	29,340,000	90.9
Not stated		9	35	245,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSFD12Y **Length:** 4.0 **Position:** 207

Question Name:

Concept: Eats lobster - times per year - (D)

Question Text:

Universe: FSF_10A = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0208	485	2,690,500	8.3
Valid skip		9996	5,270	29,340,000	90.9
Not stated		9999	35	245,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSF_13 **Length:** 2.0 **Position:** 211

Question Name:

Concept: Ate shrimp over past month - number of times

Question Text: Over the past month, how many times did you eat shrimp?

Universe: FSF_10B = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 20	2,160	14,083,000	43.6
Valid skip		96	3,600	17,950,000	55.6
Don’t know		97	5	1,000	0.0
Not stated		99	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSF_13N **Length:** 1.0 **Position:** 213

Question Name:

Concept: Reporting period - ate shrimp past month

Totals may not add up due to rounding.

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	2,035	13,363,500	41.4
Per week	2	125	719,500	2.2
Valid skip	6	3,600	17,950,000	55.6
Not stated	9	35	242,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSFD13Y **Length:** 4.0 **Position:** 214

Question Name:

Concept: Eats shrimp - times per year - (D)

Question Text:

Universe: FSF_10B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0624	2,160	14,083,000	43.6
Valid skip	9996	3,600	17,950,000	55.6
Not stated	9999	35	242,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_14 **Length:** 2.0 **Position:** 218

Question Name:

Concept: Ate mussels over past month - number of times

Question Text: Over the past month, how many times did you eat mussels?

Universe: FSF_10C = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 10	390	3,033,500	9.4
Valid skip	96	5,370	29,000,000	89.9
Don't know	97	5	1,000	0.0
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_14N **Length:** 1.0 **Position:** 220

Question Name:

Concept: Reporting period - ate mussels past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_14 < VS

Note: .

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	380	3,003,500	9.3
Per week	2	10	30,000	0.1
Valid skip	6	5,370	29,000,000	89.9
Not stated	9	35	242,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSFD14Y **Length:** 4.0 **Position:** 221

Question Name:

Concept: Eats mussels - times per year - (D)

Question Text:

Universe: FSF_10C = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0260	390	3,033,500	9.4
Valid skip	9996	5,370	29,000,000	89.9
Not stated	9999	35	242,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_15 **Length:** 2.0 **Position:** 225

Question Name:

Concept: Ate scallops over past month - number of times

Question Text: Over the past month, how many times did you eat scallops?

Universe: FSF_10D = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 20	685	4,298,000	13.3
Valid skip	96	5,075	27,736,500	85.9
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_15N **Length:** 1.0 **Position:** 227

Question Name:

Concept: Reporting period - ate scallops past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_15 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	670	4,212,000	13.0
Per week	2	15	86,000	0.3
Valid skip	6	5,075	27,736,500	85.9
Not stated	9	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSFD15Y **Length:** 4.0 **Position:** 228

Question Name:

Concept: Eats scallops - times per year - (D)

Question Text:

Universe: FSF_10D = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0240	685	4,298,000	13.3
Valid skip	9996	5,075	27,736,500	85.9
Not stated	9999	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_16 **Length:** 2.0 **Position:** 232

Question Name:

Concept: Ate oysters over past month - number of times

Question Text: Over the past month, how many times did you eat oysters?

Universe: FSF_10E = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 10	225	1,747,000	5.4
Valid skip	96	5,535	30,287,500	93.8
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_16N **Length:** 1.0 **Position:** 234

Question Name:

Concept: Reporting period - ate oysters past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_16 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	220	1,700,000	5.3
Per week	2	5	46,500	0.1
Valid skip	6	5,535	30,287,500	93.8
Not stated	9	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSFD16Y **Length:** 4.0 **Position:** 235

Question Name:

Concept: Eats oysters - times per year - (D)

Question Text:

Universe: FSF_10E = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	225	1,747,000	5.4
Valid skip	9996	5,535	30,287,500	93.8
Not stated	9999	35	241,500	0.7
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_17 **Length:** 2.0 **Position:** 239

Question Name:

Concept: Ate squid/calamari over past month - number of times

Question Text: Over the past month, how many times did you eat squid or calamari?

Universe: FSF_10F = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 10	520	3,956,500	12.3
Valid skip	96	5,240	28,078,000	87.0
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_17N **Length:** 1.0 **Position:** 241

Question Name:

Concept: Reporting period - ate squid/calmari past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_17 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	500	3,848,000	11.9
Per week	2	20	108,500	0.3
Valid skip	6	5,240	28,078,000	87.0
Not stated	9	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSFD17Y **Length:** 4.0 **Position:** 242

Question Name:

Concept: Eats squid or calamari - times per year - (D)

Question Text:

Universe: FSF_10F = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	520	3,956,500	12.3
Valid skip	9996	5,240	28,078,000	87.0
Not stated	9999	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_18 **Length:** 2.0 **Position:** 246

Question Name:

Concept: Ate clams over past month - number of times

Question Text: Over the past month, how many times did you eat clams?

Universe: FSF_10G = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 07	285	1,693,000	5.2
Valid skip	96	5,475	30,341,500	94.0
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_18N **Length:** 1.0 **Position:** 248

Question Name:

Concept: Reporting period - ate clams past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_18 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	275	1,637,000	5.1
Per week	2	10	56,000	0.2
Valid skip	6	5,475	30,341,500	94.0
Not stated	9	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSFD18Y **Length:** 4.0 **Position:** 249

Question Name:

Concept: Eats clams - times per year - (D)

Totals may not add up due to rounding.

Question Text:

Universe: FSF_10G = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0260	285	1,693,000	5.2
Valid skip		9996	5,475	30,341,500	94.0
Not stated		9999	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSF_19 **Length:** 2.0 **Position:** 253

Question Name:

Concept: Ate crab over past month - number of times

Question Text: Over the past month, how many times did you eat crab?

Universe: FSF_10H = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 06	500	3,210,500	9.9
Valid skip		96	5,260	28,823,500	89.3
Not stated		99	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSF_19N **Length:** 1.0 **Position:** 255

Question Name:

Concept: Reporting period - ate crab past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_19 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		1	485	3,141,000	9.7
Per week		2	15	69,500	0.2
Valid skip		6	5,260	28,823,500	89.3
Not stated		9	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSFD19Y **Length:** 4.0 **Position:** 256

Question Name:

Concept: Eats crab - times per year - (D)

Question Text:

Universe: FSF_10H = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	500	3,210,500	9.9
Valid skip	9996	5,260	28,823,500	89.3
Not stated	9999	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_20 **Length:** 2.0 **Position:** 260

Question Name:

Concept: Ate surimi/imitation crab over past month - number of times

Question Text: Over the past month, how many times did you eat surimi or imitation crab?

Universe: FSF_10I = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 20	430	2,554,500	7.9
Valid skip	96	5,330	29,479,500	91.3
Not stated	99	35	241,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: FSF_20N **Length:** 1.0 **Position:** 262

Question Name:

Concept: Reporting period - ate surimi/imitation crab past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_20 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	410	2,443,000	7.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per week		2	20	111,500	0.3
Valid skip		6	5,330	29,479,500	91.3
Not stated		9	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSFD20Y **Length:** 4.0 **Position:** 263

Question Name:

Concept: Eats surimi or imitation crab - times per year - (D)

Question Text:

Universe: FSF_10I = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0240	430	2,554,500	7.9
Valid skip		9996	5,330	29,479,500	91.3
Not stated		9999	35	241,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: FSF_21 **Length:** 2.0 **Position:** 267

Question Name:

Concept: Ate [other shellfish #1] over past month - number of times

Question Text: Over the past month, how many times did you eat [other shellfish #1]?

Universe: FSF_10J = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 04	40	215,500	0.7
Valid skip		96	5,715	31,807,000	98.5
Not stated		99	35	253,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSF_21N **Length:** 1.0 **Position:** 269

Question Name:

Concept: Reporting period - ate [other shellfish #1] past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_21 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	40	215,500	0.7
Valid skip	6	5,715	31,807,000	98.5
Not stated	9	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSFD21Y **Length:** 4.0 **Position:** 270

Question Name:

Concept: Eats other shellfish (#1) - times per year - (D)

Question Text:

Universe: FSF_10J = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0048	40	215,500	0.7
Valid skip	9996	5,715	31,807,000	98.5
Not stated	9999	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_22 **Length:** 2.0 **Position:** 274

Question Name:

Concept: Ate [other shellfish #2] over past month - number of times

Question Text: Over the past month, how many times did you eat [other shellfish #2]?

Universe: FSF_10X = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 01	5	4,000	0.0
Valid skip	96	5,755	32,018,500	99.2
Not stated	99	35	253,000	0.8
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_22N **Length:** 1.0 **Position:** 276

Question Name:

Concept: Reporting period - ate (other shellfish #2) past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	5	4,000	0.0
Valid skip	6	5,755	32,018,500	99.2
Not stated	9	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSFD22Y **Length:** 4.0 **Position:** 277

Question Name:

Concept: Eats other shellfish (#2) - times per year - (D)

Question Text:

Universe: FSF_10X = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0012	5	4,000	0.0
Valid skip	9996	5,755	32,018,500	99.2
Not stated	9999	35	253,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: FSF_23 **Length:** 2.0 **Position:** 281

Question Name:

Concept: Ate [other shellfish #3] over past month - number of times

Question Text: Over the past month, how many times did you eat [other shellfish #3]?

Universe: FSF_10Y = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,755	32,022,500	99.2

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	35	253,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSF_23N **Length:** 1.0 **Position:** 283

Question Name:

Concept: Reporting period - ate (other shellfish #3) past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_23 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,755	32,022,500	99.2
Not stated		9	35	253,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSFD23Y **Length:** 4.0 **Position:** 284

Question Name:

Concept: Eats other shellfish (#3) - times per year - (D)

Question Text:

Universe: FSF_10Y = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		9996	5,755	32,022,500	99.2
Not stated		9999	35	253,000	0.8
	Total		5,794	32,275,596	100.0

Variable Name: FSF_24AA **Length:** 1.0 **Position:** 288

Question Name: FSF_Q24

Concept: Ate fish over past month - fish sticks

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - fish sticks

Universe: All respondents

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	535	2,205,500	6.8
No		2	5,200	29,769,500	92.2
Don't know		7	40	141,000	0.4
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_24AB **Length:** 1.0 **Position:** 289

Question Name: FSF_Q24

Concept: Ate fish over past month - tuna in a can or pouch

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tuna in a can or pouch

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,640	9,309,000	28.8
No		2	4,095	22,666,000	70.2
Don't know		7	40	141,000	0.4
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_24AC **Length:** 1.0 **Position:** 290

Question Name: FSF_Q24

Concept: Ate fish over past month - tuna (fresh or frozen)

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tuna (fresh or frozen)

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	275	1,936,500	6.0
No		2	5,465	30,038,500	93.1
Don't know		7	40	141,000	0.4
Not stated		9	20	159,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: FSF_24AD **Length:** 1.0 **Position:** 291

Question Name: FSF_Q24

Concept: Ate fish over past month - salmon in a can or pouch

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - salmon in a can or pouch

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	480	3,087,000	9.6
No	2	5,255	28,888,500	89.5
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AE **Length:** 1.0 **Position:** 292

Question Name: FSF_Q24

Concept: Ate fish over past month - salmon - fresh, frozen or smoked

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - salmon - fresh, frozen or smoked

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,320	13,292,000	41.2
No	2	3,415	18,683,000	57.9
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AF **Length:** 1.0 **Position:** 293

Question Name: FSF_Q24

Concept: Ate fish over past month - smelt

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - smelt

Universe: All respondents

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	200,500	0.6
No	2	5,700	31,775,000	98.4
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AG **Length:** 1.0 **Position:** 294

Question Name: FSF_Q24

Concept: Ate fish over past month - shark

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - shark

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	139,000	0.4
No	2	5,725	31,836,000	98.6
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AH **Length:** 1.0 **Position:** 295

Question Name: FSF_Q24

Concept: Ate fish over past month - marlin

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - marlin

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	61,000	0.2
No	2	5,720	31,914,000	98.9
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AI **Length:** 1.0 **Position:** 296

Question Name: FSF_Q24

Concept: Ate fish over past month - swordfish

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - swordfish

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	325,000	1.0
No	2	5,695	31,650,000	98.1
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AJ **Length:** 1.0 **Position:** 297

Question Name: FSF_Q24

Concept: Ate fish over past month - halibut

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - halibut

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	480	2,941,000	9.1
No	2	5,260	29,034,000	90.0
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AK **Length:** 1.0 **Position:** 298

Question Name: FSF_Q24

Concept: Ate fish over past month - rainbow trout

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - rainbow trout

Universe: All respondents

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	430	2,326,000	7.2
No	2	5,305	29,649,000	91.9
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AL **Length:** 1.0 **Position:** 299

Question Name: FSF_Q24

Concept: Ate fish over past month - Atlantic cod

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - Atlantic cod

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	505	3,316,000	10.3
No	2	5,230	28,659,000	88.8
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AM **Length:** 1.0 **Position:** 300

Question Name: FSF_Q24

Concept: Ate fish over past month - mackerel

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - mackerel

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	160	770,000	2.4
No	2	5,575	31,205,000	96.7
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AN **Length:** 1.0 **Position:** 301

Question Name: FSF_Q24

Concept: Ate fish over past month - herring

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - herring

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	80	395,500	1.2
No	2	5,655	31,579,500	97.8
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AO **Length:** 1.0 **Position:** 302

Question Name: FSF_Q24

Concept: Ate fish over past month - sardines

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - sardines

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	265	1,514,000	4.7
No	2	5,475	30,461,000	94.4
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AP **Length:** 1.0 **Position:** 303

Question Name: FSF_Q24

Concept: Ate fish over past month - sole, flounder or plaice

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - sole, flounder or plaice

Universe: All respondents

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	470	2,598,500	8.1
No	2	5,270	29,376,500	91.0
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AQ **Length:** 1.0 **Position:** 304

Question Name: FSF_Q24

Concept: Ate fish over past month - haddock

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - haddock

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	855	4,220,500	13.1
No	2	4,880	27,754,500	86.0
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AR **Length:** 1.0 **Position:** 305

Question Name: FSF_Q24

Concept: Ate fish over past month - tilapia

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - tilapia

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	665	4,171,000	12.9
No	2	5,070	27,804,000	86.1
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AS **Length:** 1.0 **Position:** 306

Question Name: FSF_Q24

Concept: Ate fish over past month - any other fish

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - any other fish

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	660	4,250,000	13.2
No	2	5,075	27,725,000	85.9
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AT **Length:** 1.0 **Position:** 307

Question Name: FSF_Q24

Concept: Ate fish over past month - no fish

Question Text: Have you eaten any of the following fish over the past month, that is, from [date one month ago] to today? - no fish

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,435	7,682,500	23.8
No	2	4,300	24,292,500	75.3
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AU **Length:** 1.0 **Position:** 308

Question Name: FSF_Q24

Concept: Ate fish over past month - sablefish or black cod

Question Text: Have you eaten any of the following fish over the past month, that is, from ˆDateLast-MonthE to today? - Sablefish or black cod

Universe: All respondents

Totals may not add up due to rounding.

Note: New in cycle 4

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	30	227,500	0.7
No	2	5,705	31,747,500	98.4
Don't know	7	40	141,000	0.4
Not stated	9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AX **Length:** 1.0 **Position:** 309

Question Name: FSF_Q24X

Concept: Ate any other fish over past month

Question Text: In the past month, did you consume any other fish?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	85	437,500	1.4
No	2	535	3,351,500	10.4
Valid skip	6	5,075	27,725,000	85.9
Don't know	7	5	5,500	0.0
Not stated	9	100	756,500	2.3
Total		5,794	32,275,596	100.0

Variable Name: FSF_24AY **Length:** 1.0 **Position:** 310

Question Name: FSF_Q24Y

Concept: Ate any other fish over past month

Question Text: In the past month, did you consume any other fish?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	69,500	0.2
No	2	70	352,500	1.1
Valid skip	6	5,610	31,076,500	96.3
Not stated	9	105	777,000	2.4
Total		5,794	32,275,596	100.0

Variable Name: FSF_24 **Length:** 2.0 **Position:** 311

Question Name: FSF_Q24

Concept: Ate fishsticks over past month - number of times

Question Text: Over the past month, how many times did you eat fishsticks?

Universe: All respondents

Note: FSF_24AA = 1

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 05	535	2,199,000	6.8
Valid skip	96	5,200	29,769,500	92.2
Don't know	97	5	6,500	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_24N **Length:** 1.0 **Position:** 313

Question Name:

Concept: Reporting period - ate fishsticks past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_24 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	510	2,108,500	6.5
Per week	2	25	90,500	0.3
Valid skip	6	5,200	29,769,500	92.2
Not stated	9	60	307,000	1.0
Total		5,794	32,275,596	100.0

Variable Name: FSFD24Y **Length:** 4.0 **Position:** 314

Question Name:

Concept: Eats fish sticks - times per year - (D)

Question Text:

Universe: FSF_24AA = 1

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0104	535	2,199,000	6.8
Valid skip		9996	5,200	29,769,500	92.2
Not stated		9999	60	307,000	1.0
	Total		5,794	32,275,596	100.0

Variable Name: FSF_25 **Length:** 1.0 **Position:** 318

Question Name: FSF_Q25

Concept: Type of tuna in a can or pouch eaten over the past month

Question Text: Over the past month, when you ate tuna in a can or pouch, was it:

Universe: FSF_24AB = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
light (flaked or chunk) tuna		1	1,170	6,818,500	21.1
white (solid) tuna		2	290	1,666,500	5.2
both		3	100	470,000	1.5
Valid skip		6	4,095	22,666,000	70.2
Don't know		7	85	354,000	1.1
Not stated		9	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_25A **Length:** 2.0 **Position:** 319

Question Name:

Concept: Ate light (flake/chunk) tuna can/pouch past month - number of times

Question Text: Over the past month, how many times did you eat light (flaked or chunk) tuna in a can or pouch?

Universe: FSF_25 = 1, 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 20	1,270	7,288,500	22.6
Valid skip		96	4,385	24,332,500	75.4
Not stated		99	140	654,500	2.0
	Total		5,794	32,275,596	100.0

Variable Name: FSF_25AN **Length:** 1.0 **Position:** 321

Question Name:

Concept: Rep. period - ate light (flake/chunk) tuna can past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_25A < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	1,165	6,696,000	20.7
Per week	2	100	590,000	1.8
Per day	3	5	2,500	0.0
Valid skip	6	4,385	24,332,500	75.4
Not stated	9	140	654,500	2.0
Total		5,794	32,275,596	100.0

Variable Name: FSFD25AY **Length:** 4.0 **Position:** 322

Question Name:

Concept: Eats light tuna in a can or pouch - times per year - (D)

Question Text:

Universe: FSF_25 = 1, 3

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0365	1,270	7,288,500	22.6
Valid skip	9996	4,385	24,332,500	75.4
Not stated	9999	140	654,500	2.0
Total		5,794	32,275,596	100.0

Variable Name: FSF_25B **Length:** 2.0 **Position:** 326

Question Name:

Concept: Ate white (solid) tuna can/pouch over past month - number of times

Question Text: Over the past month, how many times did you eat white (solid) tuna in a can or pouch?

Universe: FSF_25 = 2, 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 20	390	2,110,000	6.5

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,265	29,484,500	91.4
Don't know	97	5	26,000	0.1
Not stated	99	140	654,500	2.0
Total		5,794	32,275,596	100.0

Variable Name: FSF_25BN **Length:** 1.0 **Position:** 328

Question Name:

Concept: Reporting period - ate white (solid) tuna past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_25B < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	350	1,910,000	5.9
Per week	2	40	199,500	0.6
Valid skip	6	5,265	29,484,500	91.4
Not stated	9	140	681,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: FSFD25BY **Length:** 4.0 **Position:** 329

Question Name:

Concept: Eats white tuna in a can or pouch - times per year - (D)

Question Text:

Universe: FSF_25 = 2, 3

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0240	390	2,110,000	6.5
Valid skip	9996	5,265	29,484,500	91.4
Not stated	9999	140	681,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: FSF_25C **Length:** 2.0 **Position:** 333

Question Name:

Concept: Ate tuna can/pouch over past month - number of times

Question Text: Over the past month, how many times did you eat tuna in a can or pouch?

Universe: FSF_25 = DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 08	85	354,000	1.1
Valid skip	96	5,655	31,621,000	98.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_25CN **Length:** 1.0 **Position:** 335

Question Name:

Concept: Reporting period - ate tuna can/pouch past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_25C < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	75	326,000	1.0
Per week	2	5	28,000	0.1
Valid skip	6	5,655	31,621,000	98.0
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD25CY **Length:** 4.0 **Position:** 336

Question Name:

Concept: Eats tuna in a can or pouch - times per year - (D)

Question Text:

Universe: FSF_25 = DK, RF

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0208	85	354,000	1.1
Valid skip	9996	5,655	31,621,000	98.0
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_26 **Length:** 2.0 **Position:** 340

Question Name:

Concept: Ate tuna fresh/frozen over past month - number of times

Question Text: Over the past month, how many times did you eat tuna (fresh or frozen)?

Universe: FSF_24AC = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 15	270	1,932,000	6.0
Valid skip	96	5,465	30,038,500	93.1
Don't know	97	5	4,500	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_26N **Length:** 1.0 **Position:** 342

Question Name:

Concept: Reporting period - ate tuna fresh/frozen past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_26 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	255	1,836,000	5.7
Per week	2	15	91,500	0.3
Per day	3	5	5,000	0.0
Valid skip	6	5,465	30,038,500	93.1
Not stated	9	60	305,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD26Y **Length:** 4.0 **Position:** 343

Question Name:

Concept: Eats tuna (fresh or frozen) - times per year - (D)

Question Text:

Universe: FSF_24AC = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0365	270	1,932,000	6.0
Valid skip		9996	5,465	30,038,500	93.1
Not stated		9999	60	305,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_27 **Length:** 2.0 **Position:** 347

Question Name:

Concept: Ate salmon can/pouch over past month - number of times

Question Text: Over the past month, how many times did you eat salmon in a can or pouch?

Universe: FSF_24AD = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 12	480	3,080,000	9.5
Valid skip		96	5,255	28,888,500	89.5
Don’t know		97	5	6,500	0.0
Not stated		99	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_27N **Length:** 1.0 **Position:** 349

Question Name:

Concept: Reporting period - ate salmon can/pouch past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_27 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		1	440	2,800,500	8.7
Per week		2	40	275,000	0.9
Per day		3	5	4,500	0.0
Valid skip		6	5,255	28,888,500	89.5
Not stated		9	60	307,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: FSFD27Y **Length:** 4.0 **Position:** 350

Totals may not add up due to rounding.

Question Name:

Concept: Eats salmon in a can or pouch - times per year - (D)

Question Text:

Universe: FSF_24AD = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0365	480	3,080,000	9.5
Valid skip	9996	5,255	28,888,500	89.5
Not stated	9999	60	307,500	1.0
Total		5,794	32,275,596	100.0

Variable Name: FSF_28 **Length:** 2.0 **Position:** 354

Question Name:

Concept: Ate salmon fresh/frozen/smoked over past month - number of times

Question Text: Over the past month, how many times did you eat salmon - fresh, frozen or smoked?

Universe: FSF_24AE = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 16	2,320	13,287,000	41.2
Valid skip	96	3,415	18,683,000	57.9
Don’t know	97	5	4,500	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_28N **Length:** 1.0 **Position:** 356

Question Name:

Concept: Reporting period -ate salmon fresh/frozen/smoked past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_28 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	2,105	12,234,000	37.9
Per week	2	210	1,051,000	3.3

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	3	5	2,000	0.0
Valid skip	6	3,415	18,683,000	57.9
Not stated	9	60	305,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD28Y **Length:** 4.0 **Position:** 357

Question Name:

Concept: Eats salmon (fresh, frozen, smoked) - times per year - (D)

Question Text:

Universe: FSF_24AE = 1

Note: See the document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0365	2,320	13,287,000	41.2
Valid skip	9996	3,415	18,683,000	57.9
Not stated	9999	60	305,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_29 **Length:** 2.0 **Position:** 361

Question Name:

Concept: Ate smelt over past month - number of times

Question Text: Over the past month, how many times did you eat smelt?

Universe: FSF_24AF = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 05	40	200,500	0.6
Valid skip	96	5,700	31,775,000	98.4
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_29N **Length:** 1.0 **Position:** 363

Question Name:

Concept: Reporting period - ate smelt past month

Totals may not add up due to rounding.

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_29 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	35	143,000	0.4
Per week	2	5	57,000	0.2
Valid skip	6	5,700	31,775,000	98.4
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD29Y **Length:** 4.0 **Position:** 364

Question Name:

Concept: Eats smelt - times per year - (D)

Question Text:

Universe: FSF_24AF = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0104	40	200,500	0.6
Valid skip	9996	5,700	31,775,000	98.4
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_30 **Length:** 2.0 **Position:** 368

Question Name:

Concept: Ate shark over past month - number of times

Question Text: Over the past month, how many times did you eat shark?

Universe: FSF_24AG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 04	15	139,000	0.4
Valid skip	96	5,725	31,836,000	98.6
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_30N **Length:** 1.0 **Position:** 370

Question Name:

Concept: Reporting period - ate shark past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_30 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	10	133,000	0.4
Per week	2	5	6,500	0.0
Valid skip	6	5,725	31,836,000	98.6
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD30Y **Length:** 4.0 **Position:** 371

Question Name:

Concept: Eats shark - times per year - (D)

Question Text:

Universe: FSF_24AG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0208	15	139,000	0.4
Valid skip	9996	5,725	31,836,000	98.6
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_31 **Length:** 2.0 **Position:** 375

Question Name:

Concept: Ate marlin over past month - number of times

Question Text: Over the past month, how many times did you eat marlin?

Universe: FSF_24AH = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 03	15	61,000	0.2
Valid skip	96	5,720	31,914,000	98.9
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_31N **Length:** 1.0 **Position:** 377

Question Name:

Concept: Reporting period - ate marlin past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_31 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	15	56,000	0.2
Per week	2	5	5,000	0.0
Valid skip	6	5,720	31,914,000	98.9
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD31Y **Length:** 4.0 **Position:** 378

Question Name:

Concept: Eats marlin - times per year - (D)

Question Text:

Universe: FSF_24AH = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0052	15	61,000	0.2
Valid skip	9996	5,720	31,914,000	98.9
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_32 **Length:** 2.0 **Position:** 382

Question Name:

Concept: Ate swordfish over past month - number of times

Question Text: Over the past month, how many times did you eat swordfish?

Universe: FSF_24AI = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 05	40	325,000	1.0
Valid skip	96	5,695	31,650,000	98.1
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_32N **Length:** 1.0 **Position:** 384

Question Name:

Concept: Reporting period - ate swordfish past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_32 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	40	317,000	1.0
Per week	2	5	7,500	0.0
Valid skip	6	5,695	31,650,000	98.1
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD32Y **Length:** 4.0 **Position:** 385

Question Name:

Concept: Eats swordfish - times per year - (D)

Question Text:

Universe: FSF_24AI = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	40	325,000	1.0
Valid skip	9996	5,695	31,650,000	98.1
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_33 **Length:** 2.0 **Position:** 389

Question Name:

Concept: Ate halibut over past month - number of times

Question Text: Over the past month, how many times did you eat halibut?

Universe: FSF_24AJ = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 12	480	2,941,000	9.1
Valid skip	96	5,260	29,034,000	90.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_33N **Length:** 1.0 **Position:** 391

Question Name:

Concept: Reporting period - ate halibut past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_33 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	465	2,888,500	8.9
Per week	2	15	52,500	0.2
Valid skip	6	5,260	29,034,000	90.0
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD33Y **Length:** 4.0 **Position:** 392

Question Name:

Concept: Eats halibut - times per year - (D)

Question Text:

Universe: FSF_24AJ = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0144	480	2,941,000	9.1
Valid skip	9996	5,260	29,034,000	90.0
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_34 **Length:** 2.0 **Position:** 396

Question Name:

Concept: Ate rainbow trout over past month - number of times

Question Text: Over the past month, how many times did you eat rainbow trout?

Universe: FSF_24AK = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 12	430	2,324,500	7.2
Valid skip	96	5,305	29,649,000	91.9
Don’t know	97	5	1,500	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_34N **Length:** 1.0 **Position:** 398

Question Name:

Concept: Reporting period - ate rainbow trout past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_34 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	400	2,135,500	6.6
Per week	2	30	189,000	0.6
Valid skip	6	5,305	29,649,000	91.9
Not stated	9	60	302,000	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD34Y **Length:** 4.0 **Position:** 399

Question Name:

Totals may not add up due to rounding.

Concept: Eats rainbow trout - times per year - (D)

Question Text:

Universe: FSF_24AK = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0144	430	2,324,500	7.2
Valid skip	9996	5,305	29,649,000	91.9
Not stated	9999	60	302,000	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_35 **Length:** 2.0 **Position:** 403

Question Name:

Concept: Ate Atlantic cod over past month - number of times

Question Text: Over the past month, how many times did you eat Atlantic cod?

Universe: FSF_24AL = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 10	505	3,316,000	10.3
Valid skip	96	5,230	28,659,000	88.8
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_35N **Length:** 1.0 **Position:** 405

Question Name:

Concept: Reporting period - ate Atlantic cod past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_35 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	480	3,220,500	10.0
Per week	2	25	95,500	0.3
Valid skip	6	5,230	28,659,000	88.8
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD35Y **Length:** 4.0 **Position:** 406

Question Name:

Concept: Eats Atlantic cod - times per year - (D)

Question Text:

Universe: FSF_24AL = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	505	3,316,000	10.3
Valid skip	9996	5,230	28,659,000	88.8
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_36 **Length:** 2.0 **Position:** 410

Question Name:

Concept: Ate mackerel over past month - number of times

Question Text: Over the past month, how many times did you eat mackerel?

Universe: FSF_24AM = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 10	160	764,000	2.4
Valid skip	96	5,575	31,205,000	96.7
Don’t know	97	5	6,000	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_36N **Length:** 1.0 **Position:** 412

Question Name:

Concept: Reporting period - ate mackerel past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_36 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		1	150	735,500	2.3
Per week		2	10	28,500	0.1
Valid skip		6	5,575	31,205,000	96.7
Not stated		9	60	306,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSFD36Y **Length:** 4.0 **Position:** 413

Question Name:

Concept: Eats mackerel - times per year - (D)

Question Text:

Universe: FSF_24AM = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0156	160	764,000	2.4
Valid skip		9996	5,575	31,205,000	96.7
Not stated		9999	60	306,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_37 **Length:** 2.0 **Position:** 417

Question Name:

Concept: Ate herring over past month - number of times

Question Text: Over the past month, how many times did you eat herring?

Universe: FSF_24AN = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 08	80	395,500	1.2
Valid skip		96	5,655	31,579,500	97.8
Not stated		99	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_37N **Length:** 1.0 **Position:** 419

Question Name:

Concept: Reporting period - ate herring past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_37 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	75	367,500	1.1
Per week	2	5	28,000	0.1
Valid skip	6	5,655	31,579,500	97.8
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD37Y **Length:** 4.0 **Position:** 420

Question Name:

Concept: Eats herring - times per year - (D)

Question Text:

Universe: FSF_24AN = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0260	80	395,500	1.2
Valid skip	9996	5,655	31,579,500	97.8
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_38 **Length:** 2.0 **Position:** 424

Question Name:

Concept: Ate sardines over past month - number of times

Question Text: Over the past month, how many times did you eat sardines?

Universe: FSF_24AO = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 21	260	1,509,500	4.7
Valid skip	96	5,475	30,461,000	94.4
Don’t know	97	5	4,500	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_38N **Length:** 1.0 **Position:** 426

Question Name:

Concept: Reporting period - ate sardines past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_38 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	240	1,406,000	4.4
Per week	2	20	94,500	0.3
Per day	3	5	9,000	0.0
Valid skip	6	5,475	30,461,000	94.4
Not stated	9	60	305,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD38Y **Length:** 4.0 **Position:** 427

Question Name:

Concept: Eats sardines - times per year - (D)

Question Text:

Universe: FSF_24AO = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0365	260	1,509,500	4.7
Valid skip	9996	5,475	30,461,000	94.4
Not stated	9999	60	305,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_39 **Length:** 2.0 **Position:** 431

Question Name:

Concept: Ate sole/flounder/plaice over past month - number of times

Question Text: Over the past month, how many times did you eat sole, flounder or plaice?

Universe: FSF_24AP = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 08	470	2,598,500	8.1
Valid skip		96	5,270	29,376,500	91.0
Not stated		99	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_39N **Length:** 1.0 **Position:** 433

Question Name:

Concept: Reporting period - ate sole/flounder/plaice past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_39 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		1	440	2,485,500	7.7
Per week		2	25	112,500	0.3
Valid skip		6	5,270	29,376,500	91.0
Not stated		9	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSFD39Y **Length:** 4.0 **Position:** 434

Question Name:

Concept: Eats sole, flounder or plaice - times per year - (D)

Question Text:

Universe: FSF_24AP = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0104	470	2,598,500	8.1
Valid skip		9996	5,270	29,376,500	91.0
Not stated		9999	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_40 **Length:** 2.0 **Position:** 438

Question Name:

Totals may not add up due to rounding.

Concept: Ate haddock over past month - number of times

Question Text: Over the past month, how many times did you eat haddock?

Universe: FSF_24AQ = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 15	855	4,217,000	13.1
Valid skip	96	4,880	27,754,500	86.0
Don't know	97	5	4,000	0.0
Not stated	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSF_40N **Length:** 1.0 **Position:** 440

Question Name:

Concept: Reporting period - ate haddock past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_40 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	785	3,945,000	12.2
Per week	2	70	271,500	0.8
Valid skip	6	4,880	27,754,500	86.0
Not stated	9	60	304,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD40Y **Length:** 4.0 **Position:** 441

Question Name:

Concept: Eats haddock - times per year - (D)

Question Text:

Universe: FSF_24AQ = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0364	855	4,217,000	13.1
Valid skip	9996	4,880	27,754,500	86.0
Not stated	9999	60	304,500	0.9

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: FSF_41 **Length:** 2.0 **Position:** 445

Question Name:

Concept: Ate tilapia over past month - number of times

Question Text: Over the past month, how many times did you eat tilapia?

Universe: FSF_24AR = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 15	665	4,161,000	12.9
Valid skip		96	5,070	27,804,000	86.1
Don't know		97	5	10,000	0.0
Not stated		99	60	300,500	0.9
	Total		5,794	32,275,596	100.0

Variable Name: FSF_41N **Length:** 1.0 **Position:** 447

Question Name:

Concept: Reporting period - ate tilapia past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_41 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		1	610	3,826,000	11.9
Per week		2	55	335,500	1.0
Valid skip		6	5,070	27,804,000	86.1
Not stated		9	60	310,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: FSFD41Y **Length:** 4.0 **Position:** 448

Question Name:

Concept: Eats tilapia - times per year - (D)

Question Text:

Totals may not add up due to rounding.

Universe: FSF_24AR = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0208	665	4,161,000	12.9
Valid skip	9996	5,070	27,804,000	86.1
Not stated	9999	60	310,500	1.0
Total		5,794	32,275,596	100.0

Variable Name: FSF_42 **Length:** 2.0 **Position:** 452

Question Name:

Concept: Ate [other fish #1] over past month - number of times

Question Text: Over the past month, how many times did you eat [other fish #1]?

Universe: FSF_24AS = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 20	620	3,793,000	11.8
Valid skip	96	5,075	27,725,000	85.9
Don’t know	97	5	1,500	0.0
Not stated	99	100	756,500	2.3
Total		5,794	32,275,596	100.0

Variable Name: FSF_42N **Length:** 1.0 **Position:** 454

Question Name:

Concept: Reporting period - ate [other fish #1] past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_42 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	595	3,656,500	11.3
Per week	2	25	136,000	0.4
Valid skip	6	5,075	27,725,000	85.9
Not stated	9	100	758,000	2.3
Total		5,794	32,275,596	100.0

Variable Name: FSFD42Y **Length:** 4.0 **Position:** 455

Question Name:

Concept: Eats other fish (#1) - times per year - (D)

Question Text:

Universe: FSF_24AS = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0240	620	3,793,000	11.8
Valid skip	9996	5,075	27,725,000	85.9
Not stated	9999	100	758,000	2.3
Total		5,794	32,275,596	100.0

Variable Name: FSF_43 **Length:** 2.0 **Position:** 459

Question Name:

Concept: Ate [other fish #2] over past month - number of times

Question Text: Over the past month, how many times did you eat [other fish #2]?

Universe: FSF_24AX = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 08	85	422,500	1.3
Valid skip	96	5,610	31,076,500	96.3
Not stated	99	105	777,000	2.4
Total		5,794	32,275,596	100.0

Variable Name: FSF_43N **Length:** 1.0 **Position:** 461

Question Name:

Concept: Reporting period - ate [other fish #2] past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_43 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	70	385,500	1.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per week		2	10	36,500	0.1
Valid skip		6	5,610	31,076,500	96.3
Not stated		9	105	777,000	2.4
	Total		5,794	32,275,596	100.0

Variable Name: FSFD43Y **Length:** 4.0 **Position:** 462

Question Name:

Concept: Eats other fish (#2) - times per year - (D)

Question Text:

Universe: FSF_24AX = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0012 - 0156	85	422,500	1.3
Valid skip		9996	5,610	31,076,500	96.3
Not stated		9999	105	777,000	2.4
	Total		5,794	32,275,596	100.0

Variable Name: FSF_44 **Length:** 2.0 **Position:** 466

Question Name:

Concept: Ate [other fish #3] over past month - number of times

Question Text: Over the past month, how many times did you eat [other fish #3]?

Universe: FSF_24AY = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 03	15	69,500	0.2
Valid skip		96	5,675	31,429,000	97.4
Not stated		99	105	777,000	2.4
	Total		5,794	32,275,596	100.0

Variable Name: FSF_44N **Length:** 1.0 **Position:** 468

Question Name:

Concept: Reporting period - ate [other fish #3] past month

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_44 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	10	61,500	0.2
Per week	2	5	8,000	0.0
Valid skip	6	5,675	31,429,000	97.4
Not stated	9	105	777,000	2.4
Total		5,794	32,275,596	100.0

Variable Name: FSFD44Y **Length:** 4.0 **Position:** 469

Question Name:

Concept: Eats other fish (#3) - times per year - (D)

Question Text:

Universe: FSF_24AY = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0052	15	69,500	0.2
Valid skip	9996	5,675	31,429,000	97.4
Not stated	9999	105	777,000	2.4
Total		5,794	32,275,596	100.0

Variable Name: FSF_45 **Length:** 2.0 **Position:** 473

Question Name:

Concept: Ate sablefish or black cod over past month - number of times

Question Text: Over the past month, how many times did you eat sablefish or black cod?

Universe: FSF_24AU = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
	01 - 03	30	227,500	0.7
	96	5,705	31,747,500	98.4
	99	60	300,500	0.9
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: FSF_45N **Length:** 1.0 **Position:** 475

Question Name:

Concept: Reporting period - ate sablefish or black

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < FSF_45 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per month	1	30	225,500	0.7
Per week	2	5	2,000	0.0
Valid skip	6	5,705	31,747,500	98.4
Not stated	9	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: FSFD45Y **Length:** 4.0 **Position:** 476

Question Name:

Concept: Eats sablefish or black cod - times per year - (D)

Question Text:

Universe: FSF_24AU = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0012 - 0156	30	227,500	0.7
Valid skip	9996	5,705	31,747,500	98.4
Not stated	9999	60	300,500	0.9
Total		5,794	32,275,596	100.0

Variable Name: HAB_07 **Length:** 1.0 **Position:** 480

Question Name: HAB_Q07

Concept: Able to hear - conversation with 3 people or more

Question Text: Are you usually able to hear what is said in a group conversation with at least 3 other people [without a hearing aid]?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,565	30,656,500	95.0
No	2	195	1,421,500	4.4
Don't know	7	5	15,500	0.0
Not stated	9	30	182,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: HAB_08 **Length:** 1.0 **Position:** 481

Question Name: HAB_Q08

Concept: Able to hear - conversation with 3 people and more with hearing aid

Question Text: Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?

Universe: HER_52 = 1 and HAB_07 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	376,500	1.2
No	2	10	80,500	0.3
Valid skip	6	5,705	31,624,500	98.0
Not stated	9	30	194,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: HAB_09 **Length:** 1.0 **Position:** 482

Question Name: HAB_Q09

Concept: Able to hear at all

Question Text: Are you able to hear at all?

Universe: (HER_52 = 2 and HAB_07 = 2) or (HAB_08 = 2, DK, RF)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	135	982,500	3.0
No	2	15	63,000	0.2
Valid skip	6	5,615	31,033,000	96.1
Not stated	9	35	197,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: HAB_10 **Length:** 1.0 **Position:** 483

Totals may not add up due to rounding.

Question Name: HAB_Q10

Concept: Hear conversation with one person in quiet room

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room [without a hearing aid]?

Universe: HAB_08 = 1 or HAB_09 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	165	1,213,500	3.8
No	2	15	145,000	0.4
Valid skip	6	5,580	30,719,500	95.2
Not stated	9	35	197,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: HAB_11 **Length:** 1.0 **Position:** 484

Question Name: HAB_Q11

Concept: Hear conversation with one person in quiet room with hearing aid

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?

Universe: HER_52 = 1 and HAB_10 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	143,000	0.4
Valid skip	6	5,745	31,938,500	99.0
Not stated	9	30	194,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: HABDHER **Length:** 2.0 **Position:** 485

Question Name:

Concept: Hearing problems - function code - (D)

Question Text:

Universe: CLC_AGE > 5

Note: This variable is the same as HUIDHER in cycles 1 and 2.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No hearing problems	01	5,010	29,554,500	91.6
Problem hearing in group - corrected	02	35	237,500	0.7
Problem hearing in group and individual - corrected	03	15	139,000	0.4
Problem hearing in group - not corrected	04	130	976,000	3.0
Problem hearing in group and individual - not corrected	05	5	4,500	0.0
Cannot hear	06	10	58,500	0.2
Valid skip	96	560	1,119,000	3.5
Not stated	99	30	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_01 **Length:** 1.0 **Position:** 487

Question Name: NEX_Q01

Concept: Worked in a noisy environment

Question Text: At any time in your life, have you worked in a noisy environment?

Universe: CLC_AGE > 15

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,495	11,394,000	35.3
No	2	2,155	15,953,000	49.4
Valid skip	6	2,115	4,748,500	14.7
Don’t know	7	5	2,000	0.0
Not stated	9	25	178,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_02 **Length:** 1.0 **Position:** 488

Question Name: NEX_Q02

Concept: How long did you work in a noisy environment

Question Text: For how long did you work in a noisy environment?

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 12 months	1	380	2,802,000	8.7
1 to less than 5 years	2	365	2,825,000	8.8
5 to less than 10 years	3	215	1,690,500	5.2
10 or more years	4	535	4,076,500	12.6
Valid skip	6	4,270	20,701,500	64.1
Not stated	9	30	180,000	0.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: NEX_03A **Length:** 1.0 **Position:** 489

Question Name: NEX_Q03

Concept: Source of loud noise - machinery

Question Text: What was the source of the loud noise? - Machinery such as bulldozers, backhoes or sawmill equipment

Universe: NEX_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,090	8,355,500	25.9
No		2	405	3,038,500	9.4
Valid skip		6	4,270	20,701,500	64.1
Not stated		9	30	180,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_03B **Length:** 1.0 **Position:** 490

Question Name: NEX_Q03

Concept: Source of loud noise - modes of transportation

Question Text: What was the source of the loud noise? - Modes of transportation such as trains, airplanes, cars or trucks

Universe: NEX_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	185	1,147,000	3.6
No		2	1,310	10,247,000	31.7
Valid skip		6	4,270	20,701,500	64.1
Not stated		9	30	180,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_03C **Length:** 1.0 **Position:** 491

Question Name: NEX_Q03

Concept: Source of loud noise - munitions/guns/canons

Question Text: What was the source of the loud noise? - Munitions such as guns or canons

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	386,000	1.2
No	2	1,450	11,008,000	34.1
Valid skip	6	4,270	20,701,500	64.1
Not stated	9	30	180,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_03D **Length:** 1.0 **Position:** 492

Question Name: NEX_Q03

Concept: Source of loud noise - music

Question Text: What was the source of the loud noise? - Music, for example, at a concert or other amplified music

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	195	1,774,500	5.5
No	2	1,305	9,619,500	29.8
Valid skip	6	4,270	20,701,500	64.1
Not stated	9	30	180,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_03E **Length:** 1.0 **Position:** 493

Question Name: NEX_Q03

Concept: Source of loud noise - people

Question Text: What was the source of the loud noise? - People

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	180	1,383,000	4.3
No	2	1,315	10,011,000	31.0
Valid skip	6	4,270	20,701,500	64.1
Not stated	9	30	180,000	0.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: NEX_03F **Length:** 1.0 **Position:** 494

Question Name: NEX_Q03

Concept: Source of loud noise - other

Question Text: What was the source of the loud noise? - Other

Universe: NEX_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	145	1,130,500	3.5
No		2	1,350	10,263,500	31.8
Valid skip		6	4,270	20,701,500	64.1
Not stated		9	30	180,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_04 **Length:** 1.0 **Position:** 495

Question Name: NEX_Q04

Concept: Currently working in a noisy environment

Question Text: Are you currently working in a noisy environment?

Universe: NEX_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	505	3,650,000	11.3
No		2	995	7,744,000	24.0
Valid skip		6	4,270	20,701,500	64.1
Not stated		9	30	180,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_05 **Length:** 1.0 **Position:** 496

Question Name: NEX_Q05

Concept: How often - use hearing protection at work

Question Text: How often [do/did] you use hearing protection at work when in a noisy area?

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	345	3,100,500	9.6
Often	2	190	1,110,500	3.4
Sometimes	3	195	1,326,500	4.1
Rarely	4	130	928,000	2.9
Never	5	640	4,907,000	15.2
Valid skip	6	4,270	20,701,500	64.1
Don't know	7	5	21,500	0.1
Not stated	9	30	180,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_06 **Length:** 1.0 **Position:** 497

Question Name: NEX_Q06

Concept: Required to wear hearing protection at work

Question Text: [Are/Were] you required to wear hearing protection at work?

Universe: NEX_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	525	3,942,000	12.2
No	2	930	7,245,500	22.4
Not applicable at work	3	35	188,500	0.6
Valid skip	6	4,270	20,701,500	64.1
Don't know	7	5	18,000	0.1
Not stated	9	30	180,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_07 **Length:** 1.0 **Position:** 498

Question Name: NEX_Q07

Concept: Past 12 months - exposed to noise from loud power tools

Question Text: Within the past 12 months, have you been exposed to noise from loud power tools such as circular saws, grinders, belt sanders or hammer drills?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,865	11,521,500	35.7
No	2	3,895	20,559,500	63.7
Don't know	7	5	12,500	0.0
Not stated	9	30	182,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_151 **Length:** 3.0 **Position:** 499

Question Name:

Concept: Exposed to loud power tools - number of times

Question Text: During the past 12 months, how often were you exposed to noise from loud power tools?

Universe: NEX_07 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 312	1,860	11,511,000	35.7
Valid skip	996	3,895	20,559,500	63.7
Don't know	997	5	10,500	0.0
Not stated	999	30	194,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_151N **Length:** 1.0 **Position:** 502

Question Name:

Concept: Exposed to loud power tools - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_151 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	120	640,500	2.0
Per week	2	420	3,256,000	10.1
Per month	3	390	2,395,500	7.4
Per year	4	925	5,219,000	16.2
Valid skip	6	3,895	20,559,500	63.7
Not stated	9	40	205,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_152 **Length:** 1.0 **Position:** 503

Question Name:

Concept: Exposed to loud power tools - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_151 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	635	3,139,500	9.7
10 minutes to less than 30 minutes	2	495	3,280,000	10.2
30 minutes to less than 1.5 hours	3	395	2,781,000	8.6
1.5 hours to less than 5 hours	4	235	1,547,500	4.8
5 hours or more	5	100	762,000	2.4
Valid skip	6	3,895	20,559,500	63.7
Don't know	7	5	1,000	0.0
Not stated	9	40	205,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_153 **Length:** 1.0 **Position:** 504

Question Name:

Concept: Exposed to loud power tools - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_151 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	175	1,198,500	3.7
Often	2	150	807,500	2.5
Sometimes	3	180	1,038,000	3.2
Rarely	4	115	648,500	2.0
Never	5	1,240	7,819,000	24.2
Valid skip	6	3,895	20,559,500	63.7
Not stated	9	40	205,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEXD15Y **Length:** 5.0 **Position:** 505

Question Name:

Concept: Exposed to noise from power tools - times per year - (D)

Question Text:

Universe: All respondents

Totals may not add up due to rounding.

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		00000 - 21900	5,755	32,070,500	99.4
Not stated		99999	40	205,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_08 **Length:** 1.0 **Position:** 510

Question Name: NEX_Q08

Concept: Past 12 months - exposed to noise from loud heavy industrial/farming

Question Text: Within the past 12 months, have you been exposed to noise from loud heavy industrial, farming or construction equipment such as bulldozers, gas turbines or large compressors?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	690	4,707,000	14.6
No		2	5,070	27,341,000	84.7
Don't know		7	5	46,000	0.1
Not stated		9	30	182,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_161 **Length:** 3.0 **Position:** 511

Question Name:

Concept: Exposed to noise from heavy equipment - number of times

Question Text: During the past 12 months, how often were you exposed to noise from loud heavy industrial, farming or construction equipment?

Universe: NEX_08 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		001 - 150	685	4,699,000	14.6
Valid skip		996	5,070	27,341,000	84.7
Don't know		997	5	8,000	0.0
Not stated		999	35	227,500	0.7
	Total		5,794	32,275,596	100.0

Variable Name: NEX_161N **Length:** 1.0 **Position:** 514

Question Name:

Concept: Exposed to noise from heavy equipment - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_161 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	70	411,500	1.3
Per week	2	205	1,550,500	4.8
Per month	3	100	624,500	1.9
Per year	4	310	2,112,500	6.5
Valid skip	6	5,070	27,341,000	84.7
Not stated	9	40	235,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_162 **Length:** 1.0 **Position:** 515

Question Name:

Concept: Exposed to noise from heavy equipment - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_161 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	170	1,100,000	3.4
10 minutes to less than 30 minutes	2	130	850,000	2.6
30 minutes to less than 1.5 hours	3	150	1,051,000	3.3
1.5 hours to less than 5 hours	4	125	833,500	2.6
5 hours or more	5	110	864,000	2.7
Valid skip	6	5,070	27,341,000	84.7
Not stated	9	40	235,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_163 **Length:** 1.0 **Position:** 516

Question Name:

Concept: Exposed to noise from heavy equipment - hearing protection

Question Text: How often did you wear hearing protection?

Totals may not add up due to rounding.

Universe: 0 < NEX_161 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	110	905,000	2.8
Often	2	75	417,000	1.3
Sometimes	3	50	290,000	0.9
Rarely	4	35	305,500	0.9
Never	5	415	2,781,500	8.6
Valid skip	6	5,070	27,341,000	84.7
Not stated	9	40	235,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEXD16Y **Length:** 5.0 **Position:** 517

Question Name:

Concept: Exposed to noise from heavy equipment - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	00000 - 07300	5,755	32,040,000	99.3
Not stated	99999	40	235,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_09 **Length:** 1.0 **Position:** 522

Question Name: NEX_Q09

Concept: Past 12 months - exposed to noise from gasoline engines

Question Text: Within the past 12 months, have you been exposed to noise from loud hand-held gasoline engines such as gas-powered chainsaws, hedge trimmers or leaf blowers? Please do not include lawn mowers.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,195	7,566,500	23.4
No	2	4,570	24,521,500	76.0
Don’t know	7	5	5,500	0.0
Not stated	9	30	182,000	0.6

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: NEX_171 **Length:** 3.0 **Position:** 523

Question Name:

Concept: Exposed to hand-held gas engines - number of times

Question Text: During the past 12 months, how often were you exposed to loud noise from hand-held gasoline engines?

Universe: NEX_09 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		001 - 200	1,190	7,563,500	23.4
Valid skip		996	4,570	24,521,500	76.0
Don't know		997	5	3,000	0.0
Not stated		999	30	187,500	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_171N **Length:** 1.0 **Position:** 526

Question Name:

Concept: Exposed to hand-held gas engines - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_171 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	15	69,500	0.2
Per week		2	210	1,733,500	5.4
Per month		3	240	1,514,500	4.7
Per year		4	720	4,246,500	13.2
Valid skip		6	4,570	24,521,500	76.0
Not stated		9	35	190,500	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_172 **Length:** 1.0 **Position:** 527

Question Name:

Totals may not add up due to rounding.

Concept: Exposed to hand-held gas engines - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_171 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	240	1,154,000	3.6
10 minutes to less than 30 minutes	2	340	1,891,000	5.9
30 minutes to less than 1.5 hours	3	360	2,793,000	8.7
1.5 hours to less than 5 hours	4	210	1,409,500	4.4
5 hours or more	5	40	309,000	1.0
Valid skip	6	4,570	24,521,500	76.0
Don't know	7	5	7,500	0.0
Not stated	9	35	190,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_173 **Length:** 1.0 **Position:** 528

Question Name:

Concept: Exposed to hand-held gas engines - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_171 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	160	1,148,500	3.6
Often	2	75	648,500	2.0
Sometimes	3	80	310,000	1.0
Rarely	4	55	254,000	0.8
Never	5	815	5,202,500	16.1
Valid skip	6	4,570	24,521,500	76.0
Not stated	9	35	190,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEXD17Y **Length:** 5.0 **Position:** 529

Question Name:

Concept: Exposed to hand-held gas engines - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		00000 - 03650	5,760	32,085,000	99.4
Not stated		99999	35	190,500	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_10 **Length:** 1.0 **Position:** 534

Question Name: NEX_Q10

Concept: Past 12 months - exposed to noise from motorcycle/snowmobile

Question Text: Within the past 12 months, have you been exposed to noise from motorcycles or snowmobiles driven at highway speed?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	600	3,433,500	10.6
No		2	5,160	28,654,500	88.8
Don't know		7	5	6,000	0.0
Not stated		9	30	182,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_181 **Length:** 3.0 **Position:** 535

Question Name:

Concept: Exposed to motorcycles/snowmobiles - number of times

Question Text: During the past 12 months, how often were you exposed to noise from motorcycles or snowmobiles driven at highway speeds?

Universe: NEX_10 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		001 - 180	600	3,428,000	10.6
Valid skip		996	5,160	28,654,500	88.8
Don't know		997	5	5,500	0.0
Not stated		999	30	188,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_181N **Length:** 1.0 **Position:** 538

Totals may not add up due to rounding.

Question Name:

Concept: Exposed to motorcycles/snowmobiles - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_181 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	25	136,500	0.4
Per week	2	90	444,000	1.4
Per month	3	90	517,500	1.6
Per year	4	395	2,330,000	7.2
Valid skip	6	5,160	28,654,500	88.8
Not stated	9	35	193,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_182 **Length:** 1.0 **Position:** 539

Question Name:

Concept: Exposed to motorcycles/snowmobiles - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_181 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	145	769,000	2.4
10 minutes to less than 30 minutes	2	105	562,500	1.7
30 minutes to less than 1.5 hours	3	170	1,010,000	3.1
1.5 hours to less than 5 hours	4	145	878,000	2.7
5 hours or more	5	35	209,000	0.6
Valid skip	6	5,160	28,654,500	88.8
Not stated	9	35	193,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_183 **Length:** 1.0 **Position:** 540

Question Name:

Concept: Exposed to motorcycles/snowmobile - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_181 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	60	443,000	1.4
Often	2	10	29,500	0.1
Sometimes	3	20	79,500	0.2
Rarely	4	15	51,000	0.2
Never	5	495	2,823,000	8.7
Valid skip	6	5,160	28,654,500	88.8
Don't know	7	5	2,000	0.0
Not stated	9	35	193,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEXD18Y **Length:** 5.0 **Position:** 541

Question Name:

Concept: Exposed to motorcycles/snowmobiles - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	00000 - 01825	5,760	32,082,500	99.4
Not stated	99999	35	193,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_11 **Length:** 1.0 **Position:** 546

Question Name: NEX_Q11

Concept: Past 12 months - exposed to loud sporting/entertainment events

Question Text: Within the past 12 months, have you been exposed to noise from loud sporting or entertainment events such as hockey, rodeo or demolition derby?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,345	8,202,500	25.4
No	2	4,420	23,889,500	74.0
Don't know	7	5	2,000	0.0
Not stated	9	30	182,000	0.6
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: NEX_191 **Length:** 3.0 **Position:** 547

Question Name:

Concept: Exposed to sporting/entertainment events - number of times

Question Text: During the past 12 months, how often did you attend loud sporting or entertainment events?

Universe: NEX_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 100	1,345	8,202,500	25.4
Valid skip	996	4,420	23,889,500	74.0
Not stated	999	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_191N **Length:** 1.0 **Position:** 550

Question Name:

Concept: Exposed to sporting/entertainment events - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_191 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	5	9,500	0.0
Per week	2	85	294,000	0.9
Per month	3	115	688,500	2.1
Per year	4	1,140	7,210,000	22.3
Valid skip	6	4,420	23,889,500	74.0
Not stated	9	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_192 **Length:** 1.0 **Position:** 551

Question Name:

Concept: Exposed to sporting/entertainment events - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_191 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	20	129,500	0.4
10 minutes to less than 30 minutes	2	45	278,500	0.9
30 minutes to less than 1.5 hours	3	205	1,073,500	3.3
1.5 hours to less than 5 hours	4	1,045	6,397,000	19.8
5 hours or more	5	35	324,000	1.0
Valid skip	6	4,420	23,889,500	74.0
Not stated	9	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_193 **Length:** 1.0 **Position:** 552

Question Name:

Concept: Exposed to sporting/entertainment events - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_191 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	40	241,500	0.7
Often	2	15	27,000	0.1
Sometimes	3	15	31,000	0.1
Rarely	4	20	167,000	0.5
Never	5	1,250	7,736,000	24.0
Valid skip	6	4,420	23,889,500	74.0
Not stated	9	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEXD19Y **Length:** 5.0 **Position:** 553

Question Name:

Concept: Exposed to sporting/entertainment events - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	00000 - 00365	5,765	32,092,000	99.4
Not stated	99999	30	183,500	0.6
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: NEX_12 **Length:** 1.0 **Position:** 558

Question Name: NEX_Q12

Concept: Past 12 months - exposed to loud amplified music

Question Text: Within the past 12 months, have you been exposed to noise from loud amplified music such as at concerts or nightclubs or as a member of a band?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,775	12,778,000	39.6
No	2	3,990	19,314,000	59.8
Don't know	7	5	2,000	0.0
Not stated	9	30	182,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_201 **Length:** 3.0 **Position:** 559

Question Name:

Concept: Exposed to loud amplified music - number of times

Question Text: During the past 12 months, how often were you exposed to loud amplified music such as at concerts or nightclubs or as a member of a band?
INSTRUCTION: Enter frequency only.

Universe: NEX_12 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 200	1,775	12,778,000	39.6
Valid skip	996	3,990	19,314,000	59.8
Not stated	999	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_201N **Length:** 1.0 **Position:** 562

Question Name:

Concept: Exposed to loud amplified music - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_201 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	10	62,500	0.2
Per week	2	150	1,123,500	3.5
Per month	3	210	1,889,000	5.9
Per year	4	1,400	9,703,000	30.1
Valid skip	6	3,990	19,314,000	59.8
Not stated	9	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_202 **Length:** 1.0 **Position:** 563

Question Name:

Concept: Exposed to loud amplified music - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_201 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	10	117,500	0.4
10 minutes to less than 30 minutes	2	45	177,000	0.5
30 minutes to less than 1.5 hours	3	310	1,732,500	5.4
1.5 hours to less than 5 hours	4	1,330	10,074,500	31.2
5 hours or more	5	85	676,500	2.1
Valid skip	6	3,990	19,314,000	59.8
Not stated	9	30	183,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_203 **Length:** 1.0 **Position:** 564

Question Name:

Concept: Exposed to loud amplified music - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_201 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	35	240,500	0.7
Often	2	15	99,000	0.3
Sometimes	3	30	216,500	0.7
Rarely	4	25	152,000	0.5
Never	5	1,675	12,070,000	37.4
Valid skip	6	3,990	19,314,000	59.8

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	30	183,500	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEXD20Y **Length:** 5.0 **Position:** 565

Question Name:

Concept: Exposed to loud amplified music - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		00000 - 01095	5,765	32,092,000	99.4
Not stated		99999	30	183,500	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_13 **Length:** 1.0 **Position:** 570

Question Name: NEX_Q13

Concept: Past 12 months - exposed to loud music without headphones/earbuds

Question Text: Within the past 12 months, have you been exposed to noise from other types of loud music without the use of headphones or earbuds, for example, a home or car stereo?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,815	10,395,500	32.2
No		2	3,945	21,676,000	67.2
Don’t know		7	5	22,500	0.1
Not stated		9	30	182,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_211 **Length:** 3.0 **Position:** 571

Question Name:

Concept: Listened to loud music without headphones/earbuds - number of times

Question Text: During the past 12 months, how often did you listen to other types of loud music without the use of headphones or earbuds?

Universe: NEX_13 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 365	1,815	10,391,500	32.2
Valid skip	996	3,945	21,676,000	67.2
Don't know	997	5	4,000	0.0
Not stated	999	30	204,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_211N **Length:** 1.0 **Position:** 574

Question Name:

Concept: Listened to loud music without headphones/earbuds - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_211 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	475	2,806,000	8.7
Per week	2	735	4,385,500	13.6
Per month	3	310	1,740,500	5.4
Per year	4	290	1,459,500	4.5
Valid skip	6	3,945	21,676,000	67.2
Not stated	9	35	208,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_212 **Length:** 1.0 **Position:** 575

Question Name:

Concept: Listened to loud music without headphones/earbuds - time spent

Question Text: How much time did you typically spend on each occasion?

Universe: 0 < NEX_211 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 10 minutes	1	370	1,661,500	5.1
10 minutes to less than 30 minutes	2	685	3,644,000	11.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
30 minutes to less than 1.5 hours	3	530	3,503,500	10.9
1.5 hours to less than 5 hours	4	205	1,517,500	4.7
5 hours or more	5	15	65,000	0.2
Valid skip	6	3,945	21,676,000	67.2
Not stated	9	35	208,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_213 **Length:** 1.0 **Position:** 576

Question Name:

Concept: Listened to loud music without headphones/earbuds - hearing protection

Question Text: How often did you wear hearing protection?

Universe: 0 < NEX_211 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	5	1,000	0.0
Often	2	5	24,000	0.1
Sometimes	3	5	17,000	0.1
Rarely	4	10	42,000	0.1
Never	5	1,790	10,307,500	31.9
Valid skip	6	3,945	21,676,000	67.2
Not stated	9	35	208,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEXD21Y **Length:** 5.0 **Position:** 577

Question Name:

Concept: Listened to loud music without headphones - times per year - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	00000 - 02555	5,760	32,067,500	99.4
Not stated	99999	35	208,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_14 **Length:** 1.0 **Position:** 582

Question Name: NEX_Q14

Concept: Past 12 months - exposed to noise of firearms

Question Text: Within the past 12 months, have you been exposed to noise from firearms, for example guns?

Universe: CLC_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	365	2,389,500	7.4
No	2	3,815	26,390,000	81.8
Valid skip	6	1,585	3,313,000	10.3
Don't know	7	5	4,500	0.0
Not stated	9	25	178,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_23 **Length:** 1.0 **Position:** 583

Question Name: NEX_Q23

Concept: Fired/been exposed to noise of firearm - number of times

Question Text: In the past 12 months, how many times have you fired, or been exposed to noise from the shot of a gun or firearm?

Universe: NEX_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 19 times	1	210	1,333,500	4.1
20 to 99 times	2	90	463,000	1.4
100 to 9999 times	3	60	590,500	1.8
10,000 times or more	4	5	2,500	0.0
Valid skip	6	5,400	29,703,000	92.0
Not stated	9	30	183,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_24 **Length:** 1.0 **Position:** 584

Question Name: NEX_Q24

Concept: Fired/exposed to noise of firearm - hearing protection

Question Text: How often did you wear hearing protection?

Universe: NEX_14 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	110	919,500	2.8
Often	2	25	245,500	0.8
Sometimes	3	20	83,000	0.3
Rarely	4	10	114,000	0.4
Never	5	200	1,027,500	3.2
Valid skip	6	5,400	29,703,000	92.0
Not stated	9	30	183,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_25 **Length:** 1.0 **Position:** 585

Question Name: NEX_Q25

Concept: Past 12 months - used headphones/earbuds

Question Text: In the past 12 months have you listened to audio devices using headphones or earbuds?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,330	17,340,000	53.7
No	2	2,435	14,722,500	45.6
Don’t know	7	5	31,000	0.1
Not stated	9	30	182,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_26 **Length:** 3.0 **Position:** 586

Question Name: NEX_Q26

Concept: Used headphone/earbuds - hours per week

Question Text: On average, in the past 12 months, how many hours per week did you usually listen to music, movies or other types of audio using headphones or earbuds?

Universe: NEX_25 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 070	3,315	17,291,500	53.6
Valid skip	996	2,435	14,722,500	45.6
Don’t know	997	10	48,500	0.2
Not stated	999	30	213,000	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_26A **Length:** 3.0 **Position:** 589

Question Name: NEX_N26A

Concept: Used headphone/earbuds - minutes

Question Text: INSTRUCTION: Enter number of minutes.

Universe: NEX_26 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 900	3,315	17,291,500	53.6
Valid skip	996	2,435	14,722,500	45.6
Not stated	999	45	261,500	0.8
Total		5,794	32,275,596	100.0

Variable Name: NEX_26B **Length:** 1.0 **Position:** 592

Question Name: NEX_N26B

Concept: Used headphone/earbuds - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: (0 < NEX_26 < VS) or (0 < NEX_26A < VS)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,010	4,911,000	15.2
Per week	2	1,875	10,068,000	31.2
Valid skip	6	2,865	17,035,500	52.8
Not stated	9	45	261,500	0.8
Total		5,794	32,275,596	100.0

Variable Name: NEXD26 **Length:** 5.1 **Position:** 593

Question Name:

Concept: Used headphone/earbuds - hours per week - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Hours		000.0 - 105.0	5,750	32,014,500	99.2
Not stated		999.9	45	261,500	0.8
	Total		5,794	32,275,596	100.0

Variable Name: NEX_27 **Length:** 1.0 **Position:** 598

Question Name: NEX_Q27

Concept: Volume level usually at or above 3/4 the maximum volume

Question Text: Is the volume level usually at or above three quarters of the maximum volume?

Universe: NEX_25 = 1 and NEX_26B < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	855	4,871,000	15.1
No		2	2,010	10,051,500	31.1
Valid skip		6	2,865	17,035,500	52.8
Don't know		7	30	105,000	0.3
Not stated		9	30	213,000	0.7
	Total		5,794	32,275,596	100.0

Variable Name: NEX_28 **Length:** 1.0 **Position:** 599

Question Name: NEX_Q28

Concept: Volume requires someone to speak in a raised voice

Question Text: Is the volume usually so loud that someone standing an arm's length away would have to speak in a raised voice for you to understand what they were saying?

Universe: NEX_25 = 1 and NEX_26B < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	750	4,630,500	14.3
No		2	2,135	10,330,000	32.0
Valid skip		6	2,865	17,035,500	52.8
Don't know		7	15	66,500	0.2
Not stated		9	30	213,000	0.7
	Total		5,794	32,275,596	100.0

Variable Name: NEX_29 **Length:** 3.0 **Position:** 600

Question Name: NEX_Q29

Concept: Used headphone/earbuds at high volume - hours per week

Question Text: How many hours per week do you usually listen to audio devices, using headphones or earbuds, at a volume that is at or above three quarters of the maximum volume/so loud that someone standing an arm's length away would have to speak in a raised voice for you to understand what they were saying?

Universe: NEX_27 = 1 or NEX_28 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 050	1,045	6,053,500	18.8
Valid skip	996	4,695	25,963,500	80.4
Don't know	997	15	39,000	0.1
Not stated	999	35	219,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_29A **Length:** 3.0 **Position:** 603

Question Name: NEX_N29A

Concept: Used headphone/earbuds at high volume - minutes

Question Text: INSTRUCTION: Enter number of minutes.

Universe: NEX_29 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 600	1,045	6,053,500	18.8
Valid skip	996	4,695	25,963,500	80.4
Not stated	999	55	258,500	0.8
Total		5,794	32,275,596	100.0

Variable Name: NEX_29B **Length:** 1.0 **Position:** 606

Question Name: NEX_N29B

Concept: Used headphone/earbuds at high volume - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: (0 < NEX_29 < VS) or (0 < NEX_29A < VS)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	395	2,222,500	6.9
Per week	2	650	3,831,500	11.9
Valid skip	6	4,695	25,963,500	80.4
Not stated	9	55	258,500	0.8
Total		5,794	32,275,596	100.0

Variable Name: NEXD29 **Length:** 5.1 **Position:** 607

Question Name:

Concept: Used headphone/earbuds at high volume - hours per week - (D)

Question Text:

Universe: (NEX_27 = 2 and NEX_28 = 2) or NEX_29B < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 070.0	2,780	14,592,000	45.2
Valid skip	999.6	2,940	17,345,000	53.7
Not stated	999.9	70	338,500	1.0
Total		5,794	32,275,596	100.0

Variable Name: NEX_30 **Length:** 3.0 **Position:** 612

Question Name: NEX_Q30

Concept: Usual listening volume - duration

Question Text: For how long has this been your usual listening volume?

Universe: NEX_29 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Duration	001 - 047	1,035	5,843,000	18.1
Valid skip	996	4,695	25,963,500	80.4
Don't know	997	30	250,000	0.8
Not stated	999	35	219,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_30N **Length:** 1.0 **Position:** 615

Question Name: NEX_N30

Concept: Usual listening volume - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_30 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weeks	2	10	29,500	0.1
Months	3	150	528,500	1.6
Years	4	875	5,284,500	16.4
Valid skip	6	4,695	25,963,500	80.4
Not stated	9	65	469,500	1.5
Total		5,794	32,275,596	100.0

Variable Name: NEXD30 **Length:** 3.0 **Position:** 616

Question Name:

Concept: Usual listening volume - total duration (years) - (D)

Question Text:

Universe: 0 < NEX_30 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 047	1,035	5,843,000	18.1
Valid skip	996	4,675	25,883,500	80.2
Not stated	999	85	549,000	1.7
Total		5,794	32,275,596	100.0

Variable Name: NEX_40 **Length:** 1.0 **Position:** 619

Question Name: NEX_Q40

Concept: Ever experienced tinnitus

Question Text: Have you ever experienced tinnitus?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,105	14,005,500	43.4
No	2	3,610	17,878,500	55.4
Don’t know	7	50	209,500	0.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	30	182,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_41 **Length:** 1.0 **Position:** 620

Question Name: NEX_Q41

Concept: Last time experienced tinnitus

Question Text: When was the last time you experienced these sounds in your ears?

Universe: NEX_40 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Within the last 7 days		1	670	4,163,500	12.9
8 days to less than 1 month ago		2	400	2,730,500	8.5
1 month to less than 6 months ago		3	440	2,903,000	9.0
6 months to less than 1 year ago		4	195	1,387,000	4.3
1 year ago or more		5	300	2,057,000	6.4
Valid skip		6	3,610	17,878,500	55.4
Don't know		7	100	764,000	2.4
Not stated		9	80	391,500	1.2
	Total		5,794	32,275,596	100.0

Variable Name: NEX_42 **Length:** 1.0 **Position:** 621

Question Name: NEX_Q42

Concept: Experiencing tinnitus at time of interview

Question Text: Are you experiencing these sounds right now?

Universe: NEX_41 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	225	1,608,000	5.0
No		2	440	2,545,500	7.9
Valid skip		6	4,950	26,956,500	83.5
Don't know		7	5	10,500	0.0
Not stated		9	175	1,155,500	3.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_43 **Length:** 1.0 **Position:** 622

Question Name: NEX_Q43

Concept: Experiences tinnitus when it is quiet

Question Text: When it is quiet, do you experience these sounds in your ears?

Universe: NEX_41 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	155	905,000	2.8
Often	2	170	1,199,500	3.7
Sometimes	3	395	2,626,500	8.1
Rarely	4	310	1,855,000	5.7
Never	5	30	296,000	0.9
Valid skip	6	4,550	24,225,500	75.1
Don't know	7	5	12,500	0.0
Not stated	9	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_44 **Length:** 3.0 **Position:** 623

Question Name: NEX_Q44

Concept: Experienced tinnitus - duration

Question Text: For how long have you had this?

Universe: NEX_43 = 1, 2, DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 060	305	2,013,500	6.2
Valid skip	996	5,290	29,003,500	89.9
Don't know	997	25	103,000	0.3
Not stated	999	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_44N **Length:** 1.0 **Position:** 626

Question Name: NEX_N44

Concept: Experienced tinnitus - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < NEX_44 < VS

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Weeks		2	5	3,500	0.0
Months		3	25	129,000	0.4
Years		4	280	1,880,500	5.8
Valid skip		6	5,290	29,003,500	89.9
Not stated		9	200	1,259,000	3.9
	Total		5,794	32,275,596	100.0

Variable Name: NEXD44 **Length:** 3.0 **Position:** 627

Question Name:

Concept: Experienced tinnitus - total duration (years) - (D)

Question Text:

Universe: 0 < NEX_44 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Years		000 - 060	305	2,013,500	6.2
Valid skip		996	5,290	29,003,500	89.9
Not stated		999	200	1,259,000	3.9
	Total		5,794	32,275,596	100.0

Variable Name: NEX_45 **Length:** 1.0 **Position:** 630

Question Name: NEX_Q45

Concept: Tinnitus bothers (affects sleep, concentration, mood)

Question Text: [Does/Did] this bother you? For example, [does/did] it affect your sleep, concentration or mood?

Universe: NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	325	1,945,500	6.0
No		2	1,375	9,235,500	28.6
Valid skip		6	3,915	19,935,500	61.8
Don’t know		7	5	3,500	0.0
Not stated		9	175	1,155,500	3.6
	Total		5,794	32,275,596	100.0

Variable Name: NEX_47 **Length:** 1.0 **Position:** 631

Question Name: NEX_Q47

Concept: Experienced tinnitus after using headphones/earbuds

Question Text: In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced after using headphones or earbuds to listen to audio devices?

Universe: CLC_AGE > 9 and NEX_25 = 1 and NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	125	649,000	2.0
No	2	910	5,735,500	17.8
Valid skip	6	4,555	24,542,500	76.0
Don't know	7	25	193,000	0.6
Not stated	9	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_48 **Length:** 1.0 **Position:** 632

Question Name: NEX_Q48

Concept: Experienced tinnitus - loud music

Question Text: In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced after being exposed to loud amplified music?

Universe: CLC_AGE > 9 and NEX_12 = 1 and NEX_40 = 1 and NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	270	1,966,500	6.1
No	2	410	3,520,000	10.9
Valid skip	6	4,920	25,399,500	78.7
Don't know	7	15	234,000	0.7
Not stated	9	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_49 **Length:** 1.0 **Position:** 633

Question Name: NEX_Q49

Concept: Experienced tinnitus - loud event

Question Text: In the past 12 months, when you experienced these noises in your ears, [were they louder or more pronounced/did they occur] after being at a loud sporting or entertainment event?

Universe: CLC_AGE > 9 and NEX_11 = 1 and NEX_40 = 1 and NEX_41 = 1, 2, 3, 4

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	90	518,000	1.6
No	2	335	2,646,000	8.2
Valid skip	6	5,175	27,807,500	86.2
Don't know	7	15	149,000	0.5
Not stated	9	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_50 **Length:** 1.0 **Position:** 634

Question Name: NEX_Q50

Concept: Experienced tinnitus - loud power tools

Question Text: In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced after being exposed to noise from loud power tools ?

Universe: CLC_AGE > 9 and NEX_07 = 1 and NEX_40 = 1 and NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	125	613,500	1.9
No	2	555	4,151,000	12.9
Valid skip	6	4,920	26,153,000	81.0
Don't know	7	20	203,000	0.6
Not stated	9	175	1,155,500	3.6
Total		5,794	32,275,596	100.0

Variable Name: NEX_51 **Length:** 1.0 **Position:** 635

Question Name: NEX_Q51

Concept: Experienced tinnitus - firearm noise

Question Text: In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced after being exposed to noise from firearms or guns?

Universe: CLC_AGE > 9 and NEX_14 = 1 and NEX_40 = 1 and NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	369,500	1.1
No	2	105	589,500	1.8
Valid skip	6	5,460	30,025,500	93.0
Don't know	7	5	139,500	0.4
Not stated	9	175	1,152,000	3.6

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: NEX_52 **Length:** 1.0 **Position:** 636

Question Name: NEX_Q52

Concept: Experienced tinnitus - specific circumstances

Question Text: In the past 12 months, when you experienced these noises in your ears, were they louder or more pronounced in any other specific circumstances?

Universe: CLC_AGE > 9 and NEX_40 = 1 and NEX_41 = 1, 2, 3, 4

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	315	1,621,000	5.0
No		2	1,310	9,305,500	28.8
Valid skip		6	3,985	20,136,000	62.4
Don't know		7	5	57,000	0.2
Not stated		9	175	1,155,500	3.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_01 **Length:** 1.0 **Position:** 637

Question Name: SEB_Q01

Concept: Attended school/daycare (May to September)

Question Text: Did you attend school [or daycare] at any time during these months?

Universe: CLC_AGE < 12

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,385	2,917,000	9.0
No		2	195	384,500	1.2
Valid skip		6	4,185	28,814,500	89.3
Refusal		8	5	2,500	0.0
Not stated		9	25	157,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_02 **Length:** 1.0 **Position:** 638

Totals may not add up due to rounding.

Question Name: SEB_Q02

Concept: Worked at a job/business/attended school (May to September)

Question Text: Did you do any of the following during these months: - work at a job? - work at a business? - attend school?

Universe: CLC_AGE > 12

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,035	21,030,500	65.2
No	2	1,150	7,782,000	24.1
Valid skip	6	1,580	3,301,500	10.2
Don't know	7	5	2,000	0.0
Not stated	9	30	160,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_03 **Length:** 1.0 **Position:** 639

Question Name: SEB_Q03

Concept: Time in sun between 10 am - 4 pm - at work/school/daycare

Question Text: During these months, how much time did you spend in the sun between 10 a.m. and 4 p.m., on a typical day at [work/school/ daycare]?

Universe: SEB_01 = 1 or SEB_02 = 1

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 5 minutes	1	715	6,176,000	19.1
5 to less than 30 minutes	2	750	4,890,000	15.2
30 minutes to less than 1 hour	3	1,085	4,726,000	14.6
1 hour to less than 2 hours	4	1,100	4,019,500	12.5
2 hours or more	5	750	4,105,500	12.7
Valid skip	6	1,345	8,166,500	25.3
Don't know	7	15	31,500	0.1
Not stated	9	30	161,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_04 **Length:** 1.0 **Position:** 640

Question Name: SEB_Q04

Concept: Wore something on their head - at work/school/daycare

Question Text: When you were exposed to the sun during these hours on a day at [work/school/daycare], how often did you wear something on your head that shaded your face, ears, or neck, for example, a cap [veil] or sunhat?

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	700	3,437,000	10.6
Often	2	460	1,901,000	5.9
Sometimes	3	470	1,839,500	5.7
Rarely	4	465	2,122,000	6.6
Never	5	1,590	8,431,000	26.1
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	5	5,500	0.0
Refusal	8	5	4,500	0.0
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_05 **Length:** 1.0 **Position:** 641

Question Name: SEB_Q05

Concept: Typically covered or uncovered : face, ears or neck

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck

Universe: SEB_04 = 2, 3, 4, 5, DK, RF

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	210	927,500	2.9
Uncovered	2	2,775	13,371,000	41.4
Valid skip	6	2,760	17,779,000	55.1
Don't know	7	5	5,500	0.0
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_06 **Length:** 1.0 **Position:** 642

Question Name: SEB_Q06

Concept: Typically covered or uncovered: hands

Totals may not add up due to rounding.

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	115	873,000	2.7
Uncovered	2	3,575	16,856,000	52.2
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	5	11,000	0.0
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_07 **Length:** 1.0 **Position:** 643

Question Name: SEB_Q07

Concept: Typically covered or uncovered: arms

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	555	3,508,000	10.9
Uncovered	2	3,125	14,194,000	44.0
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	10	39,000	0.1
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_08 **Length:** 1.0 **Position:** 644

Question Name: SEB_Q08

Concept: Typically covered or uncovered: legs

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	1,880	10,956,500	33.9
Uncovered	2	1,800	6,744,000	20.9
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	10	40,000	0.1
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_09 **Length:** 1.0 **Position:** 645

Question Name: SEB_Q09

Concept: Typically covered or uncovered: feet

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	3,080	14,829,000	45.9
Uncovered	2	605	2,891,000	9.0
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	5	21,000	0.1
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_10 **Length:** 1.0 **Position:** 646

Question Name: SEB_Q10

Concept: Typically covered or uncovered: other

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	3,475	16,844,000	52.2
Uncovered	2	210	880,500	2.7
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	5	16,000	0.0
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_11 **Length:** 1.0 **Position:** 647

Question Name: SEB_Q11

Concept: Used sunscreen on face, ears or neck

Question Text: How often did you usually use sunscreen on your face, ears or neck?

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	515	2,298,000	7.1
Often	2	435	1,689,000	5.2
Sometimes	3	525	2,599,000	8.1
Rarely	4	545	2,208,000	6.8
Never	5	1,660	8,924,000	27.6
Valid skip	6	2,065	14,342,000	44.4
Don't know	7	10	22,500	0.1
Not stated	9	40	193,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_12A **Length:** 1.0 **Position:** 648

Question Name: SEB_Q12A

Concept: Used sunscreen on other areas

Question Text: How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?

Universe: SEB_03 = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	380	1,138,500	3.5
Often	2	400	1,445,000	4.5
Sometimes	3	520	2,303,500	7.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Rarely		4	525	2,563,500	7.9
Never		5	1,850	10,267,000	31.8
Valid skip		6	2,065	14,342,000	44.4
Don't know		7	10	23,500	0.1
Not stated		9	40	193,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_13A **Length:** 1.0 **Position:** 649

Question Name: SEB_Q13A

Concept: Time in sun between 10 am - 4 pm not at work/school/daycare

Question Text: During these months, how much time did you spend in the sun between 10 a.m. and 4 p.m. on a typical day when not at [work/ school/or daycare]?

Universe: All respondents

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Less than 5 minutes		1	105	876,000	2.7
5 to less than 30 minutes		2	365	2,779,000	8.6
30 minutes to less than 1 hour		3	610	3,916,000	12.1
1 hour to less than 2 hours		4	1,355	7,230,000	22.4
2 hours or more		5	3,330	17,287,500	53.6
Don't know		7	10	27,500	0.1
Refusal		8	5	2,500	0.0
Not stated		9	25	157,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_14 **Length:** 1.0 **Position:** 650

Question Name: SEB_Q14

Concept: Wore something on their head - not at work/school/daycare

Question Text: When you were exposed to the sun during these hours on a day when you were not at [work/school/daycare], how often did you wear something on your head that shaded your face, ears or neck, for example a cap, veil or sunhat?

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	1,035	5,440,500	16.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Often	2	1,060	5,152,500	16.0
Sometimes	3	1,055	6,165,000	19.1
Rarely	4	730	4,009,500	12.4
Never	5	1,775	10,444,500	32.4
Valid skip	6	105	876,000	2.7
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_15 **Length:** 1.0 **Position:** 651

Question Name: SEB_Q15

Concept: Typically covered or uncovered: face, ears or neck

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck

Universe: SEB_14 = 2, 3, 4, 5, DK, RF

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	360	1,686,500	5.2
Uncovered	2	4,250	24,068,500	74.6
Valid skip	6	1,140	6,316,500	19.6
Don't know	7	5	16,500	0.1
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_16 **Length:** 1.0 **Position:** 652

Question Name: SEB_Q16

Concept: Typically covered or uncovered: hands

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	95	646,000	2.0
Uncovered	2	5,550	30,538,500	94.6
Valid skip	6	105	876,000	2.7
Don't know	7	5	27,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	35	187,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_17 **Length:** 1.0 **Position:** 653

Question Name: SEB_Q17

Concept: Typically covered or uncovered: arms

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Covered		1	390	2,479,000	7.7
Uncovered		2	5,250	28,656,000	88.8
Valid skip		6	105	876,000	2.7
Don't know		7	10	77,500	0.2
Not stated		9	35	187,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_18 **Length:** 1.0 **Position:** 654

Question Name: SEB_Q18

Concept: Typically covered or uncovered: legs

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Covered		1	1,480	9,654,500	29.9
Uncovered		2	4,160	21,509,000	66.6
Valid skip		6	105	876,000	2.7
Don't know		7	15	49,000	0.2
Not stated		9	35	187,000	0.6
	Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SEB_19 **Length:** 1.0 **Position:** 655

Question Name: SEB_Q19

Concept: Typically covered or uncovered: feet

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	3,050	16,591,000	51.4
Uncovered	2	2,585	14,522,500	45.0
Valid skip	6	105	876,000	2.7
Don't know	7	15	76,500	0.2
Refusal	8	5	22,500	0.1
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_20 **Length:** 1.0 **Position:** 656

Question Name: SEB_Q20

Concept: Typically covered or uncovered: other

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	4,320	23,327,500	72.3
Uncovered	2	1,315	7,842,000	24.3
Valid skip	6	105	876,000	2.7
Don't know	7	15	43,000	0.1
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_21 **Length:** 1.0 **Position:** 657

Question Name: SEB_Q21

Concept: Used sunscreen on face, ears or neck

Question Text: How often did you usually use sunscreen on your face, ears or neck?

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	1,070	5,166,500	16.0
Often	2	1,185	5,697,500	17.7
Sometimes	3	1,200	6,477,500	20.1
Rarely	4	825	4,698,000	14.6
Never	5	1,365	9,172,500	28.4
Valid skip	6	105	876,000	2.7
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_22 **Length:** 1.0 **Position:** 658

Question Name: SEB_Q22

Concept: Used sunscreen on other areas

Question Text: How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?

Universe: SEB_13A = 2, 3, 4, 5

Note: If the date of the clinic visit occurred from January to July, the reference period is from May to September of the previous year. If the clinic visit occurred from August to December, the period of reference is from May to September of the current year.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	810	3,172,500	9.8
Often	2	1,110	5,233,500	16.2
Sometimes	3	1,255	6,419,500	19.9
Rarely	4	875	5,068,000	15.7
Never	5	1,600	11,319,000	35.1
Valid skip	6	105	876,000	2.7
Not stated	9	35	187,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_23 **Length:** 1.0 **Position:** 659

Question Name: SEB_Q23

Concept: Past 2 months - travelled to warm, sunny climate

Totals may not add up due to rounding.

Question Text: In the past 2 months, that is, from [date 2 months ago] to yesterday, have you travelled to a warm, sunny climate?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	530	3,710,000	11.5
No	2	5,235	28,392,000	88.0
Don't know	7	5	13,500	0.0
Refusal	8	5	2,500	0.0
Not stated	9	25	157,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_24 **Length:** 2.0 **Position:** 660

Question Name: SEB_Q24

Concept: Stayed in warm, sunny climate - amount of time

Question Text: How long were you there?

Universe: SEB_23 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Amount of time	01 - 60	530	3,710,000	11.5
Valid skip	96	5,235	28,392,000	88.0
Not stated	99	30	173,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_24N **Length:** 1.0 **Position:** 662

Question Name: SEB_N24

Concept: Stayed in warm, sunny climate - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < SEB_24 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	1	265	1,923,500	6.0
Weeks	2	245	1,579,500	4.9
Months	3	25	202,500	0.6
Years	4	5	4,500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,235	28,392,000	88.0
Not stated		9	30	173,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEBD24 **Length:** 4.0 **Position:** 663

Question Name:

Concept: Time spent in warm sunny climate - past 2 months - (D)

Question Text:

Universe: SEB_23 = 1, 2

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Amount of time		0000 - 0062	5,765	32,102,500	99.5
Not stated		9999	30	173,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_25 **Length:** 1.0 **Position:** 667

Question Name: SEB_Q25

Concept: Time spent in sun between 10 a.m. - 4 p.m. - warm, sunny climate

Question Text: While you were in this warm, sunny climate how much time did you typically spend in the sun between 10 a.m. and 4 p.m.?

Universe: SEB_23 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Less than 5 minutes		1	10	54,000	0.2
5 to less than 30 minutes		2	10	63,500	0.2
30 minutes to less than 1 hour		3	25	232,000	0.7
1 hour to less than 2 hours		4	40	404,500	1.3
2 hours or more		5	445	2,922,500	9.1
Valid skip		6	5,235	28,392,000	88.0
Don't know		7	5	33,500	0.1
Not stated		9	30	173,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_26 **Length:** 1.0 **Position:** 668

Totals may not add up due to rounding.

Question Name: SEB_Q26

Concept: Wore something on their head - warm, sunny climate

Question Text: While you were in this warm, sunny climate - during these hours, how often did you wear something on your head that shaded your face, ears or neck, for example, a cap/veil/sunhat?

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	120	937,500	2.9
Often	2	105	675,000	2.1
Sometimes	3	70	509,500	1.6
Rarely	4	45	362,000	1.1
Never	5	180	1,138,500	3.5
Valid skip	6	5,240	28,446,000	88.1
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_27 **Length:** 1.0 **Position:** 669

Question Name: SEB_Q27

Concept: Typically covered or uncovered: face, ears or neck

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Face, ears or neck

Universe: SEB_26 = 2, 3, 4, 5, DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	30	303,500	0.9
Uncovered	2	370	2,381,500	7.4
Valid skip	6	5,365	29,383,500	91.0
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_28 **Length:** 1.0 **Position:** 670

Question Name: SEB_Q28

Concept: Typically covered or uncovered: hands

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Hands

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	5	38,000	0.1
Uncovered	2	515	3,579,500	11.1
Valid skip	6	5,240	28,446,000	88.1
Don't know	7	5	5,500	0.0
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_29 **Length:** 1.0 **Position:** 671

Question Name: SEB_Q29

Concept: Typically covered or uncovered: arms

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Arms

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	40	313,500	1.0
Uncovered	2	480	3,307,000	10.2
Valid skip	6	5,240	28,446,000	88.1
Don't know	7	5	2,500	0.0
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_30 **Length:** 1.0 **Position:** 672

Question Name: SEB_Q30

Concept: Typically covered or uncovered: legs

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Legs

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Covered	1	95	759,000	2.4
Uncovered	2	425	2,830,500	8.8
Valid skip	6	5,240	28,446,000	88.1
Don't know	7	5	33,500	0.1
Not stated	9	30	207,000	0.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SEB_31 **Length:** 1.0 **Position:** 673

Question Name: SEB_Q31

Concept: Typically covered or uncovered: feet

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Feet

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Covered		1	185	1,387,000	4.3
Uncovered		2	335	2,235,500	6.9
Valid skip		6	5,240	28,446,000	88.1
Not stated		9	30	207,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_32 **Length:** 1.0 **Position:** 674

Question Name: SEB_Q32

Concept: Typically covered or uncovered: other

Question Text: Please identify whether the following areas of skin were typically covered or uncovered when you were out in the sun: Other (for example, shoulders or back)

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Covered		1	285	2,068,000	6.4
Uncovered		2	235	1,554,500	4.8
Valid skip		6	5,240	28,446,000	88.1
Not stated		9	30	207,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SEB_33 **Length:** 1.0 **Position:** 675

Question Name: SEB_Q33

Concept: Used sunscreen on face, ears or neck

Question Text: How often did you usually use sunscreen on your face, ears or neck?

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	230	1,526,500	4.7
Often	2	95	677,000	2.1
Sometimes	3	50	430,500	1.3
Rarely	4	25	223,500	0.7
Never	5	120	765,000	2.4
Valid skip	6	5,240	28,446,000	88.1
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_34 **Length:** 1.0 **Position:** 676

Question Name: SEB_Q34

Concept: Used sunscreen on other areas

Question Text: How often did you usually use sunscreen on other areas (for example, hands, arms or legs)?

Universe: SEB_25 = 2, 3, 4, 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	195	1,193,500	3.7
Often	2	95	753,500	2.3
Sometimes	3	65	359,500	1.1
Rarely	4	25	268,500	0.8
Never	5	145	1,047,500	3.2
Valid skip	6	5,240	28,446,000	88.1
Not stated	9	30	207,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SEB_35 **Length:** 1.0 **Position:** 677

Question Name: SEB_Q35

Concept: Past 12 months - used a tanning bed or booth with tanning lamps

Question Text: In the past 12 months, have you used a tanning bed or booth with tanning lamps?

Universe: CLC_AGE > 11

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	190	1,834,500	5.7
No	2	3,995	26,966,500	83.6
Valid skip	6	1,585	3,307,500	10.2
Don't know	7	5	13,500	0.0
Not stated	9	25	153,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_36 **Length:** 3.0 **Position:** 678

Question Name: SEB_Q36

Concept: Used a tanning bed/booth - number of times

Question Text: How often?

Universe: SEB_35 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	001 - 060	190	1,834,000	5.7
Valid skip	996	5,575	30,274,000	93.8
Don't know	997	5	1,000	0.0
Not stated	999	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_36N **Length:** 1.0 **Position:** 681

Question Name: SEB_N36

Concept: Used a tanning bed/booth - reporting period

Question Text: INSTRUCTION: Select the reporting period.

Universe: 0 < SEB_36 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	5	3,000	0.0
Per week	2	45	421,500	1.3
Per month	3	15	166,500	0.5
Per year	4	130	1,243,500	3.9
Valid skip	6	5,575	30,274,000	93.8
Not stated	9	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEBD36 **Length:** 5.0 **Position:** 682

Question Name:

Concept: Number of times used a tanning bed - past year - (D)

Question Text:

Universe: SEB_35 = 1, 2

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		00000 - 09999	5,795	32,275,500	100.0
	Total		5,794	32,275,596	100.0

Variable Name: SEB_37 **Length:** 1.0 **Position:** 687

Question Name: SEB_Q37

Concept: Past 2 months - used a tanning bed/booth with tanning lamps

Question Text: Have you used a tanning bed or booth with tanning lamps in the past 2 months, that is from [date 2 months ago] to today?

Universe: SEB_35 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	65	578,000	1.8
No		2	125	1,256,500	3.9
Valid skip		6	5,575	30,274,000	93.8
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38A **Length:** 1.0 **Position:** 688

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in January

Question Text: During which months do you typically use a tanning bed or booth? - January

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	70	660,000	2.0
No	2	115	1,139,500	3.5
Valid skip	6	5,575	30,274,000	93.8

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38B **Length:** 1.0 **Position:** 689

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in February

Question Text: During which months do you typically use a tanning bed or booth? - February

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	70	561,500	1.7
No		2	115	1,238,500	3.8
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38C **Length:** 1.0 **Position:** 690

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in March

Question Text: During which months do you typically use a tanning bed or booth? - March

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	65	406,000	1.3
No		2	125	1,394,000	4.3
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38D **Length:** 1.0 **Position:** 691

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in April

Question Text: During which months do you typically use a tanning bed or booth? - April

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	313,500	1.0
No	2	140	1,486,000	4.6
Valid skip	6	5,575	30,274,000	93.8
Don't know	7	5	34,500	0.1
Not stated	9	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_38E **Length:** 1.0 **Position:** 692

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in May

Question Text: During which months do you typically use a tanning bed or booth? - May

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	35	515,500	1.6
No	2	155	1,284,500	4.0
Valid skip	6	5,575	30,274,000	93.8
Don't know	7	5	34,500	0.1
Not stated	9	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_38F **Length:** 1.0 **Position:** 693

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in June

Question Text: During which months do you typically use a tanning bed or booth? - June

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	20	205,500	0.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	165	1,594,000	4.9
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38G **Length:** 1.0 **Position:** 694

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in July

Question Text: During which months do you typically use a tanning bed or booth? - July

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	15	92,000	0.3
No		2	175	1,708,000	5.3
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38H **Length:** 1.0 **Position:** 695

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in August

Question Text: During which months do you typically use a tanning bed or booth? - August

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5	15,000	0.0
No		2	180	1,785,000	5.5
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38I **Length:** 1.0 **Position:** 696

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in September

Question Text: During which months do you typically use a tanning bed or booth? - September

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	112,500	0.3
No	2	175	1,687,500	5.2
Valid skip	6	5,575	30,274,000	93.8
Don't know	7	5	34,500	0.1
Not stated	9	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_38J **Length:** 1.0 **Position:** 697

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in October

Question Text: During which months do you typically use a tanning bed or booth? - October

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	20	183,500	0.6
No	2	165	1,616,000	5.0
Valid skip	6	5,575	30,274,000	93.8
Don't know	7	5	34,500	0.1
Not stated	9	30	167,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SEB_38K **Length:** 1.0 **Position:** 698

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in November

Question Text: During which months do you typically use a tanning bed or booth? - November

Universe: SEB_37 = 1, 2

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	30	345,500	1.1
No		2	160	1,454,500	4.5
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38L **Length:** 1.0 **Position:** 699

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth in December

Question Text: During which months do you typically use a tanning bed or booth? - December

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	442,000	1.4
No		2	135	1,358,000	4.2
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SEB_38M **Length:** 1.0 **Position:** 700

Question Name: SEB_Q38

Concept: Uses a tanning bed/booth - All months

Question Text: During which months do you typically use a tanning bed or booth? - All months

Universe: SEB_37 = 1, 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	10	123,500	0.4
No		2	175	1,676,000	5.2
Valid skip		6	5,575	30,274,000	93.8
Don't know		7	5	34,500	0.1
Not stated		9	30	167,500	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKCDELG **Length:** 2.0 **Position:** 701

Question Name:

Concept: Eligibility - Skin pigmentation component - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,790	32,256,000	99.9
Not eligible - home visit	02	5	11,500	0.0
Not eligible - acute or chronic condition	09	5	1,500	0.0
Not eligible - other reason	14	5	6,000	0.0
Total		5,794	32,275,596	100.0

Variable Name: SKM_04 **Length:** 1.0 **Position:** 703

Question Name:

Concept: Arm used for inner arm skin pigmentation measure

Question Text: INSTRUCTION: Record which arm will be used for the inner arm skin pigmentation measurement.

Universe: SKCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	5,730	31,874,000	98.8
Left	2	20	134,000	0.4
None	3	10	102,000	0.3
Valid skip	6	5	19,500	0.1
Not stated	9	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_06 **Length:** 1.0 **Position:** 704

Question Name:

Concept: Hand used for skin pigmentation measure

Question Text: INSTRUCTION: Record which hand will be used for the hand skin pigmentation measurement.

Universe: SKCDELG = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	5,690	31,687,500	98.2
Left	2	60	339,000	1.0
None	3	15	83,000	0.3
Valid skip	6	5	19,500	0.1
Not stated	9	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_09 **Length:** 1.0 **Position:** 705

Question Name:

Concept: Used sunless tanning products - past 10 days

Question Text: In the past 10 days, that is, from [date 10 days ago] to today, have you used sunless tanning products such as creams or lotions, or received a spray-on or mist tan?

Universe: CLC_AGE > 11 and (SKM_04 = 1, 2 or SKM_06 = 1, 2)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	80	642,000	2.0
No	2	4,100	28,123,000	87.1
Valid skip	6	1,590	3,360,000	10.4
Don't know	7	5	4,000	0.0
Not stated	9	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_10 **Length:** 1.0 **Position:** 706

Question Name:

Concept: Sunless tanning products used on the back of hands

Question Text: Was it applied to the back of your hands?

Universe: SKM_09 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	294,500	0.9
No	2	35	341,500	1.1
Valid skip	6	5,685	31,483,000	97.5
Don't know	7	5	6,000	0.0
Not stated	9	30	150,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_11 **Length:** 1.0 **Position:** 707

Question Name:

Concept: Sunless tanning products used on inner arm

Question Text: Was it applied to your inner arms between the elbow and armpit?

Universe: SKM_09 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	35	252,500	0.8
No	2	40	383,500	1.2
Valid skip	6	5,685	31,483,000	97.5
Don't know	7	5	6,000	0.0
Not stated	9	30	150,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_211A **Length:** 7.2 **Position:** 708

Question Name:

Concept: Erythema - inner arm (1)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	-010.61 - 0082.04	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Don't know	9999.97	5	5,000	0.0
Refusal	9999.98	5	1,000	0.0
Not stated	9999.99	30	150,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_212A **Length:** 6.2 **Position:** 715

Question Name:

Concept: Melanin - inner arm (1)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		028.46 - 178.21	5,750	31,998,000	99.1
Valid skip		999.96	15	121,500	0.4
Not stated		999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_213A **Length:** 6.2 **Position:** 721

Question Name:

Concept: L* - inner arm (1)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		000.28 - 046.14	5,750	31,998,000	99.1
Valid skip		999.96	15	121,500	0.4
Not stated		999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_214A **Length:** 7.2 **Position:** 727

Question Name:

Concept: a* - inner arm (1)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		-008.88 - 0048.25	5,750	31,998,000	99.1
Valid skip		9999.96	15	121,500	0.4
Not stated		9999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_215A **Length:** 7.2 **Position:** 734

Question Name:

Concept: b* - inner arm (1)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.48 - 0068.32	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Not stated	9999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_221A **Length:** 7.2 **Position:** 741

Question Name:

Concept: Erythema - inner arm (2)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0003.87 - 0089.85	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Not stated	9999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_222A **Length:** 6.2 **Position:** 748

Question Name:

Concept: Melanin - inner arm (2)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	014.72 - 140.50	5,750	31,998,000	99.1
Valid skip	999.96	15	121,500	0.4
Not stated	999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SKM_223A **Length:** 6.2 **Position:** 754

Question Name:

Concept: L* - inner arm (2)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	001.00 - 046.69	5,750	31,998,000	99.1
Valid skip	999.96	15	121,500	0.4
Not stated	999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_224A **Length:** 7.2 **Position:** 760

Question Name:

Concept: a* - inner arm (2)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0001.47 - 0053.54	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Not stated	9999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_225A **Length:** 7.2 **Position:** 767

Question Name:

Concept: b* - inner arm (2)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0001.09 - 0072.23	5,750	31,998,000	99.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		9999.96	15	121,500	0.4
Not stated		9999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_231A **Length:** 7.2 **Position:** 774

Question Name:

Concept: Erythema - inner arm (3)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		0000.00 - 0104.78	5,750	31,998,000	99.1
Valid skip		9999.96	15	121,500	0.4
Not stated		9999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_232A **Length:** 6.2 **Position:** 781

Question Name:

Concept: Melanin - inner arm (3)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		000.00 - 115.67	5,750	31,998,000	99.1
Valid skip		999.96	15	121,500	0.4
Not stated		999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: SKM_233A **Length:** 6.2 **Position:** 787

Question Name:

Concept: L* - inner arm (3)

Question Text:

Totals may not add up due to rounding.

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 047.19	5,750	31,998,000	99.1
Valid skip	999.96	15	121,500	0.4
Not stated	999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_234A **Length:** 7.2 **Position:** 793

Question Name:

Concept: a* - inner arm (3)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0048.46	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Not stated	9999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_235A **Length:** 7.2 **Position:** 800

Question Name:

Concept: b* - inner arm (3)

Question Text:

Universe: SKM_04 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	-000.14 - 0066.50	5,750	31,998,000	99.1
Valid skip	9999.96	15	121,500	0.4
Not stated	9999.99	30	156,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_241A **Length:** 7.2 **Position:** 807

Question Name:

Concept: Erythema - inner arm (4)

Question Text:

Universe: SKM_04 < 3 and a fourth inner arm measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0006.77 - 0063.86	190	938,000	2.9
Valid skip	9999.96	5,575	31,186,000	96.6
Not stated	9999.99	30	151,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_242A **Length:** 6.2 **Position:** 814

Question Name:

Concept: Melanin - inner arm (4)

Question Text:

Universe: SKM_04 < 3 and a fourth inner arm measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	031.06 - 107.14	190	938,000	2.9
Valid skip	999.96	5,575	31,186,000	96.6
Not stated	999.99	30	151,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_243A **Length:** 6.2 **Position:** 820

Question Name:

Concept: L* - inner arm (4)

Question Text:

Universe: SKM_04 < 3 and a fourth inner arm measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	003.69 - 042.55	190	938,000	2.9
Valid skip	999.96	5,575	31,186,000	96.6
Not stated	999.99	30	151,000	0.5

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		5,794	32,275,596	100.0

Variable Name: SKM_244A **Length:** 7.2 **Position:** 826

Question Name:

Concept: a* - inner arm (4)

Question Text:

Universe: SKM_04 < 3 and a fourth inner arm measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0003.05 - 0045.20	190	938,000	2.9
Valid skip	9999.96	5,575	31,186,000	96.6
Not stated	9999.99	30	151,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_245A **Length:** 7.2 **Position:** 833

Question Name:

Concept: b* - inner arm (4)

Question Text:

Universe: SKM_04 < 3 and a fourth inner arm measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0002.19 - 0072.27	190	938,000	2.9
Valid skip	9999.96	5,575	31,186,000	96.6
Not stated	9999.99	30	151,000	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKMDARME **Length:** 6.2 **Position:** 840

Question Name:

Concept: Erythema - inner arm (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	029.14 - 120.52	5,710	31,891,500	98.8
Valid skip	999.96	5	19,500	0.1
Not stated	999.99	80	364,500	1.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDARMM **Length:** 7.2 **Position:** 846

Question Name:

Concept: Melanin - inner arm (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0004.27 - 0023.34	5,710	31,891,500	98.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	80	364,500	1.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDARML **Length:** 6.2 **Position:** 853

Question Name:

Concept: L* - inner arm (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	003.28 - 046.57	5,710	31,891,500	98.8
Valid skip	999.96	5	19,500	0.1
Not stated	999.99	80	364,500	1.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDARMA **Length:** 7.2 **Position:** 859

Question Name:

Totals may not add up due to rounding.

Concept: a* - inner arm (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0001.51 - 0018.83	5,710	31,891,500	98.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	80	364,500	1.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDARMB **Length:** 7.2 **Position:** 866

Question Name:

Concept: b* - inner arm (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0002.45 - 0053.16	5,710	31,891,500	98.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	80	364,500	1.1
Total		5,794	32,275,596	100.0

Variable Name: SKM_311A **Length:** 7.2 **Position:** 873

Question Name:

Concept: Erythema - back of hand (1)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0092.76	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Don’t know	9999.97	5	3,500	0.0
Refusal	9999.98	5	1,000	0.0
Not stated	9999.99	35	196,000	0.6

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SKM_312A **Length:** 6.2 **Position:** 880

Question Name:

Concept: Melanin - back of the hand (1)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		000.00 - 132.37	5,745	32,022,000	99.2
Valid skip		999.96	10	53,000	0.2
Not stated		999.99	40	200,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SKM_313A **Length:** 6.2 **Position:** 886

Question Name:

Concept: L* - back of the hand (1)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		000.00 - 045.59	5,745	32,022,000	99.2
Valid skip		999.96	10	53,000	0.2
Not stated		999.99	40	200,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SKM_314A **Length:** 7.2 **Position:** 892

Question Name:

Concept: a* - back of the hand (1)

Question Text:

Universe: SKM_06 < 3

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		0000.00 - 0045.79	5,745	32,022,000	99.2
Valid skip		9999.96	10	53,000	0.2
Not stated		9999.99	40	200,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SKM_315A **Length:** 7.2 **Position:** 899

Question Name:

Concept: b* - back of the hand (1)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		0000.00 - 0070.94	5,745	32,022,000	99.2
Valid skip		9999.96	10	53,000	0.2
Not stated		9999.99	40	200,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SKM_321A **Length:** 7.2 **Position:** 906

Question Name:

Concept: Erythema - back of the hand (2)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Skin pigmentation		0000.00 - 0074.66	5,745	32,022,000	99.2
Valid skip		9999.96	10	53,000	0.2
Not stated		9999.99	40	200,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: SKM_322A **Length:** 6.2 **Position:** 913

Question Name:

Concept: Melanin - back of the hand (2)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 130.40	5,745	32,022,000	99.2
Valid skip	999.96	10	53,000	0.2
Not stated	999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_323A **Length:** 6.2 **Position:** 919

Question Name:

Concept: L* - back of the hand (2)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 044.87	5,745	32,022,000	99.2
Valid skip	999.96	10	53,000	0.2
Not stated	999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_324A **Length:** 7.2 **Position:** 925

Question Name:

Concept: a* - back of the hand (2)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0044.14	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Not stated	9999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SKM_325A **Length:** 7.2 **Position:** 932

Question Name:

Concept: b* - back of the hand (2)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0059.30	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Not stated	9999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_331A **Length:** 7.2 **Position:** 939

Question Name:

Concept: Erythema - back of the hand (3)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0077.94	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Not stated	9999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_332A **Length:** 6.2 **Position:** 946

Question Name:

Concept: Melanin - back of the hand (3)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 129.89	5,745	32,022,000	99.2
Valid skip	999.96	10	53,000	0.2
Not stated	999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_333A **Length:** 6.2 **Position:** 952

Question Name:

Concept: L* - back of the hand (3)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 043.86	5,745	32,022,000	99.2
Valid skip	999.96	10	53,000	0.2
Not stated	999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_334A **Length:** 7.2 **Position:** 958

Question Name:

Concept: a* - back of the hand (3)

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0042.90	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Not stated	9999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_335A **Length:** 7.2 **Position:** 965

Question Name:

Concept: b* - back of the hand (3)

Totals may not add up due to rounding.

Question Text:

Universe: SKM_06 < 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0059.89	5,745	32,022,000	99.2
Valid skip	9999.96	10	53,000	0.2
Not stated	9999.99	40	200,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: SKM_341A **Length:** 7.2 **Position:** 972

Question Name:

Concept: Erythema - back of the hand (4)

Question Text:

Universe: SKM_06 < 3 and a fourth back of the hand measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0078.84	240	1,215,000	3.8
Valid skip	9999.96	5,525	30,914,000	95.8
Not stated	9999.99	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_342A **Length:** 6.2 **Position:** 979

Question Name:

Concept: Melanin - back of the hand (4)

Question Text:

Universe: SKM_06 < 3 and a fourth back of the hand measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 103.19	240	1,215,000	3.8
Valid skip	999.96	5,525	30,914,000	95.8
Not stated	999.99	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_343A **Length:** 6.2 **Position:** 985

Question Name:

Concept: L* - back of the hand (4)

Question Text:

Universe: SKM_06 < 3 and a fourth back of the hand measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	000.00 - 040.99	240	1,215,000	3.8
Valid skip	999.96	5,525	30,914,000	95.8
Not stated	999.99	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_344A **Length:** 7.2 **Position:** 991

Question Name:

Concept: a* - back of the hand (4)

Question Text:

Universe: SKM_06 < 3 and a fourth back of the hand measurement was required

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0041.77	240	1,215,000	3.8
Valid skip	9999.96	5,525	30,914,000	95.8
Not stated	9999.99	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKM_345A **Length:** 7.2 **Position:** 998

Question Name:

Concept: b* - back of the hand (4)

Question Text:

Universe: SKM_06 < 3 and a fourth back of the hand measurement was required

Note: .

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0000.00 - 0058.27	240	1,215,000	3.8

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9999.96	5,525	30,914,000	95.8
Not stated	9999.99	30	146,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: SKMDHANE **Length:** 6.2 **Position:** 1005

Question Name:

Concept: Erythema - back of the hand (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	029.72 - 125.03	5,665	31,576,500	97.8
Valid skip	999.96	5	19,500	0.1
Not stated	999.99	125	680,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDHANM **Length:** 7.2 **Position:** 1011

Question Name:

Concept: Melanin - back of the hand (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0007.31 - 0029.68	5,665	31,576,500	97.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	125	680,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDHANL **Length:** 6.2 **Position:** 1018

Question Name:

Concept: L* - back of the hand (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	002.86 - 044.70	5,665	31,576,500	97.8
Valid skip	999.96	5	19,500	0.1
Not stated	999.99	125	680,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDHANA **Length:** 7.2 **Position:** 1024

Question Name:

Concept: a* - back of the hand (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0001.33 - 0025.52	5,665	31,576,500	97.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	125	680,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: SKMDHANB **Length:** 7.2 **Position:** 1031

Question Name:

Concept: b* - back of the hand (final average) - (D)

Question Text:

Universe: SKCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Skin pigmentation	0001.88 - 0048.06	5,665	31,576,500	97.8
Valid skip	9999.96	5	19,500	0.1
Not stated	9999.99	125	680,000	2.1
Total		5,794	32,275,596	100.0

Variable Name: ANCDELG **Length:** 2.0 **Position:** 1038

Totals may not add up due to rounding.

Question Name:

Concept: Eligibility - Anthropometric component - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,795	32,275,500	100.0
Total		5,794	32,275,596	100.0

Variable Name: HWM_11 **Length:** 1.0 **Position:** 1040

Question Name: HWM_N11

Concept: Method of capture - height

Question Text: INSTRUCTION: Record how the data will be captured

Universe: ANCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Electronically	1	5,705	31,850,000	98.7
Manually with a portable device	2	10	66,000	0.2
Self-report	3	15	100,000	0.3
Electronic data entered manually	4	50	203,500	0.6
Not stated	9	10	55,500	0.2
Total		5,794	32,275,596	100.0

Variable Name: HWM_11CM **Length:** 6.2 **Position:** 1041

Question Name:

Concept: Standing height measured (centimetres)

Question Text: INSTRUCTION: Record the standing height in centimetres

Universe: ANCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Height (in centimetres)	087.37 - 198.42	5,760	32,070,500	99.4
Don’t know	999.97	5	1,000	0.0
Refusal	999.98	5	48,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: HWMD11IN **Length:** 4.1 **Position:** 1047

Question Name: HWM_D11

Concept: Standing height measured (inches) - (D)

Question Text:

Universe: ANCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Height (in inches)		34.4 - 78.1	5,760	32,070,500	99.4
Not stated		99.9	30	205,000	0.6
	Total		5,794	32,275,596	100.0

Variable Name: HWM_12CM **Length:** 6.2 **Position:** 1051

Question Name:

Concept: Sitting height measured (centimetres)

Question Text: INSTRUCTION: Record the sitting height in centimetres

Universe: ANCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Height (in centimetres)		048.28 - 108.14	5,745	32,004,500	99.2
Don't know		999.97	15	105,500	0.3
Refusal		999.98	5	9,500	0.0
Not stated		999.99	30	156,000	0.5
	Total		5,794	32,275,596	100.0

Variable Name: HWMD12IN **Length:** 4.1 **Position:** 1057

Question Name: HWM_D12

Concept: Sitting height measured (inches) - (D)

Question Text:

Totals may not add up due to rounding.

Universe: ANCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Height (in inches)	19.0 - 42.6	5,745	32,004,500	99.2
Not stated	99.9	45	271,000	0.8
Total		5,794	32,275,596	100.0

Variable Name: HWM_13 **Length:** 1.0 **Position:** 1061

Question Name: HWM_N13

Concept: Method of capture - weight

Question Text: INSTRUCTION: Record how the data will be captured.

Universe: ANCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Electronically	1	5,475	30,592,000	94.8
Manually with a portable device	2	10	62,500	0.2
Self-report	3	5	26,500	0.1
Electronic data entered manually	4	290	1,539,000	4.8
Not stated	9	10	55,500	0.2
Total		5,794	32,275,596	100.0

Variable Name: HWM_13KG **Length:** 6.2 **Position:** 1062

Question Name:

Concept: Weight measured (kilograms)

Question Text: INSTRUCTION: When the measurement is stable, record the weight in kilograms

Universe: ANCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight (in kilograms)	011.95 - 184.75	5,770	32,116,000	99.5
Don’t know	999.97	5	8,000	0.0
Refusal	999.98	5	57,500	0.2
Not stated	999.99	20	94,000	0.3
Total		5,794	32,275,596	100.0

Variable Name: HWMD13LB **Length:** 5.1 **Position:** 1068

Question Name: HWM_D13

Concept: Weight measured (pounds) - (D)

Question Text:

Universe: ANCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight (pounds)	026.3 - 407.4	5,770	32,116,000	99.5
Not stated	999.9	20	159,500	0.5
Total		5,794	32,275,596	100.0

Variable Name: HWM_14CX **Length:** 5.1 **Position:** 1073

Question Name:

Concept: Waist circumference (centimetres) - NIH protocol

Question Text: INSTRUCTION: Record the waist circumference in centimetres.

Universe: ANCDELG = 1 and PHC_11 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Waist circumference (in centimetres)	041.2 - 161.2	5,735	31,900,500	98.8
Valid skip	999.6	25	234,500	0.7
Don’t know	999.7	10	42,000	0.1
Refusal	999.8	10	43,000	0.1
Not stated	999.9	10	55,500	0.2
Total		5,794	32,275,596	100.0

Variable Name: HWMD14IN **Length:** 4.1 **Position:** 1078

Question Name: HWM_D14

Concept: Waist circumference (inches) - NIH protocol - (D)

Question Text:

Universe: ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Waist circumference (in inches)	16.2 - 63.5	5,735	31,900,500	98.8
Valid skip	99.6	25	234,500	0.7
Not stated	99.9	35	140,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: HWM_15CM **Length:** 5.1 **Position:** 1082

Question Name:

Concept: Hip circumference measured (centimetres)

Question Text: INSTRUCTION: Record the hip circumference in centimetres

Universe: ANCDELG = 1 and PHC_11 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hip circumference (in centimetres)	046.8 - 223.3	5,710	31,845,000	98.7
Valid skip	999.6	25	234,500	0.7
Don't know	999.7	40	119,500	0.4
Refusal	999.8	10	21,000	0.1
Not stated	999.9	10	55,500	0.2
Total		5,794	32,275,596	100.0

Variable Name: HWMD15IN **Length:** 4.1 **Position:** 1087

Question Name: HWM_D15

Concept: Hip circumference measured (inches) - (D)

Question Text:

Universe: ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hip circumference (in inches)	18.4 - 87.9	5,710	31,845,000	98.7
Valid skip	99.6	25	234,500	0.7
Not stated	99.9	60	196,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: HWMDBMI **Length:** 5.2 **Position:** 1091

Question Name: HWM_D21

Concept: Body Mass Index measured - (D)

Question Text:

Universe: ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Body Mass Index score	12.05 - 59.78	5,730	31,805,000	98.5
Valid skip	99.96	25	234,500	0.7
Not stated	99.99	40	236,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: HWMDBMIA **Length:** 2.0 **Position:** 1096

Question Name: HWM_D22

Concept: BMI classifications for 18 years old or older measure - (D)

Question Text:

Universe: CLC_AGE > 17 and ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	01	55	439,500	1.4
Normal weight	02	1,120	8,930,500	27.7
Overweight	03	1,195	9,434,000	29.2
Obese - Class I	04	620	4,382,500	13.6
Obese - Class II	05	235	1,926,500	6.0
Obese - Class III	06	125	1,053,500	3.3
Valid skip	96	2,415	5,887,000	18.2
Not stated	99	25	221,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: HWMDBMIK **Length:** 1.0 **Position:** 1098

Question Name: HWM_D23

Concept: BMI classifications for less then 18 years old measured - (D)

Question Text:

Universe: CLC_AGE < 18 and ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	1	110	234,000	0.7
Normal weight	2	1,665	3,983,500	12.3
Overweight	3	305	722,500	2.2
Obese	4	295	694,000	2.1
Valid skip	6	3,405	26,623,000	82.5
Not stated	9	15	18,500	0.1
Total		5,794	32,275,596	100.0

Variable Name: HWMDWSTA **Length:** 2.0 **Position:** 1099

Question Name: HWM_D24

Concept: Waist circumference classification for 15 to 69 years old - NIH (D)

Question Text:

Universe: 14 < CLC_AGE < 70 and ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Needs improvement	00	860	6,634,000	20.6
Fair	01	590	4,723,500	14.6
Good	02	35	178,000	0.6
Very good	03	695	5,460,000	16.9
Excellent	04	1,180	8,216,000	25.5
Valid skip	96	2,405	6,837,500	21.2
Not stated	99	30	226,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: HWMDWTH **Length:** 4.2 **Position:** 1101

Question Name: HWM_D25

Concept: Waist-to-hip ratio - (D)

Question Text:

Universe: ANCDELG = 1 and PHC_11 > 1

Note: Waist circumfrence was measured using the NIH protocol.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Waist-to-hip ratio	0.47 - 1.21	5,700	31,805,500	98.5
Valid skip	9.96	25	234,500	0.7
Not stated	9.99	70	235,500	0.7
Total		5,794	32,275,596	100.0

Variable Name: HWMDCOL **Length:** 1.0 **Position:** 1105

Question Name:

Concept: BMI classification measured (3 to 17 years old) - Cole system - (D)

Question Text:

Universe: 2 < CLC_AGE < 18 and ANCDELG = 1 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Neither overweight nor obese	1	1,940	4,780,500	14.8
Overweight	2	365	834,500	2.6
Obese	3	195	510,000	1.6
Valid skip	6	3,285	26,136,000	81.0
Not stated	9	10	14,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: HWMDHTM **Length:** 5.3 **Position:** 1106

Question Name:

Concept: Standing height measured (metres) - (D)

Question Text:

Universe: ANCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Height in meters	0.874 - 1.984	5,760	32,070,500	99.4
Not stated	9.999	30	205,000	0.6
Total		5,794	32,275,596	100.0

Variable Name: HWMDLLN **Length:** 6.2 **Position:** 1111

Question Name:

Concept: Leg length (centimetres) - (D)

Question Text:

Universe: ANCDELG = 1

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Leg length in centimetres		036.76 - 105.91	5,745	31,957,500	99.0
Not stated		999.99	50	318,000	1.0
	Total		5,794	32,275,596	100.0

Variable Name: HWMDMAT **Length:** 5.2 **Position:** 1117

Question Name:

Concept: Age at peak height velocity (maturity offset) - (D)

Question Text:

Universe: ((CLC_SEX = 1 and 9 < CLC_AGE < 19) or (CLC_SEX =2 and 7 < CLC_AGE < 17)) and ANCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Maturity offset		-3.96 - 05.29	1,380	3,634,500	11.3
Valid skip		99.96	4,410	28,634,000	88.7
Not stated		99.99	5	7,000	0.0
	Total		5,794	32,275,596	100.0

Variable Name: HWMDWHOK **Length:** 1.0 **Position:** 1122

Question Name:

Concept: BMI classification measured (5 to 18 years old) - WHO - (D)

Question Text:

Universe: 4 < CLC_AGE < 19 and PHC_11 > 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Thinness		1	50	137,000	0.4
Normal		2	1,430	3,637,500	11.3
Overweight		3	360	925,000	2.9
Obese		4	280	700,000	2.2
Valid skip		6	3,670	26,871,000	83.3
Not stated		9	5	5,500	0.0
	Total		5,794	32,275,596	100.0

Variable Name: HWMDWHOP **Length:** 1.0 **Position:** 1123

Question Name:

Concept: BMI classification measured (3 to 5 years old) - WHO - (D)

Question Text:

Universe: 2 < CLC_AGE <= 5

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Normal	2	270	521,500	1.6
At risk of overweight	3	80	135,500	0.4
Overweight	4	20	41,500	0.1
Obese	5	5	23,500	0.1
Valid skip	6	5,410	31,539,500	97.7
Not stated	9	10	14,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: BPCDELG **Length:** 2.0 **Position:** 1124

Question Name:

Concept: Eligibility - Blood Pressure component - (D)

Question Text:

Universe: All respondents

Note: The age eligibility for the blood pressure component is 6 to 79 years.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,230	31,137,000	96.5
Not eligible - age	03	560	1,119,000	3.5
Not eligible - double mastectomy	24	5	19,500	0.1
Total		5,794	32,275,596	100.0

Variable Name: BPM_101A **Length:** 3.0 **Position:** 1126

Question Name:

Concept: Systolic blood pressure - first set (0)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Systolic blood pressure		063 - 217	5,015	30,072,000	93.2
Valid skip		996	565	1,138,500	3.5
Don't know		997	115	570,500	1.8
Not stated		999	95	494,500	1.5
	Total		5,794	32,275,596	100.0

Variable Name: BPM_102A **Length:** 3.0 **Position:** 1129

Question Name:

Concept: Diastolic blood pressure - first set (0)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Diastolic blood pressure		040 - 157	5,020	30,013,000	93.0
Valid skip		996	565	1,138,500	3.5
Don't know		997	10	115,500	0.4
Not stated		999	200	1,009,000	3.1
	Total		5,794	32,275,596	100.0

Variable Name: BPM_103A **Length:** 3.0 **Position:** 1132

Question Name:

Concept: Heart rate - first set (0)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Heart rate		040 - 174	5,020	30,019,000	93.0
Valid skip		996	565	1,138,500	3.5
Don't know		997	5	108,500	0.3
Not stated		999	200	1,010,000	3.1
	Total		5,794	32,275,596	100.0

Variable Name: BPM_111A **Length:** 3.0 **Position:** 1135

Question Name:

Concept: Systolic blood pressure - first set (1)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	063 - 216	4,945	29,993,500	92.9
Valid skip	996	565	1,138,500	3.5
Don't know	997	175	577,000	1.8
Not stated	999	110	566,000	1.8
Total		5,794	32,275,596	100.0

Variable Name: BPM_112A **Length:** 3.0 **Position:** 1138

Question Name:

Concept: Diastolic blood pressure - first set (1)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	040 - 154	4,940	29,991,000	92.9
Valid skip	996	565	1,138,500	3.5
Don't know	997	20	130,000	0.4
Not stated	999	265	1,015,500	3.1
Total		5,794	32,275,596	100.0

Variable Name: BPM_113A **Length:** 3.0 **Position:** 1141

Question Name:

Concept: Heart rate - first set (1)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 168	4,945	29,995,500	92.9
Valid skip	996	565	1,138,500	3.5
Don't know	997	20	126,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		999	265	1,015,500	3.1
	Total		5,794	32,275,596	100.0

Variable Name: BPM_121A **Length:** 3.0 **Position:** 1144

Question Name:

Concept: Systolic blood pressure - first set (2)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Systolic blood pressure		063 - 206	4,935	30,063,000	93.1
Valid skip		996	565	1,138,500	3.5
Don't know		997	160	455,000	1.4
Not stated		999	135	618,500	1.9
	Total		5,794	32,275,596	100.0

Variable Name: BPM_122A **Length:** 3.0 **Position:** 1147

Question Name:

Concept: Diastolic blood pressure - first set (2)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Diastolic blood pressure		041 - 159	4,935	30,061,000	93.1
Valid skip		996	565	1,138,500	3.5
Don't know		997	10	24,000	0.1
Not stated		999	280	1,052,000	3.3
	Total		5,794	32,275,596	100.0

Variable Name: BPM_123A **Length:** 3.0 **Position:** 1150

Question Name:

Concept: Heart rate - first set (2)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 153	4,935	30,061,000	93.1
Valid skip	996	565	1,138,500	3.5
Don't know	997	10	17,500	0.1
Not stated	999	285	1,058,500	3.3
Total		5,794	32,275,596	100.0

Variable Name: BPM_131A **Length:** 3.0 **Position:** 1153

Question Name:

Concept: Systolic blood pressure - first set (3)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	060 - 204	4,920	29,839,500	92.5
Valid skip	996	565	1,138,500	3.5
Don't know	997	160	642,000	2.0
Not stated	999	145	656,000	2.0
Total		5,794	32,275,596	100.0

Variable Name: BPM_132A **Length:** 3.0 **Position:** 1156

Question Name:

Concept: Diastolic blood pressure - first set (3)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	040 - 158	4,920	29,834,000	92.4
Valid skip	996	565	1,138,500	3.5
Don't know	997	15	64,000	0.2
Not stated	999	290	1,239,000	3.8
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: BPM_133A **Length:** 3.0 **Position:** 1159

Question Name:

Concept: Heart rate - first set (3)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 178	4,925	29,844,000	92.5
Valid skip	996	565	1,138,500	3.5
Don't know	997	15	54,000	0.2
Not stated	999	290	1,239,000	3.8
Total		5,794	32,275,596	100.0

Variable Name: BPM_141A **Length:** 3.0 **Position:** 1162

Question Name:

Concept: Systolic blood pressure - first set (4)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	061 - 203	4,920	29,761,000	92.2
Valid skip	996	565	1,138,500	3.5
Don't know	997	135	494,000	1.5
Not stated	999	170	882,000	2.7
Total		5,794	32,275,596	100.0

Variable Name: BPM_142A **Length:** 3.0 **Position:** 1165

Question Name:

Concept: Diastolic blood pressure - first set (4)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Diastolic blood pressure		040 - 148	4,925	29,762,000	92.2
Valid skip		996	565	1,138,500	3.5
Don't know		997	15	76,500	0.2
Not stated		999	290	1,298,500	4.0
	Total		5,794	32,275,596	100.0

Variable Name: BPM_143A **Length:** 3.0 **Position:** 1168

Question Name:

Concept: Heart rate - first set (4)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Heart rate		039 - 178	4,925	29,762,500	92.2
Valid skip		996	565	1,138,500	3.5
Don't know		997	15	76,000	0.2
Not stated		999	290	1,298,500	4.0
	Total		5,794	32,275,596	100.0

Variable Name: BPM_151A **Length:** 3.0 **Position:** 1171

Question Name:

Concept: Systolic blood pressure - first set (5)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Systolic blood pressure		062 - 221	4,880	29,580,000	91.6
Valid skip		996	565	1,138,500	3.5
Don't know		997	140	440,000	1.4
Not stated		999	205	1,117,000	3.5
	Total		5,794	32,275,596	100.0

Variable Name: BPM_152A **Length:** 3.0 **Position:** 1174

Totals may not add up due to rounding.

Question Name:

Concept: Diastolic blood pressure - first set (5)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	040 - 160	4,880	29,580,500	91.7
Valid skip	996	565	1,138,500	3.5
Don't know	997	20	62,500	0.2
Not stated	999	325	1,494,000	4.6
Total		5,794	32,275,596	100.0

Variable Name: BPM_153A **Length:** 3.0 **Position:** 1177

Question Name:

Concept: Heart rate - first set (5)

Question Text:

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 143	4,885	29,590,500	91.7
Valid skip	996	565	1,138,500	3.5
Don't know	997	15	52,500	0.2
Not stated	999	325	1,494,000	4.6
Total		5,794	32,275,596	100.0

Variable Name: BPM_160 **Length:** 1.0 **Position:** 1180

Question Name: BPM_N160

Concept: Accept/re-do measurements

Question Text: INSTRUCTION: Check the blood pressure and heart rate data.

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Accept the measurements	1	5,050	30,382,500	94.1

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Reject the measurements	2	160	684,500	2.1
Valid skip	6	565	1,138,500	3.5
Not stated	9	20	70,000	0.2
Total		5,794	32,275,596	100.0

Variable Name: BPM_161 **Length:** 1.0 **Position:** 1181

Question Name: BPM_N161

Concept: Anyone present during blood pressure measure

Question Text: INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

Universe: BPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	470	1,466,500	4.5
No	2	4,740	29,600,500	91.7
Valid skip	6	565	1,138,500	3.5
Not stated	9	20	70,000	0.2
Total		5,794	32,275,596	100.0

Variable Name: BPMD161 **Length:** 3.0 **Position:** 1182

Question Name: BPM_D161

Concept: Average systolic blood pressure (mmHg) - first set - (D)

Question Text:

Universe: BPM_160 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	071 - 206	5,100	30,533,500	94.6
Valid skip	996	565	1,138,500	3.5
Not stated	999	130	603,500	1.9
Total		5,794	32,275,596	100.0

Variable Name: BPMD162 **Length:** 3.0 **Position:** 1185

Question Name: BPM_D162

Totals may not add up due to rounding.

Concept: Average diastolic blood pressure (mmHg) - first set - (D)

Question Text:

Universe: BPM_160 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	040 - 148	5,100	30,533,500	94.6
Valid skip	996	565	1,138,500	3.5
Not stated	999	130	603,500	1.9
Total		5,794	32,275,596	100.0

Variable Name: BPMD163 **Length:** 3.0 **Position:** 1188

Question Name: BPM_D163

Concept: Average resting heart rate - first set - (D)

Question Text:

Universe: BPM_160 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate (in beats per minute)	038 - 146	5,100	30,533,500	94.6
Valid skip	996	565	1,138,500	3.5
Not stated	999	130	603,500	1.9
Total		5,794	32,275,596	100.0

Variable Name: BPM_201A **Length:** 3.0 **Position:** 1191

Question Name:

Concept: Systolic blood pressure - second set (0)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	067 - 187	160	643,000	2.0
Valid skip	996	5,600	31,464,500	97.5
Don’t know	997	10	56,500	0.2
Not stated	999	20	111,500	0.3
Total		5,794	32,275,596	100.0

Variable Name: BPM_202A **Length:** 3.0 **Position:** 1194

Question Name:

Concept: Diastolic blood pressure - second set (0)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	042 - 136	160	646,500	2.0
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	5	46,500	0.1
Not stated	999	25	117,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_203A **Length:** 3.0 **Position:** 1197

Question Name:

Concept: Heart rate - second set (0)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	040 - 132	160	673,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	5	20,500	0.1
Not stated	999	25	117,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_211A **Length:** 3.0 **Position:** 1200

Question Name:

Concept: Systolic blood pressure - second set (1)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	069 - 185	155	668,500	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	15	31,000	0.1
Not stated	999	20	111,500	0.3
Total		5,794	32,275,596	100.0

Variable Name: BPM_212A **Length:** 3.0 **Position:** 1203

Question Name:

Concept: Diastolic blood pressure - second set (1)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	043 - 123	155	672,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	20,500	0.1
Not stated	999	25	118,000	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_213A **Length:** 3.0 **Position:** 1206

Question Name:

Concept: Heart rate - second set (1)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 103	155	672,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	20,500	0.1
Not stated	999	25	118,000	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_221A **Length:** 3.0 **Position:** 1209

Question Name:

Concept: Systolic blood pressure - second set (2)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	072 - 183	150	629,000	1.9
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	20	70,000	0.2
Not stated	999	20	111,500	0.3
Total		5,794	32,275,596	100.0

Variable Name: BPM_222A **Length:** 3.0 **Position:** 1212

Question Name:

Concept: Diastolic blood pressure - second set (2)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	043 - 122	150	625,500	1.9
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	42,500	0.1
Not stated	999	30	142,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_223A **Length:** 3.0 **Position:** 1215

Question Name:

Concept: Heart rate - second set (2)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	040 - 115	155	652,000	2.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	5	16,000	0.0
Not stated	999	30	142,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_231A **Length:** 3.0 **Position:** 1218

Question Name:

Concept: Systolic blood pressure - second set (3)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	069 - 210	150	665,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	15	32,500	0.1
Not stated	999	25	113,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_232A **Length:** 3.0 **Position:** 1221

Question Name:

Concept: Diastolic blood pressure - second set (3)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	040 - 107	150	665,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	22,500	0.1
Not stated	999	30	123,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_233A **Length:** 3.0 **Position:** 1224

Question Name:

Concept: Heart rate - second set (3)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	039 - 117	155	670,000	2.1
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	5	17,500	0.1
Not stated	999	30	123,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_241A **Length:** 3.0 **Position:** 1227

Question Name:

Concept: Systolic blood pressure - second set (4)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	066 - 200	150	630,000	2.0
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	15	53,500	0.2
Not stated	999	30	127,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_242A **Length:** 3.0 **Position:** 1230

Question Name:

Concept: Diastolic blood pressure - second set (4)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	041 - 139	150	622,500	1.9
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	48,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		999	35	140,000	0.4
	Total		5,794	32,275,596	100.0

Variable Name: BPM_243A **Length:** 3.0 **Position:** 1233

Question Name:

Concept: Heart rate - second set (4)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Heart rate		038 - 103	150	660,500	2.0
Valid skip		996	5,600	31,464,500	97.5
Don't know		997	5	10,000	0.0
Not stated		999	35	140,000	0.4
	Total		5,794	32,275,596	100.0

Variable Name: BPM_251A **Length:** 3.0 **Position:** 1236

Question Name:

Concept: Systolic blood pressure - second set (5)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Systolic blood pressure		063 - 182	150	650,500	2.0
Valid skip		996	5,600	31,464,500	97.5
Don't know		997	15	28,500	0.1
Not stated		999	30	131,500	0.4
	Total		5,794	32,275,596	100.0

Variable Name: BPM_252A **Length:** 3.0 **Position:** 1239

Question Name:

Concept: Diastolic blood pressure - second set (5)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	041 - 135	150	647,000	2.0
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	29,000	0.1
Not stated	999	30	134,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_253A **Length:** 3.0 **Position:** 1242

Question Name:

Concept: Heart rate - second set (5)

Question Text:

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	049 - 108	150	657,000	2.0
Valid skip	996	5,600	31,464,500	97.5
Don't know	997	10	19,500	0.1
Not stated	999	30	134,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPM_260 **Length:** 1.0 **Position:** 1245

Question Name: BPM_N260

Concept: Accept/reject measurements

Question Text: INSTRUCTION: Check the blood pressure and heart rate data.

Universe: (BPM_160 = 1 and failed error conditions) or BPM_160 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Accept the measurements	1	170	692,000	2.1
Reject the measurements	2	5	7,500	0.0
Valid skip	6	5,600	31,464,500	97.5
Not stated	9	20	111,500	0.3
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: BPM_261 **Length:** 1.0 **Position:** 1246

Question Name: BPM_N261

Concept: Anyone present during blood pressure measure

Question Text: INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

Universe: BPM_260 = 1, 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	136,500	0.4
No	2	120	563,000	1.7
Valid skip	6	5,600	31,464,500	97.5
Not stated	9	20	111,500	0.3
Total		5,794	32,275,596	100.0

Variable Name: BPMD261 **Length:** 3.0 **Position:** 1247

Question Name: BPM_D261

Concept: Average systolic blood pressure (mmHg) - second set - (D)

Question Text:

Universe: BPM_260 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Systolic blood pressure	076 - 189	170	692,000	2.1
Valid skip	996	565	1,138,500	3.5
Not stated	999	5,060	30,445,000	94.3
Total		5,794	32,275,596	100.0

Variable Name: BPMD262 **Length:** 3.0 **Position:** 1250

Question Name: BPM_D262

Concept: Average diastolic blood pressure (mmHg) - second set - (D)

Question Text:

Universe: BPM_260 = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Diastolic blood pressure		043 - 108	170	692,000	2.1
Valid skip		996	565	1,138,500	3.5
Not stated		999	5,060	30,445,000	94.3
	Total		5,794	32,275,596	100.0

Variable Name: BPMD263 **Length:** 3.0 **Position:** 1253

Question Name: BPM_D263

Concept: Average resting heart rate - second set - (D)

Question Text:

Universe: BPM_260 = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Heart rate (in beats per minute)		039 - 100	170	693,500	2.1
Valid skip		996	565	1,138,500	3.5
Not stated		999	5,060	30,443,500	94.3
	Total		5,794	32,275,596	100.0

Variable Name: BPMDPBPS **Length:** 3.0 **Position:** 1256

Question Name:

Concept: Final prevalence average systolic blood pressure (mmHg) - (D)

Question Text:

Universe: BPCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Systolic blood pressure		071 - 205	5,205	31,031,000	96.1
Valid skip		996	560	1,119,000	3.5
Not stated		999	25	126,000	0.4
	Total		5,794	32,275,596	100.0

Variable Name: BPMDPBPD **Length:** 3.0 **Position:** 1259

Question Name:

Concept: Final prevalence average diastolic blood pressure (mmHg) - (D)

Totals may not add up due to rounding.

Question Text:

Universe: BPCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Diastolic blood pressure	041 - 146	5,205	31,031,000	96.1
Valid skip	996	560	1,119,000	3.5
Not stated	999	25	126,000	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPMDPHR **Length:** 3.0 **Position:** 1262

Question Name:

Concept: Final prevalence average resting heart rate - (D)

Question Text:

Universe: BPCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Heart rate	038 - 146	5,205	31,031,000	96.1
Valid skip	996	560	1,119,000	3.5
Not stated	999	25	126,000	0.4
Total		5,794	32,275,596	100.0

Variable Name: BPMDBPA **Length:** 2.0 **Position:** 1265

Question Name: BPM_D411A

Concept: Blood pressure norms - 18 years old and older - (D)

Question Text:

Universe: CLC_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Within acceptable range	01	2,760	21,647,500	67.1
At high end of acceptable range	02	345	2,686,000	8.3
Above acceptable range	03	225	1,679,500	5.2
Moderately high	04	50	476,000	1.5
High	05	15	49,000	0.2
Very high	06	5	4,500	0.0
Valid skip	96	2,380	5,639,500	17.5

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	20	94,000	0.3
	Total		5,794	32,275,596	100.0

Variable Name: BPMDBPK **Length:** 1.0 **Position:** 1267

Question Name: BPM_D412A

Concept: Blood pressure norms - 6 to 17 years old - (D)

Question Text:

Universe: 5 < CLC_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Normal		1	1,685	4,249,000	13.2
At high end of normal range		2	60	108,500	0.3
High		3	60	122,500	0.4
Very high		4	10	17,500	0.1
Valid skip		6	3,960	27,708,000	85.8
Not stated		9	20	70,000	0.2
	Total		5,794	32,275,596	100.0

Variable Name: AMCDELG **Length:** 2.0 **Position:** 1268

Question Name:

Concept: Eligibility - Activity Monitor component - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Eligible		01	5,790	32,262,000	100.0
Not eligible - acute/chronic condition		09	5	13,500	0.0
	Total		5,794	32,275,596	100.0

Variable Name: AMC_10 **Length:** 1.0 **Position:** 1270

Question Name: AM_N11

Concept: Activity monitor available

Totals may not add up due to rounding.

Question Text: INSTRUCTION: Record whether an activity monitor is available.

Universe: AMCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,750	32,085,000	99.4
No	2	30	135,000	0.4
Valid skip	6	5	13,500	0.0
Don't know	7	10	42,000	0.1
Total		5,794	32,275,596	100.0

Variable Name: AMC_21 **Length:** 1.0 **Position:** 1271

Question Name: AM_N21

Concept: Activity monitor taken

Question Text: INSTRUCTION: Record whether the respondent took an activity monitor.

Universe: AMC_10 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,635	30,942,000	95.9
No	2	115	1,143,000	3.5
Valid skip	6	30	148,500	0.5
Not stated	9	10	42,000	0.1
Total		5,794	32,275,596	100.0

Variable Name: IACDELG **Length:** 2.0 **Position:** 1272

Question Name:

Concept: Eligibility - Indoor Air component - (D)

Question Text:

Universe: All respondents

Note: Households are randomly sub-selected to provide an indoor air sample. In households with two selected respondents this question was asked only to one respondent and the information was applied to both respondents.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	3,925	21,779,000	67.5

Answer Categories		Code	Frequency	Weighted Frequency	%
Not eligible		02	1,865	10,497,000	32.5
	Total		5,794	32,275,596	100.0

Variable Name: SPCDELG **Length:** 2.0 **Position:** 1274

Question Name:

Concept: Eligibility - Spirometry component - (D)

Question Text:

Universe: All respondents

Note: The age elibility for the spirometry component is 6 to 79 years.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Eligible		01	5,165	30,581,500	94.8
Not eligible - Age		03	560	1,119,000	3.5
Not eligible - Pregnant > 27 weeks		07	10	20,500	0.1
Not eligible - Acute/Chronic condition		09	55	462,500	1.4
Not eligible - Medication use		14	5	92,000	0.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_022 **Length:** 1.0 **Position:** 1276

Question Name: SPM_N022

Concept: Race adjustment category

Question Text: INSTRUCTION: Record the appropriate race adjustment for the respondent.

Universe: SPCDELG = 1

Note: SPM_022 should only be used for spirometry analysis.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
White		1	4,335	25,644,000	79.5
Black		2	165	754,000	2.3
Hispanic		3	110	487,500	1.5
Asian		4	495	3,283,500	10.2
Other		5	30	158,500	0.5
Valid skip		6	630	1,694,000	5.2
Not stated		9	30	254,500	0.8
	Total		5,794	32,275,596	100.0

Variable Name: SPM_PFVC **Length:** 4.2 **Position:** 1277

Totals may not add up due to rounding.

Question Name:

Concept: Respondent's predicted FVC (L)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.95 - 6.79	5,120	30,243,000	93.7
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	45	338,500	1.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_RELI **Length:** 1.0 **Position:** 1281

Question Name:

Concept: Test reliability factor

Question Text:

Universe: SPCDELG = 1

Note: This variable denotes the overall test as reliable (1) or not (2). Only reliable tests are recommended for use in analysis. Refer to the Data User Guide for more detailed information on the meaning of these spirometry codes, also known as "reliability factors".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Reliable	1	5,055	29,913,000	92.7
Not reliable	2	45	271,500	0.8
Valid skip	6	630	1,694,000	5.2
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_PV1 **Length:** 4.2 **Position:** 1282

Question Name:

Concept: Respondent's predicted FEV1 (L)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FEV1		0.80 - 5.44	5,120	30,243,000	93.7
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	45	338,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: SPM_PV1F **Length:** 4.2 **Position:** 1286

Question Name:

Concept: Respondent's predicted FEV1/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC		0.72 - 0.91	5,120	30,243,000	93.7
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	45	338,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: SPM_CFVC **Length:** 4.2 **Position:** 1290

Question Name:

Concept: Confidence interval for predicted FVC (L)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FVC		0.30 - 1.17	4,840	29,609,500	91.7
Valid skip		9.96	910	2,328,000	7.2
Not stated		9.99	45	338,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: SPM_CV1 **Length:** 4.2 **Position:** 1294

Question Name:

Concept: Confidence interval for predicted FEV1 (L)

Totals may not add up due to rounding.

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FEV1		0.26 - 1.04	4,840	29,609,500	91.7
Valid skip		9.96	910	2,328,000	7.2
Not stated		9.99	45	338,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: SPM_CV1F **Length:** 4.2 **Position:** 1298

Question Name:

Concept: Confidence interval for predicted FEV1/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC		0.09 - 0.11	4,840	29,609,500	91.7
Valid skip		9.96	910	2,328,000	7.2
Not stated		9.99	45	338,500	1.0
	Total		5,794	32,275,596	100.0

Variable Name: SPM_NUME **Length:** 2.0 **Position:** 1302

Question Name:

Concept: Number of efforts (maximum of 8)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of attempts		01 - 08	5,100	30,184,500	93.5
Valid skip		96	630	1,694,000	5.2
Not stated		99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_NUMA **Length:** 2.0 **Position:** 1304

Question Name:

Concept: Number of acceptable efforts (maximum of 8)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of acceptable attempts	01 - 08	5,100	30,184,500	93.5
Valid skip	96	630	1,694,000	5.2
Not stated	99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_REP **Length:** 1.0 **Position:** 1306

Question Name:

Concept: Repeatability for FVC and FEV1 in the 150mL limit

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,940	29,207,000	90.5
No	2	160	977,500	3.0
Valid skip	6	630	1,694,000	5.2
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_QFVC **Length:** 1.0 **Position:** 1307

Question Name:

Concept: FVC Quality factor

Question Text:

Universe: SPCDELG = 1

Note: Indicates the quality and reproducibility of the largest forced vital capacity (FVC) (L) from acceptable efforts. Refer to the Data User Guide for more detailed information on the meaning of these spirometry codes, also known as "quality factors".

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A	0	3,550	18,902,500	58.6
B	1	1,175	8,772,500	27.2
C	2	320	2,177,500	6.7
D	3	45	276,500	0.9
F	4	15	55,500	0.2
Valid skip	6	630	1,694,000	5.2
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_QV1 **Length:** 1.0 **Position:** 1308

Question Name:

Concept: FEV1 Quality factor

Question Text:

Universe: SPCDELG = 1

Note: Indicates the quality and reproducibility of the largest forced expiratory volume in 1 second (FEV1) (L) from acceptable efforts. Refer to the Data User Guide for more detailed information on the meaning of these spirometry codes, also known as "quality factors".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A	0	4,810	28,719,500	89.0
B	1	195	1,008,000	3.1
C	2	65	307,500	1.0
D	3	20	82,500	0.3
F	4	15	67,000	0.2
Valid skip	6	630	1,694,000	5.2
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BFVC **Length:** 4.2 **Position:** 1309

Question Name:

Concept: Largest FVC (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.55 - 7.94	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B05 **Length:** 4.2 **Position:** 1313

Question Name:

Concept: Largest FEV0.5 (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds		0.39 - 4.77	5,100	30,174,000	93.5
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	65	407,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B05F **Length:** 5.3 **Position:** 1317

Question Name:

Concept: Ratio - Largest FEV0.5/Largest FVC (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC		0.252 - 0.877	5,100	30,174,000	93.5
Valid skip		9.996	630	1,694,000	5.2
Not stated		9.999	65	407,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B75 **Length:** 4.2 **Position:** 1322

Question Name:

Concept: Largest FEV0.75 (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds		0.12 - 5.55	5,100	30,174,000	93.5
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	65	407,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B75F **Length:** 5.3 **Position:** 1326

Question Name:

Concept: Ratio - Largest FEV0.75/Largest FVC (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC		0.218 - 0.978	5,100	30,174,000	93.5
Valid skip		9.996	630	1,694,000	5.2
Not stated		9.999	65	407,500	1.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B1 **Length:** 4.2 **Position:** 1331

Question Name:

Concept: Largest FEV1 (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
FEV1		0.41 - 5.98	5,100	30,184,500	93.5
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_B1F **Length:** 5.3 **Position:** 1335

Question Name:

Concept: Ratio - Largest FEV1/Largest FVC (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.380 - 1.000	5,100	30,184,500	93.5
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_B3 **Length:** 4.2 **Position:** 1340

Question Name:

Concept: Largest FEV3 (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.70 - 7.49	5,040	29,943,500	92.8
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	125	638,000	2.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_B3F **Length:** 5.3 **Position:** 1344

Question Name:

Concept: Ratio - Largest FEV3/Largest FVC (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.500 - 1.000	5,040	29,943,500	92.8
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	125	638,000	2.0
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPM_B6 **Length:** 4.2 **Position:** 1349

Question Name:

Concept: Largest FEV6 (L) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.95 - 7.81	4,500	28,162,500	87.3
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	665	2,419,500	7.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_B6F **Length:** 5.3 **Position:** 1353

Question Name:

Concept: Ratio - Largest FEV6/Largest FVC (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.764 - 1.000	4,500	28,162,500	87.3
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	665	2,419,500	7.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_B16 **Length:** 5.3 **Position:** 1358

Question Name:

Concept: Ratio - Largest FEV1/Largest FEV6 (%) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note: Volumes used in the ratio calculation may be from separate trials.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.427 - 1.111	4,500	28,162,500	87.3
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	665	2,419,500	7.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_BPEF **Length:** 5.2 **Position:** 1363

Question Name:

Concept: Largest PEF (L/sec) from acceptable efforts

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Peak expiratory flow	01.06 - 15.47	5,100	30,184,500	93.5
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BF25 **Length:** 5.2 **Position:** 1368

Question Name:

Concept: FEF25% (L/sec) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: Instantaneous forced expiratory flow when 25% of the FVC has been expired (FEF25%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC	00.67 - 14.51	5,100	30,184,500	93.5
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BF50 **Length:** 5.2 **Position:** 1373

Question Name:

Concept: FEF50% (L/sec) from the best acceptable effort

Totals may not add up due to rounding.

Question Text:

Universe: SPCDELG = 1

Note: Instantaneous forced expiratory flow when 50% of the FVC has been expired (FEF50%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.28 - 09.73	5,100	30,184,500	93.5
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BF75 **Length:** 4.2 **Position:** 1378

Question Name:

Concept: FEF75% (L/sec) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: Instantaneous forced expiratory flow when 75% of the FVC has been expired (FEF75%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.08 - 4.84	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BM25 **Length:** 4.2 **Position:** 1382

Question Name:

Concept: FEF25-75% (L/sec) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: Mean forced expiratory flow between 25% and 75% of the FVC (FEF25-75%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.21 - 7.65	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		5,794	32,275,596	100.0

Variable Name: SPM_BM75 **Length:** 4.2 **Position:** 1386

Question Name:

Concept: FEF75-85% (L/sec) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: Mean forced expiratory flow between 75% and 85% of the FVC (FEF75-85%) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.06 - 4.29	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BM1L **Length:** 5.2 **Position:** 1390

Question Name:

Concept: FEF212 (L/sec) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: Mean forced expiratory flow between 0.2 L and 1.2 L of the FVC (FEF212) (L/s) from the acceptable effort with the largest sum of FVC + FEV1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.19 - 13.22	5,085	30,140,500	93.4
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	75	441,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPMDBFVP **Length:** 5.1 **Position:** 1395

Question Name:

Concept: Percent of predicted FVC - (D)

Totals may not add up due to rounding.

Question Text:

Universe: SPCDELG = 1

Note: (Largest FVC / Predicted FVC) x 100

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
% predicted FVC	039.4 - 173.9	5,090	30,101,000	93.3
Valid skip	999.6	630	1,694,000	5.2
Not stated	999.9	75	481,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPMDB1P **Length:** 5.1 **Position:** 1400

Question Name:

Concept: Percent of predicted FEV1 - (D)

Question Text:

Universe: SPCDELG = 1

Note: (Largest FEV1 / Predicted FEV1) x 100

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
% predicted FEV1	027.7 - 169.1	5,090	30,101,000	93.3
Valid skip	999.6	630	1,694,000	5.2
Not stated	999.9	75	481,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPMDB1FP **Length:** 5.1 **Position:** 1405

Question Name:

Concept: Percent of predicted FEV1/FVC - (D)

Question Text:

Universe: SPCDELG = 1

Note: ((Largest FEV1/Largest FVC) / (Predicted FEV1/Predicted FVC)) x 100

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
% predicted FEV1/FVC	051.4 - 129.3	5,090	30,101,000	93.3

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	999.6	630	1,694,000	5.2
Not stated	999.9	75	481,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_BMET **Length:** 4.2 **Position:** 1410

Question Name:

Concept: MET (seconds) from the best acceptable effort

Question Text:

Universe: SPCDELG = 1

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.20 - 5.41	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BET **Length:** 5.2 **Position:** 1414

Question Name:

Concept: Expiratory time (seconds) of the trial with the largest FVC

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Expiratory time	01.01 - 36.62	5,100	30,184,500	93.5
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_BNUM **Length:** 2.0 **Position:** 1419

Question Name:

Concept: Identification number of best effort (largest sum FVC+FEV1)

Question Text:

Totals may not add up due to rounding.

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of best spirometry trial	01 - 08	5,100	30,184,500	93.5
Valid skip	96	630	1,694,000	5.2
Not stated	99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1ACC **Length:** 1.0 **Position:** 1421

Question Name:

Concept: Effort #1 Effort acceptability

Question Text:

Universe: SPCDELG = 1

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,075	30,034,500	93.1
No	2	30	150,000	0.5
Valid skip	6	630	1,694,000	5.2
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1FVC **Length:** 4.2 **Position:** 1422

Question Name:

Concept: Effort #1 FVC (L) forced vital capacity

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.55 - 7.86	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_105 **Length:** 4.2 **Position:** 1426

Question Name:

Concept: Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.22 - 4.72	5,100	30,171,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	65	410,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_105F **Length:** 5.3 **Position:** 1430

Question Name:

Concept: Effort #1 FEV0.5/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.249 - 0.875	5,100	30,171,500	93.5
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	65	410,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_175 **Length:** 4.2 **Position:** 1435

Question Name:

Concept: Effort #1 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.12 - 5.55	5,095	30,150,500	93.4

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	70	431,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_175F **Length:** 5.3 **Position:** 1439

Question Name:

Concept: Effort #1 FEV0.75/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.218 - 0.977	5,095	30,150,500	93.4
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	70	431,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_11 **Length:** 4.2 **Position:** 1444

Question Name:

Concept: Effort #1 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.41 - 5.98	5,085	30,156,000	93.4
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	75	425,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_11F **Length:** 5.3 **Position:** 1448

Question Name:

Concept: Effort #1 FEV1/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.369 - 1.000	5,085	30,156,000	93.4
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	75	425,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_116 **Length:** 5.3 **Position:** 1453

Question Name:

Concept: Effort #1 FEV1/FEV6 (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.422 - 0.993	3,980	26,150,000	81.0
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	1,185	4,431,500	13.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_13 **Length:** 4.2 **Position:** 1458

Question Name:

Concept: Effort #1 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.90 - 7.41	4,810	29,235,500	90.6
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	355	1,346,500	4.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_13F **Length:** 5.3 **Position:** 1462

Totals may not add up due to rounding.

Question Name:

Concept: Effort #1 FEV3/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.626 - 1.000	4,810	29,235,500	90.6
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	355	1,346,500	4.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_16 **Length:** 4.2 **Position:** 1467

Question Name:

Concept: Effort #1 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	1.07 - 7.75	3,985	26,153,500	81.0
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	1,180	4,428,000	13.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_16F **Length:** 5.3 **Position:** 1471

Question Name:

Concept: Effort #1 FEV6/FVC (%)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.784 - 1.000	3,985	26,153,500	81.0
Valid skip	9.996	630	1,694,000	5.2
Not stated	9.999	1,180	4,428,000	13.7

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1PEF **Length:** 5.2 **Position:** 1476

Question Name:

Concept: Effort #1 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		01.06 - 14.74	5,100	30,184,500	93.5
Valid skip		99.96	630	1,694,000	5.2
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1F25 **Length:** 5.2 **Position:** 1481

Question Name:

Concept: Effort #1 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.60 - 14.51	5,100	30,184,500	93.5
Valid skip		99.96	630	1,694,000	5.2
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1F50 **Length:** 5.2 **Position:** 1486

Question Name:

Concept: Effort #1 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPCDELG = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.30 - 09.73	5,100	30,184,500	93.5
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1F75 **Length:** 4.2 **Position:** 1491

Question Name:

Concept: Effort #1 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.10 - 5.07	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1M25 **Length:** 4.2 **Position:** 1495

Question Name:

Concept: Effort #1 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.20 - 7.65	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1M75 **Length:** 4.2 **Position:** 1499

Question Name:

Concept: Effort #1 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.06 - 4.29	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_1M1L **Length:** 5.2 **Position:** 1503

Question Name:

Concept: Effort #1 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.18 - 13.23	5,085	30,137,000	93.4
Valid skip	99.96	630	1,694,000	5.2
Not stated	99.99	80	444,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_1MET **Length:** 4.2 **Position:** 1508

Question Name:

Concept: Effort #1 MET (seconds) mid-expiratory time

Question Text:

Universe: SPCDELG = 1

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.20 - 4.52	5,100	30,184,000	93.5
Valid skip	9.96	630	1,694,000	5.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	65	397,500	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1ET **Length:** 5.2 **Position:** 1512

Question Name:

Concept: Effort #1 Expiratory Time (seconds)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		01.02 - 36.62	5,100	30,184,500	93.5
Valid skip		99.96	630	1,694,000	5.2
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1BV **Length:** 4.2 **Position:** 1517

Question Name:

Concept: Effort #1 Back extrapolated volume (L)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		0.00 - 0.69	5,100	30,184,500	93.5
Valid skip		9.96	630	1,694,000	5.2
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_1BVF **Length:** 4.2 **Position:** 1521

Question Name:

Concept: Effort #1 Back extrapolated volume (fraction of FVC)

Question Text:

Universe: SPCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	0.00 - 0.99	5,100	30,184,500	93.5
Valid skip	9.96	630	1,694,000	5.2
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_2ACC **Length:** 1.0 **Position:** 1525

Question Name:

Concept: Effort #2 Effort acceptability

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,965	29,359,000	91.0
No	2	130	811,500	2.5
Valid skip	6	635	1,708,000	5.3
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_2FVC **Length:** 4.2 **Position:** 1526

Question Name:

Concept: Effort #2 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.40 - 7.94	5,095	30,170,500	93.5
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPM_205 **Length:** 4.2 **Position:** 1530

Question Name:

Concept: Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.39 - 4.71	5,090	30,151,500	93.4
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	65	416,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_205F **Length:** 5.3 **Position:** 1534

Question Name:

Concept: Effort #2 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.243 - 0.879	5,090	30,151,500	93.4
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	65	416,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_275 **Length:** 4.2 **Position:** 1539

Question Name:

Concept: Effort #2 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.53 - 5.54	5,090	30,150,500	93.4

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	70	417,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_275F **Length:** 5.3 **Position:** 1543

Question Name:

Concept: Effort #2 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.329 - 0.991	5,090	30,150,500	93.4
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	70	417,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_21 **Length:** 4.2 **Position:** 1548

Question Name:

Concept: Effort #2 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.11 - 5.91	5,080	30,145,500	93.4
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	80	422,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_21F **Length:** 5.3 **Position:** 1552

Question Name:

Concept: Effort #2 FEV1/FVC (%)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.224 - 1.000	5,080	30,145,500	93.4
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	80	422,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_216 **Length:** 5.3 **Position:** 1557

Question Name:

Concept: Effort #2 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.438 - 1.000	3,720	24,750,000	76.7
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	1,440	5,817,500	18.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_23 **Length:** 4.2 **Position:** 1562

Question Name:

Concept: Effort #2 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.79 - 7.44	4,730	28,940,500	89.7
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	425	1,627,000	5.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_23F **Length:** 5.3 **Position:** 1566

Question Name:

Concept: Effort #2 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.613 - 1.000	4,730	28,940,500	89.7
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	425	1,627,000	5.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_26 **Length:** 4.2 **Position:** 1571

Question Name:

Concept: Effort #2 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.95 - 7.80	3,725	24,754,500	76.7
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	1,435	5,813,000	18.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_26F **Length:** 5.3 **Position:** 1575

Question Name:

Concept: Effort #2 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.756 - 1.000	3,725	24,754,500	76.7
Valid skip	9.996	635	1,708,000	5.3
Not stated	9.999	1,435	5,813,000	18.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2PEF **Length:** 5.2 **Position:** 1580

Question Name:

Concept: Effort #2 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		00.98 - 14.39	5,095	30,170,500	93.5
Valid skip		99.96	635	1,708,000	5.3
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2F25 **Length:** 5.2 **Position:** 1585

Question Name:

Concept: Effort #2 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.63 - 13.31	5,095	30,170,500	93.5
Valid skip		99.96	635	1,708,000	5.3
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2F50 **Length:** 5.2 **Position:** 1590

Question Name:

Concept: Effort #2 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.28 - 09.82	5,095	30,170,500	93.5
Valid skip	99.96	635	1,708,000	5.3
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_2F75 **Length:** 4.2 **Position:** 1595

Question Name:

Concept: Effort #2 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.06 - 5.01	5,095	30,168,000	93.5
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	65	399,500	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_2M25 **Length:** 4.2 **Position:** 1599

Question Name:

Concept: Effort #2 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.14 - 7.82	5,095	30,170,500	93.5
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_2M75 **Length:** 4.2 **Position:** 1603

Totals may not add up due to rounding.

Question Name:

Concept: Effort #2 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.05 - 4.10	5,095	30,160,500	93.4
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	65	407,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_2M1L **Length:** 5.2 **Position:** 1607

Question Name:

Concept: Effort #2 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.07 - 12.50	5,075	30,113,000	93.3
Valid skip	99.96	635	1,708,000	5.3
Not stated	99.99	80	454,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_2MET **Length:** 4.2 **Position:** 1612

Question Name:

Concept: Effort #2 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.22 - 5.41	5,095	30,159,500	93.4
Valid skip	9.96	635	1,708,000	5.3

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	65	408,000	1.3
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2ET **Length:** 5.2 **Position:** 1616

Question Name:

Concept: Effort #2 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		00.73 - 33.92	5,095	30,170,500	93.5
Valid skip		99.96	635	1,708,000	5.3
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2BV **Length:** 4.2 **Position:** 1621

Question Name:

Concept: Effort #2 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		-.10 - 0.42	5,095	30,170,500	93.5
Valid skip		9.96	635	1,708,000	5.3
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_2BVF **Length:** 4.2 **Position:** 1625

Question Name:

Concept: Effort #2 Back extrapolated volume (fraction of FVC)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 2, 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	-.03 - 0.40	5,095	30,170,500	93.5
Valid skip	9.96	635	1,708,000	5.3
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3ACC **Length:** 1.0 **Position:** 1629

Question Name:

Concept: Effort #3 Effort acceptability

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,975	29,412,000	91.1
No	2	105	693,000	2.1
Valid skip	6	650	1,773,500	5.5
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3FVC **Length:** 4.2 **Position:** 1630

Question Name:

Concept: Effort #3 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.39 - 7.91	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_305 **Length:** 4.2 **Position:** 1634

Question Name:

Concept: Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.31 - 4.75	5,080	30,099,500	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	65	402,500	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_305F **Length:** 5.3 **Position:** 1638

Question Name:

Concept: Effort #3 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.265 - 0.904	5,080	30,099,500	93.3
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	65	402,500	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_375 **Length:** 4.2 **Position:** 1643

Question Name:

Concept: Effort #3 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.36 - 5.53	5,070	30,059,000	93.1

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	75	443,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_375F **Length:** 5.3 **Position:** 1647

Question Name:

Concept: Effort #3 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.336 - 1.000	5,070	30,059,000	93.1
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	75	443,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_31 **Length:** 4.2 **Position:** 1652

Question Name:

Concept: Effort #3 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.33 - 5.87	5,070	30,083,000	93.2
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	75	419,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_31F **Length:** 5.3 **Position:** 1656

Question Name:

Concept: Effort #3 FEV1/FVC (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.310 - 1.000	5,070	30,083,000	93.2
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	75	419,000	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_316 **Length:** 5.3 **Position:** 1661

Question Name:

Concept: Effort #3 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.447 - 0.974	3,695	24,566,000	76.1
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	1,445	5,936,500	18.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_33 **Length:** 4.2 **Position:** 1666

Question Name:

Concept: Effort #3 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.86 - 7.44	4,720	28,707,500	88.9
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	420	1,794,500	5.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_33F **Length:** 5.3 **Position:** 1670

Totals may not add up due to rounding.

Question Name:

Concept: Effort #3 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.641 - 1.000	4,720	28,707,500	88.9
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	420	1,794,500	5.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_36 **Length:** 4.2 **Position:** 1675

Question Name:

Concept: Effort #3 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	1.08 - 7.81	3,700	24,568,500	76.1
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	1,445	5,933,500	18.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_36F **Length:** 5.3 **Position:** 1679

Question Name:

Concept: Effort #3 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.693 - 1.000	3,700	24,568,500	76.1
Valid skip	9.996	650	1,773,500	5.5
Not stated	9.999	1,445	5,933,500	18.4

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3PEF **Length:** 5.2 **Position:** 1684

Question Name:

Concept: Effort #3 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		01.07 - 14.69	5,080	30,105,000	93.3
Valid skip		99.96	650	1,773,500	5.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3F25 **Length:** 5.2 **Position:** 1689

Question Name:

Concept: Effort #3 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.70 - 14.00	5,080	30,105,000	93.3
Valid skip		99.96	650	1,773,500	5.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3F50 **Length:** 5.2 **Position:** 1694

Question Name:

Concept: Effort #3 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.31 - 09.68	5,080	30,105,000	93.3
Valid skip	99.96	650	1,773,500	5.5
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3F75 **Length:** 4.2 **Position:** 1699

Question Name:

Concept: Effort #3 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.05 - 4.88	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3M25 **Length:** 4.2 **Position:** 1703

Question Name:

Concept: Effort #3 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.24 - 7.80	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3M75 **Length:** 4.2 **Position:** 1707

Question Name:

Concept: Effort #3 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.07 - 4.00	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_3M1L **Length:** 5.2 **Position:** 1711

Question Name:

Concept: Effort #3 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.17 - 13.48	5,055	30,038,500	93.1
Valid skip	99.96	650	1,773,500	5.5
Not stated	99.99	90	463,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_3MET **Length:** 4.2 **Position:** 1716

Question Name:

Concept: Effort #3 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.21 - 4.52	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3ET **Length:** 5.2 **Position:** 1720

Question Name:

Concept: Effort #3 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		00.95 - 35.70	5,080	30,105,000	93.3
Valid skip		99.96	650	1,773,500	5.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3BV **Length:** 4.2 **Position:** 1725

Question Name:

Concept: Effort #3 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		0.00 - 0.58	5,080	30,105,000	93.3
Valid skip		9.96	650	1,773,500	5.5
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_3BVF **Length:** 4.2 **Position:** 1729

Question Name:

Concept: Effort #3 Back extrapolated volume (fraction of FVC)

Question Text:

Universe: SPM_NUME = 3, 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	0.00 - 0.94	5,080	30,105,000	93.3
Valid skip	9.96	650	1,773,500	5.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4ACC **Length:** 1.0 **Position:** 1733

Question Name:

Concept: Effort #4 Effort acceptability

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,640	26,738,500	82.8
No	2	195	1,451,000	4.5
Valid skip	6	895	3,689,500	11.4
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4FVC **Length:** 4.2 **Position:** 1734

Question Name:

Concept: Effort #4 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.15 - 7.90	4,835	28,189,000	87.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPM_405 **Length:** 4.2 **Position:** 1738

Question Name:

Concept: Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.46 - 4.77	4,825	28,140,500	87.2
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	75	446,000	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_405F **Length:** 5.3 **Position:** 1742

Question Name:

Concept: Effort #4 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.258 - 0.903	4,825	28,140,500	87.2
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	75	446,000	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_475 **Length:** 4.2 **Position:** 1747

Question Name:

Concept: Effort #4 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.34 - 5.54	4,810	28,065,000	87.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	85	521,000	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_475F **Length:** 5.3 **Position:** 1751

Question Name:

Concept: Effort #4 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.268 - 1.000	4,810	28,065,000	87.0
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	85	521,000	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_41 **Length:** 4.2 **Position:** 1756

Question Name:

Concept: Effort #4 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.07 - 5.85	4,815	28,153,500	87.2
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	85	432,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_41F **Length:** 5.3 **Position:** 1760

Question Name:

Concept: Effort #4 FEV1/FVC (%)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.047 - 1.000	4,815	28,153,500	87.2
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	85	432,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_416 **Length:** 5.3 **Position:** 1765

Question Name:

Concept: Effort #4 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.282 - 0.986	3,340	22,020,500	68.2
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	1,555	6,565,500	20.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_43 **Length:** 4.2 **Position:** 1770

Question Name:

Concept: Effort #4 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.12 - 7.49	4,405	26,407,500	81.8
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	490	2,178,500	6.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_43F **Length:** 5.3 **Position:** 1774

Question Name:

Concept: Effort #4 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.474 - 1.000	4,405	26,407,500	81.8
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	490	2,178,500	6.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_46 **Length:** 4.2 **Position:** 1779

Question Name:

Concept: Effort #4 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.13 - 7.80	3,350	22,031,000	68.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	1,545	6,555,000	20.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_46F **Length:** 5.3 **Position:** 1783

Question Name:

Concept: Effort #4 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.667 - 1.000	3,350	22,031,000	68.3
Valid skip	9.996	895	3,689,500	11.4
Not stated	9.999	1,545	6,555,000	20.3

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4PEF **Length:** 5.2 **Position:** 1788

Question Name:

Concept: Effort #4 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		00.41 - 14.45	4,835	28,189,000	87.3
Valid skip		99.96	895	3,689,500	11.4
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4F25 **Length:** 5.2 **Position:** 1793

Question Name:

Concept: Effort #4 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.42 - 13.86	4,835	28,189,000	87.3
Valid skip		99.96	895	3,689,500	11.4
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4F50 **Length:** 5.2 **Position:** 1798

Question Name:

Concept: Effort #4 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.30 - 09.52	4,835	28,189,000	87.3
Valid skip	99.96	895	3,689,500	11.4
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4F75 **Length:** 4.2 **Position:** 1803

Question Name:

Concept: Effort #4 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.06 - 4.74	4,835	28,189,000	87.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4M25 **Length:** 4.2 **Position:** 1807

Question Name:

Concept: Effort #4 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.17 - 7.91	4,835	28,189,000	87.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4M75 **Length:** 4.2 **Position:** 1811

Totals may not add up due to rounding.

Question Name:

Concept: Effort #4 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.07 - 3.84	4,835	28,188,000	87.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	65	398,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_4M1L **Length:** 5.2 **Position:** 1815

Question Name:

Concept: Effort #4 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.15 - 12.87	4,800	28,096,000	87.1
Valid skip	99.96	895	3,689,500	11.4
Not stated	99.99	95	490,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_4MET **Length:** 4.2 **Position:** 1820

Question Name:

Concept: Effort #4 MET (sec) mid-expiratory time

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.21 - 3.98	4,835	28,189,000	87.3
Valid skip	9.96	895	3,689,500	11.4

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4ET **Length:** 5.2 **Position:** 1824

Question Name:

Concept: Effort #4 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		01.01 - 37.13	4,835	28,189,000	87.3
Valid skip		99.96	895	3,689,500	11.4
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4BV **Length:** 4.2 **Position:** 1829

Question Name:

Concept: Effort #4 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		-.10 - 1.03	4,835	28,189,000	87.3
Valid skip		9.96	895	3,689,500	11.4
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_4BVF **Length:** 4.2 **Position:** 1833

Question Name:

Concept: Effort #4 Back extrapolated volume (fraction of FVC)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 4, 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	-.03 - 0.87	4,835	28,189,000	87.3
Valid skip	9.96	895	3,689,500	11.4
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_5ACC **Length:** 1.0 **Position:** 1837

Question Name:

Concept: Effort #5 Effort acceptability

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,775	21,082,500	65.3
No	2	280	1,804,500	5.6
Valid skip	6	1,675	8,991,500	27.9
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_5FVC **Length:** 4.2 **Position:** 1838

Question Name:

Concept: Effort #5 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.72 - 7.84	4,055	22,887,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_505 **Length:** 4.2 **Position:** 1842

Question Name:

Concept: Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.28 - 4.49	4,040	22,811,000	70.7
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	80	473,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_505F **Length:** 5.3 **Position:** 1846

Question Name:

Concept: Effort #5 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.130 - 0.906	4,040	22,811,000	70.7
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	80	473,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_575 **Length:** 4.2 **Position:** 1851

Question Name:

Concept: Effort #5 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.21 - 5.46	4,025	22,722,000	70.4

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	90	561,500	1.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_575F **Length:** 5.3 **Position:** 1855

Question Name:

Concept: Effort #5 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.212 - 0.990	4,025	22,722,000	70.4
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	90	561,500	1.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_51 **Length:** 4.2 **Position:** 1860

Question Name:

Concept: Effort #5 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.23 - 5.90	4,040	22,862,500	70.8
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	80	421,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_51F **Length:** 5.3 **Position:** 1864

Question Name:

Concept: Effort #5 FEV1/FVC (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.193 - 1.000	4,040	22,862,500	70.8
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	80	421,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_516 **Length:** 5.3 **Position:** 1869

Question Name:

Concept: Effort #5 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.194 - 0.986	2,580	16,741,500	51.9
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	1,535	6,542,500	20.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_53 **Length:** 4.2 **Position:** 1874

Question Name:

Concept: Effort #5 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.82 - 7.38	3,635	21,223,000	65.8
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	485	2,061,000	6.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_53F **Length:** 5.3 **Position:** 1878

Totals may not add up due to rounding.

Question Name:

Concept: Effort #5 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.647 - 1.000	3,635	21,223,000	65.8
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	485	2,061,000	6.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_56 **Length:** 4.2 **Position:** 1883

Question Name:

Concept: Effort #5 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.91 - 7.75	2,590	16,752,000	51.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	1,530	6,531,500	20.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_56F **Length:** 5.3 **Position:** 1887

Question Name:

Concept: Effort #5 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.828 - 1.000	2,590	16,752,000	51.9
Valid skip	9.996	1,675	8,991,500	27.9
Not stated	9.999	1,530	6,531,500	20.2

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5PEF **Length:** 5.2 **Position:** 1892

Question Name:

Concept: Effort #5 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		00.83 - 14.37	4,055	22,887,000	70.9
Valid skip		99.96	1,675	8,991,500	27.9
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5F25 **Length:** 5.2 **Position:** 1897

Question Name:

Concept: Effort #5 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.64 - 14.43	4,055	22,887,000	70.9
Valid skip		99.96	1,675	8,991,500	27.9
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5F50 **Length:** 5.2 **Position:** 1902

Question Name:

Concept: Effort #5 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.30 - 08.52	4,055	22,887,000	70.9
Valid skip	99.96	1,675	8,991,500	27.9
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_5F75 **Length:** 4.2 **Position:** 1907

Question Name:

Concept: Effort #5 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.06 - 4.82	4,055	22,887,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_5M25 **Length:** 4.2 **Position:** 1911

Question Name:

Concept: Effort #5 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.22 - 7.65	4,055	22,887,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_5M75 **Length:** 4.2 **Position:** 1915

Question Name:

Concept: Effort #5 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.07 - 4.22	4,055	22,878,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	65	405,500	1.3
Total		5,794	32,275,596	100.0

Variable Name: SPM_5M1L **Length:** 5.2 **Position:** 1919

Question Name:

Concept: Effort #5 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.21 - 13.13	4,020	22,781,500	70.6
Valid skip	99.96	1,675	8,991,500	27.9
Not stated	99.99	95	502,500	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_5MET **Length:** 4.2 **Position:** 1924

Question Name:

Concept: Effort #5 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.20 - 3.92	4,055	22,887,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5ET **Length:** 5.2 **Position:** 1928

Question Name:

Concept: Effort #5 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		01.00 - 42.36	4,055	22,887,000	70.9
Valid skip		99.96	1,675	8,991,500	27.9
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5BV **Length:** 4.2 **Position:** 1933

Question Name:

Concept: Effort #5 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		0.00 - 2.98	4,055	22,887,000	70.9
Valid skip		9.96	1,675	8,991,500	27.9
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_5BVF **Length:** 4.2 **Position:** 1937

Question Name:

Concept: Effort #5 Back extrapolated volume (fraction of FVC)

Question Text:

Universe: SPM_NUME = 5, 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	0.00 - 0.99	4,055	22,887,000	70.9
Valid skip	9.96	1,675	8,991,500	27.9
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6ACC **Length:** 1.0 **Position:** 1941

Question Name:

Concept: Effort #6 Effort acceptability

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,855	14,917,000	46.2
No	2	300	2,118,000	6.6
Valid skip	6	2,575	14,843,500	46.0
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6FVC **Length:** 4.2 **Position:** 1942

Question Name:

Concept: Effort #6 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.28 - 7.64	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPM_605 **Length:** 4.2 **Position:** 1946

Question Name:

Concept: Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.26 - 4.69	3,140	16,918,500	52.4
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	75	513,500	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_605F **Length:** 5.3 **Position:** 1950

Question Name:

Concept: Effort #6 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.218 - 1.000	3,140	16,918,500	52.4
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	75	513,500	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_675 **Length:** 4.2 **Position:** 1955

Question Name:

Concept: Effort #6 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.28 - 5.51	3,115	16,855,500	52.2

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	100	576,500	1.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_675F **Length:** 5.3 **Position:** 1959

Question Name:

Concept: Effort #6 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.356 - 1.000	3,115	16,855,500	52.2
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	100	576,500	1.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_61 **Length:** 4.2 **Position:** 1964

Question Name:

Concept: Effort #6 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.28 - 5.83	3,135	16,977,500	52.6
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	80	454,000	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_61F **Length:** 5.3 **Position:** 1968

Question Name:

Concept: Effort #6 FEV1/FVC (%)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.403 - 1.000	3,135	16,977,500	52.6
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	80	454,000	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_616 **Length:** 5.3 **Position:** 1973

Question Name:

Concept: Effort #6 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.457 - 0.985	1,815	11,576,000	35.9
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	1,405	5,856,000	18.1
Total		5,794	32,275,596	100.0

Variable Name: SPM_63 **Length:** 4.2 **Position:** 1978

Question Name:

Concept: Effort #6 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.89 - 7.23	2,720	15,232,000	47.2
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	495	2,200,000	6.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_63F **Length:** 5.3 **Position:** 1982

Question Name:

Concept: Effort #6 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.621 - 1.000	2,720	15,232,000	47.2
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	495	2,200,000	6.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_66 **Length:** 4.2 **Position:** 1987

Question Name:

Concept: Effort #6 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.84 - 7.58	1,815	11,578,000	35.9
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	1,400	5,854,000	18.1
Total		5,794	32,275,596	100.0

Variable Name: SPM_66F **Length:** 5.3 **Position:** 1991

Question Name:

Concept: Effort #6 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.845 - 1.000	1,815	11,578,000	35.9
Valid skip	9.996	2,575	14,843,500	46.0
Not stated	9.999	1,400	5,854,000	18.1

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		5,794	32,275,596	100.0

Variable Name: SPM_6PEF **Length:** 5.2 **Position:** 1996

Question Name:

Concept: Effort #6 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Peak expiratory flow	00.56 - 15.47	3,155	17,035,000	52.8
Valid skip	99.96	2,575	14,843,500	46.0
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6F25 **Length:** 5.2 **Position:** 2001

Question Name:

Concept: Effort #6 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC	00.36 - 14.02	3,155	17,035,000	52.8
Valid skip	99.96	2,575	14,843,500	46.0
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6F50 **Length:** 5.2 **Position:** 2006

Question Name:

Concept: Effort #6 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.33 - 09.73	3,155	17,035,000	52.8
Valid skip	99.96	2,575	14,843,500	46.0
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6F75 **Length:** 4.2 **Position:** 2011

Question Name:

Concept: Effort #6 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.11 - 5.02	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6M25 **Length:** 4.2 **Position:** 2015

Question Name:

Concept: Effort #6 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.28 - 8.22	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6M75 **Length:** 4.2 **Position:** 2019

Totals may not add up due to rounding.

Question Name:

Concept: Effort #6 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.06 - 4.42	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_6M1L **Length:** 5.2 **Position:** 2023

Question Name:

Concept: Effort #6 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.16 - 14.02	3,115	16,908,000	52.4
Valid skip	99.96	2,575	14,843,500	46.0
Not stated	99.99	100	524,000	1.6
Total		5,794	32,275,596	100.0

Variable Name: SPM_6MET **Length:** 4.2 **Position:** 2028

Question Name:

Concept: Effort #6 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.14 - 3.92	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_6ET **Length:** 5.2 **Position:** 2032

Question Name:

Concept: Effort #6 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		01.00 - 22.16	3,155	17,035,000	52.8
Valid skip		99.96	2,575	14,843,500	46.0
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_6BV **Length:** 4.2 **Position:** 2037

Question Name:

Concept: Effort #6 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		-.10 - 1.63	3,155	17,035,000	52.8
Valid skip		9.96	2,575	14,843,500	46.0
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_6BVF **Length:** 4.2 **Position:** 2041

Question Name:

Concept: Effort #6 Back extrapolated volume (fraction of FVC)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 6, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	-.10 - 0.95	3,155	17,035,000	52.8
Valid skip	9.96	2,575	14,843,500	46.0
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7ACC **Length:** 1.0 **Position:** 2045

Question Name:

Concept: Effort #7 Effort acceptability

Question Text:

Universe: SPM_NUME = 7, 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,985	10,039,000	31.1
No	2	335	1,995,000	6.2
Valid skip	6	3,415	19,845,000	61.5
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7FVC **Length:** 4.2 **Position:** 2046

Question Name:

Concept: Effort #7 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.17 - 7.11	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_705 **Length:** 4.2 **Position:** 2050

Question Name:

Concept: Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.17 - 4.62	2,300	11,960,000	37.1
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	80	470,500	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_705F **Length:** 5.3 **Position:** 2054

Question Name:

Concept: Effort #7 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.240 - 1.000	2,300	11,960,000	37.1
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	80	470,500	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_775 **Length:** 4.2 **Position:** 2059

Question Name:

Concept: Effort #7 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.17 - 5.38	2,285	11,879,500	36.8

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	95	551,000	1.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_775F **Length:** 5.3 **Position:** 2063

Question Name:

Concept: Effort #7 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.304 - 1.000	2,285	11,879,500	36.8
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	95	551,000	1.7
Total		5,794	32,275,596	100.0

Variable Name: SPM_71 **Length:** 4.2 **Position:** 2068

Question Name:

Concept: Effort #7 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.17 - 5.73	2,295	11,983,000	37.1
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	85	447,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_71F **Length:** 5.3 **Position:** 2072

Question Name:

Concept: Effort #7 FEV1/FVC (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.384 - 1.000	2,295	11,983,000	37.1
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	85	447,500	1.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_716 **Length:** 5.3 **Position:** 2077

Question Name:

Concept: Effort #7 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.438 - 0.988	1,175	7,098,000	22.0
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	1,205	5,332,500	16.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_73 **Length:** 4.2 **Position:** 2082

Question Name:

Concept: Effort #7 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.17 - 6.79	1,905	10,437,500	32.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	475	1,993,000	6.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_73F **Length:** 5.3 **Position:** 2086

Totals may not add up due to rounding.

Question Name:

Concept: Effort #7 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.623 - 1.000	1,905	10,437,500	32.3
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	475	1,993,000	6.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_76 **Length:** 4.2 **Position:** 2091

Question Name:

Concept: Effort #7 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.72 - 7.03	1,175	7,104,500	22.0
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	1,205	5,326,000	16.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_76F **Length:** 5.3 **Position:** 2095

Question Name:

Concept: Effort #7 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.852 - 1.000	1,175	7,104,500	22.0
Valid skip	9.996	3,415	19,845,000	61.5
Not stated	9.999	1,205	5,326,000	16.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7PEF **Length:** 5.2 **Position:** 2100

Question Name:

Concept: Effort #7 PEF (L/s) peak expiratory flow

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		00.49 - 14.19	2,320	12,033,500	37.3
Valid skip		99.96	3,415	19,845,000	61.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7F25 **Length:** 5.2 **Position:** 2105

Question Name:

Concept: Effort #7 FEF25% (L/s) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.37 - 13.61	2,320	12,033,500	37.3
Valid skip		99.96	3,415	19,845,000	61.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7F50 **Length:** 5.2 **Position:** 2110

Question Name:

Concept: Effort #7 FEF50% (L/s) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 7, 8

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.19 - 09.36	2,320	12,033,500	37.3
Valid skip	99.96	3,415	19,845,000	61.5
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7F75 **Length:** 4.2 **Position:** 2115

Question Name:

Concept: Effort #7 FEF75% (L/s) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.07 - 4.51	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7M25 **Length:** 4.2 **Position:** 2119

Question Name:

Concept: Effort #7 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.20 - 7.96	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7M75 **Length:** 4.2 **Position:** 2123

Question Name:

Concept: Effort #7 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.05 - 3.77	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_7M1L **Length:** 5.2 **Position:** 2127

Question Name:

Concept: Effort #7 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.19 - 13.02	2,265	11,856,500	36.7
Valid skip	99.96	3,415	19,845,000	61.5
Not stated	99.99	115	574,000	1.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_7MET **Length:** 4.2 **Position:** 2132

Question Name:

Concept: Effort #7 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 7, 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.18 - 3.43	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7ET **Length:** 5.2 **Position:** 2136

Question Name:

Concept: Effort #7 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		00.95 - 58.01	2,320	12,033,500	37.3
Valid skip		99.96	3,415	19,845,000	61.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7BV **Length:** 4.2 **Position:** 2141

Question Name:

Concept: Effort #7 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		-.10 - 1.79	2,320	12,033,500	37.3
Valid skip		9.96	3,415	19,845,000	61.5
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_7BVF **Length:** 4.2 **Position:** 2145

Question Name:

Concept: Effort #7 Back extrapolated volume (fraction of FVC)

Question Text:

Universe: SPM_NUME = 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	-.05 - 0.84	2,320	12,033,500	37.3
Valid skip	9.96	3,415	19,845,000	61.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8ACC **Length:** 1.0 **Position:** 2149

Question Name:

Concept: Effort #8 Effort acceptability

Question Text:

Universe: SPM_NUME = 8

Note: This variable denotes an effort as acceptable (1) or not (2). Only acceptable efforts are used to determine the best test data.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,190	6,012,500	18.6
No	2	380	1,836,500	5.7
Valid skip	6	4,160	24,030,000	74.5
Not stated	9	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8FVC **Length:** 4.2 **Position:** 2150

Question Name:

Concept: Effort #8 FVC (L) forced vital capacity

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FVC	0.17 - 7.14	1,570	7,849,000	24.3
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Totals may not add up due to rounding.

Variable Name: SPM_805 **Length:** 4.2 **Position:** 2154

Question Name:

Concept: Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.5 seconds	0.07 - 4.42	1,535	7,668,000	23.8
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	95	577,500	1.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_805F **Length:** 5.3 **Position:** 2158

Question Name:

Concept: Effort #8 FEV0.5/FVC (%)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.5 to FVC	0.049 - 1.000	1,535	7,668,000	23.8
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	95	577,500	1.8
Total		5,794	32,275,596	100.0

Variable Name: SPM_875 **Length:** 4.2 **Position:** 2163

Question Name:

Concept: Effort #8 FEV0.75 (L) forced expiratory volume in 0.75 seconds

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 0.75 seconds	0.16 - 5.32	1,515	7,595,000	23.5

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	115	651,000	2.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_875F **Length:** 5.3 **Position:** 2167

Question Name:

Concept: Effort #8 FEV0.75/FVC (%)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV 0.75 to FVC	0.219 - 1.000	1,515	7,595,000	23.5
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	115	651,000	2.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_81 **Length:** 4.2 **Position:** 2172

Question Name:

Concept: Effort #8 FEV1 (L) forced expiratory volume in 1 second

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV1	0.07 - 5.81	1,545	7,772,000	24.1
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	90	474,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_81F **Length:** 5.3 **Position:** 2176

Question Name:

Concept: Effort #8 FEV1/FVC (%)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FVC	0.047 - 1.000	1,545	7,772,000	24.1
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	90	474,000	1.5
Total		5,794	32,275,596	100.0

Variable Name: SPM_816 **Length:** 5.3 **Position:** 2181

Question Name:

Concept: Effort #8 FEV1/FEV6 (%)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV1 to FEV6	0.421 - 0.994	720	4,377,000	13.6
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	915	3,868,500	12.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_83 **Length:** 4.2 **Position:** 2186

Question Name:

Concept: Effort #8 FEV3 (L) forced expiratory volume in 3 seconds

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 3 seconds	0.16 - 6.85	1,240	6,498,500	20.1
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	395	1,747,000	5.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_83F **Length:** 5.3 **Position:** 2190

Question Name:

Concept: Effort #8 FEV3/FVC (%)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV3 to FVC	0.150 - 1.000	1,240	6,498,500	20.1
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	395	1,747,000	5.4
Total		5,794	32,275,596	100.0

Variable Name: SPM_86 **Length:** 4.2 **Position:** 2195

Question Name:

Concept: Effort #8 FEV6 (L) forced expiratory volume in 6 seconds

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FEV 6 seconds	0.92 - 6.83	720	4,382,500	13.6
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	910	3,863,000	12.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_86F **Length:** 5.3 **Position:** 2199

Question Name:

Concept: Effort #8 FEV6/FVC (%)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ratio FEV6 to FVC	0.843 - 1.000	720	4,382,500	13.6
Valid skip	9.996	4,160	24,030,000	74.5
Not stated	9.999	910	3,863,000	12.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8PEF **Length:** 5.2 **Position:** 2204

Question Name:

Concept: Effort #8 PEF (L/sec) peak expiratory flow

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Peak expiratory flow		00.57 - 13.78	1,570	7,849,000	24.3
Valid skip		99.96	4,160	24,030,000	74.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8F25 **Length:** 5.2 **Position:** 2209

Question Name:

Concept: Effort #8 FEF25% (L/sec) forced expiratory flow at 25% of the FVC

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 25% of FVC		00.44 - 13.59	1,570	7,849,000	24.3
Valid skip		99.96	4,160	24,030,000	74.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8F50 **Length:** 5.2 **Position:** 2214

Question Name:

Concept: Effort #8 FEF50% (L/sec) forced expiratory flow at 50% of the FVC

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 50% of FVC	00.29 - 08.55	1,570	7,849,000	24.3
Valid skip	99.96	4,160	24,030,000	74.5
Not stated	99.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8F75 **Length:** 4.2 **Position:** 2219

Question Name:

Concept: Effort #8 FEF75% (L/sec) forced expiratory flow at 75% of the FVC

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Forced expiratory flow at 75% of FVC	0.12 - 5.69	1,570	7,847,500	24.3
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	65	398,500	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8M25 **Length:** 4.2 **Position:** 2223

Question Name:

Concept: Effort #8 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 25-75% of FVC	0.17 - 7.95	1,570	7,849,000	24.3
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8M75 **Length:** 4.2 **Position:** 2227

Totals may not add up due to rounding.

Question Name:

Concept: Effort #8 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 75-85% of FVC	0.05 - 5.33	1,570	7,849,000	24.3
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: SPM_8M1L **Length:** 5.2 **Position:** 2231

Question Name:

Concept: Effort #8 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mean forced expiratory flow 0.2 to 1.2L	00.23 - 12.67	1,510	7,594,500	23.5
Valid skip	99.96	4,160	24,030,000	74.5
Not stated	99.99	125	651,500	2.0
Total		5,794	32,275,596	100.0

Variable Name: SPM_8MET **Length:** 4.2 **Position:** 2236

Question Name:

Concept: Effort #8 MET (seconds) mid-expiratory time

Question Text:

Universe: SPM_NUME = 8

Note: The time (seconds) required to exhale from 25 to 75% of forced vital capacity.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mid-expiratory time	0.09 - 3.60	1,570	7,849,000	24.3
Valid skip	9.96	4,160	24,030,000	74.5

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8ET **Length:** 5.2 **Position:** 2240

Question Name:

Concept: Effort #8 Expiratory Time (seconds)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Expiratory time		01.01 - 26.70	1,570	7,849,000	24.3
Valid skip		99.96	4,160	24,030,000	74.5
Not stated		99.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8BV **Length:** 4.2 **Position:** 2245

Question Name:

Concept: Effort #8 Back extrapolated volume (L)

Question Text:

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Back extrapolated volume		-.70 - 4.26	1,570	7,849,000	24.3
Valid skip		9.96	4,160	24,030,000	74.5
Not stated		9.99	60	397,000	1.2
	Total		5,794	32,275,596	100.0

Variable Name: SPM_8BVF **Length:** 4.2 **Position:** 2249

Question Name:

Concept: Effort #8 Back extrapolated volume (fraction of FVC)

Question Text:

Totals may not add up due to rounding.

Universe: SPM_NUME = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Back extrapolated volume (fraction of FVC)	-.64 - 2.59	1,570	7,849,000	24.3
Valid skip	9.96	4,160	24,030,000	74.5
Not stated	9.99	60	397,000	1.2
Total		5,794	32,275,596	100.0

Variable Name: HRCDELG **Length:** 2.0 **Position:** 2253

Question Name:

Concept: Eligibility - Hearing components - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,775	32,178,000	99.7
Not eligible - home visit	02	5	11,500	0.0
Not eligible - acute or chronic condition	09	15	82,000	0.3
Not eligible - other reason	14	5	3,500	0.0
Total		5,794	32,275,596	100.0

Variable Name: GSCDELG **Length:** 2.0 **Position:** 2255

Question Name:

Concept: Eligibility - Grip Strength component - (D)

Question Text:

Universe: All respondents

Note: The age eligibility for the grip strength component is 6 to 79 years.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,220	31,107,000	96.4
Not eligible - Age	03	560	1,119,000	3.5
Not eligible - Acute/chronic condition	09	10	40,500	0.1
Not eligible - Other reason	14	5	9,000	0.0
Total		5,794	32,275,596	100.0

Variable Name: GSM_11 **Length:** 3.0 **Position:** 2257

Question Name: GSM_N11A

Concept: Right hand grip strength (kilograms) - (1)

Question Text: INSTRUCTION: Record the first grip strength measurement for the right hand to the nearest kilogram (kg).

Universe: GSCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grip strength	003 - 084	5,160	30,807,000	95.5
Valid skip	996	575	1,202,500	3.7
Don't know	997	20	62,500	0.2
Not stated	999	35	203,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: GSM_12 **Length:** 3.0 **Position:** 2260

Question Name: GSM_N12A

Concept: Left hand grip strength (kilograms) - (1)

Question Text: INSTRUCTION: Record the first grip strength measurement for the left hand to the nearest kilogram (kg).

Universe: GSCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grip strength	003 - 079	5,160	30,763,000	95.3
Valid skip	996	575	1,202,500	3.7
Don't know	997	20	106,500	0.3
Not stated	999	35	203,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: GSM_21 **Length:** 3.0 **Position:** 2263

Question Name: GSM_N21A

Concept: Right hand grip strength (kilograms) - (2)

Question Text: INSTRUCTION: Record the second grip strength measurement for the right hand to the nearest kilogram (kg).

Universe: GSCDELG = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grip strength	003 - 077	5,155	30,786,500	95.4
Valid skip	996	575	1,202,500	3.7
Don't know	997	25	74,000	0.2
Refusal	998	5	9,000	0.0
Not stated	999	35	203,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: GSM_22 **Length:** 3.0 **Position:** 2266

Question Name: GSM_N22A

Concept: Left hand grip strength (kilograms) - (2)

Question Text: INSTRUCTION: Record the second grip strength measurement for the left hand to the nearest kilogram (kg).

Universe: GSCDELG = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grip strength	003 - 072	5,155	30,735,000	95.2
Valid skip	996	575	1,202,500	3.7
Don't know	997	30	124,500	0.4
Refusal	998	5	10,000	0.0
Not stated	999	35	203,500	0.6
Total		5,794	32,275,596	100.0

Variable Name: GSMD51 **Length:** 3.0 **Position:** 2269

Question Name: GSM_D51

Concept: Total hand grip strength (kilograms) - (D)

Question Text:

Universe: GSCDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grip strength	008 - 163	5,150	30,722,000	95.2
Valid skip	996	575	1,202,500	3.7
Not stated	999	70	351,000	1.1
Total		5,794	32,275,596	100.0

Variable Name: GSMD52 **Length:** 1.0 **Position:** 2272

Question Name: GSM_D52

Concept: Grip strength norms - 15 to 69 years old - (D)

Question Text:

Universe: 14 < CLC_AGE < 80 and GSCDELG = 1

Note: No norms for the 70-79 years old age group.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Needs improvement	0	695	5,521,000	17.1
Fair	1	685	5,831,000	18.1
Good	2	675	4,432,000	13.7
Very good	3	710	5,042,500	15.6
Excellent	4	595	4,519,500	14.0
No standards	5	345	2,089,000	6.5
Valid skip	6	2,040	4,569,500	14.2
Not stated	9	50	270,500	0.8
Total		5,794	32,275,596	100.0

Variable Name: GSMD53 **Length:** 1.0 **Position:** 2273

Question Name: GSM_D53

Concept: Grip strength norms - 7 to14 years old - (D)

Question Text:

Universe: 5 < CLC_AGE < 15 and GSCDELG = 1

Note: No norms for the 6 years old age group.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Below average	1	735	1,755,500	5.4
Average	2	255	632,000	2.0
Above average	3	315	660,000	2.0
No standards	5	150	309,000	1.0
Valid skip	6	4,330	28,901,000	89.5
Not stated	9	10	18,000	0.1
Total		5,794	32,275,596	100.0

Variable Name: PHBDELG **Length:** 2.0 **Position:** 2274

Question Name:

Totals may not add up due to rounding.

Concept: Eligibility - Phlebotomy component - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,780	32,141,000	99.6
Not eligible - hemophilia or von Willebrand disease	10	10	91,500	0.3
Not eligible - chemotherapy in past four weeks	11	5	43,000	0.1
Total		5,794	32,275,596	100.0

Variable Name: PHID12 **Length:** 1.0 **Position:** 2276

Question Name: PHI_D12

Concept: Fasting status - (D)

Question Text:

Universe: PHBDELG = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Selected for subsample, fasted	1	2,480	15,132,000	46.9
Selected for subsample, not fasted	2	460	2,942,500	9.1
Not selected for subsample, fasted	3	205	1,137,500	3.5
Not selected for subsample, not fasted	4	2,635	12,929,000	40.1
Valid skip	6	15	134,500	0.4
Total		5,794	32,275,596	100.0

Variable Name: LABDELG **Length:** 2.0 **Position:** 2277

Question Name:

Concept: Eligibility - Lab component - (D)

Question Text:

Universe: All Respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Eligible	01	5,795	32,275,500	100.0

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,794	32,275,596	100.0

Variable Name: WGT_FULL **Length:** 15.8 **Position:** 2279

Question Name:

Concept: Full sample weight

Question Text:

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Topical Index

Variable	Description	Page
ADM: Administration information		
CLINICID	Clinic identifier of selected respondent	17
SITE	Collection site	17
WGT_FULL	Full sample weight	325
AMC: Activity monitor		
AMCDELG	Eligibility - Activity Monitor component - (D)	231
AMC_10	Activity monitor available	231
AMC_21	Activity monitor taken	232
ANC: Anthropometry component		
ANCDELG	Eligibility - Anthropometric component - (D)	201
HWMD11IN	Standing height measured (inches) - (D)	203
HWMD12IN	Sitting height measured (inches) - (D)	203
HWMD13LB	Weight measured (pounds) - (D)	204
HWMD14IN	Waist circumference (inches) - NIH protocol - (D)	205
HWMD15IN	Hip circumference measured (inches) - (D)	206
HWMDBMI	Body Mass Index measured - (D)	206
HWMDBMIA	BMI classifications for 18 years old or older measure - (D)	207
HWMDBMIK	BMI classifications for less then 18 years old measured - (D)	207
HWMDCOL	BMI classification measured (3 to 17 years old) - Cole system - (D)	209
HWMDHTM	Standing height measured (metres) - (D)	209
HWMDLLN	Leg length (centimetres) - (D)	209
HWMDMAT	Age at peak height velocity (maturity offset) - (D)	210
HWMDWHOK	BMI classification measured (5 to 18 years old) - WHO - (D)	210
HWMDWHOP	BMI classification measured (3 to 5 years old) - WHO - (D)	210
HWMDWSTA	Waist circumference classification for 15 to 69 years old - NIH (D)	208
HWMDWTH	Waist-to-hip ratio - (D)	208
HWM_11	Method of capture - height	202
HWM_11CM	Standing height measured (centimetres)	202
HWM_12CM	Sitting height measured (centimetres)	203
HWM_13	Method of capture - weight	204
HWM_13KG	Weight measured (kilograms)	204
HWM_14CX	Waist circumference (centimetres) - NIH protocol	205
HWM_15CM	Hip circumference measured (centimetres)	206
BPC: Blood pressure component		
BPCDELG	Eligibility - Blood Pressure component - (D)	211
BPMD161	Average systolic blood pressure (mmHg) - first set - (D)	219
BPMD162	Average diastolic blood pressure (mmHg) - first set - (D)	219
BPMD163	Average resting heart rate - first set - (D)	220
BPMD261	Average systolic blood pressure (mmHg) - second set - (D)	228
BPMD262	Average diastolic blood pressure (mmHg) - second set - (D)	228
BPMD263	Average resting heart rate - second set - (D)	229
BPMDBPA	Blood pressure norms - 18 years old and older - (D)	230
BPMDBPK	Blood pressure norms - 6 to 17 years old - (D)	231
BPMDPBPD	Final prevalence average diastolic blood pressure (mmHg) - (D)	229
BPMDPBPS	Final prevalence average systolic blood pressure (mmHg) - (D)	229
BPMDPHR	Final prevalence average resting heart rate - (D)	230
BPM_101A	Systolic blood pressure - first set (0)	211
BPM_102A	Diastolic blood pressure - first set (0)	212
BPM_103A	Heart rate - first set (0)	212
BPM_111A	Systolic blood pressure - first set (1)	212
BPM_112A	Diastolic blood pressure - first set (1)	213

BPM_113A Heart rate - first set (1) 213
BPM_121A Systolic blood pressure - first set (2) 214
BPM_122A Diastolic blood pressure - first set (2) 214
BPM_123A Heart rate - first set (2) 214
BPM_131A Systolic blood pressure - first set (3) 215
BPM_132A Diastolic blood pressure - first set (3) 215
BPM_133A Heart rate - first set (3) 216
BPM_141A Systolic blood pressure - first set (4) 216
BPM_142A Diastolic blood pressure - first set (4) 216
BPM_143A Heart rate - first set (4) 217
BPM_151A Systolic blood pressure - first set (5) 217
BPM_152A Diastolic blood pressure - first set (5) 217
BPM_153A Heart rate - first set (5) 218
BPM_160 Accept/re-do measurements 218
BPM_161 Anyone present during blood pressure measure 219
BPM_201A Systolic blood pressure - second set (0) 220
BPM_202A Diastolic blood pressure - second set (0) 221
BPM_203A Heart rate - second set (0) 221
BPM_211A Systolic blood pressure - second set (1) 221
BPM_212A Diastolic blood pressure - second set (1) 222
BPM_213A Heart rate - second set (1) 222
BPM_221A Systolic blood pressure - second set (2) 222
BPM_222A Diastolic blood pressure - second set (2) 223
BPM_223A Heart rate - second set (2) 223
BPM_231A Systolic blood pressure - second set (3) 224
BPM_232A Diastolic blood pressure - second set (3) 224
BPM_233A Heart rate - second set (3) 224
BPM_241A Systolic blood pressure - second set (4) 225
BPM_242A Diastolic blood pressure - second set (4) 225
BPM_243A Heart rate - second set (4) 226
BPM_251A Systolic blood pressure - second set (5) 226
BPM_252A Diastolic blood pressure - second set (5) 226
BPM_253A Heart rate - second set (5) 227
BPM_260 Accept/reject measurements 227
BPM_261 Anyone present during blood pressure measure 228

CLG: Clinic - General

SITEEND Date the collection ended for a particular site 20
SITESTRT Date that the collection started for a particular site 19
V2_DAY Day of clinic visit 17
V2_HOUR Hour of clinic visit 18
V2_MIN Minute of clinic visit 19
V2_MTH Month of clinic visit 18
V2_TYPE Type of visit 19
V2_YEAR Year of clinic visit 18

FSC: Fish and shellfish consumption

FSFD12Y Eats lobster - times per year - (D) 71
FSFD13Y Eats shrimp - times per year - (D) 72
FSFD14Y Eats mussels - times per year - (D) 73
FSFD15Y Eats scallops - times per year - (D) 74
FSFD16Y Eats oysters - times per year - (D) 75
FSFD17Y Eats squid or calamari - times per year - (D) 76
FSFD18Y Eats clams - times per year - (D) 77
FSFD19Y Eats crab - times per year - (D) 79
FSFD20Y Eats surimi or imitation crab - times per year - (D) 80
FSFD21Y Eats other shellfish (#1) - times per year - (D) 81
FSFD22Y Eats other shellfish (#2) - times per year - (D) 82
FSFD23Y Eats other shellfish (#3) - times per year - (D) 83
FSFD24Y Eats fish sticks - times per year - (D) 93
FSFD25AY Eats light tuna in a can or pouch - times per year - (D) 95

FSFD25BY Eats white tuna in a can or pouch - times per year - (D) 96
FSFD25CY Eats tuna in a can or pouch - times per year - (D) 97
FSFD26Y Eats tuna (fresh or frozen) - times per year - (D) 98
FSFD27Y Eats salmon in a can or pouch - times per year - (D) 99
FSFD28Y Eats salmon (fresh, frozen, smoked) - times per year - (D) 101
FSFD29Y Eats smelt - times per year - (D) 102
FSFD30Y Eats shark - times per year - (D) 103
FSFD31Y Eats marlin - times per year - (D) 104
FSFD32Y Eats swordfish - times per year - (D) 105
FSFD33Y Eats halibut - times per year - (D) 106
FSFD34Y Eats rainbow trout - times per year - (D) 107
FSFD35Y Eats Atlantic cod - times per year - (D) 109
FSFD36Y Eats mackerel - times per year - (D) 110
FSFD37Y Eats herring - times per year - (D) 111
FSFD38Y Eats sardines - times per year - (D) 112
FSFD39Y Eats sole, flounder or plaice - times per year - (D) 113
FSFD40Y Eats haddock - times per year - (D) 114
FSFD41Y Eats tilapia - times per year - (D) 115
FSFD42Y Eats other fish (#1) - times per year - (D) 116
FSFD43Y Eats other fish (#2) - times per year - (D) 118
FSFD44Y Eats other fish (#3) - times per year - (D) 119
FSFD45Y Eats sablefish or black cod - times per year - (D) 120
FSF_10A Ate shellfish over past month - lobster 65
FSF_10B Ate shellfish over past month - shrimp 65
FSF_10C Ate shellfish over past month - mussels 65
FSF_10D Ate shellfish over past month - scallops 66
FSF_10E Ate shellfish over past month - oysters 66
FSF_10F Ate shellfish over past month - squid/calamari 67
FSF_10G Ate shellfish over past month - clams 67
FSF_10H Ate shellfish over past month - crab 67
FSF_10I Ate shellfish over past month - surimi or imitation crab 68
FSF_10J Ate shellfish over past month - any other shellfish 68
FSF_10K Ate shellfish over past month - no shellfish 69
FSF_10X Any other sellfish over past month 69
FSF_10Y Any other sellfish over past month 69
FSF_12 Ate lobster over past month - number of times 70
FSF_12N Reporting period - ate lobster past month 70
FSF_13 Ate shrimp over past month - number of times 71
FSF_13N Reporting period - ate shrimp past month 71
FSF_14 Ate mussels over past month - number of times 72
FSF_14N Reporting period - ate mussels past month 73
FSF_15 Ate scallops over past month - number of times 73
FSF_15N Reporting period - ate scallops past month 74
FSF_16 Ate oysters over past month - number of times 74
FSF_16N Reporting period - ate oysters past month 75
FSF_17 Ate squid/calamari over past month - number of times 76
FSF_17N Reporting period - ate squid/calmari past month 76
FSF_18 Ate clams over past month - number of times 77
FSF_18N Reporting period - ate clams past month 77
FSF_19 Ate crab over past month - number of times 78
FSF_19N Reporting period - ate crab past month 78
FSF_20 Ate surimi/imitation crab over past month - number of times 79
FSF_20N Reporting period - ate surimi/imitation crab past month 79
FSF_21 Ate [other shellfish #1] over past month - number of times 80
FSF_21N Reporting period - ate [other shellfish #1] past month 80
FSF_22 Ate [other shellfish #2] over past month - number of times 81
FSF_22N Reporting period - ate (other shellfish #2) past month 81
FSF_23 Ate [other shellfish #3] over past month - number of times 82
FSF_23N Reporting period - ate (other shellfish #3) past month 83
FSF_24 Ate fishsticks over past month - number of times 92
FSF_24AA Ate fish over past month - fish sticks 83
FSF_24AB Ate fish over past month - tuna in a can or pouch 84
FSF_24AC Ate fish over past month - tuna (fresh or frozen) 84

FSF_24AD Ate fish over past month - salmon in a can or pouch 85
FSF_24AE Ate fish over past month - salmon - fresh, frozen or smoked 85
FSF_24AF Ate fish over past month - smelt 85
FSF_24AG Ate fish over past month - shark 86
FSF_24AH Ate fish over past month - marlin 86
FSF_24AI Ate fish over past month - swordfish 87
FSF_24AJ Ate fish over past month - halibut 87
FSF_24AK Ate fish over past month - rainbow trout 87
FSF_24AL Ate fish over past month - Atlantic cod 88
FSF_24AM Ate fish over past month - mackerel 88
FSF_24AN Ate fish over past month - herring 89
FSF_24AO Ate fish over past month - sardines 89
FSF_24AP Ate fish over past month - sole, flounder or plaice 89
FSF_24AQ Ate fish over past month - haddock 90
FSF_24AR Ate fish over past month - tilapia 90
FSF_24AS Ate fish over past month - any other fish 91
FSF_24AT Ate fish over past month - no fish 91
FSF_24AU Ate fish over past month - sablefish or black cod 91
FSF_24AX Ate any other fish over past month 92
FSF_24AY Ate any other fish over past month 92
FSF_24N Reporting period - ate fishsticks past month 93
FSF_25 Type of tuna in a can or pouch eaten over the past month 94
FSF_25A Ate light (flake/chunk) tuna can/pouch past month - number of times 94
FSF_25AN Rep. period - ate light (flake/chunk) tuna can past month 94
FSF_25B Ate white (solid) tuna can/pouch over past month - number of times 95
FSF_25BN Reporting period - ate white (solid) tuna past month 96
FSF_25C Ate tuna can/pouch over past month - number of times 96
FSF_25CN Reporting period - ate tuna can/pouch past month 97
FSF_26 Ate tuna fresh/frozen over past month - number of times 98
FSF_26N Reporting period - ate tuna fresh/frozen past month 98
FSF_27 Ate salmon can/pouch over past month - number of times 99
FSF_27N Reporting period - ate salmon can/pouch past month 99
FSF_28 Ate salmon fresh/frozen/smoked over past month - number of times 100
FSF_28N Reporting period -ate salmon fresh/frozen/smoked past month 100
FSF_29 Ate smelt over past month - number of times 101
FSF_29N Reporting period - ate smelt past month 101
FSF_30 Ate shark over past month - number of times 102
FSF_30N Reporting period - ate shark past month 103
FSF_31 Ate marlin over past month - number of times 103
FSF_31N Reporting period - ate marlin past month 104
FSF_32 Ate swordfish over past month - number of times 104
FSF_32N Reporting period - ate swordfish past month 105
FSF_33 Ate halibut over past month - number of times 106
FSF_33N Reporting period - ate halibut past month 106
FSF_34 Ate rainbow trout over past month - number of times 107
FSF_34N Reporting period - ate rainbow trout past month 107
FSF_35 Ate Atlantic cod over past month - number of times 108
FSF_35N Reporting period - ate Atlantic cod past month 108
FSF_36 Ate mackerel over past month - number of times 109
FSF_36N Reporting period - ate mackerel past month 109
FSF_37 Ate herring over past month - number of times 110
FSF_37N Reporting period - ate herring past month 110
FSF_38 Ate sardines over past month - number of times 111
FSF_38N Reporting period - ate sardines past month 112
FSF_39 Ate sole/flounder/plaice over past month - number of times 112
FSF_39N Reporting period - ate sole/flounder/plaice past month 113
FSF_40 Ate haddock over past month - number of times 113
FSF_40N Reporting period - ate haddock past month 114
FSF_41 Ate tilapia over past month - number of times 115
FSF_41N Reporting period - ate tilapia past month 115
FSF_42 Ate [other fish #1] over past month - number of times 116
FSF_42N Reporting period - ate [other fish #1] past month 116
FSF_43 Ate [other fish #2] over past month - number of times 117

FSF_43N Reporting period - ate [other fish #2] past month 117
FSF_44 Ate [other fish #3] over past month - number of times 118
FSF_44N Reporting period - ate [other fish #3] past month 118
FSF_45 Ate sablefish or black cod over past month - number of times 119
FSF_45N Reporting period - ate sablefish or black 120

GSC: Grip strength component

GSCDELG Eligibility - Grip Strength component - (D) 320
GSMD51 Total hand grip strength (kilograms) - (D) 322
GSMD52 Grip strength norms - 15 to 69 years old - (D) 323
GSMD53 Grip strength norms - 7 to14 years old - (D) 323
GSM_11 Right hand grip strength (kilograms) - (1) 321
GSM_12 Left hand grip strength (kilograms) - (1) 321
GSM_21 Right hand grip strength (kilograms) - (2) 321
GSM_22 Left hand grip strength (kilograms) - (2) 322

HAB: Hearing ability

HABDHER Hearing problems - function code - (D) 122
HAB_07 Able to hear - conversation with 3 people or more 120
HAB_08 Able to hear - conversation with 3 people and more with hearing aid 121
HAB_09 Able to hear at all 121
HAB_10 Hear conversation with one person in quiet room 121
HAB_11 Hear conversation with one person in quiet room with hearing aid 122

HRC: Hearing component

HRCDELG Eligibility - Hearing components - (D) 320

IAC: Indoor air component

IACDELG Eligibility - Indoor Air component - (D) 232

LAB: Laboratory

LABDELG Eligibility - Lab component - (D) 324

NEC: Noise exposure component

NEXD15Y Exposed to noise from power tools - times per year - (D) 129
NEXD16Y Exposed to noise from heavy equipment - times per year - (D) 132
NEXD17Y Exposed to hand-held gas engines - times per year - (D) 134
NEXD18Y Exposed to motorcycles/snowmobiles - times per year - (D) 137
NEXD19Y Exposed to sporting/entertainment events - times per year - (D) 139
NEXD20Y Exposed to loud amplified music - times per year - (D) 142
NEXD21Y Listened to loud music without headphones - times per year - (D) 144
NEXD26 Used headphone/earbuds - hours per week - (D) 147
NEXD29 Used headphone/earbuds at high volume - hours per week - (D) 150
NEXD30 Usual listening volume - total duration (years) - (D) 151
NEXD44 Experienced tinnitus - total duration (years) - (D) 154
NEX_01 Worked in a noisy environment 123
NEX_02 How long did you work in a noisy environment 123
NEX_03A Source of loud noise - machinery 124
NEX_03B Source of loud noise - modes of transportation 124
NEX_03C Source of loud noise - munitions/guns/canons 124
NEX_03D Source of loud noise - music 125
NEX_03E Source of loud noise - people 125
NEX_03F Source of loud noise - other 126
NEX_04 Currently working in a noisy environment 126
NEX_05 How often - use hearing protection at work 126
NEX_06 Required to wear hearing protection at work 127
NEX_07 Past 12 months - exposed to noise from loud power tools 127

NEX_08 Past 12 months - exposed to noise from loud heavy industrial/farming 130
NEX_09 Past 12 months - exposed to noise from gasoline engines 132
NEX_10 Past 12 months - exposed to noise from motorcycle/snowmobile 135
NEX_11 Past 12 months - exposed to loud sporting/entertainment events 137
NEX_12 Past 12 months - exposed to loud amplified music 140
NEX_13 Past 12 months - exposed to loud music without headphones/earbuds 142
NEX_14 Past 12 months - exposed to noise of firearms 144
NEX_151 Exposed to loud power tools - number of times 128
NEX_151N Exposed to loud power tools - reporting period 128
NEX_152 Exposed to loud power tools - time spent 128
NEX_153 Exposed to loud power tools - hearing protection 129
NEX_161 Exposed to noise from heavy equipment - number of times 130
NEX_161N Exposed to noise from heavy equipment - reporting period 130
NEX_162 Exposed to noise from heavy equipment - time spent 131
NEX_163 Exposed to noise from heavy equipment - hearing protection 131
NEX_171 Exposed to hand-held gas engines - number of times 133
NEX_171N Exposed to hand-held gas engines - reporting period 133
NEX_172 Exposed to hand-held gas engines - time spent 133
NEX_173 Exposed to hand-held gas engines - hearing protection 134
NEX_181 Exposed to motorcycles/snowmobiles - number of times 135
NEX_181N Exposed to motorcycles/snowmobiles - reporting period 135
NEX_182 Exposed to motorcycles/snowmobiles - time spent 136
NEX_183 Exposed to motorcycles/snowmobile - hearing protection 136
NEX_191 Exposed to sporting/entertainment events - number of times 137
NEX_191N Exposed to sporting/entertainment events - reporting period 138
NEX_192 Exposed to sporting/entertainment events - time spent 138
NEX_193 Exposed to sporting/entertainment events - hearing protection 139
NEX_201 Exposed to loud amplified music - number of times 140
NEX_201N Exposed to loud amplified music - reporting period 140
NEX_202 Exposed to loud amplified music - time spent 141
NEX_203 Exposed to loud amplified music - hearing protection 141
NEX_211 Listened to loud music without headphones/earbuds - number of times 142
NEX_211N Listened to loud music without headphones/earbuds - reporting period 143
NEX_212 Listened to loud music without headphones/earbuds - time spent 143
NEX_213 Listened to loud music without headphones/earbuds - hearing protection 144
NEX_23 Fired/been exposed to noise of firearm - number of times 145
NEX_24 Fired/exposed to noise of firearm - hearing protection 145
NEX_25 Past 12 months - used headphones/earbuds 146
NEX_26 Used headphone/earbuds - hours per week 146
NEX_26A Used headphone/earbuds - minutes 147
NEX_26B Used headphone/earbuds - reporting period 147
NEX_27 Volume level usually at or above 3/4 the maximum volume 148
NEX_28 Volume requires someone to speak in a raised voice 148
NEX_29 Used headphone/earbuds at high volume - hours per week 148
NEX_29A Used headphone/earbuds at high volume - minutes 149
NEX_29B Used headphone/earbuds at high volume - reporting period 149
NEX_30 Usual listening volume - duration 150
NEX_30N Usual listening volume - reporting period 150
NEX_40 Ever experienced tinnitus 151
NEX_41 Last time experienced tinnitus 152
NEX_42 Experiencing tinnitus at time of interview 152
NEX_43 Experiences tinnitus when it is quiet 152
NEX_44 Experienced tinnitus - duration 153
NEX_44N Experienced tinnitus - reporting period 153
NEX_45 Tinnitus bothers (affects sleep, concentration, mood) 154
NEX_47 Experienced tinnitus after using headphones/earbuds 154
NEX_48 Experienced tinnitus - loud music 155
NEX_49 Experienced tinnitus - loud event 155
NEX_50 Experienced tinnitus - loud power tools 156
NEX_51 Experienced tinnitus - firearm noise 156
NEX_52 Experienced tinnitus - specific circumstances 157

PHB: Phlebotomy

PHBDELG Eligibility - Phlebotomy component - (D) 323
PHID12 Fasting status - (D) 324

PHC: Physical and Health Conditions

PHC_57A Had a mastectomy 44
PHC_57B Had a mastectomy - which side 44
PHC_58 Drugs for blood pressure or heart condition 45
PHC_59A Reason taking drugs - High blood pressure 45
PHC_59B Reason taking drugs - Low blood pressure 46
PHC_59C Reason taking drugs - Angina 46
PHC_59D Reason taking drugs - Previous heart attack 46
PHC_59E Reason taking drugs - Aneurysm 47
PHC_59F Reason taking drugs - Arrhythmia 47
PHC_59G Reason taking drugs - Other heart condition 48
PHC_59H Reason taking drugs - Other medical condition 48

RVB: Respondent verification

CLC_AGE Age at clinic visit 21
CLC_DOB Day of birth 21
CLC_MOB Month of birth 20
CLC_SEX Sex 21
CLC_YOB Year of birth 20

SCR: Screening

ATG_11 Date 24
ATG_11H Time last ate/drank - hour 25
ATG_11M Time last ate/drank - minute 25
ATG_21 Past 2 hours - smoked 25
ATG_22 Past 2 hours - consumed caffeinated products 26
ATG_31 Past 6 hours - drank alcohol 26
ATG_41 Have exercised today - 10 minutes at a time 27
ATG_43 How long - since last exercised 27
ATG_50 Listened to loud music today 27
ATG_51 Past 24 hours - exposed to loud noise without protection 28
HER_10 Last time - hearing tested 48
HER_20 Ever been diagnosed with hearing problem 49
HER_30 Past 3 months - surgery on inside of ear 49
HER_31 Which ear(s)- surgery in past 3 months 50
HER_40 Current ear infection/pain 50
HER_41 Which ear(s) - current infection/pain 50
HER_50 Has a cochlear implant 51
HER_51 Which ear(s) - cochlear implant 51
HER_52 Has a hearing aid 51
HER_53 Which ear(s) - hearing aid 52
MEDC_411 Past week - used performance enhancing/recreational drugs 58
MEDC_611 Exclusion due to medication use - which tests 58
ORS_0 Other reasons for screening out of physical tests 59
ORS_1 Other reasons for screening out - grip strength test 59
ORS_2 Other reasons for screening out - spirometry test 59
ORS_7 Other reasons for screening out - hearing tests 60
ORS_8 Other reasons for screening out - skin pigmentation test 60
PHCD16 Number of days since last menstrual period - (D) 31
PHCD55 Donated blood the day before the clinic visit - (D) 43
PHC_11 Pregnant 28
PHC_12 Number of weeks pregnant 29
PHC_13 Had menstrual period in the past 6 months 29
PHC_14 Regular menstrual cycle 29
PHC_15 Length of typical menstrual cycle 30

PHC_16D First day of last menstrual period - day 30
PHC_16M First day of last menstrual period - month 30
PHC_16Y First day of last menstrual period - year 31
PHC_41 Has acute condition 32
PHC_41A Has acute condition-Bone, joint or muscle problem 32
PHC_41B Has acute condition- Flu or other infection 32
PHC_41C Has acute condition-Medical procedure 33
PHC_41D Has acute condition-Other health problem 33
PHC_41F Has acute condition-Fever 34
PHC_42E Test exclusion - Activity monitor 34
PHC_42F Test exclusion - Spirometry 34
PHC_42H Test exclusion - Grip strength 35
PHC_42L Test exclusion - None 35
PHC_42N Test exclusion - Hearing 35
PHC_42O Test exclusion - Skin Pigmentation 36
PHC_43 Has chronic condition 36
PHC_43A Has chronic condition - Bone, joint or muscle problem 37
PHC_43B Has chronic condition - Cardiovascular condition 37
PHC_43C Has chronic condition - Respiratory condition 37
PHC_43D Has chronic condition - Physically impaired 38
PHC_43E Has chronic condition - Other health problem 38
PHC_44E Test exclusion - Activity monitor 38
PHC_44F Test exclusion - Spirometry 39
PHC_44H Test exclusion - Grip strength 39
PHC_44L Test exclusion - None 40
PHC_44N Test exclusion - Hearing 40
PHC_44O Test exclusion - Skin Pigmentation 40
PHC_51 Has a clotting condition 41
PHC_52 Received chemotherapy - past four weeks 41
PHC_53 Received a blood transfusion - past 2 months 41
PHC_54 Donated blood - past 2 months 42
PHC_55D Donated blood - day 42
PHC_55M Donated blood - month 43
PHC_55Y Donated blood - year 43
PHC_56 Felt dizzy/fainted during a blood draw 44
SPQ_11 Wheezing or whistling - any time in the past 52
SPQ_12 Wheezing or whistling - last 12 months 53
SPQ_13 Number of attacks of wheezing - last 12 months 53
SPQ_14 Sleep disturbed due to wheezing - last 12 months 53
SPQ_15 Wheezing limiting speech - last 12 months 54
SPQ_16 Wheezy during or after exercise - last 12 months 54
SPQ_17 Dry cough at night - last 12 months 54
SPQ_21 Cough regularly 55
SPQ_22 Cough up phlegm regularly 55
SPQ_23 Simple chores make short of breath 56
SPQ_24 Wheeze from exertion or at night 56
SPQ_25 Frequent persistent colds 56
SPR_11 Heart attack - past 3 months 57
SPR_12 Major chest or abdomen surgery - past 3 months 57
SPR_13 Eye surgery - past 6 weeks 57
URG_13 Respondant is in a wheelchair 22
URG_14 Respondant uses a catheter 22

SEB: Sun Exposure

SEBD24 Time spent in warm sunny climate - past 2 months - (D) 169
SEBD36 Number of times used a tanning bed - past year - (D) 174
SEB_01 Attended school/daycare (May to September) 157
SEB_02 Worked at a job/business/attended school (May to September) 157
SEB_03 Time in sun between 10 am - 4 pm - at work/school/daycare 158
SEB_04 Wore something on their head - at work/school/daycare 158
SEB_05 Typically covered or uncovered : face, ears or neck 159
SEB_06 Typically covered or uncovered: hands 159

SEB_07 Typically covered or uncovered: arms 160
SEB_08 Typically covered or uncovered: legs 160
SEB_09 Typically covered or uncovered: feet 161
SEB_10 Typically covered or uncovered: other 161
SEB_11 Used sunscreen on face, ears or neck 162
SEB_12A Used sunscreen on other areas 162
SEB_13A Time in sun between 10 am - 4 pm not at work/school/daycare 163
SEB_14 Wore something on their head - not at work/school/daycare 163
SEB_15 Typically covered or uncovered: face, ears or neck 164
SEB_16 Typically covered or uncovered: hands 164
SEB_17 Typically covered or uncovered: arms 165
SEB_18 Typically covered or uncovered: legs 165
SEB_19 Typically covered or uncovered: feet 165
SEB_20 Typically covered or uncovered: other 166
SEB_21 Used sunscreen on face, ears or neck 166
SEB_22 Used sunscreen on other areas 167
SEB_23 Past 2 months - travelled to warm, sunny climate 167
SEB_24 Stayed in warm, sunny climate - amount of time 168
SEB_24N Stayed in warm, sunny climate - reporting period 168
SEB_25 Time spent in sun between 10 a.m. - 4 p.m. - warm, sunny climate 169
SEB_26 Wore something on their head - warm, sunny climate 169
SEB_27 Typically covered or uncovered: face, ears or neck 170
SEB_28 Typically covered or uncovered: hands 170
SEB_29 Typically covered or uncovered: arms 171
SEB_30 Typically covered or uncovered: legs 171
SEB_31 Typically covered or uncovered: feet 172
SEB_32 Typically covered or uncovered: other 172
SEB_33 Used sunscreen on face, ears or neck 172
SEB_34 Used sunscreen on other areas 173
SEB_35 Past 12 months - used a tanning bed or booth with tanning lamps 173
SEB_36 Used a tanning bed/booth - number of times 174
SEB_36N Used a tanning bed/booth - reporting period 174
SEB_37 Past 2 months - used a tanning bed/booth with tanning lamps 175
SEB_38A Uses a tanning bed/booth in January 175
SEB_38B Uses a tanning bed/booth in February 176
SEB_38C Uses a tanning bed/booth in March 176
SEB_38D Uses a tanning bed/booth in April 176
SEB_38E Uses a tanning bed/booth in May 177
SEB_38F Uses a tanning bed/booth in June 177
SEB_38G Uses a tanning bed/booth in July 178
SEB_38H Uses a tanning bed/booth in August 178
SEB_38I Uses a tanning bed/booth in September 178
SEB_38J Uses a tanning bed/booth in October 179
SEB_38K Uses a tanning bed/booth in November 179
SEB_38L Uses a tanning bed/booth in December 180
SEB_38M Uses a tanning bed/booth - All months 180

SKM: Skin Pigmentation Measurement

SKCDELG Eligibility - Skin pigmentation component - (D) 180
SKMDARMA a* - inner arm (final average) - (D) 191
SKMDARMB b* - inner arm (final average) - (D) 192
SKMDARME Erythema - inner arm (final average) - (D) 190
SKMDARML L* - inner arm (final average) - (D) 191
SKMDARMM Melanin - inner arm (final average) - (D) 191
SKMDHANA a* - back of the hand (final average) - (D) 201
SKMDHANB b* - back of the hand (final average) - (D) 201
SKMDHANE Erythema - back of the hand (final average) - (D) 200
SKMDHANL L* - back of the hand (final average) - (D) 200
SKMDHANM Melanin - back of the hand (final average) - (D) 200
SKM_04 Arm used for inner arm skin pigmentation measure 181
SKM_06 Hand used for skin pigmentation measure 181
SKM_09 Used sunless tanning products - past 10 days 182

SKM_10 Sunless tanning products used on the back of hands 182
SKM_11 Sunless tanning products used on inner arm 182
SKM_211A Erythema - inner arm (1) 183
SKM_212A Melanin - inner arm (1) 183
SKM_213A L* - inner arm (1) 184
SKM_214A a* - inner arm (1) 184
SKM_215A b* - inner arm (1) 184
SKM_221A Erythema - inner arm (2) 185
SKM_222A Melanin - inner arm (2) 185
SKM_223A L* - inner arm (2) 185
SKM_224A a* - inner arm (2) 186
SKM_225A b* - inner arm (2) 186
SKM_231A Erythema - inner arm (3) 187
SKM_232A Melanin - inner arm (3) 187
SKM_233A L* - inner arm (3) 187
SKM_234A a* - inner arm (3) 188
SKM_235A b* - inner arm (3) 188
SKM_241A Erythema - inner arm (4) 188
SKM_242A Melanin - inner arm (4) 189
SKM_243A L* - inner arm (4) 189
SKM_244A a* - inner arm (4) 190
SKM_245A b* - inner arm (4) 190
SKM_311A Erythema - back of hand (1) 192
SKM_312A Melanin - back of the hand (1) 193
SKM_313A L* - back of the hand (1) 193
SKM_314A a* - back of the hand (1) 193
SKM_315A b* - back of the hand (1) 194
SKM_321A Erythema - back of the hand (2) 194
SKM_322A Melanin - back of the hand (2) 194
SKM_323A L* - back of the hand (2) 195
SKM_324A a* - back of the hand (2) 195
SKM_325A b* - back of the hand (2) 196
SKM_331A Erythema - back of the hand (3) 196
SKM_332A Melanin - back of the hand (3) 196
SKM_333A L* - back of the hand (3) 197
SKM_334A a* - back of the hand (3) 197
SKM_335A b* - back of the hand (3) 197
SKM_341A Erythema - back of the hand (4) 198
SKM_342A Melanin - back of the hand (4) 198
SKM_343A L* - back of the hand (4) 198
SKM_344A a* - back of the hand (4) 199
SKM_345A b* - back of the hand (4) 199

SPC: Spirometry component

SPCDELG Eligibility - Spirometry component - (D) 233
SPMDB1FP Percent of predicted FEV1/FVC - (D) 246
SPMDB1P Percent of predicted FEV1 - (D) 246
SPMDBFVP Percent of predicted FVC - (D) 245
SPM_022 Race adjustment category 233
SPM_105 Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds 248
SPM_105F Effort #1 FEV0.5/FVC (%) 249
SPM_11 Effort #1 FEV1 (L) forced expiratory volume in 1 second 250
SPM_116 Effort #1 FEV1/FEV6 (%) 251
SPM_11F Effort #1 FEV1/FVC (%) 250
SPM_13 Effort #1 FEV3 (L) forced expiratory volume in 3 seconds 251
SPM_13F Effort #1 FEV3/FVC (%) 251
SPM_16 Effort #1 FEV6 (L) forced expiratory volume in 6 seconds 252
SPM_16F Effort #1 FEV6/FVC (%) 252
SPM_175 Effort #1 FEV0.75 (L) forced expiratory volume in 0.75 seconds 249
SPM_175F Effort #1 FEV0.75/FVC (%) 250
SPM_1ACC Effort #1 Effort acceptability 248
SPM_1BV Effort #1 Back extrapolated volume (L) 256

SPM_1BVF Effort #1 Back extrapolated volume (fraction of FVC) 256
SPM_1ET Effort #1 Expiratory Time (seconds) 256
SPM_1F25 Effort #1 FEF25% (L/s) forced expiratory flow at 25% of the FVC 253
SPM_1F50 Effort #1 FEF50% (L/s) forced expiratory flow at 50% of the FVC 253
SPM_1F75 Effort #1 FEF75% (L/s) forced expiratory flow at 75% of the FVC 254
SPM_1FVC Effort #1 FVC (L) forced vital capacity 248
SPM_1M1L Effort #1 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 255
SPM_1M25 Effort #1 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 254
SPM_1M75 Effort #1 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 254
SPM_1MET Effort #1 MET (seconds) mid-expiratory time 255
SPM_1PEF Effort #1 PEF (L/s) peak expiratory flow 253
SPM_205 Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds 257
SPM_205F Effort #2 FEV0.5/FVC (%) 258
SPM_21 Effort #2 FEV1 (L) forced expiratory volume in 1 second 259
SPM_216 Effort #2 FEV1/FEV6 (%) 260
SPM_21F Effort #2 FEV1/FVC (%) 259
SPM_23 Effort #2 FEV3 (L) forced expiratory volume in 3 seconds 260
SPM_23F Effort #2 FEV3/FVC (%) 260
SPM_26 Effort #2 FEV6 (L) forced expiratory volume in 6 seconds 261
SPM_26F Effort #2 FEV6/FVC (%) 261
SPM_275 Effort #2 FEV0.75 (L) forced expiratory volume in 0.75 seconds 258
SPM_275F Effort #2 FEV0.75/FVC (%) 259
SPM_2ACC Effort #2 Effort acceptability 257
SPM_2BV Effort #2 Back extrapolated volume (L) 265
SPM_2BVF Effort #2 Back extrapolated volume (fraction of FVC) 265
SPM_2ET Effort #2 Expiratory Time (seconds) 265
SPM_2F25 Effort #2 FEF25% (L/s) forced expiratory flow at 25% of the FVC 262
SPM_2F50 Effort #2 FEF50% (L/s) forced expiratory flow at 50% of the FVC 262
SPM_2F75 Effort #2 FEF75% (L/s) forced expiratory flow at 75% of the FVC 263
SPM_2FVC Effort #2 FVC (L) forced vital capacity 257
SPM_2M1L Effort #2 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 264
SPM_2M25 Effort #2 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 263
SPM_2M75 Effort #2 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 263
SPM_2MET Effort #2 MET (seconds) mid-expiratory time 264
SPM_2PEF Effort #2 PEF (L/s) peak expiratory flow 262
SPM_305 Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds 266
SPM_305F Effort #3 FEV0.5/FVC (%) 267
SPM_31 Effort #3 FEV1 (L) forced expiratory volume in 1 second 268
SPM_316 Effort #3 FEV1/FEV6 (%) 269
SPM_31F Effort #3 FEV1/FVC (%) 268
SPM_33 Effort #3 FEV3 (L) forced expiratory volume in 3 seconds 269
SPM_33F Effort #3 FEV3/FVC (%) 269
SPM_36 Effort #3 FEV6 (L) forced expiratory volume in 6 seconds 270
SPM_36F Effort #3 FEV6/FVC (%) 270
SPM_375 Effort #3 FEV0.75 (L) forced expiratory volume in 0.75 seconds 267
SPM_375F Effort #3 FEV0.75/FVC (%) 268
SPM_3ACC Effort #3 Effort acceptability 266
SPM_3BV Effort #3 Back extrapolated volume (L) 274
SPM_3BVF Effort #3 Back extrapolated volume (fraction of FVC) 274
SPM_3ET Effort #3 Expiratory Time (seconds) 274
SPM_3F25 Effort #3 FEF25% (L/s) forced expiratory flow at 25% of the FVC 271
SPM_3F50 Effort #3 FEF50% (L/s) forced expiratory flow at 50% of the FVC 271
SPM_3F75 Effort #3 FEF75% (L/s) forced expiratory flow at 75% of the FVC 272
SPM_3FVC Effort #3 FVC (L) forced vital capacity 266
SPM_3M1L Effort #3 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 273
SPM_3M25 Effort #3 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 272
SPM_3M75 Effort #3 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 272
SPM_3MET Effort #3 MET (seconds) mid-expiratory time 273
SPM_3PEF Effort #3 PEF (L/s) peak expiratory flow 271
SPM_405 Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds 275
SPM_405F Effort #4 FEV0.5/FVC (%) 276
SPM_41 Effort #4 FEV1 (L) forced expiratory volume in 1 second 277
SPM_416 Effort #4 FEV1/FEV6 (%) 278

SPM_41F Effort #4 FEV1/FVC (%) 277
SPM_43 Effort #4 FEV3 (L) forced expiratory volume in 3 seconds 278
SPM_43F Effort #4 FEV3/FVC (%) 278
SPM_46 Effort #4 FEV6 (L) forced expiratory volume in 6 seconds 279
SPM_46F Effort #4 FEV6/FVC (%) 279
SPM_475 Effort #4 FEV0.75 (L) forced expiratory volume in 0.75 seconds 276
SPM_475F Effort #4 FEV0.75/FVC (%) 277
SPM_4ACC Effort #4 Effort acceptability 275
SPM_4BV Effort #4 Back extrapolated volume (L) 283
SPM_4BVF Effort #4 Back extrapolated volume (fraction of FVC) 283
SPM_4ET Effort #4 Expiratory Time (seconds) 283
SPM_4F25 Effort #4 FEF25% (L/s) forced expiratory flow at 25% of the FVC 280
SPM_4F50 Effort #4 FEF50% (L/s) forced expiratory flow at 50% of the FVC 280
SPM_4F75 Effort #4 FEF75% (L/s) forced expiratory flow at 75% of the FVC 281
SPM_4FVC Effort #4 FVC (L) forced vital capacity 275
SPM_4M1L Effort #4 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 282
SPM_4M25 Effort #4 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 281
SPM_4M75 Effort #4 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 281
SPM_4MET Effort #4 MET (sec) mid-expiratory time 282
SPM_4PEF Effort #4 PEF (L/s) peak expiratory flow 280
SPM_505 Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds 284
SPM_505F Effort #5 FEV0.5/FVC (%) 285
SPM_51 Effort #5 FEV1 (L) forced expiratory volume in 1 second 286
SPM_516 Effort #5 FEV1/FEV6 (%) 287
SPM_51F Effort #5 FEV1/FVC (%) 286
SPM_53 Effort #5 FEV3 (L) forced expiratory volume in 3 seconds 287
SPM_53F Effort #5 FEV3/FVC (%) 287
SPM_56 Effort #5 FEV6 (L) forced expiratory volume in 6 seconds 288
SPM_56F Effort #5 FEV6/FVC (%) 288
SPM_575 Effort #5 FEV0.75 (L) forced expiratory volume in 0.75 seconds 285
SPM_575F Effort #5 FEV0.75/FVC (%) 286
SPM_5ACC Effort #5 Effort acceptability 284
SPM_5BV Effort #5 Back extrapolated volume (L) 292
SPM_5BVF Effort #5 Back extrapolated volume (fraction of FVC) 292
SPM_5ET Effort #5 Expiratory Time (seconds) 292
SPM_5F25 Effort #5 FEF25% (L/s) forced expiratory flow at 25% of the FVC 289
SPM_5F50 Effort #5 FEF50% (L/s) forced expiratory flow at 50% of the FVC 289
SPM_5F75 Effort #5 FEF75% (L/s) forced expiratory flow at 75% of the FVC 290
SPM_5FVC Effort #5 FVC (L) forced vital capacity 284
SPM_5M1L Effort #5 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 291
SPM_5M25 Effort #5 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 290
SPM_5M75 Effort #5 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 290
SPM_5MET Effort #5 MET (seconds) mid-expiratory time 291
SPM_5PEF Effort #5 PEF (L/s) peak expiratory flow 289
SPM_605 Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds 293
SPM_605F Effort #6 FEV0.5/FVC (%) 294
SPM_61 Effort #6 FEV1 (L) forced expiratory volume in 1 second 295
SPM_616 Effort #6 FEV1/FEV6 (%) 296
SPM_61F Effort #6 FEV1/FVC (%) 295
SPM_63 Effort #6 FEV3 (L) forced expiratory volume in 3 seconds 296
SPM_63F Effort #6 FEV3/FVC (%) 296
SPM_66 Effort #6 FEV6 (L) forced expiratory volume in 6 seconds 297
SPM_66F Effort #6 FEV6/FVC (%) 297
SPM_675 Effort #6 FEV0.75 (L) forced expiratory volume in 0.75 seconds 294
SPM_675F Effort #6 FEV0.75/FVC (%) 295
SPM_6ACC Effort #6 Effort acceptability 293
SPM_6BV Effort #6 Back extrapolated volume (L) 301
SPM_6BVF Effort #6 Back extrapolated volume (fraction of FVC) 301
SPM_6ET Effort #6 Expiratory Time (seconds) 301
SPM_6F25 Effort #6 FEF25% (L/s) forced expiratory flow at 25% of the FVC 298
SPM_6F50 Effort #6 FEF50% (L/s) forced expiratory flow at 50% of the FVC 298
SPM_6F75 Effort #6 FEF75% (L/s) forced expiratory flow at 75% of the FVC 299
SPM_6FVC Effort #6 FVC (L) forced vital capacity 293

SPM_6M1L Effort #6 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 300
SPM_6M25 Effort #6 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 299
SPM_6M75 Effort #6 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 299
SPM_6MET Effort #6 MET (seconds) mid-expiratory time 300
SPM_6PEF Effort #6 PEF (L/s) peak expiratory flow 298
SPM_705 Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds 302
SPM_705F Effort #7 FEV0.5/FVC (%) 303
SPM_71 Effort #7 FEV1 (L) forced expiratory volume in 1 second 304
SPM_716 Effort #7 FEV1/FEV6 (%) 305
SPM_71F Effort #7 FEV1/FVC (%) 304
SPM_73 Effort #7 FEV3 (L) forced expiratory volume in 3 seconds 305
SPM_73F Effort #7 FEV3/FVC (%) 305
SPM_76 Effort #7 FEV6 (L) forced expiratory volume in 6 seconds 306
SPM_76F Effort #7 FEV6/FVC (%) 306
SPM_775 Effort #7 FEV0.75 (L) forced expiratory volume in 0.75 seconds 303
SPM_775F Effort #7 FEV0.75/FVC (%) 304
SPM_7ACC Effort #7 Effort acceptability 302
SPM_7BV Effort #7 Back extrapolated volume (L) 310
SPM_7BVF Effort #7 Back extrapolated volume (fraction of FVC) 310
SPM_7ET Effort #7 Expiratory Time (seconds) 310
SPM_7F25 Effort #7 FEF25% (L/s) forced expiratory flow at 25% of the FVC 307
SPM_7F50 Effort #7 FEF50% (L/s) forced expiratory flow at 50% of the FVC 307
SPM_7F75 Effort #7 FEF75% (L/s) forced expiratory flow at 75% of the FVC 308
SPM_7FVC Effort #7 FVC (L) forced vital capacity 302
SPM_7M1L Effort #7 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 309
SPM_7M25 Effort #7 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 308
SPM_7M75 Effort #7 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 308
SPM_7MET Effort #7 MET (seconds) mid-expiratory time 309
SPM_7PEF Effort #7 PEF (L/s) peak expiratory flow 307
SPM_805 Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds 311
SPM_805F Effort #8 FEV0.5/FVC (%) 312
SPM_81 Effort #8 FEV1 (L) forced expiratory volume in 1 second 313
SPM_816 Effort #8 FEV1/FEV6 (%) 314
SPM_81F Effort #8 FEV1/FVC (%) 313
SPM_83 Effort #8 FEV3 (L) forced expiratory volume in 3 seconds 314
SPM_83F Effort #8 FEV3/FVC (%) 314
SPM_86 Effort #8 FEV6 (L) forced expiratory volume in 6 seconds 315
SPM_86F Effort #8 FEV6/FVC (%) 315
SPM_875 Effort #8 FEV0.75 (L) forced expiratory volume in 0.75 seconds 312
SPM_875F Effort #8 FEV0.75/FVC (%) 313
SPM_8ACC Effort #8 Effort acceptability 311
SPM_8BV Effort #8 Back extrapolated volume (L) 319
SPM_8BVF Effort #8 Back extrapolated volume (fraction of FVC) 319
SPM_8ET Effort #8 Expiratory Time (seconds) 319
SPM_8F25 Effort #8 FEF25% (L/sec) forced expiratory flow at 25% of the FVC 316
SPM_8F50 Effort #8 FEF50% (L/sec) forced expiratory flow at 50% of the FVC 316
SPM_8F75 Effort #8 FEF75% (L/sec) forced expiratory flow at 75% of the FVC 317
SPM_8FVC Effort #8 FVC (L) forced vital capacity 311
SPM_8M1L Effort #8 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 318
SPM_8M25 Effort #8 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 317
SPM_8M75 Effort #8 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 317
SPM_8MET Effort #8 MET (seconds) mid-expiratory time 318
SPM_8PEF Effort #8 PEF (L/sec) peak expiratory flow 316
SPM_B05 Largest FEV0.5 (L) from acceptable efforts 239
SPM_B05F Ratio - Largest FEV0.5/Largest FVC (%) from acceptable efforts 239
SPM_B1 Largest FEV1 (L) from acceptable efforts 240
SPM_B16 Ratio - Largest FEV1/Largest FEV6 (%) from acceptable efforts 242
SPM_B1F Ratio - Largest FEV1/Largest FVC (%) from acceptable efforts 240
SPM_B3 Largest FEV3 (L) from acceptable efforts 241
SPM_B3F Ratio - Largest FEV3/Largest FVC (%) from acceptable efforts 241
SPM_B6 Largest FEV6 (L) from acceptable efforts 242
SPM_B6F Ratio - Largest FEV6/Largest FVC (%) from acceptable efforts 242
SPM_B75 Largest FEV0.75 (L) from acceptable efforts 239

SPM_B75F Ratio - Largest FEV0.75/Largest FVC (%) from acceptable efforts 240
SPM_BET Expiratory time (seconds) of the trial with the largest FVC 247
SPM_BF25 FEF25% (L/sec) from the best acceptable effort 243
SPM_BF50 FEF50% (L/sec) from the best acceptable effort 243
SPM_BF75 FEF75% (L/sec) from the best acceptable effort 244
SPM_BFVC Largest FVC (L) from acceptable efforts 238
SPM_BM1L FEF212 (L/sec) from the best acceptable effort 245
SPM_BM25 FEF25-75% (L/sec) from the best acceptable effort 244
SPM_BM75 FEF75-85% (L/sec) from the best acceptable effort 245
SPM_BMET MET (seconds) from the best acceptable effort 247
SPM_BNUM Identification number of best effort (largest sum FVC+FEV1) 247
SPM_BPEF Largest PEF (L/sec) from acceptable efforts 243
SPM_CFVC Confidence interval for predicted FVC (L) 235
SPM_CV1 Confidence interval for predicted FEV1 (L) 235
SPM_CV1F Confidence interval for predicted FEV1/FVC (%) 236
SPM_NUMA Number of acceptable efforts (maximum of 8) 236
SPM_NUME Number of efforts (maximum of 8) 236
SPM_PFVC Respondent's predicted FVC (L) 233
SPM_PV1 Respondent's predicted FEV1 (L) 234
SPM_PV1F Respondent's predicted FEV1/FVC (%) 235
SPM_QFVC FVC Quality factor 237
SPM_QV1 FEV1 Quality factor 238
SPM_RELI Test reliability factor 234
SPM_REP Repeatability for FVC and FEV1 in the 150mL limit 237

URC: Urine collection

U1CDELG Eligibility - Urine collection 1 component - (D) 22
U2CDELG Eligibility - Urine collection 2 component - (D) 24
UC1_40 Urine sample given 23
UC1_43 Urinated - last time before sample 23
URCDSPL Type of sample used if urine provided - (D) 24

WAQ: Water analysis questions

WAQD04Y Drinks black, white or green tea - number of times per year - (D) 62
WAQ_02 Last time in a swimming pool/hot tub/steam room 60
WAQ_03 Last time - hot shower (5+ min) or hot bath (20+ min) 61
WAQ_04 Drinks black, white or green tea - Number of times 61
WAQ_05A Drinks black, white or green tea - Reporting period 62
WAQ_06 Drinks black, white or green tea - Amount (in cups) 62
WAQ_07 Last time drank black, white or green tea 63
WAQ_08 Last time received fluoride treatments at the dentist 63
WAQ_09 Uses fluoride-containing products at home 64
WAQ_10 Last time used a fluoride-containing product 64

Variable Index

Variable	Description	Page
AMCDELG	Eligibility - Activity Monitor component - (D)	231
AMC_10	Activity monitor available	231
AMC_21	Activity monitor taken	232
ANCDELG	Eligibility - Anthropometric component - (D)	201
ATG_11	Date	24
ATG_11H	Time last ate/drank - hour	25
ATG_11M	Time last ate/drank - minute	25
ATG_21	Past 2 hours - smoked	25
ATG_22	Past 2 hours - consumed caffeinated products	26
ATG_31	Past 6 hours - drank alcohol	26
ATG_41	Have exercised today - 10 minutes at a time	27
ATG_43	How long - since last exercised	27
ATG_50	Listened to loud music today	27
ATG_51	Past 24 hours - exposed to loud noise without protection	28
BPCDELG	Eligibility - Blood Pressure component - (D)	211
BPMD161	Average systolic blood pressure (mmHg) - first set - (D)	219
BPMD162	Average diastolic blood pressure (mmHg) - first set - (D)	219
BPMD163	Average resting heart rate - first set - (D)	220
BPMD261	Average systolic blood pressure (mmHg) - second set - (D)	228
BPMD262	Average diastolic blood pressure (mmHg) - second set - (D)	228
BPMD263	Average resting heart rate - second set - (D)	229
BPMDBPA	Blood pressure norms - 18 years old and older - (D)	230
BPMDBPK	Blood pressure norms - 6 to 17 years old - (D)	231
BPMDPBPD	Final prevalence average diastolic blood pressure (mmHg) - (D)	229
BPMDPBPS	Final prevalence average systolic blood pressure (mmHg) - (D)	229
BPMDPHR	Final prevalence average resting heart rate - (D)	230
BPM_101A	Systolic blood pressure - first set (0)	211
BPM_102A	Diastolic blood pressure - first set (0)	212
BPM_103A	Heart rate - first set (0)	212
BPM_111A	Systolic blood pressure - first set (1)	212
BPM_112A	Diastolic blood pressure - first set (1)	213
BPM_113A	Heart rate - first set (1)	213
BPM_121A	Systolic blood pressure - first set (2)	214
BPM_122A	Diastolic blood pressure - first set (2)	214
BPM_123A	Heart rate - first set (2)	214
BPM_131A	Systolic blood pressure - first set (3)	215
BPM_132A	Diastolic blood pressure - first set (3)	215
BPM_133A	Heart rate - first set (3)	216
BPM_141A	Systolic blood pressure - first set (4)	216
BPM_142A	Diastolic blood pressure - first set (4)	216
BPM_143A	Heart rate - first set (4)	217
BPM_151A	Systolic blood pressure - first set (5)	217
BPM_152A	Diastolic blood pressure - first set (5)	217
BPM_153A	Heart rate - first set (5)	218
BPM_160	Accept/re-do measurements	218
BPM_161	Anyone present during blood pressure measure	219
BPM_201A	Systolic blood pressure - second set (0)	220
BPM_202A	Diastolic blood pressure - second set (0)	221
BPM_203A	Heart rate - second set (0)	221
BPM_211A	Systolic blood pressure - second set (1)	221
BPM_212A	Diastolic blood pressure - second set (1)	222
BPM_213A	Heart rate - second set (1)	222
BPM_221A	Systolic blood pressure - second set (2)	222
BPM_222A	Diastolic blood pressure - second set (2)	223
BPM_223A	Heart rate - second set (2)	223
BPM_231A	Systolic blood pressure - second set (3)	224
BPM_232A	Diastolic blood pressure - second set (3)	224
BPM_233A	Heart rate - second set (3)	224

BPM_241A Systolic blood pressure - second set (4) 225
BPM_242A Diastolic blood pressure - second set (4) 225
BPM_243A Heart rate - second set (4) 226
BPM_251A Systolic blood pressure - second set (5) 226
BPM_252A Diastolic blood pressure - second set (5) 226
BPM_253A Heart rate - second set (5) 227
BPM_260 Accept/reject measurements 227
BPM_261 Anyone present during blood pressure measure 228
CLC_AGE Age at clinic visit 21
CLC_DOB Day of birth 21
CLC_MOB Month of birth 20
CLC_SEX Sex 21
CLC_YOB Year of birth 20
CLINICID Clinic identifier of selected respondent 17
FSFD12Y Eats lobster - times per year - (D) 71
FSFD13Y Eats shrimp - times per year - (D) 72
FSFD14Y Eats mussels - times per year - (D) 73
FSFD15Y Eats scallops - times per year - (D) 74
FSFD16Y Eats oysters - times per year - (D) 75
FSFD17Y Eats squid or calamari - times per year - (D) 76
FSFD18Y Eats clams - times per year - (D) 77
FSFD19Y Eats crab - times per year - (D) 79
FSFD20Y Eats surimi or imitation crab - times per year - (D) 80
FSFD21Y Eats other shellfish (#1) - times per year - (D) 81
FSFD22Y Eats other shellfish (#2) - times per year - (D) 82
FSFD23Y Eats other shellfish (#3) - times per year - (D) 83
FSFD24Y Eats fish sticks - times per year - (D) 93
FSFD25AY Eats light tuna in a can or pouch - times per year - (D) 95
FSFD25BY Eats white tuna in a can or pouch - times per year - (D) 96
FSFD25CY Eats tuna in a can or pouch - times per year - (D) 97
FSFD26Y Eats tuna (fresh or frozen) - times per year - (D) 98
FSFD27Y Eats salmon in a can or pouch - times per year - (D) 99
FSFD28Y Eats salmon (fresh, frozen, smoked) - times per year - (D) 101
FSFD29Y Eats smelt - times per year - (D) 102
FSFD30Y Eats shark - times per year - (D) 103
FSFD31Y Eats marlin - times per year - (D) 104
FSFD32Y Eats swordfish - times per year - (D) 105
FSFD33Y Eats halibut - times per year - (D) 106
FSFD34Y Eats rainbow trout - times per year - (D) 107
FSFD35Y Eats Atlantic cod - times per year - (D) 109
FSFD36Y Eats mackerel - times per year - (D) 110
FSFD37Y Eats herring - times per year - (D) 111
FSFD38Y Eats sardines - times per year - (D) 112
FSFD39Y Eats sole, flounder or plaice - times per year - (D) 113
FSFD40Y Eats haddock - times per year - (D) 114
FSFD41Y Eats tilapia - times per year - (D) 115
FSFD42Y Eats other fish (#1) - times per year - (D) 116
FSFD43Y Eats other fish (#2) - times per year - (D) 118
FSFD44Y Eats other fish (#3) - times per year - (D) 119
FSFD45Y Eats sablefish or black cod - times per year - (D) 120
FSF_10A Ate shellfish over past month - lobster 65
FSF_10B Ate shellfish over past month - shrimp 65
FSF_10C Ate shellfish over past month - mussels 65
FSF_10D Ate shellfish over past month - scallops 66
FSF_10E Ate shellfish over past month - oysters 66
FSF_10F Ate shellfish over past month - squid/calamari 67
FSF_10G Ate shellfish over past month - clams 67
FSF_10H Ate shellfish over past month - crab 67
FSF_10I Ate shellfish over past month - surimi or imitation crab 68
FSF_10J Ate shellfish over past month - any other shellfish 68
FSF_10K Ate shellfish over past month - no shellfish 69
FSF_10X Any other sellfish over past month 69
FSF_10Y Any other sellfish over past month 69

FSF_12	Ate lobster over past month - number of times	70
FSF_12N	Reporting period - ate lobster past month	70
FSF_13	Ate shrimp over past month - number of times	71
FSF_13N	Reporting period - ate shrimp past month	71
FSF_14	Ate mussels over past month - number of times	72
FSF_14N	Reporting period - ate mussels past month	73
FSF_15	Ate scallops over past month - number of times	73
FSF_15N	Reporting period - ate scallops past month	74
FSF_16	Ate oysters over past month - number of times	74
FSF_16N	Reporting period - ate oysters past month	75
FSF_17	Ate squid/calamari over past month - number of times	76
FSF_17N	Reporting period - ate squid/calmari past month	76
FSF_18	Ate clams over past month - number of times	77
FSF_18N	Reporting period - ate clams past month	77
FSF_19	Ate crab over past month - number of times	78
FSF_19N	Reporting period - ate crab past month	78
FSF_20	Ate surimi/imitation crab over past month - number of times	79
FSF_20N	Reporting period - ate surimi/imitation crab past month	79
FSF_21	Ate [other shellfish #1] over past month - number of times	80
FSF_21N	Reporting period - ate [other shellfish #1] past month	80
FSF_22	Ate [other shellfish #2] over past month - number of times	81
FSF_22N	Reporting period - ate (other shellfish #2) past month	81
FSF_23	Ate [other shellfish #3] over past month - number of times	82
FSF_23N	Reporting period - ate (other shellfish #3) past month	83
FSF_24	Ate fishsticks over past month - number of times	92
FSF_24AA	Ate fish over past month - fish sticks	83
FSF_24AB	Ate fish over past month - tuna in a can or pouch	84
FSF_24AC	Ate fish over past month - tuna (fresh or frozen)	84
FSF_24AD	Ate fish over past month - salmon in a can or pouch	85
FSF_24AE	Ate fish over past month - salmon - fresh, frozen or smoked	85
FSF_24AF	Ate fish over past month - smelt	85
FSF_24AG	Ate fish over past month - shark	86
FSF_24AH	Ate fish over past month - marlin	86
FSF_24AI	Ate fish over past month - swordfish	87
FSF_24AJ	Ate fish over past month - halibut	87
FSF_24AK	Ate fish over past month - rainbow trout	87
FSF_24AL	Ate fish over past month - Atlantic cod	88
FSF_24AM	Ate fish over past month - mackerel	88
FSF_24AN	Ate fish over past month - herring	89
FSF_24AO	Ate fish over past month - sardines	89
FSF_24AP	Ate fish over past month - sole, flounder or plaice	89
FSF_24AQ	Ate fish over past month - haddock	90
FSF_24AR	Ate fish over past month - tilapia	90
FSF_24AS	Ate fish over past month - any other fish	91
FSF_24AT	Ate fish over past month - no fish	91
FSF_24AU	Ate fish over past month - sablefish or black cod	91
FSF_24AX	Ate any other fish over past month	92
FSF_24AY	Ate any other fish over past month	92
FSF_24N	Reporting period - ate fishsticks past month	93
FSF_25	Type of tuna in a can or pouch eaten over the past month	94
FSF_25A	Ate light (flake/chunk) tuna can/pouch past month - number of times	94
FSF_25AN	Rep. period - ate light (flake/chunk) tuna can past month	94
FSF_25B	Ate white (solid) tuna can/pouch over past month - number of times	95
FSF_25BN	Reporting period - ate white (solid) tuna past month	96
FSF_25C	Ate tuna can/pouch over past month - number of times	96
FSF_25CN	Reporting period - ate tuna can/pouch past month	97
FSF_26	Ate tuna fresh/frozen over past month - number of times	98
FSF_26N	Reporting period - ate tuna fresh/frozen past month	98
FSF_27	Ate salmon can/pouch over past month - number of times	99
FSF_27N	Reporting period - ate salmon can/pouch past month	99
FSF_28	Ate salmon fresh/frozen/smoked over past month - number of times	100
FSF_28N	Reporting period -ate salmon fresh/frozen/smoked past month	100
FSF_29	Ate smelt over past month - number of times	101

FSF_29N Reporting period - ate smelt past month 101
FSF_30 Ate shark over past month - number of times 102
FSF_30N Reporting period - ate shark past month 103
FSF_31 Ate marlin over past month - number of times 103
FSF_31N Reporting period - ate marlin past month 104
FSF_32 Ate swordfish over past month - number of times 104
FSF_32N Reporting period - ate swordfish past month 105
FSF_33 Ate halibut over past month - number of times 106
FSF_33N Reporting period - ate halibut past month 106
FSF_34 Ate rainbow trout over past month - number of times 107
FSF_34N Reporting period - ate rainbow trout past month 107
FSF_35 Ate Atlantic cod over past month - number of times 108
FSF_35N Reporting period - ate Atlantic cod past month 108
FSF_36 Ate mackerel over past month - number of times 109
FSF_36N Reporting period - ate mackerel past month 109
FSF_37 Ate herring over past month - number of times 110
FSF_37N Reporting period - ate herring past month 110
FSF_38 Ate sardines over past month - number of times 111
FSF_38N Reporting period - ate sardines past month 112
FSF_39 Ate sole/flounder/plaice over past month - number of times 112
FSF_39N Reporting period - ate sole/flounder/plaice past month 113
FSF_40 Ate haddock over past month - number of times 113
FSF_40N Reporting period - ate haddock past month 114
FSF_41 Ate tilapia over past month - number of times 115
FSF_41N Reporting period - ate tilapia past month 115
FSF_42 Ate [other fish #1] over past month - number of times 116
FSF_42N Reporting period - ate [other fish #1] past month 116
FSF_43 Ate [other fish #2] over past month - number of times 117
FSF_43N Reporting period - ate [other fish #2] past month 117
FSF_44 Ate [other fish #3] over past month - number of times 118
FSF_44N Reporting period - ate [other fish #3] past month 118
FSF_45 Ate sablefish or black cod over past month - number of times 119
FSF_45N Reporting period - ate sablefish or black 120
GSCDELG Eligibility - Grip Strength component - (D) 320
GSMD51 Total hand grip strength (kilograms) - (D) 322
GSMD52 Grip strength norms - 15 to 69 years old - (D) 323
GSMD53 Grip strength norms - 7 to14 years old - (D) 323
GSM_11 Right hand grip strength (kilograms) - (1) 321
GSM_12 Left hand grip strength (kilograms) - (1) 321
GSM_21 Right hand grip strength (kilograms) - (2) 321
GSM_22 Left hand grip strength (kilograms) - (2) 322
HABDHER Hearing problems - function code - (D) 122
HAB_07 Able to hear - conversation with 3 people or more 120
HAB_08 Able to hear - conversation with 3 people and more with hearing aid 121
HAB_09 Able to hear at all 121
HAB_10 Hear conversation with one person in quiet room 121
HAB_11 Hear conversation with one person in quiet room with hearing aid 122
HER_10 Last time - hearing tested 48
HER_20 Ever been diagnosed with hearing problem 49
HER_30 Past 3 months - surgery on inside of ear 49
HER_31 Which ear(s)- surgery in past 3 months 50
HER_40 Current ear infection/pain 50
HER_41 Which ear(s) - current infection/pain 50
HER_50 Has a cochlear implant 51
HER_51 Which ear(s) - cochlear implant 51
HER_52 Has a hearing aid 51
HER_53 Which ear(s) - hearing aid 52
HRCDELG Eligibility - Hearing components - (D) 320
HWMD11IN Standing height measured (inches) - (D) 203
HWMD12IN Sitting height measured (inches) - (D) 203
HWMD13LB Weight measured (pounds) - (D) 204
HWMD14IN Waist circumference (inches) - NIH protocol - (D) 205
HWMD15IN Hip circumference measured (inches) - (D) 206

HWMDBMI	Body Mass Index measured - (D)	206
HWMDBMIA	BMI classifications for 18 years old or older measure - (D)	207
HWMDBMIK	BMI classifications for less then 18 years old measured - (D)	207
HWMDCOL	BMI classification measured (3 to 17 years old) - Cole system - (D)	209
HWMDHTM	Standing height measured (metres) - (D)	209
HWMDLLN	Leg length (centimetres) - (D)	209
HWMDMAT	Age at peak height velocity (maturity offset) - (D)	210
HWMDWHOK	BMI classification measured (5 to 18 years old) - WHO - (D)	210
HWMDWHOP	BMI classification measured (3 to 5 years old) - WHO - (D)	210
HWMDWSTA	Waist circumference classification for 15 to 69 years old - NIH (D)	208
HWMDWTH	Waist-to-hip ratio - (D)	208
HWM_11	Method of capture - height	202
HWM_11CM	Standing height measured (centimetres)	202
HWM_12CM	Sitting height measured (centimetres)	203
HWM_13	Method of capture - weight	204
HWM_13KG	Weight measured (kilograms)	204
HWM_14CX	Waist circumference (centimetres) - NIH protocol	205
HWM_15CM	Hip circumference measured (centimetres)	206
IACDELG	Eligibility - Indoor Air component - (D)	232
LABDELG	Eligibility - Lab component - (D)	324
MEDC_411	Past week - used performance enhancing/recreational drugs	58
MEDC_611	Exclusion due to medication use - which tests	58
NEXD15Y	Exposed to noise from power tools - times per year - (D)	129
NEXD16Y	Exposed to noise from heavy equipment - times per year - (D)	132
NEXD17Y	Exposed to hand-held gas engines - times per year - (D)	134
NEXD18Y	Exposed to motorcycles/snowmobiles - times per year - (D)	137
NEXD19Y	Exposed to sporting/entertainment events - times per year - (D)	139
NEXD20Y	Exposed to loud amplified music - times per year - (D)	142
NEXD21Y	Listened to loud music without headphones - times per year - (D)	144
NEXD26	Used headphone/earbuds - hours per week - (D)	147
NEXD29	Used headphone/earbuds at high volume - hours per week - (D)	150
NEXD30	Usual listening volume - total duration (years) - (D)	151
NEXD44	Experienced tinnitus - total duration (years) - (D)	154
NEX_01	Worked in a noisy environment	123
NEX_02	How long did you work in a noisy environment	123
NEX_03A	Source of loud noise - machinery	124
NEX_03B	Source of loud noise - modes of transportation	124
NEX_03C	Source of loud noise - munitions/guns/canons	124
NEX_03D	Source of loud noise - music	125
NEX_03E	Source of loud noise - people	125
NEX_03F	Source of loud noise - other	126
NEX_04	Currently working in a noisy environment	126
NEX_05	How often - use hearing protection at work	126
NEX_06	Required to wear hearing protection at work	127
NEX_07	Past 12 months - exposed to noise from loud power tools	127
NEX_08	Past 12 months - exposed to noise from loud heavy industrial/farming	130
NEX_09	Past 12 months - exposed to noise from gasoline engines	132
NEX_10	Past 12 months - exposed to noise from motorcycle/snowmobile	135
NEX_11	Past 12 months - exposed to loud sporting/entertainment events	137
NEX_12	Past 12 months - exposed to loud amplified music	140
NEX_13	Past 12 months - exposed to loud music without headphones/earbuds	142
NEX_14	Past 12 months - exposed to noise of firearms	144
NEX_151	Exposed to loud power tools - number of times	128
NEX_151N	Exposed to loud power tools - reporting period	128
NEX_152	Exposed to loud power tools - time spent	128
NEX_153	Exposed to loud power tools - hearing protection	129
NEX_161	Exposed to noise from heavy equipment - number of times	130
NEX_161N	Exposed to noise from heavy equipment - reporting period	130
NEX_162	Exposed to noise from heavy equipment - time spent	131
NEX_163	Exposed to noise from heavy equipment - hearing protection	131
NEX_171	Exposed to hand-held gas engines - number of times	133
NEX_171N	Exposed to hand-held gas engines - reporting period	133
NEX_172	Exposed to hand-held gas engines - time spent	133

NEX_173 Exposed to hand-held gas engines - hearing protection 134
NEX_181 Exposed to motorcycles/snowmobiles - number of times 135
NEX_181N Exposed to motorcycles/snowmobiles - reporting period 135
NEX_182 Exposed to motorcycles/snowmobiles - time spent 136
NEX_183 Exposed to motorcycles/snowmobile - hearing protection 136
NEX_191 Exposed to sporting/entertainment events - number of times 137
NEX_191N Exposed to sporting/entertainment events - reporting period 138
NEX_192 Exposed to sporting/entertainment events - time spent 138
NEX_193 Exposed to sporting/entertainment events - hearing protection 139
NEX_201 Exposed to loud amplified music - number of times 140
NEX_201N Exposed to loud amplified music - reporting period 140
NEX_202 Exposed to loud amplified music - time spent 141
NEX_203 Exposed to loud amplified music - hearing protection 141
NEX_211 Listened to loud music without headphones/earbuds - number of times 142
NEX_211N Listened to loud music without headphones/earbuds - reporting period 143
NEX_212 Listened to loud music without headphones/earbuds - time spent 143
NEX_213 Listened to loud music without headphones/earbuds - hearing protection 144
NEX_23 Fired/been exposed to noise of firearm - number of times 145
NEX_24 Fired/exposed to noise of firearm - hearing protection 145
NEX_25 Past 12 months - used headphones/earbuds 146
NEX_26 Used headphone/earbuds - hours per week 146
NEX_26A Used headphone/earbuds - minutes 147
NEX_26B Used headphone/earbuds - reporting period 147
NEX_27 Volume level usually at or above 3/4 the maximum volume 148
NEX_28 Volume requires someone to speak in a raised voice 148
NEX_29 Used headphone/earbuds at high volume - hours per week 148
NEX_29A Used headphone/earbuds at high volume - minutes 149
NEX_29B Used headphone/earbuds at high volume - reporting period 149
NEX_30 Usual listening volume - duration 150
NEX_30N Usual listening volume - reporting period 150
NEX_40 Ever experienced tinnitus 151
NEX_41 Last time experienced tinnitus 152
NEX_42 Experiencing tinnitus at time of interview 152
NEX_43 Experiences tinnitus when it is quiet 152
NEX_44 Experienced tinnitus - duration 153
NEX_44N Experienced tinnitus - reporting period 153
NEX_45 Tinnitus bothers (affects sleep, concentration, mood) 154
NEX_47 Experienced tinnitus after using headphones/earbuds 154
NEX_48 Experienced tinnitus - loud music 155
NEX_49 Experienced tinnitus - loud event 155
NEX_50 Experienced tinnitus - loud power tools 156
NEX_51 Experienced tinnitus - firearm noise 156
NEX_52 Experienced tinnitus - specific circumstances 157
ORS_0 Other reasons for screening out of physical tests 59
ORS_1 Other reasons for screening out - grip strength test 59
ORS_2 Other reasons for screening out - spirometry test 59
ORS_7 Other reasons for screening out - hearing tests 60
ORS_8 Other reasons for screening out - skin pigmentation test 60
PHBDELG Eligibility - Phlebotomy component - (D) 323
PHCD16 Number of days since last menstrual period - (D) 31
PHCD55 Donated blood the day before the clinic visit - (D) 43
PHC_11 Pregnant 28
PHC_12 Number of weeks pregnant 29
PHC_13 Had menstrual period in the past 6 months 29
PHC_14 Regular menstrual cycle 29
PHC_15 Length of typical menstrual cycle 30
PHC_16D First day of last menstrual period - day 30
PHC_16M First day of last menstrual period - month 30
PHC_16Y First day of last menstrual period - year 31
PHC_41 Has acute condition 32
PHC_41A Has acute condition-Bone, joint or muscle problem 32
PHC_41B Has acute condition- Flu or other infection 32
PHC_41C Has acute condition-Medical procedure 33

PHC_41D Has acute condition-Other health problem 33
PHC_41F Has acute condition-Fever 34
PHC_42E Test exclusion - Activity monitor 34
PHC_42F Test exclusion - Spirometry 34
PHC_42H Test exclusion - Grip strength 35
PHC_42L Test exclusion - None 35
PHC_42N Test exclusion - Hearing 35
PHC_42O Test exclusion - Skin Pigmentation 36
PHC_43 Has chronic condition 36
PHC_43A Has chronic condition - Bone, joint or muscle problem 37
PHC_43B Has chronic condition - Cardiovascular condition 37
PHC_43C Has chronic condition - Respiratory condition 37
PHC_43D Has chronic condition - Physically impaired 38
PHC_43E Has chronic condition - Other health problem 38
PHC_44E Test exclusion - Activity monitor 38
PHC_44F Test exclusion - Spirometry 39
PHC_44H Test exclusion - Grip strength 39
PHC_44L Test exclusion - None 40
PHC_44N Test exclusion - Hearing 40
PHC_44O Test exclusion - Skin Pigmentation 40
PHC_51 Has a clotting condition 41
PHC_52 Received chemotherapy - past four weeks 41
PHC_53 Received a blood transfusion - past 2 months 41
PHC_54 Donated blood - past 2 months 42
PHC_55D Donated blood - day 42
PHC_55M Donated blood - month 43
PHC_55Y Donated blood - year 43
PHC_56 Felt dizzy/fainted during a blood draw 44
PHC_57A Had a mastectomy 44
PHC_57B Had a mastectomy - which side 44
PHC_58 Drugs for blood pressure or heart condition 45
PHC_59A Reason taking drugs - High blood pressure 45
PHC_59B Reason taking drugs - Low blood pressure 46
PHC_59C Reason taking drugs - Angina 46
PHC_59D Reason taking drugs - Previous heart attack 46
PHC_59E Reason taking drugs - Aneurysm 47
PHC_59F Reason taking drugs - Arrhythmia 47
PHC_59G Reason taking drugs - Other heart condition 48
PHC_59H Reason taking drugs - Other medical condition 48
PHID12 Fasting status - (D) 324
SEBD24 Time spent in warm sunny climate - past 2 months - (D) 169
SEBD36 Number of times used a tanning bed - past year - (D) 174
SEB_01 Attended school/daycare (May to September) 157
SEB_02 Worked at a job/business/attended school (May to September) 157
SEB_03 Time in sun between 10 am - 4 pm - at work/school/daycare 158
SEB_04 Wore something on their head - at work/school/daycare 158
SEB_05 Typically covered or uncovered : face, ears or neck 159
SEB_06 Typically covered or uncovered: hands 159
SEB_07 Typically covered or uncovered: arms 160
SEB_08 Typically covered or uncovered: legs 160
SEB_09 Typically covered or uncovered: feet 161
SEB_10 Typically covered or uncovered: other 161
SEB_11 Used sunscreen on face, ears or neck 162
SEB_12A Used sunscreen on other areas 162
SEB_13A Time in sun between 10 am - 4 pm not at work/school/daycare 163
SEB_14 Wore something on their head - not at work/school/daycare 163
SEB_15 Typically covered or uncovered: face, ears or neck 164
SEB_16 Typically covered or uncovered: hands 164
SEB_17 Typically covered or uncovered: arms 165
SEB_18 Typically covered or uncovered: legs 165
SEB_19 Typically covered or uncovered: feet 165
SEB_20 Typically covered or uncovered: other 166
SEB_21 Used sunscreen on face, ears or neck 166

SEB_22	Used sunscreen on other areas	167
SEB_23	Past 2 months - travelled to warm, sunny climate	167
SEB_24	Stayed in warm, sunny climate - amount of time	168
SEB_24N	Stayed in warm, sunny climate - reporting period	168
SEB_25	Time spent in sun between 10 a.m. - 4 p.m. - warm, sunny climate	169
SEB_26	Wore something on their head - warm, sunny climate	169
SEB_27	Typically covered or uncovered: face, ears or neck	170
SEB_28	Typically covered or uncovered: hands	170
SEB_29	Typically covered or uncovered: arms	171
SEB_30	Typically covered or uncovered: legs	171
SEB_31	Typically covered or uncovered: feet	172
SEB_32	Typically covered or uncovered: other	172
SEB_33	Used sunscreen on face, ears or neck	172
SEB_34	Used sunscreen on other areas	173
SEB_35	Past 12 months - used a tanning bed or booth with tanning lamps	173
SEB_36	Used a tanning bed/booth - number of times	174
SEB_36N	Used a tanning bed/booth - reporting period	174
SEB_37	Past 2 months - used a tanning bed/booth with tanning lamps	175
SEB_38A	Uses a tanning bed/booth in January	175
SEB_38B	Uses a tanning bed/booth in February	176
SEB_38C	Uses a tanning bed/booth in March	176
SEB_38D	Uses a tanning bed/booth in April	176
SEB_38E	Uses a tanning bed/booth in May	177
SEB_38F	Uses a tanning bed/booth in June	177
SEB_38G	Uses a tanning bed/booth in July	178
SEB_38H	Uses a tanning bed/booth in August	178
SEB_38I	Uses a tanning bed/booth in September	178
SEB_38J	Uses a tanning bed/booth in October	179
SEB_38K	Uses a tanning bed/booth in November	179
SEB_38L	Uses a tanning bed/booth in December	180
SEB_38M	Uses a tanning bed/booth - All months	180
SITE	Collection site	17
SITEEND	Date the collection ended for a particular site	20
SITESTRT	Date that the collection started for a particular site	19
SKCDELG	Eligibility - Skin pigmentation component - (D)	180
SKMDARMA	a* - inner arm (final average) - (D)	191
SKMDARMB	b* - inner arm (final average) - (D)	192
SKMDARME	Erythema - inner arm (final average) - (D)	190
SKMDARML	L* - inner arm (final average) - (D)	191
SKMDARMM	Melanin - inner arm (final average) - (D)	191
SKMDHANA	a* - back of the hand (final average) - (D)	201
SKMDHANB	b* - back of the hand (final average) - (D)	201
SKMDHANE	Erythema - back of the hand (final average) - (D)	200
SKMDHANL	L* - back of the hand (final average) - (D)	200
SKMDHANM	Melanin - back of the hand (final average) - (D)	200
SKM_04	Arm used for inner arm skin pigmentation measure	181
SKM_06	Hand used for skin pigmentation measure	181
SKM_09	Used sunless tanning products - past 10 days	182
SKM_10	Sunless tanning products used on the back of hands	182
SKM_11	Sunless tanning products used on inner arm	182
SKM_211A	Erythema - inner arm (1)	183
SKM_212A	Melanin - inner arm (1)	183
SKM_213A	L* - inner arm (1)	184
SKM_214A	a* - inner arm (1)	184
SKM_215A	b* - inner arm (1)	184
SKM_221A	Erythema - inner arm (2)	185
SKM_222A	Melanin - inner arm (2)	185
SKM_223A	L* - inner arm (2)	185
SKM_224A	a* - inner arm (2)	186
SKM_225A	b* - inner arm (2)	186
SKM_231A	Erythema - inner arm (3)	187
SKM_232A	Melanin - inner arm (3)	187
SKM_233A	L* - inner arm (3)	187

SKM_234A a* - inner arm (3) 188
SKM_235A b* - inner arm (3) 188
SKM_241A Erythema - inner arm (4) 188
SKM_242A Melanin - inner arm (4) 189
SKM_243A L* - inner arm (4) 189
SKM_244A a* - inner arm (4) 190
SKM_245A b* - inner arm (4) 190
SKM_311A Erythema - back of hand (1) 192
SKM_312A Melanin - back of the hand (1) 193
SKM_313A L* - back of the hand (1) 193
SKM_314A a* - back of the hand (1) 193
SKM_315A b* - back of the hand (1) 194
SKM_321A Erythema - back of the hand (2) 194
SKM_322A Melanin - back of the hand (2) 194
SKM_323A L* - back of the hand (2) 195
SKM_324A a* - back of the hand (2) 195
SKM_325A b* - back of the hand (2) 196
SKM_331A Erythema - back of the hand (3) 196
SKM_332A Melanin - back of the hand (3) 196
SKM_333A L* - back of the hand (3) 197
SKM_334A a* - back of the hand (3) 197
SKM_335A b* - back of the hand (3) 197
SKM_341A Erythema - back of the hand (4) 198
SKM_342A Melanin - back of the hand (4) 198
SKM_343A L* - back of the hand (4) 198
SKM_344A a* - back of the hand (4) 199
SKM_345A b* - back of the hand (4) 199
SPCDELG Eligibility - Spirometry component - (D) 233
SPMDB1FP Percent of predicted FEV1/FVC - (D) 246
SPMDB1P Percent of predicted FEV1 - (D) 246
SPMDBFVP Percent of predicted FVC - (D) 245
SPM_022 Race adjustment category 233
SPM_105 Effort #1 FEV0.5 (L) forced expiratory volume in 0.5 seconds 248
SPM_105F Effort #1 FEV0.5/FVC (%) 249
SPM_11 Effort #1 FEV1 (L) forced expiratory volume in 1 second 250
SPM_116 Effort #1 FEV1/FEV6 (%) 251
SPM_11F Effort #1 FEV1/FVC (%) 250
SPM_13 Effort #1 FEV3 (L) forced expiratory volume in 3 seconds 251
SPM_13F Effort #1 FEV3/FVC (%) 251
SPM_16 Effort #1 FEV6 (L) forced expiratory volume in 6 seconds 252
SPM_16F Effort #1 FEV6/FVC (%) 252
SPM_175 Effort #1 FEV0.75 (L) forced expiratory volume in 0.75 seconds 249
SPM_175F Effort #1 FEV0.75/FVC (%) 250
SPM_1ACC Effort #1 Effort acceptability 248
SPM_1BV Effort #1 Back extrapolated volume (L) 256
SPM_1BVF Effort #1 Back extrapolated volume (fraction of FVC) 256
SPM_1ET Effort #1 Expiratory Time (seconds) 256
SPM_1F25 Effort #1 FEF25% (L/s) forced expiratory flow at 25% of the FVC 253
SPM_1F50 Effort #1 FEF50% (L/s) forced expiratory flow at 50% of the FVC 253
SPM_1F75 Effort #1 FEF75% (L/s) forced expiratory flow at 75% of the FVC 254
SPM_1FVC Effort #1 FVC (L) forced vital capacity 248
SPM_1M1L Effort #1 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 255
SPM_1M25 Effort #1 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 254
SPM_1M75 Effort #1 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 254
SPM_1MET Effort #1 MET (seconds) mid-expiratory time 255
SPM_1PEF Effort #1 PEF (L/s) peak expiratory flow 253
SPM_205 Effort #2 FEV0.5 (L) forced expiratory volume in 0.5 seconds 257
SPM_205F Effort #2 FEV0.5/FVC (%) 258
SPM_21 Effort #2 FEV1 (L) forced expiratory volume in 1 second 259
SPM_216 Effort #2 FEV1/FEV6 (%) 260
SPM_21F Effort #2 FEV1/FVC (%) 259
SPM_23 Effort #2 FEV3 (L) forced expiratory volume in 3 seconds 260
SPM_23F Effort #2 FEV3/FVC (%) 260

SPM_26	Effort #2 FEV6 (L) forced expiratory volume in 6 seconds	261
SPM_26F	Effort #2 FEV6/FVC (%)	261
SPM_275	Effort #2 FEV0.75 (L) forced expiratory volume in 0.75 seconds	258
SPM_275F	Effort #2 FEV0.75/FVC (%)	259
SPM_2ACC	Effort #2 Effort acceptability	257
SPM_2BV	Effort #2 Back extrapolated volume (L)	265
SPM_2BVF	Effort #2 Back extrapolated volume (fraction of FVC)	265
SPM_2ET	Effort #2 Expiratory Time (seconds)	265
SPM_2F25	Effort #2 FEF25% (L/s) forced expiratory flow at 25% of the FVC	262
SPM_2F50	Effort #2 FEF50% (L/s) forced expiratory flow at 50% of the FVC	262
SPM_2F75	Effort #2 FEF75% (L/s) forced expiratory flow at 75% of the FVC	263
SPM_2FVC	Effort #2 FVC (L) forced vital capacity	257
SPM_2M1L	Effort #2 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	264
SPM_2M25	Effort #2 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	263
SPM_2M75	Effort #2 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	263
SPM_2MET	Effort #2 MET (seconds) mid-expiratory time	264
SPM_2PEF	Effort #2 PEF (L/s) peak expiratory flow	262
SPM_305	Effort #3 FEV0.5 (L) forced expiratory volume in 0.5 seconds	266
SPM_305F	Effort #3 FEV0.5/FVC (%)	267
SPM_31	Effort #3 FEV1 (L) forced expiratory volume in 1 second	268
SPM_316	Effort #3 FEV1/FEV6 (%)	269
SPM_31F	Effort #3 FEV1/FVC (%)	268
SPM_33	Effort #3 FEV3 (L) forced expiratory volume in 3 seconds	269
SPM_33F	Effort #3 FEV3/FVC (%)	269
SPM_36	Effort #3 FEV6 (L) forced expiratory volume in 6 seconds	270
SPM_36F	Effort #3 FEV6/FVC (%)	270
SPM_375	Effort #3 FEV0.75 (L) forced expiratory volume in 0.75 seconds	267
SPM_375F	Effort #3 FEV0.75/FVC (%)	268
SPM_3ACC	Effort #3 Effort acceptability	266
SPM_3BV	Effort #3 Back extrapolated volume (L)	274
SPM_3BVF	Effort #3 Back extrapolated volume (fraction of FVC)	274
SPM_3ET	Effort #3 Expiratory Time (seconds)	274
SPM_3F25	Effort #3 FEF25% (L/s) forced expiratory flow at 25% of the FVC	271
SPM_3F50	Effort #3 FEF50% (L/s) forced expiratory flow at 50% of the FVC	271
SPM_3F75	Effort #3 FEF75% (L/s) forced expiratory flow at 75% of the FVC	272
SPM_3FVC	Effort #3 FVC (L) forced vital capacity	266
SPM_3M1L	Effort #3 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	273
SPM_3M25	Effort #3 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	272
SPM_3M75	Effort #3 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	272
SPM_3MET	Effort #3 MET (seconds) mid-expiratory time	273
SPM_3PEF	Effort #3 PEF (L/s) peak expiratory flow	271
SPM_405	Effort #4 FEV0.5 (L) forced expiratory volume in 0.5 seconds	275
SPM_405F	Effort #4 FEV0.5/FVC (%)	276
SPM_41	Effort #4 FEV1 (L) forced expiratory volume in 1 second	277
SPM_416	Effort #4 FEV1/FEV6 (%)	278
SPM_41F	Effort #4 FEV1/FVC (%)	277
SPM_43	Effort #4 FEV3 (L) forced expiratory volume in 3 seconds	278
SPM_43F	Effort #4 FEV3/FVC (%)	278
SPM_46	Effort #4 FEV6 (L) forced expiratory volume in 6 seconds	279
SPM_46F	Effort #4 FEV6/FVC (%)	279
SPM_475	Effort #4 FEV0.75 (L) forced expiratory volume in 0.75 seconds	276
SPM_475F	Effort #4 FEV0.75/FVC (%)	277
SPM_4ACC	Effort #4 Effort acceptability	275
SPM_4BV	Effort #4 Back extrapolated volume (L)	283
SPM_4BVF	Effort #4 Back extrapolated volume (fraction of FVC)	283
SPM_4ET	Effort #4 Expiratory Time (seconds)	283
SPM_4F25	Effort #4 FEF25% (L/s) forced expiratory flow at 25% of the FVC	280
SPM_4F50	Effort #4 FEF50% (L/s) forced expiratory flow at 50% of the FVC	280
SPM_4F75	Effort #4 FEF75% (L/s) forced expiratory flow at 75% of the FVC	281
SPM_4FVC	Effort #4 FVC (L) forced vital capacity	275
SPM_4M1L	Effort #4 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L	282
SPM_4M25	Effort #4 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC	281
SPM_4M75	Effort #4 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC	281

SPM_4MET Effort #4 MET (sec) mid-expiratory time 282
SPM_4PEF Effort #4 PEF (L/s) peak expiratory flow 280
SPM_505 Effort #5 FEV0.5 (L) forced expiratory volume in 0.5 seconds 284
SPM_505F Effort #5 FEV0.5/FVC (%) 285
SPM_51 Effort #5 FEV1 (L) forced expiratory volume in 1 second 286
SPM_516 Effort #5 FEV1/FEV6 (%) 287
SPM_51F Effort #5 FEV1/FVC (%) 286
SPM_53 Effort #5 FEV3 (L) forced expiratory volume in 3 seconds 287
SPM_53F Effort #5 FEV3/FVC (%) 287
SPM_56 Effort #5 FEV6 (L) forced expiratory volume in 6 seconds 288
SPM_56F Effort #5 FEV6/FVC (%) 288
SPM_575 Effort #5 FEV0.75 (L) forced expiratory volume in 0.75 seconds 285
SPM_575F Effort #5 FEV0.75/FVC (%) 286
SPM_5ACC Effort #5 Effort acceptability 284
SPM_5BV Effort #5 Back extrapolated volume (L) 292
SPM_5BVF Effort #5 Back extrapolated volume (fraction of FVC) 292
SPM_5ET Effort #5 Expiratory Time (seconds) 292
SPM_5F25 Effort #5 FEF25% (L/s) forced expiratory flow at 25% of the FVC 289
SPM_5F50 Effort #5 FEF50% (L/s) forced expiratory flow at 50% of the FVC 289
SPM_5F75 Effort #5 FEF75% (L/s) forced expiratory flow at 75% of the FVC 290
SPM_5FVC Effort #5 FVC (L) forced vital capacity 284
SPM_5M1L Effort #5 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 291
SPM_5M25 Effort #5 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 290
SPM_5M75 Effort #5 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 290
SPM_5MET Effort #5 MET (seconds) mid-expiratory time 291
SPM_5PEF Effort #5 PEF (L/s) peak expiratory flow 289
SPM_605 Effort #6 FEV0.5 (L) forced expiratory volume in 0.5 seconds 293
SPM_605F Effort #6 FEV0.5/FVC (%) 294
SPM_61 Effort #6 FEV1 (L) forced expiratory volume in 1 second 295
SPM_616 Effort #6 FEV1/FEV6 (%) 296
SPM_61F Effort #6 FEV1/FVC (%) 295
SPM_63 Effort #6 FEV3 (L) forced expiratory volume in 3 seconds 296
SPM_63F Effort #6 FEV3/FVC (%) 296
SPM_66 Effort #6 FEV6 (L) forced expiratory volume in 6 seconds 297
SPM_66F Effort #6 FEV6/FVC (%) 297
SPM_675 Effort #6 FEV0.75 (L) forced expiratory volume in 0.75 seconds 294
SPM_675F Effort #6 FEV0.75/FVC (%) 295
SPM_6ACC Effort #6 Effort acceptability 293
SPM_6BV Effort #6 Back extrapolated volume (L) 301
SPM_6BVF Effort #6 Back extrapolated volume (fraction of FVC) 301
SPM_6ET Effort #6 Expiratory Time (seconds) 301
SPM_6F25 Effort #6 FEF25% (L/s) forced expiratory flow at 25% of the FVC 298
SPM_6F50 Effort #6 FEF50% (L/s) forced expiratory flow at 50% of the FVC 298
SPM_6F75 Effort #6 FEF75% (L/s) forced expiratory flow at 75% of the FVC 299
SPM_6FVC Effort #6 FVC (L) forced vital capacity 293
SPM_6M1L Effort #6 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 300
SPM_6M25 Effort #6 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 299
SPM_6M75 Effort #6 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 299
SPM_6MET Effort #6 MET (seconds) mid-expiratory time 300
SPM_6PEF Effort #6 PEF (L/s) peak expiratory flow 298
SPM_705 Effort #7 FEV0.5 (L) forced expiratory volume in 0.5 seconds 302
SPM_705F Effort #7 FEV0.5/FVC (%) 303
SPM_71 Effort #7 FEV1 (L) forced expiratory volume in 1 second 304
SPM_716 Effort #7 FEV1/FEV6 (%) 305
SPM_71F Effort #7 FEV1/FVC (%) 304
SPM_73 Effort #7 FEV3 (L) forced expiratory volume in 3 seconds 305
SPM_73F Effort #7 FEV3/FVC (%) 305
SPM_76 Effort #7 FEV6 (L) forced expiratory volume in 6 seconds 306
SPM_76F Effort #7 FEV6/FVC (%) 306
SPM_775 Effort #7 FEV0.75 (L) forced expiratory volume in 0.75 seconds 303
SPM_775F Effort #7 FEV0.75/FVC (%) 304
SPM_7ACC Effort #7 Effort acceptability 302
SPM_7BV Effort #7 Back extrapolated volume (L) 310

SPM_7BVF Effort #7 Back extrapolated volume (fraction of FVC) 310
SPM_7ET Effort #7 Expiratory Time (seconds) 310
SPM_7F25 Effort #7 FEF25% (L/s) forced expiratory flow at 25% of the FVC 307
SPM_7F50 Effort #7 FEF50% (L/s) forced expiratory flow at 50% of the FVC 307
SPM_7F75 Effort #7 FEF75% (L/s) forced expiratory flow at 75% of the FVC 308
SPM_7FVC Effort #7 FVC (L) forced vital capacity 302
SPM_7M1L Effort #7 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 309
SPM_7M25 Effort #7 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 308
SPM_7M75 Effort #7 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 308
SPM_7MET Effort #7 MET (seconds) mid-expiratory time 309
SPM_7PEF Effort #7 PEF (L/s) peak expiratory flow 307
SPM_805 Effort #8 FEV0.5 (L) forced expiratory volume in 0.5 seconds 311
SPM_805F Effort #8 FEV0.5/FVC (%) 312
SPM_81 Effort #8 FEV1 (L) forced expiratory volume in 1 second 313
SPM_816 Effort #8 FEV1/FEV6 (%) 314
SPM_81F Effort #8 FEV1/FVC (%) 313
SPM_83 Effort #8 FEV3 (L) forced expiratory volume in 3 seconds 314
SPM_83F Effort #8 FEV3/FVC (%) 314
SPM_86 Effort #8 FEV6 (L) forced expiratory volume in 6 seconds 315
SPM_86F Effort #8 FEV6/FVC (%) 315
SPM_875 Effort #8 FEV0.75 (L) forced expiratory volume in 0.75 seconds 312
SPM_875F Effort #8 FEV0.75/FVC (%) 313
SPM_8ACC Effort #8 Effort acceptability 311
SPM_8BV Effort #8 Back extrapolated volume (L) 319
SPM_8BVF Effort #8 Back extrapolated volume (fraction of FVC) 319
SPM_8ET Effort #8 Expiratory Time (seconds) 319
SPM_8F25 Effort #8 FEF25% (L/sec) forced expiratory flow at 25% of the FVC 316
SPM_8F50 Effort #8 FEF50% (L/sec) forced expiratory flow at 50% of the FVC 316
SPM_8F75 Effort #8 FEF75% (L/sec) forced expiratory flow at 75% of the FVC 317
SPM_8FVC Effort #8 FVC (L) forced vital capacity 311
SPM_8M1L Effort #8 FEF212 (L/s) mean forced expiratory flow from 0.2 to 1.2 L 318
SPM_8M25 Effort #8 FEF2575% (L/s) mean forced expiratory flow from 25-75% FVC 317
SPM_8M75 Effort #8 FEF7585% (L/s) mean forced expiratory flow from 75-85% FVC 317
SPM_8MET Effort #8 MET (seconds) mid-expiratory time 318
SPM_8PEF Effort #8 PEF (L/sec) peak expiratory flow 316
SPM_B05 Largest FEV0.5 (L) from acceptable efforts 239
SPM_B05F Ratio - Largest FEV0.5/Largest FVC (%) from acceptable efforts 239
SPM_B1 Largest FEV1 (L) from acceptable efforts 240
SPM_B16 Ratio - Largest FEV1/Largest FEV6 (%) from acceptable efforts 242
SPM_B1F Ratio - Largest FEV1/Largest FVC (%) from acceptable efforts 240
SPM_B3 Largest FEV3 (L) from acceptable efforts 241
SPM_B3F Ratio - Largest FEV3/Largest FVC (%) from acceptable efforts 241
SPM_B6 Largest FEV6 (L) from acceptable efforts 242
SPM_B6F Ratio - Largest FEV6/Largest FVC (%) from acceptable efforts 242
SPM_B75 Largest FEV0.75 (L) from acceptable efforts 239
SPM_B75F Ratio - Largest FEV0.75/Largest FVC (%) from acceptable efforts 240
SPM_BET Expiratory time (seconds) of the trial with the largest FVC 247
SPM_BF25 FEF25% (L/sec) from the best acceptable effort 243
SPM_BF50 FEF50% (L/sec) from the best acceptable effort 243
SPM_BF75 FEF75% (L/sec) from the best acceptable effort 244
SPM_BFVC Largest FVC (L) from acceptable efforts 238
SPM_BM1L FEF212 (L/sec) from the best acceptable effort 245
SPM_BM25 FEF25-75% (L/sec) from the best acceptable effort 244
SPM_BM75 FEF75-85% (L/sec) from the best acceptable effort 245
SPM_BMET MET (seconds) from the best acceptable effort 247
SPM_BNUM Identification number of best effort (largest sum FVC+FEV1) 247
SPM_BPEF Largest PEF (L/sec) from acceptable efforts 243
SPM_CFVC Confidence interval for predicted FVC (L) 235
SPM_CV1 Confidence interval for predicted FEV1 (L) 235
SPM_CV1F Confidence interval for predicted FEV1/FVC (%) 236
SPM_NUMA Number of acceptable efforts (maximum of 8) 236
SPM_NUME Number of efforts (maximum of 8) 236
SPM_PFVC Respondent's predicted FVC (L) 233

SPM_PV1	Respondent's predicted FEV1 (L)	234
SPM_PV1F	Respondent's predicted FEV1/FVC (%)	235
SPM_QFVC	FVC Quality factor	237
SPM_QV1	FEV1 Quality factor	238
SPM_RELI	Test reliability factor	234
SPM_REP	Repeatability for FVC and FEV1 in the 150mL limit	237
SPQ_11	Wheezing or whistling - any time in the past	52
SPQ_12	Wheezing or whistling - last 12 months	53
SPQ_13	Number of attacks of wheezing - last 12 months	53
SPQ_14	Sleep disturbed due to wheezing - last 12 months	53
SPQ_15	Wheezing limiting speech - last 12 months	54
SPQ_16	Wheezy during or after exercise - last 12 months	54
SPQ_17	Dry cough at night - last 12 months	54
SPQ_21	Cough regularly	55
SPQ_22	Cough up phlegm regularly	55
SPQ_23	Simple chores make short of breath	56
SPQ_24	Wheeze from exertion or at night	56
SPQ_25	Frequent persistent colds	56
SPR_11	Heart attack - past 3 months	57
SPR_12	Major chest or abdomen surgery - past 3 months	57
SPR_13	Eye surgery - past 6 weeks	57
U1CDELG	Eligibility - Urine collection 1 component - (D)	22
U2CDELG	Eligibility - Urine collection 2 component - (D)	24
UC1_40	Urine sample given	23
UC1_43	Urinated - last time before sample	23
URCDSPL	Type of sample used if urine provided - (D)	24
URG_13	Respondant is in a wheelchair	22
URG_14	Respondant uses a catheter	22
V2_DAY	Day of clinic visit	17
V2_HOUR	Hour of clinic visit	18
V2_MIN	Minute of clinic visit	19
V2_MTH	Month of clinic visit	18
V2_TYPE	Type of visit	19
V2_YEAR	Year of clinic visit	18
WAQD04Y	Drinks black, white or green tea - number of times per year - (D)	62
WAQ_02	Last time in a swimming pool/hot tub/steam room	60
WAQ_03	Last time - hot shower (5+ min) or hot bath (20+ min)	61
WAQ_04	Drinks black, white or green tea - Number of times	61
WAQ_05A	Drinks black, white or green tea - Reporting period	62
WAQ_06	Drinks black, white or green tea - Amount (in cups)	62
WAQ_07	Last time drank black, white or green tea	63
WAQ_08	Last time received fluoride treatments at the dentist	63
WAQ_09	Uses fluoride-containing products at home	64
WAQ_10	Last time used a fluoride-containing product	64
WGT_FULL	Full sample weight	325