Canadian Health Measures Survey

Cycle 6: Data Dictionary - Household

October 2020

Statistics Canada Statistique Canada

Canada

Table of Contents

Variable	Position	Description	Page
CLINICID	0001-0008	Clinic identifier of selected respondent	25
SITE	0009-0010	Collection site	25
C2_DAY	0011-0012	Day of household interview	25
C2_MTH	0013-0014	Month of household interview	26
C2_YEAR	0015-0018	Year of household interview	26
PROXY	0019-0019	Health component completed by proxy	26
PPI_02	0020-0020	Person providing health component information - parent/guardian	27
PPI_03	0021-0021	Person providing health component information - biological parent	27
PPID03	0022-0022	Relationship of proxy respondent to selected respondent - (D)	27
DHH_PRN	0023-0024	Province of residence of respondent	28
DHH_DOB	0025-0026	Day of birth	28
DHH_MOB	0027-0028	Month of birth	29
DHH_YOB	0029-0032	Year of birth	29
DHH_AGE	0033-0035	Age at household interview	29
DHH_SEX	0036-0036	Sex	30
EDC_01	0037-0037	Highest grade of elementary school completed	30
EDC_02	0038-0038	Graduated from high school (secondary school)	31
EDC_03	0039-0039	Received any other education	31
EDC_04	0040-0041	Highest degree, certificate or diploma obtained	31
EDUDR04	0042-0042	Highest level of education - respondent, 4 levels - (D)	32
EDUDR10	0043-0044	Highest level of education - respondent, 10 levels - (D)	32
EDUDH04	0045-0045	Highest level of education - household, 4 levels - (D)	33
EDUDH10	0046-0047	Highest level of education - household, 10 levels - (D)	33
DHH_OWN	0048-0048	Dweling - own or rent	34
DHH_REP	0049-0049	Dwelling - in need of any repairs	34
DHH_BED	0050-0051	Number of bedrooms in dwelling	35
DHH_MS	0052-0053	Marital status	35
DHHDLE5	0054-0055	Number of persons in household less than 6 years old - (D)	36
DHHD611	0056-0057	Number of persons 6 to 11 years old in household - (D)	36
DHHDL12	0058-0059	Number of persons in household less than 12 years old - (D)	36
DHHDYKD	0060-0061	Number of persons 15 years old or less in household - (D)	37
DHHDOKD	0062-0063	Number of persons 16 or 17 years old in household - (D)	37
DHHDHSZ	0064-0065	Household size - (D)	37
DHHDECF	0066-0067	Economic family status (household type) - (D)	38
DHHDLVG	0068-0069	Living arrangement of selected respondent - (D)	38
DHHDDWE	0070-0071	Type of dwelling - (D)	39
GEN_005	0072-0072	Self-perceived health	39
GEN_010	0073-0073	Self-perceived health compared to one year ago	40
GEN_015	0074-0075	Satisfied with life right now	40
GEN_020	0076-0076	Self-perceived mental health	41
GEN_025	0077-0077	Self-perceived stress	41
GEN_030	0078-0079	Main activity	42
GEN_035	0080-0080	Worked at job or business	42
GEN_040	0081-0081	Self-perceived work stress	42
GEN_045	0082-0082	Sense of belonging to local community	43
GEN_050	0083-0083	Self-perceived quality of life	43
GEN_055	0084-0084	Family doctor	44
GENDHDI	0085-0085	Self-rated health - (D)	44
GENDMHI	0086-0086	Self-rated mental health - (D)	45
HUI_005	0087-0087	Vision - read newsprint without glasses / contacts	45
HUI_010	0088-0088	Vision - read newsprint with glasses / contacts	46
HUI_015	0089-0089	Vision - able to see	46
HUI_020	0090-0090	Vision - recognize a friend without glasses / contacts	46
HUI_025	0091-0091	Vision - recognize a friend with glasses / contacts	47
HUI_030	0092-0092	Hearing - in group without hearing aid	47
HUI_035	0093-0093	Hearing - in group with hearing aid	48
HUI_040	0094-0094	Hearing - able to hear	48
HUI_045	0095-0095	Hearing - in quiet room without hearing aid	49

HUI_050	0096-0096	Hearing - in quiet room with hearing aid	49
HUI_055	0097-0097	Speech - completely understood by strangers	49
HUI_060	0098-0098	Speech - partially understood by strangers	50
HUI_065	0099-0099	Speech - completely understood by non-strangers	50
HUI_070	0100-0100	Speech - partially understood by non-strangers	51
HUI_075	0101-0101	Mobility - walk without difficulty and without support	51
HUI_080	0102-0102	Mobility - able to walk	51
HUI_085	0103-0103	Mobility - requires support to walk	52
HUI_090	0104-0104	Mobility - requires help of person to walk	52
HUI_095	0105-0105	Mobility - requires a wheelchair	52
HUI_100	0106-0106	Mobility - frequency of wheelchair use	53
HUI_105	0107-0107	Mobility - requires help to get around in wheelchair	53
HUI_110	0108-0108	Dexterity - able to grasp and handle small objects	54
HUI_115	0109-0109	Dexterity - requires help due to limitation in use of hands	54
HUI_120	0110-0110	Dexterity - requires help with tasks	54
HUI_125	0111-0111	Dexterity - requires special equipment / hand limitation	55
HUI_130	0112-0112	Emotion - self evaluation	55
HUI_135	0113-0113	Cognition - ability to remember things	56
HUI_140	0114-0114	Cognition - ability to think and solve problems	56
HUI_145	0115-0115	Usually free of pain or discomfort	57
HUI_150	0116-0116	Pain and discomfort - usual intensity	57
HUI_155	0117-0117	Pain and discomfort - number of activities prevented	57
HUIDCOG	0118-0119	Cognition problems - function code - (D)	58
HUIDDEX	0120-0121	Dexterity trouble - function code - (D)	58
HUIDEMO	0122-0122	Emotional problems - function code - (D)	59
HUIDHER	0123-0124	Hearing problems - function code - (D)	59
HUIDMOB	0125-0126	Mobility trouble - function code - (D)	60
HUIDPAD	0127-0127	Activities prevented by pain - function code - (D)	60
HUIDSPE	0128-0128	Speech trouble - function code - (D)	61
HUIDVIS	0129-0130	Vision trouble - function code - (D)	61
HUIDHSI	0131-0136	Health Utility Index (HUI3) - (D)	61
HUIDHSC	0137-0137	HUI score into 4 categories - no/mild/moderate/severe (D)	62
CCC_11	0138-0138	Has asthma	62
CCC_12	0139-0140	Asthma - age first diagnosed	63
CCC_13	0141-0141	Asthma - had symptoms or attacks	63
CCC_14	0142-0142	Has chronic bronchitis, emphysema or COPD	63
CCC_15	0143-0144	Chronic bronchitis, emphysema or COPD - age first diagnosed	64
CCC_21	0145-0145	Has fibromyalgia	64
CCC_22	0146-0146	Has arthritis	64
CCC_24	0147-0147	Has back problems excluding fibromyalgia and arthritis	65
CCC_25	0148-0148	Has osteoporosis	65
CCC_31	0149-0149	Has high blood pressure	66
CCC_32	0150-0150	Medication for high blood pressure - past month	66
CCC_33	0151-0151	Ever had blood cholesterol measured	66
CCC_34	0152-0152	Ever told blood cholesterol high	67
CCC_35	0153-0153	Has celiac disease	67
CCC_36	0154-0154	Has inflammatory bowel disease	68
CCC_51	0155-0155	Has diabetes	68
CCC_53	0156-0157	Diabetes - age first diagnosed	68
CCC_54	0158-0158	Diabetes - pregnant first diagnosed	69
CCC_55	0159-0159	Diabetes - other than pregnancy	69
CCC_56A	0160-0160	Diabetes - insulin dependant (Type 1)	70
CCC_56B	0161-0161	Diabetes - non-insulin dependant (Type 2)	70
CCC_57	0162-0163	Time after diabetes diagnosis to take insulin	71
CCC_58	0164-0164	Currently take insulin	71
CCC_59	0165-0165	Take pills to control blood sugar	71
CCC_61	0166-0166	Has heart disease	72
CCC_62	0167-0168	Heart disease - age first diagnosed	72
CCC_63	0169-0169	Ever had a heart attack	72
CCC_71	0170-0170	Has cancer	73
CCC_72	0171-0171	Ever had cancer	73
CCC_73	0172-0173	Cancer - age first diagnosed	74
CCC_74A	0174-0174	Type of cancer - breast	74

CCC_74B	0175-0175	Type of cancer - colorectal	74
CCC_74C	0176-0176	Type of cancer - skin (melanoma)	75
CCC_74D	0177-0177	Type of cancer - skin (non-melanoma)	75
CCC_74E	0178-0178	Type of cancer - ovarian	76
CCC_74F	0179-0179	Type of cancer - cervical	76
CCC_74G	0180-0180	Type of cancer - uterine	76
CCC_74H	0181-0181	Type of cancer - other	77
CCC_75A	0182-0182	Type of cancer - prostate	77
CCC_75B	0183-0183	Type of cancer - colorectal	78
CCC_75C	0184-0184	Type of cancer - skin (melanoma)	78
CCC_75D	0185-0185	Type of cancer - skin (non-melanoma)	79
CCC_75E	0186-0186	Type of cancer - other	79
CCC_81	0187-0187	Suffers from the effects of a stroke	79
CCC_82	0188-0188	Has a thyroid condition	80
CCC_83	0189-0189	Has a mood disorder	80
CCC_92	0190-0190	Has kidney dysfunction or disease	80
CCC_93	0191-0191	Has liver disease or gallbladder problems	81
CCC_94A	0192-0192	Liver disease or gallbladder problem - Hepatitis A	81
CCC_94B	0193-0193	Liver disease or gallbladder problem - Hepatitis B	82
CCC_94C	0194-0194	Liver disease or gallbladder problem - Hepatitis C	82
CCC_94D	0195-0195	Liver disease or gallbladder problem - Jaundice	82
CCC_94E	0196-0196	Liver disease or gallbladder problem - Cirrhosis	83
CCC_94F	0197-0197	Liver disease or gallbladder problem - Gallstones	83
CCC_94G	0198-0198	Liver disease or gallbladder problem - Other	83
CCC_95	0199-0199	Has hepatitis	84
CCC_96A	0200-0200	Type of hepatitis - A	84
CCC_96B	0201-0201	Type of hepatitis - B	85
CCC_96C	0202-0202	Type of hepatitis - C	85
CCC_101	0203-0203	Other long term physical or mental health condition	85
VIS_005	0204-0204	Visited an eye care professional - last 12 months	86
VIS_010	0205-0205	Type of eye care professional last visited	86
VIS_015	0206-0206	Ever had an eye examination	87
VIS_020	0207-0208	Most recent eye exam - done by	87
VIS_030	0209-0209	Ever had glaucoma	88
VIS_035	0210-0211	Age when first diagnosed - Glaucoma	88
VIS_040	0212-0212	Ever had diabetic retinopathy	88
VIS_045	0213-0214	Age when first diagnosed - Diabetic retinopathy	89
VIS_050	0215-0215	Ever had age-related macular degeneration (AMD)	89
VIS_055	0216-0217	Age when first diagnosed - Age-related macular degeneration (AMD)	90
VIS_060	0218-0218	Ever had cataracts	90
VIS_065	0219-0219	Which eye - Cataracts	90
VIS_070	0220-0221	Age when first diagnosed - Cataracts	91
VIS_075	0222-0222	Ever had cataract surgery	91
VIS_080	0223-0223	Which eye - Cataract surgery	92
VIS_085	0224-0224	Waiting for cataract surgery	92
SPA_005	0225-0225	Ever been referred to a sleep lab for overnight testing	92
SPA_010	0226-0226	Diagnosed with sleep apnea	93
SPA_015	0227-0227	Been prescribed a treatment for sleep apnea	93
SPA_020	0228-0228	Trouble going to sleep or staying asleep	94
SPA_025	0229-0229	Awakened suddenly with the feeling of gasping or choking	94
SPA_030	0230-0230	Usually snore	95
SPA_035	0231-0231	Volume of snoring	95
SPA_040	0232-0232	Stop breathing during sleep	96
SPA_045	0233-0233	Tired, fatigued, or sleepy during the daytime	96
SPA_050	0234-0235	Sleepiness during a typical day	96
SPADRISK	0236-0237	Sleep apnea risk - classification	97
SPADSCOR	0238-0239	Sleep apnea risk - score	97
PRS_11	0240-0240	Pregnant	98
MEN_005	0241-0241	Mentrual period - Last 12 months	98
MEN_010A	0242-0242	Have not had a period - Contraceptives	98
MEN_010B	0243-0243	Have not had a period - Medical procedure, medication or drugs	99
MEN_010C	0244-0244	Have not had a period - Pregnancy	99
MEN_010D	0245-0245	Have not had a period - Breastfeeding	100

MEN_010E	0246-0246	Have not had a period - Menopause	100
MEN_010F	0247-0247	Have not had a period - Stress, weight loss or excessive exercise	100
MEN_010G	0248-0248	Have not had a period - Removal of the uterus	101
MEN_010H	0249-0249	Have not had a period - Removal of ovaries	101
MEN_010I	0250-0250	Have not had a period - Physical complications	102
MEN_010J	0251-0251	Have not had a period - Other - Specify	102
MEN_015	0252-0252	Had both ovaries removed	103
MEN_020	0253-0253	Experienced symptoms of menopause	103
MEN_025	0254-0254	Beginning of menopause symptoms	103
FRH_05	0255-0255	Fallen (last 12 months)	104
FRH_10	0256-0257	Fallen - Number of times	104
FRH_15A	0258-0258	Cause of fall - Sports	105
FRH_15B	0259-0259	Cause of fall - Running or roughhousing	105
FRH_15C	0260-0260	Cause of fall - Being hit or pushed	105
FRH_15D	0261-0261	Cause of fall - A vehicle, a car or bicycle	106
FRH_15G	0262-0262	Cause of fall - None of the above	106
FRH_20	0263-0264	Cause of fall - Other	107
FRH_25	0265-0265	Cause of slip	107
FRH_30	0266-0266	Ever broken or fractured a bone	108
FRH_35	0267-0268	Number of times broken or fractured a bone	108
FRH_40A	0269-0270	First break/fracture - age	108
FRH_40AA	0271-0271	First break/fracture - head	109
FRH_40AB	0272-0272	First break/fracture - spine	109
FRH_40AC	0273-0273	First break/fracture - ribs/sternum	110
FRH_40AD	0274-0274	First break/fracture - shoulder/upper arm/collarbone	110
FRH_40AE	0275-0275	First break/fracture - elbow	110
FRH_40AF	0276-0276	First break/fracture - forearm/wrist	111
FRH_40AG	0277-0277	First break/fracture - hand	111
FRH_40AH	0278-0278	First break/fracture - fingers	112
FRH_40AI	0279-0279	First break/fracture - hip	112
FRH_40AJ	0280-0280	First break/fracture - pelvis	112
FRH_40AK	0281-0281	First break/fracture - upper leg	113
FRH_40AL	0282-0282	First break/fracture - knee	113
FRH_40AM	0283-0283	First break/fracture - lower leg	114
FRH_40AN	0284-0284	First break/fracture - ankle	114
FRH_40AO	0285-0285	First break/fracture - foot	114
FRH_40AP	0286-0286	First break/fracture - toe(s)	115
FRH_40AQ	0287-0287	First break/fracture - other specify	115
FRH_41A	0288-0289	First break/fracture - how did it happen	116
FRH_42A	0290-0291	First break/fracture - type of fall	116
FRH_43A	0292-0292	First break/fracture - height of fall	117
FRH_40B	0293-0294	Second break/fracture - age	117
FRH_40BA	0295-0295	Second break/fracture - head	118
FRH_40BB	0296-0296	Second break/fracture - spine	118
FRH_40BC	0297-0297	Second break/fracture - ribs/sternum	118
FRH_40BD	0298-0298	Second break/fracture - shoulder/upper arm/collarbone	119
FRH_40BE	0299-0299	Second break/fracture - elbow	119
FRH_40BF	0300-0300	Second break/fracture - forearm/wrist	119
FRH_40BG	0301-0301	Second break/fracture - hand	120
FRH_40BH	0302-0302	Second break/fracture - fingers	120
FRH_40BI	0303-0303	Second break/fracture - hip	121
FRH_40BJ	0304-0304	Second break/fracture - pelvis	121
FRH_40BK	0305-0305	Second break/fracture - upper leg	121
FRH_40BL	0306-0306	Second break/fracture - knee	122
FRH_40BM	0307-0307	Second break/fracture - lower leg	122
FRH_40BN	0308-0308	Second break/fracture - ankle	123
FRH_40BO	0309-0309	Second break/fracture - foot	123
FRH_40BP	0310-0310	Second break/fracture - toe(s)	123
FRH_40BQ	0311-0311	Second break/fracture - other specify	124
FRH_41B	0312-0313	Second break/fracture - how did it happen	124
FRH_42B	0314-0315	Second break/fracture - type of fall	125
FRH_43B	0316-0316	Second break/fracture - height of fall	125
FRH_40C	0317-0318	Third break/fracture - age	126

FRH_40CA	0319-0319	Third break/fracture - head	126
FRH_40CB	0320-0320	Third break/fracture - spine	127
FRH_40CC	0321-0321	Third break/fracture - ribs/sternum	127
FRH_40CD	0322-0322	Third break/fracture - shoulder/upper arm/collarbone	127
FRH_40CE	0323-0323	Third break/fracture - elbow	128
FRH_40CF	0324-0324	Third break/fracture - forearm/wrist	128
FRH_40CG	0325-0325	Third break/fracture - hand	129
FRH_40CH	0326-0326	Third break/fracture - fingers	129
FRH_40CI	0327-0327	Third break/fracture - hip	129
FRH_40CJ	0328-0328	Third break/fracture - pelvis	130
FRH_40CK	0329-0329	Third break/fracture - upper leg	130
FRH_40CL	0330-0330	Third break/fracture - knee	131
FRH_40CM	0331-0331	Third break/fracture - lower leg	131
FRH_40CN	0332-0332	Third break/fracture - ankle	131
FRH_40CO	0333-0333	Third break/fracture - foot	132
FRH_40CP	0334-0334	Third break/fracture - toe(s)	132
FRH_40CQ	0335-0335	Third break/fracture - other specify	133
FRH_41C	0336-0337	Third break/fracture - how did it happen	133
FRH_42C	0338-0339	Third break/fracture - type of fall	134
FRH_43C	0340-0340	Third break/fracture - height of fall	134
FRH_40D	0341-0342	Fourth break/fracture - age	135
FRH_40DA	0343-0343	Fourth break/fracture - head	135
FRH_40DB	0344-0344	Fourth break/fracture - spine	135
FRH_40DC	0345-0345	Fourth break/fracture - ribs/sternum	136
FRH_40DD	0346-0346	Fourth break/fracture - shoulder/upper arm/collarbone	136
FRH_40DE	0347-0347	Fourth break/fracture - elbow	137
FRH_40DF	0348-0348	Fourth break/fracture - forearm/wrist	137
FRH_40DG	0349-0349	Fourth break/fracture - hand	138
FRH_40DH	0350-0350	Fourth break/fracture - fingers	138
FRH_40DI	0351-0351	Fourth break/fracture - hip	138
FRH_40DJ	0352-0352	Fourth break/fracture - pelvis	139
FRH_40DK	0353-0353	Fourth break/fracture - upper leg	139
FRH_40DL	0354-0354	Fourth break/fracture - knee	139
FRH_40DM	0355-0355	Fourth break/fracture - lower leg	140
FRH_40DN	0356-0356	Fourth break/fracture - ankle	140
FRH_40DO	0357-0357	Fourth break/fracture - foot	141
FRH_40DP	0358-0358	Fourth break/fracture - toe(s)	141
FRH_40DQ	0359-0359	Fourth break/fracture - other specify	141
FRH_41D	0360-0361	Fourth break/fracture - how did it happen	142
FRH_42D	0362-0363	Fourth break/fracture - type of fall	142
FRH_43D	0364-0364	Fourth break/fracture - height of fall	143
FRH_40E	0365-0366	Fifth break/fracture - age	143
FRH_40EA	0367-0367	Fifth break/fracture - head	144
FRH_40EB	0368-0368	Fifth break/fracture - spine	144
FRH_40EC	0369-0369	Fifth break/fracture - ribs/sternum	144
FRH_40ED	0370-0370	Fifth break/fracture - shoulder/upper arm/collarbone	145
FRH_40EE	0371-0371	Fifth break/fracture - elbow	145
FRH_40EF	0372-0372	Fifth break/fracture - forearm/wrist	146
FRH_40EG	0373-0373	Fifth break/fracture - hand	146
FRH_40EH	0374-0374	Fifth break/fracture - fingers	146
FRH_40EI	0375-0375	Fifth break/fracture - hip	147
FRH_40EJ	0376-0376	Fifth break/fracture - pelvis	147
FRH_40EK	0377-0377	Fifth break/fracture - upper leg	148
FRH_40EL	0378-0378	Fifth break/fracture - knee	148
FRH_40EM	0379-0379	Fifth break/fracture - lower leg	148
FRH_40EN	0380-0380	Fifth break/fracture - ankle	149
FRH_40EO	0381-0381	Fifth break/fracture - foot	149
FRH_40EP	0382-0382	Fifth break/fracture - toe(s)	150
FRH_40EQ	0383-0383	Fifth break/fracture - other specify	150
FRH_41E	0384-0385	Fifth break/fracture - how did it happen	150
FRH_42E	0386-0387	Fifth break/fracture - type of fall	151
FRH_43E	0388-0388	Fifth break/fracture - height of fall	151
FRH_40F	0389-0390	Sixth break/fracture - age	152

FRH_40FA	0391-0391	Sixth break/fracture - head	152
FRH_40FB	0392-0392	Sixth break/fracture - spine	153
FRH_40FC	0393-0393	Sixth break/fracture - ribs/sternum	153
FRH_40FD	0394-0394	Sixth break/ fracture - shoulder/upper arm/collarbone	154
FRH_40FE	0395-0395	Sixth break/fracture - elbow	154
FRH_40FF	0396-0396	Sixth break/fracture - forearm/wrist	154
FRH_40FG	0397-0397	Sixth break/fracture - hand	155
FRH_40FH	0398-0398	Sixth break/fracture - fingers	155
FRH_40FI	0399-0399	Sixth break/fracture - hip	156
FRH_40FJ	0400-0400	Sixth break/fracture - pelvis	156
FRH_40FK	0401-0401	Sixth break/fracture - upper leg	156
FRH_40FL	0402-0402	Sixth break/fracture - knee	157
FRH_40FM	0403-0403	Sixth break/fracture - lower leg	157
FRH_40FN	0404-0404	Sixth break/fracture - ankle	157
FRH_40FO	0405-0405	Sixth break/fracture - foot	158
FRH_40FP	0406-0406	Sixth break/fracture - toe(s)	158
FRH_40FQ	0407-0407	Sixth break/fracture - other specify	159
FRH_41F	0408-0409	Sixth break/fracture - how did it happen	159
FRH_42F	0410-0411	Sixth break/fracture - type of fall	160
FRH_43F	0412-0412	Sixth break/fracture - height of fall	160
FRH_40G	0413-0414	Seventh break/fracture - age	160
FRH_40GA	0415-0415	Seventh break/fracture - head	161
FRH_40GB	0416-0416	Seventh break/fracture - spine	161
FRH_40GC	0417-0417	Seventh break/fracture - ribs/sternum	162
FRH_40GD	0418-0418	Seventh break/fracture - shoulder/upper arm/collarbone	162
FRH_40GE	0419-0419	Seventh break/fracture - elbow	162
FRH_40GF	0420-0420	Seventh break/fracture - forearm/wrist	163
FRH_40GG	0421-0421	Seventh break/fracture - hand	163
FRH_40GH	0422-0422	Seventh break/fracture - fingers	164
FRH_40GI	0423-0423	Seventh break/fracture - hip	164
FRH_40GJ	0424-0424	Seventh break/fracture - pelvis	164
FRH_40GK	0425-0425	Seventh break/fracture - upper leg	165
FRH_40GL	0426-0426	Seventh break/fracture - knee	165
FRH_40GM	0427-0427	Seventh break/fracture - lower leg	166
FRH_40GN	0428-0428	Seventh break/fracture - ankle	166
FRH_40GO	0429-0429	Seventh break/fracture - foot	166
FRH_40GP	0430-0430	Seventh break/fracture - toe(s)	167
FRH_40GQ	0431-0431	Seventh break/fracture - other specify	167
FRH_41G	0432-0433	Seventh break/fracture - how did it happen	168
FRH_42G	0434-0435	Seventh break/fracture - type of fall	168
FRH_43G	0436-0436	Seventh break/fracture - height of fall	169
FRH_40H	0437-0438	Eighth break/fracture - age	169
FRH_40HA	0439-0439	Eighth break/fracture - head	169
FRH_40HB	0440-0440	Eighth break/fracture - spine	170
FRH_40HC	0441-0441	Eighth break/fracture - ribs/sternum	170
FRH_40HD	0442-0442	Eighth break/fracture - shoulder/upper arm/collarbone	171
FRH_40HE	0443-0443	Eighth break/fracture - elbow	171
FRH_40HF	0444-0444	Eighth break/fracture - forearm/wrist	171
FRH_40HG	0445-0445	Eighth break/fracture - hand	172
FRH_40HH	0446-0446	Eighth break/fracture - fingers	172
FRH_40HI	0447-0447	Eighth break/fracture - hip	173
FRH_40HJ	0448-0448	Eighth break/fracture - pelvis	173
FRH_40HK	0449-0449	Eighth break/fracture - upper leg	173
FRH_40HL	0450-0450	Eighth break/fracture - knee	174
FRH_40HM	0451-0451	Eighth break/fracture - lower leg	174
FRH_40HN	0452-0452	Eighth break/fracture - ankle	175
FRH_40HO	0453-0453	Eighth break/fracture - foot	175
FRH_40HP	0454-0454	Eighth break/fracture - toe(s)	175
FRH_40HQ	0455-0455	Eighth break/fracture - other specify	176
FRH_41H	0456-0457	Eighth break/fracture - how did it happen	176
FRH_42H	0458-0459	Eighth break/fracture - type of fall	177
FRH_43H	0460-0460	Eighth break/fracture - height of fall	177
FRH_40I	0461-0462	Ninth break/fracture - age	178

FRH_40IA	0463-0463	Ninth break/fracture - head	178
FRH_40IB	0464-0464	Ninth break/fracture - spine	178
FRH_40IC	0465-0465	Ninth break/fracture - ribs/sternum	179
FRH_40ID	0466-0466	Ninth break/fracture - shoulder/upper arm/collarbone	179
FRH_40IE	0467-0467	Ninth break/fracture - elbow	180
FRH_40IF	0468-0468	Ninth break/fracture - forearm/wrist	180
FRH_40IG	0469-0469	Ninth break/fracture - hand	180
FRH_40IH	0470-0470	Ninth break/fracture - fingers	181
FRH_40II	0471-0471	Ninth break/fracture - hip	181
FRH_40IJ	0472-0472	Ninth break/fracture - pelvis	182
FRH_40IK	0473-0473	Ninth break/fracture - upper leg	182
FRH_40IL	0474-0474	Ninth break/fracture - knee	182
FRH_40IM	0475-0475	Ninth break/fracture - lower leg	183
FRH_40IN	0476-0476	Ninth break/fracture - ankle	183
FRH_40IO	0477-0477	Ninth break/fracture - foot	184
FRH_40IP	0478-0478	Ninth break/fracture - toe(s)	184
FRH_40IQ	0479-0479	Ninth break/fracture - other specify	184
FRH_41I	0480-0481	Ninth break/fracture - how did it happen	185
FRH_42I	0482-0483	Ninth break/fracture - type of fall	185
FRH_43I	0484-0484	Ninth break/fracture - height of fall	186
FRH_40J	0485-0486	Tenth break/fracture - age	186
FRH_40JA	0487-0487	Tenth break/fracture - head	186
FRH_40JB	0488-0488	Tenth break/fracture - spine	187
FRH_40JC	0489-0489	Tenth break/fracture - ribs/sternum	187
FRH_40JD	0490-0490	Tenth break/fracture - shoulder/upper arm/collarbone	188
FRH_40JE	0491-0491	Tenth break/fracture - elbow	188
FRH_40JF	0492-0492	Tenth break/fracture - forearm/wrist	188
FRH_40JG	0493-0493	Tenth break/fracture - hand	189
FRH_40JH	0494-0494	Tenth break/fracture - fingers	189
FRH_40JI	0495-0495	Tenth break/fracture - hip	190
FRH_40JJ	0496-0496	Tenth break/fracture - pelvis	190
FRH_40JK	0497-0497	Tenth break/fracture - upper leg	190
FRH_40JL	0498-0498	Tenth break/fracture - knee	191
FRH_40JM	0499-0499	Tenth break/fracture - lower leg	191
FRH_40JN	0500-0500	Tenth break/fracture - ankle	192
FRH_40JO	0501-0501	Tenth break/fracture - foot	192
FRH_40JP	0502-0502	Tenth break/fracture - toe(s)	192
FRH_40JQ	0503-0503	Tenth break/fracture - other specify	193
FRH_41J	0504-0505	Tenth break/fracture - how did it happen	193
FRH_42J	0506-0507	Tenth break/fracture - type of fall	194
FRH_43J	0508-0508	Tenth break/fracture - height of fall	194
FRH_40K	0509-0510	Eleventh break/fracture - age	194
FRH_40KA	0511-0511	Eleventh break/fracture - head	195
FRH_40KB	0512-0512	Eleventh break/fracture - spine	195
FRH_40KC	0513-0513	Eleventh break/fracture - ribs/sternum	196
FRH_40KD	0514-0514	Eleventh break/fracture - shoulder/upper arm/collarbone	196
FRH_40KE	0515-0515	Eleventh break/fracture - elbow	196
FRH_40KF	0516-0516	Eleventh break/fracture - forearm/wrist	197
FRH_40KG	0517-0517	Eleventh break/fracture - hand	197
FRH_40KH	0518-0518	Eleventh break/fracture - fingers	198
FRH_40KI	0519-0519	Eleventh break/fracture - hip	198
FRH_40KJ	0520-0520	Eleventh break/fracture - pelvis	198
FRH_40KK	0521-0521	Eleventh break/fracture - upper leg	199
FRH_40KL	0522-0522	Eleventh break/fracture - knee	199
FRH_40KM	0523-0523	Eleventh break/fracture - lower leg	200
FRH_40KN	0524-0524	Eleventh break/fracture - ankle	200
FRH_40KO	0525-0525	Eleventh break/fracture - foot	200
FRH_40KP	0526-0526	Eleventh break/fracture - toe(s)	201
FRH_40KQ	0527-0527	Eleventh break/fracture - other specify	201
FRH_41K	0528-0529	Eleventh break/fracture - how did it happen	202
FRH_42K	0530-0531	Eleventh break/fracture - type of fall	202
FRH_43K	0532-0532	Eleventh break/fracture - height of fall	202
FRH_40L	0533-0534	Twelfth break/fracture - age	203

FRH_40LA	0535-0535	Twelfth break/fracture - head	203
FRH_40LB	0536-0536	Twelfth break/fracture - spine	204
FRH_40LC	0537-0537	Twelfth break/fracture - ribs/sternum	204
FRH_40LD	0538-0538	Twelfth break/fracture - shoulder/upper arm/collarbone	205
FRH_40LE	0539-0539	Twelfth break/fracture - elbow	205
FRH_40LF	0540-0540	Twelfth break/fracture - forearm/wrist	205
FRH_40LG	0541-0541	Twelfth break/fracture - hand	206
FRH_40LH	0542-0542	Twelfth break/fracture - fingers	206
FRH_40LI	0543-0543	Twelfth break/fracture - hip	207
FRH_40LJ	0544-0544	Twelfth break/fracture - pelvis	207
FRH_40LK	0545-0545	Twelfth break/fracture - upper leg	207
FRH_40LL	0546-0546	Twelfth break/fracture - knee	208
FRH_40LM	0547-0547	Twelfth break/fracture - lower leg	208
FRH_40LN	0548-0548	Twelfth break/fracture - ankle	208
FRH_40LO	0549-0549	Twelfth break/fracture - foot	209
FRH_40LP	0550-0550	Twelfth break/fracture - toe(s)	209
FRH_40LQ	0551-0551	Twelfth break/fracture - other specify	210
FRH_41L	0552-0553	Twelfth break/fracture - how did it happen	210
FRH_42L	0554-0555	Twelfth break/fracture - type of fall	211
FRH_43L	0556-0556	Twelfth break/fracture - height of fall	211
FRH_40M	0557-0558	Thirteenth break/fracture - age	211
FRH_40MA	0559-0559	Thirteenth break/fracture - head	212
FRH_40MB	0560-0560	Thirteenth break/fracture - spine	212
FRH_40MC	0561-0561	Thirteenth break/fracture - ribs/sternum	212
FRH_40MD	0562-0562	Thirteenth break/fracture - shoulder/upper arm/collarbone	213
FRH_40ME	0563-0563	Thirteenth break/fracture - elbow	213
FRH_40MF	0564-0564	Thirteenth break/fracture - forearm/wrist	214
FRH_40MG	0565-0565	Thirteenth break/fracture - hand	214
FRH_40MH	0566-0566	Thirteenth break/fracture - fingers	214
FRH_40MI	0567-0567	Thirteenth break/fracture - hip	215
FRH_40MJ	0568-0568	Thirteenth break/fracture - pelvis	215
FRH_40MK	0569-0569	Thirteenth break/fracture - upper leg	216
FRH_40ML	0570-0570	Thirteenth break/fracture - knee	216
FRH_40MM	0571-0571	Thirteenth break/fracture - lower leg	216
FRH_40MN	0572-0572	Thirteenth break/fracture - ankle	217
FRH_40MO	0573-0573	Thirteenth break/fracture - foot	217
FRH_40MP	0574-0574	Thirteenth break/fracture - toe(s)	218
FRH_40MQ	0575-0575	Thirteenth break/fracture - other specify	218
FRH_41M	0576-0577	Thirteenth break/fracture - how did it happen	218
FRH_42M	0578-0579	Thirteenth break/fracture - type of fall	219
FRH_43M	0580-0580	Thirteenth break/fracture - height of fall	219
FRH_40N	0581-0582	Fourteenth break/fracture - age	220
FRH_40NA	0583-0583	Fourteenth break/fracture - head	220
FRH_40NB	0584-0584	Fourteenth break/fracture - spine	220
FRH_40NC	0585-0585	Fourteenth break/fracture - ribs/sternum	221
FRH_40ND	0586-0586	Fourteenth break/fracture - shoulder/upper arm/collarbone	221
FRH_40NE	0587-0587	Fourteenth break/fracture - elbow	222
FRH_40NF	0588-0588	Fourteenth break/fracture - forearm/wrist	222
FRH_40NG	0589-0589	Fourteenth break/fracture - hand	222
FRH_40NH	0590-0590	Fourteenth break/fracture - fingers	223
FRH_40NI	0591-0591	Fourteenth break/fracture - hip	223
FRH_40NJ	0592-0592	Fourteenth break/fracture - pelvis	224
FRH_40NK	0593-0593	Fourteenth break/fracture - upper leg	224
FRH_40NL	0594-0594	Fourteenth break/fracture - knee	224
FRH_40NM	0595-0595	Fourteenth break/fracture - lower leg	225
FRH_40NN	0596-0596	Fourteenth break/fracture - ankle	225
FRH_40NO	0597-0597	Fourteenth break/fracture - foot	226
FRH_40NP	0598-0598	Fourteenth break/fracture - toe(s)	226
FRH_40NQ	0599-0599	Fourteenth break/fracture - other specify	226
FRH_41N	0600-0601	Fourteenth break/fracture - how did it happen	227
FRH_42N	0602-0603	Fourteenth break/fracture - type of fall	227
FRH_43N	0604-0604	Fourteenth break/fracture - height of fall	228
FRH_40O	0605-0606	Fifteenth break/fracture - age	228

FRH_40OA	0607-0607	Fifteenth break/fracture - head	228
FRH_40OB	0608-0608	Fifteenth break/fracture - spine	229
FRH_40OC	0609-0609	Fifteenth break/fracture - ribs/sternum	229
FRH_40OD	0610-0610	Fifteenth break/fracture - shoulder/upper arm/collarbone	230
FRH_40OE	0611-0611	Fifteenth break/fracture - elbow	230
FRH_40OF	0612-0612	Fifteenth break/fracture - forearm/wrist	230
FRH_40OG	0613-0613	Fifteenth break/fracture - hand	231
FRH_40OH	0614-0614	Fifteenth break/fracture - fingers	231
FRH_40OI	0615-0615	Fifteenth break/fracture - hip	232
FRH_40OJ	0616-0616	Fifteenth break/fracture - pelvis	232
FRH_40OK	0617-0617	Fifteenth break/fracture - upper leg	232
FRH_40OL	0618-0618	Fifteenth break/fracture - knee	233
FRH_40OM	0619-0619	Fifteenth break/fracture - lower leg	233
FRH_40ON	0620-0620	Fifteenth break/fracture - ankle	234
FRH_40OO	0621-0621	Fifteenth break/fracture - foot	234
FRH_40OP	0622-0622	Fifteenth break/fracture - toe(s)	234
FRH_40OQ	0623-0623	Fifteenth break/fracture - other specify	235
FRH_41O	0624-0625	Fifteenth break/fracture - how did it happen	235
FRH_42O	0626-0627	Fifteenth break/fracture - type of fall	236
FRH_43O	0628-0628	Fifteenth break/fracture - height of fall	236
FRH_40P	0629-0630	Sixteenth break/fracture - age	236
FRH_40PA	0631-0631	Sixteenth break/fracture - head	237
FRH_40PB	0632-0632	Sixteenth break/fracture - spine	237
FRH_40PC	0633-0633	Sixteenth break/fracture - ribs/sternum	238
FRH_40PD	0634-0634	Sixteenth break/fracture - shoulder/upper arm/collarbone	238
FRH_40PE	0635-0635	Sixteenth break/fracture - elbow	238
FRH_40PF	0636-0636	Sixteenth break/fracture - forearm/wrist	239
FRH_40PG	0637-0637	Sixteenth break/fracture - hand	239
FRH_40PH	0638-0638	Sixteenth break/fracture - fingers	240
FRH_40PI	0639-0639	Sixteenth break/fracture - hip	240
FRH_40PJ	0640-0640	Sixteenth break/fracture - pelvis	240
FRH_40PK	0641-0641	Sixteenth break/fracture - upper leg	241
FRH_40PL	0642-0642	Sixteenth break/fracture - knee	241
FRH_40PM	0643-0643	Sixteenth break/fracture - lower leg	242
FRH_40PN	0644-0644	Sixteenth break/fracture - ankle	242
FRH_40PO	0645-0645	Sixteenth break/fracture - foot	242
FRH_40PP	0646-0646	Sixteenth break/fracture - toe(s)	243
FRH_40PQ	0647-0647	Sixteenth break/fracture - other specify	243
FRH_41P	0648-0649	Sixteenth break/fracture - how did it happen	244
FRH_42P	0650-0651	Sixteenth break/fracture - type of fall	244
FRH_43P	0652-0652	Sixteenth break/fracture - height of fall	244
FRH_40Q	0653-0654	Seventeenth break/fracture - age	245
FRH_40QA	0655-0655	Seventeenth break/fracture - head	245
FRH_40QB	0656-0656	Seventeenth break/fracture - spine	246
FRH_40QC	0657-0657	Seventeenth break/fracture - ribs/sternum	246
FRH_40QD	0658-0658	Seventeenth break/fracture - shoulder/upper arm/collarbone	246
FRH_40QE	0659-0659	Seventeenth break/fracture - elbow	247
FRH_40QF	0660-0660	Seventeenth break/fracture - forearm/wrist	247
FRH_40QG	0661-0661	Seventeenth break/fracture - hand	248
FRH_40QH	0662-0662	Seventeenth break/fracture - fingers	248
FRH_40QI	0663-0663	Seventeenth break/fracture - hip	248
FRH_40QJ	0664-0664	Seventeenth break/fracture - pelvis	249
FRH_40QK	0665-0665	Seventeenth break/fracture - upper leg	249
FRH_40QL	0666-0666	Seventeenth break/fracture - knee	249
FRH_40QM	0667-0667	Seventeenth break/fracture - lower leg	250
FRH_40QN	0668-0668	Seventeenth break/fracture - ankle	250
FRH_40QO	0669-0669	Seventeenth break/fracture - foot	251
FRH_40QP	0670-0670	Seventeenth break/fracture - toe(s)	251
FRH_40QQ	0671-0671	Seventeenth break/fracture - other specify	251
FRH_41Q	0672-0673	Seventeenth break/fracture - how did it happen	252
FRH_42Q	0674-0675	Seventeenth break/fracture - type of fall	252
FRH_43Q	0676-0676	Seventeenth break/fracture - height of fall	252
FRH_40R	0677-0678	Eighteenth break/fracture - age	253

FRH_40RA	0679-0679	Eighteenth break/fracture - head	253
FRH_40RB	0680-0680	Eighteenth break/fracture - spine	254
FRH_40RC	0681-0681	Eighteenth break/fracture - ribs/sternum	254
FRH_40RD	0682-0682	Eighteenth break/fracture - shoulder/upper arm/collarbone	254
FRH_40RE	0683-0683	Eighteenth break/fracture - elbow	255
FRH_40RF	0684-0684	Eighteenth break/fracture - forearm/wrist	255
FRH_40RG	0685-0685	Eighteenth break/fracture - hand	255
FRH_40RH	0686-0686	Eighteenth break/fracture - fingers	256
FRH_40RI	0687-0687	Eighteenth break/fracture - hip	256
FRH_40RJ	0688-0688	Eighteenth break/fracture - pelvis	257
FRH_40RK	0689-0689	Eighteenth break/fracture - upper leg	257
FRH_40RL	0690-0690	Eighteenth break/fracture - knee	257
FRH_40RM	0691-0691	Eighteenth break/fracture - lower leg	258
FRH_40RN	0692-0692	Eighteenth break/fracture - ankle	258
FRH_40RO	0693-0693	Eighteenth break/fracture - foot	258
FRH_40RP	0694-0694	Eighteenth break/fracture - toe(s)	259
FRH_40RQ	0695-0695	Eighteenth break/fracture - other specify	259
FRH_41R	0696-0697	Eighteenth break/fracture - how did it happen	260
FRH_42R	0698-0699	Eighteenth break/fracture - type of fall	260
FRH_43R	0700-0700	Eighteenth break/fracture - height of fall	260
FRH_40S	0701-0702	Nineteenth break/fracture - age	261
FRH_40SA	0703-0703	Nineteenth break/fracture - head	261
FRH_40SB	0704-0704	Nineteenth break/fracture - spine	262
FRH_40SC	0705-0705	Nineteenth break/fracture - ribs/sternum	262
FRH_40SD	0706-0706	Nineteenth break/fracture - shoulder/upper arm/collarbone	262
FRH_40SE	0707-0707	Nineteenth break/fracture - elbow	263
FRH_40SF	0708-0708	Nineteenth break/fracture - forearm/wrist	263
FRH_40SG	0709-0709	Nineteenth break/fracture - hand	263
FRH_40SH	0710-0710	Nineteenth break/fracture - fingers	264
FRH_40SI	0711-0711	Nineteenth break/fracture - hip	264
FRH_40SJ	0712-0712	Nineteenth break/fracture - pelvis	265
FRH_40SK	0713-0713	Nineteenth break/fracture - upper leg	265
FRH_40SL	0714-0714	Nineteenth break/fracture - knee	265
FRH_40SM	0715-0715	Nineteenth break/fracture - lower leg	266
FRH_40SN	0716-0716	Nineteenth break/fracture - ankle	266
FRH_40SO	0717-0717	Nineteenth break/fracture - foot	266
FRH_40SP	0718-0718	Nineteenth break/fracture - toe(s)	267
FRH_40SQ	0719-0719	Nineteenth break/fracture - other specify	267
FRH_41S	0720-0721	Nineteenth break/fracture - how did it happen	268
FRH_42S	0722-0723	Nineteenth break/fracture - type of fall	268
FRH_43S	0724-0724	Nineteenth break/fracture - height of fall	268
FRH_40T	0725-0726	Twentieth break/fracture - age	269
FRH_40TA	0727-0727	Twentieth break/fracture - head	269
FRH_40TB	0728-0728	Twentieth break/fracture - spine	269
FRH_40TC	0729-0729	Twentieth break/fracture - ribs/sternum	270
FRH_40TD	0730-0730	Twentieth break/fracture - shoulder/upper arm/collarbone	270
FRH_40TE	0731-0731	Twentieth break/fracture - elbow	271
FRH_40TF	0732-0732	Twentieth break/fracture - forearm/wrist	271
FRH_40TG	0733-0733	Twentieth break/fracture - hand	271
FRH_40TH	0734-0734	Twentieth break/fracture - fingers	272
FRH_40TI	0735-0735	Twentieth break/fracture - hip	272
FRH_40TJ	0736-0736	Twentieth break/fracture - pelvis	272
FRH_40TK	0737-0737	Twentieth break/fracture - upper leg	273
FRH_40TL	0738-0738	Twentieth break/fracture - knee	273
FRH_40TM	0739-0739	Twentieth break/fracture - lower leg	274
FRH_40TN	0740-0740	Twentieth break/fracture - ankle	274
FRH_40TO	0741-0741	Twentieth break/fracture - foot	274
FRH_40TP	0742-0742	Twentieth break/fracture - toe(s)	275
FRH_40TQ	0743-0743	Twentieth break/fracture - other specify	275
FRH_41T	0744-0745	Twentieth break/fracture - how did it happen	275
FRH_42T	0746-0747	Twentieth break/fracture - type of fall	276
FRH_43T	0748-0748	Twentieth break/fracture - height of fall	276
FRH_45	0749-0749	Broke/fracture hip (self/mother)	277

FRH_50	0750-0752	Broke/fracture hip (self/mother) - age	277
FRH_55	0753-0753	Broke/fracture hip (self/father)	277
FRH_60	0754-0756	Broke/fracture hip (self/father) - age	278
SOM_005	0757-0757	Used steroids administered by inhalation	278
SOM_010	0758-0758	Used steriods on daily basis - 12 month period	279
SOM_015	0759-0759	Taken orally - administered steriods	279
SOM_020	0760-0760	Take steroid hormones on a daily basis - more than 3 months	279
SOM_025	0761-0761	Prescription meds for osteoporosis/prevention bone loss or fractures	280
SOM_030A	0762-0762	Used Tamoxifen	280
SOM_030B	0763-0763	Used Bazedoxifene	281
SOM_030C	0764-0764	Used Calcitonin	281
SOM_030D	0765-0765	Used Clodronate	282
SOM_030E	0766-0766	Used Etidronate	282
SOM_030F	0767-0767	Used Risedronate	282
SOM_030G	0768-0768	Used Pamidronate	283
SOM_030H	0769-0769	Used Zoledronate	283
SOM_030I	0770-0770	Used Alendronate	284
SOM_030J	0771-0771	Used Parathyroid Hormone	284
SOM_030K	0772-0772	Used Denosumab	285
SOM_030L	0773-0773	Used Raloxifene	285
SOM_030M	0774-0774	Used - Other - Specify	285
SOM_035	0775-0779	Length of time - medication taken	286
SOM_040	0780-0780	Reporting period	286
HWT_1N	0781-0781	Height - unit of measure in feet and inches or in cm - self-reported	287
HWT_1A	0782-0783	Height - feet / self-reported	287
HWT_1B	0784-0788	Height - inches / self-reported	287
HWT_1C	0789-0794	Height - centimetres / self-reported	288
HWT_3	0795-0799	Weight / self-reported	288
HWT_3N	0800-0800	Weight - unit of measure in pounds or kilograms / self-reported	288
HWT_4	0801-0801	Respondent's opinion of own weight / self-reported	289
HWTDCM	0802-0806	Height (centimetres) / self-reported - (D)	289
HWTDIN	0807-0811	Height (inches) / self-reported - (D)	290
HWTDHTM	0812-0815	Height (metres) / self-reported - (D)	290
HWTDKG	0816-0818	Weight (kilograms) / self-reported - (D)	290
HWTDLB	0819-0821	Weight (pounds) / self-reported - (D)	291
HWTDBMI	0822-0826	Body Mass Index / self-reported - (D)	291
HWTDBMIA	0827-0828	BMI norms, 18 or older / self-reported - (D)	291
HWTDBMIK	0829-0829	BMI norms, 3 to 17 years old / self-reported - (D)	292
HWTDCOL	0830-0830	BMI classification (3 to 18 years) / self-reported - Cole system - (D)	292
HWTDWHOP	0831-0831	BMI classification (3 to 5 years old) / self-reported - WHO - (D)	293
HWTDWHOK	0832-0832	BMI classification (5 to 18 years old) / self-reported - WHO - (D)	293
MFC_11	0833-0835	Eats red meat - number of times	294
MFC_11N	0836-0836	Eats red meat - reporting period	294
MFCD11Y	0837-0840	Eats red meat - times per year - (D)	294
MFC_12	0841-0843	Eats liver - number of times	295
MFC_12N	0844-0844	Eats liver - reporting period	295
MFCD12Y	0845-0848	Eats liver - times per year - (D)	295
MFC_14	0849-0851	Eats beef or pork hot dogs - number of times	296
MFC_14N	0852-0852	Eats beef or pork hot dogs - reporting period	296
MFCD14Y	0853-0856	Eats beef or pork hot dogs - times per year - (D)	297
MFC_15	0857-0859	Eats sausage or bacon - number of times	297
MFC_15N	0860-0860	Eats sausage or bacon - reporting period	297
MFCD15Y	0861-0864	Eats sausage or bacon - times per year - (D)	298
MFC_19A	0865-0867	Eats eggs/egg dishes - number of times	298
MFC_19AN	0868-0868	Eats eggs/egg dishes - reporting period	298
MFCD19AY	0869-0872	Eats eggs/egg dishes - times per year - (D)	299
MFC_19B	0873-0875	Eats egg made with omega-3 enriched - number of times	299
MFC_19BN	0876-0876	Eats eggs omega-3 enriched - reporting period	300
MFCD19BY	0877-0880	Eats eggs omega-3 enriched - times per year - (D)	300
MFC_20	0881-0883	Eats cooked dried beans - number of times	300
MFC_20N	0884-0884	Eats cooked dried beans - reporting period	301
MFCD20Y	0885-0888	Eats cooked dried beans - times per year - (D)	301
MFC_21	0889-0891	Eats nuts - number of times	302

MFC_21N	0892-0892	Eats nuts - reporting period	302
MFCD21Y	0893-0896	Eats nuts - times per year - (D)	302
MDC_01	0897-0899	Drinks/uses enriched milk substitutes - number of times	303
MDC_01N	0900-0900	Drinks/uses enriched milk substitutes - reporting period	303
MDCD01Y	0901-0904	Drinks/uses enriched milk substitutes - times per year - (D)	304
MDC_02	0905-0907	Drinks/uses omega-3 enriched milk substitutes - number of times	304
MDC_02N	0908-0908	Drinks/uses omega-3 enriched milk substitutes - reporting period	304
MDCD02Y	0909-0912	Drinks/uses omega-3 milk substitutes - times per year - (D)	305
MDC_03A	0913-0913	Drinks/uses enriched milk substitutes - rice	305
MDC_03B	0914-0914	Drinks/uses enriched milk substitutes - soya	306
MDC_03C	0915-0915	Drinks/uses enriched milk substitutes - almond	306
MDC_03D	0916-0916	Drinks/uses enriched milk substitutes - other (enriched)	306
MDC_04	0917-0919	Drinks/uses milk/flavoured milk - number of times	307
MDC_04N	0920-0920	Drinks/uses milk/flavoured milk - reporting period	307
MDCD04Y	0921-0924	Drinks or uses milk or flavoured milk - times per year - (D)	308
MDC_05	0925-0927	Drinks/uses omega-3 enriched milk - number of times	308
MDC_05N	0928-0928	Drinks/uses omega-3 enriched milk - reporting period	308
MDCD05Y	0929-0932	Drinks or uses omega-3 enriched milk - times per year - (D)	309
MDC_12A	0933-0933	Type of milk used - 3.25%	309
MDC_12B	0934-0934	Type of milk used - 2%	310
MDC_12C	0935-0935	Type of milk used - 1%	310
MDC_12D	0936-0936	Type of milk used - 0.5%	310
MDC_12E	0937-0937	Type of milk used - skim or non-fat	311
MDC_12F	0938-0938	Type of milk used - flavoured milk beverages	311
MDC_12G	0939-0939	Type of milk used - other	312
MDC_13	0940-0942	Eats cottage cheese - number of times	312
MDC_13N	0943-0943	Eats cottage cheese - reporting period	312
MDCD13Y	0944-0947	Eats cottage cheese - times per year - (D)	313
MDC_13B	0948-0950	Eats processed cheese - number of times	313
MDC_13BN	0951-0951	Eats processed cheese - reporting period	314
MDCD13BY	0952-0955	Eats processed cheese - times per year - (D)	314
MDC_13C	0956-0958	Eats other type of cheese - number of times	314
MDC_13CN	0959-0959	Eats other type of cheese - reporting period	315
MDCD13CY	0960-0963	Eats other types of cheese - times per year - (D)	315
MDC_14	0964-0966	Eats yogurt - number of times	316
MDC_14N	0967-0967	Eats yogurt - reporting period	316
MDCD14Y	0968-0971	Eats yogurt - times per year - (D)	316
MDC_15	0972-0974	Eats ice cream or frozen yogurt - number of times	317
MDC_15N	0975-0975	Eats ice cream or frozen yogurt - reporting period	317
MDCD15Y	0976-0979	Eats ice cream or frozen yogurt - times per year - (D)	317
GFV_11	0980-0982	Eats hot or cold cereal - number of times	318
GFV_11N	0983-0983	Eats hot or cold cereal - reporting period	318
GFVD11Y	0984-0987	Eats hot or cold cereal - times per year - (D)	319
GFV_12	0988-0990	Eats whole grain bread - number of times	319
GFV_12N	0991-0991	Eats whole grain bread - reporting period	319
GFVD12Y	0992-0995	Eats whole grain bread - times per year - (D)	320
GFV_13	0996-0998	Eats white bread - number of times	320
GFV_13N	0999-0999	Eats white bread - reporting period	320
GFVD13Y	1000-1003	Eats white bread - times per year - (D)	321
GFV_14	1004-1006	Eats pasta - number of times	321
GFV_14N	1007-1007	Eats pasta - reporting period	322
GFVD14Y	1008-1011	Eats any kind of pasta - times per year - (D)	322
GFV_16	1012-1014	Eats instant, seasoned or wild rice - number of times	322
GFV_16N	1015-1015	Eats instant, seasoned or wild rice - reporting period	323
GFVD16Y	1016-1019	Eats instant, seasoned or wild rice - times per year - (D)	323
GFV_17A	1020-1022	Eats citrus fruit - number of times	323
GFV_17AN	1023-1023	Eats citrus fruit - reporting period	324
GFVD17AY	1024-1027	Eats citrus fruit - times per year - (D)	324
GFV_17B	1028-1030	Eats strawberries in the summer - number of times	325
GFV_17BN	1031-1031	Eats strawberries in the summer - reporting period	325
GFVD17BY	1032-1035	Eats strawberries - times per summer - (D)	325
GFV_17C	1036-1038	Eats strawberries during the rest of the year - number of times	326
GFV_17CN	1039-1039	Eats strawberries rest of the year - reporting period	326

GFVD17CY	1040-1043	Eats strawberries - times per year, excluding summer (D)	326
GFV_17D	1044-1046	Eats other types of fruit - number of times	327
GFV_17DN	1047-1047	Eats other types of fruit - reporting period	327
GFVD17DY	1048-1051	Eats other types of fruit - times per year - (D)	328
GFV_18	1052-1054	Eats tomatoes or tomato sauce - number of times	328
GFV_18N	1055-1055	Eats tomatoes or tomato sauce - reporting period	328
GFVD18Y	1056-1059	Eats tomatoes or tomato sauce - times per year - (D)	329
GFV_19	1060-1062	Eats lettuce or green leafy salad - number of times	329
GFV_19N	1063-1063	Eats lettuce or green leafy salad - reporting period	329
GFVD19Y	1064-1067	Eats lettuce or green leafy salad - times per year - (D)	330
GFV_20	1068-1070	Eats spinach, mustard greens or cabbage - number of times	330
GFV_20N	1071-1071	Eats spinach, mustard greens or cabbage - reporting period	330
GFVD20Y	1072-1075	Eats spinach, mustard greens, cabbage - times per year - (D)	331
GFV_21	1076-1078	Eats french/home fries or hash brown potatoes - number times	331
GFV_21N	1079-1079	Eats french/home fries or hash brown potatoes - reporting period	332
GFVD21Y	1080-1083	Eats french/home fries/hash brown potatoes - times per year - (D)	332
GFV_22	1084-1086	Eats other potatoes - number of times	332
GFV_22N	1087-1087	Eats other potatoes - reporting period	333
GFVD22Y	1088-1091	Eats other potatoes - times per year - (D)	333
GFV_23	1092-1094	Eats all other types of vegetables - number of times	334
GFV_23N	1095-1095	Eats all other types of vegetables - reporting period	334
GFVD23Y	1096-1099	Eats all other types of vegetables - times per year - (D)	334
GFV_24	1100-1102	Eats flax seeds, whole or ground - number of times	335
GFV_24N	1103-1103	Eats flax seeds, whole or ground - reporting period	335
GFVD24Y	1104-1107	Eats flax seeds - times per year - (D)	335
DFC_11	1108-1110	Eats regular-fat salad dressing/mayo - number of times	336
DFC_11N	1111-1111	Eats regular-fat salad dressing/mayo - reporting period	336
DFCD11Y	1112-1115	Eats regular-fat salad dressing/mayo - times per year - (D)	337
DFC_12	1116-1118	Eats regular-fat chips - number of times	337
DFC_12N	1119-1119	Eats regular-fat chips - reporting period	337
DFCD12Y	1120-1123	Eats regular-fat chips - times/year - (D)	338
DFC_13	1124-1126	Eats margarine - number of times	338
DFC_13N	1127-1127	Eats margarine - reporting period	338
DFCD13Y	1128-1131	Eats margarine - times per year - (D)	339
DFC_14	1132-1134	Eats omega-3 enriched margarine - number of times	339
DFC_14N	1135-1135	Eats omega-3 enriched margarine - reporting period	340
DFCD14Y	1136-1139	Eats omega-3 enriched margarine - times per year - (D)	340
WSD_30	1140-1142	Drinks diet soft drinks - number of times	340
WSD_30N	1143-1143	Drinks diet soft drinks - reporting period	341
WSDD30Y	1144-1147	Drinks diet soft drinks - times per year - (D)	341
WSD_31	1148-1150	Drinks regular soft drinks - number of times	342
WSD_31N	1151-1151	Drinks regular soft drinks - reporting period	342
WSDD31Y	1152-1155	Drinks regular soft drinks - times per year - (D)	342
WSD_32	1156-1158	Drinks sport drinks - number of times	343
WSD_32N	1159-1159	Drinks sport drinks - reporting period	343
WSDD32Y	1160-1163	Drinks sport drinks - times per year - (D)	343
WSD_33	1164-1166	Drinks vitamin-added water - number of times	344
WSD_33N	1167-1167	Drinks vitamin-added water - reporting period	344
WSDD33Y	1168-1171	Drinks vitamin-added water - times per year - (D)	345
WSD_34	1172-1174	Drinks orange or grapefruit juice - number of times	345
WSD_34N	1175-1175	Drinks orange or grapefruit juice - reporting period	345
WSDD34Y	1176-1179	Drinks orange or grapefruit juice - times per year - (D)	346
WSD_35	1180-1182	Drinks other 100% fruit juices - number of times	346
WSD_35N	1183-1183	Drinks other 100% fruit juices - reporting period	346
WSDD35Y	1184-1187	Drinks other 100% fruit juices - times per year - (D)	347
WSD_36	1188-1190	Drinks juice with calcium and vitamin D added - number of times	347
WSD_36N	1191-1191	Drinks juice with calcium and vitamin D added - reporting period	348
WSDD36Y	1192-1195	Drinks juice with calcium and vitamin D - times per year - (D)	348
WSD_37	1196-1198	Drinks fruit-flavoured drinks - number of times	348
WSD_37N	1199-1199	Drinks fruit-flavoured drinks - reporting period	349
WSDD37Y	1200-1203	Drinks fruit-flavoured drinks - times per year - (D)	349
WSD_38	1204-1206	Drinks vegetable juices - number of times	350
WSD_38N	1207-1207	Drinks vegetable juices - reporting period	350

WSDD38Y	1208-1211	Drinks vegetable juices - times per year - (D)	350
WSD_39	1212-1214	Drinks water at home - number of cups	351
WSD_39N	1215-1215	Drinks water at home - reporting period	351
WSDD39Y	1216-1220	Drinks water at home - number of cups per year - (D)	352
WSD_40	1221-1221	Primary source of drinking water - home	352
WSD_41	1222-1224	Drinks water away from home - number of cups	352
WSD_41N	1225-1225	Amount drinks water away from home - reporting period	353
WSDD41Y	1226-1230	Drinks water away from home - number of cups per year - (D)	353
WSD_42	1231-1231	Primary source of drinking water - away from home	354
WSD_43	1232-1232	Source of tap water - home	354
WSD_44A	1233-1233	Home water treated using - filter	355
WSD_44B	1234-1234	Home water treated using - water softener	355
WSD_44C	1235-1235	Home water treated using - ultraviolet system	356
WSD_44D	1236-1236	Home water treated using - reverse osmosis	356
WSD_44E	1237-1237	Home water treated using - boiling	357
WSD_44F	1238-1238	Home water treated using - distilling	357
WSD_44G	1239-1239	Home water treated using - other	357
WSD_44H	1240-1240	Home water treated using - no treatment	358
WSD_45	1241-1241	Water used for drinking or food treated with water softener	358
WSDDTWY	1242-1246	Drinks water (anywhere) - number of cups per year - (D)	359
SLT_005	1247-1247	Salt added to food	359
SLT_010	1248-1249	Type of salt usually used	360
SLT_015	1250-1250	Often ordinary table salt added cooking/preparation of foods	360
PAA_005	1251-1251	Active ways to get to places during the last week	361
PAA_010A	1252-1252	Active ways to get to places- Monday	361
PAA_010B	1253-1253	Active ways to get to places - Tuesday	361
PAA_010C	1254-1254	Active ways to get to places - Wednesday	362
PAA_010D	1255-1255	Active ways to get to places - Thursday	362
PAA_010E	1256-1256	Active ways to get to places - Friday	363
PAA_010F	1257-1257	Active ways to get to places - Saturday	363
PAA_010G	1258-1258	Active ways to get to places - Sunday	363
PAA_015	1259-1261	Time spent on active ways to get to places last week - hours	364
PAA_020N	1262-1265	Time spent on active ways to get to places last week - minutes	364
PAADTRVL	1266-1270	Total minutes of active transportation per week - (D)	365
PAA_030	1271-1271	Recreational physical activities - last week	365
PAA_035	1272-1272	Recreational physical activities - sweat and breathe harder	365
PAA_040A	1273-1273	Recreational physical activities - sweat and breathe harder - Monday	366
PAA_040B	1274-1274	Recreational physical activities - sweat and breathe harder - Tuesday	366
PAA_040C	1275-1275	Recreational physical activities - sweat and breathe harder - Wed.	367
PAA_040D	1276-1276	Recreational physical activities - sweat and breathe harder - Thursday	367
PAA_040E	1277-1277	Recreational physical activities - sweat and breathe harder - Friday	368
PAA_040F	1278-1278	Recreational physical activities - sweat and breathe harder - Saturday	368
PAA_040G	1279-1279	Recreational physical activities - sweat and breathe harder - Sunday	368
PAA_045	1280-1282	Time spent on recreational physical activities - hours	369
PAA_050N	1283-1286	Time spent on recreational physical activities - minutes	369
PAADREC	1287-1291	Total minutes of recreational physical activity per week - (D)	370
PAA_060	1292-1292	Other physical activities - last week	370
PAA_065	1293-1293	Other physical activities - sweat and breathe harder	370
PAA_070A	1294-1294	Other physical activities - sweat and breathe harder - Monday	371
PAA_070B	1295-1295	Other physical activities - sweat and breathe harder - Tuesday	371
PAA_070C	1296-1296	Other physical activities - sweat and breathe harder - Wednesday	372
PAA_070D	1297-1297	Other physical activities - sweat and breathe harder - Thursday	372
PAA_070E	1298-1298	Other physical activities - sweat and breathe harder - Friday	373
PAA_070F	1299-1299	Other physical activities - sweat and breathe harder - Saturday	373
PAA_070G	1300-1300	Other physical activities - sweat and breathe harder - Sunday	373
PAA_075	1301-1303	Time spent on other physical activities - hours	374
PAA_080N	1304-1307	Time spent on other physical activities - minutes	374
PAADOTH	1308-1312	Total minutes of other physical activities per week - (D)	375
PAADTOT	1313-1317	Total minutes of physical activity from all domains per week - (D)	375
PAA_095	1318-1318	Vigorous intensity physical activities	375
PAA_100	1319-1321	Vigorous intensity physical activities - hours	376
PAA_105N	1322-1325	Vigorous intensity physical activities - minutes	376
PAADVIG	1326-1330	Total minutes of vigorous intensity physical activities per week - (D)	377

PAY_05A	1331-1331	Attend school - Last week	377
PAY_05B	1332-1332	Attend day camp - Last week	377
PAY_05C	1333-1333	Attend paid or unpaid work - Last week	378
PAY_05D	1334-1334	None of the above - Last week	378
PAY_10	1335-1335	Active ways to get to places during the last week	379
PAY_15A	1336-1337	Time spent on active ways to get to places - [Sunday] - hours	379
PAY_15AN	1338-1340	Time spent on active ways to get to places - [Sunday] - minutes	379
PAY_15B	1341-1342	Time spent on active ways to get to places - [Monday] - hours	380
PAY_15BN	1343-1345	Time spent on active ways to get to places - [Monday] - minutes	380
PAY_15C	1346-1347	Time spent on active ways to get to places - [Tuesday] - hours	381
PAY_15CN	1348-1350	Time spent on active ways to get to places - [Tuesday] - minutes	381
PAY_15D	1351-1352	Time spent on active ways to get to places - [Wednesday] - hours	381
PAY_15DN	1353-1355	Time spent on active ways to get to places - [Wednesday] - minutes	382
PAY_15E	1356-1357	Time spent on active ways to get to places - [Thursday] - hours	382
PAY_15EN	1358-1360	Time spent on active ways to get to places - [Thursday] - minutes	383
PAY_15F	1361-1362	Time spent on active ways to get to places - [Friday] - hours	383
PAY_15FN	1363-1365	Time spent on active ways to get to places - [Friday] - minutes	383
PAY_15G	1366-1367	Time spent on active ways to get to places - [Saturday] - hours	384
PAY_15GN	1368-1370	Time spent on active ways to get to places - [Saturday] - minutes	384
PAYDTRV1	1371-1374	Time of active transportation (minutes) - Sunday - (D)	385
PAYDTRV2	1375-1378	Time of active transportation (minutes) - Monday - (D)	385
PAYDTRV3	1379-1382	Time of active transportation (minutes) - Tuesday - (D)	385
PAYDTRV4	1383-1386	Time of active transportation (minutes) - Wednesday - (D)	386
PAYDTRV5	1387-1390	Time of active transportation (minutes) - Thursday - (D)	386
PAYDTRV6	1391-1394	Time of active transportation (minutes) - Friday - (D)	386
PAYDTRV7	1395-1398	Time of active transportation (minutes) - Saturday - (D)	387
PAYDTRVL	1399-1403	Total minutes of active transportation per week - (D)	387
PAY_25	1404-1404	Physical activities at school/day camp - last week	388
PAY_30	1405-1405	Physical activities at school/day camp - sweat and breathe harder	388
PAY_35A	1406-1407	Activities school/day camp - sweat/breathe harder - [Sunday] - hours	388
PAY_35AN	1408-1410	Activities school/day camp - sweat/breathe harder - [Sunday] - minutes	389
PAY_35B	1411-1412	Activities school/day camp - sweat/breathe harder - [Monday] - hours	389
PAY_35BN	1413-1415	Activities school/day camp - sweat/breathe harder - [Monday] - minutes	389
PAY_35C	1416-1417	Activities school/day camp - sweat/breathe harder - [Tuesday] - hours	390
PAY_35CN	1418-1420	Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes	390
PAY_35D	1421-1422	Activities school/day camp - sweat/breathe harder - [Wed.] - hours	391
PAY_35DN	1423-1425	Activities school/day camp - sweat/breathe harder - [Wed.] - minutes	391
PAY_35E	1426-1427	Activities school/day camp - sweat/breathe harder - [Thursday] - hours	391
PAY_35EN	1428-1430	Activities school/day camp - sweat/breathe harder - [Thursday]-minutes	392
PAY_35F	1431-1432	Activities school/day camp - sweat/breathe harder - [Friday] - hours	392
PAY_35FN	1433-1435	Activities school/day camp - sweat/breathe harder - [Friday] - minutes	393
PAY_35G	1436-1437	Activities school/day camp - sweat/breathe harder - [Saturday] - hours	393
PAY_35GN	1438-1440	Activities school/day camp - sweat/breathe harder - [Saturday]-minutes	393
PAYDSCH2	1441-1444	Time of physical activity at school/day camp (minutes) - Monday - (D)	394
PAYDSCH3	1445-1448	Time of physical activity at school/day camp (minutes) - Tuesday - (D)	394
PAYDSCH4	1449-1452	Time of physical activity at school/day camp (minutes)-Wednesday - (D)	395
PAYDSCH5	1453-1456	Time of physical activity at school/day camp (minutes)-Thursday - (D)	395
PAYDSCH6	1457-1460	Time of physical activity at school/day camp (minutes) - Friday - (D)	395
PAYDSCHL	1461-1465	Total minutes of physical activity at school/day camp per week - (D)	396
PAY_45	1466-1466	Physical activities in leisure time	396
PAY_50	1467-1467	Physical activities in leisure time - sweat and breathe harder	396
PAY_55A	1468-1469	Leisure-time activities - sweat/breathe harder - [Sunday] - hours	397
PAY_55AN	1470-1472	Leisure-time activities - sweat/breathe harder - [Sunday] - minutes	397
PAY_55B	1473-1474	Leisure-time activities - sweat/breathe harder - [Monday] - hours	398
PAY_55BN	1475-1477	Leisure-time activities - sweat/breathe harder - [Monday] - minutes	398
PAY_55C	1478-1479	Leisure-time activities - sweat/breathe harder - [Tuesday] - hours	398
PAY_55CN	1480-1482	Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes	399
PAY_55D	1483-1484	Leisure-time activities - sweat/breathe harder - [Wednesday] - hours	399
PAY_55DN	1485-1487	Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes	400
PAY_55E	1488-1489	Leisure-time activities - sweat/breathe harder - [Thursday] - hours	400
PAY_55EN	1490-1492	Leisure-time activities - sweat/breathe harder - [Thursday] - minutes	400
PAY_55F	1493-1494	Leisure-time activities - sweat/breathe harder - [Friday] - hours	401
PAY_55FN	1495-1497	Leisure-time activities - sweat/breathe harder - [Friday] - minutes	401

PAY_55G	1498-1499	Leisure-time activities - sweat/breathe harder - [Saturday] - hours	402
PAY_55GN	1500-1502	Leisure-time activities - sweat/breathe harder - [Saturday] - minutes	402
PAYDREC1	1503-1506	Time of recreational physical activity (minutes) - Sunday - (D)	402
PAYDREC2	1507-1510	Time of recreational physical activity (minutes) - Monday - (D)	403
PAYDREC3	1511-1514	Time of recreational physical activity (minutes) - Tuesday - (D)	403
PAYDREC4	1515-1518	Time of recreational physical activity (minutes) - Wednesday - (D)	403
PAYDREC5	1519-1522	Time of recreational physical activity (minutes) - Thursday - (D)	404
PAYDREC6	1523-1526	Time of recreational physical activity (minutes) - Friday - (D)	404
PAYDREC7	1527-1530	Time of recreational physical activity (minutes) - Saturday - (D)	404
PAYDREC	1531-1535	Total minutes of recreational physical activity per week - (D)	405
PAY_65	1536-1536	Other physical activities - last week	405
PAY_70	1537-1537	Other physical activities - sweat and breathe harder	406
PAY_75A	1538-1539	Other physical act. - sweat and breathe harder - [Sunday] - hours	406
PAY_75AN	1540-1542	Other physical act. - sweat and breathe harder - [Sunday] - minutes	406
PAY_75B	1543-1544	Other physical act. - sweat and breathe harder - [Monday] - hours	407
PAY_75BN	1545-1547	Other physical act. - sweat and breathe harder - [Monday] - minutes	407
PAY_75C	1548-1549	Other physical act. - sweat and breathe harder - [Tuesday] - hours	408
PAY_75CN	1550-1552	Other physical act. - sweat and breathe harder - [Tuesday] - minutes	408
PAY_75D	1553-1554	Other physical act. - sweat and breathe harder - [Wednesday] - hours	408
PAY_75DN	1555-1557	Other physical act. - sweat and breathe harder - [Wednesday] - minutes	409
PAY_75E	1558-1559	Other physical act. - sweat and breathe harder - [Thursday] - hours	409
PAY_75EN	1560-1562	Other physical act. - sweat and breathe harder - [Thursday] - minutes	409
PAY_75F	1563-1564	Other physical act. - sweat and breathe harder - [Friday] - hours	410
PAY_75FN	1565-1567	Other physical act. - sweat and breathe harder - [Friday] - minutes	410
PAY_75G	1568-1569	Other physical act. - sweat and breathe harder - [Saturday] - hours	410
PAY_75GN	1570-1572	Other physical act. - sweat and breathe harder - [Saturday] - minutes	411
PAYDOTH1	1573-1576	Time of other physical activities (minutes) - Sunday - (D)	411
PAYDOTH2	1577-1580	Time of other physical activities (minutes) - Monday - (D)	412
PAYDOTH3	1581-1584	Time of other physical activities (minutes) - Tuesday - (D)	412
PAYDOTH4	1585-1588	Time of other physical activities (minutes) - Wednesday - (D)	412
PAYDOTH5	1589-1592	Time of other physical activities (minutes) - Thursday - (D)	413
PAYDOTH6	1593-1596	Time of other physical activities (minutes) - Friday - (D)	413
PAYDOTH7	1597-1600	Time of other physical activities (minutes) - Saturday - (D)	413
PAYDOTH	1601-1605	Total minutes of other physical activities per week - (D)	414
PAYDTOT	1606-1610	Total minutes of physical activity from all domains per week - (D)	414
PAY_90	1611-1611	Vigorous intensity physical activities	415
PAY_95A	1612-1612	Vigorous intensity physical activities - Monday	415
PAY_95B	1613-1613	Vigorous intensity physical activities - Tuesday	415
PAY_95C	1614-1614	Vigorous intensity physical activities - Wednesday	416
PAY_95D	1615-1615	Vigorous intensity physical activities - Thursday	416
PAY_95E	1616-1616	Vigorous intensity physical activities - Friday	417
PAY_95F	1617-1617	Vigorous intensity physical activities - Saturday	417
PAY_95G	1618-1618	Vigorous intensity physical activities - Sunday	417
PAY_100	1619-1621	Vigorous intensity physical activities - last week - hours	418
PAY_105N	1622-1625	Vigorous intensity physical activities - last week - minutes	418
PAYDVIG	1626-1630	Total minutes of vigorous intensity physical activities per week - (D)	418
CPA_005	1631-1632	Number of days physically active - past 7 days	419
CPA_010	1633-1634	Number of days physically active - usual week	419
CPA_015	1635-1635	Hours/week - physical activity - free time at school	420
CPA_020	1636-1636	Hours/week - physical activity - class time at school	420
CPA_025	1637-1637	Hours/week - physical activity - lessons or sports	421
CPA_030	1638-1638	Hours/week - physical activity - unorganized activities	421
CPA_035	1639-1642	Hours/day - screen time	422
CPADSACX	1643-1646	Total number of hours per day spent in sedentary activities	422
CPADTOTX	1647-1649	Total number of hours per week participated in physical activities	422
TSD_05	1650-1650	Went to school (including kindergarten)	423
TSD_10A	1651-1651	Weekday - Before or after school care at school	423
TSD_10B	1652-1652	Weekday - Daycare centre	424
TSD_10C	1653-1653	Weekday - Daycare in someone else's home	424
TSD_10D	1654-1654	Weekday - Nursery school or preschool	424
TSD_10E	1655-1655	Weekday - Stayed home with parent/guardian/caregiver/relative	425
TSD_10F	1656-1656	Weekday - Any other type of childcare	425
TSD_15	1657-1657	Grade at school	425

TSD_20	1658-1659	Days attended kindergarten - Last seven	426
TSD_25A	1660-1661	Time spent outdoors in the morning - Kindergarten day (hours)	426
TSD_25AN	1662-1664	Time spent outdoors in the morning - Kindergarten day (minutes)	427
TSD_25B	1665-1666	Time spent outdoors - noon to 3pm - Kindergarten day (hours)	427
TSD_25BN	1667-1669	Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)	427
TSD_25C	1670-1671	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)	428
TSD_25CN	1672-1674	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)	428
TSD_25D	1675-1676	Time spent outdoors after dinner - Kindergarten day (hours)	429
TSD_25DN	1677-1679	Time spent outdoors after dinner - Kindergarten day (minutes)	429
TSD_30A	1680-1681	Time spent outdoors in the morning - No kindergarten (hours)	429
TSD_30AN	1682-1684	Time spent outdoors in the morning - No kindergarten (minutes)	430
TSD_30B	1685-1686	Time spent outdoors from noon until 3pm - No kindergarten (hours)	430
TSD_30BN	1687-1689	Time spent outdoors from noon until 3pm - No kindergarten(minutes)	431
TSD_30C	1690-1691	Time spent outdoors from 3pm until dinner - No kindergarten (hours)	431
TSD_30CN	1692-1694	Time spent outdoors from 3pm until dinner - No kindergarten (minutes)	431
TSD_30D	1695-1696	Time spent outdoors after dinner - No kindergarten (hours)	432
TSD_30DN	1697-1699	Time spent outdoors after dinner - No kindergarten (minutes)	432
TSD_35	1700-1701	Days attended school - Last seven days	433
TSD_40A	1702-1703	Time spend outdoors before school (hours)	433
TSD_40AN	1704-1706	Time spent outdoors before school (minutes)	434
TSD_40B	1707-1708	Time spend outdoors during school hours (hours)	434
TSD_40BN	1709-1711	Time spend outdoors during school hours (minutes)	434
TSD_40C	1712-1713	Time spent outdoors from 3 p.m. until dinner - School day (hours)	435
TSD_40CN	1714-1716	Time spent outdoors from 3 p.m. until dinner - School day (minutes)	435
TSD_40D	1717-1718	Time spent outdoors after dinner - School day (hours)	435
TSD_40DN	1719-1721	Time spent outdoors after dinner - School day (minutes)	436
TSD_45A	1722-1723	Time spent outdoors in the morning - Did not attend school (hours)	436
TSD_45AN	1724-1726	Time spent outdoors in the morning - Did not attend school (minutes)	437
TSD_45B	1727-1728	Time spent outdoors from noon until 3 pm - Did not attend school (hrs)	437
TSD_45BN	1729-1731	Time spent outdoors from noon until 3pm -Did not attend school (min)	437
TSD_45C	1732-1733	Time spent outdoors from 3 until dinner - Did not attend school (hrs)	438
TSD_45CN	1734-1736	Time spent outdoors from 3pm until dinner-Did not attend school (mins)	438
TSD_45D	1737-1738	Time spent outdoors after dinner - Did not attend school (hours)	439
TSD_45DN	1739-1741	Time spent outdoors after dinner - Did not attend school (minutes)	439
TSD_50A	1742-1743	Time spent outdoors in the morning - Average weekday (hours)	440
TSD_50AN	1744-1746	Time spent outdoors in the morning - Average weekday (minutes)	440
TSD_50B	1747-1748	Time spent outdoors from noon until 3pm - Average weekday (hours)	440
TSD_50BN	1749-1751	Time spent outdoors from noon until 3pm - Average weekday (minutes)	441
TSD_50C	1752-1753	Time spent outdoors from 3pm until dinner - Average weekday (hours)	441
TSD_50CN	1754-1756	Time spent outdoors from 3pm until dinner - Average weekday (minutes)	441
TSD_50D	1757-1758	Time spent outdoors after dinner - Average weekday (hours)	442
TSD_50DN	1759-1761	Time spent outdoors after dinner - Average weekday (minutes)	442
TSD_55	1762-1763	Time spent outdoors - Average weekend day (hours)	443
TSD_55N	1764-1766	Time spent outdoors - Average weekend day (minutes)	443
SAC_005	1767-1770	Number of hours per week - reading - past 7 days	443
SAC_010	1771-1774	Number of hours per week - television/DVD/videos - past 7 days	444
SAC_015	1775-1778	Number of hours per week - other types of games - past 7 days	444
SAC_020	1779-1782	Number of hours per week - play video games - past 7 days	445
SAC_025	1783-1786	Number of hours per week - on a computer - past 7 days	445
SACDTOT	1787-1788	Sedentary activity (hours per week) - categorical (D)	445
SACDTOTX	1789-1793	Sedentary activity (hours per week) - continuous (D)	446
SACDRCO	1794-1798	Sedentary activity excluding reading (hours per week) - continuous (D)	446
SACDRCA	1799-1800	Sedentary activity excluding reading (hours/week) - categorical (D)	447
NBE_005	1801-1802	Type of housing - neighbourhood	447
NBE_015	1803-1803	Shops, stores, markets, other places - neighbourhood	448
NBE_020	1804-1804	Transit stop - neighbourhood	448
NBE_025	1805-1805	There are sidewalks - neighbourhood	449
NBE_030	1806-1806	Designated areas for biking - neighbourhood	449
NBE_035	1807-1807	Free or low cost recreation facilities - neighbourhood	449
NBE_040	1808-1808	Crime rate - neighbourhood	450
NBE_045	1809-1809	Many interesting things to look at - neighbourhood	450
NBE_050	1810-1810	Sidewalks are well maintained - neighbourhood	451
NBE_055	1811-1811	Traffic makes it unpleasant to walk - neighbourhood	451

NBE_060	1812-1812	Traffic makes it unpleasant to bike - neighbourhood	451
NBE_070	1813-1813	Driver's licence	452
NBE_075	1814-1814	Vehicle at disposal	452
SMK_11	1815-1815	Smoked 100 or more cigarettes - lifetime	453
SMK_12	1816-1816	Type of smoker	453
SMK_21	1817-1818	Age - smoked first whole cigarette	453
SMK_21A	1819-1819	Smoked at least 1 cigarette a month	454
SMK_22	1820-1821	Age - started smoking at least 1 cigarette/month	454
SMK_23	1822-1823	Number days/typical month smoked at least 1 cigarette	455
SMK_24	1824-1825	Number of cigarettes smoked per day at age started smoking	455
SMK_31	1826-1827	Number of cigarettes smoked per day (daily smoker)	455
SMK_41	1828-1829	Number of cigarettes smoked per day (occasional smoker)	456
SMK_42	1830-1831	Number days/past month - smoked 1 cigarette or more (occasional)	456
SMK_51	1832-1832	Ever smoked cigarettes daily	457
SMK_52	1833-1834	Age started smoking daily	457
SMK_53	1835-1836	Number of cigarettes usually smoked per day	457
SMK_54	1837-1838	Age stopped smoking cigarettes daily/completely	458
SMK_60	1839-1839	Smoked cigars/pipe or used snuff/chewing tobacco - past month	458
SMKDSTY	1840-1841	Type of smoker - (D)	459
SMKDSTP	1842-1844	Number of years since stopping smoking completely - (D)	459
SMKDYFS	1845-1847	Number of years smoked daily (former daily smokers) - (D)	460
SMKDAQD	1848-1849	Age stopped smoking daily - (D)	460
SMKDAQS	1850-1851	Age stopped smoking completely - (D)	460
SMKDASD	1852-1853	Age started smoking daily - (D)	461
SMKDNSD	1854-1855	Number of cigs smoked daily - (D)	461
ELC_005	1856-1856	Tried an electronic cigarette	461
ELC_010	1857-1857	Use an electronic cigarette - past month	462
ELC_015	1858-1858	Nicotine in the last e-cigarette	462
ETS_01	1859-1859	Allowed smoking inside this home	463
ETS_02	1860-1860	Smoking restricted inside this home	463
ETS_03A	1861-1861	Smoking restriction - allow in certain rooms only	464
ETS_03B	1862-1862	Smoking restriction - in presence of young children	464
ETS_03C	1863-1863	Smoking restriction - allow if windows are open/ventilation	465
ETS_03D	1864-1864	Smoking restriction - other restriction	465
ETS_04	1865-1866	How often someone smokes inside the home	465
ETS_05	1867-1868	Number of people who smoke inside home every day	466
ETS_06A	1869-1869	Product smoked inside home - cigarettes	466
ETS_06B	1870-1870	Product smoked inside home - cigarillos or little cigars	467
ETS_06C	1871-1871	Product smoked inside home - all other types of cigars	467
ETS_06D	1872-1872	Product smoked inside home - pipes	468
ETS_07	1873-1875	Number of cigars/cigarettes smoked inside home	468
ETS_08	1876-1876	Total period time/typical day smoking pipe	469
ETS_09	1877-1877	Often exposed to second-hand smoke inside home - past month	469
ETS_14	1878-1878	Exposed to second-hand smoke - private vehicle	470
ETS_16	1879-1879	Exposed to second-hand smoke - place of work	470
ETS_20	1880-1880	Exposed to second-hand smoke - inside someone else's home	470
ETS_21	1881-1881	Exposed to second-hand smoke - indoors, in public places	471
ETS_22	1882-1882	Exposed to second-hand smoke - outdoors, in public places	471
ETS_23	1883-1883	Exposed to second-hand smoke - anywhere else	472
ETS_24	1884-1884	Often exposed to second-hand smoke excluding own home - past month	472
ETV_005	1885-1885	Exposed to second-hand vapour inside home	473
ALC_11	1886-1886	Drank alcohol - past 12 months	473
ALC_12	1887-1888	Frequency of drinking alcohol	473
ALC_13A	1889-1890	Frequency of having [5/4] or more drinks	474
ALC_14	1891-1891	Drank alcohol - past week	474
ALC_15A	1892-1893	Number of drinks - Sunday	475
ALC_15B	1894-1895	Number of drinks - Monday	475
ALC_15C	1896-1897	Number of drinks - Tuesday	476
ALC_15D	1898-1899	Number of drinks - Wednesday	476
ALC_15E	1900-1901	Number of drinks - Thursday	476
ALC_15F	1902-1903	Number of drinks - Friday	477
ALC_15G	1904-1905	Number of drinks - Saturday	477
ALC_16	1906-1906	Usual consumption of alcohol	477

ALC_17	1907-1907	Ever had a drink	478
ALC_18	1908-1908	Regularly drank more than 12 drinks a week	478
ALC_19	1909-1910	Age - started drinking alcoholic beverages	479
ALCDDLY	1911-1913	Average daily alcohol consumption - (D)	479
ALCDTYP	1914-1914	Type of drinker - (D)	479
ALCDWKY	1915-1917	Weekly consumption - (D)	480
IDU_11	1918-1918	Used or tried marijuana, cannabis or hashish	480
IDU_21	1919-1919	Used or tried prescription drugs for the feeling	481
IDU_22	1920-1920	Used or tried other drugs (cocaine, speed)	481
IDU_32	1921-1921	Injected with drugs for the experience/feeling	482
IDU_33	1922-1922	Other than by injection, used other drugs for the feeling	482
SXB_11	1923-1923	Ever had sexual intercourse	482
SXB_12	1924-1924	Sexual intercourse - past 12 months	483
SXB_13	1925-1925	Number of different partners - past 12 months	483
SXB_21	1926-1926	Ever diagnosed with a sexually transmitted disease/infection	484
SXB_22A	1927-1927	Sexually transmitted disease/infection - HIV	484
SXB_22B	1928-1928	Sexually transmitted disease/infection - AIDS	485
SXB_22C	1929-1929	Sexually transmitted disease/infection - Chlamydia	485
SXB_22D	1930-1930	Sexually transmitted disease/infection - Genital Herpes	486
SXB_22E	1931-1931	Sexually transmitted disease/infection - Syphilis	486
SXB_22F	1932-1932	Sexually transmitted disease/infection - Gonorrhoea	487
SXB_22G	1933-1933	Sexually transmitted disease/infection - Genital Warts	487
SXB_22H	1934-1934	Sexually transmitted disease/infection - Venereal disease	488
SXB_22I	1935-1935	Sexually transmitted disease/infection - Hepatitis B	488
SXB_22J	1936-1936	Sexually transmitted disease/infection - other	489
SXB_23	1937-1937	Use of condom / last time had sexual intercourse	489
SXB_24	1938-1938	Usual use of condom	490
BCL_005	1939-1939	Ever used birth control pills	490
BCL_010	1940-1940	Number of years used birth control pills	491
BCL_015	1941-1941	Ever had a progesterone birth control injection	491
BCL_020	1942-1942	Number of years used progesterone injections	491
MBF_11	1943-1943	Ever given birth	492
MBF_12	1944-1945	Number of live births	492
MBF_21A	1946-1946	Breastfeeding first baby	493
MBF_21AA	1947-1948	Length of time breastfeeding first baby	493
MBF_21B	1949-1949	Breastfeeding second baby	494
MBF_21BB	1950-1951	Length of time breastfeeding second baby	494
MBF_21C	1952-1952	Breastfeeding third baby	495
MBF_21CC	1953-1954	Length of time breastfeeding third baby	495
MBF_21D	1955-1955	Breastfeeding fourth baby	496
MBF_21DD	1956-1957	Length of time breastfeeding fourth baby	496
MBF_21E	1958-1958	Breastfeeding fifth baby	496
MBF_21EE	1959-1960	Length of time breastfeeding fifth baby	497
MBF_21F	1961-1961	Breastfeeding sixth baby	497
MBF_21FF	1962-1963	Length of time breastfeeding sixth baby	498
MBF_21G	1964-1964	Breastfeeding seventh baby	498
MBF_21GG	1965-1966	Length of time breastfeeding seventh baby	498
MBF_21H	1967-1967	Breastfeeding eighth baby	499
MBF_21HH	1968-1969	Length of time breastfeeding eighth baby	499
MBF_21I	1970-1970	Breastfeeding ninth baby	500
MBF_21II	1971-1972	Length of time breastfeeding ninth baby	500
MBF_21J	1973-1973	Breastfeeding tenth baby	500
MBF_21JJ	1974-1975	Length of time breastfeeding tenth baby	501
MBF_21K	1976-1976	Breastfeeding eleventh baby	501
MBF_21KK	1977-1978	Length of time breastfeeding eleventh baby	501
MBF_21L	1979-1979	Breastfeeding twelfth baby	502
MBF_21LL	1980-1981	Length of time breastfeeding twelfth baby	502
MBF_21M	1982-1982	Breastfeeding thirteenth baby	502
MBF_21MM	1983-1984	Length of time breastfeeding thirteenth baby	503
MBF_21N	1985-1985	Breastfeeding fourteenth baby	503
MBF_21NN	1986-1987	Length of time breastfeeding fourteenth baby	504
MBF_21O	1988-1988	Breastfeeding fifteenth baby	504
MBF_21OO	1989-1990	Length of time breastfeeding fifteenth baby	504

PRG_11	1991-1991	Smoked during pregnancy	505
PRG_12	1992-1993	Number of cigarettes/day	505
PRG_13A	1994-1994	Stage of pregnancy - first trimester	505
PRG_13B	1995-1995	Stage of pregnancy - second trimester	506
PRG_13C	1996-1996	Stage of pregnancy - third trimester	506
PRG_13D	1997-1997	Stage of pregnancy - throughout	507
BIR_11	1998-1998	Weight at birth	507
BIR_12	1999-2000	Birth weight - Pounds	508
BIR_13	2001-2002	Birth weight - Ounces	508
BIR_14	2003-2006	Birth weight - Grams	508
BIR_21	2007-2007	Born before, on or after due date	509
BIR_22	2008-2010	Days before/after due date	509
BIR_23	2011-2011	Type of birth	510
BIR_24	2012-2012	Respondent admitted to neonatal unit	510
BIR_25	2013-2015	Days care received	510
BIR_26	2016-2017	Age of mother	511
BRI_11	2018-2018	Respondent breastfed	511
BRI_12	2019-2020	Length of time breastfed	512
BRI_13	2021-2022	Length of time fed only breast milk	512
BRIFEB6	2023-2023	Exclusive breastfeeding for at least 3 months - (D)	513
LMAM_01	2024-2024	Job - last week had a job or business	513
LMAM_02	2025-2025	Job - had a job/ business last week but was absent	514
LMAM_03	2026-2027	Job - main reason absent work last week	514
LMA2_04	2028-2028	Job - last 4 weeks tried to find work	515
LMA2_05	2029-2029	Job - last week had job with start date	515
LMA2_06	2030-2030	Job - start date	515
LMA2_07	2031-2031	Job - wanted job with more or less 30 hours per week	516
LMA2_08	2032-2032	Job - could have worked last week if offered	516
LMA2_09	2033-2034	Job - main reason not available to work last week	517
LMA3_10	2035-2035	Job - were you employee/self-employed	517
LMH_016	2036-2040	Number of hours worked per week	518
LAFDWSL	2041-2042	Working status last week (6 groups) - (D)	518
LAFDWSS	2043-2043	Working status last week (4 groups) - (D)	518
LAFCIC17	2044-2047	North American Industry Classification System (NAICS) 2017	519
LAFCOC16	2048-2051	National Occupational Classification - Statistics (NOC-S) 2016	519
LAFGO16A	2052-2053	Variant of NOC for highly aggregated data - (G)	520
LAFGO16S	2054-2055	Variant for analysis by NOC skill level - (G)	520
IMG_02	2056-2057	Province/territory of birth	520
IMG_03	2058-2058	Landed immigrant	521
IMG_04	2059-2062	Year first became landed immigrant in Canada	521
IMGDLLI	2063-2065	Length of time since became a landed immigrant - (D)	521
IMGDALI	2066-2068	Age at time of landed immigration - (D)	522
AMB_01	2069-2069	Is an aboriginal person	522
AMB_02A	2070-2070	Aboriginal person - First Nations	523
AMB_02B	2071-2071	Aboriginal person - Métis	523
AMB_02C	2072-2072	Aboriginal person - Inuk (Inuit)	524
AMBFABT	2073-2073	Aboriginal origin or identity - (F)	524
PG_01A	2074-2074	Population group - White	524
PG_01B	2075-2075	Population group - South Asian	525
PG_01C	2076-2076	Population group - Chinese	525
PG_01D	2077-2077	Population group - Black	526
PG_01E	2078-2078	Population group - Filipino	526
PG_01F	2079-2079	Population group - Latin American	526
PG_01G	2080-2080	Population group - Arab	527
PG_01H	2081-2081	Population group - Southeast Asian	527
PG_01I	2082-2082	Population group - West Asian	528
PG_01J	2083-2083	Population group - Korean	528
PG_01K	2084-2084	Population group - Japanese	528
PG_01L	2085-2085	Population group - Other	529
PGDCGT	2086-2087	Cultural or racial group - (D)	529
IMGCCB	2088-2092	Country of birth - (C)	530
IMGGCB	2093-2094	Country of birth - (G)	530
LAE_01	2095-2095	Language - knowledge of official languages	531

LAEC02A	2096-2103	Language - knowledge of non-offical language - 1st	531
LAEC02B	2104-2111	Language - knowledge of non-offical language - 2nd	531
LAEC02C	2112-2119	Language - knowledge of non-offical language - 3rd	532
LAEC03A	2120-2127	Language - home language spoken most often - 1st	532
LAEC03B	2128-2135	Language - home language spoken most often - 2nd	533
LAEC03C	2136-2143	Language - home language spoken most often - 3rd	533
LAEC06A	2144-2151	Language - mother tongue - 1st	533
LAEC06B	2152-2159	Language - mother tongue - 2nd	534
LAEC06C	2160-2167	Language - mother tongue - 3rd	534
LAEDCON	2168-2169	Languages - can converse - (D)	535
LAEDFL1	2170-2171	First language learned and still understood - (D)	535
LAEDSPH	2172-2173	Language(s) spoken most often at home - (D)	535
ESC1_01	2174-2174	Currently attending school, college, CEGEP or university	536
EDM_01A	2175-2175	Attending educational institutiuon - elementary/jr. h.s./high school	536
EDM_01B	2176-2176	Attending educational institution - trade school/college/CEGEP	537
EDM_01C	2177-2177	Attending educational institution - university	537
EDM_02	2178-2178	Enrolled as full/part time student	537
TPI_01	2179-2186	Total personal income - amount	538
TPI_02	2187-2187	Total personal income - ranges - income lost to $30,000	538
TPI_03	2188-2189	Total personal income - ranges - less than $5,000 to $30, 000	539
TPI_04	2190-2191	Total personal income - ranges - $30,000 and over	539
TPID14	2192-2193	Total personal income - groups - (G)	540
THI_01	2194-2201	Total household income - amount	540
THIFIMP4	2202-2202	Total household income imputation flag - (F)	541
THID14	2203-2204	Total household income - groups - (G)	542
WGT_FULL	2205-2219	Full sample weight	542

Topical Index 543
Variable Index 567

Variable Name: CLINICID **Length:** 8.0 **Position:** 1

Question Name:

Concept: Clinic identifier of selected respondent

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: SITE **Length:** 2.0 **Position:** 9

Question Name:

Concept: Collection site

Question Text:

Universe: All respondents

Note: The population count next to the name of each site below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the site represents.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ottawa Centre	01	350	1,943,500	5.8
Lower Sackville / Bedford	02	350	1,032,000	3.1
Quebec Centre	03	450	2,783,500	8.3
Richmond Hill	04	350	2,154,000	6.4
Nanaimo	05	400	1,202,500	3.6
Mississauga Northwest	06	300	1,949,500	5.8
Canmore / Banff	07	400	1,731,000	5.1
Montreal Centre	08	350	2,493,000	7.4
Vancouver North and West	09	400	3,207,000	9.5
Edmonton West / St. Albert	10	300	2,384,000	7.1
Owen Sound	11	300	1,998,000	5.9
Winnipeg Southwest	12	400	2,072,000	6.1
Deer Lake / Pasadena	13	350	1,146,500	3.4
Toronto Centre	14	300	2,698,500	8.0
Baie-Comeau	15	400	2,437,000	7.2
London West	16	350	2,493,500	7.4
Total		5,800	33,725,500	100.0

Variable Name: C2_DAY **Length:** 2.0 **Position:** 11

Question Name:

Concept: Day of household interview

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Day (1 to 31)		01 - 31	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: C2_MTH **Length:** 2.0 **Position:** 13

Question Name:

Concept: Month of household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Month (1 to 12)		01 - 12	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: C2_YEAR **Length:** 4.0 **Position:** 15

Question Name:

Concept: Year of household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Year		2018 - 2019	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: PROXY **Length:** 1.0 **Position:** 19

Question Name:

Concept: Health component completed by proxy

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Proxy	1	1,650	3,717,500	11.0
Non-proxy	2	4,150	30,008,000	89.0
Total		5,800	33,725,500	100.0

Variable Name: PPI_02 **Length:** 1.0 **Position:** 20

Question Name: PPI_N02

Concept: Person providing health component information - parent/guardian

Question Text: Is the person providing the information a parent or guardian of (Respondent name)?

Universe: PROXY = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,650	3,671,000	10.9
No	2	0	46,500	0.1
Valid skip	6	4,150	30,008,000	89.0
Total		5,800	33,725,500	100.0

Variable Name: PPI_03 **Length:** 1.0 **Position:** 21

Question Name: PPI_N03

Concept: Person providing health component information - biological parent

Question Text: Is the person providing the information a birth or biological parent of (Respondent name)?

Universe: PPI_02 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,600	3,592,000	10.7
No	2	50	79,000	0.2
Valid skip	6	4,150	30,054,500	89.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PPID03 **Length:** 1.0 **Position:** 22

Question Name:

Concept: Relationship of proxy respondent to selected respondent - (D)

Question Text:

Universe: PROXY = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Biological father	1	450	1,070,500	3.2
Biological mother	2	1,200	2,521,500	7.5
Non-biological male parent/guardian	3	0	27,000	0.1
Non-biological female parent/guardian	4	0	52,000	0.2
Other	5	0	46,500	0.1
Valid skip	6	4,150	30,008,000	89.0
Total		5,800	33,725,500	100.0

Variable Name: DHH_PRN **Length:** 2.0 **Position:** 23

Question Name:

Concept: Province of residence of respondent

Question Text:

Universe: All respondents

Note: The population count next to the name of each province below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the province represents

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Newfoundland and Labrador	10	350	1,146,500	3.4
Nova Scotia	12	350	1,032,000	3.1
Quebec	24	1,200	7,713,000	22.9
Ontario	35	2,000	13,237,000	39.2
Manitoba	46	400	2,072,000	6.1
Alberta	48	750	4,115,000	12.2
British Columbia	59	800	4,409,500	13.1
Total		5,800	33,725,500	100.0

Variable Name: DHH_DOB **Length:** 2.0 **Position:** 25

Question Name:

Concept: Day of birth

Question Text: What is your date of birth? Enter the day.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Day (1 to 31)	01 - 31	5,800	33,720,000	100.0
Don't know	97	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DHH_MOB **Length:** 2.0 **Position:** 27

Question Name:

Concept: Month of birth

Question Text: What is your date of birth? Enter the month.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Month (1 to 12)	01 - 12	5,800	33,720,000	100.0
Don't know	97	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DHH_YOB **Length:** 4.0 **Position:** 29

Question Name:

Concept: Year of birth

Question Text: What is your date of birth? Enter a four-digit year.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Year	1938 - 2016	5,800	33,720,000	100.0
Don't know	9997	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DHH_AGE **Length:** 3.0 **Position:** 33

Totals may not add up due to rounding.

Question Name:

Concept: Age at household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Years		003 - 079	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHH_SEX **Length:** 1.0 **Position:** 36

Question Name: SEX_Q01

Concept: Sex

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Male		1	2,900	16,826,500	49.9
Female		2	2,900	16,899,000	50.1
	Total		5,800	33,725,500	100.0

Variable Name: EDC_01 **Length:** 1.0 **Position:** 37

Question Name: EDC_Q01

Concept: Highest grade of elementary school completed

Question Text: What is the highest grade of elementary or high school (respondent name) has ever completed?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Québec: Secondary II or lower)	1	2,100	5,284,000	15.7
Grade 9 - 10 (Qc: Sec. III or IV, N.L.: 1st yr sec.)	2	400	2,077,000	6.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 11 - 13 (Qc: Sec. V, N.L.: 2nd to 4th yr of sec.)	3	3,300	26,282,000	77.9
Don't know	7	0	83,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: EDC_02 **Length:** 1.0 **Position:** 38

Question Name: EDC_Q02

Concept: Graduated from high school (secondary school)

Question Text: Did [Respondent name] complete a high school diploma or its equivalent?

Universe: EDC_01 = 3, DK

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,050	25,132,500	74.5
No	2	250	1,149,000	3.4
Valid skip	6	2,450	7,361,000	21.8
Don't know	7	0	76,500	0.2
Refusal	8	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: EDC_03 **Length:** 1.0 **Position:** 39

Question Name: EDC_Q03

Concept: Received any other education

Question Text: Has [Respondent name] received any other education that could be counted towards a certificate, diploma or degree from an educational institution?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,750	22,241,000	65.9
No	2	3,050	11,444,500	33.9
Don't know	7	0	34,000	0.1
Refusal	8	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: EDC_04 **Length:** 2.0 **Position:** 40

Totals may not add up due to rounding.

Question Name: EDC_Q04

Concept: Highest degree, certificate or diploma obtained

Question Text: What is the highest certificate, diploma or degree that [Respondent name] has completed?

Universe: EDC_03 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than high school diploma or its equivalent	01	50	318,000	0.9
High school diploma or a high school equivalency certificate	02	200	1,950,000	5.8
Trade certificate or diploma	03	300	2,198,000	6.5
College/CEGEP/other non-university certificate or diploma	04	650	5,399,000	16.0
University certificate or diploma below the bachelor's level	05	100	714,500	2.1
Bachelor's degree (e.g. B.A., B.Sc., LL.B.)	06	850	6,828,000	20.2
University certificate, diploma, degree above the BA level	07	550	4,752,500	14.1
Valid skip	96	3,050	11,444,500	33.9
Don't know	97	0	56,000	0.2
Refusal	98	0	25,500	0.1
Not stated	99	0	40,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: EDUDR04 **Length:** 1.0 **Position:** 42

Question Name:

Concept: Highest level of education - respondent, 4 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than secondary school graduation	1	2,650	8,091,000	24.0
Secondary school graduation	2	650	5,551,000	16.5
Post-secondary graduation	4	2,500	19,891,500	59.0
Not stated	9	0	192,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: EDUDR10 **Length:** 2.0 **Position:** 43

Question Name:

Concept: Highest level of education - respondent, 10 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Quebec secondary II or lower)	01	2,050	5,207,000	15.4
Grade 9-10 (Quebec secondary III, IV; NFLD secondary I)	02	350	1,803,500	5.3
Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV)	03	200	1,066,500	3.2
Secondary school graduate	04	650	5,551,000	16.5
Trades certificate or diploma	06	300	2,198,000	6.5
Non-university diploma / certificate - college, CEGEP, etc.	07	650	5,399,000	16.0
University certificate below a bachelor's level	08	100	714,500	2.1
Bachelor's degree	09	850	6,828,000	20.2
University degree or certificate above bachelor's degree	10	550	4,752,500	14.1
Not stated	99	50	207,000	0.6
Total		5,800	33,725,500	100.0

Variable Name: EDUDH04 **Length:** 1.0 **Position:** 45

Question Name:

Concept: Highest level of education - household, 4 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than secondary school graduation	1	150	874,500	2.6
Secondary school graduation	2	550	3,468,500	10.3
Post-secondary graduation	4	5,050	28,625,500	84.9
Not stated	9	50	757,000	2.2
Total		5,800	33,725,500	100.0

Variable Name: EDUDH10 **Length:** 2.0 **Position:** 46

Question Name:

Concept: Highest level of education - household, 10 levels - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Quebec secondary II or lower)	01	50	228,000	0.7
Grade 9-10 (Quebec secondary III, IV; NFLD secondary I)	02	50	326,500	1.0
Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV)	03	50	290,500	0.9
Secondary school graduate	04	500	3,461,500	10.3
Trades certificate or diploma	06	400	2,136,000	6.3
Non-university diploma / certificate - college, CEGEP, etc.	07	1,150	6,261,000	18.6
University certificate below a bachelor's level	08	200	1,055,500	3.1
Bachelor's degree	09	1,800	10,482,500	31.1
University degree or certificate above bachelor's degree	10	1,500	8,674,500	25.7
Not stated	99	100	809,000	2.4
Total		5,800	33,725,500	100.0

Variable Name: DHH_OWN **Length:** 1.0 **Position:** 48

Question Name: DMB_Q01

Concept: Dweling - own or rent

Question Text: Is this dwelling... ?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Owned by member of hhld, even if it is still being paid for	1	4,150	21,855,500	64.8
Rented, even if no cash rent is paid	2	1,650	11,858,500	35.2
Refusal	8	0	12,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DHH_REP **Length:** 1.0 **Position:** 49

Question Name: DMB_Q02

Concept: Dwelling - in need of any repairs

Question Text: Is this dwelling in need of any repairs?

Do not include remodelling or additions.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No, only regular maintenance is needed	1	4,550	26,819,500	79.5
Yes, minor repairs are needed	2	1,000	5,216,000	15.5
Yes, major repairs are needed	3	250	1,616,000	4.8
Don't know	7	0	56,500	0.2
Refusal	8	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: DHH_BED **Length:** 2.0 **Position:** 50

Question Name: DWE2_Q01

Concept: Number of bedrooms in dwelling

Question Text: How many bedrooms are there in this dwelling?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of bedrooms	00 - 14	5,800	33,650,500	99.8
Don't know	97	0	7,500	0.0
Refusal	98	0	67,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: DHH_MS **Length:** 2.0 **Position:** 52

Question Name: MSWC_Q02

Concept: Marital status

Question Text: What is your marital status?
Are you...?

Universe:

Note: All respondents

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Married	01	1,800	14,509,000	43.0
Living common-law	02	450	3,488,000	10.3
Widowed	03	150	866,000	2.6
Separated	04	100	745,500	2.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Divorced		05	250	1,484,000	4.4
Single, never married		06	3,100	12,632,000	37.5
Don't know		97	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHDLE5 **Length:** 2.0 **Position:** 54

Question Name:

Concept: Number of persons in household less than 6 years old - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 03	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHD611 **Length:** 2.0 **Position:** 56

Question Name:

Concept: Number of persons 6 to 11 years old in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 04	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHDL12 **Length:** 2.0 **Position:** 58

Question Name:

Concept: Number of persons in household less than 12 years old - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 05	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHDYKD **Length:** 2.0 **Position:** 60

Question Name:

Concept: Number of persons 15 years old or less in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 06	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHDOKD **Length:** 2.0 **Position:** 62

Question Name:

Concept: Number of persons 16 or 17 years old in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 02	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: DHHDHSZ **Length:** 2.0 **Position:** 64

Question Name:

Concept: Household size - (D)

Question Text:

Universe: All respondents

Totals may not add up due to rounding.

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of persons	01 - 10	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: DHHDECF **Length:** 2.0 **Position:** 66

Question Name:

Concept: Economic family status (household type) - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Unattached individual	01	650	5,633,000	16.7
Unattached individual living with others	02	100	1,211,500	3.6
Couple alone	03	750	7,714,000	22.9
Couple with no children, others	04	50	320,500	1.0
Couple, children < 25 years old	05	3,250	13,848,500	41.1
Couple, children < 25 years old, others	06	200	1,141,500	3.4
Couple, all children >= 25 years old	07	50	485,000	1.4
Couple, all children >= 25 years old, others	08	50	288,500	0.9
Female lone parent, children < 25 years old	09	200	450,500	1.3
Female lone parent, children < 25 years old, others	10	350	1,573,500	4.7
Female lone parent, all children >= 25 years old	11	50	259,000	0.8
Female lone parent, all children >= 25 years old, others	12	0	95,500	0.3
Male lone parent, children < 25	13	50	207,000	0.6
Male lone parent, children < 25, others	14	50	223,500	0.7
Male lone parent, all children >= 25	15	0	56,500	0.2
Male lone parent, all children >= 25, others	16	0	32,000	0.1
Other household type	17	50	186,000	0.6
Total		5,800	33,725,500	100.0

Variable Name: DHHDLVG **Length:** 2.0 **Position:** 68

Question Name:

Concept: Living arrangement of selected respondent - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Unattached individual living alone	01	650	5,633,000	16.7
Unattached individual living with others	02	100	1,417,000	4.2
Living with spouse or partner	03	750	7,714,000	22.9
Parent living with spouse or partner, children	04	1,250	8,527,000	25.3
Single parent living with children	05	200	1,162,500	3.4
Child living with single parent	06	150	476,500	1.4
Child living with single parent, siblings	07	250	1,014,000	3.0
Child living with two parents	08	400	1,050,500	3.1
Child living with two parents, siblings	09	1,600	4,710,500	14.0
Other	10	300	2,020,500	6.0
Total		5,800	33,725,500	100.0

Variable Name: DHHDDWE **Length:** 2.0 **Position:** 70

Question Name:

Concept: Type of dwelling - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Single detached	01	3,500	18,222,500	54.0
Double	02	350	1,564,000	4.6
Row or terrace	03	500	2,871,000	8.5
Duplex	04	200	1,089,000	3.2
Low-rise apartment of fewer than 5 stories or a flat	05	750	5,583,000	16.6
High-rise apartment of 5 stories or more	06	450	4,181,000	12.4
Hotel; rooming/lodging house; camp	08	0	5,500	0.0
Mobile home	09	50	154,500	0.5
Other - Specify	10	0	55,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: GEN_005 **Length:** 1.0 **Position:** 72

Question Name: GEN_Q005

Concept: Self-perceived health

Question Text: In general, would you say your health is: (excellent, very good, good, fair, or poor)?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,600	7,684,000	22.8
Very good	2	2,150	12,257,000	36.3
Good	3	1,600	10,850,500	32.2
Fair	4	350	2,291,500	6.8
Poor	5	100	643,000	1.9
Total		5,800	33,725,500	100.0

Variable Name: GEN_010 **Length:** 1.0 **Position:** 73

Question Name: GEN_Q010

Concept: Self-perceived health compared to one year ago

Question Text: Compared to one year ago, how would you say your health is now? Is it: much better now than 1 year ago, somewhat better now (than 1 year ago), about the same as 1 year ago, somewhat worse now (than 1 year ago), or much worse now (than 1 year ago)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Much better now than 1 year ago	1	500	3,329,000	9.9
Somewhat better now (than 1 year ago)	2	900	4,301,000	12.8
About the same as 1 year ago	3	3,800	22,017,000	65.3
Somewhat worse now (than 1 year ago)	4	550	3,720,500	11.0
Much worse now (than 1 year ago)	5	50	339,000	1.0
Don't know	7	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: GEN_015 **Length:** 2.0 **Position:** 74

Question Name: GEN_Q015

Concept: Satisfied with life right now

Question Text: Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Scale	00 - 10	4,150	29,992,500	88.9
Valid skip	96	1,600	3,522,500	10.4
Don't know	97	0	14,500	0.0
Refusal	98	0	500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	50	195,500	0.6
	Total		5,800	33,725,500	100.0

Variable Name: GEN_020 **Length:** 1.0 **Position:** 76

Question Name: GEN_Q020

Concept: Self-perceived mental health

Question Text: In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Excellent		1	1,200	8,040,500	23.8
Very good		2	1,550	11,371,000	33.7
Good		3	1,050	7,466,000	22.1
Fair		4	300	2,375,500	7.0
Poor		5	100	751,500	2.2
Valid skip		6	1,600	3,522,500	10.4
Don’t know		7	0	4,000	0.0
Not stated		9	50	195,500	0.6
	Total		5,800	33,725,500	100.0

Variable Name: GEN_025 **Length:** 1.0 **Position:** 77

Question Name: GEN_Q025

Concept: Self-perceived stress

Question Text: Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Not at all stressful		1	500	3,321,000	9.8
Not very stressful		2	1,050	7,079,000	21.0
A bit stressful		3	1,800	12,575,000	37.3
Quite a bit stressful		4	750	6,159,000	18.3
Extremely stressful		5	100	1,068,500	3.2
Valid skip		6	1,600	3,522,500	10.4
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: GEN_030 **Length:** 2.0 **Position:** 78

Question Name: GEN_Q030

Concept: Main activity

Question Text: During the past 12 months, was your main activity working at a paid job or business, looking for paid work, going to school, caring for children, household work, retired or something else?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Working at a paid job or business	01	2,050	17,065,500	50.6
Looking for paid work	02	50	583,000	1.7
Going to school	03	1,050	5,016,000	14.9
Caring for children	04	200	1,231,000	3.6
Household work	05	50	335,000	1.0
Retired	06	650	4,807,000	14.3
Maternity/paternity or parental leave	07	0	166,500	0.5
Long term illness	08	50	469,000	1.4
Volunteering	09	0	205,500	0.6
Providing care, family/friends, long term health condition	10	0	43,000	0.1
Other - Specify	11	50	281,000	0.8
Valid skip	96	1,600	3,522,500	10.4
Total		5,800	33,725,500	100.0

Variable Name: GEN_035 **Length:** 1.0 **Position:** 80

Question Name: GEN_Q035

Concept: Worked at job or business

Question Text: Have you worked at a job or business at any time in the past 12 months?

Universe: (DHH_AGE >= 15 and DHH_AGE <= 75) and GEN_030 <> 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,388,000	13.0
No	2	950	6,865,000	20.4
Valid skip	6	4,200	22,461,500	66.6
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GEN_040 **Length:** 1.0 **Position:** 81

Question Name: GEN_Q040

Concept: Self-perceived work stress

Question Text: Would you say that most days at work were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Universe: (DHH_AGE >= 15 and DHH_AGE <= 75) and PROXY = 2 and GEN_035 <> 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all stressful	1	300	2,179,500	6.5
Not very stressful	2	550	3,998,000	11.9
A bit stressful	3	1,100	9,013,500	26.7
Quite a bit stressful	4	600	4,996,000	14.8
Extremely stressful	5	150	1,180,500	3.5
Valid skip	6	3,100	12,326,000	36.5
Don’t know	7	0	1,500	0.0
Not stated	9	0	30,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: GEN_045 **Length:** 1.0 **Position:** 82

Question Name: GEN_Q045

Concept: Sense of belonging to local community

Question Text: How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very strong	1	850	6,420,500	19.0
Somewhat strong	2	2,050	13,755,500	40.8
Somewhat weak	3	950	7,429,000	22.0
Very weak	4	300	2,378,000	7.1
Valid skip	6	1,600	3,522,500	10.4
Don’t know	7	0	24,000	0.1
Not stated	9	50	195,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: GEN_050 **Length:** 1.0 **Position:** 83

Question Name: GEN_Q050

Concept: Self-perceived quality of life

Totals may not add up due to rounding.

Question Text: Would you rate your quality of life as: (excellent, very good, good, fair or poor)?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,250	7,881,500	23.4
Very good	2	1,800	12,639,500	37.5
Good	3	900	7,530,500	22.3
Fair	4	200	1,440,000	4.3
Poor	5	50	515,500	1.5
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	1,000	0.0
Not stated	9	50	195,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: GEN_055 **Length:** 1.0 **Position:** 84

Question Name: GEN_Q055

Concept: Family doctor

Question Text: Do you have a regular medical doctor?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,000	28,194,000	83.6
No	2	750	5,524,000	16.4
Don't know	7	0	8,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GENDHDI **Length:** 1.0 **Position:** 85

Question Name:

Concept: Self-rated health - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	100	643,000	1.9
Fair	1	350	2,291,500	6.8
Good	2	1,600	10,850,500	32.2
Very good	3	2,150	12,257,000	36.3
Excellent	4	1,600	7,684,000	22.8
Total		5,800	33,725,500	100.0

Variable Name: GENDMHI **Length:** 1.0 **Position:** 86

Question Name:

Concept: Self-rated mental health - (D)

Question Text:

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	100	751,500	2.2
Fair	1	300	2,375,500	7.0
Good	2	1,050	7,466,000	22.1
Very good	3	1,550	11,371,000	33.7
Excellent	4	1,200	8,040,500	23.8
Valid skip	6	1,600	3,522,500	10.4
Not stated	9	50	199,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: HUI_005 **Length:** 1.0 **Position:** 87

Question Name: HUI_Q005

Concept: Vision - read newsprint without glasses / contacts

Question Text: Are you usually able to see (clearly, and without distortion, the words in a book well enough to read ordinary newsprint) without glasses or contact lenses?

Universe: DHH_AGE >= 6

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,550	19,790,000	58.7
No	2	1,700	12,766,500	37.9
Valid skip	6	600	1,161,000	3.4
Don't know	7	0	7,000	0.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_010 **Length:** 1.0 **Position:** 88

Question Name: HUI_Q010

Concept: Vision - read newsprint with glasses / contacts

Question Text: Are you usually able to see (clearly, and without distortion, the words in a book well enough to read ordinary newsprint) with glasses or contact lenses?

Universe: DHH_AGE >= 6 and HUI_005 <>1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,650	12,551,500	37.2
No	2	50	180,000	0.5
Valid skip	6	4,100	20,951,000	62.1
Don't know	7	0	42,500	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_015 **Length:** 1.0 **Position:** 89

Question Name: HUI_Q015

Concept: Vision - able to see

Question Text: Are you able to see at all?

Universe: DHH_AGE >= 6 and HUI_005 <>1 and HUI_010 <>1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	222,500	0.7
Valid skip	6	5,750	33,502,500	99.3
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_020 **Length:** 1.0 **Position:** 90

Question Name: HUI_Q020

Concept: Vision - recognize a friend without glasses / contacts

Question Text: Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?

Universe: DHH_AGE >= 6 and (HUI_005 = 1 or HUI_010 = 1 or HUI_015 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,050	24,369,000	72.3
No	2	1,100	8,139,500	24.1
Valid skip	6	600	1,161,000	3.4
Don't know	7	0	55,000	0.2
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_025 **Length:** 1.0 **Position:** 91

Question Name: HUI_Q025

Concept: Vision - recognize a friend with glasses / contacts

Question Text: Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?

Universe: DHH_AGE >= 6 and HUI_020 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,100	7,904,000	23.4
No	2	50	204,500	0.6
Valid skip	6	4,650	25,530,000	75.7
Don't know	7	0	8,000	0.0
Refusal	8	0	23,500	0.1
Not stated	9	0	56,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: HUI_030 **Length:** 1.0 **Position:** 92

Question Name: HUI_Q030

Concept: Hearing - in group without hearing aid

Question Text: Are you usually able to hear what is said in a group conversation with at least three other people without a hearing aid?

Totals may not add up due to rounding.

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,000	31,086,500	92.2
No	2	200	1,476,500	4.4
Valid skip	6	600	1,161,000	3.4
Don't know	7	0	1,000	0.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_035 **Length:** 1.0 **Position:** 93

Question Name: HUI_Q035

Concept: Hearing - in group with hearing aid

Question Text: Are you usually able to hear what is said in a group conversation with at least three other people with a hearing aid?

Universe: HUI_030 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	710,500	2.1
No	2	50	346,000	1.0
Valid skip	6	5,600	32,247,500	95.6
Don't know	7	50	420,000	1.2
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_040 **Length:** 1.0 **Position:** 94

Question Name: HUI_Q040

Concept: Hearing - able to hear

Question Text: Are you able to hear at all?

Universe: DHH_AGE >= 6 and HUI_030 = 2 and HUI_035 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	766,000	2.3
Valid skip	6	5,700	32,958,000	97.7
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_045 **Length:** 1.0 **Position:** 95

Question Name: HUI_Q045

Concept: Hearing - in quiet room without hearing aid

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?

Universe: DHH_AGE >= 6 and (HUI_030 = 2 and HUI_035 = 1) or HUI_040 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,250,500	3.7
No	2	50	226,000	0.7
Valid skip	6	5,600	32,247,500	95.6
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_050 **Length:** 1.0 **Position:** 96

Question Name: HUI_Q050

Concept: Hearing - in quiet room with hearing aid

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?

Universe: DHH_AGE >= 6 and (HUI_030 = 2 and HUI_035 = 1) and HUI_040 = 1 or HUI_045 = 2, 7

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	159,500	0.5
No	2	0	27,500	0.1
Valid skip	6	5,750	33,498,000	99.3
Don’t know	7	0	39,000	0.1
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_055 **Length:** 1.0 **Position:** 97

Question Name: HUI_Q055

Concept: Speech - completely understood by strangers

Question Text: Are you usually able to be understood completely when speaking with strangers in your own language?

Totals may not add up due to rounding.

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,150	32,368,000	96.0
No	2	50	195,500	0.6
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_060 **Length:** 1.0 **Position:** 98

Question Name: HUI_Q060

Concept: Speech - partially understood by strangers

Question Text: Are you able to be understood partially when speaking with strangers?

Universe: DHH_AGE >= 6 and HUI_055 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	183,500	0.5
No	2	0	12,000	0.0
Valid skip	6	5,750	33,529,000	99.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_065 **Length:** 1.0 **Position:** 99

Question Name: HUI_Q065

Concept: Speech - completely understood by non-strangers

Question Text: Are you able to be understood completely when speaking with those who know you well?

Universe: DHH_AGE >= 6 and HUI_055 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	140,000	0.4
No	2	0	56,000	0.2
Valid skip	6	5,750	33,529,000	99.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_070 **Length:** 1.0 **Position:** 100

Question Name: HUI_Q070

Concept: Speech - partially understood by non-strangers

Question Text: Are you able to be understood partially when speaking with those who know you well?

Universe: DHH_AGE >= 6 and HUI_065 = 2, 7

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	55,000	0.2
No	2	0	1,000	0.0
Valid skip	6	5,800	33,669,000	99.8
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_075 **Length:** 1.0 **Position:** 101

Question Name: HUI_Q075

Concept: Mobility - walk without difficulty and without support

Question Text: Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,050	31,695,000	94.0
No	2	150	869,000	2.6
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_080 **Length:** 1.0 **Position:** 102

Question Name: HUI_Q080

Concept: Mobility - able to walk

Question Text: Are you able to walk at all?

Universe: DHH_AGE >= 6 and HUI_075 <> 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	778,000	2.3
No	2	0	91,000	0.3
Valid skip	6	5,650	32,856,000	97.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_085 **Length:** 1.0 **Position:** 103

Question Name: HUI_Q085

Concept: Mobility - requires support to walk

Question Text: Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_080 <> 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	540,500	1.6
No	2	50	237,500	0.7
Valid skip	6	5,650	32,947,000	97.7
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_090 **Length:** 1.0 **Position:** 104

Question Name: HUI_Q090

Concept: Mobility - requires help of person to walk

Question Text: Do you require the help of another person to be able to walk?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_080 <> 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	103,500	0.3
No	2	100	674,500	2.0
Valid skip	6	5,650	32,947,000	97.7
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_095 **Length:** 1.0 **Position:** 105

Question Name: HUI_Q095

Concept: Mobility - requires a wheelchair

Question Text: Do you require a wheelchair to get around?

Universe: DHH_AGE >= 6 and HUI_075 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	115,500	0.3
No	2	150	753,500	2.2
Valid skip	6	5,650	32,856,000	97.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_100 **Length:** 1.0 **Position:** 106

Question Name: HUI_Q100

Concept: Mobility - frequency of wheelchair use

Question Text: How often do you use a wheelchair?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_095 <> 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	0	21,000	0.1
Often	2	0	16,500	0.0
Sometimes	3	0	8,000	0.0
Never	4	0	70,000	0.2
Valid skip	6	5,800	33,609,500	99.7
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_105 **Length:** 1.0 **Position:** 107

Question Name: HUI_Q105

Concept: Mobility - requires help to get around in wheelchair

Question Text: Do you need the help of another person to get around in the wheelchair?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_095 <> 2

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	98,000	0.3
No	2	0	17,500	0.1
Valid skip	6	5,800	33,609,500	99.7
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_110 **Length:** 1.0 **Position:** 108

Question Name: HUI_Q110

Concept: Dexterity - able to grasp and handle small objects

Question Text: Are you usually able to grasp and handle small objects such as a pencil or scissors?

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,200	32,403,000	96.1
No	2	50	160,500	0.5
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_115 **Length:** 1.0 **Position:** 109

Question Name: HUI_Q115

Concept: Dexterity - requires help due to limitation in use of hands

Question Text: Do you require the help of another person because of limitations in the use of your hands or fingers?

Universe: DHH_AGE >= 6 and HUI_110 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	146,000	0.4
Valid skip	6	5,750	33,564,000	99.5
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_120 **Length:** 1.0 **Position:** 110

Question Name: HUI_Q120

Concept: Dexterity - requires help with tasks

Question Text: Do you require the help of another person with: (some tasks, most tasks, almost all tasks or all tasks)?

Universe: DHH_AGE >= 6 and HUI_110 <> 1 and HUI_115 <> 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Some tasks	1	0	10,500	0.0
Most tasks	2	0	1,500	0.0
Almost all tasks	3	0	2,500	0.0
Valid skip	6	5,800	33,710,500	100.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_125 **Length:** 1.0 **Position:** 111

Question Name: HUI_Q125

Concept: Dexterity - requires special equipment / hand limitation

Question Text: Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of your hands or fingers?

Universe: DHH_AGE >= 6 and HUI_110 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,000	0.0
No	2	0	154,500	0.5
Valid skip	6	5,750	33,564,000	99.5
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_130 **Length:** 1.0 **Position:** 112

Question Name: HUI_Q130

Concept: Emotion - self evaluation

Question Text: Would you describe yourself as being usually: (happy and interested in life, somewhat happy, somewhat unhappy, unhappy with little interest in life or so unhappy that life is not worthwhile)?

Universe: DHH_AGE >= 6

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Happy and interested in life	1	4,000	23,791,500	70.5
Somewhat happy	2	1,050	7,556,500	22.4
Somewhat unhappy	3	150	853,000	2.5
Unhappy with little interest in life	4	50	334,000	1.0
So unhappy, that life is not worthwhile	5	0	28,500	0.1
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_135 **Length:** 1.0 **Position:** 113

Question Name: HUI_Q135

Concept: Cognition - ability to remember things

Question Text: How would you describe your usual ability to remember things?

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Able to remember most things	1	3,700	23,597,000	70.0
Somewhat forgetful	2	1,400	8,174,500	24.2
Very forgetful	3	150	787,000	2.3
Unable to remember anything at all	4	0	5,000	0.0
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUI_140 **Length:** 1.0 **Position:** 114

Question Name: HUI_Q140

Concept: Cognition - ability to think and solve problems

Question Text: How would you describe your usual ability to think and solve day-to-day problems?

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Able to think clearly and solve problems	1	4,450	28,788,500	85.4
Having a little difficulty	2	600	2,827,000	8.4
Having some difficulty	3	150	826,000	2.4
Having a great deal of difficulty	4	0	63,500	0.2
Unable to think or solve problems	5	0	58,500	0.2
Valid skip	6	600	1,161,000	3.4

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: HUI_145 **Length:** 1.0 **Position:** 115

Question Name: HUI_Q145

Concept: Usually free of pain or discomfort

Question Text: Are you usually free of pain or discomfort?

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	4,000	23,230,500	68.9
No		2	1,250	9,333,500	27.7
Valid skip		6	600	1,161,000	3.4
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: HUI_150 **Length:** 1.0 **Position:** 116

Question Name: HUI_Q150

Concept: Pain and discomfort - usual intensity

Question Text: How would you describe the usual intensity of your pain or discomfort?

Universe: DHH_AGE >= 6 and HUI_145 <> 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Mild		1	550	4,292,000	12.7
Moderate		2	550	4,262,000	12.6
Severe		3	100	778,000	2.3
Valid skip		6	4,550	24,391,500	72.3
Don’t know		7	0	1,500	0.0
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: HUI_155 **Length:** 1.0 **Position:** 117

Question Name: HUI_Q155

Totals may not add up due to rounding.

Concept: Pain and discomfort - number of activities prevented

Question Text: How many activities does your pain or discomfort prevent?

Universe: DHH_AGE >= 6 and HUI_145 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	500	3,806,500	11.3
A few	2	400	3,147,000	9.3
Some	3	200	1,387,000	4.1
Most	4	150	993,000	2.9
Valid skip	6	4,550	24,391,500	72.3
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDCOG **Length:** 2.0 **Position:** 118

Question Name:

Concept: Cognition problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No cognitive problems	01	3,400	22,087,000	65.5
A little difficulty thinking	02	300	1,485,500	4.4
Somewhat forgetful	03	1,000	6,422,000	19.0
Somewhat forgetful/little diff. think.	04	400	1,706,000	5.1
Somewhat forgetful/great deal diff. think.	05	150	799,500	2.4
Unable to remember or think	06	0	64,000	0.2
Valid skip	96	600	1,161,000	3.4
Not stated	99	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDDEX **Length:** 2.0 **Position:** 120

Question Name:

Concept: Dexterity trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No dexterity problems	01	5,200	32,403,000	96.1
Dext. probl. - no help required	02	0	145,500	0.4
Dext. probl. - requires special equipment	03	0	1,000	0.0
Dext. probl. - help with some tasks	04	0	10,500	0.0
Dext. probl. - help with most tasks	05	0	4,000	0.0
Valid skip	96	600	1,161,000	3.4
Not stated	99	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDEMO **Length:** 1.0 **Position:** 122

Question Name:

Concept: Emotional problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Happy and interested in life	1	4,000	23,791,500	70.5
Somewhat happy	2	1,050	7,556,500	22.4
Somewhat unhappy	3	150	853,000	2.5
Unhappy with little interest in life	4	50	334,000	1.0
So unhappy, that life is not worthwhile	5	0	28,500	0.1
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDHER **Length:** 2.0 **Position:** 123

Question Name:

Concept: Hearing problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No hearing problems	01	5,000	31,086,500	92.2
Problem hearing in group - corrected	02	50	543,000	1.6
Problem hearing in group and individual - corrected	03	50	167,500	0.5
Problem hearing in group - not corrected	04	50	326,500	1.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Problem hearing in group and individual - not corrected	05	0	1,500	0.0
Cannot hear	06	0	18,000	0.1
Valid skip	96	600	1,161,000	3.4
Not stated	99	50	421,500	1.2
Total		5,800	33,725,500	100.0

Variable Name: HUIDMOB **Length:** 2.0 **Position:** 125

Question Name:

Concept: Mobility trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No mobility issues	01	5,050	31,695,000	94.0
Probl. - no aid required	02	50	203,500	0.6
Problem - requires mechanical support	03	50	457,000	1.4
Problem - requires wheelchair	04	0	14,000	0.0
Problem - requires help from people	05	0	103,500	0.3
Cannot walk	06	0	91,000	0.3
Valid skip	96	600	1,161,000	3.4
Not stated	99	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDPAD **Length:** 1.0 **Position:** 127

Question Name:

Concept: Activities prevented by pain - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No pain or discomfort	1	4,000	23,230,500	68.9
Pain prevents no activities	2	500	3,806,500	11.3
Pain prevents few activities	3	400	3,147,000	9.3
Pain prevents some activities	4	200	1,387,000	4.1
Pain prevents most activities	5	150	993,000	2.9
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: HUIDSPE **Length:** 1.0 **Position:** 128

Question Name:

Concept: Speech trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No speech problems	1	5,150	32,368,000	96.0
Partially understood by strangers	2	50	137,500	0.4
Partially understood by friends	3	0	46,500	0.1
Not understood by strangers	4	0	11,000	0.0
Not understood by friends	5	0	1,000	0.0
Valid skip	6	600	1,161,000	3.4
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: HUIDVIS **Length:** 2.0 **Position:** 129

Question Name:

Concept: Vision trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No visual problems	01	3,050	16,482,000	48.9
Problems corrected by lenses	02	2,050	15,613,500	46.3
Problems seeing distance - not corrected	03	50	156,500	0.5
Problems seeing close - not corrected	04	50	132,500	0.4
Problems seeing close & distance - not corrected	05	0	48,000	0.1
Valid skip	96	600	1,161,000	3.4
Not stated	99	50	132,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: HUIDHSI **Length:** 6.3 **Position:** 131

Question Name:

Concept: Health Utility Index (HUI3) - (D)

Totals may not add up due to rounding.

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Health index scale	-0.193 - 01.000	5,150	32,013,500	94.9
Valid skip	99.996	600	1,161,000	3.4
Not stated	99.999	50	551,000	1.6
Total		5,800	33,725,500	100.0

Variable Name: HUIDHSC **Length:** 1.0 **Position:** 137

Question Name:

Concept: HUI score into 4 categories - no/mild/moderate/severe (D)

Question Text:

Universe: DHH_AGE >= 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No disability	1	1,500	7,698,000	22.8
Mild disability	2	1,950	12,951,000	38.4
Moderate disability	3	1,050	7,163,000	21.2
Severe disability	4	650	4,202,000	12.5
Valid skip	6	600	1,161,000	3.4
Not stated	9	50	551,000	1.6
Total		5,800	33,725,500	100.0

Variable Name: CCC_11 **Length:** 1.0 **Position:** 138

Question Name: CCC_Q11

Concept: Has asthma

Question Text: Do you have asthma?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	2,372,500	7.0
No	2	5,350	31,328,500	92.9
Don’t know	7	0	25,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_12 **Length:** 2.0 **Position:** 139

Question Name: CCC_Q12

Concept: Asthma - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 71	400	2,345,000	7.0
Valid skip	96	5,350	31,328,500	92.9
Don't know	97	0	27,000	0.1
Not stated	99	0	25,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_13 **Length:** 1.0 **Position:** 141

Question Name: CCC_Q13

Concept: Asthma - had symptoms or attacks

Question Text: Have you had any asthma symptoms or asthma attacks in the past 12 months?

Universe: CCC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,122,500	3.3
No	2	200	1,249,500	3.7
Valid skip	6	5,350	31,328,500	92.9
Not stated	9	0	25,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_14 **Length:** 1.0 **Position:** 142

Question Name: CCC_Q14

Concept: Has chronic bronchitis, emphysema or COPD

Question Text: Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD)?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	887,000	2.6
No	2	5,700	32,823,500	97.3
Don't know	7	0	15,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_15 **Length:** 2.0 **Position:** 143

Question Name: CCC_Q15

Concept: Chronic bronchitis, emphysema or COPD - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 74	100	867,000	2.6
Valid skip	96	5,700	32,823,500	97.3
Don't know	97	0	7,500	0.0
Not stated	99	0	27,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_21 **Length:** 1.0 **Position:** 145

Question Name: CCC_Q21

Concept: Has fibromyalgia

Question Text: Do you have fibromyalgia?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	465,000	1.4
No	2	4,150	29,643,500	87.9
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	95,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_22 **Length:** 1.0 **Position:** 146

Question Name: CCC_Q22

Concept: Has arthritis

Question Text: Do you have arthritis [excluding fibromyalgia]?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,457,000	16.2
No	2	3,500	24,729,000	73.3
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	3,000	0.0
Refusal	8	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_24 **Length:** 1.0 **Position:** 147

Question Name: CCC_Q24

Concept: Has back problems excluding fibromyalgia and arthritis

Question Text: Do you have back problems [excluding fibromyalgia and arthritis]?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	5,153,500	15.3
No	2	3,450	25,030,000	74.2
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_25 **Length:** 1.0 **Position:** 148

Question Name: CCC_Q25

Concept: Has osteoporosis

Question Text: Do you have osteoporosis?

Universe: DHH_AGE > 39

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,049,000	3.1
No	2	1,950	15,841,000	47.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	3,700	16,669,500	49.4
Don't know		7	0	164,500	0.5
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_31 **Length:** 1.0 **Position:** 149

Question Name: CCC_Q31

Concept: Has high blood pressure

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have high blood pressure?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	550	4,279,000	12.7
No		2	4,650	28,155,500	83.5
Valid skip		6	600	1,161,000	3.4
Don't know		7	0	124,500	0.4
Refusal		8	0	4,500	0.0
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_32 **Length:** 1.0 **Position:** 150

Question Name: CCC_Q32

Concept: Medication for high blood pressure - past month

Question Text: In the past month have you taken any medicine for high blood pressure?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	550	4,264,500	12.6
No		2	4,650	28,284,000	83.9
Valid skip		6	600	1,161,000	3.4
Don't know		7	0	15,000	0.0
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_33 **Length:** 1.0 **Position:** 151

Question Name: CCC_Q33

Concept: Ever had blood cholesterol measured

Question Text: Have you ever had your blood cholesterol measured?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,250	17,995,000	53.4
No	2	2,750	13,467,000	39.9
Valid skip	6	600	1,161,000	3.4
Don't know	7	200	1,100,500	3.3
Refusal	8	0	1,500	0.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_34 **Length:** 1.0 **Position:** 152

Question Name: CCC_Q34

Concept: Ever told blood cholesterol high

Question Text: Have you ever been told by a health professional that your blood cholesterol was high?

Universe: CCC_33 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,282,500	18.6
No	2	1,500	11,660,500	34.6
Valid skip	6	3,350	14,628,000	43.4
Don't know	7	0	18,500	0.1
Refusal	8	0	34,000	0.1
Not stated	9	200	1,102,500	3.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_35 **Length:** 1.0 **Position:** 153

Question Name: CCC_Q35

Concept: Has celiac disease

Question Text: Do you have celiac disease?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	247,000	0.7
No		2	5,750	33,356,000	98.9
Don't know		7	0	122,500	0.4
	Total		5,800	33,725,500	100.0

Variable Name: CCC_36 **Length:** 1.0 **Position:** 154

Question Name: CCC_Q36

Concept: Has inflammatory bowel disease

Question Text: Do you have an inflammatory bowel disease (IBD), for example, Crohn's disease or ulcerative colitis?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	844,000	2.5
No		2	5,650	32,845,500	97.4
Don't know		7	0	36,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: CCC_51 **Length:** 1.0 **Position:** 155

Question Name: CCC_Q51

Concept: Has diabetes

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have diabetes?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	250	1,717,500	5.1
No		2	5,550	31,989,000	94.9
Don't know		7	0	5,000	0.0
Refusal		8	0	14,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_53 **Length:** 2.0 **Position:** 156

Question Name: CCC_Q53

Concept: Diabetes - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_51 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	04 - 78	250	1,705,000	5.1
Valid skip	96	5,550	31,989,000	94.9
Don't know	97	0	12,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_54 **Length:** 1.0 **Position:** 158

Question Name: CCC_Q54

Concept: Diabetes - pregnant first diagnosed

Question Text: Were you pregnant when you were first diagnosed with diabetes?

Universe: DHH_SEX = 2 and (12 < CCC_53 < 60 or CCC_53 = DK, RF)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	174,000	0.5
No	2	50	354,000	1.0
Valid skip	6	5,750	33,197,500	98.4
Total		5,800	33,725,500	100.0

Variable Name: CCC_55 **Length:** 1.0 **Position:** 159

Question Name: CCC_Q55

Concept: Diabetes - other than pregnancy

Question Text: Other than during pregnancy, has a health professional ever told you that you have diabetes?

Universe: CCC_54 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	171,500	0.5
No	2	0	2,500	0.0
Valid skip	6	5,800	33,551,500	99.5
Total		5,800	33,725,500	100.0

Variable Name: CCC_56A **Length:** 1.0 **Position:** 160

Question Name: CCC_Q56

Concept: Diabetes - insulin dependant (Type 1)

Question Text: Were you diagnosed with...? - Insulin dependent diabetes - Type 1

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	218,500	0.6
No	2	200	1,411,500	4.2
Valid skip	6	5,550	31,991,000	94.9
Don’t know	7	0	17,000	0.0
Refusal	8	0	68,500	0.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_56B **Length:** 1.0 **Position:** 161

Question Name: CCC_Q56

Concept: Diabetes - non-insulin dependant (Type 2)

Question Text: Were you diagnosed with...? - Non-insulin dependent diabetes - Type 2

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,445,500	4.3
No	2	50	184,000	0.5
Valid skip	6	5,550	31,991,000	94.9
Don’t know	7	0	17,000	0.0
Refusal	8	0	68,500	0.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_57 **Length:** 2.0 **Position:** 162

Question Name: CCC_Q57

Concept: Time after diabetes diagnosis to take insulin

Question Text: When you were first diagnosed with diabetes, how long was it before you started taking insulin?

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 month	01	50	179,000	0.5
6 months to less than 1 year	04	0	1,000	0.0
1 year or more	05	50	287,500	0.9
Never	06	150	1,162,000	3.4
Valid skip	96	5,550	31,991,000	94.9
Not stated	99	0	104,500	0.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_58 **Length:** 1.0 **Position:** 164

Question Name: CCC_Q58

Concept: Currently take insulin

Question Text: Do you currently take insulin for your diabetes?

Universe: CCC_51 = 1 and CCC_57 < 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	340,000	1.0
No	2	0	128,000	0.4
Valid skip	6	5,700	33,153,000	98.3
Not stated	9	0	104,500	0.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_59 **Length:** 1.0 **Position:** 165

Question Name: CCC_Q59

Concept: Take pills to control blood sugar

Question Text: In the past month, did you take pills to control your blood sugar?

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,314,500	3.9
No	2	50	315,000	0.9
Valid skip	6	5,550	31,991,000	94.9
Not stated	9	0	104,500	0.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_61 **Length:** 1.0 **Position:** 166

Question Name: CCC_Q61

Concept: Has heart disease

Question Text: Do you have heart disease?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,003,500	3.0
No	2	5,600	32,686,000	96.9
Don't know	7	0	36,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_62 **Length:** 2.0 **Position:** 167

Question Name: CCC_Q62

Concept: Heart disease - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_61 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 78	150	986,500	2.9
Valid skip	96	5,600	32,686,000	96.9
Don't know	97	0	13,000	0.0
Not stated	99	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_63 **Length:** 1.0 **Position:** 169

Question Name: CCC_Q63

Concept: Ever had a heart attack

Question Text: Have you ever been told by a health professional that you have had a heart attack?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	579,500	1.7
No	2	5,700	33,129,000	98.2
Don't know	7	0	17,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_71 **Length:** 1.0 **Position:** 170

Question Name: CCC_Q71

Concept: Has cancer

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have cancer?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	336,000	1.0
No	2	5,750	33,381,000	99.0
Don't know	7	0	4,000	0.0
Refusal	8	0	4,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_72 **Length:** 1.0 **Position:** 171

Question Name: CCC_Q72

Concept: Ever had cancer

Question Text: Have you ever been diagnosed with cancer?

Universe: CCC_71 = 2

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,171,000	3.5
No	2	5,550	32,205,500	95.5
Valid skip	6	50	336,000	1.0
Don't know	7	0	5,000	0.0
Not stated	9	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_73 **Length:** 2.0 **Position:** 172

Question Name: CCC_Q73

Concept: Cancer - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_71 = 1 or CCC_72 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 79	200	1,500,000	4.4
Valid skip	96	5,550	32,205,500	95.5
Don't know	97	0	2,000	0.0
Not stated	99	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: CCC_74A **Length:** 1.0 **Position:** 174

Question Name: CCC_Q74

Concept: Type of cancer - breast

Question Text: What type of cancer [do/did] you have? - Breast

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	301,500	0.9
No	2	100	558,500	1.7
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74B **Length:** 1.0 **Position:** 175

Question Name: CCC_Q74

Concept: Type of cancer - colorectal

Question Text: What type of cancer [do/did] you have? - Colorectal

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,000	0.1
No	2	100	836,500	2.5
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74C **Length:** 1.0 **Position:** 176

Question Name: CCC_Q74

Concept: Type of cancer - skin (melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Melanoma

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	48,000	0.1
No	2	100	812,000	2.4
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74D **Length:** 1.0 **Position:** 177

Question Name: CCC_Q74

Concept: Type of cancer - skin (non-melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Non-melanoma

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	201,500	0.6
No	2	100	658,500	2.0
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74E **Length:** 1.0 **Position:** 178

Question Name: CCC_Q74

Concept: Type of cancer - ovarian

Question Text: What type of cancer [do/did] you have? - Ovarian

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	19,500	0.1
No	2	100	841,000	2.5
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74F **Length:** 1.0 **Position:** 179

Question Name: CCC_Q74

Concept: Type of cancer - cervical

Question Text: What type of cancer [do/did] you have? - Cervical

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	91,000	0.3
No	2	100	769,000	2.3
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74G **Length:** 1.0 **Position:** 180

Question Name: CCC_Q74

Concept: Type of cancer - uterine

Question Text: What type of cancer [do/did] you have? - Uterine

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	25,500	0.1
No	2	100	834,500	2.5
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_74H **Length:** 1.0 **Position:** 181

Question Name: CCC_Q74

Concept: Type of cancer - other

Question Text: What type of cancer [do/did] you have? - Other

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	200,500	0.6
No	2	100	659,500	2.0
Valid skip	6	5,650	32,852,000	97.4
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_75A **Length:** 1.0 **Position:** 182

Question Name: CCC_Q75

Concept: Type of cancer - prostate

Question Text: What type of cancer [do/did] you have? - Prostate

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	144,000	0.4
No	2	100	492,500	1.5
Valid skip	6	5,700	33,065,500	98.0
Don't know	7	0	10,000	0.0
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_75B **Length:** 1.0 **Position:** 183

Question Name: CCC_Q75

Concept: Type of cancer - colorectal

Question Text: What type of cancer [do/did] you have? - Colorectal

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	16,500	0.0
No	2	100	620,000	1.8
Valid skip	6	5,700	33,065,500	98.0
Don't know	7	0	10,000	0.0
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_75C **Length:** 1.0 **Position:** 184

Question Name: CCC_Q75

Concept: Type of cancer - skin (melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Melanoma

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	226,000	0.7
No	2	100	410,500	1.2
Valid skip	6	5,700	33,065,500	98.0
Don't know	7	0	10,000	0.0
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_75D **Length:** 1.0 **Position:** 185

Question Name: CCC_Q75

Concept: Type of cancer - skin (non-melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - non-melanoma

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	91,000	0.3
No	2	50	545,500	1.6
Valid skip	6	5,700	33,065,500	98.0
Don't know	7	0	10,000	0.0
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_75E **Length:** 1.0 **Position:** 186

Question Name: CCC_Q75

Concept: Type of cancer - other

Question Text: What type of cancer [do/did] you have? - Other

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	159,500	0.5
No	2	50	477,000	1.4
Valid skip	6	5,700	33,065,500	98.0
Don't know	7	0	10,000	0.0
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_81 **Length:** 1.0 **Position:** 187

Question Name: CCC_Q81

Concept: Suffers from the effects of a stroke

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you suffer from the effects of a stroke?

Universe: DHH_AGE > 11

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	198,000	0.6
No		2	4,150	30,003,500	89.0
Valid skip		6	1,600	3,522,500	10.4
Don't know		7	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_82 **Length:** 1.0 **Position:** 188

Question Name: CCC_Q82

Concept: Has a thyroid condition

Question Text: Do you have a thyroid condition?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	300	2,516,000	7.5
No		2	3,900	27,686,000	82.1
Valid skip		6	1,600	3,522,500	10.4
Don't know		7	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CCC_83 **Length:** 1.0 **Position:** 189

Question Name: CCC_Q83

Concept: Has a mood disorder

Question Text: Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	450	3,012,000	8.9
No		2	5,350	30,691,500	91.0
Don't know		7	0	22,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: CCC_92 **Length:** 1.0 **Position:** 190

Question Name: CCC_Q92

Concept: Has kidney dysfunction or disease

Question Text: Do you suffer from kidney dysfunction or disease?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	249,000	0.7
No	2	4,150	29,951,500	88.8
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	2,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: CCC_93 **Length:** 1.0 **Position:** 191

Question Name: CCC_Q93

Concept: Has liver disease or gallbladder problems

Question Text: Do you have liver disease or gallbladder problems?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	473,000	1.4
No	2	4,100	29,730,000	88.2
Valid skip	6	1,600	3,522,500	10.4
Total		5,800	33,725,500	100.0

Variable Name: CCC_94A **Length:** 1.0 **Position:** 192

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis A

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis A

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	13,000	0.0
No	2	100	460,500	1.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94B **Length:** 1.0 **Position:** 193

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis B

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis B

Universe: CCC_93 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	20,500	0.1
No		2	50	452,500	1.3
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94C **Length:** 1.0 **Position:** 194

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis C

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis C

Universe: CCC_93 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	71,000	0.2
No		2	100	402,000	1.2
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94D **Length:** 1.0 **Position:** 195

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Jaundice

Question Text: What kind of liver disease or gallbladder problem do you have? - Jaundice

Universe: CCC_93 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	100	473,000	1.4
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94E **Length:** 1.0 **Position:** 196

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Cirrhosis

Question Text: What kind of liver disease or gallbladder problem do you have? - Cirrhosis

Universe: CCC_93 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	83,000	0.2
No		2	50	390,000	1.2
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94F **Length:** 1.0 **Position:** 197

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Gallstones

Question Text: What kind of liver disease or gallbladder problem do you have? - Gallstones

Universe: CCC_93 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	146,500	0.4
No		2	50	327,000	1.0
Valid skip		6	5,700	33,252,500	98.6
	Total		5,800	33,725,500	100.0

Variable Name: CCC_94G **Length:** 1.0 **Position:** 198

Totals may not add up due to rounding.

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Other

Question Text: What kind of liver disease or gallbladder problem do you have? - Other

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	212,000	0.6
No	2	50	261,500	0.8
Valid skip	6	5,700	33,252,500	98.6
Total		5,800	33,725,500	100.0

Variable Name: CCC_95 **Length:** 1.0 **Position:** 199

Question Name: CCC_Q95

Concept: Has hepatitis

Question Text: Do you have hepatitis?

Universe: CCC_94A <> 1 and CCC_94B <> 1 and CCC_94C <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	298,000	0.9
No	2	5,750	33,323,500	98.8
Valid skip	6	0	104,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: CCC_96A **Length:** 1.0 **Position:** 200

Question Name: CCC_Q96

Concept: Type of hepatitis - A

Question Text: What type of hepatitis do you have? - Hepatitis A

Universe: CCC_95 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	78,500	0.2
No	2	0	157,500	0.5
Valid skip	6	5,750	33,427,500	99.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	62,500	0.2
	Total		5,800	33,725,500	100.0

Variable Name: CCC_96B **Length:** 1.0 **Position:** 201

Question Name: CCC_Q96

Concept: Type of hepatitis - B

Question Text: What type of hepatitis do you have? - Hepatitis B

Universe: CCC_95 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	122,000	0.4
No		2	0	114,000	0.3
Valid skip		6	5,750	33,427,500	99.1
Don't know		7	0	62,500	0.2
	Total		5,800	33,725,500	100.0

Variable Name: CCC_96C **Length:** 1.0 **Position:** 202

Question Name: CCC_Q96

Concept: Type of hepatitis - C

Question Text: What type of hepatitis do you have? - Hepatitis C

Universe: CCC_95 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	35,500	0.1
No		2	0	200,500	0.6
Valid skip		6	5,750	33,427,500	99.1
Don't know		7	0	62,500	0.2
	Total		5,800	33,725,500	100.0

Variable Name: CCC_101 **Length:** 1.0 **Position:** 203

Question Name: CCC_Q101

Concept: Other long term physical or mental health condition

Totals may not add up due to rounding.

Question Text: Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,000	5,394,000	16.0
No	2	4,800	28,270,500	83.8
Don't know	7	0	25,000	0.1
Not stated	9	0	36,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: VIS_005 **Length:** 1.0 **Position:** 204

Question Name: VIS_Q005

Concept: Visited an eye care professional - last 12 months

Question Text: In the past 12 months, that is from this date one year ago to yesterday, have you visited an eye care professional, for example, an ophthalmologist or an optometrist? Do not include visits to an optician.

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,600	15,138,500	44.9
No	2	2,600	17,415,000	51.6
Valid skip	6	600	1,161,000	3.4
Don't know	7	0	11,000	0.0
Refusal	8	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: VIS_010 **Length:** 1.0 **Position:** 205

Question Name: VIS_Q010

Concept: Type of eye care professional last visited

Question Text: What type of eye care professional did you last visit?

Universe: DHH_AGE > 5 and VIS_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Ophthalmologist	1	500	3,660,000	10.9
Optometrist	2	2,050	11,281,500	33.5
Other - specify	3	50	117,500	0.3
Valid skip	6	3,200	18,576,000	55.1
Don't know	7	0	79,500	0.2
Not stated	9	0	11,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: VIS_015 **Length:** 1.0 **Position:** 206

Question Name: VIS_Q015

Concept: Ever had an eye examination

Question Text: Have you ever had an eye examination? Please include reading letters from a chart or when a health professional shines a light in the child's eye.

Universe: DHH_AGE < 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	604,000	1.8
No	2	300	556,500	1.7
Valid skip	6	5,200	32,564,500	96.6
Don't know	7	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: VIS_020 **Length:** 2.0 **Position:** 207

Question Name: VIS_Q020

Concept: Most recent eye exam - done by

Question Text: Was the most recent exam done by...?

Universe: DHH_AGE < 6 and VIS_015 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
An ophthalmologist	01	50	112,500	0.3
An optometrist	02	200	364,000	1.1
A family doctor	03	50	74,500	0.2
A pediatrician	04	0	21,500	0.1
A school nurse	05	0	25,000	0.1
Other - Specify	06	0	4,500	0.0
Valid skip	96	5,500	33,121,500	98.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	2,000	0.0
Not stated		99	0	500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: VIS_030 **Length:** 1.0 **Position:** 209

Question Name: VIS_Q030

Concept: Ever had glaucoma

Question Text: Have you ever had glaucoma?

Universe: DHH_AGE >= 40

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	356,500	1.1
No		2	2,050	16,677,500	49.5
Valid skip		6	3,700	16,669,500	49.4
Don't know		7	0	20,500	0.1
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: VIS_035 **Length:** 2.0 **Position:** 210

Question Name: VIS_Q035

Concept: Age when first diagnosed - Glaucoma

Question Text: How old were you when this was first diagnosed?

Universe: DHH_AGE >= 40 and VIS_030 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		12 - 74	50	353,500	1.0
Valid skip		96	5,750	33,347,000	98.9
Don't know		97	0	3,000	0.0
Not stated		99	0	22,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: VIS_040 **Length:** 1.0 **Position:** 212

Question Name: VIS_Q040

Concept: Ever had diabetic retinopathy

Question Text: Have you ever had diabetic retinopathy?

Universe: 20 <= DHH_AGE <= 39 and (CCC_51 = 1 and CCC_55 <> 2) or (40 <= DHH_AGE and (CCC_51 in (1,DK,RF) and CCC_55 <> 2))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	100,000	0.3
No	2	200	1,529,500	4.5
Valid skip	6	5,600	32,042,500	95.0
Don't know	7	0	54,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: VIS_045 **Length:** 2.0 **Position:** 213

Question Name: VIS_Q045

Concept: Age when first diagnosed - Diabetic retinopathy

Question Text: How old were you when this was first diagnosed?

Universe: VIS_040 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	31 - 79	0	97,000	0.3
Valid skip	96	5,800	33,572,000	99.5
Don't know	97	0	2,500	0.0
Not stated	99	0	54,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: VIS_050 **Length:** 1.0 **Position:** 215

Question Name: VIS_Q050

Concept: Ever had age-related macular degeneration (AMD)

Question Text: Have you ever had age-related macular degeneration (AMD)?

Universe: DHH_AGE >= 40

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	392,000	1.2
No	2	2,050	16,608,000	49.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	3,700	16,669,500	49.4
Don't know		7	0	54,500	0.2
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: VIS_055 **Length:** 2.0 **Position:** 216

Question Name: VIS_Q055

Concept: Age when first diagnosed - Age-related macular degeneration (AMD)

Question Text: How old were you when this was first diagnosed?

Universe: VIS_050 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		20 - 78	50	392,000	1.2
Valid skip		96	5,750	33,277,500	98.7
Not stated		99	0	56,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: VIS_060 **Length:** 1.0 **Position:** 218

Question Name: VIS_Q060

Concept: Ever had cataracts

Question Text: Have you ever had cataracts?

Universe: DHH_AGE >= 40

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	300	2,370,500	7.0
No		2	1,800	14,653,000	43.4
Valid skip		6	3,700	16,669,500	49.4
Don't know		7	0	31,000	0.1
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: VIS_065 **Length:** 1.0 **Position:** 219

Question Name: VIS_Q065

Concept: Which eye - Cataracts

Question Text: In which eye?

Universe: VIS_060 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	50	194,000	0.6
Left	2	50	258,500	0.8
Both	3	250	1,669,500	5.0
Valid skip	6	5,450	31,323,000	92.9
Don't know	7	0	248,000	0.7
Not stated	9	0	32,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: VIS_070 **Length:** 2.0 **Position:** 220

Question Name: VIS_Q070

Concept: Age when first diagnosed - Cataracts

Question Text: How old were you when this was first diagnosed?

Universe: VIS_060 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 79	300	2,364,500	7.0
Valid skip	96	5,450	31,323,000	92.9
Don't know	97	0	6,000	0.0
Not stated	99	0	32,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: VIS_075 **Length:** 1.0 **Position:** 222

Question Name: VIS_Q075

Concept: Ever had cataract surgery

Question Text: Have you ever had cataract surgery?

Universe: VIS_060 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,241,000	3.7
No	2	150	1,129,500	3.3
Valid skip	6	5,450	31,323,000	92.9
Not stated	9	0	32,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: VIS_080 **Length:** 1.0 **Position:** 223

Question Name: VIS_Q080

Concept: Which eye - Cataract surgery

Question Text: In which eye?

Universe: VIS_075 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	0	156,000	0.5
Left	2	50	204,500	0.6
Both	3	150	880,000	2.6
Valid skip	6	5,600	32,452,500	96.2
Not stated	9	0	32,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: VIS_085 **Length:** 1.0 **Position:** 224

Question Name: VIS_Q085

Concept: Waiting for cataract surgery

Question Text: Are you waiting for cataract surgery?

Universe: VIS_075 =2 or (VIS_065 = 1 and VIS_080 <> 1) or (VIS_065 = 2 and VIS_080 <> 2) or (VIS_065 = 3 and VIS_080 <> 3)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	322,000	1.0
No	2	150	967,000	2.9
Valid skip	6	5,650	32,400,000	96.1
Not stated	9	0	37,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPA_005 **Length:** 1.0 **Position:** 225

Question Name: SPA_Q005

Concept: Ever been referred to a sleep lab for overnight testing

Question Text: Have you ever been referred to a sleep lab for overnight testing?

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,905,000	8.6
No	2	3,000	24,892,500	73.8
Valid skip	6	2,400	5,922,500	17.6
Don't know	7	0	3,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SPA_010 **Length:** 1.0 **Position:** 226

Question Name: SPA_Q010

Concept: Diagnosed with sleep apnea

Question Text: Has a health care professional ever diagnosed you with sleep apnea?

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,666,500	4.9
No	2	3,150	26,003,000	77.1
Valid skip	6	2,400	5,922,500	17.6
Don't know	7	0	131,500	0.4
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SPA_015 **Length:** 1.0 **Position:** 227

Question Name: SPA_Q015

Concept: Been prescribed a treatment for sleep apnea

Question Text: Has a health professional prescribed you a treatment for sleep apnea?

Universe: SPA_010 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,333,500	4.0
No	2	50	333,000	1.0
Valid skip	6	5,550	31,926,000	94.7
Not stated	9	0	133,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: SPA_020 **Length:** 1.0 **Position:** 228

Question Name: SPA_Q020

Concept: Trouble going to sleep or staying asleep

Question Text: Without the use of sleeping aids, how often do you usually have trouble going to sleep or staying asleep?

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	900	7,966,000	23.6
Rarely	2	850	6,586,000	19.5
Sometimes	3	800	6,454,500	19.1
Most of the time	4	400	3,232,500	9.6
All of the time	5	200	1,867,000	5.5
Valid skip	6	2,650	7,589,000	22.5
Don't know	7	0	29,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SPA_025 **Length:** 1.0 **Position:** 229

Question Name: SPA_Q025

Concept: Awakened suddenly with the feeling of gasping or choking

Question Text: In the last 12 months, how often have you awakened suddenly with the feeling of gasping or choking?

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	2,800	22,862,500	67.8
Rarely (only once or a few times)	2	250	2,240,000	6.6
Sometimes (a few nights per month)	3	100	606,000	1.8
Often (at least once a week, but pattern may be irregular)	4	0	241,500	0.7

Answer Categories	Code	Frequency	Weighted Frequency	%
Very often (every night or almost every night)	5	0	155,500	0.5
Valid skip	6	2,650	7,589,000	22.5
Not stated	9	0	31,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPA_030 **Length:** 1.0 **Position:** 230

Question Name: SPA_Q030

Concept: Usually snore

Question Text: Do you usually snore?

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,350	11,494,500	34.1
No	2	1,700	14,052,500	41.7
Valid skip	6	2,650	7,589,000	22.5
Don't know	7	100	546,000	1.6
Refusal	8	0	12,000	0.0
Not stated	9	0	31,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPA_035 **Length:** 1.0 **Position:** 231

Question Name: SPA_Q035

Concept: Volume of snoring

Question Text: According to what other have told you, how loud do you usually snore? Would you say...?

Universe: SPA_030 = 1,7,8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Slightly louder than heavy breathing	1	500	4,042,000	12.0
About as loud as a normal speaking voice	2	450	3,972,000	11.8
Louder than a normal speaking voice	3	150	1,338,000	4.0
Loud enough to be heard through closed doors	4	200	1,772,500	5.3
Valid skip	6	4,350	21,642,000	64.2
Don't know	7	50	370,000	1.1
Not stated	9	100	589,500	1.7
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: SPA_040 **Length:** 1.0 **Position:** 232

Question Name: SPA_Q040

Concept: Stop breathing during sleep

Question Text: In the last 12 months, has anyone observed you stop breathing during your sleep?

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,627,000	4.8
No	2	3,000	24,280,000	72.0
Valid skip	6	2,650	7,589,000	22.5
Don't know	7	0	198,500	0.6
Not stated	9	0	31,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPA_045 **Length:** 1.0 **Position:** 233

Question Name: SPA_Q045

Concept: Tired, fatigued, or sleepy during the daytime

Question Text: (In the last 12 months,) have you often felt tired, fatigued, or sleepy during the daytime?

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,850	14,959,500	44.4
No	2	1,300	11,139,500	33.0
Valid skip	6	2,650	7,589,000	22.5
Don't know	7	0	6,500	0.0
Not stated	9	0	31,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPA_050 **Length:** 2.0 **Position:** 234

Question Name: SPA_Q050

Concept: Sleepiness during a typical day

Question Text: Using a scale from 0 to 10, where 0 means 'no sleepiness' and 10 means 'extremely sleepy', how would you assess your sleepiness during a typical day? By 'sleepiness', I mean the strong tendency to doze off.

Universe: SPA_010 = 2, 7, 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
no sleepiness (0) - extremely sleepy (10)	00 - 10	3,150	26,043,000	77.2
Valid skip	96	2,650	7,589,000	22.5
Don't know	97	0	62,500	0.2
Not stated	99	0	31,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SPADRISK **Length:** 2.0 **Position:** 236

Question Name:

Concept: Sleep apnea risk - classification

Question Text:

Universe: DHH_AGE > 17 and SPA_010 <> 1 and WHR_015 <> 1

Note:

Source: www.stopbang.ca

Answer Categories	Code	Frequency	Weighted Frequency	%
High risk	01	400	3,365,000	10.0
Moderate risk	02	400	3,949,000	11.7
Low risk	03	2,200	17,560,500	52.1
Valid skip	96	2,650	7,589,000	22.5
Not stated	99	150	1,262,000	3.7
Total		5,800	33,725,500	100.0

Variable Name: SPADSCOR **Length:** 2.0 **Position:** 238

Question Name:

Concept: Sleep apnea risk - score

Question Text:

Universe: DHH_AGE > 17 and SPA_010 <> 1 and WHR_015 <> 1

Note:

Source: www.stopbang.ca

Answer Categories	Code	Frequency	Weighted Frequency	%
Score	00 - 08	3,000	24,874,500	73.8
Valid skip	96	2,650	7,589,000	22.5
Not stated	99	150	1,262,000	3.7
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PRS_11 **Length:** 1.0 **Position:** 240

Question Name: PRS_Q11

Concept: Pregnant

Question Text: It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?

Universe: DHH_SEX = 2 and 13 < DHH_AGE < 60

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	296,000	0.9
No	2	1,400	10,715,000	31.8
Valid skip	6	4,350	22,693,500	67.3
Don't know	7	0	13,000	0.0
Not stated	9	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MEN_005 **Length:** 1.0 **Position:** 241

Question Name: MEN_Q005

Concept: Mentrual period - Last 12 months

Question Text: Have you had a menstrual period in the last 12 months, that is from this date one year ago to today?

Universe: PRS_11 <> 1 and DHH_SEX = 2 and 39 < DHH_AGE < 66

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,684,500	8.0
No	2	400	3,886,500	11.5
Valid skip	6	5,050	27,136,000	80.5
Refusal	8	0	15,500	0.0
Not stated	9	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MEN_010A **Length:** 1.0 **Position:** 242

Question Name: MEN_Q010

Concept: Have not had a period - Contraceptives

Question Text: What is the reason you have not had a period? - Contraceptives

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	131,000	0.4
No	2	350	3,753,000	11.1
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010B **Length:** 1.0 **Position:** 243

Question Name: MEN_Q010

Concept: Have not had a period - Medical procedure, medication or drugs

Question Text: What is the reason you have not had a period? - Medical procedure, medication or drugs (do not include contraceptives)

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	110,000	0.3
No	2	400	3,773,500	11.2
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010C **Length:** 1.0 **Position:** 244

Question Name: MEN_Q010

Concept: Have not had a period - Pregnancy

Question Text: What is the reason you have not had a period? - Pregnancy

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	400	3,883,500	11.5
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	18,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: MEN_010D **Length:** 1.0 **Position:** 245

Question Name: MEN_Q010

Concept: Have not had a period - Breastfeeding

Question Text: What is the reason you have not had a period? - Breastfeeding

Universe: MEN_005 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	18,000	0.1
No		2	400	3,865,500	11.5
Valid skip		6	5,400	29,820,500	88.4
Don't know		7	0	500	0.0
Refusal		8	0	2,000	0.0
Not stated		9	0	18,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: MEN_010E **Length:** 1.0 **Position:** 246

Question Name: MEN_Q010

Concept: Have not had a period - Menopause

Question Text: What is the reason you have not had a period? - Menopause

Universe: MEN_005 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	300	3,097,500	9.2
No		2	100	786,000	2.3
Valid skip		6	5,400	29,820,500	88.4
Don't know		7	0	500	0.0
Refusal		8	0	2,000	0.0
Not stated		9	0	18,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: MEN_010F **Length:** 1.0 **Position:** 247

Question Name: MEN_Q010

Concept: Have not had a period - Stress, weight loss or excessive exercise

Question Text: What is the reason you have not had a period? - Stress, weight loss or excessive exercise

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	400	3,883,500	11.5
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010G **Length:** 1.0 **Position:** 248

Question Name: MEN_Q010

Concept: Have not had a period - Removal of the uterus

Question Text: What is the reason you have not had a period? - Removal of the uterus (partial or complete hysterectomy)

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	540,000	1.6
No	2	350	3,343,500	9.9
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010H **Length:** 1.0 **Position:** 249

Question Name: MEN_Q010

Concept: Have not had a period - Removal of ovaries

Question Text: What is the reason you have not had a period? - Removal of ovaries

Universe: MEN_005 = 2

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	109,000	0.3
No	2	400	3,775,000	11.2
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010I **Length:** 1.0 **Position:** 250

Question Name: MEN_Q010

Concept: Have not had a period - Physical complications

Question Text: What is the reason you have not had a period? - Physical complications (do not include the removal of uterus or ovaries)

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	400	3,873,000	11.5
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MEN_010J **Length:** 1.0 **Position:** 251

Question Name: MEN_Q010

Concept: Have not had a period - Other - Specify

Question Text: What is the reason you have not had a period? - Other - Specify

Universe: MEN_005 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	47,500	0.1
No	2	400	3,836,000	11.4
Valid skip	6	5,400	29,820,500	88.4
Don't know	7	0	500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	0	18,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: MEN_015 **Length:** 1.0 **Position:** 252

Question Name: MEN_Q015

Concept: Had both ovaries removed

Question Text: Have you had both ovaries removed?

Universe: MEN_010H = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	104,000	0.3
No		2	0	4,500	0.0
Valid skip		6	5,800	33,595,500	99.6
Not stated		9	0	21,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: MEN_020 **Length:** 1.0 **Position:** 253

Question Name: MEN_Q020

Concept: Experienced symptoms of menopause

Question Text: Have you experienced any symptoms of menopause? These symptoms may include hot flushes (flashes), night sweats, or increased vaginal pain, dryness and itching.

Universe: MEN_010G = 1 and MEN_015 = (2 or 6)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	361,000	1.1
No		2	0	102,500	0.3
Valid skip		6	5,750	33,241,000	98.6
Not stated		9	0	21,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: MEN_025 **Length:** 1.0 **Position:** 254

Question Name: MEN_Q025

Concept: Beginning of menopause symptoms

Totals may not add up due to rounding.

Question Text: How long ago did these symptoms first begin?

Universe: MEN_020 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 2 years ago	1	0	12,000	0.0
2 to less than 5 years ago	2	0	88,500	0.3
5 or more years ago	3	0	260,000	0.8
Valid skip	6	5,750	33,343,500	98.9
Not stated	9	0	21,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_05 **Length:** 1.0 **Position:** 255

Question Name: FRH_Q005

Concept: Fallen (last 12 months)

Question Text: Have you fallen in the past 12 months, that is from (date one year ago) to today?

By a fall, I mean that you unintentionally came to rest on a lower surface or object with all or part of your body.

Include all falls even if they did not result in an injury.

Universe: DHH_AGE > 19

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	6,921,000	20.5
No	2	2,350	20,152,000	59.8
Valid skip	6	2,600	6,651,000	19.7
Don't know	7	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_10 **Length:** 2.0 **Position:** 256

Question Name: FRH_Q010

Concept: Fallen - Number of times

Question Text: How many times?

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 95	850	6,893,000	20.4
Valid skip	96	4,950	26,803,000	79.5
Don't know	97	0	28,500	0.1
Not stated	99	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_15A **Length:** 1.0 **Position:** 258

Question Name: FRH_Q015

Concept: Cause of fall - Sports

Question Text: Was that fall/the most serious fall caused by any of the following? - Sports

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,691,500	5.0
No	2	600	5,230,000	15.5
Valid skip	6	4,950	26,803,000	79.5
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_15B **Length:** 1.0 **Position:** 259

Question Name: FRH_Q015

Concept: Cause of fall - Running or roughhousing

Question Text: Was that fall/the most serious fall caused by any of the following? - Running or roughhousing

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	325,000	1.0
No	2	800	6,596,000	19.6
Valid skip	6	4,950	26,803,000	79.5
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_15C **Length:** 1.0 **Position:** 260

Totals may not add up due to rounding.

Question Name: FRH_Q015

Concept: Cause of fall - Being hit or pushed

Question Text: Was that fall/the most serious fall caused by any of the following? - Being hit or pushed

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	65,500	0.2
No	2	800	6,855,500	20.3
Valid skip	6	4,950	26,803,000	79.5
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_15D **Length:** 1.0 **Position:** 261

Question Name: FRH_Q015

Concept: Cause of fall - A vehicle, a car or bicycle

Question Text: Was that fall/the most serious fall caused by any of the following? - A vehicle, for example, a car or bicycle

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	440,000	1.3
No	2	800	6,481,000	19.2
Valid skip	6	4,950	26,803,000	79.5
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_15G **Length:** 1.0 **Position:** 262

Question Name: FRH_Q015

Concept: Cause of fall - None of the above

Question Text: Was [that fall/the most serious fall you had in the last 12 months] caused by any of the following? - None of the above

Universe: FRH_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	4,662,500	13.8
No	2	300	2,258,500	6.7
Valid skip	6	4,950	26,803,000	79.5
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_20 **Length:** 2.0 **Position:** 263

Question Name: FRH_Q020

Concept: Cause of fall - Other

Question Text: What was the cause of that fall?

Universe: FRH_15G = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Illness, weakness or frailty	01	50	220,000	0.7
Alcohol, medications or other substances	02	0	65,000	0.2
Natural imbalance due to height (eg. standing on a roof)	03	0	79,500	0.2
Dizzy/loss of consci. not from ill/ alc/meds/other substance	04	0	127,000	0.4
Slipping	05	300	2,691,000	8.0
Tripping or bumping into an obstruction	06	150	1,143,000	3.4
Other - Specify	07	50	337,000	1.0
Valid skip	96	5,250	29,061,500	86.2
Not stated	99	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_25 **Length:** 1.0 **Position:** 265

Question Name: FRH_Q025

Concept: Cause of slip

Question Text: What was the cause of that slip?

Universe: FRH_20 = 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Slipping while walking/standing indoors (eg: in the bath)	1	50	398,000	1.2
Slipping while walking or standing outdoors (e.g., on ice)	2	200	1,978,000	5.9
Slipping while climbing something (e.g., climbing a ladder)	3	0	74,500	0.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Other - Specify		4	0	98,500	0.3
Valid skip		6	5,500	31,033,500	92.0
Don't know		7	0	100,000	0.3
Not stated		9	0	43,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_30 **Length:** 1.0 **Position:** 266

Question Name: FRH_Q030

Concept: Ever broken or fractured a bone

Question Text: Have you ever broken or fractured a bone? Please include bone chips and cracks. Do not include bones that were broken for surgical procedures.

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,000	13,007,500	38.6
No		2	3,200	19,540,500	57.9
Valid skip		6	600	1,161,000	3.4
Don't know		7	0	16,000	0.0
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: FRH_35 **Length:** 2.0 **Position:** 267

Question Name: FRH_Q035

Concept: Number of times broken or fractured a bone

Question Text: In your lifetime, on how many occasions have you broken or fractured a bone?

Universe: FRH_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		01 - 20	2,000	13,005,000	38.6
Valid skip		96	3,800	20,701,500	61.4
Refusal		98	0	2,500	0.0
Not stated		99	0	17,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40A **Length:** 2.0 **Position:** 269

Question Name:

Concept: First break/fracture - age

Question Text: How old were you on the first occasion?

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 78	1,950	12,871,000	38.2
Valid skip	96	3,800	20,701,500	61.4
Don't know	97	0	134,000	0.4
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AA **Length:** 1.0 **Position:** 271

Question Name:

Concept: First break/fracture - head

Question Text: Which bone(s) did you break or fracture on the first occasion - Head (skull, face, jaw, nose)

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	1,118,500	3.3
No	2	1,850	11,872,000	35.2
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AB **Length:** 1.0 **Position:** 272

Question Name:

Concept: First break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the first occasion - Spine (neck, back, tail-bone)

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	420,500	1.2
No	2	1,900	12,570,000	37.3
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AC **Length:** 1.0 **Position:** 273

Question Name:

Concept: First break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the first occasion - Ribs/sternum

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	692,000	2.1
No	2	1,900	12,298,500	36.5
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AD **Length:** 1.0 **Position:** 274

Question Name:

Concept: First break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the first occasion - Shoulder/upper arm/collarbone

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,481,500	4.4
No	2	1,750	11,509,000	34.1
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AE **Length:** 1.0 **Position:** 275

Question Name:

Concept: First break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the first occasion - Elbow

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	713,000	2.1
No	2	1,850	12,277,500	36.4
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AF **Length:** 1.0 **Position:** 276

Question Name:

Concept: First break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the first occasion - Forearm/wrist

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	2,827,000	8.4
No	2	1,500	10,163,500	30.1
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AG **Length:** 1.0 **Position:** 277

Question Name:

Concept: First break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the first occasion - Hand

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	774,000	2.3
No	2	1,850	12,216,000	36.2
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AH **Length:** 1.0 **Position:** 278

Question Name:

Concept: First break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the first occasion - Finger(s)

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,271,500	3.8
No	2	1,750	11,719,000	34.7
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AI **Length:** 1.0 **Position:** 279

Question Name:

Concept: First break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the first occasion - Hip

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	89,000	0.3
No	2	1,950	12,901,500	38.3
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AJ **Length:** 1.0 **Position:** 280

Question Name:

Concept: First break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the first occasion - Pelvis

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	43,500	0.1
No	2	1,950	12,947,000	38.4
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AK **Length:** 1.0 **Position:** 281

Question Name:

Concept: First break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the first occasion - Upper leg

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	109,000	0.3
No	2	1,950	12,881,500	38.2
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AL **Length:** 1.0 **Position:** 282

Question Name:

Concept: First break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the first occasion - Knee

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	179,500	0.5
No		2	1,950	12,811,000	38.0
Valid skip		6	3,800	20,701,500	61.4
Don't know		7	0	14,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40AM **Length:** 1.0 **Position:** 283

Question Name:

Concept: First break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the first occasion - Lower leg

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	834,500	2.5
No		2	1,800	12,156,000	36.0
Valid skip		6	3,800	20,701,500	61.4
Don't know		7	0	14,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40AN **Length:** 1.0 **Position:** 284

Question Name:

Concept: First break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the first occasion - Ankle

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	1,150,000	3.4
No		2	1,800	11,840,500	35.1
Valid skip		6	3,800	20,701,500	61.4
Don't know		7	0	14,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40AO **Length:** 1.0 **Position:** 285

Question Name:

Concept: First break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the first occasion - Foot

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	769,500	2.3
No	2	1,850	12,221,000	36.2
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AP **Length:** 1.0 **Position:** 286

Question Name:

Concept: First break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the first occasion - Toe(s)

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	927,500	2.8
No	2	1,850	12,063,000	35.8
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40AQ **Length:** 1.0 **Position:** 287

Question Name:

Concept: First break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the first occasion - Other - Specify

Universe: 0 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	33,500	0.1
No	2	1,950	12,957,000	38.4
Valid skip	6	3,800	20,701,500	61.4
Don't know	7	0	14,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41A **Length:** 2.0 **Position:** 288

Question Name:

Concept: First break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (first occasion)

Universe: FRH_40AB=(1,7) or FRH_40AC=(1,7) or FRH_40AD=(1,7) or FRH_40AE=(1,7) or FRH_40AF=(1,7) or FRH_40AG=(1,7) or FRH_40AI=(1,7) or FRH_40AJ=(1,7) or FRH_40AK=(1,7) or FRH_40AL=(1,7) or FRH_40AM=(1,7) or FRH_40AN=(1,7) or FRH_40AO=(1,7) or FRH_40AQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	100	800,500	2.4
Injury as a result of sports or physical activity	02	700	4,373,000	13.0
Being hit or struck by a person/object (no sports injuries)	03	100	532,500	1.6
Bumping/hitting an obstruction (dont inc. sports injuries)	04	50	548,000	1.6
Fall (do not include sports injuries)	05	500	3,081,000	9.1
No fall or significant impact (e.g., as a result of a hug)	06	50	227,000	0.7
Other - Specify	07	50	255,500	0.8
Valid skip	96	4,250	23,804,500	70.6
Don't know	97	0	83,500	0.2
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42A **Length:** 2.0 **Position:** 290

Question Name:

Concept: First break/fracture - type of fall

Question Text: What was the type of fall? (first occasion)

Universe: FRH_41A = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	50	168,000	0.5
Fall from a standing height while indoors	02	50	430,500	1.3
Fall from a standing height while outdoors	03	200	1,122,000	3.3
Fall up the stairs	04	0	68,000	0.2
Fall down the stairs	05	50	396,500	1.2
Fall from more than a standing height	06	150	612,500	1.8
Other - Specify	07	50	203,500	0.6
Valid skip	96	5,200	30,286,000	89.8
Don't know	97	0	59,000	0.2
Not stated	99	50	379,500	1.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43A **Length:** 1.0 **Position:** 292

Question Name:

Concept: First break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (first occasion)

Universe: FRH_42A = 5, 6, DK, RF, NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	680,000	2.0
No	2	50	256,000	0.8
Valid skip	6	5,550	32,278,000	95.7
Don't know	7	0	57,000	0.2
Not stated	9	50	454,500	1.3
Total		5,800	33,725,500	100.0

Variable Name: FRH_40B **Length:** 2.0 **Position:** 293

Question Name:

Concept: Second break/fracture - age

Question Text: How old were you on the second occasion?

Universe: 1 < FRH_35 < EV

Note: Relates to FRD_Q010 in the questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 78	850	5,792,000	17.2
Valid skip	96	4,950	27,737,500	82.2
Don't know	97	0	177,000	0.5
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40BA **Length:** 1.0 **Position:** 295

Question Name:

Concept: Second break/fracture - head

Question Text: Which bone(s) did you break or fracture on the second occasion - Head (skull, face, jaw, nose)

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	296,500	0.9
No	2	800	5,672,000	16.8
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BB **Length:** 1.0 **Position:** 296

Question Name:

Concept: Second break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the second occasion - Spine (neck, back, tailbone)

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	229,500	0.7
No	2	800	5,739,000	17.0
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BC **Length:** 1.0 **Position:** 297

Question Name:

Concept: Second break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the second occasion - Ribs/sternum

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	533,500	1.6
No	2	800	5,435,000	16.1
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BD **Length:** 1.0 **Position:** 298

Question Name:

Concept: Second break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the second occasion - Shoulder/upper arm/collarbone

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	677,500	2.0
No	2	750	5,291,000	15.7
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BE **Length:** 1.0 **Position:** 299

Question Name:

Concept: Second break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the second occasion - Elbow

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	164,000	0.5
No	2	800	5,804,500	17.2
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40BF **Length:** 1.0 **Position:** 300

Question Name:

Concept: Second break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the second occasion - Forearm/wrist

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	748,500	2.2
No	2	700	5,220,000	15.5
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BG **Length:** 1.0 **Position:** 301

Question Name:

Concept: Second break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the second occasion - Hand

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	256,500	0.8
No	2	800	5,712,000	16.9
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BH **Length:** 1.0 **Position:** 302

Question Name:

Concept: Second break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the second occasion - Finger(s)

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	1,041,500	3.1
No	2	750	4,927,000	14.6
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BI **Length:** 1.0 **Position:** 303

Question Name:

Concept: Second break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the second occasion - Hip

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	83,000	0.2
No	2	850	5,885,500	17.5
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BJ **Length:** 1.0 **Position:** 304

Question Name:

Concept: Second break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the second occasion - Pelvis

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	28,000	0.1
No	2	850	5,940,500	17.6
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BK **Length:** 1.0 **Position:** 305

Question Name:

Totals may not add up due to rounding.

Concept: Second break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the second occasion - Upper leg

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	19,000	0.1
No	2	850	5,949,500	17.6
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BL **Length:** 1.0 **Position:** 306

Question Name:

Concept: Second break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the second occasion - Knee

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	188,500	0.6
No	2	800	5,780,000	17.1
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BM **Length:** 1.0 **Position:** 307

Question Name:

Concept: Second break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the second occasion - Lower leg

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	424,500	1.3
No	2	800	5,544,000	16.4
Valid skip	6	4,950	27,737,500	82.2

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40BN **Length:** 1.0 **Position:** 308

Question Name:

Concept: Second break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the second occasion - Ankle

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	443,500	1.3
No		2	750	5,525,000	16.4
Valid skip		6	4,950	27,737,500	82.2
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40BO **Length:** 1.0 **Position:** 309

Question Name:

Concept: Second break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the second occasion - Foot

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	374,000	1.1
No		2	750	5,595,000	16.6
Valid skip		6	4,950	27,737,500	82.2
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40BP **Length:** 1.0 **Position:** 310

Question Name:

Concept: Second break/fracture - toe(s)

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the second occasion - Toe(s)

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	605,000	1.8
No	2	750	5,364,000	15.9
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40BQ **Length:** 1.0 **Position:** 311

Question Name:

Concept: Second break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the second occasion - Other - Specify

Universe: 1 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,500	0.0
No	2	850	5,962,000	17.7
Valid skip	6	4,950	27,737,500	82.2
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41B **Length:** 2.0 **Position:** 312

Question Name:

Concept: Second break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (second occasion)

Universe: FRH_40BB=(1,7) or FRH_40BC=(1,7) or FRH_40BD=(1,7) or FRH_40BE=(1,7) or FRH_40BF=(1,7) or FRH_40BG=(1,7) or FRH_40BI=(1,7) or FRH_40BJ=(1,7) or FRH_40BK=(1,7) or FRH_40BL=(1,7) or FRH_40BM=(1,7) or FRH_40BN=(1,7) or FRH_40BO=(1,7) or FRH_40BQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

Motor vehicle accident	01	50	302,500	0.9
Injury as a result of sports or physical activity	02	300	1,806,000	5.4
Being hit or struck by a person/object (no sports injuries)	03	50	204,000	0.6
Bumping/hitting an obstruction (dont inc. sports injuries)	04	50	157,000	0.5
Fall (do not include sports injuries)	05	150	1,359,500	4.0
No fall or significant impact (e.g., as a result of a hug)	06	0	159,500	0.5
Other - Specify	07	0	75,000	0.2
Valid skip	96	5,150	29,615,000	87.8
Don't know	97	0	28,000	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42B **Length:** 2.0 **Position:** 314

Question Name:

Concept: Second break/fracture - type of fall

Question Text: What was the type of fall? (second occasion)

Universe: FRH_41B = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	59,000	0.2
Fall from a standing height while indoors	02	50	129,500	0.4
Fall from a standing height while outdoors	03	50	569,000	1.7
Fall up the stairs	04	0	46,500	0.1
Fall down the stairs	05	0	72,000	0.2
Fall from more than a standing height	06	50	232,000	0.7
Other - Specify	07	0	145,000	0.4
Valid skip	96	5,600	32,244,000	95.6
Don't know	97	0	32,000	0.1
Not stated	99	50	197,000	0.6
Total		5,800	33,725,500	100.0

Variable Name: FRH_43B **Length:** 1.0 **Position:** 316

Question Name:

Concept: Second break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (second occasion)

Totals may not add up due to rounding.

Universe: FRH_42B = 5, 6, DK, RF, NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	1	50	263,500	0.8
Yes	2	0	115,500	0.3
Valid skip	6	5,700	33,193,000	98.4
Don't know	7	0	21,500	0.1
Not stated	9	50	132,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: FRH_40C **Length:** 2.0 **Position:** 317

Question Name:

Concept: Third break/fracture - age

Question Text: How old were you on the third occasion?

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 77	400	2,795,500	8.3
Valid skip	96	5,400	30,861,500	91.5
Don't know	97	0	49,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CA **Length:** 1.0 **Position:** 319

Question Name:

Concept: Third break/fracture - head

Question Text: Which bone(s) did you break or fracture on the third occasion - Head (skull, face, jaw, nose)

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	178,000	0.5
No	2	400	2,575,000	7.6
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40CB **Length:** 1.0 **Position:** 320

Question Name:

Concept: Third break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the third occasion - Spine (neck, back, tail-bone)

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	67,500	0.2
No		2	400	2,685,500	8.0
Valid skip		6	5,400	30,861,500	91.5
Don't know		7	0	91,500	0.3
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40CC **Length:** 1.0 **Position:** 321

Question Name:

Concept: Third break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the third occasion - Ribs/sternum

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	322,500	1.0
No		2	350	2,431,000	7.2
Valid skip		6	5,400	30,861,500	91.5
Don't know		7	0	91,500	0.3
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40CD **Length:** 1.0 **Position:** 322

Question Name:

Totals may not add up due to rounding.

Concept: Third break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the third occasion - Shoulder/upper arm/collarbone

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	206,500	0.6
No	2	400	2,546,500	7.6
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CE **Length:** 1.0 **Position:** 323

Question Name:

Concept: Third break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the third occasion - Elbow

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	139,000	0.4
No	2	400	2,614,500	7.8
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CF **Length:** 1.0 **Position:** 324

Question Name:

Concept: Third break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the third occasion - Forearm/wrist

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	402,500	1.2
No	2	350	2,350,500	7.0
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CG **Length:** 1.0 **Position:** 325

Question Name:

Concept: Third break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the third occasion - Hand

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	139,500	0.4
No	2	400	2,613,500	7.7
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CH **Length:** 1.0 **Position:** 326

Question Name:

Concept: Third break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the third occasion - Finger(s)

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	602,000	1.8
No	2	350	2,151,500	6.4
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CI **Length:** 1.0 **Position:** 327

Totals may not add up due to rounding.

Question Name:

Concept: Third break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the third occasion - Hip

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	19,000	0.1
No	2	400	2,734,000	8.1
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CJ **Length:** 1.0 **Position:** 328

Question Name:

Concept: Third break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the third occasion - Pelvis

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	8,000	0.0
No	2	400	2,745,000	8.1
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CK **Length:** 1.0 **Position:** 329

Question Name:

Concept: Third break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the third occasion - Upper leg

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	13,500	0.0
No	2	400	2,740,000	8.1
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CL **Length:** 1.0 **Position:** 330

Question Name:

Concept: Third break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the third occasion - Knee

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	143,000	0.4
No	2	400	2,610,000	7.7
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CM **Length:** 1.0 **Position:** 331

Question Name:

Concept: Third break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the third occasion - Lower leg

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	81,000	0.2
No	2	400	2,672,000	7.9
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CN **Length:** 1.0 **Position:** 332

Totals may not add up due to rounding.

Question Name:

Concept: Third break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the third occasion - Ankle

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	156,000	0.5
No	2	350	2,597,000	7.7
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CO **Length:** 1.0 **Position:** 333

Question Name:

Concept: Third break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the third occasion - Foot

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	88,000	0.3
No	2	400	2,665,000	7.9
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CP **Length:** 1.0 **Position:** 334

Question Name:

Concept: Third break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the third occasion - Toe(s)

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	269,000	0.8
No	2	350	2,484,000	7.4
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40CQ **Length:** 1.0 **Position:** 335

Question Name:

Concept: Third break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the third occasion - Other - Specify

Universe: 2 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	400	2,723,500	8.1
Valid skip	6	5,400	30,861,500	91.5
Don't know	7	0	91,500	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41C **Length:** 2.0 **Position:** 336

Question Name:

Concept: Third break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (third occasion)

Universe: FRH_40CB=(1, 7) or FRH_40CC=(1, 7) or FRH_40CD=(1, 7) or FRH_40CE=(1, 7) or FRH_40CF=(1, 7) or FRH_40CG=(1, 7) or FRH_40CI=(1, 7) or FRH_40CJ=(1, 7) or FRH_40CK=(1, 7) or FRH_40CL=(1, 7) or FRH_40CM=(1, 7) or FRH_40CN=(1, 7) or FRH_40CO=(1, 7) or FRH_40CQ=(1, 7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	68,000	0.2
Injury as a result of sports or physical activity	02	150	729,000	2.2
Being hit or struck by a person/object (no sports injuries)	03	0	123,500	0.4
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	96,000	0.3
Fall (do not include sports injuries)	05	50	568,500	1.7

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No fall or significant impact (e.g., as a result of a hug)	06	0	77,000	0.2
Other - Specify	07	0	71,000	0.2
Valid skip	96	5,500	31,904,500	94.6
Don't know	97	0	68,500	0.2
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42C **Length:** 2.0 **Position:** 338

Question Name:

Concept: Third break/fracture - type of fall

Question Text: What was the type of fall? (third occasion)

Universe: FRH_41C = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	33,500	0.1
Fall from a standing height while indoors	02	0	16,500	0.0
Fall from a standing height while outdoors	03	50	370,000	1.1
Fall up the stairs	04	0	18,000	0.1
Fall down the stairs	05	0	28,000	0.1
Fall from more than a standing height	06	0	94,000	0.3
Other - Specify	07	0	2,000	0.0
Valid skip	96	5,700	32,998,000	97.8
Not stated	99	0	167,000	0.5
Total		5,800	33,725,500	100.0

Variable Name: FRH_43C **Length:** 1.0 **Position:** 340

Question Name:

Concept: Third break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (third occasion)

Universe: FRH_42C = 5, 6, DK, RF, NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	94,000	0.3
No	2	0	19,000	0.1
Valid skip	6	5,750	33,437,000	99.1
Don't know	7	0	2,000	0.0
Not stated	9	0	174,000	0.5

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40D **Length:** 2.0 **Position:** 341

Question Name:

Concept: Fourth break/fracture - age

Question Text: How old were you on the fourth occasion?

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		00 - 73	200	1,527,000	4.5
Valid skip		96	5,600	32,170,500	95.4
Don't know		97	0	8,500	0.0
Not stated		99	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40DA **Length:** 1.0 **Position:** 343

Question Name:

Concept: Fourth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Head (skull, face, jaw, nose)

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	67,000	0.2
No		2	200	1,373,000	4.1
Valid skip		6	5,600	32,170,500	95.4
Don't know		7	0	95,000	0.3
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40DB **Length:** 1.0 **Position:** 344

Question Name:

Concept: Fourth break/fracture - spine

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Spine (neck, back, tailbone)

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	200	1,420,500	4.2
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DC **Length:** 1.0 **Position:** 345

Question Name:

Concept: Fourth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Ribs/sternum

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	224,000	0.7
No	2	200	1,216,500	3.6
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DD **Length:** 1.0 **Position:** 346

Question Name:

Concept: Fourth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Shoulder/upper arm/collarbone

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	95,500	0.3
No	2	200	1,345,000	4.0
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DE **Length:** 1.0 **Position:** 347

Question Name:

Concept: Fourth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Elbow

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	72,500	0.2
No	2	200	1,367,500	4.1
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DF **Length:** 1.0 **Position:** 348

Question Name:

Concept: Fourth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Forearm/wrist

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	123,500	0.4
No	2	200	1,316,500	3.9
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40DG **Length:** 1.0 **Position:** 349

Question Name:

Concept: Fourth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Hand

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	151,500	0.4
No	2	200	1,289,000	3.8
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DH **Length:** 1.0 **Position:** 350

Question Name:

Concept: Fourth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Finger(s)

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	297,000	0.9
No	2	150	1,143,000	3.4
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DI **Length:** 1.0 **Position:** 351

Question Name:

Concept: Fourth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Hip

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	200	1,440,000	4.3
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DJ **Length:** 1.0 **Position:** 352

Question Name:

Concept: Fourth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Pelvis

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	200	1,440,000	4.3
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DK **Length:** 1.0 **Position:** 353

Question Name:

Concept: Fourth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Upper leg

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	200	1,439,000	4.3
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DL **Length:** 1.0 **Position:** 354

Totals may not add up due to rounding.

Question Name:

Concept: Fourth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Knee

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	200	1,440,000	4.3
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DM **Length:** 1.0 **Position:** 355

Question Name:

Concept: Fourth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Lower leg

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	200	1,423,500	4.2
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DN **Length:** 1.0 **Position:** 356

Question Name:

Concept: Fourth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Ankle

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	108,500	0.3
No	2	200	1,332,000	3.9
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DO **Length:** 1.0 **Position:** 357

Question Name:

Concept: Fourth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Foot

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	47,000	0.1
No	2	200	1,393,000	4.1
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DP **Length:** 1.0 **Position:** 358

Question Name:

Concept: Fourth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Toe(s)

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	215,000	0.6
No	2	200	1,225,500	3.6
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40DQ **Length:** 1.0 **Position:** 359

Totals may not add up due to rounding.

Question Name:

Concept: Fourth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Other - Specify

Universe: 3 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	200	1,439,500	4.3
Valid skip	6	5,600	32,170,500	95.4
Don't know	7	0	95,000	0.3
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41D **Length:** 2.0 **Position:** 360

Question Name:

Concept: Fourth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fourth occasion)

Universe: FRH_40DB=(1,7) or FRH_40DC=(1,7) or FRH_40DD=(1,7) or FRH_40DE=(1,7) or FRH_40DF=(1,7) or FRH_40DG=(1,7) or FRH_40DI=(1,7) or FRH_40DJ=(1,7) or FRH_40DK=(1,7) or FRH_40DL=(1,7) or FRH_40DM=(1,7) or FRH_40DN=(1,7) or FRH_40DO=(1,7) or FRH_40DQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	55,500	0.2
Injury as a result of sports or physical activity	02	50	361,500	1.1
Being hit or struck by a person/object (no sports injuries)	03	0	113,500	0.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	24,000	0.1
Fall (do not include sports injuries)	05	50	299,500	0.9
No fall or significant impact (e.g., as a result of a hug)	06	0	42,000	0.1
Other - Specify	07	0	27,000	0.1
Valid skip	96	5,650	32,750,000	97.1
Don't know	97	0	34,000	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42D **Length:** 2.0 **Position:** 362

Question Name:

Concept: Fourth break/fracture - type of fall

Question Text: What was the type of fall? (fourth occasion)

Universe: FRH_41D=5,7

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while indoors	02	0	32,000	0.1
Fall from a standing height while outdoors	03	0	221,500	0.7
Fall down the stairs	05	0	11,000	0.0
Fall from more than a standing height	06	0	46,500	0.1
Valid skip	96	5,750	33,346,000	98.9
Not stated	99	0	68,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: FRH_43D **Length:** 1.0 **Position:** 364

Question Name:

Concept: Fourth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fourth occasion)

Universe: FRH_42D = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	0	16,000	0.0
Valid skip	6	5,750	33,599,500	99.6
Not stated	9	0	80,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: FRH_40E **Length:** 2.0 **Position:** 365

Question Name:

Concept: Fifth break/fracture - age

Question Text: How old were you on the fifth occasion?

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		00 - 77	100	998,000	3.0
Valid skip		96	5,650	32,684,000	96.9
Don't know		97	0	24,000	0.1
Not stated		99	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40EA **Length:** 1.0 **Position:** 367

Question Name:

Concept: Fifth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Head (skull, face, jaw, nose)

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	90,000	0.3
No		2	100	927,500	2.7
Valid skip		6	5,650	32,684,000	96.9
Don't know		7	0	4,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40EB **Length:** 1.0 **Position:** 368

Question Name:

Concept: Fifth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Spine (neck, back, tail-bone)

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	3,500	0.0
No		2	100	1,013,500	3.0
Valid skip		6	5,650	32,684,000	96.9
Don't know		7	0	4,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40EC **Length:** 1.0 **Position:** 369

Question Name:

Concept: Fifth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Ribs/sternum

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	227,500	0.7
No	2	100	790,000	2.3
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ED **Length:** 1.0 **Position:** 370

Question Name:

Concept: Fifth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Shoulder/upper arm/collarbone

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	51,500	0.2
No	2	100	966,000	2.9
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EE **Length:** 1.0 **Position:** 371

Question Name:

Concept: Fifth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Elbow

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	1,017,500	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EF **Length:** 1.0 **Position:** 372

Question Name:

Concept: Fifth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Forearm/wrist

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	33,000	0.1
No	2	100	984,500	2.9
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EG **Length:** 1.0 **Position:** 373

Question Name:

Concept: Fifth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Hand

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	51,500	0.2
No	2	100	965,500	2.9
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EH **Length:** 1.0 **Position:** 374

Question Name:

Concept: Fifth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Finger(s)

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	198,500	0.6
No	2	100	819,000	2.4
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EI **Length:** 1.0 **Position:** 375

Question Name:

Concept: Fifth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Hip

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,000	0.0
No	2	100	1,010,000	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EJ **Length:** 1.0 **Position:** 376

Question Name:

Concept: Fifth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Pelvis

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	1,017,500	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EK **Length:** 1.0 **Position:** 377

Question Name:

Concept: Fifth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Upper leg

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	100	1,014,500	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EL **Length:** 1.0 **Position:** 378

Question Name:

Concept: Fifth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Knee

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	4,500	0.0
No	2	100	1,012,500	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EM **Length:** 1.0 **Position:** 379

Question Name:

Concept: Fifth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Lower leg

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	100	988,000	2.9
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EN **Length:** 1.0 **Position:** 380

Question Name:

Concept: Fifth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Ankle

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	79,500	0.2
No	2	100	937,500	2.8
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EO **Length:** 1.0 **Position:** 381

Question Name:

Concept: Fifth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Foot

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	48,500	0.1
No	2	100	968,500	2.9
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EP **Length:** 1.0 **Position:** 382

Question Name:

Concept: Fifth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Toe(s)

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	196,000	0.6
No	2	100	821,000	2.4
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40EQ **Length:** 1.0 **Position:** 383

Question Name:

Concept: Fifth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Other - Specify

Universe: 4 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	1,017,500	3.0
Valid skip	6	5,650	32,684,000	96.9
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41E **Length:** 2.0 **Position:** 384

Question Name:

Concept: Fifth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fifth occasion)

Universe: FRH_40EB=(1,7) or FRH_40EC=(1,7) or FRH_40ED=(1,7) or FRH_40EE=(1,7) or FRH_40EF=(1,7) or FRH_40EG=(1,7) or FRH_40EI=(1,7) or FRH_40EJ=(1,7) or FRH_40EK=(1,7) or FRH_40EL=(1,7) or FRH_40EM=(1,7) or FRH_40EN=(1,7) or FRH_40EO=(1,7) or FRH_40EQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	6,500	0.0
Injury as a result of sports or physical activity	02	50	166,500	0.5
Being hit or struck by a person/object (no sports injuries)	03	0	91,000	0.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	23,000	0.1
Fall (do not include sports injuries)	05	0	222,000	0.7
No fall or significant impact (e.g., as a result of a hug)	06	0	3,500	0.0
Other - Specify	07	0	6,500	0.0
Valid skip	96	5,700	33,169,000	98.3
Don’t know	97	0	17,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42E **Length:** 2.0 **Position:** 386

Question Name:

Concept: Fifth break/fracture - type of fall

Question Text: What was the type of fall? (fifth occasion)

Universe: FRH_41E = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while indoors	02	0	11,000	0.0
Fall from a standing height while outdoors	03	0	137,500	0.4
Fall up the stairs	04	0	6,000	0.0
Fall down the stairs	05	0	11,000	0.0
Fall from more than a standing height	06	0	55,500	0.2
Other - Specify	07	0	1,500	0.0
Valid skip	96	5,750	33,460,000	99.2
Not stated	99	0	43,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_43E **Length:** 1.0 **Position:** 388

Question Name:

Concept: Fifth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fifth occasion)

Universe: FRH_42E = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,500	0.0
No	2	0	58,500	0.2
Valid skip	6	5,800	33,616,000	99.7
Not stated	9	0	43,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40F **Length:** 2.0 **Position:** 389

Question Name:

Concept: Sixth break/fracture - age

Question Text: How old were you on the sixth occasion?

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 72	50	526,000	1.6
Valid skip	96	5,700	33,153,500	98.3
Don’t know	97	0	27,000	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FA **Length:** 1.0 **Position:** 391

Question Name:

Concept: Sixth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Head (skull, face, jaw, nose)

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,500	0.0
No	2	50	529,500	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FB **Length:** 1.0 **Position:** 392

Question Name:

Concept: Sixth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Spine (neck, back, tail-bone)

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	50	542,500	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FC **Length:** 1.0 **Position:** 393

Question Name:

Concept: Sixth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Ribs/sternum

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	120,500	0.4
No	2	50	424,000	1.3
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40FD **Length:** 1.0 **Position:** 394

Question Name:

Concept: Sixth break/ fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Shoulder/upper arm/collarbone

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	16,000	0.0
No	2	50	529,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FE **Length:** 1.0 **Position:** 395

Question Name:

Concept: Sixth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Elbow

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,000	0.0
No	2	50	540,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FF **Length:** 1.0 **Position:** 396

Question Name:

Concept: Sixth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Forearm/wrist

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	58,000	0.2
No	2	50	487,000	1.4
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FG **Length:** 1.0 **Position:** 397

Question Name:

Concept: Sixth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Hand

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	44,000	0.1
No	2	50	501,000	1.5
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FH **Length:** 1.0 **Position:** 398

Question Name:

Concept: Sixth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Finger(s)

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	121,000	0.4
No	2	50	424,000	1.3
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40FI **Length:** 1.0 **Position:** 399

Question Name:

Concept: Sixth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Hip

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	50	542,500	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FJ **Length:** 1.0 **Position:** 400

Question Name:

Concept: Sixth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Pelvis

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	50	543,500	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FK **Length:** 1.0 **Position:** 401

Question Name:

Concept: Sixth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Upper leg

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	545,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FL **Length:** 1.0 **Position:** 402

Question Name:

Concept: Sixth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Knee

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	545,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FM **Length:** 1.0 **Position:** 403

Question Name:

Concept: Sixth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Lower leg

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	50	528,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40FN **Length:** 1.0 **Position:** 404

Question Name:

Concept: Sixth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Ankle

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	36,500	0.1
No	2	50	508,000	1.5
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FO **Length:** 1.0 **Position:** 405

Question Name:

Concept: Sixth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Foot

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	85,500	0.3
No	2	50	459,500	1.4
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FP **Length:** 1.0 **Position:** 406

Question Name:

Concept: Sixth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Toe(s)

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	50	515,000	1.5
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40FQ **Length:** 1.0 **Position:** 407

Question Name:

Concept: Sixth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Other - Specify

Universe: 5 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	545,000	1.6
Valid skip	6	5,700	33,153,500	98.3
Don't know	7	0	8,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41F **Length:** 2.0 **Position:** 408

Question Name:

Concept: Sixth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (sixth occasion)

Universe: FRH_40FB=(1,7) or FRH_40FC=(1,7) or FRH_40FD=(1,7) or FRH_40FE=(1,7) or FRH_40FF=(1,7) or FRH_40FG=(1,7) or FRH_40FI=(1,7) or FRH_40FJ=(1,7) or FRH_40FK=(1,7) or FRH_40FL=(1,7) or FRH_40FM=(1,7) or FRH_40FN=(1,7) or FRH_40FO=(1,7) or FRH_40FQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	9,500	0.0
Injury as a result of sports or physical activity	02	0	201,000	0.6
Being hit or struck by a person/object (no sports injuries)	03	0	26,500	0.1
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	7,000	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall (do not include sports injuries)	05	0	76,000	0.2
No fall or significant impact (e.g., as a result of a hug)	06	0	52,500	0.2
Valid skip	96	5,750	33,317,000	98.8
Don't know	97	0	16,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42F **Length:** 2.0 **Position:** 410

Question Name:

Concept: Sixth break/fracture - type of fall

Question Text: What was the type of fall? (sixth occasion)

Universe: FRH_41F = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while indoors	02	0	15,000	0.0
Fall from a standing height while outdoors	03	0	25,500	0.1
Fall down the stairs	05	0	29,500	0.1
Fall from more than a standing height	06	0	6,000	0.0
Valid skip	96	5,800	33,613,500	99.7
Not stated	99	0	36,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43F **Length:** 1.0 **Position:** 412

Question Name:

Concept: Sixth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (sixth occasion)

Universe: FRH_42F = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	35,500	0.1
Valid skip	6	5,800	33,654,000	99.8
Not stated	9	0	36,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40G **Length:** 2.0 **Position:** 413

Question Name:

Concept: Seventh break/fracture - age

Question Text: How old were you on the seventh occasion?

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 60	50	237,000	0.7
Valid skip	96	5,750	33,453,500	99.2
Don't know	97	0	15,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GA **Length:** 1.0 **Position:** 415

Question Name:

Concept: Seventh break/fracture - head

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Head (skull, face, jaw, nose)

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	50	237,500	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GB **Length:** 1.0 **Position:** 416

Question Name:

Concept: Seventh break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Spine (neck, back, tailbone)

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GC **Length:** 1.0 **Position:** 417

Question Name:

Concept: Seventh break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Ribs/sternum

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GD **Length:** 1.0 **Position:** 418

Question Name:

Concept: Seventh break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Shoulder/upper arm/collarbone

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	28,500	0.1
No	2	50	210,500	0.6
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GE **Length:** 1.0 **Position:** 419

Question Name:

Concept: Seventh break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Elbow

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GF **Length:** 1.0 **Position:** 420

Question Name:

Concept: Seventh break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Forearm/wrist

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,500	0.1
No	2	50	215,000	0.6
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GG **Length:** 1.0 **Position:** 421

Question Name:

Concept: Seventh break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Hand

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	35,500	0.1
No	2	50	203,500	0.6
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GH **Length:** 1.0 **Position:** 422

Question Name:

Concept: Seventh break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Finger(s)

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	75,500	0.2
No	2	50	163,500	0.5
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GI **Length:** 1.0 **Position:** 423

Question Name:

Concept: Seventh break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Hip

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GJ **Length:** 1.0 **Position:** 424

Question Name:

Concept: Seventh break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Pelvis

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GK **Length:** 1.0 **Position:** 425

Question Name:

Concept: Seventh break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Upper leg

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,000	0.0
No	2	50	224,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GL **Length:** 1.0 **Position:** 426

Question Name:

Concept: Seventh break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Knee

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,000	0.0
No	2	50	228,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GM **Length:** 1.0 **Position:** 427

Question Name:

Concept: Seventh break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Lower leg

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	16,500	0.0
No	2	50	222,500	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GN **Length:** 1.0 **Position:** 428

Question Name:

Concept: Seventh break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Ankle

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,000	0.0
No	2	50	230,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GO **Length:** 1.0 **Position:** 429

Question Name:

Concept: Seventh break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Foot

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,000	0.0
No	2	50	228,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GP **Length:** 1.0 **Position:** 430

Question Name:

Concept: Seventh break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Toe(s)

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	50	228,500	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40GQ **Length:** 1.0 **Position:** 431

Question Name:

Concept: Seventh break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Other - Specify

Universe: 6 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	239,000	0.7
Valid skip	6	5,750	33,453,500	99.2
Don't know	7	0	13,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41G **Length:** 2.0 **Position:** 432

Question Name:

Concept: Seventh break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (seventh occasion)

Universe: FRH_40GB=(1,7) or FRH_40GC=(1,7) or FRH_40GD=(1,7) or FRH_40GE=(1,7) or FRH_40GF=(1,7) or FRH_40GG=(1,7) or FRH_40GI=(1,7) or FRH_40GJ=(1,7) or FRH_40GK=(1,7) or FRH_40GL=(1,7) or FRH_40GM=(1,7) or FRH_40GN=(1,7) or FRH_40GO=(1,7) or FRH_40GQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	86,500	0.3
Being hit or struck by a person/object (no sports injuries)	03	0	43,500	0.1
Fall (do not include sports injuries)	05	0	10,500	0.0
No fall or significant impact (e.g., as a result of a hug)	06	0	2,000	0.0
Valid skip	96	5,750	33,541,000	99.5
Don't know	97	0	22,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42G **Length:** 2.0 **Position:** 434

Question Name:

Concept: Seventh break/fracture - type of fall

Question Text: What was the type of fall? (seventh occasion)

Universe: FRH_41G = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall down the stairs	05	0	5,000	0.0
Fall from more than a standing height	06	0	5,500	0.0
Valid skip	96	5,800	33,673,000	99.8
Not stated	99	0	42,000	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_43G **Length:** 1.0 **Position:** 436

Question Name:

Concept: Seventh break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (seventh occasion)

Universe: FRH_42G = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	10,500	0.0
Valid skip		6	5,800	33,673,000	99.8
Not stated		9	0	42,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40H **Length:** 2.0 **Position:** 437

Question Name:

Concept: Eighth break/fracture - age

Question Text: How old were you on the eighth occasion?

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		00 - 60	50	192,000	0.6
Valid skip		96	5,750	33,502,500	99.3
Don’t know		97	0	11,500	0.0
Not stated		99	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40HA **Length:** 1.0 **Position:** 439

Question Name:

Concept: Eighth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Head (skull, face, jaw, nose)

Totals may not add up due to rounding.

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	50	191,500	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HB **Length:** 1.0 **Position:** 440

Question Name:

Concept: Eighth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Spine (neck, back, tailbone)

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	50	174,000	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HC **Length:** 1.0 **Position:** 441

Question Name:

Concept: Eighth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Ribs/sternum

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	50	193,000	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40HD **Length:** 1.0 **Position:** 442

Question Name:

Concept: Eighth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Shoulder/upper arm/collarbone

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	13,000	0.0
No		2	50	180,500	0.5
Valid skip		6	5,750	33,502,500	99.3
Don’t know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40HE **Length:** 1.0 **Position:** 443

Question Name:

Concept: Eighth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Elbow

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	15,000	0.0
No		2	50	179,000	0.5
Valid skip		6	5,750	33,502,500	99.3
Don’t know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40HF **Length:** 1.0 **Position:** 444

Question Name:

Totals may not add up due to rounding.

Concept: Eighth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Forearm/wrist

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	27,000	0.1
No	2	50	166,500	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HG **Length:** 1.0 **Position:** 445

Question Name:

Concept: Eighth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Hand

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	34,000	0.1
No	2	50	159,500	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HH **Length:** 1.0 **Position:** 446

Question Name:

Concept: Eighth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Finger(s)

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	66,000	0.2
No	2	50	128,000	0.4
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HI **Length:** 1.0 **Position:** 447

Question Name:

Concept: Eighth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Hip

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	194,000	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HJ **Length:** 1.0 **Position:** 448

Question Name:

Concept: Eighth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Pelvis

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	194,000	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HK **Length:** 1.0 **Position:** 449

Totals may not add up due to rounding.

Question Name:

Concept: Eighth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Upper leg

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	50	183,500	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HL **Length:** 1.0 **Position:** 450

Question Name:

Concept: Eighth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Knee

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	8,500	0.0
No	2	50	185,000	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HM **Length:** 1.0 **Position:** 451

Question Name:

Concept: Eighth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Lower leg

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	31,500	0.1
No	2	50	162,000	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HN **Length:** 1.0 **Position:** 452

Question Name:

Concept: Eighth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Ankle

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,000	0.0
No	2	50	188,000	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HO **Length:** 1.0 **Position:** 453

Question Name:

Concept: Eighth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Foot

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	50	190,500	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HP **Length:** 1.0 **Position:** 454

Totals may not add up due to rounding.

Question Name:

Concept: Eighth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Toe(s)

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,000	0.0
No	2	50	182,500	0.5
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40HQ **Length:** 1.0 **Position:** 455

Question Name:

Concept: Eighth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Other - Specify

Universe: 7 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	194,000	0.6
Valid skip	6	5,750	33,502,500	99.3
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41H **Length:** 2.0 **Position:** 456

Question Name:

Concept: Eighth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eighth occasion)

Universe: FRH_40HB=(1,7) or FRH_40HC=(1,7) or FRH_40HD=(1,7) or FRH_40HE=(1,7) or FRH_40HF=(1,7) or FRH_40HG=(1,7) or FRH_40HI=(1,7) or FRH_40HJ=(1,7) or FRH_40HK=(1,7) or FRH_40HL=(1,7) or FRH_40HM=(1,7) or FRH_40HN=(1,7) or FRH_40HO=(1,7) or FRH_40HQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	16,500	0.0
Injury as a result of sports or physical activity	02	0	40,500	0.1
Being hit or struck by a person/object (no sports injuries)	03	0	18,500	0.1
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	10,500	0.0
Fall (do not include sports injuries)	05	0	9,000	0.0
No fall or significant impact (e.g., as a result of a hug)	06	0	2,000	0.0
Other - Specify	07	0	4,000	0.0
Valid skip	96	5,750	33,582,000	99.6
Don't know	97	0	23,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42H **Length:** 2.0 **Position:** 458

Question Name:

Concept: Eighth break/fracture - type of fall

Question Text: What was the type of fall? (eighth occasion)

Universe: FRH_41H = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	9,000	0.0
Valid skip	96	5,800	33,669,500	99.8
Not stated	99	0	47,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43H **Length:** 1.0 **Position:** 460

Question Name:

Concept: Eighth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eighth occasion)

Universe: FRH_42H = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,678,500	99.9
Not stated	9	0	47,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40I **Length:** 2.0 **Position:** 461

Question Name:

Concept: Ninth break/fracture - age

Question Text: How old were you on the ninth occasion?

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		00 - 50	0	124,000	0.4
Valid skip		96	5,750	33,571,000	99.5
Don't know		97	0	11,500	0.0
Not stated		99	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40IA **Length:** 1.0 **Position:** 463

Question Name:

Concept: Ninth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Head (skull, face, jaw, nose)

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	2,000	0.0
No		2	0	123,500	0.4
Valid skip		6	5,750	33,571,000	99.5
Don't know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40IB **Length:** 1.0 **Position:** 464

Question Name:

Concept: Ninth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Spine (neck, back, tail-bone)

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IC **Length:** 1.0 **Position:** 465

Question Name:

Concept: Ninth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Ribs/sternum

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	0	123,000	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ID **Length:** 1.0 **Position:** 466

Question Name:

Concept: Ninth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Shoulder/upper arm/collarbone

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40IE **Length:** 1.0 **Position:** 467

Question Name:

Concept: Ninth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Elbow

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	1,000	0.0
No		2	0	124,500	0.4
Valid skip		6	5,750	33,571,000	99.5
Don't know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40IF **Length:** 1.0 **Position:** 468

Question Name:

Concept: Ninth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Forearm/wrist

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	1,000	0.0
No		2	0	125,000	0.4
Valid skip		6	5,750	33,571,000	99.5
Don't know		7	0	9,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40IG **Length:** 1.0 **Position:** 469

Question Name:

Concept: Ninth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Hand

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	0	113,000	0.3
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IH **Length:** 1.0 **Position:** 470

Question Name:

Concept: Ninth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Finger(s)

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	62,000	0.2
No	2	0	63,500	0.2
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40II **Length:** 1.0 **Position:** 471

Question Name:

Concept: Ninth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Hip

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IJ **Length:** 1.0 **Position:** 472

Question Name:

Concept: Ninth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Pelvis

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IK **Length:** 1.0 **Position:** 473

Question Name:

Concept: Ninth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Upper leg

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IL **Length:** 1.0 **Position:** 474

Question Name:

Concept: Ninth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Knee

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	0	113,000	0.3
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IM **Length:** 1.0 **Position:** 475

Question Name:

Concept: Ninth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Lower leg

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	111,000	0.3
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IN **Length:** 1.0 **Position:** 476

Question Name:

Concept: Ninth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Ankle

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	0	122,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IO **Length:** 1.0 **Position:** 477

Question Name:

Concept: Ninth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Foot

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	0	122,000	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IP **Length:** 1.0 **Position:** 478

Question Name:

Concept: Ninth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Toe(s)

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	115,000	0.3
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40IQ **Length:** 1.0 **Position:** 479

Question Name:

Concept: Ninth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Other - Specify

Universe: 8 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	125,500	0.4
Valid skip	6	5,750	33,571,000	99.5
Don't know	7	0	9,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41I **Length:** 2.0 **Position:** 480

Question Name:

Concept: Ninth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (ninth occasion)

Universe: FRH_40IB=(1,7) or FRH_40IC=(1,7) or FRH_40ID=(1,7) or FRH_40IE=(1,7) or FRH_40IF=(1,7) or FRH_40IG=(1,7) or FRH_40II=(1,7) or FRH_40IJ=(1,7) or FRH_40IK=(1,7) or FRH_40IL=(1,7) or FRH_40IM=(1,7) or FRH_40IN=(1,7) or FRH_40IO=(1,7) or FRH_40IQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	31,000	0.1
Being hit or struck by a person/object (no sports injuries)	03	0	1,500	0.0
Fall (do not include sports injuries)	05	0	9,000	0.0
Other - Specify	07	0	1,000	0.0
Valid skip	96	5,750	33,645,500	99.8
Don't know	97	0	18,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42I **Length:** 2.0 **Position:** 482

Question Name:

Concept: Ninth break/fracture - type of fall

Question Text: What was the type of fall? (ninth occasion)

Universe: FRH_41I = 5

Totals may not add up due to rounding.

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall down the stairs	05	0	9,000	0.0
Valid skip	96	5,800	33,678,000	99.9
Not stated	99	0	38,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43I **Length:** 1.0 **Position:** 484

Question Name:

Concept: Ninth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (ninth occasion)

Universe: FRH_42I = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	9,000	0.0
Valid skip	6	5,800	33,678,000	99.9
Not stated	9	0	38,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40J **Length:** 2.0 **Position:** 485

Question Name:

Concept: Tenth break/fracture - age

Question Text: How old were you on the tenth occasion?

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 50	0	119,000	0.4
Valid skip	96	5,750	33,582,000	99.6
Don’t know	97	0	5,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JA **Length:** 1.0 **Position:** 487

Question Name:

Concept: Tenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Head (skull, face, jaw, nose)

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,500	0.0
No	2	0	112,500	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JB **Length:** 1.0 **Position:** 488

Question Name:

Concept: Tenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Spine (neck, back, tail-bone)

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	118,000	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JC **Length:** 1.0 **Position:** 489

Question Name:

Concept: Tenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Ribs/sternum

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,500	0.0
No	2	0	111,500	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JD **Length:** 1.0 **Position:** 490

Question Name:

Concept: Tenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Shoulder/upper arm/collarbone

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JE **Length:** 1.0 **Position:** 491

Question Name:

Concept: Tenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Elbow

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JF **Length:** 1.0 **Position:** 492

Question Name:

Concept: Tenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Forearm/wrist

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	118,500	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JG **Length:** 1.0 **Position:** 493

Question Name:

Concept: Tenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Hand

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,000	0.0
No	2	0	110,000	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JH **Length:** 1.0 **Position:** 494

Question Name:

Concept: Tenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Finger(s)

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	66,500	0.2
No	2	0	52,500	0.2
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JI **Length:** 1.0 **Position:** 495

Question Name:

Concept: Tenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Hip

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JJ **Length:** 1.0 **Position:** 496

Question Name:

Concept: Tenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Pelvis

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JK **Length:** 1.0 **Position:** 497

Question Name:

Concept: Tenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Upper leg

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JL **Length:** 1.0 **Position:** 498

Question Name:

Concept: Tenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Knee

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JM **Length:** 1.0 **Position:** 499

Question Name:

Concept: Tenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Lower leg

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	104,500	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JN **Length:** 1.0 **Position:** 500

Question Name:

Concept: Tenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Ankle

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JO **Length:** 1.0 **Position:** 501

Question Name:

Concept: Tenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Foot

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JP **Length:** 1.0 **Position:** 502

Question Name:

Concept: Tenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Toe(s)

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	0	106,500	0.3
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40JQ **Length:** 1.0 **Position:** 503

Question Name:

Concept: Tenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Other - Specify

Universe: 9 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	119,000	0.4
Valid skip	6	5,750	33,582,000	99.6
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41J **Length:** 2.0 **Position:** 504

Question Name:

Concept: Tenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (tenth occasion)

Universe: FRH_40JB=(1,7) or FRH_40JC=(1,7) or FRH_40JD=(1,7) or FRH_40JE=(1,7) or FRH_40JF=(1,7) or FRH_40JG=(1,7) or FRH_40JI=(1,7) or FRH_40JJ=(1,7) or FRH_40JK=(1,7) or FRH_40JL=(1,7) or FRH_40JM=(1,7) or FRH_40JN=(1,7) or FRH_40JO=(1,7) or FRH_40JQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	18,500	0.1
Other - Specify	07	0	2,000	0.0
Valid skip	96	5,800	33,667,500	99.8
Don't know	97	0	18,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42J **Length:** 2.0 **Position:** 506

Question Name:

Concept: Tenth break/fracture - type of fall

Question Text: What was the type of fall? (tenth occasion)

Universe: FRH_41J = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,686,000	99.9
Not stated	99	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43J **Length:** 1.0 **Position:** 508

Question Name:

Concept: Tenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (tenth occasion)

Universe: FRH_42J = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,686,000	99.9
Not stated	9	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40K **Length:** 2.0 **Position:** 509

Question Name:

Concept: Eleventh break/fracture - age

Question Text: How old were you on the eleventh occasion?

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 55	0	42,000	0.1
Valid skip	96	5,750	33,658,000	99.8
Don't know	97	0	6,000	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KA **Length:** 1.0 **Position:** 511

Question Name:

Concept: Eleventh break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Head (skull, face, jaw, nose)

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	40,500	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KB **Length:** 1.0 **Position:** 512

Question Name:

Concept: Eleventh break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Spine (neck, back, tailbone)

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KC **Length:** 1.0 **Position:** 513

Question Name:

Concept: Eleventh break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Ribs/sternum

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KD **Length:** 1.0 **Position:** 514

Question Name:

Concept: Eleventh break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Shoulder/upper arm/collarbone

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	0	38,500	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KE **Length:** 1.0 **Position:** 515

Question Name:

Concept: Eleventh break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Elbow

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KF **Length:** 1.0 **Position:** 516

Question Name:

Concept: Eleventh break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Forearm/wrist

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KG **Length:** 1.0 **Position:** 517

Question Name:

Concept: Eleventh break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Hand

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	40,500	0.1
Valid skip	6	5,750	33,658,000	99.8

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KH **Length:** 1.0 **Position:** 518

Question Name:

Concept: Eleventh break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Finger(s)

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,500	0.0
No	2	0	32,500	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KI **Length:** 1.0 **Position:** 519

Question Name:

Concept: Eleventh break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Hip

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	41,500	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KJ **Length:** 1.0 **Position:** 520

Question Name:

Concept: Eleventh break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Pelvis

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KK **Length:** 1.0 **Position:** 521

Question Name:

Concept: Eleventh break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Upper leg

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KL **Length:** 1.0 **Position:** 522

Question Name:

Concept: Eleventh break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Knee

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40KM **Length:** 1.0 **Position:** 523

Question Name:

Concept: Eleventh break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Lower leg

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	14,500	0.0
No		2	0	27,500	0.1
Valid skip		6	5,750	33,658,000	99.8
Don’t know		7	0	6,000	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40KN **Length:** 1.0 **Position:** 524

Question Name:

Concept: Eleventh break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Ankle

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	42,000	0.1
Valid skip		6	5,750	33,658,000	99.8
Don’t know		7	0	6,000	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40KO **Length:** 1.0 **Position:** 525

Question Name:

Concept: Eleventh break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Foot

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KP **Length:** 1.0 **Position:** 526

Question Name:

Concept: Eleventh break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Toe(s)

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,000	0.0
No	2	0	31,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40KQ **Length:** 1.0 **Position:** 527

Question Name:

Concept: Eleventh break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Other - Specify

Universe: 10 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	42,000	0.1
Valid skip	6	5,750	33,658,000	99.8
Don't know	7	0	6,000	0.0
Not stated	9	0	19,500	0.1

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		5,800	33,725,500	100.0

Variable Name: FRH_41K **Length:** 2.0 **Position:** 528

Question Name:

Concept: Eleventh break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eleventh occasion)

Universe: FRH_40KB=(1,7) or FRH_40KC=(1,7) or FRH_40KD=(1,7) or FRH_40KE=(1,7) or FRH_40KF=(1,7) or FRH_40KG=(1,7) or FRH_40KI=(1,7) or FRH_40KJ=(1,7) or FRH_40KK=(1,7) or FRH_40KL=(1,7) or FRH_40KM=(1,7) or FRH_40KN=(1,7) or FRH_40KO=(1,7) or FRH_40KQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	0	0.0
Injury as a result of sports or physical activity	02	0	3,500	0.0
Fall (do not include sports injuries)	05	0	1,500	0.0
Valid skip	96	5,800	33,680,500	99.9
Don't know	97	0	20,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42K **Length:** 2.0 **Position:** 530

Question Name:

Concept: Eleventh break/fracture - type of fall

Question Text: What was the type of fall? (eleventh occasion)

Universe: FRH_41K = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from more than a standing height	06	0	1,500	0.0
Valid skip	96	5,800	33,684,000	99.9
Not stated	99	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43K **Length:** 1.0 **Position:** 532

Question Name:

Concept: Eleventh break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eleventh occasion)

Universe: FRH_42K = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
Valid skip	6	5,800	33,684,000	99.9
Not stated	9	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40L **Length:** 2.0 **Position:** 533

Question Name:

Concept: Twelfth break/fracture - age

Question Text: How old were you on the twelfth occasion?

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 59	0	40,000	0.1
Valid skip	96	5,750	33,659,000	99.8
Don't know	97	0	7,000	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LA **Length:** 1.0 **Position:** 535

Question Name:

Concept: Twelfth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Head (skull, face, jaw, nose)

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	0	38,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LB **Length:** 1.0 **Position:** 536

Question Name:

Concept: Twelfth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Spine (neck, back, tailbone)

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	39,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LC **Length:** 1.0 **Position:** 537

Question Name:

Concept: Twelfth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Ribs/sternum

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	0	38,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LD **Length:** 1.0 **Position:** 538

Question Name:

Concept: Twelfth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Shoulder/upper arm/collarbone

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	41,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LE **Length:** 1.0 **Position:** 539

Question Name:

Concept: Twelfth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Elbow

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LF **Length:** 1.0 **Position:** 540

Question Name:

Concept: Twelfth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Forearm/wrist

Universe: 11 < FRH_35 < VS

Totals may not add up due to rounding.

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LG **Length:** 1.0 **Position:** 541

Question Name:

Concept: Twelfth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Hand

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	40,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LH **Length:** 1.0 **Position:** 542

Question Name:

Concept: Twelfth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Finger(s)

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	0	39,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LI **Length:** 1.0 **Position:** 543

Question Name:

Concept: Twelfth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Hip

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LJ **Length:** 1.0 **Position:** 544

Question Name:

Concept: Twelfth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Pelvis

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LK **Length:** 1.0 **Position:** 545

Question Name:

Concept: Twelfth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Upper leg

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LL **Length:** 1.0 **Position:** 546

Question Name:

Concept: Twelfth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Knee

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LM **Length:** 1.0 **Position:** 547

Question Name:

Concept: Twelfth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Lower leg

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	26,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LN **Length:** 1.0 **Position:** 548

Question Name:

Concept: Twelfth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Ankle

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,500	0.0
No	2	0	36,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LO **Length:** 1.0 **Position:** 549

Question Name:

Concept: Twelfth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Foot

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LP **Length:** 1.0 **Position:** 550

Question Name:

Concept: Twelfth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Toe(s)

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	31,000	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40LQ **Length:** 1.0 **Position:** 551

Question Name:

Concept: Twelfth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Other - Specify

Universe: 11 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	41,500	0.1
Valid skip	6	5,750	33,659,000	99.8
Don't know	7	0	5,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41L **Length:** 2.0 **Position:** 552

Question Name:

Concept: Twelfth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (twelfth occasion)

Universe: FRH_40LB=(1,7) or FRH_40LC=(1,7) or FRH_40LD=(1,7) or FRH_40LE=(1,7) or FRH_40LF=(1,7) or FRH_40LG=(1,7) or FRH_40LI=(1,7) or FRH_40LJ=(1,7) or FRH_40LK=(1,7) or FRH_40LL=(1,7) or FRH_40LM=(1,7) or FRH_40LN=(1,7) or FRH_40LO=(1,7) or FRH_40LQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	5,500	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	3,000	0.0
Fall (do not include sports injuries)	05	0	1,500	0.0
Valid skip	96	5,800	33,675,500	99.9
Don't know	97	0	20,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42L **Length:** 2.0 **Position:** 554

Question Name:

Concept: Twelfth break/fracture - type of fall

Question Text: What was the type of fall? (twelfth occasion)

Universe: FRH_41L = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from more than a standing height	06	0	1,500	0.0
Valid skip	96	5,800	33,684,000	99.9
Not stated	99	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43L **Length:** 1.0 **Position:** 556

Question Name:

Concept: Twelfth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (twelfth occasion)

Universe: FRH_42L = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
Valid skip	6	5,800	33,684,000	99.9
Not stated	9	0	40,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40M **Length:** 2.0 **Position:** 557

Question Name:

Concept: Thirteenth break/fracture - age

Question Text: How old were you on the thirteenth occasion?

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 70	0	38,000	0.1
Valid skip	96	5,800	33,661,500	99.8
Don't know	97	0	6,000	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MA **Length:** 1.0 **Position:** 559

Question Name:

Concept: Thirteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Head (skull, face, jaw, nose)

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MB **Length:** 1.0 **Position:** 560

Question Name:

Concept: Thirteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Spine (neck, back, tailbone)

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MC **Length:** 1.0 **Position:** 561

Question Name:

Concept: Thirteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Ribs/sternum

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MD **Length:** 1.0 **Position:** 562

Question Name:

Concept: Thirteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Shoulder/upper arm/collarbone

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ME **Length:** 1.0 **Position:** 563

Question Name:

Concept: Thirteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Elbow

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	38,000	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MF **Length:** 1.0 **Position:** 564

Question Name:

Concept: Thirteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Forearm/wrist

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MG **Length:** 1.0 **Position:** 565

Question Name:

Concept: Thirteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Hand

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	38,000	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MH **Length:** 1.0 **Position:** 566

Question Name:

Concept: Thirteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Finger(s)

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MI **Length:** 1.0 **Position:** 567

Question Name:

Concept: Thirteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Hip

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MJ **Length:** 1.0 **Position:** 568

Question Name:

Concept: Thirteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Pelvis

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

| Answer Categories | | Code | Frequency | Weighted Frequency | % |

No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MK **Length:** 1.0 **Position:** 569

Question Name:

Concept: Thirteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Upper leg

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ML **Length:** 1.0 **Position:** 570

Question Name:

Concept: Thirteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Knee

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	0	36,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MM **Length:** 1.0 **Position:** 571

Question Name:

Concept: Thirteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Lower leg

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	25,000	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MN **Length:** 1.0 **Position:** 572

Question Name:

Concept: Thirteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Ankle

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MO **Length:** 1.0 **Position:** 573

Question Name:

Concept: Thirteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Foot

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MP **Length:** 1.0 **Position:** 574

Question Name:

Concept: Thirteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Toe(s)

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	18,500	0.1
No	2	0	21,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40MQ **Length:** 1.0 **Position:** 575

Question Name:

Concept: Thirteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Other - Specify

Universe: 12 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	39,500	0.1
Valid skip	6	5,800	33,661,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41M **Length:** 2.0 **Position:** 576

Question Name:

Concept: Thirteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (thirteenth occasion)

Universe: FRH_40MB=(1,7) or FRH_40MC=(1,7) or FRH_40MD=(1,7) or FRH_40ME=(1,7) or FRH_40MF=(1,7) or FRH_40MG=(1,7) or FRH_40MI=(1,7) or FRH_40MJ=(1,7) or FRH_40MK=(1,7) or FRH_40ML=(1,7) or FRH_40MM=(1,7) or FRH_40MN=(1,7) or FRH_40MO=(1,7) or FRH_40MQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,500	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	1,500	0.0
Fall (do not include sports injuries)	05	0	1,500	0.0
Valid skip	96	5,800	33,680,000	99.9
Don't know	97	0	19,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42M **Length:** 2.0 **Position:** 578

Question Name:

Concept: Thirteenth break/fracture - type of fall

Question Text: What was the type of fall? (thirteenth occasion)

Universe: FRH_41M = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall up the stairs	04	0	1,500	0.0
Valid skip	96	5,800	33,685,500	99.9
Not stated	99	0	39,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43M **Length:** 1.0 **Position:** 580

Question Name:

Concept: Thirteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (thirteenth occasion)

Universe: FRH_42M = 5,6,DK,RF,NS

Totals may not add up due to rounding.

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,687,000	99.9
Not stated	9	0	39,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40N **Length:** 2.0 **Position:** 581

Question Name:

Concept: Fourteenth break/fracture - age

Question Text: How old were you on the fourteenth occasion?

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 28	0	34,000	0.1
Valid skip	96	5,800	33,665,500	99.8
Don't know	97	0	6,000	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NA **Length:** 1.0 **Position:** 583

Question Name:

Concept: Fourteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Head (skull, face, jaw, nose)

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NB **Length:** 1.0 **Position:** 584

Question Name:

Concept: Fourteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Spine (neck, back, tailbone)

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NC **Length:** 1.0 **Position:** 585

Question Name:

Concept: Fourteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Ribs/sternum

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ND **Length:** 1.0 **Position:** 586

Question Name:

Concept: Fourteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Shoulder/upper arm/collarbone

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	35,500	0.1
Valid skip		6	5,800	33,665,500	99.8
Don't know		7	0	4,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40NE **Length:** 1.0 **Position:** 587

Question Name:

Concept: Fourteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Elbow

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	35,500	0.1
Valid skip		6	5,800	33,665,500	99.8
Don't know		7	0	4,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40NF **Length:** 1.0 **Position:** 588

Question Name:

Concept: Fourteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Forearm/wrist

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	35,500	0.1
Valid skip		6	5,800	33,665,500	99.8
Don't know		7	0	4,500	0.0
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40NG **Length:** 1.0 **Position:** 589

Question Name:

Concept: Fourteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Hand

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	0	34,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NH **Length:** 1.0 **Position:** 590

Question Name:

Concept: Fourteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Finger(s)

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,000	0.0
No	2	0	27,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NI **Length:** 1.0 **Position:** 591

Question Name:

Concept: Fourteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Hip

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NJ **Length:** 1.0 **Position:** 592

Question Name:

Concept: Fourteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Pelvis

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NK **Length:** 1.0 **Position:** 593

Question Name:

Concept: Fourteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Upper leg

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NL **Length:** 1.0 **Position:** 594

Question Name:

Concept: Fourteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Knee

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NM **Length:** 1.0 **Position:** 595

Question Name:

Concept: Fourteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Lower leg

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	21,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NN **Length:** 1.0 **Position:** 596

Question Name:

Concept: Fourteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Ankle

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NO **Length:** 1.0 **Position:** 597

Question Name:

Concept: Fourteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Foot

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NP **Length:** 1.0 **Position:** 598

Question Name:

Concept: Fourteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Toe(s)

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	25,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40NQ **Length:** 1.0 **Position:** 599

Question Name:

Concept: Fourteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Other - Specify

Universe: 13 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41N **Length:** 2.0 **Position:** 600

Question Name:

Concept: Fourteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fourteenth occasion)

Universe: FRH_40NB=(1,7) or FRH_40NC=(1,7) or FRH_40ND=(1,7) or FRH_40NE=(1,7) or FRH_40NF=(1,7) or FRH_40NG=(1,7) or FRH_40NI=(1,7) or FRH_40NJ=(1,7) or FRH_40NK=(1,7) or FRH_40NL=(1,7) or FRH_40NM=(1,7) or FRH_40NN=(1,7) or FRH_40NO=(1,7) or FRH_40NQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	0	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	1,500	0.0
Valid skip	96	5,800	33,685,000	99.9
Don't know	97	0	19,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42N **Length:** 2.0 **Position:** 602

Question Name:

Concept: Fourteenth break/fracture - type of fall

Question Text: What was the type of fall? (fourteenth occasion)

Universe: FRH_41N = 5

Totals may not add up due to rounding.

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		96	5,800	33,687,000	99.9
Not stated		99	0	39,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_43N **Length:** 1.0 **Position:** 604

Question Name:

Concept: Fourteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fourteenth occasion)

Universe: FRH_42N = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,800	33,687,000	99.9
Not stated		9	0	39,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40O **Length:** 2.0 **Position:** 605

Question Name:

Concept: Fifteenth break/fracture - age

Question Text: How old were you on the fifteenth occasion?

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		01 - 30	0	34,000	0.1
Valid skip		96	5,800	33,665,500	99.8
Don’t know		97	0	6,000	0.0
Not stated		99	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40OA **Length:** 1.0 **Position:** 607

Question Name:

Concept: Fifteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Head (skull, face, jaw, nose)

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OB **Length:** 1.0 **Position:** 608

Question Name:

Concept: Fifteenth break/fracture - spine

Question Text: Which bone(s) did you break or fifteenth on the second occasion - Spine (neck, back, tailbone)

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OC **Length:** 1.0 **Position:** 609

Question Name:

Concept: Fifteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Ribs/sternum

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OD **Length:** 1.0 **Position:** 610

Question Name:

Concept: Fifteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Shoulder/upper arm/collarbone

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OE **Length:** 1.0 **Position:** 611

Question Name:

Concept: Fifteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Elbow

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OF **Length:** 1.0 **Position:** 612

Question Name:

Concept: Fifteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Forearm/wrist

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OG **Length:** 1.0 **Position:** 613

Question Name:

Concept: Fifteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Hand

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	34,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OH **Length:** 1.0 **Position:** 614

Question Name:

Concept: Fifteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Finger(s)

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,000	0.0
No	2	0	27,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OI **Length:** 1.0 **Position:** 615

Question Name:

Concept: Fifteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Hip

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OJ **Length:** 1.0 **Position:** 616

Question Name:

Concept: Fifteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Pelvis

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OK **Length:** 1.0 **Position:** 617

Question Name:

Concept: Fifteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Upper leg

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OL **Length:** 1.0 **Position:** 618

Question Name:

Concept: Fifteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Knee

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OM **Length:** 1.0 **Position:** 619

Question Name:

Concept: Fifteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Lower leg

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	21,000	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40ON **Length:** 1.0 **Position:** 620

Question Name:

Concept: Fifteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Ankle

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OO **Length:** 1.0 **Position:** 621

Question Name:

Concept: Fifteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Foot

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OP **Length:** 1.0 **Position:** 622

Question Name:

Concept: Fifteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Toe(s)

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	25,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40OQ **Length:** 1.0 **Position:** 623

Question Name:

Concept: Fifteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Other - Specify

Universe: 14 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	35,500	0.1
Valid skip	6	5,800	33,665,500	99.8
Don't know	7	0	4,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41O **Length:** 2.0 **Position:** 624

Question Name:

Concept: Fifteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fifteenth occasion)

Universe: FRH_40OB=(1,7) or FRH_40OC=(1,7) or FRH_40OD=(1,7) or FRH_40OE=(1,7) or FRH_40OF=(1,7) or FRH_40OG=(1,7) or FRH_40OI=(1,7) or FRH_40OJ=(1,7) or FRH_40OK=(1,7) or FRH_40OL=(1,7) or FRH_40OM=(1,7) or FRH_40ON=(1,7) or FRH_40OO=(1,7) or FRH_40OQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	0	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	1,500	0.0
Valid skip	96	5,800	33,685,000	99.9
Don't know	97	0	19,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42O **Length:** 2.0 **Position:** 626

Question Name:

Concept: Fifteenth break/fracture - type of fall

Question Text: What was the type of fall? (fifteenth occasion)

Universe: FRH_41O = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,687,000	99.9
Not stated	99	0	39,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43O **Length:** 1.0 **Position:** 628

Question Name:

Concept: Fifteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fifteenth occasion)

Universe: FRH_42O = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,687,000	99.9
Not stated	9	0	39,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40P **Length:** 2.0 **Position:** 629

Question Name:

Concept: Sixteenth break/fracture - age

Question Text: How old were you on the sixteenth occasion?

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 35	0	36,000	0.1
Valid skip	96	5,800	33,667,000	99.8
Don't know	97	0	2,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PA **Length:** 1.0 **Position:** 631

Question Name:

Concept: Sixteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Head (skull, face, jaw, nose)

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PB **Length:** 1.0 **Position:** 632

Question Name:

Concept: Sixteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Spine (neck, back, tailbone)

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PC **Length:** 1.0 **Position:** 633

Question Name:

Concept: Sixteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Ribs/sternum

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PD **Length:** 1.0 **Position:** 634

Question Name:

Concept: Sixteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Shoulder/upper arm/collarbone

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,500	0.0
No	2	0	30,500	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PE **Length:** 1.0 **Position:** 635

Question Name:

Concept: Sixteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Elbow

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PF **Length:** 1.0 **Position:** 636

Question Name:

Concept: Sixteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Forearm/wrist

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PG **Length:** 1.0 **Position:** 637

Question Name:

Concept: Sixteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Hand

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	34,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PH **Length:** 1.0 **Position:** 638

Question Name:

Concept: Sixteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Finger(s)

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,500	0.0
No	2	0	32,500	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PI **Length:** 1.0 **Position:** 639

Question Name:

Concept: Sixteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Hip

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PJ **Length:** 1.0 **Position:** 640

Question Name:

Concept: Sixteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Pelvis

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PK **Length:** 1.0 **Position:** 641

Question Name:

Concept: Sixteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Upper leg

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PL **Length:** 1.0 **Position:** 642

Question Name:

Concept: Sixteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Knee

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PM **Length:** 1.0 **Position:** 643

Question Name:

Concept: Sixteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Lower leg

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	21,500	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PN **Length:** 1.0 **Position:** 644

Question Name:

Concept: Sixteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Ankle

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PO **Length:** 1.0 **Position:** 645

Question Name:

Concept: Sixteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Foot

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PP **Length:** 1.0 **Position:** 646

Question Name:

Concept: Sixteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Toe(s)

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	25,500	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40PQ **Length:** 1.0 **Position:** 647

Question Name:

Concept: Sixteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Other - Specify

Universe: 15 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	36,000	0.1
Valid skip	6	5,800	33,667,000	99.8
Don't know	7	0	2,500	0.0
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41P **Length:** 2.0 **Position:** 648

Question Name:

Concept: Sixteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (sixteenth occasion)

Universe: FRH_40PB=(1,7) or FRH_40PC=(1,7) or FRH_40PD=(1,7) or FRH_40PE=(1,7) or FRH_40PF=(1,7) or FRH_40PG=(1,7) or FRH_40PI=(1,7) or FRH_40PJ=(1,7) or FRH_40PK=(1,7) or FRH_40PL=(1,7) or FRH_40PM=(1,7) or FRH_40PN=(1,7) or FRH_40PO=(1,7) or FRH_40PQ=(1,7)

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	2,000	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	5,500	0.0
Valid skip	96	5,800	33,681,500	99.9
Don't know	97	0	17,500	0.1
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42P **Length:** 2.0 **Position:** 650

Question Name:

Concept: Sixteenth break/fracture - type of fall

Question Text: What was the type of fall? (sixteenth occasion)

Universe: FRH_41P = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,689,000	99.9
Not stated	99	0	37,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43P **Length:** 1.0 **Position:** 652

Question Name:

Concept: Sixteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (sixteenth occasion)

Universe: FRH_42P = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,689,000	99.9
Not stated	9	0	37,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40Q **Length:** 2.0 **Position:** 653

Question Name:

Concept: Seventeenth break/fracture - age

Question Text: How old were you on the seventeenth occasion?

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 47	0	34,000	0.1
Valid skip	96	5,800	33,672,000	99.8
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QA **Length:** 1.0 **Position:** 655

Question Name:

Concept: Seventeenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Head (skull, face, jaw, nose)

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40QB **Length:** 1.0 **Position:** 656

Question Name:

Concept: Seventeenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Spine (neck, back, tailbone)

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	34,000	0.1
Valid skip		6	5,800	33,672,000	99.8
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40QC **Length:** 1.0 **Position:** 657

Question Name:

Concept: Seventeenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Ribs/sternum

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	3,500	0.0
No		2	0	31,000	0.1
Valid skip		6	5,800	33,672,000	99.8
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40QD **Length:** 1.0 **Position:** 658

Question Name:

Concept: Seventeenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Shoulder/upper arm/collarbone

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QE **Length:** 1.0 **Position:** 659

Question Name:

Concept: Seventeenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Elbow

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QF **Length:** 1.0 **Position:** 660

Question Name:

Concept: Seventeenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Forearm/wrist

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40QG **Length:** 1.0 **Position:** 661

Question Name:

Concept: Seventeenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Hand

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QH **Length:** 1.0 **Position:** 662

Question Name:

Concept: Seventeenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Finger(s)

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QI **Length:** 1.0 **Position:** 663

Question Name:

Concept: Seventeenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Hip

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QJ **Length:** 1.0 **Position:** 664

Question Name:

Concept: Seventeenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Pelvis

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QK **Length:** 1.0 **Position:** 665

Question Name:

Concept: Seventeenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Upper leg

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QL **Length:** 1.0 **Position:** 666

Question Name:

Concept: Seventeenth break/fracture - knee

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Knee

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QM **Length:** 1.0 **Position:** 667

Question Name:

Concept: Seventeenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Lower leg

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	0	14,000	0.0
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QN **Length:** 1.0 **Position:** 668

Question Name:

Concept: Seventeenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Ankle

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QO **Length:** 1.0 **Position:** 669

Question Name:

Concept: Seventeenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Foot

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QP **Length:** 1.0 **Position:** 670

Question Name:

Concept: Seventeenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Toe(s)

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	24,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40QQ **Length:** 1.0 **Position:** 671

Question Name:

Concept: Seventeenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Other - Specify

Universe: 16 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	34,000	0.1
Valid skip	6	5,800	33,672,000	99.8
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41Q **Length:** 2.0 **Position:** 672

Question Name:

Concept: Seventeenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (seventeenth occasion)

Universe: FRH_40QB=1 or FRH_40QC=1 or FRH_40QD=1 or FRH_40QE=1 or FRH_40QF=1 or FRH_40QG=1 or FRH_40QI=1 or FRH_40QJ=1 or FRH_40QK=1 or FRH_40QL=1 or FRH_40QM=1 or FRH_40QN=1 or FRH_40QO=1 or FRH_40QQ=1

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Being hit or struck by a person/object (no sports injuries)	03	0	5,500	0.0
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	3,500	0.0
Valid skip	96	5,800	33,682,500	99.9
Don't know	97	0	14,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42Q **Length:** 2.0 **Position:** 674

Question Name:

Concept: Seventeenth break/fracture - type of fall

Question Text: What was the type of fall? (seventeenth occasion)

Universe: FRH_41Q = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,691,500	99.9
Not stated	99	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43Q **Length:** 1.0 **Position:** 676

Question Name:

Concept: Seventeenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (seventeenth occasion)

Universe: FRH_42Q = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,691,500	99.9
Not stated	9	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40R **Length:** 2.0 **Position:** 677

Question Name:

Concept: Eighteenth break/fracture - age

Question Text: How old were you on the eighteenth occasion?

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 47	0	31,000	0.1
Valid skip	96	5,800	33,675,500	99.9
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RA **Length:** 1.0 **Position:** 679

Question Name:

Concept: Eighteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Head (skull, face, jaw, nose)

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RB **Length:** 1.0 **Position:** 680

Question Name:

Concept: Eighteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Spine (neck, back, tailbone)

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	31,000	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RC **Length:** 1.0 **Position:** 681

Question Name:

Concept: Eighteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Ribs/sternum

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	31,000	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RD **Length:** 1.0 **Position:** 682

Question Name:

Concept: Eighteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Shoulder/upper arm/collarbone

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RE **Length:** 1.0 **Position:** 683

Question Name:

Concept: Eighteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Elbow

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RF **Length:** 1.0 **Position:** 684

Question Name:

Concept: Eighteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Forearm/wrist

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RG **Length:** 1.0 **Position:** 685

Totals may not add up due to rounding.

Question Name:

Concept: Eighteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Hand

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	0	0.0
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RH **Length:** 1.0 **Position:** 686

Question Name:

Concept: Eighteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Finger(s)

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RI **Length:** 1.0 **Position:** 687

Question Name:

Concept: Eighteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Hip

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RJ **Length:** 1.0 **Position:** 688

Question Name:

Concept: Eighteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Pelvis

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	31,000	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RK **Length:** 1.0 **Position:** 689

Question Name:

Concept: Eighteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Upper leg

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	31,000	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40RL **Length:** 1.0 **Position:** 690

Question Name:

Concept: Eighteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Knee

Totals may not add up due to rounding.

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RM **Length:** 1.0 **Position:** 691

Question Name:

Concept: Eighteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Lower leg

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	0	10,500	0.0
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RN **Length:** 1.0 **Position:** 692

Question Name:

Concept: Eighteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Ankle

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RO **Length:** 1.0 **Position:** 693

Question Name:

Concept: Eighteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Foot

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RP **Length:** 1.0 **Position:** 694

Question Name:

Concept: Eighteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Toe(s)

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	20,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40RQ **Length:** 1.0 **Position:** 695

Question Name:

Concept: Eighteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Other - Specify

Universe: 17 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	31,000	0.1
Valid skip	6	5,800	33,675,500	99.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41R **Length:** 2.0 **Position:** 696

Question Name:

Concept: Eighteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eighteenth occasion)

Universe: FRH_40RB=1 or FRH_40RC=1 or FRH_40RD=1 or FRH_40RE=1 or FRH_40RF=1 or FRH_40RG=1 or FRH_40RI=1 or FRH_40RJ=1 or FRH_40RK=1 or FRH_40RL=1 or FRH_40RM=1 or FRH_40RN=1 or FRH_40RO=1 or FRH_40RQ=1

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	0	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	5,500	0.0
Valid skip	96	5,800	33,686,000	99.9
Don't know	97	0	14,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42R **Length:** 2.0 **Position:** 698

Question Name:

Concept: Eighteenth break/fracture - type of fall

Question Text: What was the type of fall? (eighteenth occasion)

Universe: FRH_41R = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,691,500	99.9
Not stated	99	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43R **Length:** 1.0 **Position:** 700

Question Name:

Concept: Eighteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eighteenth occasion)

Universe: FRH_42R = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,691,500	99.9
Not stated	9	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40S **Length:** 2.0 **Position:** 701

Question Name:

Concept: Nineteenth break/fracture - age

Question Text: How old were you on the nineteenth occasion?

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 47	0	30,500	0.1
Valid skip	96	5,800	33,675,500	99.9
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SA **Length:** 1.0 **Position:** 703

Question Name:

Concept: Nineteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Head (skull, face, jaw, nose)

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40SB **Length:** 1.0 **Position:** 704

Question Name:

Concept: Nineteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Spine (neck, back, tailbone)

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SC **Length:** 1.0 **Position:** 705

Question Name:

Concept: Nineteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Ribs/sternum

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SD **Length:** 1.0 **Position:** 706

Question Name:

Concept: Nineteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Shoulder/upper arm/collarbone

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SE **Length:** 1.0 **Position:** 707

Question Name:

Concept: Nineteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Elbow

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	0	27,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SF **Length:** 1.0 **Position:** 708

Question Name:

Concept: Nineteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Forearm/wrist

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SG **Length:** 1.0 **Position:** 709

Question Name:

Totals may not add up due to rounding.

Concept: Nineteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Hand

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SH **Length:** 1.0 **Position:** 710

Question Name:

Concept: Nineteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Finger(s)

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SI **Length:** 1.0 **Position:** 711

Question Name:

Concept: Nineteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Hip

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SJ **Length:** 1.0 **Position:** 712

Question Name:

Concept: Nineteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Pelvis

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SK **Length:** 1.0 **Position:** 713

Question Name:

Concept: Nineteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Upper leg

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SL **Length:** 1.0 **Position:** 714

Question Name:

Concept: Nineteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Knee

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,500	0.0
No	2	0	25,000	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SM **Length:** 1.0 **Position:** 715

Question Name:

Concept: Nineteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Lower leg

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	0	16,000	0.0
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SN **Length:** 1.0 **Position:** 716

Question Name:

Concept: Nineteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Ankle

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SO **Length:** 1.0 **Position:** 717

Question Name:

Concept: Nineteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Foot

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SP **Length:** 1.0 **Position:** 718

Question Name:

Concept: Nineteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Toe(s)

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,500	0.0
No	2	0	23,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40SQ **Length:** 1.0 **Position:** 719

Question Name:

Concept: Nineteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Other - Specify

Universe: 18 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_41S **Length:** 2.0 **Position:** 720

Question Name:

Concept: Nineteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (nineteenth occasion)

Universe: FRH_40SB=1 or FRH_40SC=1 or FRH_40SD=1 or FRH_40SE=1 or FRH_40SF=1 or FRH_40SG=1 or FRH_40SI=1 or FRH_40SJ=1 or FRH_40SK=1 or FRH_40SL=1 or FRH_40SM=1 or FRH_40SN=1 or FRH_40SO=1 or FRH_40SQ=1

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Being hit or struck by a person/object (no sports injuries)	03	0	5,500	0.0
Valid skip	96	5,800	33,683,000	99.9
Don't know	97	0	14,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42S **Length:** 2.0 **Position:** 722

Question Name:

Concept: Nineteenth break/fracture - type of fall

Question Text: What was the type of fall? (nineteenth occasion)

Universe: FRH_41S = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,691,500	99.9
Not stated	99	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43S **Length:** 1.0 **Position:** 724

Question Name:

Concept: Nineteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (nineteenth occasion)

Universe: FRH_42S = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,691,500	99.9
Not stated	9	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40T **Length:** 2.0 **Position:** 725

Question Name:

Concept: Twentieth break/fracture - age

Question Text: How old were you on the twentieth occasion?

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	02 - 47	0	30,500	0.1
Valid skip	96	5,800	33,675,500	99.9
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TA **Length:** 1.0 **Position:** 727

Question Name:

Concept: Twentieth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Head (skull, face, jaw, nose)

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TB **Length:** 1.0 **Position:** 728

Question Name:

Totals may not add up due to rounding.

Concept: Twentieth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Spine (neck, back, tailbone)

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TC **Length:** 1.0 **Position:** 729

Question Name:

Concept: Twentieth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Ribs/sternum

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TD **Length:** 1.0 **Position:** 730

Question Name:

Concept: Twentieth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Shoulder/upper arm/collarbone

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TE **Length:** 1.0 **Position:** 731

Question Name:

Concept: Twentieth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Elbow

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	30,500	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TF **Length:** 1.0 **Position:** 732

Question Name:

Concept: Twentieth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Forearm/wrist

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	30,500	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TG **Length:** 1.0 **Position:** 733

Question Name:

Concept: Twentieth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Hand

Universe: 19 < FRH_35 < VS

Totals may not add up due to rounding.

Note: Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TH **Length:** 1.0 **Position:** 734

Question Name:

Concept: Twentieth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Finger(s)

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	0	27,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TI **Length:** 1.0 **Position:** 735

Question Name:

Concept: Twentieth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Hip

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TJ **Length:** 1.0 **Position:** 736

Question Name:

Concept: Twentieth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Pelvis

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TK **Length:** 1.0 **Position:** 737

Question Name:

Concept: Twentieth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Upper leg

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TL **Length:** 1.0 **Position:** 738

Question Name:

Concept: Twentieth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Knee

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TM **Length:** 1.0 **Position:** 739

Question Name:

Concept: Twentieth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Lower leg

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	20,000	0.1
No		2	0	10,500	0.0
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TN **Length:** 1.0 **Position:** 740

Question Name:

Concept: Twentieth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Ankle

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	30,500	0.1
Valid skip		6	5,800	33,675,500	99.9
Not stated		9	0	19,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: FRH_40TO **Length:** 1.0 **Position:** 741

Question Name:

Concept: Twentieth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Foot

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TP **Length:** 1.0 **Position:** 742

Question Name:

Concept: Twentieth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Toe(s)

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,500	0.0
No	2	0	23,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_40TQ **Length:** 1.0 **Position:** 743

Question Name:

Concept: Twentieth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Other - Specify

Universe: 19 < FRH_35 < VS

Note: Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	30,500	0.1
Valid skip	6	5,800	33,675,500	99.9
Not stated	9	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_41T **Length:** 2.0 **Position:** 744

Totals may not add up due to rounding.

Question Name:

Concept: Twentieth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (twentieth occasion)

Universe: FRH_40TB=1 or FRH_40TC=1 or FRH_40TD=1 or FRH_40TE=1 or FRH_40TF=1 or FRH_40TG=1 or FRH_40TI=1 or FRH_40TJ=1 or FRH_40TK=1 or FRH_40TL=1 or FRH_40TM=1 or FRH_40TN=1 or FRH_40TO=1 or FRH_40TQ=1

Note: Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Being hit or struck by a person/object (no sports injuries)	03	0	5,500	0.0
Valid skip	96	5,800	33,686,000	99.9
Don't know	97	0	14,500	0.0
Not stated	99	0	19,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_42T **Length:** 2.0 **Position:** 746

Question Name:

Concept: Twentieth break/fracture - type of fall

Question Text: What was the type of fall? (twentieth occasion)

Universe: FRH_41T = 5

Note: Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,691,500	99.9
Not stated	99	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_43T **Length:** 1.0 **Position:** 748

Question Name:

Concept: Twentieth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (twentieth occasion)

Universe: FRH_42T = 5,6,DK,RF,NS

Note: Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,691,500	99.9
Not stated	9	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: FRH_45 **Length:** 1.0 **Position:** 749

Question Name: FRH_Q045

Concept: Broke/fracture hip (self/mother)

Question Text: Did you ever break or fracture your hip? / Did your birth mother ever break or fracture her hip?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,901,500	5.6
No	2	4,850	29,802,000	88.4
Valid skip	6	600	1,161,000	3.4
Don't know	7	100	752,500	2.2
Refusal	8	0	108,000	0.3
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_50 **Length:** 3.0 **Position:** 750

Question Name: FRH_Q050

Concept: Broke/fracture hip (self/mother) - age

Question Text: How old were you/she when you/she broke or fractured your/her hip (the first time)?

Universe: FRH_45 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age	000 - 102	250	1,867,000	5.5
Valid skip	996	5,450	30,963,000	91.8
Don't know	997	0	34,500	0.1
Not stated	999	100	861,500	2.6
Total		5,800	33,725,500	100.0

Variable Name: FRH_55 **Length:** 1.0 **Position:** 753

Totals may not add up due to rounding.

Question Name: FRH_Q055

Concept: Broke/fracture hip (self/father)

Question Text: Did you ever break or fracture your hip? / Did your birth father ever break or fracture his hip?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	751,000	2.2
No	2	4,950	30,353,000	90.0
Valid skip	6	600	1,161,000	3.4
Don't know	7	200	1,342,000	4.0
Refusal	8	0	118,000	0.3
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: FRH_60 **Length:** 3.0 **Position:** 754

Question Name: FRH_Q060

Concept: Broke/fracture hip (self/father) - age

Question Text: How old were you/he when you/he broke or fractured your/his hip (the first time)?

Universe: FRH_55 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age	006 - 099	100	750,000	2.2
Valid skip	996	5,500	31,514,000	93.4
Not stated	999	200	1,461,500	4.3
Total		5,800	33,725,500	100.0

Variable Name: SOM_005 **Length:** 1.0 **Position:** 757

Question Name: SOM_Q005

Concept: Used steroids administered by inhalation

Question Text: Have you ever used steroids administered by inhalation, for example, Flovent, Pulmicort or Vanceril? Do not include nasal sprays.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,250	6,355,500	18.8
No		2	4,550	27,218,500	80.7
Don't know		7	50	114,000	0.3
Refusal		8	0	38,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: SOM_010 **Length:** 1.0 **Position:** 758

Question Name: SOM_Q010

Concept: Used steriods on daily basis - 12 month period

Question Text: Did you ever use these types of steroids on a daily basis for more than a 12 month period? By daily basis, I mean that you did not miss more than 21 days of use over the course of one year (for example, if you temporarily ran out of medication or you forgot to take a dose).

Universe: SOM_005 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	913,000	2.7
No		2	1,050	5,420,500	16.1
Valid skip		6	4,550	27,218,500	80.7
Don't know		7	0	22,000	0.1
Not stated		9	50	152,000	0.5
	Total		5,800	33,725,500	100.0

Variable Name: SOM_015 **Length:** 1.0 **Position:** 759

Question Name: SOM_Q015

Concept: Taken orally - administered steriods

Question Text: Have you ever taken orally-administered steroid hormones, for example, prednisone, prednisolone, dexamethasone or hydrocortisone? Do not include the use of anabolic steroids, such as testosterone, dihydrotestosterone or DHEA.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	400	2,438,000	7.2
No		2	5,350	30,998,000	91.9
Don't know		7	50	290,000	0.9
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: SOM_020 **Length:** 1.0 **Position:** 760

Question Name: SOM_Q020

Concept: Take steroid hormones on a daily basis - more than 3 months

Question Text: Did you ever take these types of steroid hormones on a daily basis for longer than a 3 month period?

Universe: SOM_015 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	346,500	1.0
No	2	350	2,063,500	6.1
Valid skip	6	5,350	30,998,000	91.9
Don't know	7	0	28,500	0.1
Not stated	9	50	290,000	0.9
Total		5,800	33,725,500	100.0

Variable Name: SOM_025 **Length:** 1.0 **Position:** 761

Question Name: SOM_Q025

Concept: Prescription meds for osteoporosis/prevention bone loss or fractures

Question Text: Have you ever taken prescription medication for osteoporosis or for the prevention of bone loss or fractures? Do not include calcium and vitamin D.

Universe: DHH_AGE >= 40

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	844,000	2.5
No	2	2,000	16,194,000	48.0
Valid skip	6	3,700	16,669,500	49.4
Don't know	7	0	16,500	0.0
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: SOM_030A **Length:** 1.0 **Position:** 762

Question Name: SOM_Q030

Concept: Used Tamoxifen

Question Text: Which medications have you used? - Tamoxifen (e.g., Novaldex, Tamone, Tamoplex)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,500	0.0
No	2	100	602,000	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030B **Length:** 1.0 **Position:** 763

Question Name: SOM_Q030

Concept: Used Bazedoxifene

Question Text: Which medications have you used? - Bazedoxifene (e.g., Viviant)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	617,500	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030C **Length:** 1.0 **Position:** 764

Question Name: SOM_Q030

Concept: Used Calcitonin

Question Text: Which medications have you used? - Calcitonin (e.g., Calcimar, Caltine, Miacalcin nasal spray)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	617,500	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: SOM_030D **Length:** 1.0 **Position:** 765

Question Name: SOM_Q030

Concept: Used Clodronate

Question Text: Which medications have you used? - Clodronate (e.g., Bonefos, Ostac)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	100	617,500	1.8
Valid skip		6	5,700	32,863,500	97.4
Don't know		7	0	217,500	0.6
Refusal		8	0	8,500	0.0
Not stated		9	0	18,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: SOM_030E **Length:** 1.0 **Position:** 766

Question Name: SOM_Q030

Concept: Used Etidronate

Question Text: Which medications have you used? - Etidronate (e.g., Didronel, Didrocal)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	19,500	0.1
No		2	100	598,000	1.8
Valid skip		6	5,700	32,863,500	97.4
Don't know		7	0	217,500	0.6
Refusal		8	0	8,500	0.0
Not stated		9	0	18,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: SOM_030F **Length:** 1.0 **Position:** 767

Question Name: SOM_Q030

Concept: Used Risedronate

Question Text: Which medications have you used? - Risedronate (e.g., Actonel)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	270,000	0.8
No	2	50	347,500	1.0
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030G **Length:** 1.0 **Position:** 768

Question Name: SOM_Q030

Concept: Used Pamidronate

Question Text: Which medications have you used? - Pamidronate (e.g., Aredia)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	617,500	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030H **Length:** 1.0 **Position:** 769

Question Name: SOM_Q030

Concept: Used Zoledronate

Question Text: Which medications have you used? - Zoledronate (e.g., Aclasta)

Universe: SOM_025 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	50,500	0.1
No	2	100	567,500	1.7
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030I **Length:** 1.0 **Position:** 770

Question Name: SOM_Q030

Concept: Used Alendronate

Question Text: Which medications have you used? - Alendronate (e.g., Fosamax, Fosavance)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	186,500	0.6
No	2	50	431,000	1.3
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030J **Length:** 1.0 **Position:** 771

Question Name: SOM_Q030

Concept: Used Parathyroid Hormone

Question Text: Which medications have you used? - Parathyroid Hormone (e.g., Forteo)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,000	0.0
No	2	100	612,500	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030K **Length:** 1.0 **Position:** 772

Question Name: SOM_Q030

Concept: Used Denosumab

Question Text: Which medications have you used? - Denosumab (e.g., Prolia)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	93,000	0.3
No	2	100	524,500	1.6
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030L **Length:** 1.0 **Position:** 773

Question Name: SOM_Q030

Concept: Used Raloxifene

Question Text: Which medications have you used? - Raloxifene (e.g., Evista)

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	100	617,000	1.8
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_030M **Length:** 1.0 **Position:** 774

Question Name: SOM_Q030

Concept: Used - Other - Specify

Question Text: Which medications have you used? - Other - Specify

Universe: SOM_025 = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	61,000	0.2
No	2	50	557,000	1.7
Valid skip	6	5,700	32,863,500	97.4
Don't know	7	0	217,500	0.6
Refusal	8	0	8,500	0.0
Not stated	9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_035 **Length:** 5.1 **Position:** 775

Question Name: SOM_Q035

Concept: Length of time - medication taken

Question Text: In total, over your lifetime, for how long did you take the medication?

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Amount of time	001.0 - 026.0	100	822,000	2.4
Valid skip	999.6	5,700	32,863,500	97.4
Don't know	999.7	0	22,000	0.1
Not stated	999.9	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: SOM_040 **Length:** 1.0 **Position:** 780

Question Name: SOM_N040

Concept: Reporting period

Question Text: Select the reporting period.

Universe: SOM_025 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	1	0	10,000	0.0
Weeks	2	0	4,500	0.0
Months	3	0	58,500	0.2
Years	4	100	748,500	2.2
Valid skip	6	5,700	32,863,500	97.4
Not stated	9	0	40,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: HWT_1N **Length:** 1.0 **Position:** 781

Question Name: HWT_Q1

Concept: Height - unit of measure in feet and inches or in cm - self-reported

Question Text: The next questions are about height and weight. How tall are you without shoes on?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Feet and inches	1	4,350	25,415,500	75.4
Centimetres	2	1,150	7,294,500	21.6
Don't know	7	300	1,009,000	3.0
Refusal	8	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HWT_1A **Length:** 2.0 **Position:** 782

Question Name: HWT_N1A

Concept: Height - feet / self-reported

Question Text: Enter feet only.

Universe: HWT_1N = 1

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Feet	00 - 06	4,350	25,415,500	75.4
Valid skip	96	1,150	7,294,500	21.6
Not stated	99	300	1,015,500	3.0
Total		5,800	33,725,500	100.0

Variable Name: HWT_1B **Length:** 5.2 **Position:** 784

Question Name: HWT_N1B

Concept: Height - inches / self-reported

Question Text: Enter inches only, to the nearest quarter of an inch.

Universe: HWT_1N = 1

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Inches	00.00 - 66.00	4,350	25,415,500	75.4
Valid skip	99.96	1,150	7,294,500	21.6
Not stated	99.99	300	1,015,500	3.0
Total		5,800	33,725,500	100.0

Variable Name: HWT_1C **Length:** 6.2 **Position:** 789

Question Name: HWT_N1C

Concept: Height - centimetres / self-reported

Question Text: Record the height to the nearest half centimetre.

Universe: HWT_1N = 2

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Centimeters	040.00 - 196.00	1,150	7,294,500	21.6
Valid skip	999.96	4,350	25,415,500	75.4
Not stated	999.99	300	1,015,500	3.0
Total		5,800	33,725,500	100.0

Variable Name: HWT_3 **Length:** 5.1 **Position:** 795

Question Name:

Concept: Weight / self-reported

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight	005.0 - 395.0	5,550	32,622,000	96.7
Don’t know	999.7	250	1,092,500	3.2
Refusal	999.8	0	11,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: HWT_3N **Length:** 1.0 **Position:** 800

Question Name:

Concept: Weight - unit of measure in pounds or kilograms / self-reported

Question Text:

Universe: All respondents

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_3.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Pounds	1	4,550	25,878,500	76.7
Kilograms	2	1,050	6,743,500	20.0
Not stated	9	250	1,104,000	3.3
Total		5,800	33,725,500	100.0

Variable Name: HWT_4 **Length:** 1.0 **Position:** 801

Question Name: HWT_Q4

Concept: Respondent's opinion of own weight / self-reported

Question Text: Do you consider yourself... ?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Overweight	1	1,650	12,383,500	36.7
Underweight	2	200	1,474,000	4.4
Just about right	3	2,300	16,132,500	47.8
Valid skip	6	1,600	3,522,500	10.4
Don't know	7	0	15,500	0.0
Refusal	8	0	1,500	0.0
Not stated	9	50	195,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: HWTDCM **Length:** 5.1 **Position:** 802

Question Name:

Concept: Height (centimetres) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Height in centimetres	040.0 - 206.0	5,500	32,710,000	97.0
Not stated	999.9	300	1,015,500	3.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: HWTDIN **Length:** 5.2 **Position:** 807

Question Name:

Concept: Height (inches) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Inches		16.00 - 81.00	5,500	32,710,000	97.0
Not stated		99.99	300	1,015,500	3.0
	Total		5,800	33,725,500	100.0

Variable Name: HWTDHTM **Length:** 4.2 **Position:** 812

Question Name:

Concept: Height (metres) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Height in metres		0.40 - 2.06	5,500	32,710,000	97.0
Not stated		9.99	300	1,015,500	3.0
	Total		5,800	33,725,500	100.0

Variable Name: HWTDKG **Length:** 3.0 **Position:** 816

Question Name:

Concept: Weight (kilograms) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight in kilograms	002 - 179	5,550	32,622,000	96.7
Not stated	999	250	1,104,000	3.3
Total		5,800	33,725,500	100.0

Variable Name: HWTDLB **Length:** 3.0 **Position:** 819

Question Name:

Concept: Weight (pounds) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight in pounds	005 - 395	5,550	32,622,000	96.7
Not stated	999	250	1,104,000	3.3
Total		5,800	33,725,500	100.0

Variable Name: HWTDBMI **Length:** 5.2 **Position:** 822

Question Name:

Concept: Body Mass Index / self-reported - (D)

Question Text:

Universe: PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Body Mass Index score	00.95 - 88.89	5,350	31,730,000	94.1
Valid skip	99.96	50	296,000	0.9
Not stated	99.99	400	1,699,500	5.0
Total		5,800	33,725,500	100.0

Variable Name: HWTDBMIA **Length:** 2.0 **Position:** 827

Question Name:

Concept: BMI norms, 18 or older / self-reported - (D)

Question Text:

Totals may not add up due to rounding.

Universe: DHH_AGE > 17 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	01	50	617,500	1.8
Normal weight	02	1,400	11,769,000	34.9
Overweight	03	1,150	9,109,500	27.0
Obese - Class I	04	450	3,544,000	10.5
Obese - Class II	05	150	1,240,500	3.7
Obese - Class III	06	50	675,500	2.0
Valid skip	96	2,400	6,219,000	18.4
Not stated	99	50	550,000	1.6
Total		5,800	33,725,500	100.0

Variable Name: HWTDBMIK **Length:** 1.0 **Position:** 829

Question Name:

Concept: BMI norms, 3 to 17 years old / self-reported - (D)

Question Text:

Universe: 2 < DHH_AGE < 18 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	1	200	409,500	1.2
Normal weight	2	1,300	3,232,500	9.6
Overweight	3	250	545,500	1.6
Obese	4	250	585,500	1.7
Valid skip	6	3,400	27,803,000	82.4
Not stated	9	350	1,149,500	3.4
Total		5,800	33,725,500	100.0

Variable Name: HWTDCOL **Length:** 1.0 **Position:** 830

Question Name:

Concept: BMI classification (3 to 18 years) / self-reported - Cole system - (D)

Question Text:

Universe: 2 < DHH_AGE < 19 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Neither overweight nor obese	1	1,550	3,772,000	11.2
Overweight	2	300	658,500	2.0
Obese	3	200	429,500	1.3
Valid skip	6	3,350	27,702,000	82.1
Not stated	9	350	1,164,000	3.5
Total		5,800	33,725,500	100.0

Variable Name: HWTDWHOP **Length:** 1.0 **Position:** 831

Question Name:

Concept: BMI classification (3 to 5 years old) / self-reported - WHO - (D)

Question Text:

Universe: 2 < DHH_AGE <= 5

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Thinness	1	0	30,500	0.1
Normal	2	200	397,500	1.2
At risk of overweight	3	50	53,500	0.2
Overweight	4	0	57,500	0.2
Obese	5	50	57,500	0.2
Valid skip	6	5,400	32,923,000	97.6
Not stated	9	100	206,000	0.6
Total		5,800	33,725,500	100.0

Variable Name: HWTDWHOK **Length:** 1.0 **Position:** 832

Question Name:

Concept: BMI classification (5 to 18 years old) / self-reported - WHO - (D)

Question Text:

Universe: 4 < DHH_AGE < 19 and PRS_11 = 2

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Thinness	1	100	215,500	0.6
Normal	2	1,200	3,080,500	9.1
Overweight	3	300	682,500	2.0
Obese	4	200	512,000	1.5
Valid skip	6	3,700	28,265,500	83.8
Not stated	9	300	970,000	2.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: MFC_11 **Length:** 3.0 **Position:** 833

Question Name:

Concept: Eats red meat - number of times

Question Text: How often do you usually eat red meat, such as beef, hamburger, pork or lamb?

Universe: All respondents

Note: This includes wild red meat such as bear, elk, venison or bison.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 024	5,800	33,724,500	100.0
Don't know		997	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MFC_11N **Length:** 1.0 **Position:** 836

Question Name:

Concept: Eats red meat - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_11 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	550	3,209,000	9.5
Per week		2	4,200	24,409,000	72.4
Per month		3	650	3,673,000	10.9
Per year		4	100	688,500	2.0
Valid skip		6	300	1,745,500	5.2
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MFCD11Y **Length:** 4.0 **Position:** 837

Question Name:

Concept: Eats red meat - times per year - (D)

Question Text:

Universe: 0 < MFC_11 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	33,724,500	100.0
Not stated	9999	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_12 **Length:** 3.0 **Position:** 841

Question Name:

Concept: Eats liver - number of times

Question Text: How often do you usually eat liver, including all types of liver such as beef, veal, pork or chicken, but excluding liverwurst and liver pâté?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 020	5,800	33,723,500	100.0
Don’t know	997	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_12N **Length:** 1.0 **Position:** 844

Question Name:

Concept: Eats liver - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	0	21,000	0.1
Per week	2	100	1,135,000	3.4
Per month	3	400	2,999,000	8.9
Per year	4	650	4,374,000	13.0
Valid skip	6	4,650	25,195,000	74.7
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: MFCD12Y **Length:** 4.0 **Position:** 845

Question Name:

Concept: Eats liver - times per year - (D)

Question Text:

Universe: 0 < MFC_12 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0365	5,800	33,723,500	100.0
Not stated	9999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_14 **Length:** 3.0 **Position:** 849

Question Name:

Concept: Eats beef or pork hot dogs - number of times

Question Text: How often do you usually eat beef or pork hot dogs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 050	5,800	33,722,000	100.0
Don’t know	997	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_14N **Length:** 1.0 **Position:** 852

Question Name:

Concept: Eats beef or pork hot dogs - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	0	101,000	0.3
Per week	2	750	3,478,500	10.3
Per month	3	1,800	9,202,500	27.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Per year	4	1,400	8,616,000	25.5
Valid skip	6	1,800	12,323,500	36.5
Not stated	9	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFCD14Y **Length:** 4.0 **Position:** 853

Question Name:

Concept: Eats beef or pork hot dogs - times per year - (D)

Question Text:

Universe: 0 < MFC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	33,722,000	100.0
Not stated	9999	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_15 **Length:** 3.0 **Position:** 857

Question Name:

Concept: Eats sausage or bacon - number of times

Question Text: How often do you usually eat sausage or bacon, including all types of sausages such as breakfast, pepperoni and Kielbasa but excluding low-fat, light or turkey varieties?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	33,722,000	100.0
Don’t know	997	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_15N **Length:** 1.0 **Position:** 860

Question Name:

Concept: Eats sausage or bacon - reporting period

Question Text: Interviewer: Select the reporting period.

Totals may not add up due to rounding.

Universe: 0 < MFC_15 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	314,000	0.9
Per week	2	2,050	10,929,500	32.4
Per month	3	2,100	12,156,000	36.0
Per year	4	450	3,140,000	9.3
Valid skip	6	1,100	7,183,000	21.3
Not stated	9	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFCD15Y **Length:** 4.0 **Position:** 861

Question Name:

Concept: Eats sausage or bacon - times per year - (D)

Question Text:

Universe: 0 < MFC_15 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,722,000	100.0
Not stated	9999	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_19A **Length:** 3.0 **Position:** 865

Question Name:

Concept: Eats eggs/egg dishes - number of times

Question Text: How often do you usually eat eggs and egg dishes that include the yolk? Please exclude all egg dishes made with only egg whites. Egg dishes could include such things as eggs, omelette, frittata or quiche.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 416	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_19AN **Length:** 1.0 **Position:** 868

Question Name:

Concept: Eats eggs/egg dishes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_19A < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	650	4,289,000	12.7
Per week	2	3,850	22,633,000	67.1
Per month	3	850	4,618,500	13.7
Per year	4	100	552,000	1.6
Valid skip	6	400	1,633,500	4.8
Total		5,800	33,725,500	100.0

Variable Name: MFCD19AY **Length:** 4.0 **Position:** 869

Question Name:

Concept: Eats eggs/egg dishes - times per year - (D)

Question Text:

Universe: 0 < MFC_19A < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2808	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_19B **Length:** 3.0 **Position:** 873

Question Name:

Concept: Eats egg made with omega-3 enriched - number of times

Question Text: How often do you usually eat eggs and egg dishes that are made with omega-3 enriched eggs? Please exclude all egg dishes made with only egg whites.

Universe: 0 < MFC_19A < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 040	5,300	31,394,500	93.1
Valid skip		996	400	1,633,500	4.8
Don't know		997	150	692,000	2.1
Refusal		998	0	6,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MFC_19BN **Length:** 1.0 **Position:** 876

Question Name:

Concept: Eats eggs omega-3 enriched - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_19B < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	100	561,000	1.7
Per week		2	750	4,964,500	14.7
Per month		3	300	1,660,000	4.9
Per year		4	100	573,000	1.7
Valid skip		6	4,450	25,269,000	74.9
Not stated		9	150	698,000	2.1
	Total		5,800	33,725,500	100.0

Variable Name: MFCD19BY **Length:** 4.0 **Position:** 877

Question Name:

Concept: Eats eggs omega-3 enriched - times per year - (D)

Question Text:

Universe: 0 < MFC_19B < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0730	5,300	31,394,500	93.1
Valid skip		9996	400	1,633,500	4.8
Not stated		9999	150	698,000	2.1
	Total		5,800	33,725,500	100.0

Variable Name: MFC_20 **Length:** 3.0 **Position:** 881

Question Name:

Concept: Eats cooked dried beans - number of times

Question Text: How often do you usually eat cooked dried beans, such as refried beans, baked beans, pea soup or kidney beans, excluding green and yellow beans?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 208	5,800	33,712,000	100.0
Don't know	997	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFC_20N **Length:** 1.0 **Position:** 884

Question Name:

Concept: Eats cooked dried beans - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_20 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	690,500	2.0
Per week	2	2,000	11,725,500	34.8
Per month	3	1,900	11,347,000	33.6
Per year	4	500	3,248,000	9.6
Valid skip	6	1,250	6,701,000	19.9
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MFCD20Y **Length:** 4.0 **Position:** 885

Question Name:

Concept: Eats cooked dried beans - times per year - (D)

Question Text:

Universe: 0 < MFC_20 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	33,712,000	100.0
Not stated		9999	0	14,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MFC_21 **Length:** 3.0 **Position:** 889

Question Name:

Concept: Eats nuts - number of times

Question Text: How often do you usually eat peanuts, walnuts, seeds or other nuts, excluding nut butters such as peanut butter?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 260	5,800	33,651,500	99.8
Don't know		997	0	74,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: MFC_21N **Length:** 1.0 **Position:** 892

Question Name:

Concept: Eats nuts - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MFC_21 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	750	6,032,500	17.9
Per week		2	2,450	13,670,500	40.5
Per month		3	1,300	7,200,000	21.3
Per year		4	300	2,025,500	6.0
Valid skip		6	1,000	4,722,500	14.0
Not stated		9	0	74,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: MFCD21Y **Length:** 4.0 **Position:** 893

Question Name:

Concept: Eats nuts - times per year - (D)

Question Text:

Universe: 0 < MFC_21 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 5475	5,800	33,651,500	99.8
Not stated	9999	0	74,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: MDC_01 **Length:** 3.0 **Position:** 897

Question Name:

Concept: Drinks/uses enriched milk substitutes - number of times

Question Text: How often do you drink enriched milk substitutes such as enriched soya, rice or almond milk, or use them on cereal? (For example: twice a day, three times a week, once a month).

Universe: All respondents

Note: This includes only milk substitutes that have been enriched with vitamins and minerals. Milk substitutes added to coffee or tea are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 208	5,800	33,723,500	100.0
Don't know	997	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_01N **Length:** 1.0 **Position:** 900

Question Name:

Concept: Drinks/uses enriched milk substitutes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	400	2,331,500	6.9
Per week	2	550	3,736,500	11.1
Per month	3	300	2,079,000	6.2
Per year	4	150	945,500	2.8

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	4,400	24,630,500	73.0
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDCD01Y **Length:** 4.0 **Position:** 901

Question Name:

Concept: Drinks/uses enriched milk substitutes - times per year - (D)

Question Text:

Universe: 0 < MDC_01 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	33,723,500	100.0
Not stated		9999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_02 **Length:** 3.0 **Position:** 905

Question Name:

Concept: Drinks/uses omega-3 enriched milk substitutes - number of times

Question Text: How often do you drink or use omega-3 enriched milk substitutes?

Universe: 0 < MDC_01 < VS

Note: Milk substitutes added to coffee or tea are not included.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 015	1,350	8,698,500	25.8
Valid skip		996	4,400	24,630,500	73.0
Don't know		997	50	394,500	1.2
Not stated		999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_02N **Length:** 1.0 **Position:** 908

Question Name:

Concept: Drinks/uses omega-3 enriched milk substitutes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_02 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	206,500	0.6
Per week	2	50	565,000	1.7
Per month	3	50	290,000	0.9
Per year	4	0	82,000	0.2
Valid skip	6	5,600	32,186,000	95.4
Not stated	9	50	396,500	1.2
Total		5,800	33,725,500	100.0

Variable Name: MDCD02Y **Length:** 4.0 **Position:** 909

Question Name:

Concept: Drinks/uses omega-3 milk substitutes - times per year - (D)

Question Text:

Universe: 0 < MDC_02 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	1,350	8,698,500	25.8
Valid skip	9996	4,400	24,630,500	73.0
Not stated	9999	50	396,500	1.2
Total		5,800	33,725,500	100.0

Variable Name: MDC_03A **Length:** 1.0 **Position:** 913

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - rice

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Rice (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	362,500	1.1
No	2	1,300	8,719,000	25.9
Valid skip	6	4,400	24,630,500	73.0
Don’t know	7	0	8,500	0.0
Refusal	8	0	3,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_03B **Length:** 1.0 **Position:** 914

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - soya

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Soya (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	450	2,678,500	7.9
No		2	950	6,403,000	19.0
Valid skip		6	4,400	24,630,500	73.0
Don't know		7	0	8,500	0.0
Refusal		8	0	3,000	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_03C **Length:** 1.0 **Position:** 915

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - almond

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Almond (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	950	6,223,000	18.5
No		2	450	2,858,500	8.5
Valid skip		6	4,400	24,630,500	73.0
Don't know		7	0	8,500	0.0
Refusal		8	0	3,000	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_03D **Length:** 1.0 **Position:** 916

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - other (enriched)

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Other - Specify

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	889,500	2.6
No	2	1,250	8,192,000	24.3
Valid skip	6	4,400	24,630,500	73.0
Don't know	7	0	8,500	0.0
Refusal	8	0	3,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_04 **Length:** 3.0 **Position:** 917

Question Name:

Concept: Drinks/uses milk/flavoured milk - number of times

Question Text: How often do you drink milk or flavoured milk beverages or use them on cereal? (For example: twice a day, three times a week, once a month)

Universe: 0 < MDC_01 < VS

Note: Milk or cream added to coffee or tea are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 182	5,800	33,724,500	100.0
Don't know	997	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_04N **Length:** 1.0 **Position:** 920

Question Name:

Concept: Drinks/uses milk/flavoured milk - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_04 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	2,450	11,974,000	35.5
Per week		2	1,500	8,593,500	25.5
Per month		3	450	2,773,000	8.2
Per year		4	100	724,000	2.1
Valid skip		6	1,300	9,660,000	28.6
Not stated		9	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDCD04Y **Length:** 4.0 **Position:** 921

Question Name:

Concept: Drinks or uses milk or flavoured milk - times per year - (D)

Question Text:

Universe: 0 < MDC_04 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2920	5,800	33,724,500	100.0
Not stated		9999	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_05 **Length:** 3.0 **Position:** 925

Question Name:

Concept: Drinks/uses omega-3 enriched milk - number of times

Question Text: How often do you drink or use omega-3 enriched milk or milk beverages?

Universe: 0 < MDC_04 < VS

Note: Milk or cream added to coffee or tea are not included.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 006	4,450	23,854,000	70.7
Valid skip		996	1,300	9,660,000	28.6
Don’t know		997	50	210,500	0.6
Not stated		999	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_05N **Length:** 1.0 **Position:** 928

Question Name:

Concept: Drinks/uses omega-3 enriched milk - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_05 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	233,000	0.7
Per week	2	50	207,500	0.6
Per month	3	0	191,000	0.6
Per year	4	0	40,500	0.1
Valid skip	6	5,650	32,842,000	97.4
Not stated	9	50	211,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: MDCD05Y **Length:** 4.0 **Position:** 929

Question Name:

Concept: Drinks or uses omega-3 enriched milk - times per year - (D)

Question Text:

Universe: 0 < MDC_05 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1460	4,450	23,854,000	70.7
Valid skip	9996	1,300	9,660,000	28.6
Not stated	9999	50	211,500	0.6
Total		5,800	33,725,500	100.0

Variable Name: MDC_12A **Length:** 1.0 **Position:** 933

Question Name: MDC_Q12

Concept: Type of milk used - 3.25%

Question Text: What kind of milk do you usually drink or use on cereal? - 3.25% (Whole or homo)

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	900	4,261,500	12.6
No	2	3,600	19,757,000	58.6

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12B **Length:** 1.0 **Position:** 934

Question Name: MDC_Q12

Concept: Type of milk used - 2%

Question Text: What kind of milk do you usually drink or use on cereal? - 2%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,350	12,188,500	36.1
No	2	2,100	11,829,500	35.1
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12C **Length:** 1.0 **Position:** 935

Question Name: MDC_Q12

Concept: Type of milk used - 1%

Question Text: What kind of milk do you usually drink or use on cereal? - 1%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	950	5,551,000	16.5
No	2	3,550	18,467,000	54.8
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12D **Length:** 1.0 **Position:** 936

Question Name: MDC_Q12

Concept: Type of milk used - 0.5%

Question Text: What kind of milk do you usually drink or use on cereal? - 0.5%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	36,000	0.1
No	2	4,450	23,982,500	71.1
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12E **Length:** 1.0 **Position:** 937

Question Name: MDC_Q12

Concept: Type of milk used - skim or non-fat

Question Text: What kind of milk do you usually drink or use on cereal? - Skim or Non-Fat (including powdered milk)

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	1,596,500	4.7
No	2	4,200	22,422,000	66.5
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12F **Length:** 1.0 **Position:** 938

Question Name: MDC_Q12

Concept: Type of milk used - flavoured milk beverages

Question Text: What kind of milk do you usually drink or use on cereal? - Flavoured milk beverages (such as chocolate milk and flavoured milks such as Oh Henry! ®)

Universe: 0 < MDC_04 < VS

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	586,000	1.7
No	2	4,400	23,432,000	69.5
Valid skip	6	1,300	9,660,000	28.6
Don't know	7	0	46,000	0.1
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: MDC_12G **Length:** 1.0 **Position:** 939

Question Name:

Concept: Type of milk used - other

Question Text: What kind of milk do you usually drink or use on cereal? - Other

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	4,500	24,018,500	71.2
Don't know	7	0	46,000	0.1
Not stated	9	1,300	9,661,500	28.6
Total		5,800	33,725,500	100.0

Variable Name: MDC_13 **Length:** 3.0 **Position:** 940

Question Name:

Concept: Eats cottage cheese - number of times

Question Text: How often do you usually eat cottage cheese?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 200	5,800	33,684,500	99.9
Don't know	997	0	41,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MDC_13N **Length:** 1.0 **Position:** 943

Question Name:

Concept: Eats cottage cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	424,000	1.3
Per week	2	400	2,659,000	7.9
Per month	3	700	4,298,500	12.7
Per year	4	600	3,766,000	11.2
Valid skip	6	4,050	22,536,500	66.8
Not stated	9	0	41,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MDCD13Y **Length:** 4.0 **Position:** 944

Question Name:

Concept: Eats cottage cheese - times per year - (D)

Question Text:

Universe: 0 < MDC_13 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,684,500	99.9
Not stated	9999	0	41,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: MDC_13B **Length:** 3.0 **Position:** 948

Question Name:

Concept: Eats processed cheese - number of times

Question Text: How often do you usually eat processed cheese such as Kraft Cheez Whiz®, Kraft Singles®, or Black Diamond Slices®?"

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 050	5,800	33,724,500	100.0
Don’t know	997	0	1,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: MDC_13BN **Length:** 1.0 **Position:** 951

Question Name:

Concept: Eats processed cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13B < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	200	1,117,500	3.3
Per week		2	1,350	6,927,500	20.5
Per month		3	950	5,587,000	16.6
Per year		4	350	2,001,000	5.9
Valid skip		6	2,950	18,092,000	53.6
Not stated		9	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDCD13BY **Length:** 4.0 **Position:** 952

Question Name:

Concept: Eats processed cheese - times per year - (D)

Question Text:

Universe: 0 < MDC_13B < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	33,724,500	100.0
Not stated		9999	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: MDC_13C **Length:** 3.0 **Position:** 956

Question Name:

Concept: Eats other type of cheese - number of times

Question Text: How often do you usually eat other types of cheese such as mozzarella, cheddar, or Swiss?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 078	5,800	33,641,000	99.7
Don't know	997	0	85,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: MDC_13CN **Length:** 1.0 **Position:** 959

Question Name:

Concept: Eats other type of cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13C < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,100	5,300,000	15.7
Per week	2	3,350	19,429,500	57.6
Per month	3	700	4,766,000	14.1
Per year	4	50	620,000	1.8
Valid skip	6	550	3,525,500	10.5
Not stated	9	0	85,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: MDCD13CY **Length:** 4.0 **Position:** 960

Question Name:

Concept: Eats other types of cheese - times per year - (D)

Question Text:

Universe: 0 < MDC_13B < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,800	33,641,000	99.7
Not stated	9999	0	85,000	0.3
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: MDC_14 **Length:** 3.0 **Position:** 964

Question Name:

Concept: Eats yogurt - number of times

Question Text: How often do you usually eat yogurt, excluding frozen yogurt?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 120	5,800	33,674,500	99.8
Don't know	997	0	51,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: MDC_14N **Length:** 1.0 **Position:** 967

Question Name:

Concept: Eats yogurt - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,300	6,590,500	19.5
Per week	2	2,500	13,911,500	41.2
Per month	3	800	5,119,000	15.2
Per year	4	150	1,092,500	3.2
Valid skip	6	1,000	6,960,500	20.6
Not stated	9	0	51,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: MDCD14Y **Length:** 4.0 **Position:** 968

Question Name:

Concept: Eats yogurt - times per year - (D)

Question Text:

Universe: 0 < MDC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1460	5,800	33,674,500	99.8
Not stated		9999	0	51,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: MDC_15 **Length:** 3.0 **Position:** 972

Question Name:

Concept: Eats ice cream or frozen yogurt - number of times

Question Text: How often do you usually eat ice cream or frozen yogurt?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 150	5,800	33,622,500	99.7
Don't know		997	0	103,000	0.3
	Total		5,800	33,725,500	100.0

Variable Name: MDC_15N **Length:** 1.0 **Position:** 975

Question Name:

Concept: Eats ice cream or frozen yogurt - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_15 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	150	576,000	1.7
Per week		2	1,850	9,401,000	27.9
Per month		3	2,150	12,422,000	36.8
Per year		4	750	4,799,000	14.2
Valid skip		6	900	6,424,500	19.0
Not stated		9	0	103,000	0.3
	Total		5,800	33,725,500	100.0

Variable Name: MDCD15Y **Length:** 4.0 **Position:** 976

Question Name:

Totals may not add up due to rounding.

Concept: Eats ice cream or frozen yogurt - times per year - (D)

Question Text:

Universe: 0 < MDC_15 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	33,622,500	99.7
Not stated	9999	0	103,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: GFV_11 **Length:** 3.0 **Position:** 980

Question Name:

Concept: Eats hot or cold cereal - number of times

Question Text: How often do you usually eat hot or cold cereal? (For examplle: once a day, three times a week, twice a month).

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 200	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_11N **Length:** 1.0 **Position:** 983

Question Name:

Concept: Eats hot or cold cereal - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_11 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,100	5,398,000	16.0
Per week	2	2,650	13,347,000	39.6
Per month	3	800	5,399,500	16.0
Per year	4	200	1,588,500	4.7
Valid skip	6	1,050	7,993,000	23.7
Total		5,800	33,725,500	100.0

Variable Name: GFVD11Y **Length:** 4.0 **Position:** 984

Question Name:

Concept: Eats hot or cold cereal - times per year - (D)

Question Text:

Universe: 0 < GFV_11 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1460	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_12 **Length:** 3.0 **Position:** 988

Question Name:

Concept: Eats whole grain bread - number of times

Question Text: How often do you usually eat whole grain bread such as whole wheat, rye or pumpernickel including bread made with oats or buckwheat? Please include bagels, rolls, pita bread or tortillas.

Universe: All respondents

Note: White bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles® are not included.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 060	5,800	33,712,000	100.0
Don't know		997	0	12,000	0.0
Refusal		998	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_12N **Length:** 1.0 **Position:** 991

Question Name:

Concept: Eats whole grain bread - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_12 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	1,600	9,422,500	27.9
Per week		2	2,500	14,475,500	42.9
Per month		3	500	3,239,000	9.6
Per year		4	100	568,000	1.7
Valid skip		6	1,150	6,006,500	17.8
Not stated		9	0	13,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFVD12Y **Length:** 4.0 **Position:** 992

Question Name:

Concept: Eats whole grain bread - times per year - (D)

Question Text:

Universe: 0 <GFV_12 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1825	5,800	33,712,000	100.0
Not stated		9999	0	13,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_13 **Length:** 3.0 **Position:** 996

Question Name:

Concept: Eats white bread - number of times

Question Text: How often do you usually eat white bread, including bagels, rolls, pita bread or tortillas?

Universe: All respondents

Note: This includes white bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles®.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 060	5,800	33,715,500	100.0
Don't know		997	0	10,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_13N **Length:** 1.0 **Position:** 999

Question Name:

Concept: Eats white bread - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	900	4,827,500	14.3
Per week	2	2,350	12,447,000	36.9
Per month	3	750	4,924,500	14.6
Per year	4	150	997,500	3.0
Valid skip	6	1,650	10,519,000	31.2
Not stated	9	0	10,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD13Y **Length:** 4.0 **Position:** 1000

Question Name:

Concept: Eats white bread - times per year - (D)

Question Text:

Universe: 0 < GFV_13 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	33,715,500	100.0
Not stated	9999	0	10,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_14 **Length:** 3.0 **Position:** 1004

Question Name:

Concept: Eats pasta - number of times

Question Text: How often do you usually eat any kind of pasta, including spaghetti, noodles, macaroni & cheese or pasta salad?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 312	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: GFV_14N **Length:** 1.0 **Position:** 1007

Question Name:

Concept: Eats pasta - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	580,500	1.7
Per week	2	4,150	22,403,500	66.4
Per month	3	1,200	8,263,500	24.5
Per year	4	100	837,500	2.5
Valid skip	6	250	1,641,000	4.9
Total		5,800	33,725,500	100.0

Variable Name: GFVD14Y **Length:** 4.0 **Position:** 1008

Question Name:

Concept: Eats any kind of pasta - times per year - (D)

Question Text:

Universe: 0 < GFV_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_16 **Length:** 3.0 **Position:** 1012

Question Name:

Concept: Eats instant, seasoned or wild rice - number of times

Question Text: How often do you usually eat instant, seasoned or wild rice, such as Minute Rice®, Dainty®, Rice-a-Roni®?

Universe: All respondents

Note: This includes all types of wild rice, but only include white and brown rice if it is instant.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 024	5,800	33,717,000	100.0
Don't know		997	0	8,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_16N **Length:** 1.0 **Position:** 1015

Question Name:

Concept: Eats instant, seasoned or wild rice - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_16 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	50	326,500	1.0
Per week		2	1,350	6,794,500	20.1
Per month		3	800	4,583,500	13.6
Per year		4	200	1,741,000	5.2
Valid skip		6	3,350	20,271,500	60.1
Not stated		9	0	8,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFVD16Y **Length:** 4.0 **Position:** 1016

Question Name:

Concept: Eats instant, seasoned or wild rice - times per year - (D)

Question Text:

Universe: 0 < GFV_16 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	33,717,000	100.0
Not stated		9999	0	8,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_17A **Length:** 3.0 **Position:** 1020

Question Name:

Concept: Eats citrus fruit - number of times

Totals may not add up due to rounding.

Question Text: How often do you usually eat citrus fruit such as oranges or grapefruits, fresh, frozen or canned?

Universe: All respondents

Note: This only includes citrus fruit such as lemons or limes if the entire fruit is consumed (not just a slice added to a dish or beverage).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 150	5,800	33,718,500	100.0
Don't know	997	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_17AN **Length:** 1.0 **Position:** 1023

Question Name:

Concept: Eats citrus fruit - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17A < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	800	4,492,500	13.3
Per week	2	2,750	16,260,000	48.2
Per month	3	1,150	6,500,500	19.3
Per year	4	250	1,540,500	4.6
Valid skip	6	850	4,925,000	14.6
Not stated	9	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD17AY **Length:** 4.0 **Position:** 1024

Question Name:

Concept: Eats citrus fruit - times per year - (D)

Question Text:

Universe: 0 < GFV_17A < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 3650	5,800	33,718,500	100.0
Not stated	9999	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_17B **Length:** 3.0 **Position:** 1028

Question Name:

Concept: Eats strawberries in the summer - number of times

Question Text: How often do you usually eat strawberries, fresh, frozen or canned, in the summer?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 120	5,800	33,651,500	99.8
Don't know	997	0	74,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: GFV_17BN **Length:** 1.0 **Position:** 1031

Question Name:

Concept: Eats strawberries in the summer - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17B < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	900	4,099,000	12.2
Per week	2	3,550	20,576,500	61.0
Per month	3	700	4,935,500	14.6
Per summer	4	100	992,500	2.9
Valid skip	6	550	3,047,500	9.0
Not stated	9	0	74,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: GFVD17BY **Length:** 4.0 **Position:** 1032

Question Name:

Concept: Eats strawberries - times per summer - (D)

Question Text:

Universe: 0 < GFV_17B < VS

Note: See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0552	5,800	33,651,500	99.8
Not stated		9999	0	74,500	0.2
	Total		5,800	33,725,500	100.0

Variable Name: GFV_17C **Length:** 3.0 **Position:** 1036

Question Name:

Concept: Eats strawberries during the rest of the year - number of times

Question Text: How often do you usually eat strawberries (fresh, frozen or canned) during the rest of the year?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 050	5,800	33,587,000	99.6
Don’t know		997	0	139,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: GFV_17CN **Length:** 1.0 **Position:** 1039

Question Name:

Concept: Eats strawberries rest of the year - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17C < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	250	1,166,500	3.5
Per week		2	2,150	10,833,000	32.1
Per month		3	1,600	9,731,000	28.9
Overall, during the rest of the year		4	300	1,771,000	5.3
Valid skip		6	1,500	10,085,000	29.9
Not stated		9	0	139,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: GFVD17CY **Length:** 4.0 **Position:** 1040

Question Name:

Concept: Eats strawberries - times per year, excluding summer (D)

Question Text:

Universe: 0 < GFV_17C < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1638	5,800	33,587,000	99.6
Not stated	9999	0	139,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: GFV_17D **Length:** 3.0 **Position:** 1044

Question Name:

Concept: Eats other types of fruit - number of times

Question Text: How often do you usually eat other types of fruit; fresh, frozen or canned?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 500	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_17DN **Length:** 1.0 **Position:** 1047

Question Name:

Concept: Eats other types of fruit - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17D < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	3,550	19,739,000	58.5
Per week	2	1,850	10,872,500	32.2
Per month	3	250	1,832,000	5.4
Per year	4	50	322,000	1.0
Valid skip	6	150	960,000	2.8
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: GFVD17DY **Length:** 4.0 **Position:** 1048

Question Name:

Concept: Eats other types of fruit - times per year - (D)

Question Text:

Universe: 0 < GFV_17D < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2555	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_18 **Length:** 3.0 **Position:** 1052

Question Name:

Concept: Eats tomatoes or tomato sauce - number of times

Question Text: How often do you usually eat tomatoes or tomato sauce, including salsa, tomato soup and spaghetti sauce but excluding tomato paste, ketchup or pizza sauce?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 150	5,800	33,725,000	100.0
Don’t know	997	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_18N **Length:** 1.0 **Position:** 1055

Question Name:

Concept: Eats tomatoes or tomato sauce - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_18 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	600	3,432,000	10.2
Per week	2	4,100	24,203,500	71.8
Per month	3	750	4,431,500	13.1

Answer Categories	Code	Frequency	Weighted Frequency	%
Per year	4	50	211,500	0.6
Valid skip	6	350	1,446,500	4.3
Not stated	9	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD18Y **Length:** 4.0 **Position:** 1056

Question Name:

Concept: Eats tomatoes or tomato sauce - times per year - (D)

Question Text:

Universe: 0 < GFV_18 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 3650	5,800	33,725,000	100.0
Not stated	9999	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_19 **Length:** 3.0 **Position:** 1060

Question Name:

Concept: Eats lettuce or green leafy salad - number of times

Question Text: How often do you usually eat lettuce or green leafy salad with or without other vegetables? Do not include spinach.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 180	5,800	33,716,500	100.0
Don't know	997	0	9,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_19N **Length:** 1.0 **Position:** 1063

Question Name:

Concept: Eats lettuce or green leafy salad - reporting period

Question Text: Interviewer: Select the reporting period.

Totals may not add up due to rounding.

Universe: 0 < GFV_19 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	650	4,707,000	14.0
Per week	2	3,500	20,883,000	61.9
Per month	3	750	4,271,000	12.7
Per year	4	100	421,500	1.2
Valid skip	6	800	3,433,500	10.2
Not stated	9	0	9,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD19Y **Length:** 4.0 **Position:** 1064

Question Name:

Concept: Eats lettuce or green leafy salad - times per year - (D)

Question Text:

Universe: 0 < GFV_19 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,716,500	100.0
Not stated	9999	0	9,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_20 **Length:** 3.0 **Position:** 1068

Question Name:

Concept: Eats spinach, mustard greens or cabbage - number of times

Question Text: How often do you usually eat spinach, mustard greens, or cabbage, excluding kale?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 200	5,800	33,711,500	100.0
Don’t know	997	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_20N **Length:** 1.0 **Position:** 1071

Question Name:

Concept: Eats spinach, mustard greens or cabbage - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_20 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	300	2,646,500	7.8
Per week	2	2,350	14,722,000	43.7
Per month	3	1,350	8,031,500	23.8
Per year	4	250	1,633,000	4.8
Valid skip	6	1,550	6,678,500	19.8
Not stated	9	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD20Y **Length:** 4.0 **Position:** 1072

Question Name:

Concept: Eats spinach, mustard greens, cabbage - times per year - (D)

Question Text:

Universe: 0 < GFV_20 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	33,711,500	100.0
Not stated	9999	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_21 **Length:** 3.0 **Position:** 1076

Question Name:

Concept: Eats french/home fries or hash brown potatoes - number times

Question Text: How often do you usually eat french fries, home fries, or hash brown potatoes?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 036	5,800	33,723,500	100.0
Don't know		997	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_21N **Length:** 1.0 **Position:** 1079

Question Name:

Concept: Eats french/home fries or hash brown potatoes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_21 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	50	238,500	0.7
Per week		2	2,550	13,763,000	40.8
Per month		3	2,300	13,329,500	39.5
Per year		4	300	2,210,500	6.6
Valid skip		6	600	4,182,000	12.4
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFVD21Y **Length:** 4.0 **Position:** 1080

Question Name:

Concept: Eats french/home fries/hash brown potatoes - times per year - (D)

Question Text:

Universe: 0 < GFV_21 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0730	5,800	33,723,500	100.0
Not stated		9999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_22 **Length:** 3.0 **Position:** 1084

Question Name:

Concept: Eats other potatoes - number of times

Question Text: How often do you usually eat other potatoes including baked, boiled, mashed or in potato salad, but excluding sweet potatoes?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_22N **Length:** 1.0 **Position:** 1087

Question Name:

Concept: Eats other potatoes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	757,500	2.2
Per week	2	3,400	18,302,500	54.3
Per month	3	1,550	10,245,500	30.4
Per year	4	150	999,500	3.0
Valid skip	6	650	3,420,500	10.1
Total		5,800	33,725,500	100.0

Variable Name: GFVD22Y **Length:** 4.0 **Position:** 1088

Question Name:

Concept: Eats other potatoes - times per year - (D)

Question Text:

Universe: 0 < GFV_22 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2555	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: GFV_23 **Length:** 3.0 **Position:** 1092

Question Name:

Concept: Eats all other types of vegetables - number of times

Question Text: How often do you usually eat all other types of vegetables, excluding those already mentioned?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 030	5,800	33,722,500	100.0
Don't know	997	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFV_23N **Length:** 1.0 **Position:** 1095

Question Name:

Concept: Eats all other types of vegetables - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_23 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	3,100	17,641,500	52.3
Per week	2	2,300	13,775,000	40.8
Per month	3	250	1,629,500	4.8
Per year	4	0	44,500	0.1
Valid skip	6	150	632,500	1.9
Not stated	9	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: GFVD23Y **Length:** 4.0 **Position:** 1096

Question Name:

Concept: Eats all other types of vegetables - times per year - (D)

Question Text:

Universe: 0 < GFV_23 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2555	5,800	33,722,500	100.0
Not stated		9999	0	3,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: GFV_24 **Length:** 3.0 **Position:** 1100

Question Name:

Concept: Eats flax seeds, whole or ground - number of times

Question Text: How often do you usually eat flax seeds, whole or ground, including flax seeds eaten in foods such as breakfast cereal, yogurt, muffins, bread or any other dishes?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 030	5,750	33,599,000	99.6
Don’t know		997	50	126,500	0.4
	Total		5,800	33,725,500	100.0

Variable Name: GFV_24N **Length:** 1.0 **Position:** 1103

Question Name:

Concept: Eats flax seeds, whole or ground - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_24 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	300	1,769,500	5.2
Per week		2	950	5,570,000	16.5
Per month		3	550	3,118,000	9.2
Per year		4	150	841,500	2.5
Valid skip		6	3,800	22,300,000	66.1
Not stated		9	50	126,500	0.4
	Total		5,800	33,725,500	100.0

Variable Name: GFVD24Y **Length:** 4.0 **Position:** 1104

Question Name:

Totals may not add up due to rounding.

Concept: Eats flax seeds - times per year - (D)

Question Text:

Universe: 0 < GFV_24 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,750	33,599,000	99.6
Not stated	9999	50	126,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: DFC_11 **Length:** 3.0 **Position:** 1108

Question Name:

Concept: Eats regular-fat salad dressing/mayo - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 060	5,800	33,649,500	99.8
Don't know	997	0	76,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: DFC_11N **Length:** 1.0 **Position:** 1111

Question Name:

Concept: Eats regular-fat salad dressing/mayo - reporting period

Question Text:

Universe: 0 < DFC_11 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	400	2,607,000	7.7
Per week	2	2,900	16,636,000	49.3
Per month	3	900	4,968,000	14.7
Per year	4	100	581,500	1.7
Valid skip	6	1,450	8,857,000	26.3
Not stated	9	0	76,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: DFCD11Y **Length:** 4.0 **Position:** 1112

Question Name:

Concept: Eats regular-fat salad dressing/mayo - times per year - (D)

Question Text:

Universe: 0 < DFC_11 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,649,500	99.8
Not stated	9999	0	76,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: DFC_12 **Length:** 3.0 **Position:** 1116

Question Name:

Concept: Eats regular-fat chips - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	33,724,500	100.0
Don’t know	997	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFC_12N **Length:** 1.0 **Position:** 1119

Question Name:

Concept: Eats regular-fat chips - reporting period

Question Text:

Universe: 0 < DFC_12 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	867,000	2.6
Per week	2	2,850	14,731,000	43.7
Per month	3	1,750	10,625,000	31.5
Per year	4	250	1,642,500	4.9
Valid skip	6	750	5,859,000	17.4
Not stated	9	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFCD12Y **Length:** 4.0 **Position:** 1120

Question Name:

Concept: Eats regular-fat chips - times/year - (D)

Question Text:

Universe: 0 < DFC_12 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	33,724,500	100.0
Not stated	9999	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFC_13 **Length:** 3.0 **Position:** 1124

Question Name:

Concept: Eats margarine - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 060	5,800	33,713,000	100.0
Don’t know	997	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFC_13N **Length:** 1.0 **Position:** 1127

Question Name:

Concept: Eats margarine - reporting period

Question Text:

Universe: 0 < DFC_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	850	4,794,500	14.2
Per week	2	1,150	5,921,500	17.6
Per month	3	300	2,184,000	6.5
Per year	4	100	652,000	1.9
Valid skip	6	3,400	20,161,000	59.8
Not stated	9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFCD13Y **Length:** 4.0 **Position:** 1128

Question Name:

Concept: Eats margarine - times per year - (D)

Question Text:

Universe: 0 < DFC_13 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2555	5,800	33,713,000	100.0
Not stated	9999	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFC_14 **Length:** 3.0 **Position:** 1132

Question Name:

Concept: Eats omega-3 enriched margarine - number of times

Question Text:

Universe: 0 < DFC_13 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 060	2,300	12,975,500	38.5
Valid skip	996	3,400	20,161,000	59.8
Don't know	997	50	536,500	1.6
Refusal	998	0	40,000	0.1
Not stated	999	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: DFC_14N **Length:** 1.0 **Position:** 1135

Question Name:

Concept: Eats omega-3 enriched margarine - reporting period

Question Text:

Universe: 0 < DFC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	200	1,063,500	3.2
Per week	2	250	1,568,500	4.7
Per month	3	100	643,000	1.9
Per year	4	50	239,500	0.7
Valid skip	6	5,150	29,622,000	87.8
Not stated	9	100	589,500	1.7
Total		5,800	33,725,500	100.0

Variable Name: DFCD14Y **Length:** 4.0 **Position:** 1136

Question Name:

Concept: Eats omega-3 enriched margarine - times per year - (D)

Question Text:

Universe: 0 < DFC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	2,300	12,975,500	38.5
Valid skip	9996	3,400	20,161,000	59.8
Not stated	9999	100	589,500	1.7
Total		5,800	33,725,500	100.0

Variable Name: WSD_30 **Length:** 3.0 **Position:** 1140

Question Name:

Concept: Drinks diet soft drinks - number of times

Question Text: How often do you usually drink diet soft drinks? (For example: once a day, three times a week, twice a month.)

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 025	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_30N **Length:** 1.0 **Position:** 1143

Question Name:

Concept: Drinks diet soft drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_30 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	150	1,132,500	3.4
Per week		2	500	3,492,500	10.4
Per month		3	450	2,998,000	8.9
Per year		4	150	1,278,000	3.8
Valid skip		6	4,450	24,824,500	73.6
	Total		5,800	33,725,500	100.0

Variable Name: WSDD30Y **Length:** 4.0 **Position:** 1144

Question Name:

Concept: Drinks diet soft drinks - times per year - (D)

Question Text:

Universe: WSD_30 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2190	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_31 **Length:** 3.0 **Position:** 1148

Question Name:

Concept: Drinks regular soft drinks - number of times

Question Text: How often do you usually drink regular soft drinks?

Universe: All respondents

Note: Regular means non-diet soft drinks.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 040	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_31N **Length:** 1.0 **Position:** 1151

Question Name:

Concept: Drinks regular soft drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_31 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	200	1,335,500	4.0
Per week		2	1,300	7,161,000	21.2
Per month		3	1,300	6,821,500	20.2
Per year		4	350	2,224,500	6.6
Valid skip		6	2,600	16,183,500	48.0
	Total		5,800	33,725,500	100.0

Variable Name: WSDD31Y **Length:** 4.0 **Position:** 1152

Question Name:

Concept: Drinks regular soft drinks - times per year - (D)

Question Text:

Universe: WSD_31 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 3285	5,800	33,725,500	100.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_32 **Length:** 3.0 **Position:** 1156

Question Name:

Concept: Drinks sport drinks - number of times

Question Text: How often do you usually drink sport drinks, such as Gatorade® or Powerade®?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 100	5,800	33,724,000	100.0
Don’t know		997	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_32N **Length:** 1.0 **Position:** 1159

Question Name:

Concept: Drinks sport drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_32 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	50	105,000	0.3
Per week		2	500	2,551,000	7.6
Per month		3	850	4,471,000	13.3
Per year		4	600	2,734,500	8.1
Valid skip		6	3,800	23,862,500	70.8
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSDD32Y **Length:** 4.0 **Position:** 1160

Totals may not add up due to rounding.

Question Name:

Concept: Drinks sport drinks - times per year - (D)

Question Text:

Universe: WSD_32 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	33,724,000	100.0
Not stated	9999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_33 **Length:** 3.0 **Position:** 1164

Question Name:

Concept: Drinks vitamin-added water - number of times

Question Text: How often do you usually drink vitamin-added water, such as Aquafina Plus Vitamins® or Vitamin Water®? Do not include flavoured water or other types of water that are not fortified with vitamins.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 050	5,800	33,723,500	100.0
Don't know	997	0	2,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_33N **Length:** 1.0 **Position:** 1167

Question Name:

Concept: Drinks vitamin-added water - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_33 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	0	219,000	0.6
Per week	2	150	792,000	2.3
Per month	3	350	2,088,000	6.2

Answer Categories		Code	Frequency	Weighted Frequency	%
Per year		4	250	1,582,500	4.7
Valid skip		6	5,050	29,042,000	86.1
Not stated		9	0	2,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSDD33Y **Length:** 4.0 **Position:** 1168

Question Name:

Concept: Drinks vitamin-added water - times per year - (D)

Question Text:

Universe: WSD_33 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2190	5,800	33,723,500	100.0
Not stated		9999	0	2,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_34 **Length:** 3.0 **Position:** 1172

Question Name:

Concept: Drinks orange or grapefruit juice - number of times

Question Text: How often do you usually drink orange or grapefruit juice?

Universe: All respondents

Note: This only includes 100% pure fruit juices. Include juice to which calcium and vitamin D has been added.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 250	5,800	33,721,000	100.0
Don’t know		997	0	4,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_34N **Length:** 1.0 **Position:** 1175

Question Name:

Concept: Drinks orange or grapefruit juice - reporting period

Question Text: Interviewer: Select the reporting period.

Totals may not add up due to rounding.

Universe: 0 < WSD_34 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	600	3,329,000	9.9
Per week	2	1,750	9,090,500	27.0
Per month	3	1,250	7,686,500	22.8
Per year	4	400	2,883,000	8.5
Valid skip	6	1,750	10,732,500	31.8
Not stated	9	0	4,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSDD34Y **Length:** 4.0 **Position:** 1176

Question Name:

Concept: Drinks orange or grapefruit juice - times per year - (D)

Question Text:

Universe: WSD_34 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	33,721,000	100.0
Not stated	9999	0	4,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_35 **Length:** 3.0 **Position:** 1180

Question Name:

Concept: Drinks other 100% fruit juices - number of times

Question Text: How often do you usually drink other 100% fruit juices, for example, apple, grape or mixed fruit juice?

Universe: All respondents

Note: This includes juice to which calcium and vitamin D has been added.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 060	5,800	33,709,000	100.0
Don’t know	997	0	16,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_35N **Length:** 1.0 **Position:** 1183

Question Name:

Concept: Drinks other 100% fruit juices - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_35 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	550	2,498,500	7.4
Per week	2	1,650	7,287,000	21.6
Per month	3	1,050	6,267,500	18.6
Per year	4	350	2,389,000	7.1
Valid skip	6	2,150	15,267,000	45.3
Not stated	9	0	16,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSDD35Y **Length:** 4.0 **Position:** 1184

Question Name:

Concept: Drinks other 100% fruit juices - times per year - (D)

Question Text:

Universe: WSD_35 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2555	5,800	33,709,000	100.0
Not stated	9999	0	16,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_36 **Length:** 3.0 **Position:** 1188

Question Name:

Concept: Drinks juice with calcium and vitamin D added - number of times

Question Text: How often do you usually drink juice with calcium and vitamin D added?

Universe: 0 < WSD_34 < VS or 0 < WSD_35 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 020	4,450	24,176,000	71.7
Valid skip		996	1,050	7,444,500	22.1
Don't know		997	300	2,049,500	6.1
Refusal		998	0	52,000	0.2
Not stated		999	0	4,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_36N **Length:** 1.0 **Position:** 1191

Question Name:

Concept: Drinks juice with calcium and vitamin D added - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_36 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	150	504,500	1.5
Per week		2	400	2,133,500	6.3
Per month		3	300	1,822,000	5.4
Per year		4	100	681,500	2.0
Valid skip		6	4,500	26,478,500	78.5
Not stated		9	300	2,105,500	6.2
	Total		5,800	33,725,500	100.0

Variable Name: WSDD36Y **Length:** 4.0 **Position:** 1192

Question Name:

Concept: Drinks juice with calcium and vitamin D - times per year - (D)

Question Text:

Universe: WSD_36 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,600	32,269,500	95.7
Not stated		9999	200	1,456,500	4.3
	Total		5,800	33,725,500	100.0

Variable Name: WSD_37 **Length:** 3.0 **Position:** 1196

Question Name:

Concept: Drinks fruit-flavoured drinks - number of times

Question Text: How often do you usually drink fruit-flavoured drinks?

Universe: All respondents

Note: This does not include Crystal Light®.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	33,710,500	100.0
Don't know	997	0	15,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_37N **Length:** 1.0 **Position:** 1199

Question Name:

Concept: Drinks fruit-flavoured drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_37 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	793,500	2.4
Per week	2	550	1,975,000	5.9
Per month	3	450	2,081,500	6.2
Per year	4	300	1,180,500	3.5
Valid skip	6	4,400	27,679,500	82.1
Not stated	9	0	15,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSDD37Y **Length:** 4.0 **Position:** 1200

Question Name:

Concept: Drinks fruit-flavoured drinks - times per year - (D)

Question Text:

Universe: WSD_37 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1825	5,800	33,710,500	100.0
Not stated		9999	0	15,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_38 **Length:** 3.0 **Position:** 1204

Question Name:

Concept: Drinks vegetable juices - number of times

Question Text: How often do you usually drink vegetable juices?

Universe: All respondents

Note: This does not include vegetable juices used in cooking.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 050	5,800	33,712,500	100.0
Don’t know		997	0	13,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSD_38N **Length:** 1.0 **Position:** 1207

Question Name:

Concept: Drinks vegetable juices - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_38 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	50	479,500	1.4
Per week		2	500	3,513,500	10.4
Per month		3	600	4,011,500	11.9
Per year		4	350	2,497,000	7.4
Valid skip		6	4,250	23,211,000	68.8
Not stated		9	0	13,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: WSDD38Y **Length:** 4.0 **Position:** 1208

Question Name:

Concept: Drinks vegetable juices - times per year - (D)

Question Text:

Universe: WSD_38 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,800	33,712,500	100.0
Not stated	9999	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: WSD_39 **Length:** 3.0 **Position:** 1212

Question Name: WSD_Q39

Concept: Drinks water at home - number of cups

Question Text: How much water, in cups, do you usually drink at home? A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	000 - 075	5,800	33,684,500	99.9
Don’t know	997	0	41,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: WSD_39N **Length:** 1.0 **Position:** 1215

Question Name: WSD_N39

Concept: Drinks water at home - reporting period

Question Text: Select the reporting period.

Universe: 0 < WSD_39 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	5,550	32,157,000	95.3
Per week	2	100	664,000	2.0
Per month	3	0	112,000	0.3
Per year	4	0	7,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	150	744,000	2.2
Not stated		9	0	41,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: WSDD39Y **Length:** 5.0 **Position:** 1216

Question Name:

Concept: Drinks water at home - number of cups per year - (D)

Question Text:

Universe: WSD_39 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of cups		00000 - 27375	5,800	33,684,500	99.9
Not stated		99999	0	41,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: WSD_40 **Length:** 1.0 **Position:** 1221

Question Name: WSD_Q40

Concept: Primary source of drinking water - home

Question Text: When you drink water at home, what is your primary source of drinking water?

Universe: 0 < WSD_39 < VS

Note: This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from an individual serving-size bottle or from a water cooler.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Tap water		1	4,700	26,819,000	79.5
Bottled water		2	900	5,955,500	17.7
Other - Specify		3	50	166,500	0.5
Valid skip		6	150	744,000	2.2
Not stated		9	0	41,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: WSD_41 **Length:** 3.0 **Position:** 1222

Question Name: WSD_Q41

Concept: Drinks water away from home - number of cups

Question Text: How much water, in cups, do you usually drink away from home? A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	000 - 045	5,700	33,366,500	98.9
Don't know	997	100	359,000	1.1
Total		5,800	33,725,500	100.0

Variable Name: WSD_41N **Length:** 1.0 **Position:** 1225

Question Name: WSD_N41

Concept: Amount drinks water away from home - reporting period

Question Text: Select the reporting period.

Universe: 0 < WSD_41 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	4,800	27,498,000	81.5
Per week	2	250	1,357,500	4.0
Per month	3	50	250,000	0.7
Per year	4	0	25,000	0.1
Valid skip	6	600	4,236,000	12.6
Not stated	9	100	359,000	1.1
Total		5,800	33,725,500	100.0

Variable Name: WSDD41Y **Length:** 5.0 **Position:** 1226

Question Name:

Concept: Drinks water away from home - number of cups per year - (D)

Question Text:

Universe: WSD_41 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	00000 - 11680	5,700	33,366,500	98.9
Not stated	99999	100	359,000	1.1
Total		5,800	33,725,500	100.0

Variable Name: WSD_42 **Length:** 1.0 **Position:** 1231

Question Name: WSD_Q42

Concept: Primary source of drinking water - away from home

Question Text: When you drink water away from home, what is your primary source of drinking water?

Universe: 0 < WSD_41 < VS

Note: This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from an individual serving-size bottle or from a water cooler.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Tap water	1	3,650	18,982,500	56.3
Bottled water	2	1,350	9,922,000	29.4
Other - Specify	3	50	211,000	0.6
Valid skip	6	600	4,236,000	12.6
Don’t know	7	0	15,000	0.0
Not stated	9	100	359,000	1.1
Total		5,800	33,725,500	100.0

Variable Name: WSD_43 **Length:** 1.0 **Position:** 1232

Question Name: WSD_Q43

Concept: Source of tap water - home

Question Text: What is the source of the tap water in this home?

Universe: All respondents

Note: Water from a surface source includes natural spring, lake, river, lagoon or dugout.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Water supplied by your city, town or municipality	1	5,350	31,403,000	93.1
Water from a private well	2	400	1,935,000	5.7
Water from a cistern	3	0	20,000	0.1
Water from a surface source	4	0	72,500	0.2

Answer Categories	Code	Frequency	Weighted Frequency	%
Other - Specify	5	0	14,500	0.0
Don't know	7	0	25,000	0.1
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_44A **Length:** 1.0 **Position:** 1233

Question Name:

Concept: Home water treated using - filter

Question Text: Is the water in this home treated using... ? - A filter, for example, a faucet attachment, refrigerator filter or Brita®-type jug filter

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,200	12,708,500	37.7
No	2	3,600	20,617,000	61.1
Don't know	7	0	144,500	0.4
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_44B **Length:** 1.0 **Position:** 1234

Question Name:

Concept: Home water treated using - water softener

Question Text: Is the water in this home treated using... ? - A water softener

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,106,000	3.3
No	2	5,600	32,220,000	95.5
Don't know	7	0	144,500	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	255,000	0.8
	Total		5,800	33,725,500	100.0

Variable Name: WSD_44C **Length:** 1.0 **Position:** 1235

Question Name:

Concept: Home water treated using - ultraviolet system

Question Text: Is the water in this home treated using... ? - An ultraviolet system

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	357,500	1.1
No		2	5,700	32,968,500	97.8
Don’t know		7	0	144,500	0.4
Not stated		9	0	255,000	0.8
	Total		5,800	33,725,500	100.0

Variable Name: WSD_44D **Length:** 1.0 **Position:** 1236

Question Name:

Concept: Home water treated using - reverse osmosis

Question Text: Is the water in this home treated using... ? - Reverse osmosis

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	626,500	1.9
No		2	5,700	32,699,500	97.0
Don’t know		7	0	144,500	0.4
Not stated		9	0	255,000	0.8
	Total		5,800	33,725,500	100.0

Variable Name: WSD_44E **Length:** 1.0 **Position:** 1237

Question Name:

Concept: Home water treated using - boiling

Question Text: Is the water in this home treated using... ? - Boiling

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,511,500	4.5
No	2	5,550	31,814,500	94.3
Don't know	7	0	144,500	0.4
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_44F **Length:** 1.0 **Position:** 1238

Question Name:

Concept: Home water treated using - distilling

Question Text: Is the water in this home treated using... ? - Distilling

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	125,500	0.4
No	2	5,750	33,200,500	98.4
Don't know	7	0	144,500	0.4
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_44G **Length:** 1.0 **Position:** 1239

Totals may not add up due to rounding.

Question Name:

Concept: Home water treated using - other

Question Text: Is the water in this home treated using... ? - Other - Specify

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	209,000	0.6
No	2	5,750	33,117,000	98.2
Don't know	7	0	144,500	0.4
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_44H **Length:** 1.0 **Position:** 1240

Question Name:

Concept: Home water treated using - no treatment

Question Text: Is the water in this home treated using... ? - No treatment

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,200	18,316,000	54.3
No	2	2,550	15,010,000	44.5
Don't know	7	0	144,500	0.4
Not stated	9	0	255,000	0.8
Total		5,800	33,725,500	100.0

Variable Name: WSD_45 **Length:** 1.0 **Position:** 1241

Question Name: WSD_Q45

Concept: Water used for drinking or food treated with water softener

Question Text: Is the water used for drinking and food preparation treated using the water softener?

Universe: WSD_44B = 1

Note:

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	967,000	2.9
No	2	50	134,000	0.4
Valid skip	6	5,600	32,220,000	95.5
Don't know	7	0	1,500	0.0
Not stated	9	50	403,500	1.2
Total		5,800	33,725,500	100.0

Variable Name: WSDDTWY **Length:** 5.0 **Position:** 1242

Question Name:

Concept: Drinks water (anywhere) - number of cups per year - (D)

Question Text:

Universe: WSDD39Y < VS and WSDD41Y < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	00000 - 30295	5,700	33,365,500	98.9
Not stated	99999	100	360,500	1.1
Total		5,800	33,725,500	100.0

Variable Name: SLT_005 **Length:** 1.0 **Position:** 1247

Question Name: SLT_Q005

Concept: Salt added to food

Question Text: How often do you usually add salt to your food, after it has been prepared, for example, at the table?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	350	2,469,000	7.3
Often	2	450	2,805,000	8.3
Sometimes	3	900	5,303,500	15.7
Rarely	4	1,450	8,932,500	26.5
Never	5	2,650	14,215,500	42.2
Total		5,800	33,725,500	100.0

Variable Name: SLT_010 **Length:** 2.0 **Position:** 1248

Question Name: SLT_Q010

Concept: Type of salt usually used

Question Text: What type of salt is usually used?

Universe: SLT_005 = 1,2,3,4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ordinary table salt	01	1,700	10,357,000	30.7
Seasoned or other flavoured salt	02	100	809,500	2.4
Sea salt or gourmet salt	03	1,350	7,917,000	23.5
Light salt or half salt	04	0	23,000	0.1
Salt substitute	05	0	104,000	0.3
Other - Specify	06	50	294,000	0.9
Valid skip	96	2,650	14,215,500	42.2
Don’t know	97	0	5,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: SLT_015 **Length:** 1.0 **Position:** 1250

Question Name: SLT_Q015

Concept: Often ordinary table salt added cooking/preparation of foods

Question Text: How often is ordinary table salt added during the cooking or preparation of foods that you eat?

Universe: All respondents

Note: In households with two selected respondents this question was asked only for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	1,500	9,007,500	26.7
Often	2	1,000	5,748,500	17.0
Sometimes	3	1,100	6,400,000	19.0
Rarely	4	900	4,924,500	14.6
Never	5	1,250	7,505,000	22.3
Don't know	7	0	140,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: PAA_005 **Length:** 1.0 **Position:** 1251

Question Name: PAA_Q005

Concept: Active ways to get to places during the last week

Question Text: In the last seven days, that is from last this day last week to yesterday, did you use active ways like walking or cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends?

Universe: DHH_AGE > 17

Note: This does not include walking, cycling or other activities done purely for leisure.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,550	12,950,500	38.4
No	2	1,850	14,850,500	44.0
Valid skip	6	2,400	5,922,500	17.6
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_010A **Length:** 1.0 **Position:** 1252

Question Name: PAA_Q010

Concept: Active ways to get to places- Monday

Question Text: In the last seven days, on which days did you do these activities? - Monday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,000	8,985,500	26.6
No	2	550	3,942,000	11.7
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAA_010B **Length:** 1.0 **Position:** 1253

Question Name: PAA_Q010

Concept: Active ways to get to places - Tuesday

Question Text: In the last seven days, on which days did you do these activities? - Tuesday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,000	8,961,500	26.6
No	2	550	3,966,000	11.8
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_010C **Length:** 1.0 **Position:** 1254

Question Name: PAA_Q010

Concept: Active ways to get to places - Wednesday

Question Text: In the last seven days, on which days did you do these activities? - Wednesday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,050	9,458,500	28.0
No	2	500	3,469,000	10.3
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_010D **Length:** 1.0 **Position:** 1255

Question Name: PAA_Q010

Concept: Active ways to get to places - Thursday

Question Text: In the last seven days, on which days did you do these activities? - Thursday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,000	8,687,000	25.8
No	2	550	4,240,500	12.6
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_010E **Length:** 1.0 **Position:** 1256

Question Name: PAA_Q010

Concept: Active ways to get to places - Friday

Question Text: In the last seven days, on which days did you do these activities? - Friday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	950	8,244,500	24.4
No	2	600	4,683,000	13.9
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_010F **Length:** 1.0 **Position:** 1257

Question Name: PAA_Q010

Concept: Active ways to get to places - Saturday

Question Text: In the last seven days, on which days did you do these activities? - Saturday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	800	7,242,000	21.5
No	2	750	5,685,500	16.9
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAA_010G **Length:** 1.0 **Position:** 1258

Question Name: PAA_Q010

Concept: Active ways to get to places - Sunday

Question Text: In the last seven days, on which days did you do these activities? - Sunday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,311,000	18.7
No	2	800	6,616,500	19.6
Valid skip	6	4,250	20,773,000	61.6
Don't know	7	0	23,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_015 **Length:** 3.0 **Position:** 1259

Question Name: PAA_Q015

Concept: Time spent on active ways to get to places last week - hours

Question Text: How much time in total, in the last seven days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes.

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 048	1,550	12,922,500	38.3
Valid skip	996	4,250	20,773,000	61.6
Don't know	997	0	27,500	0.1
Not stated	999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_020N **Length:** 4.0 **Position:** 1262

Question Name: PAA_N020

Concept: Time spent on active ways to get to places last week - minutes

Question Text: Enter number of minutes.

Universe: PAA_015 < 168

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0980	1,550	12,922,500	38.3
Valid skip		9996	4,250	20,773,000	61.6
Not stated		9999	0	30,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: PAADTRVL **Length:** 5.0 **Position:** 1266

Question Name:

Concept: Total minutes of active transportation per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 02880	3,400	27,773,000	82.3
Valid skip		99996	2,400	5,922,500	17.6
Not stated		99999	0	30,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: PAA_030 **Length:** 1.0 **Position:** 1271

Question Name: PAA_Q030

Concept: Recreational physical activities - last week

Question Text: [Not including activities you just reported], In the last seven days, did you do sports, fitness or recreational physical activities, organized or non-organized, that lasted a minimum of 10 continuous minutes?

Examples are walking, home or gym exercise, swimming, cycling, running, skiing, dancing and all team sports.

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,050	17,109,000	50.7
No		2	1,350	10,691,500	31.7
Valid skip		6	2,400	5,922,500	17.6
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAA_035 **Length:** 1.0 **Position:** 1272

Question Name: PAA_Q035

Concept: Recreational physical activities - sweat and breathe harder

Question Text: Did any of these recreational physical activities make you sweat at least a little and breathe harder?

Universe: PAA_030 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,650	13,255,000	39.3
No	2	400	3,854,000	11.4
Valid skip	6	3,750	16,614,500	49.3
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_040A **Length:** 1.0 **Position:** 1273

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Monday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Monday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	7,262,500	21.5
No	2	800	5,987,500	17.8
Valid skip	6	4,150	20,468,500	60.7
Don't know	7	0	5,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_040B **Length:** 1.0 **Position:** 1274

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Tuesday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Tuesday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	6,594,500	19.6
No	2	800	6,655,500	19.7
Valid skip	6	4,150	20,468,500	60.7
Don't know	7	0	5,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_040C **Length:** 1.0 **Position:** 1275

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Wed.

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Wednesday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	900	7,151,500	21.2
No	2	750	6,098,500	18.1
Valid skip	6	4,150	20,468,500	60.7
Don't know	7	0	5,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_040D **Length:** 1.0 **Position:** 1276

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Thursday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Thursday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	800	6,561,500	19.5
No	2	850	6,688,500	19.8
Valid skip	6	4,150	20,468,500	60.7
Don't know	7	0	5,000	0.0
Not stated	9	0	2,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: PAA_040E **Length:** 1.0 **Position:** 1277

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Friday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Friday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	800	6,629,000	19.7
No		2	850	6,621,000	19.6
Valid skip		6	4,150	20,468,500	60.7
Don't know		7	0	5,000	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAA_040F **Length:** 1.0 **Position:** 1278

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Saturday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Saturday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	700	5,557,500	16.5
No		2	950	7,692,500	22.8
Valid skip		6	4,150	20,468,500	60.7
Don't know		7	0	5,000	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAA_040G **Length:** 1.0 **Position:** 1279

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Sunday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Sunday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,199,500	15.4
No	2	950	8,050,500	23.9
Valid skip	6	4,150	20,468,500	60.7
Don't know	7	0	5,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_045 **Length:** 3.0 **Position:** 1280

Question Name: PAA_Q045

Concept: Time spent on recreational physical activities - hours

Question Text: (In the last seven days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder?

Universe: PAA_035 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 060	1,650	13,255,000	39.3
Valid skip	996	4,150	20,468,500	60.7
Not stated	999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_050N **Length:** 4.0 **Position:** 1283

Question Name: PAA_N050

Concept: Time spent on recreational physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_045 < 168

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	1,650	13,255,000	39.3
Valid skip	9996	4,150	20,468,500	60.7
Not stated	9999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAADREC **Length:** 5.0 **Position:** 1287

Question Name:

Concept: Total minutes of recreational physical activity per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 03600	3,400	27,801,000	82.4
Valid skip	99996	2,400	5,922,500	17.6
Not stated	99999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_060 **Length:** 1.0 **Position:** 1292

Question Name: PAA_Q060

Concept: Other physical activities - last week

Question Text: In the last seven days, did you do any other physical activities while at work, in or around your home or while volunteering?

Examples are carrying heavy loads, shoveling, and household chores such as vacuuming or washing windows. Please remember to only include activities that lasted a minimum of 10 continuous minutes.

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,000	15,604,000	46.3
No	2	1,350	12,190,500	36.1
Valid skip	6	2,400	5,922,500	17.6
Don't know	7	0	6,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_065 **Length:** 1.0 **Position:** 1293

Question Name: PAA_Q065

Concept: Other physical activities - sweat and breathe harder

Question Text: Did any of these other physical activities make you sweat at least a little and breathe harder?

Universe: PAA_060 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,250	8,904,500	26.4
No	2	800	6,659,500	19.7
Valid skip	6	3,750	18,113,000	53.7
Don't know	7	0	40,000	0.1
Not stated	9	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAA_070A **Length:** 1.0 **Position:** 1294

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Monday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Monday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	3,947,500	11.7
No	2	650	4,858,000	14.4
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070B **Length:** 1.0 **Position:** 1295

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Tuesday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Tuesday

Universe: PAA_065 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	3,714,000	11.0
No	2	700	5,091,000	15.1
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070C **Length:** 1.0 **Position:** 1296

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Wednesday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Wednesday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	3,519,000	10.4
No	2	700	5,286,500	15.7
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070D **Length:** 1.0 **Position:** 1297

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Thursday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Thursday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	3,270,000	9.7
No	2	700	5,535,500	16.4
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070E **Length:** 1.0 **Position:** 1298

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Friday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Friday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	3,660,500	10.9
No	2	700	5,145,000	15.3
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070F **Length:** 1.0 **Position:** 1299

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Saturday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Saturday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	3,605,000	10.7
No	2	750	5,200,500	15.4
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_070G **Length:** 1.0 **Position:** 1300

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Sunday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Sunday

Totals may not add up due to rounding.

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	3,139,000	9.3
No	2	800	5,666,500	16.8
Valid skip	6	4,550	24,773,000	73.5
Don't know	7	0	99,000	0.3
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_075 **Length:** 3.0 **Position:** 1301

Question Name: PAA_Q075

Concept: Time spent on other physical activities - hours

Question Text: (In the last seven days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder?

Universe: PAA_065 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 070	1,250	8,824,000	26.2
Valid skip	996	4,550	24,773,000	73.5
Don't know	997	0	80,500	0.2
Not stated	999	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAA_080N **Length:** 4.0 **Position:** 1304

Question Name: PAA_N080

Concept: Time spent on other physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_075 < 168

Note: This only include those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0240	1,250	8,824,000	26.2
Valid skip	9996	4,550	24,773,000	73.5
Not stated	9999	0	129,000	0.4

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: PAADOTH **Length:** 5.0 **Position:** 1308

Question Name:

Concept: Total minutes of other physical activities per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 04200	3,400	27,674,000	82.1
Valid skip		99996	2,400	5,922,500	17.6
Not stated		99999	0	129,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: PAADTOT **Length:** 5.0 **Position:** 1313

Question Name:

Concept: Total minutes of physical activity from all domains per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 04280	3,400	27,653,500	82.0
Valid skip		99996	2,400	5,922,500	17.6
Not stated		99999	0	149,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: PAA_095 **Length:** 1.0 **Position:** 1318

Question Name: PAA_Q095

Concept: Vigorous intensity physical activities

Question Text: You have reported a total of (PAADTOT) minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

Totals may not add up due to rounding.

Universe: PAA_005 = 1 or PAA_035 = 1 or PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,050	7,906,500	23.4
No	2	1,650	13,687,000	40.6
Valid skip	6	3,100	12,043,500	35.7
Don't know	7	0	15,000	0.0
Not stated	9	0	74,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: PAA_100 **Length:** 3.0 **Position:** 1319

Question Name: PAA_Q100

Concept: Vigorous intensity physical activities - hours

Question Text: In the last seven days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Please only include activities that lasted a minimum of 10 continuous minutes.

Universe: PAA_095 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 045	1,050	7,896,500	23.4
Valid skip	996	4,750	25,730,500	76.3
Don't know	997	0	10,000	0.0
Not stated	999	0	88,500	0.3
Total		5,800	33,725,500	100.0

Variable Name: PAA_105N **Length:** 4.0 **Position:** 1322

Question Name: PAA_N105

Concept: Vigorous intensity physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_100 < 168

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0720	1,050	7,896,500	23.4
Valid skip	9996	4,750	25,730,500	76.3

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9999	0	98,500	0.3
	Total		5,800	33,725,500	100.0

Variable Name: PAADVIG **Length:** 5.0 **Position:** 1326

Question Name:

Concept: Total minutes of vigorous intensity physical activities per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 02700	3,400	27,704,500	82.1
Valid skip		99996	2,400	5,922,500	17.6
Not stated		99999	0	98,500	0.3
	Total		5,800	33,725,500	100.0

Variable Name: PAY_05A **Length:** 1.0 **Position:** 1331

Question Name: PAY_Q005

Concept: Attend school - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend school

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	650	2,003,500	5.9
No		2	150	396,500	1.2
Valid skip		6	5,000	31,325,500	92.9
	Total		5,800	33,725,500	100.0

Variable Name: PAY_05B **Length:** 1.0 **Position:** 1332

Question Name: PAY_Q005

Concept: Attend day camp - Last week

Totals may not add up due to rounding.

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend a day camp

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	800	2,387,500	7.1
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_05C **Length:** 1.0 **Position:** 1333

Question Name: PAY_Q005

Concept: Attend paid or unpaid work - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend paid or unpaid work

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	313,500	0.9
No	2	700	2,087,000	6.2
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_05D **Length:** 1.0 **Position:** 1334

Question Name: PAY_Q005

Concept: None of the above - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - None of the above

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	314,000	0.9
No	2	700	2,086,000	6.2
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_10 **Length:** 1.0 **Position:** 1335

Question Name: PAY_Q010

Concept: Active ways to get to places during the last week

Question Text: In the last seven days, did you use active ways like walking or cycling to get to places such as [work/school, the bus stop, the shopping centre] or to visit friends?

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,695,500	5.0
No	2	250	704,500	2.1
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_15A **Length:** 2.0 **Position:** 1336

Question Name:

Concept: Time spent on active ways to get to places - [Sunday] - hours

Question Text: How much time did you spend using active ways to get to places [Sunday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,689,500	5.0
Valid skip	96	5,250	32,030,000	95.0
Don’t know	97	0	5,500	0.0
Refusal	98	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15AN **Length:** 3.0 **Position:** 1338

Question Name:

Concept: Time spent on active ways to get to places - [Sunday] - minutes

Question Text: How much time did you spend using active ways to get to places [Sunday]? Enter the number of minutes.

Universe: PAY_15A < 24

Totals may not add up due to rounding.

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	550	1,688,000	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15B **Length:** 2.0 **Position:** 1341

Question Name:

Concept: Time spent on active ways to get to places - [Monday] - hours

Question Text: How much time did you spend using active ways to get to places [Monday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,694,000	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	1,000	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15BN **Length:** 3.0 **Position:** 1343

Question Name:

Concept: Time spent on active ways to get to places - [Monday] - minutes

Question Text: How much time did you spend using active ways to get to places [Monday]? Enter the number of minutes.

Universe: PAY_15B < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	550	1,692,500	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15C **Length:** 2.0 **Position:** 1346

Question Name:

Concept: Time spent on active ways to get to places - [Tuesday] - hours

Question Text: How much time did you spend using active ways to get to places [Tuesday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 04	550	1,689,000	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	6,500	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15CN **Length:** 3.0 **Position:** 1348

Question Name:

Concept: Time spent on active ways to get to places - [Tuesday] - minutes

Question Text: How much time did you spend using active ways to get to places [Tuesday]? Enter the number of minutes.

Universe: PAY_15C < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 085	550	1,687,500	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15D **Length:** 2.0 **Position:** 1351

Question Name:

Concept: Time spent on active ways to get to places - [Wednesday] - hours

Question Text: How much time did you spend using active ways to get to places [Wednesday]? Enter the number of hours.

Universe: PAY_10 = 1

Totals may not add up due to rounding.

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 24	550	1,692,500	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	2,500	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15DN **Length:** 3.0 **Position:** 1353

Question Name:

Concept: Time spent on active ways to get to places - [Wednesday] - minutes

Question Text: How much time did you spend using active ways to get to places [Wednesday]? Enter the number of minutes.

Universe: PAY_15D < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 075	550	1,690,000	5.0
Valid skip	996	5,250	32,031,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15E **Length:** 2.0 **Position:** 1356

Question Name:

Concept: Time spent on active ways to get to places - [Thursday] - hours

Question Text: How much time did you spend using active ways to get to places [Thursday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	550	1,689,000	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	6,000	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15EN **Length:** 3.0 **Position:** 1358

Question Name:

Concept: Time spent on active ways to get to places - [Thursday] - minutes

Question Text: How much time did you spend using active ways to get to places [Thursday]? Enter the number of minutes.

Universe: PAY_15E < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 090	550	1,687,500	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15F **Length:** 2.0 **Position:** 1361

Question Name:

Concept: Time spent on active ways to get to places - [Friday] - hours

Question Text: How much time did you spend using active ways to get to places [Friday]? - Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,686,500	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	9,000	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15FN **Length:** 3.0 **Position:** 1363

Question Name:

Concept: Time spent on active ways to get to places - [Friday] - minutes

Question Text: How much time did you spend using active ways to get to places [Friday]? Enter the number of minutes.

Universe: PAY_15F < 24

Totals may not add up due to rounding.

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 090	550	1,684,500	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	9,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15G **Length:** 2.0 **Position:** 1366

Question Name:

Concept: Time spent on active ways to get to places - [Saturday] - hours

Question Text: How much time did you spend using active ways to get to places [Saturday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,689,000	5.0
Valid skip	96	5,250	32,030,000	95.0
Don't know	97	0	6,000	0.0
Not stated	99	0	500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_15GN **Length:** 3.0 **Position:** 1368

Question Name:

Concept: Time spent on active ways to get to places - [Saturday] - minutes

Question Text: How much time did you spend using active ways to get to places [Saturday]? Enter the number of minutes.

Universe: PAY_15G < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 180	550	1,687,500	5.0
Valid skip	996	5,250	32,030,000	95.0
Don't know	997	0	1,500	0.0
Not stated	999	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV1 **Length:** 4.0 **Position:** 1371

Question Name:

Concept: Time of active transportation (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	800	2,392,500	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	7,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV2 **Length:** 4.0 **Position:** 1375

Question Name:

Concept: Time of active transportation (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	800	2,397,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV3 **Length:** 4.0 **Position:** 1379

Question Name:

Concept: Time of active transportation (minutes) - Tuesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0240	800	2,392,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	8,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV4 **Length:** 4.0 **Position:** 1383

Question Name:

Concept: Time of active transportation (minutes) - Wednesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 2436	800	2,395,500	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	4,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV5 **Length:** 4.0 **Position:** 1387

Question Name:

Concept: Time of active transportation (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	800	2,392,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	8,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV6 **Length:** 4.0 **Position:** 1391

Question Name:

Concept: Time of active transportation (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	800	2,389,500	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRV7 **Length:** 4.0 **Position:** 1395

Question Name:

Concept: Time of active transportation (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	800	2,392,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	8,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTRVL **Length:** 5.0 **Position:** 1399

Question Name:

Concept: Total minutes of active transportation per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02626	800	2,373,000	7.0
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	0	27,000	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_25 **Length:** 1.0 **Position:** 1404

Question Name: PAY_Q025

Concept: Physical activities at school/day camp - last week

Question Text: In the last seven days, did you do sports, fitness or recreational physical activities while at [school or day camp, including during physical education classes, during your breaks and any other time you played indoors or outdoors/school, including during physical education classes, during your breaks and any other time you played indoors or outdoors/day camp, including any time you played indoors or outdoors]?

Universe: PAY_05A = 1 or PAY_05B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,605,000	4.8
No	2	150	406,500	1.2
Valid skip	6	5,150	31,714,500	94.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_30 **Length:** 1.0 **Position:** 1405

Question Name: PAY_Q030

Concept: Physical activities at school/day camp - sweat and breathe harder

Question Text: Did any of these activities make you sweat at least a little and breathe harder?

Universe: PAY_25 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	1,445,500	4.3
No	2	50	159,500	0.5
Valid skip	6	5,250	32,120,500	95.2
Total		5,800	33,725,500	100.0

Variable Name: PAY_35A **Length:** 2.0 **Position:** 1406

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		96	5,300	32,280,000	95.7
Not stated		99	500	1,445,500	4.3
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35AN **Length:** 3.0 **Position:** 1408

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_35A < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		996	5,300	32,280,000	95.7
Not stated		999	500	1,445,500	4.3
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35B **Length:** 2.0 **Position:** 1411

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	500	1,444,000	4.3
Valid skip		96	5,300	32,280,000	95.7
Don't know		97	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_35BN **Length:** 3.0 **Position:** 1413

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday] Enter the number of minutes.

Universe: PAY_35B < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 085	500	1,444,000	4.3
Valid skip	996	5,300	32,280,000	95.7
Not stated	999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_35C **Length:** 2.0 **Position:** 1416

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	500	1,444,000	4.3
Valid skip	96	5,300	32,280,000	95.7
Don't know	97	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_35CN **Length:** 3.0 **Position:** 1418

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_35C < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 120	500	1,444,000	4.3
Valid skip		996	5,300	32,280,000	95.7
Not stated		999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35D **Length:** 2.0 **Position:** 1421

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Wed.] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	500	1,445,000	4.3
Valid skip		96	5,300	32,280,000	95.7
Don’t know		97	0	500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35DN **Length:** 3.0 **Position:** 1423

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Wed.] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_35D < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 085	500	1,445,000	4.3
Valid skip		996	5,300	32,280,000	95.7
Not stated		999	0	500	0.0
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_35E **Length:** 2.0 **Position:** 1426

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	500	1,438,500	4.3
Valid skip	96	5,300	32,280,000	95.7
Don't know	97	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_35EN **Length:** 3.0 **Position:** 1428

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Thursday]-minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]?Enter the number of minutes.

Universe: PAY_35E < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 090	500	1,438,500	4.3
Valid skip	996	5,300	32,280,000	95.7
Not stated	999	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_35F **Length:** 2.0 **Position:** 1431

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	500	1,444,000	4.3
Valid skip		96	5,300	32,280,000	95.7
Don't know		97	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35FN **Length:** 3.0 **Position:** 1433

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_35F < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 085	500	1,444,000	4.3
Valid skip		996	5,300	32,280,000	95.7
Not stated		999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35G **Length:** 2.0 **Position:** 1436

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		96	5,300	32,280,000	95.7
Not stated		99	500	1,445,500	4.3
	Total		5,800	33,725,500	100.0

Variable Name: PAY_35GN **Length:** 3.0 **Position:** 1438

Totals may not add up due to rounding.

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Saturday]-minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_35G < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	996	5,300	32,280,000	95.7
Not stated	999	500	1,445,500	4.3
Total		5,800	33,725,500	100.0

Variable Name: PAYDSCH2 **Length:** 4.0 **Position:** 1441

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Monday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	650	2,009,500	6.0
Valid skip	9996	5,150	31,714,500	94.0
Not stated	9999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDSCH3 **Length:** 4.0 **Position:** 1445

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Tuesday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	650	2,009,500	6.0
Valid skip	9996	5,150	31,714,500	94.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDSCH4 **Length:** 4.0 **Position:** 1449

Question Name:

Concept: Time of physical activity at school/day camp (minutes)-Wednesday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0420	650	2,011,000	6.0
Valid skip		9996	5,150	31,714,500	94.0
Not stated		9999	0	500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDSCH5 **Length:** 4.0 **Position:** 1453

Question Name:

Concept: Time of physical activity at school/day camp (minutes)-Thursday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0420	650	2,004,000	5.9
Valid skip		9996	5,150	31,714,500	94.0
Not stated		9999	0	7,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDSCH6 **Length:** 4.0 **Position:** 1457

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Friday - (D)

Question Text:

Totals may not add up due to rounding.

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	650	2,009,500	6.0
Valid skip	9996	5,150	31,714,500	94.0
Not stated	9999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDSCHL **Length:** 5.0 **Position:** 1461

Question Name:

Concept: Total minutes of physical activity at school/day camp per week - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 01680	800	2,393,000	7.1
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_45 **Length:** 1.0 **Position:** 1466

Question Name: PAY_Q045

Concept: Physical activities in leisure time

Question Text: In the last seven days, did you do physical activities in your leisure time including exercising, playing an organized or non-organized sport or playing with your friends?

Universe: 11 < DHH_AGE < 18

Note: This includes exercising, playing organised or non-organised sport or playing with friends.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	600	1,736,000	5.1
No	2	200	664,000	2.0
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_50 **Length:** 1.0 **Position:** 1467

Question Name: PAY_Q050

Concept: Physical activities in leisure time - sweat and breathe harder

Question Text: Did any of these leisure-time activities make you sweat at least a little and breathe harder?

Universe: PAY_45 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,512,000	4.5
No	2	50	224,000	0.7
Valid skip	6	5,200	31,989,500	94.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_55A **Length:** 2.0 **Position:** 1468

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,510,500	4.5
Valid skip	96	5,250	32,213,500	95.5
Don’t know	97	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_55AN **Length:** 3.0 **Position:** 1470

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_55A < 24

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 100	550	1,510,500	4.5
Valid skip		996	5,250	32,213,500	95.5
Not stated		999	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55B **Length:** 2.0 **Position:** 1473

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 24	550	1,506,500	4.5
Valid skip		96	5,250	32,213,500	95.5
Don't know		97	0	5,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55BN **Length:** 3.0 **Position:** 1475

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

Universe: PAY_55B < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 070	550	1,504,500	4.5
Valid skip		996	5,250	32,216,000	95.5
Not stated		999	0	5,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55C **Length:** 2.0 **Position:** 1478

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,506,500	4.5
Valid skip	96	5,250	32,213,500	95.5
Don't know	97	0	5,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_55CN **Length:** 3.0 **Position:** 1480

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_55C < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 080	550	1,506,500	4.5
Valid skip	996	5,250	32,213,500	95.5
Not stated	999	0	5,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_55D **Length:** 2.0 **Position:** 1483

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Wednesday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,505,000	4.5
Valid skip	96	5,250	32,213,500	95.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	7,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55DN **Length:** 3.0 **Position:** 1485

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_55D < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	550	1,505,000	4.5
Valid skip		996	5,250	32,213,500	95.5
Not stated		999	0	7,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55E **Length:** 2.0 **Position:** 1488

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 05	550	1,509,000	4.5
Valid skip		96	5,250	32,213,500	95.5
Don't know		97	0	3,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_55EN **Length:** 3.0 **Position:** 1490

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Thursday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

Universe: PAY_55E < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 055	550	1,509,000	4.5
Valid skip	996	5,250	32,213,500	95.5
Not stated	999	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_55F **Length:** 2.0 **Position:** 1493

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	550	1,503,500	4.5
Valid skip	96	5,250	32,213,500	95.5
Don’t know	97	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_55FN **Length:** 3.0 **Position:** 1495

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_55F < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,503,500	4.5
Valid skip	996	5,250	32,213,500	95.5
Not stated	999	0	8,500	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_55G **Length:** 2.0 **Position:** 1498

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 10	550	1,485,500	4.4
Valid skip	96	5,250	32,213,500	95.5
Don't know	97	0	26,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_55GN **Length:** 3.0 **Position:** 1500

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Saturday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_55G < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,485,500	4.4
Valid skip	996	5,250	32,213,500	95.5
Not stated	999	0	26,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAYDREC1 **Length:** 4.0 **Position:** 1503

Question Name:

Concept: Time of recreational physical activity (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0480	800	2,398,500	7.1
Valid skip		9996	5,000	31,325,500	92.9
Not stated		9999	0	1,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDREC2 **Length:** 4.0 **Position:** 1507

Question Name:

Concept: Time of recreational physical activity (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 2436	800	2,395,000	7.1
Valid skip		9996	5,000	31,325,500	92.9
Not stated		9999	0	5,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDREC3 **Length:** 4.0 **Position:** 1511

Question Name:

Concept: Time of recreational physical activity (minutes) - Tuesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0480	800	2,395,000	7.1
Valid skip		9996	5,000	31,325,500	92.9
Not stated		9999	0	5,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDREC4 **Length:** 4.0 **Position:** 1515

Question Name:

Concept: Time of recreational physical activity (minutes) - Wednesday - (D)

Totals may not add up due to rounding.

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	800	2,393,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDREC5 **Length:** 4.0 **Position:** 1519

Question Name:

Concept: Time of recreational physical activity (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0300	800	2,397,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDREC6 **Length:** 4.0 **Position:** 1523

Question Name:

Concept: Time of recreational physical activity (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	800	2,391,500	7.1
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDREC7 **Length:** 4.0 **Position:** 1527

Question Name:

Concept: Time of recreational physical activity (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0600	800	2,373,500	7.0
Valid skip	9996	5,000	31,325,500	92.9
Not stated	9999	0	26,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAYDREC **Length:** 5.0 **Position:** 1531

Question Name:

Concept: Total minutes of recreational physical activity per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02556	800	2,366,000	7.0
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	0	34,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_65 **Length:** 1.0 **Position:** 1536

Question Name: PAY_Q065

Concept: Other physical activities - last week

Question Text: In the last seven days, did you do any other physical activities [that you have not already reported/actvities] for example, while you [were doing paid or unpaud work or/were] helping your family with chores?

Universe: 11 < DHH_AGE < 18

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	852,000	2.5
No	2	500	1,548,500	4.6
Valid skip	6	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAY_70 **Length:** 1.0 **Position:** 1537

Question Name: PAY_Q070

Concept: Other physical activities - sweat and breathe harder

Question Text: Did any of these other physical activities make you sweat at least a little and breathe harder?

Universe: PAY_65 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	330,000	1.0
No	2	150	522,000	1.5
Valid skip	6	5,500	32,874,000	97.5
Total		5,800	33,725,500	100.0

Variable Name: PAY_75A **Length:** 2.0 **Position:** 1538

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	100	330,000	1.0
Valid skip	96	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75AN **Length:** 3.0 **Position:** 1540

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_75A < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	330,000	1.0
Valid skip	996	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75B **Length:** 2.0 **Position:** 1543

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	100	327,500	1.0
Valid skip	96	5,700	33,396,000	99.0
Don't know	97	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75BN **Length:** 3.0 **Position:** 1545

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

Universe: PAY_75B < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	327,500	1.0
Valid skip	996	5,700	33,396,000	99.0
Not stated	999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_75C **Length:** 2.0 **Position:** 1548

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	100	330,000	1.0
Valid skip	96	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75CN **Length:** 3.0 **Position:** 1550

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Tuesday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_75C < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	330,000	1.0
Valid skip	996	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75D **Length:** 2.0 **Position:** 1553

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Wednesday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	100	330,000	1.0
Valid skip		96	5,700	33,396,000	99.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_75DN **Length:** 3.0 **Position:** 1555

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Wednesday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_75D < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 045	100	330,000	1.0
Valid skip		996	5,700	33,396,000	99.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_75E **Length:** 2.0 **Position:** 1558

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 05	100	330,000	1.0
Valid skip		96	5,700	33,396,000	99.0
	Total		5,800	33,725,500	100.0

Variable Name: PAY_75EN **Length:** 3.0 **Position:** 1560

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Thursday] - minutes

Totals may not add up due to rounding.

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

Universe: PAY_75E < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	330,000	1.0
Valid skip	996	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75F **Length:** 2.0 **Position:** 1563

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	100	330,000	1.0
Valid skip	96	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75FN **Length:** 3.0 **Position:** 1565

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_75F < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 090	100	330,000	1.0
Valid skip	996	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75G **Length:** 2.0 **Position:** 1568

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 10	100	330,000	1.0
Valid skip	96	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAY_75GN **Length:** 3.0 **Position:** 1570

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Saturday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_75G < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	330,000	1.0
Valid skip	996	5,700	33,396,000	99.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH1 **Length:** 4.0 **Position:** 1573

Question Name:

Concept: Time of other physical activities (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0480	800	2,400,000	7.1
Valid skip		9996	5,000	31,325,500	92.9
	Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH2 **Length:** 4.0 **Position:** 1577

Question Name:

Concept: Time of other physical activities (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0420	800	2,398,000	7.1
Valid skip		9996	5,000	31,325,500	92.9
Not stated		9999	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH3 **Length:** 4.0 **Position:** 1581

Question Name:

Concept: Time of other physical activities (minutes) - Tuesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0420	800	2,400,000	7.1
Valid skip		9996	5,000	31,325,500	92.9
	Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH4 **Length:** 4.0 **Position:** 1585

Question Name:

Concept: Time of other physical activities (minutes) - Wednesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	800	2,400,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH5 **Length:** 4.0 **Position:** 1589

Question Name:

Concept: Time of other physical activities (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0300	800	2,400,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH6 **Length:** 4.0 **Position:** 1593

Question Name:

Concept: Time of other physical activities (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	800	2,400,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH7 **Length:** 4.0 **Position:** 1597

Totals may not add up due to rounding.

Question Name:

Concept: Time of other physical activities (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0600	800	2,400,000	7.1
Valid skip	9996	5,000	31,325,500	92.9
Total		5,800	33,725,500	100.0

Variable Name: PAYDOTH **Length:** 5.0 **Position:** 1601

Question Name:

Concept: Total minutes of other physical activities per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02040	800	2,398,000	7.1
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PAYDTOT **Length:** 5.0 **Position:** 1606

Question Name:

Concept: Total minutes of physical activity from all domains per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 03840	750	2,333,500	6.9
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	50	67,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: PAY_90 **Length:** 1.0 **Position:** 1611

Question Name: PAY_Q090

Concept: Vigorous intensity physical activities

Question Text: You have reported a total of [total time] minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

Universe: (PAY_10=1 or PAY_30=1 or PAY_50=1 or PAY_70=1) and PAYDTOT <> 0

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	1,258,000	3.7
No	2	300	997,000	3.0
Valid skip	6	5,050	31,471,000	93.3
Total		5,800	33,725,500	100.0

Variable Name: PAY_95A **Length:** 1.0 **Position:** 1612

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Monday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Monday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	588,500	1.7
No	2	250	622,000	1.8
Valid skip	6	5,350	32,467,500	96.3
Don’t know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95B **Length:** 1.0 **Position:** 1613

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Tuesday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Tuesday

Universe: PAY_90 = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	405,500	1.2
No	2	250	804,500	2.4
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95C **Length:** 1.0 **Position:** 1614

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Wednesday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Wednesday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	476,500	1.4
No	2	250	733,500	2.2
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95D **Length:** 1.0 **Position:** 1615

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Thursday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Thursday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	486,000	1.4
No	2	250	724,000	2.1
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95E **Length:** 1.0 **Position:** 1616

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Friday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Friday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	510,500	1.5
No	2	250	700,000	2.1
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95F **Length:** 1.0 **Position:** 1617

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Saturday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Saturday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	401,000	1.2
No	2	250	809,500	2.4
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_95G **Length:** 1.0 **Position:** 1618

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Sunday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Sunday

Universe: PAY_90 = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	393,000	1.2
No	2	300	817,000	2.4
Valid skip	6	5,350	32,467,500	96.3
Don't know	7	0	48,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_100 **Length:** 3.0 **Position:** 1619

Question Name: PAY_Q100

Concept: Vigorous intensity physical activities - last week - hours

Question Text: (In the last seven days), how much time in total did you spend doing vigorous activities that caused you to be out of breath?

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 015	450	1,220,500	3.6
Valid skip	996	5,350	32,467,500	96.3
Don't know	997	0	37,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAY_105N **Length:** 4.0 **Position:** 1622

Question Name: PAY_N105

Concept: Vigorous intensity physical activities - last week - minutes

Question Text: In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter number of minutes.

Universe: PAY_100 < 168

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0720	450	1,220,500	3.6
Valid skip	9996	5,350	32,467,500	96.3
Not stated	9999	0	37,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PAYDVIG **Length:** 5.0 **Position:** 1626

Question Name:

Concept: Total minutes of vigorous intensity physical activities per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 00900	750	2,319,500	6.9
Valid skip	99996	5,000	31,325,500	92.9
Not stated	99999	50	81,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: CPA_005 **Length:** 2.0 **Position:** 1631

Question Name: CPA_Q005

Concept: Number of days physically active - past 7 days

Question Text: Over the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 07	1,600	3,516,500	10.4
Valid skip	96	4,200	30,203,000	89.6
Don’t know	97	0	6,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: CPA_010 **Length:** 2.0 **Position:** 1633

Question Name: CPA_Q010

Concept: Number of days physically active - usual week

Question Text: Over a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

Universe: DHH_AGE < 12

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 07	1,600	3,516,500	10.4
Valid skip	96	4,200	30,203,000	89.6
Don't know	97	0	4,500	0.0
Refusal	98	0	1,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: CPA_015 **Length:** 1.0 **Position:** 1635

Question Name: CPA_Q015

Concept: Hours/week - physical activity - free time at school

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: in your free time at school, for example, at lunch?

Universe: 5 < DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	100	195,000	0.6
Less than 2 hours per week	2	250	470,500	1.4
2 to less than 4 hours per week	3	350	817,500	2.4
4 to less than 7 hours per week	4	250	656,000	1.9
7 or more hours per week	5	100	163,000	0.5
Valid skip	6	4,800	31,364,000	93.0
Don't know	7	0	58,500	0.2
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CPA_020 **Length:** 1.0 **Position:** 1636

Question Name: CPA_Q020

Concept: Hours/week - physical activity - class time at school

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: in your class time at school?

Universe: 5 < DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	50	112,500	0.3
Less than 2 hours per week	2	400	979,000	2.9
2 to less than 4 hours per week	3	450	1,080,000	3.2

Answer Categories	Code	Frequency	Weighted Frequency	%
4 to less than 7 hours per week	4	50	129,000	0.4
7 or more hours per week	5	0	21,000	0.1
Valid skip	6	4,800	31,364,000	93.0
Don't know	7	0	37,500	0.1
Refusal	8	0	1,500	0.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CPA_025 **Length:** 1.0 **Position:** 1637

Question Name: CPA_Q025

Concept: Hours/week - physical activity - lessons or sports

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: [outside of school] while participating in lessons, leagues, or team sports?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	500	1,072,500	3.2
Less than 2 hours per week	2	400	907,000	2.7
2 to less than 4 hours per week	3	350	963,500	2.9
4 to less than 7 hours per week	4	200	348,000	1.0
7 or more hours per week	5	100	222,000	0.7
Valid skip	6	4,200	30,203,000	89.6
Don't know	7	0	9,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: CPA_030 **Length:** 1.0 **Position:** 1638

Question Name: CPA_Q030

Concept: Hours/week - physical activity - unorganized activities

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: [outside of school] while participating in unorganized activities, either on your own or with friends?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	200	489,500	1.5
Less than 2 hours per week	2	350	763,000	2.3
2 to less than 4 hours per week	3	450	1,048,000	3.1
4 to less than 7 hours per week	4	300	659,000	2.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
7 or more hours per week		5	300	545,500	1.6
Valid skip		6	4,200	30,203,000	89.6
Don't know		7	0	17,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: CPA_035 **Length:** 4.1 **Position:** 1639

Question Name: CPA_Q035

Concept: Hours/day - screen time

Question Text: On average, about how many hours a day do you spend watching TV, using a game console, computer, tablet or hand-held electronic device? Include time spent playing games, watching videos or movies, [and using the Internet. Include time spent on the computer with an adult or older child./doing homework, e-mailing, chatting and using the Internet.]

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00.0 - 24.0	1,600	3,522,500	10.4
Valid skip		99.6	4,200	30,203,000	89.6
Don't know		99.7	0	500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CPADSACX **Length:** 4.1 **Position:** 1643

Question Name:

Concept: Total number of hours per day spent in sedentary activities

Question Text:

Universe: DHH_AGE < 12

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00.0 - 24.0	1,600	3,522,500	10.4
Valid skip		99.6	4,200	30,203,000	89.6
Not stated		99.9	0	500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: CPADTOTX **Length:** 3.0 **Position:** 1647

Question Name:

Concept: Total number of hours per week participated in physical activities

Question Text:

Universe: 5 < DHH_AGE < 12

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 028	1,000	2,276,500	6.8
Valid skip	996	4,800	31,364,000	93.0
Not stated	999	50	85,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: TSD_05 **Length:** 1.0 **Position:** 1650

Question Name: TSD_Q005

Concept: Went to school (including kindergarten)

Question Text: During a weekday, did you go to school (including kindergarten)?

Universe: DHH_AGE < 7

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	891,500	2.6
No	2	350	614,000	1.8
Valid skip	6	5,050	32,220,000	95.5
Total		5,800	33,725,500	100.0

Variable Name: TSD_10A **Length:** 1.0 **Position:** 1651

Question Name: TSD_Q010A

Concept: Weekday - Before or after school care at school

Question Text: During a weekday, did you: receive before- or after-school care at the school?

Universe: TSD_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	354,000	1.0
No	2	250	537,500	1.6
Valid skip	6	5,400	32,834,000	97.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: TSD_10B **Length:** 1.0 **Position:** 1652

Question Name: TSD_Q010B

Concept: Weekday - Daycare centre

Question Text: During a weekday, did you: go to a daycare centre?

Universe: DHH_AGE < 7

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	250	509,000	1.5
No		2	500	997,000	3.0
Valid skip		6	5,050	32,220,000	95.5
	Total		5,800	33,725,500	100.0

Variable Name: TSD_10C **Length:** 1.0 **Position:** 1653

Question Name: TSD_Q010C

Concept: Weekday - Daycare in someone else's home

Question Text: (During a weekday, did you:) receive daycare in someone else's home?

Universe: DHH_AGE < 7

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	199,000	0.6
No		2	650	1,307,000	3.9
Valid skip		6	5,050	32,220,000	95.5
	Total		5,800	33,725,500	100.0

Variable Name: TSD_10D **Length:** 1.0 **Position:** 1654

Question Name: TSD_Q010D

Concept: Weekday - Nursery school or preschool

Question Text: (During a weekday, did you:) go to nursery school or preschool?

Universe: TSD_05 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	151,500	0.4
No		2	300	462,500	1.4
Valid skip		6	5,450	33,111,500	98.2
	Total		5,800	33,725,500	100.0

Variable Name: TSD_10E **Length:** 1.0 **Position:** 1655

Question Name: TSD_Q010E

Concept: Weekday - Stayed home with parent/guardian/caregiver/relative

Question Text: (During a weekday, did you:) stay at home with a parent, guardian, caregiver or relative?

Universe: DHH_AGE < 7

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	400	788,000	2.3
No		2	300	718,000	2.1
Valid skip		6	5,050	32,220,000	95.5
	Total		5,800	33,725,500	100.0

Variable Name: TSD_10F **Length:** 1.0 **Position:** 1656

Question Name: TSD_Q010F

Concept: Weekday - Any other type of childcare

Question Text: (During a weekday, did you:) receive any other type of childcare (e.g., go to day camp)?

Universe: DHH_AGE < 7

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	48,500	0.1
No		2	700	1,457,500	4.3
Valid skip		6	5,050	32,220,000	95.5
	Total		5,800	33,725,500	100.0

Variable Name: TSD_15 **Length:** 1.0 **Position:** 1657

Question Name: TSD_Q015

Totals may not add up due to rounding.

Concept: Grade at school

Question Text: What grade are you in at school?

Universe: TSD_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Junior or senior kindergarten	1	300	614,500	1.8
Grade 1 or higher	2	100	275,000	0.8
Valid skip	6	5,400	32,834,000	97.4
Don't know	7	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_20 **Length:** 2.0 **Position:** 1658

Question Name: TSD_Q020

Concept: Days attended kindergarten - Last seven

Question Text: In the last seven days, that is from ˆDateLastWeekE to yesterday, on how many days did you attend kindergarten?

Universe: TSD_15 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	01 - 06	300	614,500	1.8
Valid skip	96	5,500	33,109,000	98.2
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_25A **Length:** 2.0 **Position:** 1660

Question Name:

Concept: Time spent outdoors in the morning - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: in the morning? (hours)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 02	300	611,000	1.8
Valid skip	96	5,500	33,109,000	98.2

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	4,000	0.0
Not stated		99	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_25AN **Length:** 3.0 **Position:** 1662

Question Name:

Concept: Time spent outdoors in the morning - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: in the morning? (minutes)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 060	300	611,000	1.8
Valid skip		996	5,500	33,109,000	98.2
Not stated		999	0	6,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_25B **Length:** 2.0 **Position:** 1665

Question Name:

Concept: Time spent outdoors - noon to 3pm - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: from noon until 3 in the afternoon? (hours)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 03	300	596,000	1.8
Valid skip		96	5,500	33,109,000	98.2
Don't know		97	0	19,000	0.1
Not stated		99	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_25BN **Length:** 3.0 **Position:** 1667

Question Name:

Totals may not add up due to rounding.

Concept: Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	300	596,000	1.8
Valid skip	996	5,500	33,109,000	98.2
Not stated	999	0	20,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: TSD_25C **Length:** 2.0 **Position:** 1670

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)

Question Text: On an average kindergarten day, how much time did you spend outside: from 3 p.m. until dinner? (hours)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	300	601,500	1.8
Valid skip	96	5,500	33,109,000	98.2
Don't know	97	0	13,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_25CN **Length:** 3.0 **Position:** 1672

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)

Question Text: On an average kindergarten day, how much time did you spend outside: from 3 p.m. until dinner? (minutes)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	300	601,500	1.8
Valid skip	996	5,500	33,109,000	98.2
Not stated	999	0	15,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_25D **Length:** 2.0 **Position:** 1675

Question Name:

Concept: Time spent outdoors after dinner - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: after dinner? (hours)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	300	614,500	1.8
Valid skip	96	5,500	33,109,000	98.2
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_25DN **Length:** 3.0 **Position:** 1677

Question Name:

Concept: Time spent outdoors after dinner - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: after dinner? (minutes)

Universe: TSD_15 = 1

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	300	614,500	1.8
Valid skip	996	5,500	33,109,000	98.2
Not stated	999	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30A **Length:** 2.0 **Position:** 1680

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors in the morning - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: in the morning? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	100	220,000	0.7
Valid skip	96	5,700	33,500,000	99.3
Don't know	97	0	3,500	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30AN **Length:** 3.0 **Position:** 1682

Question Name:

Concept: Time spent outdoors in the morning - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: in the morning? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	220,000	0.7
Valid skip	996	5,700	33,500,000	99.3
Not stated	999	0	5,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30B **Length:** 2.0 **Position:** 1685

Question Name:

Concept: Time spent outdoors from noon until 3pm - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from noon until 3 in the afternoon? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	100	219,500	0.7
Valid skip	96	5,700	33,500,000	99.3
Don't know	97	0	4,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30BN **Length:** 3.0 **Position:** 1687

Question Name:

Concept: Time spent outdoors from noon until 3pm - No kindergarten(minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	219,500	0.7
Valid skip	996	5,700	33,500,000	99.3
Not stated	999	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30C **Length:** 2.0 **Position:** 1690

Question Name:

Concept: Time spent outdoors from 3pm until dinner - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from 3 until dinner? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	100	219,500	0.7
Valid skip	96	5,700	33,500,000	99.3
Don't know	97	0	4,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_30CN **Length:** 3.0 **Position:** 1692

Question Name:

Concept: Time spent outdoors from 3pm until dinner - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from 3 until dinner? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	219,500	0.7
Valid skip	996	5,700	33,500,000	99.3
Not stated	999	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30D **Length:** 2.0 **Position:** 1695

Question Name:

Concept: Time spent outdoors after dinner - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Repondent name] did not attend kindergarten. On average, how much time did you spend outside: after dinner? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 02	100	221,500	0.7
Valid skip	96	5,700	33,500,000	99.3
Don't know	97	0	2,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_30DN **Length:** 3.0 **Position:** 1697

Question Name:

Concept: Time spent outdoors after dinner - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: after dinner? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	221,500	0.7
Valid skip	996	5,700	33,500,000	99.3
Not stated	999	0	4,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_35 **Length:** 2.0 **Position:** 1700

Question Name: TSD_Q035

Concept: Days attended school - Last seven days

Question Text: In the last seven days, that is from ˆDateLastWeekE to yesterday, how many days did you attend school?

Universe: (6 < DHH_AGE < 18) or TSD_15 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 07	1,750	4,692,000	13.9
Valid skip	96	4,050	29,032,000	86.1
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_40A **Length:** 2.0 **Position:** 1702

Question Name:

Concept: Time spend outdoors before school (hours)

Question Text: On an average school day, how much time did you spend outside before school starts? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	1,500	4,023,000	11.9
Valid skip	96	4,300	29,662,500	88.0
Don’t know	97	0	38,500	0.1
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_40AN **Length:** 3.0 **Position:** 1704

Question Name:

Concept: Time spent outdoors before school (minutes)

Question Text: On an average school day, how much time did you spend outside before school starts? (minutes)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 115	1,500	4,023,000	11.9
Valid skip	996	4,300	29,662,500	88.0
Not stated	999	0	40,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: TSD_40B **Length:** 2.0 **Position:** 1707

Question Name:

Concept: Time spend outdoors during school hours (hours)

Question Text: On an average school day, how much time did you spend outside during school hours? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	3,972,500	11.8
Valid skip	96	4,300	29,662,500	88.0
Don’t know	97	50	87,500	0.3
Refusal	98	0	1,500	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_40BN **Length:** 3.0 **Position:** 1709

Question Name:

Concept: Time spend outdoors during school hours (minutes)

Question Text: On an average school day, how much time did you spend outside during school hours? (minutes)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 180	1,500	3,971,000	11.8
Valid skip	996	4,300	29,662,500	88.0
Don't know	997	0	1,000	0.0
Not stated	999	50	91,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: TSD_40C **Length:** 2.0 **Position:** 1712

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - School day (hours)

Question Text: On an average school, how much time did you spend outside (after school ends): from 3 p.m. until dinner? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	4,001,500	11.9
Valid skip	96	4,300	29,662,500	88.0
Don't know	97	0	59,500	0.2
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_40CN **Length:** 3.0 **Position:** 1714

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - School day (minutes)

Question Text: On an average school, how much time did you spend outside (after school ends): from 3 p.m. until dinner? (minutes).

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 100	1,500	4,001,500	11.9
Valid skip	996	4,300	29,662,500	88.0
Not stated	999	0	61,500	0.2
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_40D **Length:** 2.0 **Position:** 1717

Question Name:

Concept: Time spent outdoors after dinner - School day (hours)

Question Text: On an average school, how much time did you spend outside after dinner? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	4,047,500	12.0
Valid skip	96	4,300	29,662,500	88.0
Don't know	97	0	14,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_40DN **Length:** 3.0 **Position:** 1719

Question Name:

Concept: Time spent outdoors after dinner - School day (minutes)

Question Text: On an average school, how much time did you spend outside after dinner? (minutes)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	1,500	4,047,500	12.0
Valid skip	996	4,300	29,662,500	88.0
Not stated	999	0	16,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_45A **Length:** 2.0 **Position:** 1722

Question Name:

Concept: Time spent outdoors in the morning - Did not attend school (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the week-days when [Respondent name] did not attend school. On average, how much time did you spend outside: in the morning? (hours)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 05	400	1,196,000	3.5
Valid skip		96	5,400	32,522,000	96.4
Don't know		97	0	6,000	0.0
Not stated		99	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_45AN **Length:** 3.0 **Position:** 1724

Question Name:

Concept: Time spent outdoors in the morning - Did not attend school (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: in the morning? (minutes)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 045	400	1,196,000	3.5
Valid skip		996	5,400	32,522,000	96.4
Not stated		999	0	8,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_45B **Length:** 2.0 **Position:** 1727

Question Name:

Concept: Time spent outdoors from noon until 3 pm - Did not attend school (hrs)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Responent name] did not attend school. On average, how much time did you spend outside: from noon until 3 in the afternoon? (hours)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 03	400	1,191,500	3.5
Valid skip		96	5,400	32,522,000	96.4
Don't know		97	0	10,500	0.0
Not stated		99	0	2,000	0.0
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_45BN **Length:** 3.0 **Position:** 1729

Question Name:

Concept: Time spent outdoors from noon until 3pm -Did not attend school (min)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 002	400	1,191,500	3.5
Valid skip	996	5,400	32,522,000	96.4
Not stated	999	0	12,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_45C **Length:** 2.0 **Position:** 1732

Question Name:

Concept: Time spent outdoors from 3 until dinner - Did not attend school (hrs)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from 3 until dinner? (hours)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	400	1,192,500	3.5
Valid skip	96	5,400	32,522,000	96.4
Don't know	97	0	9,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_45CN **Length:** 3.0 **Position:** 1734

Question Name:

Concept: Time spent outdoors from 3pm until dinner-Did not attend school (mins)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from 3 until dinner? (minutes)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	400	1,192,500	3.5
Valid skip	996	5,400	32,522,000	96.4
Not stated	999	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_45D **Length:** 2.0 **Position:** 1737

Question Name:

Concept: Time spent outdoors after dinner - Did not attend school (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: after dinner? (hours)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	400	1,194,500	3.5
Valid skip	96	5,400	32,522,000	96.4
Don't know	97	0	7,500	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_45DN **Length:** 3.0 **Position:** 1739

Question Name:

Concept: Time spent outdoors after dinner - Did not attend school (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: after dinner? (minutes)

Universe: TSD_35 = (1, 2, 3, 4)

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	400	1,194,500	3.5
Valid skip	996	5,400	32,522,000	96.4
Not stated	999	0	9,500	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_50A **Length:** 2.0 **Position:** 1742

Question Name:

Concept: Time spent outdoors in the morning - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: in the morning? (hours)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	600	1,239,500	3.7
Valid skip	96	5,200	32,479,000	96.3
Don't know	97	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_50AN **Length:** 3.0 **Position:** 1744

Question Name:

Concept: Time spent outdoors in the morning - Average weekday (minutes)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: in the morning? (minutes)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	600	1,239,500	3.7
Valid skip	996	5,200	32,479,000	96.3
Not stated	999	0	7,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_50B **Length:** 2.0 **Position:** 1747

Question Name:

Concept: Time spent outdoors from noon until 3pm - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: from noon until 3pm? (hours)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 03	600	1,237,500	3.7
Valid skip		96	5,200	32,479,000	96.3
Don't know		97	0	9,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_50BN **Length:** 3.0 **Position:** 1749

Question Name:

Concept: Time spent outdoors from noon until 3pm - Average weekday (minutes)

Question Text: On an average weekday, how much time did you spend outside: from noon unitl 3pm? (minutes)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note: Replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 003	600	1,237,500	3.7
Valid skip		996	5,200	32,479,000	96.3
Not stated		999	0	9,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_50C **Length:** 2.0 **Position:** 1752

Question Name:

Concept: Time spent outdoors from 3pm until dinner - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: from 3 until dinner? (hours)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 05	600	1,234,000	3.7
Valid skip		96	5,200	32,479,000	96.3
Don't know		97	0	13,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: TSD_50CN **Length:** 3.0 **Position:** 1754

Question Name:

Totals may not add up due to rounding.

Concept: Time spent outdoors from 3pm until dinner - Average weekday (minutes)

Question Text: On average, how much time did you spend outside: from 3 until dinner? (minutes)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 055	600	1,234,000	3.7
Valid skip	996	5,200	32,479,000	96.3
Not stated	999	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_50D **Length:** 2.0 **Position:** 1757

Question Name:

Concept: Time spent outdoors after dinner - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: after dinner? (hours)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	600	1,243,500	3.7
Valid skip	96	5,200	32,479,000	96.3
Don't know	97	0	3,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: TSD_50DN **Length:** 3.0 **Position:** 1759

Question Name:

Concept: Time spent outdoors after dinner - Average weekday (minutes)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: after dinner? (minutes)

Universe: TSD_05 = 2 or TSD_35 = 0, 99

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	600	1,243,500	3.7
Valid skip	996	5,200	32,479,000	96.3
Not stated	999	0	3,500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: TSD_55 **Length:** 2.0 **Position:** 1762

Question Name:

Concept: Time spent outdoors - Average weekend day (hours)

Question Text: How much time did you spend outside per day on an average weekend day (Saturday or Sunday)? (hours)

Universe: DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 20	2,400	5,854,000	17.4
Valid skip		96	3,400	27,803,000	82.4
Don't know		97	0	69,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: TSD_55N **Length:** 3.0 **Position:** 1764

Question Name:

Concept: Time spent outdoors - Average weekend day (minutes)

Question Text: How much time did you spend outside per day on an average weekend day (Saturday or Sunday)? (minutes)

Universe: DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 180	2,400	5,854,000	17.4
Valid skip		996	3,400	27,803,000	82.4
Not stated		999	0	69,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: SAC_005 **Length:** 4.1 **Position:** 1767

Question Name: SAC_Q005

Concept: Number of hours per week - reading - past 7 days

Question Text: In the last seven days, how much of your free time did you spend:
reading books, magazines or newspapers, including in electronic formats? Include time

Totals may not add up due to rounding.

spent reading as part of your homework, but do not include time spent reading at work, during class time, while travelling in a vehicle or while exercising.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 70.0	4,200	30,197,000	89.5
Valid skip	99.6	1,600	3,522,500	10.4
Don’t know	99.7	0	6,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SAC_010 **Length:** 4.1 **Position:** 1771

Question Name: SAC_Q010

Concept: Number of hours per week - television/DVD/videos - past 7 days

Question Text: In the last seven days, how much of your free time did you spend: watching TV, DVDs, movies or Internet videos? Do not include time spent watching while exercising.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 95.5	4,200	30,194,500	89.5
Valid skip	99.6	1,600	3,522,500	10.4
Don’t know	99.7	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: SAC_015 **Length:** 4.1 **Position:** 1775

Question Name: SAC_Q015

Concept: Number of hours per week - other types of games - past 7 days

Question Text: In the last seven days, how much of your free time did you spend: playing video games that require physical activity, such as Wii® Fit, Xbox® Kinect or the game "Just Dance"?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 30.0	4,200	30,203,000	89.6
Valid skip	99.6	1,600	3,522,500	10.4
Total		5,800	33,725,500	100.0

Variable Name: SAC_020 **Length:** 4.1 **Position:** 1779

Question Name: SAC_Q020

Concept: Number of hours per week - play video games - past 7 days

Question Text: In the last seven days, how much of your free time did you spend: playing other video or computer games? Include games played on a game console, computer or hand-held electronic device such as a tablet or smart phone.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 80.0	4,200	30,203,000	89.6
Valid skip	99.6	1,600	3,522,500	10.4
Total		5,800	33,725,500	100.0

Variable Name: SAC_025 **Length:** 4.1 **Position:** 1783

Question Name: SAC_Q025

Concept: Number of hours per week - on a computer - past 7 days

Question Text: In the last seven days, how much of your free time did you spend on a computer, tablet or smart phone, doing activities such as using the Internet, emailing, using Facebook® or doing homework?

Do not include time spent at work, during class time or while travelling in a vehicle.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 95.5	4,200	30,199,000	89.5
Valid skip	99.6	1,600	3,522,500	10.4
Don't know	99.7	0	4,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SACDTOT **Length:** 2.0 **Position:** 1787

Question Name:

Concept: Sedentary activity (hours per week) - categorical (D)

Question Text:

Totals may not add up due to rounding.

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 5 hours	01	150	1,172,500	3.5
From 5 to less than 10 hours	02	400	2,970,000	8.8
From 10 to less than 15 hours	03	550	3,638,500	10.8
From 15 to less than 20 hours	04	500	4,203,500	12.5
From 20 to less than 25 hours	05	550	3,278,500	9.7
From 25 to less than 30 hours	06	450	3,573,000	10.6
From 30 to less than 35 hours	07	350	2,097,500	6.2
From 35 to less than 40 hours	08	350	2,247,000	6.7
From 40 to less than 45 hours	09	250	1,655,500	4.9
45 hours or more	10	700	5,348,500	15.9
Valid skip	96	1,600	3,522,500	10.4
Not stated	99	0	19,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SACDTOTX **Length:** 5.1 **Position:** 1789

Question Name:

Concept: Sedentary activity (hours per week) - continuous (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 163.0	4,200	30,184,500	89.5
Valid skip	999.6	1,600	3,522,500	10.4
Not stated	999.9	0	19,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SACDRCO **Length:** 5.1 **Position:** 1794

Question Name:

Concept: Sedentary activity excluding reading (hours per week) - continuous (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 160.0	4,200	30,190,000	89.5
Valid skip	999.6	1,600	3,522,500	10.4
Not stated	999.9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SACDRCA **Length:** 2.0 **Position:** 1799

Question Name:

Concept: Sedentary activity excluding reading (hours/week) - categorical (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 5 hours	01	350	2,581,500	7.7
From 5 to less than 10 hours	02	600	4,293,500	12.7
From 10 to less than 15 hours	03	750	5,507,000	16.3
From 15 to less than 20 hours	04	500	3,187,000	9.4
From 20 to less than 25 hours	05	550	4,368,000	13.0
From 25 to less than 30 hours	06	350	2,876,000	8.5
From 30 to less than 35 hours	07	250	1,371,000	4.1
From 35 to less than 40 hours	08	250	1,390,500	4.1
From 40 to less than 45 hours	09	150	1,355,500	4.0
45 hours or more	10	450	3,260,500	9.7
Valid skip	96	1,600	3,522,500	10.4
Not stated	99	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: NBE_005 **Length:** 2.0 **Position:** 1801

Question Name: NBE_Q005

Concept: Type of housing - neighbourhood

Question Text: What is the main type of housing in your neighbourhood?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Single-detached housing	01	3,250	16,835,000	49.9
Semi-detached/terrace/townhouse/apartment/condo, 2-3 storys	02	650	4,388,000	13.0
Apartments or condos of 4 to 12 storeys	03	300	2,562,500	7.6

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Apartments or condos of more than 12 storeys	04	100	871,500	2.6
Mix of detached houses/semi/terrace/town/apartments/condos	05	1,450	9,008,500	26.7
Other - specify	06	0	56,000	0.2
Don't know	97	0	4,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: NBE_015 **Length:** 1.0 **Position:** 1803

Question Name: NBE_Q015

Concept: Shops, stores, markets, other places - neighbourhood

Question Text: There are many shops, stores, markets or other places to buy things within easy walking distance of your home.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,550	16,965,500	50.3
Somewhat agree	2	1,250	6,448,500	19.1
Somewhat disagree	3	650	3,421,000	10.1
Strongly disagree	4	1,350	6,823,500	20.2
Don't know	7	0	67,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: NBE_020 **Length:** 1.0 **Position:** 1804

Question Name: NBE_Q020

Concept: Transit stop - neighbourhood

Question Text: It is less than a 15 minute walk to a transit stop (such as bus, train, subway or street car) from your home.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	4,500	27,630,500	81.9
Somewhat agree	2	250	1,352,000	4.0
Somewhat disagree	3	50	213,000	0.6
Strongly disagree	4	200	1,236,000	3.7
Not applicable - no public transportation	5	700	3,142,000	9.3
Don't know	7	50	140,500	0.4
Refusal	8	0	12,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: NBE_025 **Length:** 1.0 **Position:** 1805

Question Name: NBE_Q025

Concept: There are sidewalks - neighbourhood

Question Text: There are sidewalks on most of the streets in your neighbourhood.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,850	24,067,500	71.4
Somewhat agree	2	700	3,631,000	10.8
Somewhat disagree	3	350	1,431,500	4.2
Strongly disagree	4	900	4,583,000	13.6
Don't know	7	0	12,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: NBE_030 **Length:** 1.0 **Position:** 1806

Question Name: NBE_Q030

Concept: Designated areas for biking - neighbourhood

Question Text: In or near your neighbourhood, there are designated areas for bicycling such as special bicycle lanes, separate paths or trails, shared use paths for bicycles and pedestrians.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,450	15,475,500	45.9
Somewhat agree	2	1,100	6,463,000	19.2
Somewhat disagree	3	700	3,195,500	9.5
Strongly disagree	4	1,450	8,112,500	24.1
Don't know	7	50	465,000	1.4
Refusal	8	0	14,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: NBE_035 **Length:** 1.0 **Position:** 1807

Question Name: NBE_Q035

Concept: Free or low cost recreation facilities - neighbourhood

Question Text: Your neighbourhood has several free or low cost recreation facilities, such as parks, walking trails, bike paths, recreation centres, playgrounds, public swimming pools, etc.

Totals may not add up due to rounding.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,800	22,186,000	65.8
Somewhat agree	2	1,250	6,937,000	20.6
Somewhat disagree	3	300	1,834,500	5.4
Strongly disagree	4	400	2,659,000	7.9
Don't know	7	0	109,500	0.3
Total		5,800	33,725,500	100.0

Variable Name: NBE_040 **Length:** 1.0 **Position:** 1808

Question Name: NBE_Q040

Concept: Crime rate - neighbourhood

Question Text: The crime rate in your neighbourhood makes it unsafe to go on walks at night.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	200	1,217,500	3.6
Somewhat agree	2	400	2,476,500	7.3
Somewhat disagree	3	850	5,006,000	14.8
Strongly disagree	4	4,250	24,545,000	72.8
Don't know	7	50	440,500	1.3
Refusal	8	0	39,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: NBE_045 **Length:** 1.0 **Position:** 1809

Question Name: NBE_Q045

Concept: Many interesting things to look at - neighbourhood

Question Text: There are many interesting things to look at while walking in your neighbourhood.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,350	13,422,000	39.8
Somewhat agree	2	2,100	12,311,500	36.5
Somewhat disagree	3	900	4,972,500	14.7
Strongly disagree	4	500	2,958,500	8.8

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	60,500	0.2
	Total		5,800	33,725,500	100.0

Variable Name: NBE_050 **Length:** 1.0 **Position:** 1810

Question Name: NBE_Q050

Concept: Sidewalks are well maintained - neighbourhood

Question Text: The sidewalks in your neighbourhood are well maintained (paved, with few cracks) and not obstructed.

Universe: NBE_025 < 4

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Strongly agree		1	2,800	16,572,500	49.1
Somewhat agree		2	1,400	8,131,500	24.1
Somewhat disagree		3	450	3,007,000	8.9
Strongly disagree		4	200	1,388,500	4.1
Valid skip		6	900	4,583,000	13.6
Don't know		7	0	31,000	0.1
Not stated		9	0	12,500	0.0
	Total		5,800	33,725,500	100.0

Variable Name: NBE_055 **Length:** 1.0 **Position:** 1811

Question Name: NBE_Q055

Concept: Traffic makes it unpleasant to walk - neighbourhood

Question Text: There is so much traffic on the streets that it makes it difficult or unpleasant to walk in your neighbourhood.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Strongly agree		1	350	1,998,000	5.9
Somewhat agree		2	850	5,389,500	16.0
Somewhat disagree		3	1,350	7,468,000	22.1
Strongly disagree		4	3,300	18,854,000	55.9
Don't know		7	0	16,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: NBE_060 **Length:** 1.0 **Position:** 1812

Totals may not add up due to rounding.

Question Name: NBE_Q060

Concept: Traffic makes it unpleasant to bike - neighbourhood

Question Text: There is so much traffic on the streets that it makes it difficult or unpleasant to ride a bicycle in your neighbourhood.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	500	2,919,500	8.7
Somewhat agree	2	950	6,464,000	19.2
Somewhat disagree	3	1,350	7,763,500	23.0
Strongly disagree	4	2,900	15,956,000	47.3
Don't know	7	100	573,000	1.7
Refusal	8	0	49,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: NBE_070 **Length:** 1.0 **Position:** 1813

Question Name: NBE_Q070

Concept: Driver's licence

Question Text: Do you have a valid driver's licence? (Do not include a learner's licence where the driver must be accompanied by someone who has a valid driver's licence.)

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,050	24,489,500	72.6
No	2	350	3,311,500	9.8
Valid skip	6	2,400	5,922,500	17.6
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: NBE_075 **Length:** 1.0 **Position:** 1814

Question Name: NBE_Q075

Concept: Vehicle at disposal

Question Text: In the last seven days, did you have a vehicle at your disposal?

Universe: NBE_070 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,850	22,621,500	67.1
No	2	200	1,868,000	5.5
Valid skip	6	2,750	9,234,000	27.4
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_11 **Length:** 1.0 **Position:** 1815

Question Name: SMK_Q11

Concept: Smoked 100 or more cigarettes - lifetime

Question Text: In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,450	11,452,000	34.0
No	2	2,700	18,747,000	55.6
Valid skip	6	1,600	3,522,500	10.4
Don’t know	7	0	2,500	0.0
Refusal	8	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_12 **Length:** 1.0 **Position:** 1816

Question Name: SMK_Q12

Concept: Type of smoker

Question Text: At the present time, do you smoke cigarettes daily, occasionally or not at all?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily	1	350	2,853,500	8.5
Occasionally	2	150	1,026,500	3.0
Not at all	3	3,700	26,321,500	78.0
Valid skip	6	1,600	3,522,500	10.4
Refusal	8	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_21 **Length:** 2.0 **Position:** 1817

Totals may not add up due to rounding.

Question Name: SMK_Q21

Concept: Age - smoked first whole cigarette

Question Text: At what age did you smoke your first whole cigarette?

Universe: SMK_11 = 1 or (SMK_11 = 2, DK, RF and SMK_12 = 1,2) or (SMK_11=1,7 and SMK_12 = 1,2,3)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 50	1,500	11,601,500	34.4
Valid skip	96	4,300	22,074,500	65.5
Don't know	97	0	40,500	0.1
Refusal	98	0	7,000	0.0
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_21A **Length:** 1.0 **Position:** 1819

Question Name: SMK_Q21A

Concept: Smoked at least 1 cigarette a month

Question Text: Have you ever smoked at least one cigarette a month?

Universe: (SMK_11 = 1, DK, RF and SMK_12 = 2,3) or (SMK_11 = 2 and SMK_12 = 2)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,100	8,208,500	24.3
No	2	100	587,000	1.7
Valid skip	6	4,650	24,928,000	73.9
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_22 **Length:** 2.0 **Position:** 1820

Question Name: SMK_Q22

Concept: Age - started smoking at least 1 cigarette/month

Question Text: How old were you when you started smoking at least one cigarette a month?

Universe: SMK_12 = 1 or SMK_21A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	07 - 50	1,400	10,985,500	32.6
Valid skip	96	4,350	22,662,000	67.2
Don't know	97	0	37,000	0.1
Refusal	98	0	39,500	0.1
Not stated	99	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMK_23 **Length:** 2.0 **Position:** 1822

Question Name: SMK_Q23

Concept: Number days/typical month smoked at least 1 cigarette

Question Text: When you [started smoking], how many days in a typical month did you smoke at least one cigarette?

Universe: 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	01 - 31	1,400	10,675,500	31.7
Valid skip	96	4,350	22,662,000	67.2
Don't know	97	50	291,500	0.9
Refusal	98	0	18,500	0.1
Not stated	99	0	78,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_24 **Length:** 2.0 **Position:** 1824

Question Name: SMK_Q24

Concept: Number of cigarettes smoked per day at age started smoking

Question Text: When you [started smoking] how many cigarettes did you usually smoke each day/on the days you smoked?

Universe: 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 75	1,400	10,787,500	32.0
Valid skip	96	4,350	22,662,000	67.2
Don't know	97	50	196,500	0.6
Refusal	98	0	2,000	0.0
Not stated	99	0	78,500	0.2
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: SMK_31 **Length:** 2.0 **Position:** 1826

Question Name: SMK_Q31

Concept: Number of cigarettes smoked per day (daily smoker)

Question Text: How many cigarettes do you smoke each day now?

Universe: SMK_12 = 1 and 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 40	350	2,803,000	8.3
Valid skip	96	5,450	30,844,000	91.5
Not stated	99	0	78,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_41 **Length:** 2.0 **Position:** 1828

Question Name: SMK_Q41

Concept: Number of cigarettes smoked per day (occasional smoker)

Question Text: On the days that you smoke, how many cigarettes do you usually smoke?

Universe: SMK_12 = 2 and SMK_21A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 25	150	866,000	2.6
Valid skip	96	5,650	32,780,500	97.2
Refusal	98	0	500	0.0
Not stated	99	0	78,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_42 **Length:** 2.0 **Position:** 1830

Question Name: SMK_Q42

Concept: Number days/past month - smoked 1 cigarette or more (occasional)

Question Text: In the past month, that is, from Date of last month to today, on how many days have you smoked one or more cigarettes?

Universe: SMK_12 = 2 and SMK_21A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	00 - 30	150	797,500	2.4
Valid skip	96	5,650	32,780,500	97.2
Refusal	98	0	69,500	0.2
Not stated	99	0	78,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_51 **Length:** 1.0 **Position:** 1832

Question Name: SMK_Q51

Concept: Ever smoked cigarettes daily

Question Text: Have you ever smoked cigarettes daily?

Universe: SMK_12 = 2,3 and (SMK_23 < 31 or SMK_23 = DK, RF)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	3,177,000	9.4
No	2	150	905,000	2.7
Valid skip	6	5,250	29,562,000	87.7
Don’t know	7	0	3,500	0.0
Not stated	9	0	78,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_52 **Length:** 2.0 **Position:** 1833

Question Name: SMK_Q52

Concept: Age started smoking daily

Question Text: At what age did you begin to smoke cigarettes daily?

Universe: (SMK_12 = 1 and (SMK_23 < 31 or SMK_23 = DK, RF) or SMK_51 = 1

Note: Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_52 since, for them, this same information was collected at SMK_22.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	10 - 61	550	4,301,500	12.8
Valid skip	96	5,250	29,342,000	87.0
Not stated	99	0	82,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_53 **Length:** 2.0 **Position:** 1835

Totals may not add up due to rounding.

Question Name: SMK_Q53

Concept: Number of cigarettes usually smoked per day

Question Text: [When you started smoking cigarettes daily], How many cigarettes did you usually smoke each day?

Universe: (SMK_12 = 1 and (SMK_23 < 31 or SMK_23 = DK, RF) or SMK_51 = 1

Note: Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_53 since, for them, this same information was collected at SMK_24.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 75	550	4,201,000	12.5
Valid skip	96	5,250	29,342,000	87.0
Don't know	97	0	100,000	0.3
Not stated	99	0	82,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_54 **Length:** 2.0 **Position:** 1837

Question Name: SMK_Q54

Concept: Age stopped smoking cigarettes daily/completely

Question Text: At what age did you stop smoking cigarettes [completely/daily]?

Universe: DHH_AGE > 11 and ((SMK_11 = 1 and SMK_12 = 2,3) and (SMK_23 = 31 or SMK_51 = 1)) or (SMK_11 = 1 and SMK_12 = 3 and SMK_51 = 2 and SMK_21A = 1) or (SMK_11 = 2 and (SMK_23 = 31 or SMK_51 = 1) and SMK_31 <> 31) or (SMK_12 <> 1 and SMK_11 = DK, RF, NS) or SMK_21 = DK or SMK_22 = DK or SMK_21A = DK))

Note: Respondents aged 12 and older who are former daily or former occasional smokers.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	13 - 74	1,000	7,904,000	23.4
Valid skip	96	4,750	25,732,500	76.3
Don't know	97	0	6,500	0.0
Not stated	99	0	82,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMK_60 **Length:** 1.0 **Position:** 1839

Question Name: SMK_Q60

Concept: Smoked cigars/pipe or used snuff/chewing tobacco - past month

Question Text: In the past month, that is, from Date last month to today, have you smoked cigars, cigarillos or a pipe or used snuff or chewing tobacco?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,369,500	4.1
No	2	4,050	28,832,000	85.5
Valid skip	6	1,600	3,522,500	10.4
Refusal	8	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: SMKDSTY **Length:** 2.0 **Position:** 1840

Question Name:

Concept: Type of smoker - (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily smoker	01	350	2,803,000	8.3
Occasional smoker, former daily smoker	02	100	598,000	1.8
Always an occasional smoker	03	100	425,000	1.3
Non-smoker, former daily smoker	04	850	6,675,500	19.8
Non-smoker, former occasional smoker	05	150	1,067,000	3.2
Never smoked more than 100 cigarettes	06	2,700	18,552,000	55.0
Valid skip	96	1,600	3,522,500	10.4
Not stated	99	0	82,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: SMKDSTP **Length:** 3.0 **Position:** 1842

Question Name:

Concept: Number of years since stopping smoking completely - (D)

Question Text:

Universe: SMKDSTY = 4,5 and SMK_21A = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 065	900	7,104,000	21.1
Valid skip	996	4,850	26,331,000	78.1
Not stated	999	50	291,000	0.9
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: SMKDYFS **Length:** 3.0 **Position:** 1845

Question Name:

Concept: Number of years smoked daily (former daily smokers) - (D)

Question Text:

Universe: SMKDSTY = (2 or 4) and SMK_11 <> 2

Note: Former daily smoker only.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 057	900	7,267,000	21.5
Valid skip	996	4,850	26,423,500	78.3
Not stated	999	0	35,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: SMKDAQD **Length:** 2.0 **Position:** 1848

Question Name:

Concept: Age stopped smoking daily - (D)

Question Text:

Universe: SMKDSTY = 2

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	15 - 64	50	593,500	1.8
Valid skip	96	5,700	33,045,500	98.0
Not stated	99	0	87,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: SMKDAQS **Length:** 2.0 **Position:** 1850

Question Name:

Concept: Age stopped smoking completely - (D)

Question Text:

Universe: SMKDSTY = 4 or 5 and SMK_54 <> VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		13 - 74	950	7,310,500	21.7
Valid skip		96	4,850	26,331,000	78.1
Not stated		99	0	84,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: SMKDASD **Length:** 2.0 **Position:** 1852

Question Name:

Concept: Age started smoking daily - (D)

Question Text:

Universe: SMKDSTY = 1, 2 or 4

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		07 - 61	1,250	10,077,000	29.9
Valid skip		96	4,500	23,566,500	69.9
Not stated		99	0	82,000	0.2
	Total		5,800	33,725,500	100.0

Variable Name: SMKDNSD **Length:** 2.0 **Position:** 1854

Question Name:

Concept: Number of cigs smoked daily - (D)

Question Text:

Universe: SMKDSTY = 1,2 or 4

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of cigarettes		01 - 75	1,250	9,915,500	29.4
Valid skip		96	4,500	23,566,500	69.9
Not stated		99	50	243,500	0.7
	Total		5,800	33,725,500	100.0

Variable Name: ELC_005 **Length:** 1.0 **Position:** 1856

Question Name: ELC_Q005

Concept: Tried an electronic cigarette

Totals may not add up due to rounding.

Question Text: Have you ever tried an electronic cigarette, also known as an e-cigarette?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,194,500	12.4
No	2	3,550	26,006,500	77.1
Valid skip	6	1,600	3,522,500	10.4
Refusal	8	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ELC_010 **Length:** 1.0 **Position:** 1857

Question Name: ELC_Q010

Concept: Use an electronic cigarette - past month

Question Text: In the past month, that is, from (date one month ago) to today, did you use an electronic cigarette... ?

Universe: ELC_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	50	343,500	1.0
Almost every day	2	50	254,500	0.8
At least once a week	3	50	190,000	0.6
At least once in the past month	4	100	657,000	1.9
Never	5	400	2,750,000	8.2
Valid skip	6	5,150	29,529,500	87.6
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ELC_015 **Length:** 1.0 **Position:** 1858

Question Name: ELC_Q015

Concept: Nicotine in the last e-cigarette

Question Text: The last time you used an e-cigarette, did it contain nicotine?

Universe: ELC_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

Yes	1	450	2,736,000	8.1
No	2	200	1,230,000	3.6
Valid skip	6	5,150	29,529,500	87.6
Don't know	7	50	228,000	0.7
Refusal	8	0	1,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ETS_01 **Length:** 1.0 **Position:** 1859

Question Name: ETS_Q01

Concept: Allowed smoking inside this home

Question Text: Is smoking allowed inside this home?

Universe: All respondents

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,795,500	5.3
No	2	5,550	31,646,500	93.8
Valid skip	6	0	255,000	0.8
Don't know	7	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_02 **Length:** 1.0 **Position:** 1860

Question Name: ETS_Q02

Concept: Smoking restricted inside this home

Question Text: Is smoking inside this home restricted in any way?

Universe: ETS_01 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	659,000	2.0
No	2	100	1,136,500	3.4
Valid skip	6	5,550	31,901,500	94.6
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_03A **Length:** 1.0 **Position:** 1861

Question Name: ETS_Q03

Concept: Smoking restriction - allow in certain rooms only

Question Text: How is smoking restricted inside this home? - Allowed in certain rooms only

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	274,500	0.8
No	2	50	384,500	1.1
Valid skip	6	5,700	33,038,500	98.0
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_03B **Length:** 1.0 **Position:** 1862

Question Name: ETS_Q03

Concept: Smoking restriction - in presence of young children

Question Text: How is smoking restricted inside this home? - Restricted in the presence of young children

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	133,000	0.4
No	2	100	526,000	1.6
Valid skip	6	5,700	33,038,500	98.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	28,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: ETS_03C **Length:** 1.0 **Position:** 1863

Question Name: ETS_Q03

Concept: Smoking restriction - allow if windows are open/ventilation

Question Text: How is smoking restricted inside this home? - Allowed only if windows are open or with another type of ventilation

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	248,000	0.7
No		2	50	411,000	1.2
Valid skip		6	5,700	33,038,500	98.0
Not stated		9	0	28,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: ETS_03D **Length:** 1.0 **Position:** 1864

Question Name: ETS_Q03

Concept: Smoking restriction - other restriction

Question Text: How is smoking restricted inside this home? - Other restriction(s)

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	212,500	0.6
No		2	100	446,500	1.3
Valid skip		6	5,700	33,038,500	98.0
Not stated		9	0	28,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: ETS_04 **Length:** 2.0 **Position:** 1865

Totals may not add up due to rounding.

Question Name: ETS_Q04

Concept: How often someone smokes inside the home

Question Text: How often does someone smoke inside this home? Include both household members and visitors.

Universe: ETS_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	150	919,500	2.7
Almost every day	02	0	241,000	0.7
At least once a week	03	0	90,500	0.3
At least once a month	04	0	111,500	0.3
Less than once a month	05	100	361,000	1.1
Never	06	1,500	6,340,000	18.8
Valid skip	96	4,000	25,631,000	76.0
Don't know	97	0	2,000	0.0
Refusal	98	0	500	0.0
Not stated	99	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_05 **Length:** 2.0 **Position:** 1867

Question Name: ETS_Q05

Concept: Number of people who smoke inside home every day

Question Text: How many people smoke inside this home every day or almost every day?

Universe: ETS_04 = 1,2

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of people	01 - 04	150	1,136,500	3.4
Valid skip	96	5,650	32,560,500	96.5
Not stated	99	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_06A **Length:** 1.0 **Position:** 1869

Question Name: ETS_Q06

Concept: Product smoked inside home - cigarettes

Question Text: Which of the following tobacco products are smoked inside this home? - Cigarettes

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,127,500	3.3
No	2	0	8,500	0.0
Valid skip	6	5,650	32,560,500	96.5
Refusal	8	0	1,000	0.0
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_06B **Length:** 1.0 **Position:** 1870

Question Name: ETS_Q06

Concept: Product smoked inside home - cigarillos or little cigars

Question Text: Which of the following tobacco products are smoked inside this home? - Cigarillos or little cigars

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	18,000	0.1
No	2	150	1,117,500	3.3
Valid skip	6	5,650	32,560,500	96.5
Refusal	8	0	1,000	0.0
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_06C **Length:** 1.0 **Position:** 1871

Question Name: ETS_Q06

Concept: Product smoked inside home - all other types of cigars

Question Text: Which of the following tobacco products are smoked inside this home? - All other types of cigars

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the

Totals may not add up due to rounding.

first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	150	1,116,000	3.3
Valid skip	6	5,650	32,560,500	96.5
Refusal	8	0	1,000	0.0
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_06D **Length:** 1.0 **Position:** 1872

Question Name: ETS_Q06

Concept: Product smoked inside home - pipes

Question Text: Which of the following tobacco products are smoked inside this home? - Pipes

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	150	1,125,500	3.3
Valid skip	6	5,650	32,560,500	96.5
Refusal	8	0	1,000	0.0
Not stated	9	0	28,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_07 **Length:** 3.0 **Position:** 1873

Question Name: ETS_Q07

Concept: Number of cigars/cigarettes smoked inside home

Question Text: On a typical day, how many [cigarettes/cigarillos or little cigars/cigars/cigarettes and cigarillos or little cigars/cigarettes and cigars/cigarillos, little cigars and other types of cigars/cigarettes, cigarillos or little cigars, and other types of cigars] are smoked inside this home?

Universe: ETS_06A = 1, NS or ETS_06B = 1, NS or ETS_06C = 1, NS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number	001 - 050	150	1,092,500	3.2
Valid skip	996	5,650	32,568,500	96.6
Don't know	997	0	35,500	0.1
Not stated	999	0	29,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_08 **Length:** 1.0 **Position:** 1876

Question Name: ETS_Q08

Concept: Total period time/typical day smoking pipe

Question Text: On a typical day, what is the total period of time that at least one person is smoking a pipe inside this home?

Universe: ETS_06D = 1, NS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 hour	1	0	2,500	0.0
1 to less than 3 hours	2	0	8,000	0.0
Valid skip	6	5,800	33,686,000	99.9
Not stated	9	0	29,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ETS_09 **Length:** 1.0 **Position:** 1877

Question Name: ETS_Q09

Concept: Often exposed to second-hand smoke inside home - past month

Question Text: [Not including your own smoking] In the past month, how often were you exposed to second hand smoke inside this home?

Universe: ETS_04 = 1, 2, 3, 4, 5, DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	50	446,500	1.3
Almost every day	2	0	104,500	0.3
At least once a week	3	50	152,000	0.5
At least once in the past month	4	50	244,000	0.7
Never	5	150	778,500	2.3
Valid skip	6	5,500	31,971,000	94.8
Refusal	8	0	500	0.0
Not stated	9	0	28,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	33,725,500	100.0

Variable Name: ETS_14 **Length:** 1.0 **Position:** 1878

Question Name: ETS_Q14

Concept: Exposed to second-hand smoke - private vehicle

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day in a car or other vehicle?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,577,000	4.7
No		2	5,600	32,147,500	95.3
Refusal		8	0	1,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: ETS_16 **Length:** 1.0 **Position:** 1879

Question Name: ETS_Q16

Concept: Exposed to second-hand smoke - place of work

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day at your place of work?

Universe: GEN_030 = 1 or GEN_035 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,153,000	3.4
No		2	2,500	20,298,500	60.2
Valid skip		6	3,100	12,261,000	36.4
Refusal		8	0	2,000	0.0
Not stated		9	0	11,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: ETS_20 **Length:** 1.0 **Position:** 1880

Question Name: ETS_Q20

Concept: Exposed to second-hand smoke - inside someone else's home

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day inside someone else's home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,307,000	3.9
No	2	5,600	32,386,500	96.0
Don't know	7	0	31,000	0.1
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ETS_21 **Length:** 1.0 **Position:** 1881

Question Name: ETS_Q21

Concept: Exposed to second-hand smoke - indoors, in public places

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day indoors, in public places such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys, concert or sporting facilities?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	653,000	1.9
No	2	5,700	33,071,500	98.1
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ETS_22 **Length:** 1.0 **Position:** 1882

Question Name: ETS_Q22

Concept: Exposed to second-hand smoke - outdoors, in public places

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day outdoors, in public places such as outdoor patios, bus stops or shelters, entrances to buildings, school property, sidewalks or parks?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	900	5,297,500	15.7
No	2	4,900	28,426,500	84.3
Don't know	7	0	500	0.0
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ETS_23 **Length:** 1.0 **Position:** 1883

Question Name: ETS_Q23

Concept: Exposed to second-hand smoke - anywhere else

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day anywhere else?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	742,000	2.2
No	2	5,650	32,947,500	97.7
Don't know	7	0	34,500	0.1
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ETS_24 **Length:** 1.0 **Position:** 1884

Question Name: ETS_Q24

Concept: Often exposed to second-hand smoke excluding own home - past month

Question Text: Overall,[excluding inside your own home], in the past month how often were you exposed to second-hand smoke? [Do not include exposure to your own smoke.]

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	150	1,069,500	3.2
Almost every day	2	450	2,751,000	8.2
At least once a week	3	650	4,510,500	13.4
At least once in the past month	4	1,250	6,704,000	19.9
Never	5	3,200	18,653,000	55.3
Don't know	7	0	36,500	0.1
Refusal	8	0	1,500	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: ETV_005 **Length:** 1.0 **Position:** 1885

Question Name: ETV_Q005

Concept: Exposed to second-hand vapour inside home

Question Text: Overall, in the past month,how often were you exposed to second-hand vapour inside this home? [Do not include your own vapor.]

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	50	172,500	0.5
Almost every day	2	50	221,500	0.7
At least once a week	3	50	302,000	0.9
At least once in the past month	4	100	685,500	2.0
Never	5	5,550	32,331,000	95.9
Don't know	7	0	12,500	0.0
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ALC_11 **Length:** 1.0 **Position:** 1886

Question Name: ALC_Q11

Concept: Drank alcohol - past 12 months

Question Text: During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,000	23,477,500	69.6
No	2	1,200	6,708,000	19.9
Valid skip	6	1,600	3,522,500	10.4
Refusal	8	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_12 **Length:** 2.0 **Position:** 1887

Question Name: ALC_Q12

Concept: Frequency of drinking alcohol

Question Text: During the past 12 months, how often did you drink alcoholic beverages?

Totals may not add up due to rounding.

Universe: ALC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than once a month	01	600	4,853,000	14.4
Once a month	02	300	2,370,000	7.0
2 to 3 times a month	03	400	3,857,500	11.4
Once a week	04	450	3,233,000	9.6
2 to 3 times a week	05	650	4,967,500	14.7
4 to 6 times a week	06	300	2,128,500	6.3
Every day	07	250	2,045,000	6.1
Valid skip	96	2,800	10,230,500	30.3
Don't know	97	0	22,500	0.1
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_13A **Length:** 2.0 **Position:** 1889

Question Name:

Concept: Frequency of having [5/4] or more drinks

Question Text: How often in the past 12 months have you had [5/4] or more drinks on one occasion?

Universe: ALC_11 = 1

Note: Males (DHH_SEX = 1) were asked how often they had 5 or more drinks, while females (DHH_SEX = 2) were asked how often they had 4 or more drinks on one occasion. In cycles 1 and 2, at questions ALC_13, all respondents were asked how often they had 5 or more drinks on one occasion.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	01	1,350	11,209,000	33.2
Less than once a month	02	850	5,810,000	17.2
Once a month	03	300	2,504,500	7.4
2 to 3 times a month	04	250	1,777,500	5.3
Once a week	05	150	1,191,500	3.5
More than once a week	06	100	984,500	2.9
Valid skip	96	2,800	10,230,500	30.3
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_14 **Length:** 1.0 **Position:** 1891

Question Name: ALC_Q14

Concept: Drank alcohol - past week

Question Text: Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

Universe: ALC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,950	15,283,500	45.3
No	2	1,050	8,194,000	24.3
Valid skip	6	2,800	10,230,500	30.3
Not stated	9	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15A **Length:** 2.0 **Position:** 1892

Question Name:

Concept: Number of drinks - Sunday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Sunday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 20	1,950	15,281,500	45.3
Valid skip	96	3,850	18,424,500	54.6
Don’t know	97	0	2,500	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15B **Length:** 2.0 **Position:** 1894

Question Name:

Concept: Number of drinks - Monday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Monday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 15	1,950	15,281,500	45.3
Valid skip	96	3,850	18,424,500	54.6
Don’t know	97	0	2,500	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: ALC_15C **Length:** 2.0 **Position:** 1896

Question Name:

Concept: Number of drinks - Tuesday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Tuesday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 17	1,950	15,278,500	45.3
Valid skip	96	3,850	18,424,500	54.6
Don't know	97	0	5,500	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15D **Length:** 2.0 **Position:** 1898

Question Name:

Concept: Number of drinks - Wednesday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Wednesday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 25	1,950	15,278,500	45.3
Valid skip	96	3,850	18,424,500	54.6
Don't know	97	0	5,500	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15E **Length:** 2.0 **Position:** 1900

Question Name:

Concept: Number of drinks - Thursday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Thursday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 15	1,950	15,269,500	45.3
Valid skip	96	3,850	18,424,500	54.6
Don't know	97	0	14,000	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15F **Length:** 2.0 **Position:** 1902

Question Name:

Concept: Number of drinks - Friday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Friday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 24	1,950	15,203,000	45.1
Valid skip	96	3,850	18,424,500	54.6
Don't know	97	0	80,500	0.2
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_15G **Length:** 2.0 **Position:** 1904

Question Name:

Concept: Number of drinks - Saturday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Saturday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 24	1,950	15,210,000	45.1
Valid skip	96	3,850	18,424,500	54.6
Don't know	97	0	62,000	0.2
Refusal	98	0	11,500	0.0
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_16 **Length:** 1.0 **Position:** 1906

Totals may not add up due to rounding.

Question Name: ALC_Q16

Concept: Usual consumption of alcohol

Question Text: Is the amount you drank over the last week more, about the same, or less compared to most weeks?

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
More	1	650	5,219,000	15.5
About the same	2	1,100	8,532,000	25.3
Less	3	200	1,532,500	4.5
Valid skip	6	3,850	18,424,500	54.6
Not stated	9	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_17 **Length:** 1.0 **Position:** 1907

Question Name: ALC_Q17

Concept: Ever had a drink

Question Text: Have you ever had a drink?

Universe: ALC_11 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	3,245,500	9.6
No	2	800	3,461,500	10.3
Valid skip	6	4,600	27,000,000	80.1
Refusal	8	0	500	0.0
Not stated	9	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_18 **Length:** 1.0 **Position:** 1908

Question Name: ALC_Q18

Concept: Regularly drank more than 12 drinks a week

Question Text: Did you ever regularly drink more than 12 drinks a week?

Universe: ALC_11 = 1 or ALC_17 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	5,791,500	17.2
No	2	2,650	20,928,500	62.1
Valid skip	6	2,400	6,985,000	20.7
Don't know	7	0	3,000	0.0
Not stated	9	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALC_19 **Length:** 2.0 **Position:** 1909

Question Name: ALC_Q19

Concept: Age - started drinking alcoholic beverages

Question Text: Not counting small sips, how old were you when you started drinking alcoholic beverages?

Universe: ALC_11 = 1 or ALC_17 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 72	3,350	26,286,000	77.9
Valid skip	96	2,400	6,985,000	20.7
Don't know	97	50	297,000	0.9
Refusal	98	0	140,000	0.4
Not stated	99	0	17,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALCDDLY **Length:** 3.0 **Position:** 1911

Question Name:

Concept: Average daily alcohol consumption - (D)

Question Text:

Universe: ALC_11 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of drinks	000 - 012	3,000	23,373,500	69.3
Valid skip	996	2,800	10,230,500	30.3
Not stated	999	0	121,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: ALCDTYP **Length:** 1.0 **Position:** 1914

Totals may not add up due to rounding.

Question Name:

Concept: Type of drinker - (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Regular drinker	1	2,400	18,602,000	55.2
Occasional drinker	2	600	4,853,000	14.4
Former drinker	3	400	3,245,500	9.6
Never drank	4	800	3,461,500	10.3
Valid skip	6	1,600	3,522,500	10.4
Not stated	9	0	41,000	0.1
Total		5,800	33,725,500	100.0

Variable Name: ALCDWKY **Length:** 3.0 **Position:** 1915

Question Name:

Concept: Weekly consumption - (D)

Question Text:

Universe: ALC_11 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of drinks	000 - 084	3,000	23,373,500	69.3
Valid skip	996	2,800	10,230,500	30.3
Not stated	999	0	121,500	0.4
Total		5,800	33,725,500	100.0

Variable Name: IDU_11 **Length:** 1.0 **Position:** 1918

Question Name: IDU_Q11

Concept: Used or tried marijuana, cannabis or hashish

Question Text: Have you ever used or tried marijuana, cannabis or hashish?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,000	15,666,500	46.5
No		2	1,850	13,550,000	40.2
Valid skip		6	1,900	4,291,000	12.7
Refusal		8	0	57,000	0.2
Not stated		9	0	161,500	0.5
	Total		5,800	33,725,500	100.0

Variable Name: IDU_21 **Length:** 1.0 **Position:** 1919

Question Name: IDU_Q21

Concept: Used or tried prescription drugs for the feeling

Question Text: Have you ever used or tried prescription drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,338,500	4.0
No		2	3,650	27,877,500	82.7
Valid skip		6	1,900	4,291,000	12.7
Not stated		9	50	218,500	0.6
	Total		5,800	33,725,500	100.0

Variable Name: IDU_22 **Length:** 1.0 **Position:** 1920

Question Name: IDU_Q22

Concept: Used or tried other drugs (cocaine, speed)

Question Text: Have you ever used or tried other drugs or substances such as cocaine, speed, solvents or steroids?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	650	4,592,000	13.6
No		2	3,200	24,621,000	73.0
Valid skip		6	1,900	4,291,000	12.7
Refusal		8	0	3,000	0.0
Not stated		9	50	218,500	0.6
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: IDU_32 **Length:** 1.0 **Position:** 1921

Question Name: IDU_Q32

Concept: Injected with drugs for the experience/feeling

Question Text: Have you ever injected or been injected with drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

Universe: IDU_21 = 1 or IDU_22 = 1

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	335,000	1.0
No	2	650	4,480,500	13.3
Valid skip	6	5,050	28,688,500	85.1
Not stated	9	50	222,000	0.7
Total		5,800	33,725,500	100.0

Variable Name: IDU_33 **Length:** 1.0 **Position:** 1922

Question Name: IDU_Q33

Concept: Other than by injection, used other drugs for the feeling

Question Text: Other than by injection, have you ever used or tried drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high? [Do not include marijuana, cannabis or hashish.]

Universe: IDU_32 = 1

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	321,000	1.0
No	2	0	14,000	0.0
Valid skip	6	5,750	33,169,000	98.3
Not stated	9	50	222,000	0.7
Total		5,800	33,725,500	100.0

Variable Name: SXB_11 **Length:** 1.0 **Position:** 1923

Question Name: SXB_Q11

Concept: Ever had sexual intercourse

Question Text: Have you ever had sexual intercourse?

Universe: DHH_AGE > 13

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,300	26,374,500	78.2
No	2	550	2,547,500	7.6
Valid skip	6	1,900	4,291,000	12.7
Refusal	8	50	351,000	1.0
Not stated	9	0	161,500	0.5
Total		5,800	33,725,500	100.0

Variable Name: SXB_12 **Length:** 1.0 **Position:** 1924

Question Name: SXB_Q12

Concept: Sexual intercourse - past 12 months

Question Text: In the past 12 months, have you had sexual intercourse?

Universe: SXB_11 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,600	20,620,500	61.1
No	2	700	5,492,500	16.3
Valid skip	6	2,450	6,838,500	20.3
Don’t know	7	0	36,500	0.1
Refusal	8	0	224,500	0.7
Not stated	9	50	513,000	1.5
Total		5,800	33,725,500	100.0

Variable Name: SXB_13 **Length:** 1.0 **Position:** 1925

Question Name: SXB_Q13

Concept: Number of different partners - past 12 months

Question Text: With how many different partners?

Universe: SXB_12 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

1 partner	1	2,300	18,552,000	55.0
2 partners	2	100	828,500	2.5
3 partners	3	50	405,000	1.2
4 or more partners	4	100	702,500	2.1
Valid skip	6	3,150	12,331,000	36.6
Don't know	7	0	2,500	0.0
Refusal	8	0	130,500	0.4
Not stated	9	50	774,000	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_21 **Length:** 1.0 **Position:** 1926

Question Name: SXB_Q21

Concept: Ever diagnosed with a sexually transmitted disease/infection

Question Text: Have you ever been diagnosed with a sexually transmitted disease or infection?

Universe: SXB_12 = 1 or 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,643,500	7.8
No	2	2,950	23,465,500	69.6
Valid skip	6	2,450	6,838,500	20.3
Don't know	7	0	4,500	0.0
Not stated	9	50	774,000	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22A **Length:** 1.0 **Position:** 1927

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - HIV

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - HIV (Human Immunodeficiency Virus)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	13,500	0.0
No	2	300	2,585,000	7.7
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22B **Length:** 1.0 **Position:** 1928

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - AIDS

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - AIDS (Acquired Immunodeficiency Syndrome)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were
coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	350	2,598,000	7.7
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22C **Length:** 1.0 **Position:** 1929

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Chlamydia

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Chlamydia

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,123,500	3.3
No	2	200	1,474,500	4.4
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22D **Length:** 1.0 **Position:** 1930

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Genital Herpes

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Herpes (Herpes Simplex Type II)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	427,500	1.3
No	2	250	2,171,000	6.4
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22E **Length:** 1.0 **Position:** 1931

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Syphilis

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Syphilis

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	87,000	0.3
No	2	300	2,511,000	7.4
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22F **Length:** 1.0 **Position:** 1932

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Gonorrhoea

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Gonorrhoea

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	511,000	1.5
No	2	300	2,087,500	6.2
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22G **Length:** 1.0 **Position:** 1933

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Genital Warts

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Warts (Human Papilloma Virus or HPV)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	496,500	1.5
No	2	250	2,101,500	6.2
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22H **Length:** 1.0 **Position:** 1934

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Venereal disease

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Venereal disease

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,500	0.1
No	2	300	2,580,500	7.7
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22I **Length:** 1.0 **Position:** 1935

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Hepatitis B

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Hepatitis B

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

Yes	1	0	2,000	0.0
No	2	300	2,596,500	7.7
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_22J **Length:** 1.0 **Position:** 1936

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - other

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Other - Specify

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	217,500	0.6
No	2	300	2,380,500	7.1
Valid skip	6	5,400	30,303,500	89.9
Don't know	7	0	40,000	0.1
Refusal	8	0	5,000	0.0
Not stated	9	50	778,500	2.3
Total		5,800	33,725,500	100.0

Variable Name: SXB_23 **Length:** 1.0 **Position:** 1937

Question Name: SXB_Q23

Concept: Use of condom / last time had sexual intercourse

Question Text: Did you or your partner use a condom the last time you had sexual intercourse?

Universe: SXB_12 = 1 and (DHH_MS = 3,4,5,6 or SXB_13 > 1)

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	1,936,000	5.7
No	2	400	3,331,500	9.9
Valid skip	6	5,000	27,581,000	81.8
Refusal	8	0	2,000	0.0
Not stated	9	50	875,000	2.6
Total		5,800	33,725,500	100.0

Variable Name: SXB_24 **Length:** 1.0 **Position:** 1938

Question Name: SXB_Q24

Concept: Usual use of condom

Question Text: Do you or your partner usually use a condom when you have sexual intercourse?

Universe: SXB_12 = 1 and (DHH_MS = 3,4,5,6 or SXB_13 > 1)

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	1,995,500	5.9
No	2	400	3,266,000	9.7
Valid skip	6	5,000	27,581,000	81.8
Don’t know	7	0	6,500	0.0
Refusal	8	0	2,000	0.0
Not stated	9	50	875,000	2.6
Total		5,800	33,725,500	100.0

Variable Name: BCL_005 **Length:** 1.0 **Position:** 1939

Question Name: BCL_Q005

Concept: Ever used birth control pills

Question Text: Have you ever used birth control pills?

Universe: DHH_AGE > 11 and DHH_SEX = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,350	10,267,000	30.4
No	2	750	4,722,500	14.0
Valid skip	6	3,700	18,543,500	55.0
Refusal	8	0	175,500	0.5

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	17,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: BCL_010 **Length:** 1.0 **Position:** 1940

Question Name: BCL_Q010

Concept: Number of years used birth control pills

Question Text: In total, over your lifetime, how many years did you use birth control pills?

Universe: BCL_005 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Less than 2 years		1	350	2,359,000	7.0
2 to less than 4 years		2	250	1,934,000	5.7
4 years or more		3	750	5,957,500	17.7
Valid skip		6	4,450	23,266,000	69.0
Don't know		7	0	14,000	0.0
Refusal		8	0	3,000	0.0
Not stated		9	0	192,500	0.6
	Total		5,800	33,725,500	100.0

Variable Name: BCL_015 **Length:** 1.0 **Position:** 1941

Question Name: BCL_Q015

Concept: Ever had a progesterone birth control injection

Question Text: Have you ever had a progesterone birth control injection, for example Depo Provera®?

Universe: DHH_AGE > 11 and DHH_SEX = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	808,000	2.4
No		2	1,950	14,273,000	42.3
Valid skip		6	3,700	18,543,500	55.0
Don't know		7	0	2,500	0.0
Refusal		8	0	81,500	0.2
Not stated		9	0	17,000	0.1
	Total		5,800	33,725,500	100.0

Variable Name: BCL_020 **Length:** 1.0 **Position:** 1942

Totals may not add up due to rounding.

Question Name: BCL_Q020

Concept: Number of years used progesterone injections

Question Text: In total, over your lifetime, how many years did you use progesterone injections?

Universe: BCL_015 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 2 years	1	50	650,500	1.9
2 to less than 4 years	2	50	109,000	0.3
4 years or more	3	0	48,500	0.1
Valid skip	6	5,650	32,816,500	97.3
Not stated	9	0	101,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: MBF_11 **Length:** 1.0 **Position:** 1943

Question Name: MBF_Q11

Concept: Ever given birth

Question Text: Have you ever given birth?

Universe: DHH_AGE >= 14 and DHH_SEX = 2 and (SXB_11 = 1, DK, RF) and PROXY = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,250	9,228,000	27.4
No	2	400	4,067,500	12.1
Valid skip	6	4,150	20,295,000	60.2
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_12 **Length:** 2.0 **Position:** 1944

Question Name: MBF_Q12

Concept: Number of live births

Question Text: How many live births have you had (excluding stillborns and miscarriages)?

Universe: MBF_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Births	00 - 08	1,250	9,228,000	27.4
Valid skip	96	4,550	24,362,500	72.2
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21A **Length:** 1.0 **Position:** 1946

Question Name:

Concept: Breastfeeding first baby

Question Text: Did you ever breastfeed your first baby?

Universe: 0 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	950	6,847,000	20.3
No	2	300	2,376,500	7.0
Valid skip	6	4,550	24,367,000	72.3
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21AA **Length:** 2.0 **Position:** 1947

Question Name:

Concept: Length of time breastfeeding first baby

Question Text: For how long did you breastfeed your first baby?

Universe: MBF_21A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	0	78,500	0.2
1 to 2 weeks	02	50	249,000	0.7
3 to 4 weeks	03	50	439,500	1.3
5 to 8 weeks	04	50	416,500	1.2
9 to less than 12 weeks	05	50	311,000	0.9
3 months (12 weeks to less than 16 weeks)	06	50	523,000	1.6
4 months (16 weeks to less than 20 weeks)	07	50	271,500	0.8
5 months (20 weeks to less than 24 weeks)	08	50	199,500	0.6
6 months (24 weeks to less than 28 weeks)	09	150	1,058,000	3.1
7 to 9 months	10	100	720,000	2.1
10 to 12 months	11	150	1,072,000	3.2
More than 1 year	12	250	1,506,000	4.5
Valid skip	96	4,850	26,743,500	79.3
Don’t know	97	0	2,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21B **Length:** 1.0 **Position:** 1949

Question Name:

Concept: Breastfeeding second baby

Question Text: Did you ever breastfeed your second baby?

Universe: 1 < MBF_12 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	650	4,825,500	14.3
No		2	200	1,912,500	5.7
Valid skip		6	4,900	26,850,000	79.6
Don't know		7	0	2,500	0.0
Not stated		9	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21BB **Length:** 2.0 **Position:** 1950

Question Name:

Concept: Length of time breastfeeding second baby

Question Text: For how long did you breastfeed your second baby?

Universe: MBF_21B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	0	46,500	0.1
1 to 2 weeks	02	0	156,500	0.5
3 to 4 weeks	03	50	268,000	0.8
5 to 8 weeks	04	0	112,500	0.3
9 to less than 12 weeks	05	0	261,000	0.8
3 months (12 weeks to less than 16 weeks)	06	50	521,500	1.5
4 months (16 weeks to less than 20 weeks)	07	50	258,000	0.8
5 months (20 weeks to less than 24 weeks)	08	0	301,000	0.9
6 months (24 weeks to less than 28 weeks)	09	100	418,500	1.2
7 to 9 months	10	100	584,000	1.7
10 to 12 months	11	100	777,000	2.3
More than 1 year	12	150	1,104,500	3.3
Valid skip	96	5,100	28,763,000	85.3
Don't know	97	0	10,000	0.0
Refusal	98	0	6,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	0	137,500	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21C **Length:** 1.0 **Position:** 1952

Question Name:

Concept: Breastfeeding third baby

Question Text: Did you ever breastfeed your third baby?

Universe: 2 < MBF_12 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,705,000	5.1
No		2	50	628,500	1.9
Valid skip		6	5,500	31,257,500	92.7
Not stated		9	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21CC **Length:** 2.0 **Position:** 1953

Question Name:

Concept: Length of time breastfeeding third baby

Question Text: For how long did you breastfeed your third baby?

Universe: MBF_21C = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Less than one week		01	0	18,500	0.1
1 to 2 weeks		02	0	17,500	0.1
3 to 4 weeks		03	0	31,500	0.1
5 to 8 weeks		04	0	18,500	0.1
9 to less than 12 weeks		05	0	149,500	0.4
3 months (12 weeks to less than 16 weeks)		06	0	139,500	0.4
4 months (16 weeks to less than 20 weeks)		07	0	101,500	0.3
5 months (20 weeks to less than 24 weeks)		08	0	8,000	0.0
6 months (24 weeks to less than 28 weeks)		09	50	124,500	0.4
7 to 9 months		10	50	336,500	1.0
10 to 12 months		11	50	391,500	1.2
More than 1 year		12	50	355,500	1.1
Valid skip		96	5,550	31,886,000	94.5
Don’t know		97	0	13,000	0.0
Not stated		99	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21D **Length:** 1.0 **Position:** 1955

Question Name:

Concept: Breastfeeding fourth baby

Question Text: Did you ever breastfeed your fourth baby?

Universe: 3 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	513,500	1.5
No	2	0	292,000	0.9
Valid skip	6	5,700	32,785,000	97.2
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21DD **Length:** 2.0 **Position:** 1956

Question Name:

Concept: Length of time breastfeeding fourth baby

Question Text: For how long did you breastfeed your fourth baby?

Universe: MBF_21D = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 2 weeks	02	0	1,000	0.0
3 to 4 weeks	03	0	2,000	0.0
5 to 8 weeks	04	0	23,000	0.1
9 to less than 12 weeks	05	0	2,500	0.0
3 months (12 weeks to less than 16 weeks)	06	0	24,000	0.1
4 months (16 weeks to less than 20 weeks)	07	0	24,500	0.1
5 months (20 weeks to less than 24 weeks)	08	0	3,000	0.0
6 months (24 weeks to less than 28 weeks)	09	0	18,000	0.1
7 to 9 months	10	0	43,000	0.1
10 to 12 months	11	0	129,000	0.4
More than 1 year	12	0	233,000	0.7
Valid skip	96	5,700	33,077,000	98.1
Don’t know	97	0	9,500	0.0
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21E **Length:** 1.0 **Position:** 1958

Question Name:

Concept: Breastfeeding fifth baby

Question Text: Did you ever breastfeed your fifth baby?

Universe: 4 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	51,500	0.2
No	2	0	53,000	0.2
Valid skip	6	5,750	33,486,000	99.3
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21EE **Length:** 2.0 **Position:** 1959

Question Name:

Concept: Length of time breastfeeding fifth baby

Question Text: For how long did you breastfeed your fifth baby?

Universe: MBF_21E = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
5 to 8 weeks	04	0	4,500	0.0
3 months (12 weeks to less than 16 weeks)	06	0	5,000	0.0
4 months (16 weeks to less than 20 weeks)	07	0	2,500	0.0
6 months (24 weeks to less than 28 weeks)	09	0	1,500	0.0
7 to 9 months	10	0	4,500	0.0
10 to 12 months	11	0	4,000	0.0
More than 1 year	12	0	29,500	0.1
Valid skip	96	5,750	33,539,000	99.4
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21F **Length:** 1.0 **Position:** 1961

Question Name:

Concept: Breastfeeding sixth baby

Question Text: Did you ever breastfeed your sixth baby?

Universe: 5 < MBF_12 < VS

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,000	0.0
No	2	0	22,500	0.1
Valid skip	6	5,750	33,553,000	99.5
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21FF **Length:** 2.0 **Position:** 1962

Question Name:

Concept: Length of time breastfeeding sixth baby

Question Text: For how long did you breastfeed your sixth baby?

Universe: MBF_21F = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
10 to 12 months	11	0	7,000	0.0
More than 1 year	12	0	8,000	0.0
Valid skip	96	5,750	33,575,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21G **Length:** 1.0 **Position:** 1964

Question Name:

Concept: Breastfeeding seventh baby

Question Text: Did you ever breastfeed your seventh baby?

Universe: 6 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
Valid skip	6	5,800	33,588,000	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21GG **Length:** 2.0 **Position:** 1965

Question Name:

Concept: Length of time breastfeeding seventh baby

Question Text: For how long did you breastfeed your seventh baby?

Universe: MBF_21G = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
10 to 12 months	11	0	2,500	0.0
Valid skip	96	5,800	33,588,000	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21H **Length:** 1.0 **Position:** 1967

Question Name:

Concept: Breastfeeding eighth baby

Question Text: Did you ever breastfeed your eighth baby?

Universe: 7 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
Valid skip	6	5,800	33,588,000	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21HH **Length:** 2.0 **Position:** 1968

Question Name:

Concept: Length of time breastfeeding eighth baby

Question Text: For how long did you breastfeed your eighth baby?

Universe: MBF_21H = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
10 to 12 months	11	0	2,500	0.0
Valid skip	96	5,800	33,588,000	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21I **Length:** 1.0 **Position:** 1970

Question Name:

Concept: Breastfeeding ninth baby

Question Text: Did you ever breastfeed your ninth baby?

Universe: 8 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,590,500	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21II **Length:** 2.0 **Position:** 1971

Question Name:

Concept: Length of time breastfeeding ninth baby

Question Text: For how long did you breastfeed your ninth baby?

Universe: MBF_21I = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21J **Length:** 1.0 **Position:** 1973

Question Name:

Concept: Breastfeeding tenth baby

Question Text: Did you ever breastfeed your tenth baby?

Universe: 9 < MBF_12 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,800	33,590,500	99.6
Not stated		9	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21JJ **Length:** 2.0 **Position:** 1974

Question Name:

Concept: Length of time breastfeeding tenth baby

Question Text: For how long did you breastfeed your tenth baby?

Universe: MBF_21J = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		96	5,800	33,590,500	99.6
Not stated		99	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21K **Length:** 1.0 **Position:** 1976

Question Name:

Concept: Breastfeeding eleventh baby

Question Text: Did you ever breastfeed your eleventh baby?

Universe: 10 < MBF_12 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,800	33,590,500	99.6
Not stated		9	0	135,000	0.4
	Total		5,800	33,725,500	100.0

Variable Name: MBF_21KK **Length:** 2.0 **Position:** 1977

Question Name:

Concept: Length of time breastfeeding eleventh baby

Totals may not add up due to rounding.

Question Text: For how long did you breastfeed your eleventh baby?

Universe: MBF_21K = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21L **Length:** 1.0 **Position:** 1979

Question Name:

Concept: Breastfeeding twelfth baby

Question Text: Did you ever breastfeed your twelfth baby?

Universe: 11 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,590,500	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21LL **Length:** 2.0 **Position:** 1980

Question Name:

Concept: Length of time breastfeeding twelfth baby

Question Text: For how long did you breastfeed your twelfth baby?

Universe: MBF_21L = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21M **Length:** 1.0 **Position:** 1982

Question Name:

Concept: Breastfeeding thirteenth baby

Question Text: Did you ever breastfeed your thirteenth baby?

Universe: 12 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,590,500	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21MM **Length:** 2.0 **Position:** 1983

Question Name:

Concept: Length of time breastfeeding thirteenth baby

Question Text: For how long did you breastfeed your thirteenth baby?

Universe: MBF_21M = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21N **Length:** 1.0 **Position:** 1985

Question Name:

Concept: Breastfeeding fourteenth baby

Question Text: Did you ever breastfeed your fourteenth baby?

Universe: 13 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,590,500	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21NN **Length:** 2.0 **Position:** 1986

Question Name:

Concept: Length of time breastfeeding fourteenth baby

Question Text: For how long did you breastfeed your fourteenth baby?

Universe: MBF_21N = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21O **Length:** 1.0 **Position:** 1988

Question Name:

Concept: Breastfeeding fifteenth baby

Question Text: Did you ever breastfeed your fifteenth baby?

Universe: 14 < MBF_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,800	33,590,500	99.6
Not stated	9	0	135,000	0.4
Total		5,800	33,725,500	100.0

Variable Name: MBF_21OO **Length:** 2.0 **Position:** 1989

Question Name:

Concept: Length of time breastfeeding fifteenth baby

Question Text: For how long did you breastfeed your fifteenth baby?

Universe: MBF_21O = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,800	33,590,500	99.6
Not stated	99	0	135,000	0.4
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PRG_11 **Length:** 1.0 **Position:** 1991

Question Name: PRG_Q11

Concept: Smoked during pregnancy

Question Text: Did [you/she] smoke during [your/her] pregnancy with (respondent's name)?

Universe: DHH_AGE < 12 and PPI_03 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	208,000	0.6
No	2	1,450	3,248,500	9.6
Valid skip	6	4,250	30,256,000	89.7
Don't know	7	0	11,500	0.0
Refusal	8	0	500	0.0
Not stated	9	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PRG_12 **Length:** 2.0 **Position:** 1992

Question Name: PRG_Q12

Concept: Number of cigarettes/day

Question Text: How many cigarettes per day did you/she smoke?

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 25	100	202,500	0.6
Valid skip	96	5,700	33,505,000	99.3
Don't know	97	0	4,500	0.0
Refusal	98	0	1,000	0.0
Not stated	99	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PRG_13A **Length:** 1.0 **Position:** 1994

Question Name: PRG_Q13

Concept: Stage of pregnancy - first trimester

Totals may not add up due to rounding.

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the first three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	46,000	0.1
No	2	100	159,500	0.5
Valid skip	6	5,700	33,505,000	99.3
Don't know	7	0	1,500	0.0
Refusal	8	0	1,000	0.0
Not stated	9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PRG_13B **Length:** 1.0 **Position:** 1995

Question Name: PRG_Q13

Concept: Stage of pregnancy - second trimester

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the second three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	13,000	0.0
No	2	100	192,500	0.6
Valid skip	6	5,700	33,505,000	99.3
Don't know	7	0	1,500	0.0
Refusal	8	0	1,000	0.0
Not stated	9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PRG_13C **Length:** 1.0 **Position:** 1996

Question Name: PRG_Q13

Concept: Stage of pregnancy - third trimester

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the third three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,500	0.0
No	2	100	199,000	0.6
Valid skip	6	5,700	33,505,000	99.3
Don't know	7	0	1,500	0.0
Refusal	8	0	1,000	0.0
Not stated	9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PRG_13D **Length:** 1.0 **Position:** 1997

Question Name: PRG_Q13

Concept: Stage of pregnancy - throughout

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- Throughout

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	147,500	0.4
No	2	50	58,000	0.2
Valid skip	6	5,700	33,505,000	99.3
Don't know	7	0	1,500	0.0
Refusal	8	0	1,000	0.0
Not stated	9	0	13,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: BIR_11 **Length:** 1.0 **Position:** 1998

Question Name: BIR_Q11

Concept: Weight at birth

Question Text: How much did you weigh at birth?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Pounds and ounces	1	1,300	2,853,000	8.5
Grams	2	200	466,500	1.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	4,200	30,203,000	89.6
Don't know		7	50	203,000	0.6
	Total		5,800	33,725,500	100.0

Variable Name: BIR_12 **Length:** 2.0 **Position:** 1999

Question Name: BIR_N12

Concept: Birth weight - Pounds

Question Text: How much did you weigh at birth?

Enter pounds only.

Universe: BIR_11 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Pounds		02 - 12	1,300	2,853,000	8.5
Valid skip		96	4,400	30,669,500	90.9
Not stated		99	50	203,000	0.6
	Total		5,800	33,725,500	100.0

Variable Name: BIR_13 **Length:** 2.0 **Position:** 2001

Question Name: BIR_N13

Concept: Birth weight - Ounces

Question Text: How much did you weigh at birth?

Enter ounces only.

Universe: BIR_11 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Ounces		00 - 15	1,300	2,853,000	8.5
Valid skip		96	4,400	30,669,500	90.9
Not stated		99	50	203,000	0.6
	Total		5,800	33,725,500	100.0

Variable Name: BIR_14 **Length:** 4.0 **Position:** 2003

Question Name: BIR_N14

Concept: Birth weight - Grams

Question Text: How much did you weigh at birth?

Enter grams.

Universe: BIR_11 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grams	0301 - 7000	200	466,500	1.4
Valid skip	9996	5,500	33,056,500	98.0
Not stated	9999	50	203,000	0.6
Total		5,800	33,725,500	100.0

Variable Name: BIR_21 **Length:** 1.0 **Position:** 2007

Question Name: BIR_Q21

Concept: Born before, on or after due date

Question Text: Was you born before, after or on the due date?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Before the due date	1	700	1,419,000	4.2
After the due date	2	500	1,179,000	3.5
On the due date	3	350	887,000	2.6
Valid skip	6	4,200	30,203,000	89.6
Don’t know	7	0	37,000	0.1
Refusal	8	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: BIR_22 **Length:** 3.0 **Position:** 2008

Question Name: BIR_Q22

Concept: Days before/after due date

Question Text: How many days before/after the due date were you born?

Universe: BIR_21 = 1 or 2

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Days		000 - 084	1,200	2,567,000	7.6
Valid skip		996	4,550	31,090,000	92.2
Don't know		997	0	31,000	0.1
Not stated		999	0	37,500	0.1
	Total		5,800	33,725,500	100.0

Variable Name: BIR_23 **Length:** 1.0 **Position:** 2011

Question Name: BIR_Q23

Concept: Type of birth

Question Text: Was this a single birth, or was it twins or triplets?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Single birth		1	1,550	3,375,000	10.0
Twins		2	50	129,000	0.4
Triplets		3	0	7,500	0.0
Valid skip		6	4,200	30,203,000	89.6
Don't know		7	0	11,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: BIR_24 **Length:** 1.0 **Position:** 2012

Question Name: BIR_Q24

Concept: Respondent admitted to neonatal unit

Question Text: Was [Name of respondent] admitted to a special neonatal unit or an intensive care unit immediately following birth, before you left the hospital?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	393,500	1.2
No		2	1,400	3,113,500	9.2
Valid skip		6	4,200	30,203,000	89.6
Don't know		7	0	4,500	0.0
Not stated		9	0	11,000	0.0
	Total		5,800	33,725,500	100.0

Variable Name: BIR_25 **Length:** 3.0 **Position:** 2013

Question Name: BIR_Q25

Concept: Days care received

Question Text: For how many days, in total, was this care received?

Universe: DHH_AGE < 12 and BIR_24 = (1,7,9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	000 - 120	200	389,500	1.2
Valid skip	996	5,600	33,316,500	98.8
Don't know	997	0	4,000	0.0
Not stated	999	0	15,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: BIR_26 **Length:** 2.0 **Position:** 2016

Question Name: BIR_Q26

Concept: Age of mother

Question Text: How old [were you/was [Respondent Name]'s biological mother] when [Respondent Name] was born?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	15 - 47	1,600	3,506,000	10.4
Valid skip	96	4,200	30,203,000	89.6
Don't know	97	0	3,500	0.0
Refusal	98	0	2,000	0.0
Not stated	99	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: BRI_11 **Length:** 1.0 **Position:** 2018

Question Name: BRI_Q11

Concept: Respondent breastfed

Question Text: Did [you/[Respondent Name]'s biological mother] breastfeed [Respondent Name] as an infant, even if only for a short period of time?

Universe: DHH_AGE < 12 and PPI_03 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2).

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,400	3,206,500	9.5
No	2	150	247,500	0.7
Valid skip	6	4,250	30,256,000	89.7
Don't know	7	0	13,000	0.0
Refusal	8	0	2,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: BRI_12 **Length:** 2.0 **Position:** 2019

Question Name: BRI_Q12

Concept: Length of time breastfed

Question Text: For how long did [you/she] breastfeed?

Universe: BRI_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	50	53,500	0.2
1 to less than 3 weeks	02	50	85,500	0.3
3 to less than 5 weeks	03	50	170,500	0.5
5 to less than 9 weeks	04	50	105,000	0.3
9 to less than 12 weeks	05	50	58,000	0.2
3 to less than 7 months	06	300	577,500	1.7
7 to less than 10 months	07	150	333,000	1.0
10 to 12 months	08	250	663,000	2.0
More than 1 year	09	500	1,158,500	3.4
Valid skip	96	4,350	30,503,500	90.4
Don't know	97	0	2,000	0.0
Refusal	98	0	500	0.0
Not stated	99	0	15,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: BRI_13 **Length:** 2.0 **Position:** 2021

Question Name: BRI_Q13

Concept: Length of time fed only breast milk

Question Text: For how long was [Respondent Name] fed only breast milk?

Universe: BRI_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPI_03 = 2)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	150	281,000	0.8
1 to less than 3 weeks	02	50	140,500	0.4
3 to less than 5 weeks	03	50	144,000	0.4
5 to less than 9 weeks	04	100	161,500	0.5
9 to less than 12 weeks	05	100	177,000	0.5
3 to 6 months	06	700	1,604,000	4.8
More than 6 months	07	250	665,500	2.0
Valid skip	96	4,350	30,503,500	90.4
Don't know	97	0	33,000	0.1
Refusal	98	0	500	0.0
Not stated	99	0	15,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: BRIFEB6 **Length:** 1.0 **Position:** 2023

Question Name:

Concept: Exclusive breastfeeding for at least 3 months - (D)

Question Text:

Universe: DHH_AGE < 12

Note: This question was coded as "not stated" if a biological parent was not providing the information (PPI_03 = 2)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	950	2,269,000	6.7
No	2	600	1,151,500	3.4
Valid skip	6	4,200	30,203,000	89.6
Not stated	9	50	102,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: LMAM_01 **Length:** 1.0 **Position:** 2024

Question Name: LMAM_Q01

Concept: Job - last week had a job or business

Question Text: Many of the following questions concern your activities last week. By last week, I mean the week beginning on [date one week ago] and ending [date of yesterday].

Last week, did you work at a job or business? (regardless of the number of hours)

Universe: 14 < DHH_AGE < 76

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,200	18,137,500	53.8
No	2	1,450	10,116,500	30.0
Valid skip	6	2,150	5,461,000	16.2
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMAM_02 **Length:** 1.0 **Position:** 2025

Question Name: LMAM_Q02

Concept: Job - had a job/ business last week but was absent

Question Text: Last week, did you have a job or business from which you were absent?

Universe: LMAM_01 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,268,500	3.8
No	2	1,250	8,847,500	26.2
Valid skip	6	4,350	23,598,500	70.0
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMAM_03 **Length:** 2.0 **Position:** 2026

Question Name: LMAM_Q03

Concept: Job - main reason absent work last week

Question Text: What was the main reason you were absent from work last week?

Universe: LMAM_02 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Own illness or disability	01	50	205,500	0.6
Caring for own children	02	0	6,500	0.0
Maternity or parental leave	04	50	237,500	0.7
Other personal or family responsibilities	05	0	32,500	0.1
Vacation	06	50	471,000	1.4
Temporary layoff due to business conditions (Employees only)	08	0	6,500	0.0
Seasonal layoff (Employees only)	09	0	9,000	0.0
Casual job, no work available (Employees only)	10	0	37,500	0.1

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Work schedule (e.g., shift work) (Employees only)	11	0	55,000	0.2
Self-employed, no work available (Self-employed only)	12	0	14,500	0.0
Seasonal business (Excluding employees)	13	0	15,000	0.0
Other - Specify	14	0	177,500	0.5
Valid skip	96	5,650	32,446,000	96.2
Not stated	99	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_04 **Length:** 1.0 **Position:** 2028

Question Name: LMA2_Q04

Concept: Job - last 4 weeks tried to find work

Question Text: In the 4 weeks ending [date of yesterday], did you do anything to find work?

Universe: LMAM_02 = 2 or (LMAM_02 = 1 and LMAM_03 = 9, 10)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,327,500	3.9
No	2	1,100	7,567,000	22.4
Valid skip	6	4,500	24,820,500	73.6
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_05 **Length:** 1.0 **Position:** 2029

Question Name: LMA2_Q05

Concept: Job - last week had job with start date

Question Text: Last week, did you have a job to start at a definite date in the future?

Universe: 14 < DHH_AGE < 65 and LMA2_04 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	143,000	0.4
No	2	650	4,467,000	13.2
Valid skip	6	5,100	29,105,000	86.3
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_06 **Length:** 1.0 **Position:** 2030

Totals may not add up due to rounding.

Question Name: LMA2_Q06

Concept: Job - start date

Question Text: Will you start that job before or after [today's date plus 28 days]?

Universe: LMA2_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Before the date above	1	0	63,000	0.2
On or after the date above	2	0	80,000	0.2
Valid skip	6	5,750	33,572,000	99.5
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_07 **Length:** 1.0 **Position:** 2031

Question Name: LMA2_Q07

Concept: Job - wanted job with more or less 30 hours per week

Question Text: Did you want a job with more or less than 30 hours per week?

Universe: LMA2_04 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
30 or more hours per week	1	100	985,000	2.9
Less than 30 hours per week	2	100	342,000	1.0
Valid skip	6	5,600	32,387,500	96.0
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_08 **Length:** 1.0 **Position:** 2032

Question Name: LMA2_Q08

Concept: Job - could have worked last week if offered

Question Text: Could you have worked last week [if you had been recalled/if a suitable job had been offered]?

Universe: LMAM_03 = 8 or LMA2_04 = 1 or LMA2_06 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,075,000	3.2
No	2	50	322,000	1.0
Valid skip	6	5,600	32,318,000	95.8
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA2_09 **Length:** 2.0 **Position:** 2033

Question Name: LMA2_Q09

Concept: Job - main reason not available to work last week

Question Text: What was the main reason you were not available to work last week?

Universe: LMA2_08 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Own illness or disability	01	0	35,000	0.1
Caring for own children	02	0	55,000	0.2
Other personal or family responsibilities	04	0	46,000	0.1
Going to school	05	0	143,500	0.4
Vacation	06	0	11,500	0.0
Other - Specify	08	0	31,000	0.1
Valid skip	96	5,750	33,393,000	99.0
Not stated	99	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LMA3_10 **Length:** 1.0 **Position:** 2035

Question Name: LMA3_Q10

Concept: Job - were you employee/self-employed

Question Text: Were you an employee or self-employed?

Universe: LMAM_01=1 or LMAM_01=2 and LMAM_02=1 and LMAM_03 = (1, 2, 3, 4, 5, 6, 7, 11,12, 13, or 14)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Employee	1	1,950	15,795,000	46.8
Self-employed	2	400	3,488,000	10.3
Working in a family business without pay	3	0	70,000	0.2
Valid skip	6	3,450	14,362,000	42.6
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: LMH_016 **Length:** 5.1 **Position:** 2036

Question Name: LMH_Q16

Concept: Number of hours worked per week

Question Text: [On average, how many hours do you usually work per week?/On average, how many hours do you usually work per week?]

Universe: LMAM_01=1 or LMAM_01=2 and LMAM_02=1 and LMAM_03 = (1, 2, 3, 4, 5, 6, 7, 11,12, 13, or 14)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 128.0	2,350	19,330,000	57.3
Valid skip	999.6	3,450	14,362,000	42.6
Don't know	999.7	0	22,000	0.1
Refusal	999.8	0	1,000	0.0
Not stated	999.9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAFDWSL **Length:** 2.0 **Position:** 2041

Question Name:

Concept: Working status last week (6 groups) - (D)

Question Text:

Universe: 14 < DHH_AGE < 76

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Had a job - at work last week	01	2,200	18,137,500	53.8
Had a job - temporary / seasonal layoff	02	0	82,500	0.2
Had a job - absent for some other reason	03	150	1,186,000	3.5
No job - looked for past 4 weeks	04	200	1,324,000	3.9
No job - did not look over past 4 weeks	05	1,100	7,523,500	22.3
Valid skip	96	2,150	5,461,000	16.2
Not stated	99	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAFDWSS **Length:** 1.0 **Position:** 2043

Question Name:

Concept: Working status last week (4 groups) - (D)

Question Text:

Universe: 14 < DHH_AGE < 76

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Had a job - at work last week	1	2,200	18,137,500	53.8
Had a job - absent from work last week	2	150	1,268,500	3.8
Did not have a job last week	3	1,250	8,847,500	26.2
Valid skip	6	2,150	5,461,000	16.2
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAFCIC17 **Length:** 4.0 **Position:** 2044

Question Name:

Concept: North American Industry Classification System (NAICS) 2017

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
North American Industry Classification System (NAICS) 2017	1112 - 9130	2,350	19,330,500	57.3
Valid skip	9996	3,450	14,362,000	42.6
Not stated	9999	0	33,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: LAFCOC16 **Length:** 4.0 **Position:** 2048

Question Name:

Concept: National Occupational Classification - Statistics (NOC-S) 2016

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
National Occupational Classification (NOC) 2016	0012 - 9619	2,350	19,283,000	57.2
Valid skip	9996	3,450	14,362,000	42.6
Not stated	9999	0	81,000	0.2
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: LAFGO16A **Length:** 2.0 **Position:** 2052

Question Name:

Concept: Variant of NOC for highly aggregated data - (G)

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2016

Source:

Variable Name: LAFGO16S **Length:** 2.0 **Position:** 2054

Question Name:

Concept: Variant for analysis by NOC skill level - (G)

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2016

Source:

Variable Name: IMG_02 **Length:** 2.0 **Position:** 2056

Question Name: IMG_Q02

Concept: Province/territory of birth

Question Text: In which province or territory were you born?

Universe: IMGCCB = 11124

Note: Variable name changed from Cycle 4 (was IMM_02).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Newfoundland and Labrador	10	300	1,149,500	3.4
Prince Edward Island	11	0	58,500	0.2
Nova Scotia	12	250	823,000	2.4
New Brunswick	13	50	165,000	0.5
Quebec	24	1,000	6,529,500	19.4
Ontario	35	1,350	7,406,500	22.0
Manitoba	46	300	1,450,500	4.3
Saskatchewan	47	50	664,500	2.0
Alberta	48	500	1,888,500	5.6
British Columbia	59	500	1,986,500	5.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Northwest Territories	61	0	57,000	0.2
Nunavut	62	0	126,500	0.4
Valid skip	96	1,400	11,420,500	33.9
Total		5,800	33,725,500	100.0

Variable Name: IMG_03 **Length:** 1.0 **Position:** 2058

Question Name: IMG_Q03

Concept: Landed immigrant

Question Text: Are you now, or have you ever been a landed immigrant in Canada?

Universe: IMGCCB <> 11124

Note: Variable name changed from Cycle 4 (was IMM_03).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,250	10,229,500	30.3
No	2	150	1,189,500	3.5
Valid skip	6	4,400	22,305,500	66.1
Don't know	7	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: IMG_04 **Length:** 4.0 **Position:** 2059

Question Name: IMG_Q04

Concept: Year first became landed immigrant in Canada

Question Text: In what year did you first become a landed immigrant in Canada?

Universe: IMG_03 = 1

Note: Variable name changed from Cycle 4 (was IMM_04).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Year	1944 - 2019	1,250	9,990,000	29.6
Valid skip	9996	4,500	23,495,000	69.7
Don't know	9997	0	239,500	0.7
Not stated	9999	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: IMGDLLI **Length:** 3.0 **Position:** 2063

Question Name:

Totals may not add up due to rounding.

Concept: Length of time since became a landed immigrant - (D)

Question Text:

Universe: IMG_03 = 1

Note: See document on derived variables.
Variable name changed from Cycle 4 (was IMMDLLI).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 075	1,250	9,990,000	29.6
Valid skip	996	4,500	23,495,000	69.7
Not stated	999	0	240,500	0.7
Total		5,800	33,725,500	100.0

Variable Name: IMGDALI **Length:** 3.0 **Position:** 2066

Question Name:

Concept: Age at time of landed immigration - (D)

Question Text:

Universe: IMG_03 = 1

Note: See document on derived variables.

Variable name changed from Cycle 4 (was IMMDALI).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	000 - 075	1,250	9,984,000	29.6
Valid skip	996	4,500	23,495,000	69.7
Not stated	999	0	246,500	0.7
Total		5,800	33,725,500	100.0

Variable Name: AMB_01 **Length:** 1.0 **Position:** 2069

Question Name: AMB_Q01

Concept: Is an aboriginal person

Question Text: Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians.

Universe: IMMCCB = 11124, 11840, 11304, 21276

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,427,000	4.2
No	2	4,200	21,532,500	63.8
Valid skip	6	1,350	10,717,500	31.8
Don't know	7	0	24,000	0.1
Not stated	9	0	24,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: AMB_02A **Length:** 1.0 **Position:** 2070

Question Name: AMB_Q02

Concept: Aboriginal person - First Nations

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - First Nations (North American Indian)

Universe: AMB_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	673,500	2.0
No	2	100	748,000	2.2
Valid skip	6	5,500	32,250,500	95.6
Don't know	7	0	5,500	0.0
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: AMB_02B **Length:** 1.0 **Position:** 2071

Question Name: AMB_Q02

Concept: Aboriginal person - Métis

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - Métis

Universe: AMB_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	699,000	2.1
No	2	150	722,500	2.1
Valid skip	6	5,500	32,250,500	95.6
Don't know	7	0	5,500	0.0
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: AMB_02C **Length:** 1.0 **Position:** 2072

Question Name: AMB_Q02

Concept: Aboriginal person - Inuk (Inuit)

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - Inuk (Inuit)

Universe: AMB_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	49,500	0.1
No	2	250	1,372,000	4.1
Valid skip	6	5,500	32,250,500	95.6
Don't know	7	0	5,500	0.0
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: AMBFABT **Length:** 1.0 **Position:** 2073

Question Name:

Concept: Aboriginal origin or identity - (F)

Question Text:

Universe: IMMCCB = 11124, 11840, 11304, 21276

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Aboriginal	1	250	1,427,000	4.2
Not Aboriginal	2	4,200	21,532,500	63.8
Valid skip	6	1,350	10,717,500	31.8
Not stated	9	0	48,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: PG_01A **Length:** 1.0 **Position:** 2074

Question Name: PG_Q01

Concept: Population group - White

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - White

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,100	22,893,500	67.9
No	2	1,450	9,400,500	27.9
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01B **Length:** 1.0 **Position:** 2075

Question Name: PG_Q01

Concept: Population group - South Asian

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - South Asian (e.g., East Indian, Pakistani, Sri Lankan)

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,491,500	4.4
No	2	5,250	30,802,500	91.3
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01C **Length:** 1.0 **Position:** 2076

Question Name: PG_Q01

Concept: Population group - Chinese

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - Chinese

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,232,500	6.6
No	2	5,150	30,061,500	89.1
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PG_01D **Length:** 1.0 **Position:** 2077

Question Name: PG_Q01

Concept: Population group - Black

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - Black

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,048,500	3.1
No	2	5,300	31,245,000	92.6
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01E **Length:** 1.0 **Position:** 2078

Question Name:

Concept: Population group - Filipino

Question Text: You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Filipino

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,319,000	3.9
No	2	5,350	30,975,000	91.8
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01F **Length:** 1.0 **Position:** 2079

Question Name:

Concept: Population group - Latin American

Question Text: You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Latin American

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,030,500	3.1
No	2	5,400	31,263,500	92.7
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01G **Length:** 1.0 **Position:** 2080

Question Name:

Concept: Population group - Arab

Question Text: You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Arab

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	790,000	2.3
No	2	5,400	31,504,000	93.4
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01H **Length:** 1.0 **Position:** 2081

Question Name:

Concept: Population group - Southeast Asian

Question Text: You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	454,500	1.3
No	2	5,450	31,839,500	94.4
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: PG_01I **Length:** 1.0 **Position:** 2082

Question Name:

Concept: Population group - West Asian

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - West Asian (e.g., Iranian, Afghan)

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,030,000	3.1
No	2	5,400	31,264,000	92.7
Refusal	8	0	5,000	0.0
Not stated	9	250	1,427,000	4.2
Total		5,800	33,725,500	100.0

Variable Name: PG_01J **Length:** 1.0 **Position:** 2083

Question Name:

Concept: Population group - Korean

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Korean

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	400,000	1.2
No	2	5,500	31,894,000	94.6
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01K **Length:** 1.0 **Position:** 2084

Question Name:

Concept: Population group - Japanese

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Japanese

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	374,500	1.1
No	2	5,450	31,919,500	94.6
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PG_01L **Length:** 1.0 **Position:** 2085

Question Name:

Concept: Population group - Other

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Other

Universe: AMB_01 > 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	841,000	2.5
No	2	5,400	31,453,000	93.3
Valid skip	6	250	1,427,000	4.2
Refusal	8	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: PGDCGT **Length:** 2.0 **Position:** 2086

Question Name:

Concept: Cultural or racial group - (D)

Question Text:

Universe: AMB_01 > 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
White	01	3,850	21,687,500	64.3
Black	02	150	760,500	2.3
Korean	03	50	333,500	1.0
Filipino	04	150	1,047,000	3.1
Japanese	05	50	315,000	0.9
Chinese	06	300	1,991,500	5.9
South Asian	07	250	1,406,500	4.2
Southeast Asian	08	50	390,000	1.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Arab	09	100	646,500	1.9
West Asian	10	100	976,000	2.9
Latin America	11	100	813,000	2.4
Other racial or cultural origin	12	100	456,500	1.4
Multiple racial or cultural origins	13	300	1,471,000	4.4
Valid skip	96	250	1,427,000	4.2
Not stated	99	0	5,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: IMGCCB **Length:** 5.0 **Position:** 2088

Question Name:

Concept: Country of birth - (C)

Question Text:

Universe: All respondents

Note: Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographieeng.htm

Variable name changed from Cycle 4 (was IMMCCB).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Country of birth	11124 - 51882	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: IMGGCB **Length:** 2.0 **Position:** 2093

Question Name:

Concept: Country of birth - (G)

Question Text:

Universe: All respondents

Note: Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographieeng.htm

Variable name changed from Cycle 4 (was IMMGCB).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Canada	01	4,400	22,305,500	66.1
Other North America	02	50	690,000	2.0
South, Central America and Caribbean	03	150	874,000	2.6
Europe	04	300	2,753,000	8.2
Africa	05	150	730,500	2.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Asia	06	750	6,269,000	18.6
Oceania	07	0	104,000	0.3
Total		5,800	33,725,500	100.0

Variable Name: LAE_01 **Length:** 1.0 **Position:** 2095

Question Name: LAE_Q01

Concept: Language - knowledge of official languages

Question Text: Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... ?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	1	3,900	22,852,000	67.8
French only	2	600	3,567,500	10.6
Both English and French	3	1,250	6,884,500	20.4
Neither English nor French	4	50	421,500	1.2
Total		5,800	33,725,500	100.0

Variable Name: LAEC02A **Length:** 8.0 **Position:** 2096

Question Name:

Concept: Language - knowledge of non-offical language - 1st

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	22010103 - 22240000	1,650	11,747,500	34.8
No other languages	90000000	4,150	21,960,000	65.1
Don't know	99999997	0	18,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: LAEC02B **Length:** 8.0 **Position:** 2104

Question Name:

Totals may not add up due to rounding.

Concept: Language - knowledge of non-offical language - 2nd

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: LAEC02A <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	22020100 - 22240000	300	2,843,000	8.4
No other languages	90000000	1,350	8,898,500	26.4
Valid skip	99999996	4,150	21,960,000	65.1
Don’t know	99999997	0	24,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: LAEC02C **Length:** 8.0 **Position:** 2112

Question Name:

Concept: Language - knowledge of non-offical language - 3rd

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: LAEC02B < 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	22020100 - 22240000	50	413,500	1.2
No other languages	90000000	250	2,429,500	7.2
Valid skip	99999996	5,500	30,858,500	91.5
Don’t know	99999997	0	24,500	0.1
Total		5,800	33,725,500	100.0

Variable Name: LAEC03A **Length:** 8.0 **Position:** 2120

Question Name:

Concept: Language - home language spoken most often - 1st

Question Text: What language do you speak most often at home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	5,800	33,724,500	100.0
Don't know	99999997	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAEC03B **Length:** 8.0 **Position:** 2128

Question Name:

Concept: Language - home language spoken most often - 2nd

Question Text: What language do you speak most often at home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	700	3,867,500	11.5
No other languages	90000000	5,100	29,855,000	88.5
Don't know	99999997	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAEC03C **Length:** 8.0 **Position:** 2136

Question Name:

Concept: Language - home language spoken most often - 3rd

Question Text: What language do you speak most often at home?

Universe: LAEC03B <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	50	406,000	1.2
No other languages	90000000	650	3,462,000	10.3
Valid skip	99999996	5,100	29,855,000	88.5
Don't know	99999997	0	3,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAEC06A **Length:** 8.0 **Position:** 2144

Question Name:

Totals may not add up due to rounding.

Concept: Language - mother tongue - 1st

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	5,800	33,655,500	99.8
Don't know	99999997	0	70,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: LAEC06B **Length:** 8.0 **Position:** 2152

Question Name:

Concept: Language - mother tongue - 2nd

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	650	3,668,000	10.9
No other languages	90000000	5,150	29,987,500	88.9
Don't know	99999997	0	70,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: LAEC06C **Length:** 8.0 **Position:** 2160

Question Name:

Concept: Language - mother tongue - 3rd

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: LAEC06B <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22220000	100	518,500	1.5
No other languages	90000000	550	3,147,000	9.3
Valid skip	99999996	5,150	29,987,500	88.9
Don't know	99999997	0	73,000	0.2
Total		5,800	33,725,500	100.0

Variable Name: LAEDCON **Length:** 2.0 **Position:** 2168

Question Name:

Concept: Languages - can converse - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	2,700	14,335,000	42.5
French only	02	550	3,303,500	9.8
English and French only	03	850	4,338,500	12.9
English and French and other	04	400	2,546,000	7.5
English and other (not French)	05	1,150	8,517,000	25.3
French and other (not English)	06	50	264,000	0.8
Neither English nor French (other)	07	50	420,000	1.2
No languages	08	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: LAEDFL1 **Length:** 2.0 **Position:** 2170

Question Name:

Concept: First language learned and still understood - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	3,200	16,191,500	48.0
French only	02	950	5,767,500	17.1
English and French only	03	150	748,000	2.2
English and French and other	04	50	242,000	0.7
English and other (not French)	05	350	2,037,500	6.0
French and other (not English)	06	50	246,000	0.7
Neither English nor French (other)	07	1,100	8,422,500	25.0
Not stated	99	0	70,500	0.2
Total		5,800	33,725,500	100.0

Variable Name: LAEDSPH **Length:** 2.0 **Position:** 2172

Question Name:

Totals may not add up due to rounding.

Concept: Language(s) spoken most often at home - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	3,550	18,959,500	56.2
French only	02	900	5,609,000	16.6
English and French only	03	150	548,500	1.6
English and French and other	04	50	208,500	0.6
English and other (not French)	05	450	2,907,500	8.6
French and other (not English)	06	50	161,500	0.5
Neither English nor French (other)	07	650	5,330,500	15.8
Not stated	99	0	1,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: ESC1_01 **Length:** 1.0 **Position:** 2174

Question Name: ESC1_Q01

Concept: Currently attending school, college, CEGEP or university

Question Text: Are you currently attending school, college, CEGEP or university?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,150	5,688,000	16.9
No	2	3,050	24,515,500	72.7
Valid skip	6	1,600	3,522,500	10.4
Total		5,800	33,725,500	100.0

Variable Name: EDM_01A **Length:** 1.0 **Position:** 2175

Question Name: EDM_Q01

Concept: Attending educational institutiuon - elementary/jr. h.s./high school

Question Text: What type of educational institution [are you attending/did you attend]? - Elementary, junior high school or high school

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	800	2,418,500	7.2
No	2	350	3,261,000	9.7
Valid skip	6	4,650	28,038,000	83.1
Don't know	7	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: EDM_01B **Length:** 1.0 **Position:** 2176

Question Name: EDM_Q01

Concept: Attending educational institution - trade school/college/CEGEP

Question Text: What type of educational institution [are you attending/did you attend]? - Trade school, college, CEGEP or other non-university institution

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,074,000	3.2
No	2	1,000	4,605,500	13.7
Valid skip	6	4,650	28,038,000	83.1
Don't know	7	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: EDM_01C **Length:** 1.0 **Position:** 2177

Question Name: EDM_Q01

Concept: Attending educational institution - university

Question Text: What type of educational institution [are you attending/did you attend]? - University

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	2,197,500	6.5
No	2	950	3,482,000	10.3
Valid skip	6	4,650	28,038,000	83.1
Don't know	7	0	8,500	0.0
Total		5,800	33,725,500	100.0

Variable Name: EDM_02 **Length:** 1.0 **Position:** 2178

Totals may not add up due to rounding.

Question Name: EDM_Q02

Concept: Enrolled as full/part time student

Question Text: [Are you enrolled/Were you enrolled] as... ?

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A full-time student	1	1,000	4,853,000	14.4
A part-time student	2	100	827,000	2.5
Both full-time and part-time student	3	0	8,000	0.0
Valid skip	6	4,650	28,038,000	83.1
Total		5,800	33,725,500	100.0

Variable Name: TPI_01 **Length:** 8.0 **Position:** 2179

Question Name: TPI_Q01

Concept: Total personal income - amount

Question Text: Now a question about your total personal income.

What is your best estimate of your total personal income, before taxes and deductions, from all sources during the year ending December 31, ˆDV_PASTYEAR?

Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, spousal support (alimony) and rental income.

Universe: DHH_AGE > 14

Note: New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Total personal income	00000000 - 07796000	3,450	26,278,000	77.9
Valid skip	99999996	2,050	4,664,500	13.8
Don’t know	99999997	200	1,544,500	4.6
Refusal	99999998	100	1,227,500	3.6
Not stated	99999999	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TPI_02 **Length:** 1.0 **Position:** 2187

Question Name: TPI_Q02

Concept: Total personal income - ranges - income lost to $30,000

Question Text: Can you estimate in which of the following groups your personal income falls?

Was your total personal income during the year ending December 31, ˆDV_PASTYEAR...
?

Universe: TPI_01 = DK, RF

Note: New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than $30,000, including income loss	1	100	869,500	2.6
$30,000 and more	2	150	1,398,500	4.1
Valid skip	6	5,450	30,942,500	91.7
Don't know	7	0	314,500	0.9
Refusal	8	50	190,000	0.6
Not stated	9	0	11,000	0.0
Total		5,800	33,725,500	100.0

Variable Name: TPI_03 **Length:** 2.0 **Position:** 2188

Question Name: TPI_Q03

Concept: Total personal income - ranges - less than $5,000 to $30, 000

Question Text: Please stop me when I have read the category which applies to you.

Was it... ?

Universe: TPI_02 = 1

Note: New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than $5,000	01	0	157,500	0.5
$5,000 to less than $10,000	02	0	106,500	0.3
$10,000 to less than $15,000	03	0	210,500	0.6
$15,000 to less than $20,000	04	0	132,500	0.4
$20,000 to less than $25,000	05	0	60,000	0.2
$25,000 to less than $30,000	06	0	95,000	0.3
Valid skip	96	5,600	32,341,000	95.9
Don't know	97	0	101,000	0.3
Refusal	98	0	7,000	0.0
Not stated	99	50	515,500	1.5
Total		5,800	33,725,500	100.0

Variable Name: TPI_04 **Length:** 2.0 **Position:** 2190

Question Name: TPI_Q04

Concept: Total personal income - ranges - $30,000 and over

Question Text: Please stop me when I have read the category which applies to you.

Was it... ?

Totals may not add up due to rounding.

Universe: TPI_02 = 2

Note: New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
$30,000 to less than $40,000	01	0	172,000	0.5
$40,000 to less than $50,000	02	0	140,000	0.4
$50,000 to less than $60,000	03	0	106,500	0.3
$60,000 to less than $70,000	04	0	42,500	0.1
$70,000 to less than $80,000	05	0	209,500	0.6
$80,000 to less than $90,000	06	0	53,000	0.2
$90,000 to less than $100,000	07	0	55,500	0.2
$100,000 and over	08	50	336,000	1.0
Valid skip	96	5,600	31,704,500	94.0
Don't know	97	0	114,500	0.3
Refusal	98	0	168,000	0.5
Not stated	99	50	623,000	1.8
Total		5,800	33,725,500	100.0

Variable Name: TPID14 **Length:** 2.0 **Position:** 2192

Question Name:

Concept: Total personal income - groups - (G)

Question Text:

Universe: DHH_AGE > 14

Note: See document on derived variables.

New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than $5,000	01	550	3,325,500	9.9
$5,000 to less than $10,000	02	150	1,206,000	3.6
$10,000 to less than $15,000	03	200	1,959,500	5.8
$15,000 to less than $20,000	04	200	1,475,000	4.4
$20,000 to less than $30,000	05	200	1,939,000	5.7
$30,000 to less than $40,000	06	150	1,063,000	3.2
$40,000 to less than $50,000	07	300	2,705,500	8.0
$50,000 to less than $60,000	08	300	2,100,000	6.2
$60,000 to less than $70,000	09	300	2,717,000	8.1
$70,000 to less than $80,000	10	250	1,725,500	5.1
$80,000 to less than $90,000	11	200	1,541,500	4.6
$90,000 to less than $100,000	12	200	1,317,000	3.9
$100,000 to less than $150,000	13	100	881,500	2.6
More than $150,000	14	500	4,199,000	12.5
Valid skip	96	2,050	4,664,500	13.8
Not stated	99	100	905,500	2.7
Total		5,800	33,725,500	100.0

Variable Name: THI_01 **Length:** 8.0 **Position:** 2194

Question Name: THI_Q01

Concept: Total household income - amount

Question Text: Now a question about your total household income.

What is your best estimate of your total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ˆDV_PASTYEAR?

Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, spousal support (alimony) and rental income.

Universe: All respondents

Note: In households with two selected respondents this question was asked to one household member and the information was applied to both respondents. Total household income (THI_01) was imputed in all cases where it was not reported during the interview. The flag THIFIMP4 indicates
whether the value in THI_01 was imputed, and if so, on what information the imputation was based.

New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Total household income	00000000 - 02000000	5,800	33,725,500	100.0
Total		5,800	33,725,500	100.0

Variable Name: THIFIMP4 **Length:** 1.0 **Position:** 2202

Question Name:

Concept: Total household income imputation flag - (F)

Question Text:

Universe: All respondents

Note: This flag indicates whether the value in THI_01 was imputed, and if so, whether the imputation was based on a complete household income range, without a household income range or a partial
household income range.

New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No imputation	1	4,850	27,721,500	82.2
Imputed based on complete range	2	550	3,355,000	9.9
Imputed without range	3	200	1,346,500	4.0
Imputed based on partial range	4	200	1,302,500	3.9
Total		5,800	33,725,500	100.0

Totals may not add up due to rounding.

Variable Name: THID14 **Length:** 2.0 **Position:** 2203

Question Name:

Concept: Total household income - groups - (G)

Question Text:

Universe: All respondents

Note: See document on derived variables.

New in cycle 6.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than $5,000	01	50	404,000	1.2
$5,000 to less than $10,000	02	50	224,500	0.7
$10,000 to less than $15,000	03	100	810,000	2.4
$15,000 to less than $20,000	04	100	527,000	1.6
$20,000 to less than $30,000	05	350	2,338,000	6.9
$30,000 to less than $40,000	06	350	2,479,500	7.4
$40,000 to less than $50,000	07	350	2,215,000	6.6
$50,000 to less than $60,000	08	350	2,020,500	6.0
$60,000 to less than $70,000	09	350	1,809,500	5.4
$70,000 to less than $80,000	10	400	2,410,000	7.1
$80,000 to less than $90,000	11	400	2,459,500	7.3
$90,000 to less than $100,000	12	250	1,151,500	3.4
$100,000 to less than $150,000	13	1,250	6,929,000	20.5
More than $150,000	14	1,500	7,947,500	23.6
Total		5,800	33,725,500	100.0

Variable Name: WGT_FULL **Length:** 15.8 **Position:** 2205

Question Name:

Concept: Full sample weight

Question Text:

Universe: All respondents

Note:

Source:

Topical Index

Variable	Description	Page
ADM: Administration Information		
C2_DAY	Day of household interview	25
C2_MTH	Month of household interview	26
C2_YEAR	Year of household interview	26
CLINICID	Clinic identifier of selected respondent	25
SITE	Collection site	25
WGT_FULL	Full sample weight	542
ALC: Alcohol Use		
ALCDDLY	Average daily alcohol consumption - (D)	479
ALCDTYP	Type of drinker - (D)	479
ALCDWKY	Weekly consumption - (D)	480
ALC_11	Drank alcohol - past 12 months	473
ALC_12	Frequency of drinking alcohol	473
ALC_13A	Frequency of having [5/4] or more drinks	474
ALC_14	Drank alcohol - past week	474
ALC_15A	Number of drinks - Sunday	475
ALC_15B	Number of drinks - Monday	475
ALC_15C	Number of drinks - Tuesday	476
ALC_15D	Number of drinks - Wednesday	476
ALC_15E	Number of drinks - Thursday	476
ALC_15F	Number of drinks - Friday	477
ALC_15G	Number of drinks - Saturday	477
ALC_16	Usual consumption of alcohol	477
ALC_17	Ever had a drink	478
ALC_18	Regularly drank more than 12 drinks a week	478
ALC_19	Age - started drinking alcoholic beverages	479
AMB: Aboriginal Minimum		
AMBFABT	Aboriginal origin or identity - (F)	524
AMB_01	Is an aboriginal person	522
AMB_02A	Aboriginal person - First Nations	523
AMB_02B	Aboriginal person - Métis	523
AMB_02C	Aboriginal person - Inuk (Inuit)	524
BCL: Birth Control		
BCL_005	Ever used birth control pills	490
BCL_010	Number of years used birth control pills	491
BCL_015	Ever had a progesterone birth control injection	491
BCL_020	Number of years used progesterone injections	491
BIR: Birth Information		
BIR_11	Weight at birth	507
BIR_12	Birth weight - Pounds	508
BIR_13	Birth weight - Ounces	508
BIR_14	Birth weight - Grams	508
BIR_21	Born before, on or after due date	509
BIR_22	Days before/after due date	509
BIR_23	Type of birth	510
BIR_24	Respondent admitted to neonatal unit	510
BIR_25	Days care received	510
BIR_26	Age of mother	511

BRI: Breastfeeding Information

BRIFEB6 Exclusive breastfeeding for at least 3 months - (D) 513
BRI_11 Respondent breastfed 511
BRI_12 Length of time breastfed 512
BRI_13 Length of time fed only breast milk 512

CCC: Chronic Conditions

CCC_101 Other long term physical or mental health condition 85
CCC_11 Has asthma 62
CCC_12 Asthma - age first diagnosed 63
CCC_13 Asthma - had symptoms or attacks 63
CCC_14 Has chronic bronchitis, emphysema or COPD 63
CCC_15 Chronic bronchitis, emphysema or COPD - age first diagnosed 64
CCC_21 Has fibromyalgia 64
CCC_22 Has arthritis 64
CCC_24 Has back problems excluding fibromyalgia and arthritis 65
CCC_25 Has osteoporosis 65
CCC_31 Has high blood pressure 66
CCC_32 Medication for high blood pressure - past month 66
CCC_33 Ever had blood cholesterol measured 66
CCC_34 Ever told blood cholesterol high 67
CCC_35 Has celiac disease 67
CCC_36 Has inflammatory bowel disease 68
CCC_51 Has diabetes 68
CCC_53 Diabetes - age first diagnosed 68
CCC_54 Diabetes - pregnant first diagnosed 69
CCC_55 Diabetes - other than pregnancy 69
CCC_56A Diabetes - insulin dependant (Type 1) 70
CCC_56B Diabetes - non-insulin dependant (Type 2) 70
CCC_57 Time after diabetes diagnosis to take insulin 71
CCC_58 Currently take insulin 71
CCC_59 Take pills to control blood sugar 71
CCC_61 Has heart disease 72
CCC_62 Heart disease - age first diagnosed 72
CCC_63 Ever had a heart attack 72
CCC_71 Has cancer 73
CCC_72 Ever had cancer 73
CCC_73 Cancer - age first diagnosed 74
CCC_74A Type of cancer - breast 74
CCC_74B Type of cancer - colorectal 74
CCC_74C Type of cancer - skin (melanoma) 75
CCC_74D Type of cancer - skin (non-melanoma) 75
CCC_74E Type of cancer - ovarian 76
CCC_74F Type of cancer - cervical 76
CCC_74G Type of cancer - uterine 76
CCC_74H Type of cancer - other 77
CCC_75A Type of cancer - prostate 77
CCC_75B Type of cancer - colorectal 78
CCC_75C Type of cancer - skin (melanoma) 78
CCC_75D Type of cancer - skin (non-melanoma) 79
CCC_75E Type of cancer - other 79
CCC_81 Suffers from the effects of a stroke 79
CCC_82 Has a thyroid condition 80
CCC_83 Has a mood disorder 80
CCC_92 Has kidney dysfunction or disease 80
CCC_93 Has liver disease or gallbladder problems 81
CCC_94A Liver disease or gallbladder problem - Hepatitis A 81
CCC_94B Liver disease or gallbladder problem - Hepatitis B 82
CCC_94C Liver disease or gallbladder problem - Hepatitis C 82
CCC_94D Liver disease or gallbladder problem - Jaundice 82
CCC_94E Liver disease or gallbladder problem - Cirrhosis 83

CCC_94F Liver disease or gallbladder problem - Gallstones 83
CCC_94G Liver disease or gallbladder problem - Other 83
CCC_95 Has hepatitis 84
CCC_96A Type of hepatitis - A 84
CCC_96B Type of hepatitis - B 85
CCC_96C Type of hepatitis - C 85

CPA: Physical Activity of Children

CPADSACX Total number of hours per day spent in sedentary activities 422
CPADTOTX Total number of hours per week participated in physical activities 422
CPA_005 Number of days physically active - past 7 days 419
CPA_010 Number of days physically active - usual week 419
CPA_015 Hours/week - physical activity - free time at school 420
CPA_020 Hours/week - physical activity - class time at school 420
CPA_025 Hours/week - physical activity - lessons or sports 421
CPA_030 Hours/week - physical activity - unorganized activities 421
CPA_035 Hours/day - screen time 422

DFC: Dietary Fat Consumption

DFCD11Y Eats regular-fat salad dressing/mayo - times per year - (D) 337
DFCD12Y Eats regular-fat chips - times/year - (D) 338
DFCD13Y Eats margarine - times per year - (D) 339
DFCD14Y Eats omega-3 enriched margarine - times per year - (D) 340
DFC_11 Eats regular-fat salad dressing/mayo - number of times 336
DFC_11N Eats regular-fat salad dressing/mayo - reporting period 336
DFC_12 Eats regular-fat chips - number of times 337
DFC_12N Eats regular-fat chips - reporting period 337
DFC_13 Eats margarine - number of times 338
DFC_13N Eats margarine - reporting period 338
DFC_14 Eats omega-3 enriched margarine - number of times 339
DFC_14N Eats omega-3 enriched margarine - reporting period 340

DHH: Demographic and household variables

DHHD611 Number of persons 6 to 11 years old in household - (D) 36
DHHDDWE Type of dwelling - (D) 39
DHHDECF Economic family status (household type) - (D) 38
DHHDHSZ Household size - (D) 37
DHHDL12 Number of persons in household less than 12 years old - (D) 36
DHHDLE5 Number of persons in household less than 6 years old - (D) 36
DHHDLVG Living arrangement of selected respondent - (D) 38
DHHDOKD Number of persons 16 or 17 years old in household - (D) 37
DHHDYKD Number of persons 15 years old or less in household - (D) 37
DHH_AGE Age at household interview 29
DHH_DOB Day of birth 28
DHH_MOB Month of birth 29
DHH_PRN Province of residence of respondent 28
DHH_YOB Year of birth 29

DMB: Dwelling Minimum

DHH_OWN Dweling - own or rent 34
DHH_REP Dwelling - in need of any repairs 34

DWE2: Number of Bedrooms v.2

DHH_BED Number of bedrooms in dwelling 35

EDC: Educational Diploma/Certificate

EDC_01 Highest grade of elementary school completed 30

EDC_02 Graduated from high school (secondary school) 31
EDC_03 Received any other education 31
EDC_04 Highest degree, certificate or diploma obtained 31

EDM: Education Minimum Block with Concept

EDM_01A Attending educational institutiuon - elementary/jr. h.s./high school 536
EDM_01B Attending educational institution - trade school/college/CEGEP 537
EDM_01C Attending educational institution - university 537
EDM_02 Enrolled as full/part time student 537

EDU: Education

EDUDH04 Highest level of education - household, 4 levels - (D) 33
EDUDH10 Highest level of education - household, 10 levels - (D) 33
EDUDR04 Highest level of education - respondent, 4 levels - (D) 32
EDUDR10 Highest level of education - respondent, 10 levels - (D) 32

ELC: Electronic Cigarette

ELC_005 Tried an electronic cigarette 461
ELC_010 Use an electronic cigarette - past month 462
ELC_015 Nicotine in the last e-cigarette 462

ESC1: Education - School Attendance v.1

ESC1_01 Currently attending school, college, CEGEP or university 536

ETS: Exposure to Second-Hand Smoke

ETS_01 Allowed smoking inside this home 463
ETS_02 Smoking restricted inside this home 463
ETS_03A Smoking restriction - allow in certain rooms only 464
ETS_03B Smoking restriction - in presence of young children 464
ETS_03C Smoking restriction - allow if windows are open/ventilation 465
ETS_03D Smoking restriction - other restriction 465
ETS_04 How often someone smokes inside the home 465
ETS_05 Number of people who smoke inside home every day 466
ETS_06A Product smoked inside home - cigarettes 466
ETS_06B Product smoked inside home - cigarillos or little cigars 467
ETS_06C Product smoked inside home - all other types of cigars 467
ETS_06D Product smoked inside home - pipes 468
ETS_07 Number of cigars/cigarettes smoked inside home 468
ETS_08 Total period time/typical day smoking pipe 469
ETS_09 Often exposed to second-hand smoke inside home - past month 469
ETS_14 Exposed to second-hand smoke - private vehicle 470
ETS_16 Exposed to second-hand smoke - place of work 470
ETS_20 Exposed to second-hand smoke - inside someone else's home 470
ETS_21 Exposed to second-hand smoke - indoors, in public places 471
ETS_22 Exposed to second-hand smoke - outdoors, in public places 471
ETS_23 Exposed to second-hand smoke - anywhere else 472
ETS_24 Often exposed to second-hand smoke excluding own home - past month 472

ETV: Exposure to Second-Hand Vapor

ETV_005 Exposed to second-hand vapour inside home 473

FRH: Fracture History

FRH_05 Fallen (last 12 months) 104
FRH_10 Fallen - Number of times 104
FRH_15A Cause of fall - Sports 105
FRH_15B Cause of fall - Running or roughhousing 105

FRH_15C Cause of fall - Being hit or pushed 105
FRH_15D Cause of fall - A vehicle, a car or bicycle 106
FRH_15G Cause of fall - None of the above 106
FRH_20 Cause of fall - Other 107
FRH_25 Cause of slip 107
FRH_30 Ever broken or fractured a bone 108
FRH_35 Number of times broken or fractured a bone 108
FRH_40A First break/fracture - age 108
FRH_40AA First break/fracture - head 109
FRH_40AB First break/fracture - spine 109
FRH_40AC First break/fracture - ribs/sternum 110
FRH_40AD First break/fracture - shoulder/upper arm/collarbone 110
FRH_40AE First break/fracture - elbow 110
FRH_40AF First break/fracture - forearm/wrist 111
FRH_40AG First break/fracture - hand 111
FRH_40AH First break/fracture - fingers 112
FRH_40AI First break/fracture - hip 112
FRH_40AJ First break/fracture - pelvis 112
FRH_40AK First break/fracture - upper leg 113
FRH_40AL First break/fracture - knee 113
FRH_40AM First break/fracture - lower leg 114
FRH_40AN First break/fracture - ankle 114
FRH_40AO First break/fracture - foot 114
FRH_40AP First break/fracture - toe(s) 115
FRH_40AQ First break/fracture - other specify 115
FRH_40B Second break/fracture - age 117
FRH_40BA Second break/fracture - head 118
FRH_40BB Second break/fracture - spine 118
FRH_40BC Second break/fracture - ribs/sternum 118
FRH_40BD Second break/fracture - shoulder/upper arm/collarbone 119
FRH_40BE Second break/fracture - elbow 119
FRH_40BF Second break/fracture - forearm/wrist 119
FRH_40BG Second break/fracture - hand 120
FRH_40BH Second break/fracture - fingers 120
FRH_40BI Second break/fracture - hip 121
FRH_40BJ Second break/fracture - pelvis 121
FRH_40BK Second break/fracture - upper leg 121
FRH_40BL Second break/fracture - knee 122
FRH_40BM Second break/fracture - lower leg 122
FRH_40BN Second break/fracture - ankle 123
FRH_40BO Second break/fracture - foot 123
FRH_40BP Second break/fracture - toe(s) 123
FRH_40BQ Second break/fracture - other specify 124
FRH_40C Third break/fracture - age 126
FRH_40CA Third break/fracture - head 126
FRH_40CB Third break/fracture - spine 127
FRH_40CC Third break/fracture - ribs/sternum 127
FRH_40CD Third break/fracture - shoulder/upper arm/collarbone 127
FRH_40CE Third break/fracture - elbow 128
FRH_40CF Third break/fracture - forearm/wrist 128
FRH_40CG Third break/fracture - hand 129
FRH_40CH Third break/fracture - fingers 129
FRH_40CI Third break/fracture - hip 129
FRH_40CJ Third break/fracture - pelvis 130
FRH_40CK Third break/fracture - upper leg 130
FRH_40CL Third break/fracture - knee 131
FRH_40CM Third break/fracture - lower leg 131
FRH_40CN Third break/fracture - ankle 131
FRH_40CO Third break/fracture - foot 132
FRH_40CP Third break/fracture - toe(s) 132
FRH_40CQ Third break/fracture - other specify 133
FRH_40D Fourth break/fracture - age 135
FRH_40DA Fourth break/fracture - head 135

FRH_40DB Fourth break/fracture - spine 135
FRH_40DC Fourth break/fracture - ribs/sternum 136
FRH_40DD Fourth break/fracture - shoulder/upper arm/collarbone 136
FRH_40DE Fourth break/fracture - elbow 137
FRH_40DF Fourth break/fracture - forearm/wrist 137
FRH_40DG Fourth break/fracture - hand 138
FRH_40DH Fourth break/fracture - fingers 138
FRH_40DI Fourth break/fracture - hip 138
FRH_40DJ Fourth break/fracture - pelvis 139
FRH_40DK Fourth break/fracture - upper leg 139
FRH_40DL Fourth break/fracture - knee 139
FRH_40DM Fourth break/fracture - lower leg 140
FRH_40DN Fourth break/fracture - ankle 140
FRH_40DO Fourth break/fracture - foot 141
FRH_40DP Fourth break/fracture - toe(s) 141
FRH_40DQ Fourth break/fracture - other specify 141
FRH_40E Fifth break/fracture - age 143
FRH_40EA Fifth break/fracture - head 144
FRH_40EB Fifth break/fracture - spine 144
FRH_40EC Fifth break/fracture - ribs/sternum 144
FRH_40ED Fifth break/fracture - shoulder/upper arm/collarbone 145
FRH_40EE Fifth break/fracture - elbow 145
FRH_40EF Fifth break/fracture - forearm/wrist 146
FRH_40EG Fifth break/fracture - hand 146
FRH_40EH Fifth break/fracture - fingers 146
FRH_40EI Fifth break/fracture - hip 147
FRH_40EJ Fifth break/fracture - pelvis 147
FRH_40EK Fifth break/fracture - upper leg 148
FRH_40EL Fifth break/fracture - knee 148
FRH_40EM Fifth break/fracture - lower leg 148
FRH_40EN Fifth break/fracture - ankle 149
FRH_40EO Fifth break/fracture - foot 149
FRH_40EP Fifth break/fracture - toe(s) 150
FRH_40EQ Fifth break/fracture - other specify 150
FRH_40F Sixth break/fracture - age 152
FRH_40FA Sixth break/fracture - head 152
FRH_40FB Sixth break/fracture - spine 153
FRH_40FC Sixth break/fracture - ribs/sternum 153
FRH_40FD Sixth break/ fracture - shoulder/upper arm/collarbone 154
FRH_40FE Sixth break/fracture - elbow 154
FRH_40FF Sixth break/fracture - forearm/wrist 154
FRH_40FG Sixth break/fracture - hand 155
FRH_40FH Sixth break/fracture - fingers 155
FRH_40FI Sixth break/fracture - hip 156
FRH_40FJ Sixth break/fracture - pelvis 156
FRH_40FK Sixth break/fracture - upper leg 156
FRH_40FL Sixth break/fracture - knee 157
FRH_40FM Sixth break/fracture - lower leg 157
FRH_40FN Sixth break/fracture - ankle 157
FRH_40FO Sixth break/fracture - foot 158
FRH_40FP Sixth break/fracture - toe(s) 158
FRH_40FQ Sixth break/fracture - other specify 159
FRH_40G Seventh break/fracture - age 160
FRH_40GA Seventh break/fracture - head 161
FRH_40GB Seventh break/fracture - spine 161
FRH_40GC Seventh break/fracture - ribs/sternum 162
FRH_40GD Seventh break/fracture - shoulder/upper arm/collarbone 162
FRH_40GE Seventh break/fracture - elbow 162
FRH_40GF Seventh break/fracture - forearm/wrist 163
FRH_40GG Seventh break/fracture - hand 163
FRH_40GH Seventh break/fracture - fingers 164
FRH_40GI Seventh break/fracture - hip 164
FRH_40GJ Seventh break/fracture - pelvis 164

FRH_40GK Seventh break/fracture - upper leg 165
FRH_40GL Seventh break/fracture - knee 165
FRH_40GM Seventh break/fracture - lower leg 166
FRH_40GN Seventh break/fracture - ankle 166
FRH_40GO Seventh break/fracture - foot 166
FRH_40GP Seventh break/fracture - toe(s) 167
FRH_40GQ Seventh break/fracture - other specify 167
FRH_40H Eighth break/fracture - age 169
FRH_40HA Eighth break/fracture - head 169
FRH_40HB Eighth break/fracture - spine 170
FRH_40HC Eighth break/fracture - ribs/sternum 170
FRH_40HD Eighth break/fracture - shoulder/upper arm/collarbone 171
FRH_40HE Eighth break/fracture - elbow 171
FRH_40HF Eighth break/fracture - forearm/wrist 171
FRH_40HG Eighth break/fracture - hand 172
FRH_40HH Eighth break/fracture - fingers 172
FRH_40HI Eighth break/fracture - hip 173
FRH_40HJ Eighth break/fracture - pelvis 173
FRH_40HK Eighth break/fracture - upper leg 173
FRH_40HL Eighth break/fracture - knee 174
FRH_40HM Eighth break/fracture - lower leg 174
FRH_40HN Eighth break/fracture - ankle 175
FRH_40HO Eighth break/fracture - foot 175
FRH_40HP Eighth break/fracture - toe(s) 175
FRH_40HQ Eighth break/fracture - other specify 176
FRH_40I Ninth break/fracture - age 178
FRH_40IA Ninth break/fracture - head 178
FRH_40IB Ninth break/fracture - spine 178
FRH_40IC Ninth break/fracture - ribs/sternum 179
FRH_40ID Ninth break/fracture - shoulder/upper arm/collarbone 179
FRH_40IE Ninth break/fracture - elbow 180
FRH_40IF Ninth break/fracture - forearm/wrist 180
FRH_40IG Ninth break/fracture - hand 180
FRH_40IH Ninth break/fracture - fingers 181
FRH_40II Ninth break/fracture - hip 181
FRH_40IJ Ninth break/fracture - pelvis 182
FRH_40IK Ninth break/fracture - upper leg 182
FRH_40IL Ninth break/fracture - knee 182
FRH_40IM Ninth break/fracture - lower leg 183
FRH_40IN Ninth break/fracture - ankle 183
FRH_40IO Ninth break/fracture - foot 184
FRH_40IP Ninth break/fracture - toe(s) 184
FRH_40IQ Ninth break/fracture - other specify 184
FRH_40J Tenth break/fracture - age 186
FRH_40JA Tenth break/fracture - head 186
FRH_40JB Tenth break/fracture - spine 187
FRH_40JC Tenth break/fracture - ribs/sternum 187
FRH_40JD Tenth break/fracture - shoulder/upper arm/collarbone 188
FRH_40JE Tenth break/fracture - elbow 188
FRH_40JF Tenth break/fracture - forearm/wrist 188
FRH_40JG Tenth break/fracture - hand 189
FRH_40JH Tenth break/fracture - fingers 189
FRH_40JI Tenth break/fracture - hip 190
FRH_40JJ Tenth break/fracture - pelvis 190
FRH_40JK Tenth break/fracture - upper leg 190
FRH_40JL Tenth break/fracture - knee 191
FRH_40JM Tenth break/fracture - lower leg 191
FRH_40JN Tenth break/fracture - ankle 192
FRH_40JO Tenth break/fracture - foot 192
FRH_40JP Tenth break/fracture - toe(s) 192
FRH_40JQ Tenth break/fracture - other specify 193
FRH_40K Eleventh break/fracture - age 194
FRH_40KA Eleventh break/fracture - head 195

FRH_40KB Eleventh break/fracture - spine 195
FRH_40KC Eleventh break/fracture - ribs/sternum 196
FRH_40KD Eleventh break/fracture - shoulder/upper arm/collarbone 196
FRH_40KE Eleventh break/fracture - elbow 196
FRH_40KF Eleventh break/fracture - forearm/wrist 197
FRH_40KG Eleventh break/fracture - hand 197
FRH_40KH Eleventh break/fracture - fingers 198
FRH_40KI Eleventh break/fracture - hip 198
FRH_40KJ Eleventh break/fracture - pelvis 198
FRH_40KK Eleventh break/fracture - upper leg 199
FRH_40KL Eleventh break/fracture - knee 199
FRH_40KM Eleventh break/fracture - lower leg 200
FRH_40KN Eleventh break/fracture - ankle 200
FRH_40KO Eleventh break/fracture - foot 200
FRH_40KP Eleventh break/fracture - toe(s) 201
FRH_40KQ Eleventh break/fracture - other specify 201
FRH_40L Twelfth break/fracture - age 203
FRH_40LA Twelfth break/fracture - head 203
FRH_40LB Twelfth break/fracture - spine 204
FRH_40LC Twelfth break/fracture - ribs/sternum 204
FRH_40LD Twelfth break/fracture - shoulder/upper arm/collarbone 205
FRH_40LE Twelfth break/fracture - elbow 205
FRH_40LF Twelfth break/fracture - forearm/wrist 205
FRH_40LG Twelfth break/fracture - hand 206
FRH_40LH Twelfth break/fracture - fingers 206
FRH_40LI Twelfth break/fracture - hip 207
FRH_40LJ Twelfth break/fracture - pelvis 207
FRH_40LK Twelfth break/fracture - upper leg 207
FRH_40LL Twelfth break/fracture - knee 208
FRH_40LM Twelfth break/fracture - lower leg 208
FRH_40LN Twelfth break/fracture - ankle 208
FRH_40LO Twelfth break/fracture - foot 209
FRH_40LP Twelfth break/fracture - toe(s) 209
FRH_40LQ Twelfth break/fracture - other specify 210
FRH_40M Thirteenth break/fracture - age 211
FRH_40MA Thirteenth break/fracture - head 212
FRH_40MB Thirteenth break/fracture - spine 212
FRH_40MC Thirteenth break/fracture - ribs/sternum 212
FRH_40MD Thirteenth break/fracture - shoulder/upper arm/collarbone 213
FRH_40ME Thirteenth break/fracture - elbow 213
FRH_40MF Thirteenth break/fracture - forearm/wrist 214
FRH_40MG Thirteenth break/fracture - hand 214
FRH_40MH Thirteenth break/fracture - fingers 214
FRH_40MI Thirteenth break/fracture - hip 215
FRH_40MJ Thirteenth break/fracture - pelvis 215
FRH_40MK Thirteenth break/fracture - upper leg 216
FRH_40ML Thirteenth break/fracture - knee 216
FRH_40MM Thirteenth break/fracture - lower leg 216
FRH_40MN Thirteenth break/fracture - ankle 217
FRH_40MO Thirteenth break/fracture - foot 217
FRH_40MP Thirteenth break/fracture - toe(s) 218
FRH_40MQ Thirteenth break/fracture - other specify 218
FRH_40N Fourteenth break/fracture - age 220
FRH_40NA Fourteenth break/fracture - head 220
FRH_40NB Fourteenth break/fracture - spine 220
FRH_40NC Fourteenth break/fracture - ribs/sternum 221
FRH_40ND Fourteenth break/fracture - shoulder/upper arm/collarbone 221
FRH_40NE Fourteenth break/fracture - elbow 222
FRH_40NF Fourteenth break/fracture - forearm/wrist 222
FRH_40NG Fourteenth break/fracture - hand 222
FRH_40NH Fourteenth break/fracture - fingers 223
FRH_40NI Fourteenth break/fracture - hip 223
FRH_40NJ Fourteenth break/fracture - pelvis 224

FRH_40NK Fourteenth break/fracture - upper leg 224
FRH_40NL Fourteenth break/fracture - knee 224
FRH_40NM Fourteenth break/fracture - lower leg 225
FRH_40NN Fourteenth break/fracture - ankle 225
FRH_40NO Fourteenth break/fracture - foot 226
FRH_40NP Fourteenth break/fracture - toe(s) 226
FRH_40NQ Fourteenth break/fracture - other specify 226
FRH_40O Fifteenth break/fracture - age 228
FRH_40OA Fifteenth break/fracture - head 228
FRH_40OB Fifteenth break/fracture - spine 229
FRH_40OC Fifteenth break/fracture - ribs/sternum 229
FRH_40OD Fifteenth break/fracture - shoulder/upper arm/collarbone 230
FRH_40OE Fifteenth break/fracture - elbow 230
FRH_40OF Fifteenth break/fracture - forearm/wrist 230
FRH_40OG Fifteenth break/fracture - hand 231
FRH_40OH Fifteenth break/fracture - fingers 231
FRH_40OI Fifteenth break/fracture - hip 232
FRH_40OJ Fifteenth break/fracture - pelvis 232
FRH_40OK Fifteenth break/fracture - upper leg 232
FRH_40OL Fifteenth break/fracture - knee 233
FRH_40OM Fifteenth break/fracture - lower leg 233
FRH_40ON Fifteenth break/fracture - ankle 234
FRH_40OO Fifteenth break/fracture - foot 234
FRH_40OP Fifteenth break/fracture - toe(s) 234
FRH_40OQ Fifteenth break/fracture - other specify 235
FRH_40P Sixteenth break/fracture - age 236
FRH_40PA Sixteenth break/fracture - head 237
FRH_40PB Sixteenth break/fracture - spine 237
FRH_40PC Sixteenth break/fracture - ribs/sternum 238
FRH_40PD Sixteenth break/fracture - shoulder/upper arm/collarbone 238
FRH_40PE Sixteenth break/fracture - elbow 238
FRH_40PF Sixteenth break/fracture - forearm/wrist 239
FRH_40PG Sixteenth break/fracture - hand 239
FRH_40PH Sixteenth break/fracture - fingers 240
FRH_40PI Sixteenth break/fracture - hip 240
FRH_40PJ Sixteenth break/fracture - pelvis 240
FRH_40PK Sixteenth break/fracture - upper leg 241
FRH_40PL Sixteenth break/fracture - knee 241
FRH_40PM Sixteenth break/fracture - lower leg 242
FRH_40PN Sixteenth break/fracture - ankle 242
FRH_40PO Sixteenth break/fracture - foot 242
FRH_40PP Sixteenth break/fracture - toe(s) 243
FRH_40PQ Sixteenth break/fracture - other specify 243
FRH_40Q Seventeenth break/fracture - age 245
FRH_40QA Seventeenth break/fracture - head 245
FRH_40QB Seventeenth break/fracture - spine 246
FRH_40QC Seventeenth break/fracture - ribs/sternum 246
FRH_40QD Seventeenth break/fracture - shoulder/upper arm/collarbone 246
FRH_40QE Seventeenth break/fracture - elbow 247
FRH_40QF Seventeenth break/fracture - forearm/wrist 247
FRH_40QG Seventeenth break/fracture - hand 248
FRH_40QH Seventeenth break/fracture - fingers 248
FRH_40QI Seventeenth break/fracture - hip 248
FRH_40QJ Seventeenth break/fracture - pelvis 249
FRH_40QK Seventeenth break/fracture - upper leg 249
FRH_40QL Seventeenth break/fracture - knee 249
FRH_40QM Seventeenth break/fracture - lower leg 250
FRH_40QN Seventeenth break/fracture - ankle 250
FRH_40QO Seventeenth break/fracture - foot 251
FRH_40QP Seventeenth break/fracture - toe(s) 251
FRH_40QQ Seventeenth break/fracture - other specify 251
FRH_40R Eighteenth break/fracture - age 253
FRH_40RA Eighteenth break/fracture - head 253

FRH_40RB Eighteenth break/fracture - spine 254
FRH_40RC Eighteenth break/fracture - ribs/sternum 254
FRH_40RD Eighteenth break/fracture - shoulder/upper arm/collarbone 254
FRH_40RE Eighteenth break/fracture - elbow 255
FRH_40RF Eighteenth break/fracture - forearm/wrist 255
FRH_40RG Eighteenth break/fracture - hand 255
FRH_40RH Eighteenth break/fracture - fingers 256
FRH_40RI Eighteenth break/fracture - hip 256
FRH_40RJ Eighteenth break/fracture - pelvis 257
FRH_40RK Eighteenth break/fracture - upper leg 257
FRH_40RL Eighteenth break/fracture - knee 257
FRH_40RM Eighteenth break/fracture - lower leg 258
FRH_40RN Eighteenth break/fracture - ankle 258
FRH_40RO Eighteenth break/fracture - foot 258
FRH_40RP Eighteenth break/fracture - toe(s) 259
FRH_40RQ Eighteenth break/fracture - other specify 259
FRH_40S Nineteenth break/fracture - age 261
FRH_40SA Nineteenth break/fracture - head 261
FRH_40SB Nineteenth break/fracture - spine 262
FRH_40SC Nineteenth break/fracture - ribs/sternum 262
FRH_40SD Nineteenth break/fracture - shoulder/upper arm/collarbone 262
FRH_40SE Nineteenth break/fracture - elbow 263
FRH_40SF Nineteenth break/fracture - forearm/wrist 263
FRH_40SG Nineteenth break/fracture - hand 263
FRH_40SH Nineteenth break/fracture - fingers 264
FRH_40SI Nineteenth break/fracture - hip 264
FRH_40SJ Nineteenth break/fracture - pelvis 265
FRH_40SK Nineteenth break/fracture - upper leg 265
FRH_40SL Nineteenth break/fracture - knee 265
FRH_40SM Nineteenth break/fracture - lower leg 266
FRH_40SN Nineteenth break/fracture - ankle 266
FRH_40SO Nineteenth break/fracture - foot 266
FRH_40SP Nineteenth break/fracture - toe(s) 267
FRH_40SQ Nineteenth break/fracture - other specify 267
FRH_40T Twentieth break/fracture - age 269
FRH_40TA Twentieth break/fracture - head 269
FRH_40TB Twentieth break/fracture - spine 269
FRH_40TC Twentieth break/fracture - ribs/sternum 270
FRH_40TD Twentieth break/fracture - shoulder/upper arm/collarbone 270
FRH_40TE Twentieth break/fracture - elbow 271
FRH_40TF Twentieth break/fracture - forearm/wrist 271
FRH_40TG Twentieth break/fracture - hand 271
FRH_40TH Twentieth break/fracture - fingers 272
FRH_40TI Twentieth break/fracture - hip 272
FRH_40TJ Twentieth break/fracture - pelvis 272
FRH_40TK Twentieth break/fracture - upper leg 273
FRH_40TL Twentieth break/fracture - knee 273
FRH_40TM Twentieth break/fracture - lower leg 274
FRH_40TN Twentieth break/fracture - ankle 274
FRH_40TO Twentieth break/fracture - foot 274
FRH_40TP Twentieth break/fracture - toe(s) 275
FRH_40TQ Twentieth break/fracture - other specify 275
FRH_41A First break/fracture - how did it happen 116
FRH_41B Second break/fracture - how did it happen 124
FRH_41C Third break/fracture - how did it happen 133
FRH_41D Fourth break/fracture - how did it happen 142
FRH_41E Fifth break/fracture - how did it happen 150
FRH_41F Sixth break/fracture - how did it happen 159
FRH_41G Seventh break/fracture - how did it happen 168
FRH_41H Eighth break/fracture - how did it happen 176
FRH_41I Ninth break/fracture - how did it happen 185
FRH_41J Tenth break/fracture - how did it happen 193
FRH_41K Eleventh break/fracture - how did it happen 202

FRH_41L Twelfth break/fracture - how did it happen 210
FRH_41M Thirteenth break/fracture - how did it happen 218
FRH_41N Fourteenth break/fracture - how did it happen 227
FRH_41O Fifteenth break/fracture - how did it happen 235
FRH_41P Sixteenth break/fracture - how did it happen 244
FRH_41Q Seventeenth break/fracture - how did it happen 252
FRH_41R Eighteenth break/fracture - how did it happen 260
FRH_41S Nineteenth break/fracture - how did it happen 268
FRH_41T Twentieth break/fracture - how did it happen 275
FRH_42A First break/fracture - type of fall 116
FRH_42B Second break/fracture - type of fall 125
FRH_42C Third break/fracture - type of fall 134
FRH_42D Fourth break/fracture - type of fall 142
FRH_42E Fifth break/fracture - type of fall 151
FRH_42F Sixth break/fracture - type of fall 160
FRH_42G Seventh break/fracture - type of fall 168
FRH_42H Eighth break/fracture - type of fall 177
FRH_42I Ninth break/fracture - type of fall 185
FRH_42J Tenth break/fracture - type of fall 194
FRH_42K Eleventh break/fracture - type of fall 202
FRH_42L Twelfth break/fracture - type of fall 211
FRH_42M Thirteenth break/fracture - type of fall 219
FRH_42N Fourteenth break/fracture - type of fall 227
FRH_42O Fifteenth break/fracture - type of fall 236
FRH_42P Sixteenth break/fracture - type of fall 244
FRH_42Q Seventeenth break/fracture - type of fall 252
FRH_42R Eighteenth break/fracture - type of fall 260
FRH_42S Nineteenth break/fracture - type of fall 268
FRH_42T Twentieth break/fracture - type of fall 276
FRH_43A First break/fracture - height of fall 117
FRH_43B Second break/fracture - height of fall 125
FRH_43C Third break/fracture - height of fall 134
FRH_43D Fourth break/fracture - height of fall 143
FRH_43E Fifth break/fracture - height of fall 151
FRH_43F Sixth break/fracture - height of fall 160
FRH_43G Seventh break/fracture - height of fall 169
FRH_43H Eighth break/fracture - height of fall 177
FRH_43I Ninth break/fracture - height of fall 186
FRH_43J Tenth break/fracture - height of fall 194
FRH_43K Eleventh break/fracture - height of fall 202
FRH_43L Twelfth break/fracture - height of fall 211
FRH_43M Thirteenth break/fracture - height of fall 219
FRH_43N Fourteenth break/fracture - height of fall 228
FRH_43O Fifteenth break/fracture - height of fall 236
FRH_43P Sixteenth break/fracture - height of fall 244
FRH_43Q Seventeenth break/fracture - height of fall 252
FRH_43R Eighteenth break/fracture - height of fall 260
FRH_43S Nineteenth break/fracture - height of fall 268
FRH_43T Twentieth break/fracture - height of fall 276
FRH_45 Broke/fracture hip (self/mother) 277
FRH_50 Broke/fracture hip (self/mother) - age 277
FRH_55 Broke/fracture hip (self/father) 277
FRH_60 Broke/fracture hip (self/father) - age 278

GEN: General Health

GENDHDI Self-rated health - (D) 44
GENDMHI Self-rated mental health - (D) 45
GEN_005 Self-perceived health 39
GEN_010 Self-perceived health compared to one year ago 40
GEN_015 Satisfied with life right now 40
GEN_020 Self-perceived mental health 41
GEN_025 Self-perceived stress 41

GEN_030 Main activity 42
GEN_035 Worked at job or business 42
GEN_040 Self-perceived work stress 42
GEN_045 Sense of belonging to local community 43
GEN_050 Self-perceived quality of life 43
GEN_055 Family doctor 44

GFV: Grain, Fruit and Vegetable Consumption

GFVD11Y Eats hot or cold cereal - times per year - (D) 319
GFVD12Y Eats whole grain bread - times per year - (D) 320
GFVD13Y Eats white bread - times per year - (D) 321
GFVD14Y Eats any kind of pasta - times per year - (D) 322
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) 323
GFVD17AY Eats citrus fruit - times per year - (D) 324
GFVD17BY Eats strawberries - times per summer - (D) 325
GFVD17CY Eats strawberries - times per year, excluding summer (D) 326
GFVD17DY Eats other types of fruit - times per year - (D) 328
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) 329
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) 330
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) 331
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) 332
GFVD22Y Eats other potatoes - times per year - (D) 333
GFVD23Y Eats all other types of vegetables - times per year - (D) 334
GFVD24Y Eats flax seeds - times per year - (D) 335
GFV_11 Eats hot or cold cereal - number of times 318
GFV_11N Eats hot or cold cereal - reporting period 318
GFV_12 Eats whole grain bread - number of times 319
GFV_12N Eats whole grain bread - reporting period 319
GFV_13 Eats white bread - number of times 320
GFV_13N Eats white bread - reporting period 320
GFV_14 Eats pasta - number of times 321
GFV_14N Eats pasta - reporting period 322
GFV_16 Eats instant, seasoned or wild rice - number of times 322
GFV_16N Eats instant, seasoned or wild rice - reporting period 323
GFV_17A Eats citrus fruit - number of times 323
GFV_17AN Eats citrus fruit - reporting period 324
GFV_17B Eats strawberries in the summer - number of times 325
GFV_17BN Eats strawberries in the summer - reporting period 325
GFV_17C Eats strawberries during the rest of the year - number of times 326
GFV_17CN Eats strawberries rest of the year - reporting period 326
GFV_17D Eats other types of fruit - number of times 327
GFV_17DN Eats other types of fruit - reporting period 327
GFV_18 Eats tomatoes or tomato sauce - number of times 328
GFV_18N Eats tomatoes or tomato sauce - reporting period 328
GFV_19 Eats lettuce or green leafy salad - number of times 329
GFV_19N Eats lettuce or green leafy salad - reporting period 329
GFV_20 Eats spinach, mustard greens or cabbage - number of times 330
GFV_20N Eats spinach, mustard greens or cabbage - reporting period 330
GFV_21 Eats french/home fries or hash brown potatoes - number times 331
GFV_21N Eats french/home fries or hash brown potatoes - reporting period 332
GFV_22 Eats other potatoes - number of times 332
GFV_22N Eats other potatoes - reporting period 333
GFV_23 Eats all other types of vegetables - number of times 334
GFV_23N Eats all other types of vegetables - reporting period 334
GFV_24 Eats flax seeds, whole or ground - number of times 335
GFV_24N Eats flax seeds, whole or ground - reporting period 335

HUI: Health Utility Index

HUIDCOG Cognition problems - function code - (D) 58
HUIDDEX Dexterity trouble - function code - (D) 58
HUIDEMO Emotional problems - function code - (D) 59

HUIDHER Hearing problems - function code - (D) ... 59
HUIDHSC HUI score into 4 categories - no/mild/moderate/severe (D) ... 62
HUIDHSI Health Utility Index (HUI3) - (D) ... 61
HUIDMOB Mobility trouble - function code - (D) ... 60
HUIDPAD Activities prevented by pain - function code - (D) ... 60
HUIDSPE Speech trouble - function code - (D) ... 61
HUIDVIS Vision trouble - function code - (D) ... 61
HUI_005 Vision - read newsprint without glasses / contacts ... 45
HUI_010 Vision - read newsprint with glasses / contacts ... 46
HUI_015 Vision - able to see ... 46
HUI_020 Vision - recognize a friend without glasses / contacts ... 46
HUI_025 Vision - recognize a friend with glasses / contacts ... 47
HUI_030 Hearing - in group without hearing aid ... 47
HUI_035 Hearing - in group with hearing aid ... 48
HUI_040 Hearing - able to hear ... 48
HUI_045 Hearing - in quiet room without hearing aid ... 49
HUI_050 Hearing - in quiet room with hearing aid ... 49
HUI_055 Speech - completely understood by strangers ... 49
HUI_060 Speech - partially understood by strangers ... 50
HUI_065 Speech - completely understood by non-strangers ... 50
HUI_070 Speech - partially understood by non-strangers ... 51
HUI_075 Mobility - walk without difficulty and without support ... 51
HUI_080 Mobility - able to walk ... 51
HUI_085 Mobility - requires support to walk ... 52
HUI_090 Mobility - requires help of person to walk ... 52
HUI_095 Mobility - requires a wheelchair ... 52
HUI_100 Mobility - frequency of wheelchair use ... 53
HUI_105 Mobility - requires help to get around in wheelchair ... 53
HUI_110 Dexterity - able to grasp and handle small objects ... 54
HUI_115 Dexterity - requires help due to limitation in use of hands ... 54
HUI_120 Dexterity - requires help with tasks ... 54
HUI_125 Dexterity - requires special equipment / hand limitation ... 55
HUI_130 Emotion - self evaluation ... 55
HUI_135 Cognition - ability to remember things ... 56
HUI_140 Cognition - ability to think and solve problems ... 56
HUI_145 Usually free of pain or discomfort ... 57
HUI_150 Pain and discomfort - usual intensity ... 57
HUI_155 Pain and discomfort - number of activities prevented ... 57

HWT: Height and Weight

HWTDBMI Body Mass Index / self-reported - (D) ... 291
HWTDBMIA BMI norms, 18 or older / self-reported - (D) ... 291
HWTDBMIK BMI norms, 3 to 17 years old / self-reported - (D) ... 292
HWTDCM Height (centimetres) / self-reported - (D) ... 289
HWTDCOL BMI classification (3 to 18 years) / self-reported - Cole system - (D) ... 292
HWTDHTM Height (metres) / self-reported - (D) ... 290
HWTDIN Height (inches) / self-reported - (D) ... 290
HWTDKG Weight (kilograms) / self-reported - (D) ... 290
HWTDLB Weight (pounds) / self-reported - (D) ... 291
HWTDWHOK BMI classification (5 to 18 years old) / self-reported - WHO - (D) ... 293
HWTDWHOP BMI classification (3 to 5 years old) / self-reported - WHO - (D) ... 293
HWT_1A Height - feet / self-reported ... 287
HWT_1B Height - inches / self-reported ... 287
HWT_1C Height - centimetres / self-reported ... 288
HWT_1N Height - unit of measure in feet and inches or in cm - self-reported ... 287
HWT_3 Weight / self-reported ... 288
HWT_3N Weight - unit of measure in pounds or kilograms / self-reported ... 288
HWT_4 Respondent's opinion of own weight / self-reported ... 289

IDU: Illicit Drug Use

IDU_11 Used or tried marijuana, cannabis or hashish ... 480

IDU_21 Used or tried prescription drugs for the feeling 481
IDU_22 Used or tried other drugs (cocaine, speed) 481
IDU_32 Injected with drugs for the experience/feeling 482
IDU_33 Other than by injection, used other drugs for the feeling 482

IMG: Immigration Block

IMGCCB Country of birth - (C) 530
IMGDALI Age at time of landed immigration - (D) 522
IMGDLLI Length of time since became a landed immigrant - (D) 521
IMGGCB Country of birth - (G) 530
IMG_02 Province/territory of birth 520
IMG_03 Landed immigrant 521
IMG_04 Year first became landed immigrant in Canada 521

LAE: Language Extended

LAEC02A Language - knowledge of non-offical language - 1st 531
LAEC02B Language - knowledge of non-offical language - 2nd 531
LAEC02C Language - knowledge of non-offical language - 3rd 532
LAEC03A Language - home language spoken most often - 1st 532
LAEC03B Language - home language spoken most often - 2nd 533
LAEC03C Language - home language spoken most often - 3rd 533
LAEC06A Language - mother tongue - 1st 533
LAEC06B Language - mother tongue - 2nd 534
LAEC06C Language - mother tongue - 3rd 534
LAEDCON Languages - can converse - (D) 535
LAEDFL1 First language learned and still understood - (D) 535
LAEDSPH Language(s) spoken most often at home - (D) 535
LAE_01 Language - knowledge of official languages 531

LAF: Labour Market

LAFCIC17 North American Industry Classification System (NAICS) 2017 519
LAFCOC16 National Occupational Classification - Statistics (NOC-S) 2016 519
LAFDWSL Working status last week (6 groups) - (D) 518
LAFDWSS Working status last week (4 groups) - (D) 518
LAFGO16A Variant of NOC for highly aggregated data - (G) 520
LAFGO16S Variant for analysis by NOC skill level - (G) 520

LMA2: Labour Force Status

LMA2_04 Job - last 4 weeks tried to find work 515
LMA2_05 Job - last week had job with start date 515
LMA2_06 Job - start date 515
LMA2_07 Job - wanted job with more or less 30 hours per week 516
LMA2_08 Job - could have worked last week if offered 516
LMA2_09 Job - main reason not available to work last week 517

LMA3: Class of Worker

LMA3_10 Job - were you employee/self-employed 517

LMAM: Labour Market Activities Minimal

LMAM_01 Job - last week had a job or business 513
LMAM_02 Job - had a job/ business last week but was absent 514
LMAM_03 Job - main reason absent work last week 514

LMH: Labour Market Hours of Work

LMH_016 Number of hours worked per week 518

MBF: Maternal Breastfeeding

MBF_11 Ever given birth 492
MBF_12 Number of live births 492
MBF_21A Breastfeeding first baby 493
MBF_21AA Length of time breastfeeding first baby 493
MBF_21B Breastfeeding second baby 494
MBF_21BB Length of time breastfeeding second baby 494
MBF_21C Breastfeeding third baby 495
MBF_21CC Length of time breastfeeding third baby 495
MBF_21D Breastfeeding fourth baby 496
MBF_21DD Length of time breastfeeding fourth baby 496
MBF_21E Breastfeeding fifth baby 496
MBF_21EE Length of time breastfeeding fifth baby 497
MBF_21F Breastfeeding sixth baby 497
MBF_21FF Length of time breastfeeding sixth baby 498
MBF_21G Breastfeeding seventh baby 498
MBF_21GG Length of time breastfeeding seventh baby 498
MBF_21H Breastfeeding eighth baby 499
MBF_21HH Length of time breastfeeding eighth baby 499
MBF_21I Breastfeeding ninth baby 500
MBF_21II Length of time breastfeeding ninth baby 500
MBF_21J Breastfeeding tenth baby 500
MBF_21JJ Length of time breastfeeding tenth baby 501
MBF_21K Breastfeeding eleventh baby 501
MBF_21KK Length of time breastfeeding eleventh baby 501
MBF_21L Breastfeeding twelfth baby 502
MBF_21LL Length of time breastfeeding twelfth baby 502
MBF_21M Breastfeeding thirteenth baby 502
MBF_21MM Length of time breastfeeding thirteenth baby 503
MBF_21N Breastfeeding fourteenth baby 503
MBF_21NN Length of time breastfeeding fourteenth baby 504
MBF_21O Breastfeeding fifteenth baby 504
MBF_21OO Length of time breastfeeding fifteenth baby 504

MDC: Milk and Dairy Product Consumption

MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) 304
MDCD02Y Drinks/uses omega-3 milk substitutes - times per year - (D) 305
MDCD04Y Drinks or uses milk or flavoured milk - times per year - (D) 308
MDCD05Y Drinks or uses omega-3 enriched milk - times per year - (D) 309
MDCD13BY Eats processed cheese - times per year - (D) 314
MDCD13CY Eats other types of cheese - times per year - (D) 315
MDCD13Y Eats cottage cheese - times per year - (D) 313
MDCD14Y Eats yogurt - times per year - (D) 316
MDCD15Y Eats ice cream or frozen yogurt - times per year - (D) 317
MDC_01 Drinks/uses enriched milk substitutes - number of times 303
MDC_01N Drinks/uses enriched milk substitutes - reporting period 303
MDC_02 Drinks/uses omega-3 enriched milk substitutes - number of times 304
MDC_02N Drinks/uses omega-3 enriched milk substitutes - reporting period 304
MDC_03A Drinks/uses enriched milk substitutes - rice 305
MDC_03B Drinks/uses enriched milk substitutes - soya 306
MDC_03C Drinks/uses enriched milk substitutes - almond 306
MDC_03D Drinks/uses enriched milk substitutes - other (enriched) 306
MDC_04 Drinks/uses milk/flavoured milk - number of times 307
MDC_04N Drinks/uses milk/flavoured milk - reporting period 307
MDC_05 Drinks/uses omega-3 enriched milk - number of times 308
MDC_05N Drinks/uses omega-3 enriched milk - reporting period 308
MDC_12A Type of milk used - 3.25% 309
MDC_12B Type of milk used - 2% 310
MDC_12C Type of milk used - 1% 310
MDC_12D Type of milk used - 0.5% 310
MDC_12E Type of milk used - skim or non-fat 311

MDC_12F Type of milk used - flavoured milk beverages 311
MDC_12G Type of milk used - other 312
MDC_13 Eats cottage cheese - number of times 312
MDC_13B Eats processed cheese - number of times 313
MDC_13BN Eats processed cheese - reporting period 314
MDC_13C Eats other type of cheese - number of times 314
MDC_13CN Eats other type of cheese - reporting period 315
MDC_13N Eats cottage cheese - reporting period 312
MDC_14 Eats yogurt - number of times 316
MDC_14N Eats yogurt - reporting period 316
MDC_15 Eats ice cream or frozen yogurt - number of times 317
MDC_15N Eats ice cream or frozen yogurt - reporting period 317

MEN: Menopause

MEN_005 Mentrual period - Last 12 months 98
MEN_010A Have not had a period - Contraceptives 98
MEN_010B Have not had a period - Medical procedure, medication or drugs 99
MEN_010C Have not had a period - Pregnancy 99
MEN_010D Have not had a period - Breastfeeding 100
MEN_010E Have not had a period - Menopause 100
MEN_010F Have not had a period - Stress, weight loss or excessive exercise 100
MEN_010G Have not had a period - Removal of the uterus 101
MEN_010H Have not had a period - Removal of ovaries 101
MEN_010I Have not had a period - Physical complications 102
MEN_010J Have not had a period - Other - Specify 102
MEN_015 Had both ovaries removed 103
MEN_020 Experienced symptoms of menopause 103
MEN_025 Beginning of menopause symptoms 103

MFC: Meat Consumption

MFCD11Y Eats red meat - times per year - (D) 294
MFCD12Y Eats liver - times per year - (D) 295
MFCD14Y Eats beef or pork hot dogs - times per year - (D) 297
MFCD15Y Eats sausage or bacon - times per year - (D) 298
MFCD19AY Eats eggs/egg dishes - times per year - (D) 299
MFCD19BY Eats eggs omega-3 enriched - times per year - (D) 300
MFCD20Y Eats cooked dried beans - times per year - (D) 301
MFCD21Y Eats nuts - times per year - (D) 302
MFC_11 Eats red meat - number of times 294
MFC_11N Eats red meat - reporting period 294
MFC_12 Eats liver - number of times 295
MFC_12N Eats liver - reporting period 295
MFC_14 Eats beef or pork hot dogs - number of times 296
MFC_14N Eats beef or pork hot dogs - reporting period 296
MFC_15 Eats sausage or bacon - number of times 297
MFC_15N Eats sausage or bacon - reporting period 297
MFC_19A Eats eggs/egg dishes - number of times 298
MFC_19AN Eats eggs/egg dishes - reporting period 298
MFC_19B Eats egg made with omega-3 enriched - number of times 299
MFC_19BN Eats eggs omega-3 enriched - reporting period 300
MFC_20 Eats cooked dried beans - number of times 300
MFC_20N Eats cooked dried beans - reporting period 301
MFC_21 Eats nuts - number of times 302
MFC_21N Eats nuts - reporting period 302

MSWC: Marital Status with Confirmation (De-facto)

DHH_MS Marital status 35

NBE: Neighbourhood Environment

NBE_005 Type of housing - neighbourhood 447
NBE_015 Shops, stores, markets, other places - neighbourhood 448
NBE_020 Transit stop - neighbourhood 448
NBE_025 There are sidewalks - neighbourhood 449
NBE_030 Designated areas for biking - neighbourhood 449
NBE_035 Free or low cost recreation facilities - neighbourhood 449
NBE_040 Crime rate - neighbourhood 450
NBE_045 Many interesting things to look at - neighbourhood 450
NBE_050 Sidewalks are well maintained - neighbourhood 451
NBE_055 Traffic makes it unpleasant to walk - neighbourhood 451
NBE_060 Traffic makes it unpleasant to bike - neighbourhood 451
NBE_070 Driver's licence 452
NBE_075 Vehicle at disposal 452

PAA: Physical Activities - Adults 18 Years and Older

PAADOTH Total minutes of other physical activities per week - (D) 375
PAADREC Total minutes of recreational physical activity per week - (D) 370
PAADTOT Total minutes of physical activity from all domains per week - (D) 375
PAADTRVL Total minutes of active transportation per week - (D) 365
PAADVIG Total minutes of vigorous intensity physical activities per week - (D) 377
PAA_005 Active ways to get to places during the last week 361
PAA_010A Active ways to get to places- Monday 361
PAA_010B Active ways to get to places - Tuesday 361
PAA_010C Active ways to get to places - Wednesday 362
PAA_010D Active ways to get to places - Thursday 362
PAA_010E Active ways to get to places - Friday 363
PAA_010F Active ways to get to places - Saturday 363
PAA_010G Active ways to get to places - Sunday 363
PAA_015 Time spent on active ways to get to places last week - hours 364
PAA_020N Time spent on active ways to get to places last week - minutes 364
PAA_030 Recreational physical activities - last week 365
PAA_035 Recreational physical activities - sweat and breathe harder 365
PAA_040A Recreational physical activities - sweat and breathe harder - Monday 366
PAA_040B Recreational physical activities - sweat and breathe harder - Tuesday 366
PAA_040C Recreational physical activities - sweat and breathe harder - Wed. 367
PAA_040D Recreational physical activities - sweat and breathe harder - Thursday 367
PAA_040E Recreational physical activities - sweat and breathe harder - Friday 368
PAA_040F Recreational physical activities - sweat and breathe harder - Saturday 368
PAA_040G Recreational physical activities - sweat and breathe harder - Sunday 368
PAA_045 Time spent on recreational physical activities - hours 369
PAA_050N Time spent on recreational physical activities - minutes 369
PAA_060 Other physical activities - last week 370
PAA_065 Other physical activities - sweat and breathe harder 370
PAA_070A Other physical activities - sweat and breathe harder - Monday 371
PAA_070B Other physical activities - sweat and breathe harder - Tuesday 371
PAA_070C Other physical activities - sweat and breathe harder - Wednesday 372
PAA_070D Other physical activities - sweat and breathe harder - Thursday 372
PAA_070E Other physical activities - sweat and breathe harder - Friday 373
PAA_070F Other physical activities - sweat and breathe harder - Saturday 373
PAA_070G Other physical activities - sweat and breathe harder - Sunday 373
PAA_075 Time spent on other physical activities - hours 374
PAA_080N Time spent on other physical activities - minutes 374
PAA_095 Vigorous intensity physical activities 375
PAA_100 Vigorous intensity physical activities - hours 376
PAA_105N Vigorous intensity physical activities - minutes 376

PAY: Physical Activities for Youth

PAYDOTH Total minutes of other physical activities per week - (D) 414
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) 411
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) 412
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) 412

PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) 412
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) 413
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) 413
PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) 413
PAYDREC Total minutes of recreational physical activity per week - (D) 405
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) 402
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) 403
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) 403
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) 403
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) 404
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) 404
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) 404
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) 394
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) 394
PAYDSCH4 Time of physical activity at school/day camp (minutes)-Wednesday - (D) 395
PAYDSCH5 Time of physical activity at school/day camp (minutes)-Thursday - (D) 395
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) 395
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) 396
PAYDTOT Total minutes of physical activity from all domains per week - (D) 414
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) 385
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) 385
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) 385
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) 386
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) 386
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) 386
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) 387
PAYDTRVL Total minutes of active transportation per week - (D) 387
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) 418
PAY_05A Attend school - Last week 377
PAY_05B Attend day camp - Last week 377
PAY_05C Attend paid or unpaid work - Last week 378
PAY_05D None of the above - Last week 378
PAY_10 Active ways to get to places during the last week 379
PAY_100 Vigorous intensity physical activities - last week - hours 418
PAY_105N Vigorous intensity physical activities - last week - minutes 418
PAY_15A Time spent on active ways to get to places - [Sunday] - hours 379
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes 379
PAY_15B Time spent on active ways to get to places - [Monday] - hours 380
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes 380
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours 381
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes 381
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours 381
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes 382
PAY_15E Time spent on active ways to get to places - [Thursday] - hours 382
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes 383
PAY_15F Time spent on active ways to get to places - [Friday] - hours 383
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes 383
PAY_15G Time spent on active ways to get to places - [Saturday] - hours 384
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes 384
PAY_25 Physical activities at school/day camp - last week 388
PAY_30 Physical activities at school/day camp - sweat and breathe harder 388
PAY_35A Activities school/day camp - sweat/breathe harder - [Sunday] - hours 388
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sunday] - minutes 389
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours 389
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes 389
PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours 390
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes 390
PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours 391
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes 391
PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours 391
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes 392
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours 392
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes 393

PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours 393
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes 393
PAY_45 Physical activities in leisure time 396
PAY_50 Physical activities in leisure time - sweat and breathe harder 396
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours 397
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes 397
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours 398
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes 398
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours 398
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes 399
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours 399
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes 400
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours 400
PAY_55EN Leisure-time activities - sweat/breathe harder - [Thursday] - minutes 400
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours 401
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes 401
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours 402
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes 402
PAY_65 Other physical activities - last week 405
PAY_70 Other physical activities - sweat and breathe harder 406
PAY_75A Other physical act. - sweat and breathe harder - [Sunday] - hours 406
PAY_75AN Other physical act. - sweat and breathe harder - [Sunday] - minutes 406
PAY_75B Other physical act. - sweat and breathe harder - [Monday] - hours 407
PAY_75BN Other physical act. - sweat and breathe harder - [Monday] - minutes 407
PAY_75C Other physical act. - sweat and breathe harder - [Tuesday] - hours 408
PAY_75CN Other physical act. - sweat and breathe harder - [Tuesday] - minutes 408
PAY_75D Other physical act. - sweat and breathe harder - [Wednesday] - hours 408
PAY_75DN Other physical act. - sweat and breathe harder - [Wednesday] - minutes 409
PAY_75E Other physical act. - sweat and breathe harder - [Thursday] - hours 409
PAY_75EN Other physical act. - sweat and breathe harder - [Thursday] - minutes 409
PAY_75F Other physical act. - sweat and breathe harder - [Friday] - hours 410
PAY_75FN Other physical act. - sweat and breathe harder - [Friday] - minutes 410
PAY_75G Other physical act. - sweat and breathe harder - [Saturday] - hours 410
PAY_75GN Other physical act. - sweat and breathe harder - [Saturday] - minutes 411
PAY_90 Vigorous intensity physical activities 415
PAY_95A Vigorous intensity physical activities - Monday 415
PAY_95B Vigorous intensity physical activities - Tuesday 415
PAY_95C Vigorous intensity physical activities - Wednesday 416
PAY_95D Vigorous intensity physical activities - Thursday 416
PAY_95E Vigorous intensity physical activities - Friday 417
PAY_95F Vigorous intensity physical activities - Saturday 417
PAY_95G Vigorous intensity physical activities - Sunday 417

PG: Population Group

PGDCGT Cultural or racial group - (D) 529
PG_01A Population group - White 524
PG_01B Population group - South Asian 525
PG_01C Population group - Chinese 525
PG_01D Population group - Black 526
PG_01E Population group - Filipino 526
PG_01F Population group - Latin American 526
PG_01G Population group - Arab 527
PG_01H Population group - Southeast Asian 527
PG_01I Population group - West Asian 528
PG_01J Population group - Korean 528
PG_01K Population group - Japanese 528
PG_01L Population group - Other 529

PPI: Person Providing Information

PPID03 Relationship of proxy respondent to selected respondent - (D) 27
PPI_02 Person providing health component information - parent/guardian 27

PPI_03 Person providing health component information - biological parent 27
PROXY Health component completed by proxy 26

PRG: Pregnancy Information

PRG_11 Smoked during pregnancy 505
PRG_12 Number of cigarettes/day 505
PRG_13A Stage of pregnancy - first trimester 505
PRG_13B Stage of pregnancy - second trimester 506
PRG_13C Stage of pregnancy - third trimester 506
PRG_13D Stage of pregnancy - throughout 507

PRS: Pregnancy

PRS_11 Pregnant 98

SAC: Sedentary Activities

SACDRCA Sedentary activity excluding reading (hours/week) - categorical (D) 447
SACDRCO Sedentary activity excluding reading (hours per week) - continuous (D) 446
SACDTOT Sedentary activity (hours per week) - categorical (D) 445
SACDTOTX Sedentary activity (hours per week) - continuous (D) 446
SAC_005 Number of hours per week - reading - past 7 days 443
SAC_010 Number of hours per week - television/DVD/videos - past 7 days 444
SAC_015 Number of hours per week - other types of games - past 7 days 444
SAC_020 Number of hours per week - play video games - past 7 days 445
SAC_025 Number of hours per week - on a computer - past 7 days 445

SEX: Sex

DHH_SEX Sex 30

SLT: Salt Consumption

SLT_005 Salt added to food 359
SLT_010 Type of salt usually used 360
SLT_015 Often ordinary table salt added cooking/preparation of foods 360

SMK: Smoking

SMKDAQD Age stopped smoking daily - (D) 460
SMKDAQS Age stopped smoking completely - (D) 460
SMKDASD Age started smoking daily - (D) 461
SMKDNSD Number of cigs smoked daily - (D) 461
SMKDSTP Number of years since stopping smoking completely - (D) 459
SMKDSTY Type of smoker - (D) 459
SMKDYFS Number of years smoked daily (former daily smokers) - (D) 460
SMK_11 Smoked 100 or more cigarettes - lifetime 453
SMK_12 Type of smoker 453
SMK_21 Age - smoked first whole cigarette 453
SMK_21A Smoked at least 1 cigarette a month 454
SMK_22 Age - started smoking at least 1 cigarette/month 454
SMK_23 Number days/typical month smoked at least 1 cigarette 455
SMK_24 Number of cigarettes smoked per day at age started smoking 455
SMK_31 Number of cigarettes smoked per day (daily smoker) 455
SMK_41 Number of cigarettes smoked per day (occasional smoker) 456
SMK_42 Number days/past month - smoked 1 cigarette or more (occasional) 456
SMK_51 Ever smoked cigarettes daily 457
SMK_52 Age started smoking daily 457
SMK_53 Number of cigarettes usually smoked per day 457
SMK_54 Age stopped smoking cigarettes daily/completely 458
SMK_60 Smoked cigars/pipe or used snuff/chewing tobacco - past month 458

SOM: Steroids and Osteoporosis Medications

SOM_005 Used steroids administered by inhalation 278
SOM_010 Used steriods on daily basis - 12 month period 279
SOM_015 Taken orally - administered steriods 279
SOM_020 Take steroid hormones on a daily basis - more than 3 months 279
SOM_025 Prescription meds for osteoporosis/prevention bone loss or fractures 280
SOM_030A Used Tamoxifen 280
SOM_030B Used Bazedoxifene 281
SOM_030C Used Calcitonin 281
SOM_030D Used Clodronate 282
SOM_030E Used Etidronate 282
SOM_030F Used Risedronate 282
SOM_030G Used Pamidronate 283
SOM_030H Used Zoledronate 283
SOM_030I Used Alendronate 284
SOM_030J Used Parathyroid Hormone 284
SOM_030K Used Denosumab 285
SOM_030L Used Raloxifene 285
SOM_030M Used - Other - Specify 285
SOM_035 Length of time - medication taken 286
SOM_040 Reporting period 286

SPA: Sleep Apnea

SPADRISK Sleep apnea risk - classification 97
SPADSCOR Sleep apnea risk - score 97
SPA_005 Ever been referred to a sleep lab for overnight testing 92
SPA_010 Diagnosed with sleep apnea 93
SPA_015 Been prescribed a treatment for sleep apnea 93
SPA_020 Trouble going to sleep or staying asleep 94
SPA_025 Awakened suddenly with the feeling of gasping or choking 94
SPA_030 Usually snore 95
SPA_035 Volume of snoring 95
SPA_040 Stop breathing during sleep 96
SPA_045 Tired, fatigued, or sleepy during the daytime 96
SPA_050 Sleepiness during a typical day 96

SXB: Sexual Behaviour

SXB_11 Ever had sexual intercourse 482
SXB_12 Sexual intercourse - past 12 months 483
SXB_13 Number of different partners - past 12 months 483
SXB_21 Ever diagnosed with a sexually transmitted disease/infection 484
SXB_22A Sexually transmitted disease/infection - HIV 484
SXB_22B Sexually transmitted disease/infection - AIDS 485
SXB_22C Sexually transmitted disease/infection - Chlamydia 485
SXB_22D Sexually transmitted disease/infection - Genital Herpes 486
SXB_22E Sexually transmitted disease/infection - Syphilis 486
SXB_22F Sexually transmitted disease/infection - Gonorrhoea 487
SXB_22G Sexually transmitted disease/infection - Genital Warts 487
SXB_22H Sexually transmitted disease/infection - Venereal disease 488
SXB_22I Sexually transmitted disease/infection - Hepatitis B 488
SXB_22J Sexually transmitted disease/infection - other 489
SXB_23 Use of condom / last time had sexual intercourse 489
SXB_24 Usual use of condom 490

THI: Total Household Income

THID14 Total household income - groups - (G) 542
THIFIMP4 Total household income imputation flag - (F) 541
THI_01 Total household income - amount 540

TPI: Total Personal Income

TPID14 Total personal income - groups - (G) 540
TPI_01 Total personal income - amount 538
TPI_02 Total personal income - ranges - income lost to $30,000 538
TPI_03 Total personal income - ranges - less than $5,000 to $30, 000 539
TPI_04 Total personal income - ranges - $30,000 and over 539

TSD: Time Spent Outdoors

TSD_05 Went to school (including kindergarten) 423
TSD_10A Weekday - Before or after school care at school 423
TSD_10B Weekday - Daycare centre 424
TSD_10C Weekday - Daycare in someone else's home 424
TSD_10D Weekday - Nursery school or preschool 424
TSD_10E Weekday - Stayed home with parent/guardian/caregiver/relative 425
TSD_10F Weekday - Any other type of childcare 425
TSD_15 Grade at school 425
TSD_20 Days attended kindergarten - Last seven 426
TSD_25A Time spent outdoors in the morning - Kindergarten day (hours) 426
TSD_25AN Time spent outdoors in the morning - Kindergarten day (minutes) 427
TSD_25B Time spent outdoors - noon to 3pm - Kindergarten day (hours) 427
TSD_25BN Time spent outdoors - noon to 3 pm - Kindergarten day (minutes) 427
TSD_25C Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs) 428
TSD_25CN Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins) 428
TSD_25D Time spent outdoors after dinner - Kindergarten day (hours) 429
TSD_25DN Time spent outdoors after dinner - Kindergarten day (minutes) 429
TSD_30A Time spent outdoors in the morning - No kindergarten (hours) 429
TSD_30AN Time spent outdoors in the morning - No kindergarten (minutes) 430
TSD_30B Time spent outdoors from noon until 3pm - No kindergarten (hours) 430
TSD_30BN Time spent outdoors from noon until 3pm - No kindergarten(minutes) 431
TSD_30C Time spent outdoors from 3pm until dinner - No kindergarten (hours) 431
TSD_30CN Time spent outdoors from 3pm until dinner - No kindergarten (minutes) 431
TSD_30D Time spent outdoors after dinner - No kindergarten (hours) 432
TSD_30DN Time spent outdoors after dinner - No kindergarten (minutes) 432
TSD_35 Days attended school - Last seven days 433
TSD_40A Time spend outdoors before school (hours) 433
TSD_40AN Time spent outdoors before school (minutes) 434
TSD_40B Time spend outdoors during school hours (hours) 434
TSD_40BN Time spend outdoors during school hours (minutes) 434
TSD_40C Time spent outdoors from 3 p.m. until dinner - School day (hours) 435
TSD_40CN Time spent outdoors from 3 p.m. until dinner - School day (minutes) 435
TSD_40D Time spent outdoors after dinner - School day (hours) 435
TSD_40DN Time spent outdoors after dinner - School day (minutes) 436
TSD_45A Time spent outdoors in the morning - Did not attend school (hours) 436
TSD_45AN Time spent outdoors in the morning - Did not attend school (minutes) 437
TSD_45B Time spent outdoors from noon until 3 pm - Did not attend school (hrs) 437
TSD_45BN Time spent outdoors from noon until 3pm -Did not attend school (min) 437
TSD_45C Time spent outdoors from 3 until dinner - Did not attend school (hrs) 438
TSD_45CN Time spent outdoors from 3pm until dinner-Did not attend school (mins) 438
TSD_45D Time spent outdoors after dinner - Did not attend school (hours) 439
TSD_45DN Time spent outdoors after dinner - Did not attend school (minutes) 439
TSD_50A Time spent outdoors in the morning - Average weekday (hours) 440
TSD_50AN Time spent outdoors in the morning - Average weekday (minutes) 440
TSD_50B Time spent outdoors from noon until 3pm - Average weekday (hours) 440
TSD_50BN Time spent outdoors from noon until 3pm - Average weekday (minutes) 441
TSD_50C Time spent outdoors from 3pm until dinner - Average weekday (hours) 441
TSD_50CN Time spent outdoors from 3pm until dinner - Average weekday (minutes) 441
TSD_50D Time spent outdoors after dinner - Average weekday (hours) 442
TSD_50DN Time spent outdoors after dinner - Average weekday (minutes) 442
TSD_55 Time spent outdoors - Average weekend day (hours) 443
TSD_55N Time spent outdoors - Average weekend day (minutes) 443

VIS: Vision

VIS_005 Visited an eye care professional - last 12 months 86
VIS_010 Type of eye care professional last visited 86
VIS_015 Ever had an eye examination 87
VIS_020 Most recent eye exam - done by 87
VIS_030 Ever had glaucoma 88
VIS_035 Age when first diagnosed - Glaucoma 88
VIS_040 Ever had diabetic retinopathy 88
VIS_045 Age when first diagnosed - Diabetic retinopathy 89
VIS_050 Ever had age-related macular degeneration (AMD) 89
VIS_055 Age when first diagnosed - Age-related macular degeneration (AMD) 90
VIS_060 Ever had cataracts 90
VIS_065 Which eye - Cataracts 90
VIS_070 Age when first diagnosed - Cataracts 91
VIS_075 Ever had cataract surgery 91
VIS_080 Which eye - Cataract surgery 92
VIS_085 Waiting for cataract surgery 92

WSD: Water and Soft Drink Consumption

WSDD30Y Drinks diet soft drinks - times per year - (D) 341
WSDD31Y Drinks regular soft drinks - times per year - (D) 342
WSDD32Y Drinks sport drinks - times per year - (D) 343
WSDD33Y Drinks vitamin-added water - times per year - (D) 345
WSDD34Y Drinks orange or grapefruit juice - times per year - (D) 346
WSDD35Y Drinks other 100% fruit juices - times per year - (D) 347
WSDD36Y Drinks juice with calcium and vitamin D - times per year - (D) 348
WSDD37Y Drinks fruit-flavoured drinks - times per year - (D) 349
WSDD38Y Drinks vegetable juices - times per year - (D) 350
WSDD39Y Drinks water at home - number of cups per year - (D) 352
WSDD41Y Drinks water away from home - number of cups per year - (D) 353
WSDDTWY Drinks water (anywhere) - number of cups per year - (D) 359
WSD_30 Drinks diet soft drinks - number of times 340
WSD_30N Drinks diet soft drinks - reporting period 341
WSD_31 Drinks regular soft drinks - number of times 342
WSD_31N Drinks regular soft drinks - reporting period 342
WSD_32 Drinks sport drinks - number of times 343
WSD_32N Drinks sport drinks - reporting period 343
WSD_33 Drinks vitamin-added water - number of times 344
WSD_33N Drinks vitamin-added water - reporting period 344
WSD_34 Drinks orange or grapefruit juice - number of times 345
WSD_34N Drinks orange or grapefruit juice - reporting period 345
WSD_35 Drinks other 100% fruit juices - number of times 346
WSD_35N Drinks other 100% fruit juices - reporting period 346
WSD_36 Drinks juice with calcium and vitamin D added - number of times 347
WSD_36N Drinks juice with calcium and vitamin D added - reporting period 348
WSD_37 Drinks fruit-flavoured drinks - number of times 348
WSD_37N Drinks fruit-flavoured drinks - reporting period 349
WSD_38 Drinks vegetable juices - number of times 350
WSD_38N Drinks vegetable juices - reporting period 350
WSD_39 Drinks water at home - number of cups 351
WSD_39N Drinks water at home - reporting period 351
WSD_40 Primary source of drinking water - home 352
WSD_41 Drinks water away from home - number of cups 352
WSD_41N Amount drinks water away from home - reporting period 353
WSD_42 Primary source of drinking water - away from home 354
WSD_43 Source of tap water - home 354
WSD_44A Home water treated using - filter 355
WSD_44B Home water treated using - water softener 355
WSD_44C Home water treated using - ultraviolet system 356
WSD_44D Home water treated using - reverse osmosis 356
WSD_44E Home water treated using - boiling 357

WSD_44F Home water treated using - distilling 357
WSD_44G Home water treated using - other 357
WSD_44H Home water treated using - no treatment 358
WSD_45 Water used for drinking or food treated with water softener 358

Variable Index

Variable	Description	Page
ALCDDLY	Average daily alcohol consumption - (D)	479
ALCDTYP	Type of drinker - (D)	479
ALCDWKY	Weekly consumption - (D)	480
ALC_11	Drank alcohol - past 12 months	473
ALC_12	Frequency of drinking alcohol	473
ALC_13A	Frequency of having [5/4] or more drinks	474
ALC_14	Drank alcohol - past week	474
ALC_15A	Number of drinks - Sunday	475
ALC_15B	Number of drinks - Monday	475
ALC_15C	Number of drinks - Tuesday	476
ALC_15D	Number of drinks - Wednesday	476
ALC_15E	Number of drinks - Thursday	476
ALC_15F	Number of drinks - Friday	477
ALC_15G	Number of drinks - Saturday	477
ALC_16	Usual consumption of alcohol	477
ALC_17	Ever had a drink	478
ALC_18	Regularly drank more than 12 drinks a week	478
ALC_19	Age - started drinking alcoholic beverages	479
AMBFABT	Aboriginal origin or identity - (F)	524
AMB_01	Is an aboriginal person	522
AMB_02A	Aboriginal person - First Nations	523
AMB_02B	Aboriginal person - Métis	523
AMB_02C	Aboriginal person - Inuk (Inuit)	524
BCL_005	Ever used birth control pills	490
BCL_010	Number of years used birth control pills	491
BCL_015	Ever had a progesterone birth control injection	491
BCL_020	Number of years used progesterone injections	491
BIR_11	Weight at birth	507
BIR_12	Birth weight - Pounds	508
BIR_13	Birth weight - Ounces	508
BIR_14	Birth weight - Grams	508
BIR_21	Born before, on or after due date	509
BIR_22	Days before/after due date	509
BIR_23	Type of birth	510
BIR_24	Respondent admitted to neonatal unit	510
BIR_25	Days care received	510
BIR_26	Age of mother	511
BRIFEB6	Exclusive breastfeeding for at least 3 months - (D)	513
BRI_11	Respondent breastfed	511
BRI_12	Length of time breastfed	512
BRI_13	Length of time fed only breast milk	512
C2_DAY	Day of household interview	25
C2_MTH	Month of household interview	26
C2_YEAR	Year of household interview	26
CCC_101	Other long term physical or mental health condition	85
CCC_11	Has asthma	62
CCC_12	Asthma - age first diagnosed	63
CCC_13	Asthma - had symptoms or attacks	63
CCC_14	Has chronic bronchitis, emphysema or COPD	63
CCC_15	Chronic bronchitis, emphysema or COPD - age first diagnosed	64
CCC_21	Has fibromyalgia	64
CCC_22	Has arthritis	64
CCC_24	Has back problems excluding fibromyalgia and arthritis	65
CCC_25	Has osteoporosis	65
CCC_31	Has high blood pressure	66
CCC_32	Medication for high blood pressure - past month	66
CCC_33	Ever had blood cholesterol measured	66
CCC_34	Ever told blood cholesterol high	67

CCC_35 Has celiac disease 67
CCC_36 Has inflammatory bowel disease 68
CCC_51 Has diabetes 68
CCC_53 Diabetes - age first diagnosed 68
CCC_54 Diabetes - pregnant first diagnosed 69
CCC_55 Diabetes - other than pregnancy 69
CCC_56A Diabetes - insulin dependant (Type 1) 70
CCC_56B Diabetes - non-insulin dependant (Type 2) 70
CCC_57 Time after diabetes diagnosis to take insulin 71
CCC_58 Currently take insulin 71
CCC_59 Take pills to control blood sugar 71
CCC_61 Has heart disease 72
CCC_62 Heart disease - age first diagnosed 72
CCC_63 Ever had a heart attack 72
CCC_71 Has cancer 73
CCC_72 Ever had cancer 73
CCC_73 Cancer - age first diagnosed 74
CCC_74A Type of cancer - breast 74
CCC_74B Type of cancer - colorectal 74
CCC_74C Type of cancer - skin (melanoma) 75
CCC_74D Type of cancer - skin (non-melanoma) 75
CCC_74E Type of cancer - ovarian 76
CCC_74F Type of cancer - cervical 76
CCC_74G Type of cancer - uterine 76
CCC_74H Type of cancer - other 77
CCC_75A Type of cancer - prostate 77
CCC_75B Type of cancer - colorectal 78
CCC_75C Type of cancer - skin (melanoma) 78
CCC_75D Type of cancer - skin (non-melanoma) 79
CCC_75E Type of cancer - other 79
CCC_81 Suffers from the effects of a stroke 79
CCC_82 Has a thyroid condition 80
CCC_83 Has a mood disorder 80
CCC_92 Has kidney dysfunction or disease 80
CCC_93 Has liver disease or gallbladder problems 81
CCC_94A Liver disease or gallbladder problem - Hepatitis A 81
CCC_94B Liver disease or gallbladder problem - Hepatitis B 82
CCC_94C Liver disease or gallbladder problem - Hepatitis C 82
CCC_94D Liver disease or gallbladder problem - Jaundice 82
CCC_94E Liver disease or gallbladder problem - Cirrhosis 83
CCC_94F Liver disease or gallbladder problem - Gallstones 83
CCC_94G Liver disease or gallbladder problem - Other 83
CCC_95 Has hepatitis 84
CCC_96A Type of hepatitis - A 84
CCC_96B Type of hepatitis - B 85
CCC_96C Type of hepatitis - C 85
CLINICID Clinic identifier of selected respondent 25
CPADSACX Total number of hours per day spent in sedentary activities 422
CPADTOTX Total number of hours per week participated in physical activities 422
CPA_005 Number of days physically active - past 7 days 419
CPA_010 Number of days physically active - usual week 419
CPA_015 Hours/week - physical activity - free time at school 420
CPA_020 Hours/week - physical activity - class time at school 420
CPA_025 Hours/week - physical activity - lessons or sports 421
CPA_030 Hours/week - physical activity - unorganized activities 421
CPA_035 Hours/day - screen time 422
DFCD11Y Eats regular-fat salad dressing/mayo - times per year - (D) 337
DFCD12Y Eats regular-fat chips - times/year - (D) 338
DFCD13Y Eats margarine - times per year - (D) 339
DFCD14Y Eats omega-3 enriched margarine - times per year - (D) 340
DFC_11 Eats regular-fat salad dressing/mayo - number of times 336
DFC_11N Eats regular-fat salad dressing/mayo - reporting period 336
DFC_12 Eats regular-fat chips - number of times 337

DFC_12N Eats regular-fat chips - reporting period ... 337
DFC_13 Eats margarine - number of times ... 338
DFC_13N Eats margarine - reporting period ... 338
DFC_14 Eats omega-3 enriched margarine - number of times ... 339
DFC_14N Eats omega-3 enriched margarine - reporting period ... 340
DHHD611 Number of persons 6 to 11 years old in household - (D) ... 36
DHHDDWE Type of dwelling - (D) ... 39
DHHDECF Economic family status (household type) - (D) ... 38
DHHDHSZ Household size - (D) ... 37
DHHDL12 Number of persons in household less than 12 years old - (D) ... 36
DHHDLE5 Number of persons in household less than 6 years old - (D) ... 36
DHHDLVG Living arrangement of selected respondent - (D) ... 38
DHHDOKD Number of persons 16 or 17 years old in household - (D) ... 37
DHHDYKD Number of persons 15 years old or less in household - (D) ... 37
DHH_AGE Age at household interview ... 29
DHH_BED Number of bedrooms in dwelling ... 35
DHH_DOB Day of birth ... 28
DHH_MOB Month of birth ... 29
DHH_MS Marital status ... 35
DHH_OWN Dweling - own or rent ... 34
DHH_PRN Province of residence of respondent ... 28
DHH_REP Dwelling - in need of any repairs ... 34
DHH_SEX Sex ... 30
DHH_YOB Year of birth ... 29
EDC_01 Highest grade of elementary school completed ... 30
EDC_02 Graduated from high school (secondary school) ... 31
EDC_03 Received any other education ... 31
EDC_04 Highest degree, certificate or diploma obtained ... 31
EDM_01A Attending educational institutiuon - elementary/jr. h.s./high school ... 536
EDM_01B Attending educational institution - trade school/college/CEGEP ... 537
EDM_01C Attending educational institution - university ... 537
EDM_02 Enrolled as full/part time student ... 537
EDUDH04 Highest level of education - household, 4 levels - (D) ... 33
EDUDH10 Highest level of education - household, 10 levels - (D) ... 33
EDUDR04 Highest level of education - respondent, 4 levels - (D) ... 32
EDUDR10 Highest level of education - respondent, 10 levels - (D) ... 32
ELC_005 Tried an electronic cigarette ... 461
ELC_010 Use an electronic cigarette - past month ... 462
ELC_015 Nicotine in the last e-cigarette ... 462
ESC1_01 Currently attending school, college, CEGEP or university ... 536
ETS_01 Allowed smoking inside this home ... 463
ETS_02 Smoking restricted inside this home ... 463
ETS_03A Smoking restriction - allow in certain rooms only ... 464
ETS_03B Smoking restriction - in presence of young children ... 464
ETS_03C Smoking restriction - allow if windows are open/ventilation ... 465
ETS_03D Smoking restriction - other restriction ... 465
ETS_04 How often someone smokes inside the home ... 465
ETS_05 Number of people who smoke inside home every day ... 466
ETS_06A Product smoked inside home - cigarettes ... 466
ETS_06B Product smoked inside home - cigarillos or little cigars ... 467
ETS_06C Product smoked inside home - all other types of cigars ... 467
ETS_06D Product smoked inside home - pipes ... 468
ETS_07 Number of cigars/cigarettes smoked inside home ... 468
ETS_08 Total period time/typical day smoking pipe ... 469
ETS_09 Often exposed to second-hand smoke inside home - past month ... 469
ETS_14 Exposed to second-hand smoke - private vehicle ... 470
ETS_16 Exposed to second-hand smoke - place of work ... 470
ETS_20 Exposed to second-hand smoke - inside someone else's home ... 470
ETS_21 Exposed to second-hand smoke - indoors, in public places ... 471
ETS_22 Exposed to second-hand smoke - outdoors, in public places ... 471
ETS_23 Exposed to second-hand smoke - anywhere else ... 472
ETS_24 Often exposed to second-hand smoke excluding own home - past month ... 472
ETV_005 Exposed to second-hand vapour inside home ... 473

FRH_05 Fallen (last 12 months) 104
FRH_10 Fallen - Number of times 104
FRH_15A Cause of fall - Sports 105
FRH_15B Cause of fall - Running or roughhousing 105
FRH_15C Cause of fall - Being hit or pushed 105
FRH_15D Cause of fall - A vehicle, a car or bicycle 106
FRH_15G Cause of fall - None of the above 106
FRH_20 Cause of fall - Other 107
FRH_25 Cause of slip 107
FRH_30 Ever broken or fractured a bone 108
FRH_35 Number of times broken or fractured a bone 108
FRH_40A First break/fracture - age 108
FRH_40AA First break/fracture - head 109
FRH_40AB First break/fracture - spine 109
FRH_40AC First break/fracture - ribs/sternum 110
FRH_40AD First break/fracture - shoulder/upper arm/collarbone 110
FRH_40AE First break/fracture - elbow 110
FRH_40AF First break/fracture - forearm/wrist 111
FRH_40AG First break/fracture - hand 111
FRH_40AH First break/fracture - fingers 112
FRH_40AI First break/fracture - hip 112
FRH_40AJ First break/fracture - pelvis 112
FRH_40AK First break/fracture - upper leg 113
FRH_40AL First break/fracture - knee 113
FRH_40AM First break/fracture - lower leg 114
FRH_40AN First break/fracture - ankle 114
FRH_40AO First break/fracture - foot 114
FRH_40AP First break/fracture - toe(s) 115
FRH_40AQ First break/fracture - other specify 115
FRH_40B Second break/fracture - age 117
FRH_40BA Second break/fracture - head 118
FRH_40BB Second break/fracture - spine 118
FRH_40BC Second break/fracture - ribs/sternum 118
FRH_40BD Second break/fracture - shoulder/upper arm/collarbone 119
FRH_40BE Second break/fracture - elbow 119
FRH_40BF Second break/fracture - forearm/wrist 119
FRH_40BG Second break/fracture - hand 120
FRH_40BH Second break/fracture - fingers 120
FRH_40BI Second break/fracture - hip 121
FRH_40BJ Second break/fracture - pelvis 121
FRH_40BK Second break/fracture - upper leg 121
FRH_40BL Second break/fracture - knee 122
FRH_40BM Second break/fracture - lower leg 122
FRH_40BN Second break/fracture - ankle 123
FRH_40BO Second break/fracture - foot 123
FRH_40BP Second break/fracture - toe(s) 123
FRH_40BQ Second break/fracture - other specify 124
FRH_40C Third break/fracture - age 126
FRH_40CA Third break/fracture - head 126
FRH_40CB Third break/fracture - spine 127
FRH_40CC Third break/fracture - ribs/sternum 127
FRH_40CD Third break/fracture - shoulder/upper arm/collarbone 127
FRH_40CE Third break/fracture - elbow 128
FRH_40CF Third break/fracture - forearm/wrist 128
FRH_40CG Third break/fracture - hand 129
FRH_40CH Third break/fracture - fingers 129
FRH_40CI Third break/fracture - hip 129
FRH_40CJ Third break/fracture - pelvis 130
FRH_40CK Third break/fracture - upper leg 130
FRH_40CL Third break/fracture - knee 131
FRH_40CM Third break/fracture - lower leg 131
FRH_40CN Third break/fracture - ankle 131
FRH_40CO Third break/fracture - foot 132

FRH_40CP Third break/fracture - toe(s) 132
FRH_40CQ Third break/fracture - other specify 133
FRH_40D Fourth break/fracture - age 135
FRH_40DA Fourth break/fracture - head 135
FRH_40DB Fourth break/fracture - spine 135
FRH_40DC Fourth break/fracture - ribs/sternum 136
FRH_40DD Fourth break/fracture - shoulder/upper arm/collarbone 136
FRH_40DE Fourth break/fracture - elbow 137
FRH_40DF Fourth break/fracture - forearm/wrist 137
FRH_40DG Fourth break/fracture - hand 138
FRH_40DH Fourth break/fracture - fingers 138
FRH_40DI Fourth break/fracture - hip 138
FRH_40DJ Fourth break/fracture - pelvis 139
FRH_40DK Fourth break/fracture - upper leg 139
FRH_40DL Fourth break/fracture - knee 139
FRH_40DM Fourth break/fracture - lower leg 140
FRH_40DN Fourth break/fracture - ankle 140
FRH_40DO Fourth break/fracture - foot 141
FRH_40DP Fourth break/fracture - toe(s) 141
FRH_40DQ Fourth break/fracture - other specify 141
FRH_40E Fifth break/fracture - age 143
FRH_40EA Fifth break/fracture - head 144
FRH_40EB Fifth break/fracture - spine 144
FRH_40EC Fifth break/fracture - ribs/sternum 144
FRH_40ED Fifth break/fracture - shoulder/upper arm/collarbone 145
FRH_40EE Fifth break/fracture - elbow 145
FRH_40EF Fifth break/fracture - forearm/wrist 146
FRH_40EG Fifth break/fracture - hand 146
FRH_40EH Fifth break/fracture - fingers 146
FRH_40EI Fifth break/fracture - hip 147
FRH_40EJ Fifth break/fracture - pelvis 147
FRH_40EK Fifth break/fracture - upper leg 148
FRH_40EL Fifth break/fracture - knee 148
FRH_40EM Fifth break/fracture - lower leg 148
FRH_40EN Fifth break/fracture - ankle 149
FRH_40EO Fifth break/fracture - foot 149
FRH_40EP Fifth break/fracture - toe(s) 150
FRH_40EQ Fifth break/fracture - other specify 150
FRH_40F Sixth break/fracture - age 152
FRH_40FA Sixth break/fracture - head 152
FRH_40FB Sixth break/fracture - spine 153
FRH_40FC Sixth break/fracture - ribs/sternum 153
FRH_40FD Sixth break/ fracture - shoulder/upper arm/collarbone 154
FRH_40FE Sixth break/fracture - elbow 154
FRH_40FF Sixth break/fracture - forearm/wrist 154
FRH_40FG Sixth break/fracture - hand 155
FRH_40FH Sixth break/fracture - fingers 155
FRH_40FI Sixth break/fracture - hip 156
FRH_40FJ Sixth break/fracture - pelvis 156
FRH_40FK Sixth break/fracture - upper leg 156
FRH_40FL Sixth break/fracture - knee 157
FRH_40FM Sixth break/fracture - lower leg 157
FRH_40FN Sixth break/fracture - ankle 157
FRH_40FO Sixth break/fracture - foot 158
FRH_40FP Sixth break/fracture - toe(s) 158
FRH_40FQ Sixth break/fracture - other specify 159
FRH_40G Seventh break/fracture - age 160
FRH_40GA Seventh break/fracture - head 161
FRH_40GB Seventh break/fracture - spine 161
FRH_40GC Seventh break/fracture - ribs/sternum 162
FRH_40GD Seventh break/fracture - shoulder/upper arm/collarbone 162
FRH_40GE Seventh break/fracture - elbow 162
FRH_40GF Seventh break/fracture - forearm/wrist 163

FRH_40GG Seventh break/fracture - hand 163
FRH_40GH Seventh break/fracture - fingers 164
FRH_40GI Seventh break/fracture - hip 164
FRH_40GJ Seventh break/fracture - pelvis 164
FRH_40GK Seventh break/fracture - upper leg 165
FRH_40GL Seventh break/fracture - knee 165
FRH_40GM Seventh break/fracture - lower leg 166
FRH_40GN Seventh break/fracture - ankle 166
FRH_40GO Seventh break/fracture - foot 166
FRH_40GP Seventh break/fracture - toe(s) 167
FRH_40GQ Seventh break/fracture - other specify 167
FRH_40H Eighth break/fracture - age 169
FRH_40HA Eighth break/fracture - head 169
FRH_40HB Eighth break/fracture - spine 170
FRH_40HC Eighth break/fracture - ribs/sternum 170
FRH_40HD Eighth break/fracture - shoulder/upper arm/collarbone 171
FRH_40HE Eighth break/fracture - elbow 171
FRH_40HF Eighth break/fracture - forearm/wrist 171
FRH_40HG Eighth break/fracture - hand 172
FRH_40HH Eighth break/fracture - fingers 172
FRH_40HI Eighth break/fracture - hip 173
FRH_40HJ Eighth break/fracture - pelvis 173
FRH_40HK Eighth break/fracture - upper leg 173
FRH_40HL Eighth break/fracture - knee 174
FRH_40HM Eighth break/fracture - lower leg 174
FRH_40HN Eighth break/fracture - ankle 175
FRH_40HO Eighth break/fracture - foot 175
FRH_40HP Eighth break/fracture - toe(s) 175
FRH_40HQ Eighth break/fracture - other specify 176
FRH_40I Ninth break/fracture - age 178
FRH_40IA Ninth break/fracture - head 178
FRH_40IB Ninth break/fracture - spine 178
FRH_40IC Ninth break/fracture - ribs/sternum 179
FRH_40ID Ninth break/fracture - shoulder/upper arm/collarbone 179
FRH_40IE Ninth break/fracture - elbow 180
FRH_40IF Ninth break/fracture - forearm/wrist 180
FRH_40IG Ninth break/fracture - hand 180
FRH_40IH Ninth break/fracture - fingers 181
FRH_40II Ninth break/fracture - hip 181
FRH_40IJ Ninth break/fracture - pelvis 182
FRH_40IK Ninth break/fracture - upper leg 182
FRH_40IL Ninth break/fracture - knee 182
FRH_40IM Ninth break/fracture - lower leg 183
FRH_40IN Ninth break/fracture - ankle 183
FRH_40IO Ninth break/fracture - foot 184
FRH_40IP Ninth break/fracture - toe(s) 184
FRH_40IQ Ninth break/fracture - other specify 184
FRH_40J Tenth break/fracture - age 186
FRH_40JA Tenth break/fracture - head 186
FRH_40JB Tenth break/fracture - spine 187
FRH_40JC Tenth break/fracture - ribs/sternum 187
FRH_40JD Tenth break/fracture - shoulder/upper arm/collarbone 188
FRH_40JE Tenth break/fracture - elbow 188
FRH_40JF Tenth break/fracture - forearm/wrist 188
FRH_40JG Tenth break/fracture - hand 189
FRH_40JH Tenth break/fracture - fingers 189
FRH_40JI Tenth break/fracture - hip 190
FRH_40JJ Tenth break/fracture - pelvis 190
FRH_40JK Tenth break/fracture - upper leg 190
FRH_40JL Tenth break/fracture - knee 191
FRH_40JM Tenth break/fracture - lower leg 191
FRH_40JN Tenth break/fracture - ankle 192
FRH_40JO Tenth break/fracture - foot 192

FRH_40JP Tenth break/fracture - toe(s) ... 192
FRH_40JQ Tenth break/fracture - other specify ... 193
FRH_40K Eleventh break/fracture - age ... 194
FRH_40KA Eleventh break/fracture - head ... 195
FRH_40KB Eleventh break/fracture - spine ... 195
FRH_40KC Eleventh break/fracture - ribs/sternum ... 196
FRH_40KD Eleventh break/fracture - shoulder/upper arm/collarbone ... 196
FRH_40KE Eleventh break/fracture - elbow ... 196
FRH_40KF Eleventh break/fracture - forearm/wrist ... 197
FRH_40KG Eleventh break/fracture - hand ... 197
FRH_40KH Eleventh break/fracture - fingers ... 198
FRH_40KI Eleventh break/fracture - hip ... 198
FRH_40KJ Eleventh break/fracture - pelvis ... 198
FRH_40KK Eleventh break/fracture - upper leg ... 199
FRH_40KL Eleventh break/fracture - knee ... 199
FRH_40KM Eleventh break/fracture - lower leg ... 200
FRH_40KN Eleventh break/fracture - ankle ... 200
FRH_40KO Eleventh break/fracture - foot ... 200
FRH_40KP Eleventh break/fracture - toe(s) ... 201
FRH_40KQ Eleventh break/fracture - other specify ... 201
FRH_40L Twelfth break/fracture - age ... 203
FRH_40LA Twelfth break/fracture - head ... 203
FRH_40LB Twelfth break/fracture - spine ... 204
FRH_40LC Twelfth break/fracture - ribs/sternum ... 204
FRH_40LD Twelfth break/fracture - shoulder/upper arm/collarbone ... 205
FRH_40LE Twelfth break/fracture - elbow ... 205
FRH_40LF Twelfth break/fracture - forearm/wrist ... 205
FRH_40LG Twelfth break/fracture - hand ... 206
FRH_40LH Twelfth break/fracture - fingers ... 206
FRH_40LI Twelfth break/fracture - hip ... 207
FRH_40LJ Twelfth break/fracture - pelvis ... 207
FRH_40LK Twelfth break/fracture - upper leg ... 207
FRH_40LL Twelfth break/fracture - knee ... 208
FRH_40LM Twelfth break/fracture - lower leg ... 208
FRH_40LN Twelfth break/fracture - ankle ... 208
FRH_40LO Twelfth break/fracture - foot ... 209
FRH_40LP Twelfth break/fracture - toe(s) ... 209
FRH_40LQ Twelfth break/fracture - other specify ... 210
FRH_40M Thirteenth break/fracture - age ... 211
FRH_40MA Thirteenth break/fracture - head ... 212
FRH_40MB Thirteenth break/fracture - spine ... 212
FRH_40MC Thirteenth break/fracture - ribs/sternum ... 212
FRH_40MD Thirteenth break/fracture - shoulder/upper arm/collarbone ... 213
FRH_40ME Thirteenth break/fracture - elbow ... 213
FRH_40MF Thirteenth break/fracture - forearm/wrist ... 214
FRH_40MG Thirteenth break/fracture - hand ... 214
FRH_40MH Thirteenth break/fracture - fingers ... 214
FRH_40MI Thirteenth break/fracture - hip ... 215
FRH_40MJ Thirteenth break/fracture - pelvis ... 215
FRH_40MK Thirteenth break/fracture - upper leg ... 216
FRH_40ML Thirteenth break/fracture - knee ... 216
FRH_40MM Thirteenth break/fracture - lower leg ... 216
FRH_40MN Thirteenth break/fracture - ankle ... 217
FRH_40MO Thirteenth break/fracture - foot ... 217
FRH_40MP Thirteenth break/fracture - toe(s) ... 218
FRH_40MQ Thirteenth break/fracture - other specify ... 218
FRH_40N Fourteenth break/fracture - age ... 220
FRH_40NA Fourteenth break/fracture - head ... 220
FRH_40NB Fourteenth break/fracture - spine ... 220
FRH_40NC Fourteenth break/fracture - ribs/sternum ... 221
FRH_40ND Fourteenth break/fracture - shoulder/upper arm/collarbone ... 221
FRH_40NE Fourteenth break/fracture - elbow ... 222
FRH_40NF Fourteenth break/fracture - forearm/wrist ... 222

FRH_40NG Fourteenth break/fracture - hand 222
FRH_40NH Fourteenth break/fracture - fingers 223
FRH_40NI Fourteenth break/fracture - hip 223
FRH_40NJ Fourteenth break/fracture - pelvis 224
FRH_40NK Fourteenth break/fracture - upper leg 224
FRH_40NL Fourteenth break/fracture - knee 224
FRH_40NM Fourteenth break/fracture - lower leg 225
FRH_40NN Fourteenth break/fracture - ankle 225
FRH_40NO Fourteenth break/fracture - foot 226
FRH_40NP Fourteenth break/fracture - toe(s) 226
FRH_40NQ Fourteenth break/fracture - other specify 226
FRH_40O Fifteenth break/fracture - age 228
FRH_40OA Fifteenth break/fracture - head 228
FRH_40OB Fifteenth break/fracture - spine 229
FRH_40OC Fifteenth break/fracture - ribs/sternum 229
FRH_40OD Fifteenth break/fracture - shoulder/upper arm/collarbone 230
FRH_40OE Fifteenth break/fracture - elbow 230
FRH_40OF Fifteenth break/fracture - forearm/wrist 230
FRH_40OG Fifteenth break/fracture - hand 231
FRH_40OH Fifteenth break/fracture - fingers 231
FRH_40OI Fifteenth break/fracture - hip 232
FRH_40OJ Fifteenth break/fracture - pelvis 232
FRH_40OK Fifteenth break/fracture - upper leg 232
FRH_40OL Fifteenth break/fracture - knee 233
FRH_40OM Fifteenth break/fracture - lower leg 233
FRH_40ON Fifteenth break/fracture - ankle 234
FRH_40OO Fifteenth break/fracture - foot 234
FRH_40OP Fifteenth break/fracture - toe(s) 234
FRH_40OQ Fifteenth break/fracture - other specify 235
FRH_40P Sixteenth break/fracture - age 236
FRH_40PA Sixteenth break/fracture - head 237
FRH_40PB Sixteenth break/fracture - spine 237
FRH_40PC Sixteenth break/fracture - ribs/sternum 238
FRH_40PD Sixteenth break/fracture - shoulder/upper arm/collarbone 238
FRH_40PE Sixteenth break/fracture - elbow 238
FRH_40PF Sixteenth break/fracture - forearm/wrist 239
FRH_40PG Sixteenth break/fracture - hand 239
FRH_40PH Sixteenth break/fracture - fingers 240
FRH_40PI Sixteenth break/fracture - hip 240
FRH_40PJ Sixteenth break/fracture - pelvis 240
FRH_40PK Sixteenth break/fracture - upper leg 241
FRH_40PL Sixteenth break/fracture - knee 241
FRH_40PM Sixteenth break/fracture - lower leg 242
FRH_40PN Sixteenth break/fracture - ankle 242
FRH_40PO Sixteenth break/fracture - foot 242
FRH_40PP Sixteenth break/fracture - toe(s) 243
FRH_40PQ Sixteenth break/fracture - other specify 243
FRH_40Q Seventeenth break/fracture - age 245
FRH_40QA Seventeenth break/fracture - head 245
FRH_40QB Seventeenth break/fracture - spine 246
FRH_40QC Seventeenth break/fracture - ribs/sternum 246
FRH_40QD Seventeenth break/fracture - shoulder/upper arm/collarbone 246
FRH_40QE Seventeenth break/fracture - elbow 247
FRH_40QF Seventeenth break/fracture - forearm/wrist 247
FRH_40QG Seventeenth break/fracture - hand 248
FRH_40QH Seventeenth break/fracture - fingers 248
FRH_40QI Seventeenth break/fracture - hip 248
FRH_40QJ Seventeenth break/fracture - pelvis 249
FRH_40QK Seventeenth break/fracture - upper leg 249
FRH_40QL Seventeenth break/fracture - knee 249
FRH_40QM Seventeenth break/fracture - lower leg 250
FRH_40QN Seventeenth break/fracture - ankle 250
FRH_40QO Seventeenth break/fracture - foot 251

FRH_40QP Seventeenth break/fracture - toe(s) 251
FRH_40QQ Seventeenth break/fracture - other specify 251
FRH_40R Eighteenth break/fracture - age 253
FRH_40RA Eighteenth break/fracture - head 253
FRH_40RB Eighteenth break/fracture - spine 254
FRH_40RC Eighteenth break/fracture - ribs/sternum 254
FRH_40RD Eighteenth break/fracture - shoulder/upper arm/collarbone 254
FRH_40RE Eighteenth break/fracture - elbow 255
FRH_40RF Eighteenth break/fracture - forearm/wrist 255
FRH_40RG Eighteenth break/fracture - hand 255
FRH_40RH Eighteenth break/fracture - fingers 256
FRH_40RI Eighteenth break/fracture - hip 256
FRH_40RJ Eighteenth break/fracture - pelvis 257
FRH_40RK Eighteenth break/fracture - upper leg 257
FRH_40RL Eighteenth break/fracture - knee 257
FRH_40RM Eighteenth break/fracture - lower leg 258
FRH_40RN Eighteenth break/fracture - ankle 258
FRH_40RO Eighteenth break/fracture - foot 258
FRH_40RP Eighteenth break/fracture - toe(s) 259
FRH_40RQ Eighteenth break/fracture - other specify 259
FRH_40S Nineteenth break/fracture - age 261
FRH_40SA Nineteenth break/fracture - head 261
FRH_40SB Nineteenth break/fracture - spine 262
FRH_40SC Nineteenth break/fracture - ribs/sternum 262
FRH_40SD Nineteenth break/fracture - shoulder/upper arm/collarbone 262
FRH_40SE Nineteenth break/fracture - elbow 263
FRH_40SF Nineteenth break/fracture - forearm/wrist 263
FRH_40SG Nineteenth break/fracture - hand 263
FRH_40SH Nineteenth break/fracture - fingers 264
FRH_40SI Nineteenth break/fracture - hip 264
FRH_40SJ Nineteenth break/fracture - pelvis 265
FRH_40SK Nineteenth break/fracture - upper leg 265
FRH_40SL Nineteenth break/fracture - knee 265
FRH_40SM Nineteenth break/fracture - lower leg 266
FRH_40SN Nineteenth break/fracture - ankle 266
FRH_40SO Nineteenth break/fracture - foot 266
FRH_40SP Nineteenth break/fracture - toe(s) 267
FRH_40SQ Nineteenth break/fracture - other specify 267
FRH_40T Twentieth break/fracture - age 269
FRH_40TA Twentieth break/fracture - head 269
FRH_40TB Twentieth break/fracture - spine 269
FRH_40TC Twentieth break/fracture - ribs/sternum 270
FRH_40TD Twentieth break/fracture - shoulder/upper arm/collarbone 270
FRH_40TE Twentieth break/fracture - elbow 271
FRH_40TF Twentieth break/fracture - forearm/wrist 271
FRH_40TG Twentieth break/fracture - hand 271
FRH_40TH Twentieth break/fracture - fingers 272
FRH_40TI Twentieth break/fracture - hip 272
FRH_40TJ Twentieth break/fracture - pelvis 272
FRH_40TK Twentieth break/fracture - upper leg 273
FRH_40TL Twentieth break/fracture - knee 273
FRH_40TM Twentieth break/fracture - lower leg 274
FRH_40TN Twentieth break/fracture - ankle 274
FRH_40TO Twentieth break/fracture - foot 274
FRH_40TP Twentieth break/fracture - toe(s) 275
FRH_40TQ Twentieth break/fracture - other specify 275
FRH_41A First break/fracture - how did it happen 116
FRH_41B Second break/fracture - how did it happen 124
FRH_41C Third break/fracture - how did it happen 133
FRH_41D Fourth break/fracture - how did it happen 142
FRH_41E Fifth break/fracture - how did it happen 150
FRH_41F Sixth break/fracture - how did it happen 159
FRH_41G Seventh break/fracture - how did it happen 168

FRH_41H Eighth break/fracture - how did it happen 176
FRH_41I Ninth break/fracture - how did it happen 185
FRH_41J Tenth break/fracture - how did it happen 193
FRH_41K Eleventh break/fracture - how did it happen 202
FRH_41L Twelfth break/fracture - how did it happen 210
FRH_41M Thirteenth break/fracture - how did it happen 218
FRH_41N Fourteenth break/fracture - how did it happen 227
FRH_41O Fifteenth break/fracture - how did it happen 235
FRH_41P Sixteenth break/fracture - how did it happen 244
FRH_41Q Seventeenth break/fracture - how did it happen 252
FRH_41R Eighteenth break/fracture - how did it happen 260
FRH_41S Nineteenth break/fracture - how did it happen 268
FRH_41T Twentieth break/fracture - how did it happen 275
FRH_42A First break/fracture - type of fall 116
FRH_42B Second break/fracture - type of fall 125
FRH_42C Third break/fracture - type of fall 134
FRH_42D Fourth break/fracture - type of fall 142
FRH_42E Fifth break/fracture - type of fall 151
FRH_42F Sixth break/fracture - type of fall 160
FRH_42G Seventh break/fracture - type of fall 168
FRH_42H Eighth break/fracture - type of fall 177
FRH_42I Ninth break/fracture - type of fall 185
FRH_42J Tenth break/fracture - type of fall 194
FRH_42K Eleventh break/fracture - type of fall 202
FRH_42L Twelfth break/fracture - type of fall 211
FRH_42M Thirteenth break/fracture - type of fall 219
FRH_42N Fourteenth break/fracture - type of fall 227
FRH_42O Fifteenth break/fracture - type of fall 236
FRH_42P Sixteenth break/fracture - type of fall 244
FRH_42Q Seventeenth break/fracture - type of fall 252
FRH_42R Eighteenth break/fracture - type of fall 260
FRH_42S Nineteenth break/fracture - type of fall 268
FRH_42T Twentieth break/fracture - type of fall 276
FRH_43A First break/fracture - height of fall 117
FRH_43B Second break/fracture - height of fall 125
FRH_43C Third break/fracture - height of fall 134
FRH_43D Fourth break/fracture - height of fall 143
FRH_43E Fifth break/fracture - height of fall 151
FRH_43F Sixth break/fracture - height of fall 160
FRH_43G Seventh break/fracture - height of fall 169
FRH_43H Eighth break/fracture - height of fall 177
FRH_43I Ninth break/fracture - height of fall 186
FRH_43J Tenth break/fracture - height of fall 194
FRH_43K Eleventh break/fracture - height of fall 202
FRH_43L Twelfth break/fracture - height of fall 211
FRH_43M Thirteenth break/fracture - height of fall 219
FRH_43N Fourteenth break/fracture - height of fall 228
FRH_43O Fifteenth break/fracture - height of fall 236
FRH_43P Sixteenth break/fracture - height of fall 244
FRH_43Q Seventeenth break/fracture - height of fall 252
FRH_43R Eighteenth break/fracture - height of fall 260
FRH_43S Nineteenth break/fracture - height of fall 268
FRH_43T Twentieth break/fracture - height of fall 276
FRH_45 Broke/fracture hip (self/mother) 277
FRH_50 Broke/fracture hip (self/mother) - age 277
FRH_55 Broke/fracture hip (self/father) 277
FRH_60 Broke/fracture hip (self/father) - age 278
GENDHDI Self-rated health - (D) 44
GENDMHI Self-rated mental health - (D) 45
GEN_005 Self-perceived health 39
GEN_010 Self-perceived health compared to one year ago 40
GEN_015 Satisfied with life right now 40
GEN_020 Self-perceived mental health 41

GEN_025 Self-perceived stress 41
GEN_030 Main activity 42
GEN_035 Worked at job or business 42
GEN_040 Self-perceived work stress 42
GEN_045 Sense of belonging to local community 43
GEN_050 Self-perceived quality of life 43
GEN_055 Family doctor 44
GFVD11Y Eats hot or cold cereal - times per year - (D) 319
GFVD12Y Eats whole grain bread - times per year - (D) 320
GFVD13Y Eats white bread - times per year - (D) 321
GFVD14Y Eats any kind of pasta - times per year - (D) 322
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) 323
GFVD17AY Eats citrus fruit - times per year - (D) 324
GFVD17BY Eats strawberries - times per summer - (D) 325
GFVD17CY Eats strawberries - times per year, excluding summer (D) 326
GFVD17DY Eats other types of fruit - times per year - (D) 328
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) 329
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) 330
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) 331
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) 332
GFVD22Y Eats other potatoes - times per year - (D) 333
GFVD23Y Eats all other types of vegetables - times per year - (D) 334
GFVD24Y Eats flax seeds - times per year - (D) 335
GFV_11 Eats hot or cold cereal - number of times 318
GFV_11N Eats hot or cold cereal - reporting period 318
GFV_12 Eats whole grain bread - number of times 319
GFV_12N Eats whole grain bread - reporting period 319
GFV_13 Eats white bread - number of times 320
GFV_13N Eats white bread - reporting period 320
GFV_14 Eats pasta - number of times 321
GFV_14N Eats pasta - reporting period 322
GFV_16 Eats instant, seasoned or wild rice - number of times 322
GFV_16N Eats instant, seasoned or wild rice - reporting period 323
GFV_17A Eats citrus fruit - number of times 323
GFV_17AN Eats citrus fruit - reporting period 324
GFV_17B Eats strawberries in the summer - number of times 325
GFV_17BN Eats strawberries in the summer - reporting period 325
GFV_17C Eats strawberries during the rest of the year - number of times 326
GFV_17CN Eats strawberries rest of the year - reporting period 326
GFV_17D Eats other types of fruit - number of times 327
GFV_17DN Eats other types of fruit - reporting period 327
GFV_18 Eats tomatoes or tomato sauce - number of times 328
GFV_18N Eats tomatoes or tomato sauce - reporting period 328
GFV_19 Eats lettuce or green leafy salad - number of times 329
GFV_19N Eats lettuce or green leafy salad - reporting period 329
GFV_20 Eats spinach, mustard greens or cabbage - number of times 330
GFV_20N Eats spinach, mustard greens or cabbage - reporting period 330
GFV_21 Eats french/home fries or hash brown potatoes - number times 331
GFV_21N Eats french/home fries or hash brown potatoes - reporting period 332
GFV_22 Eats other potatoes - number of times 332
GFV_22N Eats other potatoes - reporting period 333
GFV_23 Eats all other types of vegetables - number of times 334
GFV_23N Eats all other types of vegetables - reporting period 334
GFV_24 Eats flax seeds, whole or ground - number of times 335
GFV_24N Eats flax seeds, whole or ground - reporting period 335
HUIDCOG Cognition problems - function code - (D) 58
HUIDDEX Dexterity trouble - function code - (D) 58
HUIDEMO Emotional problems - function code - (D) 59
HUIDHER Hearing problems - function code - (D) 59
HUIDHSC HUI score into 4 categories - no/mild/moderate/severe (D) 62
HUIDHSI Health Utility Index (HUI3) - (D) 61
HUIDMOB Mobility trouble - function code - (D) 60
HUIDPAD Activities prevented by pain - function code - (D) 60

HUIDSPE Speech trouble - function code - (D) 61
HUIDVIS Vision trouble - function code - (D) 61
HUI_005 Vision - read newsprint without glasses / contacts 45
HUI_010 Vision - read newsprint with glasses / contacts 46
HUI_015 Vision - able to see 46
HUI_020 Vision - recognize a friend without glasses / contacts 46
HUI_025 Vision - recognize a friend with glasses / contacts 47
HUI_030 Hearing - in group without hearing aid 47
HUI_035 Hearing - in group with hearing aid 48
HUI_040 Hearing - able to hear 48
HUI_045 Hearing - in quiet room without hearing aid 49
HUI_050 Hearing - in quiet room with hearing aid 49
HUI_055 Speech - completely understood by strangers 49
HUI_060 Speech - partially understood by strangers 50
HUI_065 Speech - completely understood by non-strangers 50
HUI_070 Speech - partially understood by non-strangers 51
HUI_075 Mobility - walk without difficulty and without support 51
HUI_080 Mobility - able to walk 51
HUI_085 Mobility - requires support to walk 52
HUI_090 Mobility - requires help of person to walk 52
HUI_095 Mobility - requires a wheelchair 52
HUI_100 Mobility - frequency of wheelchair use 53
HUI_105 Mobility - requires help to get around in wheelchair 53
HUI_110 Dexterity - able to grasp and handle small objects 54
HUI_115 Dexterity - requires help due to limitation in use of hands 54
HUI_120 Dexterity - requires help with tasks 54
HUI_125 Dexterity - requires special equipment / hand limitation 55
HUI_130 Emotion - self evaluation 55
HUI_135 Cognition - ability to remember things 56
HUI_140 Cognition - ability to think and solve problems 56
HUI_145 Usually free of pain or discomfort 57
HUI_150 Pain and discomfort - usual intensity 57
HUI_155 Pain and discomfort - number of activities prevented 57
HWTDBMI Body Mass Index / self-reported - (D) 291
HWTDBMIA BMI norms, 18 or older / self-reported - (D) 291
HWTDBMIK BMI norms, 3 to 17 years old / self-reported - (D) 292
HWTDCM Height (centimetres) / self-reported - (D) 289
HWTDCOL BMI classification (3 to 18 years) / self-reported - Cole system - (D) 292
HWTDHTM Height (metres) / self-reported - (D) 290
HWTDIN Height (inches) / self-reported - (D) 290
HWTDKG Weight (kilograms) / self-reported - (D) 290
HWTDLB Weight (pounds) / self-reported - (D) 291
HWTDWHOK BMI classification (5 to 18 years old) / self-reported - WHO - (D) 293
HWTDWHOP BMI classification (3 to 5 years old) / self-reported - WHO - (D) 293
HWT_1A Height - feet / self-reported 287
HWT_1B Height - inches / self-reported 287
HWT_1C Height - centimetres / self-reported 288
HWT_1N Height - unit of measure in feet and inches or in cm - self-reported 287
HWT_3 Weight / self-reported 288
HWT_3N Weight - unit of measure in pounds or kilograms / self-reported 288
HWT_4 Respondent's opinion of own weight / self-reported 289
IDU_11 Used or tried marijuana, cannabis or hashish 480
IDU_21 Used or tried prescription drugs for the feeling 481
IDU_22 Used or tried other drugs (cocaine, speed) 481
IDU_32 Injected with drugs for the experience/feeling 482
IDU_33 Other than by injection, used other drugs for the feeling 482
IMGCCB Country of birth - (C) 530
IMGDALI Age at time of landed immigration - (D) 522
IMGDLLI Length of time since became a landed immigrant - (D) 521
IMGGCB Country of birth - (G) 530
IMG_02 Province/territory of birth 520
IMG_03 Landed immigrant 521
IMG_04 Year first became landed immigrant in Canada 521

LAEC02A Language - knowledge of non-offical language - 1st 531
LAEC02B Language - knowledge of non-offical language - 2nd 531
LAEC02C Language - knowledge of non-offical language - 3rd 532
LAEC03A Language - home language spoken most often - 1st 532
LAEC03B Language - home language spoken most often - 2nd 533
LAEC03C Language - home language spoken most often - 3rd 533
LAEC06A Language - mother tongue - 1st 533
LAEC06B Language - mother tongue - 2nd 534
LAEC06C Language - mother tongue - 3rd 534
LAEDCON Languages - can converse - (D) 535
LAEDFL1 First language learned and still understood - (D) 535
LAEDSPH Language(s) spoken most often at home - (D) 535
LAE_01 Language - knowledge of official languages 531
LAFCIC17 North American Industry Classification System (NAICS) 2017 519
LAFCOC16 National Occupational Classification - Statistics (NOC-S) 2016 519
LAFDWSL Working status last week (6 groups) - (D) 518
LAFDWSS Working status last week (4 groups) - (D) 518
LAFGO16A Variant of NOC for highly aggregated data - (G) 520
LAFGO16S Variant for analysis by NOC skill level - (G) 520
LMA2_04 Job - last 4 weeks tried to find work 515
LMA2_05 Job - last week had job with start date 515
LMA2_06 Job - start date 515
LMA2_07 Job - wanted job with more or less 30 hours per week 516
LMA2_08 Job - could have worked last week if offered 516
LMA2_09 Job - main reason not available to work last week 517
LMA3_10 Job - were you employee/self-employed 517
LMAM_01 Job - last week had a job or business 513
LMAM_02 Job - had a job/ business last week but was absent 514
LMAM_03 Job - main reason absent work last week 514
LMH_016 Number of hours worked per week 518
MBF_11 Ever given birth 492
MBF_12 Number of live births 492
MBF_21A Breastfeeding first baby 493
MBF_21AA Length of time breastfeeding first baby 493
MBF_21B Breastfeeding second baby 494
MBF_21BB Length of time breastfeeding second baby 494
MBF_21C Breastfeeding third baby 495
MBF_21CC Length of time breastfeeding third baby 495
MBF_21D Breastfeeding fourth baby 496
MBF_21DD Length of time breastfeeding fourth baby 496
MBF_21E Breastfeeding fifth baby 496
MBF_21EE Length of time breastfeeding fifth baby 497
MBF_21F Breastfeeding sixth baby 497
MBF_21FF Length of time breastfeeding sixth baby 498
MBF_21G Breastfeeding seventh baby 498
MBF_21GG Length of time breastfeeding seventh baby 498
MBF_21H Breastfeeding eighth baby 499
MBF_21HH Length of time breastfeeding eighth baby 499
MBF_21I Breastfeeding ninth baby 500
MBF_21II Length of time breastfeeding ninth baby 500
MBF_21J Breastfeeding tenth baby 500
MBF_21JJ Length of time breastfeeding tenth baby 501
MBF_21K Breastfeeding eleventh baby 501
MBF_21KK Length of time breastfeeding eleventh baby 501
MBF_21L Breastfeeding twelfth baby 502
MBF_21LL Length of time breastfeeding twelfth baby 502
MBF_21M Breastfeeding thirteenth baby 502
MBF_21MM Length of time breastfeeding thirteenth baby 503
MBF_21N Breastfeeding fourteenth baby 503
MBF_21NN Length of time breastfeeding fourteenth baby 504
MBF_21O Breastfeeding fifteenth baby 504
MBF_21OO Length of time breastfeeding fifteenth baby 504
MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) 304

MDCD02Y	Drinks/uses omega-3 milk substitutes - times per year - (D)	305
MDCD04Y	Drinks or uses milk or flavoured milk - times per year - (D)	308
MDCD05Y	Drinks or uses omega-3 enriched milk - times per year - (D)	309
MDCD13BY	Eats processed cheese - times per year - (D)	314
MDCD13CY	Eats other types of cheese - times per year - (D)	315
MDCD13Y	Eats cottage cheese - times per year - (D)	313
MDCD14Y	Eats yogurt - times per year - (D)	316
MDCD15Y	Eats ice cream or frozen yogurt - times per year - (D)	317
MDC_01	Drinks/uses enriched milk substitutes - number of times	303
MDC_01N	Drinks/uses enriched milk substitutes - reporting period	303
MDC_02	Drinks/uses omega-3 enriched milk substitutes - number of times	304
MDC_02N	Drinks/uses omega-3 enriched milk substitutes - reporting period	304
MDC_03A	Drinks/uses enriched milk substitutes - rice	305
MDC_03B	Drinks/uses enriched milk substitutes - soya	306
MDC_03C	Drinks/uses enriched milk substitutes - almond	306
MDC_03D	Drinks/uses enriched milk substitutes - other (enriched)	306
MDC_04	Drinks/uses milk/flavoured milk - number of times	307
MDC_04N	Drinks/uses milk/flavoured milk - reporting period	307
MDC_05	Drinks/uses omega-3 enriched milk - number of times	308
MDC_05N	Drinks/uses omega-3 enriched milk - reporting period	308
MDC_12A	Type of milk used - 3.25%	309
MDC_12B	Type of milk used - 2%	310
MDC_12C	Type of milk used - 1%	310
MDC_12D	Type of milk used - 0.5%	310
MDC_12E	Type of milk used - skim or non-fat	311
MDC_12F	Type of milk used - flavoured milk beverages	311
MDC_12G	Type of milk used - other	312
MDC_13	Eats cottage cheese - number of times	312
MDC_13B	Eats processed cheese - number of times	313
MDC_13BN	Eats processed cheese - reporting period	314
MDC_13C	Eats other type of cheese - number of times	314
MDC_13CN	Eats other type of cheese - reporting period	315
MDC_13N	Eats cottage cheese - reporting period	312
MDC_14	Eats yogurt - number of times	316
MDC_14N	Eats yogurt - reporting period	316
MDC_15	Eats ice cream or frozen yogurt - number of times	317
MDC_15N	Eats ice cream or frozen yogurt - reporting period	317
MEN_005	Mentrual period - Last 12 months	98
MEN_010A	Have not had a period - Contraceptives	98
MEN_010B	Have not had a period - Medical procedure, medication or drugs	99
MEN_010C	Have not had a period - Pregnancy	99
MEN_010D	Have not had a period - Breastfeeding	100
MEN_010E	Have not had a period - Menopause	100
MEN_010F	Have not had a period - Stress, weight loss or excessive exercise	100
MEN_010G	Have not had a period - Removal of the uterus	101
MEN_010H	Have not had a period - Removal of ovaries	101
MEN_010I	Have not had a period - Physical complications	102
MEN_010J	Have not had a period - Other - Specify	102
MEN_015	Had both ovaries removed	103
MEN_020	Experienced symptoms of menopause	103
MEN_025	Beginning of menopause symptoms	103
MFCD11Y	Eats red meat - times per year - (D)	294
MFCD12Y	Eats liver - times per year - (D)	295
MFCD14Y	Eats beef or pork hot dogs - times per year - (D)	297
MFCD15Y	Eats sausage or bacon - times per year - (D)	298
MFCD19AY	Eats eggs/egg dishes - times per year - (D)	299
MFCD19BY	Eats eggs omega-3 enriched - times per year - (D)	300
MFCD20Y	Eats cooked dried beans - times per year - (D)	301
MFCD21Y	Eats nuts - times per year - (D)	302
MFC_11	Eats red meat - number of times	294
MFC_11N	Eats red meat - reporting period	294
MFC_12	Eats liver - number of times	295
MFC_12N	Eats liver - reporting period	295

MFC_14	Eats beef or pork hot dogs - number of times	296
MFC_14N	Eats beef or pork hot dogs - reporting period	296
MFC_15	Eats sausage or bacon - number of times	297
MFC_15N	Eats sausage or bacon - reporting period	297
MFC_19A	Eats eggs/egg dishes - number of times	298
MFC_19AN	Eats eggs/egg dishes - reporting period	298
MFC_19B	Eats egg made with omega-3 enriched - number of times	299
MFC_19BN	Eats eggs omega-3 enriched - reporting period	300
MFC_20	Eats cooked dried beans - number of times	300
MFC_20N	Eats cooked dried beans - reporting period	301
MFC_21	Eats nuts - number of times	302
MFC_21N	Eats nuts - reporting period	302
NBE_005	Type of housing - neighbourhood	447
NBE_015	Shops, stores, markets, other places - neighbourhood	448
NBE_020	Transit stop - neighbourhood	448
NBE_025	There are sidewalks - neighbourhood	449
NBE_030	Designated areas for biking - neighbourhood	449
NBE_035	Free or low cost recreation facilities - neighbourhood	449
NBE_040	Crime rate - neighbourhood	450
NBE_045	Many interesting things to look at - neighbourhood	450
NBE_050	Sidewalks are well maintained - neighbourhood	451
NBE_055	Traffic makes it unpleasant to walk - neighbourhood	451
NBE_060	Traffic makes it unpleasant to bike - neighbourhood	451
NBE_070	Driver's licence	452
NBE_075	Vehicle at disposal	452
PAADOTH	Total minutes of other physical activities per week - (D)	375
PAADREC	Total minutes of recreational physical activity per week - (D)	370
PAADTOT	Total minutes of physical activity from all domains per week - (D)	375
PAADTRVL	Total minutes of active transportation per week - (D)	365
PAADVIG	Total minutes of vigorous intensity physical activities per week - (D)	377
PAA_005	Active ways to get to places during the last week	361
PAA_010A	Active ways to get to places- Monday	361
PAA_010B	Active ways to get to places - Tuesday	361
PAA_010C	Active ways to get to places - Wednesday	362
PAA_010D	Active ways to get to places - Thursday	362
PAA_010E	Active ways to get to places - Friday	363
PAA_010F	Active ways to get to places - Saturday	363
PAA_010G	Active ways to get to places - Sunday	363
PAA_015	Time spent on active ways to get to places last week - hours	364
PAA_020N	Time spent on active ways to get to places last week - minutes	364
PAA_030	Recreational physical activities - last week	365
PAA_035	Recreational physical activities - sweat and breathe harder	365
PAA_040A	Recreational physical activities - sweat and breathe harder - Monday	366
PAA_040B	Recreational physical activities - sweat and breathe harder - Tuesday	366
PAA_040C	Recreational physical activities - sweat and breathe harder - Wed.	367
PAA_040D	Recreational physical activities - sweat and breathe harder - Thursday	367
PAA_040E	Recreational physical activities - sweat and breathe harder - Friday	368
PAA_040F	Recreational physical activities - sweat and breathe harder - Saturday	368
PAA_040G	Recreational physical activities - sweat and breathe harder - Sunday	368
PAA_045	Time spent on recreational physical activities - hours	369
PAA_050N	Time spent on recreational physical activities - minutes	369
PAA_060	Other physical activities - last week	370
PAA_065	Other physical activities - sweat and breathe harder	370
PAA_070A	Other physical activities - sweat and breathe harder - Monday	371
PAA_070B	Other physical activities - sweat and breathe harder - Tuesday	371
PAA_070C	Other physical activities - sweat and breathe harder - Wednesday	372
PAA_070D	Other physical activities - sweat and breathe harder - Thursday	372
PAA_070E	Other physical activities - sweat and breathe harder - Friday	373
PAA_070F	Other physical activities - sweat and breathe harder - Saturday	373
PAA_070G	Other physical activities - sweat and breathe harder - Sunday	373
PAA_075	Time spent on other physical activities - hours	374
PAA_080N	Time spent on other physical activities - minutes	374
PAA_095	Vigorous intensity physical activities	375

PAA_100 Vigorous intensity physical activities - hours 376
PAA_105N Vigorous intensity physical activities - minutes 376
PAYDOTH Total minutes of other physical activities per week - (D) 414
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) 411
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) 412
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) 412
PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) 412
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) 413
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) 413
PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) 413
PAYDREC Total minutes of recreational physical activity per week - (D) 405
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) 402
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) 403
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) 403
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) 403
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) 404
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) 404
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) 404
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) 394
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) 394
PAYDSCH4 Time of physical activity at school/day camp (minutes)-Wednesday - (D) 395
PAYDSCH5 Time of physical activity at school/day camp (minutes)-Thursday - (D) 395
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) 395
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) 396
PAYDTOT Total minutes of physical activity from all domains per week - (D) 414
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) 385
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) 385
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) 385
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) 386
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) 386
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) 386
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) 387
PAYDTRVL Total minutes of active transportation per week - (D) 387
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) 418
PAY_05A Attend school - Last week 377
PAY_05B Attend day camp - Last week 377
PAY_05C Attend paid or unpaid work - Last week 378
PAY_05D None of the above - Last week 378
PAY_10 Active ways to get to places during the last week 379
PAY_100 Vigorous intensity physical activities - last week - hours 418
PAY_105N Vigorous intensity physical activities - last week - minutes 418
PAY_15A Time spent on active ways to get to places - [Sunday] - hours 379
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes 379
PAY_15B Time spent on active ways to get to places - [Monday] - hours 380
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes 380
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours 381
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes 381
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours 381
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes 382
PAY_15E Time spent on active ways to get to places - [Thursday] - hours 382
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes 383
PAY_15F Time spent on active ways to get to places - [Friday] - hours 383
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes 383
PAY_15G Time spent on active ways to get to places - [Saturday] - hours 384
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes 384
PAY_25 Physical activities at school/day camp - last week 388
PAY_30 Physical activities at school/day camp - sweat and breathe harder 388
PAY_35A Activities school/day camp - sweat/breathe harder - [Sunday] - hours 388
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sunday] - minutes 389
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours 389
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes 389
PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours 390
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes 390

PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours 391
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes 391
PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours 391
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes 392
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours 392
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes 393
PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours 393
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes 393
PAY_45 Physical activities in leisure time 396
PAY_50 Physical activities in leisure time - sweat and breathe harder 396
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours 397
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes 397
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours 398
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes 398
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours 398
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes 399
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours 399
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes 400
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours 400
PAY_55EN Leisure-time activities - sweat/breathe harder - [Thursday] - minutes 400
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours 401
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes 401
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours 402
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes 402
PAY_65 Other physical activities - last week 405
PAY_70 Other physical activities - sweat and breathe harder 406
PAY_75A Other physical act. - sweat and breathe harder - [Sunday] - hours 406
PAY_75AN Other physical act. - sweat and breathe harder - [Sunday] - minutes 406
PAY_75B Other physical act. - sweat and breathe harder - [Monday] - hours 407
PAY_75BN Other physical act. - sweat and breathe harder - [Monday] - minutes 407
PAY_75C Other physical act. - sweat and breathe harder - [Tuesday] - hours 408
PAY_75CN Other physical act. - sweat and breathe harder - [Tuesday] - minutes 408
PAY_75D Other physical act. - sweat and breathe harder - [Wednesday] - hours 408
PAY_75DN Other physical act. - sweat and breathe harder - [Wednesday] - minutes 409
PAY_75E Other physical act. - sweat and breathe harder - [Thursday] - hours 409
PAY_75EN Other physical act. - sweat and breathe harder - [Thursday] - minutes 409
PAY_75F Other physical act. - sweat and breathe harder - [Friday] - hours 410
PAY_75FN Other physical act. - sweat and breathe harder - [Friday] - minutes 410
PAY_75G Other physical act. - sweat and breathe harder - [Saturday] - hours 410
PAY_75GN Other physical act. - sweat and breathe harder - [Saturday] - minutes 411
PAY_90 Vigorous intensity physical activities 415
PAY_95A Vigorous intensity physical activities - Monday 415
PAY_95B Vigorous intensity physical activities - Tuesday 415
PAY_95C Vigorous intensity physical activities - Wednesday 416
PAY_95D Vigorous intensity physical activities - Thursday 416
PAY_95E Vigorous intensity physical activities - Friday 417
PAY_95F Vigorous intensity physical activities - Saturday 417
PAY_95G Vigorous intensity physical activities - Sunday 417
PGDCGT Cultural or racial group - (D) 529
PG_01A Population group - White 524
PG_01B Population group - South Asian 525
PG_01C Population group - Chinese 525
PG_01D Population group - Black 526
PG_01E Population group - Filipino 526
PG_01F Population group - Latin American 526
PG_01G Population group - Arab 527
PG_01H Population group - Southeast Asian 527
PG_01I Population group - West Asian 528
PG_01J Population group - Korean 528
PG_01K Population group - Japanese 528
PG_01L Population group - Other 529
PPID03 Relationship of proxy respondent to selected respondent - (D) 27
PPI_02 Person providing health component information - parent/guardian 27

PPI_03 Person providing health component information - biological parent 27
PRG_11 Smoked during pregnancy 505
PRG_12 Number of cigarettes/day 505
PRG_13A Stage of pregnancy - first trimester 505
PRG_13B Stage of pregnancy - second trimester 506
PRG_13C Stage of pregnancy - third trimester 506
PRG_13D Stage of pregnancy - throughout 507
PROXY Health component completed by proxy 26
PRS_11 Pregnant 98
SACDRCA Sedentary activity excluding reading (hours/week) - categorical (D) 447
SACDRCO Sedentary activity excluding reading (hours per week) - continuous (D) 446
SACDTOT Sedentary activity (hours per week) - categorical (D) 445
SACDTOTX Sedentary activity (hours per week) - continuous (D) 446
SAC_005 Number of hours per week - reading - past 7 days 443
SAC_010 Number of hours per week - television/DVD/videos - past 7 days 444
SAC_015 Number of hours per week - other types of games - past 7 days 444
SAC_020 Number of hours per week - play video games - past 7 days 445
SAC_025 Number of hours per week - on a computer - past 7 days 445
SITE Collection site 25
SLT_005 Salt added to food 359
SLT_010 Type of salt usually used 360
SLT_015 Often ordinary table salt added cooking/preparation of foods 360
SMKDAQD Age stopped smoking daily - (D) 460
SMKDAQS Age stopped smoking completely - (D) 460
SMKDASD Age started smoking daily - (D) 461
SMKDNSD Number of cigs smoked daily - (D) 461
SMKDSTP Number of years since stopping smoking completely - (D) 459
SMKDSTY Type of smoker - (D) 459
SMKDYFS Number of years smoked daily (former daily smokers) - (D) 460
SMK_11 Smoked 100 or more cigarettes - lifetime 453
SMK_12 Type of smoker 453
SMK_21 Age - smoked first whole cigarette 453
SMK_21A Smoked at least 1 cigarette a month 454
SMK_22 Age - started smoking at least 1 cigarette/month 454
SMK_23 Number days/typical month smoked at least 1 cigarette 455
SMK_24 Number of cigarettes smoked per day at age started smoking 455
SMK_31 Number of cigarettes smoked per day (daily smoker) 455
SMK_41 Number of cigarettes smoked per day (occasional smoker) 456
SMK_42 Number days/past month - smoked 1 cigarette or more (occasional) 456
SMK_51 Ever smoked cigarettes daily 457
SMK_52 Age started smoking daily 457
SMK_53 Number of cigarettes usually smoked per day 457
SMK_54 Age stopped smoking cigarettes daily/completely 458
SMK_60 Smoked cigars/pipe or used snuff/chewing tobacco - past month 458
SOM_005 Used steroids administered by inhalation 278
SOM_010 Used steriods on daily basis - 12 month period 279
SOM_015 Taken orally - administered steriods 279
SOM_020 Take steroid hormones on a daily basis - more than 3 months 279
SOM_025 Prescription meds for osteoporosis/prevention bone loss or fractures 280
SOM_030A Used Tamoxifen 280
SOM_030B Used Bazedoxifene 281
SOM_030C Used Calcitonin 281
SOM_030D Used Clodronate 282
SOM_030E Used Etidronate 282
SOM_030F Used Risedronate 282
SOM_030G Used Pamidronate 283
SOM_030H Used Zoledronate 283
SOM_030I Used Alendronate 284
SOM_030J Used Parathyroid Hormone 284
SOM_030K Used Denosumab 285
SOM_030L Used Raloxifene 285
SOM_030M Used - Other - Specify 285
SOM_035 Length of time - medication taken 286

SOM_040	Reporting period	286
SPADRISK	Sleep apnea risk - classification	97
SPADSCOR	Sleep apnea risk - score	97
SPA_005	Ever been referred to a sleep lab for overnight testing	92
SPA_010	Diagnosed with sleep apnea	93
SPA_015	Been prescribed a treatment for sleep apnea	93
SPA_020	Trouble going to sleep or staying asleep	94
SPA_025	Awakened suddenly with the feeling of gasping or choking	94
SPA_030	Usually snore	95
SPA_035	Volume of snoring	95
SPA_040	Stop breathing during sleep	96
SPA_045	Tired, fatigued, or sleepy during the daytime	96
SPA_050	Sleepiness during a typical day	96
SXB_11	Ever had sexual intercourse	482
SXB_12	Sexual intercourse - past 12 months	483
SXB_13	Number of different partners - past 12 months	483
SXB_21	Ever diagnosed with a sexually transmitted disease/infection	484
SXB_22A	Sexually transmitted disease/infection - HIV	484
SXB_22B	Sexually transmitted disease/infection - AIDS	485
SXB_22C	Sexually transmitted disease/infection - Chlamydia	485
SXB_22D	Sexually transmitted disease/infection - Genital Herpes	486
SXB_22E	Sexually transmitted disease/infection - Syphilis	486
SXB_22F	Sexually transmitted disease/infection - Gonorrhoea	487
SXB_22G	Sexually transmitted disease/infection - Genital Warts	487
SXB_22H	Sexually transmitted disease/infection - Venereal disease	488
SXB_22I	Sexually transmitted disease/infection - Hepatitis B	488
SXB_22J	Sexually transmitted disease/infection - other	489
SXB_23	Use of condom / last time had sexual intercourse	489
SXB_24	Usual use of condom	490
THID14	Total household income - groups - (G)	542
THIFIMP4	Total household income imputation flag - (F)	541
THI_01	Total household income - amount	540
TPID14	Total personal income - groups - (G)	540
TPI_01	Total personal income - amount	538
TPI_02	Total personal income - ranges - income lost to $30,000	538
TPI_03	Total personal income - ranges - less than $5,000 to $30, 000	539
TPI_04	Total personal income - ranges - $30,000 and over	539
TSD_05	Went to school (including kindergarten)	423
TSD_10A	Weekday - Before or after school care at school	423
TSD_10B	Weekday - Daycare centre	424
TSD_10C	Weekday - Daycare in someone else's home	424
TSD_10D	Weekday - Nursery school or preschool	424
TSD_10E	Weekday - Stayed home with parent/guardian/caregiver/relative	425
TSD_10F	Weekday - Any other type of childcare	425
TSD_15	Grade at school	425
TSD_20	Days attended kindergarten - Last seven	426
TSD_25A	Time spent outdoors in the morning - Kindergarten day (hours)	426
TSD_25AN	Time spent outdoors in the morning - Kindergarten day (minutes)	427
TSD_25B	Time spent outdoors - noon to 3pm - Kindergarten day (hours)	427
TSD_25BN	Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)	427
TSD_25C	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)	428
TSD_25CN	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)	428
TSD_25D	Time spent outdoors after dinner - Kindergarten day (hours)	429
TSD_25DN	Time spent outdoors after dinner - Kindergarten day (minutes)	429
TSD_30A	Time spent outdoors in the morning - No kindergarten (hours)	429
TSD_30AN	Time spent outdoors in the morning - No kindergarten (minutes)	430
TSD_30B	Time spent outdoors from noon until 3pm - No kindergarten (hours)	430
TSD_30BN	Time spent outdoors from noon until 3pm - No kindergarten(minutes)	431
TSD_30C	Time spent outdoors from 3pm until dinner - No kindergarten (hours)	431
TSD_30CN	Time spent outdoors from 3pm until dinner - No kindergarten (minutes)	431
TSD_30D	Time spent outdoors after dinner - No kindergarten (hours)	432
TSD_30DN	Time spent outdoors after dinner - No kindergarten (minutes)	432
TSD_35	Days attended school - Last seven days	433

TSD_40A Time spend outdoors before school (hours) 433
TSD_40AN Time spent outdoors before school (minutes) 434
TSD_40B Time spend outdoors during school hours (hours) 434
TSD_40BN Time spend outdoors during school hours (minutes) 434
TSD_40C Time spent outdoors from 3 p.m. until dinner - School day (hours) 435
TSD_40CN Time spent outdoors from 3 p.m. until dinner - School day (minutes) 435
TSD_40D Time spent outdoors after dinner - School day (hours) 435
TSD_40DN Time spent outdoors after dinner - School day (minutes) 436
TSD_45A Time spent outdoors in the morning - Did not attend school (hours) 436
TSD_45AN Time spent outdoors in the morning - Did not attend school (minutes) 437
TSD_45B Time spent outdoors from noon until 3 pm - Did not attend school (hrs) 437
TSD_45BN Time spent outdoors from noon until 3pm -Did not attend school (min) 437
TSD_45C Time spent outdoors from 3 until dinner - Did not attend school (hrs) 438
TSD_45CN Time spent outdoors from 3pm until dinner-Did not attend school (mins) 438
TSD_45D Time spent outdoors after dinner - Did not attend school (hours) 439
TSD_45DN Time spent outdoors after dinner - Did not attend school (minutes) 439
TSD_50A Time spent outdoors in the morning - Average weekday (hours) 440
TSD_50AN Time spent outdoors in the morning - Average weekday (minutes) 440
TSD_50B Time spent outdoors from noon until 3pm - Average weekday (hours) 440
TSD_50BN Time spent outdoors from noon until 3pm - Average weekday (minutes) 441
TSD_50C Time spent outdoors from 3pm until dinner - Average weekday (hours) 441
TSD_50CN Time spent outdoors from 3pm until dinner - Average weekday (minutes) 441
TSD_50D Time spent outdoors after dinner - Average weekday (hours) 442
TSD_50DN Time spent outdoors after dinner - Average weekday (minutes) 442
TSD_55 Time spent outdoors - Average weekend day (hours) 443
TSD_55N Time spent outdoors - Average weekend day (minutes) 443
VIS_005 Visited an eye care professional - last 12 months 86
VIS_010 Type of eye care professional last visited 86
VIS_015 Ever had an eye examination 87
VIS_020 Most recent eye exam - done by 87
VIS_030 Ever had glaucoma 88
VIS_035 Age when first diagnosed - Glaucoma 88
VIS_040 Ever had diabetic retinopathy 88
VIS_045 Age when first diagnosed - Diabetic retinopathy 89
VIS_050 Ever had age-related macular degeneration (AMD) 89
VIS_055 Age when first diagnosed - Age-related macular degeneration (AMD) 90
VIS_060 Ever had cataracts 90
VIS_065 Which eye - Cataracts 90
VIS_070 Age when first diagnosed - Cataracts 91
VIS_075 Ever had cataract surgery 91
VIS_080 Which eye - Cataract surgery 92
VIS_085 Waiting for cataract surgery 92
WGT_FULL Full sample weight 542
WSDD30Y Drinks diet soft drinks - times per year - (D) 341
WSDD31Y Drinks regular soft drinks - times per year - (D) 342
WSDD32Y Drinks sport drinks - times per year - (D) 343
WSDD33Y Drinks vitamin-added water - times per year - (D) 345
WSDD34Y Drinks orange or grapefruit juice - times per year - (D) 346
WSDD35Y Drinks other 100% fruit juices - times per year - (D) 347
WSDD36Y Drinks juice with calcium and vitamin D - times per year - (D) 348
WSDD37Y Drinks fruit-flavoured drinks - times per year - (D) 349
WSDD38Y Drinks vegetable juices - times per year - (D) 350
WSDD39Y Drinks water at home - number of cups per year - (D) 352
WSDD41Y Drinks water away from home - number of cups per year - (D) 353
WSDDTWY Drinks water (anywhere) - number of cups per year - (D) 359
WSD_30 Drinks diet soft drinks - number of times 340
WSD_30N Drinks diet soft drinks - reporting period 341
WSD_31 Drinks regular soft drinks - number of times 342
WSD_31N Drinks regular soft drinks - reporting period 342
WSD_32 Drinks sport drinks - number of times 343
WSD_32N Drinks sport drinks - reporting period 343
WSD_33 Drinks vitamin-added water - number of times 344
WSD_33N Drinks vitamin-added water - reporting period 344

WSD_34 Drinks orange or grapefruit juice - number of times 345
WSD_34N Drinks orange or grapefruit juice - reporting period 345
WSD_35 Drinks other 100% fruit juices - number of times 346
WSD_35N Drinks other 100% fruit juices - reporting period 346
WSD_36 Drinks juice with calcium and vitamin D added - number of times 347
WSD_36N Drinks juice with calcium and vitamin D added - reporting period 348
WSD_37 Drinks fruit-flavoured drinks - number of times 348
WSD_37N Drinks fruit-flavoured drinks - reporting period 349
WSD_38 Drinks vegetable juices - number of times 350
WSD_38N Drinks vegetable juices - reporting period 350
WSD_39 Drinks water at home - number of cups 351
WSD_39N Drinks water at home - reporting period 351
WSD_40 Primary source of drinking water - home 352
WSD_41 Drinks water away from home - number of cups 352
WSD_41N Amount drinks water away from home - reporting period 353
WSD_42 Primary source of drinking water - away from home 354
WSD_43 Source of tap water - home 354
WSD_44A Home water treated using - filter 355
WSD_44B Home water treated using - water softener 355
WSD_44C Home water treated using - ultraviolet system 356
WSD_44D Home water treated using - reverse osmosis 356
WSD_44E Home water treated using - boiling 357
WSD_44F Home water treated using - distilling 357
WSD_44G Home water treated using - other 357
WSD_44H Home water treated using - no treatment 358
WSD_45 Water used for drinking or food treated with water softener 358