Canadian Community Health Survey (CCHS)

Annual Component - 2022

Derived Variable (DV) Specifications

Statistics Canada Statistique Canada

Canada

Note:

This derived variable (DV) document contains information on derived variable produced for all data files for this reference period. Therefore, some derived variable presented in this document will not be available on every data file.

Table of Contents

ALC Alcohol use (1 DV)

1) ALCDVTTM - Type of drinker - past 12 months 1

CAN Cannabis use (7 DVs)

1) CANDVF12 - Cannabis - frequency of use - past 12 months 2
2) CANDVLEO - Cannabis use - lifetime (excluding "just once") 2
3) CANDVLIO - Cannabis use - lifetime (including "just once") 2
4) CANDVLS3 - Cannabis lifetime user status - 3 categories 3
5) CANDVLS5 - Cannabis lifetime user status - 5 categories 3
6) CANDVYEO - Cannabis use - past 12 months (excluding "just once") 4
7) CANDVYIO - Cannabis use - past 12 months (including "just once") 4

CCC Chronic conditions (1 DV)

1) CCCDVDIA - Diabetes type 6

DHH Dwelling and household variables (10 DVs)

1) DHHDVHSZ - Household size 7
2) DHHDVLVG - Living / family arrangement of selected respondent 7
3) DHHDV611 - Number of persons in household between 6 and 11 years of age 8
4) DHHDVOKD - Number of persons in household 16 or 17 years of age 9
5) DHHDVL12 - Number of persons in household less than 12 years of age 9
6) DHHDVYKD - Number of persons in household less than 16 years of age 9
7) DHHDVLE5 - Number of persons in household aged 5 years or less 10
8) DHHDVA65 - Number of persons in household aged 65 and older 10
9) DHHDVAOS - Age of spouse 10
10) DHHDVL18 - Number of persons in household less than 18 years of age 11

EAH Eating habits (15 DVs)

1) EAHDVCHO - Daily consumption - chocolate milk 12
2) EAHDVFFD - Daily consumption - fruit flavoured drinks or sports drinks 12
3) EAHDVFRU - Daily consumption - fruit 13
4) EAHDVGRN - Daily consumption - dark green vegetables 13
5) EAHDVJUI - Daily consumption - pure fruit juice 14
6) EAHDVORA - Daily consumption - orange-coloured vegetables 14
7) EAHDVSCD - Daily consumption - sweetened coffee drinks or iced tea 14
8) EAHDVSOD - Daily consumption - regular soft drinks 15

9) EAHDVSTA - Daily consumption - starchy vegetables 15
10) EAHDVVEG - Daily consumption - other vegetables 16
11) EAHDVEND - Daily consumption - energy drinks 16
12) EAHDVBVT - Daily consumption - beverages 17
13) EAHDVBVG - Grouping of total daily consumption - beverages 17
14) EAHDVFVT - Daily consumption - fruits and vegetables 18
15) EAHDVFVG - Grouping of total daily consumption - fruits and vegetables 18

ECV E-Cigarette and vaping (1 DV)

1) ECVDVSMK - E-Cigarette / vaping device and cigarette use 20

ED Education (2 DVs)

1) EDDVR3 - Highest level of education - respondent, 3 level 21
2) EDDVH3 - Highest level of education - household, 3 levels 21

FSC Food security (3 DVs)

1) FSCDVAF2 - Food security - adult status (including "marginally food insecure") 24
2) FSCDVCF2 - Food security - child status (including "marginally food insecure") 24
3) FSCDVHF2 - Household food security status - modified version (including "marginally food insecure") 25

GEO Geography variables (17 DVs)

1) GEODVPC - Postal code 28
2) GEODVD16 - 2016 Census dissemination area (DA) 28
3) GEODVCSD - 2016 Census subdivision (CSD) 28
4) GEODVFED - 2016 Census federal electoral district (FED) 28
5) GEODVCD - 2016 Census division (CD) 29
6) GEODVCMA - 2016 Census metropolitan area (CMA) 29
7) GEODVCA - 2016 Census Agglomeration (CA) 30
8) GEODVSAT - Statistical area classification type (SAT) 33
9) GEODVHR4 - Health region 34
10) GEODVP16 - Peer group 2016 34
11) GEODVUR - Population centre or rural area type 35
12) GEODVUR2 - Population centre or rural area type - grouped 36
13) GEODVPSZ - Population centre or rural area classification 36
14) GEODVBHA - British Columbia Health Authority (BCHA) 37
15) GEODVHCS - Ontario home and community care support services (HCCSS) 37
16) GEODVSHC - Ontario HCCSS sub-region 37
17) GEODVASZ - Alberta subzone 37

HMC Home care services (2 DVs)

1) HMCDVVRH - Received home care services 39

2) HMCDVHLP - Households where home care services helped recipients stay at home 39

HWT Height and weight - self-reported (8 DVs)

1) HWTDVHTM - Height (metres) - self-reported 41

2) HWTDVWTK - Weight (kilograms) - self-reported 41

3) HWTDVBMI - Body mass index (self-reported) 41

4) HWTDVCOL - BMI classification for children aged 12 to 17 (self-reported) - Cole classification system 42

5) HWTDVISW - BMI classification for adults aged 18 and over (self-reported) - international standard 45

6) HWTDVWHO - BMI classification for children aged 12 to 17 (self-reported) - WHO classification system 46

7) HWTDVCOR - Body mass index (adjusted) 51

8) HWTDVBCC - BMI classification for adults aged 18 and over (adjusted) - international standard 52

INC Income (7 DVs)

1) INCFIMPH - Household income source flag 56

2) INCDVHH - Total household income - all sources 56

3) INCDVPER - Personal income - all sources 57

4) INCDVADR - Adjusted household income ratio - national level (excluding territories) 58

5) INCDVRCA - Distribution of household income - national level (excluding territories) 58

6) INCDVRPR - Distribution of household income - provincial level 59

7) INCDVRRS - Distribution of household income - health region level 60

LBF Labour force (5 DVs)

1) LBFDVHPW - Total usual number of hours worked per week 61

2) LBFDVING - Industry group 61

3) LBFDVOCG - Occupation group 62

4) LBFDVPFT - Full-time/part-time working status (for total usual hours) 63

5) LBFDVWSS - Working status last week 63

LSM Life satisfaction measure (1 DV)

1) LSMDVSWL - Satisfaction with life in general 65

MEX Maternal experiences (4 DVs)

1) MEXDVBM6 - Exclusively breastfed for 6 months (or more) 67

2) MEXDVLBM - Length of exclusive breastfeeding 68

3) MEXDVWBK - Weight before pregnancy (in kilograms) 70

4) MEXDVWGK - Weight gained during pregnancy (in kilograms) 70

PAA Physical activities - adults 18 years and older (6 DVs)

1) PAADVMVA - Total number of minutes of moderate to vigorous physical activities - last 7 days 72

2) PAADVACV - Physical activity indicator 72

3) PAADVAC2 - Alternate physical activity indicator 73

4) PAADVVIG - Total number of minutes of vigorous physical activities - last 7 days 73

5) PAADVVOL - Volume of weekly activity done in the past 7 days (METs*minutes/week) 74

6) PAADVWHO - Physically active, based on WHO guidelines 74

PRM Pain relief medication (1 DV)

1) PRMDV12M - Pain relief medication use - last 12 months 76

SAM Sample variables (2 DVs)

1) SAMDVLNK - Permission to link data 77

2) SAMDVSHR - Permission to share data 77

SDC Socio-demographic characteristics (10 DVs)

1) SDCDVCB - Country of birth - grouped 79

2) SDCDVIMM - Immigrant flag 79

3) SDCDVRES - Number of years in Canada since immigration 80

4) SDCDVALI - Age at time respondent first became a landed immigrant in Canada 80

5) SDCDVABT - Indigenous identity 81

6) SDCDVVM - Visible minority group of respondent 81

7) SDCDVFLA - Visible minority flag 83

8) SDCDVLHM - Language(s) spoken most often at home 83

9) SDCDVFL1 - Language first learned at home in childhood and still understood - mother tongue 84

10) SDCDVFLS - First official language spoken 84

SMK Smoking (3 DVs)

1) SMKDVSTY - Smoking status (type 2) - traditional definition 88

2) SMKDVYCS - Number of years respondent has smoked daily (current daily smokers only) 88

3) SMKDVSTP - Number of years since respondent stopped smoking completely 89

Alcohol use (1 DV)

1) Type of drinker - past 12 months

Variable name: ALCDVTTM

Based on: ALC_05, ALC_10, ALC_15

Description: This variable indicates the type of drinker the respondent is based on his/her drinking habits in the past 12 months.

Note: ALCDVTTM was created to allow the classification of all respondents according to their drinking habits in the past 12 months.

Temporary Reformat

Value	Condition(s)	Description	Notes

Specifications

Value	Condition(s)	Description	Notes
6	DOALC = 0	Module not selected	NA
9	ALC_05 = NS or ALC_10 = NS or ALC_15 = NS	At least one required question was not answered (not stated)	NS
1	2 <= ALC_15 <= 7	Regular drinker	
2	ALC_15 = 1	Occasional drinker	
3	ALC_05 = 2 or ALC_10 = 2	Did not drink in the last 12 months	

Cannabis use (7 DVs)

1) Cannabis - frequency of use - past 12 months

Variable name: CANDVF12

Based on: PROXYSEX, CAN_05, CAN_05C, CAN_10

Description: This variable indicates the frequency at which the respondent has used cannabis in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
96	DOCAN = 0	Module not selected	NA
99	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
99	CAN_05 = NS or CAN_05C = NS or CAN_10 = NS	At least one required question was not answered (not stated)	NS
1	CAN_05C = 2 or CAN_05 = 2	Has not used cannabis in the past 12 months	
2	CAN_10 = 1	Has used cannabis less than once a month, including one time users	
3	CAN_10 = 2	Has used cannabis 1 to 3 times a month	
4	CAN_10 = 3	Has used cannabis once a week	
5	CAN_10 = 4	Has used cannabis more than once a week	
6	CAN_10 = 5	Has used cannabis daily or almost daily	

2) Cannabis use - lifetime (excluding "just once")

Variable name: CANDVLEO

Based on: PROXYSEX, CAN_05, CAN_05A

Description: This variable indicates whether the respondent has used cannabis more than just once in his/her lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05A = NS	At least one required question was not answered (not stated)	NS
1	CAN_05A = 2	Has used cannabis more than once in lifetime	
2	CAN_05 = 2 or CAN_05A =1	Has never used cannabis or has used cannabis just once in lifetime	

3) Cannabis use - lifetime (including "just once")

Variable name: CANDVLIO

Based on: PROXYSEX, CAN_05

Description: This variable indicates whether the respondent has ever used cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05 = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 1	Has used cannabis in lifetime	
2	CAN_05 = 2	Has never used cannabis in lifetime	

4) Cannabis lifetime user status - 3 categories

Variable name: CANDVLS3

Based on: PROXYSEX, CAN_05, CAN_05A, CAN_05C

Description: This variable indicates whether the respondent is non user, past user or current user of cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05 = NS or CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 2	Non user: has never used cannabis in lifetime	
2	CAN_05 = 1 and CAN_05C = 2	Past user: has not used cannabis in the past 12 months and has used cannabis in lifetime	
3	CAN_05C = 1	Current user: has used cannabis in the past 12 months	

5) Cannabis lifetime user status - 5 categories

Variable name: CANDVLS5

Based on: PROXYSEX, CAN_05, CAN_05A, CAN_05C

Description: This variable indicates how often and how recently a respondent has used cannabis.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS

9	CAN_05 = NS or CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05 = 2	Has never used cannabis in lifetime	
2	CAN_05A = 1 and CAN_05C = 2	Has used cannabis just once in lifetime and has not used cannabis in the past 12 months	
3	CAN_05A = 1 and CAN_05C = 1	Has used cannabis just once in lifetime and has used cannabis in the past 12 months	
4	CAN_05A = 2 and CAN_05C = 2	Has used cannabis more than once in lifetime and has not used cannabis in the past 12 months	
5	CAN_05A = 2 and CAN_05C = 1	Has used cannabis more than once in lifetime and has used cannabis in the past 12 months	

6) Cannabis use - past 12 months (excluding "just once")

Variable name: CANDVYEO

Based on: PROXYSEX, CAN_05A, CAN_05C

Description: This variable indicates whether the respondent has used cannabis in the past 12 months, excluding "just once" use in lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05A = NS or CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05A = 2 and CAN_05C = 1	Has used cannabis in the past 12 months	
2	CAN_05 = 2 or CAN_05A = 1 or (CAN_05A = 2 and CAN_05C = 2)	Has not used cannabis more than once in the past 12 months	

7) Cannabis use - past 12 months (including "just once")

Variable name: CANDVYIO

Based on: PROXYSEX, CAN_05C

Description: This variable indicates whether the respondent has used cannabis in the past 12 months, including "just once" use in lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DOCAN = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
9	CAN_05C = NS	At least one required question was not answered (not stated)	NS
1	CAN_05C = 1	Has used cannabis in the past 12 months	
2	CAN_05C = 2	Has not used cannabis in the past 12 months	

Chronic conditions (1 DV)

1) Diabetes type

Variable name: CCCDVDIA

Based on: AWCAGE, DHH_SEX, CCC_05, CCC_10, CCC_15, CCC_20, CCC_30, CCC_35, CCC_40

Description: This variable classifies diabetes as Type 1, Type 2, or Gestational, using the Ng-Dasgupta-Johnson algorithm (Health Reports, 19(1), March 2008).

Note: According to the Ng-Dasgupta-Johnson algorithm, women who are diagnosed only during pregnancy are considered as having gestational diabetes. The CDC, on the other hand, indicates that gestational diabetes goes away soon after their baby is born. If it does not go away, the diabetes is considered as type 2. More than half of respondents who are coded as having gestational diabetes are respondents who were not pregnant at the time of the interview. Users can choose to interpret these cases as either diabetes that has become type 2, or a respondent who has indicated having had gestational diabetes, but it has gone away. Respondents who were diagnosed during pregnancy (CCC_15 = 1) and not diagnosed other than during pregnancy (CCC_20 = 2) were not asked the questions about insulin usage or blood sugar pills. Therefore it is not possible to determine if the respondent is currently treating diabetes.

Specifications

Value	Condition(s)	Description	Notes
6	DOCCC = 0	Module not selected	NA
6	CCC_05 = 2	Population exclusions	NA
9	(CCC_15 = NS or CCC_20 = NS or CCC_30 = NS or CCC_05 = NS or CCC_10 = NS or CCC_35 = NS or CCC_40 = NS) and (CCC_15 = (2, NA, NS) or CCC_20 = (1, NA, NS))	At least one required question was not answered (not stated). Also, if CCC_15 and CCC_20 are not answered, gestational diabetes cannot be derived.	NS
1	(DHH_SEX = 1 and CCC_05 = 1 and CCC_35 = 1 and CCC_40 = 2 and (CCC_30 <= 3 and (AWCAGE < 30 or CCC_10 < 30))) or (DHH_SEX = 2 and CCC_05 = 1 and CCC_20 = (1, NA) and CCC_35 = 1 and CCC_40 = 2 and (CCC_30 <= 3 and (AWCAGE < 30 or CCC_10 < 30)))	Type 1 diabetes	
2	CCC_05 = 1 and (CCC_35 = 2 or CCC_10 >= 30 or CCC_30 > 3 or CCC_40 = 1 or (CCC_35 = 1 and (CCC_10 >= 30 or CCC_30 > 3))) and (CCC_15 = (2, NA, NS) or CCC_20 = (1, NA, NS))	Type 2 diabetes	
3	CCC_05 = 1 and DHH_SEX = 2 and CCC_15 = 1 and CCC_20 = 2	Gestational diabetes	

Dwelling and household variables (10 DVs)

1) Household size

Variable name: DHHDVHSZ

Based on: SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of INSTANCE's with each SAMPLEID	Sort the file [Member file] by SAMPLEID and INSTANCE	Number of persons in a household	(min: 1; max: 20)

2) Living / family arrangement of selected respondent

Variable name: DHHDVLVG

Based on: DHHTREL of selected respondent and DHHDVHSZ

Description: This variable identifies the family relationships between the selected respondent and the rest of the household.

Note: The necessary data is collected using a set of responses from RWC_05 on relationships between the selected respondent and each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHHTREL			
Z1	NS	Not Stated	
X1	RWC_05 = (01 or 02)	Spouse/Partner (Husband or wife, Common-law partner)	
A1	RWC_05 = 03	Parental (Father or mother)	
B1	RWC_05 = 04	Child (Son or daughter)	
C1	RWC_05 = 05	Sibling (Brother or sister)	
K1	RWC_05 = (06 or 07)	Other relative (In-law, Other related: Aunt or uncle, Cousin, Niece or nephew, Grandfather or grandmother, Grandson or granddaughter)	
L1	RWC_05 = 08	Non-relative (Unrelated)	

Specifications

Value	Condition(s)	Description	Notes
99	Any DHHTREL = Z1	Not Stated	NS

1	DHHDVHSZ = 1	Unattached individual living alone. Respondent lives alone. (Household size = 1)
2	All DHHTREL <> X1 and A1	Unattached individual living with others. Selected respondent lives with others. Cannot have a marital/common-law or parental relationship with another household member but other relationships such as siblings are allowed.
3	DHHDVHSZ = 2 and DHHTREL = X1	Individual living with spouse/partner. Selected respondent lives with spouse/partner only. (Household size = 2)
4	DHHDVHSZ > 2 and One DHHTREL = X1 and all other DHHTREL = A1	Parent living with spouse/partner and child(ren). Selected respondent lives with spouse/partner and child(ren).
5	All DHHTREL = A1	Single parent living with children. Selected respondent lives with child(ren). No other relationships in the household are permitted.
6	DHHDVHSZ = 2 and DHHTREL = B1	Selected respondent is a child living with a single parent. (Household size = 2)
7	DHHDVHSZ > 2 and One DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with a single parent and siblings.
8	DHHDVHSZ = 3 and All DHHTREL = B1	Selected respondent is a child living with two parents. (Household size=3)
9	DHHDVHSZ > 3 and Two DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with two parents and siblings.
10	Else	Other Selected respondent lives in a household composition not classified above.

3) Number of persons in household between 6 and 11 years of age

Variable name: DHHDV611

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is between 6 and 11 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value from 6 to 11 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of INSTANCE's with each SAMPLEID	(6 <= AWCAGE <= 11) (Member file)	Number of persons 6 to 11 in a household	(min: 0; max: 40)

4) Number of persons in household 16 or 17 years of age

Variable name: DHHDVOKD

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is 16 or 17 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value of 16 or 17. Excluded from the count are any households where there are no adults aged 18 or over. That is, if a household is rostered and the oldest age is 17 or less, then no 16 or 17 year olds are counted by this variable.

Specifications

Value	Condition(s)	Description	Notes
0	Maximum age in household is 17 or less	No adults in the household (16-17 year olds are excluded)	Respondents aged 16-17 are considered adults
Total number of INSTANCE's with each SAMPLEID	AWCAGE = (16 or 17) [Member file]	Number of persons aged 16-17 in a household	(min:0, max:40)

5) Number of persons in household less than 12 years of age

Variable name: DHHDVL12

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is less than 12 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value less than 12 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of INSTANCE's with each SAMPLEID	AWCAGE < 12 (Member file)	Number of persons under 12 in a household	(min: 0; max: 40)

6) Number of persons in household less than 16 years of age

Variable name: DHHDVYKD

Based on: AWCAGE, INSTANCE, SAMPLEID

Description: This variable indicates the number of people living within a household whose age is less than 16 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value of less than 16 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number	AWCAGE <= 15	Number of persons under 16 in a household	(min: 0; max: 40)

of INSTANCE's with each SAMPLEID	(Member file)

7) Number of persons in household aged 5 years or less

Variable name: DHHDVLE5

Based on: AWCAGE, SAMPLEID, INSTANCE

Description: This variable indicates the number of people living within a household whose age is 5 years old or less.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and INSTANCE and by counting the number of INSTANCE's that have a AWCAGE value less than 6 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of INSTANCE's with each SAMPLEID	AWCAGE <= 5 (Member file)	Number of persons under 6 in a household	(min: 0; max: 40)

8) Number of persons in household aged 65 and older

Variable name: DHHDVA65

Based on: AWCAGE, INSTANCE, SAMPLEID

Description: This variable indicates the number of people living within a household whose age is 65 and older.

Specifications

Value	Condition(s)	Description	Notes
Total number of INSTANCE's with each SAMPLEID	AWCAGE >= 65 (Member file)	Number of persons aged 65 and older in a household	(min: 0; max:40)
96	AWCAGE = 996	Valid skip	
99	AWCAGE = 999	Not stated	

9) Age of spouse

Variable name: DHHDVAOS

Based on: AWCAGE,SAMPLEID, INSTANCE

Description: This variable indicates the age of a respondent's spouse.

Note: This variable is derived by sorting the household roster by SAMPLEID and INSTANCE and showing the AWCAGE of the INSTANCE that has a relationship of spouse with the respondent within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
999	(RWC_05 = 01 or 02) and	Age of spouse not stated	NS

	(AWCAGE (of spouse) = null)		
996	(RWC_05 <> 01 or 02) and (AWCAGE (of spouse) = null)	Population exclusion	NA
AWCAGE of INSTANCE (spouse) within each SAMPLEID	(RWC_05 = 01 or 02)	Age of respondent's spouse. Spouse is defined as husband or wife, or common law partner.	(max: 121)

10) Number of persons in household less than 18 years of age

Variable name: DHHDVL18

Based on: DHHDVYKD, DHHDVOKD

Description: This variable indicates the number of people living within a household whose age is less than 18 and whose relationship to at least one adult living within the household is a child, excluding 16 or 17 year olds living without adults.

Note: See note in DHHDVOKD about exclusions of 16-17 year olds living without adults.

Specifications

Value	Condition(s)	Description	Notes
DHHDVYKD + DHHDVOKD		Number of persons aged less than 18 in a household whose relationship with at least one adult of the household is a child, including step children, or adopted children.	(min: 0; max: 40)

Eating habits (15 DVs)

1) Daily consumption - chocolate milk

Variable name: EAHDVCHO

Based on: EAH_35A, EAH_35B

Description: This variable indicates the usual number of times per day the respondent consumes chocolate milk.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_35A = NS or EAH_35B = NS	At least one required question was not answered (not stated)	NS
EAH_35A	EAH_35B = 3	Number of times/day	
EAH_35A / 7	EAH_35B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_35A / 30	EAH_35B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_35A = 0	Did not drink chocolate milk in the past 30 days	

2) Daily consumption - fruit flavoured drinks or sports drinks

Variable name: EAHDVFFD

Based on: EAH_15A, EAH_15B

Description: This variable indicates the usual number of times per day the respondent consumes fruit flavoured drinks or sports drinks such as FruitéTM, fruit punch or GatoradeTM.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_15A = NS or EAH_15B = NS	At least one required question was not answered (not stated)	NS
EAH_15A	EAH_15B = 3	Number of times/day	
EAH_15A / 7	EAH_15B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_15A / 30	EAH_15B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_15A = 0	Did not drink fruit flavoured or sports drinks in the past 30 days	

3) Daily consumption - fruit

Variable name: EAHDVFRU

Based on: EAH_40A, EAH_40B

Description: This variable indicates the usual number of times per day the respondent consumes fruit, including fresh or frozen, dried or canned, but excluding fruit juices.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_40A = NS or EAH_40B = NS	At least one required question was not answered (not stated)	NS
EAH_40A	EAH_40B = 3	Number of times/day	
EAH_40A / 7	EAH_40B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_40A / 30	EAH_40B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_40A = 0	Did not eat fruit in the past 30 days	

4) Daily consumption - dark green vegetables

Variable name: EAHDVGRN

Based on: EAH_45A, EAH_45B

Description: This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, dark lettuce or spinach including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_45A = NS or EAH_45B = NS	At least one required question was not answered (not stated)	NS
EAH_45A	EAH_45B = 3	Number of times/day	
EAH_45A / 7	EAH_45B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_45A / 30	EAH_45B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_45A = 0	Did not eat green vegetables in the past 30 days	

5) Daily consumption - pure fruit juice

Variable name: EAHDVJUI

Based on: EAH_10A, EAH_10B

Description: This variable indicates the usual number of times per day the respondent drinks pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_10A = NS or EAH_10B = NS	At least one required question was not answered (not stated)	NS
EAH_10A	EAH_10B = 3	Number of times/day	
EAH_10A / 7	EAH_10B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_10A / 30	EAH_10B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_10A = 0	Did not drink pure fruit juice in the past 30 days	

6) Daily consumption - orange-coloured vegetables

Variable name: EAHDVORA

Based on: EAH_50A, EAH_50B

Description: This variable indicates the usual number of times per day the respondent consumes orange-coloured vegetables such as carrots, orange bell pepper, sweet potatoes including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_50A = NS or EAH_50B = NS	At least one required question was not answered (not stated)	NS
EAH_50A	EAH_50B = 3	Number of times/day	
EAH_50A / 7	EAH_50B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_50A / 30	EAH_50B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_50A = 0	Did not eat orange vegetables in the past 30 days	

7) Daily consumption - sweetened coffee drinks or iced tea

Variable name: EAHDVSCD

Based on: EAH_25A, EAH_25B

Description: This variable indicates the usual number of times per day the respondent consumes sweetened coffee drinks or iced tea such as StarbucksTM Macchiato, Tim Hortons Iced CappTM or NesteaTM.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_25A = NS or EAH_25B = NS	At least one required question was not answered (not stated)	NS
EAH_25A	EAH_25B = 3	Number of times/day	
EAH_25A / 7	EAH_25B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_25A / 30	EAH_25B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_25A = 0	Did not drink sweetened coffee drinks or iced tea in the past 30 days	

8) Daily consumption - regular soft drinks

Variable name: EAHDVSOD

Based on: EAH_20A, EAH_20B

Description: This variable indicates the usual number of times per day the respondent consumes regular soft drinks excluding diet soft drinks.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_20A = NS or EAH_20B = NS	At least one required question was not answered (not stated)	NS
EAH_20A	EAH_20B = 3	Number of times/day	
EAH_20A / 7	EAH_20B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_20A / 30	EAH_20B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_20A = 0	Did not drink regular soft drinks in the past 30 days	

9) Daily consumption - starchy vegetables

Variable name: EAHDVSTA

Based on: EAH_55A, EAH_55B

Description: This variable indicates the usual number of times per day the respondent consumes starchy vegetables such as white potatoes or corn, including fresh, frozen, canned or dried vegetables and excluding deep fried potatoes.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_55A = NS or EAH_55B = NS	At least one required question was not answered (not stated)	NS
EAH_55A	EAH_55B = 3	Number of times/day	
EAH_55A / 7	EAH_55B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_55A / 30	EAH_55B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_55A = 0	Did not eat starchy vegetables in the past 30 days	

10) Daily consumption - other vegetables

Variable name: EAHDVVEG

Based on: EAH_60A, EAH_60B

Description: This variable indicates the respondent's usual daily consumption of other vegetables such as cucumber, celery, cabbage, tomatoes and cauliflower including fresh, frozen, canned or dried vegetables.This variable excludes the dark green and orange-coloured vegetables taken in consideration in EAHDVGRN and EAHDVORA and the starchy vegetables taken in EAHDVSTA.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_60A = NS or EAH_60B = NS	At least one required question was not answered (not stated)	NS
EAH_60A	EAH_60B = 3	Number of times/day	
EAH_60A / 7	EAH_60B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_60A / 30	EAH_60B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_60A = 0	Did not eat other vegetables in the past 30 days	

11) Daily consumption - energy drinks

Variable name: EAHDVEND

Based on: EAH_30A, EAH_30B

Description: This variable indicates the usual number of times per day the respondent consumes energy drinks such as RedBullTM or MonsterTM.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_30A = NS or EAH_30B = NS	At least one required question was not answered (not stated)	NS
EAH_30A	EAH_30B = 3	Number of times/day	
EAH_30A / 7	EAH_30B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_30A / 30	EAH_30B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_30A = 0	Did not drink energy drinks in the past 30 days	

12) Daily consumption - beverages

Variable name: EAHDVBVT

Based on: EAHDVFFD, EAHDVSOD, EAHDVSCD, EAHDVEND, EAHDVCHO

Description: This variable represents the respondent's total daily consumption of beverages.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVFFD = NS or EAHDVSOD = NS or EAHDVSCD = NS or EAHDVEND = NS or EAHDVCHO = NS	At least one required question was not answered (not stated)	NS
EAHDVFFD + EAHDVSOD + EAHDVSCD + EAHDVEND + EAHDVCHO	(0 <= EAHDVFFD <=300) and (0 <= EAHDVSOD <=300) and (0 <= EAHDVSCT <=300) and (0 <= EAHDVEND <=300) and (0 <= EAHDVCHO <=300)	Total number of times the respondent drinks a beverage	(min:0.0;max:1800.0)

13) Grouping of total daily consumption - beverages

Variable name: EAHDVBVG

Based on: EAHDVBVT

Description: This variable classifies the respondent based on the total number of times per day he/she consumes beverages.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes

6	DOEAH = 0	Module not selected	NA
9	EAHDVBVT = NS	At least one required question was not answered (not stated)	NS
1	EAHDVBVT < 5	Drinks beverages less than 5 times per day	
2	5 <= EAHDVBVT <= 10	Drinks beverages between 5 and 10 times per day	
3	EAHDVBVT > 10	Drinks beverages more than 10 times per day	

14) Daily consumption - fruits and vegetables

Variable name: EAHDVFVT

Based on: EAHDVJUI, EAHDVFRU, EAHDVGRN, EAHDVORA, EAHDVSTA, EAHDVVEG

Description: This variable represents the respondent's total daily consumption of fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVJUI = NS or EAHDVFRU = NS or EAHDVGRN = NS or EAHDVORA = NS or EAHDVSTA = NS or EAHDVVEG = NS	At least one required question was not answered (not stated)	NS
EAHDVJUI + EAHDVFRU + EAHDVGRN + EAHDVSTA + EAHDVORA + EAHDVVEG	(0 <= EAHDVJUI <=300) and (0 <= EAHDVFRU <=300) and (0 <= EAHDVGRN <=300) and (0 <= EAHDVSTA <=300) and (0 <= EAHDVORA <=300) and (0 <= EAHDVVEG <=300)	Total number of times the respondent eats fruits and vegetables	(min:0.0;max:1800.0)

15) Grouping of total daily consumption - fruits and vegetables

Variable name: EAHDVFVG

Based on: EAHDVFVT

Description: This variable classifies the respondent based on the total number of times per day he/she eats fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
6	DOEAH = 0	Module not selected	NA
9	EAHDVFVT = NS	At least one required question was not answered (not stated)	NS
1	EAHDVFVT < 5	Eats fruits and vegetables less than 5 times per day	

2	5 <= EAHDVFVT <= 10	Eats fruits and vegetables between 5 and 10 times per day
3	EAHDVFVT > 10	Eats fruits and vegetables more than 10 times per day

E-Cigarette and vaping (1 DV)

1) E-Cigarette / vaping device and cigarette use

Variable name: ECVDVSMK

Based on: ECV_05, ECV_10, ECV2_15, CSS_05, CSS_10

Description: This variable indicates whether the respondent tried an e-cigarette/vaping device or a cigarette first, or only tried an e-cigarette/vaping device or a cigarette, or never tried either.

Note: Respondents who answered having smoked a whole cigarette (CSS_05 = 1) were considered as having tried a cigarette.

Specifications

Value	Condition(s)	Description	Notes
6	DOECV = 2	Module not selected	NA
9	ECV_05 = NS or ECV_10 = NS or ECV2_15 = NS or CSS_05 = NS or CSS_10 = NS	At least one required question was not answered (not stated)	NS
1	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 > ECV_10 or (CSS_10 = ECV_10 and ECV2_15 = 1))	Tried an e-cigarette/vaping device first (has tried both)	
2	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 < ECV_10 or (CSS_10 = ECV_10 and ECV2_15 = 2))	Tried a cigarette first (has tried both)	
3	ECV_05 = 1 and CSS_05 = 2	Only tried an e-cigarette/vaping device	
4	ECV_05 = 2 and CSS_05 = 1	Only tried a cigarette	
5	ECV_05 = 2 and CSS_05 = 2	Never tried an e-cigarette/vaping device and never tried a cigarette	

Education (2 DVs)

1) Highest level of education - respondent, 3 level

Variable name: EDDVR3

Based on: ED_05

Description: This variable indicates the highest level of education attained by the respondent.

Specifications

Value	Condition(s)	Description	Notes
6	DOED = 0	Module not selected	NA
1	ED_05 = 1	Less than secondary school graduation	
2	ED_05 = 2	Secondary school graduation, no post-secondary education	
3	ED_05 = (3, 4, 5, 6, 7)	Post-secondary certificate/diploma or university degree	
9	ED_05 = NS	At least one required question was not answered (not stated)	NS

2) Highest level of education - household, 3 levels

Variable name: EDDVH3

Based on: EDDVR3 for each member of the household

Description: This variable indicates the highest level of education attained among all members of the household.

Note: This variable is derived by temporarily creating EDDVR3 for each member of the household (all INSTANCE within SSID). The highest value is then obtained by comparing values of EDDVR3 for all members within the household. The highest level of education in the household is coded to 'not stated' when there is not enough information to derive based on the education of all household members.

Food security (3 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTDKS			
1	DHHDVYKD <> 0 or DHHDVOKD <> 0	Set value to 1 to indicate households WITH children (aged less than 18)	
0	DHHDVYKD = 0 and DHHDVOKD = 0	Set value to 0 to indicate households WITHOUT children (aged less than 18)	
FSCT10			
0	FSC_10 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_10 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT15			
0	FSC_15 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_15 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT20			
0	FSC_20 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_20 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT25			
0	FSC_25 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_25 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT30			
0	FSC_30 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_30 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT35			
0	FSC_35 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_35 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT40			
0	FSC_40 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_40 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT45			
0	FSC_45 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_45 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT50			
0	FSC_50 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_50 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT55			
0	FSC_55 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_55 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	

FSCT60			
0	FSC_60 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_60 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT65			
0	FSC_65 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_65 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT70			
0	FSC_70 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_70 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT75			
0	FSC_75 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_75 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT80			
0	FSC_80 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_80 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT85			
0	FSC_85 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_85 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT90			
0	FSC_90 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_90 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT95			
0	FSC_95 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_95 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCTASUM			
FSCT10 + FSCT15 + FSCT20 + FSCT40 + FSCT45 + FSCT50 + FSCT55 + FSCT60 + FSCT65 + FSCT70	All	Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10.	(Min: 0; Max: 10)
FSCTCSUM			
FSCT25 + FSCT30 + FSCT35 + FSCT75 + FSCT80 + FSCT85 + FSCT90 + FSCT95	All	Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8.	(Min: 0; Max: 8)

1) Food security - adult status (including "marginally food insecure")

Variable name: FSCDVAF2

Based on: FSC_10, FSC_15, FSC_20, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSCTASUM

Description: This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (>= 6 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	FSCTASUM = 0	Food secure	
1	FSCTASUM = 1	Marginally food insecure	
2	(FSCTASUM >= 2 and FSCTASUM <= 5)	Moderately food insecure	
3	(FSCTASUM >= 6 and FSCTASUM <= 10)	Severely food insecure	

Reference: The model for FSCDVAF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

2) Food security - child status (including "marginally food insecure")

Variable name: FSCDVCF2

Based on: FSC_25, FSC_30, FSC_35, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than 18 years old) members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1). This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DHHTDKS = 0	Population exclusions (households without children less than 18 years of age)	NA
6	DOFSC = 0	Module not selected	NA
9	FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	DHHTDKS = 1 and FSCTCSUM = 0	Food secure	
1	DHHTDKS = 1 and FSCTCSUM = 1	Marginally food insecure	
2	DHHTDKS = 1 and (FSCTCSUM >= 2 and FSCTCSUM <= 4)	Moderately food insecure	
3	DHHTDKS = 1 and (FSCTCSUM >= 5 and FSCTCSUM <= 8)	Severely food insecure	

Reference: The model for FSCDVCF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

3) Household food security status - modified version (including "marginally food insecure")

Variable name: FSCDVHF2

Based on: FSC_10, FSC_15, FSC_20, FSC_25, FSC_30, FSC_35, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTASUM, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.
1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1).

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and FSCTASUM = 0 and FSCTCSUM = 0) or (DHHTDKS = 0 and FSCTASUM = 0)	Food secure	
1	(DHHTDKS = 1 and ((FSCTASUM = 1 and FSCTCSUM = 0) or (FSCTASUM = 0 and FSCTCSUM = 1) or (FSCTASUM = 1 and FSCTCSUM = 1))) or (DHHTDKS = 0 and FSCTASUM = 1)	Marginally food insecure	

2	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	Moderately food insecure
3	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure

Reference: The model for FSCDVHF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

Geography variables (17 DVs)

The Postal Code Conversion File (PCCF) was used in the derivation of the geographic variables. Most of the geographic variables use the geography from the 2016 Census.

1) Postal code

Variable name: GEODVPC

Based on: Respondent address information

Description: The Canadian postal code offers a unique reference system which provides a means of identifying a mail delivery location. It is composed of six alpha-numeric characters, in the form of "ANA NAN", where "A" represents a letter of the alphabet and "N" a number. The first character of a postal code (allocated in alphabetic sequence from east to west across Canada) represents a province or territory or a major sector entirely within a province. GEODVPC is derived from the respondent's available address information.

Note: Note that while the postal code variable is available on the data files for analysis, no aggregate data should be disseminated at this level of geography.

2) 2016 Census dissemination area (DA)

Variable name: GEODVD16

Based on: GEODVPC

Description: The dissemination area (DA) is a small, relatively stable geographic unit composed of one or more dissemination blocks. It is the smallest standard geographic area for which all census data are disseminated. DAs cover all the territory of Canada. GEODVD16 is based on the Postal Code Conversion File (PCCF), which provides a correspondence between the postal code and Statistics Canada's standard geographical areas for which census data and other statistics are produced. It is composed of the two digit province/territory code, the two digit census division code and the four digit dissemination area code. When the postal code corresponds to more than one DA, the case is assigned probabilistically, taking into account population totals.

3) 2016 Census subdivision (CSD)

Variable name: GEODVCSD

Based on: GEODVD16

Description: The Census Subdivision is the general term applied to municipalities (as determined by provincial legislation) or their equivalent, e.g., Indian reserves, Indian settlements and unorganized territories. In Newfoundland and Labrador, Nova Scotia and British Columbia, the term also describes geographic areas that have been created by Statistics Canada in co-operation with the provinces as equivalents for municipalities.

4) 2016 Census federal electoral district (FED)

Variable name: GEODVFED

Based on: GEODVD16

Description: A federal electoral district refers to any place or territorial area entitled to elect a representative member to serve in the House of Commons (Source: Canada Elections Act, 1990). There are 338 FEDs in Canada, and the FEDs used for the 2016 Census are based on the 2013 Representation Order. The first two digits identify the province or territory.

5) 2016 Census division (CD)

Variable name: GEODVCD

Based on: GEODVD16

Description: The Census Division refers to geographic areas established by provincial law, which are intermediate geographic areas between the census subdivision and the province (e.g., divisions, counties, regional districts, regional municipalities and seven other types of geographic areas made up of groups of census subdivisions). In Newfoundland and Labrador, Manitoba, Saskatchewan and Alberta, provincial law does not provide for these administrative geographic areas. Therefore, census divisions have been created by Statistics Canada in co-operation with these provinces.

6) 2016 Census metropolitan area (CMA)

Variable name: GEODVCMA

Based on: GEODVPC

Description: The general concept of a census metropolitan area (CMA) is one of a very large urban population centre, together with adjacent urban and rural areas which have a high degree of economic and social integration with that population centre. A CMA is delineated around a population centre (called the urbanized core and having a population of at least 100,000, based on the previous census). There are 35 CMAs according to the 2016 Census definition. When a postal code is not in a CMA, this variable is equal to 000.

Specifications

Value	Condition(s)	Description	Notes
000		No CMA assigned	
001		St. John's	
205		Halifax	
305		Moncton	
310		Saint John	
408		Saguenay	
421		Québec	
433		Sherbrooke	
442		Trois-Rivières	
462		Montréal	
505		Ottawa-Gatineau	
521		Kingston	
522		Belleville	
529		Peterborough	

532	Oshawa
535	Toronto
537	Hamilton
539	St. Catharines - Niagara
541	Kitchener - Cambridge - Waterloo
543	Brantford
550	Guelph
555	London
559	Windsor
568	Barrie
580	Greater Sudbury / Grand Sudbury
595	Thunder Bay
602	Winnipeg
705	Regina
725	Saskatoon
810	Lethbridge
825	Calgary
835	Edmonton
915	Kelowna
932	Abbotsford - Mission
933	Vancouver
935	Victoria

7) 2016 Census Agglomeration (CA)

Variable name: GEODVCA

Based on: GEODVPC

Description: The general concept of a census agglomeration (CA) is one of a medium size urban population centre. A CA is delineated around a population centre (called the urbanized core and having a population of at least 10,000, and no more than 100,000 based on the previous census). There are 120 CAs according to the 2016 Census definition. When a postal code is not in a CA, this variable is equal to 000.

Specifications

Value	Condition(s)	Description	Notes
000		No CA assigned	
005		Bay Roberts	
010		Grand Falls-Windsor	
011		Gander	
015		Corner Brook	
105		Charlottetown	
110		Summerside	

210	Kentville
215	Truro
220	New Glasgow
225	Cape Breton
320	Fredericton
328	Bathurst
329	Miramichi
330	Campbellton
335	Edmundston
403	Matane
404	Rimouski
405	Rivière-du-Loup
406	Baie-Comeau
410	Alma
411	Dolbeau-Mistassini
412	Sept-Îles
423	Sainte-Marie
428	Saint-Georges
430	Thedford-Mines
437	Cowansville
440	Victoriaville
444	Shawinigan
447	Drummondville
450	Granby
452	Saint-Hyacinthe
454	Sorel-Tracy
456	Joliette
465	Salaberry-de-Valleyfield
468	Lachute
480	Val-d'Or
485	Rouyn-Noranda
501	Cornwall
502	Hawkesbury
507	Arnprior
509	Carleton Place
512	Brockville
515	Pembroke
516	Petawawa
527	Cobourg
528	Port Hope

530	Kawartha Lakes
531	Centre Wellington
533	Ingersoll
544	Woodstock
546	Tillsonburg
547	Norfolk
553	Stratford
556	Chatham-Kent
557	Leamington
562	Sarnia
565	Wasaga Beach
566	Owen Sound
567	Collingwood
569	Orillia
571	Midland
575	North Bay
582	Elliot Lake
586	Timmins
590	Sault Ste. Marie
598	Kenora
603	Winkler
605	Steinbach
607	Portage la Prairie
610	Brandon
640	Thompson
710	Yorkton
715	Moose Jaw
720	Swift Current
735	North Battleford
745	Prince Albert
750	Estevan
755	Weyburn
805	Medicine Hat
806	Brooks
820	Okotoks
821	High River
826	Strathmore
828	Canmore
830	Red Deer
831	Sylvan Lake

832	Lacombe
833	Camrose
840	Lloydminster
845	Cold Lake
850	Grande Prairie
860	Wood Buffalo
865	Wetaskiwin
905	Cranbrook
907	Nelson
913	Penticton
918	Vernon
920	Salmon Arm
925	Kamloops
930	Chilliwack
934	Squamish
937	Duncan
938	Nanaimo
939	Parksville
940	Port Alberni
943	Courtenay
944	Campbell River
945	Powell River
950	Williams Lake
952	Quesnel
955	Prince Rupert
965	Terrace
970	Prince George
975	Dawson Creek
977	Fort St. John
990	Whitehorse
995	Yellowknife

8) Statistical area classification type (SAT)

Variable name: GEODVSAT

Based on: GEODVCSD

Description: The Statistical Area Classification (SAC) groups census subdivisions (CSDs) according to whether they are a component of a census metropolitan area (CMA), a census agglomeration (CA), a census metropolitan area and census agglomeration influenced zone (strong MIZ, moderate MIZ, weak MIZ or no MIZ), or the territories (Northwest Territories, Yukon and Nunavut). A SAC code type is assigned to each CSD. The SAC is used for data dissemination purposes.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1		CMA	
2		Tracted CA	
3		Non-tracted CA	
4		Strongly influenced zone	
5		Moderately influenced zone	
6		Weakly influenced zone	
7		Non-influenced zone	
8		Territories	

9) Health region

Variable name: GEODVHR4

Based on: GEODVPC

Description: This variable is a four digit number that identifies the health region. Health regions refer to health administrative areas defined by the provincial ministries of health. For complete Canadian coverage, each of the northern territories represents its own health region. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

Note: More details on health regions can be found in the "Health regions and peer groups" section of the online publication "Health Indicators", Statistics Canada, catalogue number 82-221-X. Correspondence files (linking health regions to latest census geographic codes) and digital boundary files are also available in the online publication "Health regions: Boundaries and Correspondence with Census Geography", Statistics Canada, catalogue number 82-402-X.

10) Peer group 2016

Variable name: GEODVP16

Based on: GEODVHR4

Description: The health regions have been classified into 8 like clusters or "Peer Groups", for the purposes of meaningful analysis in comparing similar regions across the country. Peer groups were defined using the 2016 census demographic data.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	GEODVHR4= 4710, 4833, 4835, 5953, 6001, 6101	Health Region Peer Group A: Mainly rural and remote regions in the Western provinces and the Territories. Low population density. Higher proportion of population below 20 years of age. Average population growth from 2011 to 2016. Average employment rate. High Aboriginal population.	

2	GEODVHR4= 1204, 2403, 2407, 2413, 2416, 3530, 3536, 3537, 3544, 3551, 3565, 3568, 4601, 4704, 4706, 4832, 4834, 5921, 5941	Health Region Peer Group B: Mainly urban centers with moderately high population density. Rapid population growth from 2011 to 2016. High proportion of people recently moved to or within these regions since last census. Very high employment rate. High immigrant and visible minority population.
3	GEODVHR4= 1011, 1100, 1201, 1202, 1301, 1302, 1303, 1304, 2401, 2402, 2404, 2405, 3526, 3527, 3535, 3538, 3540, 3541, 3542, 3546, 3547, 3555, 3556, 3558, 3561, 3562, 3563, 4709, 5912, 5913, 5914, 5942, 5943	Health Region Peer Group C: Sparsely populated urban-rural mix from coast to coast. Low percentage of visible minority population. Very low population growth from 2011 to 2016. Moderately high proportion of population receiving government transfer income. High population of seniors aged 65 and above.
4	GEODVHR4= 2408, 2410, 2412, 2414, 2415, 3533, 3534, 3539, 3543, 3549, 3554, 3557, 3560, 3566, 3575, 4602, 4603, 4605, 4701, 4702, 4703, 4705, 4707, 4708, 4831, 5911, 5951, 5952	Health Region Peer Group D: Mainly rural regions in Québec, Ontario and the Prairies. Moderate Aboriginal population. Low population growth from 2011 to 2016. High employment rate.
5	GEODVHR4= 1012, 1013, 1014, 1203, 1305, 1306, 1307, 2409, 2411	Health Region Peer Group E: Mainly rural Eastern regions with low population density. Very high percentage of population receiving government transfer income. Negative population growth from 2011 to 2016. Very high population of seniors aged 65 and above. High long-term unemployment rate.
6	GEODVHR4= 2417, 2418, 4604, 4714, 6201	Health Region Peer Group F: Northern and remote regions with very low population density. Very high Aboriginal population. High population growth from 2011 to 2016. Low proportion postsecondary graduates. Very high proportion of lone-parent families. Very low immigrant and visible minority population. Very high proportion of children under the age of 20.
7	GEODVHR4= 2406, 3595, 5932	Health Region Peer Group G: Largest metro centers with an average population density of people per square kilometre. Very low Aboriginal population. Moderate percentage of government transfer income. High immigrant and visible minority population. Very high proportion of postsecondary graduates. High proportion of households spending more than 30% of the income on shelter.
8	GEODVHR4= 3553, 3570, 5922, 5923, 5931, 5933	Health Region Peer Group H: Mainly urban centers in Ontario and British Columbia with high population density. High population growth from 2011 to 2016. Low Aboriginal population. Very high average dwelling value. Very high immigrant and visible minority population.

Reference: A more detailed discussion on the rationale and methods involved in the development of peer groups is available in the following publication: Health Region (2018) Peer Groups Working Paper (PDF) which can be viewed at https://www150.statcan.gc.ca/n1/pub/82-622-x/82-622-x2018001-eng.htm.

11) Population centre or rural area type

Variable name: GEODVUR

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or a rural area within or outside of a census metropolitan area (CMA) or census agglomeration (CA). Population centres are those continuously built-up areas having a population concentration of 1,000 or more and a population density of 400 or more per square kilometre based on 2016 Census population counts.

A CMA or CA can have two types of cores: the core and the secondary core. The core is the population centre with the highest population, around which a CMA or a CA is delineated. The core must have a population (based on the 2016 Census) of at least 50,000 persons in the case of a CMA, or at least 10,000 persons in the case of a CA. The secondary core is a population centre within a CMA that has at least 10,000 persons and was the core of a CA that has been merged with an adjacent CMA.

The term 'fringe' includes all population centres within a CMA or CA that have less than 10,000 persons and are not contiguous with the core or secondary core.

All territory within a CMA or CA that is not classified as a core or fringe is classified as rural area.

Specifications

Value	Condition(s)	Description	Notes
1		Core	
2		Fringe	
3		Rural area inside of a CMA or CA	
4		Population centre outside of a CMA and CA	
5		Rural area outside of a CMA or CA	
6		Secondary core	

12) Population centre or rural area type - grouped

Variable name: GEODVUR2

Based on: GEODVUR

Description: This variable is a grouping of GEODVUR into 2 categories (Population Centre and Rural Area).

Specifications

Value	Condition(s)	Description	Notes
1	GEODVUR = 1, 2, 4 or 6	Population Centre	
2	GEODVUR = 3 or 5	Rural Area	

13) Population centre or rural area classification

Variable name: GEODVPSZ

Based on: GEODVPC

Description: This variable identifies whether the respondent lives in a population centre or rural area, and the size of the population centre if applicable.

Specifications

Value	Condition(s)	Description	Notes
1		Rural area (less than 1,000)	

2	Small population centre (1,000 to 29,999)
3	Medium population centre (30,000 to 99,999)
4	Large urban population centre (100,000 or greater)

14) British Columbia Health Authority (BCHA)

Variable name: GEODVBHA

Based on: GEODVPC

Description: This variable is a four digit number that identifies the 5 Health Authorities for British Columbia. It is equal to 9996 (for not applicable) anywhere else. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

15) Ontario home and community care support services (HCCSS)

Variable name: GEODVHCS

Based on: GEO_PRV, GEODVPC

Description: This variable is a four digit number that identifies sub-provincial health areas of Ontario. It is equal to 9996 everywhere outside Ontario. Data in Ontario are provided for two levels of geography: Public Health Units (PHU) and the Home and Community Care Support Services regions (HCCSS; formerly known as Local health integration Network or LHIN). As of 2015, the HCCS given on the CCHS file is the "statistical" HCCS. Statistical HCCS are formed by reclassifying a small percentage of units from one HCCS to another where the PHU-HCCS intersections are particularly small. This reclassification facilitates estimation at the PHU and HCCS level from one set of weights.

16) Ontario HCCSS sub-region

Variable name: GEODVSHC

Based on: GEO_PRV, GEODVPC

Description: This variable is a six digit number that identifies sub-provincial health areas of Ontario. It is equal to 999996 everywhere outside Ontario. Sub-HCCS are subdivisions of Home and Community Care Support Services regions (HCCS defined by Ontario Ministry of Health and Long-term Care for health system evaluation and planning.

17) Alberta subzone

Variable name: GEODVASZ

Based on: GEODVPC

Description: This variable is a six digit number that identifies the subzones for Alberta. It is equal to 999996 (for not applicable) anywhere else. This variable is derived using boundary file provided by Alberta and the geographic information provided by the respondent.

Home care services (2 DVs)

1) Received home care services

Variable name: HMCDVVRH

Based on: AWCAGE, HMC_005A, HMC_005B, HMC_005C, HMC_005D, HMC_005E, HMC_005F, HMC_005G

Description: This variable indicates whether a household member received some form of home care service (whether the cost of the service was covered or not by government) in the past 12 months.

Starting 2015, this variable represent households where at least one member received home care services, rather than the respondent.

Note: Respondents less than 18 years old were excluded from the population.

When using the person weight (WTS_M), this variable reflects the number of people living in households who received some form of home care service. When using the household weights (WTS_MHH), this variable reflects the number of households where at least one member received some form of home care service.

Specifications

Value	Condition(s)	Description	Notes
6	DOHMC = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
1	HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1 or HMC_005F = 1	Received some home care services in past 12 months	
2	HMC_005G = 1	No one in the household received any home care services in past 12 months	
9	HMC_005A = NS or HMC_005B = NS or HMC_005C = NS or HMC_005D = NS or HMC_005E = NS or HMC_005F = NS or HMC_005G = NS	At least one required question was not answered (not stated)	NS

2) Households where home care services helped recipients stay at home

Variable name: HMCDVHLP

Based on: DHH_AGE, HMC_005G, HMC_037

Description: This variable indicates whether a household member who received some form of home care service in the past 12 months perceived that the services helped them stay at home. By "stay at home" we mean that it enabled the recipient to stay out of a hospital, nursing home, hospice, or assisted living facility.

Note: When household weights are used, this variable can be used to represent the number of households where home care services were received, and where these services helped the household members who received the care to stay home. The person-level weight may only be used in cases where the respondents themselves received home care services, as verified in the responses to HMC_Q010. Other household members may also have received home care services. Estimates produced using the person-level weight represent the number of people aged 18 and older who were able to stay home because of the home care services they received.

Specifications

Value	Condition(s)	Description	Notes
6	DOHMC = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
6	HMC_005G = 1 or HMC_037 = 4	Population exclusions - no one in household received any home care services in the past 12 months or reason for home care services unrelated to staying home	NA
9	HMC_037 = NS	At least one required question was not answered (not stated)	NS
1	HMC_037 = (1 or 2)	Home care services were very helpful or somewhat helpful for staying at home	
2	HMC_037 = 3	Home care services were not helpful for staying at home	

Height and weight - self-reported (8 DVs)

1) Height (metres) - self-reported

Variable name: HWTDVHTM

Based on: PROXYSEX, HWT_05A, HWT_05B, HWT_05C, PRS_05

Description: This variable indicates the respondent's self-reported height in metres.

Specifications

Value	Condition(s)	Description	Notes
9.996	DOHWT = 0	Module not selected	NA
9.996	PRS_05 = 1	Population exclusion - Pregnant women	NA
9.999	HWT_05A = NS or HWT_05B = NS or HWT_05C = NS	At least one required question was not answered (not stated)	NS
(HWT_05A x 12 + HWT_05B) x 0.0254	HWT_05A = RESPONSE or HWT_05B = RESPONSE	Height in metres converted from feet and inches	(Rounded to 3 decimal places)
HWT_05C / 100	HWT_05C = RESPONSE	Height in metres converted from centimetres	(Rounded to 3 decimal places)

2) Weight (kilograms) - self-reported

Variable name: HWTDVWTK

Based on: PROXYSEX, HWT_40A, HWT_40B, PRS_05

Description: This variable indicates the respondent's self-reported weight in kilograms.

Note: This variable excludes female respondents who were pregnant.

Specifications

Value	Condition(s)	Description	Notes
9.996	DOHWT = 0	Module not selected	NA
999.96	PRS_05 = 1	Population exclusion - Pregnant women	NA
999.99	HWT_40A = NS or HWT_40B = NS	At least one required question was not answered (not stated)	NS
HWT_40A	HWT_40B = 2	Weight in kilograms	(rounded to two decimal places)
HWT_40A × 0.45	HWT_40B = 1	Weight in kilograms converted from pounds.	(rounded to two decimal places)

3) Body mass index (self-reported)

Variable name: HWTDVBMI

Based on: DHH_SEX, PROXYSEX, HWTDVHTM, HWTDVWTK, PRS_05

Description: The Body Mass Index (BMI) for this variable is based on self-reported height and weight. BMI is a comparison of "weight" relative to the "height" of respondents. BMI is calculated by dividing weight in kilograms by height in metres squared.
BMI = WEIGHT (KG) / HEIGHT (METRES) SQUARED

Note: BMI is not calculated for pregnant women. Although calculation of BMI is not recommended for lactating women, the index provided here is calculated for women who report that they are breastfeeding (MEX_110 = 1).
This BMI classification is created using "self-reported height" and "self-reported weight" variables. For an adjusted BMI derived variable, see HWTDVCOR.

Specifications

Value	Condition(s)	Description	Notes
999.96	DOHWT = 0	Module not selected	NA
999.96	PRS_05 = 1	Population exclusion - Pregnant women	NA
999.99	DHH_SEX = 2 and PRS_05 = (NS)	Females who did not answer the pregnancy question (not stated)	NS
999.99	HWTDVHTM = NS or HWTDVWTK = NS	Respondents for whom a valid self-reported height and weight was not obtained	NS
999.96	(HWTDVHTM > 2.108 and HWTDVHTM < NA) or HWTDVHTM < .914	Population exclusion - The value for the respondent's height is out of range (less than 3 feet tall or greater than 6 feet 11 inches)	NA
HWTDVWTK / (HWTDVHTM × HWTDVHTM)	HWTDVHTM < NA and HWTDVWTK < NA	BMI calculated from both self-reported height and self-reported weight values	(Rounded to two decimal places)

4) BMI classification for children aged 12 to 17 (self-reported) - Cole classification system

Variable name: HWTDVCOL

Based on: AWCAGE, DHH_SEX, AGE_01C, AGE_01B, AGE_01A, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, PRS_05

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex-specific BMI cut-off points as defined by Cole and Lobstein. The Cole-Lobstein cut-off points are based on pooled international data (Brazil, United Kingdom, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the widely internationally accepted adult BMI cut-off points of 18.5 (Normal), 25 (overweight) and 30 (obese).

These cut-offs, released in 2012, are updates of the original cut-offs produced by Cole et. al in 2000.

Note: This variable excludes respondents who are 18 years old or over (216 months) or females who were pregnant.

Temporary Reformat

Value	Condition(s)	Description	Notes
AGET1			
DHHTAGM / 12	DHHTAGM < NA	Convert respondent's "age in months" to "age in years"	(Rounded to nearest 0.5)
DHHTAGM			
9996	AWCAGE > 17	Population exclusion	NA
9999	(AGE_01C = NS) or (AGE_01B = NS) or (AGE_01A = NS)	A valid day of birth or month of birth or year of birth is not available for the respondent.	NS
Age in months	Interview date converted in months (ADM_YOI, ADM_MOI and ADM_DOI) - Date of birth converted in months (AGE_01A, AGE_01B and AGE_01C)	Create respondent's age in months at time of the interview	(min:144; max:1224)

Specifications

Value	Condition(s)	Description	Notes
6	DOHWT = 0	Module not selected	NA
6	PRS_05 = 1 or HWTDVBMI = NA or AWCAGE > 17	Population exclusion	NA
9	HWTDVBMI = NS or PRS_05 = (NS) or DHHTAGM = NS	At least one required question was not answered (not stated)	NS
4	(AGET1 = 12 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (NA > HWTDVBMI >= 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (NA > HWTDVBMI >= 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (NA > HWTDVBMI >= 30.00))	Obese	

3	(AGET1 = 12 and DHH_SEX = 1 and (21.20 <= HWTDVBMI < 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (21.59 <= HWTDVBMI < 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (21.54 <= HWTDVBMI < 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (22.05 <= HWTDVBMI < 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (21.89 <= HWTDVBMI < 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (22.49 <= HWTDVBMI < 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (22.24 <= HWTDVBMI < 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (22.90 <= HWTDVBMI < 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (22.60 <= HWTDVBMI < 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (23.27 <= HWTDVBMI < 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (22.95 <= HWTDVBMI < 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (23.60 <= HWTDVBMI < 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (23.28 <= HWTDVBMI < 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (23.89 <= HWTDVBMI < 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (23.59 <= HWTDVBMI < 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (24.13 <= HWTDVBMI < 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (23.89 <= HWTDVBMI < 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (24.34 <= HWTDVBMI < 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (24.18 <= HWTDVBMI < 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (24.53 <= HWTDVBMI < 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (24.46 <= HWTDVBMI < 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (24.70 <= HWTDVBMI < 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (24.73 <= HWTDVBMI < 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (24.85 <= HWTDVBMI < 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (25.00 <= HWTDVBMI < 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (25.00 <= HWTDVBMI < 30.00))	Overweight

2	(AGET1 = 12 and DHH_SEX = 1 and (15.36 <= HWTDVBMI < 21.20)) or (AGET1 = 12 and DHH_SEX = 2 and (15.59 <= HWTDVBMI < 21.59)) or (AGET1 = 12.5 and DHH_SEX = 1 and (15.59 <= HWTDVBMI < 21.54)) or (AGET1 = 12.5 and DHH_SEX = 2 and (15.91 <= HWTDVBMI < 22.05)) or (AGET1 = 13 and DHH_SEX = 1 and (15.84 <= HWTDVBMI < 21.89)) or (AGET1 = 13 and DHH_SEX = 2 and (16.23 <= HWTDVBMI < 22.49)) or (AGET1 = 13.5 and DHH_SEX = 1 and (16.11 <= HWTDVBMI < 22.24)) or (AGET1 = 13.5 and DHH_SEX = 2 and (16.55 <= HWTDVBMI < 22.90)) or (AGET1 = 14 and DHH_SEX = 1 and (16.39 <= HWTDVBMI < 22.60)) or (AGET1 = 14 and DHH_SEX = 2 and (16.86 <= HWTDVBMI < 23.27)) or (AGET1 = 14.5 and DHH_SEX = 1 and (16.68 <= HWTDVBMI < 22.95)) or (AGET1 = 14.5 and DHH_SEX = 2 and (17.16 <= HWTDVBMI < 23.60)) or (AGET1 = 15 and DHH_SEX = 1 and (16.98 <= HWTDVBMI < 23.28)) or (AGET1 = 15 and DHH_SEX = 2 and (17.43 <= HWTDVBMI < 23.89)) or (AGET1 = 15.5 and DHH_SEX = 1 and (17.26 <= HWTDVBMI < 23.59)) or (AGET1 = 15.5 and DHH_SEX = 2 and (17.68 <= HWTDVBMI < 24.13)) or (AGET1 = 16 and DHH_SEX = 1 and (17.53 <= HWTDVBMI < 23.89)) or (AGET1 = 16 and DHH_SEX = 2 and (17.90 <= HWTDVBMI < 24.34)) or (AGET1 = 16.5 and DHH_SEX = 1 and (17.79 <= HWTDVBMI < 24.18)) or (AGET1 = 16.5 and DHH_SEX = 2 and (18.08 <= HWTDVBMI < 24.53)) or (AGET1 = 17 and DHH_SEX = 1 and (18.04 <= HWTDVBMI < 24.46)) or (AGET1 = 17 and DHH_SEX = 2 and (18.24 <= HWTDVBMI < 24.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (18.28 <= HWTDVBMI < 24.73)) or (AGET1 = 17.5 and DHH_SEX = 2 and (18.38 <= HWTDVBMI < 24.85)) or (AGET1 = 18 and DHH_SEX = 1 and (18.50 <= HWTDVBMI < 25.00)) or (AGET1 = 18 and DHH_SEX = 2 and (18.50 <= HWTDVBMI < 25.00))	Normal
1	Else	Thinness

Reference: For more information about the Cole BMI classification system, see Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity, by T. J. Cole and T. Lobstein, published in Pediatric Obesity, Volume: 7, March 2012, and Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey, by Tim J. Cole, Mary C. Bellizzi, Katherine M. Flegal, William H. Dietz, published in British Medical Journal, Volume: 320, May 2000.

5) BMI classification for adults aged 18 and over (self-reported) - international standard

Variable name: HWTDVISW

Based on: AWCAGE, HWTDVBMI, PRS_05

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health

Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

Source: https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/fn-an/alt_formats/hpfb-dgpsa/pdf/nutrition/cg_quick_ref-ldc_rapide_ref-eng.pdf

Specifications

Value	Condition(s)	Description	Notes
96	DOHWT = 0	Module not selected	NA
96	AWCAGE < 18 or PRS_05 = 1 or HWTDVBMI = NA	Population exclusions	NA
99	HWTDVBMI = NS or PRS_05 = (NS)	At least one required question was not answered (not stated)	NS
1	HWTDVBMI < 18.50	Underweight	
2	(18.50 <= HWTDVBMI <= 24.99)	Normal weight	
3	(25.00 <= HWTDVBMI <= 29.99)	Overweight	
4	(30.00 <= HWTDVBMI <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVBMI <= 39.99)	Obese - Class II	
6	HWTDVBMI >= 40.00	Obese - Class III	

Reference: For more detailed information see Canadian Guidelines for Body Weight Classification in Adults, Health Canada, 2003

6) BMI classification for children aged 12 to 17 (self-reported) - WHO classification system

Variable name: HWTDVWHO

Based on: PROXYSEX, AWCAGE, DHH_SEX, AGE_01C, AGE_01B, AGE_01A, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, PRS_05, DHHTAGM, AGET1

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex specific BMI cut-off points as defined by the World Health Organization.

In 2007, the WHO produced growth references for children aged 5 to 19 years using data from NHES II and III and NHANES I. The WHO BMI growth curves for 5- to 19-year-olds were constructed to ensure a smooth transition from the WHO standard for 0- to 5-year-olds. Based on these growth curves, the WHO recommends that children whose BMI is more than two standard deviations (SDs) above the mean should be considered obese, and those whose BMI is between one and two SDs above the mean, overweight. At all ages, the WHO cut-off points yield higher percentages of boys and girls classified as overweight/obese than do the IOTF or CDC cut-off points.

Note: This variable excludes respondents who are greater than 6 feet 11 inches (2.108 metres) or females who were pregnant.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOHWT = 0	Module not selected	NA
6	PRS_05 = 1 or HWTDVBMI = NA or AWCAGE > 17	Population exclusion	NA
9	HWTDVBMI = NS or PRS_05 = NS or DHHTAGM = NS	At least one required question was not answered (not stated)	NS
4	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 29.24)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.52))	Obese (Greater or equal to 2 standard deviations above the mean for the child's age in months, and sex)	

3	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 19.95 and HWTDVBMI < 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 20.81 and HWTDVBMI < 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 20.38 and HWTDVBMI < 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 21.31 and HWTDVBMI < 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 20.83 and HWTDVBMI < 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 21.80 and HWTDVBMI < 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 21.30 and HWTDVBMI < 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 22.28 and HWTDVBMI < 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 21.77 and HWTDVBMI < 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 22.73 and HWTDVBMI < 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 22.24 and HWTDVBMI < 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.15 and HWTDVBMI < 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 22.69 and HWTDVBMI < 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 23.51 and HWTDVBMI < 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.12 and HWTDVBMI < 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.83 and HWTDVBMI < 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 23.53 and HWTDVBMI < 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 24.10 and HWTDVBMI < 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.91 and HWTDVBMI < 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.32 and HWTDVBMI < 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 24.27 and HWTDVBMI < 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 24.50 and HWTDVBMI < 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 24.60 and HWTDVBMI < 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.65 and HWTDVBMI < 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and	Overweight (Greater or equal to 1 standard deviation but less than 2 standard deviations above the mean for the child's age in months, and sex)

(HWTDVBMI >= 24.91 and HWTDVBMI < 29.24))
or
(AGET1 = 18 and DHH_SEX = 2 and
(HWTDVBMI >= 24.77 and HWTDVBMI < 29.52))

2	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 14.45 and HWTDVBMI < 19.95)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 14.39 and HWTDVBMI < 20.81)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 14.68 and HWTDVBMI < 20.38)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 14.66 and HWTDVBMI < 21.31)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 14.94 and HWTDVBMI < 20.83)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 14.94 and HWTDVBMI < 21.80)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.20 and HWTDVBMI < 21.30)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.20 and HWTDVBMI < 22.28)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 15.48 and HWTDVBMI < 21.77)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 15.45 and HWTDVBMI < 22.73)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.75 and HWTDVBMI < 22.24)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.67 and HWTDVBMI < 23.15)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 16.01 and HWTDVBMI < 22.69)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 15.87 and HWTDVBMI < 23.51)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.27 and HWTDVBMI < 23.12)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.04 and HWTDVBMI < 23.83)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 16.51 and HWTDVBMI < 23.53)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 16.17 and HWTDVBMI < 24.10)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.73 and HWTDVBMI < 23.91)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.28 and HWTDVBMI < 24.32)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 16.93 and HWTDVBMI < 24.27)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 16.35 and HWTDVBMI < 24.50)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 17.12 and HWTDVBMI < 24.60)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.41 and HWTDVBMI < 24.65)) or (AGET1 = 18 and DHH_SEX = 1 and	Normal (Greater than or equal to 2 standard deviations below the mean and less than 1 standard deviation above the mean for the child's age in months, and sex)

	(HWTDVBMI >= 17.28 and HWTDVBMI < 24.91) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI >= 16.45 and HWTDVBMI < 24.77))	
1	Else	Thinness (Less than 2 standard deviations below the mean for the child's age in months, and sex)

Reference: For more information about the WHO BMI classification system, see Development of a WHO growth reference for school-aged children and adolescents, by Mercedes de Onis, Adelheid W. Onyango, Elaine Borghi, Amani Siyam, Chizuru Nishidaa & Jonathan Siekmanna, published in Bulletin of the World Health Organization, Sept 2007;85:660-667.

7) Body mass index (adjusted)

Variable name: HWTDVCOR

Based on: AWCAGE, DHH_SEX, PROXYSEX, PRS_05, HWTDVBMI, HWTDVHTM, HWTDVWTK

Description: This variable indicates the respondent's adjusted body mass index by applying a correction equation.

Note: A systematic review of the literature concluded that the use of self-reported data among adults underestimates weight and overestimates height, resulting in lower estimates of obesity than those obtained from measured data (Connor Gorber et al. 2007). Obesity estimates based on the CCHS are subject to these biases (Shields et al. 2008b). Using data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported values were collected, correction equations have been developed (Connor Gorber et al. 2008). These correction equations have been successfully applied to both 2005 and 2008 self-reported CCHS data to produce more accurate estimates of obesity (Connor Gorber et al. 2008; Shields et al. 2011). Differences between corrected estimates of obesity from the CCHS and measured estimates from the Canadian Health Measures Survey will be monitored over time to determine if the bias in self-reported values is changing and if new correction equations need to be developed.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

When the survey was completed by an interviewer with a proxy respondent, the height and weight questions were asked. However, since the BMI correction factors were developed based on self-reported bias, cases completed by proxy should not have the reported BMI adjusted by those factors. This variable is therefore set to 'not applicable' for all cases completed by proxy (PRX_02 = 1).

Specifications

Value	Condition(s)	Description	Notes
999.96	DOHWT = 0	Module not selected	NA
999.96	AWCAGE < 18 or PRS_05 = 1 or HWTDVBMI = NA	Population exclusions	NA
999.96	PRX_02 = 1	Cases completed by proxy - correction factors do not apply	NA
999.99	DHH_SEX = 2 and PRS_05 = (NS)	Females who did not answer the pregnancy question (not stated)	NS
999.99	HWTDVHTM = NS or HWTDVWTK = NS or HWTDVBMI = NS	Respondents for whom a valid self-reported height and weight was not obtained	NS
-1.07575 + 1.07592*HWTDVBMI	DHH_SEX = 1	Male BMI adjustment	(Rounded to two decimal places)
-0.12374 + 1.05129*HWTDVBMI	DHH_SEX = 2	Female BMI adjustment	(Rounded to two decimal places)

Reference: 1. Connor Gorber S, Shields M, Tremblay MS, McDowell I. The feasibility of establishing correction factors to adjust selfreported estimates of obesity. Health Reports (Statistics Canada, Catalogue 82-003) 2008; 19(3): 71-82.
2. Connor Gorber S, Tremblay M, Moher D, Gorber B. A comparison of direct vs. self-report measures for assessing height, weight and body mass

index: a systematic review. Obesity Reviews 2007; 8(4): 307-326.
3. Shields M, Connor Gorber S, Tremblay MS. Effects of measurement on obesity and morbidity. Health Reports (Statistics Canada, Catalogue 82-003) 2008a; 19(2): 77-84.
4. Shields M, Connor Gorber S, Tremblay MS. Estimates of obesity based on self-report versus direct measures. Health Reports (Statistics Canada, Catalogue 82-003) 2008b; 19(2): 61-76.
5. Shields M, Gorber SC, Janssen I, Tremblay MS. Bias in self-reported estimates of obesity in Canadian health surveys: an update on correction equations for adults. Health Reports 2011; 22(3): 35-45.

8) BMI classification for adults aged 18 and over (adjusted) - international standard

Variable name: HWTDVBCC

Based on: AWCAGE, PROXYSEX, HWTDVCOR, PRS_05

Description: This variable uses the respondent's adjusted BMI, calculated in HWTDVCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

This variable excludes female respondents aged 18 to 55 who were pregnant or did not answer the pregnancy question (i.e. PRS_05 = not stated).

When the survey was completed by an interviewer with a proxy respondent, the height and weight questions were asked. However, since the BMI correction factors were developed based on self-reported bias, cases completed by proxy should not have the reported BMI adjusted by those factors. This variable is therefore set to 'not applicable' for all cases completed by proxy (PRX_02 = 1).

Specifications

Value	Condition(s)	Description	Notes
96	DOHWT = 0	Module not selected	NA
96	AWCAGE < 18 or PRS_05 = 1 or HWTDVBMI = NA	Population exclusions	NA
96	PRX_02 = 1	Cases completed by proxy - corrections factors do not apply	NA
99	HWTDVCOR = NS or PRS_05 = NS	At least one required question was not answered (not stated)	NS
1	HWTDVCOR < 18.50	Underweight	
2	(18.50 <= HWTDVCOR <= 24.99)	Normal weight	
3	(25.00 <= HWTDVCOR <= 29.99)	Overweight	
4	(30.00 <= HWTDVCOR <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDVCOR <= 39.99)	Obese - Class II	
6	HWTDVCOR >= 40.00	Obese - Class III	

Income (7 DVs)

Temporary variables: INCTRAT, INCTLIC, INCTINC
(Temporary variables are not disseminated on the master files.)

INCTRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCDVADR). It is the ratio between the total income of the respondent's household and the before-tax low income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter and clothing.

INCTRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low income cut-offs for each family and community size were obtained for the 2020 reference year from the Canadian Income Survey.

A low income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be $34,870.

Step 2: Individual ratios of household income to the low income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTINC) by the corresponding low income cut-off (INCTLIC).

Beginning in 2016, income data are derived from tax records where linkage was possible and agreed to by the respondent. The flag INCFIMPH indicates whether household income variables (INC_005A-INC_005O, INC_010, INC_015, and INC_021) are reported or imputed. For more information, please refer to the document 'Income Variables and Sources in the Canadian Community Health Survey' available by request at statcan.hd-ds.statcan@canada.ca.

Low income cut-offs (INCTLIC) were taken from: Statistics Canada, Table 11-10-0241-01 (formerly CANSIM 206-0094).

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
GEOTPSZ			
1	GEODVUR = 0	Rural Area	
2	Size of the population centre(or CMA) < 30,000	Population Centre less than 30,000 people	
3	30,000 <= Size of the population centre(or CMA) < 100,000	Population Centre 30,000 to 99,999 people	
4	100,000 <= Size of the population centre(or CMA) < 500,000	Population Centre 100,000 to 499,999 people	
5	Size of the population centre(or CMA) >= 500,000	Population Centre 500,000 people or more	
INCTINC			
99999996	GEO_PRV = (60, 61, 62)	Residents of Territories excluded	
99999999	INC_021 = NS	None of the income questions were stated	
0	INC_021<=0	No income or income loss	Value of 0 assigned when income loss reported
INC_021	0 < INC_021 < NA	Specific and positive household income	
INCTLIC			
18,325	DHHDVHSZ = 1 and GEOTPSZ = 1	LICO when the household size = 1 and population size group = rural area	
22,814	DHHDVHSZ = 2 and GEOTPSZ = 1	LICO when the household size = 2 and population size group = rural area	
28,046	DHHDVHSZ = 3 and GEOTPSZ = 1	LICO when the household size = 3 and population size group = rural area	
34,053	DHHDVHSZ = 4 and GEOTPSZ = 1	LICO when the household size = 4 and population size group = rural area	
38,621	DHHDVHSZ = 5 and GEOTPSZ = 1	LICO when the household size = 5 and population size group = rural area	
43,559	DHHDVHSZ = 6 and GEOTPSZ = 1	LICO when the household size = 6 and population size group = rural area	

48 496	DHHDVHSZ >= 7 and GEOTPSZ = 1	LICO when the household size >= 7 and population size group = rural area	
20,848	DHHDVHSZ = 1 and GEOTPSZ = 2	LICO when the household size = 1 and population size group = urban area - less than 30,000 people	
25,953	DHHDVHSZ = 2 and GEOTPSZ = 2	LICO when the household size = 2 and population size group = urban area - less than 30,000 people	
31,906	DHHDVHSZ = 3 and GEOTPSZ = 2	LICO when the household size = 3 and population size group = urban area - less than 30,000 people	
38,740	DHHDVHSZ = 4 and GEOTPSZ = 2	LICO when the household size = 4 and population size group = urban area - less than 30,000 people	
43,938	DHHDVHSZ = 5 and GEOTPSZ = 2	LICO when the household size = 5 and population size group = urban area - less than 30,000 people	
49,555	DHHDVHSZ = 6 and GEOTPSZ = 2	LICO when the household size = 6 and population size group = urban area - less than 30,000 people	
55,172	DHHDVHSZ >= 7 and GEOTPSZ = 2	LICO when the household size >= 7 and population size group = urban area - less than 30,000 people	
22,784	DHHDVHSZ = 1 and GEOTPSZ = 3	LICO when the household size = 1 and population size group = urban area - 30,000 to 99,999 people	
28,364	DHHDVHSZ = 2 and GEOTPSZ = 3	LICO when the household size = 2 and population size group = urban area - 30,000 to 99,999 people	
34,870	DHHDVHSZ = 3 and GEOTPSZ = 3	LICO when the household size = 3 and population size group = urban area - 30,000 to 99,999 people	
42,338	DHHDVHSZ = 4 and GEOTPSZ = 3	LICO when the household size = 4 and population size group = urban area - 30,000 to 99,999 people	
48,019	DHHDVHSZ = 5 and GEOTPSZ = 3	LICO when the household size = 5 and population size group = urban area - 30,000 to 99,999 people	
54,157	DHHDVHSZ = 6 and GEOTPSZ = 3	LICO when the household size = 6 and population size group = urban area - 30,000 to 99,999 people	
60,296	DHHDVHSZ >= 7 and GEOTPSZ = 3	LICO when the household size >= 7 and population size group = urban area - 30,000 to 99,999 people	
22,926	DHHDVHSZ = 1 and GEOTPSZ = 4	LICO when the household size = 1 and population size group = urban area - 100,000 to 499,999 people	
28,540	DHHDVHSZ = 2 and GEOTPSZ = 4	LICO when the household size = 2 and population size group = urban area - 100,000 to 499,999 people	
35,087	DHHDVHSZ = 3 and GEOTPSZ = 4	LICO when the household size = 3 and population size group = urban area - 100,000 to 499,999 people	
42,600	DHHDVHSZ = 4 and GEOTPSZ = 4	LICO when the household size = 4 and population size group = urban area - 100,000 to 499,999 people	
48,315	DHHDVHSZ = 5 and GEOTPSZ = 4	LICO when the household size = 5 and population size group = urban area - 100,000 to 499,999 people	
54,493	DHHDVHSZ = 6 and GEOTPSZ = 4	LICO when the household size = 6 and population size group = urban area - 100,000 to 499,999 people	
60,670	DHHDVHSZ >= 7 and GEOTPSZ = 4	LICO when the household size => 7 and population size group = urban area - 100,000 to 499,999 people	
26,620	DHHDVHSZ = 1 and GEOTPSZ = 5	LICO when the household size = 1 and population size group = urban area - 500,000 people or more	
33,141	DHHDVHSZ = 2 and GEOTPSZ = 5	LICO when the household size = 2 and population size group = urban area - 500,000 people or more	
40,743	DHHDVHSZ = 3 and GEOTPSZ = 5	LICO when the household size = 3 and population size group = urban area - 500,000 people or more	
49,467	DHHDVHSZ = 4 and GEOTPSZ = 5	LICO when the household size = 4 and population size group = urban area - 500,000 people or more	
56,105	DHHDVHSZ = 5 and GEOTPSZ = 5	LICO when the household size = 5 and population size group = urban area - 500,000 people or more	
63,276	DHHDVHSZ = 6 and GEOTPSZ = 5	LICO when the household size = 6 and population size group = urban area - 500,000 people or more	
70,449	DHHDVHSZ >= 7 and GEOTPSZ = 5	LICO when the household size >= 7 and population size group = urban area - 500,000 people or more	
INCTRAT			
9999.999999996	INCTINC = NA	Residents of territories excluded	9 decimals

9999.999999999	INCTINC = NS	The ratio cannot be calculated because the household income was not stated	9 decimals
INCTINC / INCTLIC	INCTINC <> (NA,NS)	Individual ratio of household income to the low income cut-off corresponding to the size of the household and the size of the community. The maximum ratio is based on the maximum household income accepted, which is $90,000,000	9 decimals; min: 0, max: 5530

1) Household income source flag

Variable name: INCFIMPH

Based on: INC_021

Description: This flag indicates whether the value in INC_021 (total household income) was reported or imputed. Imputed income information is derived from either an income model or tax records where linkage was possible and agreed to by the respondent.

Specifications

Value	Condition(s)	Description	Notes
01		Reported	
02		Imputed	
99		No income information available	NS

2) Total household income - all sources

Variable name: INCDVHH

Based on: INC_021

Description: This variable groups the total household income from all sources. A range category is previously assigned by the application to respondents who provided an exact amount in question INC_021.

Note: Beginning in 2016, household income variables (INC_005A-O, INC_010, INC_015 and INC_021) are derived from tax records where linkage was possible and agreed to by the respondent. See INCFIMPH for details on determining which records and variables are taken from tax records.

The household income variable (INC_021) is imputed using statistical techniques when it has missing values (due to non-response during collection or insufficient tax information). The main variable of interest is INC_021: 'Total household income - best estimate' but all variables that are derived based on household income are affected.

The imputation is a two-step process. First, observations that provide the income range have values imputed within that range. A nearest neighbour donor approach is used that finds a respondent with similar characteristics as the non-respondent and 'donates' the income value to the non-respondent. For those that do not provide a range, a similar process is used but the donor values are not limited to the range.

For more information on the imputation process, please refer to the document 'Income Variables and Sources in the Canadian Community Health Survey' available by request at statcan.hd-ds.statcan@canada.ca.

Specifications

Value	Condition(s)	Description	Notes
99	INC_021 = NS	The household income questions were not answered (not stated)	NS
1	INC_021 <= 0	No income or income loss	
2	0 < INC_021 < 5000	Less than $5,000	
3	5000 <= INC_021 <= 9999	$5,000 to $9,999	

4	10000 <= INC_021 <= 14999	$10,000 to $14,999	
5	15000 <= INC_021 <= 19999	$15,000 to $19,999	
6	20000 <= INC_021 <= 29999	$20,000 to $29,999	
7	30000 <= INC_021 <= 39999	$30,000 to $39,999	
8	40000 <= INC_021 <= 49999	$40,000 to $49,999	
9	50000 <= INC_021 <= 59999	$50,000 to $59,999	
10	60000 <= INC_021 <= 69999	$60,000 to $69,999	
11	70000 <= INC_021 <= 79999	$70,000 to $79,999	
12	80000 <= INC_021 <= 89999	$80,000 to $89,999	
13	90000 <= INC_021 <= 99999	$90,000 to $99,999	
14	100000 <= INC_021 < 150000	$100,000 to less than $150,000	
15	150000 <= INC_021	$150,000 or more	
99	Else	Not enough information for the classification	NS

3) Personal income - all sources

Variable name: INCDVPER

Based on: AWCAGE, INC_041

Description: This variable indicates the respondent's personal income from all sources.

Note: Respondents less than 18 years old are excluded.

Beginning in 2016, personal income variables (INC_025A-O, INC_030, INC_035, and INC_041) are taken from tax records, if possible.

Also beginning in 2016, the personal income variable (INC_041) is imputed using statistical techniques when it has missing values (due to insufficient tax information).

Specifications

Value	Condition(s)	Description	Notes
96	AWCAGE < 18	Population exclusions	NA
1	INC_041 <= 0	No income or income loss	
2	0 < INC_041 < 5000	Less than $5,000	
3	5000 <= INC_041 <= 9999	$5,000 to $9,999	
4	10000 <= INC_041 <= 14999	$10,000 to $14,999	
5	15000 <= INC_041 <= 19999	$15,000 to $19,999	
6	20000 <= INC_041 <= 29999	$20,000 to $29,999	
7	30000 <= INC_041 <= 39999	$30,000 to $39,999	
8	40000 <= INC_041 <= 49999	$40,000 to $49,999	
9	50000 <= INC_041 <= 59999	$50,000 to $59,999	
10	60000 <= INC_041 <= 69999	$60,000 to $69,999	
11	70000 <= INC_041 <= 79999	$70,000 to $79,999	
12	80000 <= INC_041 <= 89999	$80,000 to $89,999	
13	90000 <= INC_041 <= 99999	$90,000 to $99,999	

14	100000 <= INC_041	$100,000 or more	
99	Else	Not enough information for the classification	NS

4) Adjusted household income ratio - national level (excluding territories)

Variable name: INCDVADR

Based on: INCTRAT

Description: Adjusted household income ratios to the low income cut-off are obtained by dividing the original ratios (INCTRAT) by the highest ratio for all survey respondents. This results in ratios ranging from 0 to 1. The Territories are excluded from this derived variable.

Specifications

Value	Condition(s)	Description	Notes
9.999999996	INCTRAT = NA	Residents of territories excluded	NA (9 decimal places)
9.999999999	INCTRAT = NS	The ratio cannot be calculated because the household income was not stated.	NS (9 decimal places)
INCTRAT / Max value of all respondents	INCTRAT < NA	Ratio between 0 and 1 corresponding to the household income and the corresponding low income cut-off divided by the highest ratio for all respondents.	(Rounded to 9 decimal places) (Min 0; Max 1)

5) Distribution of household income - national level (excluding territories)

Variable name: INCDVRCA

Based on: GEO_PRV, INCDVADR

Description: This derived variable is a distribution of respondents in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	

5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

6) Distribution of household income - provincial level

Variable name: INCDVRPR

Based on: GEO_PRV, INCDVADR

Description: This derived variable is a distribution of residents of each province in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6	
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7	
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8	

9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

7) Distribution of household income - health region level

Variable name: INCDVRRS

Based on: GEO_PRV, GEODVHR4, INCDVADR

Description: This derived variable is a distribution of residents of each health region in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e,. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6	
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7	
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8	
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9	
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10	

Labour force (5 DVs)

1) Total usual number of hours worked per week

Variable name: LBFDVHPW

Based on: AWCAGE, LMA6_01, LBF_12

Description: This continuous variable indicates the total number of hours the respondent worked per week (excludes overtime hours worked in 1st job).

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
996	AWCAGE > 75 or AWCAGE < 15 or LMA6_01 = NA	Population exclusions	NA
999	LMA6_01 = NS or LBF_12 = NS	At least one required question was not answered (not stated)	NS
LMA6_01	LMA6_01 < NA and LBF_12 = NA	Number of hours usually worked per week for respondents with one job	(rounded to an integer value) (min 0; max 168)
LMA6_01 + LBF_12	LMA6_01 < NA and LBF_12 = NA	Number of total hours usually worked per week for respondents with more than one job	(rounded to an integer value) (min 0; max 168)

2) Industry group

Variable name: LBFDVING

Based on: AWCAGE, LBFCSIC

Description: This variable indicates the industry group the respondent belongs to, according to the North American Industry Classification System (NAICS) 2017 at the 2-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
96	AWCAGE < 15 or AWCAGE > 75 or LBFCSIC = NA	Population exclusions	NA
99	LBFCSIC = NS	At least one required question was not answered (not stated)	NS
01	1st 2 digits in LBFCSIC = 11	Agriculture, forestry, fishing and hunting	
02	1st 2 digits in LBFCSIC = 21	Mining, quarrying and oil and gas extraction	

03	1st 2 digits in LBFCSIC = 22	Utilities
04	1st 2 digits in LBFCSIC = 23	Construction
05	1st 2 digits in LBFCSIC = 31 or 32 or 33	Manufacturing
06	1st 2 digits in LBFCSIC = 41	Wholesale trade
07	1st 2 digits in LBFCSIC = 44 or 45	Retail trade
08	1st 2 digits in LBFCSIC = 48 or 49	Transportation and warehousing
09	1st 2 digits in LBFCSIC = 51	Information and cultural industries
10	1st 2 digits in LBFCSIC = 52	Finance and insurance
11	1st 2 digits in LBFCSIC = 53	Real estate and rental and leasing
12	1st 2 digits in LBFCSIC = 54	Professional, scientific and technical services
13	1st 2 digits in LBFCSIC = 55	Management of companies and enterprises
14	1st 2 digits in LBFCSIC = 56	Administrative and support, waste management and remediation services
15	1st 2 digits in LBFCSIC = 61	Educational services
16	1st 2 digits in LBFCSIC = 62	Health care and social assistance
17	1st 2 digits in LBFCSIC = 71	Arts, entertainment and recreation
18	1st 2 digits in LBFCSIC = 72	Accommodation and food services
19	1st 2 digits in LBFCSIC = 81	Other services (except public administration)
20	1st 2 digits in LBFCSIC = 91	Public administration
95	LBFCSIC = 9995	Could not be coded

3) Occupation group

Variable name: LBFDVOCG

Based on: AWCAGE, LBFCSOC

Description: This variable indicates the occupation group the respondent belongs to, according to the National Occupational Classification (NOC) 2016 at the 1-digit level.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
96	AWCAGE < 15 or AWCAGE > 75 or LBFCSOC = NA	Population exclusions	NA
99	LBFCSOC = NS	At least one required question was not answered (not stated)	NS
01	1st digit in LBFCSOC = 0	Management occupations	
02	1st digit in LBFCSOC = 1	Business, finance and administration occupations	
03	1st digit in LBFCSOC = 2	Natural and applied sciences and related occupations	

04	1st digit in LBFCSOC = 3	Health occupations
05	1st digit in LBFCSOC = 4	Occupations in education, law and social, community and government services
06	1st digit in LBFCSOC = 5	Occupations in art, culture, recreation and sport
07	1st digit in LBFCSOC = 6	Sales and service occupations
08	1st digit in LBFCSOC = 7	Trades, transport and equipment operators and related occupations
09	1st digit in LBFCSOC = 8	Natural resources, agriculture and related production occupations
10	1st digit in LBFCSOC = 9	Occupations in manufacturing and utilities
95	LBFCSOC = 9995	Could not be coded

4) Full-time/part-time working status (for total usual hours)

Variable name: LBFDVPFT

Based on: LBFDVHPW

Description: This variable indicates if the respondent works full-time or part-time.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
6	LBFDVHPW = NA	Population exclusions	NA
9	LBFDVHPW = NS	At least one required question was not answered (not stated)	NS
1	LBFDVHPW >= 30	Full-time	
2	LBFDVHPW < 30	Part-time	

5) Working status last week

Variable name: LBFDVWSS

Based on: AWCAGE, LMAM_01, LMAM_02

Description: This variable classifies the respondent based on their working status in the week prior to the interview.

Note: Respondents aged less than 15 or more than 75 years old have been excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	AWCAGE < 15 or AWCAGE > 75	Population exclusions	NA
1	LMAM_01 = 1	Worked at a job or business	
2	LMAM_02 = 1	Had a job but did not work (absent)	

3	LMAM_02 = 2	Did not have a job	
4	LMAM_01 = 3	Permanently unable to work	
9	LMAM_02 = NS or LMAM_01 = NS	At least one required question was not answered (not stated)	NS

Life satisfaction measure (1 DV)

1) Satisfaction with life in general

Variable name: LSMDVSWL

Based on: PROXYSEX, LSM_01

Description: This variable groups the 11-point scale used in LSM_01 to rate a respondent's satisfaction with life into 5 categories.

Specifications

Value	Condition(s)	Description	Notes
6	DOLSM = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Question not asked - proxy interview	NS
9	LSM_01 = NS	At least one required question was not answered (not stated)	NS
1	(LSM_01 >= 9 and LSM_01 <= 10)	Very Satisfied	
2	(LSM_01 >= 6 and LSM_01<= 8)	Satisfied	
3	LSM_01= 5	Neither satisfied nor dissatisfied	
4	(LSM_01>= 2 and LSM_01<= 4)	Dissatisfied	
5	(LSM_01>= 0 and LSM_01<= 1)	Very Dissatisfied	

Maternal experiences (4 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
MEXT115			
9999	MEX_115A = NS or MEX_115B = NS	At least one required question was not answered (not stated)	NS
9996	MEX_115A = NA	Still breastfeeding or giving breast milk to baby	NA
MEX_115A	MEX_115B = 1	Age of baby in days when respondent stopped breastfeeding or giving breast milk.	
MEX_115A * 7	MEX_115B = 2	Age of baby in days when respondent stopped breastfeeding or giving breast milk.	
MEX_115A * 30	MEX_115B = 3	Age of baby in days when respondent stopped breastfeeding or giving breast milk.	
MEX_115A * 365	MEX_115B = 4	Age of baby in days when respondent stopped breastfeeding or giving breast milk.	
MEXT115A			
99	MEXT115 = NS	At least one required question was not answered (not stated)	NS
96	MEXT115 = NA	Population exclusions	NA
01	MEXT115 < 7	Less than 1 week	
02	7 <= MEXT115 <= 29	1 week to less than one month	
03	30 <= MEXT115 <= 59	1 month to less than 2 months	
04	60 <= MEXT115 <= 89	2 months to less than 3 months	
05	90 <= MEXT115 <= 119	3 months to less than 4months	
06	120 <= MEXT115 <= 149	4 months to less than 5 months	
07	150 <= MEXT115 <= 179	5 months to less than 6 months	
08	MEXT115 >= 180	6 months or more	
MEXT155			
9999	MEX_155 = NS or MEX_160 = NS	At least one required question was not answered (not stated)	NS
9996	MEX_155 = NA	Liquids not introduced to feed.	NA
MEX_155	MEX_160 = 1	Age in days of baby when other liquids first added to feed.	
MEX_155 * 7	MEX_160 = 2	Age in days of baby when other liquids first added to feed.	
MEX_155 * 30	MEX_160 = 3	Age in days of baby when other liquids first added to feed.	
MEX_155 * 365	MEX_160 = 4	Age in days of baby when other liquids first added to feed.	
MEXT155A			
99	MEXT155 = NS	At least one required question was not answered (not stated)	NS
96	MEXT155 = NA	Population exclusions	NA
01	MEXT155 < 7	Less than 1 week	
02	7 <= MEXT155 <= 29	1 week to less than one month	
03	30 <= MEXT155 <= 59	1 month to less than 2 months	
04	60 <= MEXT155 <= 89	2 months to less than 3 months	
05	90 <= MEXT155 <= 119	3 months to less than 4 months	
06	120 <= MEXT155 <= 149	4 months to less than 5 months	

07	150 <= MEXT155 <= 179	5 months to less than 6 months	
08	MEXT155 >= 180	6 months or more	
MEXT175			
9999	MEX_175 = NS or MEX_175A = NS	At least one required question was not answered (not stated)	NS
9996	MEX_175 = NA	Solid foods not introduced to feed.	NA
MEX_175	MEX_180 = 1	Age in days of baby when solids first added to feed.	
MEX_175 * 7	MEX_180 = 2	Age in days of baby when solids first added to feed.	
MEX_175 * 30	MEX_180 = 3	Age in days of baby when solids first added to feed.	
MEX_175 * 365	MEX_180 = 4	Age in days of baby when solids first added to feed.	
MEXT175A			
99	MEXT175 = NS	At least one required question was not answered (not stated)	NS
96	MEXT175 = NA	Population exclusions	NA
01	MEXT175 < 7	Less than 1 week	
02	7 <= MEXT175 <= 29	1 week to less than one month	
03	30 <= MEXT175 <= 59	1 month to less than 2 months	
04	60 <= MEXT175 <= 89	2 months to less than 3 months	
05	90 <= MEXT175 <= 119	3 months to less than 4 months	
06	120 <= MEXT175 <= 149	4 months to less than 5 months	
07	150 <= MEXT175 <= 179	5 months to less than 6 months	
08	MEXT175 >= 180	6 months or more	

1) Exclusively breastfed for 6 months (or more)

Variable name: MEXDVBM6

Based on: PROXYSEX, DHH_SEX, AWCAGE, MEX_10, MEX_100, MEX_110, MEX_115A, MEX_115B, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable indicates whether the respondent exclusively breastfed or gave breast milk to her last baby until the baby was at least 6 months of age.

Note: Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years (MEX_Q010 = 2 or the child reported was 72 months old or older) or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded. Analysts can choose to collapse categories 2 and 3 to obtain all mothers who did not exclusively breastfeed or give breast milk until the baby was at least 6 months of age.

Category 1 indicates that the mother breastfed or gave breast milk to her last baby until the baby was at least 6 months of age and that liquids and solids were not introduced to the baby's feeds until after this point. Mothers may have continued breastfeeding non-exclusively after this point and would still fall under this category. There are two ways to meet this criteria:

1. Breastfeeding or feeding breast milk has ceased after 6 months and liquids and solids were introduced only after 6 months or not at all;

2.The baby is 6 months of age or more and breastfeeding or being fed breast milk is still occurring and liquids have been introduced only after the baby was at least 6 months of age or not at all and solids have been introduced only after the baby was at least 6 months of age.

Specifications

Value	Condition(s)	Description	Notes
6	DOMEX = 0	Module not selected	NA

6	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or CHILDAGE > 71 or (MEX_110 = 1 and MEXT155 = NA and MEXT175A = NA)	Population exclusions	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
3	MEX_100 = 2	Has not breastfed her last baby at all	
9	MEX_10 = NS or MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question was not answered (not stated)	NS
1	(((MEXT155A = 8 and MEXT175A = (8, NA)) or (MEXT155A = (8, NA) and MEXT175A = 8) or (MEXT155A = 8 and MEXT175A = 8)) and MEXT115A = (8, NA)) or (MEX_110 = 2 and MEXT155A = (8, NA) and MEXT175A = (8, NA) and MEXT115A = 8)	Had exclusively breastfed her last baby until the baby was at least 6 months of age	
2	(MEXT115A < 8 or MEXT155A < 8 or MEXT175A < 8)	Had not exclusively breastfed her last baby until the baby was at least 6 months of age	

2) Length of exclusive breastfeeding

Variable name: MEXDVLBM

Based on: PROXYSEX, DHH_SEX, AWCAGE, MEX_10, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable provides the age of baby in days when the respondent stopped exclusive breastfeeding or giving breast milk to her last baby.

Note: Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the age of baby in days when respondent stopped exclusive breastfeeding or giving breast milk, mothers who are still breastfeeding at the time of the interview and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Specifications

Value	Condition(s)	Description	Notes
96	DOMEX = 0	Module not selected	NA
96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_110 = NA or (MEX_110 = 1 and MEXT155A = NA and MEXT175A = NA)	Population exclusions	NA
99	PROXYSEX = (3 or 4)	Module not asked - Proxy Interview	NS
99	MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question was not answered (not stated)	NS
0	MEX_100 = 2	Has not breastfed or given breastmilk to last baby	

1	((MEXT155A = 1 or MEXT175A = 1) and (1 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 1 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 1)	Less than 1 week
2	((MEXT155A = 2 or MEXT175A = 2) and (2 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 2 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 2)	1 week to less than 1 month
3	((MEXT155A = 3 or MEXT175A = 3) and (3 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 3 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A= NA) and MEXT115A = 3)	1 month to less than 2 months
4	((MEXT155A = 4 or MEXT175A = 4) and (4 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 4 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 4)	2 months to less than 3 months
5	((MEXT155A = 5 or MEXT175A = 5) and (5 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 5 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 5)	3 months to less than 4 months
6	((MEXT155A = 6 or MEXT175A = 6) and (MEXT115A = (6, 7 or 8) or MEXT115A = NA)) or (MEXT115A = 6 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A> MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 6)	4 months to less than 5 months

7	((MEXT155A = 7 or MEXT175A = 7) and (MEXT115A = (7 or 8) or MEXT115A = NA)) or (MEXT115A = 7 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 7)	5 months to less than 6 months
8	((MEXT155A = 8 or MEXT175A = 8) and (MEXT115A = 8 or MEXT115A = NA)) or (MEXT115A = 8 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 8)	6 months or more

3) Weight before pregnancy (in kilograms)

Variable name: MEXDVWBK

Based on: DHH_SEX, AWCAGE, PROXYSEX, MEX_10, MEX_70, MEX_75

Description: This variable indicates the respondent's weight in kilograms before pregnancy.

Specifications

Value	Condition(s)	Description	Notes
999.96	DOMEX = 0	Module not selected	NA
999.96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_70 = NA	Population exclusions	NA
999.99	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
999.99	MEX_10 = NS or MEX_70 = NS	At least one required question was not answered (not stated)	NS
MEX_70	MEX_75 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_70 * .45	MEX_75 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

4) Weight gained during pregnancy (in kilograms)

Variable name: MEXDVWGK

Based on: DHH_SEX, AWCAGE, PROXYSEX, MEX_10, MEX_80, MEX_85

Description: This variable indicates the respondent's weight gain in kilograms during pregnancy.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
999.96	DOMEX = 0	Module not selected	NA
999.96	DHH_SEX = 1 or AWCAGE < 15 or AWCAGE > 55 or MEX_10 = 2 or MEX_80 = NA	Population exclusions	NA
999.99	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
999.99	MEX_10 = NS or MEX_80 = NS	At least one required question was not answered (not stated)	NS
MEX_80	MEX_85 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_80 * .45	MEX_85 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

Physical activities - adults 18 years and older (6 DVs)

1) Total number of minutes of moderate to vigorous physical activities - last 7 days

Variable name: PAADVMVA

Based on: AWCAGE, PAA_05, PAA_15A, PAA_15B, PAA_30, PAA_35, PAA_45A, PAA_45B, PAA_60, PAA_65, PAA_75A, PAA_75B

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational and other physical activities.

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA
99996	AWCAGE < 18	Population exclusions	NA
99999	PAA_05 = NS or PAA_15A = NS or PAA_15B = NS or PAA_30 = NS or PAA_35 = NS or PAA_45A = NS or PAA_45B = NS or PAA_60 = NS or PAA_65 = NS or PAA_75A = NS or PAA_75B = NS	At least one required question was not answered (not stated)	NS
0	PAA_05 = 2 and (PAA_30 = 2 or PAA_35 = 2) and (PAA_60 = 2 or PAA_65 = 2)	Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days	
PAA_15A*60 + PAA_15B + PAA_45A*60 + PAA_45B + PAA_75A*60 + PAA_75B	PAA_15A = (0:168) and PAA_15B = (0:9995) and PAA_45A = (0:168) and PAA_45B = (0:9995) and PAA_75A = (0:168) and PAA_75B = (0:9995)	Total number of minutes of active transportion and moderate to vigorous physical activities	Min: 0; Max: 10080

2) Physical activity indicator

Variable name: PAADVACV

Based on: AWCAGE, PAADVMVA

Description: This derived variable indicates whether a respondent is physically active according to the Canadian Physical Activity Guidelines (CPAG).

Note: Physically active is defined by the Canadian Physical Activity Guidelines as having at least 150 minutes of moderate- to vigorous-intensity aerobic physical activity per week.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Physically active at or above recommended level from CPAG	

2	1 <= PAADVMVA <=149	Physically active below recommended level from CPAG
3	PAADVMVA = 0	No physical activity minutes reported

3) Alternate physical activity indicator

Variable name: PAADVAC2

Based on: AWCAGE, PAADVMVA

Description: This derived variable represents an alternate classification of physical activity for adults, based on the number of minutes of moderate to vigorous activity done in a week. This variable is similar to PAADVACV, but it breaks down those who were not above the threshold of 150 minutes per week into subcategories of their activity level.

Note: Some might prefer this derived variable (4 levels), instead of PAADVACV (3 levels), to do more detailed analysis. Please note that the four levels in this variable are not the same as the levels in PAADVWHO, so results will not be comparable.
* Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Level 1 (Duration equal or greater than that recommended by the CPAG)	
2	75 <= PAADVMVA < 150	Level 2 (Duration ≥ 50% and < 100% of that recommended by the CPAG)	
3	0 < PAADVMVA < 75	Level 3 (Duration > 0% and < 50% of that recommended by the CPAG)	
4	PAADVMVA = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

4) Total number of minutes of vigorous physical activities - last 7 days

Variable name: PAADVVIG

Based on: AWCAGE, PAA_95, PAA_100A, PAA_100B, PAADVMVA

Description: This derived variable represents the total number of minutes a respondent engaged in vigorous physical activities in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as a physical activity that causes a person to be out of breath.

Inconsistencies with PAADVMVA (when PAADVVIG > PAADVMVA) were corrected by setting PAADVVIG to "Not stated".

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA

99996	AWCAGE < 18	Population exclusions	NA
99999	PAA_95 = NS or PAA_100A = NS or PAA_100B = NS or PAADVMVA = NS	At least one required question was not answered (not stated)	NS
0	PAA_95 = 2	No vigorous physical activity in last 7 days	
0	PAADVMVA = 0	No minutes of vigorous physical activity in last 7 days	
PAA_100A*60 + PAA_100B	PAA_95 = 1	Total number of minutes of vigorous physical activity in last 7 days.	(Min:1, Max: 10080)

5) Volume of weekly activity done in the past 7 days (METs*minutes/week)

Variable name: PAADVVOL

Based on: AWCAGE, PAADVMVA, PAADVVIG

Description: This derived variable represents the volume of physical activity performed in the last seven days. It is measured in METs*minutes/week. A MET is a conceptual value that represents energy expended during physical activity. The volume of activity is calculated by multiplying the amount of minutes of activity (by level of intensity) by the MET value associated with that intensity.

Note: Physical activity at the moderate level is assumed to be 3 METs, while vigorous activity is 6 METs. A MET (metabolic equivalent) is the energy cost of activity expressed as kilocalories expended per kilogram of body weight per hour of activity.

Source: B.Nolin (2014). "ESCC 2015, VD globales, Adultes, Propositions", Institut national de santé publique du Québec.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA
99996	AWCAGE < 18	Population exclusions	NA
99999	PAADVMVA = NS or PAADVVIG = NS	At least one required question was not answered (not stated)	NS
0	PAADVMVA = 0	Total weekly volume of activity was 0	No minutes of any activity
(PAADVMVA - PAADVVIG)*3 + (PAADVVIG)*6	(0 < PAADVMVA <= 10080) and (0 <= PAADVVIG <= 10080)	Total weekly volume of activity	

6) Physically active, based on WHO guidelines

Variable name: PAADVWHO

Based on: AWCAGE, PAADVVOL

Description: This derived variable classifies respondents according to the volume of physical activity they had performed in the past week (PAADVVOL). This classification uses levels of activity volume recommended by the World Health Organization (WHO).

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes

6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVVOL = NS	At least one required question was not answered (not stated)	NS
1	PAADVVOL => 900	Level 1 (Volume equal to or greater than the WHO recommendation for health benefits)	
2	450 <= PAADVVOL < 900	Level 2 (Volume meets the minimum WHO recommendation for being physically active)	
3	0 < PAADVVOL < 450	Level 3 (Volume less than the minimum recommendation for being physically active)	
4	PAADVVOL = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

Pain relief medication (1 DV)

1) Pain relief medication use - last 12 months

Variable name: PRMDV12M

Based on: PROXYSEX, PRM_10, PRM_15, PRM_20, PRM_25

Description: This variable indicates whether respondents used a pain reliever in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
6	DOPRM = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Module not asked - proxy interview	NS
1	PRM_10 = 1 or PRM_15 = 1 or PRM_20 = 1 or PRM_25 = 1	Has used a pain reliever in the past 12 months	
2	PRM_10 = 2 and PRM_15 = 2 and PRM_20 = 2 and PRM_25 = 2	Has not used a pain reliever in the past 12 months	
9	PRM_10 = NS or PRM_15 = NS or PRM_20 = NS or PRM_25 = NS	At least one required question was not answered (not stated)	

Sample variables (2 DVs)

1) Permission to link data

Variable name: SAMDVLNK

Based on: FLAGLINK (Not on file)

Description: This variable indicates whether the respondent agreed to allow their questionnaire data to be linked with administrative records of their past and continuing use of health services.

Note: Starting in 2022, the (yes/no) link question was replaced with a statement which explained the potential linkages. If the respondent indicated in a note that they did not want their responses combined with other sources they are deemed as refusing linkage. They will be set as SAMDVLNK = 2. Otherwise, if no objections were made, linkage is considered as allowed and SAMDVLNK is set as 1.

Specifications

Value	Condition(s)	Description	Notes
1	FLAGLINK = 0	Respondent agreed to link information	
2	FLAGLINK = 1	Respondent did not agree to link information	

2) Permission to share data

Variable name: SAMDVSHR

Based on: AWCAGE, ADMC_35 (Not on file), ADMC_35Y (Not on file)

Description: This variable indicates whether or not the respondent agreed to share the information collected in the survey with the provincial and territorial ministries of health, Health Canada, the Public Health Agency of Canada, and the "Institut de la Statistique du Québec" for Quebec respondents. The variable SAMDVSHR is calculated from the responses to the Share questions in the Administration information module (ADMC_35) by the respondent and/or the Person most knowledgeable about the household situation (PMK).

Note: Permission to share data questions were asked according to respondent's age and identification of a person most knowledgeable about the household (PMK) for respondents aged less than 18 years old.

Both the PMK and youth are asked for permission to share in ADMC_35. A new variable (ADMC_35Y) has been created to differentiate the PMK answer (ADMC_35) to the Youth answer (ADMC_35Y).

For 12-14 year-olds, permission to share was not asked to them directly. If a PMK was identified or if their interview was completed by a proxy respondent, permission to share data for the whole survey was asked to the PMK or PROXY respondent in ADMC_35. If no PMK was identified or the survey was completed by the 12-14 year old, no data sharing question was asked and data sharing is not possible.

For respondents aged 15-17 years old, permission to share their part of the survey was asked to them directly. If a PMK was identified to complete their part of the survey, the PMK was asked the permission to share question for the remaining household related modules. If permission to share was obtained from both the selected respondent and the PMK in ADMC_35, then the data for the whole interview can be shared. If the PMK did not agree to share the household related questions, then only data from which permission to share was obtained from the 15-17 year old can be shared (i.e. any data up to the PMK module). In this case, SAMDVSHR = 3 (partial share.) If a PROXY respondent completed the survey for a 15-17 year old, permission to share was asked in ADMC_35. If the PMK agrees to share responses to household level questions on behalf of a respondent aged 15-17 who does not agree to share, then SAMDVSHR = 2 (respondent did not agree to share information).

For respondents aged 18 and over, the procedure around asking the share questions remains the same. Permission to share was asked directly to them or their PROXY respondent in ADMC_35.

Specifications

Value	Condition(s)	Description	Notes
1	(AWCAGE = (12,13,14) and	Yes - Respondent agreed to share information	

	ADMC_35 = 1) or (AWCAGE = (15,16,17) and ADMC_35 = 1 and ADMC_35Y = 1) or (AWCAGE > 17 and ADMC_35 = 1)	
2	(AWCAGE = (12,13,14) and ADMC_35 = (2, NS)) or (AWCAGE = (15,16,17) and ADMC_35 = (1,2, NS) and ADMC_35Y = (2, NS)) or (AWCAGE > 17 and ADMC_35 = (2, NS))	No - Respondent did not agree to share information
3	AWCAGE = (15,16,17) and ADMC_35 = (2, NS) and ADMC_35Y = 1	Partial - Respondent aged 15-17 year olds accepts to share information but permission to share not obtained from PMK.

Socio-demographic characteristics (10 DVs)

1) Country of birth - grouped

Variable name: SDCDVCB

Based on: IM_01A , SDCCCOB

Description: This variable classifies the respondent based on his/her country of birth in specific groups.

Note: The country code is based on the Standard Classification of Countries and Areas of Interest (SCCAI) of 2017. The SCCAI is Statistics Canada's official classification of countries and areas of interest for use in classifying statistical data.

1. Other North America includes Greenland, Saint Pierre and Miquelon and United States.
2. South America includes South Georgia and the South Sandwich Islands.
3. Oceania includes Christmas Island, Cocos (Keeling) Islands, and United States Minor Outlying Islands.
4. Antarctica and adjacent islands includes Antarctica, Bouvet Island, French Southern Territories, Heard Island and McDonald Islands.

Internet site: https://www.statcan.gc.ca/en/subjects/standard/sccai/2017/index

Specifications

Value	Condition(s)	Description	Notes
1	IM_01A = 1	Canada	
2	10000 <= SDCCCOB < 12000	Other - North America (1)	
3	12000 <= SDCCCOB < 15000	South, Central America, Caribbean and Bermuda (2)	
4	20000 <= SDCCCOB < 25000	Europe	
5	30000 <= SDCCCOB < 36000	Africa	
6	40000 <= SDCCCOB < 45000	Asia	
7	50000 <= SDCCCOB < 52000	Oceania (3)	
8	60000 <= SDCCCOB < 62000	Antarctica and Adjacent Islands (4)	
96	SDCCCOB = 80000	Population exclusions - Born at sea	NA
99	SDCCCOB = (NS, 90000)	Required question was not answered (not stated, other)	NS

2) Immigrant flag

Variable name: SDCDVIMM

Based on: IM_03, IM_05A, IM_05B, IM_05A1

Description: This variable indicates if the respondent is a Canadian citizen by birth, an immigrant, or a non-permanent resident.

The non-immigrant category includes all those who are Canadian citizens by birth.

The immigrant category includes persons who are, or who have ever been, landed immigrants or permanent residents. Such persons have been granted the right to live in Canada permanently by immigration authorities. Immigrants who have obtained Canadian citizenship by naturalization are included in this category.

Non-permanent residents are those who are from another country with a usual place of residence in Canada and who have a work or study permit or who have claimed refugee status (asylum claimants).

Specifications

Value	Condition(s)	Description	Notes

9	IM_03 = 9 or (IM_03 = (2, 6, 9) and (IM_05A = 9 or IM_05A1 = 9))	Required questions were not answered (not stated)	NS
1	if IM_05A = 1 and IM_05A1 = 1	Non-immigrant (citizen by birth)	
2	if IM_03 = 1 or (IM_05A = 1 and IM_05A1 = 2)	Immigrant (landed immigrant or citizen by naturalization)	
3	if IM_03 = 2 or (IM_05A = 2 and IM_05B = 1)	Non-permanent resident	

3) Number of years in Canada since immigration

Variable name: SDCDVRES

Based on: IM_04

Description: This variable indicates the number of years since the respondent became a landed immigrant.

Note: Non-immigrants (citizen by birth) and non-permanent residents were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	IM_04 = 9996	Population exclusions - Canadian born, Canadian citizen by birth, or non-permanent resident	NA
999	IM_04 = 9999	Required question was not answered (not stated)	NS
ADM_YOI - IM_04	IM_04 < 9996	Length of time in Canada since immigration (interview date - immigration date)	

4) Age at time respondent first became a landed immigrant in Canada

Variable name: SDCDVALI

Based on: AGE_01A, IM_04

Description: This variable indicates the age of the respondent at the time of first becoming a landed immigrant in Canada.

Note: Non-immigrants (citizen by birth) and non-permanent residents were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	IM_04 = 9996	Population exclusions - Canadian born, Canadian citizen by birth, or non-permanent resident	NA
999	IM_04 = 9999	Required question was not answered (not stated)	NS
IM_04 - AGE_01A	IM_04 < 9996	Age at time of immigration	

5) Indigenous identity

Variable name: SDCDVABT

Based on: ABM_01A, ABM_01B, ABM_01C, ABM_01D

Description: This derived variable indicates whether the respondent reported being an Indigenous person.

Specifications

Value	Condition(s)	Description	Notes
9	ABM_01A = NS	Required question was not answered (not stated)	NS
1	ABM_01B = 1 or ABM_01C = 1 or ABM_01D = 1	Indigenous identity (First Nations, Métis, Inuk/Inuit)	
2	ABM_01A = 1	Non-Indigenous identity	

6) Visible minority group of respondent

Variable name: SDCDVVM

Based on: SDCDVABT, PG_05A, PG_05B, PG_05C, PG_05D, PG_05E, PG_05F, PG_05G, PG_05H, PG_05I, PG_05J, PG_05K, VMRNIE, VMROTHER

Description: This variable indicates the visible minority group of the respondent. The visible minority concept is based on the Employment Equity Act which defines visible minorities as "persons, other than Aboriginal peoples, who are non-Caucasian in race or non-white in colour".

Note: Visible minority is derived from responses to the Population group and Aboriginal group questions.

Aboriginal persons are classified in the category "Not a visible minority". All others are classified according to their responses to the population group question as either belonging to a specific visible minority group, belonging to a visible minority group not indicated elsewhere, or not being in a visible minority group.

The "Not a visible minority" category includes persons who gave a response of "White" only; persons who gave a response of "White and Latin American", "White and Arab", or "White and West Asian"; persons who gave a response of "Latin American", "Arab", or "West Asian" only, along with a European response; and persons who gave a response that is not classified as a visible minority.

The variables VMRNIE (visible minority not indicated elsewhere) and VMROTHER (not a visible minority) were created by coding the participant's write-in response.

Source: https://www23.statcan.gc.ca/imdb/p3Var.pl?Function=DEC&Id=45152

Temporary Reformat

Value	Condition(s)	Description	Notes
VMRWHI = 1	PG_05A = 1	White	
VMRSAS = 1	PG_05B = 1	South Asian	
VMRCHI = 1	PG_05C = 1	Chinese	
VMRBLA = 1	PG_05D = 1	Black	
VMRFIL = 1	PG_05E = 1	Filipino	
VMRARA =1	PG_05F = 1	Arab	
VMRLAT = 1	PG_05G = 1	Latin American	
VMRSEA = 1	PG_05H = 1	Southeast Asian	

VMRWEA = 1	PG_05I = 1	West Asian	
VMRKOR = 1	PG_05J = 1	Korean	
VMRJAP = 1	PG_05K = 1	Japanese	
PGCOUNT			
PGCOUNT + 1	VMRSAS = 1	South Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRCHI = 1	Chinese	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRBLA = 1	Black	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRFIL = 1	Filipino	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRLAT = 1	Latin American	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRARA = 1	Arab	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRSEA = 1	Southeast Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRWEA = 1	West Asian	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRKOR = 1	Korean	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRJAP = 1	Japanese	Initialize PGCOUNT to 0
PGCOUNT + 1	VMRNIE = 1	Visible minority n.i.e	Initialize PGCOUNT to 0

Specifications

Value	Condition(s)	Description	Notes
99	PG_05A = NS or PG_05B = NS or PG_05C = NS or PG_05D = NS or PG_05E = NS or PG_05F = NS or PG_05G = NS or PG_05H = NS or PG_05I = NS or PG_05J = NS or PG_05K = NS or VMROTHER = NS	At least one required question was not answered (not stated)	NS
1	PGCOUNT = 1 and VMRSAS = 1	South Asian	
2	PGCOUNT = 1 and VMRCHI = 1	Chinese	
3	PGCOUNT = 1 and VMRBLA = 1	Black	
4	PGCOUNT = 1 and VMRFIL = 1	Filipino	
5	PGCOUNT = 1 and VMRLAT = 1 and VMRWHI <> 1	Latin American	
6	PGCOUNT = 1 and VMRARA = 1 and VMRWHI <> 1	Arab	
7	PGCOUNT = 1 and VMRSEA = 1	Southeast Asian	

8	PGCOUNT = 1 and VMRWEA = 1 and VMRWHI <> 1	West Asian
9	PGCOUNT = 1 and VMRKOR = 1	Korean
10	PGCOUNT = 1 and VMRJAP = 1	Japanese
11	PGCOUNT = 1 and VMRNIE = 1	Visible minority n.i.e
12	PGCOUNT > 1	Multiple visible minorities
13	SDCDVABT = 1 or (PGCOUNT = 0 and VMRWHI = 1) or (PGCOUNT = 1 and VMRWEA = 1 and VMRWHI = 1) or (PGCOUNT = 1 and VMRARA = 1 and VMRWHI = 1) or (PGCOUNT = 1 and VMRLAT = 1 and VMRWHI = 1) or (PGCOUNT = 0 and VMROTHER = 1)	Not a visible minority

7) Visible minority flag

Variable name: SDCDVFLA

Based on: SDCDVVM

Description: This variable indicates if the respondent is a visible minority by grouping all of the visible minority groups defined in SDCDVVM (including multiple visible minorities).

Specifications

Value	Condition(s)	Description	Notes
9	SDCDVVM = NS	At least one required question was not answered (not stated)	NS
1	SDCDVVM < 13	Visible minority	
2	SDCDVVM = 13	Not a visible minority	

8) Language(s) spoken most often at home

Variable name: SDCDVLHM

Based on: LAN_02A, LAN_02B, LAN_02C

Description: This variable indicates the language(s) in which the respondent most often speaks at home.

Note: The respondent could provide up to three languages spoken most often at home. Multiple responses were accepted only if the languages were spoken equally often at home.

Specifications

Value	Condition(s)	Description	Notes
99	LAN_02A = NS	Required question was not answered (not stated)	NS
1	LAN_02A = 1 and LAN_02B = 2 and LAN_02C = 2	English	
2	LAN_02A = 2 and LAN_02B = 1 and LAN_02C = 2	French	

3	LAN_02A = 1 and LAN_02B = 1 and LAN_02C = 2	English and French
4	LAN_02A = 1 and LAN_02B = 1 and LAN_02C = 1	English, French and Other
5	LAN_02A = 1 and LAN_02B = 2 and LAN_02C = 1	English and Other
6	LAN_02A = 2 and LAN_02B = 1 and LAN_02C = 1	French and Other
7	LAN_02A = 2 and LAN_02B = 2 and LAN_02C = 1	Other

9) Language first learned at home in childhood and still understood - mother tongue

Variable name: SDCDVFL1

Based on: LAN_04A, LAN_04B, LAN_04C

Description: This variable indicates the first language learned at home in childhood and still understood by the respondent.

Specifications

Value	Condition(s)	Description	Notes
99	LAN_04A = NS	Required question was not answered (not stated)	NS
1	LAN_04A = 1 and LAN_04B = 2 and LAN_04C = 2	English	
2	LAN_04A = 2 and LAN_04B = 1 and LAN_04C = 2	French	
3	LAN_04A = 1 and LAN_04B = 1 and LAN_04C = 2	English and French	
4	LAN_04A = 1 and LAN_04B = 1 and LAN_04C = 1	English, French and Other	
5	LAN_04A = 1 and LAN_04B = 2 and LAN_04C = 1	English and Other	
6	LAN_04A = 2 and LAN_04B = 1 and LAN_04C = 1	French and Other	
7	LAN_04A = 2 and LAN_04B = 2 and LAN_04C = 1	Other	

10) First official language spoken

Variable name: SDCDVFLS

Based on: SDCDVFL1, SDCDVLHM, SDCTLNG, LAN_01

Description: For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no. 94-320, Demography Division, Statistics Canada.

Internet site: http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/pop095-eng.cfm

Temporary Reformat

Value	Condition(s)	Description	Notes
SDCTLNG			
9	LAN_01 = NS	Required question was not answered (not stated)	NS
1	LAN_01 = 1	English only	
2	LAN_01 = 2	French only	
3	LAN_01 = 3	Both English and French	
4	LAN_01 = 4	Neither English nor French	

Specifications

Value	Condition(s)	Description	Notes
9	[(SDCTLNG = NS) and (SDCDVFL1 = NS) and (SDCDVLHM = NS)]	At least one required question was not answered (not stated)	NS

1	[(SDCTLNG = 1 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 1) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = 3) and (SDCDVFL1 = 5) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 1) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (1,5)] or [(SDCTLNG = 4) and SDCDVFL1 = 5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = NS)]	English
2	[(SDCTLNG = 2 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 2) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = 3) and (SDCDVFL1 = 6) and (SDCDVLHM i= (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 2) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (2,6)] or [(SDCTLNG = 4) and SDCDVFL1 = 6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = NS)]	French

3	[(SDCTLNG = 3) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 7 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM in (3,4,7)] or [(SDCTLNG = NS) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = 3 and SDCDVFL1 = NS and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = NS and SDCDVFL1= NS and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM = NS]	English and French
4	[(SDCTLNG = (4,NS) and SDCDVFL1 = (7,NS) and SDCDVLHM = (7,NS)] and (SDCTLNG <> NS and SDCDVFL1 <> NS and SDCDVLHM <> NS)	Neither English nor French

Smoking (3 DVs)

1) Smoking status (type 2) - traditional definition

Variable name: SMKDVSTY

Based on: CSS_05, CSS_15, CSS_20, SPU_05

Description: This variable indicates the type of smoker the respondent is, based on his/her smoking habits.

Note: This variable includes lifetime cigarette consumption.

Due to a change in the content and flows in 2022, the current smoking status cannot be identified for respondents who reported having smoked at least one whole cigarette (CSS_05 = 1) but less than 100 cigarettes in their lifetime (CSS_15 = 2). For the purpose of this DV, these respondents are categorized as 'Experimental smokers'. This may result in an undercounting for the other categories. In 2023, respondents who reported to have not smoked more than 100 cigarettes (CSS_15 = 2) are asked about their status for smoking in the past 30 days and may indicate daily smoking (CSS_20 = 1) or occasional smoking (CSS_20 = (2 or 3)) and will be categorized as either daily or occasional smokers in this variable. In 2022, respondents who have not smoked more than 100 cigarettes (CSS_15 = 2) skipped the question about past 30-day smoking habits (CSS_20) and instead, would go to the end of the CSS module and were coded as experimental smokers.

Specifications

Value	Condition(s)	Description	Notes
6	DOCSS = 0 or DOSPU = 0	Modules were not selected	
9	CSS_05 = NS or CSS_15 = NS or CSS_20 = NS or SPU_05 = NS	At least one required question was not answered (not stated)	NS
1	CSS_20 = 1	Current daily smoker	
2	CSS_20 = (2 or 3)	Current occasional smoker	
3	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 1	Former daily smoker (non-smoker now)	
4	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 2	Former occasional smoker (non-smoker now)	
5	CSS_05 = 1 and CSS_15 = 2	Experimental smoker (at least 1 whole cigarette, less than 100 cigarettes)	
6	CSS_05 = 2	Lifetime abstainer (never smoked a whole cigarette)	

2) Number of years respondent has smoked daily (current daily smokers only)

Variable name: SMKDVYCS

Based on: AWCAGE, CSS_20, SPU_15

Description: This variable indicates the number of years the respondent has smoked daily.

Note: Because of a change in the smoking content and flows in 2022, the current smoking status cannot be identified for respondents who answered having smoked at least one whole cigarette (CSS_05 = 1) but less than 100 cigarettes in their lifetime (CSS_15 = 2), and as a result have CSS_20 = 6. These respondent have been excluded from the population. Respondents who are not daily smokers have also been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

Specifications

Value	Condition(s)	Description	Notes

996	DOCSS = 0 or DOSPU = 0	Modules were not selected	
996	CSS_20 = (2, 3, 4 or 6)	Population exclusion	NA
999	CSS_20 = NS or SPU_15 = NS	At least one required question was not answered (not stated)	NS
AWCAGE - SPU_15	CSS_20 = 1	Number of years respondent has smoked daily	

3) Number of years since respondent stopped smoking completely

Variable name: SMKDVSTP

Based on: SMKDVSTY, ADM_MOI, ADM_YOI, SPU_05, SPU_10A, SPU_10B, SPU_25A, SPU_25B, SPU_30, SPU_35A, SPU_35B

Description: This variable indicates the approximate number of years since respondent former smokers completely quit smoking.

Note: Current smokers and respondents who have smoked less than 100 cigarettes in their lifetime were excluded from the population.

For respondents who provided an answer to the year they stopped smoking (SPU_10B, SPU_25B, SPU_35B), but did not provide a month (SPU_10A, SPU_25A, SPU_35A), the month of interview (ADM_MOI) will be used as the month data.

Temporary Reformat

Value	Condition(s)	Description	Notes
SPUT10A			
ADM_MOI	SPU_05 = 2 and SPU_10A = NS	Set value to month of interview for respondents who did not provide a month.	
SPU_10A	Else	Keep value of the month they stopped smoking if respondents provided a response.	
SPUT25A			
ADM_MOI	SPU_25A = NS and SPU_25B < 9996	Set value to month of interview for respondents who provided the year they stopped smoking, but did not provide a month.	
SPU_25A	Else	Keep value of the month they stopped smoking if respondents provided a response.	
SPUT35A			
ADM_MOI	SPU_35A = NS and SPU_35B < 9996	Set value to month of interview for respondents who provided the year they stopped smoking, but did not provide a month.	
SPU_35A	Else	Keep value of the month they stopped smoking if respondents provided a response.	

Specifications

Value	Condition(s)	Description	Notes
999.96	DOCSS = 0 or DOSPU = 0	Modules were not selected	
999.96	SMKDVSTY = (1,2,5,6) or (CSS_05 = 1 and CSS_15 = 2 and CSS_20 = 4)	Population exclusions	NA

999.99	SMKDVSTY = NS or SPU_05 = NS or SPUT10A = NS or SPU_10B = NS or (SPU_35B > 9995 and (SPUT25A = NS or SPU_25B = NS)) or SPU_30 = NS or SPUT35A = NS or SPU_35B = NS	At least one required question was not answered (not stated)	NS
(((ADM_YOI - SPU_10B)*12)+ (ADM_MOI - SPUT10A))/12	SPU_05 = 2 and SPU_10B < 9996 and SPUT10A < 96	Number of years since respondent stopped smoking completely (former occasional smoker)	(rounded to two decimal places)
(((ADM_YOI - SPU_25B)*12) +(ADM_MOI - SPUT25A))/12	SPU_30 = 1 and SPU_25B < 9996 and SPUT25A < 96	Number of years since respondent stopped smoking completely (former daily smoker)	(rounded to two decimal places)
(((ADM_YOI - SPU_35B)*12) +(ADM_MOI - SPUT35A))/12	SPU_30 = 2 and SPU_35B < 9996 and SPUT35A < 96	Number of years since respondent stopped smoking completely (former daily smoker who quit daily first)	(rounded to two decimal places)