Canadian Community Health Survey (CCHS)

Annual component - 2022

Questionnaire

Statistics Canada Statistique Canada

Canada

Table of Contents

Introduction 5
Entry 6
Respondent availability (TR) 6
The proxy respondent (PRX) 7
Verification (VER) 9
Parental consent (PGC) 14
Youth email address (YEA) 15
Youth telephone number (YTL) 16
Address in scope (AIS) 17
Occupancy (DWL) 20
Household member or not (HC) 21
Household composition (HHC) 22
Person providing demographics (PPD) 25
Education (ED) 26
Canadian Forces (CAF) 28
Contact e-mail address (CEA) 30
Selected respondent (SRI) 31
Person most knowledgeable transition (PMT) 32
Content 33
Verification (VER2) 33
Date of birth (AGE) 36
Sex and gender (GDRA) 38
Relationship with confirmation (RWC) 40
Main activity (1) (MAC) 44
Main activity (2) (MA) 45
School attendance (EDC) 47
General health (GEN) 49
Life satisfaction measures (LSM) 51
Pregnancy (PRS) 52
Height and weight (HWT) 53
Weight perception (WTP) 56
COVID-19 (2) (COV2) 57
COVID-19 (3) (COV3) 62
Chronic conditions (CCC) 63
Chronic conditions (1) (CC1) 71
Abilities (WDM) 74
Injuries (INJ) 76
Oral health (OHM) 83
Oral health (OHM3) 84
Use of protective equipment (UPE) 87
Current smoking status (CSS) 91
Smoking - past use (SPU) 94
Electronic cigarettes and vaping (ECV) 97
Electronic cigarettes and vaping 2 (ECV2) 99
Alcohol use (ALC) 101
Medication use — pain relievers (PRM) 103
Cannabis use (CAN) 106
Maternal experiences (MEX) 111
Maternal experiences - smoking during pregnancy (MXS) 121
Maternal experiences - alcohol use during pregnancy (MXA) 123
Flu shots (FLU) 126
Regular health care provider (RHC) 128
Labour market activities - Minimum (LMAM) 129
Labour market activities - Class of Worker (LMA3) 132
Labour market activities - Industry (LMA4) 133

Labour market activities- Occupation (LMA5) 135
Labour market activities - Hours of work (LMA6) 137
Labour market activities - Labour force (LBF) 138
Telework (LM) 139
Place of birth, immigration and citizenship (IM) 140
Indigenous identity (ABM) 146
Population group (PG) 148
Language (LAN) 151
Sexual orientation (SOR) 154
Home care services (HMC) 155
Insurance coverage (INL) 168
Insurance coverage (INP) 169
Prescription cost (PCN) 170
Food security (FSC) 172
Total household income (INC) 178
Total household income (THI) 180
Administrative information (ADMC) 181
Health number validation (HN) 185
Topical Index 187

Introduction

1. CCHS 2022 content is comprised of three components:

   a. **Core content** is asked of all respondents and remains relatively stable over time (see content availability by year to confirm).

   b. **Theme content** is asked of all respondents in either all provinces, all territories, or both, for one or two years and alternates from year to year, depending on needs from survey stakeholders.

   c. **Rapid Response** modules are cost-recovery projects asked of all respondents living in the ten provinces, usually for one or two collection period (3 or 6 months).Data for rapid response content is available on separate microdata files from the main CCHS data.

2. This questionnaire document includes all questions and answers that were used in the CCHS collection application, but may not exactly reflect the structure that is displayed on screens. Notes have been made in the Data Dictionary document on variables with special considerations regarding the numbering.

3. Most questions in CCHS can be skipped by respondents. If the respondent did not answer a question and skipped to the next, then the variable in the data is coded to 'Not Stated' to represent the non-response. When collected by interviewers, if respondents indicate not knowing the answer or refusing to answer, interviewers leave the question blank and skip to the next.

4. External variable names are highlighted in grey in the questionnaire. They are used in the microdata files. Please consult the Data Dictionary document to view relevant notes for variables of interest.

Entry

Respondent availability (TR)

TR_BEG	External Variables required: INTERVIEWERFLAG: (1 = iEQ, 0 = rEQ) CMP_CONTACT1_GIVENNAME: (First name of household contact) CMP_CONTACT1_FAMILYNAME: (Last name of household contact)
TR_C01	If INTERVIEWERFLAG = 1, go to TR_Q01. Otherwise, go to TR_END.
TR_Q01 TR_01	May I speak to ^CMP_Contact1_GivenName ^CMP_Contact1_FamilyName? <u>ON-SCREEN HELP</u>: Respondent availability 1 Yes, speaking to respondent 2 Yes, respondent available 3 No, respondent unable to complete this survey 4 No, respondent not available at this time (Don't know, Refusal not allowed)
Context Sensitive Help:	*Purpose: To determine whether a specific respondent is currently available.*
TR_END	

The proxy respondent (PRX)

PRX_BEG	External Variables required: INTERVIEWERFLAG: ((1 = iEQ, 0 = rEQ)) TR_Q01: (May I speak to ^CMP_Contact1_GivenName ^CMP_Contact1_FamilyName?) CMP_CONTACT1_GIVENNAME: (First name of household contact) MINAGE: (Minimum age of person providing proxy interview)
PRX_C01	If TR_Q01 = 3, go to PRX_Q01. Otherwise, go to PRX_END.
PRX_Q01 PRX_01	What is the reason ^CMP_Contact1_GivenName is unable to complete this survey? 1 Respondent does not speak English or French (Language barrier) 2 Respondent unable to answer because of a health condition, a physical or mental disability, or problems related to aging 3 Respondent absent for the duration of the collection period 4 Other (Go to PRX_S01) (Don't know, Refusal not allowed)
PRX_S01	Specify other reason _____ (80 spaces) (Don't know, Refusal not allowed)
PRX_C02	If (PRX_Q01 = 1 or PRX_Q01 = 2), go to PRX_Q02. Otherwise, go to PRX_END.
PRX_Q02 PRX_02	Is there someone ^MINAGE or older who could provide us with some information on behalf of ^CMP_Contact1_GivenName? We would like to ask this person questions about ^CMP_Contact1_GivenName's health status, factors that affect their health and their use of health care services. 1 Yes 2 No (Don't know, Refusal not allowed)
PRX_C03A	If PRX_Q02 = 2, go to PRX_END. Otherwise, go to PRX_Q03A.
PRX_Q03A	What is the first name of this person?

ON-SCREEN HELP: First name

(80 spaces)

(Don't know, Refusal not allowed)

PRX_Q03B

What is the last name of this person?

ON-SCREEN HELP: Last name

(80 spaces)

(Don't know, Refusal not allowed)

PRX_Q04
PRX_04

May I speak with ^PRX_Q03A ^PRX_Q03B?

1 Yes, speaking to information provider
2 Yes, information provider available
3 No, information provider not available to complete this survey
4 No, information provider not available at this time
(Don't know, Refusal not allowed)

PRX_C05

If PRX_Q04 ≠ 4, go to PRX_END.
Otherwise, go to PRX_Q05.

PRX_Q05
PRX_05

Can you give me a telephone number for ^PRX_Q03A ^PRX_Q03B?

1 Yes (Go to PRX_Q05A)
2 No
(Don't know, Refusal not allowed)

Go to PRX_END

PRX_Q05A
PRX_05A

Enter the telephone number, including area code

ON-SCREEN HELP: Telephone number

(10 spaces)

(Don't know, Refusal not allowed)

PRX_END

Verification (VER)

VER_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_FNAME: (CCHS Targeted youth first name) C_LNAME: (CCHS Targeted youth last name) C_AGE: (CCHS Targeted youth age) INTERVIEWERFLAG: (1 = iEQ, 0 = rEQ) CMP_ADDRESSLINE1: (First line of mailing address) CMP_ADDRESSLINE2: (Second line of mailing address (if applicable)) CMP_CITY: (City of mailing address) CMP_POSTALCODE: (Postal code of mailing address) CMP_PROVINCE: (Numerical province code for mailing address.)
VER_C05	If (FRAME = 1), go to VER_D05A. Otherwise, go to VER_C09.
VER_D05A	If (PMK == 1), DT_INTRO_E = 'Are you the parent or guardian of' Otherwise, DT_INTRO_E = 'Are you'
VER_Q05 VER_05	^DT_INTRO_E ^C_FNAME ^C_LNAME? 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If VER_Q05 == 2, set OOS = 1* *go to SubmitPage* *If VER_Q05 == NONRESPONSE, set TELflag = 1* *go to SubmitPage*
VER_E05	Please answer question VER_Q05
Rule:	Trigger soft edit if (VER_Q05 = NONRESPONSE).
VER_C07	If (VER_Q05 = 1), go to VER_D07A. Otherwise, go to VER_END.
VER_D07A	If (PMK == 1), DT_INTRO2_E = '^C_FNAME's' Otherwise, DT_INTRO2_E = 'your'
VER_Q07C VER_07C	What is ^DT_INTRO2_E date of birth? Year |_|_|_|_| (MIN: 2,000) (MAX: 2,022) Integer (Don't know, Refusal not allowed)
VER_Q07B VER_07B	What is ^DT_INTRO2_E date of birth? Month

	01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
VER_Q07A VER_07A	What is ^DT_INTRO2_E date of birth? Day |_|_| (MIN: 1) (MAX: 31) Integer (Don't know, Refusal not allowed)
VER_D07B	DV_VERAGE = 0.
VER_D07C	If (VER_Q07A = RESPONSE and VER_Q07B = RESPONSE and VER_Q07C = RESPONSE), DV_VERAGE = (THISYEAR - VER_Q07C). If ((VER_Q07B > THISMONTH) or (VER_Q07B = THISMONTH and VER_Q07A > THISDAY)), DV_VERAGE = (DV_VERAGE - 1).
Programmer:	*If (DV_VERAGE < 11 or DV_VERAGE > 18), set OOS = 1* *go to SubmitPage* *If (C_AGE >= 15 and C_AGE <= 17 and (DV_VERAGE < 15)) and (INTERVIEWERFLAG == 0), set TELflag = 1* *go to SubmitPage* *If (C_AGE >= 11 and C_AGE <= 14 and PMK == 1 and DV_VERAGE < 12) and (INTERVIEWERFLAG == 0), set TELflag = 1* *go to SubmitPage* *Otherwise, set OOS = 1* *go to SubmitPage*
VER_E07A	Please provide a date of birth.
Rule:	Trigger hard edit if (VER_Q07C = NONRESPONSE and VER_Q07B = NONRESPONSE and VER_Q07A = NONRESPONSE).
VER_E07B	An incomplete date of birth has been entered.
Rule:	Trigger soft edit if (VER_Q07C = NONRESPONSE and (VER_Q07B = RESPONSE or VER_Q07A = RESPONSE)) or (VER_Q07B = NONRESPONSE and (VER_Q07C = RESPONSE or VER_Q07A = RESPONSE)) or (VER_Q07A = NONRESPONSE and (VER_Q07C = RESPONSE or VER_Q07B = RESPONSE)).

VER_E07C	An impossible day and month combination has been entered. Please correct the date of birth.
Rule:	Trigger soft edit if (VER_Q07B = 2 and VER_Q07A > 29) or ((VER_Q07B = (4 or 6 or 9 or 11)) and VER_Q07A > 30) and VER_Q07C = RESPONSE.
VER_E07D	An impossible day, month and year combination has been entered. Please correct the date of birth.
Rule:	Trigger soft edit .
Programmer:	*Rule for VER_E07D (cannot be written in condition grid)* *(VER_Q07B == 2 && VER_Q07A == 29 && VER_Q07C == RESPONSE) && (VER_Q07C != 1904 && VER_Q07C != 1908 && VER_Q07C != 1912 && VER_Q07C != 1916 && VER_Q07C != 1920 && VER_Q07C != 1924 && VER_Q07C != 1928 && VER_Q07C != 1932 && VER_Q07C != 1936 && VER_Q07C != 1940 && VER_Q07C != 1944 && VER_Q07C != 1948 && VER_Q07C != 1952 && VER_Q07C != 1956 && VER_Q07C != 1960 && VER_Q07C != 1964 && VER_Q07C != 1968 && VER_Q07C != 1972 && VER_Q07C != 1976 && VER_Q07C != 1980 && VER_Q07C != 1984 && VER_Q07C != 1988 && VER_Q07C != 1992 && VER_Q07C != 1996 && VER_Q07C != 2000 && VER_Q07C != 2004 && VER_Q07C != 2008 && VER_Q07C != 2012 && VER_Q07C != 2016 && VER_Q07C != 2020)*
VER_E07E	An impossible date has been entered. This date is in the future. Please return and correct.
Rule:	Trigger soft edit if (VER_Q07C > THISYEAR) or (VER_Q07C = THISYEAR and VER_Q07B > THISMONTH) or (VER_Q07C = THISYEAR and VER_Q07B = THISMONTH and VER_Q07A > THISDAY).
VER_E07F	The age of the selected child is less than 12 or greater than 18. Please confirm.
Rule:	Trigger soft edit if (C_AGE >= 11 and C_AGE <= 14 and (DV_VERAGE < 12 or DV_VERAGE > 18)).
VER_E07G	The age of the selected child is less than 14 or greater than 18. Please confirm.
Rule:	Trigger soft edit if (C_AGE >= 15 and C_AGE <= 17 and (DV_VERAGE < 14 or DV_VERAGE > 18)).
VER_D08	If (PMK == 1), DT_INTRO4_E = 'does ^C_FNAME' Otherwise, DT_INTRO4_E = 'do you'
VER_Q08	In which province or territory ^DT_INTRO4_E currently live?

VER_08	10 Newfoundland and Labrador 11 Prince Edward Island 12 Nova Scotia 13 New Brunswick 24 Quebec 35 Ontario 46 Manitoba 47 Saskatchewan 48 Alberta 59 British Columbia 60 Yukon 61 Northwest Territories 62 Nunavut (Don't know, Refusal not allowed)
VER_Q10 VER_10	To determine the geographic region, please provide the postal code. ON-SCREEN HELP: Example: A9A 9A9 _____ (7 spaces) (Don't know, Refusal not allowed)
VER_C11	If (VER_Q10 ≠ RESPONSE), go to VER_C09. Otherwise, go to VER_R11.
VER_R11	Please verify that the postal code is correct. Postal code: ^VER_Q10 ON-SCREEN HELP: If it is correct, press the Next button. To make changes, press the Previous button.
VER_C09	If (FRAME = 2 and INTERVIEWERFLAG = 0), go to VER_D09A. Otherwise, go to VER_END.
VER_D09A	DV_PROV = CMP_Province.
VER_D09B	If CMP_PROVINCE == 48, DT_CMP_PROVINCE_E = 'Alberta' If CMP_PROVINCE == 59, DT_CMP_PROVINCE_E = 'British Columbia' If CMP_PROVINCE == 46, DT_CMP_PROVINCE_E = 'Manitoba' If CMP_PROVINCE == 13, DT_CMP_PROVINCE_E = 'New Brunswick' If CMP_PROVINCE == 10, DT_CMP_PROVINCE_E = 'Newfoundland and Labrador' If CMP_PROVINCE == 61, DT_CMP_PROVINCE_E = 'Northwest Territories' If CMP_PROVINCE == 12, DT_CMP_PROVINCE_E = 'Nova Scotia' If CMP_PROVINCE == 62, DT_CMP_PROVINCE_E = 'Nunavut' If CMP_PROVINCE == 35, DT_CMP_PROVINCE_E = 'Ontario' If CMP_PROVINCE == 11, DT_CMP_PROVINCE_E = 'Prince Edward Island' If CMP_PROVINCE == 24, DT_CMP_PROVINCE_E = 'Quebec' If CMP_PROVINCE == 47, DT_CMP_PROVINCE_E = 'Saskatchewan' If CMP_PROVINCE == 60, DT_CMP_PROVINCE_E = 'Yukon'

VER_Q09 VER_09	Can you please confirm if this is your address? ^CMP_AddressLine1 ^CMP_AddressLine2 ^CMP_City, ^DT_CMP_Province_E ^CMP_PostalCode 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If VER_Q09 == 2, set OOS = 1* *go to SubmitPage* *If VER_Q09 == NONRESPONSE, set TELflag = 1* *go to SubmitPage*
VER_E09A	Please answer question VER_Q09
Rule:	Trigger soft edit if (VER_Q09 = NONRESPONSE).
VER_E09B	Click Next to confirm this is not the correct address.
Rule:	Trigger soft edit if (VER_Q09 = 2).
VER_END	

Parental consent (PGC)

PGC_BEG	External Variables required: PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_AGE: (CCHS Targeted youth age) C_FNAME: (CCHS Targeted youth first name) SURVEYNAMEENGLISH: (Name of survey in English) SURVEYNAMEFRENCH: (Name of survey in French)
PGC_C01	If (PMK = 1 and (C_AGE <= 14 and C_AGE >= 11)), go to PGC_Q01. Otherwise, go to PGC_END.
PGC_Q01 PGC_01	Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish? 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If PGC_Q01 != 1, set TELflag = 1* *go to SubmitPage*
PGC_E01A	A parent or guardian must consent in order to continue.
Rule:	Trigger soft edit if (PGC_Q01 = 2).
PGC_E01B	Please answer question PGC_Q01. A parent or guardian must consent in order to continue.
Rule:	Trigger soft edit if (PGC_Q01 ≠ RESPONSE).
PGC_END	

Youth email address (YEA)

YEA_BEG	External Variables required: PGC_Q01: (Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish?) C_FNAME: (CCHS Targeted youth first name)
YEA_C02	If (PGC_Q01 = 1), go to YEA_Q02. Otherwise, go to YEA_END.
YEA_Q02	What is the best email address to contact ^C_FNAME? ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
YEA_Q03	Please confirm the email address. ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
YEA_E03	Inconsistent email addresses have been entered. Please correct.
Rule:	Trigger soft edit if (YEA_Q03 ≠ YEA_Q02).
YEA_END	

Youth telephone number (YTL)

YTL_BEG	External Variables required: PGC_Q01: (Do we have your permission to contact ^C_FNAME to complete the other portion of the ^SurveyNameEnglish?) CMP_CONTACT1_PHONENUMBER1: (Phone number of household contact) C_FNAME: (CCHS Targeted youth first name)
YTL_C01	If (PGC_Q01 = 1), go to YTL_Q01. Otherwise, go to YTL_END.
YTL_Q01 YTL_01	Is ^CMP_Contact1_PhoneNumber1 the best telephone number to reach ^C_FNAME? 1 Yes 2 No (Go to YTL_Q02) (Don't know, Refusal not allowed) Go to YTL_END
YTL_Q02 YTL_02	What is the best telephone number to reach ^C_FNAME? <u>ON-SCREEN HELP</u>: Example: 123-123-1234 (10 spaces) (Don't know, Refusal not allowed)
YTL_END	

Address in scope (AIS)

AIS_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
AIS_C01	If (FRAME = 2), go to AIS_Q01. Otherwise, go to AIS_END.
AIS_Q01	What type of dwelling is this?

AIS_01

1 Private home
2 Business
3 Both home and business
4 Institution
Help text: e.g., chronic care or long-term care hospitals, nursing homes, group homes or institutions, treatment centres
5 Collective dwelling
Help text: e.g., lodging or rooming house, hotel, motel, hostel, tourist home, staff residence, working camp
6 Seasonal (or secondary) dwelling
7 Don't know
(Don't know, Refusal not allowed)

Context Sensitive Help:

Private home
Dwelling that is the usual place of residence of at least one of the persons living there.

Collective dwelling
A dwelling such as a religious institution, a nursing home, convalescent homes, a hotel or motel, or a large boarding house (in which 10 or more unrelated persons live). Collective dwellings are subdivided into institutional and non-institutional collectives.

Institutional collectives
Include general and specialty hospitals, chronic care and long-term care hospitals, nursing homes, group homes or institutions for the physically handicapped and treatment centres, group homes for children and youth, group homes or institution for people with psychiatric disorders or developmental disabilities, federal correctional institutions, provincial/territorial custodial facilities, young offenders' facilities, jails and police lock-up facilities, shelters for persons lacking a fixed address, shelters for abused women and children and other shelters and lodging with assistance.

Non-institutional collectives
Include residences for senior citizens, lodging and rooming houses, hotel, motels and tourist establishments, campgrounds and parks, school residences and training centre residences, work camps, other establishments with temporary accommodation services, religious establishments, military bases, commercial vessels, government vessels, Hutterite colonies and other collective dwellings.

Seasonal (or secondary) dwelling
A dwelling that is not the usual place of residence for any persons residing there at the time of the survey.

Programmer:

If AIS_Q01 = 4, set OOS = 1
go to Submit page

AIS_C02

If (AIS_Q01 = 2 or AIS_Q01 = 6 or AIS_Q01 = 7 or AIS_Q01 ≠ RESPONSE), go to AIS_Q02.
Otherwise, go to AIS_END.

AIS_Q02

Does anyone use this address as a private home?

AIS_02

1 Yes
2 No
(Don't know, Refusal not allowed)

Programmer: *If (AIS_Q02 == 2 or AIS_Q02 != RESPONSE), set OOS = 1*
go to Submit page

AIS_E02 Please confirm if this address is used as a private home.

Rule: Trigger soft edit if (AIS_Q02 ≠ RESPONSE).

AIS_END

Occupancy (DWL)

	Harmonized content
DWL_BEG	External Variables required: PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DWL_C01A	If (PMK = 1 or FRAME = 2), go to DWL_Q01A. Otherwise, go to DWL_END.
DWL_Q01A DWL_01A	Is this dwelling owned by a member of this household? 1 Yes, owned, even if it is still being paid for 2 No, rented, even if no cash rent is paid (Don't know, Refusal not allowed)
Context Sensitive Help:	*Select "Yes, owned, even if it is still being paid for" if you or another member of this household own the dwelling in which you live, even if the dwelling is on rented or leased land, if it is part of a condominium or if it is being paid for by you or another member of your household. If the household contains both owners and renters, such as a boarder, the dwelling should be considered owned.* *Select "No, rented, even if no cash rent is paid" in all other cases, even if the dwelling you occupy is provided without cash rent or at a reduced rent e.g., a clergy's residence or a superintendent's dwelling in an apartment building or the dwelling is part of a co-operative.*
DWL_E01A_1	Please answer question DWL_Q01A
Rule:	Trigger soft edit if (DWL_Q01A ≠ RESPONSE).
DWL_END	

Household member or not (HC)

HC_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
HC_C01	If FRAME = 2 or (FRAME = 1 and PMK = 1), go to HC_Q01. Otherwise, go to HC_END.
HC_Q01 HC_01	Are you a member of this household? 1 Yes 2 No (Don't know, Refusal not allowed)
HC_E01_1	Please indicate if you are a member of this household.
Rule:	Trigger hard edit if HC_Q01 ≠ RESPONSE.
HC_END	

Household composition (HHC)

HHC_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) C_FNAME: (CCHS Targeted youth first name) C_LNAME: (CCHS Targeted youth last name) C_AGE: (CCHS Targeted youth age) DV_VERAGE: (Age of selected respondent from the CCB frame (from SB1)) COUNTER: (Defn required)
HHC_C10	If (PMK = 1 or FRAME = 2), go to HHC_R10A. Otherwise, go to HHC_END.
HHC_R10A	The next few questions ask for important basic information about the people in this household.
HHC_Q10A	List all persons that usually live at this address. First name <u>ON-SCREEN HELP</u>: Include: - those who regard this dwelling as their usual residence or are staying in the dwelling and have no other usual place of residence - those who reside at this dwelling, even if they are temporarily away, such as, students, persons staying at a secondary residence or cottage. (50 spaces) (Don't know, Refusal not allowed)
Context Sensitive Help:	*Definition:* *- include all persons who regard the dwelling as their usual residence or are staying in the dwelling and have no usual place of residence elsewhere* *- include Canadian citizens, landed immigrants, and non-permanent residents (persons who are in Canada on a work permit, a student visa or a Minister's permit, or who are applying for refugee status, as well as their dependants)* *- single students should be considered as usual residents of their parents' dwelling if they have spent 30 or more days there in the past 12 months* *- married persons away at work or school should be considered as usual residents of their spouse's dwelling.* *Procedure: begin the list with an adult who has responsibility for the care or support of the household.*
Processing:	*There are three sections available for HHC_Q10A, HHC_Q10B, and HHC_Q10C:* *1. People usually living or staying at this address.* *2. Enter the information for each person living at this address who is not listed above, then press the "Add this person" button.* **This should already be covered by questions HHC_Q10A, HHC_Q10B, and HHC_Q10C* *3. People no longer living or staying at this address. If incorrect, then press the "Add this person" button.*
HHC_E10A	Please provide first name.

Rule:	Trigger hard edit if (HHC_Q10A ≠ RESPONSE and CCHS_FLAG1 = 1).
HHC_Q10B	List all persons that usually live at this address. Last name (50 spaces) (Don't know, Refusal not allowed)
HHC_E10BA	Please provide last name.
Rule:	Trigger hard edit if (HHC_Q10B ≠ RESPONSE and CCHS_FLAG1 = 1).
HHC_E10BB	This survey is about ^C_FNAME ^C_LNAME. Changes should only be made to correct spelling errors or as a result of a legal name change.
Rule:	Trigger hard edit if ((HHC_Q10A ≠ C_FNAME or HHC_Q10B ≠ C_LNAME) and COUNTER = 1 and FRAME = 1 and PMK = 1).
HHC_Q10C HHC_10C	List all persons that usually live at this address. Age |_|_|_| (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
Processing:	*If (COUNTER == 1 and FRAME == 1 and PMK == 1), HHC_Q10C = DV_VERAGE*
HHC_E10CA	Please provide age.
Rule:	Trigger hard edit if (HHC_Q10C ≠ RESPONSE and CCHS_FLAG1 = 1).
HHC_E10CB	An unusual value has been entered. Please review the entered response.
Rule:	Trigger soft edit if (HHC_Q10C > 120).
HHC_E10CC	Each answer field must have a response before clicking the Add this person button.
Rule:	Trigger soft edit if (CCHS_FLAG1 ≠ 1 and CCHS_FLAG1 ≠ 0 and HHC_Q10A = NONRESPONSE and HHC_Q10B = NONRESPONSE and HHC_Q10C = NONRESPONSE).
HHC_E10CD	Please list all household members.
Rule:	Trigger hard edit .
Programmer:	*Rule for HHC_E10CD (cannot be written in condition grid) :* *Count(RosterDriver1, HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) == 0*

HHC_E10CE	The maximum number of household members cannot exceed 20.
Rule:	Trigger hard edit if.
Programmer:	*Rule for HHC_E10CE (cannot be written in condition grid) :* *Count(RosterDriver1,HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) > 20*
HHC_E10CF	Please list all household members.
Rule:	Trigger soft edit .
Programmer:	*Rule for HHC_E10CF (cannot be written in condition grid) :* *PMK == 1 && FRAME == 1 && Count(RosterDriver1, HHC_Q10A == RESPONSE && HHC_Q10B == RESPONSE && HHC_Q10C == RESPONSE && CCHS_Flag1 == 1) == 1*
HHC_E10CG	This person may have already been entered. Please review and make corrections if necessary.
Rule:	Trigger soft edit .
Programmer:	*Rule for HHC_E10CG (cannot be written in condition grid) :* *HasDuplicate(HHC_Q10A, HHC_Q10B, HHC_Q10C) == "1"*
HHC_D15	If (COUNTER = 1 and FRAME = 1) and ((C_AGE <= HHC_Q10C) and (C_AGE <= DV_VERAGE)), DV_AWC_AGE_S1 = C_AGE. Else if ((DV_VERAGE <= HHC_Q10C) and (DV_VERAGE <= C_AGE)), DV_AWC_AGE_S1 = DV_VERAGE. Else if ((HHC_Q10C <= C_AGE) and (HHC_Q10C <= DV_VERAGE)), DV_AWC_AGE_S1 = HHC_Q10C.
HHC_D20	DV_HHSIZE = (Count(RosterDriver1, CCHS_Flag1 == 1)).
Programmer:	*If ((FRAME == 2 && Count(RosterDriver1, CCHS_Flag1 == 1 && HHC_Q10C < 18) == DV_HHSIZE)), set OOS = 1.* *go to SubmitPage*
HHC_END	

Person providing demographics (PPD)

PPD_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) HHC_Q10A: (First name of household member) HC_Q01: (Are you a member of this household?) HHC_Q10B: (Last name of household member) HHC_Q10C: (Age of household member)
PPD_C01B	If (FRAME = 2 or (FRAME = 1 and PMK = 1)) and HC_Q01 = 1, go to PPD_Q01. Otherwise, go to PPD_END.
PPD_Q01 PPD_01	Select the person who is providing the information about the household. 1 ^HHC_Q10A ^HHC_Q10B, age ^HHC_Q10C (Don't know, Refusal not allowed)
Programmer:	*Display condition:* *Any active person (Instance) entered at HHC_Q10A, who meets the following criteria:* *(((FRAME = (1 or 2) and (DV_AWC_AGE_S1 > 17 or HHC_Q10C > 17)) and CCHS_Flag1 == 1)*
PPD_E01	Please indicate person providing information.
Rule:	Trigger hard edit if.
Programmer:	*Rule for PPD_E01 (cannot be written in condition grid) : Count(RosterDriver1, PPD_Q01 == 1) == 0*
PPD_END	

Education (ED)

	Harmonized content
ED_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member)
ED_C05	If (PMK = 1 or (FRAME = 2)), go to ED_Q05. Otherwise, go to ED_END.
ED_D05A	If (FRAME = 1 or FRAME = 2), DV_YEARORMONTH = 0. If (FRAME = 1 or FRAME = 2), DV_CALCULATEDAGE = DV_AWC_AGE_S1.
ED_D05B	If DV_CALCULATEDAGE > 1, DT_YEARSMONTHS_E = 'years' If DV_CALCULATEDAGE == 1, DT_YEARSMONTHS_E = 'year'
ED_Q05 ED_05	What is this person's highest certificate, diploma or degree completed? ^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E 1 Less than high school diploma or its equivalent 2 High school diploma or a high school equivalency certificate 3 Trades certificate or diploma 4 College, CEGEP or other non-university certificate or diploma (other than trades certificates or diplomas) 5 University certificate or diploma below the bachelor's level 6 Bachelor's degree Help text: e.g., B.A., B.A. (Hons), B.Sc., B.Ed., LL.B. 7 University certificate, diploma or degree above the bachelor's level (Don't know, Refusal not allowed)
Processing:	*If age of roster member < 12, set ED_Q05 = 1*
Programmer:	*This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.* *Any person (Instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 12 should not be displayed in the rostered group header.* *Display condition:* *CCHS_Flag1 == 1 && (DV_AWC_AGE_S1 > 11 && DV_YEARORMONTH == 0)*

ED_E05	Please select the highest level of education completed.
Rule:	Trigger soft edit if (ED_Q05 ≠ RESPONSE).

ED_END

Canadian Forces (CAF)

CAF_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member) DV_YEARORMONTH: (Flag to determine whether a household member's age is in years or months) CCHS_FLAG1: (Valid roster instance (1 = yes, 2 = no)) ROSTERDRIVER1: (Number of instances in the household roster)
CAF_C01A	If (ROSTERDRIVER1 >= 1) and (FRAME = 1), go to CAF_END. Otherwise, go to CAF_C01B.
CAF_C01B	If, go to CAF_C02. Otherwise, go to CAF_Q01.
Programmer:	*Condition for CAF_C01B (cannot be written in condition grid):* *If (Count(RosterDriver1, DV_AWC_AGE_S1 < 16 || DV_AWC_AGE_S1 > 65 || DV_YEARORMONTH == 1 || CCHS_FLAG1 == 0) == RosterDriver1), go to CAF_C02* *Otherwise, go to CAF_Q01.*
CAF_Q01 CAF_01	Are any of the following people full-time members of the regular Canadian Forces? ^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E <u>ON-SCREEN HELP</u>: Include members of the Regular Officer's Training Program (ROTP). Exclude part-time (reserve) members of the Canadian (Armed) Forces and civilians working for the Department of National Defence. 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.* *Any person (instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 16 or greater than 65 should not be displayed in the rostered group header.* *Display condition:* *DV_AWC_AGE_S1 > 15 && DV_AWC_AGE_S1< 66 && CCHS_FLAG1 == 1*
CAF_E01	Please answer question ^CAF_Q01
Rule:	Trigger hard edit if CAF_Q01 ≠ RESPONSE.
CAF_C02	If, go to CAF_END. Otherwise, go to CAF_Q02.

Programmer: *Condition for CAF_C02 (cannot be written in condition grid):*
If (Count(RosterDriver1, DV_AWC_AGE_S1 < 16 || CCHS_FLAG1 != 1) == RosterDriver1), go to CAF_END
Otherwise, go to CAF_Q02.

CAF_Q02
CAF_02

Have any of the following people ever served in the Canadian military?

^HHC_Q10A ^HHC_Q10B, ^DV_AWC_AGE_S1 ^DT_YEARSMONTHS_E

ON-SCREEN HELP: Include service with the Regular Force or Reserve Force as an Officer or a Non-Commissioned Member.

Exclude service with the Cadets.

1 Yes (Go to CAF_Q03)
2 No
(Don't know, Refusal not allowed)

Go to CAF_END

Programmer: *This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.*

Any person (instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged less than 16 should not be displayed in the rostered group header.
Display condition:
DV_AWC_AGE_S1 > 15 && CCHS_FLAG1 == 1

CAF_Q03

What type of service?

ON-SCREEN HELP: Select all that apply.

1 Regular forces
2 Primary reserves
(Don't know, Refusal not allowed)

Processing: *In the EQ questionnaire, the variables are identified as CAF_Q03_1 and CAF_Q03_2.*

CAF_END

Programmer: *If (FRAME = (1 or 2) and Count(RosterDriver1, DV_AWC_AGE_S1 < 18 or CAF_Q01 = 1 or CCHS_FLAG1 = 0) = RosterDriver1)*
set OOS = 1
goto SubmitPage

Contact e-mail address (CEA)

CEA_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) HHC_Q10A: (First name of household member) HHC_Q10B: (Last name of household member) DV_AWC_AGE_S1: (Confirmed age of each household member)
CEA_C01	If FRAME = 2, go to CEA_Q01. Otherwise, go to CEA_END.
CEA_Q01	What is this person's email address? ^HHC_Q10A ^HHC_Q10B, age ^DV_AWC_AGE_S1 ON-SCREEN HELP: Example: user@example.gov.ca (80 spaces) (Don't know, Refusal not allowed)
Programmer:	*This question loops for each member of the roster. Group header and radio buttons to be repeated based on the number of persons entered in roster manager (HHC_Q10A, HHC_Q10B) up to a maximum of 20 instances.* *Any person (Instance) entered (and not removed) at HHC_Q10A, HHC_Q10B aged more than 18 should be displayed in the rostered group header.* *Display condition:* *DV_AWC_AGE_S1 >= 18 && CCHS_FLAG1 == 1*
CEA_END	

Selected respondent (SRI)

SRI_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) DV_HHSIZE: (Household size (number of active people listed in the roster)) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
Programmer:	*SRI_R01 and SRI_R02 are for Area Frame and Youth 15-17.* *SRI_R03 also shows as SRI_R01 in tne EQ appplication but is for PMK 14-17 and PMK 15-17.*
SRI_C01A	If PMK = 1, go to SRI_C03. Otherwise, go to SRI_C01B.
SRI_C01B	If FRAME = 2 and DV_HHSIZE > 1, go to SRI_R01. Otherwise, go to SRI_C02.
SRI_R01	By pressing the Submit button, a member of this household will be selected to complete the survey. If you are selected, you will go on to the rest of the survey. Otherwise, another household member will be contacted to complete it. Thank you.
SRI_C02	If (FRAME = 2 and DV_HHSIZE = 1) or (FRAME = 1 and PMK ≠ 1), go to SRI_R02. Otherwise, go to SRI_C03.
SRI_R02	By pressing the Submit button, you will go on to complete the rest of the survey. This may take a moment.
SRI_C03	If (FRAME = 1 or DV_HHSIZE = 1), go to SRI_END. Otherwise, go to SRI_R03.
SRI_R03	A member of this household will now be randomly selected to complete the rest of the survey. If you are the selected participant, you will now continue to the next part of the questionnaire. Otherwise, another household member will be contacted to complete the survey. Thank you.
SRI_END	

Person most knowledgeable transition (PMT)

PMT_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) C_FNAME: (CCHS Targeted youth first name)
PMT_C01	If (FRAME = 2 or PMK ≠ 1), go to PMT_END. Otherwise, go to PMT_R01.
PMT_R01	Now you will go on to finish your portion of the survey. We will contact ^C_FNAME to finish their portion.
PMT_END	

Content

Verification (VER2)

	Core content
VER2_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) FNAME: (First name of specific respondent) LNAME: (Last name of specific respondent) THISYEAR: (System date (year)) THISMONTH: (System date (month)) THISDAY: (System date (day))
VER2_C05	If FRAME = 1 and (DV_AWC_AGE <= 14 and DV_AWC_AGE >= 11) and PMK ≠ 1, go to VER2_Q05. Otherwise, go to VER2_END.
VER2_Q05 VER2_05	Are you ^FNAME ^LNAME? 1 Yes 2 No (Don't know, Refusal not allowed)
Programmer:	*If VER2_Q05 == 2, set DV_OOS = 1* *go to SubmitPage* *If VER2_Q05 == NONRESPONSE, set DV_TELflag = 1* *go to SubmitPage*
VER2_E05_1	Please answer question VER2_Q05
Rule:	Trigger hard edit if VER2_Q05 = NONRESPONSE.
VER2_E05_2	This survey is about ^FNAME ^LNAME. If you are not ^FNAME ^LNAME, please ensure that they answer this survey.
Rule:	Trigger soft edit if VER2_Q05 = 2.
VER2_C07	If VER2_Q05 = 1, go to VER2_Q07C. Otherwise, go to VER2_END.
VER2_Q07C VER2_07C	What is your date of birth? Year |_|_|_|_| (MIN: 2000) (MAX: 2022) Year (Don't know, Refusal not allowed)
VER2_Q07B VER2_07B	What is your date of birth? Month

	01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
VER2_Q07A VER2_07A	What is your date of birth? Day |_|_| (MIN: 1) (MAX: 31) Integer (Don't know, Refusal not allowed)
VER2_E07	There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.
Rule:	Trigger soft edit .
VER2_D07A	DV_VERAGE2 = 0.
VER2_D07B	If (VER2_Q07A = RESPONSE and VER2_Q07B = RESPONSE and VER2_Q07C = RESPONSE), DV_VERAGE2 = (THISYEAR - VER2_Q07C). If (VER2_Q07B > THISMONTH or (VER2_Q07B = THISMONTH and VER2_Q07A > THISDAY)), DV_VERAGE2 = (DV_VERAGE2 - 1).
VER2_Q08 VER2_08	In which province or territory do you currently live? 10 Newfoundland and Labrador 11 Prince Edward Island 12 Nova Scotia 13 New Brunswick 24 Quebec 35 Ontario 46 Manitoba 47 Saskatchewan 48 Alberta 59 British Columbia 60 Yukon 61 Northwest Territories 62 Nunavut (Don't know, Refusal not allowed)
VER2_END	

Date of birth (AGE)

	Harmonized content
AGE_BEG	External Variables required: FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) PRX_Q02: (Person answering on behalf of respondent.) FNAME: (First name of specific respondent) THISYEAR: (System date (year)) THISMONTH: (System date (month)) THISDAY: (System date (day))
AGE_C01	If FRAME = 2, go to AGE_D01. Otherwise, go to AGE_END.
AGE_D01	If PRX_Q02 == 1, DT_INTRO3_E = '^FNAME's' Otherwise, DT_INTRO3_E = 'your'
AGE_Q01A AGE_01A	What is ^DT_INTRO3_E date of birth? Year |_|_|_|_| (MIN: 1897) (MAX: 2022) Year (Don't know, Refusal not allowed)
AGE_Q01B AGE_01B	What is ^DT_INTRO3_E date of birth? Month 01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
AGE_Q01C AGE_01C	What is ^DT_INTRO3_E date of birth? Day |_|_| (MIN: 1) (MAX: 31) Integer (Don't know, Refusal not allowed)
AGE_E01	There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.

Rule:	Trigger soft edit if.

AGE_D02A	If (AGE_Q01A = RESPONSE and AGE_Q01B = RESPONSE), DV_AGE_CALC = (THISYEAR - AGE_Q01A).
	If (AGE_Q01B > THISMONTH) or (AGE_Q01C = RESPONSE and AGE_Q01B = THISMONTH and AGE_Q01C > THISDAY), DV_AGE_CALC = (DV_AGE_CALC - 1).
	Otherwise, DV_AGE_CALC = 9999.

AGE_D02B	If DV_AGE_CALC ≠ 9999, DV_AWC_AGE = DV_AGE_CALC.
AGE_D03	If DV_AGE_CALC < 18, DV_OOS = 1.
Programmer:	*set DT_OOS_E = "We value your participation, however the #{SurveyNameEnglish} applies only to those aged 18 and over. Thank you for taking the time to answer these questions."* *Go to SubmitPage*
AGE_END	

Sex and gender (GDRA)

Harmonized content

GDRA_BEG

External Variables required:
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
PMK: (Person most knowledgeable.)
PRX_Q02: (Person answering on behalf of respondent.)
FNAME: (First name of specific respondent)

GDRA_C05

If (FRAME = (1 or 2)) and PMK ≠ 1, go to GDRA_R05.
Otherwise, go to GDRA_END.

GDRA_R05

The following questions are about sex at birth and gender.

GDRA_D05

If PRX_Q02 == 1, DT_SEXGEN_E = '^FNAME's'
Otherwise, DT_SEXGEN_E = 'your'

GDRA_Q05
GDRA_05

What was ^DT_SEXGEN_E sex at birth?

ON-SCREEN HELP: Sex refers to sex assigned at birth.

1 Male
2 Female
(Don't know, Refusal not allowed)

GDRA_E05

No answer has been selected for the sex at birth question. Please provide an answer.

Rule:

Trigger soft edit if GDRA_Q05 = NONRESPONSE.

GDRA_D10A

GDRA_D10B

GDRA_Q10
GDRA_10

What is ^DT_SEXGEN_E gender?

ON-SCREEN HELP: Gender refers to current gender which may be different from sex assigned at birth and may be different from what is indicated on legal documents.

1 Male
2 Female
3 Or please specify (Go to GDRA_S10)
(Don't know, Refusal not allowed)

Go to GDRA_D15A

GDRA_S10

Specify ^DT_SEXGEN_E gender

_____
(80 spaces)

(Don't know, Refusal not allowed)

GDRA_E10	No answer has been selected for the gender question. Please provide an answer.
Rule:	Trigger soft edit if GDRA_Q10 = NONRESPONSE.
GDRA_D15A	If PRX_Q02 == 1, DT_SEXGEN_C_E = '^FNAME's' Otherwise, DT_SEXGEN_C_E = 'Your'
GDRA_D15B	If GDRA_Q05 == 1, DT_SEXA_E = 'Male' If GDRA_Q05 == 2, DT_SEXA_E = 'Female' Otherwise, DT_SEXA_E = 'Information not provided'
GDRA_D15C	If GDRA_Q10 == 1, DT_GDRA_E = 'Male' Else if GDRA_Q10 == 2, DT_GDRA_E = 'Female' Else if (GDRA_Q10 == 3 and GDRA_S10 == RESPONSE), DT_GDRA_E = '^GDRA_S10' Otherwise, DT_GDRA_E = 'Information not provided'
GDRA_R15	Please verify that all of the information is correct. ^DT_SEXGEN_C_E Sex assigned at birth: ^DT_SEXA_E Gender: ^DT_GDRA_E <u>ON-SCREEN HELP</u>: If all the information is correct, press the Next button. To make changes, press the Previous button.
Context Sensitive Help:	*This survey asks questions related to pregnancy, childbirth and specific types of cancer, all of which are based on sex at birth. If specific questions are not relevant, they can be skipped. Thank you for your understanding and for your participation.*
Processing:	*This element is identified as GDRA_Q15 in the EQ application.*
GDRA_D20A	If GDRA_Q05 = 1, DV_SEXATBIRTH = 1. If GDRA_Q05 = 2, DV_SEXATBIRTH = 2. Otherwise, DV_SEXATBIRTH = 1.
GDRA_D20B	If (GDRA_Q05 = 2 and GDRA_Q10 = NONRESPONSE) or GDRA_Q10 = 2, DV_SEX = 2. Otherwise, DV_SEX = 1.
GDRA_D20C	If (FRAME = 1 and PMK ≠ 1) and DV_SEX = 2, DV_PROXYSEX = 2. Else if (FRAME = 1 and PMK ≠ 1) and DV_SEX = 1, DV_PROXYSEX = 1. Else if FRAME = 1, DV_PROXYSEX = 3. Else if (FRAME = 2 and PRX_Q02 = 1) and DV_SEX = 2, DV_PROXYSEX = 4. Else if (FRAME = 2 and PRX_Q02 = 1) and DV_SEX = 1, DV_PROXYSEX = 3. Else if (FRAME = 2 and PRX_Q02 ≠ 1) and DV_SEX = 2, DV_PROXYSEX = 2. Else if (FRAME = 2 and PRX_Q02 ≠ 1) and DV_SEX = 1, DV_PROXYSEX = 1.
GDRA_END	

Relationship with confirmation (RWC)

Core content

RWC_BEG

External Variables required:
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DV_HHSIZE: (Household size (number of active people listed in the roster))
PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE_S1: (Confirmed age of each household member)
DV_AWC_AGE: (Age of selected respondent)
HHC_Q10B: (Last name of household member)
HHC_Q10A: (First name of household member)
FNAME: (First name of specific respondent)

Programmer:

For households of 1 person (DV_HHSIZE = 1), the RWC module is not required. For households of 2 or more people, pass through the RWC module to obtain all relationships between the selected respondent and all other household members.

This module loops for each member of the roster. Group header and radio buttons to be repeated as per the number of instances in roster manager (HHC_Q10A, HHC_Q10B, HHC_Q10C), up to a maximum of 20 instances.

RWC_D01A

Programmer:

Derived variable DV_AGE_DIFF_15 (cannot be written in condition grid):
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 0 && (DV_AWC_AGE - DV_AWC_AGE_S1) < 15) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 0 && ((DV_AWC_AGE_S1 - DV_AWC_AGE) < 15))), DV_AGE_DIFF_15 = 1

RWC_D01B

Programmer:

Derived variable DV_AGE_DIFF_G25 (cannot be written in condition grid):
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 25) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 25)), DV_AGE_DIFF_G25 = 1

RWC_D01C

Programmer:

Derived variable DV_AGE_DIFF_50 (cannot be written in condition grid):
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 50) || ((DV_AWC_AGE_S1 - AWC_AGE) > 50)), DV_AGE_DIFF_50 = 1

RWC_D01D

Programmer:

Derived variable DV_AGE_DIFF_L25 (cannot be written in condition grid):
If (((DV_AWC_AGE - DV_AWC_AGE_S1) > 0 && (DV_AWC_AGE - DV_AWC_AGE_S1) < 25) || ((DV_AWC_AGE_S1 - DV_AWC_AGE) > 0 && ((DV_AWC_AGE_S1 - DV_AWC_AGE) < 25))), DV_DIFF_AGE_L25 = 1

RWC_C05

If (DV_HHSIZE = 1 or (FRAME = 1 and PMK ≠ 1)), go to RWC_END.
Otherwise, go to RWC_D05A.

RWC_D05A

If (DV_HHSIZE > 2), DT_PEOPLE_E = 'people'
Else if (DV_HHSIZE == 2), DT_PEOPLE_E = 'person'

RWC_D05B

If (PROXYSEX == (1 or 2)), DT_AGE_E = ''
Otherwise, DT_AGE_E = ', age ^DV_AWC_AGE'

RWC_Q05
RWC_05

What is the relationship of the following ^DT_PEOPLE_E to ^YOU2^DT_AGE_E?

ON-SCREEN HELP: ^HHC_Q10A ^HHC_Q10B, age ^DV_AWC_AGE_S1

01 Husband or wife
02 Common-law partner
03 Father or mother
04 Son or daughter
05 Brother or sister
06 In-law
07 Other related (Go to RWC_Q30)
08 Unrelated (Go to RWC_S05)
(Don't know, Refusal not allowed)

Go to RWC_END

Context Sensitive Help:

Purpose
To determine the relationship of each household member to the selected respondent. This is used in the analysis and interpretation of changes in family and household characteristics and composition.
Definition
Husband or wife
Spouse by legal marriage (same sex or opposite sex).
Common-law partner
Refers to two people of the opposite sex or the same sex who live together as a couple but who are not legally married to each other.
Foster father or mother
A person who is paid to provide care for a child less than 18 years old, and who is not the birth, adoptive or step parent of the child.
Foster son or daughter
A child less than 18 years old who is receiving care from someone who is being paid to provide that care, and who is not the child's birth, adoptive or step parent.
In-law
A person who is related by marriage only.

RWC_S05

Specify the relationship to this person

(80 spaces)

(Don't know, Refusal not allowed)

RWC_E05A

More than one household member was identified as your spouse or common-law partner. Please verify that this information is correct.

Rule:

Trigger soft edit .

Programmer:

Rule for RWC_E05A (cannot be written in condition grid):
((RWC_Q05 == 1 || RWC_Q05 == 2) && (Count(RosterDriver1,TempVariable == 1 && RWC_Q05 == 1 || RWC_Q05 == 2) >= 2))

RWC_E05B

The category "Husband or wife" has been selected for a household member less than 16 years old. Please verify and correct if necessary.

Rule:

Trigger soft edit if (RWC_Q05 = 1 and (DV_AWC_AGE < 16 or DV_AWC_AGE_S1 < 16)).

RWC_E05C	The category "Common-law partner" has been selected for a household member less than 16 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if (RWC_Q05 = 2 and (DV_AWC_AGE < 16 or DV_AWC_AGE_S1 < 16)).
RWC_E05D	The category "Son or daughter" has been selected. ^FNAME is less than 12 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if RWC_Q05 = 4 and DV_AWC_AGE < 12.
RWC_E05E	The category "Son or daughter (birth, adopted, or step)" has been selected. ^FNAME is younger than ^HHC_Q10A. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE < DV_AWC_AGE_S1 and RWC_Q05 = 4.
RWC_Q30 RWC_30	Select the type of relationship. 1 Aunt or uncle 2 Cousin 3 Niece or nephew 4 Grandfather or grandmother 5 Grandson or granddaughter 6 Other relative (Don't know, Refusal not allowed)
RWC_E30A	The category "Grandfather or grandmother" has been selected. ^HHC_Q10A is less than 38 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE_S1 < 38 and RWC_Q05 = 7 and RWC_Q30 = 4.
RWC_E30B	The category "Grandfather or grandmother" has been selected. ^HHC_Q10A is younger than ^FNAME. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE > DV_AWC_AGE_S1 and RWC_Q05 = 7 and RWC_Q30 = 4.
RWC_E30C	The category "Grandson or granddaughter" has been selected. ^FNAME is less than 38 years old. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AWC_AGE < 38 and RWC_Q05 = 7 and RWC_Q30 = 5.
RWC_E30D	The category "Grandson or granddaughter" has been selected. ^FNAME is younger than ^HHC_Q10A. Please verify and correct if necessary.

Rule:	Trigger soft edit if DV_AWC_AGE < DV_AWC_AGE_S1 and RWC_Q05 = 7 and RWC_Q30 = 5.
RWC_E30E	The category "Grandfather or grandmother" or "Grandson or granddaughter" has been selected. The difference in age is less than 25 years. Please verify and correct if necessary.
Rule:	Trigger soft edit if DV_AGE_DIFF_L25 = 1 and ((RWC_Q05 = 7 and RWC_Q30 = 4) or (RWC_Q05 = 7 and RWC_Q30 = 5)).
RWC_END	

Main activity (1) (MAC)

	Harmonized content	
MAC_BEG	External Variables required: DOMAC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) MA_Q03: (In the past 7 days, did ^YOU1 work at a job or business?) MA_Q02: (During the past 12 months, what was ^YOUR2 main activity?) EDC_Q10: (^ARE_C ^YOU2 currently attending a school, college, CEGEP or university?)	
MAC_C05A	If DOMAC = 1 and DV_AWC_AGE >= 15, go to MAC_C05B. Otherwise, go to MAC_B15.	
MAC_C05B	If DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75, go to MAC_Q05. Otherwise, go to MAC_B10.	
MAC_Q05 MAC_05	In the past 12 months, was ^YOUR2 main activity working at a job or business? 1 Yes 2 No (Don't know, Refusal not allowed)	
MAC_C10	If MAC_Q05 = 1, go to MAC_B15. Otherwise, go to MAC_B10.	
MAC_B10	Call Block:	Main activity (2) (MA)
MAC_B15	Call Block:	School attendance (EDC)
MAC_D20A	If DV_AWC_AGE < 15 or MA_Q02 = 2 or EDC_Q10 = 1, DV_SCHOOL = 1. Otherwise, DV_SCHOOL = 2.	
MAC_D20B	If DV_AWC_AGE >= 15 and MA_Q03 = 1, DV_WORK7 = 1. Otherwise, DV_WORK7 = 2.	
MAC_D20C	If DV_AWC_AGE >= 15 and MAC_Q05 = 1, DV_WORK12 = 1. Otherwise, DV_WORK12 = 2.	
MAC_END		

Main activity (2) (MA)

Harmonized content

MA_BEG

External Variables required:
DV_AWC_AGE: (Age of selected respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

MA_D02

MA_Q02
MA_02

During the past 12 months, what was ^YOUR2 main activity?

ON-SCREEN HELP: If the main activity was "sickness" or "short-term illness", indicate the usual main activity.

01 Looking for paid work
02 Going to school
03 Caring for ^YOUR1 children
04 Household work
05 Retired
06 Maternity, paternity or parental leave
07 Long term illness
08 Volunteering or care-giving other than for ^YOUR1 children
09 Other (Go to MA_S02)
(Don't know, Refusal not allowed)

Go to MA_Q03

Processing:

If AWC_AGE < 15, set MA_Q02 = 2

MA_S02

Specify the main activity

(80 spaces)

(Don't know, Refusal not allowed)

MA_E02A

Please answer question MA_Q02.

Rule:

Trigger soft edit if MA_Q02 = NONRESPONSE.

MA_E02B

"Other" was selected, please specify a response.

Rule:

Trigger soft edit if MA_Q02 = 9 and MA_S02 = NONRESPONSE.

MA_E02C

An unusual selection has been made for main activity. Please verify and correct if necessary.

Rule:

Trigger soft edit if (MA_Q02 = 5 and DV_AWC_AGE < 45) or (MA_Q02 = 6 and (DV_AWC_AGE < 18 or DV_AWC_AGE > 55)).

MA_Q03
MA_03

In the past 7 days, did ^YOU1 work at a job or business?

1 Yes
2 No
(Don't know, Refusal not allowed)

MA_END

School attendance (EDC)

Harmonized content

EDC_BEG

External Variables required:
DOEDC: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)
FNAME: (First name of specific respondent)

EDC_C10

If DOEDC = 1 and DV_AWC_AGE >= 15, go to EDC_Q10.
Otherwise, go to EDC_END.

EDC_D10

EDC_Q10
EDC_10

^ARE_C ^YOU2 currently attending a school, college, CEGEP or university?

ON-SCREEN HELP: Report only attendance for courses that can be used as credits towards a certificate, diploma or degree. Distance learning for credit is included.

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing:

If AWC_AGE < 15, set EDC_Q10 = 1

EDC_E10

Please answer question EDC_Q10.

Rule:

Trigger soft edit if EDC_Q10 = NONRESPONSE.

EDC_C20

If EDC_Q10 = 1, go to EDC_Q20.
Otherwise, go to EDC_END.

EDC_D20

EDC_Q20
EDC_20

^ARE_C ^YOU2 enrolled as a full-time or part-time student?

Each educational institution classifies students as full-time or part-time depending on the type of program, and the number of courses, credits or hours of instruction.

1 Full-time student
2 Part-time student
(Don't know, Refusal not allowed)

Processing:

If AWC_AGE < 15, set EDC_Q20 = 1

EDC_E20

Please answer question EDC_Q20.

Rule:

Trigger soft edit if EDC_Q20 = NONRESPONSE.

EDC_END

General health (GEN)

Core content

GEN_BEG

External Variables required:
DOGEN: (Flag to determine if respondent is to enter module (from the sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)
DV_WORK12: (Worked in past 12 months (from MAC block))

GEN_C01

If DOGEN = 1, go to GEN_R01.
Otherwise, go to GEN_END.

GEN_R01

The following question is about health. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.

GEN_Q01
GEN_01

In general, how is ^YOUR2 health?

1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
(Don't know, Refusal not allowed)

Context Sensitive Help:

Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well-being.

GEN_C05

If PROXYSEX = 1 or PROXYSEX = 2, go to GEN_Q05.
Otherwise, go to GEN_Q10.

GEN_Q05
GEN_05

In general, how is your mental health?

1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
(Don't know, Refusal not allowed)

GEN_Q10
GEN_10

Thinking about the amount of stress in ^YOUR1 life, how would you describe most of ^YOUR1 days?

	1 Not at all stressful 2 Not very stressful 3 A bit stressful 4 Quite a bit stressful 5 Extremely stressful (Don't know, Refusal not allowed)
GEN_C15	If (PROXYSEX = 1 or PROXYSEX = 2) and DV_WORK12 = 1, go to GEN_R15. Otherwise, go to GEN_Q20.
GEN_R15	The next question is about your main job or business in the **past 12 months**.
GEN_Q15 GEN_15	How would you describe most days at work? 1 Not at all stressful 2 Not very stressful 3 A bit stressful 4 Quite a bit stressful 5 Extremely stressful (Don't know, Refusal not allowed)
GEN_C20	If PROXYSEX = 1 or PROXYSEX = 2, go to GEN_Q20. Otherwise, go to GEN_END.
GEN_Q20 GEN_20	How would you describe your sense of belonging to your local community? 1 Very strong 2 Somewhat strong 3 Somewhat weak 4 Very weak (Don't know, Refusal not allowed)
GEN_END	

Life satisfaction measures (LSM)

Harmonized content

LSM_BEG

External Variables required:
DOLSM: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

LSM_C01

If DOLSM = 1 and (PROXYSEX = 1 or PROXYSEX = 2), go to LSM_Q01. Otherwise, go to LSM_END.

LSM_Q01
LSM_01

Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel aboutyour life as a whole right now?

00 Very dissatisfied
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very satisfied
(Don't know, Refusal not allowed)

LSM_E01_1

Please answer question LSM_Q01

Rule:

Trigger soft edit if LSM_Q01 = NONRESPONSE.

LSM_END

Pregnancy (PRS)

	Core content
PRS_BEG	External Variables required: DOPRS: (Flag to determine if respondent is to enter module (from sample file)) FRAME: (1 = CCHS CCB, 2 = CCHS Area frame) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) DV_AWC_AGE: (Age of selected respondent)
PRS_C05A	If DOPRS ≠ 1 or DV_SEXATBIRTH ≠ 2, go to PRS_END. Otherwise, go to PRS_C05B.
PRS_C05B	If ((FRAME = (1 or 2)) and (DV_AWC_AGE <= 55 and DV_AWC_AGE >= 15)), go to PRS_R05. Otherwise, go to PRS_END.
PRS_R05	To better understand ^YOUR1 health information, it is important to know if ^YOU1 ^ARE pregnant.
PRS_Q05 PRS_05	^ARE_C ^YOU1 pregnant? 1 Yes 2 No (Don't know, Refusal not allowed)
PRS_END	

Height and weight (HWT)

	Core content
HWT_BEG	External Variables required: DOHWT: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) PRS_Q05: (^ARE_C ^YOU1 pregnant?)
HWT_C05A	If (DOHWT = 0 or PRS_Q05 = 1), go to HWT_END. Otherwise, go to HWT_Q05A.
HWT_Q05A HWT_05A	How tall ^ARE ^YOU2 without shoes on? Feet <u>ON-SCREEN HELP</u>: Report the height to the nearest inch or centimetre. |_| Feet (MIN: 0) (MAX: 9) Integer (Don't know, Refusal not allowed)
HWT_Q05B HWT_05B	How tall ^ARE ^YOU2 without shoes on? Inches <u>ON-SCREEN HELP</u>: Report the height to the nearest inch or centimetre. |_|_| Inches (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
HWT_E05A_1	An unusual height value has been entered. Please verify feet and inches and correct if necessary.
Rule:	Trigger soft edit if.
Programmer:	*Rule for HWT_E05A_1 (cannot be written in condition grid)* *(HWT_Q05A < 1) || (HWT_Q05A > 7) || ((HWT_Q05B == RESPONSE) && ((HWT_Q05B > 11) || (((HWT_Q05A*12) + HWT_Q05B) < 12) || (((HWT_Q05A*12) + HWT_Q05B) > 84)))*
HWT_Q05C HWT_05C	How tall ^ARE ^YOU2 without shoes on? Centimetres

ON-SCREEN HELP: Report the height to the nearest inch or centimetre.

|_|_|_| Centimetres
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

HWT_E05C_1

An unusual value has been entered for centimetres. Please verify and correct if necessary.

Rule:

Trigger soft edit if ((HWT_Q05C = RESPONSE) and ((HWT_Q05C < 31) or (HWT_Q05C > 213))).

HWT_E05C_2

The height cannot be reported in feet / inches and centimetres; only one unit of measure is kept.

Rule:

Trigger hard edit if HWT_Q05C = RESPONSE and (HWT_Q05A = RESPONSE or HWT_Q05B = RESPONSE).

HWT_D40A

HWT_Q40A
HWT_40A

How much ^DOVERB ^YOU2 weigh?
Weight

ON-SCREEN HELP: Report the weight to the nearest pound or kilogram.

|_|_|_| Weight
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

HWT_Q40B
HWT_40B

How much ^DOVERB ^YOU2 weigh?
Pounds or kilograms

ON-SCREEN HELP: Report the weight to the nearest pound or kilogram.

1 Pounds
2 Kilograms
(Don't know, Refusal not allowed)

HWT_E40A_1

No selection has been made for pounds or kilograms. Please answer.

Rule:

Trigger soft edit if HWT_Q40A = RESPONSE and HWT_Q40B ≠ RESPONSE.

HWT_E40A_2

An unusual value for weight has been entered. Please confirm.

Rule:

Trigger soft edit if ((HWT_Q40A > 350 and HWT_Q40B = 1) or (HWT_Q40A > 159 and HWT_Q40B = 2)) or ((HWT_Q40A < 60 and HWT_Q40B = 1) or (HWT_Q40A < 27 and HWT_Q40B = 2)).

HWT_END

Weight perception (WTP)

	Core content
WTP_BEG	External Variables required: DOWTP: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) PRS_Q05: (^ARE_C ^YOU1 pregnant?)
WTP_C50	If DOWTP = 1 and (PROXYSEX = 1 or PROXYSEX = 2) and PRS_Q05 ≠ 1, go to WTP_Q50. Otherwise, go to WTP_END.
WTP_Q50 WTP_50	Do you consider yourself overweight, underweight or just about right? 1 Overweight 2 Underweight 3 Just about right (Don't know, Refusal not allowed)
WTP_END	

COVID-19 (2) (COV2)

	Theme content
COV2_BEG	External Variables required: DOCOV2: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
COV2_C001	If (DOCOV2 ≠ 1), go to COV2_END. Otherwise, go to COV2_C005.
COV2_C005	If (PROXYSEX = 3 or PROXYSEX = 4), go to COV2_END. Otherwise, go to COV2_R005.
COV2_R005	The next questions are about your experiences during the COVID-19 pandemic.
COV2_Q005 COV2_005	Compared to before the pandemic started, how would you say your mental health is now? 1 Much better now 2 Somewhat better now 3 About the same 4 Somewhat worse now 5 Much worse now (Don't know, Refusal not allowed)
COV2_Q010	Which of the following precautions are you taking to protect yourself or others against COVID-19? <u>ON-SCREEN HELP</u>: Select all that apply. 01 Wash hands more frequently 02 Wear a mask in public places where physical distancing is difficult 03 Keep a 2 meter or 6 foot distance from others 04 Avoid crowds and large gatherings 05 Avoid leaving the house for non-essential reasons 06 Work from home 07 Use delivery or curb side pick-up services Help text: e.g., groceries, prescriptions 08 Self-isolate if you have symptoms 09 Other precaution 10 No precaution taken (Don't know, Refusal not allowed)

COV2_E010	The "No precaution taken" category cannot be selected with another category.
Rule:	Trigger hard edit if COV2_Q010 = 10 and (COV2_Q010 = 1 or COV2_Q010 = 2 or COV2_Q010 = 3 or COV2_Q010 = 4 or COV2_Q010 = 5 or COV2_Q010 = 6 or COV2_Q010 = 7 or COV2_Q010 = 8 or COV2_Q010 = 9).
COV2_Q015 COV2_015	In the last 3 months, have you experienced any of the symptoms that led you to believe that you had COVID-19, such as fever, headache, sore throat, runny nose, difficulty breathing or tiredness? 1 Yes (Go to COV2_Q020) 2 No (Don't know, Refusal not allowed) Go to COV2_Q038
COV2_Q020 COV2_020	While you were experiencing these symptoms, did you follow public health recommendations, such as self-isolating and wearing a mask if you had to go out in public? 1 Yes 2 No (Don't know, Refusal not allowed)
COV2_Q038 COV2_038	Have you been vaccinated against COVID-19? 1 Yes, received at least one dose of a vaccine 2 No (Don't know, Refusal not allowed)
COV2_C030	If (COV2_Q038 = 1), go to COV2_Q030. Otherwise, go to COV2_C041.
COV2_Q030 COV2_030	Does the vaccine you received require one or two doses? <u>ON-SCREEN HELP</u>: Certain types of vaccines require more than one dose to protect against COVID-19. If you needed a second dose, you would have been informed of this at the time of your vaccination. Please do not include an additional dose, also known as a third dose or a booster dose. 1 One dose 2 Two doses (Go to COV2_Q035) (Don't know, Refusal not allowed) Go to COV2_END
COV2_Q035	How many doses of the COVID-19 vaccine have you received so far?

COV2_035	1 One dose 2 Two doses 3 Three doses 4 Four doses or more (Don't know, Refusal not allowed)
COV2_C041	If (COV2_Q038 ≠ 1), go to COV2_Q041. Otherwise, go to COV2_C055A.
COV2_Q041 COV2_041	What is the **main** reason why you haven't been vaccinated against COVID-19? 01 I do not want to be vaccinated at this time 02 I do not want to be vaccinated at all 03 I don't have confidence in the vaccine that was offered to me 04 I have an appointment in the future 05 I have not been able to get an appointment yet 06 I don't know where to go to get vaccinated 07 I was sick at the time the vaccine was offered to me 08 The vaccine is not recommended for me Help text: e.g., a pre-existing medical condition 09 I have already had COVID-19 10 I haven't had the time 11 I don't think it is necessary, the risks of having COVID-19 are now low 12 Other reason (Don't know, Refusal not allowed)
COV2_C045	If (COV2_Q041 = 1 or COV2_Q041 = 2), go to COV2_Q045. Otherwise, go to COV2_Q040.
COV2_Q045	Why don't you want to be vaccinated against COVID-19?

ON-SCREEN HELP: Select all that apply.

01 I am not at high risk of getting COVID-19
02 If I get COVID-19, I will not be very sick
03 The severity of the pandemic has been overstated
04 Vaccines in general are not effective in preventing diseases
05 Vaccines in general are not safe
06 I do not trust the effectiveness of the COVID-19 vaccines
07 I do not trust the safety of the COVID-19 vaccines
08 Philosophical or religious reasons
09 Other reason
(Don't know, Refusal not allowed)

COV2_Q040
COV2_040

How likely is it that you would get a COVID-19 vaccine?

1 Very likely
2 Somewhat likely
3 Somewhat unlikely
4 Very unlikely
(Don't know, Refusal not allowed)

COV2_C055A

If (COV2_Q035 = 1), go to COV2_Q055A.
Otherwise, go to COV2_END.

COV2_Q055A

What is the **main reason** why you haven't received your **second dose**?

COV2_55A

01 One dose is enough to protect me against COVID-19
02 I was not aware that I needed a second dose
03 I had a bad reaction to the first dose
04 I have concerns about side effects associated with the second dose
05 The vaccine I want to receive for my second dose is not available
06 I have an appointment in the future
07 It's too much trouble getting a second appointment
08 I have already had COVID-19
09 I don't think it is necessary, the risks of having COVID-19 are now low
10 Other reason
(Don't know, Refusal not allowed)

COV2_Q060
COV2_060

How likely is it that you would get your **second dose**?

1 Very likely
2 Somewhat likely
3 Somewhat unlikely
4 Very unlikely
(Don't know, Refusal not allowed)

COV2_END

COVID-19 (3) (COV3)

	Theme content
COV3_BEG	External Variables required: DOCOV3: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) COV2_Q035: (How many doses of the COVID-19 vaccine have you received so far?) COV2_Q040: (How likely is it that you would get a COVID-19 vaccine?) COV2_Q041: (What is the main reason why you haven't been vaccinated against COVID-19?)
COV3_C001	If DOCOV3 = 1 and (PROXYSEX = 1 or PROXYSEX = 2), go to COV3_C005. Otherwise, go to COV3_END.
COV3_C005	If ((COV2_Q035 = 3 or COV2_Q035 = 4) or (COV2_Q041 = 2 or COV2_Q041 = 8) or (COV2_Q040 = 4)), go to COV3_END. Otherwise, go to COV3_Q005.
COV3_Q005 COV3_005	If an additional dose of the COVID-19 vaccine is offered to stimulate your immune system or to fight against variants, how likely is it that you would get it? <u>ON-SCREEN HELP</u>: An additional dose is also known as a third dose or a booster dose. A variant is a mutation of the COVID-19 virus that can cause a change in transmission or a more severe infection, for example the Delta variant. 1 Very likely 2 Somewhat likely 3 Somewhat unlikely 4 Very unlikely (Don't know, Refusal not allowed)
COV3_END	

Chronic conditions (CCC)

Core content

CCC_BEG

External Variables required:
DOCCC: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)

CCC_C01

If DOCCC = 1, go to CCC_R01.
Otherwise, go to CCC_END.

CCC_R01

The next questions are about long-term health conditions. These are conditions which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.

CCC_Q05
CCC_05

^DOVERB_C ^YOU2 have diabetes?

ON-SCREEN HELP: Include type 1, type 2 or gestational diabetes.

Exclude prediabetes.

1 Yes (Go to CCC_Q10)
2 No
(Don't know, Refusal not allowed)

Go to CCC_C15A

Context Sensitive Help:

Prediabetes: Refers to blood glucose levels that are higher than normal, but not yet high enough to be diagnosed as type 2 diabetes. Although not everyone with prediabetes will develop type 2 diabetes, many people will.

Type 1 diabetes: A form of diabetes that occurs when the pancreas no longer produces insulin, which is needed by the body to use sugar as an energy source. It usually develops in childhood or adolescence. People with type 1 diabetes take insulin injections to manage their diabetes.

Type 2 diabetes: A form of diabetes that occurs when the body does not produce enough insulin and/or does not respond to the insulin it produces. People are typically diagnosed with type 2 diabetes after the age of 40, although it is being seen in children and adolescents. Some people with type 2 diabetes may take insulin injections but management through diet, maintaining a healthy weight, exercise or taking pills to regulate blood sugar are more common treatments.

Gestational diabetes: A form of diabetes that develops in women during pregnancy and disappears after delivery. Gestational diabetes increases the risk of both the mother and the child developing type 2 diabetes.

CCC_Q10

How old ^WERE ^YOU1 when this was first diagnosed?

CCC_10	
	|_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CCC_E10	An impossible value has been entered for age first diagnosed. Please verify and correct.
Rule:	Trigger soft edit if CCC_Q10 > DV_AWC_AGE.
CCC_C15A	If CCC_Q05 = 2 or CCC_Q05 = NONRESPONSE, go to CCC_Q45. Otherwise, go to CCC_C15B.
CCC_C15B	If DV_SEXATBIRTH = 2 and DV_AWC_AGE > 12 and (CCC_Q10 = NONRESPONSE or ((CCC_Q10 > 12 and CCC_Q10 < 60))), go to CCC_Q15. Otherwise, go to CCC_C25.
CCC_Q15 CCC_15	^WERE_C ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes? 1 Yes (Go to CCC_Q20) 2 No (Don't know, Refusal not allowed) Go to CCC_C25
CCC_Q20 CCC_20	Other than during pregnancy, has a health professional ever told ^HIMHER that ^YOU1 ^HAVE diabetes? 1 Yes 2 No (Don't know, Refusal not allowed)
CCC_C25	If (CCC_Q05 = 1 and CCC_Q20 ≠ 2), go to CCC_Q25. Otherwise, go to CCC_Q45.
CCC_Q25	^WERE_C ^YOU1 diagnosed with type 1 or type 2 diabetes?

CCC_25

1 Type 1 - Insulin dependent diabetes
2 Type 2 - Non-Insulin dependent diabetes
3 Both types
(Don't know, Refusal not allowed)

Context Sensitive Help:

Insulin dependent or Type 1 diabetes: A form of diabetes that occurs when the pancreas no longer produces insulin, which is needed by the body to use sugar as an energy source. It usually develops in childhood or adolescence. People with type 1 diabetes take insulin injections to manage their diabetes.

Non-insulin dependent or Type 2 diabetes: A form of diabetes that occurs when the body does not produce enough insulin and/or does not respond to the insulin it produces. People are typically diagnosed with type 2 diabetes after the age of 40, although it is being seen in children and adolescents. Some people with type 2 diabetes may take insulin injections but management through diet, maintaining a healthy weight, exercise or taking pills to regulate blood sugar are more

CCC_Q30
CCC_30

When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on insulin?

1 Less than 1 month
2 1 month to less than 2 months
3 2 months to less than 6 months
4 6 months to less than 1 year
5 1 year or more
6 Never
(Don't know, Refusal not allowed)

CCC_C35

If CCC_Q30 = 6, go to CCC_Q40.
Otherwise, go to CCC_Q35.

CCC_Q35
CCC_35

^DOVERB_C ^YOU1 currently take insulin for ^YOUR1 diabetes?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing:

If CCC_Q30 = 6, set CCC_Q35 = 2

CCC_Q40
CCC_40

In the past month, did ^YOU1 take pills to control ^YOUR1 blood sugar?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q45

^HAVE_C ^YOU1 ever been diagnosed with cancer?

CCC_45	1 Yes (Go to CCC_Q50) 2 No (Don't know, Refusal not allowed) Go to CCC_C55
CCC_Q50 CCC_50	How old ^WERE ^YOU1 when this was first diagnosed? |_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CCC_E50	An impossible value has been entered for age first diagnosed. Please verify and correct.
Rule:	Trigger soft edit if CCC_Q50 > DV_AWC_AGE.
CCC_C55	If (CCC_Q45 = 1 or CCC_Q45 = NONRESPONSE), go to CCC_Q55. Otherwise, go to CCC_Q65.
CCC_Q55 CCC_55	^HAVE_C ^YOU1 received treatment for cancer in the past 12 months? 1 Yes 2 No (Don't know, Refusal not allowed)
Processing:	*If CCC_Q45 = NR and CCC_Q55 = 1, set CCC_Q45 = 1.*
CCC_C60	If CCC_Q45 = 1 or CCC_Q55 = 1, go to CCC_Q60. Otherwise, go to CCC_Q65.
CCC_Q60	What type of cancer ^WERE ^YOU1 diagnosed with?

ON-SCREEN HELP: Select all that apply.

01 Breast
02 Prostate
03 Colorectal
04 Skin - Melanoma
05 Skin - Non-melanoma
06 Ovarian
07 Cervical
08 Uterine
09 Lung
10 Other - specify (Go to CCC_S60)
(Don't know, Refusal not allowed)

Go to CCC_Q65

Processing: *In the EQ application each of the CCC_Q60 categories shows with the following ELEMENT name, so please assign the according EX_NAME (in parentheses):*
Category 1 (Breast) = CCC_Q60A (CCC_60A)
Category 2 (Prostate) = CCC_Q65A (CCC_65A)
Category 3 (Colorectal) = CCC_Q60B (CCC_60B)
Category 4 (Skin - Melanoma) = CCC_Q60C (CCC_60C)
Category 5 (Skin - Non-melanoma) = CCC_Q60D (CCC_60D)
Category 6 (Ovarian) = CCC_Q60E (CCC_60E)
Category 7 (Cervical) = CCC_Q60F (CCC_60F)
Category 8 (Uterine) = CCC_Q60G (CCC_60G)
Category 9 (Lung) = CCC_Q60H (CCC_60H)
Category 10 (Other) = CCC_Q60I (CCC_60I)

Programmer: *For CCC_Q60:*
If DV_SEXATBIRTH = 1, display category 02 (Prostate)
If DV_SEXATBIRTH = 2,display category 06 (Ovarian), 07 (Cervical) and 08 (Uterine)

CCC_S60 Specify other type of cancer

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

CCC_Q65
CCC_65
^DOVERB_C ^YOU1 have heart disease?

1 Yes (Go to CCC_Q70)
2 No
(Don't know, Refusal not allowed)

Go to CCC_D75

Context Sensitive Help: *Heart disease relates to the heart and blood vessels. Examples of heart disease are stroke, angina and heart failure.*

CCC_Q70 How old ^WERE ^YOU1 when this was first diagnosed?

CCC_70

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CCC_E70

An impossible value has been entered for age first diagnosed. Please verify and correct.

Rule:

Trigger soft edit if CCC_Q70 > DV_AWC_AGE.

CCC_D75

If DV_AWC_AGE < 12, DT_CCCYOU_E = 'Have you'
Otherwise, DT_CCCYOU_E = '^HAVE_C ^YOU1'

CCC_Q75
CCC_75

^DT_CCCYOU_E ever been told by a health professional that ^YOU1 ^HAVE had a heart attack?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_D80

CCC_Q80
CCC_80

^DOVERB_C ^YOU2 have high blood pressure?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q85
CCC_85

In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q90
CCC_90

^DT_CCCYOU_E ever been told by a health professional that ^YOUR1 blood cholesterol was high?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_C95

If DV_AWC_AGE >= 20, go to CCC_Q95.
Otherwise, go to CCC_C100.

CCC_Q95
CCC_95

^DOVERB_C ^YOU1 suffer from the effects of a stroke?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_C100

If DV_AWC_AGE >= 40, go to CCC_Q100.
Otherwise, go to CCC_R105.

CCC_Q100 CCC_100	^DOVERB_C ^YOU1 have osteoporosis? 1 Yes 2 No (Don't know, Refusal not allowed)
Context Sensitive Help:	*A disorder where the bones are progressively more porous and fragile and can result in more fractures. More common in the elderly population.*
CCC_R105	We are interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.
CCC_Q105 CCC_105	^DOVERB_C ^YOU1 have fibromyalgia? 1 Yes (Go to CCC_Q110) 2 No (Don't know, Refusal not allowed) Go to CCC_Q120
Context Sensitive Help:	*A condition that usually presents as chronic aching and pain in the muscles that can occur in one or more places throughout the body. It can also be accompanied by muscle stiffness and fatigue.*
CCC_Q110 CCC_110	How old ^WERE ^YOU1 when the first symptoms appeared? |_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CCC_E110	An impossible value has been entered for age first symptoms appeared. Please verify and correct.
Rule:	Trigger soft edit if CCC_Q110 > DV_AWC_AGE.
CCC_Q115 CCC_115	How old ^WERE ^YOU1 when this was first diagnosed? |_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CCC_E115	An impossible value has been entered for age first diagnosed. Please verify and correct.
Rule:	Trigger soft edit if CCC_Q115 > DV_AWC_AGE.
CCC_Q120	^DOVERB_C ^YOU1 have arthritis?

CCC_120

ON-SCREEN HELP: e.g., osteoarthritis, rheumatoid arthritis, gout

Exclude fibromyalgia.

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q125
CCC_125

^DOVERB_C ^YOU1 have back problems?

ON-SCREEN HELP: Exclude scoliosis, fibromyalgia and arthritis.

1 Yes (Go to CCC_Q130)
2 No
(Don't know, Refusal not allowed)

Go to CCC_Q135

CCC_Q130
CCC_130

Was this diagnosed by a health professional?

1 Yes
2 No
(Don't know, Refusal not allowed)

CCC_Q135
CCC_135

^DOVERB_C ^YOU1 have a mood disorder?

ON-SCREEN HELP: Include depression, bipolar disorder, mania, dysthymia or manic depression.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

Also known as affective disorder. A psychological disorder where the main feature is a disturbance of mood. Examples of mood disorders are depression, bipolar disorder, manic depression, dysthymia.

CCC_END

Chronic conditions (1) (CC1)

Core content

CC1_BEG

External Variables required:
DOCC1: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)

CC1_C140

If DOCC1 = 1, go to CC1_R140.
Otherwise, go to CC1_END.

CC1_R140

We are interested in conditions **diagnosed** by a health professional and that are expected to last or have already lasted **6 months or more.**

CC1_Q140
CC1_140

^DOVERB_C ^YOU1 have an anxiety disorder?

ON-SCREEN HELP: **Include** phobia, panic disorder or generalized anxiety disorder.
Exclude obsessive-compulsive disorder.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A psychological disorder that may make people feel anxious most of the time, without an obvious reason. People may get occasional but intense moments of anxiety that immobilize them.

CC1_Q145
CC1_145

^DOVERB_C ^YOU1 have post-traumatic stress disorder (PTSD)?

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A mental disorder that can develop after a person is exposed to a traumatic event, such as sexual assault, warfare, traffic collisions, or other threats on a person's life. Symptoms may include disturbing thoughts, feelings, or dreams related to the events, mental or physical distress to trauma-related cues, attempts to avoid trauma-related cues, and alterations in how the person thinks.

CC1_C150

If DV_AWC_AGE >= 40, go to CC1_Q150.
Otherwise, go to CC1_Q155.

CC1_Q150
CC1_150

^DOVERB_C ^YOU2 have Alzheimer's disease or any other dementia?

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

A type of brain disorder that causes impairment of memory and mental abilities, mostly found in the elderly population. Alzheimer's disease is the most common form of dementia.

CC1_Q155

^DOVERB_C ^YOU1 have chronic fatigue syndrome (CFS)?

CC1_155

ON-SCREEN HELP: **Include** myalgic encephalomyelitis.

1 Yes (Go to CC1_Q160)
2 No (Go to CC1_Q170)
(Don't know, Refusal not allowed)

Context Sensitive Help: *A condition characterized by unexplained, persistent fatigue lasting at least six months which is not relieved by rest. It results in a substantial reduction in occupational, social and personal activities.*

CC1_Q160
CC1_160

How old ^WERE ^YOU1 when the first symptoms appeared?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E160_1

An impossible value has been entered for age first symptoms of CFS appeared. Please verify and correct.

Rule: Trigger soft edit if CC1_Q160 > DV_AWC_AGE.

CC1_Q165
CC1_165

How old ^WERE ^YOU1 when this was first diagnosed?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CC1_E165_1

An impossible value has been entered for age first diagnosed with CFS. Please verify and correct.

Rule: Trigger soft edit if CC1_Q165 > DV_AWC_AGE.

CC1_Q170
CC1_170

^DOVERB_C ^YOU1 have multiple chemical sensitivities (MCS)?

1 Yes (Go to CC1_Q175)
2 No (Go to CC1_END)
(Don't know, Refusal not allowed)

Context Sensitive Help: *Chronic condition where people are sensitive to low levels of multiple unrelated chemicals such as smoke or perfume - levels that do not cause symptoms in most people. They may experience symptoms such as fatigue, asthma, blocked nose or sore eyes.*

CC1_Q175

How old ^WERE ^YOU1 when the first symptoms appeared?

CC1_175	
	|_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CC1_E175_1	An impossible value has been entered for age first symptoms of MCS appeared. Please verify and correct.
Rule:	Trigger soft edit if CC1_Q175 > DV_AWC_AGE.
CC1_Q180 CC1_180	How old ^WERE ^YOU1 when this was first diagnosed?
	|_|_|_| Age in years (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CC1_E180_1	An impossible value has been entered for age first diagnosed with MCS. Please verify and correct.
Rule:	Trigger soft edit if CC1_Q180 > DV_AWC_AGE.
CC1_END	

Abilities (WDM)

	Theme content
WDM_BEG	External Variables required: DOWDM: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent)
Source:	*The following set of questions is taken from the "Washington Group - Extended Question Set on Functioning" (WG WS-F) Version 9 November 2011.* *For this module, CCHS only requires the "WG Short Set", as identified in the document. This list includes VIS_2, HEAR_2, MOB_1, COG_1, SC_1, COM_1, in the order given, but have been renamed according to the CCHS naming standards.* *Please see the following webpage for more information about the Washington Group on Disability Statistics:* *<<<http://www.cdc.gov/nchs/washington_group.htm>>>.*
WDM_C01	If DOWDM = 1, go to WDM_R01. Otherwise, go to WDM_END.
WDM_R01	The next set of questions asks about ^YOUR2 ability to do different activities.
WDM_Q05 WDM_05	^DOVERB_C ^YOU1 have difficulty doing any of these activities? Difficulty seeing, even if wearing glasses 1 No difficulty 2 Some difficulty 3 A lot of difficulty 4 Cannot do at all or unable to do (Don't know, Refusal not allowed)
WDM_Q10 WDM_10	^DOVERB_C ^YOU1 have difficulty doing any of these activities? Difficulty hearing, even if using a hearing aid 1 No difficulty 2 Some difficulty 3 A lot of difficulty 4 Cannot do at all or unable to do (Don't know, Refusal not allowed)
WDM_Q15 WDM_15	^DOVERB_C ^YOU1 have difficulty doing any of these activities? Difficulty walking or climbing steps 1 No difficulty 2 Some difficulty 3 A lot of difficulty 4 Cannot do at all or unable to do (Don't know, Refusal not allowed)

WDM_Q20
WDM_20

^DOVERB_C ^YOU1 have difficulty doing any of these activities?
Difficulty remembering or concentrating

1 No difficulty
2 Some difficulty
3 A lot of difficulty
4 Cannot do at all or unable to do
(Don't know, Refusal not allowed)

WDM_Q25
WDM_25

^DOVERB_C ^YOU1 have difficulty doing any of these activities?
Difficulty with self-care

ON-SCREEN HELP: Such as washing all over or dressing.

1 No difficulty
2 Some difficulty
3 A lot of difficulty
4 Cannot do at all or unable to do
(Don't know, Refusal not allowed)

WDM_Q30
WDM_30

^DOVERB_C ^YOU1 have difficulty doing any of these activities?
Difficulty communicating when using your usual language

ON-SCREEN HELP: For example understanding or being understood.

1 No difficulty
2 Some difficulty
3 A lot of difficulty
4 Cannot do at all or unable to do
(Don't know, Refusal not allowed)

WDM_END

Injuries (INJ)

	Theme content
INJ_BEG	External Variables required: DOINJ: (Flag to determine if respondent is to enter module (from sample file))
INJ_C001	If (DOINJ = 1), go to INJ_Q05A. Otherwise, go to INJ_END.
INJ_Q05A INJ_05A	In the past 12 months, ^HAVE ^YOU2 had any of the following injuries? A head injury or concussion 1 Yes (Go to INJ_Q05AA) 2 No (Don't know, Refusal not allowed) Go to INJ_Q05B
INJ_Q05AA INJ_05AA	How many times in the past 12 months? |_|_| Number of times (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
INJ_E05AA_1	An unusual number of head injuries or concussion has been entered. Please confirm.
Rule:	Trigger soft edit if INJ_Q05AA > 6.
INJ_E05A_1	Please confirm that there were 0 head injury or concussion.
Rule:	Trigger soft edit if INJ_Q05A = 1 and INJ_Q05AA = 0.
INJ_Q05B INJ_05B	In the past 12 months, ^HAVE ^YOU2 had any of the following injuries? A broken or fractured bone 1 Yes (Go to INJ_Q05BA) 2 No (Don't know, Refusal not allowed) Go to INJ_Q05C
INJ_Q05BA INJ_05BA	How many times in the past 12 months? |_|_| Number of times (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)

INJ_E05AB_1	An unusual number of broken or fractured bones has been entered. Please confirm.
Rule:	Trigger soft edit if INJ_Q05BA > 6.
INJ_E05B_1	Please confirm that there were 0 broken or fractured bone.
Rule:	Trigger soft edit if INJ_Q05B = 1 and INJ_Q05BA = 0.
INJ_Q05C INJ_05C	In the past 12 months, ^HAVE ^YOU2 had any of the following injuries? A serious cut or puncture <u>ON-SCREEN HELP</u>: Exclude surgery or operation. 1 Yes (Go to INJ_Q05CA) 2 No (Don't know, Refusal not allowed) Go to INJ_C10A
INJ_Q05CA INJ_05CA	How many times in the past 12 months? |_|_| Number of times (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
INJ_E05AC_1	An unusual number of serious cut or puncture has been entered. Please confirm.
Rule:	Trigger soft edit if INJ_Q05CA > 6.
INJ_E05C_1	Please confirm that there were 0 serious cut or puncture.
Rule:	Trigger soft edit if INJ_Q05C = 1 and INJ_Q05CA = 0.
INJ_C10A	If ((INJ_Q05A = 2 or INJ_Q05A ≠ RESPONSE) and (INJ_Q05B = 2 or INJ_Q05B ≠ RESPONSE) and (INJ_Q05C = 2 or INJ_Q05C ≠ RESPONSE)), go to INJ_END. Otherwise, go to INJ_C10B.
INJ_C10B	If (INJ_Q05AA > 0 or (INJ_Q05A = 1 and INJ_Q05AA = NONRESPONSE)), go to INJ_Q10. Otherwise, go to INJ_Q30.
INJ_Q10 INJ_10	What ^WERE ^YOU1 doing when ^YOUR1 **head injury or concussion** occured?

ON-SCREEN HELP: If ^YOU1 had more than one head injury or concussion in the past 12 months, report for the most serious.

1 Riding a bike
2 Sports or physical activity
Help text: Exclude riding a bike
3 Household chores, outdoor yard maintenance or unpaid work
4 Riding or driving a motor vehicle
Help text: Include off-road vehicles
5 Working at a paid job or business
Help text: Exclude when driving is your job
6 Other
(Don't know, Refusal not allowed)

INJ_C15

If (INJ_Q10 = 1 or INJ_Q10 = 4), go to INJ_Q20.
Otherwise, go to INJ_Q15.

INJ_Q15
INJ_15

Was ^YOUR1 head injury or concussion the result of a fall?

1 Yes (Go to INJ_Q15A)
2 No
(Don't know, Refusal not allowed)

Go to INJ_Q20

INJ_Q15A
INJ_15A

How did ^YOU1 fall?

1 While doing physical activity
2 Going up or down stairs
3 Slipped or stumbled while walking
4 Getting into or out of furniture
Help text: e.g., bed, chair
5 From an elevated position
Help text: e.g., ladder, tree, scaffolding
6 Due to health problems
Help text: e.g., fainting, weakness, dizziness
7 Other
(Don't know, Refusal not allowed)

INJ_Q20
INJ_20

In the 48 hours following ^YOUR2 head injury or concussion, did ^YOU1 consult a health care professional?

1 Yes (Go to INJ_Q20A)
2 No
(Don't know, Refusal not allowed)

Go to INJ_Q25

INJ_Q20A
INJ_20A

Where did ^YOU1 go to consult this health professional?

1 Doctor's office or clinic
Help text: e.g., walk-in, hospital outpatient, sports
2 Hospital emergency room
3 Chiropractor or physiotherapist's office
4 Other
(Don't know, Refusal not allowed)

INJ_Q25
INJ_25

^WERE_C ^YOU1 admitted to a hospital **overnight** because of this injury?

1 Yes
2 No
(Don't know, Refusal not allowed)

INJ_C30

If (INJ_Q05BA > 0 or (INJ_Q05B = 1 and INJ_Q05BA = NONRESPONSE)), go to INJ_Q30.
Otherwise, go to INJ_Q55.

INJ_Q30
INJ_30

What ^WERE ^YOU2 doing when ^YOUR1 **broken or fractured bone** occured?

ON-SCREEN HELP: If ^YOU1 had more than one broken or fractured bone in the past 12 months, report the most serious.

1 Riding a bike
2 Sports or physical activity
Help text: Exclude riding a bike
3 Household chores, outdoor yard maintenance or unpaid work
4 Riding or driving a motor vehicle
Help text: Include off-road vehicles
5 Working at a paid job or business
Help text: Exclude when driving is your job
6 Other
(Don't know, Refusal not allowed)

INJ_Q35

Which part of the body was injured?

INJ_35

01 Multiple body parts
02 Head or neck
03 Shoulder or upper arm
04 Elbow or lower arm
05 Wrist or hand
06 Hip or thigh
07 Knee or lower leg
08 Ankle or foot
09 Back or spine
10 Chest
11 Abdomen or pelvis
12 Other
(Don't know, Refusal not allowed)

INJ_C40

If (INJ_Q30 = 1 or INJ_Q30 = 4), go to INJ_Q45.
Otherwise, go to INJ_Q40.

INJ_Q40
INJ_40

Was ^YOUR1 broken or fractured bone the result of a fall?

1 Yes (Go to INJ_Q40A)
2 No
(Don't know, Refusal not allowed)

Go to INJ_Q45

INJ_Q40A
INJ_40A

How did ^YOU1 fall?

1 While doing physical activity
2 Going up or down stairs
3 Slipped or stumbled while walking
4 Getting into or out of furniture
Help text: e.g., bed, chair
5 From an elevated position
Help text: e.g., ladder, tree, scaffolding
6 Due to health problems
Help text: e.g., fainting, weakness, dizziness
7 Other
(Don't know, Refusal not allowed)

INJ_Q45
INJ_45

In the 48 hours following ^YOUR2 broken or fractured bone, did ^YOU1 consult a health care professional?

1 Yes (Go to INJ_Q45A)
2 No
(Don't know, Refusal not allowed)

Go to INJ_Q50

INJ_Q45A

Where did ^YOU1 go to consult this health professional?

INJ_45A	1 Doctor's office or clinic Help text: e.g., walk-in, hospital outpatient, sports 2 Hospital emergency room 3 Other (Don't know, Refusal not allowed)
INJ_Q50 INJ_50	^WERE_C ^YOU1 admitted to a hospital **overnight** because of this injury? 1 Yes 2 No (Don't know, Refusal not allowed)
INJ_C55	If (INJ_Q05CA > 0 or (INJ_Q05C = 1 and INJ_Q05CA = NONRESPONSE)), go to INJ_Q55. Otherwise, go to INJ_END.
INJ_Q55 INJ_55	What ^WERE ^YOU1 doing when ^YOUR1 **serious cut or puncture** occured? <u>ON-SCREEN HELP</u>: If ^YOU1 had more than one serious cut or puncture in the past 12 months, report for the most serious. 1 Riding a bike 2 Sports or physical activity Help text: Exclude riding a bike 3 Household chores, outdoor yard maintenance or unpaid work 4 Riding or driving a motor vehicle Help text: Include off-road vehicles 5 Working at a paid job or business Help text: Exclude when driving is your job 6 Other (Don't know, Refusal not allowed)
INJ_Q60	Which part of the body was injured?

INJ_60

01 Multiple body parts
02 Head or neck
03 Shoulder or upper arm
04 Elbow or lower arm
05 Wrist or hand
06 Hip or thigh
07 Knee or lower leg
08 Ankle or foot
09 Back or spine
10 Chest
11 Abdomen or pelvis
12 Other
(Don't know, Refusal not allowed)

INJ_C65

If (INJ_Q55 = 1 or INJ_Q55 = 4), go to INJ_Q70.
Otherwise, go to INJ_Q65.

INJ_Q65
INJ_65

Was ^YOUR1 serious cut or puncture the result of a fall?

1 Yes
2 No
(Don't know, Refusal not allowed)

INJ_Q70
INJ_70

In the 48 hours following ^YOUR2 serious cut or puncture, did ^YOU1 consult a health care professional?

1 Yes (Go to INJ_Q70A)
2 No
(Don't know, Refusal not allowed)

Go to INJ_Q75

INJ_Q70A
INJ_70A

Where did ^YOU1 go to consult this health professional?

1 Doctor's office or clinic
Help text: e.g., walk-in, hospital outpatient, sports
2 Hospital emergency room
3 Other
(Don't know, Refusal not allowed)

INJ_Q75
INJ_75

^WERE_C ^YOU1 admitted to a hospital **overnight** because of this injury?

1 Yes
2 No
(Don't know, Refusal not allowed)

INJ_END

Oral health (OHM)

	Theme content
OHM_BEG	External Variables required: DOOHM: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
OHM_C01	If DOOHM = 1, go to OHM_R01. Otherwise, go to OHM_END.
OHM_R01	Now some questions about the health of ^YOUR2 mouth. Include teeth or dentures, tongue, gums, lips and jaw joints.
OHM_Q05 OHM_05	In general, how would you rate the health of ^YOUR1 mouth? 1 Excellent 2 Very good 3 Good 4 Fair 5 Poor (Don't know, Refusal not allowed)
OHM_C10	If DV_AWC_AGE >= 20 and PROXYSEX = (1 or 2), go to OHM_Q10. Otherwise, go to OHM_Q15.
OHM_Q10 OHM_10	Do you have at least one of your own teeth? 1 Yes 2 No (Don't know, Refusal not allowed)
OHM_Q15 OHM_15	In the past 12 months, how often ^HAVE ^YOU1 had any persistent or on-going mouth pain? <u>ON-SCREEN HELP</u>: Include pain in teeth, gums, tongue, jaw, jaw joints. 1 Often 2 Sometimes 3 Rarely 4 Never (Don't know, Refusal not allowed)
OHM_END	

Oral health (OHM3)

	Theme content
OHM3_BEG	External Variables required: DOOHM3: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) PPI_Q03: (Type of parent: 1 = Birth father, 2 = Birth mother, 3 = Non-birth parent, 4 = Guardian)
OHM3_C01	If DOOHM3 ≠ 1, go to OHM3_END. Otherwise, go to OHM3_R01.
OHM3_R01	Now a few questions about ^YOUR2 regular dental care habits.
OHM3_Q05 OHM3_05	How often ^DOVERB ^YOU1 usually see a dental professional? 1 More than once a year for check-ups or treatments 2 About once a year for check-ups or treatments 3 Less than once a year for check-ups or treatments 4 Only for emergency care 5 Never (Don't know, Refusal not allowed)
OHM3_C10	If OHM3_Q05 = 5, go to OHM3_D15A. Otherwise, go to OHM3_Q10.
OHM3_Q10 OHM3_10	When was the last time ^YOU1 saw a dental professional? 1 Less than a year ago 2 1 year to less than 2 years ago 3 2 years to less than 3 years ago 4 3 years to less than 4 years ago 5 4 years to less than 5 years ago 6 5 or more years ago (Don't know, Refusal not allowed)
OHM3_E10	Please review question OHM3_Q10. An answer inconsistent with a response to the previous question has been selected. Please return and correct.
Rule:	Trigger soft edit if (((OHM3_Q10 = 3 or OHM3_Q10 = 4 or OHM3_Q10 = 5 or OHM3_Q10 = 6) and OHM3_Q05 = 1) or ((OHM3_Q10 = 4 or OHM3_Q10 = 5 or OHM3_Q10 = 6) and OHM3_Q05 = 2) or (OHM3_Q10 = 2 and OHM3_Q05 = 1) or (OHM3_Q10 = 3 and OHM3_Q05 = 2)).

OHM3_D15A

OHM3_R15 Now a few questions about the cost of ^YOUR2 dental care.

OHM3_Q15
OHM3_15

In the past 12 months, have you avoided going to a dental professional for ^YOUR1 dental care due to the cost?

1 Yes
2 No
(Don't know, Refusal not allowed)

OHM3_Q18
OHM3_18

In the past 12 months, have you avoided having any of ^YOUR1 recommended dental treatment because of the cost?

1 Yes (Go to OHM3_Q20)
2 No
(Don't know, Refusal not allowed)

Go to OHM3_Q45

OHM3_Q20

What types of dental treatment did you avoid due to cost?

ON-SCREEN HELP: Select all that apply.

1 Check-ups and cleanings
2 Fillings
3 Root canal treatment
4 Tooth extraction
5 Tooth replacement or tooth reconstruction
Help text: e.g., dentures, crowns, bridgework, implants
(Don't know, Refusal not allowed)

OHM3_Q45
OHM3_45

Are all or part of ^YOUR2 dental expenses covered by any insurance plan or government program?

1 Yes (Go to OHM3_Q50)
2 No
3 Don't know
(Don't know, Refusal not allowed)

Go to OHM3_END

OHM3_Q50

What type of insurance plan or program?

ON-SCREEN HELP: Select all that apply.

1 A plan through an employer
Help text: Include plans that are partially paid or sponsored by an employer.
2 A private plan
Help text: Include personally purchased plans.
3 A government paid plan
Help text: e.g., Children or seniors dental program, RAMQ, First Nations and Inuit program
4 A plan through college or university
5 Don't know
(Don't know, Refusal not allowed)

OHM3_END

Use of protective equipment (UPE)

	Theme content
UPE_BEG	External Variables required: DOUPE: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
UPE_C05	If (DOUPE = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to UPE_Q05. Otherwise, go to UPE_END.
UPE_Q05	In the **past 12 months**, have you participated in any of these activities? <u>ON-SCREEN HELP</u>: Select all that apply. 1 Bicycling 2 In-line skating or rollerblading 3 Downhill skiing 4 Snowboarding 5 Skateboarding 6 Playing ice hockey (Don't know, Refusal not allowed)
Processing:	*In the EQ application, each of the UPE_Q05 categories shows with the following ELEMENT name, so please assign the according EX_NAME (in parentheses):* *Category 1 (Bicycling) = UPE_Q05 (UPE_05)* *Category 2 (In-line skating or rollerblading) = UPE_Q15 (UPE_15)* *Category 3 (Downhill skiing) = UPE_Q40A (UPE_40A)* *Category 4 (Snowboarding) = UPE_Q40B (UPE_40B)* *Category 5 (Skateboarding) = UPE_Q60A (UPE_60A)* *Category 6 (Playing ice hockey) = UPE_Q80 (UPE_Q80)* *Please also note that they have the following IN_NAME:* *Category 1 (Bicycling) = UPE_Q05A* *Category 2 (In-line skating or rollerblading) = UPE_Q15B* *Category 3 (Downhill skiing) = UPE_Q40AC* *Category 4 (Snowboarding) = UPE_Q40BD* *Category 5 (Skateboarding) = UPE_Q60AE* *Category 6 (Playing ice hockey) = UPE_Q80F*
UPE_C10	If UPE_Q05 = 1, go to UPE_Q10. Otherwise, go to UPE_C20.
UPE_Q10 UPE_10	When **riding a bicycle**, how often do you wear a helmet? 1 Always 2 Most of the time 3 Rarely 4 Never (Don't know, Refusal not allowed)
UPE_C20	If UPE_Q05 = 2, go to UPE_Q20. Otherwise, go to UPE_C45.

UPE_Q20
UPE_20

When **in-line skating or rollerblading**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q25
UPE_25

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q30
UPE_30

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Elbow pads

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q35
UPE_35

When **in-line skating or rollerblading**, how often do you wear the following equipment?
Knee pads

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C45

If UPE_Q05 = 3, go to UPE_Q45.
Otherwise, go to UPE_C50.

UPE_Q45
UPE_45

When **downhill skiing**, how often do you wear a helmet?

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C50

If UPE_Q05 = 4, go to UPE_Q50.
Otherwise, go to UPE_C65.

UPE_Q50
UPE_50

When **snowboarding**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q55
UPE_55

When **snowboarding**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C65

If UPE_Q05 = 5, go to UPE_Q65.
Otherwise, go to UPE_C85.

UPE_Q65
UPE_65

When **skateboarding**, how often do you wear the following equipment?
A helmet

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q70
UPE_70

When **skateboarding**, how often do you wear the following equipment?
Wrist guards or wrist protectors

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_Q75
UPE_75

When **skateboarding**, how often do you wear the following equipment?
Elbow pads

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_C85

If UPE_Q05 = 6, go to UPE_Q85.
Otherwise, go to UPE_END.

UPE_Q85

When **playing ice hockey**, how often do you wear a mouth guard?

UPE_85

1 Always
2 Most of the time
3 Rarely
4 Never
(Don't know, Refusal not allowed)

UPE_END

Current smoking status (CSS)

Core content

CSS_BEG

External Variables required:
DOCSS: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
RPL_Q11: (Does the youth wish to continue?)

CSS_C01A

If DOCSS ≠ 1, go to CSS_END.
Otherwise, go to CSS_R01.

CSS_R01

The next questions are about cigarette smoking.

Include cigarettes that are self-made. **Exclude** e-cigarettes.

CSS_Q05
CSS_05

^HAVE_C ^YOU2 ever smoked a whole cigarette?

1 Yes (Go to CSS_Q10)
2 No
(Don't know, Refusal not allowed)

Go to CSS_C15

CSS_Q10
CSS_10

How old ^WERE ^YOU1 when ^YOU1 smoked ^YOUR1 first whole cigarette?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CSS_E10_1

An impossible age has been entered. Please return and correct.

Rule:

Trigger soft edit if CSS_Q10 > DV_AWC_AGE.

CSS_C15

If CSS_Q05 = 1, go to CSS_Q15.
Otherwise, go to CSS_END.

CSS_Q15
CSS_15

^HAVE_C ^YOU1 smoked more than 100 cigarettes (about 4 packs) in ^YOUR1 life?

1 Yes
2 No
(Don't know, Refusal not allowed)

CSS_C20

If CSS_Q15 = 1, go to CSS_Q20.
Otherwise, go to CSS_END.

CSS_Q20

In the past 30 days, how often did ^YOU1 smoke cigarettes?

CSS_20	1 Every day 2 Less than once a day, but at least once a week 3 Less than once a week, but at least once in the past month 4 Not at all (Don't know, Refusal not allowed)
CSS_C25	If CSS_Q20 = 1, go to CSS_Q25. Otherwise, go to CSS_C35.
CSS_Q25 CSS_25	How many cigarettes ^DOVERB ^YOU1 usually smoke each day? |_|_|_| Number of cigarettes (MIN: 0) (MAX: 999) Integer (Don't know, Refusal not allowed)
CSS_E25_1	An unusual value has been entered. Please put a number of cigarettes greater than 0.
Rule:	Trigger soft edit if CSS_Q20 = 1 and CSS_Q25 = 0.
CSS_E25_2	An unusually high number of cigarettes per day has been entered. Please confirm.
Rule:	Trigger soft edit if CSS_Q25 > 100.
CSS_C35	If CSS_Q20 = 2 or CSS_Q20 = 3, go to CSS_Q35. Otherwise, go to CSS_C40.
CSS_Q35 CSS_35	In the past 30 days, how many days ^HAVE ^YOU1 smoked one or more cigarettes? |_|_| Number of days (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
CSS_E35_1	An unusual value has been entered. Please put a number of days greater than 0.
Rule:	Trigger soft edit if CSS_Q35 = 0 and (CSS_Q20 = 2 or CSS_Q20 = 3).
CSS_E35_2	An unusual value has been entered. Please put a value less or equal to 30 days.
Rule:	Trigger soft edit if CSS_Q35 > 30.
CSS_Q30 CSS_30	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?

|_|_|_| Number of cigarettes
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CSS_E30_1

An unusual value has been entered. Please put a number of cigarettes greater than 0.

Rule:

Trigger soft edit if CSS_Q30 = 0 and (CSS_Q20 = 2 or CSS_Q20 = 3).

CSS_E30_2

An unusually high number of cigarettes per day has been entered. Please confirm.

Rule:

Trigger soft edit if CSS_Q30 > 100.

CSS_C40

If CSS_Q20 = 1 or CSS_Q20 = 2 or CSS_Q20 = 3, go to CSS_Q40.
Otherwise, go to CSS_END.

CSS_Q40
CSS_40

In the past 12 months, ^HAVE ^YOU2 made a serious attempt to stop smoking cigarettes, even if ^YOU1 stopped for less than a day?

1 Yes
2 No
(Don't know, Refusal not allowed)

CSS_D45

If CSS_Q20 = 1, DV_SSTAT = 1.
Else if (CSS_Q20 = 2 or CSS_Q20 = 3), DV_SSTAT = 2.
Else if (CSS_Q20 = 4 and CSS_Q15 = 1), DV_SSTAT = 3.
Else if (CSS_Q05 = 2 or (CSS_Q05 = 1 and CSS_Q15 = 2)), DV_SSTAT = 4.
Otherwise, DV_SSTAT = 5.

CSS_END

Smoking - past use (SPU)

	Core content
SPU_BEG	External Variables required: DOSPU: (Flag to determine if respondent is to enter module (from sample file)) DV_SSTAT: (Smoking status: 1 = daily smoker, 2 = occasional smoker, 3 = former smoker, 4 = never smoked or experimental smoker, 5 = undetermined (from CSS block))
SPU_C01A	If DOSPU ≠ 1, go to SPU_END. Otherwise, go to SPU_C01B.
SPU_C01B	If DV_SSTAT = 1, go to SPU_C15. Otherwise, go to SPU_C01C.
SPU_C01C	If DV_SSTAT = 2 or DV_SSTAT = 3, go to SPU_Q05. Otherwise, go to SPU_END.
SPU_Q05 SPU_05	^HAVE_C ^YOU2 ever smoked cigarettes daily? 1 Yes 2 No (Don't know, Refusal not allowed)
SPU_C10A	If SPU_Q05 = 1, go to SPU_C15. Otherwise, go to SPU_C10B.
SPU_C10B	If DV_SSTAT = 2, go to SPU_END. Otherwise, go to SPU_Q10A.
SPU_Q10A SPU_10A	When did ^YOU1 stop smoking? Month 01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
SPU_Q10B SPU_10B	When did ^YOU1 stop smoking? Year

ON-SCREEN HELP: Example: YYYY

|_|_|_|_| Year
(MIN: 0)
(MAX: 9,999)
Integer

(Don't know, Refusal not allowed)

SPU_C15

If DV_SSTAT = 1 or SPU_Q05 = 1, go to SPU_Q15.
Otherwise, go to SPU_END.

SPU_Q15
SPU_15

At what age did ^YOU1 begin to smoke cigarettes daily?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

SPU_C20

If DV_SSTAT = 1, go to SPU_END.
Otherwise, go to SPU_Q20.

SPU_Q20
SPU_20

When ^YOU1 smoked every day, how many cigarettes did ^YOU1 usually smoke each day?

|_|_|_| Number of cigarettes
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

SPU_Q25A
SPU_25A

When did ^YOU1 stop smoking daily?
Month

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

SPU_Q25B
SPU_25B

When did ^YOU1 stop smoking daily?
Year

ON-SCREEN HELP: Example: YYYY

|_|_|_|_| Year
(MIN: 0)
(MAX: 9,999)
Integer

(Don't know, Refusal not allowed)

SPU_C30

If DV_SSTAT = 2, go to SPU_END.
Otherwise, go to SPU_Q30.

SPU_Q30
SPU_30

Was that when ^YOU1 completely quit smoking?

1 Yes
2 No (Go to SPU_Q35A)
(Don't know, Refusal not allowed)

Go to SPU_END

SPU_Q35A
SPU_35A

When did ^YOU1 stop completely?
Month

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

SPU_Q35B
SPU_35B

When did ^YOU1 stop completely?
Year

ON-SCREEN HELP: Example: YYYY

|_|_|_|_| Year
(MIN: 0)
(MAX: 9,999)
Integer

(Don't know, Refusal not allowed)

SPU_END

Electronic cigarettes and vaping (ECV)

Core content

ECV_BEG

External Variables required:
DOECV: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
RPL_Q11: (Does the youth wish to continue?)

ECV_C05A

If DOECV = 1, go to ECV_R05.
Otherwise, go to ECV_END.

ECV_R05

Now questions about electronic cigarettes (e-cigarettes) or vaping devices.

ECV_Q05
ECV_05

^HAVE_C ^YOU2 ever tried an e-cigarette or vaping device?

ON-SCREEN HELP: Include vaping e-liquid with nicotine and without nicotine i.e., just flavouring

Exclude vaping cannabis.

1 Yes (Go to ECV_Q10)
2 No
(Don't know, Refusal not allowed)

Go to ECV_END

Context Sensitive Help:

Vaping is the act of inhaling and exhaling an aerosol produced by a vaping product, such as an electronic cigarette.

Vaping devices are usually battery-powered.

Vaping products have many names, including:
- *mods*
- *vapes*
- *sub-ohms*
- *vape pens*
- *e-hookahs*
- *tank systems*
- *electronic cigarettes / e-cigarettes*
- *electronic nicotine delivery systems (ENDS).*

ECV_Q10
ECV_10

At what age did ^YOU1 first use an e-cigarette or vaping device?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

ECV_E10

An impossible age has been entered. Please return and correct.

Rule:

Trigger soft edit if ECV_Q10 > DV_AWC_AGE.

ECV_Q15
ECV_15

In the **past 30 days**, how often did ^YOU1 use an e-cigarette or vaping device?

1 Every day
2 Almost every day
3 At least once a week
4 At least once in the past month
5 Never
(Don't know, Refusal not allowed)

ECV_C20

If ECV_Q15 = 5, go to ECV_END.
Otherwise, go to ECV_Q20.

ECV_Q20
ECV_20

The last time ^YOU1 used an e-cigarette, did it contain nicotine?

1 Yes
2 No
(Don't know, Refusal not allowed)

ECV_END

Electronic cigarettes and vaping 2 (ECV2)

	Core content
ECV2_BEG	External Variables required: DOECV2: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) ECV_Q05: (^HAVE_C ^YOU2 ever tried an e-cigarette or vaping device?) ECV_Q10: (At what age did ^YOU1 first use an e-cigarette or vaping device?) ECV_Q15: (In the past 30 days, how often did ^YOU1 use an e-cigarette or vaping device?) CSS_Q05: (^HAVE_C ^YOU2 ever smoked a whole cigarette?) CSS_Q10: (How old ^WERE ^YOU1 when ^YOU1 smoked ^YOUR1 first whole cigarette?) DV_SSTAT: (Smoking status: 1 = daily smoker, 2 = occasional smoker, 3 = former smoker, 4 = never smoked or experimental smoker, 5 = undetermined (from CSS block))
ECV2_C05A	If DOECV2 = 1 and ECV_Q05 = 1, go to ECV2_C05B. Otherwise, go to ECV2_END.
ECV2_C05B	If ECV_Q15 ≠ 5, go to ECV2_Q05A. Otherwise, go to ECV2_C10.
ECV2_Q05A ECV2_05A	During the **past 30 days**, on how many days did ^YOU1 vape the following products? An e-liquid **with nicotine** |_|_| Number of days (MIN: 0) (MAX: 30) Integer (Don't know, Refusal not allowed)
ECV2_Q05B ECV2_05B	During the **past 30 days**, on how many days did ^YOU1 vape the following products? An e-liquid **without nicotine** <u>ON-SCREEN HELP</u>: e.g., just flavouring |_|_| Number of days (MIN: 0) (MAX: 30) Integer (Don't know, Refusal not allowed)
ECV2_Q05C ECV2_05C	During the **past 30 days**, on how many days did ^YOU1 vape the following products? An e-liquid but you **did not know** what it contained

|_|_| Number of days
(MIN: 0)
(MAX: 30)
Integer

(Don't know, Refusal not allowed)

ECV2_C10

If DV_SSTAT = 1 or DV_SSTAT = 2 or DV_SSTAT = 3, go to ECV2_Q10.
Otherwise, go to ECV2_C15.

ECV2_Q10
ECV2_10

During the **past 12 months**, did ^YOU1 try to quit smoking cigarettes by **switching** to a vaping device or an e-cigarette?

1 Yes
2 No
(Don't know, Refusal not allowed)

ECV2_C15

If CSS_Q05 = 1 and (ECV_Q10 = CSS_Q10), go to ECV2_Q15.
Otherwise, go to ECV2_END.

ECV2_Q15
ECV2_15

Which did ^YOU1 try first, an e-cigarette or vaping device or a cigarette?

1 E-cigarette or vaping device
2 Cigarette
(Don't know, Refusal not allowed)

Processing:

If CSS_Q10 > ECV_Q10 and CSS_Q10 < 996, set ECV2_Q15 = 1;
If CSS_Q10 < ECV_Q10 and ECV_Q10 < 996, set ECV2_Q15 = 2.

ECV2_END

Alcohol use (ALC)

	Core content
ALC_BEG	External Variables required: DOALC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) RPL_Q11: (Does the youth wish to continue?)
ALC_C01A	If DOALC ≠ 1, go to ALC_END. Otherwise, go to ALC_R01.
ALC_R01	Now some questions about alcohol consumption.
ALC_D05	If DV_AWC_AGE >= 12 and DV_AWC_AGE <= 21, DT_YOUTHALC_E = 'A "drink" refers to: - a small bottle, draft or can of beer, cider or cooler - a glass of wine - a cocktail or glass containing 1.5 ounces of liquor.' Otherwise, DT_YOUTHALC_E = ''
ALC_Q05 ALC_05	^HAVE_C ^YOU2 ever had a drink in ^YOUR1 lifetime? <u>ON-SCREEN HELP</u>: ^DT_YOUTHALC_E 1 Yes 2 No (Don't know, Refusal not allowed)
Context Sensitive Help:	*A "drink" refers to:* *- a small bottle, draft or can of beer, cider or cooler* *- a glass of wine* *- a cocktail or glass containing 1.5 ounces of liquor.*
ALC_C10	If ALC_Q05 = 1, go to ALC_Q10. Otherwise, go to ALC_END.
ALC_Q10 ALC_10	In the past 12 months, ^HAVE ^YOU1 had a drink of beer, wine, liquor or any other alcoholic beverage? 1 Yes 2 No (Don't know, Refusal not allowed)
ALC_C15	If ALC_Q10 = 1, go to ALC_Q15. Otherwise, go to ALC_END.
ALC_Q15 ALC_15	In the past 12 months, how often did ^YOU1 drink alcoholic beverages?

1 Less than once a month
2 Once a month
3 2 to 3 times a month
4 Once a week
5 2 to 3 times a week
6 4 to 5 times a week
7 Daily or almost daily
(Don't know, Refusal not allowed)

ALC_D20

If DV_SEXATBIRTH == 2, DT_BINGEDRINK_E = '4'
Otherwise, DT_BINGEDRINK_E = '5'

ALC_Q20
ALC_20

How often in the past 12 months ^HAVE ^YOU1 had ^DT_BINGEDRINK_E or more drinks on one occasion?

1 Never
2 Less than once a month
3 Once a month
4 2 to 3 times a month
5 Once a week
6 More than once a week
(Don't know, Refusal not allowed)

ALC_E20

The frequency of having ^DT_BINGEDRINK_E or more drinks is greater than the frequency reported in question ALC_Q15. Please confirm.

Rule:

Trigger soft edit if (ALC_Q20 = 6 and (ALC_Q15 = 1 or ALC_Q15 = 2 or ALC_Q15 = 3 or ALC_Q15 = 4)) or (ALC_Q20 = 5 and (ALC_Q15 = 1 or ALC_Q15 = 2 or ALC_Q15 = 3)) or (ALC_Q20 = 4 and (ALC_Q15 = 1 or ALC_Q15 = 2)) or (ALC_Q20 = 3 and ALC_Q15 = 1).

ALC_END

Medication use — pain relievers (PRM)

	Theme content
PRM_BEG	External Variables required: DOPRM: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
PRM_C01	If (DOPRM = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to PRM_R01. Otherwise, go to PRM_END.
PRM_R01	The next series of questions are about various **pain relievers.** By **pain relievers**, we mean products that contain opioids such as codeine, morphine or related drugs. Most of these products require a prescription, although some do not.
PRM_Q10 PRM_10	In the **past 12 months**, have you taken any **codeine** products? ON-SCREEN HELP: **Include** prescribed or non-prescribed drugs such as 292™ or Tylenol® 1, 2, 3 and 4. **Exclude** Regular Tylenol® or Extra Strength Tylenol®, Aspirin™, Advil®, Motrin® or their generic equivalents. 1 Yes 2 No (Don't know, Refusal not allowed)
PRM_Q15 PRM_15	In the **past 12 months**, have you taken any **oxycodone** products? ON-SCREEN HELP: **Include** Percocet®, Percodan®, OxyContin® and OxyNEO®. 1 Yes 2 No (Don't know, Refusal not allowed)
PRM_Q20 PRM_20	In the **past 12 months**, have you taken any **fentanyl** products? 1 Yes 2 No (Don't know, Refusal not allowed)
PRM_Q25 PRM_25	In the **past 12 months**, have you taken any **other opioid** products? ON-SCREEN HELP: **Include** hydromorphone, Dilaudid®, Hydromorph Contin®, morphine, MS Contin® or Demerol®. 1 Yes 2 No (Don't know, Refusal not allowed)

PRM_C30	If (PRM_Q10 = 1 or PRM_Q15 = 1 or PRM_Q20 = 1 or PRM_Q25 = 1), go to PRM_Q30. Otherwise, go to PRM_END.
PRM_Q30 PRM_30	In the **past 12 months**, how often did you take any such pain relievers? <u>ON-SCREEN HELP</u>: If more than one pain reliever was prescribed in the last 12 months, report the most recent. 01 Once or twice 02 3 to 11 times a year 03 About once a month 04 2 or 3 times a month 05 About once or twice a week 06 3 or 4 times a week 07 Daily or almost daily 08 As needed, or following surgery (Don't know, Refusal not allowed)
PRM_Q35 PRM_35	Thinking about **all** the pain relievers you have taken in the **past 12 months**, were they prescribed for you? 1 No, none were prescribed 2 Yes, they all were prescribed 3 Some were prescribed and others were not (Don't know, Refusal not allowed)
PRM_C40	If PRM_Q35 = 1, go to PRM_Q50. Otherwise, go to PRM_Q40A.
PRM_Q40A PRM_40A	In the **past 12 months**, did you take a **higher dose** of pain relievers than what was recommended? 1 Yes 2 No (Don't know, Refusal not allowed)
PRM_Q40B PRM_40B	In the **past 12 months**, did you take pain relievers **more often** than what was recommended? 1 Yes 2 No (Don't know, Refusal not allowed)
PRM_Q50 PRM_50	In the **past 12 months**, did you ever take or use pain relievers for reasons other than pain relief?

ON-SCREEN HELP: **e.g.**, to feel better, improve mood, cope with stress or problems

1 Yes
2 No
(Don't know, Refusal not allowed)

PRM_Q55
PRM_55

In the **past 12 months**, did you ever tamper with a pain reliever product before taking it?

ON-SCREEN HELP: **e.g.**, by crushing tablets to swallow, snort or inject

Exclude for ease of swallowing or to take a lower dose.

1 Yes
2 No
(Don't know, Refusal not allowed)

PRM_END

Cannabis use (CAN)

Core content

CAN_BEG

External Variables required:
DOCAN: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)

CAN_C01

If ((DOCAN = 1) and (PROXYSEX = 1 or PROXYSEX = 2)), go to CAN_R01. Otherwise, go to CAN_END.

CAN_R01

The next few questions are about the use of cannabis for medical and non-medical purposes. The term "cannabis" refers to marijuana, hashish, hash oil or any other product of the cannabis plant.

CAN_Q05
CAN_05

Have you ever used or tried cannabis?

1 Yes (Go to CAN_Q05A)
2 No (Go to CAN_END)
(Don't know, Refusal not allowed)

Null go to CAN_END

CAN_Q05A
CAN_05A

Have you used or tried cannabis just once or more than once?

1 Just once
2 More than once
(Don't know, Refusal not allowed)

Null go to CAN_END

CAN_Q05B
CAN_05B

At what age did you first try cannabis?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CAN_E05B_1

An impossible age value has been entered. Please return and correct.

Rule:

Trigger soft edit if CAN_Q05B > DV_AWC_AGE.

CAN_Q05C
CAN_05C

Have you used cannabis in the **past 12 months**?

1 Yes
2 No
(Don't know, Refusal not allowed)

Processing:

If CAN_Q05 = 2, set CAN_Q05C = 2

CAN_C10

If (CAN_Q05A = 2 and CAN_Q05C = 1), go to CAN_Q10.
Otherwise, go to CAN_END.

CAN_Q10
CAN_10

How often did you use cannabis in the **past 12 months**?

ON-SCREEN HELP: Report the average use in the last 12 months.

1 Less than once a month
2 1 to 3 times a month
3 Once a week
4 More than once a week
5 Daily or almost daily
(Don't know, Refusal not allowed)

Processing:

If CAN_Q05A = 1 and CAN_Q05C = 1, set CAN_Q10 = 1

CAN_Q15

In the **past 12 months**, which of the following methods did you use to consume cannabis?

ON-SCREEN HELP: Select all that apply.

1 Smoked
Help text: e.g., joint, pipe, bong
2 Vaporized (Go to CAN_Q15B)
3 Swallowed
Help text: e.g., in food, beverages, capsules
4 Absorbed
Help text: e.g., placed under the tongue, applied to skin
5 Other (Go to CAN_S15E)
(Don't know, Refusal not allowed)

CAN_S15E

Specify other method

(80 spaces)

(Don't know, Refusal not allowed)

CAN_C15B

If CAN_Q15 = 2, go to CAN_Q15B.
Otherwise, go to CAN_D15.

CAN_Q15B

Which cannabis preparation did you vaporize?

ON-SCREEN HELP: Select all that apply.

1 Dried flower or leaf
2 Cannabis liquid
3 Cannabis solid
(Don't know, Refusal not allowed)

CAN_D15

If CAN_Q05 = 1, DV_CAN_Q15COUNTER = 0.

If CAN_Q15 = 1, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.
If CAN_Q15 = 2, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.
If CAN_Q15 = 3, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.
If CAN_Q15 = 4, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.
If CAN_Q15 = 5, DV_CAN_Q15COUNTER = DV_CAN_Q15COUNTER + 1.

CAN_C20

If DV_CAN_Q15COUNTER < 2, go to CAN_Q25.
Otherwise, go to CAN_Q20.

CAN_Q20
CAN_20

In the **past 12 months**, which of the following methods did you use most often to consume cannabis?

1 Smoked
2 Vaporized
3 Swallowed
4 Absorbed
5 Other method
(Don't know, Refusal not allowed)

Processing: *If only one category was selected in CAN_Q15 (DV_CAN_Q15COUNTER = 1), fill value of CAN_Q20 with CAN_Q15.*

Programmer: *Only display answer categories that were selected in CAN_Q15.*

CAN_Q25

In the **past 12 months**, which of the following cannabis products have you used?

<u>ON-SCREEN HELP</u>: Select all that apply.

01 Dried flower or leaf
02 Hashish
Help text: e.g., hash, hash oil
03 Cannabis oil for oral use
Help text: e.g., capsules, spray, tincture
04 Cannabis vape pens or cartridges
05 Cannabis concentrates
Help text: e.g., shatter, budder, butane honey oil
06 Cannabis edible food products
Help text: e.g., baked goods, candy, other foods
07 Cannabis beverages
Help text: e.g., cola, tea, coffee
08 Topicals
Help text: e.g., lotion, ointment, creams applied to skin
09 Other (Go to CAN_S25I)
Help text: e.g., seeds
(Don't know, Refusal not allowed)

CAN_S25I

Specify other product

(80 spaces)

(Don't know, Refusal not allowed)

CAN_Q30
CAN_30

In the **past 12 months**, for which of the following purposes have you used cannabis?

1 Non-medical purposes only
2 Medical purposes only
Help text: Either with or without a medical document
3 Both medical and non-medical purposes
(Don't know, Refusal not allowed)

CAN_C35

If (CAN_Q30 = 2 or CAN_Q30 = 3), go to CAN_Q35.
Otherwise, go to CAN_Q45.

CAN_Q35

In the **past 12 months**, when you used cannabis for medical purposes, which symptoms were you using it for?

ON-SCREEN HELP: Select all that apply.

01 Pain
02 Nausea or vomiting
03 Lack of appetite or weight loss
04 Headaches or migraines
05 Muscle spasms or seizures
06 Anxiety or depression
07 Symptoms of PTSD
08 Problems sleeping
09 Opioid withdrawal symptoms
10 Other (Go to CAN_S35J)
(Don't know, Refusal not allowed)

CAN_S35J

Specify other symptom

(80 spaces)

(Don't know, Refusal not allowed)

CAN_Q40
CAN_40

Do you have a medical document from a healthcare professional to use cannabis for medical purposes?

1 Yes
2 No
(Don't know, Refusal not allowed)

CAN_Q45

In the past **30 days**, on how many days did you use cannabis?

CAN_45

1 Never
2 1 day
3 2 or 3 days
4 1 or 2 days per week
5 3 or 4 days per week
6 5 or 6 days per week
7 Daily
(Don't know, Refusal not allowed)

CAN_C50

If (CAN_Q10 = 5 or (CAN_Q45 = 6 or CAN_Q45 = 7)), go to CAN_Q50. Otherwise, go to CAN_END.

CAN_Q50
CAN_50

At what age did you begin to use cannabis daily or almost daily?

|_|_|_| Age in years
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

CAN_E50_1

An impossible age value has been entered. Please return and correct.

Rule:

Trigger soft edit if CAN_Q50 > DV_AWC_AGE.

CAN_END

Maternal experiences (MEX)

	Theme content
MEX_BEG	External Variables required: DOMEX: (Flag to determine if respondent is to enter module. From the sample file.) DV_AWC_AGE: (Age of selected respondent) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) THIYEAR: (System date (year)) THISMONTH: (System date (month)) THISDAY: (System date (day))
MEX_C01A	If DOMEX ≠ 1, go to MEX_END. Otherwise, go to MEX_C01B.
MEX_C01B	If (DV_AWC_AGE < 15 or DV_AWC_AGE > 55) or DV_SEXATBIRTH ≠ 2, go to MEX_END. Otherwise, go to MEX_C01C.
MEX_C01C	If PROXYSEX = 3 or PROXYSEX = 4, go to MEX_END. Otherwise, go to MEX_R01.
MEX_R01	The next questions are specific to women's health.
MEX_Q05 MEX_05	Are you taking a vitamin supplement containing folic acid? <u>ON-SCREEN HELP</u>: Include prenatal vitamins. 1 Yes 2 No (Don't know, Refusal not allowed)
MEX_Q10 MEX_10	Have you given birth in the past 5 years? <u>ON-SCREEN HELP</u>: Exclude stillbirths. 1 Yes (Go to MEX_Q12) 2 No (Don't know, Refusal not allowed) Go to MEX_C15
MEX_Q12 MEX_12	Was your last pregnancy a single birth or multiple births? 1 Single birth 2 Multiple births (Don't know, Refusal not allowed)
MEX_C15	If MEX_Q10 = 1, go to MEX_D15. Otherwise, go to MEX_END.
MEX_D15	If MEX_Q12 == 2, DT_MULTIPLE_E = 'Refer to the last baby born during this multiple birth.'

	Otherwise, DT_MULTIPLE_E = ''
MEX_Q15	What is the first name of your last born child? ON-SCREEN HELP: ^DT_MULTIPLE_E _____ (30 spaces) (Don't know, Refusal not allowed)
MEX_D20A	If MEX_Q15 == RESPONSE, DT_BABYSNAME_E = 'MEX_Q15' Otherwise, DT_BABYSNAME_E = 'your last child'
MEX_D20B	DV_CURRENTYEAR = THISYEAR. DV_CURRENTMONTH = THISMONTH. DV_CURRENTDAY = THISDAY.
MEX_Q20 MEX_20	What is ^DT_BABYSNAME_E's date of birth? Day |_|_| (MIN: 1) (MAX: 31) Integer (Don't know, Refusal not allowed)
MEX_Q25 MEX_25	What is ^DT_BABYSNAME_E's date of birth? Month 01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December (Don't know, Refusal not allowed)
MEX_Q30 MEX_30	What is ^DT_BABYSNAME_E's date of birth? Year

01 2023
02 2022
03 2021
04 2020
05 2019
06 2018
07 2017
08 2016
(Don't know, Refusal not allowed)

MEX_E30

There are several soft edits for the date of birth, but it was decided not to transcribe them in QDT. See rendering template.

Rule:

Trigger soft edit if.

MEX_D40

If MEX_Q25 = RESPONSE and MEX_Q30 = RESPONSE, DV_CHILDAGE = ((12 * (THISYEAR - MEX_Q30)) + (THISMONTH - MEX_Q25)).

MEX_C40

If DV_CHILDAGE < 72 and DV_CHILDAGE = RESPONSE, go to MEX_Q40. Otherwise, go to MEX_END.

MEX_Q40
MEX_40

During your pregnancy with ^DT_BABYSNAME_E, did you take folic acid supplements during the following time frames?

During the three months before you got pregnant

ON-SCREEN HELP: Include prenatal vitamins and multivitamins containing folic acid.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q50
MEX_50

During your pregnancy with ^DT_BABYSNAME_E, did you take folic acid supplements during the following time frames?

During the first three months of your pregnancy

ON-SCREEN HELP: Include prenatal vitamins and multivitamins containing folic acid.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q65
MEX_65

During your pregnancy with ^DT_BABYSNAME_E, did you take a vitamin supplement containing iron?

ON-SCREEN HELP: Include prenatal vitamins.

1 Yes
2 No
3 Don't know
(Don't know, Refusal not allowed)

MEX_Q70
MEX_70

Just before your pregnancy with ^DT_BABYSNAME_E, how much did you weigh?
Weight

|_|_|_| Weight
(MIN: 0)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

MEX_Q75
MEX_75

Just before your pregnancy with ^DT_BABYSNAME_E, how much did you weigh?
Pounds or kilograms

1 Pounds
2 Kilograms
(Don't know, Refusal not allowed)

MEX_E75A

Please specify pounds or kilograms at question MEX_Q75

Rule:

Trigger soft edit if MEX_Q70 = RESPONSE and MEX_Q75 = NONRESPONSE.

MEX_E75B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if ((MEX_Q70 > 350 and MEX_Q75 > 1) or (MEX_Q70 > 160 and MEX_Q75 = 2)) or ((MEX_Q70 < 60 and MEX_Q75 = 1) or (MEX_Q70 < 27 and MEX_Q75 = 2)).

MEX_Q80
MEX_80

How much weight did you gain during that pregnancy?
Weight

ON-SCREEN HELP: If you lost weight, enter a negative value.

|_|_|_| Weight
(MIN: -999)
(MAX: 999)
Integer

(Don't know, Refusal not allowed)

MEX_Q85
MEX_85

How much weight did you gain during that pregnancy?
Pounds or kilograms

	ON-SCREEN HELP: If you lost weight, enter a negative value. 1 Pounds 2 Kilograms (Don't know, Refusal not allowed)
MEX_E85A	Please specify pounds or kilograms at question MEX_Q85
Rule:	Trigger soft edit if MEX_Q80 = RESPONSE and MEX_Q85 = NONRESPONSE.
MEX_E85B	An unusual value has been entered. Please confirm that what is reported is the weight gained during pregnancy, not the total end weight.
Rule:	Trigger soft edit if ((MEX_Q80 = RESPONSE and MEX_Q70 = RESPONSE) and (MEX_Q75 = MEX_Q85)) and (MEX_Q80 >= MEX_Q70).
MEX_E85C	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if (MEX_Q80 > 125 and MEX_Q85 = 1) or (MEX_Q80 > 60 and MEX_Q85 = 2).
MEX_D90	If DV_CHILDAGE < 12, DT_COSLEEP_E = 'How often does ^DT_BABYSNAME_E' Otherwise, DT_COSLEEP_E = 'When ^DT_BABYSNAME_E was less than one year old, how often did they'
MEX_Q90 MEX_90	^DT_COSLEEP_E sleep in the same bed with you or anyone else? 1 Every day or almost every day 2 Occasionally 3 Never (Don't know, Refusal not allowed)
MEX_Q100 MEX_100	Was ^DT_BABYSNAME_E breastfed or given breast milk even for a short time? 1 Yes 2 No (Don't know, Refusal not allowed)
MEX_C105	If MEX_Q100 = 2, go to MEX_Q105. Otherwise, go to MEX_C110.
MEX_Q105 MEX_105	What is the main reason that you did not breastfeed or give breast milk?

	1 Did not want to breastfeed 2 No support or information to breastfeed 3 Medical condition 4 Other (Don't know, Refusal not allowed)
MEX_C110	If MEX_Q100 = 1, go to MEX_Q110. Otherwise, go to MEX_C170.
MEX_Q110 MEX_110	Are you still breastfeeding or giving breast milk to ^DT_BABYSNAME_E? 1 Yes 2 No (Don't know, Refusal not allowed)
MEX_C115	If MEX_Q110 = 2, go to MEX_Q115A. Otherwise, go to MEX_C125.
MEX_Q115A MEX_115A	How old was ^DT_BABYSNAME_E when you stopped breastfeeding or giving breast milk? Age <u>ON-SCREEN HELP</u>: You can report the age in days, weeks, months or years. |_|_| (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
MEX_Q115B MEX_115B	How old was ^DT_BABYSNAME_E when you stopped breastfeeding or giving breast milk? Time period <u>ON-SCREEN HELP</u>: You can report the age in days, weeks, months or years. 1 Days 2 Weeks 3 Months 4 Years (Don't know, Refusal not allowed)
MEX_E115A	Please specify a time period at question MEX_Q115B
Rule:	Trigger soft edit if MEX_Q115A = RESPONSE and MEX_Q115B = NONRESPONSE.
MEX_D115	If (MEX_Q115A = RESPONSE and MEX_Q115B = RESPONSE) and MEX_Q115B = 1, DV_AGESTOPBRSTFED = MEX_Q115A / 30.

	Else if MEX_Q115B = 2, DV_AGESTOPBRSTFED = MEX_Q115A / 4. Else if MEX_Q115B = 3, DV_AGESTOPBRSTFED = MEX_Q115A. Else if MEX_Q115B = 4, DV_AGESTOPBRSTFED = MEX_Q115A * 12.
MEX_E115B	An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.
Rule:	Trigger soft edit if DV_AGESTOPBRSTFED > DV_CHILDAGE.
MEX_C120	If MEX_Q110 = 2, go to MEX_Q120. Otherwise, go to MEX_C125.
MEX_Q120 MEX_120	What is the main reason that you stopped breastfeeding or giving breast milk? 1 Not enough breast milk 2 Child weaned themselves 3 Planned to stop at this time 4 Difficulty with breastfeeding 5 Medical condition 6 Other (Don't know, Refusal not allowed)
MEX_C125	If MEX_Q110 = RESPONSE, go to MEX_D125. Otherwise, go to MEX_C150.
MEX_D125	If DV_CHILDAGE < 12 and MEX_Q110 == 1, DT_VITAMIND_E = 'Are you giving ^DT_BABYSNAME_E a vitamin D supplement?' Else if DV_CHILDAGE >= 12 and MEX_Q110 == 1, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was less than a year old, did you give them a vitamin D supplement?' Else if DV_CHILDAGE >= 12 and MEX_Q110 == 2, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was less than one year old and fed breast milk, did you give them a vitamin D supplement?' Else if DV_CHILDAGE < 12 and MEX_Q110 == 2, DT_VITAMIND_E = 'When ^DT_BABYSNAME_E was fed breast milk, did you give them a vitamin D supplement?'
MEX_Q125 MEX_125	^DT_VITAMIND_E 1 Every day or almost every day 2 Occasionally 3 Never (Don't know, Refusal not allowed)
MEX_C150	If MEX_Q100 = 1, go to MEX_D150. Otherwise, go to MEX_C170.
MEX_D150	If MEX_Q110 == 1, DT_LIQUIDS_E = 'Have' Otherwise, DT_LIQUIDS_E = 'While you were still breastfeeding, had'
MEX_Q150	^DT_LIQUIDS_E liquids been introduced to ^DT_BABYSNAME_E's diet?

MEX_150

ON-SCREEN HELP: e.g., milk, formula, water or juice

1 Yes (Go to MEX_Q155)
2 No
(Don't know, Refusal not allowed)

Go to MEX_C170

MEX_Q155
MEX_155

How old was ^DT_BABYSNAME_E when liquids were first introduced?
Age

ON-SCREEN HELP: You can report the age in days, weeks, months or years.

|_|_|
(MIN: 0)
(MAX: 99)
Integer

(Don't know, Refusal not allowed)

MEX_Q160
MEX_160

How old was ^DT_BABYSNAME_E when liquids were first introduced?
Time period

ON-SCREEN HELP: You can report the age in days, weeks, months or years.

1 Days
2 Weeks
3 Months
4 Years
(Don't know, Refusal not allowed)

MEX_E160A

Please specify a time period at question MEX_Q160

Rule:

Trigger soft edit if MEX_Q155 = RESPONSE and MEX_Q160 = NONRESPONSE.

MEX_D160

If (MEX_Q155 = RESPONSE and MEX_Q160 = RESPONSE) and MEX_Q160 = 1, DV_AGEINTROLIQUID = MEX_Q155 / 30.
Else if MEX_Q160 = 2, DV_AGEINTROLIQUID = MEX_Q155 / 4.
Else if MEX_Q160 = 3, DV_AGEINTROLIQUID = MEX_Q155.
Else if MEX_Q160 = 4, DV_AGEINTROLIQUID = MEX_Q155 * 12.

MEX_E160B

An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.

Rule:

Trigger soft edit if DV_AGEINTROLIQUID > DV_CHILDAGE.

MEX_C170

If DV_CHILDAGE < 24, go to MEX_Q170.
Otherwise, go to MEX_C175.

MEX_Q170

Have solid foods been introduced to the baby's diet?

MEX_170	ON-SCREEN HELP: e.g. cereals, pureed meat, vegetables or fruits 1 Yes 2 No (Don't know, Refusal not allowed)
Context Sensitive Help:	*Solid foods can include:* *- baby cereals* *- mashed up or pureed meat and meat alternatives such as legumes* *- pureed or cut pieces of vegetables or fruits.*
MEX_C175	If MEX_Q170 = 1 or DV_CHILDAGE >= 24, go to MEX_Q175. Otherwise, go to MEX_C190.
MEX_Q175 MEX_175	How old was ^DT_BABYSNAME_E when solids were first added? Age ON-SCREEN HELP: You can report the age in days, weeks, months or years. |_|_| Age (MIN: 0) (MAX: 99) Integer (Don't know, Refusal not allowed)
MEX_Q180 MEX_180	How old was ^DT_BABYSNAME_E when solids were first added? Time period ON-SCREEN HELP: You can report the age in days, weeks, months or years. 1 Days 2 Weeks 3 Months 4 Years (Don't know, Refusal not allowed)
MEX_E180A	Please specify a time period at question MEX_Q180
Rule:	Trigger soft edit if MEX_Q175 = RESPONSE and MEX_Q180 = NONRESPONSE.
MEX_D180	If (MEX_Q175 = RESPONSE and MEX_Q180 = RESPONSE) and MEX_Q180 = 1, DV_AGEINTROSOLID = MEX_Q175 / 30. Else if MEX_Q180 = 2, DV_AGEINTROSOLID = MEX_Q175 / 4. Else if MEX_Q180 = 3, DV_AGEINTROSOLID = MEX_Q175. Else if MEX_Q180 = 4, DV_AGEINTROSOLID = MEX_Q175 * 12.
MEX_E180B	An unusual value has been entered. Please confirm. The value reported is greater than the baby's age.
Rule:	Trigger soft edit if DV_AGEINTROSOLID > DV_CHILDAGE.

MEX_C190	If MEX_Q170 = 1 or DV_CHILDAGE >= 24, go to MEX_Q190. Otherwise, go to MEX_END.
MEX_Q190 MEX_190	What was the first solid food added to ^DT_BABYSNAME_E's diet? 1 Infant cereals 2 Fruits or vegetables 3 Meat and meat alternatives 4 Other (Don't know, Refusal not allowed)
Context Sensitive Help:	*Solid foods can include:* *- baby cereals* *- mashed up or pureed meat and meat alternatives such as legumes* *- pureed or cut pieces of vegetables or fruits.*
MEX_D195	If MEX_Q150 == 1 and (MEX_Q170 == 2 or MEX_Q170 != RESPONSE), DT_LIQUIDSOLID_E = 'other liquids' Else if (MEX_Q150 == 2 or MEX_Q150 != RESPONSE) and MEX_Q170 == 1, DT_LIQUIDSOLID_E = 'solid foods' Otherwise, DT_LIQUIDSOLID_E = 'other liquids and solid foods'
MEX_C195	If (MEX_Q150 = 1 or MEX_Q170 = 1) and (DV_AGEINTROLIQUID < 6 or DV_AGEINTROSOLID < 6), go to MEX_Q195. Otherwise, go to MEX_END.
MEX_Q195 MEX_195	What is the main reason ^DT_LIQUIDSOLID_E were first added to ^DT_BABYSNAME_E's diet? 1 Not enough breast milk 2 Baby was ready 3 Difficulty with breastfeeding 4 Medical conditions 5 Advice from health professional or family 6 Returned to work or school 7 Other (Don't know, Refusal not allowed)
MEX_END	

Maternal experiences - smoking during pregnancy (MXS)

	Theme content
MXS_BEG	External Variables required: DOMXS: (Flag to determine if respondent is to enter module (from sample file)) DOMEX: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) DV_AWC_AGE: (Age of selected respondent) MEX_Q10: (Have you given birth in the past 5 years?) CSS_Q15: (^HAVE_C ^YOU1 smoked more than 100 cigarettes (about 4 packs) in ^YOUR1 life?) DT_BABYSNAME_E: (First name of last born child (MEX_Q15)) DT_BABYSNAME_F: (First name of last born child (MEX_Q15))
MXS_C05A	If DOMXS = 0 or DOMEX = 0 or (PROXYSEX = 3 or PROXYSEX = 4), go to MXS_END. Otherwise, go to MXS_C05B.
MXS_C05B	If DV_SEXATBIRTH = 2 and (DV_AWC_AGE >= 15 and DV_AWC_AGE <= 55) and (MEX_Q10 = 1 and CSS_Q15 = 1), go to MXS_Q05. Otherwise, go to MXS_C35.
MXS_Q05 MXS_05	In the 3 months before your pregnancy with ^DT_BABYSNAME_E, or before you realized you were pregnant, did you smoke cigarettes? 1 Yes (Go to MXS_Q10) 2 No (Don't know, Refusal not allowed) Go to MXS_Q15
MXS_Q10 MXS_10	How often did you smoke? 1 Everyday 2 Almost everyday 3 A few times a week 4 Rarely (Don't know, Refusal not allowed)
MXS_Q15 MXS_15	Once you found out you were pregnant with ^DT_BABYSNAME_E, did you smoke? 1 Yes (Go to MXS_Q20) 2 No (Don't know, Refusal not allowed) Go to MXS_C35
MXS_Q20	How often did you smoke?

MXS_20

1 Everyday
2 Almost everyday
3 A few times a week
4 Rarely
(Don't know, Refusal not allowed)

MXS_C35

If DV_SEXATBIRTH = 2 and (DV_AWC_AGE >= 15 and DV_AWC_AGE <= 55) and MEX_Q10 = 1, go to MXS_Q35.
Otherwise, go to MXS_END.

MXS_Q35
MXS_35

Did anyone regularly smoke in your presence during your pregnancy with ^DT_BABYSNAME_E?

1 Yes
2 No
(Don't know, Refusal not allowed)

MXS_END

Maternal experiences - alcohol use during pregnancy (MXA)

	Theme content
MXA_BEG	External Variables required: DOMXA: (Flag to determine if respondent is to enter module (from sample file)) DOMEX: (Flag to determine if respondent is to enter module (from sample file)) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) DV_AWC_AGE: (Age of selected respondent) DV_SEXATBIRTH: (Sex of selected respondent (from GDRA block)) ALC_Q05: (^HAVE_C ^YOU2 ever had a drink in ^YOUR1 lifetime?) MEX_Q10: (Have you given birth in the past 5 years?) MEX_Q100: (Was ^DT_BABYSNAME_E breastfed or given breast milk even for a short time?) MEX_Q110: (Are you still breastfeeding or giving breast milk to ^DT_BABYSNAME_E?) DT_BABYSNAME_E: (First name of last born child (MEX_Q15)) DT_BABYSNAME_F: (First name of last born child (MEX_Q15))
MXA_C05A	If (DOMXA = 0 or DOMEX = 0 or (PROXYSEX = 3 or PROXYSEX = 4)), go to MXA_END. Otherwise, go to MXA_C05B.
MXA_C05B	If (DV_SEXATBIRTH = 2 and (DV_AWC_AGE >= 15 and DV_AWC_AGE <= 55) and (MEX_Q10 = 1 and ALC_Q05 = 1)), go to MXA_Q05. Otherwise, go to MXA_END.
MXA_Q05 MXA_05	In the 3 months before your pregnancy with ^DT_BABYSNAME_E, or before you realized you were pregnant, did you drink alcohol? 1 Yes (Go to MXA_Q10) 2 No (Don't know, Refusal not allowed) Go to MXA_Q15
MXA_Q10 MXA_10	How often did you drink? 1 A few times a month or less 2 Once or twice a week 3 Many times a week 4 Everyday (Don't know, Refusal not allowed)
MXA_Q12 MXA_12	On the days you did drink, how many drinks did you usually have? 1 One drink 2 Two drinks 3 Three drinks 4 More than three (Don't know, Refusal not allowed)

MXA_Q15
MXA_15

Once you found out you were pregnant with ^DT_BABYSNAME_E, did you drink alcohol?

1 Yes (Go to MXA_Q20)
2 No
(Don't know, Refusal not allowed)

Go to MXA_C35

MXA_Q20
MXA_20

How often did you drink?

1 A few times a month or less
2 Once or twice a week
3 Many times a week
4 Everyday
(Don't know, Refusal not allowed)

MXA_Q22
MXA_22

On the days you did drink, how many drinks did you usually have?

1 One drink
2 Two drinks
3 Three drinks
4 More than three
(Don't know, Refusal not allowed)

MXA_C35

If MEX_Q100 = 1, go to MXA_D35.
Otherwise, go to MXA_END.

MXA_D35

If MEX_Q110 != 1, DT_BREASTFALC_E = 'While you were breastfeeding ^DT_BABYSNAME_E did you drink alcohol'
Otherwise, DT_BREASTFALC_E = 'Since you gave birth to ^DT_BABYSNAME_E, did you drink alcohol'

MXA_Q35
MXA_35

^DT_BREASTFALC_E?

1 Yes (Go to MXA_D40)
2 No
(Don't know, Refusal not allowed)

Go to MXA_END

MXA_D40

If MEX_Q110 != 1, DT_HOWOFTEN_E = 'How often did you drink'
Otherwise, DT_HOWOFTEN_E = 'How often do you drink'

MXA_Q40
MXA_40

^DT_HOWOFTEN_E?

1 A few times a month or less
2 Once or twice a week
3 Many times a week
4 Everyday
(Don't know, Refusal not allowed)

MXA_D42

If MEX_Q110 != 1, DT_HOWMANY_E = 'On the days you did drink, how many drinks did you usually have'

Otherwise, DT_HOWMANY_E = 'On the days you drink, how may drinks do you usually have'

MXA_Q42
MXA_42

^DT_HOWMANY_E?

1 One drink
2 Two drinks
3 Three drinks
4 More than three
(Don't know, Refusal not allowed)

MXA_END

Flu shots (FLU)

Theme content

FLU_BEG

External Variables required:
DOFLU: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
THISMONTH: (System month)

FLU_C01

If (DOFLU = 1 and (PROXYSEX = 1 or PROXYSEX = 2)), go to FLU_R01.
Otherwise, go to FLU_END.

FLU_R01

Now a few questions about the flu vaccine.

FLU_Q05
FLU_05

In the past 12 months, have you had a seasonal flu vaccine?

ON-SCREEN HELP: Seasonal flu vaccine can be administered either by a needle, called a flu shot, or by a nasal spray called FluMist®

1 Yes
2 No (Go to FLU_Q20)
(Don't know, Refusal not allowed)

FLU_Q10
FLU_10

In which month did you have your last seasonal flu vaccine?

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
(Don't know, Refusal not allowed)

FLU_C15

If (FLU_Q10 = ^THISMONTH), go to FLU_Q15.
Otherwise, go to FLU_END.

FLU_Q15
FLU_15

Was that this year or last year?

1 This year
2 Last year
(Don't know, Refusal not allowed)

Go to FLU_END

FLU_Q20

What are the reasons that you did not have a seasonal flu vaccine in the **past 12 months**?

ON-SCREEN HELP: Select all that apply.

1 Did not think it was necessary
2 Concern about discomfort or side effects
3 Flu is not that severe
4 Flu vaccine does not work that well
5 Previously had a bad reaction to the flu vaccine or other vaccine
6 Other
(Don't know, Refusal not allowed)

FLU_END

Regular health care provider (RHC)

	Theme content
RHC_BEG	External Variables required: DORHC: (Flag to determine if respondent is to enter module (from sample file))
RHC_C05	If DORHC = 1, go to RHC_Q05. Otherwise, go to RHC_END.
RHC_Q05 RHC_05	Which of the following health care providers ^DOVERB ^YOU2 regularly consult with? <u>ON-SCREEN HELP</u>: If ^YOU1 ^HAVE more than one, report for the health care provider ^YOU1 consult^S with the most. 1 Family doctor or general practitioner 2 Medical specialist Help text: e.g., cardiologist, pediatrician, oncologist 3 Nurse practitioner 4 Other Help text: e.g., chiropractor, psychologist 5 Don't have a regular health care provider (Don't know, Refusal not allowed)
Context Sensitive Help:	*By this, we mean a health professional that ^YOU1 regularly see^S or talk^S to when ^YOU1 need^S care or advice for ^YOUR1 health.*
RHC_END	

Labour market activities - Minimum (LMAM)

Harmonized content

LMAM_BEG

External Variables required:
DOLMAM: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
FNAME: (First name of specific respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DT_REFBEGE: (English date defined as THISDATE - 7 (from PAY))
DT_REFBEGF: (French date defined as THISDATE - 7 (from PAY))
DT_REFENDE: (English date defined as THISDATE - 1 (from PAY))
DT_REFENDF: (French date defined as THISDATE - 1 (from PAY))

LMAM_C01

If DOLMAM = 1 and (DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75), go to LMAM_D01.
Otherwise, go to LMAM_END.

LMAM_D01

LMAM_R01

Many of the following questions concern ^YOUR2 activities last week.

Last week is from ^DT_REFBEGE to ^DT_REFENDE.

LMAM_Q01
LMAM_01

Last week, did ^YOU2 work at a job or business?

ON-SCREEN HELP: Select ''Yes'' if ^YOU1 worked at least one hour:
• for pay (wages, salary, etc.)
• in self-employment.
Select ''No'' if ^YOU1:
• ^WERE away from work for the entire week for a reason such as vacation, illness, work schedule or layoff
• did not have a job or business but were able to work.
Select ''Permanently unable to work'' if ^YOU1:
• did not have a job or business because of a physical or mental health condition that prevents ^YOU1 from working.

1 Yes
2 No
3 Permanently unable to work
(Don't know, Refusal not allowed)

LMAM_C02

If (LMAM_Q01 = 2), go to LMAM_Q02.
Otherwise, go to LMAM_END.

LMAM_Q02
LMAM_02

Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?

ON-SCREEN HELP: Select ''Yes'' if ^YOU1:
• ^WERE away from work for the entire week for a reason such as vacation, illness, parental leave or work schedule
• ^WERE self-employed with a business, but no work was available.
Select ''No'' if ^YOU1:
• did not have a job or business
• had a casual job, but no work was available.

1 Yes
2 No
(Don't know, Refusal not allowed)

LMAM_C03

If (LMAM_Q02 = 1), go to LMAM_Q03.
Otherwise, go to LMAM_END.

LMAM_Q03
LMAM_03

What was the main reason ^YOU2 ^WERE absent from work last week?

01 Vacation
02 Own illness or disability
03 Caring for own children
04 Caring for elder relative
Help text: 60 years of age or older
05 Maternity or parental leave
06 Other personal or family responsibilities
07 Labour dispute (strike or lockout)
Help text: Employees only
08 Temporary layoff due to business conditions
Help text: Employees only
09 Seasonal layoff
Help text: Employees only
10 Casual job, no work available
Help text: Employees only
11 Work schedule
Help text: e.g., 10 days on, 10 days off, employees only
12 Self-employed, no work available
Help text: Self-employed only
13 Seasonal business
Help text: Excluding employees
14 Other (Go to LMAM_S03)
(Don't know, Refusal not allowed)

Go to LMAM_END

LMAM_S03

Specify the main reason ^YOU1 ^WERE absent from work last week

(80 spaces)

(Don't know, Refusal not allowed)

LMAM_END

Labour market activities - Class of Worker (LMA3)

Harmonized content

LMA3_BEG

External Variables required:
DOLMA3: (Flag to determine if respondent is to enter module (from sample file))
FNAME: (First name of specific respondent)
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
DV_AWC_AGE: (Age of selected respondent)

LMA3_C01

If (DOLMA3 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA3_D01. Otherwise, go to LMA3_END.

LMA3_D01

LMA3_Q01
LMA3_01

^WERE_C ^YOU2 an employee or self-employed?

ON-SCREEN HELP: Select ''Employee'' if ^YOU1 worked:
• for pay (wages, salary, tips or commissions).
Select ''Self-employed'' if ^YOU1 worked:
• for ^YOUR1 own business, farm or professional practice
• as an independent contractor, painter, babysitter, etc.

1 Employee
2 Self-employed
3 Working in a family business without pay
(Don't know, Refusal not allowed)

LMA3_END

Labour market activities - Industry (LMA4)

Harmonized content

LMA4_BEG

External Variables required:
DOLMA4: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
LMA3_Q01: (^WERE_C ^YOU2 an employee or self-employed?)

LMA4_C01A

If (DOLMA4 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA4_C01B.
Otherwise, go to LMA4_END.

LMA4_C01B

If (LMA3_Q01 = 2), go to LMA4_D01.
Otherwise, go to LMA4_Q02.

LMA4_D01

LMA4_Q01

What was the full name of ^YOUR2 business?

<u>ON-SCREEN HELP</u>: Enter the full name of the business. If there is no business name, enter the respondent's full name.

Specify the full name of ^YOUR1 business

_____

(50 spaces)

(Don't know, Refusal not allowed)

Go to LMA4_Q03

Processing:

LMA4_Q01 will be released as the Yes/No flag LMA4FQ01.

LMA4_Q02

For whom did ^YOU2 work?

ON-SCREEN HELP: Enter the full name of the company, business, government department or agency, or person.

Specify who ^YOU1 worked for

(50 spaces)

(Don't know, Refusal not allowed)

Processing: *LMA4_Q02 will be released as the Yes/No flag LMA4FQ02.*

LMA4_Q03 What kind of business, industry or service was this?

ON-SCREEN HELP: **Examples**: new home construction, primary school, municipal police, wheat farm, retail shoe store, food wholesale, car parts factory, federal government

Specify the kind of business, industry or service

(80 spaces)

(Don't know, Refusal not allowed)

Processing: *LMA4_Q03 will be released as the Yes/No flag LMA4FQ03*

LMA4_END

Labour market activities- Occupation (LMA5)

Harmonized content

LMA5_BEG	External Variables required: DOLMA5: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) LMAM_Q01: (Last week, did ^YOU2 work at a job or business?) LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?) LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) FNAME: (First name of specific respondent)
LMA5_C01	If (DOLMA5 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA5_R01. Otherwise, go to LMA5_END.
LMA5_R01	The following questions refer to the work or occupation in which ^YOU2 spent most of ^YOUR1 time.
LMA5_D01	
LMA5_Q01	What kind of work ^WERE ^YOU2 doing? <u>ON-SCREEN HELP</u>: **Examples**: legal secretary, plumber, fishing guide, wood furniture assembler, secondary school teacher, computer programmer Specify the kind of work ^YOU2 ^WERE doing _____ (50 spaces) (Don't know, Refusal not allowed)
Processing:	*LMA5_Q01 will be released as the Yes/No flag LMA5FQ01*
LMA5_D02	
LMA5_Q02	What were ^YOUR2 most important activities or duties?

ON-SCREEN HELP: **Examples**: prepared legal documents, installed residential plumbing, guided fishing parties, made wood furniture products, taught mathematics, developed software

Specify ^YOUR1 most important activities or duties

(50 spaces)

(Don't know, Refusal not allowed)

Processing: *LMA5_Q02 will be released as the Yes/No flag LMA5FQ02*

LMA5_END

Labour market activities - Hours of work (LMA6)

Harmonized content

LMA6_BEG	External Variables required: DOLMA6: (Flag to determine if respondent is to enter module (from sample file)) FNAME: (First name of specific respondent) DV_AWC_AGE: (Age of selected respondent) LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?) LMAM_Q01: (Last week, did ^YOU2 work at a job or business?) LMA3_Q01: (^WERE_C ^YOU2 an employee or self-employed?) LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
LMA6_C01	If (DOLMA6 = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LMA6_D01. Otherwise, go to LMA6_END.
LMA6_D01	If (LMA3_Q01 == 1), DT_LMA6_Q02_E = 'Excluding overtime, on average, how many paid hours ^DOVERB ^YOU2 usually work per week?' Otherwise, DT_LMA6_Q02_E = 'On average, how many hours ^DOVERB ^YOU2 usually work per week?'
LMA6_Q01 LMA6_01	^DT_LMA6_Q02_E <u>ON-SCREEN HELP</u>: If necessary, enter a decimal value e.g., 32.5. |_|_|_|.|_| Hours (MIN: 0) (MAX: 999.9) Decimal (Don't know, Refusal not allowed)
LMA6_E01	Please review the number of hours entered.
Rule:	Trigger soft edit if (LMA6_Q01 > 84).
LMA6_END	

Labour market activities - Labour force (LBF)

Core content

LBF_BEG

External Variables required:
DOLBF: (Flag to determine if respondent is to enter module (from sample file))
DV_AWC_AGE: (Age of selected respondent)
LMAM_Q01: (Last week, did ^YOU2 work at a job or business?)
LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?)
LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)

LBF_C11

If (DOLBF = 1 and DV_AWC_AGE >= 15 and DV_AWC_AGE <= 75) and (LMAM_Q01 = 1 or (LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14))), go to LBF_Q11.
Otherwise, go to LBF_END.

LBF_Q11
LBF_11

Did ^YOU2 have more than one job or business last week?

1 Yes (Go to LBF_Q12)
2 No
(Don't know, Refusal not allowed)

Go to LBF_END

LBF_Q12
LBF_12

On average, how many hours ^DOVERB ^YOU1 usually work per week at ^YOUR1 other job(s)?

<u>ON-SCREEN HELP</u>: If necessary, enter a decimal value e.g., 32.5.

|_|_|_|.|_| Hours
(MIN: 0)
(MAX: 999.9)
Decimal

(Don't know, Refusal not allowed)

LBF_END

Telework (LM)

	Theme content
LM_BEG	External Variables required: DOLM: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) LMAM_Q01: (Last week, did ^YOU2 work at a job or business?) LMAM_Q02: (Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?) LMAM_Q03: (What was the main reason ^YOU2 ^WERE absent from work last week?)
LM_C025A	If DOLM ≠ 1, go to LM_END. Otherwise, go to LM_C025B.
LM_C025B	If DV_AWC_AGE < 15 or DV_AWC_AGE > 75, go to LM_END. Otherwise, go to LM_C025C.
LM_C025C	If (LMAM_Q01 = 1) or ((LMAM_Q01 = 2 and LMAM_Q02 = 1 and (LMAM_Q03 = 1 or LMAM_Q03 = 2 or LMAM_Q03 = 3 or LMAM_Q03 = 4 or LMAM_Q03 = 5 or LMAM_Q03 = 6 or LMAM_Q03 = 7 or LMAM_Q03 = 11 or LMAM_Q03 = 12 or LMAM_Q03 = 13 or LMAM_Q03 = 14)), go to LM_Q025. Otherwise, go to LM_END.
LM_Q025 LM_025	In the past 30 days, in which of these locations did ^YOU2 work the most hours? <u>ON-SCREEN HELP</u>: "At home" could be any place where you live temporarily or permanently, from which you telework. 1 At a fixed location outside the home Help text: e.g., office building, factory 2 Outside the home with no fixed location Help text: e.g., driving, making sales calls 3 At home Help text: e.g., main residence, cottage 4 Absent from work (Don't know, Refusal not allowed)
LM_END	

Place of birth, immigration and citizenship (IM)

Harmonized content

IM_BEG

External Variables required:
DOIM: (Flag to determine if respondent is to enter module. From the sample file.)
THISYEAR: (System date (year))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)

IM_C01

If DOIM = 1, go to IM_Q01A.
Otherwise, go to IM_END.

IM_Q01A
IM_01A

Where ^WERE ^YOU2 born?

ON-SCREEN HELP: Specify place of birth according to present boundaries.

1	Born in Canada	(Go to IM_Q01AA)
2	Born outside Canada	(Go to IM_Q01AB)

(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who were born in Canada, please select the option "Born in Canada" and select the province or territory of birth according to present boundaries.

For persons who were born outside Canada, please select the option "Born outside Canada" and report the country of birth according to present boundaries. For example, persons born in the former Union of Soviet Socialist Republics (USSR) should report the specific country or republic that is now a nation-state-Ukraine, Latvia, Russian Federation, etc.

For persons who are not sure of the name of the country because its boundaries have changed since the time of birth, please report the name of the nearest city, state or province.

For adopted persons, if place of birth is unknown, please report the place of birth of their adoptive parents.

IM_E01A

Please answer birthplace question.

Rule:

Trigger soft edit if IM_Q01A ≠ RESPONSE.

IM_Q01AA

Specify the province or territory

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
(Don't know, Refusal not allowed)

Go to IM_C02

Processing: *In the EQ application, this question shows with the ELEMENT name IM_Q01A1, so please assign the according EX_NAME IM_01A1.*

IM_E01AA The answer is incomplete. When "Born in Canada" is selected, ensure that the province or territory is specified.

Rule: Trigger soft edit if IM_Q01A = 1 and IM_Q01AA ≠ RESPONSE.

IM_Q01AB Select the country

ON-SCREEN HELP: To search for a country, type the first few letters to narrow down the choices.
Note: If the country is not listed, select "Other".

1 Search
2 Other - Specify (Go to IM_S01AB)
(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_Q01A2, so please assign the according EX_NAME IM_01A2.*

IM_01A2 will be released as the variable SDCCCOB. Canada will also be included, based on the information provided in IM_01A.

Programmer: *Use the IM_Q01A2.xlsx list to display an autocomplete dropdown in the provided order.*

IM_E01AB_1 The answer is incomplete. When "Born outside Canada" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q01A = 2 and IM_Q01AB ≠ RESPONSE.

IM_S01AB Specify other country

	(80 spaces) (Don't know, Refusal not allowed)
Processing:	*In the EQ application this question shows with the ELEMENT name IM_S01A2.*
IM_E01AB_2	The answer is incomplete. When "Other" is selected, ensure that the country is specified.
Rule:	Trigger soft edit if IM_Q01A = 2 and IM_Q01AB = 995 and IM_S01AB ≠ RESPONSE.
IM_C02	If IM_Q01A ≠ 2, go to IM_Q05. Otherwise, go to IM_Q02.
IM_Q02 IM_02	In what year did ^YOU2 first come to Canada to live? <u>ON-SCREEN HELP</u>: If exact year is not known, enter best estimate. |_|_|_|_| Year of arrival (MIN: 0) (MAX: 9,999) Integer (Don't know, Refusal not allowed)
Context Sensitive Help:	*For persons who moved to Canada more than once:* *- report the year when the person first arrived in Canada (excluding vacation time spent in Canada).*
IM_E02A	Please answer year of arrival question.
Rule:	Trigger soft edit if IM_Q02 ≠ RESPONSE.
IM_E02B	The year of arrival reported in the question is earlier than the year of birth. Please verify your answer.
Rule:	Trigger soft edit if (IM_Q02 < (THISYEAR-DV_AWC_AGE)).
IM_E02C	Please enter a number between ^(THISYEAR-121) and ^THISYEAR in question. The year must have four digits.
Rule:	Trigger soft edit if (IM_Q02 < (THISYEAR-121) or IM_Q02 > THISYEAR).
IM_D03	
IM_Q03 IM_03	^ARE_C ^YOU2 now, or ^HAVE ^YOU2 ever been a landed immigrant?

ON-SCREEN HELP: A 'landed immigrant' (permanent resident) is a person who has been granted the right to live in Canada permanently by immigration authorities.

1 Yes
2 No
(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who are Canadian citizens by birth, foreign students, foreign workers, or refugee claimants (asylum seekers):
- select "No".

For persons who are Canadian citizens by naturalization or are permanent residents under the Immigration Act (permanent residents have been granted the right to live permanently in Canada by Canadian immigration authorities but have not yet obtained Canadian citizenship):
- select "Yes".

IM_E03

Please answer landed immigrant question.

Rule:

Trigger soft edit if IM_Q03 ≠ RESPONSE.

IM_C04

If IM_Q03 = 1, go to IM_Q04.
Otherwise, go to IM_Q05.

IM_Q04
IM_04

In what year did ^YOU2 first become a landed immigrant?

ON-SCREEN HELP: If exact year is not known, enter best estimate.

|_|_|_|_| Year of immigration
(MIN: 0)
(MAX: 9,999)
Integer

(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons who obtained their landed immigrant (permanent resident) status while living in Canada:
- report the year when landed immigrant (permanent resident) status was obtained.

For persons who immigrated to Canada more than once:
- report the year when landed immigrant (permanent resident) status was first obtained.

IM_E04A

Please provide year of immigration.

Rule:

Trigger soft edit if IM_Q04 ≠ RESPONSE.

IM_E04B

The year of immigration reported in the question is earlier than the year of birth. Please verify your answer.

Rule:

Trigger soft edit if IM_Q04 < (THISYEAR-DV_AWC_AGE).

IM_E04C

An unusual year of immigration has been reported. Please verify your answer.

Rule:

Trigger soft edit if (IM_Q04 < (THISYEAR-121)) or (IM_Q04 > THISYEAR).

IM_Q05

Of what country ^ARE ^YOU2 a citizen?

^ARE_C ^YOU2 a citizen of:

ON-SCREEN HELP: Select all that apply.

1 Canada (Go to IM_Q05AA)
2 Another country (Go to IM_Q05AB)
(Don't know, Refusal not allowed)

Context Sensitive Help:

For persons born in Canada, unless-at the time of their birth-one or both parents were government representatives of another country (for example, in diplomatic service) and neither parent was a Canadian citizen or a landed immigrant (permanent resident): select "Canada" and then specify "By birth". For persons born outside Canada and if, at the time of their birth, at least one parent was a Canadian citizen: select "Canada" and then specify "By birth". For persons who have ever been a landed immigrant (permanent resident) and have been granted Canadian citizenship: select "Canada" and then specify "By naturalization". For persons who were born outside Canada and have not become Canadian citizens: select "Another country" and then specify the name of the country or countries for which they hold citizenship. For persons who are dual citizens of Canada and another country: select "Canada", then specify either "By birth" or "By naturalization" AND select "Another country", then specify the name of the other country or countries for which they hold citizenship. For persons who hold more than one country of citizenship outside Canada: select "Another country", then select "Other " and report the name of each country of citizenship.

IM_E05

Please answer the citizenship question.

Rule:

Trigger soft edit if IM_Q05A ≠ RESPONSE and IM_Q05B ≠ REPONSE.

IM_Q05AA

Is it:

1 By birth
2 By naturalization
Help text: i.e., the process by which an immigrant is granted citizenship of Canada, under the Citizenship Act.
(Don't know, Refusal not allowed)

Go to IM_END

Processing:

In the EQ application this question shows with the ELEMENT name IM_Q05A1, so please assign the according EX_NAME IM_05A1.

IM_E05AA

The answer to this question is incomplete. When "Canada" is selected, ensure that "By birth" or "By naturalization" is specified.

Rule:

Trigger soft edit if IM_Q05A = 1 and IM_Q05AA ≠ RESPONSE.

IM_Q05AB

Select the country

ON-SCREEN HELP: To search for a country, type the first few letters to narrow down the choices.
Note: If the country is not listed, select "Other".

1 Search
2 Other - Specify
(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_Q05B2, so please assign the according EX_NAME IM_05B2.*

IM_05B2 will be released as the variable SDCCCOC.

Programmer: *Programmer note: Use the IM_Q01A2.xlsx list to display an autocomplete dropdown in the provided order.*

IM_E05AB_1 The answer to this question is incomplete. When "Another country" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q05B = 2 and IM_Q05AB ≠ RESPONSE.

IM_S05AB Specify other country

(80 spaces)

(Don't know, Refusal not allowed)

Processing: *In the EQ application this question shows with the ELEMENT name IM_S05B2.*

IM_E05AB_2 The answer to this question is incomplete. When "Other" is selected, ensure that the country is specified.

Rule: Trigger soft edit if IM_Q05B = 2 and IM_Q05AB = 995 and IM_S05AB ≠ RESPONSE.

IM_END

Indigenous identity (ABM)

Harmonized content

ABM_BEG

External Variables required:
DOABM: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of selected respondent.)

ABM_C01

If DOABM = 1, go to ABM_D01.
Otherwise, go to ABM_END.

ABM_D01

ABM_Q01

^ARE_C ^YOU2 First Nations, Métis or Inuk (Inuit)?

ON-SCREEN HELP: First Nations (North American Indian) includes Status and Non-Status Indians.
If "Yes", select the responses that best describes this person now.

Select all that apply.

1 No, not First Nations, Métis or Inuk (Inuit)
2 Yes, First Nations (North American Indian)
3 Yes, Métis
4 Yes, Inuk (Inuit)
(Don't know, Refusal not allowed)

Context Sensitive Help:

Answer this question regardless of whether or not this person is First Nations, Métis or Inuk (Inuit).

Select "Yes, First Nations (North American Indian)", and/or "Yes, Métis", and/or "Yes, Inuk (Inuit)" for persons who meet the following two conditions:
• have ancestors who resided in North America prior to European contact
• identify with one or more of the three Indigenous groups listed on the questionnaire: First Nations (North American Indian), Métis or Inuk (Inuit).

Select "No, not First Nations, Métis or Inuk (Inuit)" for persons who:
• consider themselves to be East Indian or Asian Indian
• have ethnic roots on the subcontinent of India
• refer to themselves as Métis in the context of mixed ancestry, but who do not have North American Indigenous ancestry (for example, those from Africa, the Caribbean and South America).

This question provides information used by governments, including First Nations, Métis and Inuit governments and organizations, to develop programs and services for First Nations people, Métis and Inuit

ABM_E01_1

Please answer the aboriginal identity question.

Rule:

Trigger soft edit if (ABM_Q01 ≠ 1 and ABM_Q01 ≠ 2 and ABM_Q01 ≠ 3 and ABM_Q01 ≠ 4).

ABM_E01_2

The "No, not First Nations, Métis or Inuk (Inuit)" category cannot be selected with another category.

Rule: Trigger hard edit if ABM_Q01 = 1 and (ABM_Q01 = 2 or ABM_Q01 = 3 or ABM_Q01 = 4).

ABM_END

Population group (PG)

	Harmonized content
PG_BEG	External Variables required: DOPG: (Flag to determine if respondent is to enter module (from sample file)) ABM_Q01A: (^ARE_C ^YOU2 First Nations, Métis or Inuk (Inuit)?) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
PG_C05	If DOPG = 1 and ABM_Q01A = 1, go to PG_R05. Otherwise, go to PG_END.
PG_R05	The following question collects information in accordance with the Employment Equity Act and its Regulations and Guidelines to support programs that promote equal opportunity for everyone to share in the social, cultural, and economic life of Canada.
PG_Q05	^ARE_C ^YOU1?

ON-SCREEN HELP: Select all that apply.

01 White
02 South Asian
Help text: e.g., East Indian, Pakistani, Sri Lankan
03 Chinese
04 Black
05 Filipino
06 Arab
07 Latin American
08 Southeast Asian
Help text: e.g. Vietnamese, Cambodian, Laotian, Thai
09 West Asian
Help text: e.g., Iranian, Afghan
10 Korean
11 Japanese
12 Other — specify: (Go to PG_S05)
(Don't know, Refusal not allowed)

Go to PG_END

Context Sensitive Help:

Select or specify more than one answer, if applicable, from the list provided.

Population group should not be confused with citizenship or nationality. Examples of population groups include White, South Asian, Chinese, Black, Filipino, Latin American, Arab, Southeast Asian, West Asian, Korean and Japanese.

Included in the South Asian population group are East Indian, Pakistani, Sri Lankan, etc.

Included in the Southeast Asian population group are Vietnamese, Cambodian, Laotian, Thai, etc.

Included in the West Asian population group are Iranian, Afghan, etc.

For persons who belong to more than one population group:
- select all categories that apply
- do not report "bi-racial" or "mixed" in the "Other - specify" box provided.

PG_S05

Specify other

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

PG_E05_1

Please answer the sociodemographic characteristics question.

Rule:

Trigger soft edit if PG_Q05 ≠ 1 and PG_Q05 ≠ 2 and PG_Q05 ≠ 3 and PG_Q05 ≠ 4 and PG_Q05 ≠ 5 and PG_Q05 ≠ 6 and PG_Q05 ≠ 7 and PG_Q05 ≠ 8 and PG_Q05 ≠ 9 and PG_Q05 ≠ 10 and PG_Q05 ≠ 11 and PG_Q05 ≠ 12.

PG_E05_2

"Other" was selected, please specify a response.

Rule: Trigger soft edit if PG_Q05 = 12 and PG_S05 ≠ RESPONSE.

PG_END

Language (LAN)

Harmonized content

LAN_BEG

External Variables required:
DOLAN: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
FNAME: (First name of specific respondent)

LAN_C01

If DOLAN = 1, go to LAN_Q01.
Otherwise, go to LAN_END.

LAN_D01

LAN_Q01
LAN_01

Can ^YOU2 speak English or French well enough to conduct a conversation?

1 English only
2 French only
3 Both English and French
4 Neither English nor French
(Don't know, Refusal not allowed)

Context Sensitive Help:

Select "English only" or "French only", or "Both English and French", only if the person can carry on a conversation of some length on various topics in one or both of these languages.

For people who are deaf or for people who have a speech disability, report knowledge of English, French, both, or neither, by selecting the appropriate option.

LAN_E01_1

Please answer the spoken language question.

Rule:

Trigger soft edit if LAN_Q01 ≠ RESPONSE.

LAN_Q02

What language ^DOVERB ^YOU2 speak most often at home?

ON-SCREEN HELP: Select all that apply.

1 English
2 French
3 Other (Go to LAN_S02)
(Don't know, Refusal not allowed)

Go to LAN_D04

LAN_S02

Specify other language

ON-SCREEN HELP: Specify.

_____
(80 spaces)

(Don't know, Refusal not allowed)

LAN_E02_1

Please answer the language most often spoken at home question.

Rule: Trigger soft edit if LAN_Q02 ≠ 1 and LAN_Q02 ≠ 2 and LAN_Q02 ≠ 3 and LAN_S02 ≠ RESPONSE.

LAN_E02_2 Please ensure that a response is entered in the "Specify other language" field.

Rule: Trigger soft edit if LAN_Q02 = 3 and LAN_S02 ≠ RESPONSE.

LAN_D04

LAN_Q04 What is the language that ^YOU2 first learned at home in childhood and still understand^S?

ON-SCREEN HELP: If ^YOU2 no longer understand^S the first language learned, indicate the second language learned.

Select all that apply.

1 English
2 French
3 Other (Go to LAN_S04)
(Don't know, Refusal not allowed)

Go to LAN_END

Context Sensitive Help:

For a person who learned two or more languages at the same time in early childhood, report the language this person spoke most often at home before starting school.

Report two or more languages only if those languages were used equally often and are still understood by this person.

For a child who has not yet learned to speak, report the language spoken most often to this child at home.

For people who are deaf or for people who have a speech disability, report knowledge of English or French as applicable, by marking the appropriate option. Other languages, including sign language, should be entered in the type-in box labeled "Specify other language".

When reporting other languages, be specific. For example, people who report Chinese should instead report the specific Chinese language: Cantonese, Mandarin, Cheochow, Fukien, Hakka, Shanghainese, Taiwanese, etc.

LAN_S04 Précisez autre langue

ON-SCREEN HELP: Specify.

(80 spaces)

(Don't know, Refusal not allowed)

LAN_E04A_1 Please answer the language first learned at home question.

Rule: Trigger soft edit if (LAN_Q04 ≠ 1 and LAN_Q04 ≠ 2 and LAN_Q04 ≠ 3 and LAN_S04 ≠ RESPONSE).

LAN_E04C_1	The answer is incomplete. Please ensure that a response is entered in the "Specify other language" field.
Rule:	Trigger soft edit if (LAN_Q04 = 3 and LAN_S04 ≠ RESPONSE).

LAN_END

Sexual orientation (SOR)

Harmonized content

SOR_BEG

External Variables required:
DOSOR: (Flag to determine if respondent is to enter module (from sample file))
PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy)
DV_AWC_AGE: (Age of selected respondent)

SOR_C01

If DOSOR = 1 and (PROXYSEX = 1 or PROXYSEX = 2) and DV_AWC_AGE >= 15, go to SOR_Q01.
Otherwise, go to SOR_END.

SOR_Q01
SOR_01

What is your sexual orientation?

1 Heterosexual
2 Lesbian or gay
3 Bisexual
4 Or please specify
(Don't know, Refusal not allowed)

Context Sensitive Help:

The need to collect data on sexual orientation stems from issues related to human rights, including experiences of discrimination and victimization.

The Canadian Human Rights Act stipulates that the prohibited grounds of discrimination are race, national or ethnic origin, colour, religion, age, sex, sexual orientation, gender identity or expression, marital status, family status, genetic characteristics, disability and conviction for an offence for which a pardon has been granted or in respect of which a record suspension has been ordered.

SOR_S01

Specify your sexual orientation

_____
(80 spaces)

(Don't know, Refusal not allowed)

SOR_END

Home care services (HMC)

	Theme content
HMC_BEG	External Variables required: DOHMC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent)
HMC_C001	If (DOHMC ≠ 1), go to HMC_END. Otherwise, go to HMC_C005.
HMC_C005	If (DV_AWC_AGE >= 18), go to HMC_R005. Otherwise, go to HMC_END.
HMC_R005	Now some questions on home care services that ^YOU2 or anyone in the household may have received because of a health condition or a limitation in daily activities.
HMC_Q005	In the **past 12 months**, what type of home care services have been received? ON-SCREEN HELP: **Include** services provided at home such as nursing care, meal preparation, someone to help with bathing or housework, etc. **Exclude** post-partum care, help from family, friends or neighbours. Select all that apply. 1 Nursing care Help text: e.g., dressing changes, preparing medications, V.O.N. visits 2 Other health care services Help text: e.g., physiotherapy, occupational or speech therapy, nutrition counselling 3 Medical equipment or supplies Help text: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment 4 Personal or home support Help text: e.g., bathing, housekeeping, meal preparation 5 Palliative or end-of-life care 6 Other services Help text: e.g., transportation, meals-on-wheels 7 No one in the household received any home care services (Go to HMC_Q040) (Don't know, Refusal not allowed)

HMC_E005	The "No one in the household received any home care services" category cannot be selected with another category.
Rule:	Trigger hard edit if (HMC_Q005 = 7) and (HMC_Q005 = 1 or HMC_Q005 = 2 or HMC_Q005 = 3 or HMC_Q005 = 4 or HMC_Q005 = 5 or HMC_Q005 = 6).
HMC_C010	If (HMC_Q005 ≠ RESPONSE), go to HMC_END. Otherwise, go to HMC_C010A.
HMC_C010A	If HMC_Q005 = 1, go to HMC_Q010A. Otherwise, go to HMC_C010B.
HMC_Q010A HMC_010A	Who received these home care services? Nursing care <u>ON-SCREEN HELP</u>: e.g., dressing changes, preparing medications, V.O.N. visits 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010B	If HMC_Q005 = 2, go to HMC_Q010B. Otherwise, go to HMC_C010C.
HMC_Q010B HMC_010B	Who received these home care services? Other health care services <u>ON-SCREEN HELP</u>: e.g., physiotherapy, occupational or speech therapy, nutrition counselling 1 ^YOU2_C 2 Another member of the household 3 ^YOU2_C and another member of the household (Don't know, Refusal not allowed)
HMC_C010C	If HMC_Q005 = 3, go to HMC_Q010C. Otherwise, go to HMC_C010D.
HMC_Q010C HMC_010C	Who received these home care services? Medical equipment or supplies

ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment

1 ^YOU2_C
2 Another member of the household
3 ^YOU2_C and another member of the household
(Don't know, Refusal not allowed)

HMC_C010D

If HMC_Q005 = 4, go to HMC_Q010D.
Otherwise, go to HMC_C010E.

HMC_Q010D
HMC_010D

Who received these home care services?
Personal or home support

ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation

1 ^YOU2_C
2 Another member of the household
3 ^YOU2_C and another member of the household
(Don't know, Refusal not allowed)

HMC_C010E

If HMC_Q005 = 5, go to HMC_Q010E.
Otherwise, go to HMC_C010F.

HMC_Q010E
HMC_010E

Who received these home care services?
Palliative or end-of-life care

1 ^YOU2_C
2 Another member of the household
3 ^YOU2_C and another member of the household
(Don't know, Refusal not allowed)

HMC_C010F

If HMC_Q005 = 6, go to HMC_Q010F.
Otherwise, go to HMC_C015A.

HMC_Q010F
HMC_010F

Who received these home care services?
Other services

ON-SCREEN HELP: e.g., transportation, meals-on-wheels

1 ^YOU2_C
2 Another member of the household
3 ^YOU2_C and another member of the household
(Don't know, Refusal not allowed)

HMC_C015A

If HMC_Q005 = 1, go to HMC_Q015A.
Otherwise, go to HMC_C015B.

HMC_Q015A HMC_015A	How long were home care services received? Nursing care ON-SCREEN HELP: e.g., dressing changes, preparing medications, V.O.N. visits If more than one household member is receiving a service, choose the longest period of time for which the service was provided. 1 Less than 1 month 2 1 month to less than 3 months 3 3 months to less than 6 months 4 6 months to less than 1 year 5 1 year to 3 years 6 More than 3 years (Don't know, Refusal not allowed)
HMC_C015B	If HMC_Q005 = 2, go to HMC_Q015B. Otherwise, go to HMC_C015C.
HMC_Q015B HMC_015B	How long were home care services received? Other health care services ON-SCREEN HELP: e.g., physiotherapy, occupational or speech therapy, nutrition counselling. If more than one household member is receiving a service, choose the longest period of time for which the service was provided. 1 Less than 1 month 2 1 month to less than 3 months 3 3 months to less than 6 months 4 6 months to less than 1 year 5 1 year to 3 years 6 More than 3 years (Don't know, Refusal not allowed)
HMC_C015C	If HMC_Q005 = 3, go to HMC_Q015C. Otherwise, go to HMC_C015D.
HMC_Q015C HMC_015C	How long were home care services received? Medical equipment or supplies

ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015D

If HMC_Q005 = 4, go to HMC_Q015D.
Otherwise, go to HMC_C015E.

HMC_Q015D
HMC_015D

How long were home care services received?
Personal or home support

ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation.

If more than one household member is receiving a service, choose the longest period of time for which the service was provided.

1 Less than 1 month
2 1 month to less than 3 months
3 3 months to less than 6 months
4 6 months to less than 1 year
5 1 year to 3 years
6 More than 3 years
(Don't know, Refusal not allowed)

HMC_C015E

If HMC_Q005 = 5, go to HMC_Q015E.
Otherwise, go to HMC_C015F.

HMC_Q015E
HMC_015E

How long were home care services received?
Palliative or end-of-life care

	ON-SCREEN HELP: If more than one household member is receiving a service, choose the longest period of time for which the service was provided. 1 Less than 1 month 2 1 month to less than 3 months 3 3 months to less than 6 months 4 6 months to less than 1 year 5 1 year to 3 years 6 More than 3 years (Don't know, Refusal not allowed)
HMC_C015F	If HMC_Q005 = 6, go to HMC_Q015F. Otherwise, go to HMC_C020A.
HMC_Q015F HMC_015F	How long were home care services received? Other services ON-SCREEN HELP: e.g., transportation, meals-on-wheels. If more than one household member is receiving a service, choose the longest period of time for which the service was provided. 1 Less than 1 month 2 1 month to less than 3 months 3 3 months to less than 6 months 4 6 months to less than 1 year 5 1 year to 3 years 6 More than 3 years (Don't know, Refusal not allowed)
HMC_C020A	If HMC_Q005 = 1, go to HMC_Q020A. Otherwise, go to HMC_C020B.
HMC_Q020A HMC_020A	In a typical month over the past 12 months, how much was paid for home care services? Nursing care

ON-SCREEN HELP: e.g., dressing changes, preparing medications, V.O.N. visits.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020B

If HMC_Q005 = 2, go to HMC_Q020B.
Otherwise, go to HMC_C020C.

HMC_Q020B
HMC_020B

In a typical month over the past 12 months, how much was paid for home care services?
Other health care services

ON-SCREEN HELP: e.g., physiotherapy, occupational or speech therapy, nutrition counselling.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020C

If HMC_Q005 = 3, go to HMC_Q020C.
Otherwise, go to HMC_C020D.

HMC_Q020C
HMC_020C

In a typical month over the past 12 months, how much was paid for home care services?
Medical equipment or supplies

ON-SCREEN HELP: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020D

If HMC_Q005 = 4, go to HMC_Q020D.
Otherwise, go to HMC_C020E.

HMC_Q020D
HMC_020D

In a typical month over the past 12 months, how much was paid for home care services?
Personal or home support

ON-SCREEN HELP: e.g., bathing, housekeeping, meal preparation.

If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020E

If HMC_Q005 = 5, go to HMC_Q020E.
Otherwise, go to HMC_C020F.

HMC_Q020E
HMC_020E

In a typical month over the past 12 months, how much was paid for home care services?
Palliative or end-of-life care

ON-SCREEN HELP: If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_C020F

If HMC_Q005 = 6, go to HMC_Q020F.
Otherwise, go to HMC_Q025.

HMC_Q020F
HMC_020F

In a typical month over the past 12 months, how much was paid for home care services?
Other services

ON-SCREEN HELP: e.g., transportation, meals-on-wheels.
If more than one household member is receiving a service, choose the highest cost paid for the service.

01 $0
02 $1 to less than $50
03 $50 to less than $100
04 $100 to less than $200
05 $200 to less than $300
06 $300 to less than $400
07 $400 to less than $1,000
08 $1,000 and more
(Don't know, Refusal not allowed)

HMC_Q025

Who paid for these services?

ON-SCREEN HELP: Select all that apply.

1 Out of ^YOUR1 own pocket
2 Family or friend living in the same household
3 Someone living outside the household
Help text: e.g., family, friends, volunteer organization
4 Insurance
5 Government
6 Other
(Don't know, Refusal not allowed)

HMC_Q030
HMC_030

Overall, what was the level of satisfaction for the home care services received?

1 Very satisfied
2 Somewhat satisfied
3 Neither satisfied nor dissatisfied
4 Somewhat dissatisfied
5 Very dissatisfied
(Don't know, Refusal not allowed)

HMC_C035

If (HMC_Q030 = 4 or HMC_Q030 = 5), go to HMC_Q035.
Otherwise, go to HMC_Q037.

HMC_Q035

What are the reasons for the dissatisfaction?

ON-SCREEN HELP: Select all that apply.

1 Poor quality
Help text: i.e., concerns about provider competence, reliability of services, etc.
2 Services did not address perceived needs
3 Services provided were insufficient
4 Long wait times to receive services
5 Other reason
(Don't know, Refusal not allowed)

HMC_Q037
HMC_037

Thinking of the home care services received in the past 12 months, how helpful were they in allowing the person or persons receiving these services to stay at home?

ON-SCREEN HELP: By "stay at home" we mean that it enabled the person to stay out of a hospital, nursing home, hospice, or assisted living facility.

1 Very helpful
2 Somewhat helpful
3 Not helpful
4 Reason for homecare was unrelated to staying at home
Help text: e.g., wound care
(Don't know, Refusal not allowed)

HMC_C038

If (HMC_Q037 = 2 or HMC_Q037 = 3), go to HMC_Q038.
Otherwise, go to HMC_Q040.

HMC_Q038

Why weren't the home care services helpful in allowing the person or persons receiving these services to stay at home?

ON-SCREEN HELP: Select all that apply.

1 Poor quality
Help text: i.e., concerns about provider competence, reliability of services, etc.
2 Services did not address perceived needs
3 Services provided were insufficient
Help text: e.g., coverage, frequency, etc.
4 Long wait times to receive services
5 Cost of services was too high
6 Other reason
(Don't know, Refusal not allowed)

HMC_Q040
HMC_040

During the past 12 months, was there ever a time when ^YOU2 or anyone in the household felt that home care services were needed but were not received?

1 Yes
2 No
(Don't know, Refusal not allowed)

HMC_C045

If (HMC_Q040 ≠ 1), go to HMC_END.
Otherwise, go to HMC_Q045.

HMC_Q045
HMC_045

Were these home care services needed for ^YOURSELF or someone else living in the household?

1 ^YOU2_C only
2 Other household member
3 ^YOU2_C and other household member
(Don't know, Refusal not allowed)

HMC_C050A

If HMC_Q045 ≠ RESPONSE, go to HMC_END.
Otherwise, go to HMC_C050B.

HMC_C050B

If (HMC_Q045 = 1 or HMC_Q045 = 2), go to HMC_Q050.
Otherwise, go to HMC_R050.

HMC_R050

For the following questions, please only report for the home care services ^YOU2 personally needed.

HMC_Q050

Thinking of the most recent time, what type of home care was needed?

ON-SCREEN HELP: Select all that apply.

1 Nursing care
Help text: e.g., dressing changes, preparing medications, V.O.N. visits
2 Other health care services
Help text: e.g., physiotherapy, occupational or speech therapy, nutrition counselling
3 Medical equipment or supplies
Help text: e.g., wheelchair, pads for incontinence, help with using a ventilator or oxygen equipment
4 Personal or home support
Help text: e.g., bathing, housekeeping, meal preparation
5 Palliative or end-of-life care
6 Other services
Help text: e.g., transportation, meals-on-wheels
(Don't know, Refusal not allowed)

HMC_Q055

Again, thinking of the most recent time, why didn't ^YOU2 or another member of the household get these services?

ON-SCREEN HELP: Select all that apply.

01 Not available in the area
02 Not available at time required
Help text: e.g., inconvenient hours
03 Waiting time too long
04 Cost
05 Didn't get around to it or didn't bother
06 Didn't know where to go or call
07 Language barrier
08 Decided not to seek services
09 Doctor did not think it was necessary
10 Not eligible for home care
11 Still waiting for home care
12 Other
(Don't know, Refusal not allowed)

HMC_Q060

Where did ^YOU2 or another member of the household try to get these home care services?

ON-SCREEN HELP: Select all that apply.

1 A government Home Care Program
Help text: e.g., CLSC in Quebec, CCAC in Ontario, Extra-Mural Program in New Brunswick
2 A private agency
3 A family member, friend or neighbour
4 A volunteer organization
5 Nowhere - did not try to get service
6 Other
(Don't know, Refusal not allowed)

HMC_END

Insurance coverage (INL)

	Theme content
INL_BEG	External Variables required: DOINL: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable.) FNAME: (First name of specific respondent)
INL_C01	If (DOINL ≠ 1), go to INL_END. Otherwise, go to INL_C05.
INL_C05	If (DV_AWC_AGE < 18 and PMK ≠ 1), go to INL_END. Otherwise, go to INL_Q05.
INL_D05A	If PMK == 1, DT_DOYOU_E = 'Does ^FNAME' Otherwise, DT_DOYOU_E = '^DOVERB_C ^YOU2'
INL_D05B	If PMK == 1, DT_YOURINS_E = 'their' Otherwise, DT_YOURINS_E = '^YOUR1'
INL_D05C	
INL_Q05 INL_05	^DT_DOYOU_E have insurance that covers all or part of the cost of ^DT_YOURINS_E long term care, including home care? ON-SCREEN HELP: **Include** coverage from ^DT_YOURINS_E own plan or someone else's. e.g., private, government or employer-paid plans. 1 Yes 2 No 3 Don't know (Don't know, Refusal not allowed)
INL_END	

Insurance coverage (INP)

	Theme content
INP_BEG	External Variables required: DOINP: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable.) FNAME: (First name of specific respondent)
INP_C001	If (DOINP ≠ 1) or (DV_AWC_AGE < 18 and PMK ≠ 1), go to INP_END. Otherwise, go to INP_Q05.
INP_D05A	If PMK == 1, DT_DOYOU_E = 'Does ^FNAME' Otherwise, DT_DOYOU_E = '^DOVERB_C ^YOU2'
INP_D05B	If PMK == 1, DT_YOURINS_E = 'their' Otherwise, DT_YOURINS_E = '^YOUR1'
INP_D05C	
INP_Q05 INP_05	^DT_DOYOU_E have insurance that covers all or part of the cost of ^DT_YOURINS_E prescription medications? ON-SCREEN HELP: **Include** coverage from ^DT_YOURINS_E own plan or someone else's. e.g., private, government or employer-paid plans. 1 Yes 2 No 3 Don't know (Don't know, Refusal not allowed)
INP_END	

Prescription cost (PCN)

	Theme content
PCN_BEG	External Variables required: DOPCN: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable.) PROXYSEX: (Gender of targeted respondent and whether the interview is being conducted by proxy) FNAME: (First name of specific respondent)
PCN_C01	If (DOPCN ≠ 1), go to PCN_END. Otherwise, go to PCN_C05.
PCN_C05	If (DV_AWC_AGE < 18 and PMK ≠ 1), go to PCN_END. Otherwise, go to PCN_D05A.
PCN_D05A	If (PMK == 1 or PROXYSEX == 3 or PROXYSEX == 4), DT_FNAME1_E = '^FNAME' Otherwise, DT_FNAME1_E = 'you'
PCN_Q05 PCN_05	In the **past 12 months**, did ^DT_FNAME1_E have any prescriptions for medication? 1 Yes 2 No (Don't know, Refusal not allowed)
PCN_C10	If (PCN_Q05 = 1), go to PCN_D10A. Otherwise, go to PCN_END.
PCN_D10A	If (PMK == 1 or PROXYSEX == 3 or PROXYSEX == 4), DT_FNAME3_E = '^FNAME's' Otherwise, DT_FNAME3_E = 'your'
PCN_D10B	If PMK == 1, DT_FNAME2_E = 'you or ^FNAME' Else if (PROXYSEX == 3 or PROXYSEX == 4), DT_FNAME2_E = '^FNAME' Otherwise, DT_FNAME2_E = 'you'
PCN_D10C	If PMK == 1, DT_PARENT_E = 'Make sure to consider ^FNAME's prescriptions only. Include when a parent or someone in the household made the decisions on behalf of ^FNAME.' Otherwise, DT_PARENT_E = ''
PCN_Q10	In the **past 12 months**, did ^DT_FNAME2_E do any of the following because of the **cost** of ^DT_FNAME3_E prescriptions?

ON-SCREEN HELP: ^DT_PARENT_E

Select all that apply. If none apply, click on "Next" to continue.

1 Not fill a prescription
2 Not collect a prescription
3 Skip doses of
^DT_FNAME3_E medicine
4 Reduce the dosage of
^DT_FNAME3_E medication
5 Delay filling a prescription
(Don't know, Refusal not allowed)

PCN_END

Food security (FSC)

	Theme content
FSC_BEG	External Variables required: DOFSC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) DV_AWC_AGE_S1: (Age with confirmation for all members of the household) DV_HHSIZE: (Household size (number of active people listed in the roster)) DV_OLDERKIDS: (Number of persons aged 16 or 17 living in a household where there is at least one adult) DV_ADULTS: (Number of persons in the household aged 18 or older) DV_YOUNGADULTS: (Number of persons aged 16 or 17 living in a household where nobody is aged 18 or older) DV_YOUNGKIDS: (Number of persons in the household aged 0 to 15 years) PMK: (Person most knowledgeable.) THISMONTH: (System date (month))
FSC_D01	If (DV_AWC_AGE_S1 = 16 or DV_AWC_AGE_S1 = 17), DV_COMPLEXAGE = 1. Otherwise, DV_COMPLEXAGE = 0.

FSC_D02A	If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_ADULTS = 0.
	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_ADULTS = 1.
	Else if (DV_HHSIZE ≠ 1), DV_ADULTS = (Count(RosterDriver1, DV_AWC_AGE_S1 >= 18 && CCHS_Flag1 == 1)).

FSC_D02B	If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_YOUNGADULTS = 1.
	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_YOUNGADULTS = 0.
	Else if (DV_ADULTS >= 1), DV_YOUNGADULTS = 0.
	Otherwise, DV_YOUNGADULTS = (Count(RosterDriver1, DV_COMPLEXAGE == 1 && CCHS_Flag1 == 1)).

FSC_D02C	If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_YOUNGKIDS = 0.
	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_YOUNGKIDS = 0.
	Else if (DV_HHSIZE ≠ 1), DV_YOUNGKIDS = (Count(RosterDriver1, DV_AWC_AGE_S1 <= 15 && CCHS_Flag1 == 1)).

FSC_D02D	If (DV_HHSIZE = 1 and DV_AWC_AGE < 18), DV_OLDERKIDS = 0.
	If (DV_HHSIZE = 1 and DV_AWC_AGE > 17), DV_OLDERKIDS = 0.
	Else if (DV_ADULTS >= 1), DV_OLDERKIDS = (Count(RosterDriver1, DV_COMPLEXAGE == 1 && CCHS_Flag1 == 1)).
	Otherwise, DV_OLDERKIDS = 0.

FSC_D03A	If (DV_HHSIZE == 1), DT_YOUANDOTHERS_E = 'you' Otherwise, DT_YOUANDOTHERS_E = 'you and other household members'
FSC_D03B	If (DV_HHSIZE == 1), DT_YOUANDOTHERS_C_E = 'You' Otherwise, DT_YOUANDOTHERS_C_E = 'You and other household members'

FSC_D04A	If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_YOUOTHERADULTS_E = 'you' Otherwise, DT_YOUOTHERADULTS_E = 'you or other adults in your household'
FSC_D04B	If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_YOUOTHERADULTS_C_E = 'You' Otherwise, DT_YOUOTHERADULTS_C_E = 'You or other adults in your household'
FSC_D05A	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_ANYCHILD_E = 'your child' Otherwise, DT_ANYCHILD_E = 'any of the children'
FSC_D05B	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_ANYCHILDS_E = 'your child's' Otherwise, DT_ANYCHILDS_E = 'any of the children's'
FSC_D05C	
FSC_D05D	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_CHILDNAME_E = 'your child' Otherwise, DT_CHILDNAME_E = 'the children'
FSC_D05E	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_CHILDWAS_E = 'Your child was' Otherwise, DT_CHILDWAS_E = 'The children were'
FSC_D05F	If (DV_OLDERKIDS == 1 and DV_YOUNGKIDS == 0) or (DV_OLDERKIDS == 0 and DV_YOUNGKIDS == 1), DT_WASANYCHILD_E = 'was your child' Otherwise, DT_WASANYCHILD_E = 'were any of the children'
FSC_C10	If (DOFSC ≠ 1) or (DV_AWC_AGE < 18 and PMK ≠ 1), go to FSC_END. Otherwise, go to FSC_R10.
FSC_R10	The following statements may describe the food situation for your household in the **past 12 months**. Please indicate if the statement was often true, sometimes true or never true for ^DT_YOUANDOTHERS_E in the **past 12 months**.
FSC_Q10 FSC_10	^DT_YOUANDOTHERS_C_E worried that food would run out before you got money to buy more 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_Q15 FSC_15	The food that ^DT_YOUANDOTHERS_E bought just didn't last and there wasn't any money to get more 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)

FSC_Q20 FSC_20	^DT_YOUANDOTHERS_C_E couldn't afford to eat balanced meals 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_C25	If (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0), go to FSC_Q25. Otherwise, go to FSC_C35.
FSC_Q25 FSC_25	^DT_YOUOTHERADULTS_C_E relied on only a few kinds of low-cost food to feed ^DT_CHILDNAME_E because you were running out of money to buy food 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_Q30 FSC_30	^DT_YOUOTHERADULTS_C_E couldn't feed ^DT_CHILDNAME_E a balanced meal because you couldn't afford it 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_C35	If ((FSC_Q10 = 1 or FSC_Q10 = 2 or FSC_Q15 = 1 or FSC_Q15 = 2 or FSC_Q20 = 1 or FSC_Q20 = 2 or FSC_Q25 = 1 or FSC_Q25 = 2 or FSC_Q30 = 1 or FSC_Q30 = 2) and (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0)), go to FSC_Q35. Otherwise, go to FSC_C40.
FSC_Q35 FSC_35	^DT_CHILDWAS_E not eating enough because ^DT_YOUOTHERADULTS_E just couldn't afford enough food? 1 Often true 2 Sometimes true 3 Never true (Don't know, Refusal not allowed)
FSC_C40	If (FSC_Q10 = 1 or FSC_Q10 = 2 or FSC_Q15 = 1 or FSC_Q15 = 2 or FSC_Q20 = 1 or FSC_Q20 = 2 or FSC_Q25 = 1 or FSC_Q25 = 2 or FSC_Q30 = 1 or FSC_Q30 = 2), go to FSC_D40A. Otherwise, go to FSC_END.
FSC_D40A	DV_SYSTEMMONTH = THISMONTH.
FSC_D40B	If DV_SYSTEMMONTH == 1, DT_THISMONTHE = 'January'

If DV_SYSTEMMONTH == 2, DT_THISMONTHE = 'February'
If DV_SYSTEMMONTH == 3, DT_THISMONTHE = 'March'
If DV_SYSTEMMONTH == 4, DT_THISMONTHE = 'April'
If DV_SYSTEMMONTH == 5, DT_THISMONTHE = 'May'
If DV_SYSTEMMONTH == 6, DT_THISMONTHE = 'June'
If DV_SYSTEMMONTH == 7, DT_THISMONTHE = 'July'
If DV_SYSTEMMONTH == 8, DT_THISMONTHE = 'August'
If DV_SYSTEMMONTH == 9, DT_THISMONTHE = 'September'
If DV_SYSTEMMONTH == 10, DT_THISMONTHE = 'October'
If DV_SYSTEMMONTH == 11, DT_THISMONTHE = 'November'
If DV_SYSTEMMONTH == 12, DT_THISMONTHE = 'December'

FSC_D40C

If (DV_ADULTS == 1 and DV_YOUNGADULTS == 0) or (DV_ADULTS == 0 and DV_YOUNGADULTS == 1), DT_R40_E = 'The following few questions are about the food situation in the **past 12 months** for you or any other adults in your household.'
Otherwise, DT_R40_E = 'NONRESPONSE'

FSC_R40

^DT_R40_E

FSC_Q40
FSC_40

In the **past 12 months**, since last ^DT_THISMONTHE, did ^DT_YOUOTHERADULTS_E ever cut the size of your meals or skip meals because there wasn't enough money for food?

1 Yes (Go to FSC_Q45)
2 No
(Don't know, Refusal not allowed)

Go to FSC_Q50

FSC_Q45
FSC_45

How often did this happen?

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_Q50
FSC_50

In the **past 12 months**, did you personally ever eat less than you felt you should because there wasn't enough money to buy food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q55
FSC_55

In the **past 12 months**, were you personally ever hungry but didn't eat because you couldn't afford enough food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q60
FSC_60

In the **past 12 months**, did you personally ever lose weight because you didn't have enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_D65

FSC_C65

If ((FSC_Q35 = 1 or FSC_Q35 = 2) or (FSC_Q40 = 1 or FSC_Q50 = 1 or FSC_Q55 = 1 or FSC_Q60 = 1)), go to FSC_Q65.
Otherwise, go to FSC_END.

FSC_Q65
FSC_65

In the **past 12 months**, did ^DT_YOUOTHERADULTS_E ever not eat for a whole day because there wasn't enough money for food?

1 Yes (Go to FSC_Q70)
2 No
(Don't know, Refusal not allowed)

Go to FSC_C75

FSC_Q70
FSC_70

How often did this happen?

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_C75

If (DV_OLDERKIDS > 0 or DV_YOUNGKIDS > 0), go to FSC_R75.
Otherwise, go to FSC_END.

FSC_R75

Now, a few questions on the food experiences for children in your household.

FSC_Q75
FSC_75

In the **past 12 months**, did ^DT_YOUOTHERADULTS_E ever cut the size of ^DT_ANYCHILDS_E meals because there wasn't enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q80
FSC_80

In the **past 12 months**, did ^DT_ANYCHILD_E ever skip meals because there wasn't enough money for food?

1 Yes (Go to FSC_Q85)
2 No
(Don't know, Refusal not allowed)

Go to FSC_Q90

FSC_Q85

How often did this happen?

FSC_85

1 Almost every month
2 Some months but not every month
3 Only 1 or 2 months
(Don't know, Refusal not allowed)

FSC_Q90
FSC_90

In the **past 12 months**, ^DT_WASANYCHILD_E ever hungry but you couldn't afford more food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_Q95
FSC_95

In the **past 12 months**, did ^DT_ANYCHILD_E ever not eat for a whole day because there wasn't enough money for food?

1 Yes
2 No
(Don't know, Refusal not allowed)

FSC_END

Total household income (INC)

Core content

INC_BEG

External Variables required:
DOINC: (Flag to determine if respondent is to enter module (from sample file))
FRAME: (1 = CCHS CCB, 2 = CCHS Area frame)
DV_HHLDFLG: (Flag created in selection algorithm. Used to control questions which are asked to only 1 of the possible 2 CHMS household respondents)
DV_AWC_AGE: (Age of selected respondent)
TAXFLAG: (Tax-data linkable flag (CCHS only, from sample file)))
PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK)
DV_PASTYEAR: ((THISYEAR - 1))
THI_Q01: (What is your best estimate of total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ^DV_PASTYEAR?)

INC_C01A

If DOINC = 1, go to INC_C01B.
Otherwise, go to INC_END.

INC_C01B

If ((DV_AWC_AGE >= 18 or PMK = 1) and TAXFLAG ≠ 1 and FRAME = (1 or 2)), go to INC_B01.
Otherwise, go to INC_END.

INC_B01

Call Block: Total household income (THI)
Roster Header: Total household income

INC_C02

If THI_Q01 = NONRESPONSE, go to INC_Q02.
Otherwise, go to INC_END.

INC_Q02
INC_022

Which of the following categories best represents your total household income for the year ending December 31, ^DV_PASTYEAR?

ON-SCREEN HELP: Include income loss.

1	Less than $50,000	(Go to INC_Q03)
2	$50,000 and more	(Go to INC_Q04)

(Don't know, Refusal not allowed)

Go to INC_END

Context Sensitive Help:

Income loss: Negative income amounts can arise in two ways: net losses from self-employment (expenses exceed receipts), or net investment losses (losses exceed gains).

INC_Q03

What was your total household income?

INC_023

1 Less than $5,000
2 $5,000 to less than $10,000
3 $10,000 to less than $15,000
4 $15,000 to less than $20,000
5 $20,000 to less than $30,000
6 $30,000 to less than $40,000
7 $40,000 to less than $50,000
(Don't know, Refusal not allowed)

Go to INC_END

INC_Q04 What was your total household income?
INC_024

1 $50,000 to less than $60,000
2 $60,000 to less than $70,000
3 $70,000 to less than $80,000
4 $80,000 to less than $90,000
5 $90,000 to less than $100,000
6 $100,000 to less than $150,000
7 $150,000 and over
(Don't know, Refusal not allowed)

INC_END

Total household income (THI)

	Harmonized content
THI_BEG	External Variables required:
THI_R01A	Although many health expenses are covered by health insurance, there is still an important relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.
Source:	*THI_R01A is named HI_R01 in the application.*
THI_R01B	Now a question about total household income.
THI_D01	DV_PASTYEAR = (THISYEAR - 1).
THI_Q01 INC_021	What is your best estimate of total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ^DV_PASTYEAR? <u>ON-SCREEN HELP</u>: Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, COVID-19 benefits, Child Tax Benefit and other income such as child support, spousal support (alimony) and rental income. Capital gains should not be included in the household income. |_|_|_|_|_|_|_|_| Rounded to the nearest CAN$ (MIN: -99,999,999) (MAX: 99,999,999) Currency without decimal (Don't know, Refusal not allowed)
THI_E01A	Please review the amount entered and correct if necessary, then press the Next button.
Rule:	Trigger soft edit if (THI_Q01 > 250000) or (THI_Q01 < -150000).
THI_END	

Administrative information (ADMC)

	Core content
ADMC_BEG	External Variables required: DOADMC: (Flag to determine if respondent is to enter module (from sample file)) DV_AWC_AGE: (Age of selected respondent) PMK: (Person most knowledgeable: 1 = PMK, 0 = no PMK) DV_PROV: (Province of residence from the Entry module.) FNAME: (First name of specific respondent) CAF_Q02: (Have any of the following people ever served in the Canadian military?)
ADMC_C01A	If (DOADMC ≠ 1), go to ADMC_END. Otherwise, go to ADMC_C01B.
ADMC_C01B	If ((DV_AWC_AGE >= 12 and DV_AWC_AGE <= 14) and PMK ≠ 1), go to ADMC_END. Otherwise, go to ADMC_C01C.
ADMC_C01C	If ((DV_AWC_AGE >= 15 and DV_AWC_AGE <= 17) and PMK ≠ 1), go to ADMC_C25A. Otherwise, go to ADMC_D05A.
ADMC_D05A	If (PMK == 1), DT_YOUR_E = 'your responses and ^FNAME's' Otherwise, DT_YOUR_E = '^YOUR1 responses'
ADMC_D05B	If DV_PROV == 24, DT_STAT_E = 'Statistics Canada, the provincial ministry of health and the Institut de la statistique du Québec' If (DV_PROV == 60 or DV_PROV == 61 or DV_PROV == 62), DT_STAT_E = 'Statistics Canada and the territorial ministry of health' Otherwise, DT_STAT_E = 'Statistics Canada and the provincial ministry of health'
ADMC_D05C	If PMK == 1, DT_DOYOU_E = 'Does ^FNAME' Otherwise, DT_DOYOU_E = '^DOVERB_C ^YOU2'
ADMC_D05D	If DV_PROV == 10, DT_PROVINCE_E = 'Newfoundland and Labrador' If DV_PROV == 11, DT_PROVINCE_E = 'Prince Edward Island' If DV_PROV == 12, DT_PROVINCE_E = 'Nova Scotia' If DV_PROV == 13, DT_PROVINCE_E = 'New Brunswick' If DV_PROV == 24, DT_PROVINCE_E = 'Quebec' If DV_PROV == 35, DT_PROVINCE_E = 'Ontario' If DV_PROV == 46, DT_PROVINCE_E = 'Manitoba' If DV_PROV == 47, DT_PROVINCE_E = 'Saskatchewan' If DV_PROV == 48, DT_PROVINCE_E = 'Alberta' If DV_PROV == 59, DT_PROVINCE_E = 'British Columbia' If DV_PROV == 60, DT_PROVINCE_E = 'Yukon' If DV_PROV == 61, DT_PROVINCE_E = 'the Northwest Territories' If DV_PROV == 62, DT_PROVINCE_E = 'Nunavut'
ADMC_R10	To enhance the data from this survey and to minimize the reporting burden for respondents, Statistics Canada will combine ^DT_YOUR_E with information from the tax data of all members of your household. ^DT_STAT_E may also add information from other surveys or administrative sources.

ADMC_Q10
ADMC_10

Having a provincial or territorial health number will assist us in linking to this other information. ^DT_DOYOU_E have ^DT_PROVINCE_E health number?

1 Yes
2 No (Go to ADMC_Q10A)
(Don't know, Refusal not allowed)

Go to ADMC_C15

ADMC_Q10A
ADMC_10A

For which province or territory is ^YOUR2 health number?

Province or territory

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
88 Does not have a Canadian health number
(Don't know, Refusal not allowed)

ADMC_C15

If ((ADMC_Q10 ≠ RESPONSE) or (ADMC_Q10 = 2 and (ADMC_Q10A ≠ RESPONSE or ADMC_Q10A = 88))), go to ADMC_C25A.
Otherwise, go to ADMC_B15.

ADMC_B15

Call Block: Health number validation (HN)

ADMC_C25A

If (DV_PROV = 24), go to ADMC_R25B.
Otherwise, go to ADMC_C25B.

ADMC_C25B

If (CAF_Q02 = 1), go to ADMC_R25C.
Otherwise, go to ADMC_R25A.

ADMC_R25A

To avoid duplication of surveys, Statistics Canada has signed agreements to share the data from this survey with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada. Provincial ministries of health may make the data available to local health authorities.

Data shared with your ministry of health may also include identifiers such as name, address, telephone number and health card number. Health Canada, the Public Health Agency of Canada, and local health authorities, would receive only survey responses and the postal code.

	Go to ADMC_Q35
ADMC_R25B	To avoid duplication of surveys, Statistics Canada has signed agreements to share the data from this survey with provincial and territorial ministries of health, the Institut de la statistique du Québec, Health Canada and the Public Health Agency of Canada. The Institut de la statistique du Québec and provincial ministries of health may make this data available to local health authorities. Data shared with your ministry of health or the Institut de la statistique du Québec may also include identifiers such as name, address, telephone number and health card number. Health Canada, the Public Health Agency of Canada, and local health authorities, would receive only survey responses and the postal code. Go to ADMC_Q35
ADMC_R25C	Statistics Canada has also entered into an agreement to share information from the interviews conducted as part of this survey with Veterans Affairs Canada and the Department of National Defence. Veterans Affairs Canada and the Department of National Defence intend to link the information collected during this interview to ^YOUR1 administrative records.
ADMC_D35	If (PMK == 1 and (DV_AWC_AGE >= 12 and DV_AWC_AGE <= 14)), DT_YOUAND_E = 'you and ^FNAME' Otherwise, DT_YOUAND_E = ''
ADMC_Q35 ADMC_35	These organizations have agreed to keep the data confidential and use it only for statistical purposes. Do you agree to share the data ^DT_YOUAND_E provided? 1 Yes 2 No (Don't know, Refusal not allowed)
ADMC_C37	If (ADMC_Q35 = (2 or NONRESPONSE)) or ((DV_AWC_AGE >= 15 and DV_AWC_AGE <= 17) and PMK ≠ 1), go to ADMC_END. Otherwise, go to ADMC_D37A.
ADMC_D37A	If (CAF_Q02 == 1), DT_STAT3_E = 'Veterans Affairs Canada, the Department of National Defence,' Otherwise, DT_STAT3_E = ''
ADMC_D37B	If (DV_PROV == 24), DT_STAT2_E = 'provincial and territorial ministries of health, the Institut de la statistique du Québec, ^DT_STAT3_E Health Canada and the Public Health Agency of Canada' Otherwise, DT_STAT2_E = 'provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada'

ADMC_Q37
ADMC_37

To reduce the number of questions in this questionnaire, Statistics Canada will use information from your tax forms submitted to the Canada Revenue Agency. With your consent Statistics Canada will share this information from your tax forms with ^DT_STAT2_E. These organizations have agreed to keep the information confidential and to use it only for statistical and research purposes.

Do you give Statistics Canada permission to share your tax information with ^DT_STAT2_E?

1 Yes
2 No
(Don't know, Refusal not allowed)

ADMC_END

Health number validation (HN)

	Core content
HN_BEG	External Variables required: ADMC_Q10: (Having a provincial or territorial health number will assist us in linking to this other information. ^DT_DOYOU_E have ^DT_PROVINCE_E health number?) DV_PROV: (Province of residence from the Entry module.)

HN_D01A	If (DV_PROV = 10 and ADMC_Q10 = 1), DV_HNPROV = 10.
	If (DV_PROV = 11 and ADMC_Q10 = 1), DV_HNPROV = 11.
	If (DV_PROV = 12 and ADMC_Q10 = 1), DV_HNPROV = 12.
	If (DV_PROV = 13 and ADMC_Q10 = 1), DV_HNPROV = 13.
	If (DV_PROV = 24 and ADMC_Q10 = 1), DV_HNPROV = 24.
	If (DV_PROV = 35 and ADMC_Q10 = 1), DV_HNPROV = 35.
	If (DV_PROV = 46 and ADMC_Q10 = 1), DV_HNPROV = 46.
	If (DV_PROV = 47 and ADMC_Q10 = 1), DV_HNPROV = 47.
	If (DV_PROV = 48 and ADMC_Q10 = 1), DV_HNPROV = 48.
	If (DV_PROV = 59 and ADMC_Q10 = 1), DV_HNPROV = 59.
	If (DV_PROV = 60 and ADMC_Q10 = 1), DV_HNPROV = 60.
	If (DV_PROV = 61 and ADMC_Q10 = 1), DV_HNPROV = 61.
	If (DV_PROV = 62 and ADMC_Q10 = 1), DV_HNPROV = 62.
	Otherwise, DV_HNPROV = ADMC_Q10A.

HN_D01B	If DV_HNPROV == 10, DT_HNPROV_E = 'Newfoundland and Labrador' If DV_HNPROV == 11, DT_HNPROV_E = 'Prince Edward Island' If DV_HNPROV == 12, DT_HNPROV_E = 'Nova Scotia' If DV_HNPROV == 13, DT_HNPROV_E = 'New Brunswick' If DV_HNPROV == 24, DT_HNPROV_E = 'Quebec' If DV_HNPROV == 35, DT_HNPROV_E = 'Ontario' If DV_HNPROV == 46, DT_HNPROV_E = 'Manitoba' If DV_HNPROV == 47, DT_HNPROV_E = 'Saskatchewan' If DV_HNPROV == 48, DT_HNPROV_E = 'Alberta' If DV_HNPROV == 59, DT_HNPROV_E = 'British Columbia' If DV_HNPROV == 60, DT_HNPROV_E = 'Yukon' If DV_HNPROV == 61, DT_HNPROV_E = 'the Northwest Territories' If DV_HNPROV == 62, DT_HNPROV_E = 'Nunavut'
HN_D01C	

HN_D01D	If DV_HNPROV == 10, DT_DIGITS_E = 'twelve numbers'
	If DV_HNPROV == 11, DT_DIGITS_E = 'eight numbers'
	If (DV_HNPROV == 12 or DV_HNPROV == 59), DT_DIGITS_E = 'ten numbers'
	If (DV_HNPROV == 13 or DV_HNPROV == 46 or DV_HNPROV == 47 or DV_HNPROV == 48 or DV_HNPROV == 62), DT_DIGITS_E = 'nine numbers'
	If DV_HNPROV == 24, DT_DIGITS_E = 'four letters followed by eight numbers'
	If DV_HNPROV == 35, DT_DIGITS_E = 'ten numbers. Do not include the two letters at the end for green health cards'
	If DV_HNPROV == 60, DT_DIGITS_E = 'nine numbers, beginning with 002'
	If DV_HNPROV == 61, DT_DIGITS_E = 'one letter followed by seven numbers'

HN_D01E	If DV_HNPROV == 46, DT_HNSPEC_E = 'Note: In Manitoba, health numbers of families can be listed on the same card. Be sure to capture the intended respondent's health number if there is more than one on the card.' If DV_HNPROV == 59, DT_HNSPEC_E = 'Note: In British Columbia, residents may have a combined driver's license and health card. If the respondent has a combined card, the health number is on the back above the barcode.' Otherwise, DT_HNSPEC_E = ''
HN_Q05A HN_05A	What is ^YOUR2 health number? <u>ON-SCREEN HELP</u>: Enter a health number for ^DT_HNPROV_E. In ^DT_HNPROV_E, the health number is made up of ^DT_DIGITS_E. Do not insert blanks, hyphens or commas between the numbers. ^DT_HNSPEC_E (12 spaces) (Don't know, Refusal not allowed)
HN_E05	An invalid health number has been entered. Please verify and correct.
Rule:	Trigger soft edit if.
Programmer:	*Rule for HN_E05 (cannot be written in condition grid)* *ValidateHealth(DV_HNPROV, HN_Q05A) == 0*
HN_END	

Topical Index

Abilities (WDM) 75
Address in scope (AIS) 17
Administrative information (ADMC) 183
Alcohol use (ALC) 102
Canadian Forces (CAF) 28
Cannabis use (CAN) 107
Chronic conditions (CCC) 64
Chronic conditions (1) (CC1) 72
Contact e-mail address (CEA) 30
COVID-19 (2) (COV2) 58
COVID-19 (3) (COV3) 63
Current smoking status (CSS) 92
Date of birth (AGE) 36
Education (ED) 26
Electronic cigarettes and vaping (ECV) 98
Electronic cigarettes and vaping 2 (ECV2) 100
Flu shots (FLU) 127
Food security (FSC) 174
General health (GEN) 50
Health number validation (HN) 187
Height and weight (HWT) 54
Home care services (HMC) 156
Household composition (HHC) 22
Household member or not (HC) 21
Indigenous identity (ABM) 147
Injuries (INJ) 77
Insurance coverage (INL) 170
Insurance coverage (INP) 171
Labour market activities - Class of Worker (LMA3) 133
Labour market activities - Hours of work (LMA6) 138
Labour market activities - Industry (LMA4) 134
Labour market activities - Labour force (LBF) 139
Labour market activities - Minimum (LMAM) 130
Labour market activities- Occupation (LMA5) 136
Language (LAN) 152
Life satisfaction measures (LSM) 52
Main activity (1) (MAC) 45
Main activity (2) (MA) 46
Maternal experiences (MEX) 112
Maternal experiences - alcohol use during pregnancy (MXA) 124
Maternal experiences - smoking during pregnancy (MXS) 122
Medication use — pain relievers (PRM) 104
Occupancy (DWL) 20
Oral health (OHM) 84
Oral health (OHM3) 85
Parental consent (PGC) 14
Person most knowledgeable transition (PMT) 32
Person providing demographics (PPD) 25
Place of birth, immigration and citizenship (IM) 141
Population group (PG) 149
Pregnancy (PRS) 53
Prescription cost (PCN) 172
Regular health care provider (RHC) 129

Relationship with confirmation (RWC) 41
Respondent availability (TR) 6
School attendance (EDC) 48
Selected respondent (SRI) 31
Sex and gender (GDRA) 38
Sexual orientation (SOR) 155
Smoking - past use (SPU) 95
Telework (LM) 140
The proxy respondent (PRX) 7
Total household income (INC) 180
Total household income (THI) 182
Use of protective equipment (UPE) 88
Verification (VER) 9
Verification (VER2) 33
Weight perception (WTP) 57
Youth email address (YEA) 15
Youth telephone number (YTL) 16

Appendix A - Canadian Community Health Survey (CCHS)
Content availability by province and territory - 2022

		2022												
Acronym	**Module Name**	**NL (10)**	**PEI (11)**	**NS (12)**	**NB (13)**	**QC (24)**	**ON (35)**	**MB (46)**	**SK (47)**	**AB (48)**	**BC (59)**	**YK (60)**	**NWT (61)**	**NU (62)**
ABM	Indigenous identity	C	C	C	C	C	C	C	C	C	C	C	C	C
ALC	Alcohol use	C	C	C	C	C	C	C	C	C	C	C	C	C
CAN	Cannabis use	C	C	C	C	C	C	C	C	C	C	C	C	C
CC1	Chronic conditions	C	C	C	C	C	C	C	C	C	C	C	C	C
CCC	Chronic conditions	C	C	C	C	C	C	C	C	C	C	C	C	C
COV2	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
COV3	COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
CSS	Current smoking status	C	C	C	C	C	C	C	C	C	C	C	C	C
EAH	Eating habits											T	T	T
ECV	Electronic cigarettes and vaping	C	C	C	C	C	C	C	C	C	C	C	C	C
ECV2	Electronic cigarettes and vaping 2	C	C	C	C	C	C	C	C	C	C	C	C	C
FLU	Flu shots	T	T	T	T	T	T	T	T	T	T			
FSC	Food security	T	T	T	T	T	T	T	T	T	T	T	T	T
GDRA	Sex and gender	C	C	C	C	C	C	C	C	C	C	C	C	C
GEN	General health	C	C	C	C	C	C	C	C	C	C	C	C	C
HMC	Home care services	T	T	T	T	T	T	T	T	T	T	T	T	T
HWT	Height and weight	C	C	C	C	C	C	C	C	C	C	C	C	C
IM	Immigration and citizenship	C	C	C	C	C	C	C	C	C	C	C	C	C
INC	Total household income	C	C	C	C	C	C	C	C	C	C	C	C	C
THI	Total household income	C	C	C	C	C	C	C	C	C	C	C	C	C
ADMC	Administration information	C	C	C	C	C	C	C	C	C	C	C	C	C
HN	Health number (sub-block of ADMC)	C	C	C	C	C	C	C	C	C	C	C	C	C
INJ	Injuries	T	T	T	T	T	T	T	T	T	T			
INL	Insurance coverage	T	T	T	T	T	T	T	T	T	T			
INP	Insurance coverage	T	T	T	T	T	T	T	T	T	T			
LAN	Language	C	C	C	C	C	C	C	C	C	C	C	C	C
LBF	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LM	Telework	T	T	T	T	T	T	T	T	T	T	T	T	T
LMAM	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA3	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA4	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA5	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LMA6	Labour market activities	C	C	C	C	C	C	C	C	C	C	C	C	C
LSM	Life satisfaction	C	C	C	C	C	C	C	C	C	C	C	C	C
MAC	Main activity	C	C	C	C	C	C	C	C	C	C	C	C	C
MA	Main activity	C	C	C	C	C	C	C	C	C	C	C	C	C

Appendix A - Canadian Community Health Survey (CCHS)
Content availability by province and territory - 2022

Acronym	Module Name	NL (10)	PEI (11)	NS (12)	NB (13)	QC (24)	ON (35)	MB (46)	SK (47)	AB (48)	BC (59)	YK (60)	NWT (61)	NU (62)
EDC	Main activity	C	C	C	C	C	C	C	C	C	C	C	C	C
MEX	Maternal experiences	T	T	T	T	T	T	T	T	T	T	T	T	T
MXA	Maternal experiences - alcohol use during pregnancy	T	T	T	T	T	T	T	T	T	T	T	T	T
MXS	Maternal experiences - smoking during pregnancy	T	T	T	T	T	T	T	T	T	T	T	T	T
OHM	Oral health	T	T	T	T	T	T	T	T	T	T			
OHM3	Oral health	T	T	T	T	T	T	T	T	T	T			
PAA	Physical activities - adults											T	T	T
PAY	Physical activities - youth											T	T	T
PCN	Prescription cost	T	T	T	T	T	T	T	T	T	T			
PG	Population group	C	C	C	C	C	C	C	C	C	C	C	C	C
PRM	Medication use - pain relievers	T	T	T	T	T	T	T	T	T	T	T	T	T
PRS	Pregnancy	C	C	C	C	C	C	C	C	C	C	C	C	C
PVC	Vaccination passport COVID-19	T	T	T	T	T	T	T	T	T	T	T	T	T
RHC	Regular health care provider	T	T	T	T	T	T	T	T	T	T	T	T	T
SBE	Sedentary behaviorrs											T	T	T
SLP	Sleep											T	T	T
SOR	Sexual orientation	C	C	C	C	C	C	C	C	C	C	C	C	C
SPU	Smoking - past use	C	C	C	C	C	C	C	C	C	C	C	C	C
UPE	Use of protective equipment	T	T	T	T	T	T	T	T	T	T			
WDM	Abilities	T	T	T	T	T	T	T	T	T	T			
WLB	Work family balance	RR	RR	RR	RR	RR	RR	RR	RR	RR	RR			
WPL	Work productivity	RR	RR	RR	RR	RR	RR	RR	RR	RR	RR			
WTP	Weight Perception	C	C	C	C	C	C	C	C	C	C	C	C	C

Legend - Content Type	
C	Core
T	Theme
RR	Rapid response
	Not available