Canadian Community Health Survey (CCHS)

Annual Component, PUMF, 2017-2018

Derived Variable (DV) Specifications

Statistics Canada Statistique Canada

Canada

Table of Contents

ACC Access to health care services (13 DVs)

1) ACCG015M - Diff. - Difficulty specialist: language/ other - Grouped 1
2) ACCG030M - Diff. - Non-emergency surgery: other - Grouped 1
3) ACCG045M - Diff. - dianostic test: other - Grouped 1
4) ACCG070I - Difficulty health info - reg hours - other - Grouped 2
5) ACCG080I - Difficulty health info - evening/we- other - Grouped 2
6) ACCG090C - Diff. hlth info-night-tel num, no resp. - Grouped 3
7) ACCG090I - Diff. hlth info - night - lang prob/unable to leave/other - Grouped 3
8) ACCG115M - Difficulty routine care - reg hours - other - Grouped 4
9) ACCG125M - Difficulty routine care - evening/we- other - Grouped 4
10) ACCG145M - Difficulty immediate care - reg hours - other - Grouped 5
11) ACCG155M - Difficulty immediate care - evening/we - other - Grouped 5
12) ACCG165J - Difficulty immediate care - middle night- transport/language/cost - Grouped 6
13) ACCG165M - Difficulty immediate care - middle night - Other - Grouped 6

ADL Activities of daily living (2 DVs)

1) ADLDVIHS - Instrumental activity of daily living index - home support 8
2) ADLDVIPC - Instrumental activity of daily living index - personal care 9

ALC Alcohol use (1 DV)

1) ALCDVTTM - Type of drinker - past 12 months 10

ALW Alcohol use during the past week (4 DVs)

1) ALWDVWKY - Weekly consumption 11
2) ALWDVDLY - Average daily alcohol consumption 11
3) ALWDVLTR - Increased long term risk due to drinking 12
4) ALWDVSTR - Increased short term risks due to drinking 12

BPC Blood pressure check (1 DV)

1) BPCG015F - Blood pressure not taken - 2 yrs - lack of time, no doctor, other - Grouped 14

CCC Chronic conditions (2 DVs)

1) CCCG100 - Diabetes - age first diagnosed - Grouped 15
2) CCCDVDIA - Diabetes type 15

CCT Colorectal cancer testing (2 DVs)

1) CCTG045I - No sigmoidoscopy - 10 yrs- Other - Grouped 17

2) CCTG065I - No colonoscopy - 10 yrs- Other - Grouped 17

CIH Changes made to improve health (3 DVs)

1) CIHG010 - Most important change to improve health - Grouped 18

2) CIHG030K - Barrier to improving health - transportation problems/ other - Grouped 18

3) CIHG040I - Health improvement: drink less alcohol, take vitamins, other - Grouped 18

CMH Consultations about mental health (1 DV)

1) CMHG010 - Consulted mental health professional - number of times - 12 mo - Grouped 20

CP2 Contacts with health professionals (extended) (7 DVs)

1) CP2G010 - Chiropractor - num of times - 12 mo - Grouped 21

2) CP2G020 - Physiotherapist- num of times - 12 mo - Grouped 21

3) CP2G030 - Psychologist - num of times - 12 mo - Grouped 21

4) CP2G040 - Social worker / counsellor - num of times - 12 mo - Grouped 22

5) CP2G050 - Audiologist / speech / occupational therapist - num of times - 12 mo - Grouped 22

6) CP2G060 - Dietician / nutritionist - num of times - 12 mo - Grouped 22

7) CP2G070 - Pharmacist - num of times - 12 mo - Grouped 23

DEP Depression (2 DVs)

1) DEPDVPHQ - Depression severity scale 24

2) DEPDVSEV - Depression scale - severity of depression 25

DHH Dwelling and household variables (7 DVs)

1) DHHGMS - Marital status - Grouped 26

2) DHHDGHSZ - Household size - Grouped 26

3) DHHDGLVG - Living/Family Arrangement of Selected Respondent - Grouped 26

4) DHHDG611 - Number of Persons in Household between 6 to 11 Years of Age - Grouped 28

5) DHHDGL12 - Number of Persons in Household Less Than 12 Years of Age - Grouped 28

6) DHHDGLE5 - Number of Persons in Household Less Than 6 Years of Age - Grouped 29

7) DHHGAGE - Age - Grouped 29

DIS Distress (3 DVs)

1) DISDVK6 - Distress scale - K6 32

2) DISDVDSX - Distress scale - K10 32

3) DISDVCHR - Chronicity of distress and impairment scale 33

DRG Drug use (7 DVs)

1) DRGDVLCA - Marijuana or hashish drug use - lifetime (including "just once") 34

2) DRGDVLCM - Marijuana or hashish drug use - lifetime (excluding "just once") 34

3) DRGDVYA - Any illicit drug use - last 12 months (including "just once" use of marijuana or hashish) 34

4) DRGDVYCM - Marijuana or hashish drug use - last 12 months (excluding "just once") 35

5) DRGDVYAC - Any illicit drug use - last 12 months (excluding "just once" use of marijuana or hashish) 35

6) DRGDVLA - Any illicit drug use - lifetime (including "just once" use of marijuana or hashish) 36

7) DRGDVLAC - Any illicit drug use - lifetime (excluding "just once" use of marijuana or hashish) 37

DRM Drug use methods (2 DVs)

1) DRMDVLA - Any illicit drug use - lifetime 38

2) DRMDVLAY - Any illicit drug use - last 12 months 38

EHG2 Educational attainment (2 DVs)

1) EHG2DVR3 - Highest level of education - respondent, 3 levels 40

2) EHG2DVH3 - Highest level of education - household, 3 levels 40

ETS Exposure to second-hand smoke (1 DV)

1) ETSG010 - Number of people who smoke inside home - Grouped 41

FDC Food choices (3 DVs)

1) FDCDVAVD - Avoids certain foods for certain content reasons 42

2) FDCDVCAH - Chooses or avoids certain foods because of certain health concerns 42

3) FDCDVCHO - Chooses certain foods for certain content reasons 43

FSC Food security (4 DVs)

1) FSCDVAFS - Food security - adult status 46

2) FSCDVCFS - Food security - child status 46

3) FSCDVHFS - Household food security status - modified version 47

4) FSCDVHF2 - Household food security status - modified version (including marginally food insecure) 49

FVC Fruit and vegetable consumption (8 DVs)

1) FVCDVJUI - Daily consumption - pure fruit juice 51

2) FVCDVFRU - Daily consumption - fruit 51

3) FVCDVGRN - Daily consumption - dark green vegetables 52

4) FVCDVORA - Daily consumption - orange-coloured vegetables 52

5) FVCDVPOT - Daily consumption - potatoes 53

6) FVCDVVEG - Daily consumption - other vegetables 53

7) FVCDVTOT - Daily consumption - fruits and vegetables 54

8) FVCDVGDT - Grouping of total daily consumption - fruits and vegetables 54

GEN General health (3 DVs)

1) GENDVHDI - Perceived health 55

2) GENDVMHI - Perceived mental health 55

3) GENDVSWL - Satisfaction with life in general 55

GEO Geography variables (2 DVs)

1) GEODGHR4 - Health region - Grouped 57

2) GEODVBHA - British Columbia Health Authority (BCHA) 57

HMC Home care services (6 DVs)

1) HMCG20_1 - Monthly cost services provided - nursing care - 12 mo - Grouped 59

2) HMCG20_2 - Monthly cost services provided - other health care - 12 mo - Grouped 59

3) HMCG20_3 - Monthly cost services provided - medical equipment - 12 mo - Grouped 59

4) HMCG20_5 - Monthly cost services provided - other services - 12 mo - Grouped 60

5) HMCG055L - Home care services not received - language barrier/other - Grouped 60

6) HMCDVVRH - Received home care 61

HWT Height and weight - self-reported (8 DVs)

1) HWTDGHTM - Height (Metres) - Self-Reported - Grouped 62

2) HWTDGWTK - Weight (kilograms) - self-reported - Grouped 62

3) HWTDGBMI - Body mass index (self-reported) - Grouped 63

4) HWTDVCOL - BMI classification for children aged 12 to 17 (self-reported) - Cole classification system 63

5) HWTDGISW - BMI classification for adults aged 18 and over (self-reported) - international standard - Grouped 67

6) HWTDVWHO - BMI classification for children aged 12 to 17 (self-reported) - WHO classification system 68

7) HWTDGCOR - Body mass index (adjusted) - Grouped 73

8) HWTDGBCC - BMI classification for adults aged 18 and over (adjusted) - international standard - Grouped 74

INC Income (7 DVs)

1) INCG015 - Total household income - main source - Grouped 77

2) INCG035 - Main source of personal income - Grouped 77

3) INCDGHH - Total Household Income - All Sources - Grouped 78

4) INCDGPER - Personal Income - All Sources - Grouped 78

5) INCDVRCA - Distribution of household income - national level (excluding territories) 78

6) INCDVRPR - Distribution of household income - provincial level 79

7) INCDVRRS - Distribution of household income - health region level 80

INJ Injuries (10 DVs)

1) INJG015 - Most Serious Injury - repetitive strain - body part affected - Grouped 82
2) INJG035 - Number of injuries in past 12 months - Grouped 82
3) INJG055 - Most Serious Injury - body part - Grouped 83
4) INJG060 - Most Serious Injury - Place of occurrence - Grouped 83
5) INJG065 - Most Serious Injury - activity when injured - Grouped 84
6) INJG075 - Most Serious Injury - type of fall - Grouped 84
7) INJG095 - Most Serious Injury - place of treatment - Grouped 85
8) INJG115 - Other injuries treated but not limiting activities - number - 12 mo - Grouped 85
9) INJDGCAU - Cause of injury - Grouped 85
10) INJDVSTT - Injury status 86

INW Workplace injury (1 DV)

1) INWDGOCG - Injury at work - Occupation group - Grouped 87

LBF Labour force (5 DVs)

1) LBFG10 - Employment status - Grouped 88
2) LBFDVWSS - Working status last week 88
3) LBFDGOCG - Occupation group - Grouped 88
4) LBFDGHPW - Total usual hours worked per week - Grouped 89
5) LBFDVPFT - Full-time/part-time working status (for total usual hours) 89

MAC Main activity (2 DVs)

1) MACG005 - Main activity - last week - Grouped 91
2) MACG020 - Student status - Grouped 91

MED Medication use (1 DV)

1) MEDG020 - Used pain relievers - frequency - 12 mo - Grouped 92

MEX Maternal experiences (5 DVs)

1) MEXDGWBK - Weight before pregnancy (in kilograms) - Grouped 94
2) MEXDGWGK - Weight gained during pregnancy (in kilograms) - Grouped 95
3) MEXDVBM6 - Exclusively breastfed for 6 months (or more) 95
4) MEXDVLBM - Length of exclusive breastfeeding 96
5) MEXDVVTD - Child received vitamin D 98

MXA Alcohol use during maternal experience (2 DVs)

1) MXAG010 - Drank alcohol 3 months before last pregnancy - frq - Grouped 100

2) MXAG040 - Drank alcohol while breastfeeding last baby - frq - Grouped 100

MXS Smoking during maternal experience (2 DVs)

1) MXSG010 - Smoked cigarettes after finding out about pregnancy- Grouped 101

2) MXSG015 - Smoked cigarettes last 3 months of pregnancy - Grouped 101

PAA Physical activities - adults 18 years and older (22 DVs)

1) PAADVTRV - Total number of minutes of active transportation - last 7 days 102

2) PAADVTRA - Average daily number of minutes of active transportation - last 7 days 102

3) PAADVREC - Total number of minutes of recreational physical activities - last 7 days 102

4) PAADVRCA - Average daily number of minutes of recreational physical activities - last 7 days 103

5) PAADVOTH - Total number of minutes of other physical activity - last 7 days 103

6) PAADVOTA - Average daily number of minutes of other physical activities - last 7 days 104

7) PAADVMVA - Total number of minutes of moderate to vigorous physical activities - last 7 days 104

8) PAADVACV - Physical activity indicator 105

9) PAADVAC2 - Alternate physical activity indicator 105

10) PAADVVIG - Total number of minutes of vigorous physical activities - last 7 days 106

11) PAADVVOL - Volume of weekly activity done in the past 7 days (METs*minutes/week) 106

12) PAADVWHO - Physically active, based on WHO guidelines 107

13) PAADVMON - Was physically active - Monday 108

14) PAADVTUE - Was physically active - Tuesday 108

15) PAADVWED - Was physically active - Wednesday 109

16) PAADVTHU - Was physically active - Thursday 109

17) PAADVFRI - Was physically active - Friday 110

18) PAADVSAT - Was physically active - Saturday 110

19) PAADVSUN - Was physically active - Sunday 111

20) PAADVDYS - Total number of days physically active - last 7 days 111

21) PAADVWKD - Total numbers of days physically active on weekdays - last 7 days 112

22) PAADVWND - Total numbers of days physically active on weekend - last 7 days 112

PAY Physical activities for youth (23 DVs)

1) PAYDVTTR - Total number of minutes of active transportation - last 7 days 116

2) PAYDVTSC - Total number of minutes of recreational physical activities at school or camp - last 5 weekdays 117

3) PAYDVADL - Total number of minutes of physical activities during leisure - last 7 days 118

4) PAYDVTOA - Total number of minutes of other physical activities - last 7 days 119

5) PAYDVTMN - Total number of minutes of physical activity - Monday 119

6) PAYDVTTU - Total number of minutes of physical activity - Tuesday 121

7) PAYDVTWD - Total number of minutes of physical activity - Wednesday 123

8) PAYDVTTH - Total number of minutes of physcial activity - Thursday 125

9) PAYDVTFR - Total number of minutes of physical activity - Friday 127

10) PAYDVTST - Total number of minutes of physical activity - Saturday 129

11) PAYDVTSN - Total number of minutes of physical activity - Sunday 131

12) PAYDVDYS - Total number of days physically active - last 7 days 133

13) PAYDVMNS - Total number of minutes of physical activity - last 7 days 133

14) PAYDVAV7 - Average daily number of minutes of physical activities - last 7 days 134

15) PAYDVTWK - Total number of minutes of physical activities on weekdays - last 7 days 134

16) PAYDVTWN - Total number of minutes of physical activities on weekend - last 7 days 135

17) PAYDVDPG - Number of days meeting or exceeding physical activity guidelines 135

18) PAYDVPAI - Youth physical activity indicator 136

19) PAYDVVIG - Total number of minutes of vigorous physical activity - last 7 days 137

20) PAYDVWK1 - Physical activity - special weekly guideline 1 137

21) PAYDVWK2 - Physical activity - special weekly guideline 2 138

22) PAYDVWK3 - Physical activity - special weekly guideline 3 140

23) PAYDVPAG - Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity physical activities - last 7 days 141

PSC Patient satisfaction - community-based care (2 DVs)

1) PSCG015 - Community-based care - level of satisfaction - Grouped 143

2) PSCG070 - Services from a community walk-in clinic - quality rating - Grouped 143

SCA Smoking cessation methods (1 DV)

1) SCADVQUI - Attempted/successful quitting 144

SDC Socio-demographic characteristics (6 DVs)

1) SDCDGCB - Country of birth - Canada/other - Grouped 145

2) SDCDVIMM - Immigrant flag 145

3) SDCDGRES - Length of time in Canada since immigration - Grouped 145

4) SDCDGCGT - Culture / Race Flag - Grouped 146

5) SDCDGLHM - Language(s) spoken at home - Grouped 146

6) SDCDVFLS - First official language spoken 147

SLP Sleep (1 DV)

1) SLPG005 - Number of hours spent sleeping per night - Grouped 150

SMK Smoking (7 DVs)

1) SMKG035 - Age - smoked first whole cigarette - Grouped 151
2) SMKG040 - Age - began smoking daily - Grouped 151
3) SMKG090 - Stopped smoking daily - num of years (former daily smoker) - Grouped 152
4) SMKG110 - Quit smoking completely - num of years (former daily smoker) - Grouped 152
5) SMKDVSTY - Smoking status (type 2) - traditional definition 153
6) SMKDGYCS - Number of years smoked daily (current daily smokers only) - Grouped 153
7) SMKDGSTP - Number of Years Since Stopping Smoking Completely - Grouped 154

SPC Consultations with health professionals on smoking (2 DVs)

1) SPCG020H - Health provider - help - other - Grouped 155
2) SPCG050G - Pharmacist - help - other - Grouped 155

SPS Social provisions (6 DVs)

1) SPSDVGUI - Social provisions scale - guidance 157
2) SPSDVINT - Social provisions scale - social integration 158
3) SPSDVATT - Social provisions scale - attachment 158
4) SPSDVWOR - Social provisions scale - reassurance of worth 158
5) SPSDVALL - Social provisions scale - reliable alliance 159
6) SPSDVCON - Social provisions overall scale 159

SSB Sun safety behaviours (1 DV)

1) SSBDVPRT - Respondent protects self from sun 161

TAL Tobacco products alternatives (1 DV)

1) TALDVUSE - Alternative tobacco product usage 162

UPE Use of protective equipment (4 DVs)

1) UPEG050 - Snowboarding - wears helmet - frequency - grouped 163
2) UPEG055 - Snowboarding - wears wrist protectors - frequency - Grouped 163
3) UPEDVILS - Wears protective equipment when in-line skating 163
4) UPEDVSNB - Wears protective equipment when snowboarding 164

Access to health care services (13 DVs)

1) Diff. - Difficulty specialist: language/ other - Grouped

Variable name: ACCG015M

Based on: ACC_015H, ACC_015M

Description: Difficulties experienced getting non-emergency surgery: language or other.

Note: This is a regrouping of ACC_015H, ACC_015M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_015M = 6	Module not selected or population exclusions	NA
9	ACC_015H = (7, 8, 9) or ACC_015M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_015H = 1 or ACC_015M = 1	Yes	
2	ACC_015H = 2 and ACC_015M = 2	No	

2) Diff. - Non-emergency surgery: other - Grouped

Variable name: ACCG030M

Based on: ACC_030H, ACC_030I, ACC_030L, ACC_030M

Description: Difficulties experienced getting non-emergency surgery: language, cost, unable to leave the house or other.

Note: This is a regrouping of ACC_030H, ACC_030I, ACC_030L, ACC_030M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_030L = 6	Module not selected or population exclusions	NA
9	ACC_030H = (7, 8, 9) or ACC_030I = (7, 8, 9) or ACC_030L = (7, 8, 9) or ACC_030M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_030H = 1 or ACC_030I = 1 or ACC_030L = 1 or ACC_030M = 1	Yes	
2	ACC_030H = 2 and ACC_030I = 2 and ACC_030L = 2 and ACC_030M = 2	No	

3) Diff. - dianostic test: other - Grouped

Variable name: ACCG045M

Based on: ACC_045H, ACC_045I, ACC_045K,ACC_045L, ACC_045M

Description: Difficulties experienced getting MRIs, CAT Scans and angiographies: language, cost, didn't know where to go, unable to leave the house or other.

Note: This is a regrouping of ACC_045H, ACC_045I, ACC_045K,ACC_045L, ACC_045M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_045L = 6	Module not selected or population exclusions	NA
9	ACC_045H = (7, 8, 9) or ACC_045I = (7, 8, 9) or ACC_045K = (7, 8, 9) or ACC_045L = (7, 8, 9) or ACC_045M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_045H = 1 or ACC_045I = 1 or ACC_045K = 1 or ACC_045L = 1 or ACC_045M = 1	Yes	
2	ACC_045H = 2 and ACC_045I = 2 and ACC_045K = 2 and ACC_045L = 2 and ACC_045M = 2	No	

4) Difficulty health info - reg hours - other - Grouped

Variable name: ACCG070I

Based on: ACC_070F, ACC_070H, ACC_070I

Description: Difficulties experienced getting health information during regular office hours: language, unable to leave house or other.

Note: This is a regrouping of ACC_070F, ACC_070H, ACC_070I.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_070F = 6	Module not selected or population exclusions	NA
9	ACC_070F = (7, 8, 9) or ACC_070H = (7, 8, 9) or ACC_070I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_070F = 1 or ACC_070H = 1 or ACC_070I = 1	Yes	
2	ACC_070F = 2 and ACC_070H = 2 and ACC_070I = 2	No	

5) Difficulty health info - evening/we- other - Grouped

Variable name: ACCG080I

Based on: ACC_080B, ACC_080F, ACC_080H, ACC_080I

Description: Difficulties experienced getting health information during the evening or weekend: didn't have a phone number, language, unable to leave house, or other.

Note: This is a regrouping of ACC_080B, ACC_080F, ACC_080H, ACC_080I.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_080F = 6	Module not selected or population exclusions	NA
9	ACC_080B = (7, 8, 9) or ACC_080F = (7, 8, 9) or ACC_080H = (7, 8, 9) or ACC_080I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_080B = 1 or ACC_080F = 1 or ACC_080H = 1 or ACC_080I = 1	Yes	
2	ACC_080B = 2 and ACC_080F = 2 and ACC_080H = 2 and ACC_080I = 2	No	

6) Diff. hlth info-night-tel num, no resp. - Grouped

Variable name: ACCG090C

Based on: ACC_090B, ACC_090C

Description: Difficulties experienced getting health information or advice in the middle of the night: no telephone number, or could not get through.

Note: This is a regrouping of ACC_090B, ACC_090C

Specifications

Value	Condition(s)	Description	Notes
6	ACC_090B = 6	Module not selected or population exclusions	NA
9	ACC_090B = (7, 8, 9) or ACC_090C = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_090B = 1 or ACC_090C = 1	Yes	
2	ACC_090B = 2 and ACC_090C = 2	No	

7) Diff. hlth info - night - lang prob/unable to leave/other - Grouped

Variable name: ACCG090I

Based on: ACC_090F, ACC_090H, ACC_090I

Description: Difficulties experienced getting health information or advice in the middle of the night: language problems, unable to leave the house, or other.

Note: This is a regrouping of ACC_090F, ACC_090H, ACC_090I

Specifications

Value	Condition(s)	Description	Notes
6	ACC_090F = 6	Module not selected or population exclusions	NA
9	ACC_090F = (7, 8, 9) or ACC_090H = (7, 8, 9) or ACC_090I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_090F = 1 or ACC_090H = 1 or ACC_090I = 1	Yes	
2	ACC_090F = 2 and ACC_090H = 2 and ACC_090I = 2	No	

8) Difficulty routine care - reg hours - other - Grouped

Variable name: ACCG115M

Based on: ACC_115I, ACC_115K, ACC_115L, ACC_115M

Description: Difficulties experienced getting routine care during regular office hours: language, didn't know where to go, unable to leave house, other.

Note: This is a regrouping of ACC_115I, ACC_115K, ACC_115L, ACC_115M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_115I = 6	Module not selected or population exclusions	NA
9	ACC_115I = (7, 8, 9) or ACC_115K = (7, 8, 9) or ACC_115L = (7, 8, 9) or ACC_115M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_115I = 1 or ACC_115K = 1 or ACC_115L = 1 or ACC_115M = 1	Yes	
2	ACC_115I = 2 and ACC_115K = 2 and ACC_115L = 2 and ACC_115M = 2	No	

9) Difficulty routine care - evening/we- other - Grouped

Variable name: ACCG125M

Based on: ACC_125I, ACC_125K, ACC_125L, ACC_125M

Description: Difficulties experienced getting routine or on-going care during evenings and weekends: unable to leave house, didn't know where to go, language problem, or other.

Note: This is a regrouping of ACC_125I, ACC_125K, ACC_125L, ACC_125M

Specifications

Value	Condition(s)	Description	Notes
6	ACC_125M = 6	Module not selected or population exclusions	NA

9	ACC_125I = (7, 8, 9) or ACC_125K = (7, 8, 9) or ACC_125L = (7, 8, 9) or ACC_125M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_125 = 1 or ACC_125K = 1 or ACC_125L = 1 or ACC_125M = 1	Yes	
2	ACC_125I = 2 and ACC_125K = 2 and ACC_125L = 2 and ACC_125M = 2	No	

10) Difficulty immediate care - reg hours - other - Grouped

Variable name: ACCG145M

Based on: ACC_145J, ACC_145K, ACC_145L, ACC_145M

Description: Difficulties experienced getting immediate care during regular office hours: cost, didn't know where to go, unable to leave house, other.

Note: This is a regrouping of ACC_145J, ACC_145K, ACC_145L, ACC_145M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_145M = 6	Module not selected or population exclusions	NA
9	ACC_145J = (7, 8, 9) or ACC_145K = (7, 8, 9) or ACC_145L = (7, 8, 9) or ACC_145M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_145J = 1 or ACC_145K = 1 or ACC_145L = 1 or ACC_145M = 1	Yes	
2	ACC_145J = 2 and ACC_145K = 2 and ACC_145L = 2 and ACC_145M = 2	No	

11) Difficulty immediate care - evening/we - other - Grouped

Variable name: ACCG155M

Based on: ACC_155I, ACC_155J, ACC_155K, ACC_155L, ACC_155M

Description: Difficulties experienced getting immediate care during evenings or weekends: language, cost, didn't know where to go, unable to leave house, other.

Note: This is a regrouping of ACC_155I, ACC_155J, ACC_155K, ACC_155L, ACC_155M.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_155M = 6	Module not selected or population exclusions	NA

9	ACC_155I = (7, 8, 9) or ACC_155J = (7, 8, 9) or ACC_155K = (7, 8, 9) or ACC_155L = (7, 8, 9) or ACC_155M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_155I = 1 or ACC_155J = 1 or ACC_155K = 1 or ACC_155L = 1 or ACC_155M = 1	Yes	
2	ACC_155I = 2 and ACC_155J = 2 and ACC_155K = 2 and ACC_155L = 2 and ACC_155M = 2	No	

12) Difficulty immediate care - middle night- transport/language/cost - Grouped

Variable name: ACCG165J

Based on: ACC_165H, ACC_165I, ACC_165J

Description: Difficulties experienced getting immediate care for a minor health problem in the middle of the night: transportation problems, language problem, or cost.

Note: This is a regrouping of ACC_165H, ACC_165I, ACC_165J.

Specifications

Value	Condition(s)	Description	Notes
6	ACC_165J = 6	Module not selected or population exclusions	NA
9	ACC_165H = (7, 8, 9) or ACC_165I = (7, 8, 9) or ACC_165J = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_165H = 1 or ACC_165I = 1 or ACC_165J = 1	Yes	
2	ACC_165H = 2 and ACC_165I = 2 and ACC_165J = 2	No	

13) Difficulty immediate care - middle night - Other - Grouped

Variable name: ACCG165M

Based on: ACC_165L, ACC_165K and ACC_165M

Description: Difficulties experienced getting immediate care for a minor health problem in the middle of the night: unable to leave house, didn't know where to go and other

Note: This is a regrouping of ACC_165L, ACC_165K and ACC_165M

Specifications

Value	Condition(s)	Description	Notes
6	ACC_165L = 6	Module not selected or population exclusions	NA

9	ACC_165L = (7, 8, 9) or ACC_165k = (7, 8, 9) or ACC_165M = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	ACC_165L = 1 or ACC_165K = 1 or ACC_165M = 1	Yes	
2	ACC_165L = 2 and ACC_165K = 2 and ACC_165M = 2	No	

Activities of daily living (2 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
ADLT005			
(ADL_005 - 1)	ADL_005 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_005	ADL_005 > 4	Carry through cases of RF, DK, NS	
ADLT010			
(ADL_010 - 1)	ADL_010 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_010	ADL_010 > 4	Carry through cases of RF, DK, NS	
ADLT015			
(ADL_015 - 1)	ADL_015 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_015	ADL_015 > 4	Carry through cases of RF, DK, NS	
ADLT020			
(ADL_020 - 1)	ADL_020 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_020	ADL_020 > 4	Carry through cases of RF, DK, NS	
ADLT025			
(ADL_025 - 1)	ADL_025 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_025	ADL_025 > 4	Carry through cases of RF, DK, NS	
ADLT030			
(ADL_030 - 1)	ADL_030 <= 4	Rescale the question answers from (1 to 4) to (0 to 3)	
ADL_030	ADL_030 > 4	Carry through cases of RF, DK, NS	

1) Instrumental activity of daily living index - home support

Variable name: ADLDVIHS

Based on: ADL_005, ADL_010, ADL_015, ADL_030

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to home support: meal preparation, shopping, housekeeping, and bill payments. This index ranges from 0 (no difficulty with daily living) to 12 (unable to do any of four daily activities).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOADL = 2	Module not selected	NA
99	ADLT005 = (DK, RF, NS) or ADLT010 = (DK, RF, NS) or ADLT015 = (DK, RF, NS) or ADLT030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ADLT005+ ADLT010+ ADLT015+ ADLT030	ADLT005 <= 3 and ADLT010 <= 3 and ADLT015 <= 3 and ADLT030 <= 3	Obtained ADLDVIHS Score for daily activities related to home support	(min: 0; max: 12)

2) Instrumental activity of daily living index - personal care

Variable name: ADLDVIPC

Based on: ADL_020, ADL_025

Description: This variable uses an index to discern the degree to which an individual has difficulty engaging in activities of daily living tied to personal care and mobility: bathing, dressing, eating or taking medication and moving inside the house. This index ranges from 0 (no difficulty with daily living) to 6 (unable to do any of five daily activities).

Specifications

Value	Condition(s)	Description	Notes
96	DOADL =2	Module not selected	NA
99	ADLT020 = (DK, RF, NS) or ADLT025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ADLT020+ ADLT025	ADLT020 <= 3 and ADLT025 <= 3	Obtained ADLDVIPC Score for daily activities related to personal care and mobility	(min: 0; max: 6)

Alcohol use (1 DV)

1) Type of drinker - past 12 months

Variable name: ALCDVTTM

Based on: ALC_005, ALC_010, ALC_015

Description: This variable indicates the type of drinker the respondent is based on his/her drinking habits in the past 12 months.

Note: ALCDVTTM was created to allow the classification of all respondents according to their drinking habits in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
6	DOALC = 2	Module not selected	NA
9	ALC_005 = (DK, RF, NS) or ALC_010 = (DK, RF, NS) or ALC_015 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	2 <= ALC_015 <= 7	Regular drinker	
2	ALC_015 = 1	Occasional drinker	
3	ALC_005 = 2 or ALC_010 = 2	Did not drink in the last 12 months	

Alcohol use during the past week (4 DVs)

1) Weekly consumption

Variable name: ALWDVWKY

Based on: ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040

Description: This variable indicates the total number of drinks consumed in the week prior to the interview.

Note: Respondents who did not have at least one drink in the past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	DOALW = 2	Module not selected	NA
996	ALC_005 = 2 or ALC_010 = 2	Population exclusions	NA
0	ALW_005 = 2	Has not had a drink in past week	
999	ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
ALW_010 + ALW_015 + ALW_020 + ALW_025 + ALW_030 + ALW_035 + ALW_040	(0 <= ALW_010 < 100) and (0 <= ALW_015 < 100) and (0 <= ALW_020 < 100) and (0 <= ALW_025 < 100) and (0 <= ALW_030 < 100) and (0 <= ALW_035 < 100) and (0 <= ALW_040 < 100)	Number of drinks consumed in past week	(min: 0; max: 693)

2) Average daily alcohol consumption

Variable name: ALWDVDLY

Based on: ALWDVWKY

Description: This variable indicates the average number of drinks the respondent consumed per day in the week prior to the interview.

Note: Respondents who did not have at least one drink in the last 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	DOALW = 2	Module not selected	NA
996	ALWDVWKY = NA	Population exclusions	NA
999	ALWDVWKY = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
ALWDVWKY / 7	ALWDVWKY < 694	Average daily alcohol consumption	(Rounded to integer) (min: 0; max: 99)

3) Increased long term risk due to drinking

Variable name: ALWDVLTR

Based on: DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

Description: This variable indicates if the respondent has increased long term health risks due to their drinking habits, according to Canada's Low-Risk Alcohol Drinking Guidelines (LRADG).

Note: The classification of drinkers according to their long term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Long-term or chronic risks include liver disease and certain cancers.

Specifications

Value	Condition(s)	Description	Notes
6	DOALW = 2	Module not selected	NA
6	ALC_005 = 2	Population exclusions - has not drank alcool in lifetime	NA
9	ALC_005 = (DK, RF, NS) or ALC_010 = (DK, RF, NS) or ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DHH_SEX = 1 and (ALW_010 = (4:995) or ALW_015 = (4:995) or ALW_020 = (4:995) or ALW_025 = (4:995) or ALW_030 = (4:995) or ALW_035 = (4:995) or ALW_040 = (4:995) or ALWDVWKY = (16:995)) or DHH_SEX = 2 and (ALW_010 = (3:995) or ALW_015 = (3:995) or ALW_020 = (3:995) or ALW_025 = (3:995) or ALW_030 = (3:995) or ALW_035 = (3:995) or ALW_040 = (3:995) or ALWDVWKY = (11:995))	Increased long term health risk due to drinking	
2	ALW_005 = 2 or ALC_010 = 2 or (DHH_SEX = 1 and ALW_010 =< 3 and ALW_015 =< 3 and ALW_020 =< 3 and ALW_025 =< 3 and ALW_030 =< 3 and ALW_035 =< 3 and ALW_040 =< 3 and ALWDVWKY <= 15) or (DHH_SEX = 2 and ALW_010 =< 2 and ALW_015 =< 2 and ALW_020 =< 2 and ALW_025 =< 2 and ALW_030 =< 2 and ALW_035 =< 2 and ALW_040 =< 2 and ALWDVWKY <= 10)	No increased long term heath risk due to drinking	Includes those who did not drink in past 7 days or past 12 months

4) Increased short term risks due to drinking

Variable name: ALWDVSTR

Based on: DHH_SEX, ALC_005, ALC_010, ALW_005, ALW_010, ALW_015, ALW_020, ALW_025, ALW_030, ALW_035, ALW_040, ALWDVWKY

Description: This variable indicates if the respondent has increased short term health risks due to their drinking habits, according to Canada's Low-Risk Alcohol Drinking Guidelines (LRADG).

Note: The classification of drinkers according to their short term health risks comes from guidelines in Alcohol and Health in Canada: A Summary of Evidence and Guidelines for Low-risk Drinking, and is based on the alcohol consumption reported over the past week. Short-term or acute risks include injury and overdose.

Specifications

Value	Condition(s)	Description	Notes
6	DOALW = 2	Module not selected	NA
6	ALC_005 = 2	Population exclusions - has not drank alcool in lifetime	NA
9	ALC_005 = (DK, RF, NS) or ALW_005 = (DK, RF, NS) or ALW_010 = (DK, RF, NS) or ALW_015 = (DK, RF, NS) or ALW_020 = (DK, RF, NS) or ALW_025 = (DK, RF, NS) or ALW_030 = (DK, RF, NS) or ALW_035 = (DK, RF, NS) or ALW_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DHH_SEX = 1 and (ALW_010 = (5:995) or ALW_015 = (5:995) or ALW_020 = (5:995) or ALW_025 = (5:995) or ALW_030 = (5:995) or ALW_035 = (5:995) or ALW_040 = (5:995) or ALWDVWKY = (16:995)) or DHH_SEX = 2 and (ALW_010 = (4:995) or ALW_015 = (4:995) or ALW_020 = (4:995) or ALW_025 = (4:995) or ALW_030 = (4:995) or ALW_035 = (4:995) or ALW_040 = (4:995) or ALWDVWKY = (11:995))	Increased short term health risks due to drinking	
2	ALW_005 = 2 or ALC_010 = 2 or (DHH_SEX = 1 and ALW_010 =< 4 and ALW_015 =< 4 and ALW_020 =< 4 and ALW_025 =< 4 and ALW_030 =< 4 and ALW_035 =< 4 and ALW_040 =< 4 and ALWDVWKY =< 15) or (DHH_SEX = 2 and ALW_010 =< 3 and ALW_015 =< 3 and ALW_020 =< 3 and ALW_025 =< 3 and ALW_030 =< 3 and ALW_035 =< 3 and ALW_040 =< 3 and ALWDVWKY =< 10)	No increased short term risk from due to drinking	Includes those who did not drink in past 7 days or past 12 months

Blood pressure check (1 DV)

1) Blood pressure not taken - 2 yrs - lack of time, no doctor, other - Grouped

Variable name: BPCG015F

Based on: BPC_015A, BPC_015E, BPC_015F

Description: Blood pressure not taken - 2 yrs: lack of time, no doctor, other.

Note: This is a regrouping of BPC_015A, BPC_015E, BPC_015F.

Specifications

Value	Condition(s)	Description	Notes
6	BPC_015A = 6	Module not selected or population exclusions	NA
9	BPC_015A = (7, 8, 9) or BPC_015E = (7, 8, 9) or BPC_015F = (7, 8, 9)	Question was not answered (don't know, refusal, not stated)	NS
1	BPC_015A = 1 or BPC_015E = 1 or BPC_015F = 1	Yes	
2	BPC_015A = 2 and BPC_015E = 2 and BPC_015F = 2	No	

Chronic conditions (2 DVs)

1) Diabetes - age first diagnosed - Grouped

Variable name: CCCG100

Based on: CCC_100

Description: The respondent's age when first diagnosed with diabetes.

Specifications

Value	Condition(s)	Description	Notes
96	CCC_100 = 996	Module not selected or population exclusions	NA
99	CCC_100 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
1	CCC_100 =< 11	First diagnosed with diabetes between ages 0 and 11.	
2	12 =< CCC_100 =< 17	First diagnosed with diabetes between ages 12 and 17	
3	18 =< CCC_100 =< 24	First diagnosed with diabetes between ages 18 and 24	
4	25 =< CCC_100 =< 29	First diagnosed with diabetes between ages 25 and 29	
5	30 =< CCC_100 =< 34	First diagnosed with diabetes between ages 30 and 35	
6	35 =< CCC_100 =< 39	First diagnosed with diabetes between ages 35 and 39	
7	40 =< CCC_100 =< 44	First diagnosed with diabetes between ages 40 and 44	
8	45 =< CCC_100 =< 49	First diagnosed with diabetes between ages 45 and 49	
9	50 =< CCC_100 =< 54	First diagnosed with diabetes between ages 50 and 54	
10	55 =< CCC_100 =< 59	First diagnosed with diabetes between ages 55 and 59	
11	60 =< CCC_100 =< 64	First diagnosed with diabetes between ages 60 and 64	
12	65 =< CCC_100 =< 69	First diagnosed with diabetes between ages 65 and 69	
13	70 =< CCC_100 =< 74	First diagnosed with diabetes between ages 70 and 74	
14	75 =< CCC_100 =< 79	First diagnosed with diabetes between ages 75 and 79	
15	80 =< CCC_100	First diagnosed with diabetes at age 80 and older	

2) Diabetes type

Variable name: CCCDVDIA

Based on: DHH_AGE, DHH_SEX, CCC_095, CCC_100, CCC_105, CCC_110, CCC_115, CCC_120, CCC_125

Description: This variable classifies diabetes as Type 1, Type 2, or Gestational, using the Ng-Dasgupta-Johnson algorithm (Health Reports, 19(1), March 2008).

Note: According to the Ng-Dasgupta-Johnson algorithm, women who are diagnosed only during pregnancy are considered as having gestational diabetes. The CDC, on the other hand, indicates that gestational diabetes goes away soon after their baby is born. If it does not go away, the diabetes is considered as type 2. More than half of respondents who are coded as having gestational diabetes are respondents who were not pregnant at the time of the interview. Users can choose to interpret these cases as either diabetes that has become type 2, or a respondent who has indicated having had gestational diabetes, but it has gone away. Respondents who were diagnosed during pregnancy (CCC_105 = 1) and not diagnosed other than during pregnancy (CCC_110 = 2) were not asked the questions about insulin usage or blood sugar pills. Therefore it is not possible to determine if the respondent is currently treating diabetes.

Specifications

Value	Condition(s)	Description	Notes
6	DOCCC = 2	Module not selected	NA
6	CCC_095 > 1	Population exclusions	NA
9	(CCC_105 = (DK, RF, NS) or CCC_110 = (DK, RF, NS) or CCC_115 = (DK, RF, NS) or CCC_095 = (DK, RF, NS) or CCC_100 = (DK, RF, NS) or CCC_120 = (DK, RF, NS) or CCC_125 = (DK, RF, NS)) and (CCC_105 = (2, NA, DK, RF, NS) or CCC_110 = (1, NA, DK, RF, NS))	At least one required question was not answered (don't know, refusal, not stated). Also, if CCC_105 and CCC_110 are not answered, gestational diabetes cannot be derived.	NS
1	(DHH_SEX = 1 and CCC_095 = 1 and CCC_120 = 1 and CCC_125 = 2 and (CCC_115 <=3 and (DHH_AGE < 30 or CCC_100 < 30))) or (DHH_SEX = 2 and CCC_095 = 1 and CCC_110 = (1,NA) and CCC_120 = 1 and CCC_125 = 2 and (CCC_115 <=3 and (DHH_AGE < 30 or CCC_100 < 30)))	Type 1 diabetes	
2	CCC_095 = 1 and (CCC_120 = 2 or CCC_100 >= 30 or CCC_115 > 3 or CCC_125 = 1 or (CCC_120 = 1 and (CCC_100 >= 30 or CCC_115 > 3))) and (CCC_105 = (2, NA, DK, RF, NS) or CCC_110 = (1, NA, DK, RF, NS))	Type 2 diabetes	
3	CCC_095 = 1 and DHH_SEX = 2 and CCC_105 = 1 and CCC_110 = 2	Gestational diabetes	

Colorectal cancer testing (2 DVs)

1) No sigmoidoscopy - 10 yrs- Other - Grouped

Variable name: CCTG045I

Based on: CCT_045A, CCT_045B, CCT_045F, CCT_045I

Description: Reason for no sigmoidoscopy in the past 10 years: lack of time, no access to test, no doctor, other.

Note: This is a regrouping of CCT_045A, CCT_045B, CCT_045F, CCT_045I.

Specifications

Value	Condition(s)	Description	Notes
6	CCT_045I = 6	Module not selected or population exclusions	NA
9	CCT_045A = (7, 8, 9) or CCT_045B = (7, 8, 9) or CCT_045F = (7, 8, 9) or CCT_045I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	CCT_045A = 1 or CCT_045B = 1 or CCT_045F = 1 or CCT_045I = 1	Yes	
2	CCT_045A = 2 and CCT_045B = 2 and CCT_045F = 2 and CCT_045I = 2	No	

2) No colonoscopy - 10 yrs- Other - Grouped

Variable name: CCTG065I

Based on: CCT_065B, CCT_065H, CCT_065I

Description: Reason for no colonoscopy in the past 10 years: no access to test, did not know it existed, other.

Note: This is a regrouping of CCT_065B, CCT_065H, CCT_065I.

Specifications

Value	Condition(s)	Description	Notes
6	CCT_065I = 6	Module not selected or population exclusions	NA
9	CCT_065B = (7, 8, 9) or CCT_065H = (7, 8, 9) or CCT_065I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	CCT_065B = 1 or CCT_065H = 1 or CCT_065I = 1	Yes	
2	CCT_065B = 2 and CCT_065H = 2 and CCT_065I = 2	No	

Changes made to improve health (3 DVs)

1) Most important change to improve health - Grouped

Variable name: CIHG010

Based on: CIH_010

Description: This variable groups the most important change to improve health.

Specifications

Value	Condition(s)	Description	Notes
96	CIH_010 = 96	Module not selected or population exclusions	NA
99	CIH_010 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	CIH_010 = 1	Increased exercise, sports / physical activity	
2	CIH_010 = 2	Lost weight	
3	CIH_010 = 3	Changed diet / improved eating habits	
4	CIH_010 = 4	Quit smoking / reduced amount smoked	
5	CIH_010 = 6	Reduced stress level	
6	CIH_010 = 7	Received medical treatment	
7	CIH_010 = 8	Took vitamins	
8	CIH_010 = 5 or 9	Drank less alcohol / other	

2) Barrier to improving health - transportation problems/ other - Grouped

Variable name: CIHG030K

Based on: CIH_030I, CIH_030K

Description: Barrier to improving health: transportation problems or other

Note: This is a regrouping of CIH_030I, CIH_030K.

Specifications

Value	Condition(s)	Description	Notes
6	CIH_030K = 6	Module not selected or population exclusions	NA
9	CIH_030K = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	CIH_030I = 1 or CIH_030K = 1	Yes	
2	CIH_030I = 2 and CIH_030K = 2	No	

3) Health improvement: drink less alcohol, take vitamins, other - Grouped

Variable name: CIHG040I

Based on: CIH_040E, CIH_040H, CIH_040I

Description: Health improvement - drink less alcohol, take vitamins, other

Note: This is a regrouping of CIH_040E, CIH_040H, CIH_040I.

Specifications

Value	Condition(s)	Description	Notes
6	CIH_040I = 6	Module not selected or population exclusions	NA
9	CIH_040I = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	CIH_040E = 1 or CIH_040H = 1 or CIH_040I = 1	Yes	
2	CIH_040E = 2 and CIH_040H = 2 and CIH_040I = 2	No	

Consultations about mental health (1 DV)

1) Consulted mental health professional - number of times - 12 mo - Grouped

Variable name: CMHG010

Based on: CMH_010

Description: This variable groups the number of consultations with mental health professionals in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CMH_010 = 996	Module not selected or population exclusions	NA
99	CMH_010 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CMH_010	CMH_010 <= 11	Number of consultations with a mental health professional	(min: 1, max: 11)
12	CMH_010 >= 12	Number of consultations with a mental health professional	

Contacts with health professionals (extended) (7 DVs)

1) Chiropractor - num of times - 12 mo - Grouped

Variable name: CP2G010

Based on: CP2_010

Description: This variable groups the number of consultations with a chiropractor in the previous year.

Note: This variable has been capped at 31 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_010 = 996	Module not selected or population exclusions	NA
99	CP2_010 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_010	CP2_010 <= 30	Number of consultations with a chiropractor	(min: 1, max: 30)
31	CP2_010 >= 31	Number of consultations with a chiropractor	

2) Physiotherapist- num of times - 12 mo - Grouped

Variable name: CP2G020

Based on: CP2_020

Description: This variable groups the number of consultations with a physiotherapist in the previous year.

Note: This variable has been capped at 31 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_020 = 996	Module not selected or population exclusions	NA
99	CP2_020 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_020	CP2_020 <= 30	Number of consultations with a physiotherapist	(min: 1, max: 30)
31	CP2_020 >= 31	Number of consultations with a physiotherapist	

3) Psychologist - num of times - 12 mo - Grouped

Variable name: CP2G030

Based on: CP2_030

Description: This variable groups the number of consultations with a psychologist in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes

96	CP2_030 = 996	Module not selected or population exclusions	NA
99	CP2_030 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_030	CP2_030 <= 11	Number of consultations with a psychologist	(min: 1, max: 11)
12	CP2_030 >= 12	Number of consultations with a psychologist	

4) Social worker / counsellor - num of times - 12 mo - Grouped

Variable name: CP2G040

Based on: CP2_040

Description: This variable groups the number of consultations with a social worker / counsellor in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_040 = 996	Module not selected or population exclusions	NA
99	CP2_040 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_040	CP2_040 <= 11	Number of consultations with a social worker / counsellor	(min: 1, max: 11)
12	CP2_040 >= 12	Number of consultations with a social worker / counsellor	

5) Audiologist / speech / occupational therapist - num of times - 12 mo - Grouped

Variable name: CP2G050

Based on: CP2_050

Description: This variable groups the number of consultations with an audiologist / speech / occupational therapist in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_050 = 996	Module not selected or population exclusions	NA
99	CP2_050 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_050	CP2_050 <= 11	Number of consultations with an audiologist / speech / occupational therapist	(min: 1, max: 11)
12	CP2_050 >= 12	Number of consultations with an audiologist / speech / occupational therapist	

6) Dietician / nutritionist - num of times - 12 mo - Grouped

Variable name: CP2G060

Based on: CP2_060

Description: This variable groups the number of consultations with a dietician / nutritionist in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_060 = 996	Module not selected or population exclusions	NA
99	CP2_060 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_060	CP2_060 <= 11	Number of consultations with a dietician / nutritionist	(min: 1, max: 11)
12	CP2_060 >= 12	Number of consultations with a dietician / nutritionist	

7) Pharmacist - num of times - 12 mo - Grouped

Variable name: CP2G070

Based on: CP2_070

Description: This variable groups the number of consultations with a pharmacist in the previous year.

Note: This variable has been capped at 12 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
96	CP2_070 = 996	Module not selected or population exclusions	NA
99	CP2_070 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
CP2_070	CP2_070 <= 11	Number of consultations with a pharmacist	(min: 1, max: 11)
12	CP2_070 >= 12	Number of consultations with a pharmacist	

Depression (2 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DEPT005			
(DEP_005 - 1)	DEP_005 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT010			
(DEP_010 - 1)	DEP_010 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT015			
(DEP_015 - 1)	DEP_015 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT020			
(DEP_020 - 1)	DEP_020 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT025			
(DEP_025 - 1)	DEP_025 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT030			
(DEP_030 - 1)	DEP_030 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT035			
(DEP_035 - 1)	DEP_035 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT040			
(DEP_040 – 1)	DEP_040 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	
DEPT045			
(DEP_045 - 1)	DEP_045 <= 4	Rescale the question answersfrom (1 to 4) to (0 to 3)	

1) Depression severity scale

Variable name: DEPDVPHQ

Based on: ADM_PRX, DEP_005, DEP_010, DEP_015, DEP_020, DEP_025, DEP_030, DEP_035, DEP_040, DEP_045

Description: This variable indicates the severity of a respondent's depression, using a 9 item scale. This scale corresponds to the Patient Health Questionnaire (PHQ-9). A higher score indicates more severe depression.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DODEP = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	DEP_005 = (DK, RF, NS) or DEP_010 = (DK, RF, NS) or DEP_015 = (DK, RF, NS) or DEP_020 = (DK, RF, NS) or DEP_025 = (DK, RF, NS) or DEP_030 = (DK, RF, NS) or DEP_035 = (DK, RF, NS) or DEP_040 = (DK, RF, NS) or DEP_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	

DEPT005 + DEPT010 + DEPT015 + DEPT020 + DEPT025 + DEPT030 + DEPT035 + DEPT040 + DEPT045	(0 <= DEPT005 <= 3) and (0 <= DEPT010 <= 3) and (0 <= DEPT015 <= 3) and (0 <= DEPT020 <= 3) and (0 <= DEPT025 <= 3) and (0 <= DEPT030 <= 3) and (0 <= DEPT035 <= 3) and (0 <= DEPT040 <= 3) and (0 <= DEPT045 <= 3)	Score obtained on the depression scale (PHQ-9)	(min: 0; max: 27)

2) Depression scale - severity of depression

Variable name: DEPDVSEV

Based on: ADM_PRX, DEPDVPHQ

Description: This variable classifies the respondent's degree of depression based their score obtained on the Patient Health Questionnaire (PHQ-9) depression scale.

Specifications

Value	Condition(s)	Description	Notes
6	DODEP = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	DEPDVPHQ = NS	Required question was not answered (don't know, refusal, not stated)	NS
0	DEPDVPHQ = 0	No Depression	
1	1 <= DEPDVPHQ <=4	Minimal Depression	
2	5 <= DEPDVPHQ <= 9	Mild Depression	
3	10 <= DEPDVPHQ <= 14	Moderate Depression	
4	15 <= DEPDVPHQ <= 19	Moderately Severe Depression	
5	20 <= DEPDVPHQ <= 27	Severe Depression	

Dwelling and household variables (7 DVs)

1) Marital status - Grouped

Variable name: DHHGMS

Based on: DHH_MS

Description: This variable indicates the marital status for the selected respondent.

Specifications

Value	Condition(s)	Description	Notes
9	DHH_MS = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DHH_MS = 1	Married	
2	DHH_MS = 2	Common-law	
3	DHH_MS = (3, 4, 5)	Widowed/Divorced/Separated	
4	DHH_MS = 6	Single, never married	

2) Household size - Grouped

Variable name: DHHDGHSZ

Based on: SAMPLEID, PERSONID, DHHDVHSZ

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs within each SAMPLEID. DHHDGHSZ is a grouping of DHHDVHSZ.

Specifications

Value	Condition(s)	Description	Notes
1	DHHDVHSZ = 1	Exact number of persons living in household	
2	DHHDVHSZ = 2	Exact number of persons living in household	
3	DHHDVHSZ = 3	Exact number of persons living in household	
4	DHHDVHSZ = 4	Exact number of persons living in household	
5	DHHDVHSZ >= 5	Grouped - 5 or more persons live in the household	

3) Living/Family Arrangement of Selected Respondent - Grouped

Variable name: DHHDGLVG

Based on: DHHTREL of selected respondent, DHHDVHSZ, DHHDVLVG

Description: This variable identifies the family relationships between the selected respondent and the rest of the household.

Note: The necessary data is collected using a set of relationship codes that define a link between the selected respondent and each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTREL			
X1	10, 20	Spouse/Partner (10 = Husband/Wife, 20 = Common Law Partner)	Relationship Codes
L1	65, 70, 80, 260, 261, 262, 263	Non-relative (65 = Foster Sister/Brother, 70 = Foster Parent, 80 = Foster Child, 260 = Unrelated, 261 = Boyfriend/Girlfriend, 262 = Roommate, 263 = Other Unrelated)	Relationship Codes
K1	90, 100, 110, 111, 112, 113, 114, 120, 121, 122, 123, 124	Other relative (90 = Grandparent, 100 = Grandchild, 110 = In-Law, 111= Father/Mother-in-law, 112 = Son/Daughter-in-law, 113 = Brother/Sister-in-law, 114 = Other in-law, 120 = Other Related, 121 = Uncle/Aunt, 122 = Cousin, 123 = Nephew/Niece, 124 = Other Relative)	Relationship Codes
C1	60, 61, 62, 63, 64	Sibling (60 = Brother/Sister, 61 = Full Sister/Brother,62 = Half Sister/Brother, 63 = Step Sister/Brother, 64 = Adopted Sister/Brother)	Relationship Codes
B1	50, 51, 52, 53	Child (50 = Son/Daughter, 51 = Birth Child, 52 = Step Child, 53 = Adopted Child)	Relationship Codes
A1	40, 41, 42, 43	Parental (40 = Father/Mother, 41 = Birth Father/Mother, 42 = Step Father/Mother, 43 = Adoptive Father/Mother)	Relationship Codes
Z1	NS	Not Stated	Relationship Codes

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99	Any DHHTREL = Z1	Not Stated	NS
1	DHHDGHSZ = 1	Unattached individual living alone. Lives alone. (Household size=1)	
2	All DHHTREL <> X1 and A1	Unattached individual living with others. Selected respondent lives with others. He cannot have a marital/common-law or parental relationship with another household member but other relationships such as siblings are allowed.	
3	DHHDGHSZ = 2 and DHHTREL = X1	Individual living with spouse/partner. Selected respondent lives with spouse/partner only. (Household size = 2)	
4	DHHDGHSZ > 2 and One DHHTREL = X1 and all other DHHTREL = A1	Parent living with spouse/partner and child(ren). Selected respondent lives with spouse/partner and child(ren).	
5	All DHHTREL = A1	Single parent living with children. Selected respondent lives with child(ren). No other relationships in the household are permitted.	
6	(DHHDGHSZ = 2 and DHHTREL = B1) or (DHHDGHSZ > 2 and One DHHTREL = B1 and all other DHHTREL = C1)	Selected respondent is a child living with a single parent with or without siblings.	
7	(DHHDGHSZ = 3 and All DHHTREL = B1) or DHHDGHSZ > 3 and Two DHHTREL = B1 and all other DHHTREL = C1	Selected respondent is a child living with two parents with or without siblings	

8	Else	Other Selected respondent lives in a household composition not classified above.

4) Number of Persons in Household between 6 to 11 Years of Age - Grouped

Variable name: DHHDG611

Based on: PERSONID, DHH_AGE

Description: This variable indicates the number of people living within the household who are aged 6 to 11 years old.

Note: The variable DHHDG611 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value from 6 to 11 within each SAMPLEID.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHHED611			
Total number of PERSONIDs within each SAMPLEID	(6 <= DHH_AGE <= 11) (Member file)	Number of persons aged 6 to 11 in a household	(min: 0; max: 40)

Specifications

Value	Condition(s)	Description	Notes
0	(6 <= DHH_AGE <= 11) = 0	No persons aged 6 to 11 in the household	
1	(6 <= DHH_AGE <= 11) => 1	One or more persons aged 6 to 11 in the household	

5) Number of Persons in Household Less Than 12 Years of Age - Grouped

Variable name: DHHDGL12

Based on: PERSONID, DHH_AGE, DHHDVL12

Description: This variable indicates the number of people living within the household whose age is less than 12 years old.

Note: The variable DHHDGL12 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value less than 12 within each SAMPLEID. DHHDGL12 is a regrouping of DHHDVL12.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHHDVL12			
Total number of PERSONIDs within each SAMPLEID	DHH_AGE < 12 (Member file)	Number of persons under 12 in a household	(min: 0; max: 40)

Specifications

Value	Condition(s)	Description	Notes
0	(DHH_AGE < 12) = 0	No persons under 12 in the household	
1	(DHH_AGE < 12) >= 1	One or more persons under 12 in the household	

6) Number of Persons in Household Less Than 6 Years of Age - Grouped

Variable name: DHHDGLE5

Based on: PERSONID, DHH_AGE

Description: This variable indicates the number of people living within the household whose age is less than 6 years old.

Note: The variable DHHDGLE5 is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value of 5 and under within each SAMPLEID. DHHDGLE5 is a regrouping of DHHDVLE5.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHHDVLE5			
Total number of PERSONIDs within each SAMPLEID	DHH_AGE <= 5 (Member file)	Number of persons under 6 in a household	(values: 0-40)

Specifications

Value	Condition(s)	Description	Notes
0	(DHH_AGE <= 5) = 0	No persons under 6 in the household	
1	(DHH_AGE <= 5) >= 1	One or more persons under 6 in the household	

7) Age - Grouped

Variable name: DHHGAGE

Based on: DHH_AGE

Description: This variable indicates the age of the selected respondent.

Specifications

Value	Condition(s)	Description	Notes
1	12 <= DHH_AGE <= 14	Age between 12 and 14	
2	15 <= DHH_AGE <= 17	Age between 15 and 17	
3	18 <= DHH_AGE <= 19	Age between 18 and 19	
4	20 <= DHH_AGE <= 24	Age between 20 and 24	
5	25 <= DHH_AGE <= 29	Age between 25 and 29	
6	30 <= DHH_AGE <= 34	Age between 30 and 34	
7	35 <= DHH_AGE <= 39	Age between 35 and 39	
8	40 <= DHH_AGE <= 44	Age between 40 and 44	
9	45 <= DHH_AGE <= 49	Age between 45 and 49	
10	50 <= DHH_AGE <= 54	Age between 50 and 54	
11	55 <= DHH_AGE <= 59	Age between 55 and 59	
12	60 <= DHH_AGE <= 64	Age between 60 and 64	
13	65 <= DHH_AGE <= 69	Age between 65 and 69	

14	70 <= DHH_AGE <= 74	Age between 70 and 74
15	75 <= DHH_AGE <= 79	Age between 75 and 79
16	DHH_AGE >= 80	Age 80 and older

Distress (3 DVs)

Both the K10 and K6 scale questions were developed from a pool of 612 questions drawn from existing distress and depression screening scales (Kessler RC, et al, 2002). After eliminating redundant and unclear questions, the remaining questions in the pool were organized to retain items consistent with 15 domains represented in the DSM-III-R diagnoses of major depression and generalized anxiety disorder plus the positive affect domain. These items were eventually reduced to those found in the K6 and K10 through processes involving ratings by an expert advisory panel, and analyses using item response theory of two subsequent pilot surveys. The final K10 and K6 scale questions were generated from the analysis of the telephone pilot survey using factor-analysis (Kessler RC. et al. 2002; http://www.hcp.med.harvard.edu/ncs/k6_scales.php)

The effectiveness of the K6 and K10 measurement scales of non-specific psychological distress were subsequently tested in the Australian National Survey of Mental Health and Well-Being against the criteria for the DSM-IV disorders and both scales performed well (Furukawa TA et al. 2003.)

DSM refers to the Diagnostic and Statistical Manual of Mental Disorders used by the American Psychiatric Association. It is an internationally recognized classification of mental disorders with several versions.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DIST005			
(5 – DIS_005)	DIS_005 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_005	DIS_005 > 5	Carry through cases of RF, DK, NS	
DIST010			
(5 – DIS_010)	DIS_010 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_010	DIS_010 > 5	Carry through cases of RF, DK, NS	
DIST015			
(5 – DIS_015)	DIS_015 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_015	DIS_015 > 5	Carry through cases of RF, DK, NS	
DIST020			
(5 – DIS_020)	DIS_020 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_020	DIS_020 > 5	Carry through cases of RF, DK, NS	
DIST025			
(5 – DIS_025)	DIS_025 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_025	DIS_025 > 5	Carry through cases of RF, DK, NS	
DIST030			
(5 – DIS_030)	DIS_030 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_030	DIS_030 > 5	Carry through cases of RF, DK, NS	
DIST035			
(5 – DIS_035)	DIS_035 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_035	DIS_035 > 5	Carry through cases of RF, DK, NS	
DIST040			
(5 – DIS_040)	DIS_040 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_040	DIS_040 > 5	Carry through cases of RF, DK, NS	
DIST045			
(5 – DIS_045)	DIS_045 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_045	DIS_045 > 5	Carry through cases of RF, DK, NS	
DIST050			
(5 – DIS_050)	DIS_050 <= 5	Rescale and invert the question answers from 1 to 5 to 4 to 0	
DIS_050	DIS_050 > 5	Carry through cases of RF, DK, NS	

1) Distress scale - K6

Variable name: DISDVK6

Based on: Derived from DIS_010, DIS_020, DIS_025, DIS_040, DIS_045, DIS_050

Description: This variable determines the respondent's level of distress using six questions.

Note: This variable is based on 6 items and is known as the K6. Higher scores indicate more distress.

Internet site: http://www.hcp.med.harvard.edu/ncs/k6_scales.php

Specifications

Value	Condition(s)	Description	Notes
96	DODIS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	(DIST010 = DK, RF, NS) or (DIST020 = DK, RF, NS) or (DIST025 = DK, RF, NS) or (DIST040 = DK, RF, NS) or (DIST045 = DK, RF, NS) or (DIST050 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
DIST010 + DIST020 + DIST025 + DIST040 + DIST045 + DIST050	DIST010 <= 4 and DIST020 <= 4 and DIST025 <= 4 and DIST040 <= 4 and DIST045 <= 4 and DIST050 <= 4	Score obtained on the distress scale (K6)	(min: 0; max: 24)

2) Distress scale - K10

Variable name: DISDVDSX

Based on: Derived from DIS_005, DIS_010, DIS_015, DIS_020, DIS_025, DIS_030, DIS_035, DIS_040, DIS_045, DIS_050

Description: This variable determines the respondent's level of distress using ten questions.

Note: This variable is based on ten items and is known as the K10. Higher scores indicate more distress.

Internet site: http://www.hcp.med.havard.edu/ncs/k6_scales.php

Specifications

Value	Condition(s)	Description	Notes
96	DODIS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	(DIST005 = DK, RF, NS) or (DIST010 = DK, RF, NS) or (DIST015 = DK, RF, NS) or (DIST020 = DK, RF, NS) or (DIST025 = DK, RF, NS) or (DIST030 = DK, RF, NS) or (DIST035 = DK, RF, NS) or (DIST040 = DK, RF, NS) or (DIST045 = DK, RF, NS) or (DIST050 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

DIST005 + DIST010 + DIST015 + DIST020 + DIST025 + DIST030 + DIST035 + DIST040 + DIST045 + DIST050	DIST005 <= 4 and DIST010 <= 4 and DIST015 <= 4 and DIST020 <= 4 and DIST025 <= 4 and DIST030 <= 4 and DIST035 <= 4 and DIST040 <= 4 and DIST045 <= 4 and DIST050 <= 4	Score obtained on the distress scale (K10)	(min: 0; max: 40)

3) Chronicity of distress and impairment scale

Variable name: DISDVCHR

Based on: Derived from DIS_055, DIS_060, DIS_065

Description: This variable classifies respondents according to the frequency of their feelings of distress in the last month compared with the usual.

Note: Respondents who reported having no feeling distress (DIS_010 = 5 and DIS_020 = 5 and DIS_025 = 5 and DIS_035 = 5 and DIS_045 = 5 and DIS_050 = 5), were coded as "Not applicable". Respondents with DISDVCHR = 8 (Never had any distress) were asked DIS_055 because they previously answered having feelings of distress at least 'A little of the time' in the past month.

Specifications

Value	Condition(s)	Description	Notes
96	DODIS = 2	Module not selected	NA
96	DIS_055 = NA and DIS_060 = NA and DIS_065 = NA	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	(DIS_055 = DK, RF, NS) or (DIS_060 = DK, RF, NS) or (DIS_065 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	DIS_060 = 1	A lot more distress than usual	
2	DIS_060 = 2	Somewhat more distress than usual	
3	DIS_060 = 3	A little more distress than usual	
4	DIS_055 = 3	About the same distress as usual	
5	DIS_065 = 3	A little less distress than usual	
6	DIS_065 = 2	Somewhat less distress than usual	
7	DIS_065 = 1	A lot less distress than usual	
8	DIS_055 = 4	Never had any distress	

Drug use (7 DVs)

1) Marijuana or hashish drug use - lifetime (including "just once")

Variable name: DRGDVLCA

Based on: ADM_PRX, DRG_005

Description: This variable indicates whether the respondent has ever used marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = (1, 2)	Has used marijuana	
2	DRG_005 = 3	Has never used marijuana	
9	DRG_005 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Marijuana or hashish drug use - lifetime (excluding "just once")

Variable name: DRGDVLCM

Based on: ADM_PRX, DRG_005

Description: This variable indicates whether the respondent has ever used marijuana or hashish more than just once in his/her lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = 2	Has used marijuana more than once	
2	DRG_005 = (1,3)	Has not used marijuana more than once	
9	DRG_005 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

3) Any illicit drug use - last 12 months (including "just once" use of marijuana or hashish)

Variable name: DRGDVYA

Based on: ADM_PRX, DRG_010, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

Description: This variable indicates whether the respondent used any of the drugs listed in the past 12 months. Includes "just once" use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA

9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_010 = 1 or DRG_025 = 1 or DRG_035 = 1 or DRG_045 = 1 or DRG_055 = 1 or DRG_065 = 1 or DRG_075 = 1	Has used at least one of the drugs listed, in the past 12 months, including "just once" use of marijuana in lifetime	
2	DRG_010 = (2, NA) and DRG_025 = (2, NA) and DRG_035 = (2, NA) and DRG_045 = (2, NA) and DRG_055 = (2, NA) and DRG_065 = (2, NA) and DRG_075 = (2, NA)	Has not used any of the drugs listed in the past 12 months	
9	DRG_010 = (DK, RF, NS) or DRG_025 = (DK, RF, NS) or DRG_035 = (DK, RF, NS) or DRG_045 = (DK, RF, NS) or DRG_055 = (DK, RF, NS) or DRG_065 = (DK, RF, NS) or DRG_075 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

4) Marijuana or hashish drug use - last 12 months (excluding "just once")

Variable name: DRGDVYCM

Based on: ADM_PRX, DRG_005, DRG_010

Description: This variable indicates whether the respondent has used marijuana or hashish in the past 12 months, excluding "just once" use in lifetime.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRG_005 = 2 and DRG_010 = 1	Has used marijuana in the past 12 months and has used marijuana more than once in lifetime	
2	(DRG_005 = 1 and DRG_010 = 1) or DRG_010 = (2, NA)	Has not used marijuana more than once in the past 12 months	
9	DRG_010 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

5) Any illicit drug use - last 12 months (excluding "just once" use of marijuana or hashish)

Variable name: DRGDVYAC

Based on: ADM_PRX, DRGDVYCM, DRG_025, DRG_035, DRG_045, DRG_055, DRG_065, DRG_075

Description: This variable indicates whether the respondent used any of the drugs listed in the past 12 months. Excludes "just once" use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRGDVYCM = 1 or DRG_025 = 1 or DRG_035 = 1 or DRG_045 = 1 or DRG_055 = 1 or DRG_065 = 1 or DRG_075 = 1	Has used at least one of the drugs listed, in the past 12 months, excluding "just once" use of marijuana in lifetime	
2	DRGDVYCM = 2 and DRG_025 = (2, NA) and DRG_035 = (2, NA) and DRG_045 = (2, NA) and DRG_055 = (2, NA) and DRG_065 = (2, NA) and DRG_075 = (2, NA)	Has not used any of the drugs listed, in the past 12 months, excluding "just once" use of marijuana in lifetime	
9	DRGDVYCM = NS or DRG_025 = (DK, RF, NS) or DRG_035 = (DK, RF, NS) or DRG_045 = (DK, RF, NS) or DRG_055 = (DK, RF, NS) or DRG_065 = (DK, RF, NS) or DRG_075 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

6) Any illicit drug use - lifetime (including "just once" use of marijuana or hashish)

Variable name: DRGDVLA

Based on: ADM_PRX, DRGDVLCA, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

Description: This variable indicates whether the respondent has ever used any of the drugs listed. Includes "just once" use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRGDVLCA = 1 or DRGDVLCO = 1 or DRGDVLAM = 1 or DRGDVLEX = 1 or DRGDVLHA = 1 or DRGDVLGL = 1 or DRGDVINJ = 1	Has used at least one of the drugs listed, in lifetime, including "just once" use of marijuana	
2	DRGDVLCA = 2 and DRGDVLCO = 2 and DRGDVLAM = 2 and DRGDVLEX = 2 and DRGDVLHA = 2 and DRGDVLGL = 2 and DRGDVINJ = 2	Has never used any of the drugs listed	
9	DRGDVLCA = NS or DRGDVLCO = NS or DRGDVLAM = NS or DRGDVLEX = NS or DRGDVLHA = NS or DRGDVLGL = NS or DRGDVINJ = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

7) Any illicit drug use - lifetime (excluding "just once" use of marijuana or hashish)

Variable name: DRGDVLAC

Based on: ADM_PRX, DRGDVLCM, DRGDVLCO, DRGDVLAM, DRGDVLEX, DRGDVLHA, DRGDVLGL, DRGDVINJ

Description: This variable indicates whether the respondent has ever used any of the drugs listed. Excludes "just once" use of marijuana or hashish.

Specifications

Value	Condition(s)	Description	Notes
6	DODRG = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRGDVLCM = 1 or DRGDVLCO = 1 or DRGDVLAM = 1 or DRGDVLEX = 1 or DRGDVLHA = 1 or DRGDVLGL = 1 or DRGDVINJ = 1	Has used at least one of the drugs listed, in lifetime, excluding "just once" use of marijuana	
2	DRGDVLCM = 2 and DRGDVLCO = 2 and DRGDVLAM = 2 and DRGDVLEX = 2 and DRGDVLHA = 2 and DRGDVLGL = 2 and DRGDVINJ = 2	Has never used drugs listed, excluding "just once" use of marijuana	
9	DRGDVLCM = NS or DRGDVLCO = NS or DRGDVLAM = NS or DRGDVLEX = NS or DRGDVLHA = NS or DRGDVLGL = NS or DRGDVINJ = NS	At least one required question was not answered (don’t know, refusal, not stated)	NS

Drug use methods (2 DVs)

1) Any illicit drug use - lifetime

Variable name: DRMDVLA

Based on: ADM_PRX, DRM_005, DRM_015, DRM_025, DRM_040

Description: This variable indicates whether the respondent has ever smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor.

Specifications

Value	Condition(s)	Description	Notes
6	DODRM = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRM_005 = 1 or DRM_015 = 1 or DRM_025 = 1 or DRM_040 = 1	Has taken illicit drugs using at least 1 of the 4 methods listed	
2	DRM_005 = 2 and DRM_015 = 2 and DRM_025 = 2 and DRM_040 = 2	Has never taken illicit drugs using any of the 4 methods listed	
9	DRM_005 = (DK, RF, NS) or DRM_015 = (DK, RF, NS) or DRM_025 = (DK, RF, NS) or DRM_040 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Any illicit drug use - last 12 months

Variable name: DRMDVLAY

Based on: ADM_PRX, DRM_010, DRM_020, DRM_030, DRM_045

Description: This variable indicates whether the respondent has smoked illicit drugs, snorted or sniffed them, took them orally, or used a needle to inject or be injected with a drug not prescribed by a doctor in the past 12 months.

Specifications

Value	Condition(s)	Description	Notes
6	DODRM = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	DRM_010 = 1 or DRM_020 = 1 or DRM_030 = 1 or DRM_045 = 1 or	Has taken illicit drugs using at least 1 of 4 methods listed in the past 12 months	
2	DRM_010 = (2, NA) and DRM_020 = (2, NA) and DRM_030 = (2, NA) and DRM_045 = (2, NA)	Has not taken illicit drugs in the past 12 months using any of the 4 methods listed	
9	DRM_010 = (DK, RF, NS) or DRM_020 = (DK, RF, NS) or DRM_030 = (DK, RF, NS) or DRM_045 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Educational attainment (2 DVs)

1) Highest level of education - respondent, 3 levels

Variable name: EHG2DVR3

Based on: EHG2_01, EHG2_02, EHG2_03, EHG2_04

Description: This variable indicates the highest level of education attained by the respondent.

Note: Category 1 includes respondents who did not answer EHG2_01 (Don't Know or Refuse), but did not graduate from high school (EHG2_02 = 2) and did not do any post-secondary education (EHG2_03 = 2). These respondents will be coded as EHG2DVR3 = 1, but EHG2DVR9 = 99.

Specifications

Value	Condition(s)	Description	Notes
1	(EHG2_01 = (1, 2) or EHG2_02 = 2) and (EHG2_03 = 2 or EHG2_04 = 1)	Less than secondary school graduation	EHG2DVR9 = (1, 2, 3)
2	(EHG2_02 = 1 and EHG2_03 = 2) or EHG2_04 = 2	Secondary school graduation, no post-secondary education	EHG2DVR9 = 4
3	EHG2_04 = (3, 4, 5, 6, 7)	Post-secondary certificate/diploma or university degree	EHG2DVR9 = (5, 6, 7, 8, 9)
9	(EHG2_01= (DK, RF, NS) and EHG2_02 = 2) or EHG2_02 = (DK, RF, NS) or EHG2_03 = (DK, RF, NS) or EHG2_04 = (DK, RF, NS)	At least one required question was not answered (don’t know, refusal, not stated)	NS (EHG2DVR9 = 99)

2) Highest level of education - household, 3 levels

Variable name: EHG2DVH3

Based on: EHG2DVR3 for each member of the household

Description: This variable indicates the highest level of education attained among all members of the household.

Note: This variable is derived by temporarily creating EHG2DVR3 for each member of the household (all PERSONID within SAMPLEID). The highest value is then obtained by comparing values of EHG2DVR3 for all members within the household. If any PERSONID has EHG2DVR3 of NS (not stated) then NS is returned.

Exposure to second-hand smoke (1 DV)

1) Number of people who smoke inside home - Grouped

Variable name: ETSG010

Based on: ETS_010

Description: This variable groups the number of people who smoke inside the home.

Specifications

Value	Condition(s)	Description	Notes
6	ETS_010 = 96	Module not selected or population exclusions	
9	ETS_010 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	
1	ETS_010 = 1	One person smokes inside the home.	
2	ETS_010 = 2	Two people smoke inside the home.	
3	ETS_010 = 3	Three people smoke inside the home.	
4	ETS_010 >= 4	At least 4 people smoke inside the home.	

Food choices (3 DVs)

1) Avoids certain foods for certain content reasons

Variable name: FDCDVAVD

Based on: ADM_PRX, FDC_040, FDC_045, FDC_050, FDC_055, FDC_060

Description: This variable indicates whether the respondent avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_040 = 1 or FDC_045 = 1 or FDC_050 = 1 or FDC_055 = 1 or FDC_060 = 1	Avoids certain foods because of concerns about fat, the type of fat, salt, cholesterol or calorie content	
2	FDC_040 = 2 and FDC_045 = 2 and FDC_050 = 2 and FDC_055 = 2 and FDC_060 = 2	Does not avoid certain foods because of concerns about fat, the type of fat, salt, cholesterol and calorie content	
9	FDC_040 = (DK, RF, NS) or FDC_045 = (DK, RF, NS) or FDC_050 = (DK, RF, NS) or FDC_055 = (DK, RF, NS) or FDC_060 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Chooses or avoids certain foods because of certain health concerns

Variable name: FDCDVCAH

Based on: ADM_PRX, FDC_005, FDC_010, FDC_015, FDC_020

Description: This variable indicates whether the respondent chooses or avoids certain types of foods because of one or more of the following health concerns: body weight, heart disease, cancer, and osteoporosis.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_005 = 1 or FDC_010 = 1 or FDC_015 = 1 or FDC_020 = 1	Choose or avoids certain foods because of health concerns related to body weight, heart disease, cancer or osteoporosis	
2	FDC_005 = 2 and FDC_010 = 2 and FDC_015 = 2 and FDC_020 = 2	Does not choose or avoid certain foods because of health concerns related to body weight, heart disease, cancer, osteoporosis	

9	FDC_005 = (DK, RF, NS) or FDC_010 = (DK, RF, NS) or FDC_015 = (DK, RF, NS) or FDC_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

3) Chooses certain foods for certain content reasons

Variable name: FDCDVCHO

Based on: ADM_PRX, FDC_025, FDC_030, FDC_035

Description: This variable indicates whether the respondent chooses certain foods because of fat, fibre, or calcium content.

Specifications

Value	Condition(s)	Description	Notes
6	DOFDC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	FDC_025 = 1 or FDC_030 = 1 or FDC_035 = 1	Chooses certain foods because of fat, fibre or calcium content	
2	FDC_025 = 2 and FDC_030 = 2 and FDC_035 = 2	Does not choose certain foods because of concerns about fat, fibre and calcium content	
9	FDC_025 = (DK, RF, NS) or FDC_030 = (DK, RF, NS) or FDC_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Food security (4 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
DHHTDKS			
0	DHHDVYKD = 0 and DHHDVOKD = 0	Set value to 0 to indicate households WITHOUT children (aged less than 18)	
1	DHHDVYKD <> 0 or DHHDVOKD <> 0	Set value to 1 to indicate households WITH children (aged less than 18)	
FSCT010			
0	FSC_010 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_010 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT015			
0	FSC_015 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_015 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT020			
0	FSC_020 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_020 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT025			
0	FSC_025 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_025 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT030			
0	FSC_030 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_030 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT035			
0	FSC_035 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_035 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT040			
0	FSC_040 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_040 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT045			
0	FSC_045 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_045 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT050			
0	FSC_050 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_050 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT055			
0	FSC_055 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_055 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	

FSCT060			
0	FSC_060 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_060 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT065			
0	FSC_065 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_065 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT070			
0	FSC_070 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_070 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT075			
0	FSC_075 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_075 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT080			
0	FSC_080 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_080 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT085			
0	FSC_085 = (3, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_085 = (1, 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT090			
0	FSC_090 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_090 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT095			
0	FSC_095 = (2, NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_095 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCTASUM			
FSCT010 + FSCT015 + FSCT020 + FSCT040 + FSCT045 + FSCT050 + FSCT055 + FSCT060 + FSCT065 + FSCT070	All	Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10.	(Min: 0; Max: 10)
FSCTCSUM			
FSCT025 + FSCT030 + FSCT035 + FSCT075 + FSCT080 + FSCT085 + FSCT090 + FSCT095	All	Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8.	(Min: 0; Max: 8)

1) Food security - adult status

Variable name: FSCDVAFS

Based on: FSC_010, FSC_015, FSC_020, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSCTASUM

Description: This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 6 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

Note: This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 2	Module not selected	NA
9	FSC_010 = (DK,RF,NS) or FSC_015 = (DK,RF,NS) or FSC_020 = (DK,RF,NS) or FSC_040 = (DK,RF,NS) or FSC_045 = (DK,RF,NS) or FSC_050 = (DK,RF,NS) or FSC_055 = (DK,RF,NS) or FSC_060 = (DK,RF,NS) or FSC_065 = (DK,RF,NS) or FSC_070 = (DK,RF,NS) or PMKPROXY = 2	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(FSCTASUM >= 0 and FSCTASUM <= 1)	Food secure	
1	(FSCTASUM >= 2 and FSCTASUM <= 5)	Moderately food insecure	
2	(FSCTASUM >= 6 and FSCTASUM <= 10)	Severely food insecure	

Reference: The model for FSCDVAFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

2) Food security - child status

Variable name: FSCDVCFS

Based on: FSC_025, FSC_030, FSC_035, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTCSUM, DHHDVYKD,

Description: This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than 18 years old) members of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.
2 - Moderately food insecure: indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).
3 - Severely food insecure: indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses)

This variable is adopted from the Health Canada model of food security status.

Note: This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member. This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DHHTDKS = 0	Population exclusions (households without children less than 18 years of age)	NA
6	DOFSC = 2	Module not selected	NA
9	FSC_025 = (DK,RF,NS) or FSC_030 = (DK,RF,NS) or FSC_035 = (DK,RF,NS) or FSC_075 = (DK,RF,NS) or FSC_080 = (DK,RF,NS) or FSC_085 = (DK,RF,NS) or FSC_090 = (DK,RF,NS) or FSC_095 = (DK,RF,NS) or PMKPROXY = 2	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	DHHTDKS = 1 and (FSCTCSUM >= 0 and FSCTCSUM <= 1)	Food secure	
1	DHHTDKS = 1 and (FSCTCSUM >= 2 and FSCTCSUM <= 4)	Moderately food insecure	
2	DHHTDKS = 1 and (FSCTCSUM >= 5 and FSCTCSUM <= 8)	Severely food insecure	

Reference: The model for FSCDVCFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

3) Household food security status - modified version

Variable name: FSCDVHFS

Based on: FSC_010, FSC_015, FSC_020, FSC_025, FSC_030, FSC_035, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTASUM, FSCTCSUM, DHHDVYKD, DHHDVOKD

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No, or one, indication of difficulty with income-related food access.

2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status.

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 2	Module not selected	NA
9	FSC_010 = (DK,RF,NS) or FSC_015 = (DK,RF,NS) or FSC_020 = (DK,RF,NS) or FSC_025 = (DK,RF,NS) or FSC_030 = (DK,RF,NS) or FSC_035 = (DK,RF,NS) or FSC_040 = (DK,RF,NS) or FSC_045 = (DK,RF,NS) or FSC_050 = (DK,RF,NS) or FSC_055 = (DK,RF,NS) or FSC_060 = (DK,RF,NS) or FSC_065 = (DK,RF,NS) or FSC_070 = (DK,RF,NS) or FSC_075 = (DK,RF,NS) or FSC_080 = (DK,RF,NS) or FSC_085 = (DK,RF,NS) or FSC_090 = (DK,RF,NS) or FSC_095 = (DK,RF,NS) or PMKProxy = 2	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and (FSCTASUM >=0 and FSCTASUM <= 1) and (FSCTCSUM >=0 and FSCTCSUM <= 1)) or (DHHTDKS = 0 and (FSCTASUM >= 0 and FSCTASUM <= 1))	Food secure	
1	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	Moderately food insecure	
2	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure	

Reference: The model for FSCDVHFS is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

4) Household food security status - modified version (including marginally food insecure)

Variable name: FSCDVHF2

Based on: FSC_010, FSC_015, FSC_020, FSC_025, FSC_030, FSC_035, FSC_040, FSC_045, FSC_050, FSC_055, FSC_060, FSC_065, FSC_070, FSC_075, FSC_080, FSC_085, FSC_090, FSC_095, FSCTASUM, FSCTCSUM, DHHDVYKD, DHHDVOKD

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures three kinds of situations:

1 - Food secure: No indication of difficulty with income-related food access.
2 - Marginally food secure: Exaclty one indication of difficulty with income-related food access.
3 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
4 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status. It is similar to FSCDVHFS, except that it classifies respondents who indicated exactly one indication of difficulty with income-related food access (on the 18-point scale) as the category "marginally food secure".

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1) and who are the child, foster child, grandchild, child-in-law, niece or nephew of another household member.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 2	Module not selected	NA
9	FSC_010 = (DK, RF, NS) or FSC_015 = (DK, RF, NS) or FSC_020 = (DK, RF, NS) or FSC_025 = (DK, RF, NS) or FSC_030 = (DK, RF, NS) or FSC_035 = (DK, RF, NS) or FSC_040 = (DK, RF, NS) or FSC_045 = (DK, RF, NS) or FSC_050 = (DK, RF, NS) or FSC_055 = (DK, RF, NS) or FSC_060 = (DK, RF, NS) or FSC_065 = (DK, RF, NS) or FSC_070 = (DK, RF, NS) or FSC_075 = (DK, RF, NS) or FSC_080 = (DK, RF, NS) or FSC_085 = (DK, RF, NS) or FSC_090 = (DK, RF, NS) or FSC_095 = (DK, RF, NS) or PMKProxy = 2	At least one required question was not answered (don't know, refusal, not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and FSCTASUM = 0 and FSCTCSUM = 0) or (DHHTDKS = 0 and FSCTASUM = 0)	Food secure	

1	(DHHTDKS = 1 and ((FSCTASUM = 1 and FSCTCSUM = 0) or (FSCTASUM = 0 and FSCTCSUM = 1) or (FSCTASUM = 1 and FSCTCSUM = 1))) or (DHHTDKS = 0 and FSCTASUM = 1)	Marginally food secure
2	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	Moderately food insecure
3	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure

Reference: The model for FSCDVHFS (and FSCDVHF2) is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004)-Income-Related Household Food Security in Canada".

Fruit and vegetable consumption (8 DVs)

1) Daily consumption - pure fruit juice

Variable name: FVCDVJUI

Based on: ADM_PRX, FVC_005, FVC_005A

Description: This variable indicates the usual number of times per day the respondent drinks pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_005 = (DK, RF, NS) or FVC_005A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_005	FVC_005A = 1	Number of times/day	
FVC_005 / 7	FVC_005A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_005 / 30	FVC_005A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_005 = 0	Did not drink pure fruit juice in the last month	

2) Daily consumption - fruit

Variable name: FVCDVFRU

Based on: ADM_PRX, FVC_010, FVC_010A

Description: This variable indicates the usual number of times per day the respondent consumes fruit, including frozen, dried or canned, but excluding fruit juices.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_010 = (DK, RF, NS) or FVC_010A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_010	FVC_010A = 1	Number of times/day	
FVC_010 / 7	FVC_010A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_010 / 30	FVC_010A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_010 = 0	Did not eat fruit in the last month	

3) Daily consumption - dark green vegetables

Variable name: FVCDVGRN

Based on: ADM_PRX, FVC_015, FVC_015A

Description: This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, peas and green peppers or dark leafy greens including romaine or spinach, frozen or canned vegetables and vegetables cooked into meals.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_015 = (DK, RF, NS) or FVC_015A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_015	FVC_015A = 1	Number of times/day	
FVC_015 / 7	FVC_015A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_015 / 30	FVC_015A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_015 = 0	Did not eat green vegetables in the last month	

4) Daily consumption - orange-coloured vegetables

Variable name: FVCDVORA

Based on: ADM_PRX, FVC_020, FVC_020A

Description: This variable indicates the usual number of times per day the respondent consumes orange-coloured vegetables such as carrots, orange bell pepper, sweet potatoes, pumpkin or squash, including frozen or canned vegetables and vegetables that were cooked in meals.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_020 = (DK, RF, NS) or FVC_020A = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_020	FVC_020A = 1	Number of times/day	
FVC_020 / 7	FVC_020A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_020 / 30	FVC_020A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_020 = 0	Did not eat orange vegetables in the last month	

5) Daily consumption - potatoes

Variable name: FVCDVPOT

Based on: ADM_PRX, FVC_025, FVC_025A

Description: This variable indicates the usual number of times per day the respondent consumes potatoes that are not deep fried.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_025 = (DK, RF, NS) or FVC_025 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_025	FVC_025A = 1	Number of times/day	
FVC_025 / 7	FVC_025A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_025 / 30	FVC_025A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_025 = 0	Did not eat potatoes in the last month	

6) Daily consumption - other vegetables

Variable name: FVCDVVEG

Based on: ADM_PRX, FVC_030, FVC_030A

Description: This variable indicates the respondent's usual daily consumption of other vegetables such as cucumber, celery, corn, cabbage, and vegetable juice. This variable excludes the dark green and orange-coloured vegetables taken in consideration in FVCDVGRN and FVCDVORA and the potatoes taken in consideration FVCDVPOT.

Note: In this question, the CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOFVC = 2	Module not selected	NA
999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
999.9	FVC_030 = (DK, RF, NS) or FVC_030A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVC_030	FVC_030A = 1	Number of times/day	
FVC_030 / 7	FVC_030A = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
FVC_030 / 30	FVC_030A = 3	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	FVC_030 = 0	Did not eat other vegetables in the last month	

7) Daily consumption - fruits and vegetables

Variable name: FVCDVTOT

Based on: ADM_PRX, FVCDVJUI, FVCDVFRU, FVCDVGRN, FVCDVPOT, FVCDVORA, FVCDVVEG

Description: The following variable represents the respondent's total daily consumption of fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOFVC = 2	Module not selected	NA
9999.9	ADM_PRX = 1	Module not asked - proxy interview	NS
9999.9	FVCDVJUI = NS or FVCDVFRU = NS or FVCDVGRN = NS or FVCDVPOT = NS or FVCDVORA = NS or FVCDVVEG = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
FVCDVJUI + FVCDVFRU + FVCDVGRN + FVCDVPOT + FVCDVORA + FVCDVVEG	(0 <= FVCDVJUI <= 300) and (0 <= FVCDVFRU <= 300) and (0 <= FVCDVGRN <= 300) and (0 <= FVCDVPOT <= 300) and (0 <= FVCDVORA <= 300) and (0 <= FVCDVVEG <= 300)	Total number of times the respondent eats fruits and vegetables	(min:0.0; max:1800.0)

8) Grouping of total daily consumption - fruits and vegetables

Variable name: FVCDVGDT

Based on: ADM_PRX, FVCDVTOT

Description: This variable classifies the respondent based on the total number of times per day he/she eats fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the last month at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
6	DOFVC = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	FVCDVTOT = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	FVCDVTOT < 5	Eats fruits and vegetables less than 5 times per day	
2	(5 <= FVCDVTOT <= 10)	Eats fruits and vegetables between 5 and 10 times per day	
3	FVCDVTOT > 10	Eats fruits and vegetables more than 10 times per day	

General health (3 DVs)

1) Perceived health

Variable name: GENDVHDI

Based on: GEN_005

Description: This variable indicates the respondent's health status based on his/her own judgement or his/her proxy. Higher scores indicate positive perceived health status.

Specifications

Value	Condition(s)	Description	Notes
9	GEN_005 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
0	GEN_005 = 5	Poor	
1	GEN_005 = 4	Fair	
2	GEN_005 = 3	Good	
3	GEN_005 = 2	Very good	
4	GEN_005 = 1	Excellent	

2) Perceived mental health

Variable name: GENDVMHI

Based on: ADM_PRX, GEN_015

Description: This variable indicates the respondent's mental health status based on his/her own judgement. Higher scores indicate positive perceived mental health status.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	GEN_015 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
0	GEN_015 = 5	Poor	
1	GEN_015 = 4	Fair	
2	GEN_015 = 3	Good	
3	GEN_015 = 2	Very good	
4	GEN_015 = 1	Excellent	

3) Satisfaction with life in general

Variable name: GENDVSWL

Based on: ADM_PRX, GEN_010

Description: This variable groups the 11-point scale used in GEN_010 to rate a respondent's satisfaction with life into 5 categories.

Specifications

Value	Condition(s)	Description	Notes
9	ADM_PRX = 1	Question not asked - proxy interview	NS
9	GEN_010 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(GEN_010 >= 9 and GEN_010 <= 10)	Very Satisfied	
2	GEN_010 >= 6 and GEN_010 <= 8)	Satisfied	
3	GEN_010 = 5	Neither satisfied nor dissatisfied	
4	(GEN_010 >= 2 and GEN_010 <= 4)	Dissatisfied	
5	(GEN_010 >= 0 and GEN_010 <= 1)	Very Dissatisfied	

Geography variables (2 DVs)

The Postal Code Conversion File (PCCF) was used in the derivation of the geographic variables. Most of the geographic variables use the geography from the 2016 Census. Some variables use the 2011 Census.

1) Health region - Grouped

Variable name: GEODGHR4

Based on: GEODVHR4

Description: This variable is a 5-digit number that identifies the sub-provincial health areas. It is based on the 4-digit health regions specified by the Provincial Ministries of Health. The reconstruction is as follows:
- positions 1-2 (first two positions of GEODVHR4);
- position 3 (value of "9");
- positions 4-5 (3rd, 4th position of GEODVHR4).

Note: The variable GEODVHR4 is the health region based on GEODVPC (postal code) and is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent. GEODVHR4 and GEODVPC are not included in the Public Use Microdata File.

Specifications

Value	Condition(s)	Description	Notes
10913	GEODVHR4 = (1013, 1014)	Group: Western Regional Integrated Health Authority Labrador-Grenfell Integrated Health Authority	
13904	GEODVHR4 = (1304, 1305)	Group: Zone 4 Zone 5	
13906	GEODVHR4 = (1306, 1307)	Group: Zone 6 Zone 7	
35939	GEODVHR4 = (3539, 3554)	Group: Huron County Health Unit Perth District Health Unit	
35947	GEODVHR4 = (3547, 3563)	Group: North Bay Parry Sound District Health Unit Timiskaming Health Unit	
47901	GEODVHR4 = (4701, 4702, 4703)	Group: Sun Country Regional Health Authority Five Hills Regional Health Authority Cypress Regional Health Authority	
47905	GEODVHR4 = (4705, 4708)	Group: Sunrise Regional Health Authority Kelsey trail Regional Health Authority	
47907	GEODVHR4 = (4707, 4710)	Group: Heartland Regional Health Authority Prairie North Regional Health Authority	
47909	GEODVHR4 = (4709, 4714)	Group: Prince Albert Parkland Regional Health Authority Mamawetan Churchill River RHA/Keewatin Yatthé RHA/Athabasca Health Authority	

2) British Columbia Health Authority (BCHA)

Variable name: GEODVBHA

Based on: GEODVPC

Description: This variable is a four digit number that identifies the 5 Health Authorities for British Columbia. It is equal to 9996 (for not applicable) anywhere else. This variable is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent.

Home care services (6 DVs)

1) Monthly cost services provided - nursing care - 12 mo - Grouped

Variable name: HMCG20_1

Based on: HMC_20_1

Description: This variable groups the monthly costs for nursing care.

Specifications

Value	Condition(s)	Description	Notes
6	HMC_20_1 = 96	Module not selected or population exclusions	NA
9	HMC_20_1 = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_20_1 = 1	$0	
2	HMC_20_1 = 2	$1 to less than $50	
3	HMC_20_1 = 3	$50 to less than $100	
4	HMC_20_1 = 4	$100 to less than $200	
5	HMC_20_1= (5, 6, 7, 8)	$200 and more	

2) Monthly cost services provided - other health care - 12 mo - Grouped

Variable name: HMCG20_2

Based on: HMC_20_2

Description: This variable groups the monthly costs for other home care services.

Specifications

Value	Condition(s)	Description	Notes
6	HMC_20_2 = 96	Module not selected or population exclusions	NA
9	HMC_20_2 = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_20_2 = 1	$0	
2	HMC_20_2 = 2	$1 to less than $50	
3	HMC_20_2 = (3, 4, 5, 6, 7, 8)	$50 and more	

3) Monthly cost services provided - medical equipment - 12 mo - Grouped

Variable name: HMCG20_3

Based on: HMC_20_3

Description: This variable groups the monthly costs for medical equipment.

Specifications

Value	Condition(s)	Description	Notes
96	HMC_20_3 = 96	Module not selected or population exclusions	NA
99	HMC_20_3 = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_20_3 = 1	$0	
2	HMC_20_3 = 2	$1 to less than $50	
3	HMC_20_3 = 3	$50 to less than $100	
4	HMC_20_3 = 4	$100 to less than $200	
5	HMC_20_3 = 5	$200 to less than $300	
6	HMC_20_3 = (6, 7)	$300 to less than $1000	
7	HMC_20_3 = 8	$1000 and more	

4) Monthly cost services provided - other services - 12 mo - Grouped

Variable name: HMCG20_5

Based on: HMC_20_5

Description: This variable groups the monthly costs for other services.

Specifications

Value	Condition(s)	Description	Notes
96	HMC_20_5 = 96	Module not selected or population exclusions	NA
99	HMC_20_5 = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_20_5 = 1	$0	
2	HMC_20_5 = 2	$1 to less than $50	
3	HMC_20_5 = 3	$50 to less than $100	
4	HMC_20_5 = 4	$100 to less than $200	
5	HMC_20_5 = 5	$200 to less than $300	
6	HMC_20_5 = 6	$300 to less than $400	
7	HMC_20_5 = (7, 8)	$400 and more	

5) Home care services not received - language barrier/other - Grouped

Variable name: HMCG055L

Based on: HMC_055G, HMC_055L

Description: Home care services not received: language barrier, or other.

Note: This is a regrouping of HMC_055G, HMC_055L.

Specifications

Value	Condition(s)	Description	Notes
6	HMC_055L = 6	Module not selected or population exclusions	NA

9	HMC_055G = (7, 8, 9) or HMC_055L = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_055G = 1 or HMC_055L = 1	Yes	
2	HMC_055G = 2 and HMC_055L = 2	No	

6) Received home care

Variable name: HMCDVVRH

Based on: DHH_AGE, HMC_005A, HMC_005B, HMC_005C, HMC_005D, HMC_005E, HMC_005F

Description: This variable indicates whether a household member received some form of home care service (whether the cost of the service was covered or not by government) in the past 12 months.

Starting 2015, this variable represents households where at least one member received home care services, rather than the respondent.

Note: Respondents less than 18 years old were excluded from the population.

When using the person weight (WTS_M), this variable reflects the number of people living in households who received some form of home care service. When using the household weights (WTS_MHH), this variable reflects the number of households where at least one member received some form of home care service.

Specifications

Value	Condition(s)	Description	Notes
6	DOHMC = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	HMC_005A = (DK, RF, NS) or HMC_005B = (DK, RF, NS) or HMC_005C = (DK, RF, NS) or HMC_005D = (DK, RF, NS) or HMC_005E = (DK, RF, NS) or HMC_005F = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HMC_005A = 1 or HMC_005B = 1 or HMC_005C = 1 or HMC_005D = 1 or HMC_005E = 1	Received some home care in past 12 months	
2	HMC_005F = 1	No one in the household received any home care services in past 12 months	

Height and weight - self-reported (8 DVs)

1) Height (Metres) - Self-Reported - Grouped

Variable name: HWTDGHTM

Based on: HWT_005, HWT_020, HWT_025, HWT_030, HWT_035, MAC_025

Description: This variable indicates the height of the respondent in metres, either as reported or converted from feet and inches (see note). If a respondent reported a height below or above a threshold deemed to be a disclosure risk, the value for HWTDGHTM is taken to be that threshold. The thresholds used vary by age group and sex. For example, if a 44 year old male reports a height below 1.6 metres, the value for HWTDGHTM is set to 1.6.

Note: For example, an individual who reported being 5 feet and 8 inches will have a height of 1.727 metres. The 1.727 is the midpoint of the range (1.715-1.739) around the height 5 feet and 8 inches. The range values were calculated as follows for an individual who is 5'8": LOWER LIMIT: Take the exact value in metres for a person who is 5'7" and average it with the value for 5'8". UPPER LIMIT: Take the exact value in metres for a person who is 5'9" and average it with the value for 5'8" then subtract 0.001 from it.

Specifications

Value	Condition(s)	Description	Notes
9.996	MAC_025 = 1	Population exclusion - Pregnant women	NA
9.999	ADM_PRX = 1	Module not asked - proxy interview	NS
9.999	HWT_005 = (DK, RF, NS) or HWT_020 = (DK, RF, NS) or HWT_025 = (DK, RF, NS) or HWT_030 = (DK, RF, NS) or HWT_035 = (DK, RF, NS) or ADM_PRX = 1	At least one required question was not answered (don't know, refusal, not stated)	NS
x.xxx	Else	Respondent's reported height in metres	

2) Weight (kilograms) - self-reported - Grouped

Variable name: HWTDGWTK

Based on: ADM_PRX, HWT_040, HWT_045, MAC_025

Description: This variable indicates the respondent's self-reported weight in kilograms, either as reported or converted from pounds. If a respondent reported a weight below or above a threshold deemed to be a disclosure risk, the value for HWTDGWTK is taken to be that threshold. The thresholds used vary by age group and sex. For example, if a 44 year old male reports a weight below 55.8 kg, the value for HWTDGWTK is set to 55.8.

Note: This variable excludes female respondents who were pregnant.

Specifications

Value	Condition(s)	Description	Notes
999.96	MAC_025 = 1	Population exclusion - Pregnant women	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	
999.99	HWT_040 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
HWT_040	HWT_045 = 2	Weight in Kg	(rounded to two decimal places)
HWT_040 × 0.45	HWT_045 = 1	Weight in Kg converted from Lbs.	(rounded to two decimal places)

3) Body mass index (self-reported) - Grouped

Variable name: HWTDGBMI

Based on: DHH_SEX, ADM_PRX, HWTDVHTM, HWTDVWTK, MAC_025

Description: The Body Mass Index (BMI) for this variable is based on self-reported height and weight. BMI is a comparison of "weight" relative to the "height" of respondents. HWTDGBMI values have been derived from the grouped variables HWTDGHTM and HWTDGWTK.

BMI values have been regrouped to a minimum of 12 and a maximum of 58.

Note: BMI is not calculated for pregnant women. Although calculation of BMI is not recommended for lactating women, the index provided here is calculated for women who report that they are breastfeeding (MEX_110 = 1).

This BMI classification is created using "self-reported height" and "self-reported weight" variables. For an adjusted BMI derived variable, see HWTDVCOR.

Specifications

Value	Condition(s)	Description	Notes
999.96	MAC_025 = 1	Population exclusion - Pregnant women	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	NS
999.99	DHH_SEX = 2 and MAC_025 = (7, 8, 9)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	NS
999.99	HWTDGHTM = 999.99 or HWTDGWTK = 999.99	Respondents for whom a valid self-reported height and weight was not obtained	NS
12	HWTDGWTK / (HWTDGHTM × HWTDGHTM) < 12		
58	HWTDGWTK / (HWTDGHTM × HWTDGHTM) > 58		
HWTDGWTK / (HWTDGHTM × HWTDGHTM)	HWTDVHTM < NA and HWTDVWTK < NA	BMI calculated from both self-reported height and self-reported weight values	(Rounded to two decimal places)

4) BMI classification for children aged 12 to 17 (self-reported) - Cole classification system

Variable name: HWTDVCOL

Based on: DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex-specific BMI cut-off points as defined by Cole and Lobstein. The Cole-Lobstein cut-off points are based on pooled international data (Brazil, United Kingdom, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the widely internationally accepted adult BMI cut-off points of 18.5 (Normal), 25 (overweight) and 30 (obese).

These cut-offs, released in 2012, are updates of the original cut-offs produced by Cole et. al in 2000.

Note: This variable excludes respondents who are 18 years old or over (216 months) or females who were pregnant.

Temporary Reformat

Value	Condition(s)	Description	Notes
AGET1			
DHHTAGM / 12	DHHTAGM < NA	Convert respondent's "age in months" to "age in years"	(Rounded to nearest 0.5)
DHHTAGM			

9996	DHH_AGE > 17	Population exclusion	NA
9999	(DHH_DOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	A valid day of birth or month of birth or year of birth is not available for the respondent.	NS
Age in months	Interview date converted in months (ADM_YOI, ADM_MOI and ADM_DOI) - Date of birth converted in months (DHH_YOB, DHH_MOB and DHH_DOB)	Create respondent's age in months at time of the interview	(min:144; max:1224)

Specifications

Value	Condition(s)	Description	Notes
6	MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17	Population exclusion	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

4	(AGET1 = 12 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (NA > HWTDVBMI >= 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (NA > HWTDVBMI >= 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (NA > HWTDVBMI >= 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (NA > HWTDVBMI >= 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (NA > HWTDVBMI >= 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (NA > HWTDVBMI >= 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (NA > HWTDVBMI >= 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (NA > HWTDVBMI >= 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (NA > HWTDVBMI >= 30.00))	Obese

3	(AGET1 = 12 and DHH_SEX = 1 and (21.20 <= HWTDVBMI < 26.02)) or (AGET1 = 12 and DHH_SEX = 2 and (21.59 <= HWTDVBMI < 26.47)) or (AGET1 = 12.5 and DHH_SEX = 1 and (21.54 <= HWTDVBMI < 26.45)) or (AGET1 = 12.5 and DHH_SEX = 2 and (22.05 <= HWTDVBMI < 27.05)) or (AGET1 = 13 and DHH_SEX = 1 and (21.89 <= HWTDVBMI < 26.87)) or (AGET1 = 13 and DHH_SEX = 2 and (22.49 <= HWTDVBMI < 27.57)) or (AGET1 = 13.5 and DHH_SEX = 1 and (22.24 <= HWTDVBMI < 27.26)) or (AGET1 = 13.5 and DHH_SEX = 2 and (22.90 <= HWTDVBMI < 28.03)) or (AGET1 = 14 and DHH_SEX = 1 and (22.60 <= HWTDVBMI < 27.64)) or (AGET1 = 14 and DHH_SEX = 2 and (23.27 <= HWTDVBMI < 28.42)) or (AGET1 = 14.5 and DHH_SEX = 1 and (22.95 <= HWTDVBMI < 28.00)) or (AGET1 = 14.5 and DHH_SEX = 2 and (23.60 <= HWTDVBMI < 28.74)) or (AGET1 = 15 and DHH_SEX = 1 and (23.28 <= HWTDVBMI < 28.32)) or (AGET1 = 15 and DHH_SEX = 2 and (23.89 <= HWTDVBMI < 29.01)) or (AGET1 = 15.5 and DHH_SEX = 1 and (23.59 <= HWTDVBMI < 28.61)) or (AGET1 = 15.5 and DHH_SEX = 2 and (24.13 <= HWTDVBMI < 29.22)) or (AGET1 = 16 and DHH_SEX = 1 and (23.89 <= HWTDVBMI < 28.89)) or (AGET1 = 16 and DHH_SEX = 2 and (24.34 <= HWTDVBMI < 29.40)) or (AGET1 = 16.5 and DHH_SEX = 1 and (24.18 <= HWTDVBMI < 29.15)) or (AGET1 = 16.5 and DHH_SEX = 2 and (24.53 <= HWTDVBMI < 29.55)) or (AGET1 = 17 and DHH_SEX = 1 and (24.46 <= HWTDVBMI < 29.43)) or (AGET1 = 17 and DHH_SEX = 2 and (24.70 <= HWTDVBMI < 29.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (24.73 <= HWTDVBMI < 29.71)) or (AGET1 = 17.5 and DHH_SEX = 2 and (24.85 <= HWTDVBMI < 29.85)) or (AGET1 = 18 and DHH_SEX = 1 and (25.00 <= HWTDVBMI < 30.00)) or (AGET1 = 18 and DHH_SEX = 2 and (25.00 <= HWTDVBMI < 30.00))	Overweight

2	(AGET1 = 12 and DHH_SEX = 1 and (15.36 <= HWTDVBMI < 21.20)) or (AGET1 = 12 and DHH_SEX = 2 and (15.59 <= HWTDVBMI < 21.59)) or (AGET1 = 12.5 and DHH_SEX = 1 and (15.59 <= HWTDVBMI < 21.54)) or (AGET1 = 12.5 and DHH_SEX = 2 and (15.91 <= HWTDVBMI < 22.05)) or (AGET1 = 13 and DHH_SEX = 1 and (15.84 <= HWTDVBMI < 21.89)) or (AGET1 = 13 and DHH_SEX = 2 and (16.23 <= HWTDVBMI < 22.49)) or (AGET1 = 13.5 and DHH_SEX = 1 and (16.11 <= HWTDVBMI < 22.24)) or (AGET1 = 13.5 and DHH_SEX = 2 and (16.55 <= HWTDVBMI < 22.90)) or (AGET1 = 14 and DHH_SEX = 1 and (16.39 <= HWTDVBMI < 22.60)) or (AGET1 = 14 and DHH_SEX = 2 and (16.86 <= HWTDVBMI < 23.27)) or (AGET1 = 14.5 and DHH_SEX = 1 and (16.68 <= HWTDVBMI < 22.95)) or (AGET1 = 14.5 and DHH_SEX = 2 and (17.16 <= HWTDVBMI < 23.60)) or (AGET1 = 15 and DHH_SEX = 1 and (16.98 <= HWTDVBMI < 23.28)) or (AGET1 = 15 and DHH_SEX = 2 and (17.43 <= HWTDVBMI < 23.89)) or (AGET1 = 15.5 and DHH_SEX = 1 and (17.26 <= HWTDVBMI < 23.59)) or (AGET1 = 15.5 and DHH_SEX = 2 and (17.68 <= HWTDVBMI < 24.13)) or (AGET1 = 16 and DHH_SEX = 1 and (17.53 <= HWTDVBMI < 23.89)) or (AGET1 = 16 and DHH_SEX = 2 and (17.90 <= HWTDVBMI < 24.34)) or (AGET1 = 16.5 and DHH_SEX = 1 and (17.79 <= HWTDVBMI < 24.18)) or (AGET1 = 16.5 and DHH_SEX = 2 and (18.08 <= HWTDVBMI < 24.53)) or (AGET1 = 17 and DHH_SEX = 1 and (18.04 <= HWTDVBMI < 24.46)) or (AGET1 = 17 and DHH_SEX = 2 and (18.24 <= HWTDVBMI < 24.70)) or (AGET1 = 17.5 and DHH_SEX = 1 and (18.28 <= HWTDVBMI < 24.73)) or (AGET1 = 17.5 and DHH_SEX = 2 and (18.38 <= HWTDVBMI < 24.85)) or (AGET1 = 18 and DHH_SEX = 1 and (18.50 <= HWTDVBMI < 25.00)) or (AGET1 = 18 and DHH_SEX = 2 and (18.50 <= HWTDVBMI < 25.00))	Normal
1	Else	Thinness

Reference: For more information about the Cole BMI classification system, see Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity, by T. J. Cole and T. Lobstein, published in Pediatric Obesity, Volume: 7, March 2012, and Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey, by Tim J. Cole, Mary C. Bellizzi, Katherine M. Flegal, William H. Dietz, published in British Medical Journal, Volume: 320, May 2000.

5) BMI classification for adults aged 18 and over (self-reported) - international standard - Grouped

Variable name: HWTDGISW

Based on: DHH_AGE, HWTDGBMI, MAC_025

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; and obese class I, II, or III. The BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health

Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels.

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 18 or MAC_025 = 1 or HWTDGBMI = NA	Population exclusions	NA
9	HWTDGBMI = NS or MAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HWTDGBMI < 18.50	Underweight	
2	(18.50 <= HWTDGBMI <= 24.99)	Normal weight	
3	(25.00 <= HWTDGBMI <= 29.99)	Overweight	
4	HWTDGBMI >= 30.00	Obese - Class I, II, III	

6) BMI classification for children aged 12 to 17 (self-reported) - WHO classification system

Variable name: HWTDVWHO

Based on: ADM_PRX, DHH_AGE, DHH_SEX, DHH_DOB, DHH_MOB, DHH_YOB, ADM_YOI, ADM_MOI, ADM_DOI, HWTDVBMI, MAC_025, DHHTAGM, AGET1

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) as "obese", "overweight", "normal" or "thinness" according to the age-and-sex specific BMI cut-off points as defined by the World Health Organization.

In 2007, the WHO produced growth references for children aged 5 to 19 years using data from NHES II and III and NHANES I. The WHO BMI growth curves for 5- to 19-year-olds were constructed to ensure a smooth transition from the WHO standard for 0- to 5-year-olds. Based on these growth curves, the WHO recommends that children whose BMI is more than two standard deviations (SDs) above the mean should be considered obese, and those whose BMI is between one and two SDs above the mean, overweight. At all ages, the WHO cut-off points yield higher percentages of boys and girls classified as overweight/obese than do the IOTF or CDC cut-off points.

Note: This variable excludes respondents who are greater than 6 feet 11 inches (2.108 metres) or females who were pregnant.

Specifications

Value	Condition(s)	Description	Notes
6	MAC_025 = 1 or HWTDVBMI = NA or DHH_AGE > 17	Population exclusion	NA
9	ADM_PRX = 1	Module not asked (proxy interview)	
9	HWTDVBMI = NS or MAC_025 = (DK, RF, NS) or DHHTAGM = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

4	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and (HWTDVBMI < NA and HWTDVBMI >= 29.24)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI < NA and HWTDVBMI >= 29.52))	Obese (Greater or equal to 2 standard deviations above the mean for the child's age in months, and sex)

3	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 19.95 and HWTDVBMI < 23.58)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 20.81 and HWTDVBMI < 24.97)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 20.38 and HWTDVBMI < 24.17)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 21.31 and HWTDVBMI < 25.60)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 20.83 and HWTDVBMI < 24.76)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 21.80 and HWTDVBMI < 26.21)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 21.30 and HWTDVBMI < 25.35)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 22.28 and HWTDVBMI < 26.79)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 21.77 and HWTDVBMI < 25.92)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 22.73 and HWTDVBMI < 27.32)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 22.24 and HWTDVBMI < 26.46)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.15 and HWTDVBMI < 27.80)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 22.69 and HWTDVBMI < 26.97)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 23.51 and HWTDVBMI < 28.22)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.12 and HWTDVBMI < 27.44)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 23.83 and HWTDVBMI < 28.58)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 23.53 and HWTDVBMI < 27.88)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 24.10 and HWTDVBMI < 28.87)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 23.91 and HWTDVBMI < 28.27)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.32 and HWTDVBMI < 29.11)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 24.27 and HWTDVBMI < 28.63)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 24.50 and HWTDVBMI < 29.28)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 24.60 and HWTDVBMI < 28.95)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 24.65 and HWTDVBMI < 29.42)) or (AGET1 = 18 and DHH_SEX = 1 and	Overweight (Greater or equal to 1 standard deviation but less than 2 standard deviations above the mean for the child's age in months, and sex)

(HWTDVBMI >= 24.91 and HWTDVBMI < 29.24))
or
(AGET1 = 18 and DHH_SEX = 2 and
(HWTDVBMI >= 24.77 and HWTDVBMI < 29.52))

2	(AGET1 = 12 and DHH_SEX = 1 and (HWTDVBMI >= 14.45 and HWTDVBMI < 19.95)) or (AGET1 = 12 and DHH_SEX = 2 and (HWTDVBMI >= 14.39 and HWTDVBMI < 20.81)) or (AGET1 = 12.5 and DHH_SEX = 1 and (HWTDVBMI >= 14.68 and HWTDVBMI < 20.38)) or (AGET1 = 12.5 and DHH_SEX = 2 and (HWTDVBMI >= 14.66 and HWTDVBMI < 21.31)) or (AGET1 = 13 and DHH_SEX = 1 and (HWTDVBMI >= 14.94 and HWTDVBMI < 20.83)) or (AGET1 = 13 and DHH_SEX = 2 and (HWTDVBMI >= 14.94 and HWTDVBMI < 21.80)) or (AGET1 = 13.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.20 and HWTDVBMI < 21.30)) or (AGET1 = 13.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.20 and HWTDVBMI < 22.28)) or (AGET1 = 14 and DHH_SEX = 1 and (HWTDVBMI >= 15.48 and HWTDVBMI < 21.77)) or (AGET1 = 14 and DHH_SEX = 2 and (HWTDVBMI >= 15.45 and HWTDVBMI < 22.73)) or (AGET1 = 14.5 and DHH_SEX = 1 and (HWTDVBMI >= 15.75 and HWTDVBMI < 22.24)) or (AGET1 = 14.5 and DHH_SEX = 2 and (HWTDVBMI >= 15.67 and HWTDVBMI < 23.15)) or (AGET1 = 15 and DHH_SEX = 1 and (HWTDVBMI >= 16.01 and HWTDVBMI < 22.69)) or (AGET1 = 15 and DHH_SEX = 2 and (HWTDVBMI >= 15.87 and HWTDVBMI < 23.51)) or (AGET1 = 15.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.27 and HWTDVBMI < 23.12)) or (AGET1 = 15.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.04 and HWTDVBMI < 23.83)) or (AGET1 = 16 and DHH_SEX = 1 and (HWTDVBMI >= 16.51 and HWTDVBMI < 23.53)) or (AGET1 = 16 and DHH_SEX = 2 and (HWTDVBMI >= 16.17 and HWTDVBMI < 24.10)) or (AGET1 = 16.5 and DHH_SEX = 1 and (HWTDVBMI >= 16.73 and HWTDVBMI < 23.91)) or (AGET1 = 16.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.28 and HWTDVBMI < 24.32)) or (AGET1 = 17 and DHH_SEX = 1 and (HWTDVBMI >= 16.93 and HWTDVBMI < 24.27)) or (AGET1 = 17 and DHH_SEX = 2 and (HWTDVBMI >= 16.35 and HWTDVBMI < 24.50)) or (AGET1 = 17.5 and DHH_SEX = 1 and (HWTDVBMI >= 17.12 and HWTDVBMI < 24.60)) or (AGET1 = 17.5 and DHH_SEX = 2 and (HWTDVBMI >= 16.41 and HWTDVBMI < 24.65)) or (AGET1 = 18 and DHH_SEX = 1 and	Normal (Greater than or equal to 2 standard deviations below the mean and less than 1 standard deviation above the mean for the child's age in months, and sex)

	(HWTDVBMI >= 17.28 and HWTDVBMI < 24.91)) or (AGET1 = 18 and DHH_SEX = 2 and (HWTDVBMI >= 16.45 and HWTDVBMI < 24.77))	
1	Else	Thinness (Less than 2 standard deviations below the mean for the child's age in months, and sex)

Reference: For more information about the WHO BMI classification system, see Development of a WHO growth reference for school-aged children and adolescents, by Mercedes de Onis, Adelheid W. Onyango, Elaine Borghi, Amani Siyam, Chizuru Nishidaa & Jonathan Siekmanna, published in Bulletin of the World Health Organization, Sept 2007;85:660-667.

7) Body mass index (adjusted) - Grouped

Variable name: HWTDGCOR

Based on: DHH_AGE, DHH_SEX, ADM_PRX, HWTDGBMI, MAC_025

Description: This variable indicates the respondent's adjusted body mass index by applying a correction equation.

Note: A systematic review of the literature concluded that the use of self-reported data among adults underestimates weight and overestimates height, resulting in lower estimates of obesity than those obtained from measured data (Connor Gorber et al. 2007). Obesity estimates based on the CCHS are subject to these biases (Shields et al. 2008b). Using data from the 2005 Canadian Community Health Survey (CCHS) subsample, where both measured and self-reported values were collected, correction equations have been developed (Connor Gorber et al. 2008). These correction equations have been successfully applied to both 2005 and 2008 self-reported CCHS data to produce more accurate estimates of obesity (Connor Gorber et al. 2008; Shields et al. 2011). Differences between corrected estimates of obesity from the CCHS and measured estimates from the Canadian Health Measures Survey will be monitored over time to determine if the bias in self-reported values is changing and if new correction equations need to be developed.

Specifications

Value	Condition(s)	Description	Notes
999.96	DHH_AGE < 18 or MAC_025 = 1 or HWTDGBMI = NA	Population exclusions	NA
999.99	ADM_PRX = 1	Module not asked (proxy interview)	NS
999.99	DHH_SEX=2 and MAC_025 = (DK, RF, NS)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	
999.99	HWTDVHTM = NS or HWTDVWTK = NS or HWTDGBMI = NS	Respondents for whom a valid self-reported height and weight was not obtained	
-1.07575 + 1.07592*HWTDGBMI	DHH_SEX = 1	Male BMI adjustment	(Rounded to two decimal places)
-0.12374 + 1.05129*HWTDGBMI	DHH_SEX = 2	Female BMI adjustment	(Rounded to two decimal places)

Reference: Reference: 1. Connor Gorber S, Shields M, Tremblay MS, McDowell I. The feasibility of establishing correction factors to adjust selfreported estimates of obesity. Health Reports (Statistics Canada, Catalogue 82-003) 2008; 19(3): 71-82.
2. Connor Gorber S, Tremblay M, Moher D, Gorber B. A comparison of direct vs. self-report measures for assessing height, weight and body mass index: a systematic review. Obesity Reviews 2007; 8(4): 307-26.
3. Shields M, Connor Gorber S, Tremblay MS. Effects of measurement on obesity and morbidity. Health Reports (Statistics Canada, Catalogue 82-003) 2008a; 19(2): 77-84.
4. Shields M, Connor Gorber S, Tremblay MS. Estimates of obesity based on self-report versus direct measures. Health Reports (Statistics Canada, Catalogue 82-003) 2008b; 19(2): 61-76.
5. Shields M, Connor Gorber S, Janssen I, Tremblay MS. Bias in self-reported estimates of obesity in Canadian health surveys: an update on correction equations for adults. Health Reports 2011; 22(3): 35-45.

8) BMI classification for adults aged 18 and over (adjusted) - international standard - Grouped

Variable name: HWTDGBCC

Based on: DHH_AGE, ADM_PRX, HWTDGCOR, MAC_025

Description: This variable uses the respondent's adjusted BMI, calculated in HWTDGCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; and obese class I, II or III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 18 or MAC_025 = 1 or HWTDGBMI = NA	Population exclusions	NA
9	ADM_PRX = 1	Module not asked (proxy interview)	NS
9	HWTDGCOR = NS or MAC_025 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated	NS
1	HWTDGCOR < 18.50	Underweight	
2	(18.50 <= HWTDGCOR <= 24.99)	Normal weight	
3	(25.00 <= HWTDGCOR <= 29.99)	Overweight	
4	HWTDGCOR >= 30.00	Obese - Class I, II, III	

Income (7 DVs)

Temporary variables: INCTRAT, INCTLIC, INCTINC
(Temporary variables are not disseminated on the master files.)

INCTRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCDVADR). It is the ratio between the total income of the respondent's household and the before-tax low income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter and clothing.

INCTRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low income cut-offs for each family and community size were obtained for the 2016 reference year from the Canadian Income Survey.

A low income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be $32, 681.

Step 2: Individual ratios of household income to the low income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTINC) by the corresponding low income cut-off (INCTLIC).

Beginning in 2016, income data are taken from tax records, if possible. The flag INCFIMPH indicates whether household income variables (INC_005A-INC_005O, INC_010, INC_015, and INC_021) are taken from tax records, reported, or imputed. The flag INCFIMPP indicates the same information for personal income variables (INC_025A-INC_025O, INC_030, INC_035, INC_041). For more information, please refer to the document 'Income Variables and Sources in the Canadian Community Health Survey' available by request at statcan.hd-ds.statcan@canada.ca.

Low income cut-offs (INCTLIC) were taken from: Statistics Canada, Table 11-10-0241-01 (formerly CANSIM 206-0094).

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
GEOTPSZ			
1	GEODVUR = 0	Rural Area	
2	Size of the population centre(or CMA) < 30,000	Population Centre less than 30,000 people	
3	30,000 <= Size of the population centre(or CMA) < 100,000	Population Centre 30,000 to 99,999 people	
4	100,000 <= Size of the population centre(or CMA) < 500,000	Population Centre 100,000 to 499,999 people	
5	Size of the population centre(or CMA) >= 500,000	Population Centre 500,000 people or more	
INCTINC			
99999996	GEO_PRV = (60, 61, 62)	Residents of Territories excluded	
99999999	INC_021 = NS	None of the income questions were stated	
0	INC_021<=0	No income or income loss	Value of 0 assigned when income loss reported
INC_021	0 < INC_021 < NA	Specific and positive household income	
INCTLIC			
17,175	DHHDVHSZ = 1 and GEOTPSZ = 1	LICO when the household size = 1 and population size group = rural area	
21,382	DHHDVHSZ = 2 and GEOTPSZ = 1	LICO when the household size = 2 and population size group = rural area	
26,285	DHHDVHSZ = 3 and GEOTPSZ = 1	LICO when the household size = 3 and population size group = rural area	
31,915	DHHDVHSZ = 4 and GEOTPSZ = 1	LICO when the household size = 4 and population size group = rural area	
36,197	DHHDVHSZ = 5 and GEOTPSZ = 1	LICO when the household size = 5 and population size group = rural area	
40,825	DHHDVHSZ = 6 and GEOTPSZ = 1	LICO when the number of persons in household = 6 and population size group = rural area	

45,452	DHHDVHSZ >= 7 and GEOTPSZ = 1	LICO when the household size >= 7 and population size group = rural area	
19,540	DHHDVHSZ = 1 and GEOTPSZ = 2	LICO when the household size = 1 and population size group = urban area - less than 30,000 people	
24,324	DHHDVHSZ = 2 and GEOTPSZ = 2	LICO when the household size = 2 and population size group = urban area - less than 30,000 people	
29,903	DHHDVHSZ = 3 and GEOTPSZ = 2	LICO when the household size = 3 and population size group = urban area - less than 30,000 people	
36,308	DHHDVHSZ = 4 and GEOTPSZ = 2	LICO when the household size = 4 and population size group = urban area - less than 30,000 people	
41,180	DHHDVHSZ = 5 and GEOTPSZ = 2	LICO when the household size = 5 and population size group = urban area - less than 30,000 people	
46,444	DHHDVHSZ = 6 and GEOTPSZ = 2	LICO when the household size = 6 and population size group = urban area - less than 30,000 people	
51,709	DHHDVHSZ >= 7 and GEOTPSZ = 2	LICO when the household size >= 7 and population size group = urban area - less than 30,000 people	
21,354	DHHDVHSZ = 1 and GEOTPSZ = 3	LICO when the household size = 1 and population size group = urban area - 30,000 to 99,999 people	
26,583	DHHDVHSZ = 2 and GEOTPSZ = 3	LICO when the household size = 2 and population size group = urban area - 30,000 to 99,999 people	
32,681	DHHDVHSZ = 3 and GEOTPSZ = 3	LICO when the household size = 3 and population size group = urban area - 30,000 to 99,999 people	
39,680	DHHDVHSZ = 4 and GEOTPSZ = 3	LICO when the household size = 4 and population size group = urban area - 30,000 to 99,999 people	
45,004	DHHDVHSZ = 5 and GEOTPSZ = 3	LICO when the household size = 5 and population size group = urban area - 30,000 to 99,999 people	
50,758	DHHDVHSZ = 6 and GEOTPSZ = 3	LICO when the household size = 6 and population size group = urban area - 30,000 to 99,999 people	
56,511	DHHDVHSZ >= 7 and GEOTPSZ = 3	LICO when the household size >= 7 and population size group = urban area - 30,000 to 99,999 people	
21,487	DHHDVHSZ = 1 and GEOTPSZ = 4	LICO when the household size = 1 and population size group = urban area - 100,000 to 499,999 people	
26,748	DHHDVHSZ = 2 and GEOTPSZ = 4	LICO when the household size = 2 and population size group = urban area - 100,000 to 499,999 people	
32,884	DHHDVHSZ = 3 and GEOTPSZ = 4	LICO when the household size = 3 and population size group = urban area - 100,000 to 499,999 people	
39,926	DHHDVHSZ = 4 and GEOTPSZ = 4	LICO when the household size = 4 and population size group = urban area - 100,000 to 499,999 people	
45,282	DHHDVHSZ = 5 and GEOTPSZ = 4	LICO when the household size = 5 and population size group = urban area - 100,000 to 499,999 people	
51,073	DHHDVHSZ = 6 and GEOTPSZ = 4	LICO when the household size = 6 and population size group = urban area - 100,000 to 499,999 people	
56,861	DHHDVHSZ >= 7 and GEOTPSZ = 4	LICO when the household size => 7 and population size group = urban area - 100,000 to 499,999 people	
24,949	DHHDVHSZ = 1 and GEOTPSZ = 5	LICO when the household size = 1 and population size group = urban area - 500,000 people or more	
31,061	DHHDVHSZ = 2 and GEOTPSZ = 5	LICO when the household size = 2 and population size group = urban area - 500,000 people or more	
38,185	DHHDVHSZ = 3 and GEOTPSZ = 5	LICO when the household size = 3 and population size group = urban area - 500,000 people or more	
46,362	DHHDVHSZ = 4 and GEOTPSZ = 5	LICO when the household size = 4 and population size group = urban area - 500,000 people or more	
52,583	DHHDVHSZ = 5 and GEOTPSZ = 5	LICO when the household size = 5 and population size group = urban area - 500,000 people or more	
59,304	DHHDVHSZ = 6 and GEOTPSZ = 5	LICO when the household size = 6 and population size group = urban area - 500,000 people or more	
66,027	DHHDVHSZ >= 7 and GEOTPSZ = 5	LICO when the household size >= 7 and population size group = urban area - 500,000 people or more	
INCTRAT			
9999.999999996	INCTINC = NA	Residents of territories excluded	9 decimals

9999.999999999	INCTINC = NS	The ratio cannot be calculated because the household income was not stated	9 decimals
INCTINC / INCTLIC	INCTINC <> (NA,NS)	Individual ratio of household income to the low income cut-off corresponding to the size of the household and the size of the community. The maximum ratio is based on the maximum household income accepted, which is $90,000,000	9 decimals; min: 0, max: 5530

1) Total household income - main source - Grouped

Variable name: INCG015

Based on: INC_015

Description: This variable groups the main source of total household income into four categories.

Specifications

Value	Condition(s)	Description	Notes
9	INC_015 = (DK, RF, NS)	Question was not answered (don't know, refusal, not stated)	NS
1	INC_015 = (1, 2)	Wages/salaries or self-employment	
2	INC_015 = (4, 5, 10)	Employment insurance or worker's compensation or social assistance/welfare	
3	INC_015 = (6, 7, 8, 9)	Benefits from Canada or Quebec Pension Plan or job related retirement pensions, superannuation and annuities or RRSP/RRIF of Old Age Security and Guaranteed Income Supplement	
4	INC_015 = (3, 11, 12, 13, 14, 15)	Dividends/interest or child tax benefit or child support or alimony or other or no income	

2) Main source of personal income - Grouped

Variable name: INCG035

Based on: INC_035

Description: This variable groups the main source of personal income into four categories.

Specifications

Value	Condition(s)	Description	Notes
6	INC_035 = 96	Module not selected or population exclusions	NA
9	INC_035 = (DK, RF, NS)	Question was not answered (don't know, refusal, not stated)	NS
1	INC_035 = (1, 2)	Wages/salaries or self-employment	
2	INC_035 = (4, 5, 10)	Employment insurance or worker's compensation or social assistance/welfare	
3	INC_035 = (6, 7, 8, 9)	Benefits from Canada or Quebec Pension Plan or job related retirement pensions, superannuation and annuities or RRSP/RRIF of Old Age Security and Guaranteed Income Supplement	
4	INC_035 = (3, 11, 12, 13, 14, 15)	Dividends/interest or child tax benefit or child support or alimony or other or no income	

3) Total Household Income - All Sources - Grouped

Variable name: INCDGHH

Based on: INCDVHH

Description: This variable groups the total household income from all sources.

Specifications

Value	Condition(s)	Description	Notes
9	INCDVHH = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	INCDVHH = (1, 2, 3, 4, 5)	No income or less than $20,000	
2	INCDVHH = (6, 7)	$20,000 to $39,999	
3	INCDVHH = (8, 9)	$40,000 to $59,999	
4	INCDVHH = (10, 11)	$60,000 to $79,999	
5	INCDVHH = (12, 13, 14, 15)	$80,000 or more	

4) Personal Income - All Sources - Grouped

Variable name: INCDGPER

Based on: INCDVPER

Description: This variable indicates the respondent's personal income from all sources.

Specifications

Value	Condition(s)	Description	Notes
99	INCDVPER = (97, 98, 99)	At least one required question was not answered (don't know, refusal, not stated)	NS
96	INCDVPER = 96	Population exclusions	NA
1	INCDVPER = 1	No income or income loss	
2	INCDVPER = (2, 3, 4, 5)	Less than $20,000	
3	INCDVPER = (6, 7)	$20,000 to $39,999	
4	INCDVPER = (8, 9)	$40,000 to $59,999	
5	INCDVPER = (10, 11)	$60,000 to $79,999	
6	INCDVPER = (12, 13, 14)	$80,000 or more	

5) Distribution of household income - national level (excluding territories)

Variable name: INCDVRCA

Based on: GEO_PRV, INCDVADR

Description: This derived variable is a distribution of respondents in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative

measure of their household income to the household incomes of all other respondents.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal and don't know are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated. The Territories are excluded from this derived variable.

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6	
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7	
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8	
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9	
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10	

6) Distribution of household income - provincial level

Variable name: INCDVRPR

Based on: GEO_PRV, INCDVADR

Description: This derived variable is a distribution of residents of each province in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA

99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	
5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5	
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6	
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7	
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8	
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9	
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10	

7) Distribution of household income - health region level

Variable name: INCDVRRS

Based on: GEO_PRV, GEODVHR4, INCDVADR

Description: This derived variable is a distribution of residents of each health region in deciles (ten categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e,. the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region. The Territories are excluded from this derived variable.

Note: Deciles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid responses (not stated, refusal, etc. are excluded). Boundaries are determined in order to derive deciles from the total weighted number of cases for which derived variables are calculated.

The INCDVRRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

Specifications

Value	Condition(s)	Description	Notes
96	GEO_PRV = (60, 61, 62)	Not applicable	NA
99	INCDVADR = NS	Not stated	NS
1	First 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 1	
2	Second 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 2	
3	Third 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 3	
4	Fourth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 4	

5	Fifth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 5
6	Sixth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 6
7	Seventh 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 7
8	Eighth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 8
9	Ninth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 9
10	Tenth 10% of respondents from the ascending list of adjusted ratios (INCDVADR)	Decile 10

Injuries (10 DVs)

1) Most Serious Injury - repetitive strain - body part affected - Grouped

Variable name: INJG015

Based on: INJ_015

Description: This variable indicates the body part affected by the repetitive strain injury.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	INJ_015 = 96	Module not selected or population exclusions	NA
99	INJ_015 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	INJ_015 = 2	Neck	
2	INJ_015 = 3	Shoulder/upper arm	
3	INJ_015 = 4	Elbow/lower arm	
4	INJ_015 = (5, 6)	Wrist/hand	
5	INJ_015 = 9	Knee/Lower leg	
6	INJ_015 = 10	Ankle/Foot	
7	INJ_015 = 11	Upper back/Upper spine	
8	INJ_015 = 12	Lower back/Lower spine	
9	INJ_015 = (1, 7, 8, 13, 14)	Other	

2) Number of injuries in past 12 months - Grouped

Variable name: INJG035

Based on: INJ_035

Description: The number of injuries in past 12 months.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9	INJ_035 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
6	INJ_035 = 96	Module not selected or population exclusions	NA
1	INJ_035 = 1	Respondent had 1 injury in the past 12 months.	
2	INJ_035 = 2	Respondent had 2 injuries in the past 12 months.	
3	3 =< INJ_035 =< 5	Respondent had 3 to 5 injuries in the past 12 months.	
4	INJ_035 >= 6	Respondent had 6 or more injuries in the past 12 months.	

3) Most Serious Injury - body part - Grouped

Variable name: INJG055

Based on: INJ_055

Description: This variable groups responses of the most serious injury by body part affected.

Specifications

Value	Condition(s)	Description	Notes
96	INJ_055 = 96	Module not selected or population exclusions	NA
99	INJ_055 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	INJ_055 = 1	Multiple sites	
2	INJ_055 = (2, 3, 4)	Eyes/Head/Neck	
3	INJ_055 = 5	Shoulder, upper arm	
4	INJ_055 = 6	Elbow, lower arm	
5	INJ_055 = (7, 8)	Wrist/Hand	
6	INJ_055 = (9, 10)	Hip/Thigh	
7	INJ_055 = 11	Knee, Lower leg	
8	INJ_055 = 12	Ankle, Foot	
9	INJ_055 = (13, 14)	Upper back or spine/Lower back or spine	
10	INJ_055 = (15, 16)	Chest/ Abdomin or pelvis	
11	INJ_055 = 17	Other	

4) Most Serious Injury - Place of occurrence - Grouped

Variable name: INJG060

Based on: INJ_060

Description: This variable groups responses of the most serious injury by place of occurrence.

Specifications

Value	Condition(s)	Description	Notes
96	INJ_060 = 96	Module not selected or population exclusions	NA
99	INJ_060 = (97, 98, 99)	Required question was not answered (don't know, refusal, not stated)	NS
1	INJ_060 = 1	In a home or its surrounding area	
2	INJ_060 = (2, 3, 6)	Residential institution/School, college, university/ Other institution	
3	INJ_060 = 4	Sports or athletics area of school, college, university	
4	INJ_060 = 5	Other sports area (exclude school sports areas)	
5	INJ_060 = 7	Street, highway, sidewalk	

6	INJ_060 = 8	Commercial area
7	INJ_060 = (9, 10)	Industrial or construction area/ Farm
8	INJ_060 = (11, 12)	Other

5) Most Serious Injury - activity when injured - Grouped

Variable name: INJG065

Based on: INJ_065

Description: This variable groups the responses of other injury by activity when injured.

Specifications

Value	Condition(s)	Description	Notes
96	DOINJ = 2 or INJ_030 = 2	Module not selected or respondent did not suffer an injury	NA
99	INJ_065 = (97, 98, 99)	Required question was not answered (don't know, refusal, not stated)	NS
1	INJ_065 = (1, 2)	Organized sports/Leisure sports or physical exercise	
2	INJ_065 = 4	Working at a job or business	
3	INJ_065 = 5	Household chores and other unpaid work	
4	INJ_065 = (7, 10)	Going up and down stairs / walking	
5	INJ_065 = (8, 9)	Driver or passenger in/on road or off road motor vehicle	
6	INJ_065 = (3, 6, 11)	Other, including non-sport leisure or hobby and sleeping, eating, personal care	

6) Most Serious Injury - type of fall - Grouped

Variable name: INJG075

Based on: INJ_075

Description: This variable groups the responses of other injury by how the respondent fell.

Specifications

Value	Condition(s)	Description	Notes
96	INJ_075 = 96	Module not selected or population exclusions	NA
99	INJ_075 = (97, 98, 99)	Required question was not answered (don't know, refusal, not stated)	NS
1	INJ_075 = 1	While skating, skiing, or snowboarding	
2	INJ_075 = 2	While practicing other sports	
3	INJ_075 = (3, 6, 7)	Going up or down stairs or steps/From furniture/From elevated possition	
4	INJ_075 = 4	Slip, trip, stumble or loss of balance on ice and snow	
5	INJ_075 = 5	Slip, trip, stumble or loss of balance on any other surface	

6	INJ_075 = (8, 9)	Due to health problems (e.g. faint, weakness, dizziness) / Other

7) Most Serious Injury - place of treatment - Grouped

Variable name: INJG095

Based on: INJ_095

Description: This variable groups the responses of other injury by place of treatment.

Specifications

Value	Condition(s)	Description	Notes
6	INJ_095 = 96	Module not selected or population exclusions	NA
9	INJ_095 = (97, 98, 99)	Required question was not answered (don't know, refusal, not stated)	NS
1	INJ_095 = 1	Doctor's office	
2	INJ_095 = 2	Hospital emergency room	
3	INJ_095 = 3	Hospital outpatient clinic	
4	INJ_095 = (4, 5, 6, 7, 8, 9)	Other	

8) Other injuries treated but not limiting activities - number - 12 mo - Grouped

Variable name: INJG115

Based on: INJ_115

Description: This variable caps the number of other injuries that were treated but did not limit activities.

Specifications

Value	Condition(s)	Description	Notes
6	INJ_115 = 96	Module not selected or population exclusions	NA
9	INJ_115 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	INJ_115 = 1	1 Injury	
2	INJ_115 = 2	2 Injuries	
3	INJ_115 => 3	3 or more injuries	

9) Cause of injury - Grouped

Variable name: INJDGCAU

Based on: INJ_030, INJ_070, INJ_080

Description: This variable categorizes and groups the respondent's cause of injury.

Note: Respondents who did not suffer any injuries in the 12 months before the interview have been excluded from the population.

Respondents who indicated "poisoning" in INJ_050 are also excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOINJ = 2	Module not selected	NA
96	INJ_030 = 2 or INJ_070 = 96	Population exclusions	NA
99	INJ_070 = (2, 7, 8, 9) and INJ_080 = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	INJ_070 = 1	Fall (excluding transport)	
2	INJ_080 = 1	Transportation accident	
3	INJ_080 = 2	Accidentally bumped, pushed, bitten by person or animal	
4	INJ_080 = 3	Accidentally struck or crushed	
5	INJ_080 = 4	Accidental contact - sharp object, tool, machine	
6	INJ_080 = 8	Overexertion or strenuous movement	
7	INJ_080 = (5, 6, 7, 9, 10, 11)	Other, including: - smoke, fire, flames - accidental contact with hot object, liquid or gas - extreme weather or natural disaster - physical assault - intentional self-inflicted injury	

10) Injury status

Variable name: INJDVSTT

Based on: INJ_030, INJ_110

Description: This variable indicates the injury status of the respondent, in the past 12 months.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DOINJ = 2	Module not selected	NA
9	INJ_030 = (DK, RF, NS) or INJ_110 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	INJ_030 = 2 and INJ_110 = 2	No injuries	
1	INJ_030 = 1 and INJ_110 = 2	Injury limiting activities only	
2	INJ_030 = 2 and INJ_110 = 1	Treated injury (not limiting activities) only	
3	INJ_030 = 1 and INJ_110 = 1	Injury limiting activities and treated injury (not limiting activities)	

Workplace injury (1 DV)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
INWTSIC			
INWCSIC	INW_005 <> 1	Job industry in which injury occurred. Did not occur in current main job. Industry code derived from Workplace Injury module (INW).	
LBFCSIC	INW_005 = 1	Job industry in which injury occurred. Occurred in current main job. Industry code taken from Labour Force module (LBF).	
INWTSOC			
INWCSOC	INW_005 <> 1	Job occupation in which injury occurred. Did not occur in current main job. Occupation code derived from the Workplace Injury (INW) module.	
LBFCSOC	INW_005 = 1	Job occupation in which injury occurred. Occurred in current main job. Occupation code taken from Labour Force module (LBF).	

1) Injury at work - Occupation group - Grouped

Variable name: INWDGOCG

Based on: INWTSOC, DHH_AGE, LBFDVWSS, INJ_065

Description: This derived variable identifies the occupation group in which the injury at work occurred.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	DHH_AGE < 15 or DHH_AGE > 75 or LBFDVWSS = 3 or INJ_065 <> 4 or INWTSOC = NA	Module not selected or population exclusions	NA
9	INWTSOC = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	INWTSOC = (0, 2, 3, 4, 5)	Occupations relating to Management, Natural and Applied Sciences , Health, Social Sciences, Education, Religion, Art, Culture and Recreation	
2	INWTSOC = 1	Occupations relating to Business, Finance, Administration	
3	INWTSOC = 6	Occupations relating to Sales and Service	
4	INWTSOC = 7	Occupations relating to Trades, Transport and Equipment Operator	
5	INWTSOC = (8, 9)	Occupations Unique to Primary Industry, Processing, Manufacturing and Utilities	

Labour force (5 DVs)

1) Employment status - Grouped

Variable name: LBFG10

Based on: LBF_10

Description: This variable groups the employment status of the respondent.

Specifications

Value	Condition(s)	Description	Notes
6	LBF_10 = 6	Respondent did not work at a job or business in the past year or age was out of range	NA
9	LBF_10 = (3, 7, 8, 9)	Respondent was working at a family business without pay or refused, did not know, or did not answer (don't know, refuse, not stated)	NS
1	LBF_10 = 1	Employee	
2	LBF_10 = 2	Self-employed	

2) Working status last week

Variable name: LBFDVWSS

Based on: DHH_AGE, LBF_01, LBF_02

Description: This variable classifies the respondent based on his/her working status in the week prior to the interview.

Note: Respondents aged less than 15 or more than 75 years old have been excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 15 or DHH_AGE > 75	Population exclusions	NA
1	LBF_01 = 1	Worked at a job or business	
2	LBF_02 = 1	Had a job but did not work (absent)	
3	LBF_02 = 2	Did not have a job	
9	LBF_02 = (DK, RF, NS) or LBF_01 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	

3) Occupation group - Grouped

Variable name: LBFDGOCG

Based on: DHH_AGE, LBFCSOC

Description: This variable groups the occupation classification of the respondent.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 15 or DHH_AGE > 75 or LBFCSOC = NA	Module not selected or population exclusions	NA
9	LBFCSOC = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	LBFTSOC = (0, 2, 3, 4, 5)	Occupations relating to Management, Natural and Applied Sciences , Health, Social Sciences, Education, Religion, Art, Culture and Recreation	
2	LBFTSOC = 1	Occupations relating to Business, Finance, Administration	
3	LBFTSOC = 6	Occupations relating to Sales and Service	
4	LBFTSOC = 7	Occupations relating to Trades, Transport and Equipment Operator	
5	LBFTSOC = (8, 9)	Occupations Unique to Primary Industry, Processing, Manufacturing and Utilities	

4) Total usual hours worked per week - Grouped

Variable name: LBFDGHPW

Based on: DHH_AGE, LBF_16, LBF_035

Description: This continuous variable indicates the total number of hours the respondent worked per week.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2016 questionnaire and look at the condition LMA6_C16. This variable has been capped at 99 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
996	DHH_AGE > 75 or DHH_AGE < 15 or LBF_16 = 999.6	Population exclusions	NA
999	LBF_16 = (999.7, 999.8, 999.9) or LBF_035 = (997, 998, 999)	At least one required question was not answered (don't know, refusal, not stated)	NS
LBF_16	LBF_16 < 99 and LBF_035 = 996	Number of hours usually worked per week for respondents with one job	
99	LBF_16 >= 99 and LBF_035 = 996	Number of hours usually worked per week for respondents with one job	
LBF_16 + LBF_035	(LBF_16 + LBF_035) < 99	Number of total hours usually worked per week for respondents with more than one job	
99	(LBF_16 + LBF_035) >= 99	Number of total hours usually worked per week for respondents with more than one job	

5) Full-time/part-time working status (for total usual hours)

Variable name: LBFDVPFT

Based on: LBFDVHPW

Description: This variable indicates if the respondent works full-time or part-time.

Note: Respondents aged less than 15 years or more than 75 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS 2017 questionnaire and look at the condition LMA6_C16.

Specifications

Value	Condition(s)	Description	Notes
6	LBFDVHPW = NA	Population exclusions	NA
9	LBFDVHPW = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	LBFDVHPW >= 30	Full-time	
2	LBFDVHPW < 30	Part-time	

Main activity (2 DVs)

1) Main activity - last week - Grouped

Variable name: MACG005

Based on: MAC_005

Description: This variable groups the main activity reported by the respondent for the past week.

Specifications

Value	Condition(s)	Description	Notes
97	MAC_005 = 97	Don't know	DK
98	MAC_005 = 98	Refusal	RF
99	MAC_005 = 99	Not stated	NS
1	MAC_005 = (1, 2)	Working at a paid job or business / Vacation (from paid work)	
2	MAC_005 = 3	Looking for paid work	
3	MAC_005 = 4	Going to school (including vacation from school)	
4	MAC_005 = 7	Retired	
5	MAC_005 = 9	Long-term illness	
6	MAC_005 = (5, 6, 8, 10, 11, 12)	Other	

2) Student status - Grouped

Variable name: MACG020

Based on: MAC_020

Description: Student status of respondent.

Specifications

Value	Condition(s)	Description	Notes
6	MAC_020 = 6	Valid skip	
9	MAC_020 = (7, 8, 9)	Not stated	
1	MAC_020 = (1, 3)	A full-time student or both full-time and part-time	
2	MAC_020 = 2	Part-time student	

Medication use (1 DV)

1) Used pain relievers - frequency - 12 mo - Grouped

Variable name: MEDG020

Based on: MED_020

Description: This variable groups the frequency of pain reliever use.

Specifications

Value	Condition(s)	Description	Notes
96	MED_020 = 96	Module not selected or population exclusions	NA
99	MED_020 = 99	Question was not answered (don't know, refusal, not stated)	NS
1	MED_020 = 1	Once or twice	
2	MED_020 = 2	3 to 11 times a year	
3	MED_020 = 3	About once a month	
4	MED_020 = 4	2 or 3 times a month	
5	MED_020 = (5, 6)	1 to 4 times a week	
6	MED_020 = 7	Daily or almost daily	
7	MED_020 = 8	As needed, or following surgery	

Maternal experiences (5 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
MEXT115			
9999	MEX_115 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_115 = NA	Still breastfeeding or giving breast milk to baby	NA
MEX_115	MEX_115A = 1	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 7	MEX_115A = 2	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 30	MEX_115A = 3	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEX_115 * 365	MEX_115A = 4	Length of time in days that respondent breastfed or gave breast milk to last baby.	
MEXT115A			
99	MEXT115 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT115 = NA	Population exclusions	NA
01	MEXT115 < 7	Less than 1 week	
02	7 <= MEXT115 <= 29	1 week to less than one month	
03	30 <= MEXT115 <= 59	1 month to less than 2 months	
04	60 <= MEXT115 <= 89	2 months to less than 3 months	
05	90 <= MEXT115 <= 119	3 months to less than 4months	
06	120 <= MEXT115 <= 149	4 months to less than 5 months	
07	150 <= MEXT115 <= 179	5 months to less than 6 months	
08	MEXT115 >= 180	6 months or more	
MEXT155			
9999	MEX_155 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_155 = NA	Liquids not introduced to feed.	NA
MEX_155	MEX_160 = 1	Age in days of baby when other liquids first added to feed.	
MEX_155 * 7	MEX_160 = 2	Age in days of baby when other liquids first added to feed.	
MEX_155 * 30	MEX_160 = 3	Age in days of baby when other liquids first added to feed.	
MEX_155 * 365	MEX_160 = 4	Age in days of baby when other liquids first added to feed.	
MEXT155A			
99	MEXT155 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT155 = NA	Population exclusions	NA
01	MEXT155 < 7	Less than 1 week	
02	7 <= MEXT155 <= 29	1 week to less than one month	
03	30 <= MEXT155 <= 59	1 month to less than 2 months	
04	60 <= MEXT155 <= 89	2 months to less than 3 months	
05	90 <= MEXT155 <= 119	3 months to less than 4 months	
06	120 <= MEXT155 <= 149	4 months to less than 5 months	

07	150 <= MEXT155 <= 179	5 months to less than 6 months	
08	MEXT155 >= 180	6 months or more	
MEXT175			
9999	MEX_175 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
9996	MEX_175 = NA	Solid foods not introduced to feed.	NA
MEX_175	MEX_180 = 1	Age in days of baby when solids first added to feed.	
MEX_175 * 7	MEX_180 = 2	Age in days of baby when solids first added to feed.	
MEX_175 * 30	MEX_180 = 3	Age in days of baby when solids first added to feed.	
MEX_175 * 365	MEX_180 = 4	Age in days of baby when solids first added to feed.	
MEXT175A			
99	MEXT175 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
96	MEXT175 = NA	Population exclusions	NA
01	MEXT175 < 7	Less than 1 week	
02	7 <= MEXT175 <= 29	1 week to less than one month	
03	30 <= MEXT175 <= 59	1 month to less than 2 months	
04	60 <= MEXT175 <= 89	2 months to less than 3 months	
05	90 <= MEXT175 <= 119	3 months to less than 4 months	
06	120 <= MEXT175 <= 149	4 months to less than 5 months	
07	150 <= MEXT175 <= 179	5 months to less than 6 months	
08	MEXT175 >= 180	6 months or more	

1) Weight before pregnancy (in kilograms) - Grouped

Variable name: MEXDGWBK

Based on: DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_070, MEX_N075

Description: This variable indicates the respondent's weight in kilograms before pregnancy. If a respondent reported a weight below or above a threshold deemed to be a disclosure risk, the value for MEXDGWBK is taken to be that threshold. The thresholds used vary by age group.

Specifications

Value	Condition(s)	Description	Notes
999.99	ADM_PRX = 1	Module not asked - proxy interview	NS
999.96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_070 = NA	Module not selected or population exclusions	NA
999.99	MEX_010 = (DK, RF, NS) or MEX_070 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
MEX_070	MEX_N075 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_070 * .45	MEX_N075 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

2) Weight gained during pregnancy (in kilograms) - Grouped

Variable name: MEXDGWGK

Based on: DHH_SEX, DHH_AGE, ADM_PRX, MEX_010, MEX_080, MEX_N085

Description: This variable indicates the respondent's weight gain in kilograms during pregnancy.

Note: This variable has been capped at a minimum of 0 and a maximum of 30 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
99.96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_080 = NA	Module not selected or population exclusions	NA
99.99	ADM_PRX = 1	Module not asked - proxy interview	NS
99.99	MEX_010 = (DK, RF, NS) or MEX_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(MEX_N085 = 2 and MEX_080 =< 0) or (MEX_N085 = 1and MEX_080 =<0)	Weight gain during pregnancy less than or equal to 0 kilograms	(rounded to two decimal places)
30	(MEX_N085 = 2 and MEX_080 => 30) or (MEX_N085 = 1 and MEX_080 =>66.6)	Weight gain during pregrancy was 30 kilograms or more	(rounded to two decimal places)
MEX_080	MEX_N085 = 2	Weight in kilograms	(rounded to two decimal places)
MEX_080 * .45	MEX_N085 = 1	Weight converted from pounds to kilograms	(rounded to two decimal places)

3) Exclusively breastfed for 6 months (or more)

Variable name: MEXDVBM6

Based on: ADM_PRX, DHH_SEX, DHH_AGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable indicates whether the respondent exclusively breastfed or gave breast milk to her last baby for at least 6 months.

Note: Health Canada recommends exclusive breastfeeding for a period of up to 6 months. This variable indicates the number of mothers who followed this recommendation. Respondents who had not given birth in the past 5 years (MEX_Q010 = 2 or the child reported was 72 months old or older) or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who still breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded. Analysts can choose to collapse categories 2 and 3 to obtain all mothers who did not exclusively breastfeed or give breast milk for at least 6 months.

Category 1 indicates that the mother breastfed or gave breast milk to her last baby for at least 6 months and that liquids and solids were not introduced to the baby's feeds until after this point. Mothers may have continued breastfeeding non-exclusively after this point and would still fall under this category. There are two ways to meet this criteria:

1. Breastfeeding or feeding breast milk has ceased after 6 months and liquids were introduced only after 6 months or not at all and solids were introduced only after 6 months or not at all;

2.The baby is 6 months old or more and breastfeeding or being fed breast milk is still occurring and liquids have been introduced only after 6 months or not at all and solids have been introduced only after 6 months or not at all.

Category 2 indicates that the mother did not breastfeed, or give breast milk to, her last baby exclusively for at least 6 months.

This could be that breastfeeding or giving breast milk ended before 6 months, or that liquids or solids were introduced prior to 6 months (making that period non-exclusive).

Category 3 indicates that the mother did not breastfeed her last baby at all.

Specifications

Value	Condition(s)	Description	Notes
6	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or SXB_005 = 2 or MEX_010 = 2 or DV_CHILDAGE > 71 or (MEX_110 = 1 and MEXT155 = NA and MEXT175A = NA)	Population exclusions	NA
3	MEX_100 = 2	Has not breastfed her last baby at all	
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	(MEX_010 = NS or MEXT115A = NS or MEXT155A = NS or MEXT175A = NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(((MEXT155A = 8 and MEXT175A = (8, NA)) or (MEXT155A = (8, NA) and MEXT175A = 8) or (MEXT155A = 8 and MEXT175A = 8)) and MEXT115A = (8, NA)) or (MEX_110 = 2 and MEXT155A = (8, NA) and MEXT175A = (8, NA) and MEXT115A = 8)	Had exclusively breastfed her last baby for at least 6 months	
2	(MEXT115A < 8 or MEXT155A < 8 or MEXT175A < 8)	Had not exclusively breastfed her last baby for at least 6 months	

4) Length of exclusive breastfeeding

Variable name: MEXDVLBM

Based on: ADM_PRX, DHH_SEX, DHH_AGE, MEX_010, MEX_100, MEX_110, MEX_115, MEX_115A, MEX_155, MEX_160, MEX_175, MEX_180, MEXT115A, MEXT155A, MEXT175A

Description: This variable provides the length of time that the respondent exclusively breastfed or gave breast milk to her last baby.

Note: Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who are still breastfeeding at the time of the interview and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

Specifications

Value	Condition(s)	Description	Notes
96	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or MEX_110 = NA or (MEX_110 = 1 and MEXT155A = NA and MEXT175A = NA)	Population exclusions	NA
99	ADM_PRX = 1	Module not asked - Proxy Interview	NS

99	MEXT115A = NS or MEXT155A = NS or MEXT175A = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	MEX_100 = 2	Has not breastfed or given breastmilk to last baby	
1	((MEXT155A = 1 or MEXT175A = 1) and (1 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 1 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 1)	Less than 1 week	
2	((MEXT155A = 2 or MEXT175A = 2) and (2 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 2 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 2)	1 week to less than 1 month	
3	((MEXT155A = 3 or MEXT175A = 3) and (3 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 3 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A= NA) and MEXT115A = 3)	1 month to less than 2 months	
4	((MEXT155A = 4 or MEXT175A = 4) and (4 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 4 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 4)	2 months to less than 3 months	
5	((MEXT155A = 5 or MEXT175A = 5) and (5 <= MEXT115A <= 8 or MEXT115A = NA)) or (MEXT115A = 5 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 5)	3 months to less than 4 months	

6	((MEXT155A = 6 or MEXT175A = 6) and (MEXT115A in (6,7,8) or MEXT115A = NA)) or (MEXT115A = 6 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A> MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 6)	4 months to less than 5 months
7	((MEXT155A = 7 or MEXT175A = 7) and (MEXT115A in (7,8) or MEXT115A = NA)) or (MEXT115A = 7 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 7)	5 months to less than 6 months
8	((MEXT155A = 8 or MEXT175A = 8) and (MEXT115A = 8 or MEXT115A = NA)) or (MEXT115A = 8 and ((MEXT155A > MEXT115A and MEXT155A < NA) or (MEXT175A > MEXT115A and MEXT175A < NA))) or ((MEXT155A = NA or MEXT175A = NA) and MEXT115A = 8)	6 months or more

5) Child received vitamin D

Variable name: MEXDVVTD

Based on: ADM_PRX, DHH_SEX, DHH_AGE, CHILDAGE, SXB_005, MEX_010, MEX_100, MEX_110, MEX_125, MEX_130

Description: This variable determines whether a breastfed baby has received Vitamin D supplements up until the age of 1 year old, continued to receive Vitamin D after 1 year old, or not at all.

Note: Mothers with babies under the age of 12 months at time of interview were not asked MEX_130 (received Vitamin D after 12 months). They will be coded to category 9, 0 or 1, depending on the answer to MEX_125.

Respondent who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old were excluded from the population. This variable also excludes mothers who did not breastfeed.

Specifications

Value	Condition(s)	Description	Notes
6	DOMEX = 2 or DHH_SEX = 1 or DHH_AGE < 15 or DHH_AGE > 55 or MEX_010 = 2 or SXB_005 = 2 or 996 > CHILDAGE >= 72	Population exclusions	NA
6	MEX_100 = 2	Population exclusions	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS

9	MEX_010 = (DK, RF, NS) or MEX_100 = (DK, RF, NS) or MEX_110 = (DK, RF, NS) or MEX_125 = (DK, RF, NS) or MEX_130 = (DK, RF)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(MEX_125 = 2 and MEX_130 = NA)	Baby never received vitamin D supplement	
1	(MEX_125 = 1 and MEX_130 = (2, NA))	Baby received vitamin D only when under 1 year old	
2	(MEX_125 = 1 and MEX_130 = 1)	Baby received vitamin D both when under 1 year old and when older than 1	Excluding mothers with babies less than 12 months old

Alcohol use during maternal experience (2 DVs)

1) Drank alcohol 3 months before last pregnancy - frq - Grouped

Variable name: MXAG010

Based on: MXA_010

Description: This variable groups the frequency of drinking 3 months before the respondent's last pregnancy.

Specifications

Value	Condition(s)	Description	Notes
6	MXA_010 = 96	Module not selected or population exclusions	NA
9	MXA_010 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	MXA_010 = 1	Less than once per month	
2	MXA_010 = 2	Once per month	
3	MXA_010 = 3	2 to 3 times per month	
4	MXA_010 = 4	Once a week	
5	MXA_010 = (5, 6, 7)	More than once a week	

2) Drank alcohol while breastfeeding last baby - frq - Grouped

Variable name: MXAG040

Based on: MXA_040

Description: This variable groups the frequency of drinking while breastfeeding last baby.

Specifications

Value	Condition(s)	Description	Notes
6	MXA_040 = 96	Module not selected or population exclusions	NA
9	MXA_040 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	MXA_040 = 1	Less than once per month	
2	MXA_040 = (2, 3, 4, 5, 6, 7)	Once per month or more	

Smoking during maternal experience (2 DVs)

1) Smoked cigarettes after finding out about pregnancy- Grouped

Variable name: MXSG010

Based on: MXS_010

Description: Smoked cigarettes after finding out about pregnancy.

Specifications

Value	Condition(s)	Description	Notes
6	MXS_010 = 96	Module not selected or population exclusions	NA
9	MXS_010 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	MXS_010 = 1	Everyday	
2	MXS_010 = (2, 3, 4, 5)	At least once	
3	MXS_010 = 6	Never	

2) Smoked cigarettes last 3 months of pregnancy - Grouped

Variable name: MXSG015

Based on: MXS_015

Description: Smoked cigarettes last 3 months of pregnancy.

Specifications

Value	Condition(s)	Description	Notes
6	MXS_015 = 96	Module not selected or population exclusions	NA
9	MXS_015 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	MXS_015 = 1	Everyday	
2	MXS_015 = (2, 3, 4, 5)	At least once	
3	MXS_015 = 6	Never	

Physical activities - adults 18 years and older (22 DVs)

1) Total number of minutes of active transportation - last 7 days

Variable name: PAADVTRV

Based on: DHH_AGE, PAA_005, PAA_015, PAA_020

Description: This derived variable represents the number of minutes spent traveling in active ways in the last 7 days before the interview.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_005 = 2	No minutes of active transportation in the last 7 days	
PAA_015 * 60 + PAA_020	PAA_015 = (0:168) and PAA_020 = (0:9995)	Number of minutes of active transportation in the last 7 days	Min: 0; Max: 10080
99999	PAA_005 = (DK, RF, NS) or PAA_015 = (DK, RF, NS) or PAA_020 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

2) Average daily number of minutes of active transportation - last 7 days

Variable name: PAADVTRA

Based on: DHH_AGE, PAADVTRV

Description: This derived variable determines the average daily number of minutes of active transportation in the last 7 days before the interview.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAA = 2	Module not selected	NA
9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVTRV = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVTRV = 0	No minutes of active transportation last 7 days	
PAADVTRV / 7	PAADVTRV = (1:10080)	Average daily number minutes of active transportation in the last 7 days	Rounded to 1 decimal place

3) Total number of minutes of recreational physical activities - last 7 days

Variable name: PAADVREC

Based on: DHH_AGE, PAA_030, PAA_035, PAA_045, PAA_050

Description: This derived variable represents the number minutes of moderate to vigorous recreational physical activities in the last 7 days before the interview.

Note: Physical activity is considered to be moderate if it causes the participant to sweat at least a little and breathe harder.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_030=2 or PAA_035=2	No minutes of recreational physical activities in the last 7 days	
PAA_045 * 60 + PAA_050	PAA_045 = (0:168) and PAA_050 = (0:9995)	Number of minutes of recreational physical activities in the last 7 days	Min: 0; Max: 10080
99999	PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_045 = (DK, RF, NS) or PAA_050 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

4) Average daily number of minutes of recreational physical activities - last 7 days

Variable name: PAADVRCA

Based on: DHH_AGE, PAADVREC

Description: This derived variable determines the average daily number of minutes of recreational physical activities in the last 7 days.

Note: The average is based on the total number of minutes of activity in the week, that were at least moderate intensity, divided by seven. Moderate exercise is defined in the Canadian Physical Activity Guidelines as a physical activity of moderate intensity causing harder breathing and sweating at least a little.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAA = 2	Module not selected	NA
9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVREC = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVREC = 0	No minutes of physical recreational activities in the last 7 days	
PAADVREC / 7	PAADVREC = (1:10080)	Average daily number of minutes of recreational physical activities in the last 7 days	Rounded to 1 decimal place

5) Total number of minutes of other physical activity - last 7 days

Variable name: PAADVOTH

Based on: DHH_AGE, PAA_060, PAA_065, PAA_075, PAA_080

Description: This derived variable represents the number of minutes of other moderate to vigorous physical activities in the last 7 days before the interview.

Note: Physical activity is considered to be moderate if it causes the participant to sweat at least a little and breathe harder.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA

99996	DHH_AGE < 18	Population exclusions	NA
0	PAA_060 = 2 or PAA_065 = 2	No minutes of other physical activities in the last 7 days	
PAA_075 * 60 + PAA_080	PAA_075 = (0:168) and PAA_080 = (0:9995)	Number of minutes of other physical activities in the last 7 days	Min: 0; Max: 10080
99999	PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_075 = (DK, RF, NS) or PAA_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

6) Average daily number of minutes of other physical activities - last 7 days

Variable name: PAADVOTA

Based on: DHH_AGE, PAADVOTH

Description: This derived variable determines the average daily number of minutes of other physical activities in the last 7 days.

Note: The average is based on the total number of minutes of activity in the week, that were at least moderate intensity, divided by seven. Moderate exercise is defined in the Canadian Physical Activity Guidelines as a physical activity of moderate intensity causing harder breathing and sweating at least a little.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAA = 2	Module not selected	NA
9999.6	DHH_AGE < 18	Population exclusions	NA
9999.9	PAADVOTH = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVOTH = 0	No minutes of other physical activities in the last 7 days	
PAADVOTH / 7	PAADVOTH = (1:10080)	Average daily number of minutes of other physical activities in the last 7 days	Rounded to 1 decimal place

7) Total number of minutes of moderate to vigorous physical activities - last 7 days

Variable name: PAADVMVA

Based on: DHH_AGE, PAA_005, PAA_015, PAA_020, PAA_030, PAA_035, PAA_045, PAA_050, PAA_060, PAA_065, PAA_075, PAA_080

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational and other physical activities.

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA

99999	PAA_005 = (DK, RF, NS) or PAA_015 = (DK, RF, NS) or PAA_020 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_045 = (DK, RF, NS) or PAA_050 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_075 = (DK, RF, NS) or PAA_080 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_005 = 2 and (PAA_030 = 2 or PAA_035 = 2) and (PAA_060 = 2 or PAA_065 = 2)	Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days	
PAA_015*60 + PAA_020 + PAA_045*60 + PAA_050 + PAA_075*60 + PAA_080	PAA_015 = (0:168) and PAA_020 = (0:9995) and PAA_045 = (0:168) and PAA_050 = (0:9995) and PAA_075 = (0:168) and PAA_080 = (0:9995)	Total number of minutes of active transportion and moderate to vigorous physical activities	Min: 0; Max: 10080

8) Physical activity indicator

Variable name: PAADVACV

Based on: DHH_AGE, PAADVMVA

Description: This derived variable indicates whether a respondent is physically active according to the Canadian Physical Activity Guidelines (CPAG).

Note: Physically active is defined by the Canadian Physical Activity Guidelines as having at least 150 minutes of moderate- to vigorous-intensity aerobic physical activity per week, in bouts of 10 minutes or more.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Physically active at or above recommended level from CPAG	
2	1 <= PAADVMVA <=149	Physically active below recommended level from CPAG	
3	PAADVMVA = 0	No physical activity minutes reported	

9) Alternate physical activity indicator

Variable name: PAADVAC2

Based on: DHH_AGE, PAADVMVA

Description: This derived variable represents an alternate classification of physical activity for adults, based on the number of minutes of moderate to vigorous activity done in a week. This variable is similar to PAADVACV, but it breaks down those who were not above the threshold of 150 minutes per week into subcategories of their activity level.

Note: Some might prefer this derived variable (4 levels), instead of PAADVACV (3 levels), to do more detailed analysis. Please note that the four levels in this variable are not the same as the levels in PAADVWHO, so results will not be comparable.
* Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVMVA = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAADVMVA => 150	Level 1 (Duration equal or greater than that recommended by the CPAG)	
2	75 <= PAADVMVA < 150	Level 2 (Duration ≥ 50% and < 100% of that recommended by the CPAG)	
3	0 < PAADVMVA < 75	Level 3 (Duration > 0% and < 50% of that recommended by the CPAG)	
4	PAADVMVA = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

10) Total number of minutes of vigorous physical activities - last 7 days

Variable name: PAADVVIG

Based on: DHH_AGE, PAA_095, PAA_100, PAA_105, PAADVMVA

Description: This derived variable represents the total number of minutes a respondent engaged in vigorous physical activities in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as a physical activity that causes a person to be out of breath.

Inconsistencies with PAADVMVA (when PAADVVIG > PAADVMVA) were corrected by setting PAADVVIG to "not stated".

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
99999	PAA_095 = (DK, RF, NS) or PAA_100 = (DK, RF, NS) or PAA_105 = (DK, RF, NS) or PAADVMVA = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_095 = 2	No vigorous physical activity in last 7 days	
0	PAADVMVA = 0	No minutes of vigorous physical activity in last 7 days	
PAA_100*60 + PAA_105	PAA_095 = 1	Total number of minutes of vigorous physical activity in last 7 days.	(Min:1, Max: 10080)

11) Volume of weekly activity done in the past 7 days (METs*minutes/week)

Variable name: PAADVVOL

Based on: DHH_AGE, PAADVMVA, PAADVVIG

Description: This derived variable represents the volume of physical activity performed in the last seven days. It is measured in METs*minutes/week. A MET is a conceptual value that represents energy expended during physical activity. The volume of activity is calculated by multiplying the amount of minutes of activity (by level of intensity) by the MET value associated with that intensity.

Note: Physical activity at the moderate level is assumed to be 3 METs, while vigorous activity is 6 METs. A MET (metabolic equivalent) is the energy cost of activity expressed as kilocalories expended per kilogram of body weight per hour of activity.

Source: B.Nolin (2014). "ESCC 2015, VD globales, Adultes, Propositions", Institut national de santé publique du Québec.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 2	Module not selected	NA
99996	DHH_AGE < 18	Population exclusions	NA
99999	PAADVMVA = (DK, RF, NS) or PAADVVIG = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAADVMVA = 0	Total weekly volume of activity was 0	No minutes of any activity
(PAADVMVA - PAADVVIG)*3 + (PAADVVIG)*6	(0 < PAADVMVA <= 10080) and (0 <= PAADVVIG <= 10080)	Total weekly volume of activity	

12) Physically active, based on WHO guidelines

Variable name: PAADVWHO

Based on: DHH_AGE, PAADVVOL

Description: This derived variable classifies respondents according to the volume of physical activity they had performed in the past week (PAADVVOL). This classification uses levels of activity volume recommended by the World Health Organization (WHO).

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAADVVOL = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAADVVOL => 900	Level 1 (Volume equal to or greater than the WHO recommendation for health benefits)	
2	450 <= PAADVVOL < 900	Level 2 (Volume meets the minimum WHO recommendation for being physically active)	
3	0 < PAADVVOL < 450	Level 3 (Volume less than the minimum recommendation for being physically active)	
4	PAADVVOL = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

13) Was physically active - Monday

Variable name: PAADVMON

Based on: DHH_AGE, PAA_005, PAA_010A, PAA_030, PAA_035, PAA_040A, PAA_060, PAA_065, PAA_070A

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Monday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010A = (DK, RF, NS) or PAA_040A = (DK, RF, NS) or PAA_070A = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010A = 1 or PAA_040A = 1 or PAA_070A = 1	Performed physical activity - Monday	
0	(PAA_005 = 2 or PAA_010A = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040A = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070A = 2)	Did not perform physical activity - Monday	

14) Was physically active - Tuesday

Variable name: PAADVTUE

Based on: DHH_AGE, PAA_005, PAA_010B, PAA_030, PAA_035, PAA_040B, PAA_060, PAA_065, PAA_070B

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Tuesday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010B = (DK, RF, NS) or PAA_040B = (DK, RF, NS) or PAA_070B = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010B = 1 or PAA_040B = 1 or PAA_070B = 1	Performed physical activity - Tuesday	

0	(PAA_005 = 2 or PAA_010B = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040B = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070B = 2)	Did not perform physical activity - Tuesday

15) Was physically active - Wednesday

Variable name: PAADVWED

Based on: DHH_AGE, PAA_005, PAA_010C, PAA_030, PAA_035, PAA_040C, PAA_060, PAA_065, PAA_070C

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Wednesday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010C = (DK, RF, NS) or PAA_040C = (DK, RF, NS) or PAA_070C = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010C = 1 or PAA_040C = 1 or PAA_070C = 1	Performed physical activity - Wednesday	
0	(PAA_005 = 2 or PAA_010C = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040C = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070C = 2)	Did not perform physical activity - Wednesday	

16) Was physically active - Thursday

Variable name: PAADVTHU

Based on: DHH_AGE, PAA_005, PAA_010D, PAA_030, PAA_035, PAA_040D, PAA_060, PAA_065, PAA_070D

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Thursday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010D = (DK, RF, NS) or PAA_040D = (DK, RF, NS) or PAA_070D = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

1	PAA_010D = 1 or PAA_040D = 1 or PAA_070D = 1	Performed physical activity - Thursday
0	(PAA_005 = 2 or PAA_010D = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040D = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070D = 2)	Did not perform physical activity - Thursday

17) Was physically active - Friday

Variable name: PAADVFRI

Based on: DHH_AGE, PAA_005, PAA_010E, PAA_030, PAA_035, PAA_040E, PAA_060, PAA_065, PAA_070E

Description: Indicates whether a respondent travelled actively, engaged in a recreational activity or other activity on Friday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010E = (DK, RF, NS) or PAA_040E = (DK, RF, NS) or PAA_070E = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010E = 1 or PAA_040E = 1 or PAA_070E = 1	Performed physical activity - Friday	
0	(PAA_005 = 2 or PAA_010E = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040E = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070E = 2)	Did not perform physical activity - Friday	

18) Was physically active - Saturday

Variable name: PAADVSAT

Based on: DHH_AGE, PAA_005, PAA_010F, PAA_030, PAA_035, PAA_040F, PAA_060, PAA_065, PAA_070F

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Saturday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA

9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010F = (DK, RF, NS) or PAA_040F = (DK, RF, NS) or PAA_070F = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010F = 1 or PAA_040F = 1 or PAA_070F = 1	Performed physical activity - Saturday	
0	(PAA_005 = 2 or PAA_010F = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040F = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070F = 2)	Did not perform physical activity - Saturday	

19) Was physically active - Sunday

Variable name: PAADVSUN

Based on: DHH_AGE, PAA_005, PAA_010G, PAA_030, PAA_035, PAA_040G, PAA_060, PAA_065, PAA_070G

Description: Indicates whether a respondent travelled actively, engaged in a recreational or other activity on Sunday

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
9	PAA_005 = (DK, RF, NS) or PAA_030 = (DK, RF, NS) or PAA_035 = (DK, RF, NS) or PAA_060 = (DK, RF, NS) or PAA_065 = (DK, RF, NS) or PAA_010G = (DK, RF, NS) or PAA_040G = (DK, RF, NS) or PAA_070G = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAA_010G = 1 or PAA_040G = 1 or PAA_070G = 1	Performed physical activity - Sunday	
0	(PAA_005 = 2 or PAA_010G = 2) and (PAA_030 = 2 or PAA_035 = 2 or PAA_040G = 2) and (PAA_060 = 2 or PAA_065 = 2 or PAA_070G = 2)	Did not perform physical activity - Sunday	

20) Total number of days physically active - last 7 days

Variable name: PAADVDYS

Based on: DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI, PAADVSAT, PAADVSUN

Description: This uses derived variables from Monday to Sunday for each type of physical activity to indicate the total number of days the respondent was physically active in the last 7 days.

Note: The universe of this derived variable is individuals who have indicated physical activity.

Specifications

Value	Condition(s)	Description	Notes
96	DOPAA = 2	Module not selected	NA
96	DHH_AGE < 18	Population exclusions	NA
PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI + PAADVSAT + PAADVSUN	PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1) and PAADVSAT = (0:1) and PAADVSUN = (0:1)	Number of days respondent was active in the last 7 days	(min:0; max: 7)
99	PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS) or PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

21) Total numbers of days physically active on weekdays - last 7 days

Variable name: PAADVWKD

Based on: DHH_AGE, PAADVMON, PAADVTUE, PAADVWED, PAADVTHU, PAADVFRI

Description: This uses derived variables from Monday to Friday for each type of physical activity to indicate the total number of weekdays the respondent was physically active in the past 7 days.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA
6	DHH_AGE < 18	Population exclusions	NA
PAADVMON + PAADVTUE + PAADVWED + PAADVTHU + PAADVFRI	PAADVMON = (0:1) and PAADVTUE = (0:1) and PAADVWED = (0:1) and PAADVTHU = (0:1) and PAADVFRI = (0:1)	Number of weekdays physically active in the last 7 days	(min:0; max:5)
9	PAADVMON = (DK, RF, NS) or PAADVTUE = (DK, RF, NS) or PAADVWED = (DK, RF, NS) or PAADVTHU = (DK, RF, NS) or PAADVFRI = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

22) Total numbers of days physically active on weekend - last 7 days

Variable name: PAADVWND

Based on: DHH_AGE, PAADVSAT, PAADVSUN

Description: This uses derived variables from Saturday to Sunday for each type of physical activity to indicate the total number of days on weekend the respondent was physically active in the last 7 days.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAA = 2	Module not selected	NA

6	DHH_AGE < 18	Population exclusions	NA
PAADVSAT + PAADVSUN	PAADVSAT in (0:1) and PAADVSUN in (0:1)	Number of days physically active last weekend	(min:0; max: 2)
9	PAADVSAT = (DK, RF, NS) or PAADVSUN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Physical activities for youth (23 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
PAYT15A			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15A*60 + PAY_15AN	PAY_010 = 1 and PAY_15A = (0:24) and PAY_15AN = (0:960)	Number of minutes of active transportation yesterday	
PAYT15B			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15B*60 + PAY_15BN	PAY_010 = 1 and PAY_15B = (0:24) and PAY_15BN = (0:960)	Number of minutes of active transportation 2 days ago	
PAYT15C			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15C*60 + PAY_15CN	PAY_010 = 1 and PAY_15C = (0:24) and PAY_15CN = (0:960)	Number of minutes of active transportation 3 days ago	
PAYT15D			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15D*60 + PAY_15DN	PAY_010 = 1 and PAY_15D = (0:24) and PAY_15DN = (0:960)	Number of minutes of active transportation 4 days ago	
PAYT15E			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15E*60 + PAY_15EN	PAY_010 = 1 and PAY_15E = (0:24) and PAY_15EN = (0:960)	Number of minutes of active transportation 5 days ago	
PAYT15F			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15F*60 + PAY_15FN	PAY_010 = 1 and PAY_15F = (0:24) and PAY_15FN = (0:960)	Number of minutes of active transportation 6 days ago	
PAYT15G			
0	PAY_010 = 2	No minutes of active transportation in last 7 days	
PAY_15G*60 + PAY_15GN	PAY_010 = 1 and PAY_15G = (0:24) and PAY_15GN = (0:960)	Number of minutes of active transportation 7 days ago	
PAYT35A			
0	PAY_EDTE = (3,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35A*60 + PAY_35AN	PAY_025 = 1 and PAY_030 = 1 and PAY_35A in (0:24) and PAY_35AN in (0:960) and PAY_EDTE in (3,4,5,6,7)	Number of minutes of recreational physical activity at school or day camp yesterday	
PAYT35B			
0	PAY_EDTE = (1,4,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35B*60 + PAY_35BN	PAY_025 = 1 and PAY_030 = 1 and PAY_35B = (0:24) and PAY_35BN = (0:960) and PAY_EDTE = (1,4,5,6,7)	Number of minutes of recreational physical activity at school or day camp 2 days ago	
PAYT35C			
0	PAY_EDTE = (1,2,5,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35C*60 + PAY_35CN	PAY_025 = 1 and PAY_030 = 1 and PAY_35C = (0:24) and PAY_35CN = (0:960) and PAY_EDTE = (1,2,5,6,7)	Number of minutes of recreational physical activity at school or day camp 3 days ago	
PAYT35D			
0	PAY_EDTE = (1,2,3,6,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days	
PAY_35D*60 + PAY_35DN	PAY_025 = 1 and PAY_030 = 1 and PAY_35D = (0:24) and PAY_35DN = (0:960) and PAY_EDTE = (1,2,3,6,7)	Number of minutes of recreational physical activity at school or day camp 4 days ago	

PAYT35E		
0	PAY_EDTE = (1,2,3,4,7) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35E*60 + PAY_35EN	PAY_025 = 1 and PAY_030 = 1 and PAY_35E = (0:24) and PAY_35EN = (0:960) and PAY_EDTE = (1,2,3,4,7)	Number of minutes of recreational physical activity at school or day camp 5 days ago
PAYT35F		
0	PAY_EDTE = (1,2,3,4,5) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35F*60 + PAY_35FN	PAY_025 = 1 and PAY_030 = 1 and PAY_35F = (0:24) and PAY_35FN = (0:960) and PAY_EDTE = (1,2,3,4,5)	Number of minutes of recreational physical activity at school or day camp 6 days ago
PAYT35G		
0	PAY_EDTE = (2,3,4,5,6) and ((PAY_005A = 2 and PAY_005B = 2) or PAY_025 = 2 or PAY_030 = 2)	No minutes of recreational physical activity at school or day camp in last 7 days
PAY_35G*60 + PAY_35GN	PAY_025 = 1 and PAY_030 = 1 and PAY_35G = (0:24) and PAY_35GN = (0:960) and PAY_EDTE = (2,3,4,5,6)	Number of minutes of recreational physical activity at school or day camp 7 days ago
PAYT55A		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55A*60 + PAY_55AN	PAY_045 = 1 and PAY_050 = 1 and PAY_55A = (0:24) and PAY_55AN = (0:960)	Number of minutes of physical activity during leisure yesterday
PAYT55B		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55B*60 + PAY_55BN	PAY_045 = 1 and PAY_050 = 1 and PAY_55B = (0:24) and PAY_55BN = (0:960)	Number of minutes of physical activity during leisure 2 days ago
PAYT55C		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55C*60 + PAY_55CN	PAY_045 = 1 and PAY_050 = 1 and PAY_55C = (0:24) and PAY_55CN = (0:960)	Number of minutes of physical activity during leisure 3 days ago
PAYT55D		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55D*60 + PAY_55DN	PAY_045 = 1 and PAY_050 = 1 and PAY_55D = (0:24) and PAY_55DN = (0:960)	Number of minutes of physical activity during leisure 4 days ago
PAYT55E		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55E*60 + PAY_55EN	PAY_045 = 1 and PAY_050 = 1 and PAY_55E = (0:24) and PAY_55EN = (0:960)	Number of minutes of physical activity during leisure 5 days ago
PAYT55F		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55F*60 + PAY_55FN	PAY_045 = 1 and PAY_050 = 1 and PAY_55F = (0:24) and PAY_55FN = (0:960)	Number of minutes of physical activity during leisure 6 days ago
PAYT55G		
0	PAY_045 = 2 or PAY_050 = 2	No minutes of physical activity during leisure in last 7 days
PAY_55G*60 + PAY_55GN	PAY_045 = 1 and PAY_050 = 1 and PAY_55G = (0:24) and PAY_55GN = (0:960)	Number of minutes of physical activity during leisure 7 days ago
PAYT75A		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75A*60 + PAY_75AN	PAY_065 = 1 and PAY_070 = 1 and PAY_75A = (0:24) and PAY_75AN = (0:960)	Number of minutes of other physical activity yesterday
PAYT75B		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days

PAY_75B*60 + PAY_75BN	PAY_065 = 1 and PAY_070 = 1 and PAY_75B = (0:24) and PAY_75BN = (0:960)	Number of minutes of other physical activity 2 days ago
PAYT75C		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75C*60 + PAY_75CN	PAY_065 = 1 and PAY_070 = 1 and PAY_75C in (0:24) and PAY_75CN in (0:960)	Number of minutes of other physical activity 3 days ago
PAYT75D		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75D*60 + PAY_75DN	PAY_065 = 1 and PAY_070 = 1 and PAY_75D = (0:24) and PAY_75DN = (0:960)	Number of minutes of other physical activity 4 days ago
PAYT75E		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75E*60 + PAY_75EN	PAY_065 = 1 and PAY_070 = 1 and PAY_75E = (0:24) and PAY_75EN = (0:960)	Number of minutes of other physical activity 5 days ago
PAYT75F		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75F*60 + PAY_75FN	PAY_065 = 1 and PAY_070 = 1 and PAY_75F = (0:24) and PAY_75FN = (0:960)	Number of minutes of other physical activity 6 days ago
PAYT75G		
0	PAY_065 = 2 or PAY_070 = 2	No minutes of other physical activity in last 7 days
PAY_75G*60 + PAY_75GN	PAY_065 = 1 and PAY_070 = 1 and PAY_75G = (0:24) and PAY_75GN = (0:960)	Number of minutes of other physical activity 7 days ago

1) Total number of minutes of active transportation - last 7 days

Variable name: PAYDVTTR

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G

Description: This variable derives the total number of minutes spent traveling in active ways in the last 7 days

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_010 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

PAYT15A + PAYT15B + PAYT15C + PAYT15D + PAYT15E + PAYT15F + PAYT15G	PAY_EDTE = (1,2,3,4,5,6,7)	Number of minutes of active transportation in the last 7 days	(min: 1; max: 10080)

2) Total number of minutes of recreational physical activities at school or camp - last 5 weekdays

Variable name: PAYDVTSC

Based on: DHH_AGE, PAY_EDTE, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G

Description: This variable derives the total number of minutes of moderate recreational physical activity during school or day camp in the last 5 weekdays.

Note: The questions about physical activity during school or day camp was not asked for Saturday and Sunday. This variable sums the number of minutes of moderate recreational activity during school or day camp from Monday to Friday.

Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT35B + PAYT35C + PAYT35D + PAYT35E + PAYT35F	PAY_EDTE = 1	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35C + PAYT35D + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 2	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35D + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 3	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)

PAYT35A + PAYT35B + PAYT35E + PAYT35F + PAYT35G	PAY_EDTE = 4	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35F + PAYT35G	PAY_EDTE = 5	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35G	PAY_EDTE = 6	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)
PAYT35A + PAYT35B + PAYT35C + PAYT35D + PAYT35E	PAY_EDTE = 7	Number of minutes of moderate recreational physical activity at school or day camp in last 5 weekdays	(min: 1; max: 7200)

3) Total number of minutes of physical activities during leisure - last 7 days

Variable name: PAYDVADL

Based on: DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G

Description: This variable derives the total number of minutes of moderate to vigorous physical activity during leisure time in the last 7 days

Note: Moderate exercise is defined in the Canadian Physical Activity Guidelines as breathing harder and sweating at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT55A + PAYT55B + PAYT55C + PAYT55D + PAYT55E + PAYT55F + PAYT55G	PAY_EDTE = (1, 2, 3, 4, 5, 6, 7)	Number of minutes of physical activity during leisure in last 7 days	(min: 1; max: 10080)

4) Total number of minutes of other physical activities - last 7 days

Variable name: PAYDVTOA

Based on: DHH_AGE, PAY_EDTE, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, DHH_AGE, PAY_EDTE, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes of other moderate to vigorous physical activities in the last 7 days

Note: Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT75A + PAYT75B + PAYT75C + PAYT75D + PAYT75E + PAYT75F + PAYT75G	PAY_EDTE = (1,2,3,4,5,6,7)	Number of minutes of other physical activities last 7 days	(min: 1; max: 10080)

5) Total number of minutes of physical activity - Monday

Variable name: PAYDVTMN

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Monday

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA
9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 1	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 2	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 3	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 4	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 5	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 6	Total number of minutes of physical activity - Monday (min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 7	Total number of minutes of physical activity - Monday (min: 1; max: 1440)

6) Total number of minutes of physical activity - Tuesday

Variable name: PAYDVTTU

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G, PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Tuesday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 1	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)

PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 2	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 3	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 4	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 5	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 6	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 7	Total number of minutes of physical activity - Tuesday	(min: 1; max: 1440)

7) Total number of minutes of physical activity - Wednesday

Variable name: PAYDVTWD

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Wednesday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 1	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)

PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 2	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 3	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 4	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 5	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 6	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 7	Total number of minutes of physical activity - Wednesday	(min: 1; max: 1440)

8) Total number of minutes of physcial activity - Thursday

Variable name: PAYDVTTH

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Thursday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 1	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)

PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 2	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 3	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 4	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 5	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 6	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 7	Total number of minutes of physical activity - Thursday	(min: 1; max: 1440)

9) Total number of minutes of physical activity - Friday

Variable name: PAYDVTFR

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_35A, PAY_35AN, PAY_35B, PAY_35BN, PAY_35C, PAY_35CN, PAY_35D, PAY_35DN, PAY_35E, PAY_35EN, PAY_35F, PAY_35FN, PAY_35G, PAY_35GN, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Friday

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_35A = (DK, RF, NS) or PAY_35AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_35B = (DK, RF, NS) or PAY_35BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_35C = (DK, RF, NS) or PAY_35CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_35D = (DK, RF, NS) or PAY_35DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_35E = (DK, RF, NS) or PAY_35EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_35F = (DK, RF, NS) or PAY_35FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_35G = (DK, RF, NS) or PAY_35GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15B + PAYT35B + PAYT55B + PAYT75B	PAY_EDTE = 1	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)

PAYT15C + PAYT35C + PAYT55C + PAYT75C	PAY_EDTE = 2	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)
PAYT15D + PAYT35D + PAYT55D + PAYT75D	PAY_EDTE = 3	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)
PAYT15E + PAYT35E + PAYT55E + PAYT75E	PAY_EDTE = 4	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)
PAYT15F + PAYT35F + PAYT55F + PAYT75F	PAY_EDTE = 5	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)
PAYT15G + PAYT35G + PAYT55G + PAYT75G	PAY_EDTE = 6	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)
PAYT15A + PAYT35A + PAYT55A + PAYT75A	PAY_EDTE = 7	Total number of minutes of physical activity - Friday	(min: 1; max: 1440)

10) Total number of minutes of physical activity - Saturday

Variable name: PAYDVTST

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Saturday

Note: The questions about activity during school or day camps was not asked for Saturday. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15A + PAYT55A + PAYT75A	PAY_EDTE = 1	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)
PAYT15B + PAYT55B + PAYT75B	PAY_EDTE = 2	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)
PAYT15C + PAYT55C + PAYT75C	PAY_EDTE = 3	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)
PAYT15D + PAYT55D + PAYT75D	PAY_EDTE = 4	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)
PAYT15E + PAYT55E + PAYT75E	PAY_EDTE = 5	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)
PAYT15F + PAYT55F + PAYT75F	PAY_EDTE = 6	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)

PAYT15G + PAYT55G + PAYT75G	PAY_EDTE = 7	Total number of minutes of physical activity - Saturday	(min: 1; max: 1440)

11) Total number of minutes of physical activity - Sunday

Variable name: PAYDVTSN

Based on: DHH_AGE, PAY_EDTE, PAY_010, PAY_15A, PAY_15AN, PAY_15B, PAY_15BN, PAY_15C, PAY_15CN, PAY_15D, PAY_15DN, PAY_15E, PAY_15EN, PAY_15F, PAY_15FN, PAY_15G, PAY_15GN, PAY_025, PAY_030, PAY_045, PAY_050, PAY_55A, PAY_55AN, PAY_55B, PAY_55BN, PAY_55C, PAY_55CN, PAY_55D, PAY_55DN, PAY_55E, PAY_55EN, PAY_55F, PAY_55FN, PAY_55G, PAY_55GN, PAY_065, PAY_070, PAY_75A, PAY_75AN, PAY_75B, PAY_75BN, PAY_75C, PAY_75CN, PAY_75D, PAY_75DN, PAY_75E, PAY_75EN, PAY_75F, PAY_75FN, PAY_75G, PAY_75GN, PAYT15A, PAYT15B, PAYT15C, PAYT15D, PAYT15E, PAYT15F, PAYT15G,PAYT35A, PAYT35B, PAYT35C, PAYT35D, PAYT35E, PAYT35F, PAYT35G, PAYT55A, PAYT55B, PAYT55C, PAYT55D, PAYT55E, PAYT55F, PAYT55G, PAYT75A, PAYT75B, PAYT75C, PAYT75D, PAYT75E, PAYT75F, PAYT75G

Description: This variable derives the total number of minutes spent doing active transportation and moderate physical activities - Sunday

Note: The questions about activity during school or day camps was not asked on Sundays. This variable sums the number of minutes of active transportation, recreational activity during leisure and other activity.

Specifications

Value	Condition(s)	Description	Notes
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA

9999	PAY_010 = (DK, RF, NS) or PAY_025 = (DK, RF, NS) or PAY_030 = (DK, RF, NS) or PAY_045 = (DK, RF, NS) or PAY_050 = (DK, RF, NS) or PAY_065 = (DK, RF, NS) or PAY_070 = (DK, RF, NS) or PAY_15A = (DK, RF, NS) or PAY_15AN = (DK, RF, NS) or PAY_55A = (DK, RF, NS) or PAY_55AN = (DK, RF, NS) or PAY_75A = (DK, RF, NS) or PAY_75AN = (DK, RF, NS) or PAY_15B = (DK, RF, NS) or PAY_15BN = (DK, RF, NS) or PAY_55B = (DK, RF, NS) or PAY_55BN = (DK, RF, NS) or PAY_75B = (DK, RF, NS) or PAY_75BN = (DK, RF, NS) or PAY_15C = (DK, RF, NS) or PAY_15CN = (DK, RF, NS) or PAY_55C = (DK, RF, NS) or PAY_55CN = (DK, RF, NS) or PAY_75C = (DK, RF, NS) or PAY_75CN = (DK, RF, NS) or PAY_15D = (DK, RF, NS) or PAY_15DN = (DK, RF, NS) or PAY_55D = (DK, RF, NS) or PAY_55DN = (DK, RF, NS) or PAY_75D = (DK, RF, NS) or PAY_75DN = (DK, RF, NS) or PAY_15E = (DK, RF, NS) or PAY_15EN = (DK, RF, NS) or PAY_55E = (DK, RF, NS) or PAY_55EN = (DK, RF, NS) or PAY_75E = (DK, RF, NS) or PAY_75EN = (DK, RF, NS) or PAY_15F = (DK, RF, NS) or PAY_15FN = (DK, RF, NS) or PAY_55F = (DK, RF, NS) or PAY_55FN = (DK, RF, NS) or PAY_75F = (DK, RF, NS) or PAY_75FN = (DK, RF, NS) or PAY_15G = (DK, RF, NS) or PAY_15GN = (DK, RF, NS) or PAY_55G = (DK, RF, NS) or PAY_55GN = (DK, RF, NS) or PAY_75G = (DK, RF, NS) or PAY_75GN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYT15G + PAYT55G + PAYT75G	PAY_EDTE = 1	Total number of minutes of physical activity - Sunday (min:0; max:1440)	
PAYT15A + PAYT55A + PAYT75A	PAY_EDTE = 2	Total number of minutes of physical activity - Sunday (min:0; max:1440)	
PAYT15B + PAYT55B + PAYT75B	PAY_EDTE = 3	Total number of minutes of physical activity - Sunday (min: 1; max: 1440)	
PAYT15C + PAYT55C + PAYT75C	PAY_EDTE = 4	Total number of minutes of physical activity - Sunday (min: 1; max: 1440)	
PAYT15D + PAYT55D + PAYT75D	PAY_EDTE = 5	Total number of minutes of physical activity - Sunday (min: 1; max: 1440)	
PAYT15E + PAYT55E + PAYT75E	PAY_EDTE = 6	Total number of minutes of physical activity - Sunday (min: 1; max: 1440)	

PAYT15F + PAYT55F + PAYT75F	PAY_EDTE = 7	Total number of minutes of physical activity - Sunday	(min: 1; max: 1440)

12) Total number of days physically active - last 7 days

Variable name: PAYDVDYS

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

Description: This derived variable indicates the total number of days that the respondent did any physical activity in the last 7 days.

Note: This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVWK3.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTTDS			
PAYTTDS + 1	(1 <= PAYDVTMN <= 1440)	Performed physical activity - Monday	Initialize PAYTTDS to 0
PAYTTDS + 1	(1 <= PAYDVTTU <= 1440)	Performed physical activity - Tuesday	
PAYTTDS + 1	(1 <= PAYDVTWD <= 1440)	Performed physical activity - Wednesday	
PAYTTDS + 1	(1 <= PAYDVTTH <= 1440)	Performed physical activity - Thursday	
PAYTTDS + 1	(1 <= PAYDVTFR <= 1440)	Performed physical activity - Friday	
PAYTTDS + 1	(1 <= PAYDVTST <= 1440)	Performed physical activity - Saturday	
PAYTTDS + 1	(1 <= PAYDVTSN <= 1440)	Performed physical activity - Sunday	

Specifications

Value	Condition(s)	Description	Notes
96	DOPAY = 2	Module not selected	NA
96	DHH_AGE > 17	Population exclusions	NA
99	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAYDVTMN = 0 and PAYDVTTU = 0 and PAYDVTWD = 0 and PAYDVTTH = 0 and PAYDVTFR = 0 and PAYDVTST = 0 and PAYDVTSN = 0	Respondent was not active in the last 7 days	
PAYTTDS	PAYTTDS > 0	Number of days respondent was physically active in the last 7 days	(Min: 1; Max: 7)

13) Total number of minutes of physical activity - last 7 days

Variable name: PAYDVMNS

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational activities and other physical activities.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAYDVTMN = (DK, RF, NS) or PAYDVTTU = (DK, RF, NS) or PAYDVTWD = (DK, RF, NS) or PAYDVTTH = (DK, RF, NS) or PAYDVTFR = (DK, RF, NS) or PAYDVTST = (DK, RF, NS) or PAYDVTSN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTMN + PAYDVTTU + PAYDVTWD + PAYDVTTH + PAYDVTFR + PAYDVTST + PAYDVTSN	(0 <= PAYDVTMN <= 1440) and (0 <= PAYDVTTU <= 1440) and (0 <= PAYDVTWD <= 1440) and (0 <= PAYDVTTH <= 1440) and (0 <= PAYDVTFR <= 1440) and (0 <= PAYDVTST <= 1440) and (0 <= PAYDVTSN <= 1440)	Total number of minutes of active transportation and moderate to vigorous physical activity	(min: 1; max: 10080)

14) Average daily number of minutes of physical activities - last 7 days

Variable name: PAYDVAV7

Based on: DHH_AGE, PAYDVMNS

Description: This derived variable determines the average daily number of minutes of moderate to vigorous physical activity in the last 7 days.

Note: The average is based on the total number of minutes of moderate to vigorous physical activity in the week divided by seven.

Specifications

Value	Condition(s)	Description	Notes
9999.6	DOPAY = 2	Module not selected	NA
9999.6	DHH_AGE > 17	Population exclusions	NA
9999.9	PAYDVDYS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAYDVMNS = 0	No physical activity minutes in the last 7 days	
PAYDVMNS / 7	PAYDVMNS = (1:10080)	Average daily minutes of physical activity in the last 7 days	Rounded to 1 decimal place

15) Total number of minutes of physical activities on weekdays - last 7 days

Variable name: PAYDVTWK

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR

Description: Total number of minutes of physical activity reported on weekdays (Monday to Friday).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA
9999	PAYDVTMN = (DK, RF, NS) or PAYDVTTU = (DK, RF, NS) or PAYDVTWD = (DK, RF, NS) or PAYDVTTH = (DK, RF, NS) or PAYDVTFR = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTMN + PAYDVTTU + PAYDVTWD + PAYDVTTH + PAYDVTFR +	(0 <= PAYDVTMN <= 1440) and (0 <= PAYDVTTU <= 1440) and (0 <= PAYDVTWD <= 1440) and (0 <= PAYDVTTH <= 1440) and (0 <= PAYDVTFR <= 1440)	Total number of minutes of moderate to vigorous physical activity Monday to Friday	(min: 0; max: 7200)

16) Total number of minutes of physical activities on weekend - last 7 days

Variable name: PAYDVTWN

Based on: DHH_AGE, PAYDVTST, PAYDVTSN

Description: Total number of physical activity minutes recorded on weekend (Saturday or Sunday).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
9996	DOPAY = 2	Module not selected	NA
9996	DHH_AGE > 17	Population exclusions	NA
9999	PAYDVTST = (DK, RF, NS) or PAYDVTSN = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDVTST + PAYDVTSN	(0 <= PAYDVTST <= 1440) and (0 <= PAYDVTSN <= 1440)	Total number of minutes of moderate to vigorous physical activity Saturday to Sunday	(min: 0; max: 2880)

17) Number of days meeting or exceeding physical activity guidelines

Variable name: PAYDVDPG

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI

Description: This derived variable indicates the number of days where the recommended physical activity guidelines (CPAG) are met or exceeded.

Note: To meet the full guidelines set by the Canadian Physical Activity Guidelines, Canadians aged 12-17 are recommended to do 60 minutes of activity each day of the week. Thus, a respondent would be considered active under CPAG recommendations when this derived variable equals 7.

This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVWK2.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
PAYTGUI			
PAYTGUI + 1	(60 <= PAYDVTMN <= 1440)	Met Physical Activity Guidelines - Monday	initialize PAYTGUI to 0

PAYTGUI + 1	(60 <= PAYDVTTU <= 1440)	Met Physical Activity Guidelines - Tuesday
PAYTGUI + 1	(60 <= PAYDVTWD <= 1440)	Met Physical Activity Guidelines - Wednesday
PAYTGUI + 1	(60 <= PAYDVTTH <= 1440)	Met Physical Activity Guidelines - Thursday
PAYTGUI + 1	(60 <= PAYDVTFR <= 1440)	Met Physical Activity Guidelines - Friday
PAYTGUI + 1	(60 <= PAYDVTST <= 1440)	Met Physical Activity Guidelines - Saturday
PAYTGUI + 1	(60 <= PAYDVTSN <= 1440)	Met Physical Activity Guidelines - Sunday

Specifications

Value	Condition(s)	Description	Notes
96	DOPAY = 2	Module not selected	NA
96	DHH_AGE > 17	Population exclusions	NA
99	(PAYDVTMN = DK, RF, NS) or (PAYDVTTU = DK, RF, NS) or (PAYDVTWD = DK, RF, NS) or (PAYDVTTH = DK, RF, NS) or (PAYDVTFR = DK, RF, NS) or (PAYDVTST = DK, RF, NS) or (PAYDVTSN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYTGUI	PAYTGUI in (0:7)	Number of days respondent met CPAG	(Min: 0; Max: 7)

18) Youth physical activity indicator

Variable name: PAYDVPAI

Based on: DHH_AGE, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN

Description: This variable indicates whether a youth is physically active according to the Canadian Physical Activity Guidelines.

Note: Physical activity for youth aged 12-17 is defined as at least 60 minutes of moderate-to-vigorous physical activity each day. Moderate exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to breathe harder and sweat at least a little.

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAYDVTMN = 0 and PAYDVTTU = 0 and PAYDVTWD = 0 and PAYDVTTH = 0 and PAYDVTFR = 0 and PAYDVTST = 0 and PAYDVTSN = 0	No activity	

1	(60 <= PAYDVTMN <= 1440) and (60 <= PAYDVTTU <= 1440) and (60 <= PAYDVTWD <= 1440) and (60 <= PAYDVTTH <= 1440) and (60 <= PAYDVTFR <= 1440) and (60 <= PAYDVTST <= 1440) and (60 <= PAYDVTSN <= 1440)	Physically active according to the Canadian Physical Activity Guidelines.
2	PAYDVTMN < 60 or PAYDVTTU < 60 or PAYDVTWD < 60 or PAYDVTTH < 60 or PAYDVTFR < 60 or PAYDVTST < 60 or PAYDVTSN < 60	Not physically active according to the Canadian Physical Activity Guidelines.

19) Total number of minutes of vigorous physical activity - last 7 days

Variable name: PAYDVVIG

Based on: DHH_AGE, PAYDVMNS, PAY_090, PAY_100, PAY_105

Description: This derived variable indicates the total number of minutes of vigorous physical activity in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as activity that causes a person to be out of breath.

Inconsistencies with PAYDVMNS (when PAYDVVIG > PAYDVMNS) were corrected by setting PAYDVVIG to "not stated". If a respondent reported no vigorous physical activity (PAY_090 = 2) and PAYDVMNS has been coded to "not stated", PAYDVVIG was coded to "not stated" as well, instead of 0.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAY = 2	Module not selected	NA
99996	DHH_AGE > 17	Population exclusions	NA
99999	PAY_090 = (DK, RF, NS) or PAY_100 = (DK, RF, NS) or PAY_105 = (DK, RF, NS) or PAYDVMNS = 99999	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_090 = 2	No minutes of vigorous physical activity in last 7 days	
0	PAYDVMNS = 0	No minutes of moderate to vigorous physical activity in last 7 days	
PAY_100*60 + PAY_105	PAY_090 = 1	Number of minutes of vigorous physical activity in last 7 days.	(min: 1; max: 10080)

20) Physical activity - special weekly guideline 1

Variable name: PAYDVWK1

Based on: DHH_AGE, PAYDVDYS, PAYDVMNS

Description: This variable, number one of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level represents a range of achievement of meeting the total duration (minutes) of weekly guidelines.

* Recreational physical activities: physical activities practiced at school or any other place (at home, at the park, leisure center or elsewhere). In this survey, activities done during mandatory physical education classes are reported with recreational physical activities done at school.
* Other physical activities: physical activities done while at work or in or around home. The respondent provides an estimate for these 2 components in the same answer

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAYDVDYS = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYDVDYS >= 1 and PAYDVMNS >= 420	Level 1 (100% active)	
2	PAYDVDYS >= 1 and 210 <= PAYDVMNS < 420	Level 2 (>= 50% and < 100% active)	
3	PAYDVDYS >= 1 and 105 <= PAYDVMNS < 210	Level 3 (>= 25% and < 50% active)	
4	PAYDVDYS >= 1 and 0 < PAYDVMNS < 105	Level 4 (> 0% and < 25% active)	
5	PAYDVDYS = 0 and PAYDVMNS = 0	Level 5 (Recreational* and other* physical activities done at less thanmoderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

21) Physical activity - special weekly guideline 2

Variable name: PAYDVWK2

Based on: DHH_AGE, PAYDVDYS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTGUI, PAYTAB1, PAYTAB2, PAYTAB3

Description: This variable, number two of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: This DV uses a temporary DV, PAYTGUI, that is also created and used in another DV, PAYDVDPG.
The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on how many days the respondent was active, and how many minutes of activity they had on those days.
* Recreational physical activities: physical activities practiced at school or any other place (at home, at the park, leisure center or elsewhere). In this survey, activities done during mandatory physical education classes are reported with recreational physical activities done at school.
* Other physical activities: physical activities done while at work or in or around home. The respondent provides an estimate for these 2 components in the same answer

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTAB1			
PAYTAB1 + 1	40 <= PAYDVTMN <= 1440	Performed at least 40 minutes of physical activity - Monday	Initialize PAYTAB1 to 0
PAYTAB1 + 1	40 <= PAYDVTTU <= 1440	Performed at least 40 minutes of physical activity Tuesday	
PAYTAB1 + 1	40 <= PAYDVTWD <= 1440	Performed at least 40 minutes of physical activity - Wednesday	
PAYTAB1 + 1	40 <= PAYDVTTH <= 1440	Performed at least 40 minutes of physical activity - Thursday	

PAYTAB1 + 1	40 <= PAYDVTFR <= 1440	Performed at least 40 minutes of physical activity - Friday	
PAYTAB1 + 1	40 <= PAYDVTST <= 1440	Performed at least 40 minutes of physical activity - Saturday	
PAYTAB1 + 1	40 <= PAYDVTSN <= 1440	Performed at least 40 minutes of physical activity - Sunday	
PAYTAB2			
PAYTAB2 + 1	20 <= PAYDVTMN <= 1440	Performed at least 20 minutes of physical activity - Monday	Initialize PAYTAB2 to 0
PAYTAB2 + 1	20 <= PAYDVTTU <= 1440	Performed at least 20 minutes of physical activity - Tuesday	
PAYTAB2 + 1	20 <= PAYDVTWD <= 1440	Performed at least 20 minutes of physical activity - Wednesday	
PAYTAB2 + 1	20 <= PAYDVTTH <= 1440	Performed at least 20 minutes of physical activity - Thursday	
PAYTAB2 + 1	20 <= PAYDVTFR <= 1440	Performed at least 20 minutes of physical activity - Friday	
PAYTAB2 + 1	20 <= PAYDVTST <= 1440	Performed at least 20 minutes of physical activity - Saturday	
PAYTAB2 + 1	20 <= PAYDVTSN <= 1440	Performed at least 20 minutes of physical activity - Sunday	
PAYTAB3			
PAYTAB3 + 1	0 < PAYDVTMN <= 1440	Performed at least 1 minute of physical activity - Monday	Initialize PAYTAB3 to 0
PAYTAB3 + 1	0 < PAYDVTTU <= 1440	Performed at least 1 minute of physical activity - Tuesday	
PAYTAB3 + 1	0 < PAYDVTWD <= 1440	Performed at least 1 minute of physical activity - Wednesday	
PAYTAB3 + 1	0 < PAYDVTTH <= 1440	Performed at least 1 minute of physical activity - Thursday	
PAYTAB3 + 1	0 < PAYDVTFR <= 1440	Performed at least 1 minute of physical activity - Friday	
PAYTAB3 + 1	0 < PAYDVTST <= 1440	Performed at least 1 minute of physical activity Saturday	
PAYTAB3 + 1	0 < PAYDVTSN <= 1440	Performed at least 1 minute of physical activity - Sunday	
PAYTGUI			
PAYTGUI + 1	(60 <= PAYDVTMN <= 1440)	Met Physical Activity Guidelines - Monday	Initialize PAYTGUI to 0
PAYTGUI + 1	(60 <= PAYDVTTU <= 1440)	Met Physical Activity Guidelines - Tuesday	
PAYTGUI + 1	(60 <= PAYDVTWD <= 1440)	Met Physical Activity Guidelines - Wednesday	
PAYTGUI + 1	(60 <= PAYDVTTH <= 1440)	Met Physical Activity Guidelines - Thursday	
PAYTGUI + 1	(60 <= PAYDVTFR <= 1440)	Met Physical Activity Guidelines - Friday	
PAYTGUI + 1	(60 <= PAYDVTST <= 1440)	Met Physical Activity Guidelines - Saturday	
PAYTGUI + 1	(60 <= PAYDVTSN <= 1440)	Met Physical Activity Guidelines - Sunday	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA

6	DHH_AGE > 17	Population exclusions	NA
9	PAYDVTMN = NS or PAYDVTTU = NS or PAYDVTWD = NS or PAYDVTTH = NS or PAYDVTFR = NS or PAYDVTST = NS or PAYDVTSN = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYDVDYS = 7 and PAYTGUI = 7	Level 1 (7 days of activity and >= 60 minutes on each day active)	
2	5 <= PAYDVDYS and PAYTAB1 => 5	Level 2 (>= 5 days of activity and >=40 minutes on each day active)	
3	3 <= PAYDVDYS and PAYTAB2 => 3	Level 3 (>= 3 days of activity and >= 20 minutes on each day active)	
4	1 <= PAYDVDYS and PAYTAB3 => 1	Level 4 (>= 1 day of activity >= 1 minute on each day active)	
5	PAYDVDYS = 0	Level 5 (Recreational* and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

22) Physical activity - special weekly guideline 3

Variable name: PAYDVWK3

Based on: DHH_AGE, PAYDVMNS, PAYDVTMN, PAYDVTTU, PAYDVTWD, PAYDVTTH, PAYDVTFR, PAYDVTST, PAYDVTSN, PAYTTDS

Description: This variable, number three of three similar variables, indicates the level of moderate to vigorous physical activity for Canadian children aged 12 to 17. The levels have been recommended to Statistics Canada by Dr. B. Nolin of the Institut national de santé publique du Québec.

Note: This DV uses a temporary DV, PAYTTDS, that is also created and used in another DV, PAYDVDYS.
The physical activity levels are based on the Canadian Physical Activity Guidelines (CPAG). Each level is based on the weekly total number of minutes of activity and on how many days the respondent was active.
* Recreational physical activities: physical activities practiced at school or any other place (at home, at the park, leisure center or elsewhere). In this survey, activities done during mandatory physical education classes are reported with recreational physical activities done at school.
* Other physical activities: physical activities done while at work or in or around home. The respondent provides an estimate for these 2 components in the same answer.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTTDS			
PAYTTDS + 1	(1 <= PAYDVTMN <= 1440)	Performed physical activity - Monday	Initialize PAYTTDS to 0
PAYTTDS + 1	(1 <= PAYDVTTU <= 1440)	Performed physical activity - Tuesday	
PAYTTDS + 1	(1 <= PAYDVTWD <= 1440)	Performed physical activity - Wednesday	
PAYTTDS + 1	(1 <= PAYDVTTH <= 1440)	Performed physical activity - Thursday	
PAYTTDS + 1	(1 <= PAYDVTFR <= 1440)	Performed physical activity - Friday	
PAYTTDS + 1	(1 <= PAYDVTST <= 1440)	Performed physical activity - Saturday	
PAYTTDS + 1	(1 <= PAYDVTSN <= 1440)	Performed physical activity - Sunday	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAYTTDS = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	PAYTTDS >= 5 and PAYDVMNS >= 420	Level 1 (Duration equal to or greater than that recommended, spread over at least 5 days a week.	
2	PAYTTDS >= 3 and PAYDVMNS >= 210	Level 2 (≥ 50% of the recommended duration, spread over at least 3 days a week)	
3	PAYTTDS >= 3 and (210 > PAYDVMNS >= 105)	Level 3 (≥ 25% of the recommended duration, spread over at least 3 days a week)	
4	PAYTTDS >= 1 and PAYDVMNS > 0	Level 4 (>0% and <25% of the recommended duration, spread over at least 1 day a week)	
5	PAYTTDS = 0 and PAYDVMNS = 0	Level 5 (Recreational* and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

23) Physical activity - meet Canadian Physical Activity Guidelines with 3 or more vigorous-intensity physical activities - last 7 days

Variable name: PAYDVPAG

Based on: DHH_AGE, PAYDVMSN, PAYDVPAI, PAY_090, PAY_095, PAY_095A, PAY_095B, PAY_095C, PAY_05D, PAY_095E, PAY_095F, PAY_095G, PAYTVIG1

Description: This variables indicates whether a youth respondent met the 60 minutes of daily moderate- to vigorous-intensity physical activity recommended by the Canadian Physical Activity Guidelines, including vigorous-intensity activities at least 3 of the last 7 days.

Temporary Reformat

Value	Condition(s)	Description	Notes
PAYTVIG1			
PAYTVIG1 + 1	PAY_095A = 1	Performed vigorous activities yesterday	Initialize PAYTVIG1 to 0
PAYTVIG1 + 1	PAY_095B = 1	Performed vigorous activities 2 days ago	
PAYTVIG1 + 1	PAY_095C = 1	Performed vigorous activities 3 days ago	
PAYTVIG1 + 1	PAY_095D = 1	Performed vigorous activities 4 days ago	
PAYTVIG1 + 1	PAY_095E = 1	Performed vigorous activities 5 days ago	
PAYTVIG1 + 1	PAY_095F = 1	Performed vigorous activities 6 days ago	
PAYTVIG1 + 1	PAY_095G = 1	Performed vigorous activities 7 days ago	

Specifications

Value	Condition(s)	Description	Notes
6	DOPAY = 2	Module not selected	NA
6	DHH_AGE > 17	Population exclusions	NA
9	PAY_090 = (DK, RF, NS) or PAY_095 = (DK, RF, NS) or PAYDVMNS = (DK, RF, NS)	At least one required question was not answered (don’t know, refusal, not stated)	NS

1	PAYDVPAI = 1 and PAYTVIG1 > 2	Meets CPAG including 3 or more days with vigorous activities in the last 7 days.
2	PAYDVPAI = (0,2) or PAY_090 = 2 or PAYTVIG1 = (1,2)	Does not meet CPAG including 3 or more days with vigorous activities in the last 7 days.

Patient satisfaction - community-based care (2 DVs)

1) Community-based care - level of satisfaction - Grouped

Variable name: PSCG015

Based on: PSC_015

Description: This variable groups the level of satisfaction.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	PSC_015 = 6	At least one required question was not answered (don't know, refusal, not stated)	NS
9	PSC_015 = 9	Module not selected or population exclusions	NA
1	PSC_015 = (0, 1, 2)	Very Dissatisfied/Dissatisfied/Somewhat dissatisfied	
2	PSC_015 = 3	Somewhat satisfied	
3	PSC_015 = 4	Satisfied	
4	PSC_015 = 5	Very satisfied	

2) Services from a community walk-in clinic - quality rating - Grouped

Variable name: PSCG070

Based on: PSC_070

Description: This variable groups the quality rating.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	PSC_070 = 6	At least one required question was not answered (don't know, refusal, not stated)	NS
9	PSC_070 = 9	Module not selected or population exclusions	NA
1	PSC_070 = 1	Excellent	
2	PSC_070 = 2	Good	
3	PSC_070 = (3, 4)	Fair/ Poor	

Smoking cessation methods (1 DV)

1) Attempted/successful quitting

Variable name: SCADVQUI

Based on: ADM_PRX, SMKDVSTY, SCA_005, SCA_035, SMK_005, SMK_020, SMK_060, SMK_080, SMK_095, SMK_100

Description: This variable classifies respondents into the 4 follorwing categories: (a) current daily or occasional smokers who have not tried to quit in the past year, (b) current daily or occasional smokers who have tried to quit unsuccessfully in the past year, (c) former smokers who have successfully quit smoking in the past year and (d) former smokers who have successfully quit smoking more than 1 year ago.

Note: Current non-smokers and respondents who smoked less than 100 cigarettes in their lifetime were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOSCA = 2	Module not selected	NA
6	SMK_020 = 2 and SMK_005 = 3	Population exclusion	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	SMK_005 = (1, 2) and SCA_035 = 2	Did not try to quit in the past year (current daily or occasional smoker)	
2	SMK_005 = (1,2) and SCA_035 = 1	Tried to quit unsuccessfully in the past year (current daily or occasional smoker)	
3	SMKDVSTY = (3,4) and (SMK_060 = 1 or SMK_080 = 1 or SMK_100 = 1)	Successfully quit in the past year (former smoker)	
4	SMKDVSTY = (3,4) and [(2 <= SMK_060 <= 4) or (SMK_095 = 1 and (2 <= SMK_080 <= 4)) or (2 <= SMK_100 <= 4)]	Successfully quit more than 1 year ago (former smoker)	
9	SMKDVSTY = NS or SMK_005 = (DK, RF, NS) or SMK_060 = (DK, RF, NS) or SMK_080 = (DK, RF, NS) or SMK_095 = (DK, RF, NS) or SMK_100 = (DK, RF, NS) or SCA_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Socio-demographic characteristics (6 DVs)

1) Country of birth - Canada/other - Grouped

Variable name: SDCDGCB

Based on: SDCCCOB

Description: This variable classifies the respondent based on his/her country of birth in specific groups.

Note: The country code is based on the Standard Classification of Countries and Areas of Interest (SCCAI) of 2010. The SCCAI is Statistics Canada's official classification of countries and areas of interest for use in classifying statistical data.

Internet site: http://www.statcan.gc.ca/eng/subjects/standard/sccai/2010/sccai

Specifications

Value	Condition(s)	Description	Notes
6	SDCCCOB = 80000	Population exclusions - Born at sea	NA
9	SDCCCOB = (DK, RF, NS, 90000)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SDCCCOB = 11124	Canada	
2	10000 <= SDCCCOB < 62000	Other	

2) Immigrant flag

Variable name: SDCDVIMM

Based on: SDCCCOB, SDC_IM3

Description: This variable indicates if the respondent is an immigrant or not. The immigrant category includes landed immigrant and non-permanent resident. Respondents who declared being born in Canada are considered non-immigrant.

Specifications

Value	Condition(s)	Description	Notes
1	SDC_IM3 = (1, 2)	The respondent is a landed immigrant or a non-permanent resident	
2	SDCCCOB = 11124	The respondent is a non-immigrant (Canadian born)	
9	SDCCCOB = (DK, RF, NS) or SDC_IM3 = (DK, RF, NS)	Required questions were not answered (don't know, refusal, not stated)	NS

3) Length of time in Canada since immigration - Grouped

Variable name: SDCDGRES

Based on: ADM_YOI, SDCCCOB, SDC_IM4

Description: This variable indicates the length of time in years since the respondent became a landed immigrant.

Note: Non-immigrants (Canadian born) and non-permanent residents were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	SDC_IM4 = NA	Module not selected or population exclusions	NA
9	SDC_IM4 = (DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
1	(ADM_YOI (current year) - SDC_IM4)<=9	Length of time in Canada since immigration 0 - 9 years are grouped together	(min: 0; max: 9)
2	(ADM_YOI (current year) - SDC_IM4) >= 10	Length of time in Canada since immigration 10 - 121 years are grouped together	(min: 10; max: 130)

4) Culture / Race Flag - Grouped

Variable name: SDCDGCGT

Based on: SDC_015, SDC_020A, SDC_020B, SDC_020C, SDC_020D, SDC_020E, SDC_020F, SDC_020G, SDC_020H, SDC_020I SDC_020J, SDC_020K, SDC_020L

Description: This variable indicates the cultural or racial background of the respondent. This variable excludes all respondents who identify as aboriginal in SDC_015.

Note: Respondents who identified themselves as aboriginal (SDC_015=1) were not asked about their cultural or racial background.

Specifications

Value	Condition(s)	Description	Notes
9	(SDC_020A = DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
6	SDC_015 = 1	Aboriginal identity	NA
1	SDC_020A = 1 and SDC_020B > 1 and SDC_020C > 1 and SDC_020D > 1 and SDC_020E > 1 and SDC_020F > 1 and SDC_020G > 1 and SDC_020H > 1 and SDC_020I > 1 and SDC_020J > 1 and SDC_020K > 1 and SDC_020L > 1	White Only	
2	SDC_020A => 1 and (SDC_020B = 1 or SDC_020C = 1 or SDC_020D = 1 or SDC_020E = 1 or SDC_020F = 1 or SDC_020G = 1 or SDC_020H = 1 or SDC_020I = 1 or SDC_020J = 1 or SDC_020K = 1 or SDC_020L = 1)	Other racial or cultural origin/Multiple racial or cultural origins	

5) Language(s) spoken at home - Grouped

Variable name: SDCDGLHM

Based on: SDCC2_1, SDCC2_2, SDCC2_3, SDCT5B1, SDCT5_E, SDCT5_F, SDCT5_O

Description: This variable indicates the language(s) in which the respondent converses at home.

Note: The respondent could provide up to three languages spoken most often at home. Multiple responses were accepted only if the languages were spoken equally often at home.

Specifications

Value	Condition(s)	Description	Notes
9	SDCT5B1 = NS	Required question was not answered (don't know, refusal, not stated)	NS
1	(SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 0) or (SDCT5_E = 1 and SDCT5_F = 0 and SDCT5_O = 1)	English (with or without language other than French)	
2	(SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 0) or (SDCT5_E = 0 and SDCT5_F = 1 and SDCT5_O = 1)	French (with or without language other than English)	
3	(SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 0) or (SDCT5_E = 1 and SDCT5_F = 1 and SDCT5_O = 1)	English & French (with or without other language)	
4	SDCT5_E = 0 and SDCT5_F = 0 and SDCT5_O = 1	Neither English nor French (Other)	

6) First official language spoken

Variable name: SDCDVFLS

Based on: PMK_PROXY, ADM_PRX, ADM_055, SDCDVFL1, SDCDVLHM, SDC_025, SDCTLNG

Description: For the censuses, this variable was derived within the framework of the application of the Official Languages Act. The same method for deriving the variable was applied here.

This derivation method is described in the regulations concerning the use of official languages for the provision of public services. It takes into account first the knowledge of the two official languages, second the mother tongue, and third the home language. People who can conduct a conversation in French only are assigned French as their first official language spoken. People who can carry on a conversation in English only are assigned English as their first official language spoken. The responses to questions on mother tongue and home language are subsequently used to establish the first official language spoken by people who speak both English and French, or who cannot speak either of the two official languages. The French category includes people who have French only or French and at least one non-official language as their mother tongue. People who have English only or English and at least one non-official language as their mother tongue are included in the English category. For cases that have not yet been classified, people are assigned to the French category when they speak French only or French and at least one non-official language as their home language. The procedure is the same for English. Thus, the population is classified into two principal categories: English or French. It is necessary to add two residual categories for people who cannot be classified in accordance with the information available: English and French and neither English nor French.

Please consult the following documents for more information: Regulations respecting communications with and services to the public in either official language, registered on December 16, 1991, in accordance with section 85 of the Official Languages Act, R.S.C., c. 32 (4th suppl.) and Population Estimates by First Official Language Spoken, 1991, Catalogue no. 94-320, Demography Division, Statistics Canada.

Internet site: http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/pop095-eng.cfm

Temporary Reformat

Value	Condition(s)	Description	Notes
SDCTLNG			
4	SDC_025 = 4	Neither English nor French	
9	SDC_025 = (DK,RF,NS)	Required question was not answered (don't know, refusal, not stated)	NS
3	SDC_025 = 3	Both English and French	

2	SDC_025 = 2	French only
1	SDC_025 = 1	English only

Specifications

Value	Condition(s)	Description	Notes
1	[(SDCTLNG = 1 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 1) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = 3) and (SDCDVFL1 = 5) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 1) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (1,5)] or [(SDCTLNG = 4) and SDCDVFL1 = 5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and (SDCDVLHM = (7,NS) and (ADM_055 = 1) and (ADM_PRX = 2 and PMKPROXY > 1)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (1,5)] or [(SDCTLNG = NS) and SDCDVFL1 = (1,5) and SDCDVLHM = NS)]	English	
2	[(SDCTLNG = 2 and (SDCDVFL1 = (1,2,3,4,5,6,7,NS)) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and (SDCDVFL1 = 2) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = 3) and (SDCDVFL1 = 6) and (SDCDVLHM i= (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and (SDCDVFL1 = 2) and (SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = (3,4) and SDCDVLHM = (2,6)] or [(SDCTLNG = 4) and SDCDVFL1 = 6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = (1,2,3,4,5,6,7,NS)] or [(SDCTLNG = NS) and SDCDVFL1 = (3,4,7) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and (SDCDVFL1 = (7,NS) and (SDCDVLHM = 7,NS) and (ADM_055 = 2) and (ADM_PRX = 2 and PMKPROXY > 1)] or [SDCTLNG = (3,4,NS) and (SDCDVFL1 = NS) and SDCDVLHM = (2,6)] or [(SDCTLNG = NS) and SDCDVFL1 = (2,6) and SDCDVLHM = NS)]	French	

3	[(SDCTLNG = 3) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 3) and SDCDVFL1 = 7 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 3 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 4 and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = 4) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM in (3,4,7)] or [(SDCTLNG = NS) and SDCDVFL1 = 7 and SDCDVLHM in (3,4)] or [(SDCTLNG = 3 and SDCDVFL1 = NS and SDCDVLHM in (3,4,7,NS)] or [(SDCTLNG = NS and SDCDVFL1= NS and SDCDVLHM in (3,4)] or [(SDCTLNG = NS) and SDCDVFL1 in (3,4) and SDCDVLHM = NS]	English and French	
4	[(SDCTLNG = (4,NS) and SDCDVFL1 = (7,NS) and SDCDVLHM = (7,NS)] and NOT(SDCTLNG = NS and SDCDVFL1 = NS and SDCDVLHM = NS)	Neither English nor French	
9	[(SDCTLNG = NS) and (SDCDVFL1 = NS) and (SDCDVLHM = NS)]	At least one required question was not answered (don't know, refusal, not stated)	NS

Sleep (1 DV)

1) Number of hours spent sleeping per night - Grouped

Variable name: SLPG005

Based on: SLP_005

Description: This variable groups the number of hours spent sleeping per night.

Specifications

Value	Condition(s)	Description	Notes
96	SLP_005 = 96	Module not selected or population exclusions	NA
99	SLP_005 = (97, 98, 99)	Question was not answered (don't know, refusal, not stated)	NS
1	SLP_005 = (1, 2)	Under 3 hours	
2	SLP_005 = 3	3 hours to less than 4 hours	
3	SLP_005 = 4	4 hours to less than 5 hours	
4	SLP_005 = 5	5 hours to less than 6 hours	
5	SLP_005 = 6	6 hours to less than 7 hours	
6	SLP_005 = 7	7 hours to less than 8 hours	
7	SLP_005 = 8	8 hours to less than 9 hours	
8	SLP_005 = 9	9 hours to less than 10 hours	
9	SLP_005 = 10	10 hours to less than 11 hours	
10	SLP_005 = 11	11 hours to less than 12 hours	
11	SLP_005 = 12	12 hours or more	

Smoking (7 DVs)

1) Age - smoked first whole cigarette - Grouped

Variable name: SMKG035

Based on: SMK_035

Description: This variable groups the age at which the respondent smoked their first whole cigarette.

Specifications

Value	Condition(s)	Description	Notes
96	SMK_035 = 996	Module not selected or population exclusion	NA
99	SMK_035 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
1	5 =< SMK_035 =< 11	Respondent smoked their first whole cigarette between ages 5 and 11.	
2	12 =< SMK_035 =< 14	Respondent smoked their first whole cigarette between ages 12 and 14.	
3	15 =< SMK_035 =< 17	Respondent smoked their first whole cigarette between ages 15 and 17.	
4	18 =< SMK_035 =< 19	Respondent smoked their first whole cigarette between ages 18 and 19.	
5	20 =< SMK_035 =< 24	Respondent smoked their first whole cigarette between ages 20 and 24.	
6	25 =< SMK_035 =< 29	Respondent smoked their first whole cigarette between ages 25 and 29.	
7	30 =< SMK_035 =< 34	Respondent smoked their first whole cigarette between ages 30 and 34.	
8	35 =< SMK_035 =< 39	Respondent smoked their first whole cigarette between ages 35 and 39.	
9	40 =< SMK_035 =< 44	Respondent smoked their first whole cigarette between ages 40 and 44.	
10	45 =< SMK_035 =< 49	Respondent smoked their first whole cigarette between ages 45 and 49.	
11	50 =< SMK_035	Respondent smoked their first whole cigarette at age 50 or older.	

2) Age - began smoking daily - Grouped

Variable name: SMKG040

Based on: SMK_040

Description: This variable groups the age at which the respondent began smoking daily.

Specifications

Value	Condition(s)	Description	Notes
96	SMK_040 = 996	Module not selected or population exclusions	

99	SMK_040 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)
1	5 =< SMK_040 =< 11	Respondent began smoking daily between ages 5 and 11.
2	12 =< SMK_040 =< 14	Respondent began smoking daily between ages 12 and 14.
3	15 =< SMK_040 =< 17	Respondent began smoking daily between ages 15 and 17.
4	18 =< SMK_040 =< 19	Respondent began smoking daily between ages 18 and 19.
5	20 =< SMK_040 =< 24	Respondent began smoking daily between ages 20 and 24.
6	25 =< SMK_040 =< 29	Respondent began smoking daily between ages 25 and 29.
7	30 =< SMK_040 =< 34	Respondent began smoking daily between ages 30 and 34.
8	35 =< SMK_040 =< 39	Respondent began smoking daily between ages 35 and 39.
9	40 =< SMK_040 =< 44	Respondent began smoking daily between ages 40 and 44.
10	45 =< SMK_040 =< 49	Respondent began smoking daily between ages 45 and 49.
11	50 =< SMK_040	Respondent began smoking daily at age 50 or older.

3) Stopped smoking daily - num of years (former daily smoker) - Grouped

Variable name: SMKG090

Based on: SMK_090

Description: This variable groups the number of years since the respondent stopped smoking daily.

Specifications

Value	Condition(s)	Description	Notes
6	SMK_090 = 996	Module not selected or population exclusions	NA
9	SMK_090 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
1	3 <= SMK_090 <= 5	Respondent stopped smoking daily between 3 and 5 years ago.	
2	6 <= SMK_090 <= 10	Respondent stopped smoking daily between 6 and 10 years ago.	
3	SMK_090 >= 11	Respondent stopped smoking daily 11 or more years ago.	

4) Quit smoking completely - num of years (former daily smoker) - Grouped

Variable name: SMKG110

Based on: SMK_110

Description: This variable groups the number of years since the respondent stopped smoking completely (former daily smoker).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	SMK_110 = 996	Module not selected or population exclusion	NA
9	SMK_110 = (997, 998, 999)	Question was not answered (don't know, refusal, not stated)	NS
1	3 <= SMK_110 <= 5	Respondent stopped smoking between 3 and 5 years ago.	
2	6 <= SMK_110 <= 10	Respondent stopped smoking between 6 and 10 years ago.	
3	SMK_110 >= 11	Respondent stopped smoking 11 or more years ago.	

5) Smoking status (type 2) - traditional definition

Variable name: SMKDVSTY

Based on: SMK_005, SMK_020, SMK_025, SMK_030

Description: This variable indicates the type of smoker the respondent is, based on his/her smoking habits.

Note: This variable includes lifetime cigarette consumption.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
1	SMK_005 = 1	Current daily smoker	
2	SMK_005 = 2	Current occasional smoker	
3	SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 1	Former daily smoker (non-smoker now)	
4	SMK_005 = 3 and SMK_020 = 1 and SMK_030 = 2	Former occasional smoker (non-smoker now)	
5	SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 1	Experimental smoker (at least 1 whole cigarette, non-smoker now)	
6	SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 2	Lifetime abstainer (never smoked a whole cigarette)	
99	SMK_005 = (DK, RF, NS) or SMK_020 = (DK, RF, NS) or SMK_025 = (DK, RF, NS) or SMK_030 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

6) Number of years smoked daily (current daily smokers only) - Grouped

Variable name: SMKDGYCS

Based on: SMK_005, SMK_040, DHH_AGE

Description: This variable indicates the number of years the respondent has smoked daily.

Note: Respondents who are not daily smokers have been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

Specifications

Value	Condition(s)	Description	Notes
6	SMK_005 = (2, 3)	Module not selected or population exclusions	NA
9	(SMK_005 = DK, RF, NS) or (SMK_040 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SMK_005 = 1 and (DHH_AGE - SMK_040) <= 2	Respondent has smoked daily for 2 years or less	
2	SMK_005 = 1 and 3 < = (DHH_AGE - SMK_040) <= 5	Respondent has smoked daily for 3 to 5 years	
3	SMK_005 = 1 and 6 < = (DHH_AGE - SMK_040) <= 10	Respondent has smoked daily for 6 to 10 years	
4	SMK_005 = 1 and (DHH_AGE - SMK_040) >= 11	Respondent has smoked daily for 11 years or more	

7) Number of Years Since Stopping Smoking Completely - Grouped

Variable name: SMKDGSTP

Based on: SMKDVSTY, SMK_060, SMK_070, SMK_080, SMK_090, SMK_095, SMK_100, SMK_110

Description: This variable indicates the approximate number of years since former smokers completely quit smoking.

Note: Current smokers and respondents who have smoked less than 100 cigarettes in their lifetime were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	SMKDVSTY = (1,2,5,6) or (SMK_005 = 3 and SMK_020 = 2 and SMK_025 = 1)	Module not selected or population exclusions	NA
9	SMKDVSTY = NS or SMK_060 = (DK, RF, NS) or SMK_070 = (DK, RF, NS) or SMK_080 = (DK, RF, NS) or SMK_090 = (DK, RF, NS) or SMK_095 = (DK, RF, NS) or SMK_100 = (DK, RF, NS) or SMK_110 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	SMKDVSTP = 0	Less than 1 year	
1	SMKDVSTP = (1, 2)	1 to 2 years	
2	SMKDVSTP = (3, 4, 5)	3 to 5 years	
3	6= <SMKDVSTP >=10	6 to 10 years	
4	SMKDVSTP>=11	11 or more years	

Consultations with health professionals on smoking (2 DVs)

1) Health provider - help - other - Grouped

Variable name: SPCG020H

Based on: SPC_020A, SPC_020B, SPC_020F, SPC_020G, SPC_020H

Description: Type of help provided by health care provider to help to reduce / quit smoking: referral to one-on-one or group cessation program, referral to a telephone smoker help line, offered counselling, other.

Note: This is a regrouping of SPC_020A, SPC_020B, SPC_020F, SPC_020G, SPC_020H.

Specifications

Value	Condition(s)	Description	Notes
6	SPC_020A = 6	Module not selected or population exclusions	NA
9	SPC_020A = (7, 8, 9) or SPC_020B = (7, 8, 9) or SPC_020F = (7, 8, 9) or SPC_020G = (7, 8, 9) or SPC_020H = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SPC_020A = 1 or SPC_020B = 1 or SPC_020F = 1 or SPC_020G = 1 or SPC_020H = 1	Yes	
2	SPC_020A = 2 and SPC_020B = 2 and SPC_020F = 2 and SPC_020G = 2 and SPC_020H = 2	No	

2) Pharmacist - help - other - Grouped

Variable name: SPCG050G

Based on: SPC_050A, SPC_050B, SPC_050F, SPC_050G

Description: Type of help provided by pharmacist to help to reduce / quit smoking: referral to one-on-one or group cessation program, referral to a telephone smoker help line, other.

Note: This is a regrouping of SPC_050A, SPC_050B, SPC_050F, SPC_050G.

Specifications

Value	Condition(s)	Description	Notes
6	SPC_050A = 6	Module not selected or population exclusions	NA
9	SPC_050A = (7, 8, 9) or SPC_050B = (7, 8, 9) or SPC_050F = (7, 8, 9) or SPC_050G = (7, 8, 9)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SPC_050A = 1 or SPC_050B = 1 or SPC_050F = 1 or SPC_050G = 1	Yes	

2	SPC_050A = 2 and SPC_050B = 2 and SPC_050F = 2 and SPC_050G = 2	No

Social provisions (6 DVs)

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
SPST005			
5 - SPS_005	SPS_005 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST010			
5 - SPS_010	SPS_010 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST015			
5 - SPS_015	SPS_015 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST020			
5 - SPS_020	SPS_020 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST025			
5 - SPS_025	SPS_025 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST030			
5 - SPS_030	SPS_030 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST035			
5 - SPS_035	SPS_035 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST040			
5 - SPS_040	SPS_040 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST045			
5 - SPS_045	SPS_045<= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	
SPST050			
5 - SPS_050	SPS_050 <= 4	Invert from "1 to 4" to "4 to 1",where 1 becomes "Strongly disagree" and 4 becomes "Strongly agree".	

1) Social provisions scale - guidance

Variable name: SPSDVGUI

Based on: ADM_PRX, SPS_020, SPS_030, SPST020, SPST030

Description: This variable is used to measure the score of the respondent on the "Guidance" sub-scale. A higher score reflects a higher level of perceived "Guidance" which is defined as advice or information.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_020 = (DK,RF,NS) or SPS_030 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST020 + SPST030	(1 <= SPS_020 <= 4) and (1 <= SPS_030 <= 4)	Score obtained on Social Provisions Scale - Guidance	(min: 2; max 8)

2) Social provisions scale - social integration

Variable name: SPSDVINT

Based on: ADM_PRX, SPS_010, SPS_035, SPST010, SPST035

Description: This variable is used to measure the score of the respondent on the "Social Integration" sub-scale. A higher score reflects a higher level of perceived "Social Integration" which is defined as a sense of belonging to a group of friends.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_010 = (DK,RF,NS) or SPS_035 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST010 + SPST035	(1 <= SPS_010 <= 4) and (1 <= SPS_035 <= 4)	Score obtained on Social Provisions Scale - Social Integration	(min: 2; max 8)

3) Social provisions scale - attachment

Variable name: SPSDVATT

Based on: ADM_PRX, SPS_015, SPS_040, SPST015, SPST040

Description: This variable is used to measure the score of the respondent on the "Attachment" sub-scale. A higher score reflects a higher level of perceived "Attachment". Which is defined as emotional closeness.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_015 = (DK,RF,NS) or SPS_040 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST015 + SPST040	(1 <= SPS_015 <= 4) and (1 <= SPS_040 <= 4)	Score obtained on Social Provisions Scale - Attachment	(min: 2; max 8)

4) Social provisions scale - reassurance of worth

Variable name: SPSDVWOR

Based on: ADM_PRX, SPS_025, SPS_045, SPST025, SPST045

Description: This variable is used to measure the score of the respondent on the "Reassurance of Worth" sub-scale. A higher score reflects a higher level of perceived "Reassurance of Worth" which is defined as recognition of one's competence.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS

99	SPS_025 = (DK,RF,NS) or SPS_045 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST025 + SPST045	(1 <= SPS_025 <= 4) and (1 <= SPS_045 <= 4)	Score obtained on Social Provisions Scale - Reassurance of Worth	(min: 2; max 8)

5) Social provisions scale - reliable alliance

Variable name: SPSDVALL

Based on: ADM_PRX, SPS_005, SPS_050, SPST005, SPST050

Description: This variable is used to measure the score of the respondent on the "Reliable Alliance" sub-scale. A higher score reflects a higher level of perceived "Reliable Alliance" which is defined as assurance that others can be counted on in times of stress.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_005 = (DK,RF,NS) or SPS_050 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPST005 + SPST050	(1 <= SPS_005 <= 4) and (1 <= SPS_050 <= 4)	Score obtained on Social Provisions Scale - Reliable Alliance	(min: 2; max 8)

6) Social provisions overall scale

Variable name: SPSDVCON

Based on: ADM_PRX, SPS_005, SPS_010, SPS_015, SPS_020, SPS_025, SPS_030, SPS_035, SPS_040, SPS_045, SPS_050, SPST005, SPST010, SPST015, SPST020, SPST025, SPST030, SPST035, SPST040, SPST045, SPST050

Description: This variable is used to measure the overall score for the Social Provisions Scale. The range is 10-40, where a higher score reflects a higher level of perceived social support.

Specifications

Value	Condition(s)	Description	Notes
96	DOSPS = 2	Module not selected	NA
99	ADM_PRX = 1	Module not asked - proxy interview	NS
99	SPS_005 = (DK,RF,NS) or SPS_010 = (DK,RF,NS) or SPS_015 = (DK,RF,NS) or SPS_020 = (DK,RF,NS) or SPS_025 = (DK,RF,NS) or SPS_030 = (DK,RF,NS) or SPS_035 = (DK,RF,NS) or SPS_040 = (DK,RF,NS) or SPS_045 = (DK,RF,NS) or SPS_050 = (DK,RF,NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

SPST005 +	(1 <= SPS_005 <= 4) and	Score obtained on Social Provisions Scale	(min: 10; max 40)
SPST010 +	(1 <= SPS_010 <= 4) and		
SPST015 +	(1 <= SPS_015 <= 4) and		
SPST020 +	(1 <= SPS_020 <= 4) and		
SPST025 +	(1 <= SPS_025 <= 4) and		
SPST030 +	(1 <= SPS_030 <= 4) and		
SPST035 +	(1 <= SPS_035 <= 4) and		
SPST040 +	(1 <= SPS_040 <= 4) and		
SPST045 +	(1 <= SPS_045 <= 4) and		
SPST050	(1 <= SPS_050 <= 4)		

Sun safety behaviours (1 DV)

1) Respondent protects self from sun

Variable name: SSBDVPRT

Based on: ADM_PRX, SSB_010, SSB_015, SSB_020, SSB_025, SSB_035, SSB_040, SSB_045, SSB_050

Description: This variable indicates if the respondent protects themselves from the sun, according to recommendations from the Canadian Partnership Against Cancer.

Note: The CPAC indicates that protection from the sun is: Typically spending fewer than 30 minutes in the sun during peak hours OR spending 30 minutes or more in the sun and always/often doing at least one of the following: seeking shade and avoiding the sun OR wearing protective clothing and a hat OR wearing sunscreen SPF ≥15 on face and body.

Specifications

Value	Condition(s)	Description	Notes
6	DOSSB = 2	Module not selected	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
9	SSB_010 = (DK, RF, NS) or SSB_015 = (DK, RF, NS) or SSB_020 = (DK, RF, NS) or SSB_025 = (DK, RF, NS) or SSB_035 = (DK, RF, NS) or SSB_040 = (DK, RF, NS) or SSB_045 = (DK, RF, NS) or SSB_050 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SSB_010 = (1, 2) or (SSB_010 = (3, 4, 5, 6, 7) and (SSB_015 = (1, 2) or (SSB_020 = (1, 2) and SSB_025 = (1, 2)) or (SSB_035 = (1, 2) and SSB_040 = (2, 3, 4) and SSB_045 = (1, 2) and SSB_050 = (2, 3, 4))))	Respondent appropriately protects self from sun during peak hours.	
2	SSB_010 = (3, 4, 5, 6, 7) and SSB_015 = (3, 4, 5) and (SSB_020 = (3, 4, 5) or SSB_025 = (3, 4, 5)) and ((SSB_035 = (1, 2) and SSB_040 = 1) or (SSB_045 = (1, 2) and SSB_050 = 1) or SSB_035 = (3, 4, 5) or SSB_045 = (3, 4, 5))	Respondent does not protect self appropriately from sun.	

Tobacco products alternatives (1 DV)

1) Alternative tobacco product usage

Variable name: TALDVUSE

Based on: TAL_005, TAL_015, TAL_020, TAL_025, TAL_030, TAL_035

Description: This variable determines whether a respondent has used any of six tobacco products other than cigarettes.

Note: Other tobacco products include little cigars or cigarillos, other cigars, electronic cigarettes, pipes, chewing tobacco or pinch or snuff, and tobacco water-pipes.

Specifications

Value	Condition(s)	Description	Notes
6	DOTAL = 2	Module not selected	NA
1	TAL_005 = 1 or TAL_015 = 1 or TAL_020 = 1 or TAL_025 = 1 or TAL_030 = 1 or TAL_035 = 1	Has used an alternative tobacco product	
2	TAL_005 = 2 and TAL_015 = 2 and TAL_020 = 2 and TAL_025 = 2 and TAL_030 = 2 and TAL_035 = 2	Has not used an alternative tobacco product	
9	TAL_005 = (DK, RF, NS) or TAL_015 = (DK, RF, NS) or TAL_020 = (DK, RF, NS) or TAL_025 = (DK, RF, NS) or TAL_030 = (DK, RF, NS) or TAL_035 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

Use of protective equipment (4 DVs)

1) Snowboarding - wears helmet - frequency - grouped

Variable name: UPEG050

Based on: UPE_050

Description: This variable groups the frequency of wearing a helmet while snowboarding.

Specifications

Value	Condition(s)	Description	Notes
6	UPE_050 = 6	Module not selected or population exclusions	NA
9	UPE_050 = 9	Question was not answered (don't know, refusal, not stated)	NS
1	UPE_050 = 1	Always	
2	UPE_050 = 2	Most of the time	
3	UPE_050 = (3, 4)	Rarely/ Never	

2) Snowboarding - wears wrist protectors - frequency - Grouped

Variable name: UPEG055

Based on: UPE_055

Description: This variable groups the frequency of wearing wrist protectors while snowboarding.

Specifications

Value	Condition(s)	Description	Notes
6	UPE_055 = 6	Module not selected or population exclusions	NA
9	UPE_055 = 9	Question was not answered (don't know, refusal, not stated)	NS
1	UPE_055 = (1, 2)	Always/ Most of the time	
2	UPE_055 = 3	Rarely	
3	UPE_055 = 4	Never	

3) Wears protective equipment when in-line skating

Variable name: UPEDVILS

Based on: ADM_PRX, UPE_015, UPE_020, UPE_025, UPE_030, UPE_035

Description: This variable indicates whether the respondent wears a helmet, wrist guards or elbow pads always or most of the time when in-line skating.

Note: Respondents that do not in-line skate were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOUPE = 2	Module not selected	NA
6	UPE_015 = 2	Population exclusions	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	(UPE_020 = 1, 2) and (UPE_025 = 1, 2) and (UPE_030 = 1, 2) and (UPE_035 = 1, 2)	Wears a helmet, wrist guards, elbow pads and knee pads always or most of the time	
2	(UPE_020 = 3, 4) or (UPE_025 = 3, 4) or (UPE_030 = 3, 4) or (UPE_035 = 3, 4)	Does not wear a helmet, wrist guards, elbow pads or knee pads always or most of the time	
9	(UPE_020 = DK, RF, NS) or (UPE_025 = DK, RF, NS) or (UPE_030 = DK, RF, NS) or (UPE_035 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS

4) Wears protective equipment when snowboarding

Variable name: UPEDVSNB

Based on: ADM_PRX, UPE_040, UPE_050, UPE_055

Description: This variable indicates whether the respondent wears a helmet or wrist guards always or most of the time when snowboarding.

Note: Respondents that have not snowboarded in past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DOUPE = 2	Module not selected	NA
6	(UPE_040 = 1, 4)	Population exclusion	NA
9	ADM_PRX = 1	Module not asked - proxy interview	NS
1	(UPE_050 = 1, 2) and (UPE_055 = 1, 2)	Wears a helmet and wrist guards always or most of the time	
2	(UPE_050 = 3, 4) or (UPE_055 = 3, 4)	Does not wear a helmet or wrist guards always or most of the time	
9	(UPE_050 = DK, RF, NS) or (UPE_055 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS