# Canadian Health Measures Survey

Cycle 4: Data Dictionary - Household

October 2016

Statistics Canada Statistique Canada

Canada

# Table of Contents


| Variable | Position | Description | Page |
|---|---|---|---|
| CLINICID | 0001-0008 | Clinic identifier of selected respondent | 17 |
| SITE | 0009-0010 | Collection site | 17 |
| C2_DAY | 0011-0012 | Day of household interview | 17 |
| C2_MTH | 0013-0014 | Month of household interview | 18 |
| C2_YEAR | 0015-0018 | Year of household interview | 18 |
| PROXY | 0019-0019 | Health component completed by proxy | 18 |
| PPI_02 | 0020-0020 | Person providing health component information - parent/guardian | 19 |
| PPI_03 | 0021-0021 | Person providing health component information - biological parent | 19 |
| PPID03 | 0022-0022 | Relationship of proxy respondent to selected respondent - (D) | 19 |
| DHH_PRN | 0023-0024 | Province of residence of respondent | 20 |
| DHH_DOB | 0025-0026 | Day of birth | 20 |
| DHH_MOB | 0027-0028 | Month of birth | 21 |
| DHH_YOB | 0029-0032 | Year of birth | 21 |
| DHH_AGE | 0033-0035 | Age at household interview | 21 |
| DHH_SEX | 0036-0036 | Sex | 22 |
| DHH_ED1 | 0037-0037 | Highest grade of elementary or high school completed | 22 |
| DHH_ED2 | 0038-0038 | Graduated from high school (secondary school) | 23 |
| DHH_ED3 | 0039-0039 | Received any other education | 23 |
| DHH_ED4 | 0040-0041 | Highest degree, certificate or diploma obtained | 23 |
| EDUDR04 | 0042-0042 | Highest level of education - respondent, 4 levels - (D) | 24 |
| EDUDR10 | 0043-0044 | Highest level of education - respondent, 10 levels - (D) | 24 |
| EDUDH04 | 0045-0045 | Highest level of education - household, 4 levels - (D) | 25 |
| EDUDH10 | 0046-0047 | Highest level of education - household, 10 levels - (D) | 25 |
| DHH_OWN | 0048-0048 | Dwelling - own or rent | 26 |
| DHH_REP | 0049-0049 | Dwelling - in need of repairs | 26 |
| DHH_BED | 0050-0051 | Dwelling - number of bedrooms | 27 |
| DHH_MS | 0052-0053 | Marital status | 27 |
| DHHDLE5 | 0054-0055 | Number of persons in household less than 6 years old - (D) | 28 |
| DHHD611 | 0056-0057 | Number of persons 6 to 11 years old in household - (D) | 28 |
| DHHDL12 | 0058-0059 | Number of persons in household less than 12 years old - (D) | 28 |
| DHHDYKD | 0060-0061 | Number of persons 15 years old or less in household - (D) | 28 |
| DHHDOKD | 0062-0063 | Number of persons 16 or 17 years old in household - (D) | 29 |
| DHHDHSZ | 0064-0065 | Household size - (D) | 29 |
| DHHDECF | 0066-0067 | Economic family status (household type) - (D) | 29 |
| DHHDLVG | 0068-0069 | Living arrangement of selected respondent - (D) | 30 |
| DHHDDWE | 0070-0071 | Type of dwelling - (D) | 31 |
| GEN_11 | 0072-0072 | Self-perceived health | 31 |
| GEN_12 | 0073-0073 | Self-perceived health compared to one year ago | 32 |
| GEN_13A | 0074-0075 | Satisfied with life right now | 32 |
| GEN_14 | 0076-0076 | Self-perceived mental health | 32 |
| GEN_15 | 0077-0077 | Self-perceived stress | 33 |
| GEN_16 | 0078-0078 | Worked at job or business | 33 |
| GEN_17 | 0079-0079 | Self-perceived work stress | 34 |
| GEN_18 | 0080-0080 | Sense of belonging to local community | 34 |
| GEN_19 | 0081-0081 | Self-perceived quality of life | 35 |
| GEN_20 | 0082-0082 | Family doctor | 35 |
| GENDHDI | 0083-0083 | Self-rated health - (D) | 36 |
| GENDMHI | 0084-0084 | Self-rated mental health - (D) | 36 |
| PRS_11 | 0085-0085 | Pregnant | 36 |
| CCC_11 | 0086-0086 | Has asthma | 37 |
| CCC_12 | 0087-0088 | Asthma - age first diagnosed | 37 |
| CCC_13 | 0089-0089 | Asthma - had symptoms or attacks | 38 |
| CCC_21 | 0090-0090 | Has fibromyalgia | 38 |
| CCC_22 | 0091-0091 | Has arthritis | 38 |
| CCC_23A | 0092-0092 | Has arthritis - Rheumatoid arthritis | 39 |
| CCC_23B | 0093-0093 | Has arthritis - Osteoarthritis | 39 |
| CCC_23D | 0094-0094 | Has arthritis - Other | 40 |
| CCC_24 | 0095-0095 | Has back problems excluding fibromyalgia and arthritis | 40 |

| | | | |
|---|---|---|---|
| CCC_25 | 0096-0096 | Has osteoporosis | 41 |
| CCC_31 | 0097-0097 | Has high blood pressure | 41 |
| CCC_32 | 0098-0098 | Medication for high blood pressure - past month | 41 |
| CCC_33 | 0099-0099 | Ever had blood cholesterol measured | 42 |
| CCC_34 | 0100-0100 | Ever told blood cholesterol high | 42 |
| CCC_41 | 0101-0101 | Has chronic bronchitis | 43 |
| CCC_42 | 0102-0103 | Chronic bronchitis - age first diagnosed | 43 |
| CCC_43 | 0104-0104 | Has emphysema | 43 |
| CCC_44 | 0105-0106 | Emphysema - age first diagnosed | 44 |
| CCC_45 | 0107-0107 | Has chronic obstructive pulmonary disease (COPD) | 44 |
| CCC_46 | 0108-0109 | Chronic obstructive pulmonary disease - age first diagnosed | 44 |
| CCC_51 | 0110-0110 | Has diabetes | 45 |
| CCC_52A | 0111-0111 | Diabetes - insulin dependant (Type 1) | 45 |
| CCC_52B | 0112-0112 | Diabetes - non-insulin dependant (Type 2) | 46 |
| CCC_52C | 0113-0113 | Diabetes - gestational | 46 |
| CCC_53 | 0114-0115 | Diabetes - age first diagnosed | 46 |
| CCC_61 | 0116-0116 | Has heart disease | 47 |
| CCC_62 | 0117-0118 | Heart disease - age first diagnosed | 47 |
| CCC_63 | 0119-0119 | Ever had a heart attack | 48 |
| CCC_71 | 0120-0120 | Has cancer | 48 |
| CCC_72 | 0121-0121 | Ever had cancer | 48 |
| CCC_73 | 0122-0123 | Cancer - age first diagnosed | 49 |
| CCC_74A | 0124-0124 | Type of cancer - breast | 49 |
| CCC_74B | 0125-0125 | Type of cancer - colorectal | 50 |
| CCC_74C | 0126-0126 | Type of cancer - skin (melanoma) | 50 |
| CCC_74D | 0127-0127 | Type of cancer - skin (non-melanoma) | 50 |
| CCC_74E | 0128-0128 | Type of cancer - ovarian | 51 |
| CCC_74F | 0129-0129 | Type of cancer - cervical | 51 |
| CCC_74G | 0130-0130 | Type of cancer - uterine | 52 |
| CCC_74H | 0131-0131 | Type of cancer - other | 52 |
| CCC_75A | 0132-0132 | Type of cancer - prostate | 53 |
| CCC_75B | 0133-0133 | Type of cancer - colorectal | 53 |
| CCC_75C | 0134-0134 | Type of cancer - skin (melanoma) | 53 |
| CCC_75D | 0135-0135 | Type of cancer - skin (non-melanoma) | 54 |
| CCC_75E | 0136-0136 | Type of cancer - other | 54 |
| CCC_81 | 0137-0137 | Suffers from the effects of a stroke | 54 |
| CCC_82 | 0138-0138 | Has a thyroid condition | 55 |
| CCC_83 | 0139-0139 | Has a mood disorder | 55 |
| CCC_91 | 0140-0140 | Has eating disorder | 56 |
| CCC_92 | 0141-0141 | Has kidney dysfunction or disease | 56 |
| CCC_93 | 0142-0142 | Has liver disease or gallbladder problems | 56 |
| CCC_94A | 0143-0143 | Liver disease or gallbladder problem - Hepatitis A | 57 |
| CCC_94B | 0144-0144 | Liver disease or gallbladder problem - Hepatitis B | 57 |
| CCC_94C | 0145-0145 | Liver disease or gallbladder problem - Hepatitis C | 58 |
| CCC_94D | 0146-0146 | Liver disease or gallbladder problem - Jaundice | 58 |
| CCC_94E | 0147-0147 | Liver disease or gallbladder problem - Cirrhosis | 58 |
| CCC_94F | 0148-0148 | Liver disease or gallbladder problem - Gallstones | 59 |
| CCC_94G | 0149-0149 | Liver disease or gallbladder problem - Other | 59 |
| CCC_95 | 0150-0150 | Has hepatitis | 60 |
| CCC_96A | 0151-0151 | Type of hepatitis - A | 60 |
| CCC_96B | 0152-0152 | Type of hepatitis - B | 60 |
| CCC_96C | 0153-0153 | Type of hepatitis - C | 61 |
| CCC_97 | 0154-0154 | Has developmental disability/disorder | 61 |
| CCC_98 | 0155-0155 | Has Attention Deficit Disorder | 62 |
| CCC_99 | 0156-0156 | Has learning disability | 62 |
| CCC_101 | 0157-0157 | Other long term physical or mental health condition | 62 |
| CCCF1 | 0158-0158 | Has a chronic condition - (F) | 63 |
| FMH_11 | 0159-0159 | Immediate family member ever diagnosed with heart disease | 63 |
| FMH_12 | 0160-0162 | Youngest age - immediate family diagnosed with heart disease | 64 |
| FMH_13 | 0163-0163 | Immediate family member ever had stroke | 64 |
| FMH_14 | 0164-0166 | Youngest age - immediate family member had stroke | 65 |
| FMH_15 | 0167-0167 | Immediate family member ever had high blood pressure | 65 |
| FMH_16 | 0168-0170 | Youngest age - immediate family member - high blood pressure | 65 |

| | | | |
|---|---|---|---|
| FMH_17 | 0171-0171 | Immediate family member had arthritis | 66 |
| FMH_18 | 0172-0174 | Youngest age - immediate family member - arthritis | 66 |
| FMH_19 | 0175-0175 | Immediate family had diabetes | 67 |
| FMH_21 | 0176-0176 | Type of diabetes | 67 |
| FMH_22 | 0177-0179 | Youngest age - immediate family member - diabetes | 68 |
| FMH_23 | 0180-0180 | Immediate family had asthma | 68 |
| FMH_24 | 0181-0181 | Parents diagnosed with asthma | 69 |
| PLM_11 | 0182-0182 | Cough with phlegm - 3 months or more / past year | 69 |
| PLM_12 | 0183-0183 | Cough with phlegm - 3 months or more / year before past year | 69 |
| HEP_12 | 0184-0184 | Ever received complete series of hepatitis B vaccines | 70 |
| HEP_13 | 0185-0185 | Received blood transfusion in Canada before 1990 | 70 |
| HWT_1N | 0186-0186 | Height - unit of measure in feet and inches, in cm / self-reported | 71 |
| HWT_1A | 0187-0188 | Height - feet / self-reported | 71 |
| HWT_1B | 0189-0193 | Height - inches / self-reported | 71 |
| HWT_1C | 0194-0199 | Height - centimetres / self-reported | 72 |
| HWT_3 | 0200-0204 | Weight / self-reported | 72 |
| HWT_3N | 0205-0205 | Weight - unit of measure in pounds or kilograms / self-reported | 73 |
| HWT_4 | 0206-0206 | Respondent's opinion of own weight / self-reported | 73 |
| HWTDCM | 0207-0211 | Height (centimetres) / self-reported - (D) | 73 |
| HWTDIN | 0212-0216 | Height (inches) / self-reported - (D) | 74 |
| HWTDHTM | 0217-0220 | Height (metres) / self-reported - (D) | 74 |
| HWTDKG | 0221-0223 | Weight (kilograms) / self-reported - (D) | 74 |
| HWTDLB | 0224-0226 | Weight (pounds) / self-reported - (D) | 75 |
| HWTDBMI | 0227-0231 | Body Mass Index / self-reported - (D) | 75 |
| HWTDBMIA | 0232-0233 | BMI norms, 18 or older / self-reported - (D) | 75 |
| HWTDBMIK | 0234-0234 | BMI norms, 3 to 17 years old / self-reported - (D) | 76 |
| HWTDCOL | 0235-0235 | BMI classification (3 to 18 years) / self-reported - Cole system - (D) | 76 |
| HWTDWHOP | 0236-0236 | BMI classification (3 to 5 years old) / self-reported - WHO - (D) | 77 |
| HWTDWHOK | 0237-0237 | BMI classification (5 to 18 years old) / self-reported - WHO - (D) | 77 |
| MFC_11 | 0238-0240 | Eats red meat - number of times | 78 |
| MFC_11N | 0241-0241 | Eats red meat - reporting period | 78 |
| MFCD11Y | 0242-0245 | Eats red meat - times per year - (D) | 78 |
| MFC_12 | 0246-0248 | Eats liver - number of times | 79 |
| MFC_12N | 0249-0249 | Eats liver - reporting period | 79 |
| MFCD12Y | 0250-0253 | Eats liver - times per year - (D) | 80 |
| MFC_14 | 0254-0256 | Eats beef or pork hot dogs - number of times | 80 |
| MFC_14N | 0257-0257 | Eats beef or pork hot dogs - reporting period | 80 |
| MFCD14Y | 0258-0261 | Eats beef or pork hot dogs - times per year - (D) | 81 |
| MFC_15 | 0262-0264 | Eats sausage or bacon - number of times | 81 |
| MFC_15N | 0265-0265 | Eats sausage or bacon - reporting period | 81 |
| MFCD15Y | 0266-0269 | Eats sausage or bacon - times per year - (D) | 82 |
| MFC_19A | 0270-0272 | Eats eggs/egg dishes - number of times | 82 |
| MFC_19AN | 0273-0273 | Eats eggs/egg dishes - reporting period | 83 |
| MFCD19AY | 0274-0277 | Eats eggs/egg dishes - times per year - (D) | 83 |
| MFC_19B | 0278-0280 | Eats egg made with omega-3 enriched - number of times | 83 |
| MFC_19BN | 0281-0281 | Eats eggs omega-3 enriched - reporting period | 84 |
| MFCD19BY | 0282-0285 | Eats eggs omega-3 enriched - times per year - (D) | 84 |
| MFC_20 | 0286-0288 | Eats cooked dried beans - number of times | 84 |
| MFC_20N | 0289-0289 | Eats cooked dried beans - reporting period | 85 |
| MFCD20Y | 0290-0293 | Eats cooked dried beans - times per year - (D) | 85 |
| MFC_21 | 0294-0296 | Eats nuts - number of times | 86 |
| MFC_21N | 0297-0297 | Eats nuts - reporting period | 86 |
| MFCD21Y | 0298-0301 | Eats nuts - times per year - (D) | 86 |
| MDC_01 | 0302-0304 | Drinks/uses enriched milk substitutes - number of times | 87 |
| MDC_01N | 0305-0305 | Drinks/uses enriched milk substitutes - reporting period | 87 |
| MDCD01Y | 0306-0309 | Drinks/uses enriched milk substitutes - times per year - (D) | 88 |
| MDC_02 | 0310-0312 | Drinks/uses omega-3 enriched milk substitutes - number of times | 88 |
| MDC_02N | 0313-0313 | Drinks/uses omega-3 enriched milk substitutes - reporting period | 88 |
| MDCD02Y | 0314-0317 | Drinks/uses omega-3 milk substitutes - times per year - (D) | 89 |
| MDC_03A | 0318-0318 | Drinks/uses enriched milk substitutes - rice | 89 |
| MDC_03B | 0319-0319 | Drinks/uses enriched milk substitutes - soya | 89 |
| MDC_03C | 0320-0320 | Drinks/uses enriched milk substitutes - almond | 90 |
| MDC_03D | 0321-0321 | Drinks/uses enriched milk substitutes - other (enriched) | 90 |

| | | | |
|---|---|---|---|
| MDC_04 | 0322-0324 | Drinks/uses milk/flavoured milk - number of times | 91 |
| MDC_04N | 0325-0325 | Drinks/uses milk/flavoured milk - reporting period | 91 |
| MDCD04Y | 0326-0329 | Drinks or uses milk or flavoured milk - times per year - (D) | 91 |
| MDC_05 | 0330-0332 | Drinks/uses omega-3 enriched milk - number of times | 92 |
| MDC_05N | 0333-0333 | Drinks/uses omega-3 enriched milk - reporting period | 92 |
| MDCD05Y | 0334-0337 | Drinks or uses omega-3 enriched milk - times per year - (D) | 93 |
| MDC_12A | 0338-0338 | Type of milk used - 3.25% | 93 |
| MDC_12B | 0339-0339 | Type of milk used - 2% | 93 |
| MDC_12C | 0340-0340 | Type of milk used - 1% | 94 |
| MDC_12D | 0341-0341 | Type of milk used - 0.5% | 94 |
| MDC_12E | 0342-0342 | Type of milk used - skim or non-fat | 95 |
| MDC_12F | 0343-0343 | Type of milk used - flavoured milk beverages | 95 |
| MDC_12G | 0344-0344 | Type of milk used - other | 95 |
| MDC_13 | 0345-0347 | Eats cottage cheese - number of times | 96 |
| MDC_13N | 0348-0348 | Eats cottage cheese - reporting period | 96 |
| MDCD13Y | 0349-0352 | Eats cottage cheese - times per year - (D) | 97 |
| MDC_13B | 0353-0355 | Eats processed cheese - number of times | 97 |
| MDC_13BN | 0356-0356 | Eats processed cheese - reporting period | 97 |
| MDCD13BY | 0357-0360 | Eats processed cheese - times per year - (D) | 98 |
| MDC_13C | 0361-0363 | Eats other type of cheese - number of times | 98 |
| MDC_13CN | 0364-0364 | Eats other type of cheese - reporting period | 99 |
| MDCD13CY | 0365-0368 | Eats other types of cheese - times per year - (D) | 99 |
| MDC_14 | 0369-0371 | Eats yogurt - number of times | 99 |
| MDC_14N | 0372-0372 | Eats yogurt - reporting period | 100 |
| MDCD14Y | 0373-0376 | Eats yogurt - times per year - (D) | 100 |
| MDC_15 | 0377-0379 | Eats ice cream or frozen yogurt - number of times | 100 |
| MDC_15N | 0380-0380 | Eats ice cream or frozen yogurt - reporting period | 101 |
| MDCD15Y | 0381-0384 | Eats ice cream or frozen yogurt - times per year - (D) | 101 |
| GFV_11 | 0385-0387 | Eats hot or cold cereal - number of times | 102 |
| GFV_11N | 0388-0388 | Eats hot or cold cereal - reporting period | 102 |
| GFVD11Y | 0389-0392 | Eats hot or cold cereal - times per year - (D) | 102 |
| GFV_12 | 0393-0395 | Eats whole grain bread - number of times | 103 |
| GFV_12N | 0396-0396 | Eats whole grain bread - reporting period | 103 |
| GFVD12Y | 0397-0400 | Eats whole grain bread - times per year - (D) | 103 |
| GFV_13 | 0401-0403 | Eats white bread - number of times | 104 |
| GFV_13N | 0404-0404 | Eats white bread - reporting period | 104 |
| GFVD13Y | 0405-0408 | Eats white bread - times per year - (D) | 105 |
| GFV_14 | 0409-0411 | Eats pasta - number of times | 105 |
| GFV_14N | 0412-0412 | Eats pasta - reporting period | 105 |
| GFVD14Y | 0413-0416 | Eats any kind of pasta - times per year - (D) | 106 |
| GFV_16 | 0417-0419 | Eats instant, seasoned or wild rice - number of times | 106 |
| GFV_16N | 0420-0420 | Eats instant, seasoned or wild rice - reporting period | 106 |
| GFVD16Y | 0421-0424 | Eats instant, seasoned or wild rice - times per year - (D) | 107 |
| GFV_17A | 0425-0427 | Eats citrus fruit - number of times | 107 |
| GFV_17AN | 0428-0428 | Eats citrus fruit - reporting period | 108 |
| GFVD17AY | 0429-0432 | Eats citrus fruit - times per year - (D) | 108 |
| GFV_17B | 0433-0435 | Eats strawberries in the summer - number of times | 108 |
| GFV_17BN | 0436-0436 | Eats strawberries in the summer - reporting period | 109 |
| GFVD17BY | 0437-0440 | Eats strawberries - times per summer - (D) | 109 |
| GFV_17C | 0441-0443 | Eats strawberries during the rest of the year - number of times | 110 |
| GFV_17CN | 0444-0444 | Eats strawberries rest of the year - reporting period | 110 |
| GFVD17CY | 0445-0448 | Eats strawberries - times per year, excluding summer (D) | 110 |
| GFV_17D | 0449-0451 | Eats other types of fruit - number of times | 111 |
| GFV_17DN | 0452-0452 | Eats other types of fruit - reporting period | 111 |
| GFVD17DY | 0453-0456 | Eats other types of fruit - times per year - (D) | 111 |
| GFV_18 | 0457-0459 | Eats tomatoes or tomato sauce - number of times | 112 |
| GFV_18N | 0460-0460 | Eats tomatoes or tomato sauce - reporting period | 112 |
| GFVD18Y | 0461-0464 | Eats tomatoes or tomato sauce - times per year - (D) | 113 |
| GFV_19 | 0465-0467 | Eats lettuce or green leafy salad - number of times | 113 |
| GFV_19N | 0468-0468 | Eats lettuce or green leafy salad - reporting period | 113 |
| GFVD19Y | 0469-0472 | Eats lettuce or green leafy salad - times per year - (D) | 114 |
| GFV_20 | 0473-0475 | Eats spinach, mustard greens or cabbage - number of times | 114 |
| GFV_20N | 0476-0476 | Eats spinach, mustard greens or cabbage - reporting period | 114 |

| | | | |
|---|---|---|---|
| GFVD20Y | 0477-0480 | Eats spinach, mustard greens, cabbage - times per year - (D) | 115 |
| GFV_21 | 0481-0483 | Eats french/home fries or hash brown potatoes - number times | 115 |
| GFV_21N | 0484-0484 | Eats french/home fries or hash brown potatoes - reporting period | 116 |
| GFVD21Y | 0485-0488 | Eats french/home fries/hash brown potatoes - times per year - (D) | 116 |
| GFV_22 | 0489-0491 | Eats other potatoes - number of times | 116 |
| GFV_22N | 0492-0492 | Eats other potatoes - reporting period | 117 |
| GFVD22Y | 0493-0496 | Eats other potatoes - times per year - (D) | 117 |
| GFV_23 | 0497-0499 | Eats all other types of vegetables - number of times | 117 |
| GFV_23N | 0500-0500 | Eats all other types of vegetables - reporting period | 118 |
| GFVD23Y | 0501-0504 | Eats all other types of vegetables - times per year - (D) | 118 |
| GFV_24 | 0505-0507 | Eats flax seeds, whole or ground - number of times | 119 |
| GFV_24N | 0508-0508 | Eats flax seeds, whole or ground - reporting period | 119 |
| GFVD24Y | 0509-0512 | Eats flax seeds - times per year - (D) | 119 |
| DFC_11 | 0513-0515 | Eats regular-fat salad dressing/mayo - number of times | 120 |
| DFC_11N | 0516-0516 | Eats regular-fat salad dressing/mayo - reporting period | 120 |
| DFCD11Y | 0517-0520 | Eats regular - fat salad dressing/mayo - times per year - (D) | 121 |
| DFC_12 | 0521-0523 | Eats regular-fat chips - number of times | 121 |
| DFC_12N | 0524-0524 | Eats regular-fat chips - reporting period | 121 |
| DFCD12Y | 0525-0528 | Eats regular - fat chips - times/year - (D) | 122 |
| DFC_13 | 0529-0531 | Eats margarine - number of times | 122 |
| DFC_13N | 0532-0532 | Eats margarine - reporting period | 122 |
| DFCD13Y | 0533-0536 | Eats margarine - times per year - (D) | 123 |
| DFC_14 | 0537-0539 | Eats omega-3 enriched margarine - number of times | 123 |
| DFC_14N | 0540-0540 | Eats omega-3 enriched margarine - reporting period | 124 |
| DFCD14Y | 0541-0544 | Eats omega-3 enriched margarine - times per year - (D) | 124 |
| WSD_30 | 0545-0547 | Drinks diet soft drinks - number of times | 124 |
| WSD_30N | 0548-0548 | Drinks diet soft drinks - reporting period | 125 |
| WSDD30Y | 0549-0552 | Drinks diet soft drinks - times per year - (D) | 125 |
| WSD_31 | 0553-0555 | Drinks regular soft drinks - number of times | 125 |
| WSD_31N | 0556-0556 | Drinks regular soft drinks - reporting period | 126 |
| WSDD31Y | 0557-0560 | Drinks regular soft drinks - times per year - (D) | 126 |
| WSD_32 | 0561-0563 | Drinks sport drinks - number of times | 126 |
| WSD_32N | 0564-0564 | Drinks sport drinks - reporting period | 127 |
| WSDD32Y | 0565-0568 | Drinks sport drinks - times per year - (D) | 127 |
| WSD_33 | 0569-0571 | Drinks vitamin-added water - number of times | 128 |
| WSD_33N | 0572-0572 | Drinks vitamin-added water - reporting period | 128 |
| WSDD33Y | 0573-0576 | Drinks vitamin-added water - times per year - (D) | 128 |
| WSD_34 | 0577-0579 | Drinks orange or grapefruit juice - number of times | 129 |
| WSD_34N | 0580-0580 | Drinks orange ou grapefruit juice - reporting period | 129 |
| WSDD34Y | 0581-0584 | Drinks orange or grapefruit juice - times per year - (D) | 130 |
| WSD_35 | 0585-0587 | Drinks other 100% fruit juices - number of times | 130 |
| WSD_35N | 0588-0588 | Drinks other 100% fruit juices - reporting period | 130 |
| WSDD35Y | 0589-0592 | Drinks other 100% fruit juices - times per year - (D) | 131 |
| WSD_36 | 0593-0595 | Drinks juice with calcium and vitamin D added - number of times | 131 |
| WSD_36N | 0596-0596 | Drinks juice with calcium and vitamin D added - reporting period | 131 |
| WSDD36Y | 0597-0600 | Drinks juice with calcium and vitamin D - times per year - (D) | 132 |
| WSD_37 | 0601-0603 | Drinks fruit-flavoured drinks - number of times | 132 |
| WSD_37N | 0604-0604 | Drinks fruit-flavoured drinks - reporting period | 133 |
| WSDD37Y | 0605-0608 | Drinks fruit flavoured drinks - times per year - (D) | 133 |
| WSD_38 | 0609-0611 | Drinks vegetable juices - number of times | 133 |
| WSD_38N | 0612-0612 | Drinks vegetable juices - reporting period | 134 |
| WSDD38Y | 0613-0616 | Drinks vegetable juices - times per year - (D) | 134 |
| WSD_39 | 0617-0619 | Drinks water at home - number of cups | 135 |
| WSD_39N | 0620-0620 | Drinks water at home - reporting period | 135 |
| WSDD39Y | 0621-0625 | Drinks water at home - number of cups per year - (D) | 135 |
| WSD_40 | 0626-0626 | Primary source of drinking water - home | 136 |
| WSD_41 | 0627-0629 | Drinks water away from home - number of cups | 136 |
| WSD_41N | 0630-0630 | Amount drinks water away from home - reporting period | 137 |
| WSDD41Y | 0631-0635 | Drinks water away from home - number of cups per year - (D) | 137 |
| WSD_42 | 0636-0636 | Primary source of drinking water - away from home | 137 |
| WSD_43 | 0637-0637 | Source of tap water - home | 138 |
| WSD_44A | 0638-0638 | Home water treated using - filter | 138 |
| WSD_44B | 0639-0639 | Home water treated using - water softener | 139 |

| | | | |
|---|---|---|---|
| WSD_44C | 0640-0640 | Home water treated using - ultraviolet system | 139 |
| WSD_44D | 0641-0641 | Home water treated using - reverse osmosis | 140 |
| WSD_44E | 0642-0642 | Home water treated using - boiling | 140 |
| WSD_44F | 0643-0643 | Home water treated using - distilling | 141 |
| WSD_44G | 0644-0644 | Home water treated using - other | 141 |
| WSD_44H | 0645-0645 | Home water treated using - no treatment | 142 |
| WSD_45 | 0646-0646 | Water used for drinking or food treated with water softener | 142 |
| WSDDTWY | 0647-0651 | Drinks water (anywhere) - number of cups per year - (D) | 143 |
| SLT_11 | 0652-0652 | Salt added to food | 143 |
| SLT_12 | 0653-0653 | Type of salt usually used | 143 |
| SLT_13 | 0654-0654 | Often ordinary table salt added cooking/preparation of foods | 144 |
| PAA_005 | 0655-0655 | Active ways to get to places during the last week | 144 |
| PAA_010A | 0656-0656 | Active ways to get to places- Monday | 145 |
| PAA_010B | 0657-0657 | Active ways to get to places- Tuesday | 145 |
| PAA_010C | 0658-0658 | Active ways to get to places - Wednesday | 145 |
| PAA_010D | 0659-0659 | Active ways to get to places - Thursday | 146 |
| PAA_010E | 0660-0660 | Active ways to get to places - Friday | 146 |
| PAA_010F | 0661-0661 | Active ways to get to places - Saturday | 147 |
| PAA_010G | 0662-0662 | Active ways to get to places - Sunday | 147 |
| PAA_015 | 0663-0665 | Time spent on active ways to get to places last week - hours | 147 |
| PAA_020N | 0666-0669 | Time spent on active ways to get to places last week - minutes | 148 |
| PAADTRVL | 0670-0674 | Total minutes of active transportation per week - (D) | 148 |
| PAA_030 | 0675-0675 | Recreational physical activities- last week | 149 |
| PAA_035 | 0676-0676 | Recreational physical activities - sweat and breathe harder | 149 |
| PAA_040A | 0677-0677 | Recreational physical activities - sweat and breathe harder - Monday | 149 |
| PAA_040B | 0678-0678 | Recreational physical activities - sweat and breathe harder - Tuesday | 150 |
| PAA_040C | 0679-0679 | Recreational physical activities - sweat and breathe harder - Wed. | 150 |
| PAA_040D | 0680-0680 | Recreational physical activities - sweat and breathe harder - Thursday | 151 |
| PAA_040E | 0681-0681 | Recreational physical activities - sweat and breathe harder - Friday | 151 |
| PAA_040F | 0682-0682 | Recreational physical activities - sweat and breathe harder - Saturday | 152 |
| PAA_040G | 0683-0683 | Recreational physical activities - sweat and breathe harder - Sunday | 152 |
| PAA_045 | 0684-0686 | Time spent on recreational physical activities - hours | 152 |
| PAA_050N | 0687-0690 | Time spent on recreational physical activities - minutes | 153 |
| PAADREC | 0691-0695 | Total minutes of recreational physical activity per week - (D) | 153 |
| PAA_060 | 0696-0696 | Other physical activities - last week | 154 |
| PAA_065 | 0697-0697 | Other physical activities - sweat and breathe harder | 154 |
| PAA_070A | 0698-0698 | Other physical activities - sweat and breathe harder - Monday | 155 |
| PAA_070B | 0699-0699 | Other physical activities - sweat and breathe harder - Tuesday | 155 |
| PAA_070C | 0700-0700 | Other physical activities - sweat and breathe harder - Wednesday | 155 |
| PAA_070D | 0701-0701 | Other physical activities - sweat and breathe harder - Thursday | 156 |
| PAA_070E | 0702-0702 | Other physical activities - sweat and breathe harder - Friday | 156 |
| PAA_070F | 0703-0703 | Other physical activities - sweat and breathe harder - Saturday | 157 |
| PAA_070G | 0704-0704 | Other physical activities - sweat and breathe harder - Sunday | 157 |
| PAA_075 | 0705-0707 | Time spent on other physical activities - hours | 157 |
| PAA_080N | 0708-0711 | Time spent on other physical activities - minutes | 158 |
| PAADOTH | 0712-0716 | Total minutes of other physical activities per week - (D) | 158 |
| PAADTOT | 0717-0721 | Total minutes of physical activity from all domains per week - (D) | 159 |
| PAA_095 | 0722-0722 | Vigorous intensity physical activities | 159 |
| PAA_100 | 0723-0725 | Vigorous intensity physical activities - hours | 159 |
| PAA_105N | 0726-0729 | Vigorous intensity physical activities - minutes | 160 |
| PAADVIG | 0730-0734 | Total minutes of vigorous intensity physical activities per week - (D) | 160 |
| PAY_05A | 0735-0735 | Attend school - Last week | 161 |
| PAY_05B | 0736-0736 | Attend a day camp - Last week | 161 |
| PAY_05C | 0737-0737 | Attend paid or unpaid work - Last week | 161 |
| PAY_05D | 0738-0738 | None of the above - Last week | 162 |
| PAY_10 | 0739-0739 | Active ways to get to places during the last week | 162 |
| PAY_15A | 0740-0741 | Time spent on active ways to get to places - [Sunday] - hours | 163 |
| PAY_15B | 0742-0743 | Time spent on active ways to get to places - [Monday] - hours | 163 |
| PAY_15C | 0744-0745 | Time spent on active ways to get to places - [Tuesday] - hours | 163 |
| PAY_15D | 0746-0747 | Time spent on active ways to get to places - [Wednesday] - hours | 164 |
| PAY_15E | 0748-0749 | Time spent on active ways to get to places - [Thursday] - hours | 164 |
| PAY_15F | 0750-0751 | Time spent on active ways to get to places - [Friday] - hours | 165 |
| PAY_15G | 0752-0753 | Time spent on active ways to get to places - [Saturday] - hours | 165 |

| | | | |
|---|---|---|---|
| PAY_15AN | 0754-0756 | Time spent on active ways to get to places - [Sunday] - minutes | 166 |
| PAY_15BN | 0757-0759 | Time spent on active ways to get to places - [Monday] - minutes | 166 |
| PAY_15CN | 0760-0762 | Time spent on active ways to get to places - [Tuesday] - minutes | 166 |
| PAY_15DN | 0763-0765 | Time spent on active ways to get to places - [Wednesday] - minutes | 167 |
| PAY_15EN | 0766-0768 | Time spent on active ways to get to places - [Thursday] - minutes | 167 |
| PAY_15FN | 0769-0771 | Time spent on active ways to get to places - [Friday] - minutes | 167 |
| PAY_15GN | 0772-0774 | Time spent on active ways to get to places - [Saturday] - minutes | 168 |
| PAYDTRV1 | 0775-0778 | Time of active transportation (minutes) - Sunday - (D) | 168 |
| PAYDTRV2 | 0779-0782 | Time of active transportation (minutes) - Monday - (D) | 169 |
| PAYDTRV3 | 0783-0786 | Time of active transportation (minutes) - Tuesday - (D) | 169 |
| PAYDTRV4 | 0787-0790 | Time of active transportation (minutes) - Wednesday - (D) | 169 |
| PAYDTRV5 | 0791-0794 | Time of active transportation (minutes) - Thursday - (D) | 170 |
| PAYDTRV6 | 0795-0798 | Time of active transportation (minutes) - Friday - (D) | 170 |
| PAYDTRV7 | 0799-0802 | Time of active transportation (minutes) - Saturday - (D) | 170 |
| PAYDTRVL | 0803-0807 | Total minutes of active transportation per week - (D) | 171 |
| PAY_25 | 0808-0808 | Physical activities at school/day camp - last week | 171 |
| PAY_30 | 0809-0809 | Physical activities at school/day camp - sweat and breathe harder | 172 |
| PAY_35A | 0810-0811 | Activities school/day camp - sweat/breathe harder - [Sun.] - hours | 172 |
| PAY_35B | 0812-0813 | Activities school/day camp - sweat/breathe harder - [Monday] - hours | 172 |
| PAY_35C | 0814-0815 | Activities school/day camp - sweat/breathe harder - [Tuesday] - hours | 173 |
| PAY_35D | 0816-0817 | Activities school/day camp - sweat/breathe harder - [Wed.] - hours | 173 |
| PAY_35E | 0818-0819 | Activities school/day camp - sweat/breathe harder - [Thursday] - hours | 174 |
| PAY_35F | 0820-0821 | Activities school/day camp - sweat/breathe harder - [Friday] - hours | 174 |
| PAY_35G | 0822-0823 | Activities school/day camp - sweat/breathe harder - [Saturday] - hours | 174 |
| PAY_35AN | 0824-0826 | Activities school/day camp - sweat/breathe harder - [Sun.] - minutes | 175 |
| PAY_35BN | 0827-0829 | Activities school/day camp - sweat/breathe harder - [Monday] - minutes | 175 |
| PAY_35CN | 0830-0832 | Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes | 176 |
| PAY_35DN | 0833-0835 | Activities school/day camp - sweat/breathe harder - [Wed.] - minutes | 176 |
| PAY_35EN | 0836-0838 | Activities school/day camp - sweat/breathe harder - [Thursday]-minutes | 176 |
| PAY_35FN | 0839-0841 | Activities school/day camp - sweat/breathe harder - [Friday] - minutes | 177 |
| PAY_35GN | 0842-0844 | Activities school/day camp - sweat/breathe harder - [Saturday]-minutes | 177 |
| PAYDSCH2 | 0845-0848 | Time of physical activity at school/day camp (minutes) - Monday - (D) | 178 |
| PAYDSCH3 | 0849-0852 | Time of physical activity at school/day camp (minutes) - Tuesday - (D) | 178 |
| PAYDSCH4 | 0853-0856 | Time of physical activity at school/day camp (min.) - Wednesday - (D) | 178 |
| PAYDSCH5 | 0857-0860 | Time of physical activity at school/day camp (min.) - Thursday - (D) | 179 |
| PAYDSCH6 | 0861-0864 | Time of physical activity at school/day camp (minutes) - Friday - (D) | 179 |
| PAYDSCHL | 0865-0869 | Total minutes of physical activity at school/day camp per week - (D) | 179 |
| PAY_45 | 0870-0870 | Physical activities in leisure time | 180 |
| PAY_50 | 0871-0871 | Physical activities in leisure time - sweat and breathe harder | 180 |
| PAY_55A | 0872-0873 | Leisure-time activities - sweat/breathe harder - [Sunday] - hours | 181 |
| PAY_55B | 0874-0875 | Leisure-time activities - sweat/breathe harder - [Monday] - hours | 181 |
| PAY_55C | 0876-0877 | Leisure-time activities - sweat/breathe harder - [Tuesday] - hours | 182 |
| PAY_55D | 0878-0879 | Leisure-time activities - sweat/breathe harder - [Wednesday] - hours | 182 |
| PAY_55E | 0880-0881 | Leisure-time activities - sweat/breathe harder - [Thursday] - hours | 182 |
| PAY_55F | 0882-0883 | Leisure-time activities - sweat/breathe harder - [Friday] - hours | 183 |
| PAY_55G | 0884-0885 | Leisure-time activities - sweat/breathe harder - [Saturday] - hours | 183 |
| PAY_55AN | 0886-0888 | Leisure-time activities - sweat/breathe harder - [Sunday] - minutes | 184 |
| PAY_55BN | 0889-0891 | Leisure-time activities - sweat/breathe harder - [Monday] - minutes | 184 |
| PAY_55CN | 0892-0894 | Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes | 184 |
| PAY_55DN | 0895-0897 | Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes | 185 |
| PAY_55EN | 0898-0900 | Leisure-time activities- sweat/breathe harder - [Thursday] - minutes | 185 |
| PAY_55FN | 0901-0903 | Leisure-time activities - sweat/breathe harder - [Friday] - minutes | 185 |
| PAY_55GN | 0904-0906 | Leisure-time activities - sweat/breathe harder - [Saturday] - minutes | 186 |
| PAYDREC1 | 0907-0910 | Time of recreational physical activity (minutes) - Sunday - (D) | 186 |
| PAYDREC2 | 0911-0914 | Time of recreational physical activity (minutes) - Monday - (D) | 187 |
| PAYDREC3 | 0915-0918 | Time of recreational physical activity (minutes) - Tuesday - (D) | 187 |
| PAYDREC4 | 0919-0922 | Time of recreational physical activity (minutes) - Wednesday - (D) | 187 |
| PAYDREC5 | 0923-0926 | Time of recreational physical activity (minutes) - Thursday - (D) | 188 |
| PAYDREC6 | 0927-0930 | Time of recreational physical activity (minutes) - Friday - (D) | 188 |
| PAYDREC7 | 0931-0934 | Time of recreational physical activity (minutes) - Saturday - (D) | 188 |
| PAYDREC | 0935-0939 | Total minutes of recreational physical activity per week - (D) | 189 |
| PAY_65 | 0940-0940 | Other physical activities - last week | 189 |
| PAY_70 | 0941-0941 | Other physical activities - sweat and breathe harder | 190 |

| | | | |
|---|---|---|---|
| PAY_75A | 0942-0943 | Other physical act. - sweat and breathe harder - [Sunday] - hours | 190 |
| PAY_75B | 0944-0945 | Other physical act. - sweat and breathe harder - [Monday] - hours | 190 |
| PAY_75C | 0946-0947 | Other physical act.- sweat and breathe harder - [Tuesday] - hours | 191 |
| PAY_75D | 0948-0949 | Other physical act. - sweat and breathe harder - [Wednesday] - hours | 191 |
| PAY_75E | 0950-0951 | Other physical act. - sweat and breathe harder - [Thursday] - hours | 192 |
| PAY_75F | 0952-0953 | Other physical act. - sweat and breathe harder - [Friday] - hours | 192 |
| PAY_75G | 0954-0955 | Other physical act. - sweat and breathe harder - [Saturday] - hours | 192 |
| PAY_75AN | 0956-0958 | Other physical act. - sweat and breathe harder - [Sunday] - minutes | 193 |
| PAY_75BN | 0959-0961 | Other physical act. - sweat and breathe harder - [Monday] - minutes | 193 |
| PAY_75CN | 0962-0964 | Other physical act. - sweat and breath harder - [Tuesday] - minutes | 194 |
| PAY_75DN | 0965-0967 | Other physical act. - sweat and breathe harder - [Wednesday] - minutes | 194 |
| PAY_75EN | 0968-0970 | Other physical act. - sweat and breathe harder - [Thursday] - minutes | 194 |
| PAY_75FN | 0971-0973 | Other physical act. - sweat and breathe harder - [Friday] - minutes | 195 |
| PAY_75GN | 0974-0976 | Other physical act. - sweat and breathe harder - [Saturday] - minutes | 195 |
| PAYDOTH1 | 0977-0980 | Time of other physical activities (minutes) - Sunday - (D) | 196 |
| PAYDOTH2 | 0981-0984 | Time of other physical activities (minutes) - Monday - (D) | 196 |
| PAYDOTH3 | 0985-0988 | Time of other physical activities (minutes) - Tuesday - (D) | 196 |
| PAYDOTH4 | 0989-0992 | Time of other physical activities (minutes) - Wednesday - (D) | 197 |
| PAYDOTH5 | 0993-0996 | Time of other physical activities (minutes) - Thursday - (D) | 197 |
| PAYDOTH6 | 0997-1000 | Time of other physical activities (minutes) - Friday - (D) | 197 |
| PAYDOTH7 | 1001-1004 | Time of other physical activities (minutes) - Saturday - (D) | 198 |
| PAYDOTH | 1005-1009 | Total minutes of other physical activities per week - (D) | 198 |
| PAYDTOT | 1010-1014 | Total minutes of physical activity from all domains per week - (D) | 199 |
| PAY_90 | 1015-1015 | Vigorous intensity physical activities | 199 |
| PAY_95A | 1016-1016 | Vigorous intensity physical activities - Monday | 199 |
| PAY_95B | 1017-1017 | Vigorous intensity physical activities - Tuesday | 200 |
| PAY_95C | 1018-1018 | Vigorous intensity physical activities - Wednesday | 200 |
| PAY_95D | 1019-1019 | Vigorous intensity physical activities - Thursday | 201 |
| PAY_95E | 1020-1020 | Vigorous intensity physical activities - Friday | 201 |
| PAY_95F | 1021-1021 | Vigorous intensity physical activities - Saturday | 201 |
| PAY_95G | 1022-1022 | Vigorous intensity physical activities - Sunday | 202 |
| PAY_100 | 1023-1025 | Vigorous intensity physical activities - last week - hours | 202 |
| PAY_105N | 1026-1029 | Vigorous intensity physical activities - last week - minutes | 203 |
| PAYDVIG | 1030-1034 | Total minutes of vigorous intensity physical activities per week - (D) | 203 |
| CPA_11 | 1035-1035 | Number of days physically active - past 7 days | 204 |
| CPA_12 | 1036-1036 | Number of days physically active - usual week | 204 |
| CPA_13 | 1037-1037 | Hours/week - physical activity - free time at school | 204 |
| CPA_14 | 1038-1038 | Hours/week - physical activity - class time at school | 205 |
| CPA_15 | 1039-1039 | Hours/week - physical activity - lessons or sports | 205 |
| CPA_16 | 1040-1040 | Hours/week - physical activity - unorganized activities | 206 |
| CPA_17 | 1041-1042 | Hours/day - watching TV | 206 |
| CPA_18 | 1043-1044 | Hours/day - on computer | 207 |
| CPADSACX | 1045-1048 | Total number of hours per day spent in sedentary activities | 207 |
| CPADTOTX | 1049-1051 | Total number of hours per week participated in physical activities | 207 |
| TSO_01A | 1052-1052 | Attended daycare center during the past month | 208 |
| TSO_01B | 1053-1053 | Attended home-based daycare during the past month | 208 |
| TSO_01C | 1054-1054 | Attended nursery school or preschool during the past month | 209 |
| TSO_01D | 1055-1055 | Attended school during the past month | 209 |
| TSO_01E | 1056-1056 | Stayed at home during the past month | 209 |
| TSO_01F | 1057-1057 | Received any other type of childcare during the past month | 210 |
| TSO_02 | 1058-1058 | School grade | 210 |
| TSO_03 | 1059-1060 | Time spent outside before arriving at childcare - per day | 211 |
| TSO_04 | 1061-1062 | Time spent outside while at daycare center - per day | 211 |
| TSO_05 | 1063-1064 | Time spent outside while at home-based daycare - per day | 212 |
| TSO_06 | 1065-1066 | Time spent outside while at nursery/preschool - per day | 212 |
| TSO_07 | 1067-1068 | Time spent outside while at kindergarten - per day | 213 |
| TSO_08 | 1069-1070 | Time spent outside between child care and dinner - per day | 213 |
| TSO_09 | 1071-1072 | Time spent outside after dinner - per day | 214 |
| TSO_10 | 1073-1074 | Time spent outside on day child did not attend childcare | 214 |
| TSO_11 | 1075-1076 | Time spent outside - per day | 215 |
| TSO_21 | 1077-1077 | Attended school during the past month | 215 |
| TSO_22 | 1078-1079 | Time spent outside before school - per day | 216 |
| TSO_23 | 1080-1081 | Time spent outside while at school - per day | 216 |

| | | | |
|---|---|---|---|
| TSO_24 | 1082-1083 | Time spent outside between school and dinner - per day | 216 |
| TSO_25 | 1084-1085 | Time spent outside after dinner - per day | 217 |
| TSO_26 | 1086-1087 | Time spent outside on non-school days - per day | 217 |
| TSO_27 | 1088-1089 | Time spent outside on weekdays - per day | 218 |
| TSO_28 | 1090-1091 | Time spent outside on weekends - per day | 218 |
| SAC_11 | 1092-1095 | Number of hours per week - on a computer - past 3 months | 219 |
| SAC_12A | 1096-1099 | Number of hours per week - play video games - past 3 months | 219 |
| SAC_12B | 1100-1103 | Number of hours per week - other types of games - past 3 months | 220 |
| SAC_13 | 1104-1107 | Number of hours per week - television/DVD/videos - past 3 months | 220 |
| SAC_14 | 1108-1111 | Number of hours per week - reading - past 3 months | 220 |
| SACDTOT | 1112-1113 | Sedentary activity (hours per week) - categorical (D) | 221 |
| SACDTOTX | 1114-1118 | Sedentary activity (hours per week) - continuous (D) | 221 |
| SACDRCA | 1119-1120 | Sedentary activity excluding reading (hours/week) - categorical (D) | 222 |
| SACDRCO | 1121-1125 | Sedentary activity excluding reading (hours per week) - continuous (D) | 222 |
| HOB_11A | 1126-1126 | Leisure activity / last 3 months - arts | 223 |
| HOB_11B | 1127-1127 | Leisure activity / last 3 months - pottery | 223 |
| HOB_11C | 1128-1128 | Leisure activity / last 3 months - model making | 223 |
| HOB_11D | 1129-1129 | Leisure activity / last 3 months - making fishing sinkers | 224 |
| HOB_11E | 1130-1130 | Leisure activity / last 3 months - welding/soldering | 224 |
| HOB_11F | 1131-1131 | Leisure activity / last 3 months - auto repairs | 225 |
| HOB_11G | 1132-1132 | Leisure activity / last 3 months - electronics assembly | 225 |
| HOB_11H | 1133-1133 | Leisure activity / last 3 months - plumbing | 225 |
| HOB_11I | 1134-1134 | Leisure activity / last 3 months - refinishing furniture | 226 |
| HOB_11J | 1135-1135 | Leisure activity / last 3 months - woodworking | 226 |
| HOB_11K | 1136-1136 | Leisure activity / last 3 months - none | 227 |
| HOB_12 | 1137-1139 | Arts - number of times | 227 |
| HOB_12N | 1140-1140 | Arts - reporting period | 227 |
| HOB_12T | 1141-1141 | Arts - time spent each occasion | 228 |
| HOBD12Y | 1142-1145 | Arts - times per year - (D) | 228 |
| HOB_13 | 1146-1148 | Pottery - number of times | 229 |
| HOB_13N | 1149-1149 | Pottery - reporting period | 229 |
| HOB_13T | 1150-1150 | Pottery - time spent each occasion | 229 |
| HOBD13Y | 1151-1154 | Pottery and ceramics using a kiln - times per year - (D) | 230 |
| HOB_14 | 1155-1157 | Model making - number of times | 230 |
| HOB_14N | 1158-1158 | Model making - reporting period | 231 |
| HOB_14T | 1159-1159 | Model making - time spent each occasion | 231 |
| HOBD14Y | 1160-1163 | Model making - times per year - (D) | 231 |
| HOB_15 | 1164-1166 | Making fishing sinkers - number of times | 232 |
| HOB_15N | 1167-1167 | Making fishing sinkers - reporting period | 232 |
| HOB_15T | 1168-1168 | Making fishing sinkers - time spent each occasion | 233 |
| HOBD15Y | 1169-1172 | Making fishing sinkers or weights - times per year - (D) | 233 |
| HOB_16 | 1173-1175 | Welding/soldering - number of times | 233 |
| HOB_16N | 1176-1176 | Welding/soldering - reporting period | 234 |
| HOB_16T | 1177-1177 | Welding/soldering - time spent each occasion | 234 |
| HOBD16Y | 1178-1181 | Welding/soldering - times per year - (D) | 235 |
| HOB_17 | 1182-1184 | Auto repairs - number of times | 235 |
| HOB_17N | 1185-1185 | Auto repairs - reporting period | 235 |
| HOB_17T | 1186-1186 | Auto repairs - time spent each occasion | 236 |
| HOBD17Y | 1187-1190 | Auto repairs - times per year - (D) | 236 |
| HOB_18 | 1191-1193 | Electronics - number of times | 236 |
| HOB_18N | 1194-1194 | Electronics - reporting period | 237 |
| HOB_18T | 1195-1195 | Electronics - time spent each occasion | 237 |
| HOBD18Y | 1196-1199 | Electronics assembly, repairs of components - times per year - (D) | 238 |
| HOB_19 | 1200-1202 | Plumbing - number of times | 238 |
| HOB_19N | 1203-1203 | Plumbing - reporting period | 238 |
| HOB_19T | 1204-1204 | Plumbing - time spent each occasion | 239 |
| HOBD19Y | 1205-1208 | Plumbing - times per year - (D) | 239 |
| HOB_20 | 1209-1211 | Refinishing furniture - number of times | 240 |
| HOB_20N | 1212-1212 | Refinishing furniture - reporting period | 240 |
| HOB_20T | 1213-1213 | Refinishing furniture - time spent each occasion | 240 |
| HOBD20Y | 1214-1217 | Refinishing furniture - times per year - (D) | 241 |
| HOB_21 | 1218-1220 | Woodworking - number of times | 241 |
| HOB_21N | 1221-1221 | Woodworking - reporting period | 242 |

| | | | |
|---|---|---|---|
| HOB_21T | 1222-1222 | Woodworking - time spent each occasion | 242 |
| HOBD21Y | 1223-1226 | Woodworking - times per year - (D) | 242 |
| SLP_11 | 1227-1230 | Hours spent sleeping in 24 hour period | 243 |
| SLP_12 | 1231-1231 | Frequency - trouble sleeping | 243 |
| SLP_13 | 1232-1232 | Duration - trouble sleeping | 244 |
| SLP_14 | 1233-1233 | Frequency - sleep refreshing | 244 |
| SLP_15 | 1234-1234 | Duration - sleep not refreshing | 245 |
| SLP_16 | 1235-1235 | Frequency - difficulty staying awake during waking hours | 245 |
| SLP_17 | 1236-1236 | Duration - difficulty staying awake | 245 |
| SMK_11 | 1237-1237 | Smoked 100 or more cigarettes - lifetime | 246 |
| SMK_12 | 1238-1238 | Type of smoker | 246 |
| SMK_21 | 1239-1240 | Age - smoked first whole cigarette | 247 |
| SMK_21A | 1241-1241 | Smoked at least 1 cigarette a month | 247 |
| SMK_22 | 1242-1243 | Age - started smoking at least 1 cigarette/month | 247 |
| SMK_23 | 1244-1245 | Number days/typical month smoked at least 1 cigarette | 248 |
| SMK_24 | 1246-1247 | Number of cigarettes smoked per day at age started smoking | 248 |
| SMK_31 | 1248-1249 | Number of cigarettes smoked per day (daily smoker) | 249 |
| SMK_41 | 1250-1251 | Number of cigarettes smoked per day (occasional smoker) | 249 |
| SMK_42 | 1252-1253 | Number days/past month - smoked 1 cig or more (occasional) | 249 |
| SMK_51 | 1254-1254 | Ever smoked cigarettes daily | 250 |
| SMK_52 | 1255-1256 | Age started smoking daily | 250 |
| SMK_53 | 1257-1258 | Number of cigarettes usually smoked per day | 251 |
| SMK_54 | 1259-1260 | Age stopped smoking cigarettes daily/completely | 251 |
| SMK_60 | 1261-1261 | Smoked cigars/pipe or used snuff/chewing tobacco - past month | 251 |
| SMKDSTY | 1262-1263 | Type of smoker - (D) | 252 |
| SMKDSTP | 1264-1266 | Number of years since stopping smoking completely - (D) | 252 |
| SMKDYFS | 1267-1269 | Number of years smoked daily (former daily smokers) - (D) | 253 |
| SMKDAQD | 1270-1271 | Age stopped smoking daily - (D) | 253 |
| SMKDAQS | 1272-1273 | Age stopped smoking completely - (D) | 253 |
| SMKDASD | 1274-1275 | Age started smoking daily - (D) | 254 |
| SMKDNSD | 1276-1277 | Number of cigs smoked daily - (D) | 254 |
| ALC_11 | 1278-1278 | Drank alcohol - past 12 months | 255 |
| ALC_12 | 1279-1280 | Frequency of drinking alcohol | 255 |
| ALC_13A | 1281-1282 | Frequency of having [5/4] or more drinks | 255 |
| ALC_14 | 1283-1283 | Drank alcohol - past week | 256 |
| ALC_15A | 1284-1285 | Number of drinks - Sunday | 256 |
| ALC_15B | 1286-1287 | Number of drinks - Monday | 257 |
| ALC_15C | 1288-1289 | Number of drinks - Tuesday | 257 |
| ALC_15D | 1290-1291 | Number of drinks - Wednesday | 258 |
| ALC_15E | 1292-1293 | Number of drinks - Thursday | 258 |
| ALC_15F | 1294-1295 | Number of drinks - Friday | 258 |
| ALC_15G | 1296-1297 | Number of drinks - Saturday | 259 |
| ALC_16 | 1298-1298 | Usual consumption of alcohol | 259 |
| ALC_17 | 1299-1299 | Ever had a drink | 259 |
| ALC_18 | 1300-1300 | Regularly drank more than 12 drinks a week | 260 |
| ALC_19 | 1301-1302 | Age - started drinking alcoholic beverages | 260 |
| ALCDWKY | 1303-1305 | Weekly consumption - (D) | 261 |
| ALCDDLY | 1306-1308 | Average daily alcohol consumption - (D) | 261 |
| ALCDTYP | 1309-1309 | Type of drinker - (D) | 261 |
| IDU_11 | 1310-1310 | Used or tried marijuana, cannabis or hashish | 262 |
| IDU_21 | 1311-1311 | Used or tried prescription drugs for the feeling | 262 |
| IDU_22 | 1312-1312 | Used or tried other drugs (cocaine, speed) | 263 |
| IDU_32 | 1313-1313 | Injected with drugs for the experience/feeling | 263 |
| IDU_33 | 1314-1314 | Other than by injection, used other drugs for the feeling | 264 |
| SXB_11 | 1315-1315 | Ever had sexual intercourse | 264 |
| SXB_12 | 1316-1316 | Sexual intercourse - past 12 months | 264 |
| SXB_13 | 1317-1317 | Number of different partners - past 12 months | 265 |
| SXB_21 | 1318-1318 | Ever diagnosed with a sexually transmitted disease/infection | 265 |
| SXB_22A | 1319-1319 | Sexually transmitted disease/infection - HIV | 266 |
| SXB_22B | 1320-1320 | Sexually transmitted disease/infection - AIDS | 266 |
| SXB_22C | 1321-1321 | Sexually transmitted disease/infection - Chlamydia | 267 |
| SXB_22D | 1322-1322 | Sexually transmitted disease/infection - Genital Herpes | 267 |
| SXB_22E | 1323-1323 | Sexually transmitted disease/infection - Syphilis | 267 |

| | | | |
|---|---|---|---|
| SXB_22F | 1324-1324 | Sexually transmitted disease/infection - Gonorrhoea | 268 |
| SXB_22G | 1325-1325 | Sexually transmitted disease/infection - Genital Warts | 268 |
| SXB_22H | 1326-1326 | Sexually transmitted disease/infection - Venereal disease | 269 |
| SXB_22I | 1327-1327 | Sexually transmitted disease/infection - Hepatitis B | 269 |
| SXB_22J | 1328-1328 | Sexually transmitted disease/infection - other | 270 |
| SXB_23 | 1329-1329 | Use of condom / last time had sexual intercourse | 270 |
| SXB_24 | 1330-1330 | Usual use of condom | 270 |
| ETS_01 | 1331-1331 | Allowed smoking inside this home | 271 |
| ETS_02 | 1332-1332 | Smoking restricted inside this home | 271 |
| ETS_03A | 1333-1333 | Smoking restriction - allow in certain rooms only | 272 |
| ETS_03B | 1334-1334 | Smoking restriction - in presence of young children | 272 |
| ETS_03C | 1335-1335 | Smoking restriction - allow if windows are open/ventilation | 273 |
| ETS_03D | 1336-1336 | Smoking restriction - other restriction | 273 |
| ETS_04 | 1337-1338 | How often someone smokes inside the home | 274 |
| ETS_05 | 1339-1340 | Number of people who smoke inside home everyday | 274 |
| ETS_06A | 1341-1341 | Product smoked inside home - cigarettes | 274 |
| ETS_06B | 1342-1342 | Product smoked inside home - cigarillos or little cigars | 275 |
| ETS_06C | 1343-1343 | Product smoked inside home - all other types of cigars | 275 |
| ETS_06D | 1344-1344 | Product smoked inside home - pipes | 276 |
| ETS_07 | 1345-1347 | Number cigarettes smoked inside the house - typical day | 276 |
| ETS_08 | 1348-1348 | Total period time/typical day smoking pipe | 277 |
| ETS_09 | 1349-1349 | Often exposed to second-hand smoke inside home - past month | 277 |
| ETS_14 | 1350-1350 | Exposed to second-hand smoke - private vehicle | 278 |
| ETS_16 | 1351-1351 | Exposed to second-hand smoke - place of work | 278 |
| ETS_20 | 1352-1352 | Exposed to second-hand smoke - inside someone else's home | 278 |
| ETS_21 | 1353-1353 | Exposed to second-hand smoke - indoors, in public places | 279 |
| ETS_22 | 1354-1354 | Exposed to second-hand smoke - outdoors, in public places | 279 |
| ETS_23 | 1355-1355 | Exposed to second-hand smoke - anywhere else | 280 |
| ETS_24 | 1356-1356 | Often exposed to second-hand smoke excluding own home - past month | 280 |
| PRG_11 | 1357-1357 | Smoked during pregnancy | 280 |
| PRG_12 | 1358-1359 | Number of cigarettes/day | 281 |
| PRG_13A | 1360-1360 | Stage of pregnancy - first trimester | 281 |
| PRG_13B | 1361-1361 | Stage of pregnancy - second trimester | 282 |
| PRG_13C | 1362-1362 | Stage of pregnancy - third trimester | 282 |
| PRG_13D | 1363-1363 | Stage of pregnancy - throughout | 283 |
| BIR_11 | 1364-1364 | Weight at birth | 283 |
| BIR_12 | 1365-1366 | Birth weight - Pounds | 283 |
| BIR_13 | 1367-1368 | Birth weight - Ounces | 284 |
| BIR_14 | 1369-1372 | Birth weight - Grams | 284 |
| BIR_21 | 1373-1373 | Born before, on or after due date | 284 |
| BIR_22 | 1374-1376 | Days before/after due date | 285 |
| BIR_23 | 1377-1377 | Type of birth | 285 |
| BIR_24 | 1378-1378 | Respondent admitted to neonatal unit | 286 |
| BIR_25 | 1379-1381 | Days care received | 286 |
| BIR_26 | 1382-1383 | Age of mother | 286 |
| BRI_11 | 1384-1384 | Respondent breastfed | 287 |
| BRI_12 | 1385-1386 | Length of time breastfed | 287 |
| BRI_13 | 1387-1388 | Length of time fed only breast milk | 288 |
| BRIFEB6 | 1389-1389 | Exclusive breastfeeding for at least 3 months - (D) | 288 |
| SDQ_11 | 1390-1390 | Considerate of other people's feelings | 289 |
| SDQ_12 | 1391-1391 | Restless, overactive, cannot stay still for long | 289 |
| SDQ_13 | 1392-1392 | Complains of headaches, stomach aches or sickness | 290 |
| SDQ_14 | 1393-1393 | Shares readily with other children | 290 |
| SDQ_15 | 1394-1394 | Loses temper | 291 |
| SDQ_16 | 1395-1395 | Solitary, would rather be alone | 291 |
| SDQ_17 | 1396-1396 | Well behaved, usually does what adults request | 291 |
| SDQ_18 | 1397-1397 | Many worries | 292 |
| SDQ_19 | 1398-1398 | Helpful if someone is hurt, upset or feeling ill | 292 |
| SDQ_20 | 1399-1399 | Constantly fidgeting or squirming | 293 |
| SDQ_21 | 1400-1400 | At least one good friend | 293 |
| SDQ_22 | 1401-1401 | Fights with other children/youth or bullies them | 294 |
| SDQ_23 | 1402-1402 | Often unhappy, depressed or tearful | 294 |
| SDQ_24 | 1403-1403 | Generally liked by other children/youth | 295 |

| | | | |
|---|---|---|---|
| SDQ_25 | 1404-1404 | Easily distracted, concentration wanders | 295 |
| SDQ_26 | 1405-1405 | Nervous/clingy in new situations, easily loses confidence | 295 |
| SDQ_27 | 1406-1406 | Kind to younger children | 296 |
| SDQ_28 | 1407-1407 | Often lies or cheats | 296 |
| SDQ_29 | 1408-1408 | Picked on or bullied by other children/youth | 297 |
| SDQ_30 | 1409-1409 | Often offers to help others | 297 |
| SDQ_31 | 1410-1410 | Thinks things out before acting | 298 |
| SDQ_32 | 1411-1411 | Steals from home, school or elsewhere | 298 |
| SDQ_33 | 1412-1412 | Gets along better with adults than with other children/youth | 299 |
| SDQ_34 | 1413-1413 | Has many fears, is easily scared | 299 |
| SDQ_35 | 1414-1414 | Has a good attention span, sees chores or homework through | 300 |
| SDQDCON | 1415-1416 | Conduct Problems - (D) | 300 |
| SDQDEMO | 1417-1418 | Emotional Problems - (D) | 300 |
| SDQDHYP | 1419-1420 | Hyperactivity/Inattention - (D) | 301 |
| SDQDPRO | 1421-1422 | Prosocial Behaviour - (D) | 301 |
| SDQDPRP | 1423-1424 | Peer Relationship Problems - (D) | 302 |
| SDQDTOT | 1425-1426 | Total Difficulties Score - (D) | 302 |
| SDQGCON | 1427-1427 | Conduct Problems - (D, G) | 303 |
| SDQGEMO | 1428-1428 | Emotional Problems - (D, G) | 303 |
| SDQGHYP | 1429-1429 | Hyperactivity/Inattention - (D, G) | 304 |
| SDQGPRO | 1430-1430 | Prosocial Behaviour - (D, G) | 304 |
| SDQGPRP | 1431-1431 | Peer Relationship Problems - (D, G) | 305 |
| SDQGTOT | 1432-1432 | Total Difficulties Score - (D, G) | 305 |
| LMAM_01 | 1433-1433 | Job - last week had a job or business | 305 |
| LMAM_02 | 1434-1434 | Job - had a job/ business last week but was absent | 306 |
| LMAM_03 | 1435-1436 | Job - main reason absent work last week | 306 |
| LMA2_04 | 1437-1437 | Job - last 4 weeks tried to find work | 307 |
| LMA2_05 | 1438-1438 | Job - last week had job with start date | 307 |
| LMA2_06 | 1439-1439 | Job - start date | 308 |
| LMA2_07 | 1440-1440 | Job - wanted job with more or less 30 hours per week | 308 |
| LMA2_08 | 1441-1441 | Job - could have worked last week if offered | 309 |
| LMA2_09 | 1442-1443 | Job - main reason not available to work last week | 309 |
| LFY_01 | 1444-1444 | Job - had a job/business in the past 12 months | 309 |
| LFY_02 | 1445-1445 | Job - tried to find work in the past 12 months | 310 |
| LMA3_10 | 1446-1446 | Job - were you employee/self-employed | 310 |
| LFH_16 | 1447-1452 | Job - number of hours worked per week | 310 |
| LAFDJST | 1453-1453 | Job status - previous 12 months - (D) | 311 |
| LAFDWSL | 1454-1455 | Working status last week (6 groups) - (D) | 311 |
| LAFDWSS | 1456-1456 | Working status last week (4 groups) - (D) | 312 |
| LAFCIC12 | 1457-1460 | North American Industry Classification System (NAICS) 2012 | 312 |
| LAFCOC11 | 1461-1464 | National Occupational Classification - Statistics (NOC-S) 2011 | 313 |
| LAFGO11S | 1465-1466 | Variant for analysis by NOC skill level - (G) | 313 |
| LAFGO11A | 1467-1468 | Variant of NOC for highly aggregated data - (G) | 313 |
| IMM_02 | 1469-1470 | Province/territory of birth | 314 |
| IMM_03 | 1471-1471 | Landed immigrant | 314 |
| IMM_04 | 1472-1475 | Year first became landed immigrant in Canada | 315 |
| IMM_05 | 1476-1479 | Year first came to Canada to live | 315 |
| IMMDLLI | 1480-1482 | Length of time since became a landed immigrant - (D) | 315 |
| IMMDLAC | 1483-1485 | Length of time since first came to live in Canada - (D) | 316 |
| IMMDALI | 1486-1488 | Age at time of landed immigration - (D) | 316 |
| IMMDAAC | 1489-1491 | Age when first came to live in Canada - (D) | 317 |
| AMB_01 | 1492-1492 | Is an aboriginal person | 317 |
| AMB_02A | 1493-1493 | Aboriginal person - First Nations | 317 |
| AMB_02B | 1494-1494 | Aboriginal person - Métis | 318 |
| AMB_02C | 1495-1495 | Aboriginal person - Inuk (Inuit) | 318 |
| AMBFABT | 1496-1496 | Aboriginal origin or identity - (F) | 319 |
| PG_01A | 1497-1497 | Population group - White | 319 |
| PG_01B | 1498-1498 | Population group - South Asian | 319 |
| PG_01C | 1499-1499 | Population group - Chinese | 320 |
| PG_01D | 1500-1500 | Population group - Black | 320 |
| PG_01E | 1501-1501 | Population group - Filipino | 321 |
| PG_01F | 1502-1502 | Population group - Latin American | 321 |
| PG_01G | 1503-1503 | Population group - Arab | 321 |

| | | | |
|---|---|---|---|
| PG_01H | 1504-1504 | Population group - Southeast Asian | 322 |
| PG_01I | 1505-1505 | Population group - West Asian | 322 |
| PG_01J | 1506-1506 | Population group - Korean | 323 |
| PG_01K | 1507-1507 | Population group - Japanese | 323 |
| PG_01L | 1508-1508 | Population group - Other | 324 |
| PGDCGT | 1509-1510 | Cultural or racial group - (D) | 324 |
| IMMCCB | 1511-1515 | Country of birth - (C) | 325 |
| IMMGCB | 1516-1517 | Country of birth - (G) | 325 |
| LAE_01 | 1518-1518 | Language - knowledge of official languages | 326 |
| LAEC02A | 1519-1526 | Language - knowledge of non-offical language - 1st | 326 |
| LAEC02B | 1527-1534 | Language - knowledge of non-offical language - 2nd | 326 |
| LAEC02C | 1535-1542 | Language - knowledge of non-offical language - 3rd | 327 |
| LAEC03A | 1543-1550 | Language - home language spoken most often - 1st | 327 |
| LAEC03B | 1551-1558 | Language - home language spoken most often - 2 nd | 328 |
| LAEC03C | 1559-1566 | Language - home language spoken most often - 3 rd | 328 |
| LAEC06A | 1567-1574 | Language - mother tongue - 1st | 328 |
| LAEC06B | 1575-1582 | Language - mother tongue - 2nd | 329 |
| LAEC06C | 1583-1590 | Language - mother tongue - 3rd | 329 |
| LAEDCON | 1591-1592 | Languages - can converse - (D) | 329 |
| LAEDFL1 | 1593-1594 | First language learned and still understood - (D) | 330 |
| LAEDSPH | 1595-1596 | Language(s) spoken most often at home - (D) | 330 |
| ESC1_01 | 1597-1597 | Attending school/college/university | 331 |
| EDM_01A | 1598-1598 | Attending educational institutiuon - elementary/jr. h.s./high school | 331 |
| EDM_01B | 1599-1599 | Attending educational institution - trade school/college/CEGEP | 332 |
| EDM_01C | 1600-1600 | Attending educational institution - university | 332 |
| EDM_02 | 1601-1601 | Enrolled as full/part time student | 332 |
| TPI_01 | 1602-1609 | Total personal income - amount | 333 |
| TPI_02 | 1610-1610 | Total personal income - ranges - income lost to $30,000 | 333 |
| TPI_03 | 1611-1612 | Total personal income - ranges - less than $5,000 to $30, 000 | 334 |
| TPI_04 | 1613-1614 | Total personal income - ranges - $30,000 and over | 334 |
| TPID14 | 1615-1616 | Total personal income - groups - (G) | 335 |
| THI_01 | 1617-1624 | Total household income - amount | 335 |
| THID14 | 1625-1626 | Total household income - groups - (G) | 336 |
| THIFIMP4 | 1627-1627 | Total household income imputation flag - (F) | 336 |
| WGT_FULL | 1628-1643 | Full sample weight | 337 |

Topical Index ..... 339
Variable Index ..... 355

**Variable Name:** CLINICID **Length:** 8.0 **Position:** 1

**Question Name:**

**Concept:** Clinic identifier of selected respondent

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

---

**Variable Name:** SITE **Length:** 2.0 **Position:** 9

**Question Name:**

**Concept:** Collection site

**Question Text:**

**Universe:** All respondents

**Note:** The population count next to the name of each site below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the site represents.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Brockville | 01 | 295 | 1,796,500 | 5.6 |
| Hamilton | 02 | 365 | 2,463,500 | 7.6 |
| Edmonton | 03 | 385 | 3,109,000 | 9.6 |
| Toronto West | 04 | 335 | 2,191,000 | 6.8 |
| Saguenay | 05 | 425 | 1,953,000 | 6.1 |
| Shelburne | 06 | 375 | 1,105,000 | 3.4 |
| Saint-Hyacinthe | 07 | 445 | 1,706,500 | 5.3 |
| Kelowna | 08 | 345 | 2,241,000 | 6.9 |
| Fredericton | 09 | 380 | 1,047,000 | 3.2 |
| Laval West | 10 | 325 | 1,938,500 | 6.0 |
| Montreal West | 11 | 345 | 1,893,500 | 5.9 |
| Terrace Kitimat | 12 | 345 | 1,960,000 | 6.1 |
| Thunder Bay | 13 | 360 | 2,076,500 | 6.4 |
| Kitchener/Waterloo | 14 | 360 | 2,086,500 | 6.5 |
| Regina | 15 | 365 | 2,758,000 | 8.5 |
| Toronto | 16 | 340 | 1,950,000 | 6.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** C2_DAY **Length:** 2.0 **Position:** 11

**Question Name:**

**Concept:** Day of household interview



*Totals may not add up due to rounding.*

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Day (1 to 31) | | 01 - 31 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** C2_MTH **Length:** 2.0 **Position:** 13

**Question Name:**

**Concept:** Month of household interview

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Month (1 to 12) | | 01 - 12 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** C2_YEAR **Length:** 4.0 **Position:** 15

**Question Name:**

**Concept:** Year of household interview

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Year | | 2014 - 2015 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PROXY **Length:** 1.0 **Position:** 19

**Question Name:**

**Concept:** Health component completed by proxy

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Proxy | 1 | 1,635 | 3,460,000 | 10.7 |
| Non-proxy | 2 | 4,160 | 28,815,500 | 89.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PPI_02 **Length:** 1.0 **Position:** 20

**Question Name:** PPI_N02

**Concept:** Person providing health component information - parent/guardian

**Question Text:** Is the person providing the information a parent or guardian of [Respondent name]?

**Universe:** PROXY = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,630 | 3,441,500 | 10.7 |
| No | 2 | 5 | 18,500 | 0.1 |
| Valid skip | 6 | 4,160 | 28,815,500 | 89.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PPI_03 **Length:** 1.0 **Position:** 21

**Question Name:** PPI_N03

**Concept:** Person providing health component information - biological parent

**Question Text:** Is the person providing the information a birth or biological parent of [Respondent name]?

**Universe:** PPI_02 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,580 | 3,272,000 | 10.1 |
| No | 2 | 50 | 169,500 | 0.5 |
| Valid skip | 6 | 4,165 | 28,834,000 | 89.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PPID03 **Length:** 1.0 **Position:** 22

**Question Name:**

**Concept:** Relationship of proxy respondent to selected respondent - (D)

**Question Text:**

**Universe:** PROXY = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Biological father | 1 | 365 | 752,500 | 2.3 |
| Biological mother | 2 | 1,220 | 2,520,000 | 7.8 |
| Non-biological male parent/guardian | 3 | 10 | 43,500 | 0.1 |
| Non-biological female parent/guardian | 4 | 35 | 116,000 | 0.4 |
| Other | 5 | 5 | 28,000 | 0.1 |
| Valid skip | 6 | 4,160 | 28,815,500 | 89.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_PRN **Length:** 2.0 **Position:** 23

**Question Name:**

**Concept:** Province of residence of respondent

**Question Text:**

**Universe:** All respondents

**Note:** The population count next to the name of each province below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the province represents.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Nova Scotia | 12 | 375 | 1,105,000 | 3.4 |
| New Brunswick | 13 | 380 | 1,047,000 | 3.2 |
| Quebec | 24 | 1,540 | 7,491,500 | 23.2 |
| Ontario | 35 | 2,060 | 12,564,000 | 38.9 |
| Saskatchewan | 47 | 365 | 2,758,000 | 8.5 |
| Alberta | 48 | 385 | 3,109,000 | 9.6 |
| British Columbia | 59 | 690 | 4,201,500 | 13.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_DOB **Length:** 2.0 **Position:** 25

**Question Name:**

**Concept:** Day of birth

**Question Text:** What is your date of birth? Enter the day.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Day (1 to 31) | 01 - 31 | 5,790 | 32,270,500 | 100.0 |
| Refusal | 98 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_MOB **Length:** 2.0 **Position:** 27

**Question Name:**

**Concept:** Month of birth

**Question Text:** What is your date of birth? Enter the month.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Month (1 to 12) | 01 - 12 | 5,790 | 32,270,500 | 100.0 |
| Refusal | 98 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_YOB **Length:** 4.0 **Position:** 29

**Question Name:**

**Concept:** Year of birth

**Question Text:** What is your date of birth? Enter a four-digit year.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Year | 1934 - 2012 | 5,790 | 32,271,500 | 100.0 |
| Refusal | 9998 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_AGE **Length:** 3.0 **Position:** 33



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Age at household interview

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Years | | 003 - 080 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_SEX **Length:** 1.0 **Position:** 36

**Question Name:** SEX_Q01

**Concept:** Sex

**Question Text:** Is the respondent a male or female?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Male | | 1 | 2,895 | 16,105,000 | 49.9 |
| Female | | 2 | 2,900 | 16,171,000 | 50.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_ED1 **Length:** 1.0 **Position:** 37

**Question Name:**

**Concept:** Highest grade of elementary or high school completed

**Question Text:** What is the highest grade of elementary or high school you have ever completed?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Grade 8 or lower (Québec: Secondary II or lower) | 1 | 2,150 | 5,403,000 | 16.7 |
| Grade 9-10 (Qc: Sec. III or IV, N.L.: 1st yr sec.) | 2 | 455 | 2,564,000 | 7.9 |
| Grade 11-13 (Qc: Sec. V, N.L.: 2-3 yr of sec.) | 3 | 3,165 | 24,061,000 | 74.5 |


*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Don't know | | 7 | 25 | 247,500 | 0.8 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DHH_ED2 **Length:** 1.0 **Position:** 38

**Question Name:**

**Concept:** Graduated from high school (secondary school)

**Question Text:** Did you complete a high school diploma or its equivalent?

**Universe:** DHH_ED1 = 3, DK, RF

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 2,890 | 22,310,500 | 69.1 |
| No | | 2 | 285 | 1,889,000 | 5.9 |
| Valid skip | | 6 | 2,605 | 7,967,000 | 24.7 |
| Don't know | | 7 | 15 | 109,000 | 0.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DHH_ED3 **Length:** 1.0 **Position:** 39

**Question Name:**

**Concept:** Received any other education

**Question Text:** Have you received any other education that could be counted towards a certificate, diploma or degree from an educational institution?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 2,525 | 18,538,500 | 57.4 |
| No | | 2 | 3,255 | 13,608,000 | 42.2 |
| Don't know | | 7 | 15 | 129,000 | 0.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DHH_ED4 **Length:** 2.0 **Position:** 40

**Question Name:**

**Concept:** Highest degree, certificate or diploma obtained



*Totals may not add up due to rounding.*

**Question Text:** What is the highest degree, certificate or diploma that you have obtained?

**Universe:** DHH_ED3 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than high school diploma or its equivalent | 01 | 110 | 354,000 | 1.1 |
| High school diploma or a high school equivalency certificate | 02 | 220 | 1,709,500 | 5.3 |
| Trade certificate or diploma | 03 | 345 | 2,574,500 | 8.0 |
| College/CEGEP/other non-university certificate or diploma | 04 | 735 | 5,402,000 | 16.7 |
| University certificate or diploma below the bachelor's level | 05 | 85 | 623,500 | 1.9 |
| Bachelor's degree (e.g. B.A., B.Sc., LL.B.) | 06 | 700 | 5,591,500 | 17.3 |
| University certificate, diploma, degree above the BA level | 07 | 320 | 2,237,000 | 6.9 |
| Valid skip | 96 | 3,255 | 13,608,000 | 42.2 |
| Don't know | 97 | 10 | 46,000 | 0.1 |
| Not stated | 99 | 15 | 129,000 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** EDUDR04 **Length:** 1.0 **Position:** 42

**Question Name:**

**Concept:** Highest level of education - respondent, 4 levels - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than secondary school graduation | 1 | 2,785 | 9,049,000 | 28.0 |
| Secondary school graduation | 2 | 785 | 6,563,500 | 20.3 |
| Post-secondary graduation | 4 | 2,185 | 16,428,500 | 50.9 |
| Not stated | 9 | 40 | 235,000 | 0.7 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** EDUDR10 **Length:** 2.0 **Position:** 43

**Question Name:**

**Concept:** Highest level of education - respondent, 10 levels - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Grade 8 or lower (Quebec secondary II or lower) | 01 | 2,125 | 5,244,500 | 16.2 |
| Grade 9-10 (Quebec secondary III, IV; NFLD secondary I) | 02 | 410 | 2,265,500 | 7.0 |
| Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV) | 03 | 240 | 1,475,500 | 4.6 |
| Secondary school graduate | 04 | 785 | 6,563,500 | 20.3 |
| Trades certificate or diploma | 06 | 345 | 2,574,500 | 8.0 |
| Non-university diploma / certificate - college, CEGEP, etc. | 07 | 735 | 5,402,000 | 16.7 |
| University certificate below a bachelor's level | 08 | 85 | 623,500 | 1.9 |
| Bachelor's degree | 09 | 700 | 5,591,500 | 17.3 |
| University degree or certificate above bachelor's degree | 10 | 320 | 2,237,000 | 6.9 |
| Not stated | 99 | 45 | 298,000 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** EDUDH04 **Length:** 1.0 **Position:** 45

**Question Name:**

**Concept:** Highest level of education - household, 4 levels - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than secondary school graduation | 1 | 255 | 1,773,500 | 5.5 |
| Secondary school graduation | 2 | 710 | 4,285,500 | 13.3 |
| Post-secondary graduation | 4 | 4,500 | 24,299,500 | 75.3 |
| Not stated | 9 | 325 | 1,917,000 | 5.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** EDUDH10 **Length:** 2.0 **Position:** 46

**Question Name:**

**Concept:** Highest level of education - household, 10 levels - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Grade 8 or lower (Quebec secondary II or lower) | 01 | 55 | 430,500 | 1.3 |
| Grade 9-10 (Quebec secondary III, IV; NFLD secondary I) | 02 | 120 | 699,000 | 2.2 |
| Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV) | 03 | 90 | 714,000 | 2.2 |
| Secondary school graduate | 04 | 730 | 4,356,000 | 13.5 |
| Trades certificate or diploma | 06 | 490 | 2,925,500 | 9.1 |
| Non-university diploma / certificate - college, CEGEP, etc. | 07 | 1,470 | 7,553,000 | 23.4 |
| University certificate below a bachelor's level | 08 | 175 | 832,000 | 2.6 |
| Bachelor's degree | 09 | 1,605 | 8,934,500 | 27.7 |
| University degree or certificate above bachelor's degree | 10 | 895 | 4,697,500 | 14.6 |
| Not stated | 99 | 160 | 1,134,000 | 3.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_OWN **Length:** 1.0 **Position:** 48

**Question Name:** DMB_Q01

**Concept:** Dwelling - own or rent

**Question Text:** Is this dwelling...?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Owned by member of hhld, even if it is still being paid for | 1 | 4,285 | 22,757,000 | 70.5 |
| Rented, even if no cash rent is paid | 2 | 1,510 | 9,501,000 | 29.4 |
| Refusal | 8 | 5 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_REP **Length:** 1.0 **Position:** 49

**Question Name:** DMB_Q02

**Concept:** Dwelling - in need of repairs

**Question Text:** Is the dwelling in need of any repairs? Do not include remodelling or additions.

**Universe:** All respondents

**Note:** Regular maintenance includes painting, furnace cleaning, etc. Minor repairs includes missing or loose floor tiles, bricks or shingles, defective steps, railing or siding, etc. Major repairs includes defective plumbing or electrical wiring, structural repairs to walls, floors or ceilings, etc.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No, only regular maintenance is needed | 1 | 4,540 | 25,372,000 | 78.6 |
| Yes, minor repairs are needed | 2 | 950 | 4,849,500 | 15.0 |
| Yes, major repairs are needed | 3 | 300 | 2,028,000 | 6.3 |
| Don't know | 7 | 5 | 8,500 | 0.0 |
| Refusal | 8 | 5 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_BED **Length:** 2.0 **Position:** 50

**Question Name:** DWE2_Q01

**Concept:** Dwelling - number of bedrooms

**Question Text:** How many bedrooms are there in this dwelling?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of bedrooms | 00 - 09 | 5,790 | 32,203,500 | 99.8 |
| Don't know | 97 | 5 | 63,000 | 0.2 |
| Refusal | 98 | 5 | 9,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHH_MS **Length:** 2.0 **Position:** 52

**Question Name:** MSWC_Q02

**Concept:** Marital status

**Question Text:** What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single/never married?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Married | 01 | 1,725 | 13,399,500 | 41.5 |
| Living common-law | 02 | 415 | 2,972,500 | 9.2 |
| Widowed | 03 | 145 | 715,500 | 2.2 |
| Separated | 04 | 125 | 715,500 | 2.2 |
| Divorced | 05 | 245 | 1,693,500 | 5.2 |
| Single, never married | 06 | 3,140 | 12,755,500 | 39.5 |
| Don't know | 97 | 5 | 23,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** DHHDLE5 **Length:** 2.0 **Position:** 54

**Question Name:**

**Concept:** Number of persons in household less than 6 years old - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 00 - 04 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHD611 **Length:** 2.0 **Position:** 56

**Question Name:**

**Concept:** Number of persons 6 to 11 years old in household - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 00 - 04 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHDL12 **Length:** 2.0 **Position:** 58

**Question Name:**

**Concept:** Number of persons in household less than 12 years old - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 00 - 07 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHDYKD **Length:** 2.0 **Position:** 60

**Question Name:**

**Concept:** Number of persons 15 years old or less in household - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 00 - 07 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHDOKD **Length:** 2.0 **Position:** 62

**Question Name:**

**Concept:** Number of persons 16 or 17 years old in household - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 00 - 04 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHDHSZ **Length:** 2.0 **Position:** 64

**Question Name:**

**Concept:** Household size - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of persons | | 01 - 09 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** DHHDECF **Length:** 2.0 **Position:** 66

**Question Name:**

**Concept:** Economic family status (household type) - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Unattached individual | 01 | 605 | 4,423,500 | 13.7 |
| Unattached individual living with others | 02 | 120 | 1,737,000 | 5.4 |
| Couple alone | 03 | 750 | 7,239,000 | 22.4 |
| Couple with no children, others | 04 | 30 | 301,500 | 0.9 |
| Couple, children < 25 years old | 05 | 3,275 | 12,904,500 | 40.0 |
| Couple, children < 25 years old, others | 06 | 155 | 1,030,500 | 3.2 |
| Couple, all children >= 25 years old | 07 | 50 | 770,000 | 2.4 |
| Couple, all children >= 25 years old, others | 08 | 25 | 241,000 | 0.7 |
| Female lone parent, children < 25 years old | 09 | 220 | 843,000 | 2.6 |
| Female lone parent, children < 25 years old, others | 10 | 365 | 1,322,000 | 4.1 |
| Female lone parent, all children >= 25 years old | 11 | 45 | 541,500 | 1.7 |
| Female lone parent, all children >= 25 years old, others | 12 | 10 | 83,000 | 0.3 |
| Male lone parent, children < 25 | 13 | 45 | 118,000 | 0.4 |
| Male lone parent, children < 25, others | 14 | 55 | 379,500 | 1.2 |
| Male lone parent, all children >= 25 | 15 | 5 | 71,500 | 0.2 |
| Male lone parent, all children >= 25, others | 16 | 5 | 80,000 | 0.2 |
| Other household type | 17 | 30 | 180,500 | 0.6 |
| Not stated | 99 | 5 | 8,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DHHDLVG **Length:** 2.0 **Position:** 68

**Question Name:**

**Concept:** Living arrangement of selected respondent - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Unattached individual living alone | 01 | 605 | 4,423,500 | 13.7 |
| Unattached individual living with others | 02 | 155 | 1,941,000 | 6.0 |
| Living with spouse or partner | 03 | 750 | 7,239,000 | 22.4 |
| Parent living with spouse or partner, children | 04 | 1,245 | 7,797,000 | 24.2 |


*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Single parent living with children | 05 | 240 | 1,288,000 | 4.0 |
| Child living with single parent | 06 | 175 | 843,500 | 2.6 |
| Child living with single parent, siblings | 07 | 250 | 895,500 | 2.8 |
| Child living with two parents | 08 | 360 | 1,036,500 | 3.2 |
| Child living with two parents, siblings | 09 | 1,720 | 4,828,000 | 15.0 |
| Other | 10 | 295 | 1,977,000 | 6.1 |
| Not stated | 99 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DHHDDWE **Length:** 2.0 **Position:** 70

**Question Name:**

**Concept:** Type of dwelling - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Single detached | 01 | 3,950 | 20,470,500 | 63.4 |
| Double | 02 | 255 | 1,328,000 | 4.1 |
| Row or terrace | 03 | 345 | 1,867,000 | 5.8 |
| Duplex | 04 | 210 | 1,180,500 | 3.7 |
| Low-rise apartment of fewer than 5 stories or a flat | 05 | 685 | 4,734,000 | 14.7 |
| High-rise apartment of 5 stories or more | 06 | 325 | 2,507,500 | 7.8 |
| Mobile home | 09 | 25 | 172,500 | 0.5 |
| Other - Specify | 10 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GEN_11 **Length:** 1.0 **Position:** 72

**Question Name:** GEN_Q11

**Concept:** Self-perceived health

**Question Text:** In general, would you say your health is: (excellent, very good, good, fair, or poor)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Excellent | 1 | 1,510 | 5,615,500 | 17.4 |
| Very good | 2 | 2,180 | 11,685,000 | 36.2 |
| Good | 3 | 1,630 | 11,674,000 | 36.2 |
| Fair | 4 | 390 | 2,639,500 | 8.2 |
| Poor | 5 | 85 | 662,000 | 2.1 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GEN_12 **Length:** 1.0 **Position:** 73

**Question Name:** GEN_Q12

**Concept:** Self-perceived health compared to one year ago

**Question Text:** Compared to one year ago, how would you say your health is now? Is it: much better now than 1 year ago, somewhat better now (than 1 year ago), about the same as 1 year ago, somewhat worse now (than 1 year ago), or much worse now (than 1 year ago)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Much better now than 1 year ago | 1 | 440 | 2,260,500 | 7.0 |
| Somewhat better now (than 1 year ago) | 2 | 1,015 | 5,625,500 | 17.4 |
| About the same as 1 year ago | 3 | 3,780 | 20,544,000 | 63.7 |
| Somewhat worse now (than 1 year ago) | 4 | 505 | 3,563,000 | 11.0 |
| Much worse now (than 1 year ago) | 5 | 50 | 281,500 | 0.9 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GEN_13A **Length:** 2.0 **Position:** 74

**Question Name:**

**Concept:** Satisfied with life right now

**Question Text:** Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

**Universe:** PROXY = 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Scale | 00 - 10 | 4,160 | 28,811,000 | 89.3 |
| Valid skip | 96 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 97 | 5 | 4,500 | 0.0 |
| Not stated | 99 | 30 | 106,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GEN_14 **Length:** 1.0 **Position:** 76

**Question Name:** GEN_Q14

**Concept:** Self-perceived mental health

**Question Text:** In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?

**Universe:** PROXY = 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Excellent | 1 | 1,255 | 8,880,000 | 27.5 |
| Very good | 2 | 1,575 | 10,793,500 | 33.4 |
| Good | 3 | 1,020 | 6,826,000 | 21.1 |
| Fair | 4 | 250 | 1,864,500 | 5.8 |
| Poor | 5 | 60 | 451,000 | 1.4 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 30 | 106,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_15 **Length:** 1.0 **Position:** 77

**Question Name:** GEN_Q15

**Concept:** Self-perceived stress

**Question Text:** Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not at all stressful | 1 | 410 | 2,511,500 | 7.8 |
| Not very stressful | 2 | 1,080 | 7,421,500 | 23.0 |
| A bit stressful | 3 | 1,720 | 11,630,000 | 36.0 |
| Quite a bit stressful | 4 | 855 | 6,402,000 | 19.8 |
| Extremely stressful | 5 | 115 | 948,000 | 2.9 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_16 **Length:** 1.0 **Position:** 78

**Question Name:** GEN_Q16



*Totals may not add up due to rounding.*

**Concept:** Worked at job or business

**Question Text:** Have you worked at a job or business at any time in the past 12 months?

**Universe:** PROXY = 2 and 14 < DHH_AGE < 76

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,655 | 20,541,000 | 63.6 |
| No | 2 | 980 | 6,557,500 | 20.3 |
| Valid skip | 6 | 2,145 | 5,092,500 | 15.8 |
| Not stated | 9 | 15 | 85,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_17 **Length:** 1.0 **Position:** 79

**Question Name:** GEN_Q17

**Concept:** Self-perceived work stress

**Question Text:** Would you say that most days at work were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

**Universe:** GEN_16 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not at all stressful | 1 | 270 | 1,779,000 | 5.5 |
| Not very stressful | 2 | 600 | 4,076,500 | 12.6 |
| A bit stressful | 3 | 985 | 7,810,000 | 24.2 |
| Quite a bit stressful | 4 | 665 | 5,729,500 | 17.8 |
| Extremely stressful | 5 | 140 | 1,145,500 | 3.5 |
| Valid skip | 6 | 3,120 | 11,649,500 | 36.1 |
| Not stated | 9 | 15 | 85,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_18 **Length:** 1.0 **Position:** 80

**Question Name:** GEN_Q18

**Concept:** Sense of belonging to local community

**Question Text:** How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

**Universe:** PROXY = 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Very strong | 1 | 990 | 6,149,500 | 19.1 |
| Somewhat strong | 2 | 1,975 | 13,471,500 | 41.7 |
| Somewhat weak | 3 | 915 | 7,014,000 | 21.7 |
| Very weak | 4 | 270 | 2,146,500 | 6.7 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 10 | 34,000 | 0.1 |
| Not stated | 9 | 30 | 106,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_19 **Length:** 1.0 **Position:** 81

**Question Name:** GEN_Q19

**Concept:** Self-perceived quality of life

**Question Text:** Would you rate your quality of life as: (excellent, very good, good, fair or poor)?

**Universe:** PROXY = 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Excellent | 1 | 1,130 | 6,806,500 | 21.1 |
| Very good | 2 | 1,810 | 12,215,500 | 37.8 |
| Good | 3 | 1,010 | 7,942,500 | 24.6 |
| Fair | 4 | 175 | 1,553,000 | 4.8 |
| Poor | 5 | 35 | 298,000 | 0.9 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 9 | 30 | 106,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GEN_20 **Length:** 1.0 **Position:** 82

**Question Name:** GEN_Q20

**Concept:** Family doctor

**Question Text:** Do you have a regular medical doctor?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 4,980 | 27,193,000 | 84.3 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 810 | 5,052,000 | 15.7 |
| Don't know | 7 | 5 | 30,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GENDHDI **Length:** 1.0 **Position:** 83

**Question Name:**

**Concept:** Self-rated health - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Poor | 0 | 85 | 662,000 | 2.1 |
| Fair | 1 | 390 | 2,639,500 | 8.2 |
| Good | 2 | 1,630 | 11,674,000 | 36.2 |
| Very good | 3 | 2,180 | 11,685,000 | 36.2 |
| Excellent | 4 | 1,510 | 5,615,500 | 17.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GENDMHI **Length:** 1.0 **Position:** 84

**Question Name:**

**Concept:** Self-rated mental health - (D)

**Question Text:**

**Universe:** PROXY = 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Poor | 0 | 60 | 451,000 | 1.4 |
| Fair | 1 | 250 | 1,864,500 | 5.8 |
| Good | 2 | 1,020 | 6,826,000 | 21.1 |
| Very good | 3 | 1,575 | 10,793,500 | 33.4 |
| Excellent | 4 | 1,255 | 8,880,000 | 27.5 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 9 | 30 | 107,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PRS_11 **Length:** 1.0 **Position:** 85

**Question Name:** PRS_Q11

**Concept:** Pregnant

**Question Text:** It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?

**Universe:** DHH_SEX = 2 and 13 < DHH_AGE < 60

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 30 | 245,000 | 0.8 |
| No | 2 | 1,410 | 10,701,000 | 33.2 |
| Valid skip | 6 | 4,350 | 21,320,000 | 66.1 |
| Don't know | 7 | 5 | 6,000 | 0.0 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_11 **Length:** 1.0 **Position:** 86

**Question Name:** CCC_Q11

**Concept:** Has asthma

**Question Text:** Do you have asthma?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 545 | 3,328,000 | 10.3 |
| No | 2 | 5,245 | 28,902,000 | 89.5 |
| Don't know | 7 | 5 | 45,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_12 **Length:** 2.0 **Position:** 87

**Question Name:** CCC_Q12

**Concept:** Asthma - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_11 = 1

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Years | | 00 - 74 | 540 | 3,275,000 | 10.1 |
| Valid skip | | 96 | 5,245 | 28,902,000 | 89.5 |
| Don't know | | 97 | 5 | 53,000 | 0.2 |
| Not stated | | 99 | 5 | 45,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_13 **Length:** 1.0 **Position:** 89

**Question Name:** CCC_Q13

**Concept:** Asthma - had symptoms or attacks

**Question Text:** Have you had any asthma symptoms or asthma attacks in the past 12 months?

**Universe:** CCC_11 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 285 | 1,651,500 | 5.1 |
| No | | 2 | 260 | 1,675,500 | 5.2 |
| Valid skip | | 6 | 5,245 | 28,902,000 | 89.5 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 45,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_21 **Length:** 1.0 **Position:** 90

**Question Name:** CCC_Q21

**Concept:** Has fibromyalgia

**Question Text:** Do you have fibromyalgia?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 55 | 495,500 | 1.5 |
| No | | 2 | 4,130 | 28,371,500 | 87.9 |
| Valid skip | | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 7 | 5 | 3,000 | 0.0 |
| Refusal | | 8 | 5 | 48,500 | 0.1 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_22 **Length:** 1.0 **Position:** 91

**Question Name:** CCC_Q22

**Concept:** Has arthritis

**Question Text:** Do you have arthritis [excluding fibromyalgia]?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 640 | 4,529,000 | 14.0 |
| No | 2 | 3,545 | 24,371,000 | 75.5 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 19,000 | 0.1 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_23A **Length:** 1.0 **Position:** 92

**Question Name:** CCC_Q23

**Concept:** Has arthritis - Rheumatoid arthritis

**Question Text:** What kind of arthritis do you have? - Rheumatoid arthritis

**Universe:** CCC_22 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 115 | 773,500 | 2.4 |
| No | 2 | 430 | 3,069,500 | 9.5 |
| Valid skip | 6 | 5,150 | 27,724,500 | 85.9 |
| Don't know | 7 | 95 | 686,000 | 2.1 |
| Not stated | 9 | 5 | 22,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_23B **Length:** 1.0 **Position:** 93

**Question Name:** CCC_Q23

**Concept:** Has arthritis - Osteoarthritis

**Question Text:** What kind of arthritis do you have? - Osteoarthritis

**Universe:** CCC_22 = 1

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 425 | 3,071,500 | 9.5 |
| No | 2 | 120 | 771,500 | 2.4 |
| Valid skip | 6 | 5,150 | 27,724,500 | 85.9 |
| Don't know | 7 | 95 | 686,000 | 2.1 |
| Not stated | 9 | 5 | 22,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_23D **Length:** 1.0 **Position:** 94

**Question Name:**

**Concept:** Has arthritis - Other

**Question Text:** What kind of arthritis do you have? - Other

**Universe:** CCC_22 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 30 | 132,500 | 0.4 |
| No | 2 | 515 | 3,710,500 | 11.5 |
| Valid skip | 6 | 5,150 | 27,724,500 | 85.9 |
| Don't know | 7 | 95 | 686,000 | 2.1 |
| Not stated | 9 | 5 | 22,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_24 **Length:** 1.0 **Position:** 95

**Question Name:** CCC_Q24

**Concept:** Has back problems excluding fibromyalgia and arthritis

**Question Text:** Do you have back problems [excluding fibromyalgia and arthritis, excluding fibromyalgia, excluding arthritis]?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 685 | 5,530,500 | 17.1 |
| No | 2 | 3,500 | 23,382,000 | 72.4 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 6,000 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_25 **Length:** 1.0 **Position:** 96

**Question Name:** CCC_Q25

**Concept:** Has osteoporosis

**Question Text:** Do you have osteoporosis?

**Universe:** DHH_AGE > 39

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 155 | 1,178,000 | 3.6 |
| No | 2 | 1,905 | 14,989,500 | 46.4 |
| Valid skip | 6 | 3,720 | 16,044,500 | 49.7 |
| Don't know | 7 | 10 | 50,000 | 0.2 |
| Not stated | 9 | 5 | 13,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_31 **Length:** 1.0 **Position:** 97

**Question Name:** CCC_Q31

**Concept:** Has high blood pressure

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have high blood pressure?

**Universe:** DHH_AGE > 5

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 625 | 4,355,000 | 13.5 |
| No | 2 | 4,575 | 26,610,500 | 82.4 |
| Valid skip | 6 | 575 | 1,133,500 | 3.5 |
| Don't know | 7 | 20 | 175,000 | 0.5 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_32 **Length:** 1.0 **Position:** 98

**Question Name:** CCC_Q32

**Concept:** Medication for high blood pressure - past month

**Question Text:** In the past month have you taken any medicine for high blood pressure?

**Universe:** DHH_AGE > 5



*Totals may not add up due to rounding.*

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 605 | 4,382,500 | 13.6 |
| No | 2 | 4,610 | 26,718,000 | 82.8 |
| Valid skip | 6 | 575 | 1,133,500 | 3.5 |
| Don't know | 7 | 5 | 40,000 | 0.1 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_33 **Length:** 1.0 **Position:** 99

**Question Name:** CCC_Q33

**Concept:** Ever had blood cholesterol measured

**Question Text:** Have you ever had your blood cholesterol measured?

**Universe:** DHH_AGE > 5

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,340 | 18,123,500 | 56.2 |
| No | 2 | 2,645 | 11,829,500 | 36.7 |
| Valid skip | 6 | 575 | 1,133,500 | 3.5 |
| Don't know | 7 | 240 | 1,187,000 | 3.7 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_34 **Length:** 1.0 **Position:** 100

**Question Name:** CCC_Q34

**Concept:** Ever told blood cholesterol high

**Question Text:** Have you ever been told by a health professional that your blood cholesterol was high?

**Universe:** CCC_33 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 750 | 5,192,000 | 16.1 |
| No | 2 | 1,575 | 12,821,500 | 39.7 |
| Valid skip | 6 | 3,215 | 12,962,500 | 40.2 |
| Don't know | 7 | 15 | 110,500 | 0.3 |
| Not stated | 9 | 240 | 1,189,000 | 3.7 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_41 **Length:** 1.0 **Position:** 101

**Question Name:** CCC_Q41

**Concept:** Has chronic bronchitis

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have chronic bronchitis?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 80 | 521,500 | 1.6 |
| No | 2 | 5,705 | 31,605,500 | 97.9 |
| Don't know | 7 | 5 | 148,000 | 0.5 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_42 **Length:** 2.0 **Position:** 102

**Question Name:** CCC_Q42

**Concept:** Chronic bronchitis - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_41 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 00 - 78 | 80 | 512,000 | 1.6 |
| Valid skip | 96 | 5,705 | 31,605,500 | 97.9 |
| Don't know | 97 | 5 | 9,000 | 0.0 |
| Not stated | 99 | 5 | 149,000 | 0.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_43 **Length:** 1.0 **Position:** 104

**Question Name:** CCC_Q43

**Concept:** Has emphysema

**Question Text:** Do you have emphysema?

**Universe:** DHH_AGE > 29

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 15 | 112,000 | 0.3 |
| No | 2 | 2,810 | 20,892,000 | 64.7 |
| Valid skip | 6 | 2,965 | 11,247,500 | 34.8 |
| Don't know | 7 | 5 | 8,500 | 0.0 |
| Not stated | 9 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_44 **Length:** 2.0 **Position:** 105

**Question Name:** CCC_Q44

**Concept:** Emphysema - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_43 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 24 - 73 | 15 | 112,000 | 0.3 |
| Valid skip | 96 | 5,775 | 32,139,500 | 99.6 |
| Not stated | 99 | 5 | 24,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_45 **Length:** 1.0 **Position:** 107

**Question Name:** CCC_Q45

**Concept:** Has chronic obstructive pulmonary disease (COPD)

**Question Text:** Do you have chronic obstructive pulmonary disease (COPD)?

**Universe:** DHH_AGE > 29

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 372,500 | 1.2 |
| No | 2 | 2,780 | 20,625,000 | 63.9 |
| Valid skip | 6 | 2,965 | 11,247,500 | 34.8 |
| Don't know | 7 | 5 | 15,000 | 0.0 |
| Not stated | 9 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_46 **Length:** 2.0 **Position:** 108

**Question Name:** CCC_Q46

**Concept:** Chronic obstructive pulmonary disease - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_45 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 22 - 78 | 45 | 372,500 | 1.2 |
| Valid skip | 96 | 5,745 | 31,872,500 | 98.8 |
| Not stated | 99 | 5 | 30,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_51 **Length:** 1.0 **Position:** 110

**Question Name:** CCC_Q51

**Concept:** Has diabetes

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have diabetes?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 240 | 1,702,500 | 5.3 |
| No | 2 | 5,550 | 30,571,000 | 94.7 |
| Don't know | 7 | 5 | 1,500 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_52A **Length:** 1.0 **Position:** 111

**Question Name:** CCC_Q52

**Concept:** Diabetes - insulin dependant (Type 1)

**Question Text:** Were you diagnosed with: insulin dependent diabetes - Type 1?

**Universe:** CCC_51 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 314,000 | 1.0 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 200 | 1,387,000 | 4.3 |
| Valid skip | 6 | 5,550 | 30,571,000 | 94.7 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_52B **Length:** 1.0 **Position:** 112

**Question Name:** CCC_Q52

**Concept:** Diabetes - non-insulin dependant (Type 2)

**Question Text:** Were you diagnosed with: non-insulin dependent diabetes - Type 2?

**Universe:** CCC_51 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 200 | 1,298,000 | 4.0 |
| No | 2 | 40 | 403,000 | 1.2 |
| Valid skip | 6 | 5,550 | 30,571,000 | 94.7 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_52C **Length:** 1.0 **Position:** 113

**Question Name:** CCC_Q52

**Concept:** Diabetes - gestational

**Question Text:** Were you diagnosed with: gestational diabetes?

**Universe:** CCC_51 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 97,000 | 0.3 |
| No | 2 | 100 | 680,000 | 2.1 |
| Valid skip | 6 | 5,690 | 31,495,500 | 97.6 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_53 **Length:** 2.0 **Position:** 114

**Question Name:** CCC_Q53

**Concept:** Diabetes - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_52A = 1 or CCC_52B = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 02 - 76 | 235 | 1,603,000 | 5.0 |
| Valid skip | 96 | 5,555 | 30,665,000 | 95.0 |
| Don't know | 97 | 5 | 4,500 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_61 **Length:** 1.0 **Position:** 116

**Question Name:** CCC_Q61

**Concept:** Has heart disease

**Question Text:** Do you have heart disease?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 185 | 1,215,500 | 3.8 |
| No | 2 | 5,605 | 31,050,500 | 96.2 |
| Don't know | 7 | 5 | 9,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_62 **Length:** 2.0 **Position:** 117

**Question Name:** CCC_Q62

**Concept:** Heart disease - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_61 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 00 - 79 | 185 | 1,214,500 | 3.8 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 96 | 5,605 | 31,050,500 | 96.2 |
| Not stated | | 99 | 5 | 11,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_63 **Length:** 1.0 **Position:** 119

**Question Name:** CCC_Q63

**Concept:** Ever had a heart attack

**Question Text:** Have you ever been told by a health professional that you have had a heart attack?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 95 | 661,500 | 2.1 |
| No | | 2 | 5,695 | 31,607,000 | 97.9 |
| Don't know | | 7 | 5 | 6,000 | 0.0 |
| Refusal | | 8 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_71 **Length:** 1.0 **Position:** 120

**Question Name:** CCC_Q71

**Concept:** Has cancer

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have cancer?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 65 | 437,500 | 1.4 |
| No | | 2 | 5,730 | 31,838,500 | 98.6 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_72 **Length:** 1.0 **Position:** 121

**Question Name:** CCC_Q72

**Concept:** Ever had cancer

**Question Text:** Have you ever been diagnosed with cancer?

**Universe:** CCC_71 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 195 | 1,577,000 | 4.9 |
| No | 2 | 5,535 | 30,261,500 | 93.8 |
| Valid skip | 6 | 65 | 437,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_73 **Length:** 2.0 **Position:** 122

**Question Name:** CCC_Q73

**Concept:** Cancer - age first diagnosed

**Question Text:** How old were you when this was first diagnosed?

**Universe:** CCC_71 = 1 or CCC_72 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 00 - 79 | 255 | 2,004,500 | 6.2 |
| Valid skip | 96 | 5,535 | 30,261,500 | 93.8 |
| Don't know | 97 | 5 | 3,500 | 0.0 |
| Not stated | 99 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_74A **Length:** 1.0 **Position:** 124

**Question Name:** CCC_Q74

**Concept:** Type of cancer - breast

**Question Text:** What type of cancer [do/did] you have? - Breast

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 317,000 | 1.0 |
| No | 2 | 95 | 698,500 | 2.2 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_74B **Length:** 1.0 **Position:** 125

**Question Name:** CCC_Q74

**Concept:** Type of cancer - colorectal

**Question Text:** What type of cancer [do/did] you have? - Colorectal

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 5 | 27,000 | 0.1 |
| No | | 2 | 135 | 989,000 | 3.1 |
| Valid skip | | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Refusal | | 8 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_74C **Length:** 1.0 **Position:** 126

**Question Name:** CCC_Q74

**Concept:** Type of cancer - skin (melanoma)

**Question Text:** What type of cancer [do/did] you have? - Skin - Melanoma

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 10 | 56,000 | 0.2 |
| No | | 2 | 130 | 960,000 | 3.0 |
| Valid skip | | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Refusal | | 8 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_74D **Length:** 1.0 **Position:** 127

**Question Name:** CCC_Q74

**Concept:** Type of cancer - skin (non-melanoma)

**Question Text:** What type of cancer [do/did] you have? - Skin - Non-melanoma

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 15 | 169,000 | 0.5 |
| No | 2 | 125 | 846,500 | 2.6 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_74E **Length:** 1.0 **Position:** 128

**Question Name:** CCC_Q74

**Concept:** Type of cancer - ovarian

**Question Text:** What type of cancer [do/did] you have? - Ovarian

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 28,500 | 0.1 |
| No | 2 | 135 | 987,500 | 3.1 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_74F **Length:** 1.0 **Position:** 129

**Question Name:** CCC_Q74

**Concept:** Type of cancer - cervical

**Question Text:** What type of cancer [do/did] you have? - Cervical

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 20 | 212,500 | 0.7 |
| No | 2 | 120 | 803,000 | 2.5 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_74G **Length:** 1.0 **Position:** 130

**Question Name:** CCC_Q74

**Concept:** Type of cancer - uterine

**Question Text:** What type of cancer [do/did] you have? - Uterine

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 27,500 | 0.1 |
| No | 2 | 130 | 988,500 | 3.1 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_74H **Length:** 1.0 **Position:** 131

**Question Name:** CCC_Q74

**Concept:** Type of cancer - other

**Question Text:** What type of cancer [do/did] you have? - Other

**Universe:** DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 210,000 | 0.7 |
| No | 2 | 100 | 805,500 | 2.5 |
| Valid skip | 6 | 5,650 | 31,252,500 | 96.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Refusal | 8 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_75A **Length:** 1.0 **Position:** 132

**Question Name:** CCC_Q75

**Concept:** Type of cancer - prostate

**Question Text:** What type of cancer [do/did] you have? - Prostate

**Universe:** DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 35 | 210,500 | 0.7 |
| No | 2 | 75 | 748,000 | 2.3 |
| Valid skip | 6 | 5,680 | 31,284,500 | 96.9 |
| Not stated | 9 | 5 | 32,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_75B **Length:** 1.0 **Position:** 133

**Question Name:** CCC_Q75

**Concept:** Type of cancer - colorectal

**Question Text:** What type of cancer [do/did] you have? - Colorectal

**Universe:** DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 68,000 | 0.2 |
| No | 2 | 100 | 890,500 | 2.8 |
| Valid skip | 6 | 5,680 | 31,284,500 | 96.9 |
| Not stated | 9 | 5 | 32,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_75C **Length:** 1.0 **Position:** 134

**Question Name:** CCC_Q75

**Concept:** Type of cancer - skin (melanoma)

**Question Text:** What type of cancer [do/did] you have? - Skin - Melanoma

**Universe:** DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 44,000 | 0.1 |
| No | 2 | 105 | 914,500 | 2.8 |
| Valid skip | 6 | 5,680 | 31,284,500 | 96.9 |
| Not stated | 9 | 5 | 32,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_75D **Length:** 1.0 **Position:** 135

**Question Name:** CCC_Q75

**Concept:** Type of cancer - skin (non-melanoma)

**Question Text:** What type of cancer [do/did] you have? - Skin - non-melanoma

**Universe:** DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 15 | 196,500 | 0.6 |
| No | 2 | 95 | 762,500 | 2.4 |
| Valid skip | 6 | 5,680 | 31,284,500 | 96.9 |
| Not stated | 9 | 5 | 32,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_75E **Length:** 1.0 **Position:** 136

**Question Name:** CCC_Q75

**Concept:** Type of cancer - other

**Question Text:** What type of cancer [do/did] you have? - Other

**Universe:** DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 456,500 | 1.4 |
| No | 2 | 70 | 502,000 | 1.6 |
| Valid skip | 6 | 5,680 | 31,284,500 | 96.9 |
| Not stated | 9 | 5 | 32,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_81 **Length:** 1.0 **Position:** 137

**Question Name:** CCC_Q81

**Concept:** Suffers from the effects of a stroke

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you suffer from the effects of a stroke?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 247,000 | 0.8 |
| No | 2 | 4,145 | 28,666,500 | 88.8 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_82 **Length:** 1.0 **Position:** 138

**Question Name:** CCC_Q82

**Concept:** Has a thyroid condition

**Question Text:** Do you have a thyroid condition?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 275 | 2,110,500 | 6.5 |
| No | 2 | 3,910 | 26,775,500 | 83.0 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 32,000 | 0.1 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_83 **Length:** 1.0 **Position:** 139

**Question Name:** CCC_Q83

**Concept:** Has a mood disorder

**Question Text:** Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

**Universe:** All respondents

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 415 | 3,398,000 | 10.5 |
| No | | 2 | 5,375 | 28,856,000 | 89.4 |
| Don't know | | 7 | 5 | 21,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_91 **Length:** 1.0 **Position:** 140

**Question Name:** CCC_Q91

**Concept:** Has eating disorder

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have an eating disorder such as anorexia or bulimia?

**Universe:** DHH_AGE > 5

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 15 | 213,000 | 0.7 |
| No | | 2 | 5,205 | 30,917,500 | 95.8 |
| Valid skip | | 6 | 575 | 1,133,500 | 3.5 |
| Don't know | | 7 | 5 | 9,500 | 0.0 |
| Not stated | | 9 | 5 | 2,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_92 **Length:** 1.0 **Position:** 141

**Question Name:** CCC_Q92

**Concept:** Has kidney dysfunction or disease

**Question Text:** Do you suffer from kidney dysfunction or disease?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 75 | 456,000 | 1.4 |
| No | | 2 | 4,110 | 28,455,000 | 88.2 |
| Valid skip | | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 7 | 5 | 7,500 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_93 **Length:** 1.0 **Position:** 142

**Question Name:** CCC_Q93

**Concept:** Has liver disease or gallbladder problems

**Question Text:** Do you have liver disease or gallbladder problems?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 75 | 587,500 | 1.8 |
| No | 2 | 4,110 | 28,263,000 | 87.6 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 19,500 | 0.1 |
| Refusal | 8 | 5 | 48,500 | 0.1 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_94A **Length:** 1.0 **Position:** 143

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Hepatitis A

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Hepatitis A

**Universe:** CCC_93 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 50,500 | 0.2 |
| No | 2 | 65 | 526,500 | 1.6 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_94B **Length:** 1.0 **Position:** 144

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Hepatitis B

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Hepatitis B

**Universe:** CCC_93 = 1

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 4,500 | 0.0 |
| No | 2 | 70 | 572,500 | 1.8 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_94C **Length:** 1.0 **Position:** 145

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Hepatitis C

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Hepatitis C

**Universe:** CCC_93 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 15 | 184,000 | 0.6 |
| No | 2 | 55 | 393,000 | 1.2 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_94D **Length:** 1.0 **Position:** 146

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Jaundice

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Jaundice

**Universe:** CCC_93 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 17,500 | 0.1 |
| No | 2 | 70 | 559,000 | 1.7 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_94E **Length:** 1.0 **Position:** 147

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Cirrhosis

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Cirrhosis

**Universe:** CCC_93 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 32,500 | 0.1 |
| No | 2 | 65 | 544,000 | 1.7 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_94F **Length:** 1.0 **Position:** 148

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Gallstones

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Gallstones

**Universe:** CCC_93 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 20 | 189,500 | 0.6 |
| No | 2 | 50 | 387,000 | 1.2 |
| Valid skip | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | 7 | 5 | 11,000 | 0.0 |
| Not stated | 9 | 5 | 71,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_94G **Length:** 1.0 **Position:** 149

**Question Name:** CCC_Q94

**Concept:** Liver disease or gallbladder problem - Other

**Question Text:** What kind of liver disease or gallbladder problem do you have? - Other

**Universe:** CCC_93 = 1

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 25 | 109,000 | 0.3 |
| No | | 2 | 50 | 467,500 | 1.4 |
| Valid skip | | 6 | 5,715 | 31,616,500 | 98.0 |
| Don't know | | 7 | 5 | 11,000 | 0.0 |
| Not stated | | 9 | 5 | 71,500 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_95 **Length:** 1.0 **Position:** 150

**Question Name:** CCC_Q95

**Concept:** Has hepatitis

**Question Text:** Do you have hepatitis?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 45 | 537,500 | 1.7 |
| No | | 2 | 5,745 | 31,703,000 | 98.2 |
| Don't know | | 7 | 5 | 35,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_96A **Length:** 1.0 **Position:** 151

**Question Name:** CCC_Q96

**Concept:** Type of hepatitis - A

**Question Text:** What type of hepatitis do you have? - Hepatitis A

**Universe:** CCC_95 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 10 | 181,500 | 0.6 |
| No | | 2 | 25 | 314,500 | 1.0 |
| Valid skip | | 6 | 5,745 | 31,703,000 | 98.2 |
| Don't know | | 7 | 5 | 41,000 | 0.1 |
| Not stated | | 9 | 5 | 35,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_96B **Length:** 1.0 **Position:** 152

**Question Name:** CCC_Q96

**Concept:** Type of hepatitis - B

**Question Text:** What type of hepatitis do you have? - Hepatitis B

**Universe:** CCC_95 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 31,000 | 0.1 |
| No | 2 | 30 | 465,500 | 1.4 |
| Valid skip | 6 | 5,745 | 31,703,000 | 98.2 |
| Don't know | 7 | 5 | 41,000 | 0.1 |
| Not stated | 9 | 5 | 35,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_96C **Length:** 1.0 **Position:** 153

**Question Name:** CCC_Q96

**Concept:** Type of hepatitis - C

**Question Text:** What type of hepatitis do you have? - Hepatitis C

**Universe:** CCC_95 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 20 | 292,000 | 0.9 |
| No | 2 | 20 | 204,000 | 0.6 |
| Valid skip | 6 | 5,745 | 31,703,000 | 98.2 |
| Don't know | 7 | 5 | 41,000 | 0.1 |
| Not stated | 9 | 5 | 35,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCC_97 **Length:** 1.0 **Position:** 154

**Question Name:** CCC_Q97

**Concept:** Has developmental disability/disorder

**Question Text:** Has a doctor, psychologist or other health care professional ever said that you had a developmental disability or disorder?

**Universe:** All respondents

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 75 | 394,500 | 1.2 |
| No | | 2 | 5,715 | 31,875,000 | 98.8 |
| Don't know | | 7 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_98 **Length:** 1.0 **Position:** 155

**Question Name:** CCC_Q98

**Concept:** Has Attention Deficit Disorder

**Question Text:** Do you have Attention Deficit Disorder?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 275 | 1,376,500 | 4.3 |
| No | | 2 | 5,515 | 30,893,500 | 95.7 |
| Don't know | | 7 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_99 **Length:** 1.0 **Position:** 156

**Question Name:** CCC_Q99

**Concept:** Has learning disability

**Question Text:** (Remember, we're interested in conditions diagnosed by a health professional.) Do you have a learning disability?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 225 | 1,215,000 | 3.8 |
| No | | 2 | 5,560 | 31,034,500 | 96.2 |
| Don't know | | 7 | 5 | 26,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CCC_101 **Length:** 1.0 **Position:** 157

**Question Name:** CCC_Q101

**Concept:** Other long term physical or mental health condition

**Question Text:** Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 840 | 5,785,500 | 17.9 |
| No | 2 | 4,950 | 26,489,000 | 82.1 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CCCF1 **Length:** 1.0 **Position:** 158

**Question Name:**

**Concept:** Has a chronic condition - (F)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,785 | 18,457,500 | 57.2 |
| No | 2 | 2,685 | 11,888,000 | 36.8 |
| Not stated | 9 | 325 | 1,930,000 | 6.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_11 **Length:** 1.0 **Position:** 159

**Question Name:** FMH_Q11

**Concept:** Immediate family member ever diagnosed with heart disease

**Question Text:** Has anyone in your immediate family ever been diagnosed with heart disease, including heart attack or angina?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,370 | 9,735,000 | 30.2 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| No | | 2 | 4,320 | 21,667,500 | 67.1 |
| Don't know | | 7 | 100 | 858,000 | 2.7 |
| Not stated | | 9 | 5 | 15,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_12 **Length:** 3.0 **Position:** 160

**Question Name:** FMH_Q12

**Concept:** Youngest age - immediate family diagnosed with heart disease

**Question Text:** What is the youngest age at which a member of your immediate family was first diagnosed with heart disease?

**Universe:** FMH_11 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Years | | 000 - 098 | 1,320 | 9,318,500 | 28.9 |
| Valid skip | | 996 | 4,320 | 21,667,500 | 67.1 |
| Don't know | | 997 | 50 | 416,500 | 1.3 |
| Not stated | | 999 | 110 | 873,500 | 2.7 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_13 **Length:** 1.0 **Position:** 163

**Question Name:** FMH_Q13

**Concept:** Immediate family member ever had stroke

**Question Text:** Has anyone in your immediate family ever had a stroke?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 625 | 4,589,500 | 14.2 |
| No | | 2 | 5,065 | 26,969,500 | 83.6 |
| Don't know | | 7 | 95 | 701,000 | 2.2 |
| Not stated | | 9 | 5 | 15,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** FMH_14 **Length:** 3.0 **Position:** 164

**Question Name:** FMH_Q14

**Concept:** Youngest age - immediate family member had stroke

**Question Text:** What is the youngest age at which a member of your immediate family had a stroke?

**Universe:** FMH_13 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 103 | 605 | 4,447,500 | 13.8 |
| Valid skip | 996 | 5,065 | 26,969,500 | 83.6 |
| Don't know | 997 | 20 | 142,000 | 0.4 |
| Not stated | 999 | 105 | 716,500 | 2.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** FMH_15 **Length:** 1.0 **Position:** 167

**Question Name:** FMH_Q15

**Concept:** Immediate family member ever had high blood pressure

**Question Text:** Has anyone in your immediate family ever had high blood pressure, excluding during pregnancy?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,020 | 14,046,000 | 43.5 |
| No | 2 | 3,480 | 16,217,500 | 50.2 |
| Don't know | 7 | 285 | 1,997,000 | 6.2 |
| Not stated | 9 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** FMH_16 **Length:** 3.0 **Position:** 168

**Question Name:** FMH_Q16



*Totals may not add up due to rounding.*

**Concept:** Youngest age - immediate family member - high blood pressure

**Question Text:** What is the youngest age at which a member of your immediate family was first diagnosed with high blood pressure?

**Universe:** FMH_15 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 001 - 095 | 1,735 | 11,668,000 | 36.2 |
| Valid skip | 996 | 3,480 | 16,217,500 | 50.2 |
| Don't know | 997 | 290 | 2,377,500 | 7.4 |
| Not stated | 999 | 295 | 2,012,500 | 6.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_17 **Length:** 1.0 **Position:** 171

**Question Name:** FMH_Q17

**Concept:** Immediate family member had arthritis

**Question Text:** Has anyone in your immediate family ever had arthritis?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,420 | 9,065,000 | 28.1 |
| No | 2 | 4,200 | 21,853,000 | 67.7 |
| Don't know | 7 | 165 | 1,342,000 | 4.2 |
| Not stated | 9 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_18 **Length:** 3.0 **Position:** 172

**Question Name:** FMH_Q18

**Concept:** Youngest age - immediate family member - arthritis

**Question Text:** What is the youngest age at which a member of your immediate family was first diagnosed with arthritis?

**Universe:** FMH_17 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 001 - 092 | 1,200 | 7,370,500 | 22.8 |
| Valid skip | 996 | 4,200 | 21,853,000 | 67.7 |
| Don't know | 997 | 225 | 1,683,000 | 5.2 |
| Not stated | 999 | 175 | 1,369,500 | 4.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_19 **Length:** 1.0 **Position:** 175

**Question Name:** FMH_Q19

**Concept:** Immediate family had diabetes

**Question Text:** Has anyone in your immediate family ever had diabetes, excluding during pregnancy?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,155 | 8,541,000 | 26.5 |
| No | 2 | 4,535 | 23,120,000 | 71.6 |
| Don't know | 7 | 100 | 599,000 | 1.9 |
| Not stated | 9 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_21 **Length:** 1.0 **Position:** 176

**Question Name:** FMH_Q21

**Concept:** Type of diabetes

**Question Text:** Was this: insulin dependent diabetes (Type 1), non-insulin dependent diabetes (Type 2) or both?

**Universe:** FMH_19 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household



*Totals may not add up due to rounding.*

interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Insulin dependent diabetes - Type 1 | 1 | 250 | 1,839,500 | 5.7 |
| Non-insulin dependent diabetes - Type 2 | 2 | 785 | 5,663,000 | 17.5 |
| Both | 3 | 45 | 423,500 | 1.3 |
| Valid skip | 6 | 4,535 | 23,120,000 | 71.6 |
| Don't know | 7 | 75 | 615,500 | 1.9 |
| Not stated | 9 | 105 | 614,500 | 1.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_22 **Length:** 3.0 **Position:** 177

**Question Name:** FMH_Q22

**Concept:** Youngest age - immediate family member - diabetes

**Question Text:** What is the youngest age at which a member of your immediate family was first diagnosed with diabetes?

**Universe:** FMH_19 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 092 | 1,065 | 7,775,500 | 24.1 |
| Valid skip | 996 | 4,535 | 23,120,000 | 71.6 |
| Don't know | 997 | 90 | 766,000 | 2.4 |
| Not stated | 999 | 105 | 614,500 | 1.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** FMH_23 **Length:** 1.0 **Position:** 180

**Question Name:** FMH_Q23

**Concept:** Immediate family had asthma

**Question Text:** Has anyone in your immediate family ever had asthma?

**Universe:** All respondents

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 1,265 | 6,771,000 | 21.0 |
| No | | 2 | 4,430 | 24,835,000 | 76.9 |
| Don't know | | 7 | 90 | 654,000 | 2.0 |
| Not stated | | 9 | 5 | 15,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** FMH_24 **Length:** 1.0 **Position:** 181

**Question Name:** FMH_Q24

**Concept:** Parents diagnosed with asthma

**Question Text:** Was it one of your parents that was diagnosed with asthma?

**Universe:** FMH_23 = 1

**Note:** In households with two selected respondents who were full birth siblings this question was asked for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 705 | 3,515,000 | 10.9 |
| No | | 2 | 550 | 3,208,500 | 9.9 |
| Valid skip | | 6 | 4,430 | 24,835,000 | 76.9 |
| Don't know | | 7 | 10 | 45,000 | 0.1 |
| Not stated | | 9 | 100 | 672,500 | 2.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PLM_11 **Length:** 1.0 **Position:** 182

**Question Name:** PLM_Q11

**Concept:** Cough with phlegm - 3 months or more / past year

**Question Text:** During the past year, that is from [date one year ago] to yesterday, have you had a cough where you brought up phlegm that lasted 3 months or more?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 265 | 1,658,000 | 5.1 |
| No | | 2 | 5,520 | 30,593,000 | 94.8 |
| Don't know | | 7 | 5 | 24,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** PLM_12 **Length:** 1.0 **Position:** 183

**Question Name:** PLM_Q12

**Concept:** Cough with phlegm - 3 months or more / year before past year

**Question Text:** During the previous year, that is from [date two years ago] to [date one year ago], did you have a cough where you brought up phlegm that lasted 3 months or more?

**Universe:** PLM_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 140 | 904,000 | 2.8 |
| No | 2 | 125 | 751,000 | 2.3 |
| Valid skip | 6 | 5,520 | 30,593,000 | 94.8 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 24,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HEP_12 **Length:** 1.0 **Position:** 184

**Question Name:** HEP_Q12

**Concept:** Ever received complete series of hepatitis B vaccines

**Question Text:** Hepatitis B vaccinations usually come in a 2 or 3 dose series. Have you received a complete series of hepatitis B vaccines?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,625 | 15,381,500 | 47.7 |
| No | 2 | 2,755 | 14,655,500 | 45.4 |
| Don't know | 7 | 415 | 2,239,000 | 6.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HEP_13 **Length:** 1.0 **Position:** 185

**Question Name:** HEP_Q13

**Concept:** Received blood transfusion in Canada before 1990

**Question Text:** Did you receive a blood transfusion in Canada before 1990?

**Universe:** DHH_AGE > C2_YEAR - 1990

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 130 | 1,043,500 | 3.2 |
| No | | 2 | 2,830 | 21,553,000 | 66.8 |
| Valid skip | | 6 | 2,795 | 9,298,500 | 28.8 |
| Don't know | | 7 | 40 | 359,500 | 1.1 |
| Not stated | | 9 | 5 | 21,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWT_1N **Length:** 1.0 **Position:** 186

**Question Name:** HWT_Q1

**Concept:** Height - unit of measure in feet and inches, in cm / self-reported

**Question Text:** The next questions are about height and weight. How tall are you without shoes on?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Feet and inches | | 1 | 4,335 | 26,074,000 | 80.8 |
| Centimetres | | 2 | 800 | 4,459,000 | 13.8 |
| Don't know | | 7 | 655 | 1,742,500 | 5.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWT_1A **Length:** 2.0 **Position:** 187

**Question Name:** HWT_N1A

**Concept:** Height - feet / self-reported

**Question Text:** Interviewer: Enter feet only.

**Universe:** HWT_1N = 1

**Note:** This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Feet | | 00 - 06 | 4,335 | 26,074,000 | 80.8 |
| Valid skip | | 96 | 800 | 4,459,000 | 13.8 |
| Not stated | | 99 | 655 | 1,742,500 | 5.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWT_1B **Length:** 5.2 **Position:** 189

**Question Name:** HWT_N1B



*Totals may not add up due to rounding.*

**Concept:** Height - inches / self-reported

**Question Text:** Interviewer: Enter inches only, to the nearest quarter of an inch.

**Universe:** HWT_1N = 1

**Note:** This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Inches | 00.00 - 62.00 | 4,335 | 26,074,000 | 80.8 |
| Valid skip | 99.96 | 800 | 4,459,000 | 13.8 |
| Not stated | 99.99 | 655 | 1,742,500 | 5.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWT_1C **Length:** 6.2 **Position:** 194

**Question Name:** HWT_N1C

**Concept:** Height - centimetres / self-reported

**Question Text:** Interviewer: Record the height to the nearest half centimetre.

**Universe:** HWT_1N = 2

**Note:** This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Centimetres | 050.00 - 200.00 | 800 | 4,459,000 | 13.8 |
| Valid skip | 999.96 | 4,335 | 26,074,000 | 80.8 |
| Not stated | 999.99 | 655 | 1,742,500 | 5.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWT_3 **Length:** 5.1 **Position:** 200

**Question Name:**

**Concept:** Weight / self-reported

**Question Text:** How much do you weigh?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Weight | 012.0 - 401.0 | 5,405 | 30,906,500 | 95.8 |
| Don’t know | 999.7 | 385 | 1,356,000 | 4.2 |
| Refusal | 999.8 | 5 | 6,500 | 0.0 |
| Not stated | 999.9 | 5 | 6,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HWT_3N **Length:** 1.0 **Position:** 205

**Question Name:**

**Concept:** Weight - unit of measure in pounds or kilograms / self-reported

**Question Text:** Interviewer: Was that in pounds or in kilograms?

**Universe:** All respondents

**Note:** This question was coded as "not stated" if a valid answer was not provided at HWT_3.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Pounds | 1 | 4,795 | 27,636,500 | 85.6 |
| Kilograms | 2 | 610 | 3,270,000 | 10.1 |
| Not stated | 9 | 385 | 1,369,000 | 4.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HWT_4 **Length:** 1.0 **Position:** 206

**Question Name:** HWT_Q4

**Concept:** Respondent’s opinion of own weight / self-reported

**Question Text:** Do you consider yourself: ( overweight, underweight or just about right)?

**Universe:** DHH_AGE > 11

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were
coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Overweight | 1 | 1,830 | 13,855,000 | 42.9 |
| Underweight | 2 | 180 | 1,162,500 | 3.6 |
| Just about right | 3 | 2,145 | 13,722,000 | 42.5 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don’t know | 7 | 5 | 76,000 | 0.2 |
| Not stated | 9 | 30 | 106,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HWTDCM **Length:** 5.1 **Position:** 207

**Question Name:**

**Concept:** Height (centimetres) / self-reported - (D)

**Question Text:**

**Universe:** All respondents



*Totals may not add up due to rounding.*

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Height in centimetres | 050.0 - 200.0 | 5,140 | 30,533,000 | 94.6 |
| Not stated | 999.9 | 655 | 1,742,500 | 5.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDIN **Length:** 5.2 **Position:** 212

**Question Name:**

**Concept:** Height (inches) / self-reported - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Inches | 20.00 - 79.00 | 5,140 | 30,533,000 | 94.6 |
| Not stated | 99.99 | 655 | 1,742,500 | 5.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDHTM **Length:** 4.2 **Position:** 217

**Question Name:**

**Concept:** Height (metres) / self-reported - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Height in metres | 0.50 - 2.00 | 5,140 | 30,533,000 | 94.6 |
| Not stated | 9.99 | 655 | 1,742,500 | 5.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDKG **Length:** 3.0 **Position:** 221

**Question Name:**

**Concept:** Weight (kilograms) / self-reported - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Weight in kilograms | 011 - 182 | 5,405 | 30,906,500 | 95.8 |
| Not stated | 999 | 385 | 1,369,000 | 4.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDLB **Length:** 3.0 **Position:** 224

**Question Name:**

**Concept:** Weight (pounds) / self-reported - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Weight in pounds | 025 - 401 | 5,405 | 30,906,500 | 95.8 |
| Not stated | 999 | 385 | 1,369,000 | 4.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDBMI **Length:** 5.2 **Position:** 227

**Question Name:**

**Concept:** Body Mass Index / self-reported - (D)

**Question Text:**

**Universe:** PRS_11 = 2, VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Body Mass Index score | 08.56 - 62.48 | 4,920 | 29,485,000 | 91.4 |
| Valid skip | 99.96 | 30 | 245,000 | 0.8 |
| Not stated | 99.99 | 845 | 2,546,000 | 7.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDBMIA **Length:** 2.0 **Position:** 232



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** BMI norms, 18 or older / self-reported - (D)

**Question Text:**

**Universe:** DHH_AGE > 17 and PRS_11 = 2, VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Underweight | 01 | 50 | 325,000 | 1.0 |
| Normal weight | 02 | 1,230 | 9,739,500 | 30.2 |
| Overweight | 03 | 1,180 | 9,678,000 | 30.0 |
| Obese - Class I | 04 | 530 | 3,754,500 | 11.6 |
| Obese - Class II | 05 | 170 | 1,331,000 | 4.1 |
| Obese - Class III | 06 | 100 | 808,500 | 2.5 |
| Valid skip | 96 | 2,425 | 5,907,500 | 18.3 |
| Not stated | 99 | 115 | 731,000 | 2.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDBMIK **Length:** 1.0 **Position:** 234

**Question Name:**

**Concept:** BMI norms, 3 to 17 years old / self-reported - (D)

**Question Text:**

**Universe:** 2 < DHH_AGE < 18 and PRS_11 = 2, VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Underweight | 1 | 135 | 343,000 | 1.1 |
| Normal weight | 2 | 1,065 | 2,458,000 | 7.6 |
| Overweight | 3 | 200 | 447,000 | 1.4 |
| Obese | 4 | 260 | 596,000 | 1.8 |
| Valid skip | 6 | 3,400 | 26,612,500 | 82.5 |
| Not stated | 9 | 735 | 1,819,000 | 5.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDCOL **Length:** 1.0 **Position:** 235

**Question Name:**

**Concept:** BMI classification (3 to 18 years) / self-reported - Cole system - (D)

**Question Text:**

**Universe:** 2 < DHH_AGE < 18 and PRS_11 = 2, VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Neither overweight nor obese | 1 | 1,320 | 3,238,500 | 10.0 |
| Overweight | 2 | 275 | 582,000 | 1.8 |
| Obese | 3 | 180 | 462,500 | 1.4 |
| Valid skip | 6 | 3,275 | 26,106,000 | 80.9 |
| Not stated | 9 | 745 | 1,886,500 | 5.8 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDWHOP **Length:** 1.0 **Position:** 236

**Question Name:**

**Concept:** BMI classification (3 to 5 years old) / self-reported - WHO - (D)

**Question Text:**

**Universe:** 2 < DHH_AGE <= 5

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Thinness | 1 | 10 | 23,000 | 0.1 |
| Normal | 2 | 130 | 222,500 | 0.7 |
| At risk of overweight | 3 | 40 | 72,500 | 0.2 |
| Overweight | 4 | 35 | 52,500 | 0.2 |
| Obese | 5 | 25 | 55,000 | 0.2 |
| Valid skip | 6 | 5,400 | 31,515,000 | 97.6 |
| Not stated | 9 | 150 | 335,500 | 1.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HWTDWHOK **Length:** 1.0 **Position:** 237

**Question Name:**

**Concept:** BMI classification (5 to 18 years old) / self-reported - WHO - (D)

**Question Text:**

**Universe:** 4 < DHH_AGE < 19 and PRS_11 = 2

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Thinness | 1 | 60 | 169,500 | 0.5 |
| Normal | 2 | 1,010 | 2,556,500 | 7.9 |
| Overweight | 3 | 255 | 618,500 | 1.9 |
| Obese | 4 | 205 | 513,000 | 1.6 |
| Valid skip | 6 | 3,670 | 26,865,500 | 83.2 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 9 | 595 | 1,552,000 | 4.8 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_11 **Length:** 3.0 **Position:** 238

**Question Name:**

**Concept:** Eats red meat - number of times

**Question Text:** How often do you usually eat red meat, such as beef, hamburger, pork or lamb?

**Universe:** All respondents

**Note:** This includes wild red meat such as bear, elk, venison or bison.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 040 | 5,790 | 32,261,000 | 100.0 |
| Don't know | | 997 | 5 | 14,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_11N **Length:** 1.0 **Position:** 241

**Question Name:**

**Concept:** Eats red meat - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_11 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 400 | 2,325,500 | 7.2 |
| Per week | | 2 | 4,590 | 25,150,000 | 77.9 |
| Per month | | 3 | 540 | 3,218,500 | 10.0 |
| Per year | | 4 | 55 | 290,000 | 0.9 |
| Valid skip | | 6 | 205 | 1,277,000 | 4.0 |
| Not stated | | 9 | 5 | 14,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFCD11Y **Length:** 4.0 **Position:** 242

**Question Name:**

**Concept:** Eats red meat - times per year - (D)

**Question Text:**

**Universe:** MFC_11 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1095 | 5,790 | 32,261,000 | 100.0 |
| Not stated | | 9999 | 5 | 14,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_12 **Length:** 3.0 **Position:** 246

**Question Name:**

**Concept:** Eats liver - number of times

**Question Text:** How often do you usually eat liver, including all types of liver such as beef, veal, pork or chicken, but excluding liverwurst and liver pâté?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 021 | 5,795 | 32,273,000 | 100.0 |
| Don’t know | | 997 | 5 | 2,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_12N **Length:** 1.0 **Position:** 249

**Question Name:**

**Concept:** Eats liver - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_12 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per week | | 2 | 70 | 534,000 | 1.7 |
| Per month | | 3 | 425 | 2,703,000 | 8.4 |
| Per year | | 4 | 620 | 4,550,500 | 14.1 |
| Valid skip | | 6 | 4,680 | 24,485,000 | 75.9 |
| Not stated | | 9 | 5 | 2,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** MFCD12Y **Length:** 4.0 **Position:** 250

**Question Name:**

**Concept:** Eats liver - times per year - (D)

**Question Text:**

**Universe:** MFC_12 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0156 | 5,795 | 32,273,000 | 100.0 |
| Not stated | 9999 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_14 **Length:** 3.0 **Position:** 254

**Question Name:**

**Concept:** Eats beef or pork hot dogs - number of times

**Question Text:** How often do you usually eat beef or pork hot dogs?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 090 | 5,790 | 32,259,000 | 99.9 |
| Don’t know | 997 | 5 | 16,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_14N **Length:** 1.0 **Position:** 257

**Question Name:**

**Concept:** Eats beef or pork hot dogs - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_14 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 10 | 87,500 | 0.3 |
| Per week | 2 | 950 | 4,173,500 | 12.9 |
| Per month | 3 | 2,110 | 11,478,500 | 35.6 |


*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per year | | 4 | 1,190 | 7,367,000 | 22.8 |
| Valid skip | | 6 | 1,535 | 9,152,000 | 28.4 |
| Not stated | | 9 | 5 | 16,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFCD14Y **Length:** 4.0 **Position:** 258

**Question Name:**

**Concept:** Eats beef or pork hot dogs - times per year - (D)

**Question Text:**

**Universe:** MFC_14 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 0730 | 5,790 | 32,259,000 | 99.9 |
| Not stated | | 9999 | 5 | 16,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_15 **Length:** 3.0 **Position:** 262

**Question Name:**

**Concept:** Eats sausage or bacon - number of times

**Question Text:** How often do you usually eat sausage or bacon, including all types of sausages such as breakfast, pepperoni and Kielbasa but excluding low-fat, light or turkey varieties?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 064 | 5,795 | 32,253,500 | 99.9 |
| Don’t know | | 997 | 5 | 22,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_15N **Length:** 1.0 **Position:** 265

**Question Name:**

**Concept:** Eats sausage or bacon - reporting period

**Question Text:** Interviewer: Select the reporting period.



*Totals may not add up due to rounding.*

**Universe:** MFC_15 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 65 | 332,500 | 1.0 |
| Per week | 2 | 2,365 | 13,301,500 | 41.2 |
| Per month | 3 | 2,155 | 11,383,000 | 35.3 |
| Per year | 4 | 385 | 2,325,500 | 7.2 |
| Valid skip | 6 | 820 | 4,911,500 | 15.2 |
| Not stated | 9 | 5 | 22,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFCD15Y **Length:** 4.0 **Position:** 266

**Question Name:**

**Concept:** Eats sausage or bacon - times per year - (D)

**Question Text:**

**Universe:** MFC_15 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 5,795 | 32,253,500 | 99.9 |
| Not stated | 9999 | 5 | 22,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_19A **Length:** 3.0 **Position:** 270

**Question Name:**

**Concept:** Eats eggs/egg dishes - number of times

**Question Text:** How often do you usually eat eggs and egg dishes that include the yolk? Please exclude all egg dishes made with only egg whites. Egg dishes could include such things as eggs, omelette, frittata or quiche.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 120 | 5,795 | 32,274,500 | 100.0 |
| Don't know | 997 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_19AN **Length:** 1.0 **Position:** 273

**Question Name:**

**Concept:** Eats eggs/egg dishes - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_19A < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 410 | 2,156,500 | 6.7 |
| Per week | 2 | 3,990 | 22,396,500 | 69.4 |
| Per month | 3 | 895 | 5,193,000 | 16.1 |
| Per year | 4 | 85 | 586,000 | 1.8 |
| Valid skip | 6 | 420 | 1,942,500 | 6.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFCD19AY **Length:** 4.0 **Position:** 274

**Question Name:**

**Concept:** Eats eggs/egg dishes - times per year - (D)

**Question Text:**

**Universe:** MFC_19A < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 2555 | 5,795 | 32,274,500 | 100.0 |
| Not stated | 9999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_19B **Length:** 3.0 **Position:** 278

**Question Name:**

**Concept:** Eats egg made with omega-3 enriched - number of times

**Question Text:** How often do you usually eat eggs and egg dishes that are made with omega-3 enriched eggs? Please exclude all egg dishes made with only egg whites.

**Universe:** 0 < MFC_19A < VS

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 030 | 5,100 | 28,679,500 | 88.9 |
| Valid skip | 996 | 420 | 1,942,500 | 6.0 |
| Don't know | 997 | 275 | 1,652,500 | 5.1 |
| Not stated | 999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_19BN **Length:** 1.0 **Position:** 281

**Question Name:**

**Concept:** Eats eggs omega-3 enriched - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_19B < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 70 | 251,500 | 0.8 |
| Per week | 2 | 785 | 4,559,500 | 14.1 |
| Per month | 3 | 325 | 1,654,000 | 5.1 |
| Per year | 4 | 80 | 644,000 | 2.0 |
| Valid skip | 6 | 4,260 | 23,513,500 | 72.9 |
| Not stated | 9 | 275 | 1,653,500 | 5.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFCD19BY **Length:** 4.0 **Position:** 282

**Question Name:**

**Concept:** Eats eggs omega-3 enriched - times per year - (D)

**Question Text:**

**Universe:** MFC_19B < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0365 | 5,100 | 28,679,500 | 88.9 |
| Valid skip | 9996 | 420 | 1,942,500 | 6.0 |
| Not stated | 9999 | 275 | 1,653,500 | 5.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_20 **Length:** 3.0 **Position:** 286

**Question Name:**

**Concept:** Eats cooked dried beans - number of times

**Question Text:** How often do you usually eat cooked dried beans, such as refried beans, baked beans, pea soup or kidney beans, excluding green and yellow beans?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 090 | 5,790 | 32,263,500 | 100.0 |
| Don't know | 997 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFC_20N **Length:** 1.0 **Position:** 289

**Question Name:**

**Concept:** Eats cooked dried beans - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_20 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 100 | 742,500 | 2.3 |
| Per week | 2 | 2,025 | 12,064,000 | 37.4 |
| Per month | 3 | 1,845 | 9,914,500 | 30.7 |
| Per year | 4 | 445 | 3,019,500 | 9.4 |
| Valid skip | 6 | 1,375 | 6,523,500 | 20.2 |
| Not stated | 9 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MFCD20Y **Length:** 4.0 **Position:** 290

**Question Name:**

**Concept:** Eats cooked dried beans - times per year - (D)

**Question Text:**

**Universe:** MFC_20 < VS

**Note:** See document on derived variables.

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1095 | 5,790 | 32,263,500 | 100.0 |
| Not stated | | 9999 | 5 | 12,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_21 **Length:** 3.0 **Position:** 294

**Question Name:**

**Concept:** Eats nuts - number of times

**Question Text:** How often do you usually eat peanuts, walnuts, seeds or other nuts, excluding nut butters such as peanut butter?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 130 | 5,790 | 32,269,500 | 100.0 |
| Don't know | | 997 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFC_21N **Length:** 1.0 **Position:** 297

**Question Name:**

**Concept:** Eats nuts - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MFC_21 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 630 | 4,598,500 | 14.2 |
| Per week | | 2 | 2,250 | 12,585,000 | 39.0 |
| Per month | | 3 | 1,455 | 8,166,500 | 25.3 |
| Per year | | 4 | 320 | 2,068,500 | 6.4 |
| Valid skip | | 6 | 1,140 | 4,851,500 | 15.0 |
| Not stated | | 9 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MFCD21Y **Length:** 4.0 **Position:** 298

**Question Name:**

**Concept:** Eats nuts - times per year - (D)

**Question Text:**

**Universe:** MFC_21 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1095 | 5,790 | 32,269,500 | 100.0 |
| Not stated | 9999 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_01 **Length:** 3.0 **Position:** 302

**Question Name:**

**Concept:** Drinks/uses enriched milk substitutes - number of times

**Question Text:** How often do you drink enriched milk substitutes such as enriched soya, rice or almond milk, or use them on cereal? (For example: twice a day, three times a week, once a month).

**Universe:** All respondents

**Note:** This includes only milk substitutes that have been enriched with vitamins and minerals. Milk substitutes added to coffee or tea are not included.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 040 | 5,795 | 32,275,500 | 100.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_01N **Length:** 1.0 **Position:** 305

**Question Name:**

**Concept:** Drinks/uses enriched milk substitutes - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < MDC_01 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 305 | 2,130,000 | 6.6 |
| Per week | 2 | 390 | 2,602,000 | 8.1 |
| Per month | 3 | 255 | 1,468,500 | 4.5 |
| Per year | 4 | 80 | 489,000 | 1.5 |
| Valid skip | 6 | 4,770 | 25,586,000 | 79.3 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDCD01Y **Length:** 4.0 **Position:** 306

**Question Name:**

**Concept:** Drinks/uses enriched milk substitutes - times per year - (D)

**Question Text:**

**Universe:** MDC_01 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 2190 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_02 **Length:** 3.0 **Position:** 310

**Question Name:**

**Concept:** Drinks/uses omega-3 enriched milk substitutes - number of times

**Question Text:** How often do you drink or use omega-3 enriched milk substitutes?

**Universe:** 0 < MDC_01 < VS

**Note:** Milk substitutes added to coffee or tea are not included.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 014 | 970 | 6,157,500 | 19.1 |
| Valid skip | | 996 | 4,770 | 25,586,000 | 79.3 |
| Don't know | | 997 | 55 | 532,000 | 1.6 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_02N **Length:** 1.0 **Position:** 313

**Question Name:**

**Concept:** Drinks/uses omega-3 enriched milk substitutes - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_02 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 35 | 218,000 | 0.7 |
| Per week | 2 | 30 | 126,000 | 0.4 |
| Per month | 3 | 30 | 351,000 | 1.1 |
| Per year | 4 | 10 | 80,500 | 0.2 |
| Valid skip | 6 | 5,635 | 30,968,000 | 95.9 |
| Not stated | 9 | 55 | 532,000 | 1.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDCD02Y **Length:** 4.0 **Position:** 314

**Question Name:**

**Concept:** Drinks/uses omega-3 milk substitutes - times per year - (D)

**Question Text:**

**Universe:** MDC_02 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1095 | 970 | 6,157,500 | 19.1 |
| Valid skip | 9996 | 4,770 | 25,586,000 | 79.3 |
| Not stated | 9999 | 55 | 532,000 | 1.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_03A **Length:** 1.0 **Position:** 318

**Question Name:** MDC_Q03

**Concept:** Drinks/uses enriched milk substitutes - rice

**Question Text:** What kind of enriched milk substitutes do you usually drink or use on cereal? - Rice (enriched)

**Universe:** MDC_01 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 60 | 594,000 | 1.8 |
| No | 2 | 965 | 6,095,000 | 18.9 |
| Valid skip | 6 | 4,770 | 25,586,000 | 79.3 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_03B **Length:** 1.0 **Position:** 319



*Totals may not add up due to rounding.*

**Question Name:** MDC_Q03

**Concept:** Drinks/uses enriched milk substitutes - soya

**Question Text:** What kind of enriched milk substitutes do you usually drink or use on cereal? - Soya (enriched)

**Universe:** MDC_01 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 400 | 2,717,000 | 8.4 |
| No | 2 | 620 | 3,971,500 | 12.3 |
| Valid skip | 6 | 4,770 | 25,586,000 | 79.3 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_03C **Length:** 1.0 **Position:** 320

**Question Name:** MDC_Q03

**Concept:** Drinks/uses enriched milk substitutes - almond

**Question Text:** What kind of enriched milk substitutes do you usually drink or use on cereal? - Almond (enriched)

**Universe:** MDC_01 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 675 | 4,406,500 | 13.7 |
| No | 2 | 345 | 2,282,500 | 7.1 |
| Valid skip | 6 | 4,770 | 25,586,000 | 79.3 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_03D **Length:** 1.0 **Position:** 321

**Question Name:** MDC_Q03

**Concept:** Drinks/uses enriched milk substitutes - other (enriched)

**Question Text:** What kind of enriched milk substitutes do you usually drink or use on cereal? - Other

**Universe:** MDC_01 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 60 | 443,500 | 1.4 |
| No | | 2 | 965 | 6,245,500 | 19.3 |
| Valid skip | | 6 | 4,770 | 25,586,000 | 79.3 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_04 **Length:** 3.0 **Position:** 322

**Question Name:**

**Concept:** Drinks/uses milk/flavoured milk - number of times

**Question Text:** How often do you drink milk or flavoured milk beverages or use them on cereal? (For example: twice a day, three times a week, once a month)

**Universe:** All respondents

**Note:** Milk or cream added to coffee or tea are not included.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 220 | 5,790 | 32,272,000 | 100.0 |
| Don't know | | 997 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_04N **Length:** 1.0 **Position:** 325

**Question Name:**

**Concept:** Drinks/uses milk/flavoured milk - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 3,110 | 14,340,500 | 44.4 |
| Per week | | 2 | 1,485 | 8,903,500 | 27.6 |
| Per month | | 3 | 335 | 2,459,500 | 7.6 |
| Per year | | 4 | 35 | 217,500 | 0.7 |
| Valid skip | | 6 | 825 | 6,351,000 | 19.7 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDCD04Y **Length:** 4.0 **Position:** 326



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Drinks or uses milk or flavoured milk - times per year - (D)

**Question Text:**

**Universe:** MDC_04 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 2920 | 5,790 | 32,272,000 | 100.0 |
| Not stated | 9999 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_05 **Length:** 3.0 **Position:** 330

**Question Name:**

**Concept:** Drinks/uses omega-3 enriched milk - number of times

**Question Text:** How often do you drink or use omega-3 enriched milk or milk beverages?

**Universe:** 0 < MDC_04 < VS

**Note:** Milk or cream added to coffee or tea are not included.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 021 | 4,925 | 25,705,500 | 79.6 |
| Valid skip | 996 | 825 | 6,351,000 | 19.7 |
| Don’t know | 997 | 40 | 216,000 | 0.7 |
| Not stated | 999 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_05N **Length:** 1.0 **Position:** 333

**Question Name:**

**Concept:** Drinks/uses omega-3 enriched milk - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_05 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 30 | 228,000 | 0.7 |
| Per week | 2 | 20 | 84,000 | 0.3 |
| Per month | 3 | 20 | 58,000 | 0.2 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per year | | 4 | 5 | 40,500 | 0.1 |
| Valid skip | | 6 | 5,675 | 31,645,500 | 98.0 |
| Not stated | | 9 | 45 | 219,500 | 0.7 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDCD05Y **Length:** 4.0 **Position:** 334

**Question Name:**

**Concept:** Drinks or uses omega-3 enriched milk - times per year - (D)

**Question Text:**

**Universe:** MDC_05 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1460 | 4,925 | 25,705,500 | 79.6 |
| Valid skip | | 9996 | 825 | 6,351,000 | 19.7 |
| Not stated | | 9999 | 45 | 219,500 | 0.7 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_12A **Length:** 1.0 **Position:** 338

**Question Name:** MDC_Q12

**Concept:** Type of milk used - 3.25%

**Question Text:** What kind of milk do you usually drink or use on cereal? - 3.25% (Whole or homo)

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 690 | 2,608,000 | 8.1 |
| No | | 2 | 4,265 | 23,249,500 | 72.0 |
| Valid skip | | 6 | 825 | 6,351,000 | 19.7 |
| Don’t know | | 7 | 5 | 21,000 | 0.1 |
| Not stated | | 9 | 5 | 46,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_12B **Length:** 1.0 **Position:** 339

**Question Name:** MDC_Q12



*Totals may not add up due to rounding.*

**Concept:** Type of milk used - 2%

**Question Text:** What kind of milk do you usually drink or use on cereal? - 2%

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,595 | 13,496,500 | 41.8 |
| No | 2 | 2,360 | 12,361,000 | 38.3 |
| Valid skip | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | 7 | 5 | 21,000 | 0.1 |
| Not stated | 9 | 5 | 46,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_12C **Length:** 1.0 **Position:** 340

**Question Name:** MDC_Q12

**Concept:** Type of milk used - 1%

**Question Text:** What kind of milk do you usually drink or use on cereal? - 1%

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,305 | 7,290,500 | 22.6 |
| No | 2 | 3,650 | 18,567,000 | 57.5 |
| Valid skip | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | 7 | 5 | 21,000 | 0.1 |
| Not stated | 9 | 5 | 46,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_12D **Length:** 1.0 **Position:** 341

**Question Name:** MDC_Q12

**Concept:** Type of milk used - 0.5%

**Question Text:** What kind of milk do you usually drink or use on cereal? - 0.5%

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 36,500 | 0.1 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| No | | 2 | 4,950 | 25,821,000 | 80.0 |
| Valid skip | | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | | 7 | 5 | 21,000 | 0.1 |
| Not stated | | 9 | 5 | 46,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_12E **Length:** 1.0 **Position:** 342

**Question Name:** MDC_Q12

**Concept:** Type of milk used - skim or non-fat

**Question Text:** What kind of milk do you usually drink or use on cereal? - Skim or Non-Fat (including powdered milk)

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 545 | 3,175,500 | 9.8 |
| No | | 2 | 4,410 | 22,682,000 | 70.3 |
| Valid skip | | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | | 7 | 5 | 21,000 | 0.1 |
| Not stated | | 9 | 5 | 46,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_12F **Length:** 1.0 **Position:** 343

**Question Name:** MDC_Q12

**Concept:** Type of milk used - flavoured milk beverages

**Question Text:** What kind of milk do you usually drink or use on cereal? - Flavoured milk beverages (such as chocolate milk and flavoured milks such as Oh Henry!®)

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 335 | 1,228,000 | 3.8 |
| No | | 2 | 4,620 | 24,629,500 | 76.3 |
| Valid skip | | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | | 7 | 5 | 21,000 | 0.1 |
| Not stated | | 9 | 5 | 46,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_12G **Length:** 1.0 **Position:** 344



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Type of milk used - other

**Question Text:** What kind of milk do you usually drink or use on cereal? - Other

**Universe:** MDC_04 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 25 | 101,500 | 0.3 |
| No | 2 | 4,930 | 25,756,000 | 79.8 |
| Valid skip | 6 | 825 | 6,351,000 | 19.7 |
| Don't know | 7 | 5 | 21,000 | 0.1 |
| Not stated | 9 | 5 | 46,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_13 **Length:** 3.0 **Position:** 345

**Question Name:**

**Concept:** Eats cottage cheese - number of times

**Question Text:** How often do you usually eat cottage cheese?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 020 | 5,790 | 32,269,000 | 100.0 |
| Don't know | 997 | 5 | 6,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_13N **Length:** 1.0 **Position:** 348

**Question Name:**

**Concept:** Eats cottage cheese - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_13 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 30 | 122,500 | 0.4 |
| Per week | 2 | 395 | 2,500,000 | 7.7 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per month | 3 | 815 | 5,382,500 | 16.7 |
| Per year | 4 | 460 | 3,453,500 | 10.7 |
| Valid skip | 6 | 4,090 | 20,811,000 | 64.5 |
| Not stated | 9 | 5 | 6,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDCD13Y **Length:** 4.0 **Position:** 349

**Question Name:**

**Concept:** Eats cottage cheese - times per year - (D)

**Question Text:**

**Universe:** MDC_13 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 5,790 | 32,269,000 | 100.0 |
| Not stated | 9999 | 5 | 6,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_13B **Length:** 3.0 **Position:** 353

**Question Name:**

**Concept:** Eats processed cheese - number of times

**Question Text:** How often do you usually eat processed cheese such as Kraft Cheez Whiz®, Kraft Singles®, or Black Diamond Slices®?"

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 030 | 5,790 | 32,268,500 | 100.0 |
| Don’t know | 997 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_13BN **Length:** 1.0 **Position:** 356

**Question Name:**

**Concept:** Eats processed cheese - reporting period



*Totals may not add up due to rounding.*

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_13B < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 230 | 1,118,500 | 3.5 |
| Per week | 2 | 1,915 | 10,338,000 | 32.0 |
| Per month | 3 | 1,055 | 6,259,500 | 19.4 |
| Per year | 4 | 235 | 1,721,500 | 5.3 |
| Valid skip | 6 | 2,360 | 12,831,500 | 39.8 |
| Not stated | 9 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDCD13BY **Length:** 4.0 **Position:** 357

**Question Name:**

**Concept:** Eats processed cheese - times per year - (D)

**Question Text:**

**Universe:** MDC_13B < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 2555 | 5,790 | 32,268,500 | 100.0 |
| Not stated | 9999 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_13C **Length:** 3.0 **Position:** 361

**Question Name:**

**Concept:** Eats other type of cheese - number of times

**Question Text:** How often do you usually eat other types of cheese such as mozzarella, cheddar, or Swiss?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 025 | 5,790 | 32,247,500 | 99.9 |
| Don’t know | 997 | 5 | 28,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_13CN **Length:** 1.0 **Position:** 364

**Question Name:**

**Concept:** Eats other type of cheese - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_13C < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 1,090 | 4,955,500 | 15.4 |
| Per week | 2 | 3,605 | 20,808,500 | 64.5 |
| Per month | 3 | 665 | 3,974,500 | 12.3 |
| Per year | 4 | 45 | 279,500 | 0.9 |
| Valid skip | 6 | 380 | 2,229,500 | 6.9 |
| Not stated | 9 | 5 | 28,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDCD13CY **Length:** 4.0 **Position:** 365

**Question Name:**

**Concept:** Eats other types of cheese - times per year - (D)

**Question Text:**

**Universe:** MDC_13 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1460 | 5,790 | 32,247,500 | 99.9 |
| Not stated | 9999 | 5 | 28,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** MDC_14 **Length:** 3.0 **Position:** 369

**Question Name:**

**Concept:** Eats yogurt - number of times

**Question Text:** How often do you usually eat yogurt, excluding frozen yogurt?

**Universe:** All respondents

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 090 | 5,790 | 32,259,500 | 99.9 |
| Don't know | | 997 | 5 | 16,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_14N **Length:** 1.0 **Position:** 372

**Question Name:**

**Concept:** Eats yogurt - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_14 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 1,445 | 6,538,500 | 20.3 |
| Per week | | 2 | 2,530 | 13,389,500 | 41.5 |
| Per month | | 3 | 765 | 5,274,000 | 16.3 |
| Per year | | 4 | 120 | 861,500 | 2.7 |
| Valid skip | | 6 | 930 | 6,196,500 | 19.2 |
| Not stated | | 9 | 5 | 16,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDCD14Y **Length:** 4.0 **Position:** 373

**Question Name:**

**Concept:** Eats yogurt - times per year - (D)

**Question Text:**

**Universe:** MDC_14 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1095 | 5,790 | 32,259,500 | 99.9 |
| Not stated | | 9999 | 5 | 16,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_15 **Length:** 3.0 **Position:** 377

**Question Name:**

**Concept:** Eats ice cream or frozen yogurt - number of times

**Question Text:** How often do you usually eat ice cream or frozen yogurt?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 120 | 5,790 | 32,269,500 | 100.0 |
| Don’t know | 997 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDC_15N **Length:** 1.0 **Position:** 380

**Question Name:**

**Concept:** Eats ice cream or frozen yogurt - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** MDC_15 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 105 | 459,000 | 1.4 |
| Per week | 2 | 2,115 | 10,280,500 | 31.9 |
| Per month | 3 | 2,140 | 12,034,500 | 37.3 |
| Per year | 4 | 620 | 3,873,500 | 12.0 |
| Valid skip | 6 | 810 | 5,622,000 | 17.4 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** MDCD15Y **Length:** 4.0 **Position:** 381

**Question Name:**

**Concept:** Eats ice cream or frozen yogurt - times per year - (D)

**Question Text:**

**Universe:** MDC_15 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1095 | 5,790 | 32,269,500 | 100.0 |
| Not stated | 9999 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** GFV_11 **Length:** 3.0 **Position:** 385

**Question Name:**

**Concept:** Eats hot or cold cereal - number of times

**Question Text:** How often do you usually eat hot or cold cereal? (For examplle: once a day, three times a week, twice a month).

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 090 | 5,795 | 32,273,500 | 100.0 |
| Don't know | 997 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_11N **Length:** 1.0 **Position:** 388

**Question Name:**

**Concept:** Eats hot or cold cereal - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_11 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 1,265 | 5,731,000 | 17.8 |
| Per week | 2 | 2,860 | 15,304,000 | 47.4 |
| Per month | 3 | 800 | 4,818,000 | 14.9 |
| Per year | 4 | 115 | 1,045,000 | 3.2 |
| Valid skip | 6 | 745 | 5,375,000 | 16.7 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFVD11Y **Length:** 4.0 **Position:** 389

**Question Name:**

**Concept:** Eats hot or cold cereal - times per year - (D)

**Question Text:**

**Universe:** GFV_11 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1460 | 5,795 | 32,273,500 | 100.0 |
| Not stated | | 9999 | 5 | 2,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_12 **Length:** 3.0 **Position:** 393

**Question Name:**

**Concept:** Eats whole grain bread - number of times

**Question Text:** How often do you usually eat whole grain bread such as whole wheat, rye or pumpernickel including bread made with oats or buckwheat? Please include bagels, rolls, pita bread or tortillas.

**Universe:** All respondents

**Note:** White bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles® are not included.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 080 | 5,790 | 32,228,500 | 99.9 |
| Don't know | | 997 | 5 | 47,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_12N **Length:** 1.0 **Position:** 396

**Question Name:**

**Concept:** Eats whole grain bread - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_12 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 1,765 | 9,988,000 | 30.9 |
| Per week | | 2 | 2,250 | 12,821,500 | 39.7 |
| Per month | | 3 | 445 | 2,951,500 | 9.1 |
| Per year | | 4 | 40 | 242,500 | 0.8 |
| Valid skip | | 6 | 1,285 | 6,225,000 | 19.3 |
| Not stated | | 9 | 5 | 47,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD12Y **Length:** 4.0 **Position:** 397



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Eats whole grain bread - times per year - (D)

**Question Text:**

**Universe:** GFV_12 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1825 | 5,790 | 32,228,500 | 99.9 |
| Not stated | 9999 | 5 | 47,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_13 **Length:** 3.0 **Position:** 401

**Question Name:**

**Concept:** Eats white bread - number of times

**Question Text:** How often do you usually eat white bread, including bagels, rolls, pita bread or tortillas?

**Universe:** All respondents

**Note:** This includes white bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles®.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 030 | 5,785 | 32,170,000 | 99.7 |
| Don't know | 997 | 10 | 105,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_13N **Length:** 1.0 **Position:** 404

**Question Name:**

**Concept:** Eats white bread - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_13 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 1,185 | 5,943,500 | 18.4 |
| Per week | 2 | 2,200 | 11,960,500 | 37.1 |
| Per month | 3 | 855 | 4,554,500 | 14.1 |
| Per year | 4 | 115 | 694,000 | 2.2 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 6 | 1,430 | 9,018,000 | 27.9 |
| Not stated | | 9 | 10 | 105,500 | 0.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFVD13Y **Length:** 4.0 **Position:** 405

**Question Name:**

**Concept:** Eats white bread - times per year - (D)

**Question Text:**

**Universe:** GFV_13 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 2555 | 5,785 | 32,170,000 | 99.7 |
| Not stated | | 9999 | 10 | 105,500 | 0.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_14 **Length:** 3.0 **Position:** 409

**Question Name:**

**Concept:** Eats pasta - number of times

**Question Text:** How often do you usually eat any kind of pasta, including spaghetti, noodles, macaroni & cheese or pasta salad?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 050 | 5,795 | 32,257,500 | 99.9 |
| Don’t know | | 997 | 5 | 18,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_14N **Length:** 1.0 **Position:** 412

**Question Name:**

**Concept:** Eats pasta - reporting period

**Question Text:** Interviewer: Select the reporting period.



*Totals may not add up due to rounding.*

**Universe:** GFV_14 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 110 | 820,000 | 2.5 |
| Per week | 2 | 4,405 | 23,108,500 | 71.6 |
| Per month | 3 | 1,060 | 7,047,500 | 21.8 |
| Per year | 4 | 75 | 475,500 | 1.5 |
| Valid skip | 6 | 145 | 806,000 | 2.5 |
| Not stated | 9 | 5 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD14Y **Length:** 4.0 **Position:** 413

**Question Name:**

**Concept:** Eats any kind of pasta - times per year - (D)

**Question Text:**

**Universe:** GFV_14 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 5,795 | 32,257,500 | 99.9 |
| Not stated | 9999 | 5 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_16 **Length:** 3.0 **Position:** 417

**Question Name:**

**Concept:** Eats instant, seasoned or wild rice - number of times

**Question Text:** How often do you usually eat instant, seasoned or wild rice, such as Minute Rice®, Dainty®, Rice-a-Roni®?

**Universe:** All respondents

**Note:** This includes all types of wild rice, but only include white and brown rice if it is instant.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 036 | 5,780 | 32,197,000 | 99.8 |
| Don’t know | 997 | 15 | 78,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_16N **Length:** 1.0 **Position:** 420

**Question Name:**

**Concept:** Eats instant, seasoned or wild rice - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_16 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 10 | 39,500 | 0.1 |
| Per week | 2 | 1,395 | 7,623,500 | 23.6 |
| Per month | 3 | 830 | 5,024,500 | 15.6 |
| Per year | 4 | 145 | 947,000 | 2.9 |
| Valid skip | 6 | 3,395 | 18,563,000 | 57.5 |
| Not stated | 9 | 15 | 78,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD16Y **Length:** 4.0 **Position:** 421

**Question Name:**

**Concept:** Eats instant, seasoned or wild rice - times per year - (D)

**Question Text:**

**Universe:** GFV_16 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0365 | 5,780 | 32,197,000 | 99.8 |
| Not stated | 9999 | 15 | 78,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17A **Length:** 3.0 **Position:** 425

**Question Name:**

**Concept:** Eats citrus fruit - number of times

**Question Text:** How often do you usually eat citrus fruit such as oranges or grapefruits, fresh, frozen or canned?

**Universe:** All respondents

**Note:** This only includes citrus fruit such as lemons or limes if the entire fruit is consumed (not just a slice added to a dish or beverage).



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 260 | 5,790 | 32,252,500 | 99.9 |
| Don't know | | 997 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17AN **Length:** 1.0 **Position:** 428

**Question Name:**

**Concept:** Eats citrus fruit - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_17A < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 640 | 3,716,500 | 11.5 |
| Per week | | 2 | 2,760 | 14,853,500 | 46.0 |
| Per month | | 3 | 1,245 | 7,435,500 | 23.0 |
| Per year | | 4 | 245 | 1,541,000 | 4.8 |
| Valid skip | | 6 | 905 | 4,706,500 | 14.6 |
| Not stated | | 9 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD17AY **Length:** 4.0 **Position:** 429

**Question Name:**

**Concept:** Eats citrus fruit - times per year - (D)

**Question Text:**

**Universe:** GFV_17A < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1095 | 5,790 | 32,252,500 | 99.9 |
| Not stated | | 9999 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17B **Length:** 3.0 **Position:** 433

**Question Name:** GFV_Q17B

**Concept:** Eats strawberries in the summer - number of times

**Question Text:** How often do you usually eat strawberries, fresh, frozen or canned, in the summer?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 090 | 5,785 | 32,263,000 | 100.0 |
| Don't know | | 997 | 5 | 12,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17BN **Length:** 1.0 **Position:** 436

**Question Name:** GFV_N17B

**Concept:** Eats strawberries in the summer - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_17B < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 850 | 4,125,500 | 12.8 |
| Per week | | 2 | 3,645 | 20,008,500 | 62.0 |
| Per month | | 3 | 635 | 4,186,000 | 13.0 |
| Per year | | 4 | 190 | 1,270,500 | 3.9 |
| Valid skip | | 6 | 465 | 2,673,000 | 8.3 |
| Not stated | | 9 | 5 | 12,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD17BY **Length:** 4.0 **Position:** 437

**Question Name:**

**Concept:** Eats strawberries - times per summer - (D)

**Question Text:**

**Universe:** GFV_17B < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 0276 | 5,785 | 32,263,000 | 100.0 |
| Not stated | | 9999 | 5 | 12,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** GFV_17C **Length:** 3.0 **Position:** 441

**Question Name:** GFV_Q17C

**Concept:** Eats strawberries during the rest of the year - number of times

**Question Text:** How often do you usually eat strawberries (fresh, frozen or canned) during the rest of the year?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 100 | 5,780 | 32,192,500 | 99.7 |
| Don't know | 997 | 15 | 83,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_17CN **Length:** 1.0 **Position:** 444

**Question Name:** GFV_N17C

**Concept:** Eats strawberries rest of the year - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_17C < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 220 | 986,500 | 3.1 |
| Per week | 2 | 2,170 | 10,827,000 | 33.5 |
| Per month | 3 | 1,675 | 9,606,000 | 29.8 |
| Per year | 4 | 270 | 1,924,000 | 6.0 |
| Valid skip | 6 | 1,440 | 8,849,000 | 27.4 |
| Not stated | 9 | 15 | 83,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFVD17CY **Length:** 4.0 **Position:** 445

**Question Name:**

**Concept:** Eats strawberries - times per year, excluding summer (D)

**Question Text:**

**Universe:** GFV_17C < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 0819 | 5,780 | 32,192,500 | 99.7 |
| Not stated | | 9999 | 15 | 83,000 | 0.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17D **Length:** 3.0 **Position:** 449

**Question Name:**

**Concept:** Eats other types of fruit - number of times

**Question Text:** How often do you usually eat other types of fruit; fresh, frozen or canned?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 060 | 5,790 | 32,257,500 | 99.9 |
| Don't know | | 997 | 5 | 18,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_17DN **Length:** 1.0 **Position:** 452

**Question Name:**

**Concept:** Eats other types of fruit - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_17D < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 3,655 | 18,944,500 | 58.7 |
| Per week | | 2 | 1,775 | 10,915,000 | 33.8 |
| Per month | | 3 | 265 | 1,796,000 | 5.6 |
| Per year | | 4 | 30 | 228,000 | 0.7 |
| Valid skip | | 6 | 70 | 374,500 | 1.2 |
| Not stated | | 9 | 5 | 18,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD17DY **Length:** 4.0 **Position:** 453

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Eats other types of fruit - times per year - (D)

**Question Text:**

**Universe:** GFV_17D < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 3650 | 5,790 | 32,257,500 | 99.9 |
| Not stated | 9999 | 5 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_18 **Length:** 3.0 **Position:** 457

**Question Name:**

**Concept:** Eats tomatoes or tomato sauce - number of times

**Question Text:** How often do you usually eat tomatoes or tomato sauce, including salsa, tomato soup and spaghetti sauce but excluding tomato paste, ketchup or pizza sauce?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 120 | 5,790 | 32,273,500 | 100.0 |
| Don't know | 997 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_18N **Length:** 1.0 **Position:** 460

**Question Name:**

**Concept:** Eats tomatoes or tomato sauce - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_18 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 615 | 4,166,000 | 12.9 |
| Per week | 2 | 4,220 | 23,532,000 | 72.9 |
| Per month | 3 | 640 | 3,194,500 | 9.9 |
| Per year | 4 | 45 | 257,000 | 0.8 |
| Valid skip | 6 | 275 | 1,124,500 | 3.5 |
| Not stated | 9 | 5 | 2,000 | 0.0 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFVD18Y **Length:** 4.0 **Position:** 461

**Question Name:**

**Concept:** Eats tomatoes or tomato sauce - times per year - (D)

**Question Text:**

**Universe:** GFV_18 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1095 | 5,790 | 32,273,500 | 100.0 |
| Not stated | | 9999 | 5 | 2,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_19 **Length:** 3.0 **Position:** 465

**Question Name:**

**Concept:** Eats lettuce or green leafy salad - number of times

**Question Text:** How often do you usually eat lettuce or green leafy salad with or without other vegetables? Do not include spinach.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 300 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_19N **Length:** 1.0 **Position:** 468

**Question Name:**

**Concept:** Eats lettuce or green leafy salad - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_19 < VS

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 690 | 4,500,000 | 13.9 |
| Per week | | 2 | 3,705 | 21,507,000 | 66.6 |
| Per month | | 3 | 655 | 3,505,500 | 10.9 |
| Per year | | 4 | 65 | 391,000 | 1.2 |
| Valid skip | | 6 | 675 | 2,372,000 | 7.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD19Y **Length:** 4.0 **Position:** 469

**Question Name:**

**Concept:** Eats lettuce or green leafy salad - times per year - (D)

**Question Text:**

**Universe:** GFV_19 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 4015 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_20 **Length:** 3.0 **Position:** 473

**Question Name:**

**Concept:** Eats spinach, mustard greens or cabbage - number of times

**Question Text:** How often do you usually eat spinach, mustard greens, or cabbage, excluding kale?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 090 | 5,790 | 32,263,500 | 100.0 |
| Don’t know | | 997 | 5 | 12,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_20N **Length:** 1.0 **Position:** 476

**Question Name:**

**Concept:** Eats spinach, mustard greens or cabbage - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_20 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 230 | 1,517,500 | 4.7 |
| Per week | 2 | 2,175 | 13,480,000 | 41.8 |
| Per month | 3 | 1,420 | 8,754,500 | 27.1 |
| Per year | 4 | 215 | 1,507,500 | 4.7 |
| Valid skip | 6 | 1,755 | 7,004,500 | 21.7 |
| Not stated | 9 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD20Y **Length:** 4.0 **Position:** 477

**Question Name:**

**Concept:** Eats spinach, mustard greens, cabbage - times per year - (D)

**Question Text:**

**Universe:** GFV_20 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1095 | 5,790 | 32,263,500 | 100.0 |
| Not stated | 9999 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_21 **Length:** 3.0 **Position:** 481

**Question Name:**

**Concept:** Eats french/home fries or hash brown potatoes - number times

**Question Text:** How often do you usually eat french fries, home fries, or hash brown potatoes?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 080 | 5,795 | 32,272,500 | 100.0 |
| Don’t know | 997 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** GFV_21N **Length:** 1.0 **Position:** 484

**Question Name:**

**Concept:** Eats french/home fries or hash brown potatoes - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_21 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 35 | 299,000 | 0.9 |
| Per week | 2 | 2,685 | 13,966,500 | 43.3 |
| Per month | 3 | 2,190 | 12,197,500 | 37.8 |
| Per year | 4 | 250 | 1,630,000 | 5.1 |
| Valid skip | 6 | 630 | 4,179,500 | 12.9 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD21Y **Length:** 4.0 **Position:** 485

**Question Name:**

**Concept:** Eats french/home fries/hash brown potatoes - times per year - (D)

**Question Text:**

**Universe:** GFV_21 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 5,795 | 32,272,500 | 100.0 |
| Not stated | 9999 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_22 **Length:** 3.0 **Position:** 489

**Question Name:**

**Concept:** Eats other potatoes - number of times

**Question Text:** How often do you usually eat other potatoes including baked, boiled, mashed or in potato salad, but excluding sweet potatoes?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 022 | 5,795 | 32,272,500 | 100.0 |
| Don't know | | 997 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_22N **Length:** 1.0 **Position:** 492

**Question Name:**

**Concept:** Eats other potatoes - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_22 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 135 | 741,500 | 2.3 |
| Per week | | 2 | 3,875 | 21,327,500 | 66.1 |
| Per month | | 3 | 1,195 | 7,010,000 | 21.7 |
| Per year | | 4 | 85 | 544,500 | 1.7 |
| Valid skip | | 6 | 505 | 2,649,000 | 8.2 |
| Not stated | | 9 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD22Y **Length:** 4.0 **Position:** 493

**Question Name:**

**Concept:** Eats other potatoes - times per year - (D)

**Question Text:**

**Universe:** GFV_22 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 4380 | 5,795 | 32,272,500 | 100.0 |
| Not stated | | 9999 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_23 **Length:** 3.0 **Position:** 497

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Eats all other types of vegetables - number of times

**Question Text:** How often do you usually eat all other types of vegetables, excluding those already mentioned?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 030 | 5,790 | 32,249,000 | 99.9 |
| Don't know | 997 | 5 | 27,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFV_23N **Length:** 1.0 **Position:** 500

**Question Name:**

**Concept:** Eats all other types of vegetables - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_23 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 3,255 | 17,785,500 | 55.1 |
| Per week | 2 | 2,225 | 12,596,000 | 39.0 |
| Per month | 3 | 220 | 1,378,000 | 4.3 |
| Per year | 4 | 10 | 75,000 | 0.2 |
| Valid skip | 6 | 75 | 414,000 | 1.3 |
| Not stated | 9 | 5 | 27,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** GFVD23Y **Length:** 4.0 **Position:** 501

**Question Name:**

**Concept:** Eats all other types of vegetables - times per year - (D)

**Question Text:**

**Universe:** GFV_23 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1825 | 5,790 | 32,249,000 | 99.9 |
| Not stated | 9999 | 5 | 27,000 | 0.1 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_24 **Length:** 3.0 **Position:** 505

**Question Name:**

**Concept:** Eats flax seeds, whole or ground - number of times

**Question Text:** How often do you usually eat flax seeds, whole or ground, including flax seeds eaten in foods such as breakfast cereal, yogurt, muffins, bread or any other dishes?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 050 | 5,715 | 31,952,500 | 99.0 |
| Don't know | 997 | 80 | 323,000 | 1.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFV_24N **Length:** 1.0 **Position:** 508

**Question Name:**

**Concept:** Eats flax seeds, whole or ground - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** GFV_24 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 355 | 2,084,500 | 6.5 |
| Per week | 2 | 880 | 5,252,000 | 16.3 |
| Per month | 3 | 415 | 2,723,500 | 8.4 |
| Per year | 4 | 100 | 656,000 | 2.0 |
| Valid skip | 6 | 3,965 | 21,236,500 | 65.8 |
| Not stated | 9 | 80 | 323,000 | 1.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** GFVD24Y **Length:** 4.0 **Position:** 509

**Question Name:**

**Concept:** Eats flax seeds - times per year - (D)



*Totals may not add up due to rounding.*

**Question Text:**

**Universe:** GFV_24 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 2288 | 5,715 | 31,952,500 | 99.0 |
| Not stated | | 9999 | 80 | 323,000 | 1.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DFC_11 **Length:** 3.0 **Position:** 513

**Question Name:**

**Concept:** Eats regular-fat salad dressing/mayo - number of times

**Question Text:** How often do you usually eat regular-fat salad dressing or mayonnaise, including on salads and sandwiches?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 090 | 5,790 | 32,252,000 | 99.9 |
| Don’t know | | 997 | 5 | 23,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DFC_11N **Length:** 1.0 **Position:** 516

**Question Name:**

**Concept:** Eats regular-fat salad dressing/mayo - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** DFC_11 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 555 | 3,204,500 | 9.9 |
| Per week | | 2 | 3,185 | 18,236,500 | 56.5 |
| Per month | | 3 | 680 | 3,850,000 | 11.9 |
| Per year | | 4 | 75 | 400,500 | 1.2 |
| Valid skip | | 6 | 1,295 | 6,560,000 | 20.3 |
| Not stated | | 9 | 5 | 23,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFCD11Y **Length:** 4.0 **Position:** 517

**Question Name:**

**Concept:** Eats regular - fat salad dressing/mayo - times per year - (D)

**Question Text:**

**Universe:** DFC_11 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0780 | 5,790 | 32,252,000 | 99.9 |
| Not stated | 9999 | 5 | 23,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFC_12 **Length:** 3.0 **Position:** 521

**Question Name:**

**Concept:** Eats regular-fat chips - number of times

**Question Text:** How often do you usually eat regular-fat potato chips, tortilla chips or corn chips (excluding low fat chips and pretzels)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 045 | 5,795 | 32,272,500 | 100.0 |
| Don’t know | 997 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFC_12N **Length:** 1.0 **Position:** 524

**Question Name:**

**Concept:** Eats regular-fat chips - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** DFC_12 < VS

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 140 | 479,000 | 1.5 |
| Per week | | 2 | 2,785 | 14,916,000 | 46.2 |
| Per month | | 3 | 1,850 | 10,677,000 | 33.1 |
| Per year | | 4 | 275 | 1,873,000 | 5.8 |
| Valid skip | | 6 | 745 | 4,327,500 | 13.4 |
| Not stated | | 9 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFCD12Y **Length:** 4.0 **Position:** 525

**Question Name:**

**Concept:** Eats regular - fat chips - times/year - (D)

**Question Text:**

**Universe:** DFC_12 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1825 | 5,795 | 32,272,500 | 100.0 |
| Not stated | | 9999 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFC_13 **Length:** 3.0 **Position:** 529

**Question Name:**

**Concept:** Eats margarine - number of times

**Question Text:** How often do you usually eat margarine?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 120 | 5,780 | 32,232,000 | 99.9 |
| Don’t know | | 997 | 15 | 43,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFC_13N **Length:** 1.0 **Position:** 532

**Question Name:**

**Concept:** Eats margarine - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** DFC_13 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 1,485 | 8,260,000 | 25.6 |
| Per week | 2 | 1,345 | 7,845,500 | 24.3 |
| Per month | 3 | 270 | 1,532,000 | 4.7 |
| Per year | 4 | 40 | 543,000 | 1.7 |
| Valid skip | 6 | 2,640 | 14,051,500 | 43.5 |
| Not stated | 9 | 15 | 43,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DFCD13Y **Length:** 4.0 **Position:** 533

**Question Name:**

**Concept:** Eats margarine - times per year - (D)

**Question Text:**

**Universe:** DFC_13 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 2555 | 5,780 | 32,232,000 | 99.9 |
| Not stated | 9999 | 15 | 43,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** DFC_14 **Length:** 3.0 **Position:** 537

**Question Name:**

**Concept:** Eats omega-3 enriched margarine - number of times

**Question Text:** How often do you usually eat omega-3 enriched margarine?

**Universe:** 0 < DFC_13 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 024 | 2,925 | 16,894,500 | 52.3 |
| Valid skip | 996 | 2,640 | 14,051,500 | 43.5 |
| Don’t know | 997 | 215 | 1,286,000 | 4.0 |
| Not stated | 999 | 15 | 43,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** DFC_14N **Length:** 1.0 **Position:** 540

**Question Name:**

**Concept:** Eats omega-3 enriched margarine - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** DFC_14 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 495 | 2,937,000 | 9.1 |
| Per week | 2 | 480 | 3,211,500 | 9.9 |
| Per month | 3 | 115 | 658,000 | 2.0 |
| Per year | 4 | 25 | 321,500 | 1.0 |
| Valid skip | 6 | 4,455 | 23,818,000 | 73.8 |
| Not stated | 9 | 230 | 1,329,500 | 4.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** DFCD14Y **Length:** 4.0 **Position:** 541

**Question Name:**

**Concept:** Eats omega-3 enriched margarine - times per year - (D)

**Question Text:**

**Universe:** DFC_14 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1095 | 2,925 | 16,894,500 | 52.3 |
| Valid skip | 9996 | 2,640 | 14,051,500 | 43.5 |
| Not stated | 9999 | 230 | 1,329,500 | 4.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_30 **Length:** 3.0 **Position:** 545

**Question Name:**

**Concept:** Drinks diet soft drinks - number of times

**Question Text:** How often do you usually drink diet soft drinks? (For example: once a day, three times a week, twice a month.)

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 025 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_30N **Length:** 1.0 **Position:** 548

**Question Name:**

**Concept:** Drinks diet soft drinks - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_30 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 230 | 1,583,500 | 4.9 |
| Per week | | 2 | 560 | 3,994,000 | 12.4 |
| Per month | | 3 | 415 | 2,225,500 | 6.9 |
| Per year | | 4 | 125 | 762,000 | 2.4 |
| Valid skip | | 6 | 4,465 | 23,710,500 | 73.5 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD30Y **Length:** 4.0 **Position:** 549

**Question Name:**

**Concept:** Drinks diet soft drinks - times per year - (D)

**Question Text:**

**Universe:** WSD_30 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 3650 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_31 **Length:** 3.0 **Position:** 553

**Question Name:**

**Concept:** Drinks regular soft drinks - number of times



*Totals may not add up due to rounding.*

**Question Text:** How often do you usually drink regular soft drinks?

**Universe:** All respondents

**Note:** "Regular" means non-diet soft drinks.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 030 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_31N **Length:** 1.0 **Position:** 556

**Question Name:**

**Concept:** Drinks regular soft drinks - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_31 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 325 | 2,404,000 | 7.4 |
| Per week | | 2 | 1,480 | 8,345,500 | 25.9 |
| Per month | | 3 | 1,195 | 6,568,000 | 20.3 |
| Per year | | 4 | 280 | 1,395,000 | 4.3 |
| Valid skip | | 6 | 2,510 | 13,563,500 | 42.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD31Y **Length:** 4.0 **Position:** 557

**Question Name:**

**Concept:** Drinks regular soft drinks - times per year - (D)

**Question Text:**

**Universe:** WSD_31 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 2920 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_32 **Length:** 3.0 **Position:** 561

**Question Name:**

**Concept:** Drinks sport drinks - number of times

**Question Text:** How often do you usually drink sport drinks, such as Gatorade® or Powerade®?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 120 | 5,790 | 32,261,000 | 100.0 |
| Don't know | 997 | 5 | 14,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_32N **Length:** 1.0 **Position:** 564

**Question Name:**

**Concept:** Drinks sport drinks - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_32 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 45 | 325,500 | 1.0 |
| Per week | 2 | 575 | 3,692,000 | 11.4 |
| Per month | 3 | 795 | 3,754,000 | 11.6 |
| Per year | 4 | 450 | 2,176,000 | 6.7 |
| Valid skip | 6 | 3,930 | 22,313,500 | 69.1 |
| Not stated | 9 | 5 | 14,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD32Y **Length:** 4.0 **Position:** 565

**Question Name:**

**Concept:** Drinks sport drinks - times per year - (D)

**Question Text:**

**Universe:** WSD_32 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1460 | 5,790 | 32,261,000 | 100.0 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 9999 | 5 | 14,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_33 **Length:** 3.0 **Position:** 569

**Question Name:**

**Concept:** Drinks vitamin-added water - number of times

**Question Text:** How often do you usually drink vitamin-added water, such as Aquafina Plus Vitamins® or Vitamin Water®? Do not include flavoured water or other types of water that are not fortified with vitamins.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 042 | 5,790 | 32,258,000 | 99.9 |
| Don't know | | 997 | 5 | 17,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_33N **Length:** 1.0 **Position:** 572

**Question Name:**

**Concept:** Drinks vitamin-added water - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_33 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 25 | 146,000 | 0.5 |
| Per week | | 2 | 220 | 1,811,000 | 5.6 |
| Per month | | 3 | 380 | 2,196,000 | 6.8 |
| Per year | | 4 | 205 | 1,418,500 | 4.4 |
| Valid skip | | 6 | 4,965 | 26,686,500 | 82.7 |
| Not stated | | 9 | 5 | 17,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSDD33Y **Length:** 4.0 **Position:** 573

**Question Name:**

**Concept:** Drinks vitamin-added water - times per year - (D)

**Question Text:**

**Universe:** WSD_33 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1040 | 5,790 | 32,258,000 | 99.9 |
| Not stated | 9999 | 5 | 17,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_34 **Length:** 3.0 **Position:** 577

**Question Name:**

**Concept:** Drinks orange or grapefruit juice - number of times

**Question Text:** How often do you usually drink orange or grapefruit juice?

**Universe:** All respondents

**Note:** This only includes 100% pure fruit juices. Include juice to which calcium and vitamin D has been added.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 050 | 5,785 | 32,230,000 | 99.9 |
| Don't know | 997 | 5 | 45,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_34N **Length:** 1.0 **Position:** 580

**Question Name:**

**Concept:** Drinks orange ou grapefruit juice - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_34 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 890 | 4,641,500 | 14.4 |
| Per week | 2 | 2,170 | 11,322,000 | 35.1 |
| Per month | 3 | 1,060 | 6,498,000 | 20.1 |
| Per year | 4 | 225 | 1,452,500 | 4.5 |
| Valid skip | 6 | 1,445 | 8,316,500 | 25.8 |
| Not stated | 9 | 5 | 45,500 | 0.1 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSDD34Y **Length:** 4.0 **Position:** 581

**Question Name:**

**Concept:** Drinks orange or grapefruit juice - times per year - (D)

**Question Text:**

**Universe:** WSD_34 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 1825 | 5,785 | 32,230,000 | 99.9 |
| Not stated | | 9999 | 5 | 45,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_35 **Length:** 3.0 **Position:** 585

**Question Name:**

**Concept:** Drinks other 100% fruit juices - number of times

**Question Text:** How often do you usually drink other 100% fruit juices, for example, apple, grape or mixed fruit juice?

**Universe:** All respondents

**Note:** This includes juice to which calcium and vitamin D has been added.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 060 | 5,785 | 32,211,500 | 99.8 |
| Don’t know | | 997 | 10 | 64,000 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_35N **Length:** 1.0 **Position:** 588

**Question Name:**

**Concept:** Drinks other 100% fruit juices - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_35 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 825 | 3,126,000 | 9.7 |
| Per week | 2 | 2,055 | 10,124,000 | 31.4 |
| Per month | 3 | 900 | 5,973,500 | 18.5 |
| Per year | 4 | 170 | 1,305,000 | 4.0 |
| Valid skip | 6 | 1,835 | 11,683,500 | 36.2 |
| Not stated | 9 | 10 | 64,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD35Y **Length:** 4.0 **Position:** 589

**Question Name:**

**Concept:** Drinks other 100% fruit juices - times per year - (D)

**Question Text:**

**Universe:** WSD_35 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 2190 | 5,785 | 32,211,500 | 99.8 |
| Not stated | 9999 | 10 | 64,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_36 **Length:** 3.0 **Position:** 593

**Question Name:**

**Concept:** Drinks juice with calcium and vitamin D added - number of times

**Question Text:** How often do you usually drink juice with calcium and vitamin D added?

**Universe:** 0 < WSD_34 < VS or 0 < WSD_35 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 048 | 4,185 | 22,633,000 | 70.1 |
| Valid skip | 996 | 755 | 4,879,500 | 15.1 |
| Don’t know | 997 | 855 | 4,737,500 | 14.7 |
| Not stated | 999 | 5 | 25,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_36N **Length:** 1.0 **Position:** 596



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Drinks juice with calcium and vitamin D added - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_36 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 175 | 724,000 | 2.2 |
| Per week | 2 | 485 | 2,525,500 | 7.8 |
| Per month | 3 | 270 | 1,494,000 | 4.6 |
| Per year | 4 | 50 | 271,000 | 0.8 |
| Valid skip | 6 | 3,955 | 22,498,500 | 69.7 |
| Not stated | 9 | 860 | 4,763,000 | 14.8 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD36Y **Length:** 4.0 **Position:** 597

**Question Name:**

**Concept:** Drinks juice with calcium and vitamin D - times per year - (D)

**Question Text:**

**Universe:** WSD_36 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1460 | 5,205 | 28,978,500 | 89.8 |
| Not stated | 9999 | 590 | 3,297,000 | 10.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_37 **Length:** 3.0 **Position:** 601

**Question Name:**

**Concept:** Drinks fruit-flavoured drinks - number of times

**Question Text:** How often do you usually drink fruit-flavoured drinks?

**Universe:** All respondents

**Note:** This does not include Crystal Light®.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 050 | 5,790 | 32,268,500 | 100.0 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Don't know | | 997 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_37N **Length:** 1.0 **Position:** 604

**Question Name:**

**Concept:** Drinks fruit-flavoured drinks - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_37 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 300 | 1,360,500 | 4.2 |
| Per week | | 2 | 845 | 3,793,500 | 11.8 |
| Per month | | 3 | 630 | 3,480,500 | 10.8 |
| Per year | | 4 | 230 | 1,248,500 | 3.9 |
| Valid skip | | 6 | 3,780 | 22,385,500 | 69.4 |
| Not stated | | 9 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSDD37Y **Length:** 4.0 **Position:** 605

**Question Name:**

**Concept:** Drinks fruit flavoured drinks - times per year - (D)

**Question Text:**

**Universe:** WSD_37 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 3650 | 5,790 | 32,268,500 | 100.0 |
| Not stated | | 9999 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_38 **Length:** 3.0 **Position:** 609

**Question Name:**

**Concept:** Drinks vegetable juices - number of times



*Totals may not add up due to rounding.*

**Question Text:** How often do you usually drink vegetable juices?

**Universe:** All respondents

**Note:** This does not include vegetable juices used in cooking.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 060 | 5,790 | 32,261,500 | 100.0 |
| Don't know | 997 | 5 | 14,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_38N **Length:** 1.0 **Position:** 612

**Question Name:**

**Concept:** Drinks vegetable juices - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_38 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 95 | 515,500 | 1.6 |
| Per week | 2 | 665 | 4,054,000 | 12.6 |
| Per month | 3 | 740 | 4,864,500 | 15.1 |
| Per year | 4 | 315 | 2,292,000 | 7.1 |
| Valid skip | 6 | 3,975 | 20,535,000 | 63.6 |
| Not stated | 9 | 5 | 14,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD38Y **Length:** 4.0 **Position:** 613

**Question Name:**

**Concept:** Drinks vegetable juices - times per year - (D)

**Question Text:**

**Universe:** WSD_38 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 5,790 | 32,261,500 | 100.0 |
| Not stated | 9999 | 5 | 14,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_39 **Length:** 3.0 **Position:** 617

**Question Name:** WSD_Q39

**Concept:** Drinks water at home - number of cups

**Question Text:** How much water, in cups, do you usually drink at home? A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cups | 000 - 042 | 5,780 | 32,246,000 | 99.9 |
| Don't know | 997 | 15 | 29,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_39N **Length:** 1.0 **Position:** 620

**Question Name:** WSD_N39

**Concept:** Drinks water at home - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_39 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 5,330 | 29,390,500 | 91.1 |
| Per week | 2 | 255 | 1,785,500 | 5.5 |
| Per month | 3 | 20 | 119,000 | 0.4 |
| Per year | 4 | 5 | 3,500 | 0.0 |
| Valid skip | 6 | 170 | 947,000 | 2.9 |
| Not stated | 9 | 15 | 29,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD39Y **Length:** 5.0 **Position:** 621

**Question Name:**

**Concept:** Drinks water at home - number of cups per year - (D)

**Question Text:**

**Universe:** WSD_39 < VS

**Note:** See document on derived variables.



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 00000 - 14600 | 5,780 | 32,246,000 | 99.9 |
| Not stated | | 99999 | 15 | 29,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_40 **Length:** 1.0 **Position:** 626

**Question Name:** WSD_Q40

**Concept:** Primary source of drinking water - home

**Question Text:** When you drink water at home, what is your primary source of drinking water?

**Universe:** 0 < WSD_39 < VS

**Note:** This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from an individual serving-size bottle or from a water cooler.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Tap water | | 1 | 4,165 | 23,025,500 | 71.3 |
| Bottled water | | 2 | 1,430 | 8,248,500 | 25.6 |
| Other - Specify | | 3 | 10 | 19,000 | 0.1 |
| Valid skip | | 6 | 170 | 947,000 | 2.9 |
| Don’t know | | 7 | 5 | 6,500 | 0.0 |
| Not stated | | 9 | 15 | 29,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_41 **Length:** 3.0 **Position:** 627

**Question Name:** WSD_Q41

**Concept:** Drinks water away from home - number of cups

**Question Text:** How much water, in cups, do you usually drink away from home? For example, when at work, at school or when away from home during your leisure time. (A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.)

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of cups | | 000 - 060 | 5,615 | 31,866,500 | 98.7 |
| Don’t know | | 997 | 180 | 409,000 | 1.3 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_41N **Length:** 1.0 **Position:** 630

**Question Name:** WSD_N41

**Concept:** Amount drinks water away from home - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** WSD_41 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 4,280 | 23,830,500 | 73.8 |
| Per week | 2 | 615 | 3,850,500 | 11.9 |
| Per month | 3 | 55 | 286,500 | 0.9 |
| Per year | 4 | 5 | 44,000 | 0.1 |
| Valid skip | 6 | 660 | 3,855,000 | 11.9 |
| Not stated | 9 | 180 | 409,000 | 1.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSDD41Y **Length:** 5.0 **Position:** 631

**Question Name:**

**Concept:** Drinks water away from home - number of cups per year - (D)

**Question Text:**

**Universe:** WSD_41 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 00000 - 11680 | 5,615 | 31,866,500 | 98.7 |
| Not stated | 99999 | 180 | 409,000 | 1.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_42 **Length:** 1.0 **Position:** 636

**Question Name:** WSD_Q42

**Concept:** Primary source of drinking water - away from home

**Question Text:** When you drink water away from home, what is your primary source of drinking water?

**Universe:** 0 < WSD_41 < VS

**Note:** This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from



*Totals may not add up due to rounding.*

an individual serving-size bottle or from a water cooler.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Tap water | 1 | 3,105 | 15,231,500 | 47.2 |
| Bottled water | 2 | 1,830 | 12,726,500 | 39.4 |
| Other - Specify | 3 | 5 | 18,500 | 0.1 |
| Valid skip | 6 | 660 | 3,855,000 | 11.9 |
| Don't know | 7 | 10 | 35,500 | 0.1 |
| Not stated | 9 | 180 | 409,000 | 1.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_43 **Length:** 1.0 **Position:** 637

**Question Name:** WSD_Q43

**Concept:** Source of tap water - home

**Question Text:** What is the source of the tap water in this home?

**Universe:** All respondents

**Note:** Water from a surface source includes natural spring, lake, river, lagoon or dugout.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Water supplied by your city, town or municipality | 1 | 4,850 | 28,349,000 | 87.8 |
| Water from a private well | 2 | 850 | 3,493,500 | 10.8 |
| Water from a cistern | 3 | 5 | 43,500 | 0.1 |
| Water from a surface source | 4 | 5 | 69,500 | 0.2 |
| Other - Specify | 5 | 5 | 14,000 | 0.0 |
| Don't know | 7 | 5 | 28,500 | 0.1 |
| Not stated | 9 | 70 | 277,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_44A **Length:** 1.0 **Position:** 638

**Question Name:** WSD_Q44

**Concept:** Home water treated using - filter

**Question Text:** Is the water in this home treated using... ? - A filter, for example, a faucet attachment, refrigerator filter or Brita®-type jug filter

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,850 | 10,735,000 | 33.3 |
| No | 2 | 3,825 | 21,058,000 | 65.2 |
| Don't know | 7 | 50 | 205,000 | 0.6 |
| Not stated | 9 | 70 | 277,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_44B **Length:** 1.0 **Position:** 639

**Question Name:** WSD_Q44

**Concept:** Home water treated using - water softener

**Question Text:** Is the water in this home treated using... ? - A water softener

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 660 | 3,880,000 | 12.0 |
| No | 2 | 5,010 | 27,913,000 | 86.5 |
| Don't know | 7 | 50 | 205,000 | 0.6 |
| Not stated | 9 | 70 | 277,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_44C **Length:** 1.0 **Position:** 640

**Question Name:** WSD_Q44

**Concept:** Home water treated using - ultraviolet system

**Question Text:** Is the water in this home treated using... ? - An ultraviolet system

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the



*Totals may not add up due to rounding.*

question was never asked.

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 80 | 324,500 | 1.0 |
| No | | 2 | 5,590 | 31,469,000 | 97.5 |
| Don't know | | 7 | 50 | 205,000 | 0.6 |
| Not stated | | 9 | 70 | 277,500 | 0.9 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_44D **Length:** 1.0 **Position:** 641

**Question Name:** WSD_Q44

**Concept:** Home water treated using - reverse osmosis

**Question Text:** Is the water in this home treated using... ? - Reverse osmosis

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 165 | 677,000 | 2.1 |
| No | | 2 | 5,510 | 31,116,000 | 96.4 |
| Don't know | | 7 | 50 | 205,000 | 0.6 |
| Not stated | | 9 | 70 | 277,500 | 0.9 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** WSD_44E **Length:** 1.0 **Position:** 642

**Question Name:** WSD_Q44

**Concept:** Home water treated using - boiling

**Question Text:** Is the water in this home treated using... ? - Boiling

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 125 | 733,000 | 2.3 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 5,545 | 31,060,500 | 96.2 |
| Don't know | 7 | 50 | 205,000 | 0.6 |
| Not stated | 9 | 70 | 277,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_44F **Length:** 1.0 **Position:** 643

**Question Name:** WSD_Q44

**Concept:** Home water treated using - distilling

**Question Text:** Is the water in this home treated using... ? - Distilling

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 15 | 154,500 | 0.5 |
| No | 2 | 5,655 | 31,638,500 | 98.0 |
| Don't know | 7 | 50 | 205,000 | 0.6 |
| Not stated | 9 | 70 | 277,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_44G **Length:** 1.0 **Position:** 644

**Question Name:** WSD_Q44

**Concept:** Home water treated using - other

**Question Text:** Is the water in this home treated using... ? - Other

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 30 | 160,500 | 0.5 |
| No | 2 | 5,645 | 31,632,500 | 98.0 |
| Don't know | 7 | 50 | 205,000 | 0.6 |
| Not stated | 9 | 70 | 277,500 | 0.9 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_44H **Length:** 1.0 **Position:** 645

**Question Name:** WSD_Q44

**Concept:** Home water treated using - no treatment

**Question Text:** Is the water in this home treated using... ? - No treatment

**Universe:** All respondents

**Note:** This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 3,265 | 17,848,000 | 55.3 |
| No | | 2 | 2,405 | 13,945,500 | 43.2 |
| Don’t know | | 7 | 50 | 205,000 | 0.6 |
| Not stated | | 9 | 70 | 277,500 | 0.9 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSD_45 **Length:** 1.0 **Position:** 646

**Question Name:** WSD_Q45

**Concept:** Water used for drinking or food treated with water softener

**Question Text:** Is the water used for drinking and food preparation treated using the water softener?

**Universe:** WSD_44B = 1

**Note:**

**Source:** In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 420 | 2,314,500 | 7.2 |
| No | | 2 | 220 | 1,475,000 | 4.6 |
| Valid skip | | 6 | 5,010 | 27,913,000 | 86.5 |
| Don’t know | | 7 | 15 | 86,000 | 0.3 |
| Not stated | | 9 | 125 | 487,000 | 1.5 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WSDDTWY **Length:** 5.0 **Position:** 647

**Question Name:**

**Concept:** Drinks water (anywhere) - number of cups per year - (D)

**Question Text:**

**Universe:** WSDD39Y < VS and WSDD41Y < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 00000 - 25550 | 5,610 | 31,852,500 | 98.7 |
| Not stated | 99999 | 185 | 423,000 | 1.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLT_11 **Length:** 1.0 **Position:** 652

**Question Name:** SLT_Q11

**Concept:** Salt added to food

**Question Text:** How often do you usually add salt to your food, excluding during cooking?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Always | 1 | 425 | 3,511,000 | 10.9 |
| Often | 2 | 500 | 3,013,000 | 9.3 |
| Sometimes | 3 | 890 | 4,916,500 | 15.2 |
| Rarely | 4 | 1,415 | 7,831,000 | 24.3 |
| Never | 5 | 2,565 | 13,004,000 | 40.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLT_12 **Length:** 1.0 **Position:** 653

**Question Name:** SLT_Q12

**Concept:** Type of salt usually used

**Question Text:** What type of salt is usually used?

**Universe:** SLT_11 = 1, 2, 3, 4

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Ordinary table salt | 1 | 2,080 | 12,290,000 | 38.1 |
| Sea, Kosher, seasoned, or other flavoured salt | 2 | 1,080 | 6,579,500 | 20.4 |
| Light salt | 3 | 10 | 124,000 | 0.4 |
| Salt substitute | 4 | 20 | 91,500 | 0.3 |
| Other - Specify | 5 | 40 | 171,000 | 0.5 |
| Valid skip | 6 | 2,565 | 13,004,000 | 40.3 |
| Don't know | 7 | 5 | 15,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SLT_13 **Length:** 1.0 **Position:** 654

**Question Name:** SLT_Q13

**Concept:** Often ordinary table salt added cooking/preparation of foods

**Question Text:** How often is ordinary table salt added during the cooking or preparation of foods in this household?

**Universe:** All respondents

**Note:** In households with two selected respondents this question was asked only for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Always | 1 | 1,300 | 7,194,000 | 22.3 |
| Often | 2 | 995 | 5,547,500 | 17.2 |
| Sometimes | 3 | 1,160 | 6,432,500 | 19.9 |
| Rarely | 4 | 1,040 | 5,736,000 | 17.8 |
| Never | 5 | 1,200 | 6,865,500 | 21.3 |
| Don't know | 7 | 25 | 217,000 | 0.7 |
| Not stated | 9 | 75 | 283,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_005 **Length:** 1.0 **Position:** 655

**Question Name:** PAA_Q005

**Concept:** Active ways to get to places during the last week

**Question Text:** In the last 7 days, that is from last [day last week] to yesterday, did you use active ways like walking or cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends?

**Universe:** DHH_AGE > 17

**Note:** This does not include walking, cycling or other activities done purely for leisure.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 1,295 | 10,931,500 | 33.9 |
| No | | 2 | 2,105 | 15,680,500 | 48.6 |
| Valid skip | | 6 | 2,395 | 5,663,000 | 17.5 |
| Not stated | | 9 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_010A **Length:** 1.0 **Position:** 656

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places- Monday

**Question Text:** In the last 7 days, on which days did you do these activities? - Monday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 735 | 6,799,500 | 21.1 |
| No | | 2 | 555 | 4,119,500 | 12.8 |
| Valid skip | | 6 | 4,500 | 21,343,000 | 66.1 |
| Don’t know | | 7 | 5 | 12,500 | 0.0 |
| Not stated | | 9 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_010B **Length:** 1.0 **Position:** 657

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places- Tuesday

**Question Text:** In the last 7 days, on which days did you do these activities? - Tuesday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 780 | 6,741,500 | 20.9 |
| No | | 2 | 515 | 4,177,000 | 12.9 |
| Valid skip | | 6 | 4,500 | 21,343,000 | 66.1 |
| Don’t know | | 7 | 5 | 12,500 | 0.0 |
| Not stated | | 9 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_010C **Length:** 1.0 **Position:** 658



*Totals may not add up due to rounding.*

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places - Wednesday

**Question Text:** In the last 7 days, on which days did you do these activities? - Wednesday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 780 | 7,331,500 | 22.7 |
| No | 2 | 515 | 3,587,000 | 11.1 |
| Valid skip | 6 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_010D **Length:** 1.0 **Position:** 659

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places - Thursday

**Question Text:** In the last 7 days, on which days did you do these activities? - Thursday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 800 | 6,947,000 | 21.5 |
| No | 2 | 495 | 3,972,000 | 12.3 |
| Valid skip | 6 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_010E **Length:** 1.0 **Position:** 660

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places - Friday

**Question Text:** In the last 7 days, on which days did you do these activities? - Friday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 750 | 6,364,000 | 19.7 |
| No | 2 | 545 | 4,554,500 | 14.1 |
| Valid skip | 6 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_010F **Length:** 1.0 **Position:** 661

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places - Saturday

**Question Text:** In the last 7 days, on which days did you do these activities? - Saturday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 580 | 5,232,000 | 16.2 |
| No | 2 | 715 | 5,687,000 | 17.6 |
| Valid skip | 6 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_010G **Length:** 1.0 **Position:** 662

**Question Name:** PAA_Q010

**Concept:** Active ways to get to places - Sunday

**Question Text:** In the last 7 days, on which days did you do these activities? - Sunday

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 500 | 4,346,000 | 13.5 |
| No | 2 | 795 | 6,573,000 | 20.4 |
| Valid skip | 6 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_015 **Length:** 3.0 **Position:** 663



*Totals may not add up due to rounding.*

**Question Name:** PAA_Q015

**Concept:** Time spent on active ways to get to places last week - hours

**Question Text:** How much time in total, in the last 7 days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes. Enter the number of hours.

**Universe:** PAA_005 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 042 | 1,290 | 10,921,500 | 33.8 |
| Valid skip | 996 | 4,500 | 21,343,000 | 66.1 |
| Don't know | 997 | 5 | 9,500 | 0.0 |
| Not stated | 999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_020N **Length:** 4.0 **Position:** 666

**Question Name:** PAA_N020

**Concept:** Time spent on active ways to get to places last week - minutes

**Question Text:** How much time in total, in the last 7 days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes. Enter number of minutes.

**Universe:** PAA_015 < 168

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0140 | 1,290 | 10,921,500 | 33.8 |
| Valid skip | 9996 | 4,500 | 21,343,000 | 66.1 |
| Not stated | 9999 | 5 | 10,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAADTRVL **Length:** 5.0 **Position:** 670

**Question Name:**

**Concept:** Total minutes of active transportation per week - (D)

**Question Text:**

**Universe:** PAA_005 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 00000 - 02520 | 3,395 | 26,602,000 | 82.4 |
| Valid skip | | 99996 | 2,395 | 5,663,000 | 17.5 |
| Not stated | | 99999 | 5 | 10,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_030 **Length:** 1.0 **Position:** 675

**Question Name:** PAA_Q030

**Concept:** Recreational physical activities- last week

**Question Text:** [Not including activities you just reported, in/In] the last 7 days, did you do sports, fitness or recreational physical activities, organized or non-organized, that lasted a minimum of 10 continuous minutes?

Examples are walking, home or gym exercise, swimming, cycling, running, skiing, dancing and all team sports.

**Universe:** DHH_AGE > 17

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 2,020 | 15,489,500 | 48.0 |
| No | | 2 | 1,380 | 11,122,500 | 34.5 |
| Valid skip | | 6 | 2,395 | 5,663,000 | 17.5 |
| Not stated | | 9 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_035 **Length:** 1.0 **Position:** 676

**Question Name:** PAA_Q035

**Concept:** Recreational physical activities - sweat and breathe harder

**Question Text:** Did any of these recreational physical activities make you sweat at least a little and breathe harder?

**Universe:** PAA_030 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 1,620 | 12,445,000 | 38.6 |
| No | | 2 | 400 | 3,044,500 | 9.4 |
| Valid skip | | 6 | 3,770 | 16,785,000 | 52.0 |
| Not stated | | 9 | 5 | 1,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** PAA_040A **Length:** 1.0 **Position:** 677

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Monday

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Monday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 875 | 7,015,000 | 21.7 |
| No | 2 | 745 | 5,426,500 | 16.8 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_040B **Length:** 1.0 **Position:** 678

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Tuesday

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Tuesday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 835 | 6,448,000 | 20.0 |
| No | 2 | 785 | 5,994,000 | 18.6 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_040C **Length:** 1.0 **Position:** 679

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Wed.

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Wednesday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 840 | 6,538,000 | 20.3 |
| No | 2 | 780 | 5,903,500 | 18.3 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_040D **Length:** 1.0 **Position:** 680

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Thursday

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Thursday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 770 | 6,014,000 | 18.6 |
| No | 2 | 845 | 6,427,500 | 19.9 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_040E **Length:** 1.0 **Position:** 681

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Friday

**Question Text:** In the last 7 days, on which days did In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Friday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 790 | 6,330,500 | 19.6 |
| No | 2 | 830 | 6,111,000 | 18.9 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_040F **Length:** 1.0 **Position:** 682

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Saturday

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Saturday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 675 | 5,392,500 | 16.7 |
| No | 2 | 945 | 7,049,000 | 21.8 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_040G **Length:** 1.0 **Position:** 683

**Question Name:** PAA_Q040

**Concept:** Recreational physical activities - sweat and breathe harder - Sunday

**Question Text:** In the last 7 days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Sunday

**Universe:** PAA_035 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 655 | 4,677,000 | 14.5 |
| No | 2 | 965 | 7,764,500 | 24.1 |
| Valid skip | 6 | 4,170 | 19,829,500 | 61.4 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_045 **Length:** 3.0 **Position:** 684

**Question Name:** PAA_Q045

**Concept:** Time spent on recreational physical activities - hours

**Question Text:** In the last 7 days, how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? Enter the number of hours.

**Universe:** PAA_035 = 1

**Note:** This only includes those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 035 | 1,620 | 12,445,000 | 38.6 |
| Valid skip | 996 | 4,170 | 19,829,500 | 61.4 |
| Not stated | 999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_050N **Length:** 4.0 **Position:** 687

**Question Name:** PAA_N050

**Concept:** Time spent on recreational physical activities - minutes

**Question Text:** In the last 7 days, how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? Enter number of minutes.

**Universe:** PAA_045 < 168

**Note:** This only includes those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0120 | 1,620 | 12,445,000 | 38.6 |
| Valid skip | 9996 | 4,170 | 19,829,500 | 61.4 |
| Not stated | 9999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAADREC **Length:** 5.0 **Position:** 691

**Question Name:**

**Concept:** Total minutes of recreational physical activity per week - (D)

**Question Text:**

**Universe:** PAA_035 = 1

**Note:** See document on derived variables.

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 02100 | 3,400 | 26,611,500 | 82.5 |
| Valid skip | 99996 | 2,395 | 5,663,000 | 17.5 |
| Not stated | 99999 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_060 **Length:** 1.0 **Position:** 696

**Question Name:** PAA_Q060

**Concept:** Other physical activities - last week

**Question Text:** In the last 7 days, did you do any other physical activities while at work, in or around your home or while volunteering?

Examples are carrying heavy loads, shoveling, and household chores such as vacuuming or washing windows. Please remember to only include activities that lasted a minimum of 10 continuous minutes.

**Universe:** DHH_AGE > 17

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,305 | 16,779,000 | 52.0 |
| No | 2 | 1,095 | 9,831,000 | 30.5 |
| Valid skip | 6 | 2,395 | 5,663,000 | 17.5 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_065 **Length:** 1.0 **Position:** 697

**Question Name:** PAA_Q065

**Concept:** Other physical activities - sweat and breathe harder

**Question Text:** Did any of these other physical activities make you sweat at least a little and breathe harder?

**Universe:** PAA_060 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,485 | 10,168,000 | 31.5 |
| No | 2 | 820 | 6,611,000 | 20.5 |
| Valid skip | 6 | 3,485 | 15,493,500 | 48.0 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_070A **Length:** 1.0 **Position:** 698

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Monday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Monday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 695 | 4,721,500 | 14.6 |
| No | 2 | 785 | 5,428,000 | 16.8 |
| Valid skip | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | 7 | 5 | 18,500 | 0.1 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_070B **Length:** 1.0 **Position:** 699

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Tuesday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Tuesday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 655 | 4,287,500 | 13.3 |
| No | 2 | 820 | 5,862,000 | 18.2 |
| Valid skip | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | 7 | 5 | 18,500 | 0.1 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_070C **Length:** 1.0 **Position:** 700

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Wednesday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Wednesday



*Totals may not add up due to rounding.*

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 690 | 4,436,500 | 13.7 |
| No | 2 | 790 | 5,713,000 | 17.7 |
| Valid skip | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | 7 | 5 | 18,500 | 0.1 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_070D **Length:** 1.0 **Position:** 701

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Thursday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Thursday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 670 | 4,471,500 | 13.9 |
| No | 2 | 810 | 5,677,500 | 17.6 |
| Valid skip | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | 7 | 5 | 18,500 | 0.1 |
| Not stated | 9 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_070E **Length:** 1.0 **Position:** 702

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Friday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Friday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 655 | 4,586,500 | 14.2 |
| No | 2 | 825 | 5,563,000 | 17.2 |
| Valid skip | 6 | 4,310 | 22,104,500 | 68.5 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Don't know | | 7 | 5 | 18,500 | 0.1 |
| Not stated | | 9 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_070F **Length:** 1.0 **Position:** 703

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Saturday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Saturday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 600 | 4,193,500 | 13.0 |
| No | | 2 | 880 | 5,956,000 | 18.5 |
| Valid skip | | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | | 7 | 5 | 18,500 | 0.1 |
| Not stated | | 9 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_070G **Length:** 1.0 **Position:** 704

**Question Name:** PAA_Q070

**Concept:** Other physical activities - sweat and breathe harder - Sunday

**Question Text:** In the last 7 days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Sunday

**Universe:** PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 520 | 3,314,000 | 10.3 |
| No | | 2 | 955 | 6,835,000 | 21.2 |
| Valid skip | | 6 | 4,310 | 22,104,500 | 68.5 |
| Don't know | | 7 | 5 | 18,500 | 0.1 |
| Not stated | | 9 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_075 **Length:** 3.0 **Position:** 705



*Totals may not add up due to rounding.*

**Question Name:** PAA_Q075

**Concept:** Time spent on other physical activities - hours

**Question Text:** In the last 7 days, how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder? Enter the number of hours.

**Universe:** PAA_065 = 1

**Note:** This only includes those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 060 | 1,475 | 10,145,500 | 31.4 |
| Valid skip | 996 | 4,310 | 22,104,500 | 68.5 |
| Don't know | 997 | 10 | 22,500 | 0.1 |
| Not stated | 999 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_080N **Length:** 4.0 **Position:** 708

**Question Name:** PAA_N080

**Concept:** Time spent on other physical activities - minutes

**Question Text:** In the last 7 days, how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder. Enter the number of minutes.

**Universe:** PAA_075 < 168

**Note:** This only include those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0050 | 1,475 | 10,145,500 | 31.4 |
| Valid skip | 9996 | 4,310 | 22,104,500 | 68.5 |
| Not stated | 9999 | 10 | 25,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAADOTH **Length:** 5.0 **Position:** 712

**Question Name:**

**Concept:** Total minutes of other physical activities per week - (D)

**Question Text:**

**Universe:** PAA_065 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 03601 | 3,390 | 26,587,500 | 82.4 |
| Valid skip | 99996 | 2,395 | 5,663,000 | 17.5 |
| Not stated | 99999 | 10 | 25,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAADTOT **Length:** 5.0 **Position:** 717

**Question Name:**

**Concept:** Total minutes of physical activity from all domains per week - (D)

**Question Text:**

**Universe:** PAADTRVL < VS and PAADREC < VS and PAADOTH < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 04170 | 3,385 | 26,579,500 | 82.4 |
| Valid skip | 99996 | 2,395 | 5,663,000 | 17.5 |
| Not stated | 99999 | 15 | 33,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_095 **Length:** 1.0 **Position:** 722

**Question Name:** PAA_Q095

**Concept:** Vigorous intensity physical activities

**Question Text:** You have reported a total of [total time] minutes of physical activity that made you sweat at least a little and breathe harder. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

**Universe:** PAA_005 = 1 or PAA_035 = 1 or PAA_065 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 885 | 6,641,000 | 20.6 |
| No | 2 | 1,795 | 13,974,500 | 43.3 |
| Valid skip | 6 | 3,105 | 11,638,500 | 36.1 |
| Not stated | 9 | 10 | 21,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAA_100 **Length:** 3.0 **Position:** 723

**Question Name:** PAA_Q100



*Totals may not add up due to rounding.*

**Concept:** Vigorous intensity physical activities - hours

**Question Text:** In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter the number of hours.

**Universe:** PAA_095 = 1

**Note:** This only includes those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 025 | 885 | 6,619,500 | 20.5 |
| Valid skip | 996 | 4,900 | 25,613,000 | 79.4 |
| Don't know | 997 | 5 | 21,500 | 0.1 |
| Not stated | 999 | 10 | 21,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAA_105N **Length:** 4.0 **Position:** 726

**Question Name:** PAA_N105

**Concept:** Vigorous intensity physical activities - minutes

**Question Text:** In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter number of minutes.

**Universe:** PAA_100 < 168

**Note:** This only includes those physical activities that lasted at least 10 minutes, including rest periods.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0240 | 885 | 6,619,500 | 20.5 |
| Valid skip | 9996 | 4,900 | 25,613,000 | 79.4 |
| Not stated | 9999 | 10 | 43,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAADVIG **Length:** 5.0 **Position:** 730

**Question Name:**

**Concept:** Total minutes of vigorous intensity physical activities per week - (D)

**Question Text:**

**Universe:** PAA_095 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 00000 - 01500 | 2,680 | 20,594,000 | 63.8 |
| Valid skip | | 99996 | 3,105 | 11,638,500 | 36.1 |
| Not stated | | 99999 | 10 | 43,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_05A **Length:** 1.0 **Position:** 735

**Question Name:** PAY_Q005

**Concept:** Attend school - Last week

**Question Text:** During the last 7 days, that is from last [day last week] to yesterday, did you... ? - Attend school

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 610 | 1,883,000 | 5.8 |
| No | | 2 | 175 | 423,000 | 1.3 |
| Valid skip | | 6 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_05B **Length:** 1.0 **Position:** 736

**Question Name:** PAY_Q005

**Concept:** Attend a day camp - Last week

**Question Text:** During the last 7 days, that is from last [day last week] to yesterday, did you... ? - Attend a day camp

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 5 | 13,500 | 0.0 |
| No | | 2 | 780 | 2,292,500 | 7.1 |
| Valid skip | | 6 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_05C **Length:** 1.0 **Position:** 737



*Totals may not add up due to rounding.*

**Question Name:** PAY_Q005

**Concept:** Attend paid or unpaid work - Last week

**Question Text:** During the last 7 days, that is from last [day last week] to yesterday, did you... ? - Attend paid or unpaid work

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 105 | 299,000 | 0.9 |
| No | 2 | 685 | 2,006,500 | 6.2 |
| Valid skip | 6 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_05D **Length:** 1.0 **Position:** 738

**Question Name:** PAY_Q005

**Concept:** None of the above - Last week

**Question Text:** During the last 7 days, that is from last [day last week] to yesterday, did you... ? - None of the above

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 135 | 335,000 | 1.0 |
| No | 2 | 650 | 1,970,500 | 6.1 |
| Valid skip | 6 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_10 **Length:** 1.0 **Position:** 739

**Question Name:** PAY_Q010

**Concept:** Active ways to get to places during the last week

**Question Text:** In the last 7 days, did you use active ways like walking or cycling to get to places such as [school, the bus stop, the shopping centre, work/school, the bus stop, the shopping centre/the bus stop, the shopping centre, work/the bus stop, the shopping centre] or to visit friends?

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 525 | 1,659,000 | 5.1 |
| No | 2 | 260 | 646,000 | 2.0 |
| Valid skip | 6 | 5,005 | 29,966,500 | 92.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15A **Length:** 2.0 **Position:** 740

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Sunday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Sunday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 515 | 1,639,000 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 10 | 20,000 | 0.1 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15B **Length:** 2.0 **Position:** 742

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Monday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Monday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 515 | 1,635,500 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 10 | 23,500 | 0.1 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PAY_15C **Length:** 2.0 **Position:** 744

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Tuesday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Tuesday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 520 | 1,642,000 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 5 | 17,000 | 0.1 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15D **Length:** 2.0 **Position:** 746

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Wednesday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Wednesday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 520 | 1,645,500 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 5 | 13,500 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15E **Length:** 2.0 **Position:** 748

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Thursday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Thursday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 515 | 1,632,500 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 10 | 26,500 | 0.1 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15F **Length:** 2.0 **Position:** 750

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Friday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Friday]? - Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 06 | 510 | 1,594,000 | 4.9 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 15 | 65,000 | 0.2 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15G **Length:** 2.0 **Position:** 752

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Saturday] - hours

**Question Text:** How much time did you spend using active ways to get to places [Saturday]? Enter the number of hours.

**Universe:** PAY_10 = 1

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 07 | 515 | 1,632,500 | 5.1 |
| Valid skip | 96 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 97 | 10 | 27,000 | 0.1 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PAY_15AN **Length:** 3.0 **Position:** 754

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Sunday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Sunday]? Enter the number of minutes.

**Universe:** PAY_15A < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 050 | 515 | 1,639,000 | 5.1 |
| Valid skip | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | 999 | 15 | 24,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15BN **Length:** 3.0 **Position:** 757

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Monday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Monday]? Enter the number of minutes.

**Universe:** PAY_15B < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 050 | 515 | 1,635,000 | 5.1 |
| Valid skip | 996 | 5,265 | 30,612,500 | 94.8 |
| Don't know | 997 | 5 | 1,000 | 0.0 |
| Not stated | 999 | 10 | 27,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15CN **Length:** 3.0 **Position:** 760

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Tuesday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Tuesday]? Enter the number of minutes.

**Universe:** PAY_15C < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 050 | 520 | 1,642,000 | 5.1 |
| Valid skip | | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | | 999 | 10 | 21,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15DN **Length:** 3.0 **Position:** 763

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Wednesday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Wednesday]? Enter the number of minutes.

**Universe:** PAY_15D < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 050 | 520 | 1,645,500 | 5.1 |
| Valid skip | | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | | 999 | 10 | 18,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15EN **Length:** 3.0 **Position:** 766

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Thursday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Thursday]? Enter the number of minutes.

**Universe:** PAY_15E < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 055 | 515 | 1,632,500 | 5.1 |
| Valid skip | | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | | 999 | 15 | 31,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15FN **Length:** 3.0 **Position:** 769

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Time spent on active ways to get to places - [Friday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Friday]? Enter the number of minutes.

**Universe:** PAY_15F < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 510 | 1,594,000 | 4.9 |
| Valid skip | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | 999 | 20 | 69,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_15GN **Length:** 3.0 **Position:** 772

**Question Name:**

**Concept:** Time spent on active ways to get to places - [Saturday] - minutes

**Question Text:** How much time did you spend using active ways to get to places [Saturday]? Enter the number of minutes.

**Universe:** PAY_15G < 24

**Note:** The day of the week was re-coded during processing, based on the day of the interview.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 515 | 1,632,500 | 5.1 |
| Valid skip | 996 | 5,265 | 30,612,500 | 94.8 |
| Not stated | 999 | 15 | 31,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDTRV1 **Length:** 4.0 **Position:** 775

**Question Name:**

**Concept:** Time of active transportation (minutes) - Sunday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0360 | 775 | 2,285,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 15 | 24,000 | 0.1 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDTRV2 **Length:** 4.0 **Position:** 779

**Question Name:**

**Concept:** Time of active transportation (minutes) - Monday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0360 | 775 | 2,281,000 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 15 | 28,500 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDTRV3 **Length:** 4.0 **Position:** 783

**Question Name:**

**Concept:** Time of active transportation (minutes) - Tuesday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0360 | 780 | 2,288,000 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 10 | 21,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDTRV4 **Length:** 4.0 **Position:** 787

**Question Name:**

**Concept:** Time of active transportation (minutes) - Wednesday - (D)

**Question Text:**

**Universe:** PAY_10 = 1



*Totals may not add up due to rounding.*

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0360 | 780 | 2,291,500 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 18,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDTRV5 **Length:** 4.0 **Position:** 791

**Question Name:**

**Concept:** Time of active transportation (minutes) - Thursday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0360 | 775 | 2,278,500 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 15 | 31,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDTRV6 **Length:** 4.0 **Position:** 795

**Question Name:**

**Concept:** Time of active transportation (minutes) - Friday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0360 | 770 | 2,240,000 | 6.9 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 20 | 69,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDTRV7 **Length:** 4.0 **Position:** 799

**Question Name:**

**Concept:** Time of active transportation (minutes) - Saturday - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0420 | 775 | 2,278,500 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 15 | 31,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDTRVL **Length:** 5.0 **Position:** 803

**Question Name:**

**Concept:** Total minutes of active transportation per week - (D)

**Question Text:**

**Universe:** PAY_10 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 02160 | 755 | 2,197,000 | 6.8 |
| Valid skip | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 99999 | 35 | 112,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_25 **Length:** 1.0 **Position:** 808

**Question Name:** PAY_Q025

**Concept:** Physical activities at school/day camp - last week

**Question Text:** In the last 7 days, did you do sports, fitness or recreational physical activities while at [school or day camp, including during physical education classes, during your breaks and any other time you played indoors or outdoors/school, including during physical education classes, during your breaks and any other time you played indoors or outdoors/day camp, including any time you played indoors or outdoors]?

**Universe:** PAY_05A = 1 or PAY_05B = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 475 | 1,433,500 | 4.4 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| No | | 2 | 145 | 462,000 | 1.4 |
| Valid skip | | 6 | 5,175 | 30,376,000 | 94.1 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_30 **Length:** 1.0 **Position:** 809

**Question Name:** PAY_Q030

**Concept:** Physical activities at school/day camp - sweat and breathe harder

**Question Text:** Did any of these activities make you sweat at least a little and breathe harder?

**Universe:** PAY_25 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 435 | 1,302,000 | 4.0 |
| No | | 2 | 40 | 131,500 | 0.4 |
| Valid skip | | 6 | 5,320 | 30,838,000 | 95.5 |
| Not stated | | 9 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35A **Length:** 2.0 **Position:** 810

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Sun.] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 96 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 99 | 435 | 1,306,500 | 4.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35B **Length:** 2.0 **Position:** 812

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Monday] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 04 | 435 | 1,302,000 | 4.0 |
| Valid skip | 96 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35C **Length:** 2.0 **Position:** 814

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Tuesday] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 05 | 435 | 1,302,000 | 4.0 |
| Valid skip | 96 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35D **Length:** 2.0 **Position:** 816

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Wed.] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 04 | 430 | 1,294,000 | 4.0 |
| Valid skip | | 96 | 5,360 | 30,969,500 | 96.0 |
| Don't know | | 97 | 5 | 8,000 | 0.0 |
| Not stated | | 99 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35E **Length:** 2.0 **Position:** 818

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Thursday] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 05 | 435 | 1,302,000 | 4.0 |
| Valid skip | | 96 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 99 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35F **Length:** 2.0 **Position:** 820

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Friday] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 06 | 430 | 1,297,500 | 4.0 |
| Valid skip | | 96 | 5,360 | 30,969,500 | 96.0 |
| Don't know | | 97 | 5 | 4,500 | 0.0 |
| Not stated | | 99 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35G **Length:** 2.0 **Position:** 822

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Saturday] - hours

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

**Universe:** PAY_30 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Valid skip | 96 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 99 | 435 | 1,306,500 | 4.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35AN **Length:** 3.0 **Position:** 824

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Sun.] - minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

**Universe:** PAY_35A < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Valid skip | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 999 | 435 | 1,306,500 | 4.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35BN **Length:** 3.0 **Position:** 827

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Monday] - minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday] Enter the number of minutes.

**Universe:** PAY_35B < 24

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 055 | 435 | 1,302,000 | 4.0 |
| Valid skip | | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35CN **Length:** 3.0 **Position:** 830

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

**Universe:** PAY_35C < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 075 | 435 | 1,302,000 | 4.0 |
| Valid skip | | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35DN **Length:** 3.0 **Position:** 833

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Wed.] - minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

**Universe:** PAY_35D < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 055 | 430 | 1,294,000 | 4.0 |
| Valid skip | | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 999 | 5 | 12,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_35EN **Length:** 3.0 **Position:** 836

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Thursday]-minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]?Enter the number of minutes.

**Universe:** PAY_35E < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 055 | 435 | 1,302,000 | 4.0 |
| Valid skip | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35FN **Length:** 3.0 **Position:** 839

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Friday] - minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

**Universe:** PAY_35F < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 060 | 430 | 1,297,500 | 4.0 |
| Valid skip | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | 999 | 5 | 8,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_35GN **Length:** 3.0 **Position:** 842

**Question Name:**

**Concept:** Activities school/day camp - sweat/breathe harder - [Saturday]-minutes

**Question Text:** How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

**Universe:** PAY_35G < 24

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 996 | 5,360 | 30,969,500 | 96.0 |
| Not stated | | 999 | 435 | 1,306,500 | 4.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDSCH2 **Length:** 4.0 **Position:** 845

**Question Name:**

**Concept:** Time of physical activity at school/day camp (minutes) - Monday - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0240 | 615 | 1,895,500 | 5.9 |
| Valid skip | | 9996 | 5,175 | 30,376,000 | 94.1 |
| Not stated | | 9999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDSCH3 **Length:** 4.0 **Position:** 849

**Question Name:**

**Concept:** Time of physical activity at school/day camp (minutes) - Tuesday - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0300 | 615 | 1,895,500 | 5.9 |
| Valid skip | | 9996 | 5,175 | 30,376,000 | 94.1 |
| Not stated | | 9999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDSCH4 **Length:** 4.0 **Position:** 853

**Question Name:**

**Concept:** Time of physical activity at school/day camp (min.) - Wednesday - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0240 | 615 | 1,887,500 | 5.8 |
| Valid skip | 9996 | 5,175 | 30,376,000 | 94.1 |
| Not stated | 9999 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDSCH5 **Length:** 4.0 **Position:** 857

**Question Name:**

**Concept:** Time of physical activity at school/day camp (min.) - Thursday - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0300 | 615 | 1,895,500 | 5.9 |
| Valid skip | 9996 | 5,175 | 30,376,000 | 94.1 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDSCH6 **Length:** 4.0 **Position:** 861

**Question Name:**

**Concept:** Time of physical activity at school/day camp (minutes) - Friday - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0360 | 615 | 1,891,000 | 5.9 |
| Valid skip | 9996 | 5,175 | 30,376,000 | 94.1 |
| Not stated | 9999 | 5 | 8,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PAYDSCHL **Length:** 5.0 **Position:** 865

**Question Name:**

**Concept:** Total minutes of physical activity at school/day camp per week - (D)

**Question Text:**

**Universe:** PAY_30 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 01080 | 785 | 2,292,500 | 7.1 |
| Valid skip | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 99999 | 5 | 16,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_45 **Length:** 1.0 **Position:** 870

**Question Name:** PAY_Q045

**Concept:** Physical activities in leisure time

**Question Text:** In the last 7 days, did you do physical activities in your leisure time including exercising, playing an organized or non-organized sport or playing with your friends?

**Universe:** 11 < DHH_AGE < 18

**Note:** This includes exercising, playing organised or non-organised sport or playing with friends.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 615 | 1,800,500 | 5.6 |
| No | 2 | 170 | 504,500 | 1.6 |
| Valid skip | 6 | 5,005 | 29,966,500 | 92.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_50 **Length:** 1.0 **Position:** 871

**Question Name:** PAY_Q050

**Concept:** Physical activities in leisure time - sweat and breathe harder

**Question Text:** Did any of these leisure-time activities make you sweat at least a little and breathe harder?

**Universe:** PAY_45 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 545 | 1,627,000 | 5.0 |
| No | 2 | 70 | 173,500 | 0.5 |
| Valid skip | 6 | 5,175 | 30,471,000 | 94.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55A **Length:** 2.0 **Position:** 872

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Sunday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 08 | 540 | 1,612,500 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don’t know | 97 | 5 | 14,500 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55B **Length:** 2.0 **Position:** 874

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Monday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 12 | 535 | 1,614,000 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don’t know | 97 | 5 | 13,000 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PAY_55C **Length:** 2.0 **Position:** 876

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Tuesday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 05 | 540 | 1,622,500 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don't know | 97 | 5 | 4,500 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55D **Length:** 2.0 **Position:** 878

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Wednesday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 05 | 540 | 1,619,000 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don't know | 97 | 5 | 8,000 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55E **Length:** 2.0 **Position:** 880

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Thursday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 07 | 535 | 1,615,000 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don't know | 97 | 5 | 12,000 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55F **Length:** 2.0 **Position:** 882

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Friday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 08 | 540 | 1,612,000 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don't know | 97 | 5 | 15,000 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55G **Length:** 2.0 **Position:** 884

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Saturday] - hours

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

**Universe:** PAY_50 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 08 | 540 | 1,611,000 | 5.0 |
| Valid skip | 96 | 5,245 | 30,644,500 | 94.9 |
| Don't know | 97 | 5 | 16,000 | 0.0 |
| Not stated | 99 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** PAY_55AN **Length:** 3.0 **Position:** 886

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Sunday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

**Universe:** PAY_55A < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 055 | 540 | 1,612,500 | 5.0 |
| Valid skip | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | 999 | 10 | 18,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55BN **Length:** 3.0 **Position:** 889

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Monday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

**Universe:** PAY_55B < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 050 | 535 | 1,614,000 | 5.0 |
| Valid skip | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | 999 | 10 | 17,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55CN **Length:** 3.0 **Position:** 892

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

**Universe:** PAY_55C < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 050 | 540 | 1,622,500 | 5.0 |
| Valid skip | | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | | 999 | 5 | 8,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55DN **Length:** 3.0 **Position:** 895

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

**Universe:** PAY_55D < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 050 | 540 | 1,619,000 | 5.0 |
| Valid skip | | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | | 999 | 10 | 12,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55EN **Length:** 3.0 **Position:** 898

**Question Name:**

**Concept:** Leisure-time activities- sweat/breathe harder - [Thursday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

**Universe:** PAY_55E < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 050 | 535 | 1,615,000 | 5.0 |
| Valid skip | | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | | 999 | 10 | 16,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55FN **Length:** 3.0 **Position:** 901

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Leisure-time activities - sweat/breathe harder - [Friday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

**Universe:** PAY_55F < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 050 | 540 | 1,612,000 | 5.0 |
| Valid skip | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | 999 | 10 | 19,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_55GN **Length:** 3.0 **Position:** 904

**Question Name:**

**Concept:** Leisure-time activities - sweat/breathe harder - [Saturday] - minutes

**Question Text:** How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

**Universe:** PAY_55G < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 050 | 540 | 1,611,000 | 5.0 |
| Valid skip | 996 | 5,245 | 30,644,500 | 94.9 |
| Not stated | 999 | 10 | 20,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDREC1 **Length:** 4.0 **Position:** 907

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Sunday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0480 | 780 | 2,290,500 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 18,500 | 0.1 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDREC2 **Length:** 4.0 **Position:** 911

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Monday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0720 | 780 | 2,292,000 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 10 | 17,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDREC3 **Length:** 4.0 **Position:** 915

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Tuesday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0330 | 785 | 2,300,500 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 5 | 8,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDREC4 **Length:** 4.0 **Position:** 919

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Wednesday - (D)

**Question Text:**

**Universe:** PAY_50 = 1



*Totals may not add up due to rounding.*

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0330 | 780 | 2,297,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 12,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDREC5 **Length:** 4.0 **Position:** 923

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Thursday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0420 | 780 | 2,293,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 16,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDREC6 **Length:** 4.0 **Position:** 927

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Friday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0480 | 780 | 2,290,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 19,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDREC7 **Length:** 4.0 **Position:** 931

**Question Name:**

**Concept:** Time of recreational physical activity (minutes) - Saturday - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0480 | 780 | 2,289,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 10 | 20,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDREC **Length:** 5.0 **Position:** 935

**Question Name:**

**Concept:** Total minutes of recreational physical activity per week - (D)

**Question Text:**

**Universe:** PAY_50 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 02055 | 770 | 2,265,000 | 7.0 |
| Valid skip | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 99999 | 20 | 44,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_65 **Length:** 1.0 **Position:** 940

**Question Name:** PAY_Q065

**Concept:** Other physical activities - last week

**Question Text:** In the last 7 days, did you do any other physical activities [ that you have not already reported/EMPTY], for example, while you were [doing paid or unpaid work or/EMPTY] helping your family with chores?

**Universe:** 11 < DHH_AGE < 18

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 385 | 1,119,000 | 3.5 |
| No | 2 | 400 | 1,183,500 | 3.7 |
| Valid skip | 6 | 5,005 | 29,966,500 | 92.8 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Don't know | | 7 | 5 | 3,500 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_70 **Length:** 1.0 **Position:** 941

**Question Name:** PAY_Q070

**Concept:** Other physical activities - sweat and breathe harder

**Question Text:** Did any of these other physical activities make you sweat at least a little and breathe harder?

**Universe:** PAY_65 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 155 | 400,500 | 1.2 |
| No | | 2 | 225 | 718,000 | 2.2 |
| Valid skip | | 6 | 5,405 | 31,150,000 | 96.5 |
| Not stated | | 9 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75A **Length:** 2.0 **Position:** 942

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Sunday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 09 | 155 | 400,500 | 1.2 |
| Valid skip | | 96 | 5,635 | 31,868,000 | 98.7 |
| Not stated | | 99 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75B **Length:** 2.0 **Position:** 944

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Monday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 10 | 155 | 400,000 | 1.2 |
| Valid skip | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | 97 | 5 | 1,000 | 0.0 |
| Not stated | 99 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75C **Length:** 2.0 **Position:** 946

**Question Name:**

**Concept:** Other physical act.- sweat and breathe harder - [Tuesday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 11 | 155 | 394,500 | 1.2 |
| Valid skip | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | 97 | 5 | 6,000 | 0.0 |
| Not stated | 99 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75D **Length:** 2.0 **Position:** 948

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Wednesday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 11 | 155 | 395,500 | 1.2 |
| Valid skip | | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | | 97 | 5 | 5,000 | 0.0 |
| Not stated | | 99 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75E **Length:** 2.0 **Position:** 950

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Thursday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 11 | 155 | 395,500 | 1.2 |
| Valid skip | | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | | 97 | 5 | 5,000 | 0.0 |
| Not stated | | 99 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75F **Length:** 2.0 **Position:** 952

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Friday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00 - 11 | 155 | 394,500 | 1.2 |
| Valid skip | | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | | 97 | 5 | 6,000 | 0.0 |
| Not stated | | 99 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75G **Length:** 2.0 **Position:** 954

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Saturday] - hours

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

**Universe:** PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00 - 12 | 155 | 400,000 | 1.2 |
| Valid skip | 96 | 5,635 | 31,868,000 | 98.7 |
| Don't know | 97 | 5 | 1,000 | 0.0 |
| Not stated | 99 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75AN **Length:** 3.0 **Position:** 956

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Sunday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

**Universe:** PAY_75A < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 155 | 400,500 | 1.2 |
| Valid skip | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | 999 | 5 | 7,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75BN **Length:** 3.0 **Position:** 959

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Monday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

**Universe:** PAY_75B < 24

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 045 | 155 | 400,000 | 1.2 |
| Valid skip | | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | | 999 | 5 | 8,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75CN **Length:** 3.0 **Position:** 962

**Question Name:**

**Concept:** Other physical act. - sweat and breath harder - [Tuesday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

**Universe:** PAY_75C < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 055 | 155 | 394,500 | 1.2 |
| Valid skip | | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | | 999 | 5 | 13,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75DN **Length:** 3.0 **Position:** 965

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Wednesday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

**Universe:** PAY_75D < 24

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 000 - 045 | 155 | 395,500 | 1.2 |
| Valid skip | | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | | 999 | 5 | 12,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_75EN **Length:** 3.0 **Position:** 968

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Thursday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

**Universe:** PAY_75E < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 155 | 395,500 | 1.2 |
| Valid skip | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | 999 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75FN **Length:** 3.0 **Position:** 971

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Friday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

**Universe:** PAY_75F < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 155 | 394,500 | 1.2 |
| Valid skip | 996 | 5,635 | 31,868,000 | 98.7 |
| Not stated | 999 | 5 | 13,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_75GN **Length:** 3.0 **Position:** 974

**Question Name:**

**Concept:** Other physical act. - sweat and breathe harder - [Saturday] - minutes

**Question Text:** How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

**Universe:** PAY_75G < 24

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 000 - 045 | 155 | 400,000 | 1.2 |
| Valid skip | 996 | 5,635 | 31,868,000 | 98.7 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 999 | 5 | 8,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDOTH1 **Length:** 4.0 **Position:** 977

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Sunday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0540 | 785 | 2,302,000 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDOTH2 **Length:** 4.0 **Position:** 981

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Monday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 0000 - 0600 | 785 | 2,301,500 | 7.1 |
| Valid skip | | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 9999 | 5 | 8,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDOTH3 **Length:** 4.0 **Position:** 985

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Tuesday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0660 | 785 | 2,296,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 5 | 13,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDOTH4 **Length:** 4.0 **Position:** 989

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Wednesday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0660 | 785 | 2,297,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDOTH5 **Length:** 4.0 **Position:** 993

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Thursday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0660 | 785 | 2,297,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 5 | 12,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDOTH6 **Length:** 4.0 **Position:** 997



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Friday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0660 | 785 | 2,296,000 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 5 | 13,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDOTH7 **Length:** 4.0 **Position:** 1001

**Question Name:**

**Concept:** Time of other physical activities (minutes) - Saturday - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 0720 | 785 | 2,301,500 | 7.1 |
| Valid skip | 9996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 9999 | 5 | 8,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDOTH **Length:** 5.0 **Position:** 1005

**Question Name:**

**Concept:** Total minutes of other physical activities per week - (D)

**Question Text:**

**Universe:** PAY_70 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 03660 | 785 | 2,296,000 | 7.1 |
| Valid skip | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 99999 | 5 | 13,000 | 0.0 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAYDTOT **Length:** 5.0 **Position:** 1010

**Question Name:**

**Concept:** Total minutes of physical activity from all domains per week - (D)

**Question Text:**

**Universe:** PAYDTRVL < VS and PAYDSCHL < VS and PAYDREC < VS and PAYDOTH < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of minutes | | 00000 - 04850 | 735 | 2,147,500 | 6.7 |
| Valid skip | | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | | 99999 | 50 | 161,500 | 0.5 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_90 **Length:** 1.0 **Position:** 1015

**Question Name:** PAY_Q090

**Concept:** Vigorous intensity physical activities

**Question Text:** You have reported a total of [total time] minutes of physical activity that made you sweat at least a little and breathe harder. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

**Universe:** PAY_10 = 1 or PAY_30 = 1 or PAY_50 = 1 or PAY_70 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 395 | 1,144,000 | 3.5 |
| No | | 2 | 355 | 1,083,500 | 3.4 |
| Valid skip | | 6 | 5,045 | 30,043,500 | 93.1 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_95A **Length:** 1.0 **Position:** 1016

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Monday



*Totals may not add up due to rounding.*

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Monday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 165 | 457,000 | 1.4 |
| No | 2 | 225 | 686,000 | 2.1 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_95B **Length:** 1.0 **Position:** 1017

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Tuesday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Tuesday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 180 | 488,500 | 1.5 |
| No | 2 | 210 | 655,000 | 2.0 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_95C **Length:** 1.0 **Position:** 1018

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Wednesday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Wednesday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 170 | 519,000 | 1.6 |
| No | 2 | 220 | 624,500 | 1.9 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_95D **Length:** 1.0 **Position:** 1019

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Thursday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Thursday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 190 | 561,000 | 1.7 |
| No | 2 | 200 | 582,500 | 1.8 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PAY_95E **Length:** 1.0 **Position:** 1020

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Friday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Friday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 145 | 380,000 | 1.2 |
| No | 2 | 250 | 763,000 | 2.4 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** PAY_95F **Length:** 1.0 **Position:** 1021

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Saturday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Saturday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 95 | 255,000 | 0.8 |
| No | 2 | 300 | 888,500 | 2.8 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_95G **Length:** 1.0 **Position:** 1022

**Question Name:** PAY_Q095

**Concept:** Vigorous intensity physical activities - Sunday

**Question Text:** In the last 7 days, on which days did you do these vigorous activities that caused you to be out of breath? - Sunday

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 100 | 259,500 | 0.8 |
| No | 2 | 295 | 884,000 | 2.7 |
| Valid skip | 6 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_100 **Length:** 3.0 **Position:** 1023

**Question Name:** PAY_Q100

**Concept:** Vigorous intensity physical activities - last week - hours

**Question Text:** In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter the number of hours.

**Universe:** PAY_90 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 024 | 390 | 1,142,500 | 3.5 |
| Valid skip | 996 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 997 | 5 | 1,500 | 0.0 |
| Not stated | 999 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAY_105N **Length:** 4.0 **Position:** 1026

**Question Name:** PAY_N105

**Concept:** Vigorous intensity physical activities - last week - minutes

**Question Text:** In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter number of minutes.

**Universe:** PAY_100 < 168

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 0000 - 4700 | 390 | 1,140,000 | 3.5 |
| Valid skip | 9996 | 5,395 | 31,127,000 | 96.4 |
| Don't know | 9997 | 5 | 2,000 | 0.0 |
| Not stated | 9999 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PAYDVIG **Length:** 5.0 **Position:** 1030

**Question Name:**

**Concept:** Total minutes of vigorous intensity physical activities per week - (D)

**Question Text:**

**Universe:** PAY_90 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of minutes | 00000 - 04700 | 735 | 2,145,000 | 6.6 |
| Valid skip | 99996 | 5,005 | 29,966,500 | 92.8 |
| Not stated | 99999 | 55 | 164,000 | 0.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** CPA_11 **Length:** 1.0 **Position:** 1035

**Question Name:** CPA_Q11

**Concept:** Number of days physically active - past 7 days

**Question Text:** Over the past 7 days, on how many days was he physically active for a total of at least 60 minutes per day?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None (zero days) | 1 | 25 | 50,500 | 0.2 |
| 1 day | 2 | 40 | 90,000 | 0.3 |
| 2 or 3 days | 3 | 220 | 387,500 | 1.2 |
| 4 days or more | 4 | 1,310 | 2,804,000 | 8.7 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 10 | 21,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_12 **Length:** 1.0 **Position:** 1036

**Question Name:** CPA_Q12

**Concept:** Number of days physically active - usual week

**Question Text:** Over a typical or usual week, on how many days is he physically active for a total of at least 60 minutes per day?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None (zero days) | 1 | 10 | 13,000 | 0.0 |
| 1 day | 2 | 20 | 37,000 | 0.1 |
| 2 or 3 days | 3 | 195 | 341,500 | 1.1 |
| 4 days or more | 4 | 1,375 | 2,949,500 | 9.1 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 5 | 12,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_13 **Length:** 1.0 **Position:** 1037

**Question Name:** CPA_Q13

**Concept:** Hours/week - physical activity - free time at school

**Question Text:** About how many hours a week does he usually take part in physical activity that makes him out of breath or warmer than usual in his free time at school, for example, at lunch?

**Universe:** 5 < DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 35 | 67,000 | 0.2 |
| Less than 2 hours per week | 2 | 120 | 222,500 | 0.7 |
| 2 to less than 4 hours per week | 3 | 360 | 797,500 | 2.5 |
| 4 to less than 7 hours per week | 4 | 440 | 963,500 | 3.0 |
| 7 or more hours per week | 5 | 55 | 122,000 | 0.4 |
| Valid skip | 6 | 4,760 | 30,055,500 | 93.1 |
| Don't know | 7 | 25 | 45,500 | 0.1 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_14 **Length:** 1.0 **Position:** 1038

**Question Name:** CPA_Q14

**Concept:** Hours/week - physical activity - class time at school

**Question Text:** About how many hours a week does he usually take part in physical activity that makes him out of breath or warmer than usual in his class time at school?

**Universe:** 5 < DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 20 | 40,000 | 0.1 |
| Less than 2 hours per week | 2 | 475 | 1,005,000 | 3.1 |
| 2 to less than 4 hours per week | 3 | 415 | 902,500 | 2.8 |
| 4 to less than 7 hours per week | 4 | 70 | 159,500 | 0.5 |
| 7 or more hours per week | 5 | 5 | 12,500 | 0.0 |
| Valid skip | 6 | 4,760 | 30,055,500 | 93.1 |
| Don't know | 7 | 45 | 99,500 | 0.3 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_15 **Length:** 1.0 **Position:** 1039

**Question Name:** CPA_Q15

**Concept:** Hours/week - physical activity - lessons or sports

**Question Text:** About how many hours a week does he usually take part in physical activity that makes him out of breath or warmer than usual [outside of school] while participating in lessons or league or team sports?



*Totals may not add up due to rounding.*

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 610 | 1,296,000 | 4.0 |
| Less than 2 hours per week | 2 | 395 | 767,000 | 2.4 |
| 2 to less than 4 hours per week | 3 | 385 | 843,000 | 2.6 |
| 4 to less than 7 hours per week | 4 | 145 | 326,500 | 1.0 |
| 7 or more hours per week | 5 | 65 | 118,500 | 0.4 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_16 **Length:** 1.0 **Position:** 1040

**Question Name:** CPA_Q16

**Concept:** Hours/week - physical activity - unorganized activities

**Question Text:** About how many hours a week does he usually take part in physical activity that makes him out of breath or warmer than usual [outside of school] while participating in unorganized activities, either on his own or with friends?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 75 | 143,000 | 0.4 |
| Less than 2 hours per week | 2 | 290 | 536,000 | 1.7 |
| 2 to less than 4 hours per week | 3 | 390 | 865,000 | 2.7 |
| 4 to less than 7 hours per week | 4 | 385 | 764,500 | 2.4 |
| 7 or more hours per week | 5 | 460 | 1,036,500 | 3.2 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 5 | 8,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** CPA_17 **Length:** 2.0 **Position:** 1041

**Question Name:** CPA_Q17

**Concept:** Hours/day - watching TV

**Question Text:** On average, about how many hours a day does he watch TV or videos or play video games?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Doesn't watch TV or videos or play video games | 01 | 45 | 87,000 | 0.3 |
| Less than 1 hour a day | 02 | 425 | 888,000 | 2.8 |
| 1 to less than 3 hours a day | 03 | 990 | 2,070,500 | 6.4 |
| 3 to less than 5 hours a day | 04 | 125 | 286,500 | 0.9 |
| 5 to less than 7 hours a day | 05 | 15 | 19,500 | 0.1 |
| 7 or more hours a day | 06 | 5 | 2,000 | 0.0 |
| Valid skip | 96 | 4,190 | 28,922,000 | 89.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CPA_18 **Length:** 2.0 **Position:** 1043

**Question Name:** CPA_Q18

**Concept:** Hours/day - on computer

**Question Text:** On average, about how many hours a day does he spend on a computer, for example, doing homework, playing games, e-mailing, chatting, surfing the Internet?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Doesn't use a computer | 01 | 390 | 825,500 | 2.6 |
| Less than 1 hour a day | 02 | 725 | 1,520,500 | 4.7 |
| 1 to less than 3 hours a day | 03 | 445 | 913,500 | 2.8 |
| 3 to less than 5 hours a day | 04 | 40 | 89,500 | 0.3 |
| 5 to less than 7 hours a day | 05 | 5 | 4,500 | 0.0 |
| Valid skip | 96 | 4,190 | 28,922,000 | 89.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** CPADSACX **Length:** 4.1 **Position:** 1045

**Question Name:**

**Concept:** Total number of hours per day spent in sedentary activities

**Question Text:**

**Universe:** CPA_17 < VS and CPA_18 < VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00.0 - 12.0 | 1,605 | 3,353,500 | 10.4 |
| Valid skip | 99.6 | 4,190 | 28,922,000 | 89.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** CPADTOTX **Length:** 3.0 **Position:** 1049

**Question Name:**

**Concept:** Total number of hours per week participated in physical activities

**Question Text:**

**Universe:** 5 < DHH_AGE < 12

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 000 - 027 | 975 | 2,096,500 | 6.5 |
| Valid skip | 996 | 4,760 | 30,055,500 | 93.1 |
| Not stated | 999 | 60 | 123,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_01A **Length:** 1.0 **Position:** 1052

**Question Name:** TSO_Q01

**Concept:** Attended daycare center during the past month

**Question Text:** During the past month did [Respondent name] ...attend a daycare center?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 200 | 334,500 | 1.0 |
| No | 2 | 520 | 1,111,000 | 3.4 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_01B **Length:** 1.0 **Position:** 1053

**Question Name:** TSO_Q01

**Concept:** Attended home-based daycare during the past month

**Question Text:** During the past month did [Respondent name] ...attend a home-based daycare?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 80 | 160,000 | 0.5 |
| No | 2 | 640 | 1,285,500 | 4.0 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_01C **Length:** 1.0 **Position:** 1054

**Question Name:** TSO_Q01

**Concept:** Attended nursery school or preschool during the past month

**Question Text:** During the past month did [Respondent name] ...attend nursery school or preschool?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 75 | 130,500 | 0.4 |
| No | 2 | 650 | 1,315,000 | 4.1 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_01D **Length:** 1.0 **Position:** 1055

**Question Name:** TSO_Q01

**Concept:** Attended school during the past month

**Question Text:** During the past month did [Respondent name] ...attend school (including kindergarten)?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 305 | 649,500 | 2.0 |
| No | 2 | 415 | 795,500 | 2.5 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_01E **Length:** 1.0 **Position:** 1056



*Totals may not add up due to rounding.*

**Question Name:** TSO_Q01

**Concept:** Stayed at home during the past month

**Question Text:** During the past month did [Respondent name] ...stay at home with a parent, guardian or caregiver?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 250 | 483,500 | 1.5 |
| No | 2 | 475 | 961,500 | 3.0 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_01F **Length:** 1.0 **Position:** 1057

**Question Name:** TSO_Q01

**Concept:** Received any other type of childcare during the past month

**Question Text:** During the past month did [Respondent name] ...receive any other type of childcare (e.g., attend day camp)?

**Universe:** DHH_AGE < 7

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 20 | 48,000 | 0.1 |
| No | 2 | 705 | 1,397,000 | 4.3 |
| Valid skip | 6 | 5,070 | 30,827,000 | 95.5 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_02 **Length:** 1.0 **Position:** 1058

**Question Name:** TSO_Q02

**Concept:** School grade

**Question Text:** What grade of school is [Respondent name] in?

**Universe:** TSO_01D = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Junior or senior kindergarten | 1 | 205 | 434,000 | 1.3 |
| Grade 1 or higher | 2 | 100 | 215,500 | 0.7 |
| Valid skip | 6 | 5,485 | 31,622,500 | 98.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_03 **Length:** 2.0 **Position:** 1059

**Question Name:** TSO_Q03

**Concept:** Time spent outside before arriving at childcare - per day

**Question Text:** On an average day during the past month, how much time did [Respondent name] usually spend outside after waking up in the morning but before getting to [daycare/nursery school or preschool/kindergarten]?

**Universe:** (TSO_01A =1 or TSO_01B =1 or TSO_01C =1 or TSO_01D =1) and (TSO_01F <> 1 or TSO_01E <>1) and TSO_02 <>2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 245 | 457,500 | 1.4 |
| 1 to less than 15 minutes | 02 | 160 | 317,000 | 1.0 |
| 15 to less than 30 minutes | 03 | 50 | 113,500 | 0.4 |
| 30 minutes to less than 1 hour | 04 | 10 | 19,000 | 0.1 |
| 1 to less than 2 hours | 05 | 5 | 3,000 | 0.0 |
| 2 hours or more | 06 | 5 | 2,000 | 0.0 |
| Valid skip | 96 | 5,320 | 31,360,500 | 97.2 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_04 **Length:** 2.0 **Position:** 1061

**Question Name:** TSO_Q04

**Concept:** Time spent outside while at daycare center - per day

**Question Text:** (On an average day during the past month,:)...
how much time did he usually spend outside while at the daycare center?

**Universe:** TSO_01A = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 10 | 14,000 | 0.0 |
| 1 to less than 15 minutes | 02 | 10 | 19,500 | 0.1 |
| 15 to less than 30 minutes | 03 | 10 | 13,000 | 0.0 |
| 30 minutes to less than 1 hour | 04 | 50 | 94,000 | 0.3 |
| 1 to less than 2 hours | 05 | 50 | 76,500 | 0.2 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| 2 hours or more | 06 | 50 | 77,500 | 0.2 |
| Valid skip | 96 | 5,610 | 31,967,000 | 99.0 |
| Don't know | 97 | 5 | 10,500 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_05 **Length:** 2.0 **Position:** 1063

**Question Name:** TSO_Q05

**Concept:** Time spent outside while at home-based daycare - per day

**Question Text:** (On an average day, during the past month:)...
how much time did he usually spend outside while at the home-based daycare?

**Universe:** TSO_01B = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 5 | 5,000 | 0.0 |
| 1 to less than 15 minutes | 02 | 5 | 1,500 | 0.0 |
| 15 to less than 30 minutes | 03 | 5 | 15,000 | 0.0 |
| 30 minutes to less than 1 hour | 04 | 5 | 8,000 | 0.0 |
| 1 to less than 2 hours | 05 | 25 | 43,500 | 0.1 |
| 2 hours or more | 06 | 35 | 85,000 | 0.3 |
| Valid skip | 96 | 5,710 | 32,114,500 | 99.5 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_06 **Length:** 2.0 **Position:** 1065

**Question Name:** TSO_Q06

**Concept:** Time spent outside while at nursery/preschool - per day

**Question Text:** (On an average day, during the past month:)...
how much time did he usually spend outside while at nursery school or preschool?

**Universe:** TSO_01C = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 10 | 41,500 | 0.1 |
| 1 to less than 15 minutes | 02 | 5 | 18,500 | 0.1 |
| 15 to less than 30 minutes | 03 | 15 | 25,500 | 0.1 |
| 30 minutes to less than 1 hour | 04 | 20 | 27,500 | 0.1 |
| 1 to less than 2 hours | 05 | 10 | 11,500 | 0.0 |
| 2 hours or more | 06 | 5 | 3,500 | 0.0 |
| Valid skip | 96 | 5,720 | 32,142,000 | 99.6 |


*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Don't know | 97 | 5 | 3,000 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_07 **Length:** 2.0 **Position:** 1067

**Question Name:** TSO_Q07

**Concept:** Time spent outside while at kindergarten - per day

**Question Text:** (On an average day, during the past month:)...
how much time did he usually spend outside while at kindergarten?

**Universe:** TSO_01D = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 5 | 5,000 | 0.0 |
| 1 to less than 15 minutes | 02 | 5 | 10,500 | 0.0 |
| 15 to less than 30 minutes | 03 | 25 | 41,000 | 0.1 |
| 30 minutes to less than 1 hour | 04 | 105 | 226,000 | 0.7 |
| 1 to less than 2 hours | 05 | 50 | 121,500 | 0.4 |
| 2 hours or more | 06 | 5 | 15,000 | 0.0 |
| Valid skip | 96 | 5,590 | 31,838,000 | 98.6 |
| Don't know | 97 | 5 | 15,500 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_08 **Length:** 2.0 **Position:** 1069

**Question Name:** TSO_Q08

**Concept:** Time spent outside between child care and dinner - per day

**Question Text:** (On an average day, during the past month:)...
how much time did he usually spend outside after leaving [daycare/nursery school or preschool/kindergarten], but before dinner?

**Universe:** (TSO_01A =1 or TSO_01B =1 or TSO_01C =1 or TSO_01D =1) and (TSO_01F <> 1 or TSO_01E <>1) and TSO_02 <>2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 100 | 182,000 | 0.6 |
| 1 to less than 15 minutes | 02 | 75 | 177,000 | 0.5 |
| 15 to less than 30 minutes | 03 | 105 | 214,000 | 0.7 |
| 30 minutes to less than 1 hour | 04 | 110 | 183,000 | 0.6 |
| 1 to less than 2 hours | 05 | 65 | 110,000 | 0.3 |
| 2 hours or more | 06 | 20 | 45,500 | 0.1 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Valid skip | 96 | 5,320 | 31,360,500 | 97.2 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_09 **Length:** 2.0 **Position:** 1071

**Question Name:** TSO_Q09

**Concept:** Time spent outside after dinner - per day

**Question Text:** (On an average day, during the past month:)...
how much time did he usually spend outside after dinner on a day when you attended [daycare/nursery school or preschool/kindergarten]?

**Universe:** (TSO_01A =1 or TSO_01B =1 or TSO_01C =1 or TSO_01D =1) and (TSO_01F <> 1 or TSO_01E <>1) and TSO_02 <>2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 260 | 482,500 | 1.5 |
| 1 to less than 15 minutes | 02 | 30 | 77,000 | 0.2 |
| 15 to less than 30 minutes | 03 | 45 | 66,500 | 0.2 |
| 30 minutes to less than 1 hour | 04 | 90 | 171,500 | 0.5 |
| 1 to less than 2 hours | 05 | 35 | 60,000 | 0.2 |
| 2 hours or more | 06 | 10 | 52,000 | 0.2 |
| Valid skip | 96 | 5,320 | 31,360,500 | 97.2 |
| Don't know | 97 | 5 | 2,000 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_10 **Length:** 2.0 **Position:** 1073

**Question Name:** TSO_Q10

**Concept:** Time spent outside on day child did not attend childcare

**Question Text:** On an average day during the past month, on a day when [Respondent name] did not go to [daycare/nursery school or preschool/kindergarten], for example, on the weekend, how much time did you usually spend outside?

**Universe:** (TSO_01A =1 or TSO_01B =1 or TSO_01C =1 or TSO_01D =1) and (TSO_01F <> 1 or TSO_01E <>1) and TSO_02 <>2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 10 | 25,500 | 0.1 |
| 1 to less than 15 minutes | 02 | 10 | 20,000 | 0.1 |
| 15 to less than 30 minutes | 03 | 10 | 18,500 | 0.1 |
| 30 minutes to less than 1 hour | 04 | 60 | 104,500 | 0.3 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| 1 to less than 2 hours | 05 | 105 | 209,000 | 0.6 |
| 2 hours or more | 06 | 275 | 530,500 | 1.6 |
| Valid skip | 96 | 5,320 | 31,360,500 | 97.2 |
| Don't know | 97 | 5 | 3,500 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_11 **Length:** 2.0 **Position:** 1075

**Question Name:** TSO_Q11

**Concept:** Time spent outside - per day

**Question Text:** On an average day during the past month, how much time did [Respondent name] usually spend outside during the day?

**Universe:** TSO_01A = 2 and TSO_01B = 2 and TSO_01C = 2 and TSO_01D = 2 and ( TSO_01E = 1 or TSO_01F = 1 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 5 | 6,500 | 0.0 |
| 1 to less than 15 minutes | 02 | 5 | 12,000 | 0.0 |
| 15 to less than 30 minutes | 03 | 10 | 33,500 | 0.1 |
| 30 minutes to less than 1 hour | 04 | 20 | 48,500 | 0.2 |
| 1 to less than 2 hours | 05 | 40 | 87,000 | 0.3 |
| 2 hours or more | 06 | 70 | 125,500 | 0.4 |
| Valid skip | 96 | 5,645 | 31,954,000 | 99.0 |
| Don't know | 97 | 5 | 4,500 | 0.0 |
| Not stated | 99 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_21 **Length:** 1.0 **Position:** 1077

**Question Name:** TSO_Q21

**Concept:** Attended school during the past month

**Question Text:** During the past month, did you attend school?

**Universe:** 6 < DHH_AGE < 12 or ( 11 < DHH_AGE < 15 and PAY_05A = 2 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 815 | 1,838,500 | 5.7 |
| No | 2 | 165 | 304,000 | 0.9 |
| Valid skip | 6 | 4,815 | 30,132,500 | 93.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** TSO_22 **Length:** 2.0 **Position:** 1078

**Question Name:** TSO_Q22

**Concept:** Time spent outside before school - per day

**Question Text:** During the past month, on an average school day, how much time did you usually spend outside after waking up, but before getting to school?

**Universe:** (DHH_AGE < 7 and TSO_02 = 2, DK, RF ) or ( 6 < DHH_AGE < 15 and ( PAY_05A = 1 or (PAY_05A <> 1 and TSO_21 = 1 )))

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 365 | 880,500 | 2.7 |
| 1 to less than 15 minutes | 02 | 685 | 1,611,000 | 5.0 |
| 15 to less than 30 minutes | 03 | 160 | 396,000 | 1.2 |
| 30 minutes to less than 1 hour | 04 | 25 | 65,000 | 0.2 |
| 1 to less than 2 hours | 05 | 5 | 8,500 | 0.0 |
| 2 hours or more | 06 | 5 | 4,000 | 0.0 |
| Valid skip | 96 | 4,550 | 29,311,000 | 90.8 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_23 **Length:** 2.0 **Position:** 1080

**Question Name:** TSO_Q23

**Concept:** Time spent outside while at school - per day

**Question Text:** During the past month, on an average school day ...how much time did you usually spend outside while at school, including before school started, at recess, at lunch and during class time (e.g., during physical education class)?

**Universe:** (DHH_AGE < 7 and TSO_02 = 2, DK, RF ) or ( 6 < DHH_AGE < 15 and ( PAY_05A = 1 or (PAY_05A <> 1 and TSO_21 = 1 )))

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 80 | 177,000 | 0.5 |
| 1 to less than 15 minutes | 02 | 60 | 130,000 | 0.4 |
| 15 to less than 30 minutes | 03 | 100 | 283,000 | 0.9 |
| 30 minutes to less than 1 hour | 04 | 570 | 1,389,000 | 4.3 |
| 1 to less than 2 hours | 05 | 385 | 870,500 | 2.7 |
| 2 hours or more | 06 | 40 | 104,000 | 0.3 |
| Valid skip | 96 | 4,550 | 29,311,000 | 90.8 |
| Don't know | 97 | 5 | 11,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TSO_24 **Length:** 2.0 **Position:** 1082


*Totals may not add up due to rounding.*

**Question Name:** TSO_Q24

**Concept:** Time spent outside between school and dinner - per day

**Question Text:** (During the past month, on an average school day:)...
how much time did you usually spend outside after leaving school, but before dinner?
Please include any time spent walking or biking home from school.

**Universe:** (DHH_AGE < 7 and TSO_02 = 2, DK, RF ) or ( 6 < DHH_AGE < 15 and ( PAY_05A = 1 or (PAY_05A <> 1 and TSO_21 = 1 )))

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 165 | 385,500 | 1.2 |
| 1 to less than 15 minutes | 02 | 310 | 683,000 | 2.1 |
| 15 to less than 30 minutes | 03 | 260 | 602,500 | 1.9 |
| 30 minutes to less than 1 hour | 04 | 280 | 661,500 | 2.0 |
| 1 to less than 2 hours | 05 | 170 | 442,500 | 1.4 |
| 2 hours or more | 06 | 55 | 187,500 | 0.6 |
| Valid skip | 96 | 4,550 | 29,311,000 | 90.8 |
| Don't know | 97 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_25 **Length:** 2.0 **Position:** 1084

**Question Name:** TSO_Q25

**Concept:** Time spent outside after dinner - per day

**Question Text:** (During the past month, on an average school day:)...
how much time did you usually spend outside after dinner?

**Universe:** (DHH_AGE < 7 and TSO_02 = 2, DK, RF ) or ( 6 < DHH_AGE < 15 and ( PAY_05A = 1 or (PAY_05A <> 1 and TSO_21 = 1 )))

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 690 | 1,592,500 | 4.9 |
| 1 to less than 15 minutes | 02 | 90 | 192,500 | 0.6 |
| 15 to less than 30 minutes | 03 | 115 | 297,500 | 0.9 |
| 30 minutes to less than 1 hour | 04 | 175 | 492,500 | 1.5 |
| 1 to less than 2 hours | 05 | 130 | 289,000 | 0.9 |
| 2 hours or more | 06 | 40 | 100,500 | 0.3 |
| Valid skip | 96 | 4,550 | 29,311,000 | 90.8 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_26 **Length:** 2.0 **Position:** 1086

**Question Name:** TSO_Q26



*Totals may not add up due to rounding.*

**Concept:** Time spent outside on non-school days - per day

**Question Text:** On an average day during the past month, when you did not go to school, for example, on the weekend, how much time did you usually spend outside?

**Universe:** (DHH_AGE < 7 and TSO_02 = 2, DK, RF ) or ( 6 < DHH_AGE < 15 and ( PAY_05A = 1 or (PAY_05A <> 1 and TSO_21 = 1 )))

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 85 | 171,000 | 0.5 |
| 1 to less than 15 minutes | 02 | 55 | 107,500 | 0.3 |
| 15 to less than 30 minutes | 03 | 70 | 146,000 | 0.5 |
| 30 minutes to less than 1 hour | 04 | 135 | 352,500 | 1.1 |
| 1 to less than 2 hours | 05 | 245 | 618,000 | 1.9 |
| 2 hours or more | 06 | 655 | 1,566,500 | 4.9 |
| Valid skip | 96 | 4,550 | 29,311,000 | 90.8 |
| Don't know | 97 | 5 | 3,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_27 **Length:** 2.0 **Position:** 1088

**Question Name:** TSO_Q27

**Concept:** Time spent outside on weekdays - per day

**Question Text:** On an average weekday (Monday to Friday) during the past month, how much time did you usually spend outside?

**Universe:** TSO_21 = 2, DK, RF

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| 1 to less than 15 minutes | 02 | 5 | 2,500 | 0.0 |
| 15 to less than 30 minutes | 03 | 10 | 32,000 | 0.1 |
| 30 minutes to less than 1 hour | 04 | 15 | 17,500 | 0.1 |
| 1 to less than 2 hours | 05 | 30 | 42,500 | 0.1 |
| 2 hours or more | 06 | 110 | 209,500 | 0.6 |
| Valid skip | 96 | 5,630 | 31,971,500 | 99.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TSO_28 **Length:** 2.0 **Position:** 1090

**Question Name:** TSO_Q28

**Concept:** Time spent outside on weekends - per day

**Question Text:** On an average weekend day (Saturday or Sunday) during the past month, how much time did you usually spend outside?

**Universe:** TSO_21 = 2, DK, RF

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| None | 01 | 5 | 19,000 | 0.1 |
| 1 to less than 15 minutes | 02 | 5 | 1,000 | 0.0 |
| 15 to less than 30 minutes | 03 | 5 | 12,500 | 0.0 |
| 30 minutes to less than 1 hour | 04 | 10 | 8,000 | 0.0 |
| 1 to less than 2 hours | 05 | 15 | 29,500 | 0.1 |
| 2 hours or more | 06 | 130 | 234,000 | 0.7 |
| Valid skip | 96 | 5,630 | 31,971,500 | 99.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SAC_11 **Length:** 4.1 **Position:** 1092

**Question Name:** SAC_Q11

**Concept:** Number of hours per week - on a computer - past 3 months

**Question Text:** In a typical week in the past 3 months, how much time did you usually spend on a computer, tablet or iPAD including watching videos, playing computer games, emailing or using the internet?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00.0 - 95.0 | 4,185 | 28,915,500 | 89.6 |
| Valid skip | 99.6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 99.7 | 5 | 3,000 | 0.0 |
| Not stated | 99.9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SAC_12A **Length:** 4.1 **Position:** 1096

**Question Name:** SAC_Q12A

**Concept:** Number of hours per week - play video games - past 3 months

**Question Text:** In a typical week in the past 3 months, how much time did you usually spend: ...playing video games that require physical activity, such as Wii Fit or Dance Dance Revolution?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00.0 - 40.0 | 4,185 | 28,917,000 | 89.6 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 99.6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 99.7 | 5 | 1,500 | 0.0 |
| Not stated | | 99.9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SAC_12B **Length:** 4.1 **Position:** 1100

**Question Name:** SAC_Q12B

**Concept:** Number of hours per week - other types of games - past 3 months

**Question Text:** (In a typical week in the past 3 months, how much time did you usually spend:) ... playing other types of video games on a game console or hand-held electronic device?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00.0 - 84.0 | 4,185 | 28,916,500 | 89.6 |
| Valid skip | | 99.6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 99.7 | 5 | 2,000 | 0.0 |
| Not stated | | 99.9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SAC_13 **Length:** 4.1 **Position:** 1104

**Question Name:** SAC_Q13

**Concept:** Number of hours per week - television/DVD/videos - past 3 months

**Question Text:** (In a typical week in the past 3 months, how much time did you usually spend:) ... watching television, DVD's or videos?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of hours | | 00.0 - 95.5 | 4,180 | 28,900,500 | 89.5 |
| Valid skip | | 99.6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 99.7 | 5 | 18,000 | 0.1 |
| Not stated | | 99.9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SAC_14 **Length:** 4.1 **Position:** 1108

**Question Name:** SAC_Q14

**Concept:** Number of hours per week - reading - past 3 months

**Question Text:** (In a typical week in the past 3 months, how much time did you usually spend:)... reading? Include time spent reading as part of your homework, but do not include time spent reading at work or at school.

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 00.0 - 48.0 | 4,185 | 28,917,000 | 89.6 |
| Valid skip | 99.6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 99.7 | 5 | 1,500 | 0.0 |
| Not stated | 99.9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SACDTOT **Length:** 2.0 **Position:** 1112

**Question Name:**

**Concept:** Sedentary activity (hours per week) - categorical (D)

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 5 hours | 01 | 60 | 388,500 | 1.2 |
| From 5 to 9 hours | 02 | 255 | 1,944,500 | 6.0 |
| From 10 to 14 hours | 03 | 455 | 3,066,000 | 9.5 |
| From 15 to 19 hours | 04 | 485 | 3,286,000 | 10.2 |
| From 20 to 24 hours | 05 | 600 | 4,413,500 | 13.7 |
| From 25 to 29 hours | 06 | 470 | 3,532,000 | 10.9 |
| From 30 to 34 hours | 07 | 365 | 2,416,000 | 7.5 |
| From 35 to 39 hours | 08 | 380 | 2,435,000 | 7.5 |
| From 40 to 44 hours | 09 | 290 | 1,987,500 | 6.2 |
| 45 hours or more | 10 | 820 | 5,427,500 | 16.8 |
| Valid skip | 96 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 99 | 10 | 25,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SACDTOTX **Length:** 5.1 **Position:** 1114

**Question Name:**

**Concept:** Sedentary activity (hours per week) - continuous (D)



*Totals may not add up due to rounding.*

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Hours | 000.0 - 171.0 | 4,180 | 28,896,500 | 89.5 |
| Valid skip | 999.6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 999.9 | 10 | 25,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SACDRCA **Length:** 2.0 **Position:** 1119

**Question Name:**

**Concept:** Sedentary activity excluding reading (hours/week) - categorical (D)

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 5 hours | 01 | 155 | 1,034,500 | 3.2 |
| From 5 to 9 hours | 02 | 415 | 3,169,500 | 9.8 |
| From 10 to 14 hours | 03 | 650 | 4,300,000 | 13.3 |
| From 15 to 19 hours | 04 | 470 | 3,118,500 | 9.7 |
| From 20 to 24 hours | 05 | 685 | 5,249,500 | 16.3 |
| From 25 to 29 hours | 06 | 475 | 3,052,500 | 9.5 |
| From 30 to 34 hours | 07 | 255 | 1,615,000 | 5.0 |
| From 35 to 39 hours | 08 | 325 | 2,163,000 | 6.7 |
| From 40 to 44 hours | 09 | 235 | 1,700,500 | 5.3 |
| 45 hours or more | 10 | 515 | 3,494,500 | 10.8 |
| Valid skip | 96 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 99 | 10 | 24,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SACDRCO **Length:** 5.1 **Position:** 1121

**Question Name:**

**Concept:** Sedentary activity excluding reading (hours per week) - continuous (D)

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Hours | 000.0 - 171.0 | 4,180 | 28,898,000 | 89.5 |
| Valid skip | 999.6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 999.9 | 10 | 24,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11A **Length:** 1.0 **Position:** 1126

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - arts

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:** Arts using paints, glazes, finger paints, water colours and crayons

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,240 | 7,367,500 | 22.8 |
| No | 2 | 3,555 | 24,904,000 | 77.2 |
| Don't know | 7 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11B **Length:** 1.0 **Position:** 1127

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - pottery

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time, that is outside of work/or at school?

**Universe:** All respondents

**Note:** Pottery and ceramics using a kiln

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 55 | 205,500 | 0.6 |
| No | 2 | 5,740 | 32,066,000 | 99.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11C **Length:** 1.0 **Position:** 1128

**Question Name:** HOB_Q11



*Totals may not add up due to rounding.*

**Concept:** Leisure activity / last 3 months - model making

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:** Model making using glues, solders, paints or metals

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 215 | 1,091,500 | 3.4 |
| No | 2 | 5,580 | 31,180,000 | 96.6 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_11D **Length:** 1.0 **Position:** 1129

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - making fishing sinkers

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:** Making fishing sinkers or weights

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 50 | 211,000 | 0.7 |
| No | 2 | 5,740 | 32,061,000 | 99.3 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_11E **Length:** 1.0 **Position:** 1130

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - welding/soldering

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 175 | 1,205,000 | 3.7 |
| No | 2 | 5,620 | 31,066,500 | 96.3 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 9 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11F **Length:** 1.0 **Position:** 1131

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - auto repairs

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 480 | 2,902,500 | 9.0 |
| No | | 2 | 5,315 | 29,369,500 | 91.0 |
| Not stated | | 9 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11G **Length:** 1.0 **Position:** 1132

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - electronics assembly

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:** Electronics assembly, repairs of components

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 235 | 1,598,000 | 5.0 |
| No | | 2 | 5,555 | 30,674,000 | 95.0 |
| Not stated | | 9 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11H **Length:** 1.0 **Position:** 1133

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - plumbing



*Totals may not add up due to rounding.*

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 240 | 1,813,000 | 5.6 |
| No | 2 | 5,550 | 30,459,000 | 94.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_11I **Length:** 1.0 **Position:** 1134

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - refinishing furniture

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 150 | 1,120,500 | 3.5 |
| No | 2 | 5,645 | 31,151,000 | 96.5 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_11J **Length:** 1.0 **Position:** 1135

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - woodworking

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 520 | 2,985,000 | 9.2 |
| No | 2 | 5,275 | 29,287,000 | 90.7 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_11K **Length:** 1.0 **Position:** 1136

**Question Name:** HOB_Q11

**Concept:** Leisure activity / last 3 months - none

**Question Text:** In the past 3 months, that is from [date 3 months ago] to yesterday, have you done any of the following in your leisure time (that is outside of work/or at school)?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,740 | 18,895,500 | 58.5 |
| No | 2 | 3,055 | 13,376,500 | 41.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_12 **Length:** 3.0 **Position:** 1137

**Question Name:**

**Concept:** Arts - number of times

**Question Text:** How often do you usually do arts? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11A = 1

**Note:** Arts using paints, glazes, finger paints, water colours and crayons

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 090 | 2,230 | 7,331,500 | 22.7 |
| Valid skip | 996 | 3,555 | 24,904,000 | 77.2 |
| Don’t know | 997 | 10 | 36,000 | 0.1 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_12N **Length:** 1.0 **Position:** 1140

**Question Name:**

**Concept:** Arts - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_12 < VS

**Note:** Arts using paints, glazes, finger paints, water colours and crayons



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 695 | 1,594,000 | 4.9 |
| Per week | 2 | 1,185 | 3,628,500 | 11.2 |
| Per month | 3 | 270 | 1,539,000 | 4.8 |
| Per year | 4 | 75 | 565,000 | 1.8 |
| Valid skip | 6 | 3,555 | 24,909,000 | 77.2 |
| Not stated | 9 | 10 | 40,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_12T **Length:** 1.0 **Position:** 1141

**Question Name:**

**Concept:** Arts - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing arts)

**Universe:** 0 < HOB_12 < VS

**Note:** Arts using paints, glazes, finger paints, water colours and crayons

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 600 | 1,625,000 | 5.0 |
| 30 to 60 minutes | 2 | 1,210 | 3,526,500 | 10.9 |
| 61 to 90 minutes | 3 | 190 | 628,000 | 1.9 |
| More than an hour and a half | 4 | 225 | 1,541,000 | 4.8 |
| Valid skip | 6 | 3,555 | 24,909,000 | 77.2 |
| Don’t know | 7 | 5 | 7,000 | 0.0 |
| Not stated | 9 | 10 | 40,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD12Y **Length:** 4.0 **Position:** 1142

**Question Name:**

**Concept:** Arts - times per year - (D)

**Question Text:**

**Universe:** HOB_11A = 1

**Note:** Arts using paints, glazes, finger paints, water colours and crayons.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1460 | 2,230 | 7,331,500 | 22.7 |
| Valid skip | 9996 | 3,555 | 24,904,000 | 77.2 |
| Not stated | 9999 | 10 | 40,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_13 **Length:** 3.0 **Position:** 1146

**Question Name:**

**Concept:** Pottery - number of times

**Question Text:** How often do you usually do pottery or ceramics? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11B = 1

**Note:** Pottery and ceramics using a kiln

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 090 | 55 | 205,500 | 0.6 |
| Valid skip | 996 | 5,740 | 32,066,000 | 99.4 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_13N **Length:** 1.0 **Position:** 1149

**Question Name:**

**Concept:** Pottery - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_13 < VS

**Note:** Pottery and ceramics using a kiln

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 5 | 3,000 | 0.0 |
| Per week | 2 | 10 | 40,500 | 0.1 |
| Per month | 3 | 10 | 39,000 | 0.1 |
| Per year | 4 | 30 | 120,000 | 0.4 |
| Valid skip | 6 | 5,740 | 32,069,500 | 99.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_13T **Length:** 1.0 **Position:** 1150

**Question Name:**

**Concept:** Pottery - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing pottery or ceramics)

**Universe:** 0 < HOB_13 < VS



*Totals may not add up due to rounding.*

**Note:** Pottery and ceramics using a kiln

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 5 | 26,000 | 0.1 |
| 30 to 60 minutes | 2 | 25 | 82,500 | 0.3 |
| 61 to 90 minutes | 3 | 10 | 40,500 | 0.1 |
| More than an hour and a half | 4 | 10 | 53,500 | 0.2 |
| Valid skip | 6 | 5,740 | 32,069,500 | 99.4 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD13Y **Length:** 4.0 **Position:** 1151

**Question Name:**

**Concept:** Pottery and ceramics using a kiln - times per year - (D)

**Question Text:**

**Universe:** HOB_11B = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0365 | 55 | 205,500 | 0.6 |
| Valid skip | 9996 | 5,740 | 32,066,000 | 99.4 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_14 **Length:** 3.0 **Position:** 1155

**Question Name:**

**Concept:** Model making - number of times

**Question Text:** How often do you usually do model making? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11C = 1

**Note:** Model making using glues, solders, paints or metals

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 001 - 014 | 210 | 1,086,000 | 3.4 |
| Valid skip | 996 | 5,580 | 31,180,000 | 96.6 |
| Don't know | 997 | 5 | 5,500 | 0.0 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_14N **Length:** 1.0 **Position:** 1158

**Question Name:**

**Concept:** Model making - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_14 < VS

**Note:** Model making using glues, solders, paints or metals

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 10 | 35,500 | 0.1 |
| Per week | 2 | 70 | 250,000 | 0.8 |
| Per month | 3 | 70 | 387,500 | 1.2 |
| Per year | 4 | 65 | 413,000 | 1.3 |
| Valid skip | 6 | 5,580 | 31,180,000 | 96.6 |
| Not stated | 9 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_14T **Length:** 1.0 **Position:** 1159

**Question Name:**

**Concept:** Model making - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing model making)

**Universe:** HOB_11C = 1

**Note:** Model making using glues, solders, paints or metals

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 50 | 149,000 | 0.5 |
| 30 to 60 minutes | 2 | 85 | 342,500 | 1.1 |
| 61 to 90 minutes | 3 | 20 | 175,000 | 0.5 |
| More than an hour and a half | 4 | 55 | 420,000 | 1.3 |
| Valid skip | 6 | 5,580 | 31,180,000 | 96.6 |
| Not stated | 9 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD14Y **Length:** 4.0 **Position:** 1160

**Question Name:**

**Concept:** Model making - times per year - (D)

**Question Text:**

**Universe:** HOB_11C = 1



*Totals may not add up due to rounding.*

**Note:** Model making using glues, solders, paints or metals.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0001 - 0365 | 210 | 1,086,000 | 3.4 |
| Valid skip | 9996 | 5,580 | 31,180,000 | 96.6 |
| Not stated | 9999 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_15 **Length:** 3.0 **Position:** 1164

**Question Name:**

**Concept:** Making fishing sinkers - number of times

**Question Text:** How often do you usually make fishing sinkers or weights? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11D = 1

**Note:** Making fishing sinkers or weights

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 018 | 50 | 211,000 | 0.7 |
| Valid skip | 996 | 5,740 | 32,061,000 | 99.3 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_15N **Length:** 1.0 **Position:** 1167

**Question Name:**

**Concept:** Making fishing sinkers - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_15 < VS

**Note:** Making fishing sinkers or weights

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per week | 2 | 15 | 21,000 | 0.1 |
| Per month | 3 | 10 | 30,500 | 0.1 |
| Per year | 4 | 25 | 155,500 | 0.5 |
| Valid skip | 6 | 5,745 | 32,064,500 | 99.3 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_15T **Length:** 1.0 **Position:** 1168

**Question Name:**

**Concept:** Making fishing sinkers - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (making fishing sinkers or weights)

**Universe:** 0 < HOB_15 < VS

**Note:** Making fishing sinkers or weights

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 20 | 79,000 | 0.2 |
| 30 to 60 minutes | 2 | 15 | 42,000 | 0.1 |
| 61 to 90 minutes | 3 | 5 | 1,000 | 0.0 |
| More than an hour and a half | 4 | 10 | 85,500 | 0.3 |
| Valid skip | 6 | 5,745 | 32,064,500 | 99.3 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD15Y **Length:** 4.0 **Position:** 1169

**Question Name:**

**Concept:** Making fishing sinkers or weights - times per year - (D)

**Question Text:**

**Universe:** HOB_11D = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0156 | 50 | 211,000 | 0.7 |
| Valid skip | 9996 | 5,740 | 32,061,000 | 99.3 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_16 **Length:** 3.0 **Position:** 1173

**Question Name:**

**Concept:** Welding/soldering - number of times

**Question Text:** How often do you usually do welding or soldering? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11E = 1



*Totals may not add up due to rounding.*

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 001 - 020 | 175 | 1,205,000 | 3.7 |
| Valid skip | 996 | 5,620 | 31,066,500 | 96.3 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_16N **Length:** 1.0 **Position:** 1176

**Question Name:**

**Concept:** Welding/soldering - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_16 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 5 | 49,500 | 0.2 |
| Per week | 2 | 45 | 136,500 | 0.4 |
| Per month | 3 | 70 | 488,000 | 1.5 |
| Per year | 4 | 55 | 531,000 | 1.6 |
| Valid skip | 6 | 5,620 | 31,066,500 | 96.3 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_16T **Length:** 1.0 **Position:** 1177

**Question Name:**

**Concept:** Welding/soldering - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing welding or soldering)

**Universe:** 0 < HOB_16 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 55 | 495,000 | 1.5 |
| 30 to 60 minutes | 2 | 75 | 375,500 | 1.2 |
| 61 to 90 minutes | 3 | 15 | 81,500 | 0.3 |
| More than an hour and a half | 4 | 30 | 253,000 | 0.8 |
| Valid skip | 6 | 5,620 | 31,066,500 | 96.3 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOBD16Y **Length:** 4.0 **Position:** 1178

**Question Name:**

**Concept:** Welding/soldering - times per year - (D)

**Question Text:**

**Universe:** HOB_11E = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0001 - 0365 | 175 | 1,205,000 | 3.7 |
| Valid skip | 9996 | 5,620 | 31,066,500 | 96.3 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_17 **Length:** 3.0 **Position:** 1182

**Question Name:**

**Concept:** Auto repairs - number of times

**Question Text:** How often do you usually do auto repairs? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11F = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 014 | 480 | 2,897,000 | 9.0 |
| Valid skip | 996 | 5,315 | 29,369,500 | 91.0 |
| Don’t know | 997 | 5 | 5,500 | 0.0 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_17N **Length:** 1.0 **Position:** 1185

**Question Name:**

**Concept:** Auto repairs - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_17 < VS

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 10 | 50,500 | 0.2 |
| Per week | 2 | 135 | 847,500 | 2.6 |
| Per month | 3 | 200 | 1,266,500 | 3.9 |
| Per year | 4 | 135 | 716,000 | 2.2 |
| Valid skip | 6 | 5,315 | 29,385,500 | 91.0 |
| Not stated | 9 | 5 | 9,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_17T **Length:** 1.0 **Position:** 1186

**Question Name:**

**Concept:** Auto repairs - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing auto repairs)

**Universe:** 0 < HOB_17 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 75 | 345,500 | 1.1 |
| 30 to 60 minutes | 2 | 180 | 1,003,000 | 3.1 |
| 61 to 90 minutes | 3 | 75 | 691,000 | 2.1 |
| More than an hour and a half | 4 | 150 | 841,500 | 2.6 |
| Valid skip | 6 | 5,315 | 29,385,500 | 91.0 |
| Not stated | 9 | 5 | 9,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD17Y **Length:** 4.0 **Position:** 1187

**Question Name:**

**Concept:** Auto repairs - times per year - (D)

**Question Text:**

**Universe:** HOB_11F = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0365 | 480 | 2,897,000 | 9.0 |
| Valid skip | 9996 | 5,315 | 29,369,500 | 91.0 |
| Not stated | 9999 | 5 | 9,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_18 **Length:** 3.0 **Position:** 1191

**Question Name:**

**Concept:** Electronics - number of times

**Question Text:** How often do you usually do electronics? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11G = 1

**Note:** Electronics assembly, repairs

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 060 | 235 | 1,598,000 | 5.0 |
| Valid skip | 996 | 5,555 | 30,674,000 | 95.0 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_18N **Length:** 1.0 **Position:** 1194

**Question Name:**

**Concept:** Electronics - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_18 < VS

**Note:** Electronics assembly, repairs of components

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 10 | 180,000 | 0.6 |
| Per week | 2 | 60 | 337,000 | 1.0 |
| Per month | 3 | 105 | 628,500 | 1.9 |
| Per year | 4 | 55 | 449,500 | 1.4 |
| Valid skip | 6 | 5,560 | 30,676,500 | 95.0 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_18T **Length:** 1.0 **Position:** 1195

**Question Name:**

**Concept:** Electronics - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing electronics)

**Universe:** 0 < HOB_18 < VS

**Note:** Electronics assembly, repairs



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 55 | 455,500 | 1.4 |
| 30 to 60 minutes | 2 | 115 | 784,500 | 2.4 |
| 61 to 90 minutes | 3 | 20 | 155,000 | 0.5 |
| More than an hour and a half | 4 | 45 | 200,000 | 0.6 |
| Valid skip | 6 | 5,560 | 30,676,500 | 95.0 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD18Y **Length:** 4.0 **Position:** 1196

**Question Name:**

**Concept:** Electronics assembly, repairs of components - times per year - (D)

**Question Text:**

**Universe:** HOB_11G = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 1460 | 235 | 1,598,000 | 5.0 |
| Valid skip | 9996 | 5,555 | 30,674,000 | 95.0 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_19 **Length:** 3.0 **Position:** 1200

**Question Name:**

**Concept:** Plumbing - number of times

**Question Text:** How often do you usually do plumbing? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11H = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 020 | 240 | 1,813,000 | 5.6 |
| Valid skip | 996 | 5,550 | 30,459,000 | 94.4 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_19N **Length:** 1.0 **Position:** 1203

**Question Name:**

**Concept:** Plumbing - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_19 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 5 | 1,000 | 0.0 |
| Per week | 2 | 15 | 99,500 | 0.3 |
| Per month | 3 | 70 | 283,500 | 0.9 |
| Per year | 4 | 150 | 1,401,000 | 4.3 |
| Valid skip | 6 | 5,555 | 30,488,000 | 94.5 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_19T **Length:** 1.0 **Position:** 1204

**Question Name:**

**Concept:** Plumbing - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing plumbing)

**Universe:** 0 < HOB_19 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 45 | 369,000 | 1.1 |
| 30 to 60 minutes | 2 | 90 | 447,000 | 1.4 |
| 61 to 90 minutes | 3 | 30 | 227,000 | 0.7 |
| More than an hour and a half | 4 | 70 | 741,000 | 2.3 |
| Valid skip | 6 | 5,555 | 30,488,000 | 94.5 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD19Y **Length:** 4.0 **Position:** 1205

**Question Name:**

**Concept:** Plumbing - times per year - (D)

**Question Text:**

**Universe:** HOB_11H = 1

**Note:** See document on derived variables.



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 0000 - 0365 | 240 | 1,813,000 | 5.6 |
| Valid skip | | 9996 | 5,550 | 30,459,000 | 94.4 |
| Not stated | | 9999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_20 **Length:** 3.0 **Position:** 1209

**Question Name:**

**Concept:** Refinishing furniture - number of times

**Question Text:** How often do you usually refinish furniture? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11I = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of times | | 000 - 030 | 150 | 1,120,500 | 3.5 |
| Valid skip | | 996 | 5,645 | 31,151,000 | 96.5 |
| Not stated | | 999 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_20N **Length:** 1.0 **Position:** 1212

**Question Name:**

**Concept:** Refinishing furniture - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_20 < VS

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Per day | | 1 | 5 | 1,000 | 0.0 |
| Per week | | 2 | 20 | 201,000 | 0.6 |
| Per month | | 3 | 45 | 259,000 | 0.8 |
| Per year | | 4 | 80 | 639,500 | 2.0 |
| Valid skip | | 6 | 5,645 | 31,171,500 | 96.6 |
| Not stated | | 9 | 5 | 4,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_20T **Length:** 1.0 **Position:** 1213

**Question Name:**

**Concept:** Refinishing furniture - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (refinishing furniture)

**Universe:** 0 < HOB_20 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 10 | 15,000 | 0.0 |
| 30 to 60 minutes | 2 | 35 | 168,500 | 0.5 |
| 61 to 90 minutes | 3 | 20 | 199,000 | 0.6 |
| More than an hour and a half | 4 | 80 | 717,000 | 2.2 |
| Valid skip | 6 | 5,645 | 31,171,500 | 96.6 |
| Not stated | 9 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOBD20Y **Length:** 4.0 **Position:** 1214

**Question Name:**

**Concept:** Refinishing furniture - times per year - (D)

**Question Text:**

**Universe:** HOB_11I = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0365 | 150 | 1,120,500 | 3.5 |
| Valid skip | 9996 | 5,645 | 31,151,000 | 96.5 |
| Not stated | 9999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** HOB_21 **Length:** 3.0 **Position:** 1218

**Question Name:**

**Concept:** Woodworking - number of times

**Question Text:** How often do you usually do woodworking? (For example: twice a day, three times a week, once a month)

**Universe:** HOB_11J = 1

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 000 - 035 | 520 | 2,982,500 | 9.2 |
| Valid skip | 996 | 5,275 | 29,287,000 | 90.7 |
| Don't know | 997 | 5 | 2,000 | 0.0 |
| Not stated | 999 | 5 | 4,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_21N **Length:** 1.0 **Position:** 1221

**Question Name:**

**Concept:** Woodworking - reporting period

**Question Text:** Interviewer: Select the reporting period.

**Universe:** 0 < HOB_21 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Per day | 1 | 20 | 89,000 | 0.3 |
| Per week | 2 | 180 | 953,500 | 3.0 |
| Per month | 3 | 175 | 976,000 | 3.0 |
| Per year | 4 | 140 | 846,000 | 2.6 |
| Valid skip | 6 | 5,280 | 29,405,000 | 91.1 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOB_21T **Length:** 1.0 **Position:** 1222

**Question Name:**

**Concept:** Woodworking - time spent each occasion

**Question Text:** About how much time do you spend on each occasion? (doing woodworking)

**Universe:** 0 < HOB_21 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 30 minutes | 1 | 50 | 196,000 | 0.6 |
| 30 to 60 minutes | 2 | 150 | 857,000 | 2.7 |
| 61 to 90 minutes | 3 | 80 | 333,500 | 1.0 |
| More than an hour and a half | 4 | 235 | 1,478,000 | 4.6 |
| Valid skip | 6 | 5,280 | 29,405,000 | 91.1 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** HOBD21Y **Length:** 4.0 **Position:** 1223

**Question Name:**

**Concept:** Woodworking - times per year - (D)

**Question Text:**

**Universe:** HOB_11J = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of times | 0000 - 0730 | 520 | 2,982,500 | 9.2 |
| Valid skip | 9996 | 5,275 | 29,287,000 | 90.7 |
| Not stated | 9999 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLP_11 **Length:** 4.1 **Position:** 1227

**Question Name:** SLP_Q11

**Concept:** Hours spent sleeping in 24 hour period

**Question Text:** How many hours do you usually spend sleeping in a 24 hour period, excluding time spent resting?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of hours | 02.0 - 18.0 | 5,795 | 32,275,500 | 100.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLP_12 **Length:** 1.0 **Position:** 1231

**Question Name:** SLP_Q12

**Concept:** Frequency - trouble sleeping

**Question Text:** How often do you have trouble going to sleep or staying asleep?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 1,790 | 8,777,500 | 27.2 |
| Rarely | 2 | 1,455 | 7,474,500 | 23.2 |
| Sometimes | 3 | 1,435 | 8,798,500 | 27.3 |
| Most of the time | 4 | 685 | 4,242,500 | 13.1 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| All of the time | 5 | 425 | 2,981,500 | 9.2 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SLP_13 **Length:** 1.0 **Position:** 1232

**Question Name:** SLP_Q13

**Concept:** Duration - trouble sleeping

**Question Text:** How long have you had this trouble?

**Universe:** SLP_12 = 4, 5

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 2 weeks | 1 | 5 | 19,500 | 0.1 |
| 2 weeks to less than 6 months | 2 | 70 | 372,000 | 1.2 |
| 6 months to less than one year | 3 | 70 | 266,000 | 0.8 |
| 1 year to less than 2 years | 4 | 115 | 701,500 | 2.2 |
| 2 years or more | 5 | 850 | 5,860,500 | 18.2 |
| Valid skip | 6 | 4,680 | 25,050,500 | 77.6 |
| Don't know | 7 | 5 | 5,000 | 0.0 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SLP_14 **Length:** 1.0 **Position:** 1233

**Question Name:** SLP_Q14

**Concept:** Frequency - sleep refreshing

**Question Text:** How often do you find your sleep refreshing?

**Universe:** DHH_AGE > 5

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 235 | 1,677,000 | 5.2 |
| Rarely | 2 | 535 | 3,875,500 | 12.0 |
| Sometimes | 3 | 1,190 | 7,750,500 | 24.0 |
| Most of the time | 4 | 2,125 | 12,148,500 | 37.6 |
| All of the time | 5 | 1,135 | 5,666,000 | 17.6 |
| Valid skip | 6 | 575 | 1,133,500 | 3.5 |
| Don't know | 7 | 5 | 23,000 | 0.1 |
| Not stated | 9 | 5 | 2,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SLP_15 **Length:** 1.0 **Position:** 1234

**Question Name:** SLP_Q15

**Concept:** Duration - sleep not refreshing

**Question Text:** How long has your sleep not been refreshing?

**Universe:** SLP_14 = 1, 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 2 weeks | 1 | 15 | 125,500 | 0.4 |
| 2 weeks to less than 6 months | 2 | 60 | 382,500 | 1.2 |
| 6 months to less than one year | 3 | 65 | 416,000 | 1.3 |
| 1 year to less than 2 years | 4 | 75 | 425,500 | 1.3 |
| 2 years or more | 5 | 550 | 4,193,000 | 13.0 |
| Valid skip | 6 | 5,020 | 26,698,500 | 82.7 |
| Don't know | 7 | 5 | 9,000 | 0.0 |
| Not stated | 9 | 5 | 25,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLP_16 **Length:** 1.0 **Position:** 1235

**Question Name:** SLP_Q16

**Concept:** Frequency - difficulty staying awake during waking hours

**Question Text:** How often do you find it difficult to stay awake during your normal waking hours when you want to?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 1 | 2,785 | 12,921,500 | 40.0 |
| Rarely | 2 | 1,535 | 8,977,500 | 27.8 |
| Sometimes | 3 | 1,200 | 8,392,000 | 26.0 |
| Most of the time | 4 | 200 | 1,454,500 | 4.5 |
| All of the time | 5 | 70 | 519,500 | 1.6 |
| Don't know | 7 | 5 | 10,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SLP_17 **Length:** 1.0 **Position:** 1236

**Question Name:** SLP_Q17

**Concept:** Duration - difficulty staying awake



*Totals may not add up due to rounding.*

**Question Text:** How long have you had difficulty staying awake when you want to?

**Universe:** SLP_16 = 4, 5

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 2 weeks | 1 | 5 | 26,500 | 0.1 |
| 2 weeks to less than 6 months | 2 | 35 | 198,000 | 0.6 |
| 6 months to less than one year | 3 | 20 | 154,500 | 0.5 |
| 1 year to less than 2 years | 4 | 30 | 233,000 | 0.7 |
| 2 years or more | 5 | 180 | 1,362,000 | 4.2 |
| Valid skip | 6 | 5,520 | 30,291,000 | 93.9 |
| Not stated | 9 | 5 | 10,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_11 **Length:** 1.0 **Position:** 1237

**Question Name:** SMK_Q11

**Concept:** Smoked 100 or more cigarettes - lifetime

**Question Text:** In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,700 | 13,469,500 | 41.7 |
| No | 2 | 2,490 | 15,446,500 | 47.9 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don’t know | 7 | 5 | 2,500 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_12 **Length:** 1.0 **Position:** 1238

**Question Name:** SMK_Q12

**Concept:** Type of smoker

**Question Text:** At the present time, do you smoke cigarettes daily, occasionally or not at all?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Daily | 1 | 530 | 4,841,000 | 15.0 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Occasionally | 2 | 160 | 902,500 | 2.8 |
| Not at all | 3 | 3,500 | 23,172,000 | 71.8 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 2,500 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_21 **Length:** 2.0 **Position:** 1239

**Question Name:** SMK_Q21

**Concept:** Age - smoked first whole cigarette

**Question Text:** At what age did you smoke your first whole cigarette?

**Universe:** SMK_11 = 1 or ( SMK_11 = 2, DK, RF and SMK_12 = 1, 2 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 05 - 54 | 1,730 | 13,648,000 | 42.3 |
| Valid skip | 96 | 4,055 | 18,558,000 | 57.5 |
| Don't know | 97 | 5 | 63,000 | 0.2 |
| Not stated | 99 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_21A **Length:** 1.0 **Position:** 1241

**Question Name:** SMK_Q21A

**Concept:** Smoked at least 1 cigarette a month

**Question Text:** Have you ever smoked at least 1 cigarette a month?

**Universe:** ( SMK_11 = 1, DK, RF and SMK_12 = 2, 3 ) or ( SMK_11 = 2 and SMK_12 = 2 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,150 | 8,539,500 | 26.5 |
| No | 2 | 55 | 326,500 | 1.0 |
| Valid skip | 6 | 4,585 | 23,399,500 | 72.5 |
| Don't know | 7 | 5 | 4,000 | 0.0 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_22 **Length:** 2.0 **Position:** 1242



*Totals may not add up due to rounding.*

**Question Name:** SMK_Q22

**Concept:** Age - started smoking at least 1 cigarette/month

**Question Text:** How old were you when you started smoking at least 1 cigarette a month?

**Universe:** SMK_12 = 1 or SMK_21A = 1

**Note:** Respondents who never smoked at least 1 cigarette a month are excluded from this question for cycles 3 & 4

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 07 - 54 | 1,670 | 13,328,000 | 41.3 |
| Valid skip | 96 | 4,110 | 18,884,500 | 58.5 |
| Don't know | 97 | 10 | 53,000 | 0.2 |
| Not stated | 99 | 5 | 10,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_23 **Length:** 2.0 **Position:** 1244

**Question Name:** SMK_Q23

**Concept:** Number days/typical month smoked at least 1 cigarette

**Question Text:** When you were [SMK_22] years old, how many days in a typical month did you smoke at least one cigarette?

**Universe:** 0 < SMK_22 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of days | 01 - 31 | 1,635 | 12,980,000 | 40.2 |
| Valid skip | 96 | 4,110 | 18,884,500 | 58.5 |
| Don't know | 97 | 40 | 348,000 | 1.1 |
| Not stated | 99 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_24 **Length:** 2.0 **Position:** 1246

**Question Name:** SMK_Q24

**Concept:** Number of cigarettes smoked per day at age started smoking

**Question Text:** (When you were [SMK_22] years old,) [How many cigarettes did you usually smoke each day / on the days you smoked, how many cigarettes did you usually smoke]?

**Universe:** 0 < SMK_22 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 01 - 95 | 1,615 | 12,866,500 | 39.9 |
| Valid skip | 96 | 4,110 | 18,884,500 | 58.5 |
| Don't know | 97 | 55 | 461,500 | 1.4 |
| Not stated | 99 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_31 **Length:** 2.0 **Position:** 1248

**Question Name:** SMK_Q31

**Concept:** Number of cigarettes smoked per day (daily smoker)

**Question Text:** How many cigarettes do you smoke each day now?

**Universe:** SMK_12 = 1, 2 and 0 < SMK_22 < VS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 01 - 75 | 530 | 4,831,000 | 15.0 |
| Valid skip | 96 | 5,250 | 27,381,500 | 84.8 |
| Not stated | 99 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_41 **Length:** 2.0 **Position:** 1250

**Question Name:** SMK_Q41

**Concept:** Number of cigarettes smoked per day (occasional smoker)

**Question Text:** On the days that you smoke, how many cigarettes do you usually smoke?

**Universe:** SMK_12 = 2 and SMK_21A = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 01 - 25 | 130 | 728,500 | 2.3 |
| Valid skip | 96 | 5,650 | 31,484,000 | 97.5 |
| Not stated | 99 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_42 **Length:** 2.0 **Position:** 1252

**Question Name:** SMK_Q42

**Concept:** Number days/past month - smoked 1 cig or more (occasional)



*Totals may not add up due to rounding.*

**Question Text:** In the past month, on how many days have you smoked 1 or more cigarettes?

**Universe:** SMK_12 = 2 and SMK_21A = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of days | 00 - 30 | 130 | 723,500 | 2.2 |
| Valid skip | 96 | 5,650 | 31,484,000 | 97.5 |
| Don't know | 97 | 5 | 4,500 | 0.0 |
| Not stated | 99 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_51 **Length:** 1.0 **Position:** 1254

**Question Name:** SMK_Q51

**Concept:** Ever smoked cigarettes daily

**Question Text:** Have you ever smoked cigarettes daily?

**Universe:** SMK_12 = 2,3 and (SMK_23 < 31 or SMK_23 = DK or RF)

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 345 | 2,189,000 | 6.8 |
| No | 2 | 145 | 1,105,500 | 3.4 |
| Valid skip | 6 | 5,295 | 28,906,500 | 89.6 |
| Don't know | 7 | 5 | 11,500 | 0.0 |
| Not stated | 9 | 15 | 63,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMK_52 **Length:** 2.0 **Position:** 1255

**Question Name:** SMK_Q52

**Concept:** Age started smoking daily

**Question Text:** At what age did you begin to smoke cigarettes daily?

**Universe:** (SMK_12 = 1 and (SMK_23 < 31 or SMK_23 = DK or RF)) or SMK_51 = 1

**Note:** Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_52 since, for them, this same information was collected at SMK_22.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 09 - 45 | 560 | 4,227,000 | 13.1 |
| Valid skip | 96 | 5,220 | 27,973,500 | 86.7 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 99 | 15 | 75,000 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_53 **Length:** 2.0 **Position:** 1257

**Question Name:** SMK_Q53

**Concept:** Number of cigarettes usually smoked per day

**Question Text:** [When you started smoking cigarettes daily, how/How] many cigarettes did you usually smoke each day?

**Universe:** ( SMK_12 = 1 and ( smk_23 < 31 or smk_23 = DK, RF ) ) or SMK_51 = 1

**Note:** Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_53 since, for them, this same information was collected at SMK_24.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of cigarettes | | 01 - 95 | 545 | 4,102,500 | 12.7 |
| Valid skip | | 96 | 5,220 | 27,973,500 | 86.7 |
| Don't know | | 97 | 15 | 125,000 | 0.4 |
| Not stated | | 99 | 15 | 75,000 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_54 **Length:** 2.0 **Position:** 1259

**Question Name:** SMK_Q54

**Concept:** Age stopped smoking cigarettes daily/completely

**Question Text:** At what age did you stop smoking cigarettes [completely/daily]?

**Universe:** DHH_AGE > 11 and ((SMK_11 = 1 and SMK_12 = 2,3) and (SMK_23 = 31 or SMK_51 = 1)) or (SMK_11 = 1 and SMK_12 = 3 and SMK_51 = 2 and SMK_21A = 1) or (SMK_11 = 2 and (SMK_23 = 31 or SMK_51 = 1) and SMK_31 <> 31) or (SMK_12 <> 1 and SMK_11 = DK, RF, NS) or SMK_21 = DK or SMK_22 = DK or SMK_21A = DK))

**Note:** Respondents aged 12 and older who are former daily or former occasional smokers.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Years | | 13 - 74 | 1,090 | 8,156,000 | 25.3 |
| Valid skip | | 96 | 4,685 | 24,026,500 | 74.4 |
| Don't know | | 97 | 5 | 15,500 | 0.0 |
| Not stated | | 99 | 15 | 78,000 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SMK_60 **Length:** 1.0 **Position:** 1261



*Totals may not add up due to rounding.*

**Question Name:** SMK_Q60

**Concept:** Smoked cigars/pipe or used snuff/chewing tobacco - past month

**Question Text:** In the past month, have you smoked cigars, cigarillos or a pipe or used snuff or chewing tobacco?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 215 | 1,686,000 | 5.2 |
| No | 2 | 3,975 | 27,229,500 | 84.4 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | 7 | 5 | 2,500 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDSTY **Length:** 2.0 **Position:** 1262

**Question Name:**

**Concept:** Type of smoker - (D)

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Daily smoker | 01 | 530 | 4,831,000 | 15.0 |
| Occasional smoker, former daily smoker | 02 | 85 | 417,500 | 1.3 |
| Always an occasional smoker | 03 | 70 | 483,500 | 1.5 |
| Non-smoker, former daily smoker | 04 | 910 | 6,962,500 | 21.6 |
| Non-smoker, former occasional smoker | 05 | 125 | 948,500 | 2.9 |
| Never smoked more than 100 cigarettes | 06 | 2,450 | 15,204,500 | 47.1 |
| Valid skip | 96 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 99 | 15 | 75,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDSTP **Length:** 3.0 **Position:** 1264

**Question Name:**

**Concept:** Number of years since stopping smoking completely - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = (4 or 5) and (SMK_12 = 3 and SMK_21A = 1)

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 058 | 990 | 7,552,500 | 23.4 |
| Valid skip | 996 | 4,770 | 24,444,000 | 75.7 |
| Not stated | 999 | 35 | 279,000 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDYFS **Length:** 3.0 **Position:** 1267

**Question Name:**

**Concept:** Number of years smoked daily (former daily smokers) - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = (2 or 4) and SMK_11 <> 2

**Note:** Former daily smoker only.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 060 | 990 | 7,365,500 | 22.8 |
| Valid skip | 996 | 4,785 | 24,845,000 | 77.0 |
| Not stated | 999 | 15 | 65,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDAQD **Length:** 2.0 **Position:** 1270

**Question Name:**

**Concept:** Age stopped smoking daily - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = 2

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Age in years | 14 - 60 | 85 | 406,500 | 1.3 |
| Valid skip | 96 | 5,695 | 31,783,000 | 98.5 |
| Not stated | 99 | 15 | 86,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDAQS **Length:** 2.0 **Position:** 1272



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Age stopped smoking completely - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = 4 or 5 and SMK_54 <> VS

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Age in years | 13 - 74 | 1,005 | 7,749,500 | 24.0 |
| Valid skip | 96 | 4,770 | 24,444,000 | 75.7 |
| Not stated | 99 | 15 | 82,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDASD **Length:** 2.0 **Position:** 1274

**Question Name:**

**Concept:** Age started smoking daily - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = 1, 2 or 4

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Age in years | 08 - 54 | 1,525 | 12,211,000 | 37.8 |
| Valid skip | 96 | 4,255 | 19,990,000 | 61.9 |
| Not stated | 99 | 15 | 75,000 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SMKDNSD **Length:** 2.0 **Position:** 1276

**Question Name:**

**Concept:** Number of cigs smoked daily - (D)

**Question Text:**

**Universe:** DHH_AGE > 11 and SMKDSTY = 1,2 or 4

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 01 - 95 | 1,480 | 11,799,000 | 36.6 |
| Valid skip | 96 | 4,255 | 19,990,000 | 61.9 |
| Not stated | 99 | 60 | 486,500 | 1.5 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_11 **Length:** 1.0 **Position:** 1278

**Question Name:** ALC_Q11

**Concept:** Drank alcohol - past 12 months

**Question Text:** During the past 12 months, that is, from [date one year ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 3,095 | 22,781,500 | 70.6 |
| No | | 2 | 1,085 | 6,117,500 | 19.0 |
| Valid skip | | 6 | 1,605 | 3,353,500 | 10.4 |
| Don't know | | 7 | 5 | 5,500 | 0.0 |
| Refusal | | 8 | 5 | 14,500 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_12 **Length:** 2.0 **Position:** 1279

**Question Name:** ALC_Q12

**Concept:** Frequency of drinking alcohol

**Question Text:** During the past 12 months, how often did you drink alcoholic beverages?

**Universe:** ALC_11 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Less than once a month | | 01 | 660 | 4,584,000 | 14.2 |
| Once a month | | 02 | 300 | 1,818,500 | 5.6 |
| 2 to 3 times a month | | 03 | 485 | 3,700,000 | 11.5 |
| Once a week | | 04 | 460 | 3,566,500 | 11.0 |
| 2 to 3 times a week | | 05 | 645 | 5,154,500 | 16.0 |
| 4 to 6 times a week | | 06 | 290 | 2,298,500 | 7.1 |
| Every day | | 07 | 255 | 1,660,000 | 5.1 |
| Valid skip | | 96 | 2,690 | 9,471,000 | 29.3 |
| Not stated | | 99 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_13A **Length:** 2.0 **Position:** 1281



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Frequency of having [5/4] or more drinks

**Question Text:** How often in the past 12 months have you had [5/4] or more drinks on one occasion?

**Universe:** ALC_11 = 1

**Note:** Males (DHH_SEX = 1) were asked how often they had 5 or more drinks, while females (DHH_SEX = 2) were asked how often they had 4 or more drinks on one occasion. In cycles 1 and 2, at questions ALC_13, all respondents were asked how often they had 5 or more drinks on one occasion.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Never | 01 | 1,285 | 8,728,000 | 27.0 |
| Less than once a month | 02 | 940 | 7,228,500 | 22.4 |
| Once a month | 03 | 325 | 2,579,000 | 8.0 |
| 2 to 3 times a month | 04 | 250 | 2,038,500 | 6.3 |
| Once a week | 05 | 175 | 1,436,000 | 4.4 |
| More than once a week | 06 | 115 | 769,000 | 2.4 |
| Valid skip | 96 | 2,690 | 9,471,000 | 29.3 |
| Don't know | 97 | 5 | 2,000 | 0.0 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_14 **Length:** 1.0 **Position:** 1283

**Question Name:** ALC_Q14

**Concept:** Drank alcohol - past week

**Question Text:** Thinking back over the past week, that is, from [date one week ago] to yesterday, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

**Universe:** ALC_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,010 | 14,989,000 | 46.4 |
| No | 2 | 1,085 | 7,792,500 | 24.1 |
| Valid skip | 6 | 2,690 | 9,471,000 | 29.3 |
| Not stated | 9 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_15A **Length:** 2.0 **Position:** 1284

**Question Name:**

**Concept:** Number of drinks - Sunday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Sunday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 00 - 40 | 2,010 | 14,977,500 | 46.4 |
| Valid skip | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | 97 | 5 | 11,500 | 0.0 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_15B **Length:** 2.0 **Position:** 1286

**Question Name:**

**Concept:** Number of drinks - Monday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Monday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 00 - 24 | 2,005 | 14,973,000 | 46.4 |
| Valid skip | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | 97 | 5 | 16,000 | 0.1 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_15C **Length:** 2.0 **Position:** 1288

**Question Name:**

**Concept:** Number of drinks - Tuesday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Tuesday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 00 - 24 | 2,005 | 14,963,500 | 46.4 |
| Valid skip | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | 97 | 5 | 25,500 | 0.1 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** ALC_15D **Length:** 2.0 **Position:** 1290

**Question Name:**

**Concept:** Number of drinks - Wednesday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Wednesday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 00 - 24 | 2,000 | 14,921,500 | 46.2 |
| Valid skip | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | 97 | 10 | 67,500 | 0.2 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_15E **Length:** 2.0 **Position:** 1292

**Question Name:**

**Concept:** Number of drinks - Thursday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Thursday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 00 - 24 | 2,000 | 14,923,000 | 46.2 |
| Valid skip | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | 97 | 10 | 66,000 | 0.2 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_15F **Length:** 2.0 **Position:** 1294

**Question Name:**

**Concept:** Number of drinks - Friday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Friday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of drinks | | 00 - 40 | 2,000 | 14,902,500 | 46.2 |
| Valid skip | | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | | 97 | 10 | 86,500 | 0.3 |
| Not stated | | 99 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_15G **Length:** 2.0 **Position:** 1296

**Question Name:**

**Concept:** Number of drinks - Saturday

**Question Text:** Starting with yesterday, that is [day name] how many drinks did you have? - Saturday

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of drinks | | 00 - 40 | 2,005 | 14,974,000 | 46.4 |
| Valid skip | | 96 | 3,775 | 17,263,500 | 53.5 |
| Don't know | | 97 | 5 | 14,500 | 0.0 |
| Not stated | | 99 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_16 **Length:** 1.0 **Position:** 1298

**Question Name:** ALC_Q16

**Concept:** Usual consumption of alcohol

**Question Text:** Is the amount you drank over the last week more, about the same or less compared to most weeks?

**Universe:** ALC_14 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| More | | 1 | 780 | 5,783,000 | 17.9 |
| About the same | | 2 | 1,085 | 8,040,000 | 24.9 |
| Less | | 3 | 145 | 1,158,000 | 3.6 |
| Valid skip | | 6 | 3,775 | 17,263,500 | 53.5 |
| Don't know | | 7 | 5 | 7,500 | 0.0 |
| Not stated | | 9 | 5 | 23,000 | 0.1 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALC_17 **Length:** 1.0 **Position:** 1299



*Totals may not add up due to rounding.*

**Question Name:** ALC_Q17

**Concept:** Ever had a drink

**Question Text:** Have you ever had a drink?

**Universe:** ALC_11 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 420 | 3,123,000 | 9.7 |
| No | 2 | 670 | 2,994,500 | 9.3 |
| Valid skip | 6 | 4,700 | 26,127,000 | 81.0 |
| Not stated | 9 | 10 | 31,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_18 **Length:** 1.0 **Position:** 1300

**Question Name:** ALC_Q18

**Concept:** Regularly drank more than 12 drinks a week

**Question Text:** Did you ever regularly drink more than 12 drinks a week?

**Universe:** ALC_11 = 1 or ALC_17 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 815 | 5,907,000 | 18.3 |
| No | 2 | 2,695 | 19,990,000 | 61.9 |
| Valid skip | 6 | 2,275 | 6,348,000 | 19.7 |
| Don’t know | 7 | 5 | 7,500 | 0.0 |
| Not stated | 9 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ALC_19 **Length:** 2.0 **Position:** 1301

**Question Name:** ALC_Q19

**Concept:** Age - started drinking alcoholic beverages

**Question Text:** Not counting small sips, how old were you when you started drinking alcoholic beverages?

**Universe:** ALC_11 = 1 or ALC_17 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 05 - 63 | 3,480 | 25,662,000 | 79.5 |
| Valid skip | 96 | 2,275 | 6,348,000 | 19.7 |
| Don't know | 97 | 35 | 242,500 | 0.8 |
| Not stated | 99 | 5 | 23,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALCDWKY **Length:** 3.0 **Position:** 1303

**Question Name:**

**Concept:** Weekly consumption - (D)

**Question Text:**

**Universe:** ALC_11 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 000 - 144 | 3,065 | 22,605,000 | 70.0 |
| Valid skip | 996 | 2,690 | 9,471,000 | 29.3 |
| Not stated | 999 | 40 | 199,500 | 0.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALCDDLY **Length:** 3.0 **Position:** 1306

**Question Name:**

**Concept:** Average daily alcohol consumption - (D)

**Question Text:**

**Universe:** ALC_11 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of drinks | 000 - 021 | 3,065 | 22,605,000 | 70.0 |
| Valid skip | 996 | 2,690 | 9,471,000 | 29.3 |
| Not stated | 999 | 40 | 199,500 | 0.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ALCDTYP **Length:** 1.0 **Position:** 1309

**Question Name:**

**Concept:** Type of drinker - (D)



*Totals may not add up due to rounding.*

**Question Text:**

**Universe:** DHH_AGE > 11

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Regular drinker | 1 | 2,435 | 18,189,500 | 56.4 |
| Occasional drinker | 2 | 660 | 4,584,000 | 14.2 |
| Former drinker | 3 | 420 | 3,123,000 | 9.7 |
| Never drank | 4 | 670 | 2,994,500 | 9.3 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 9 | 10 | 31,000 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IDU_11 **Length:** 1.0 **Position:** 1310

**Question Name:** IDU_Q11

**Concept:** Used or tried marijuana, cannabis or hashish

**Question Text:** Have you ever used or tried marijuana, cannabis or hashish?

**Universe:** DHH_AGE > 13

**Note:** Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,970 | 15,651,500 | 48.5 |
| No | 2 | 1,895 | 12,339,000 | 38.2 |
| Valid skip | 6 | 1,905 | 4,151,500 | 12.9 |
| Don’t know | 7 | 5 | 5,500 | 0.0 |
| Refusal | 8 | 5 | 33,000 | 0.1 |
| Not stated | 9 | 20 | 95,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IDU_21 **Length:** 1.0 **Position:** 1311

**Question Name:** IDU_Q21

**Concept:** Used or tried prescription drugs for the feeling

**Question Text:** Have you ever used or tried prescription drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

**Universe:** DHH_AGE > 13

**Note:** Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 210 | 1,839,000 | 5.7 |
| No | 2 | 3,655 | 26,151,500 | 81.0 |
| Valid skip | 6 | 1,905 | 4,151,500 | 12.9 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 25 | 127,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** IDU_22 **Length:** 1.0 **Position:** 1312

**Question Name:** IDU_Q22

**Concept:** Used or tried other drugs (cocaine, speed)

**Question Text:** Have you ever used or tried other drugs or substances such as cocaine, speed, solvents or steroids?

**Universe:** DHH_AGE > 13

**Note:** Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 580 | 4,734,500 | 14.7 |
| No | 2 | 3,285 | 23,256,000 | 72.1 |
| Valid skip | 6 | 1,905 | 4,151,500 | 12.9 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 25 | 127,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** IDU_32 **Length:** 1.0 **Position:** 1313

**Question Name:** IDU_Q32

**Concept:** Injected with drugs for the experience/feeling

**Question Text:** Have you ever injected or been injected with drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

**Universe:** IDU_21 = 1 or IDU_22 = 1

**Note:** Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 50 | 463,000 | 1.4 |
| No | 2 | 580 | 4,664,000 | 14.5 |
| Valid skip | 6 | 5,140 | 27,021,000 | 83.7 |
| Not stated | 9 | 25 | 127,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** IDU_33 **Length:** 1.0 **Position:** 1314

**Question Name:** IDU_Q33

**Concept:** Other than by injection, used other drugs for the feeling

**Question Text:** Other than by injection, have you ever used or tried drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high? [Do not include marijuana, cannabis or hashish.]

**Universe:** IDU_32 = 1

**Note:** Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 379,000 | 1.2 |
| No | 2 | 10 | 84,000 | 0.3 |
| Valid skip | 6 | 5,720 | 31,685,000 | 98.2 |
| Not stated | 9 | 25 | 127,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_11 **Length:** 1.0 **Position:** 1315

**Question Name:** SXB_Q11

**Concept:** Ever had sexual intercourse

**Question Text:** Have you ever had sexual intercourse?

**Universe:** DHH_AGE > 13

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 3,345 | 25,775,000 | 79.9 |
| No | 2 | 475 | 1,884,000 | 5.8 |
| Valid skip | 6 | 1,905 | 4,151,500 | 12.9 |
| Don’t know | 7 | 5 | 32,500 | 0.1 |
| Refusal | 8 | 45 | 337,000 | 1.0 |
| Not stated | 9 | 20 | 95,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_12 **Length:** 1.0 **Position:** 1316

**Question Name:** SXB_Q12

**Concept:** Sexual intercourse - past 12 months

**Question Text:** In the past 12 months, have you had sexual intercourse?

**Universe:** SXB_11 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,630 | 20,311,500 | 62.9 |
| No | 2 | 695 | 5,294,500 | 16.4 |
| Valid skip | 6 | 2,380 | 6,035,500 | 18.7 |
| Don't know | 7 | 5 | 42,500 | 0.1 |
| Refusal | 8 | 15 | 126,500 | 0.4 |
| Not stated | 9 | 70 | 465,000 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_13 **Length:** 1.0 **Position:** 1317

**Question Name:** SXB_Q13

**Concept:** Number of different partners - past 12 months

**Question Text:** With how many different partners?

**Universe:** SXB_12 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| 1 partner | 1 | 2,310 | 17,647,500 | 54.7 |
| 2 partners | 2 | 140 | 1,088,500 | 3.4 |
| 3 partners | 3 | 90 | 770,000 | 2.4 |
| 4 or more partners | 4 | 85 | 800,500 | 2.5 |
| Valid skip | 6 | 3,075 | 11,330,000 | 35.1 |
| Don't know | 7 | 5 | 4,500 | 0.0 |
| Not stated | 9 | 90 | 634,000 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_21 **Length:** 1.0 **Position:** 1318

**Question Name:** SXB_Q21

**Concept:** Ever diagnosed with a sexually transmitted disease/infection

**Question Text:** Have you ever been diagnosed with a sexually transmitted disease or infection?

**Universe:** SXB_12 = 1 or 2

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 330 | 2,512,000 | 7.8 |
| No | 2 | 2,990 | 23,058,000 | 71.4 |
| Valid skip | 6 | 2,380 | 6,035,500 | 18.7 |
| Don't know | 7 | 5 | 16,000 | 0.0 |
| Refusal | 8 | 5 | 20,000 | 0.1 |
| Not stated | 9 | 90 | 634,000 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_22A **Length:** 1.0 **Position:** 1319

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - HIV

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - HIV (Human Immunodeficiency Virus)

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 100,500 | 0.3 |
| No | 2 | 305 | 2,187,000 | 6.8 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_22B **Length:** 1.0 **Position:** 1320

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - AIDS

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - AIDS (Acquired Immunodeficiency Syndrome)

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were
coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 310 | 2,287,500 | 7.1 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |


*Totals may not add up due to rounding.*

**Variable Name:** SXB_22C **Length:** 1.0 **Position:** 1321

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Chlamydia

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Chlamydia

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 155 | 1,237,500 | 3.8 |
| No | 2 | 155 | 1,050,000 | 3.3 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_22D **Length:** 1.0 **Position:** 1322

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Genital Herpes

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Herpes (Herpes Simplex Type II)

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 251,000 | 0.8 |
| No | 2 | 270 | 2,036,500 | 6.3 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_22E **Length:** 1.0 **Position:** 1323

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Syphilis



*Totals may not add up due to rounding.*

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Syphilis

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 64,000 | 0.2 |
| No | 2 | 305 | 2,223,500 | 6.9 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_22F **Length:** 1.0 **Position:** 1324

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Gonorrhoea

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Gonorrhoea

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 40 | 217,000 | 0.7 |
| No | 2 | 265 | 2,070,500 | 6.4 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_22G **Length:** 1.0 **Position:** 1325

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Genital Warts

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Warts (Human Papilloma Virus or HPV)

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 65 | 395,000 | 1.2 |
| No | 2 | 245 | 1,892,500 | 5.9 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_22H **Length:** 1.0 **Position:** 1326

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Venereal disease

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Venereal disease

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 50,500 | 0.2 |
| No | 2 | 300 | 2,237,000 | 6.9 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SXB_22I **Length:** 1.0 **Position:** 1327

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - Hepatitis B

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Hepatitis B

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 310 | 2,287,500 | 7.1 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** SXB_22J **Length:** 1.0 **Position:** 1328

**Question Name:** SXB_Q22

**Concept:** Sexually transmitted disease/infection - other

**Question Text:** Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Other

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 20 | 144,000 | 0.4 |
| No | 2 | 290 | 2,143,500 | 6.6 |
| Valid skip | 6 | 5,370 | 29,094,000 | 90.1 |
| Don't know | 7 | 20 | 224,000 | 0.7 |
| Not stated | 9 | 100 | 670,000 | 2.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_23 **Length:** 1.0 **Position:** 1329

**Question Name:** SXB_Q23

**Concept:** Use of condom / last time had sexual intercourse

**Question Text:** Did you or your partner use a condom the last time you had sexual intercourse?

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 375 | 3,177,000 | 9.8 |
| No | 2 | 455 | 3,454,500 | 10.7 |
| Valid skip | 6 | 4,870 | 25,006,000 | 77.5 |
| Don't know | 7 | 5 | 4,500 | 0.0 |
| Not stated | 9 | 90 | 634,000 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SXB_24 **Length:** 1.0 **Position:** 1330

**Question Name:** SXB_Q24

**Concept:** Usual use of condom

**Question Text:** Do you or your partner usually use a condom when you have sexual intercourse?

**Universe:** SXB_21 = 1

**Note:** This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 400 | 3,289,000 | 10.2 |
| No | 2 | 430 | 3,329,000 | 10.3 |
| Valid skip | 6 | 4,870 | 25,006,000 | 77.5 |
| Don't know | 7 | 5 | 18,000 | 0.1 |
| Not stated | 9 | 90 | 634,000 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_01 **Length:** 1.0 **Position:** 1331

**Question Name:** ETS_Q01

**Concept:** Allowed smoking inside this home

**Question Text:** Is smoking allowed inside this home?

**Universe:** All respondents

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 525 | 3,437,500 | 10.7 |
| No | 2 | 5,195 | 28,556,000 | 88.5 |
| Not stated | 9 | 75 | 282,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_02 **Length:** 1.0 **Position:** 1332

**Question Name:** ETS_Q02

**Concept:** Smoking restricted inside this home

**Question Text:** Is smoking inside this home restricted in any way?

**Universe:** ETS_01 = 1

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question



*Totals may not add up due to rounding.*

was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 280 | 1,711,500 | 5.3 |
| No | 2 | 240 | 1,724,000 | 5.3 |
| Valid skip | 6 | 5,195 | 28,556,000 | 88.5 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Not stated | 9 | 75 | 282,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_03A **Length:** 1.0 **Position:** 1333

**Question Name:** ETS_Q03

**Concept:** Smoking restriction - allow in certain rooms only

**Question Text:** How is smoking restricted inside this home? - Allowed in certain rooms only

**Universe:** ETS_02 = 1

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 190 | 1,150,000 | 3.6 |
| No | 2 | 90 | 561,500 | 1.7 |
| Valid skip | 6 | 5,435 | 30,280,000 | 93.8 |
| Not stated | 9 | 75 | 284,500 | 0.9 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_03B **Length:** 1.0 **Position:** 1334

**Question Name:** ETS_Q03

**Concept:** Smoking restriction - in presence of young children

**Question Text:** How is smoking restricted inside this home? -Restricted in the presence of young children

**Universe:** ETS_02 = 1

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 85 | 449,000 | 1.4 |
| No | | 2 | 195 | 1,262,500 | 3.9 |
| Valid skip | | 6 | 5,435 | 30,280,000 | 93.8 |
| Not stated | | 9 | 75 | 284,500 | 0.9 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_03C **Length:** 1.0 **Position:** 1335

**Question Name:** ETS_Q03

**Concept:** Smoking restriction - allow if windows are open/ventilation

**Question Text:** How is smoking restricted inside this home? - Allowed only if windows are open or with another type of ventilation

**Universe:** ETS_02 = 1

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 105 | 609,000 | 1.9 |
| No | | 2 | 175 | 1,102,500 | 3.4 |
| Valid skip | | 6 | 5,435 | 30,280,000 | 93.8 |
| Not stated | | 9 | 75 | 284,500 | 0.9 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_03D **Length:** 1.0 **Position:** 1336

**Question Name:** ETS_Q03

**Concept:** Smoking restriction - other restriction

**Question Text:** How is smoking restricted inside this home? - Other restriction(s)

**Universe:** ETS_02 = 1

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 25 | 115,500 | 0.4 |
| No | 2 | 260 | 1,595,500 | 4.9 |
| Valid skip | 6 | 5,435 | 30,280,000 | 93.8 |
| Not stated | 9 | 75 | 284,500 | 0.9 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_04 **Length:** 2.0 **Position:** 1337

**Question Name:** ETS_Q04

**Concept:** How often someone smokes inside the home

**Question Text:** How often does someone smoke inside this home? Include both household members and visitors.

**Universe:** ETS_01 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Every day | | 01 | 365 | 2,579,000 | 8.0 |
| Almost every day | | 02 | 35 | 165,000 | 0.5 |
| At least once a week | | 03 | 35 | 177,000 | 0.5 |
| At least once a month | | 04 | 30 | 230,500 | 0.7 |
| Less than once a month | | 05 | 60 | 288,500 | 0.9 |
| Never | | 06 | 1,530 | 5,501,000 | 17.0 |
| Valid skip | | 96 | 3,745 | 23,329,000 | 72.3 |
| Not stated | | 99 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_05 **Length:** 2.0 **Position:** 1339

**Question Name:** ETS_Q05

**Concept:** Number of people who smoke inside home everyday

**Question Text:** How many people smoke inside this home every day or almost every day?

**Universe:** ETS_04 = 1 , 2

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of people | | 01 - 04 | 390 | 2,707,000 | 8.4 |
| Valid skip | | 96 | 5,400 | 29,555,000 | 91.6 |
| Not stated | | 99 | 5 | 13,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_06A **Length:** 1.0 **Position:** 1341

**Question Name:** ETS_Q06

**Concept:** Product smoked inside home - cigarettes

**Question Text:** Which of the following tobacco products are smoked inside this home? - Cigarettes

**Universe:** ETS_04 = 1 , 2

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 385 | 2,696,500 | 8.4 |
| No | 2 | 5 | 10,500 | 0.0 |
| Valid skip | 6 | 5,400 | 29,555,000 | 91.6 |
| Not stated | 9 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_06B **Length:** 1.0 **Position:** 1342

**Question Name:** ETS_Q06

**Concept:** Product smoked inside home - cigarillos or little cigars

**Question Text:** Which of the following tobacco products are smoked inside this home? - Cigarillos or little cigars

**Universe:** ETS_04 = 1 , 2

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 73,500 | 0.2 |
| No | 2 | 380 | 2,633,500 | 8.2 |
| Valid skip | 6 | 5,400 | 29,555,000 | 91.6 |
| Not stated | 9 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_06C **Length:** 1.0 **Position:** 1343

**Question Name:** ETS_Q06

**Concept:** Product smoked inside home - all other types of cigars



*Totals may not add up due to rounding.*

**Question Text:** Which of the following tobacco products are smoked inside this home? - All other types of cigars

**Universe:** ETS_04 = 1 , 2

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 18,000 | 0.1 |
| No | 2 | 390 | 2,689,000 | 8.3 |
| Valid skip | 6 | 5,400 | 29,555,000 | 91.6 |
| Not stated | 9 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_06D **Length:** 1.0 **Position:** 1344

**Question Name:** ETS_Q06

**Concept:** Product smoked inside home - pipes

**Question Text:** Which of the following tobacco products are smoked inside this home? - Pipes

**Universe:** ETS_04 = 1 , 2

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 9,500 | 0.0 |
| No | 2 | 385 | 2,697,500 | 8.4 |
| Valid skip | 6 | 5,400 | 29,555,000 | 91.6 |
| Not stated | 9 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_07 **Length:** 3.0 **Position:** 1345

**Question Name:** ETS_Q07

**Concept:** Number cigarettes smoked inside the house - typical day

**Question Text:** On a typical day, how many [cigarettes/cigarillos or little cigars/other types of cigars] are smoked inside this home?

**Universe:** ETS_06A = 1, NS or ETS_06B = 1, NS or ETS_06B = 1, NS

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 001 - 080 | 380 | 2,663,000 | 8.3 |
| Valid skip | 996 | 5,400 | 29,560,500 | 91.6 |
| Don't know | 997 | 10 | 38,000 | 0.1 |
| Not stated | 999 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_08 **Length:** 1.0 **Position:** 1348

**Question Name:** ETS_Q08

**Concept:** Total period time/typical day smoking pipe

**Question Text:** On a typical day, what is the total period of time that at least one person is smoking a pipe inside this home?

**Universe:** ETS_06D = 1, NS

**Note:** In households with two selected respondents this question was asked only to the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than 1 hour | 1 | 5 | 4,000 | 0.0 |
| 1 to less than 3 hours | 2 | 5 | 5,500 | 0.0 |
| Valid skip | 6 | 5,785 | 32,252,500 | 99.9 |
| Not stated | 9 | 5 | 13,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_09 **Length:** 1.0 **Position:** 1349

**Question Name:** ETS_Q09

**Concept:** Often exposed to second-hand smoke inside home - past month

**Question Text:** [Not including your own smoking, in/In] the past month, how often were you exposed to second-hand smoke inside this home?

**Universe:** ETS_04 = 1, 2, 3, 4, 5, DK, RF

**Note:**

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Every day | 1 | 210 | 1,460,000 | 4.5 |
| Almost every day | 2 | 55 | 279,500 | 0.9 |
| At least once a week | 3 | 65 | 307,000 | 1.0 |
| At least once in the past month | 4 | 50 | 387,500 | 1.2 |
| Never | 5 | 140 | 1,005,500 | 3.1 |
| Valid skip | 6 | 5,270 | 28,829,500 | 89.3 |
| Not stated | 9 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_14 **Length:** 1.0 **Position:** 1350

**Question Name:** ETS_Q14

**Concept:** Exposed to second-hand smoke - private vehicle

**Question Text:** In the past month were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 305 | 2,206,000 | 6.8 |
| No | 2 | 5,490 | 30,070,000 | 93.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_16 **Length:** 1.0 **Position:** 1351

**Question Name:** ETS_Q16

**Concept:** Exposed to second-hand smoke - place of work

**Question Text:** In the past month, were you exposed to second-hand smoke every day or almost every day: - at your place of work?

**Universe:** GEN_16 = 1, NS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 225 | 1,746,000 | 5.4 |
| No | 2 | 2,430 | 18,795,000 | 58.2 |
| Valid skip | 6 | 3,120 | 11,649,500 | 36.1 |
| Not stated | 9 | 15 | 85,000 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_20 **Length:** 1.0 **Position:** 1352

**Question Name:** ETS_Q20

**Concept:** Exposed to second-hand smoke - inside someone else's home

**Question Text:** In the past month, were you exposed to second-hand smoke, every day or almost every day: - inside someone else's home?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 240 | 1,681,500 | 5.2 |
| No | 2 | 5,555 | 30,582,500 | 94.8 |
| Don't know | 7 | 5 | 11,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_21 **Length:** 1.0 **Position:** 1353

**Question Name:** ETS_Q21

**Concept:** Exposed to second-hand smoke - indoors, in public places

**Question Text:** In the past month, were you exposed to second-hand smoke, every day or almost every day: - indoors, in public places such as bars, restaurants, etc.?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 263,500 | 0.8 |
| No | 2 | 5,750 | 32,012,000 | 99.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ETS_22 **Length:** 1.0 **Position:** 1354

**Question Name:** ETS_Q22

**Concept:** Exposed to second-hand smoke - outdoors, in public places

**Question Text:** In the past month, were you exposed to second-hand smoke, every day or almost every day: - outdoors in public places such as outdoor patios, etc.?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 785 | 5,675,000 | 17.6 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| No | | 2 | 5,005 | 26,597,500 | 82.4 |
| Don't know | | 7 | 5 | 3,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_23 **Length:** 1.0 **Position:** 1355

**Question Name:** ETS_Q23

**Concept:** Exposed to second-hand smoke - anywhere else

**Question Text:** In the past month, were you exposed to second-hand smoke, every day or almost every day: - anywhere else?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 90 | 379,000 | 1.2 |
| No | | 2 | 5,700 | 31,894,500 | 98.8 |
| Don't know | | 7 | 5 | 2,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** ETS_24 **Length:** 1.0 **Position:** 1356

**Question Name:** ETS_Q24

**Concept:** Often exposed to second-hand smoke excluding own home - past month

**Question Text:** Overall,[ excluding inside your own home], in the past month how often were you exposed to second-hand smoke? [Do not include exposure to your own smoke.]

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Every day | | 1 | 230 | 1,822,500 | 5.6 |
| Almost every day | | 2 | 835 | 5,743,500 | 17.8 |
| At least once a week | | 3 | 725 | 4,390,000 | 13.6 |
| At least once in the past month | | 4 | 1,335 | 7,827,500 | 24.3 |
| Never | | 5 | 2,665 | 12,485,000 | 38.7 |
| Don't know | | 7 | 5 | 7,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PRG_11 **Length:** 1.0 **Position:** 1357

**Question Name:** PRG_Q11

**Concept:** Smoked during pregnancy

**Question Text:** Did [you/she] smoke during [your/her] pregnancy with [Respondent Name]?

**Universe:** DHH_AGE > 12 and PPID03 = 1, 2

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 175 | 398,500 | 1.2 |
| No | 2 | 1,385 | 2,839,000 | 8.8 |
| Valid skip | 6 | 4,230 | 29,033,500 | 90.0 |
| Don't know | 7 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PRG_12 **Length:** 2.0 **Position:** 1358

**Question Name:** PRG_Q12

**Concept:** Number of cigarettes/day

**Question Text:** How many cigarettes per day did [you/she] smoke?

**Universe:** PRG_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of cigarettes | 01 - 25 | 170 | 390,500 | 1.2 |
| Valid skip | 96 | 5,615 | 31,872,500 | 98.8 |
| Don't know | 97 | 5 | 8,000 | 0.0 |
| Not stated | 99 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PRG_13A **Length:** 1.0 **Position:** 1360

**Question Name:** PRG_Q13

**Concept:** Stage of pregnancy - first trimester

**Question Text:** At what stage in [your/her] pregnancy did [she/you] smoke this amount? - During the first three months

**Universe:** PRG_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 83,500 | 0.3 |
| No | 2 | 130 | 314,500 | 1.0 |
| Valid skip | 6 | 5,615 | 31,872,500 | 98.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PRG_13B **Length:** 1.0 **Position:** 1361

**Question Name:** PRG_Q13

**Concept:** Stage of pregnancy - second trimester

**Question Text:** At what stage in [your/her] pregnancy did [you/she] smoke this amount? - During the second three months

**Universe:** PRG_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 14,000 | 0.0 |
| No | 2 | 165 | 384,000 | 1.2 |
| Valid skip | 6 | 5,615 | 31,872,500 | 98.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PRG_13C **Length:** 1.0 **Position:** 1362

**Question Name:** PRG_Q13

**Concept:** Stage of pregnancy - third trimester

**Question Text:** At what stage in [your/her] pregnancy did [you/she] smoke this amount? - During the third three months

**Universe:** PRG_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 10 | 22,500 | 0.1 |
| No | 2 | 160 | 375,500 | 1.2 |
| Valid skip | 6 | 5,615 | 31,872,500 | 98.8 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 5 | 4,500 | 0.0 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PRG_13D **Length:** 1.0 **Position:** 1363

**Question Name:** PRG_Q13

**Concept:** Stage of pregnancy - throughout

**Question Text:** At what stage in [your/her] pregnancy did [you/she] smoke this amount? - Throughout

**Universe:** PRG_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 115 | 291,000 | 0.9 |
| No | | 2 | 55 | 107,500 | 0.3 |
| Valid skip | | 6 | 5,615 | 31,872,500 | 98.8 |
| Don’t know | | 7 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 5 | 4,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** BIR_11 **Length:** 1.0 **Position:** 1364

**Question Name:** BIR_Q11

**Concept:** Weight at birth

**Question Text:** How much did [he/she] weight at birth?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Pounds and ounces | | 1 | 1,335 | 2,783,500 | 8.6 |
| Grams | | 2 | 210 | 457,000 | 1.4 |
| Valid skip | | 6 | 4,190 | 28,922,000 | 89.6 |
| Don’t know | | 7 | 65 | 113,500 | 0.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** BIR_12 **Length:** 2.0 **Position:** 1365

**Question Name:** BIR_N12

**Concept:** Birth weight - Pounds



*Totals may not add up due to rounding.*

**Question Text:** Interviewer: Enter pounds only

**Universe:** BIR_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of pounds | 01 - 12 | 1,335 | 2,783,500 | 8.6 |
| Valid skip | 96 | 4,395 | 29,379,000 | 91.0 |
| Not stated | 99 | 65 | 113,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_13 **Length:** 2.0 **Position:** 1367

**Question Name:** BIR_N13

**Concept:** Birth weight - Ounces

**Question Text:** Interviewer: Enter ounces only

**Universe:** BIR_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of ounces | 00 - 15 | 1,335 | 2,783,500 | 8.6 |
| Valid skip | 96 | 4,395 | 29,379,000 | 91.0 |
| Not stated | 99 | 65 | 113,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_14 **Length:** 4.0 **Position:** 1369

**Question Name:** BIR_N14

**Concept:** Birth weight - Grams

**Question Text:** Interviewer: Enter grams

**Universe:** BIR_11 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of grams | 0940 - 5400 | 210 | 457,000 | 1.4 |
| Valid skip | 9996 | 5,525 | 31,705,000 | 98.2 |
| Not stated | 9999 | 65 | 113,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_21 **Length:** 1.0 **Position:** 1373

**Question Name:** BIR_Q21

**Concept:** Born before, on or after due date

**Question Text:** Was [he/she] born before, after or on the due date?

**Universe:** BIR_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Before the due date | 1 | 725 | 1,510,000 | 4.7 |
| After the due date | 2 | 520 | 1,090,000 | 3.4 |
| On the due date | 3 | 335 | 713,500 | 2.2 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 25 | 39,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_22 **Length:** 3.0 **Position:** 1374

**Question Name:** BIR_Q22

**Concept:** Days before/after due date

**Question Text:** How many days [before/after] the due date was [he/she] born?

**Universe:** BIR_11 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Number of days | 001 - 091 | 1,230 | 2,559,500 | 7.9 |
| Valid skip | 996 | 4,525 | 29,635,500 | 91.8 |
| Don't know | 997 | 10 | 41,000 | 0.1 |
| Not stated | 999 | 25 | 39,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_23 **Length:** 1.0 **Position:** 1377

**Question Name:** BIR_Q23

**Concept:** Type of birth

**Question Text:** Was this a single birth, or was it twins or triplets?

**Universe:** BIR_11 = 2

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Single birth | | 1 | 1,555 | 3,232,000 | 10.0 |
| Twins | | 2 | 40 | 112,500 | 0.3 |
| Triplets | | 3 | 5 | 3,000 | 0.0 |
| Valid skip | | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | | 7 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_24 **Length:** 1.0 **Position:** 1378

**Question Name:** BIR_Q24

**Concept:** Respondent admitted to neonatal unit

**Question Text:** Was [Respondent Name] admitted to a special neonatal unit or an intensive care unit immediately following birth, before [he/she] left the hospital?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 215 | 488,000 | 1.5 |
| No | | 2 | 1,380 | 2,853,000 | 8.8 |
| Valid skip | | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | | 7 | 5 | 6,500 | 0.0 |
| Not stated | | 9 | 5 | 6,000 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_25 **Length:** 3.0 **Position:** 1379

**Question Name:** BIR_Q25

**Concept:** Days care received

**Question Text:** For how many days, in total, was this care received?

**Universe:** BIR_21 = 1 or 2

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Number of days | | 000 - 120 | 210 | 466,500 | 1.4 |
| Valid skip | | 996 | 5,570 | 31,775,000 | 98.4 |
| Don't know | | 997 | 5 | 21,500 | 0.1 |
| Not stated | | 999 | 10 | 12,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BIR_26 **Length:** 2.0 **Position:** 1382

**Question Name:** BIR_Q26

**Concept:** Age of mother

**Question Text:** How old [were you/was [Respondent Name]'s biological mother] when [Respondent Name] was born?

**Universe:** DHH_AGE < 12

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 14 - 49 | 1,590 | 3,336,500 | 10.3 |
| Valid skip | 96 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 97 | 5 | 11,000 | 0.0 |
| Not stated | 99 | 5 | 6,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BRI_11 **Length:** 1.0 **Position:** 1384

**Question Name:** BRI_Q11

**Concept:** Respondent breastfed

**Question Text:** Did [you/[Respondent Name]'s biological mother] breastfeed [Respondent Name] as an infant, even if only for a short period of time?

**Universe:** DHH_AGE < 12

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,355 | 2,823,500 | 8.7 |
| No | 2 | 205 | 416,500 | 1.3 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Not stated | 9 | 40 | 111,500 | 0.3 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BRI_12 **Length:** 2.0 **Position:** 1385

**Question Name:** BRI_Q12

**Concept:** Length of time breastfed

**Question Text:** For how long did [you/she] breastfeed?

**Universe:** BRI_11 = 1



*Totals may not add up due to rounding.*

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than one week | 01 | 65 | 113,500 | 0.4 |
| 1 to less than 3 weeks | 02 | 65 | 126,000 | 0.4 |
| 3 to less than 5 weeks | 03 | 65 | 123,500 | 0.4 |
| 5 to less than 9 weeks | 04 | 65 | 145,500 | 0.5 |
| 9 to less than 12 weeks | 05 | 55 | 98,500 | 0.3 |
| 3 to less than 7 months | 06 | 310 | 707,000 | 2.2 |
| 7 to less than 10 months | 07 | 180 | 333,000 | 1.0 |
| 10 to 12 months | 08 | 200 | 440,000 | 1.4 |
| More than 1 year | 09 | 350 | 730,500 | 2.3 |
| Valid skip | 96 | 4,395 | 29,338,500 | 90.9 |
| Don't know | 97 | 5 | 5,500 | 0.0 |
| Not stated | 99 | 45 | 113,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BRI_13 **Length:** 2.0 **Position:** 1387

**Question Name:** BRI_Q13

**Concept:** Length of time fed only breast milk

**Question Text:** For how long was [Respondent Name] fed only breast milk?

**Universe:** BRI_11 = 1

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 = 3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than one week | 01 | 190 | 352,500 | 1.1 |
| 1 to less than 3 weeks | 02 | 90 | 187,500 | 0.6 |
| 3 to less than 5 weeks | 03 | 85 | 203,000 | 0.6 |
| 5 to less than 9 weeks | 04 | 80 | 190,000 | 0.6 |
| 9 to less than 12 weeks | 05 | 80 | 164,000 | 0.5 |
| 3 to 6 months | 06 | 600 | 1,254,000 | 3.9 |
| More than 6 months | 07 | 200 | 429,000 | 1.3 |
| Valid skip | 96 | 4,395 | 29,338,500 | 90.9 |
| Don't know | 97 | 30 | 43,000 | 0.1 |
| Not stated | 99 | 45 | 113,500 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** BRIFEB6 **Length:** 1.0 **Position:** 1389

**Question Name:**

**Concept:** Exclusive breastfeeding for at least 3 months - (D)

**Question Text:**

**Universe:** BRI_11 < VS

**Note:** This question was coded as "not stated" if a biological parent was not providing the information (PPID03 =3,4,5)

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 805 | 1,683,000 | 5.2 |
| No | 2 | 730 | 1,513,500 | 4.7 |
| Valid skip | 6 | 4,190 | 28,922,000 | 89.6 |
| Not stated | 9 | 75 | 157,000 | 0.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_11 **Length:** 1.0 **Position:** 1390

**Question Name:** SDQ_Q11

**Concept:** Considerate of other people's feelings

**Question Text:** [Respondent Name] is considerate of other people's feelings.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 35 | 82,000 | 0.3 |
| Somewhat true | 2 | 360 | 870,000 | 2.7 |
| Certainly true | 3 | 1,710 | 3,908,000 | 12.1 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_12 **Length:** 1.0 **Position:** 1391

**Question Name:** SDQ_Q12

**Concept:** Restless, overactive, cannot stay still for long

**Question Text:** He is restless, overactive, cannot stay still for long.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,250 | 2,952,000 | 9.1 |
| Somewhat true | 2 | 520 | 1,168,500 | 3.6 |
| Certainly true | 3 | 330 | 745,500 | 2.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_13 **Length:** 1.0 **Position:** 1392

**Question Name:** SDQ_Q13

**Concept:** Complains of headaches, stomach aches or sickness

**Question Text:** He often complains of headaches, stomach aches or sickness.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,460 | 3,476,000 | 10.8 |
| Somewhat true | 2 | 470 | 1,027,500 | 3.2 |
| Certainly true | 3 | 175 | 362,000 | 1.1 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_14 **Length:** 1.0 **Position:** 1393

**Question Name:** SDQ_Q14

**Concept:** Shares readily with other children

**Question Text:** [He shares readily with other children, for example toys, treats, pencils./He shares readily with other youth, for example CD's, games, food.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 95 | 202,000 | 0.6 |
| Somewhat true | 2 | 405 | 892,000 | 2.8 |
| Certainly true | 3 | 1,605 | 3,766,500 | 11.7 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 5,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_15 **Length:** 1.0 **Position:** 1394

**Question Name:** SDQ_Q15

**Concept:** Loses temper

**Question Text:** He often loses his temper.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not true | | 1 | 1,150 | 2,750,000 | 8.5 |
| Somewhat true | | 2 | 685 | 1,516,500 | 4.7 |
| Certainly true | | 3 | 275 | 599,000 | 1.9 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_16 **Length:** 1.0 **Position:** 1395

**Question Name:** SDQ_Q16

**Concept:** Solitary, would rather be alone

**Question Text:** [[Respondent Name] is rather solitary, prefers to play alone./[Respondent Name] would rather be alone than with other youth.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not true | | 1 | 1,480 | 3,459,000 | 10.7 |
| Somewhat true | | 2 | 420 | 940,500 | 2.9 |
| Certainly true | | 3 | 200 | 463,000 | 1.4 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Don’t know | | 7 | 5 | 4,000 | 0.0 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_17 **Length:** 1.0 **Position:** 1396



*Totals may not add up due to rounding.*

**Question Name:** SDQ_Q17

**Concept:** Well behaved, usually does what adults request

**Question Text:** He is generally well behaved, usually does what adults request.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 50 | 122,500 | 0.4 |
| Somewhat true | 2 | 355 | 904,000 | 2.8 |
| Certainly true | 3 | 1,695 | 3,839,500 | 11.9 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_18 **Length:** 1.0 **Position:** 1397

**Question Name:** SDQ_Q18

**Concept:** Many worries

**Question Text:** He has many worries or often seems worried.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,350 | 3,143,500 | 9.7 |
| Somewhat true | 2 | 525 | 1,167,500 | 3.6 |
| Certainly true | 3 | 230 | 554,000 | 1.7 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don’t know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_19 **Length:** 1.0 **Position:** 1398

**Question Name:** SDQ_Q19

**Concept:** Helpful if someone is hurt, upset or feeling ill

**Question Text:** He is helpful if someone is hurt, upset, or feeling ill.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 40 | 100,000 | 0.3 |
| Somewhat true | 2 | 200 | 469,500 | 1.5 |
| Certainly true | 3 | 1,860 | 4,295,500 | 13.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_20 **Length:** 1.0 **Position:** 1399

**Question Name:** SDQ_Q20

**Concept:** Constantly fidgeting or squirming

**Question Text:** He is constantly fidgeting or squirming.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,405 | 3,323,000 | 10.3 |
| Somewhat true | 2 | 370 | 857,500 | 2.7 |
| Certainly true | 3 | 330 | 684,500 | 2.1 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_21 **Length:** 1.0 **Position:** 1400

**Question Name:** SDQ_Q21

**Concept:** At least one good friend

**Question Text:** [Respondent Name] has at least one good friend.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 40 | 124,500 | 0.4 |
| Somewhat true | 2 | 50 | 120,500 | 0.4 |
| Certainly true | 3 | 2,015 | 4,616,000 | 14.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 4,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_22 **Length:** 1.0 **Position:** 1401

**Question Name:** SDQ_Q22

**Concept:** Fights with other children/youth or bullies them

**Question Text:** [He often fights with other children or bullies them./He often fights with other youth or bullies them.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,950 | 4,480,500 | 13.9 |
| Somewhat true | 2 | 125 | 293,000 | 0.9 |
| Certainly true | 3 | 30 | 92,000 | 0.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_23 **Length:** 1.0 **Position:** 1402

**Question Name:** SDQ_Q23

**Concept:** Often unhappy, depressed or tearful

**Question Text:** He is often unhappy, depressed or tearful.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,835 | 4,243,500 | 13.1 |
| Somewhat true | 2 | 230 | 535,500 | 1.7 |
| Certainly true | 3 | 45 | 86,500 | 0.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_24 **Length:** 1.0 **Position:** 1403

**Question Name:** SDQ_Q24

**Concept:** Generally liked by other children/youth

**Question Text:** [He is generally liked by other children./He is generally liked by other youth.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not true | | 1 | 15 | 37,000 | 0.1 |
| Somewhat true | | 2 | 125 | 293,000 | 0.9 |
| Certainly true | | 3 | 1,965 | 4,532,000 | 14.0 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | | 7 | 5 | 4,500 | 0.0 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_25 **Length:** 1.0 **Position:** 1404

**Question Name:** SDQ_Q25

**Concept:** Easily distracted, concentration wanders

**Question Text:** He is easily distracted, his concentration wanders.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not true | | 1 | 1,070 | 2,528,500 | 7.8 |
| Somewhat true | | 2 | 600 | 1,359,000 | 4.2 |
| Certainly true | | 3 | 430 | 973,000 | 3.0 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | | 7 | 5 | 4,500 | 0.0 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** SDQ_26 **Length:** 1.0 **Position:** 1405

**Question Name:** SDQ_Q26

**Concept:** Nervous/clingy in new situations, easily loses confidence

**Question Text:** [[Respondent Name] is nervous or clingy in new situations, easily loses confidence./[Respondent Name] is nervous in new situations, easily loses confidence.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,140 | 2,659,000 | 8.2 |
| Somewhat true | 2 | 625 | 1,502,500 | 4.7 |
| Certainly true | 3 | 340 | 699,000 | 2.2 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 6,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_27 **Length:** 1.0 **Position:** 1406

**Question Name:** SDQ_Q27

**Concept:** Kind to younger children

**Question Text:** He is kind to younger children.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 10 | 19,000 | 0.1 |
| Somewhat true | 2 | 85 | 192,500 | 0.6 |
| Certainly true | 3 | 2,000 | 4,646,500 | 14.4 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 8,000 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_28 **Length:** 1.0 **Position:** 1407

**Question Name:** SDQ_Q28

**Concept:** Often lies or cheats

**Question Text:** He often lies or cheats.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,705 | 4,003,000 | 12.4 |
| Somewhat true | 2 | 335 | 693,500 | 2.1 |
| Certainly true | 3 | 60 | 167,000 | 0.5 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 2,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_29 **Length:** 1.0 **Position:** 1408

**Question Name:** SDQ_Q29

**Concept:** Picked on or bullied by other children/youth

**Question Text:** [He is picked on or bullied by other children./He is picked on or bullied by other youth.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,635 | 3,796,500 | 11.8 |
| Somewhat true | 2 | 365 | 820,000 | 2.5 |
| Certainly true | 3 | 100 | 215,500 | 0.7 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 10 | 34,500 | 0.1 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_30 **Length:** 1.0 **Position:** 1409

**Question Name:** SDQ_Q30

**Concept:** Often offers to help others

**Question Text:** He often offers to help others (parents, teachers, other children).

**Universe:** 3 < DHH_AGE < 18



*Totals may not add up due to rounding.*

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 80 | 197,500 | 0.6 |
| Somewhat true | 2 | 380 | 926,500 | 2.9 |
| Certainly true | 3 | 1,640 | 3,738,500 | 11.6 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 3,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_31 **Length:** 1.0 **Position:** 1410

**Question Name:** SDQ_Q31

**Concept:** Thinks things out before acting

**Question Text:** [Respondent Name] thinks things out before acting.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 260 | 635,500 | 2.0 |
| Somewhat true | 2 | 905 | 2,076,000 | 6.4 |
| Certainly true | 3 | 930 | 2,137,500 | 6.6 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 10 | 17,000 | 0.1 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQ_32 **Length:** 1.0 **Position:** 1411

**Question Name:** SDQ_Q32

**Concept:** Steals from home, school or elsewhere

**Question Text:** He steals from home, school or elsewhere.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 2,040 | 4,733,500 | 14.7 |
| Somewhat true | 2 | 50 | 86,000 | 0.3 |
| Certainly true | 3 | 15 | 45,000 | 0.1 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 1,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_33 **Length:** 1.0 **Position:** 1412

**Question Name:** SDQ_Q33

**Concept:** Gets along better with adults than with other children/youth

**Question Text:** [He gets along better with adults than with other children./He gets along better with adults than with other youth.]

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,565 | 3,585,500 | 11.1 |
| Somewhat true | 2 | 295 | 729,000 | 2.3 |
| Certainly true | 3 | 240 | 548,000 | 1.7 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | 7 | 5 | 3,500 | 0.0 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_34 **Length:** 1.0 **Position:** 1413

**Question Name:** SDQ_Q34

**Concept:** Has many fears, is easily scared

**Question Text:** He has many fears, is easily scared.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Not true | 1 | 1,435 | 3,442,500 | 10.7 |
| Somewhat true | 2 | 465 | 942,500 | 2.9 |
| Certainly true | 3 | 205 | 481,000 | 1.5 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQ_35 **Length:** 1.0 **Position:** 1414

**Question Name:** SDQ_Q35

**Concept:** Has a good attention span, sees chores or homework through

**Question Text:** He has a good attention span, sees chores or homework through to the end.

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Not true | | 1 | 305 | 668,500 | 2.1 |
| Somewhat true | | 2 | 655 | 1,397,000 | 4.3 |
| Certainly true | | 3 | 1,140 | 2,799,500 | 8.7 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Don't know | | 7 | 5 | 1,000 | 0.0 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQDCON **Length:** 2.0 **Position:** 1415

**Question Name:**

**Concept:** Conduct Problems - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Score | | 00 - 10 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | | 99 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQDEMO **Length:** 2.0 **Position:** 1417

**Question Name:**

**Concept:** Emotional Problems - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Score | 00 - 10 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 99 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQDHYP **Length:** 2.0 **Position:** 1419

**Question Name:**

**Concept:** Hyperactivity/Inattention - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Score | 00 - 10 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 99 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQDPRO **Length:** 2.0 **Position:** 1421

**Question Name:**

**Concept:** Prosocial Behaviour - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18



*Totals may not add up due to rounding.*

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Score | 00 - 10 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 99 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQDPRP **Length:** 2.0 **Position:** 1423

**Question Name:**

**Concept:** Peer Relationship Problems - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Score | 00 - 09 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 99 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQDTOT **Length:** 2.0 **Position:** 1425

**Question Name:**

**Concept:** Total Difficulties Score - (D)

**Question Text:**

**Universe:** 3 < DHH_AGE < 18

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Score | 00 - 32 | 2,105 | 4,866,000 | 15.1 |
| Valid skip | 96 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 99 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQGCON **Length:** 1.0 **Position:** 1427

**Question Name:**

**Concept:** Conduct Problems - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Normal | 1 | 1,780 | 4,112,500 | 12.7 |
| Borderline | 2 | 185 | 424,000 | 1.3 |
| Abnormal | 3 | 145 | 329,500 | 1.0 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQGEMO **Length:** 1.0 **Position:** 1428

**Question Name:**

**Concept:** Emotional Problems - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Normal | 1 | 1,640 | 3,853,500 | 11.9 |
| Borderline | 2 | 185 | 385,500 | 1.2 |
| Abnormal | 3 | 280 | 626,500 | 1.9 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQGHYP **Length:** 1.0 **Position:** 1429

**Question Name:**

**Concept:** Hyperactivity/Inattention - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Normal | | 1 | 1,695 | 3,980,000 | 12.3 |
| Borderline | | 2 | 115 | 221,500 | 0.7 |
| Abnormal | | 3 | 295 | 664,000 | 2.1 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQGPRO **Length:** 1.0 **Position:** 1430

**Question Name:**

**Concept:** Prosocial Behaviour - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Normal | | 1 | 2,050 | 4,728,500 | 14.7 |
| Borderline | | 2 | 20 | 56,000 | 0.2 |
| Abnormal | | 3 | 35 | 81,000 | 0.3 |
| Valid skip | | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | | 9 | 110 | 455,500 | 1.4 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** SDQGPRP **Length:** 1.0 **Position:** 1431

**Question Name:**

**Concept:** Peer Relationship Problems - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Normal | 1 | 1,765 | 4,089,000 | 12.7 |
| Borderline | 2 | 165 | 329,500 | 1.0 |
| Abnormal | 3 | 170 | 447,500 | 1.4 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** SDQGTOT **Length:** 1.0 **Position:** 1432

**Question Name:**

**Concept:** Total Difficulties Score - (D, G)

**Question Text:**

**Universe:** Respondents aged 4 to 17 years

**Note:** Strengths and Difficulties Questionnaire, © Robert Goodman, 2005 (http://www.youthinmind.info/). "Not stated" includes respondents aged 12 to 17 whose parent or guardian was not available to provide the information.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Normal | 1 | 1,785 | 4,146,000 | 12.8 |
| Borderline | 2 | 145 | 307,500 | 1.0 |
| Abnormal | 3 | 175 | 413,000 | 1.3 |
| Valid skip | 6 | 3,580 | 26,954,000 | 83.5 |
| Not stated | 9 | 110 | 455,500 | 1.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMAM_01 **Length:** 1.0 **Position:** 1433

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Job - last week had a job or business

**Question Text:** Many of the following questions concern your activities last week. By last week, I mean the week beginning on [date one week ago] and ending [date of yesterday].
Last week, did you work at a job or business? (regardless of the number of hours)

**Universe:** GEN_16 = 1, NS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 2,155 | 16,983,000 | 52.6 |
| No | 2 | 520 | 3,642,500 | 11.3 |
| Valid skip | 6 | 3,120 | 11,649,500 | 36.1 |
| Don't know | 7 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMAM_02 **Length:** 1.0 **Position:** 1434

**Question Name:**

**Concept:** Job - had a job/ business last week but was absent

**Question Text:** Last week, did you have a job or business from which you were absent?

**Universe:** GEN_16 = 2, NS or LMAM_01 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 205 | 1,396,500 | 4.3 |
| No | 2 | 1,290 | 8,801,000 | 27.3 |
| Valid skip | 6 | 4,295 | 22,075,500 | 68.4 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMAM_03 **Length:** 2.0 **Position:** 1435

**Question Name:**

**Concept:** Job - main reason absent work last week

**Question Text:** What was the main reason you were absent from work last week?

**Universe:** LMAM_02 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Own illness or disability | 01 | 35 | 167,500 | 0.5 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Caring for own children | 02 | 5 | 33,000 | 0.1 |
| Caring for elder relative (60 years of age or older) | 03 | 5 | 4,500 | 0.0 |
| Maternity or parental leave | 04 | 25 | 176,500 | 0.5 |
| Other personal or family responsibilities | 05 | 5 | 15,500 | 0.0 |
| Vacation | 06 | 85 | 621,500 | 1.9 |
| Labour dispute (strike or lockout) (Employees only) | 07 | 5 | 8,500 | 0.0 |
| Temporary layoff due to business conditions (Employees only) | 08 | 5 | 4,000 | 0.0 |
| Seasonal layoff (Employees only) | 09 | 5 | 85,000 | 0.3 |
| Casual job, no work available (Employees only) | 10 | 10 | 81,500 | 0.3 |
| Work schedule (e.g., shift work) (Employees only) | 11 | 10 | 86,500 | 0.3 |
| Self-employed, no work available (Self-employed only) | 12 | 5 | 23,000 | 0.1 |
| Seasonal business (Excluding employees) | 13 | 10 | 24,500 | 0.1 |
| Other - Specify | 14 | 10 | 65,000 | 0.2 |
| Valid skip | 96 | 5,585 | 30,876,500 | 95.7 |
| Not stated | 99 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** LMA2_04 **Length:** 1.0 **Position:** 1437

**Question Name:**

**Concept:** Job - last 4 weeks tried to find work

**Question Text:** In the 4 weeks ending [date of yesterday], did you do anything to find work?

**Universe:** LMAM_02 = 2 or ( LMAM_02 = 1 and LMAM_03 = 9, 10 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 215 | 1,316,500 | 4.1 |
| No | 2 | 1,095 | 7,651,500 | 23.7 |
| Valid skip | 6 | 4,480 | 23,305,000 | 72.2 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** LMA2_05 **Length:** 1.0 **Position:** 1438

**Question Name:**

**Concept:** Job - last week had job with start date

**Question Text:** Last week, did you have a job to start at a definite date in the future?

**Universe:** 14 < DHH_AGE < 65 and LMA2_04 = 2



*Totals may not add up due to rounding.*

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 25 | 207,000 | 0.6 |
| No | 2 | 680 | 4,905,500 | 15.2 |
| Valid skip | 6 | 5,090 | 27,160,500 | 84.2 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMA2_06 **Length:** 1.0 **Position:** 1439

**Question Name:**

**Concept:** Job - start date

**Question Text:** Will you start that job before or after [today's date plus 28 days]?

**Universe:** LMA2_05 = 1, NS

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Before the date above | 1 | 10 | 56,000 | 0.2 |
| On or after the date above | 2 | 15 | 130,500 | 0.4 |
| Valid skip | 6 | 5,770 | 32,065,500 | 99.3 |
| Don't know | 7 | 5 | 20,500 | 0.1 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMA2_07 **Length:** 1.0 **Position:** 1440

**Question Name:**

**Concept:** Job - wanted job with more or less 30 hours per week

**Question Text:** Did you want a job with more or less than 30 hours per week?

**Universe:** LMA2_04 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| 30 or more hours per week | 1 | 125 | 906,500 | 2.8 |
| Less than 30 hours per week | 2 | 90 | 401,000 | 1.2 |
| Valid skip | 6 | 5,575 | 30,936,000 | 95.8 |
| Don't know | 7 | 5 | 9,000 | 0.0 |
| Not stated | 9 | 5 | 23,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMA2_08 **Length:** 1.0 **Position:** 1441

**Question Name:**

**Concept:** Job - could have worked last week if offered

**Question Text:** Could you have worked last week [if you had been recalled/if a suitable job had been offered]?

**Universe:** LMAM_03 = 8 or LMA2_04 = 1 or LMA2_06 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 190 | 1,101,500 | 3.4 |
| No | 2 | 40 | 274,500 | 0.9 |
| Valid skip | 6 | 5,565 | 30,876,000 | 95.7 |
| Not stated | 9 | 5 | 23,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMA2_09 **Length:** 2.0 **Position:** 1442

**Question Name:**

**Concept:** Job - main reason not available to work last week

**Question Text:** What was the main reason you were not available to work last week?

**Universe:** LMA2_08 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Own illness or disability | 01 | 10 | 127,500 | 0.4 |
| Caring for own children | 02 | 5 | 7,000 | 0.0 |
| Other personal or family responsibilities | 04 | 5 | 7,000 | 0.0 |
| Going to school | 05 | 20 | 94,000 | 0.3 |
| Vacation | 06 | 5 | 20,500 | 0.1 |
| Other - Specify | 08 | 5 | 19,000 | 0.1 |
| Valid skip | 96 | 5,750 | 31,977,500 | 99.1 |
| Not stated | 99 | 5 | 23,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LFY_01 **Length:** 1.0 **Position:** 1444

**Question Name:**

**Concept:** Job - had a job/business in the past 12 months

**Question Text:** Have you worked at a job or a business at any time in the past 12 months? (regardless of number of hours)



*Totals may not add up due to rounding.*

**Universe:** GEN_16 = NS and LMAM_01 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No | 2 | 15 | 85,000 | 0.3 |
| Valid skip | 6 | 5,780 | 32,190,500 | 99.7 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LFY_02 **Length:** 1.0 **Position:** 1445

**Question Name:**

**Concept:** Job - tried to find work in the past 12 months

**Question Text:** During the past 12 months, did you do anything to find work?

**Universe:** LFY_01 = 2 or ( GEN_16 = 2 and LMA2_04 <> 1 )

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 45 | 189,500 | 0.6 |
| No | 2 | 860 | 6,037,500 | 18.7 |
| Valid skip | 6 | 4,890 | 26,048,500 | 80.7 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LMA3_10 **Length:** 1.0 **Position:** 1446

**Question Name:**

**Concept:** Job - were you employee/self-employed

**Question Text:** Were you an employee or self-employed?

**Universe:** LMAM_01 = 1 or ( LMAM_02 = 1 and LMAM_03 = 1, 2, 3, 4, 5, 6, 7, 11, 12, 13, 14 ) or LFY_01 = 1 or GEN_16 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Employee | 1 | 2,265 | 17,454,500 | 54.1 |
| Self-employed | 2 | 390 | 3,080,000 | 9.5 |
| Working in a family business without pay | 3 | 10 | 63,500 | 0.2 |
| Valid skip | 6 | 3,130 | 11,650,000 | 36.1 |
| Refusal | 8 | 5 | 27,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LFH_16 **Length:** 6.2 **Position:** 1447

**Question Name:**

**Concept:** Job - number of hours worked per week

**Question Text:** About how many hours a week [do/did] you usually work at your [business/job]? If you usually [work/worked] extra hours, paid or unpaid, please include these hours.

**Universe:** LMAM_01 = 1 or ( LMAM_02 = 1 and LMAM_03 = 1, 2, 3, 4, 5, 6, 7, 11, 12, 13, 14 ) or LFY_01 = 1 or GEN_16 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Hours per week | 000.50 - 140.00 | 2,655 | 20,549,000 | 63.7 |
| Valid skip | 999.96 | 3,130 | 11,650,000 | 36.1 |
| Don't know | 999.97 | 5 | 48,500 | 0.2 |
| Refusal | 999.98 | 5 | 27,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAFDJST **Length:** 1.0 **Position:** 1453

**Question Name:**

**Concept:** Job status - previous 12 months - (D)

**Question Text:**

**Universe:** 14 < DHH_AGE < 76

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Worked all year | 1 | 2,330 | 18,128,000 | 56.2 |
| Had no job / looked for work all year | 2 | 130 | 580,000 | 1.8 |
| Had no job / did not look for work | 3 | 855 | 5,970,500 | 18.5 |
| Worked part of year / looked for work for rest of year | 4 | 125 | 926,000 | 2.9 |
| Worked part of year / did not look for work for rest of year | 5 | 205 | 1,576,000 | 4.9 |
| Valid skip | 6 | 2,145 | 5,092,500 | 15.8 |
| Not stated | 9 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAFDWSL **Length:** 2.0 **Position:** 1454

**Question Name:**

**Concept:** Working status last week (6 groups) - (D)



*Totals may not add up due to rounding.*

**Question Text:**

**Universe:** 14 < DHH_AGE < 76

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Had a job - at work last week | 01 | 2,155 | 16,983,000 | 52.6 |
| Had a job - temporary / seasonal layoff | 02 | 35 | 218,000 | 0.7 |
| Had a job - absent for some other reason | 03 | 170 | 1,178,000 | 3.7 |
| No job - looked for past 4 weeks | 04 | 215 | 1,315,000 | 4.1 |
| No job - did not look over past 4 weeks | 05 | 1,080 | 7,486,000 | 23.2 |
| Valid skip | 96 | 2,145 | 5,092,500 | 15.8 |
| Not stated | 99 | 5 | 2,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAFDWSS **Length:** 1.0 **Position:** 1456

**Question Name:**

**Concept:** Working status last week (4 groups) - (D)

**Question Text:**

**Universe:** 14 < DHH_AGE < 76

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Had a job - at work last week | 1 | 2,155 | 16,983,000 | 52.6 |
| Had a job - absent from work last week | 2 | 205 | 1,396,500 | 4.3 |
| Did not have a job last week | 3 | 1,290 | 8,803,500 | 27.3 |
| Valid skip | 6 | 2,145 | 5,092,500 | 15.8 |
| Not stated | 9 | 5 | 1,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAFCIC12 **Length:** 4.0 **Position:** 1457

**Question Name:**

**Concept:** North American Industry Classification System (NAICS) 2012

**Question Text:**

**Universe:** LMA3_10 = 1, 2, 3

**Note:** North American Industry Classification System (NAICS) 2012 codes are used for cycle 3.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| North American Industry Classification System (NAICS) 2012 | 1111 - 9141 | 2,660 | 20,512,500 | 63.6 |
| Valid skip | 9996 | 3,130 | 11,650,000 | 36.1 |
| Not stated | 9999 | 5 | 113,000 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** LAFCOC11 **Length:** 4.0 **Position:** 1461

**Question Name:**

**Concept:** National Occupational Classification - Statistics (NOC-S) 2011

**Question Text:**

**Universe:** LMA3_10 = 1, 2, 3

**Note:** National Occupational Classification (NOC) 2011 codes are used for cycle 3.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| National Occupational Classification (NOC) 2011 | 0012 - 9619 | 2,660 | 20,507,500 | 63.5 |
| Valid skip | 9996 | 3,130 | 11,650,000 | 36.1 |
| Not stated | 9999 | 5 | 118,000 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** LAFGO11S **Length:** 2.0 **Position:** 1465

**Question Name:**

**Concept:** Variant for analysis by NOC skill level - (G)

**Question Text:**

**Universe:** LMA3_10 = 1, 2, 3

**Note:** National Occupational Classification (NOC) 2011

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Grouped variant by NOC 2011 skill level | . - . | 2,660 | 20,507,500 | 63.5 |
| Valid skip | 96 | 3,130 | 11,650,000 | 36.1 |
| Not stated | 99 | 5 | 118,000 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** LAFGO11A **Length:** 2.0 **Position:** 1467

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Variant of NOC for highly aggregated data - (G)

**Question Text:**

**Universe:** LMA3_10 = 1, 2, 3

**Note:** National Occupational Classification (NOC) 2011

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| NOC 2011 aggregate | . - . | 2,660 | 20,507,500 | 63.5 |
| Valid skip | 96 | 3,130 | 11,650,000 | 36.1 |
| Not stated | 99 | 5 | 118,000 | 0.4 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMM_02 **Length:** 2.0 **Position:** 1469

**Question Name:**

**Concept:** Province/territory of birth

**Question Text:** In which province or territory were you born?

**Universe:** IMMCCB = 11124

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Newfoundland and Labrador | 10 | 25 | 182,000 | 0.6 |
| Prince Edward Island | 11 | 10 | 246,000 | 0.8 |
| Nova Scotia | 12 | 395 | 1,283,000 | 4.0 |
| New Brunswick | 13 | 285 | 967,000 | 3.0 |
| Quebec | 24 | 1,340 | 6,114,000 | 18.9 |
| Ontario | 35 | 1,565 | 9,190,500 | 28.5 |
| Manitoba | 46 | 70 | 380,500 | 1.2 |
| Saskatchewan | 47 | 300 | 2,324,500 | 7.2 |
| Alberta | 48 | 305 | 2,033,000 | 6.3 |
| British Columbia | 59 | 470 | 2,538,500 | 7.9 |
| Yukon | 60 | 5 | 4,500 | 0.0 |
| Northwest Territories | 61 | 5 | 2,000 | 0.0 |
| Nunavut | 62 | 5 | 6,000 | 0.0 |
| Valid skip | 96 | 1,020 | 6,994,000 | 21.7 |
| Not stated | 99 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMM_03 **Length:** 1.0 **Position:** 1471

**Question Name:**

**Concept:** Landed immigrant

**Question Text:** Are you now, or have you ever been a landed immigrant in Canada?

**Universe:** IMMCCB <> 11124

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 935 | 6,249,500 | 19.4 |
| No | 2 | 85 | 727,000 | 2.3 |
| Valid skip | 6 | 4,770 | 25,272,000 | 78.3 |
| Don't know | 7 | 5 | 26,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMM_04 **Length:** 4.0 **Position:** 1472

**Question Name:**

**Concept:** Year first became landed immigrant in Canada

**Question Text:** In what year did you first become a landed immigrant in Canada?

**Universe:** IMM_03 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Year | 1946 - 2015 | 930 | 6,220,500 | 19.3 |
| Valid skip | 9996 | 4,855 | 25,999,000 | 80.6 |
| Don't know | 9997 | 5 | 29,000 | 0.1 |
| Not stated | 9999 | 5 | 26,500 | 0.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMM_05 **Length:** 4.0 **Position:** 1476

**Question Name:**

**Concept:** Year first came to Canada to live

**Question Text:** In what year did you first come to Canada to live?

**Universe:** IMMCCB <> 11124

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Year | 1940 - 2015 | 1,020 | 6,991,000 | 21.7 |
| Valid skip | 9996 | 4,770 | 25,272,000 | 78.3 |
| Don't know | 9997 | 5 | 12,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** IMMDLLI **Length:** 3.0 **Position:** 1480

**Question Name:**

**Concept:** Length of time since became a landed immigrant - (D)

**Question Text:**

**Universe:** IMM_03 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 069 | 930 | 6,220,500 | 19.3 |
| Valid skip | 996 | 4,855 | 25,999,000 | 80.6 |
| Not stated | 999 | 10 | 55,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMMDLAC **Length:** 3.0 **Position:** 1483

**Question Name:**

**Concept:** Length of time since first came to live in Canada - (D)

**Question Text:**

**Universe:** IMMCCB <> 11124

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Years | 000 - 075 | 1,020 | 6,991,000 | 21.7 |
| Valid skip | 996 | 4,770 | 25,272,000 | 78.3 |
| Not stated | 999 | 5 | 12,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** IMMDALI **Length:** 3.0 **Position:** 1486

**Question Name:**

**Concept:** Age at time of landed immigration - (D)

**Question Text:**

**Universe:** IMM_03 = 1

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Age in years | 000 - 075 | 930 | 6,219,500 | 19.3 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 996 | 4,855 | 25,999,000 | 80.6 |
| Not stated | | 999 | 10 | 57,000 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** IMMDAAC **Length:** 3.0 **Position:** 1489

**Question Name:**

**Concept:** Age when first came to live in Canada - (D)

**Question Text:**

**Universe:** IMMCCB <> 11124

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Age in years | | 000 - 099 | 5,795 | 32,275,500 | 100.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** AMB_01 **Length:** 1.0 **Position:** 1492

**Question Name:**

**Concept:** Is an aboriginal person

**Question Text:** Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians.

**Universe:** IMMCCB = 11124, 11840, 11304, 21276

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 305 | 1,342,000 | 4.2 |
| No | | 2 | 4,540 | 24,618,500 | 76.3 |
| Valid skip | | 6 | 940 | 6,255,500 | 19.4 |
| Don’t know | | 7 | 10 | 50,000 | 0.2 |
| Not stated | | 9 | 5 | 9,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** AMB_02A **Length:** 1.0 **Position:** 1493

**Question Name:**

**Concept:** Aboriginal person - First Nations



*Totals may not add up due to rounding.*

**Question Text:** Are you First Nations, Métis or Inuk (Inuit)? - First Nations (North American Indian)

**Universe:** AMB_01 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 185 | 752,500 | 2.3 |
| No | 2 | 120 | 585,500 | 1.8 |
| Valid skip | 6 | 5,480 | 30,874,000 | 95.7 |
| Don't know | 7 | 5 | 4,000 | 0.0 |
| Not stated | 9 | 10 | 59,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** AMB_02B **Length:** 1.0 **Position:** 1494

**Question Name:**

**Concept:** Aboriginal person - Métis

**Question Text:** Are you First Nations, Métis or Inuk (Inuit)? - Métis

**Universe:** AMB_01 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 120 | 517,000 | 1.6 |
| No | 2 | 180 | 821,000 | 2.5 |
| Valid skip | 6 | 5,480 | 30,874,000 | 95.7 |
| Don't know | 7 | 5 | 4,000 | 0.0 |
| Not stated | 9 | 10 | 59,500 | 0.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** AMB_02C **Length:** 1.0 **Position:** 1495

**Question Name:**

**Concept:** Aboriginal person - Inuk (Inuit)

**Question Text:** Are you First Nations, Métis or Inuk (Inuit)? - Inuk (Inuit)

**Universe:** AMB_01 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 5 | 87,500 | 0.3 |
| No | 2 | 300 | 1,250,500 | 3.9 |
| Valid skip | 6 | 5,480 | 30,874,000 | 95.7 |

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Don't know | | 7 | 5 | 4,000 | 0.0 |
| Not stated | | 9 | 10 | 59,500 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** AMBFABT **Length:** 1.0 **Position:** 1496

**Question Name:**

**Concept:** Aboriginal origin or identity - (F)

**Question Text:**

**Universe:** IMMCCB = 11124, 11840, 11304, 21276

**Note:** See document on derived variables.

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Aboriginal | | 1 | 305 | 1,342,000 | 4.2 |
| Not Aboriginal | | 2 | 4,540 | 24,618,500 | 76.3 |
| Valid skip | | 6 | 940 | 6,255,500 | 19.4 |
| Not stated | | 9 | 10 | 59,500 | 0.2 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PG_01A **Length:** 1.0 **Position:** 1497

**Question Name:**

**Concept:** Population group - White

**Question Text:** You may belong to one or more racial or cultural groups on the following list.
Are you... ? - White

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24A

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 4,505 | 25,452,000 | 78.9 |
| No | | 2 | 980 | 5,476,000 | 17.0 |
| Valid skip | | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | | 7 | 5 | 2,000 | 0.0 |
| Refusal | | 8 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PG_01B **Length:** 1.0 **Position:** 1498

**Question Name:**



*Totals may not add up due to rounding.*

**Concept:** Population group - South Asian

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - South Asian (e.g., East Indian, Pakistani, Sri Lankan)

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24B

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 185 | 1,137,500 | 3.5 |
| No | 2 | 5,305 | 29,790,000 | 92.3 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01C **Length:** 1.0 **Position:** 1499

**Question Name:**

**Concept:** Population group - Chinese

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Chinese

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24C

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 190 | 1,021,500 | 3.2 |
| No | 2 | 5,295 | 29,906,000 | 92.7 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01D **Length:** 1.0 **Position:** 1500

**Question Name:**

**Concept:** Population group - Black

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Black

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24D

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 215 | 912,000 | 2.8 |
| No | 2 | 5,275 | 30,016,000 | 93.0 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PG_01E **Length:** 1.0 **Position:** 1501

**Question Name:**

**Concept:** Population group - Filipino

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Filipino

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24E

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 110 | 628,000 | 1.9 |
| No | 2 | 5,375 | 30,299,500 | 93.9 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PG_01F **Length:** 1.0 **Position:** 1502

**Question Name:**

**Concept:** Population group - Latin American

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Latin American

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24F

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 155 | 638,000 | 2.0 |
| No | 2 | 5,335 | 30,289,500 | 93.8 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** PG_01G **Length:** 1.0 **Position:** 1503

**Question Name:**

**Concept:** Population group - Arab

**Question Text:** You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Arab

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24G

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 155 | 895,000 | 2.8 |
| No | 2 | 5,335 | 30,032,500 | 93.1 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01H **Length:** 1.0 **Position:** 1504

**Question Name:**

**Concept:** Population group - Southeast Asian

**Question Text:** You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24H

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 50 | 436,000 | 1.4 |
| No | 2 | 5,435 | 30,492,000 | 94.5 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01I **Length:** 1.0 **Position:** 1505

**Question Name:**

**Concept:** Population group - West Asian

**Question Text:** You may belong to one or more racial or cultural groups on the following list.
Are you... ? - West Asian (e.g., Iranian, Afghan)

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24I

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 65 | 327,000 | 1.0 |
| No | 2 | 5,425 | 30,600,500 | 94.8 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01J **Length:** 1.0 **Position:** 1506

**Question Name:**

**Concept:** Population group - Korean

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Korean

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24J

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 35 | 214,000 | 0.7 |
| No | 2 | 5,450 | 30,713,500 | 95.2 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** PG_01K **Length:** 1.0 **Position:** 1507

**Question Name:**

**Concept:** Population group - Japanese

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Japanese

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24K

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 25 | 49,500 | 0.2 |
| No | 2 | 5,465 | 30,878,500 | 95.7 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |



*Totals may not add up due to rounding.*

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PG_01L **Length:** 1.0 **Position:** 1508

**Question Name:**

**Concept:** Population group - Other

**Question Text:** You may belong to one or more racial or cultural groups on the following list. Are you... ? - Other

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2, this variable was SDC_24L

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 55 | 297,000 | 0.9 |
| No | 2 | 5,435 | 30,630,500 | 94.9 |
| Valid skip | 6 | 305 | 1,342,000 | 4.2 |
| Don't know | 7 | 5 | 2,000 | 0.0 |
| Refusal | 8 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** PGDCGT **Length:** 2.0 **Position:** 1509

**Question Name:**

**Concept:** Cultural or racial group - (D)

**Question Text:**

**Universe:** AMB_01 = 2, VS, DK, RF, NS

**Note:** In cycle 2 this variable was SDCCGT.

See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| White | 01 | 4,305 | 24,628,500 | 76.3 |
| Black | 02 | 150 | 594,500 | 1.8 |
| Korean | 03 | 30 | 180,000 | 0.6 |
| Filipino | 04 | 90 | 543,000 | 1.7 |
| Japanese | 05 | 10 | 36,000 | 0.1 |
| Chinese | 06 | 165 | 877,000 | 2.7 |
| South Asian | 07 | 160 | 1,040,500 | 3.2 |
| Southeast Asian | 08 | 35 | 364,500 | 1.1 |
| Arab | 09 | 120 | 727,000 | 2.3 |
| West Asian | 10 | 55 | 289,000 | 0.9 |
| Latin America | 11 | 105 | 485,500 | 1.5 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Other racial or cultural origin | 12 | 30 | 170,500 | 0.5 |
| Multiple racial or cultural origins | 13 | 235 | 991,500 | 3.1 |
| Valid skip | 96 | 305 | 1,342,000 | 4.2 |
| Not stated | 99 | 5 | 5,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** IMMCCB **Length:** 5.0 **Position:** 1511

**Question Name:**

**Concept:** Country of birth - (C)

**Question Text:**

**Universe:** All respondents

**Note:** Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographie-eng.htm

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Country of birth | 11124 - 51882 | 5,790 | 32,266,000 | 100.0 |
| Not stated | 99999 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** IMMGCB **Length:** 2.0 **Position:** 1516

**Question Name:**

**Concept:** Country of birth - (G)

**Question Text:**

**Universe:** All respondents

**Note:** Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographie-eng.htm

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Canada | 01 | 4,770 | 25,272,000 | 78.3 |
| Other North America | 02 | 70 | 526,000 | 1.6 |
| South, Central America and Caribbean | 03 | 105 | 502,500 | 1.6 |
| Europe | 04 | 290 | 2,081,500 | 6.4 |
| Africa | 05 | 130 | 788,000 | 2.4 |
| Asia | 06 | 420 | 2,992,000 | 9.3 |
| Oceania | 07 | 10 | 104,000 | 0.3 |
| Not stated | 99 | 5 | 9,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |



*Totals may not add up due to rounding.*

**Variable Name:** LAE_01 **Length:** 1.0 **Position:** 1518

**Question Name:** LAE_Q01

**Concept:** Language - knowledge of official languages

**Question Text:** Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... ? (English only, French only, Both English and French, Neither English nor French)

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| English only | 1 | 3,715 | 22,264,000 | 69.0 |
| French only | 2 | 780 | 3,242,500 | 10.0 |
| Both English and French | 3 | 1,265 | 6,563,000 | 20.3 |
| Neither English nor French | 4 | 35 | 206,000 | 0.6 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC02A **Length:** 8.0 **Position:** 1519

**Question Name:**

**Concept:** Language - knowledge of non-offical language - 1st

**Question Text:** What language(s) other than English or French do you speak well enough to conduct a conversation?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 22010103 - 22240000 | 1,340 | 8,242,500 | 25.5 |
| No other languages | 90000000 | 4,455 | 24,027,500 | 74.4 |
| Don't know | 99999997 | 5 | 2,000 | 0.0 |
| Refusal | 99999998 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC02B **Length:** 8.0 **Position:** 1527

**Question Name:**

**Concept:** Language - knowledge of non-offical language - 2nd

**Question Text:** What language(s) other than English or French do you speak well enough to conduct a conversation?

**Universe:** LAEC02A <> 90000000

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 22010902 - 22240000 | 210 | 1,501,500 | 4.7 |
| No other languages | 90000000 | 1,125 | 6,739,000 | 20.9 |
| Valid skip | 99999996 | 4,455 | 24,027,500 | 74.4 |
| Don't know | 99999997 | 5 | 2,500 | 0.0 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC02C **Length:** 8.0 **Position:** 1535

**Question Name:**

**Concept:** Language - knowledge of non-offical language - 3rd

**Question Text:** What language(s) other than English or French do you speak well enough to conduct a conversation?

**Universe:** LAEC02B < = 90000000

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 22010903 - 22240000 | 45 | 374,500 | 1.2 |
| No other languages | 90000000 | 165 | 1,127,500 | 3.5 |
| Valid skip | 99999996 | 5,580 | 30,766,500 | 95.3 |
| Don't know | 99999997 | 5 | 2,500 | 0.0 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC03A **Length:** 8.0 **Position:** 1543

**Question Name:**

**Concept:** Language - home language spoken most often - 1st

**Question Text:** What language do you speak most often at home?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22240000 | 5,790 | 32,265,000 | 100.0 |
| Don't know | 99999997 | 5 | 5,500 | 0.0 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---



*Totals may not add up due to rounding.*

**Variable Name:** LAEC03B **Length:** 8.0 **Position:** 1551

**Question Name:**

**Concept:** Language - home language spoken most often - 2 nd

**Question Text:** What language do you speak most often at home?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22240000 | 560 | 3,026,000 | 9.4 |
| No other languages | 90000000 | 5,230 | 29,239,000 | 90.6 |
| Don't know | 99999997 | 5 | 5,500 | 0.0 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC03C **Length:** 8.0 **Position:** 1559

**Question Name:**

**Concept:** Language - home language spoken most often - 3 rd

**Question Text:** What language do you speak most often at home?

**Universe:** LAEC03B <> 90000000

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22240000 | 25 | 144,000 | 0.4 |
| No other languages | 90000000 | 535 | 2,882,000 | 8.9 |
| Valid skip | 99999996 | 5,230 | 29,239,000 | 90.6 |
| Don't know | 99999997 | 5 | 5,500 | 0.0 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC06A **Length:** 8.0 **Position:** 1567

**Question Name:**

**Concept:** Language - mother tongue - 1st

**Question Text:** What is the language that you first learned at home in childhood and still understand?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22240000 | 5,790 | 32,270,000 | 100.0 |
| Don't know | 99999997 | 5 | 2,000 | 0.0 |
| Refusal | 99999998 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC06B **Length:** 8.0 **Position:** 1575

**Question Name:**

**Concept:** Language - mother tongue - 2nd

**Question Text:** What is the language that you first learned at home in childhood and still understand?

**Universe:** All respondents

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22240000 | 575 | 3,176,000 | 9.8 |
| No other languages | 90000000 | 5,215 | 29,035,500 | 90.0 |
| Don't know | 99999997 | 5 | 59,000 | 0.2 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEC06C **Length:** 8.0 **Position:** 1583

**Question Name:**

**Concept:** Language - mother tongue - 3rd

**Question Text:** What is the language that you first learned at home in childhood and still understand?

**Universe:** LAEC06B <> 90000000

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Language | 21010000 - 22110303 | 60 | 289,000 | 0.9 |
| No other languages | 90000000 | 515 | 2,887,000 | 8.9 |
| Valid skip | 99999996 | 5,215 | 29,035,500 | 90.0 |
| Don't know | 99999997 | 5 | 59,000 | 0.2 |
| Refusal | 99999998 | 5 | 5,000 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEDCON **Length:** 2.0 **Position:** 1591



*Totals may not add up due to rounding.*

**Question Name:**

**Concept:** Languages - can converse - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| English only | 01 | 2,860 | 16,679,000 | 51.7 |
| French only | 02 | 705 | 2,903,500 | 9.0 |
| English and French only | 03 | 890 | 4,447,000 | 13.8 |
| English and French and other | 04 | 380 | 2,116,000 | 6.6 |
| English and other (not French) | 05 | 850 | 5,584,500 | 17.3 |
| French and other (not English) | 06 | 80 | 339,000 | 1.1 |
| Neither English nor French (other) | 07 | 30 | 202,500 | 0.6 |
| No languages | 08 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEDFL1 **Length:** 2.0 **Position:** 1593

**Question Name:**

**Concept:** First language learned and still understood - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| English only | 01 | 3,295 | 18,537,500 | 57.4 |
| French only | 02 | 1,130 | 5,322,000 | 16.5 |
| English and French only | 03 | 170 | 892,500 | 2.8 |
| English and French and other | 04 | 45 | 184,000 | 0.6 |
| English and other (not French) | 05 | 260 | 1,672,000 | 5.2 |
| French and other (not English) | 06 | 70 | 304,000 | 0.9 |
| Neither English nor French (other) | 07 | 820 | 5,358,000 | 16.6 |
| Not stated | 99 | 5 | 5,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** LAEDSPH **Length:** 2.0 **Position:** 1595

**Question Name:**

**Concept:** Language(s) spoken most often at home - (D)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| English only | 01 | 3,690 | 21,188,000 | 65.6 |
| French only | 02 | 1,130 | 5,264,500 | 16.3 |
| English and French only | 03 | 120 | 516,000 | 1.6 |
| English and French and other | 04 | 20 | 127,000 | 0.4 |
| English and other (not French) | 05 | 335 | 1,924,000 | 6.0 |
| French and other (not English) | 06 | 75 | 440,000 | 1.4 |
| Neither English nor French (other) | 07 | 415 | 2,805,000 | 8.7 |
| Not stated | 99 | 5 | 10,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** ESC1_01 **Length:** 1.0 **Position:** 1597

**Question Name:**

**Concept:** Attending school/college/university

**Question Text:** Are you currently attending school, college, CEGEP or university?

**Universe:** DHH_AGE > 11

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 1,165 | 5,360,000 | 16.6 |
| No | 2 | 3,020 | 23,558,500 | 73.0 |
| Valid skip | 6 | 1,605 | 3,353,500 | 10.4 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** EDM_01A **Length:** 1.0 **Position:** 1598

**Question Name:**

**Concept:** Attending educational institutiuon - elementary/jr. h.s./high school

**Question Text:** What type of educational institution are you attending? - Elementary, junior high school or high school

**Universe:** ESC1_01 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Yes | 1 | 810 | 2,494,500 | 7.7 |
| No | 2 | 355 | 2,861,500 | 8.9 |



*Totals may not add up due to rounding.*

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Valid skip | | 6 | 4,625 | 26,912,000 | 83.4 |
| Don't know | | 7 | 5 | 4,000 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** EDM_01B **Length:** 1.0 **Position:** 1599

**Question Name:**

**Concept:** Attending educational institution - trade school/college/CEGEP

**Question Text:** What type of educational institution are you attending? - Trade school, college, CEGEP or other non-university institution

**Universe:** ESC1_01 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 200 | 1,305,000 | 4.0 |
| No | | 2 | 965 | 4,050,500 | 12.6 |
| Valid skip | | 6 | 4,625 | 26,912,000 | 83.4 |
| Don't know | | 7 | 5 | 4,000 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** EDM_01C **Length:** 1.0 **Position:** 1600

**Question Name:**

**Concept:** Attending educational institution - university

**Question Text:** What type of educational institution are you attending? - University

**Universe:** ESC1_01 = 1

**Note:**

**Source:**

| Answer Categories | | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|---|
| Yes | | 1 | 155 | 1,556,000 | 4.8 |
| No | | 2 | 1,005 | 3,799,500 | 11.8 |
| Valid skip | | 6 | 4,625 | 26,912,000 | 83.4 |
| Don't know | | 7 | 5 | 4,000 | 0.0 |
| Not stated | | 9 | 5 | 3,500 | 0.0 |
| | **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** EDM_02 **Length:** 1.0 **Position:** 1601

**Question Name:**

**Concept:** Enrolled as full/part time student

**Question Text:** Are you enrolled as... ?

**Universe:** ESC1_01 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| A full-time student | 1 | 1,045 | 4,511,000 | 14.0 |
| A part-time student | 2 | 115 | 844,500 | 2.6 |
| Valid skip | 6 | 4,625 | 26,912,000 | 83.4 |
| Don't know | 7 | 5 | 4,000 | 0.0 |
| Not stated | 9 | 5 | 3,500 | 0.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TPI_01 **Length:** 8.0 **Position:** 1602

**Question Name:**

**Concept:** Total personal income - amount

**Question Text:** What is your best estimate of your total personal income, before taxes and deductions, from all sources during the year ending December 31?

**Universe:** DHH_AGE > 14

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Total personal income | 00000000 - 10000000 | 3,185 | 22,911,000 | 71.0 |
| Valid skip | 99999996 | 2,030 | 4,498,500 | 13.9 |
| Don't know | 99999997 | 475 | 3,721,000 | 11.5 |
| Refusal | 99999998 | 105 | 1,145,000 | 3.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TPI_02 **Length:** 1.0 **Position:** 1610

**Question Name:**

**Concept:** Total personal income - ranges - income lost to $30,000

**Question Text:** Can you estimate in which of the following groups your personal income falls?

Was your total personal income during the year ending December 31?

**Universe:** TPI_01 = DK, RF

**Note:**



*Totals may not add up due to rounding.*

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than $30,000, including income loss | 1 | 260 | 2,096,000 | 6.5 |
| $30,000 and more | 2 | 250 | 2,137,500 | 6.6 |
| Valid skip | 6 | 5,215 | 27,409,500 | 84.9 |
| Don't know | 7 | 25 | 158,500 | 0.5 |
| Refusal | 8 | 40 | 474,500 | 1.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TPI_03 **Length:** 2.0 **Position:** 1611

**Question Name:**

**Concept:** Total personal income - ranges - less than $5,000 to $30, 000

**Question Text:** (Was your total personal income during the year ending December 31... ?) Was it... ?

**Universe:** TPI_02 = 1

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than $5,000 | 01 | 70 | 393,500 | 1.2 |
| $5,000 to less than $10,000 | 02 | 45 | 417,500 | 1.3 |
| $10,000 to less than $15,000 | 03 | 40 | 273,500 | 0.8 |
| $15,000 to less than $20,000 | 04 | 30 | 239,000 | 0.7 |
| $20,000 to less than $25,000 | 05 | 25 | 173,500 | 0.5 |
| $25,000 to less than $30,000 | 06 | 25 | 325,000 | 1.0 |
| Valid skip | 96 | 5,465 | 29,547,000 | 91.5 |
| Don't know | 97 | 20 | 241,000 | 0.7 |
| Refusal | 98 | 5 | 32,500 | 0.1 |
| Not stated | 99 | 65 | 632,500 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** TPI_04 **Length:** 2.0 **Position:** 1613

**Question Name:**

**Concept:** Total personal income - ranges - $30,000 and over

**Question Text:** (Was your total personal income during the year ending December 31... ?) Was it... ?

**Universe:** TPI_02 = 2

**Note:**

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| $30,000 to less than $40,000 | 01 | 45 | 441,000 | 1.4 |
| $40,000 to less than $50,000 | 02 | 50 | 364,000 | 1.1 |
| $50,000 to less than $60,000 | 03 | 30 | 366,000 | 1.1 |
| $60,000 to less than $70,000 | 04 | 30 | 222,500 | 0.7 |

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| $70,000 to less than $80,000 | 05 | 15 | 97,000 | 0.3 |
| $80,000 to less than $90,000 | 06 | 15 | 94,000 | 0.3 |
| $90,000 to less than $100,000 | 07 | 10 | 43,000 | 0.1 |
| $100,000 and over | 08 | 40 | 426,000 | 1.3 |
| Valid skip | 96 | 5,475 | 29,505,500 | 91.4 |
| Don't know | 97 | 5 | 31,500 | 0.1 |
| Refusal | 98 | 5 | 52,000 | 0.2 |
| Not stated | 99 | 65 | 632,500 | 2.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** TPID14 **Length:** 2.0 **Position:** 1615

**Question Name:**

**Concept:** Total personal income - groups - (G)

**Question Text:**

**Universe:** DHH_AGE > 14

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than $5,000 | 01 | 590 | 2,965,500 | 9.2 |
| $5,000 to less than $10,000 | 02 | 230 | 1,681,500 | 5.2 |
| $10,000 to less than $15,000 | 03 | 270 | 2,019,500 | 6.3 |
| $15,000 to less than $20,000 | 04 | 210 | 1,579,000 | 4.9 |
| $20,000 to less than $25,000 | 05 | 220 | 1,896,000 | 5.9 |
| $25,000 to less than $30,000 | 06 | 165 | 1,844,000 | 5.7 |
| $30,000 to less than $40,000 | 07 | 380 | 3,032,500 | 9.4 |
| $40,000 to less than $50,000 | 08 | 380 | 2,698,000 | 8.4 |
| $50,000 to less than $60,000 | 09 | 265 | 1,902,000 | 5.9 |
| $60,000 to less than $70,000 | 10 | 225 | 1,735,500 | 5.4 |
| $70,000 to less than $80,000 | 11 | 180 | 1,165,000 | 3.6 |
| $80,000 to less than $90,000 | 12 | 130 | 902,000 | 2.8 |
| $90,000 to less than $100,000 | 13 | 95 | 762,500 | 2.4 |
| $100,000 or more | 14 | 315 | 2,604,500 | 8.1 |
| Valid skip | 96 | 2,030 | 4,498,500 | 13.9 |
| Not stated | 99 | 105 | 990,000 | 3.1 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** THI_01 **Length:** 8.0 **Position:** 1617

**Question Name:**

**Concept:** Total household income - amount

**Question Text:** What is your best estimate of your total household income received by all household members, from all sources, before taxes and deductions, during the year ending December 31, ˆDV_PASTYEAR?

**Universe:** All respondents



*Totals may not add up due to rounding.*

**Note:** In households with two selected respondents this question was sked to one household member and the information was applied to both respondents. Total household income (THI_01) was imputed in all cases where it was not reported during the interview. The flag THIFIMP4 indicates whether the value in THI_01 was imputed, and if so, on what information the imputation was based.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Total household income | 00000000 - 01000000 | 5,795 | 32,275,500 | 100.0 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** THID14 **Length:** 2.0 **Position:** 1625

**Question Name:**

**Concept:** Total household income - groups - (G)

**Question Text:**

**Universe:** All respondents

**Note:** See document on derived variables.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| Less than $5,000 | 01 | 30 | 368,000 | 1.1 |
| $5,000 to less than $10,000 | 02 | 55 | 410,500 | 1.3 |
| $10,000 to less than $15,000 | 03 | 145 | 896,000 | 2.8 |
| $15,000 to less than $20,000 | 04 | 180 | 976,500 | 3.0 |
| $20,000 to less than $30,000 | 05 | 360 | 2,333,000 | 7.2 |
| $30,000 to less than $40,000 | 06 | 400 | 2,228,000 | 6.9 |
| $40,000 to less than $50,000 | 07 | 450 | 2,414,500 | 7.5 |
| $50,000 to less than $60,000 | 08 | 440 | 2,249,000 | 7.0 |
| $60,000 to less than $70,000 | 09 | 410 | 2,276,500 | 7.1 |
| $70,000 to less than $80,000 | 10 | 455 | 2,727,000 | 8.4 |
| $80,000 to less than $90,000 | 11 | 405 | 2,061,000 | 6.4 |
| $90,000 to less than $100,000 | 12 | 350 | 1,974,500 | 6.1 |
| $100,000 to less than $150,000 | 13 | 1,175 | 6,121,000 | 19.0 |
| More than $150,000 | 14 | 940 | 5,240,000 | 16.2 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

---

**Variable Name:** THIFIMP4 **Length:** 1.0 **Position:** 1627

**Question Name:**

**Concept:** Total household income imputation flag - (F)

**Question Text:**

**Universe:** All respondents

**Note:** This flag indicates whether the value in THI_01 was imputed, and if so, whether the imputation was based on a complete household income range, without a household income range or a partial household income range.

**Source:**

| Answer Categories | Code | Frequency | Weighted Frequency | % |
|---|---|---|---|---|
| No imputation | 1 | 4,435 | 23,551,500 | 73.0 |
| Imputed based on complete range | 2 | 1,035 | 6,147,000 | 19.0 |
| Imputed without range | 3 | 300 | 2,405,500 | 7.5 |
| Imputed based on partial range | 4 | 20 | 171,500 | 0.5 |
| **Total** | | 5,794 | 32,275,596 | 100.0 |

**Variable Name:** WGT_FULL **Length:** 15.8 **Position:** 1628

**Question Name:**

**Concept:** Full sample weight

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**



*Totals may not add up due to rounding.*

# Topical Index


| Variable | Description | Page |
|---|---|---|
| ADM: Administration information | | |
| C2_DAY | Day of household interview | 17 |
| C2_MTH | Month of household interview | 18 |
| C2_YEAR | Year of household interview | 18 |
| CLINICID | Clinic identifier of selected respondent | 17 |
| SITE | Collection site | 17 |
| WGT_FULL | Full sample weight | 337 |
| ALC: Alcohol use | | |
| ALCDDLY | Average daily alcohol consumption - (D) | 261 |
| ALCDTYP | Type of drinker - (D) | 261 |
| ALCDWKY | Weekly consumption - (D) | 261 |
| ALC_11 | Drank alcohol - past 12 months | 255 |
| ALC_12 | Frequency of drinking alcohol | 255 |
| ALC_13A | Frequency of having [5/4] or more drinks | 255 |
| ALC_14 | Drank alcohol - past week | 256 |
| ALC_15A | Number of drinks - Sunday | 256 |
| ALC_15B | Number of drinks - Monday | 257 |
| ALC_15C | Number of drinks - Tuesday | 257 |
| ALC_15D | Number of drinks - Wednesday | 258 |
| ALC_15E | Number of drinks - Thursday | 258 |
| ALC_15F | Number of drinks - Friday | 258 |
| ALC_15G | Number of drinks - Saturday | 259 |
| ALC_16 | Usual consumption of alcohol | 259 |
| ALC_17 | Ever had a drink | 259 |
| ALC_18 | Regularly drank more than 12 drinks a week | 260 |
| ALC_19 | Age - started drinking alcoholic beverages | 260 |
| BIR: Birth information | | |
| BIR_11 | Weight at birth | 283 |
| BIR_12 | Birth weight - Pounds | 283 |
| BIR_13 | Birth weight - Ounces | 284 |
| BIR_14 | Birth weight - Grams | 284 |
| BIR_21 | Born before, on or after due date | 284 |
| BIR_22 | Days before/after due date | 285 |
| BIR_23 | Type of birth | 285 |
| BIR_24 | Respondent admitted to neonatal unit | 286 |
| BIR_25 | Days care received | 286 |
| BIR_26 | Age of mother | 286 |
| BRI: Breastfeeding information | | |
| BRIFEB6 | Exclusive breastfeeding for at least 3 months - (D) | 288 |
| BRI_11 | Respondent breastfed | 287 |
| BRI_12 | Length of time breastfed | 287 |
| BRI_13 | Length of time fed only breast milk | 288 |
| CCC: Chronic conditions | | |
| CCCF1 | Has a chronic condition - (F) | 63 |
| CCC_101 | Other long term physical or mental health condition | 62 |
| CCC_11 | Has asthma | 37 |
| CCC_12 | Asthma - age first diagnosed | 37 |
| CCC_13 | Asthma - had symptoms or attacks | 38 |
| CCC_21 | Has fibromyalgia | 38 |

CCC_22 Has arthritis ..... 38
CCC_23A Has arthritis - Rheumatoid arthritis ..... 39
CCC_23B Has arthritis - Osteoarthritis ..... 39
CCC_23D Has arthritis - Other ..... 40
CCC_24 Has back problems excluding fibromyalgia and arthritis ..... 40
CCC_25 Has osteoporosis ..... 41
CCC_31 Has high blood pressure ..... 41
CCC_32 Medication for high blood pressure - past month ..... 41
CCC_33 Ever had blood cholesterol measured ..... 42
CCC_34 Ever told blood cholesterol high ..... 42
CCC_41 Has chronic bronchitis ..... 43
CCC_42 Chronic bronchitis - age first diagnosed ..... 43
CCC_43 Has emphysema ..... 43
CCC_44 Emphysema - age first diagnosed ..... 44
CCC_45 Has chronic obstructive pulmonary disease (COPD) ..... 44
CCC_46 Chronic obstructive pulmonary disease - age first diagnosed ..... 44
CCC_51 Has diabetes ..... 45
CCC_52A Diabetes - insulin dependant (Type 1) ..... 45
CCC_52B Diabetes - non-insulin dependant (Type 2) ..... 46
CCC_52C Diabetes - gestational ..... 46
CCC_53 Diabetes - age first diagnosed ..... 46
CCC_61 Has heart disease ..... 47
CCC_62 Heart disease - age first diagnosed ..... 47
CCC_63 Ever had a heart attack ..... 48
CCC_71 Has cancer ..... 48
CCC_72 Ever had cancer ..... 48
CCC_73 Cancer - age first diagnosed ..... 49
CCC_74A Type of cancer - breast ..... 49
CCC_74B Type of cancer - colorectal ..... 50
CCC_74C Type of cancer - skin (melanoma) ..... 50
CCC_74D Type of cancer - skin (non-melanoma) ..... 50
CCC_74E Type of cancer - ovarian ..... 51
CCC_74F Type of cancer - cervical ..... 51
CCC_74G Type of cancer - uterine ..... 52
CCC_74H Type of cancer - other ..... 52
CCC_75A Type of cancer - prostate ..... 53
CCC_75B Type of cancer - colorectal ..... 53
CCC_75C Type of cancer - skin (melanoma) ..... 53
CCC_75D Type of cancer - skin (non-melanoma) ..... 54
CCC_75E Type of cancer - other ..... 54
CCC_81 Suffers from the effects of a stroke ..... 54
CCC_82 Has a thyroid condition ..... 55
CCC_83 Has a mood disorder ..... 55
CCC_91 Has eating disorder ..... 56
CCC_92 Has kidney dysfunction or disease ..... 56
CCC_93 Has liver disease or gallbladder problems ..... 56
CCC_94A Liver disease or gallbladder problem - Hepatitis A ..... 57
CCC_94B Liver disease or gallbladder problem - Hepatitis B ..... 57
CCC_94C Liver disease or gallbladder problem - Hepatitis C ..... 58
CCC_94D Liver disease or gallbladder problem - Jaundice ..... 58
CCC_94E Liver disease or gallbladder problem - Cirrhosis ..... 58
CCC_94F Liver disease or gallbladder problem - Gallstones ..... 59
CCC_94G Liver disease or gallbladder problem - Other ..... 59
CCC_95 Has hepatitis ..... 60
CCC_96A Type of hepatitis - A ..... 60
CCC_96B Type of hepatitis - B ..... 60
CCC_96C Type of hepatitis - C ..... 61
CCC_97 Has developmental disability/disorder ..... 61
CCC_98 Has Attention Deficit Disorder ..... 62
CCC_99 Has learning disability ..... 62

CPA: Childrens physical activity

CPADSACX Total number of hours per day spent in sedentary activities ..... 207
CPADTOTX Total number of hours per week participated in physical activities ..... 207
CPA_11 Number of days physically active - past 7 days ..... 204
CPA_12 Number of days physically active - usual week ..... 204
CPA_13 Hours/week - physical activity - free time at school ..... 204
CPA_14 Hours/week - physical activity - class time at school ..... 205
CPA_15 Hours/week - physical activity - lessons or sports ..... 205
CPA_16 Hours/week - physical activity - unorganized activities ..... 206
CPA_17 Hours/day - watching TV ..... 206
CPA_18 Hours/day - on computer ..... 207

DFC: Dietary fat consumption

DFCD11Y Eats regular - fat salad dressing/mayo - times per year - (D) ..... 121
DFCD12Y Eats regular - fat chips - times/year - (D) ..... 122
DFCD13Y Eats margarine - times per year - (D) ..... 123
DFCD14Y Eats omega-3 enriched margarine - times per year - (D) ..... 124
DFC_11 Eats regular-fat salad dressing/mayo - number of times ..... 120
DFC_11N Eats regular-fat salad dressing/mayo - reporting period ..... 120
DFC_12 Eats regular-fat chips - number of times ..... 121
DFC_12N Eats regular-fat chips - reporting period ..... 121
DFC_13 Eats margarine - number of times ..... 122
DFC_13N Eats margarine - reporting period ..... 122
DFC_14 Eats omega-3 enriched margarine - number of times ..... 123
DFC_14N Eats omega-3 enriched margarine - reporting period ..... 124

DHH: Demographic and household variables

DHHD611 Number of persons 6 to 11 years old in household - (D) ..... 28
DHHDDWE Type of dwelling - (D) ..... 31
DHHDECF Economic family status (household type) - (D) ..... 29
DHHDHSZ Household size - (D) ..... 29
DHHDL12 Number of persons in household less than 12 years old - (D) ..... 28
DHHDLE5 Number of persons in household less than 6 years old - (D) ..... 28
DHHDLVG Living arrangement of selected respondent - (D) ..... 30
DHHDOKD Number of persons 16 or 17 years old in household - (D) ..... 29
DHHDYKD Number of persons 15 years old or less in household - (D) ..... 28
DHH_AGE Age at household interview ..... 21
DHH_BED Dwelling - number of bedrooms ..... 27
DHH_DOB Day of birth ..... 20
DHH_ED1 Highest grade of elementary or high school completed ..... 22
DHH_ED2 Graduated from high school (secondary school) ..... 23
DHH_ED3 Received any other education ..... 23
DHH_ED4 Highest degree, certificate or diploma obtained ..... 23
DHH_MOB Month of birth ..... 21
DHH_MS Marital status ..... 27
DHH_OWN Dwelling - own or rent ..... 26
DHH_PRN Province of residence of respondent ..... 20
DHH_REP Dwelling - in need of repairs ..... 26
DHH_SEX Sex ..... 22
DHH_YOB Year of birth ..... 21

EDU: Education

EDM_01A Attending educational institutiuon - elementary/jr. h.s./high school ..... 331
EDM_01B Attending educational institution - trade school/college/CEGEP ..... 332
EDM_01C Attending educational institution - university ..... 332
EDM_02 Enrolled as full/part time student ..... 332
EDUDH04 Highest level of education - household, 4 levels - (D) ..... 25
EDUDH10 Highest level of education - household, 10 levels - (D) ..... 25
EDUDR04 Highest level of education - respondent, 4 levels - (D) ..... 24
EDUDR10 Highest level of education - respondent, 10 levels - (D) ..... 24
ESC1_01 Attending school/college/university ..... 331

ETS: Exposure to second-hand smoke

ETS_01 Allowed smoking inside this home ..... 271
ETS_02 Smoking restricted inside this home ..... 271
ETS_03A Smoking restriction - allow in certain rooms only ..... 272
ETS_03B Smoking restriction - in presence of young children ..... 272
ETS_03C Smoking restriction - allow if windows are open/ventilation ..... 273
ETS_03D Smoking restriction - other restriction ..... 273
ETS_04 How often someone smokes inside the home ..... 274
ETS_05 Number of people who smoke inside home everyday ..... 274
ETS_06A Product smoked inside home - cigarettes ..... 274
ETS_06B Product smoked inside home - cigarillos or little cigars ..... 275
ETS_06C Product smoked inside home - all other types of cigars ..... 275
ETS_06D Product smoked inside home - pipes ..... 276
ETS_07 Number cigarettes smoked inside the house - typical day ..... 276
ETS_08 Total period time/typical day smoking pipe ..... 277
ETS_09 Often exposed to second-hand smoke inside home - past month ..... 277
ETS_14 Exposed to second-hand smoke - private vehicle ..... 278
ETS_16 Exposed to second-hand smoke - place of work ..... 278
ETS_20 Exposed to second-hand smoke - inside someone else's home ..... 278
ETS_21 Exposed to second-hand smoke - indoors, in public places ..... 279
ETS_22 Exposed to second-hand smoke - outdoors, in public places ..... 279
ETS_23 Exposed to second-hand smoke - anywhere else ..... 280
ETS_24 Often exposed to second-hand smoke excluding own home - past month ..... 280

FMH: Family medical history

FMH_11 Immediate family member ever diagnosed with heart disease ..... 63
FMH_12 Youngest age - immediate family diagnosed with heart disease ..... 64
FMH_13 Immediate family member ever had stroke ..... 64
FMH_14 Youngest age - immediate family member had stroke ..... 65
FMH_15 Immediate family member ever had high blood pressure ..... 65
FMH_16 Youngest age - immediate family member - high blood pressure ..... 65
FMH_17 Immediate family member had arthritis ..... 66
FMH_18 Youngest age - immediate family member - arthritis ..... 66
FMH_19 Immediate family had diabetes ..... 67
FMH_21 Type of diabetes ..... 67
FMH_22 Youngest age - immediate family member - diabetes ..... 68
FMH_23 Immediate family had asthma ..... 68
FMH_24 Parents diagnosed with asthma ..... 69

GEN: General health

GENDHDI Self-rated health - (D) ..... 36
GENDMHI Self-rated mental health - (D) ..... 36
GEN_11 Self-perceived health ..... 31
GEN_12 Self-perceived health compared to one year ago ..... 32
GEN_13A Satisfied with life right now ..... 32
GEN_14 Self-perceived mental health ..... 32
GEN_15 Self-perceived stress ..... 33
GEN_16 Worked at job or business ..... 33
GEN_17 Self-perceived work stress ..... 34
GEN_18 Sense of belonging to local community ..... 34
GEN_19 Self-perceived quality of life ..... 35
GEN_20 Family doctor ..... 35

GFV: Grains, fruits and vegetables consumption

GFVD11Y Eats hot or cold cereal - times per year - (D) ..... 102
GFVD12Y Eats whole grain bread - times per year - (D) ..... 103
GFVD13Y Eats white bread - times per year - (D) ..... 105
GFVD14Y Eats any kind of pasta - times per year - (D) ..... 106
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) ..... 107

GFVD17AY Eats citrus fruit - times per year - (D) ..... 108
GFVD17BY Eats strawberries - times per summer - (D) ..... 109
GFVD17CY Eats strawberries - times per year, excluding summer (D) ..... 110
GFVD17DY Eats other types of fruit - times per year - (D) ..... 111
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) ..... 113
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) ..... 114
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) ..... 115
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) ..... 116
GFVD22Y Eats other potatoes - times per year - (D) ..... 117
GFVD23Y Eats all other types of vegetables - times per year - (D) ..... 118
GFVD24Y Eats flax seeds - times per year - (D) ..... 119
GFV_11 Eats hot or cold cereal - number of times ..... 102
GFV_11N Eats hot or cold cereal - reporting period ..... 102
GFV_12 Eats whole grain bread - number of times ..... 103
GFV_12N Eats whole grain bread - reporting period ..... 103
GFV_13 Eats white bread - number of times ..... 104
GFV_13N Eats white bread - reporting period ..... 104
GFV_14 Eats pasta - number of times ..... 105
GFV_14N Eats pasta - reporting period ..... 105
GFV_16 Eats instant, seasoned or wild rice - number of times ..... 106
GFV_16N Eats instant, seasoned or wild rice - reporting period ..... 106
GFV_17A Eats citrus fruit - number of times ..... 107
GFV_17AN Eats citrus fruit - reporting period ..... 108
GFV_17B Eats strawberries in the summer - number of times ..... 108
GFV_17BN Eats strawberries in the summer - reporting period ..... 109
GFV_17C Eats strawberries during the rest of the year - number of times ..... 110
GFV_17CN Eats strawberries rest of the year - reporting period ..... 110
GFV_17D Eats other types of fruit - number of times ..... 111
GFV_17DN Eats other types of fruit - reporting period ..... 111
GFV_18 Eats tomatoes or tomato sauce - number of times ..... 112
GFV_18N Eats tomatoes or tomato sauce - reporting period ..... 112
GFV_19 Eats lettuce or green leafy salad - number of times ..... 113
GFV_19N Eats lettuce or green leafy salad - reporting period ..... 113
GFV_20 Eats spinach, mustard greens or cabbage - number of times ..... 114
GFV_20N Eats spinach, mustard greens or cabbage - reporting period ..... 114
GFV_21 Eats french/home fries or hash brown potatoes - number times ..... 115
GFV_21N Eats french/home fries or hash brown potatoes - reporting period ..... 116
GFV_22 Eats other potatoes - number of times ..... 116
GFV_22N Eats other potatoes - reporting period ..... 117
GFV_23 Eats all other types of vegetables - number of times ..... 117
GFV_23N Eats all other types of vegetables - reporting period ..... 118
GFV_24 Eats flax seeds, whole or ground - number of times ..... 119
GFV_24N Eats flax seeds, whole or ground - reporting period ..... 119

HEP: Hepatitis

HEP_12 Ever received complete series of hepatitis B vaccines ..... 70
HEP_13 Received blood transfusion in Canada before 1990 ..... 70

HOB: Hobbies

HOBD12Y Arts - times per year - (D) ..... 228
HOBD13Y Pottery and ceramics using a kiln - times per year - (D) ..... 230
HOBD14Y Model making - times per year - (D) ..... 231
HOBD15Y Making fishing sinkers or weights - times per year - (D) ..... 233
HOBD16Y Welding/soldering - times per year - (D) ..... 235
HOBD17Y Auto repairs - times per year - (D) ..... 236
HOBD18Y Electronics assembly, repairs of components - times per year - (D) ..... 238
HOBD19Y Plumbing - times per year - (D) ..... 239
HOBD20Y Refinishing furniture - times per year - (D) ..... 241
HOBD21Y Woodworking - times per year - (D) ..... 242
HOB_11A Leisure activity / last 3 months - arts ..... 223
HOB_11B Leisure activity / last 3 months - pottery ..... 223

HOB_11C Leisure activity / last 3 months - model making ... 223
HOB_11D Leisure activity / last 3 months - making fishing sinkers ... 224
HOB_11E Leisure activity / last 3 months - welding/soldering ... 224
HOB_11F Leisure activity / last 3 months - auto repairs ... 225
HOB_11G Leisure activity / last 3 months - electronics assembly ... 225
HOB_11H Leisure activity / last 3 months - plumbing ... 225
HOB_11I Leisure activity / last 3 months - refinishing furniture ... 226
HOB_11J Leisure activity / last 3 months - woodworking ... 226
HOB_11K Leisure activity / last 3 months - none ... 227
HOB_12 Arts - number of times ... 227
HOB_12N Arts - reporting period ... 227
HOB_12T Arts - time spent each occasion ... 228
HOB_13 Pottery - number of times ... 229
HOB_13N Pottery - reporting period ... 229
HOB_13T Pottery - time spent each occasion ... 229
HOB_14 Model making - number of times ... 230
HOB_14N Model making - reporting period ... 231
HOB_14T Model making - time spent each occasion ... 231
HOB_15 Making fishing sinkers - number of times ... 232
HOB_15N Making fishing sinkers - reporting period ... 232
HOB_15T Making fishing sinkers - time spent each occasion ... 233
HOB_16 Welding/soldering - number of times ... 233
HOB_16N Welding/soldering - reporting period ... 234
HOB_16T Welding/soldering - time spent each occasion ... 234
HOB_17 Auto repairs - number of times ... 235
HOB_17N Auto repairs - reporting period ... 235
HOB_17T Auto repairs - time spent each occasion ... 236
HOB_18 Electronics - number of times ... 236
HOB_18N Electronics - reporting period ... 237
HOB_18T Electronics - time spent each occasion ... 237
HOB_19 Plumbing - number of times ... 238
HOB_19N Plumbing - reporting period ... 238
HOB_19T Plumbing - time spent each occasion ... 239
HOB_20 Refinishing furniture - number of times ... 240
HOB_20N Refinishing furniture - reporting period ... 240
HOB_20T Refinishing furniture - time spent each occasion ... 240
HOB_21 Woodworking - number of times ... 241
HOB_21N Woodworking - reporting period ... 242
HOB_21T Woodworking - time spent each occasion ... 242

HWT: Height and weight

HWTDBMI Body Mass Index / self-reported - (D) ... 75
HWTDBMIA BMI norms, 18 or older / self-reported - (D) ... 75
HWTDBMIK BMI norms, 3 to 17 years old / self-reported - (D) ... 76
HWTDCM Height (centimetres) / self-reported - (D) ... 73
HWTDCOL BMI classification (3 to 18 years) / self-reported - Cole system - (D) ... 76
HWTDHTM Height (metres) / self-reported - (D) ... 74
HWTDIN Height (inches) / self-reported - (D) ... 74
HWTDKG Weight (kilograms) / self-reported - (D) ... 74
HWTDLB Weight (pounds) / self-reported - (D) ... 75
HWTDWHOK BMI classification (5 to 18 years old) / self-reported - WHO - (D) ... 77
HWTDWHOP BMI classification (3 to 5 years old) / self-reported - WHO - (D) ... 77
HWT_1A Height - feet / self-reported ... 71
HWT_1B Height - inches / self-reported ... 71
HWT_1C Height - centimetres / self-reported ... 72
HWT_1N Height - unit of measure in feet and inches, in cm / self-reported ... 71
HWT_3 Weight / self-reported ... 72
HWT_3N Weight - unit of measure in pounds or kilograms / self-reported ... 73
HWT_4 Respondent's opinion of own weight / self-reported ... 73

IDU: Illicit drug use

IDU_11 Used or tried marijuana, cannabis or hashish ..... 262
IDU_21 Used or tried prescription drugs for the feeling ..... 262
IDU_22 Used or tried other drugs (cocaine, speed) ..... 263
IDU_32 Injected with drugs for the experience/feeling ..... 263
IDU_33 Other than by injection, used other drugs for the feeling ..... 264

INC: Income

THID14 Total household income - groups - (G) ..... 336
THIFIMP4 Total household income imputation flag - (F) ..... 336
THI_01 Total household income - amount ..... 335
TPID14 Total personal income - groups - (G) ..... 335
TPI_01 Total personal income - amount ..... 333
TPI_02 Total personal income - ranges - income lost to $30,000 ..... 333
TPI_03 Total personal income - ranges - less than $5,000 to $30, 000 ..... 334
TPI_04 Total personal income - ranges - $30,000 and over ..... 334

LAE: Language Extended

LAEC02A Language - knowledge of non-offical language - 1st ..... 326
LAEC02B Language - knowledge of non-offical language - 2nd ..... 326
LAEC02C Language - knowledge of non-offical language - 3rd ..... 327
LAEC03A Language - home language spoken most often - 1st ..... 327
LAEC03B Language - home language spoken most often - 2 nd ..... 328
LAEC03C Language - home language spoken most often - 3 rd ..... 328
LAEC06A Language - mother tongue - 1st ..... 328
LAEC06B Language - mother tongue - 2nd ..... 329
LAEC06C Language - mother tongue - 3rd ..... 329
LAE_01 Language - knowledge of official languages ..... 326

LAF: Labour force

LAFCIC12 North American Industry Classification System (NAICS) 2012 ..... 312
LAFCOC11 National Occupational Classification - Statistics (NOC-S) 2011 ..... 313
LAFDJST Job status - previous 12 months - (D) ..... 311
LAFDWSL Working status last week (6 groups) - (D) ..... 311
LAFDWSS Working status last week (4 groups) - (D) ..... 312
LAFGO11A Variant of NOC for highly aggregated data - (G) ..... 313
LAFGO11S Variant for analysis by NOC skill level - (G) ..... 313

LFH: Usual hours of work

LFH_16 Job - number of hours worked per week ..... 310

LFY: Labour force year

LFY_01 Job - had a job/business in the past 12 months ..... 309
LFY_02 Job - tried to find work in the past 12 months ..... 310

LMA2: Labour force status

LMA2_04 Job - last 4 weeks tried to find work ..... 307
LMA2_05 Job - last week had job with start date ..... 307
LMA2_06 Job - start date ..... 308
LMA2_07 Job - wanted job with more or less 30 hours per week ..... 308
LMA2_08 Job - could have worked last week if offered ..... 309
LMA2_09 Job - main reason not available to work last week ..... 309

LMA3: Class of worker

LMA3_10 Job - were you employee/self-employed ..... 310

LMAM: Labour market activities minimal

LMAM_01 Job - last week had a job or business ..... 305
LMAM_02 Job - had a job/ business last week but was absent ..... 306
LMAM_03 Job - main reason absent work last week ..... 306

MDC: Milk and dairy product consumption

MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) ..... 88
MDCD02Y Drinks/uses omega-3 milk substitutes - times per year - (D) ..... 89
MDCD04Y Drinks or uses milk or flavoured milk - times per year - (D) ..... 91
MDCD05Y Drinks or uses omega-3 enriched milk - times per year - (D) ..... 93
MDCD13BY Eats processed cheese - times per year - (D) ..... 98
MDCD13CY Eats other types of cheese - times per year - (D) ..... 99
MDCD13Y Eats cottage cheese - times per year - (D) ..... 97
MDCD14Y Eats yogurt - times per year - (D) ..... 100
MDCD15Y Eats ice cream or frozen yogurt - times per year - (D) ..... 101
MDC_01 Drinks/uses enriched milk substitutes - number of times ..... 87
MDC_01N Drinks/uses enriched milk substitutes - reporting period ..... 87
MDC_02 Drinks/uses omega-3 enriched milk substitutes - number of times ..... 88
MDC_02N Drinks/uses omega-3 enriched milk substitutes - reporting period ..... 88
MDC_03A Drinks/uses enriched milk substitutes - rice ..... 89
MDC_03B Drinks/uses enriched milk substitutes - soya ..... 89
MDC_03C Drinks/uses enriched milk substitutes - almond ..... 90
MDC_03D Drinks/uses enriched milk substitutes - other (enriched) ..... 90
MDC_04 Drinks/uses milk/flavoured milk - number of times ..... 91
MDC_04N Drinks/uses milk/flavoured milk - reporting period ..... 91
MDC_05 Drinks/uses omega-3 enriched milk - number of times ..... 92
MDC_05N Drinks/uses omega-3 enriched milk - reporting period ..... 92
MDC_12A Type of milk used - 3.25% ..... 93
MDC_12B Type of milk used - 2% ..... 93
MDC_12C Type of milk used - 1% ..... 94
MDC_12D Type of milk used - 0.5% ..... 94
MDC_12E Type of milk used - skim or non-fat ..... 95
MDC_12F Type of milk used - flavoured milk beverages ..... 95
MDC_12G Type of milk used - other ..... 95
MDC_13 Eats cottage cheese - number of times ..... 96
MDC_13B Eats processed cheese - number of times ..... 97
MDC_13BN Eats processed cheese - reporting period ..... 97
MDC_13C Eats other type of cheese - number of times ..... 98
MDC_13CN Eats other type of cheese - reporting period ..... 99
MDC_13N Eats cottage cheese - reporting period ..... 96
MDC_14 Eats yogurt - number of times ..... 99
MDC_14N Eats yogurt - reporting period ..... 100
MDC_15 Eats ice cream or frozen yogurt - number of times ..... 100
MDC_15N Eats ice cream or frozen yogurt - reporting period ..... 101

MFC: Meat consumption

MFCD11Y Eats red meat - times per year - (D) ..... 78
MFCD12Y Eats liver - times per year - (D) ..... 80
MFCD14Y Eats beef or pork hot dogs - times per year - (D) ..... 81
MFCD15Y Eats sausage or bacon - times per year - (D) ..... 82
MFCD19AY Eats eggs/egg dishes - times per year - (D) ..... 83
MFCD19BY Eats eggs omega-3 enriched - times per year - (D) ..... 84
MFCD20Y Eats cooked dried beans - times per year - (D) ..... 85
MFCD21Y Eats nuts - times per year - (D) ..... 86
MFC_11 Eats red meat - number of times ..... 78
MFC_11N Eats red meat - reporting period ..... 78
MFC_12 Eats liver - number of times ..... 79
MFC_12N Eats liver - reporting period ..... 79
MFC_14 Eats beef or pork hot dogs - number of times ..... 80
MFC_14N Eats beef or pork hot dogs - reporting period ..... 80

MFC_15 Eats sausage or bacon - number of times ..... 81
MFC_15N Eats sausage or bacon - reporting period ..... 81
MFC_19A Eats eggs/egg dishes - number of times ..... 82
MFC_19AN Eats eggs/egg dishes - reporting period ..... 83
MFC_19B Eats egg made with omega-3 enriched - number of times ..... 83
MFC_19BN Eats eggs omega-3 enriched - reporting period ..... 84
MFC_20 Eats cooked dried beans - number of times ..... 84
MFC_20N Eats cooked dried beans - reporting period ..... 85
MFC_21 Eats nuts - number of times ..... 86
MFC_21N Eats nuts - reporting period ..... 86

PAA: Physical activities - Adults 18 years and older

PAADOTH Total minutes of other physical activities per week - (D) ..... 158
PAADREC Total minutes of recreational physical activity per week - (D) ..... 153
PAADTOT Total minutes of physical activity from all domains per week - (D) ..... 159
PAADTRVL Total minutes of active transportation per week - (D) ..... 148
PAADVIG Total minutes of vigorous intensity physical activities per week - (D) ..... 160
PAA_005 Active ways to get to places during the last week ..... 144
PAA_010A Active ways to get to places- Monday ..... 145
PAA_010B Active ways to get to places- Tuesday ..... 145
PAA_010C Active ways to get to places - Wednesday ..... 145
PAA_010D Active ways to get to places - Thursday ..... 146
PAA_010E Active ways to get to places - Friday ..... 146
PAA_010F Active ways to get to places - Saturday ..... 147
PAA_010G Active ways to get to places - Sunday ..... 147
PAA_015 Time spent on active ways to get to places last week - hours ..... 147
PAA_020N Time spent on active ways to get to places last week - minutes ..... 148
PAA_030 Recreational physical activities- last week ..... 149
PAA_035 Recreational physical activities - sweat and breathe harder ..... 149
PAA_040A Recreational physical activities - sweat and breathe harder - Monday ..... 149
PAA_040B Recreational physical activities - sweat and breathe harder - Tuesday ..... 150
PAA_040C Recreational physical activities - sweat and breathe harder - Wed. ..... 150
PAA_040D Recreational physical activities - sweat and breathe harder - Thursday ..... 151
PAA_040E Recreational physical activities - sweat and breathe harder - Friday ..... 151
PAA_040F Recreational physical activities - sweat and breathe harder - Saturday ..... 152
PAA_040G Recreational physical activities - sweat and breathe harder - Sunday ..... 152
PAA_045 Time spent on recreational physical activities - hours ..... 152
PAA_050N Time spent on recreational physical activities - minutes ..... 153
PAA_060 Other physical activities - last week ..... 154
PAA_065 Other physical activities - sweat and breathe harder ..... 154
PAA_070A Other physical activities - sweat and breathe harder - Monday ..... 155
PAA_070B Other physical activities - sweat and breathe harder - Tuesday ..... 155
PAA_070C Other physical activities - sweat and breathe harder - Wednesday ..... 155
PAA_070D Other physical activities - sweat and breathe harder - Thursday ..... 156
PAA_070E Other physical activities - sweat and breathe harder - Friday ..... 156
PAA_070F Other physical activities - sweat and breathe harder - Saturday ..... 157
PAA_070G Other physical activities - sweat and breathe harder - Sunday ..... 157
PAA_075 Time spent on other physical activities - hours ..... 157
PAA_080N Time spent on other physical activities - minutes ..... 158
PAA_095 Vigorous intensity physical activities ..... 159
PAA_100 Vigorous intensity physical activities - hours ..... 159
PAA_105N Vigorous intensity physical activities - minutes ..... 160

PAY: Physical Activities for Youth

PAYDOTH Total minutes of other physical activities per week - (D) ..... 198
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) ..... 196
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) ..... 196
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) ..... 196
PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) ..... 197
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) ..... 197
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) ..... 197

PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) ..... 198
PAYDREC Total minutes of recreational physical activity per week - (D) ..... 189
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) ..... 186
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) ..... 187
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) ..... 187
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) ..... 187
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) ..... 188
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) ..... 188
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) ..... 188
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) ..... 178
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) ..... 178
PAYDSCH4 Time of physical activity at school/day camp (min.) - Wednesday - (D) ..... 178
PAYDSCH5 Time of physical activity at school/day camp (min.) - Thursday - (D) ..... 179
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) ..... 179
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) ..... 179
PAYDTOT Total minutes of physical activity from all domains per week - (D) ..... 199
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) ..... 168
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) ..... 169
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) ..... 169
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) ..... 169
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) ..... 170
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) ..... 170
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) ..... 170
PAYDTRVL Total minutes of active transportation per week - (D) ..... 171
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) ..... 203
PAY_05A Attend school - Last week ..... 161
PAY_05B Attend a day camp - Last week ..... 161
PAY_05C Attend paid or unpaid work - Last week ..... 161
PAY_05D None of the above - Last week ..... 162
PAY_10 Active ways to get to places during the last week ..... 162
PAY_100 Vigorous intensity physical activities - last week - hours ..... 202
PAY_105N Vigorous intensity physical activities - last week - minutes ..... 203
PAY_15A Time spent on active ways to get to places - [Sunday] - hours ..... 163
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes ..... 166
PAY_15B Time spent on active ways to get to places - [Monday] - hours ..... 163
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes ..... 166
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours ..... 163
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes ..... 166
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours ..... 164
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes ..... 167
PAY_15E Time spent on active ways to get to places - [Thursday] - hours ..... 164
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes ..... 167
PAY_15F Time spent on active ways to get to places - [Friday] - hours ..... 165
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes ..... 167
PAY_15G Time spent on active ways to get to places - [Saturday] - hours ..... 165
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes ..... 168
PAY_25 Physical activities at school/day camp - last week ..... 171
PAY_30 Physical activities at school/day camp - sweat and breathe harder ..... 172
PAY_35A Activities school/day camp - sweat/breathe harder - [Sun.] - hours ..... 172
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sun.] - minutes ..... 175
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours ..... 172
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes ..... 175
PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours ..... 173
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes ..... 176
PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours ..... 173
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes ..... 176
PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours ..... 174
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes ..... 176
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours ..... 174
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes ..... 177
PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours ..... 174
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes ..... 177
PAY_45 Physical activities in leisure time ..... 180

PAY_50 Physical activities in leisure time - sweat and breathe harder ..... 180
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours ..... 181
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes ..... 184
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours ..... 181
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes ..... 184
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours ..... 182
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes ..... 184
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours ..... 182
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes ..... 185
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours ..... 182
PAY_55EN Leisure-time activities- sweat/breathe harder - [Thursday] - minutes ..... 185
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours ..... 183
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes ..... 185
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours ..... 183
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes ..... 186
PAY_65 Other physical activities - last week ..... 189
PAY_70 Other physical activities - sweat and breathe harder ..... 190
PAY_75A Other physical act. - sweat and breathe harder - [Sunday] - hours ..... 190
PAY_75AN Other physical act. - sweat and breathe harder - [Sunday] - minutes ..... 193
PAY_75B Other physical act. - sweat and breathe harder - [Monday] - hours ..... 190
PAY_75BN Other physical act. - sweat and breathe harder - [Monday] - minutes ..... 193
PAY_75C Other physical act.- sweat and breathe harder - [Tuesday] - hours ..... 191
PAY_75CN Other physical act. - sweat and breath harder - [Tuesday] - minutes ..... 194
PAY_75D Other physical act. - sweat and breathe harder - [Wednesday] - hours ..... 191
PAY_75DN Other physical act. - sweat and breathe harder - [Wednesday] - minutes ..... 194
PAY_75E Other physical act. - sweat and breathe harder - [Thursday] - hours ..... 192
PAY_75EN Other physical act. - sweat and breathe harder - [Thursday] - minutes ..... 194
PAY_75F Other physical act. - sweat and breathe harder - [Friday] - hours ..... 192
PAY_75FN Other physical act. - sweat and breathe harder - [Friday] - minutes ..... 195
PAY_75G Other physical act. - sweat and breathe harder - [Saturday] - hours ..... 192
PAY_75GN Other physical act. - sweat and breathe harder - [Saturday] - minutes ..... 195
PAY_90 Vigorous intensity physical activities ..... 199
PAY_95A Vigorous intensity physical activities - Monday ..... 199
PAY_95B Vigorous intensity physical activities - Tuesday ..... 200
PAY_95C Vigorous intensity physical activities - Wednesday ..... 200
PAY_95D Vigorous intensity physical activities - Thursday ..... 201
PAY_95E Vigorous intensity physical activities - Friday ..... 201
PAY_95F Vigorous intensity physical activities - Saturday ..... 201
PAY_95G Vigorous intensity physical activities - Sunday ..... 202

PLM: Phlegm

PLM_11 Cough with phlegm - 3 months or more / past year ..... 69
PLM_12 Cough with phlegm - 3 months or more / year before past year ..... 69

PPI: Person providing information

PPID03 Relationship of proxy respondent to selected respondent - (D) ..... 19
PPI_02 Person providing health component information - parent/guardian ..... 19
PPI_03 Person providing health component information - biological parent ..... 19
PROXY Health component completed by proxy ..... 18

PRG: Pregnancy information

PRG_11 Smoked during pregnancy ..... 280
PRG_12 Number of cigarettes/day ..... 281
PRG_13A Stage of pregnancy - first trimester ..... 281
PRG_13B Stage of pregnancy - second trimester ..... 282
PRG_13C Stage of pregnancy - third trimester ..... 282
PRG_13D Stage of pregnancy - throughout ..... 283

PRS: Pregnancy status

PRS_11 Pregnant ..... 36

SAC: Sedentary activities

SACDRCA Sedentary activity excluding reading (hours/week) - categorical (D) ..... 222
SACDRCO Sedentary activity excluding reading (hours per week) - continuous (D) ..... 222
SACDTOT Sedentary activity (hours per week) - categorical (D) ..... 221
SACDTOTX Sedentary activity (hours per week) - continuous (D) ..... 221
SAC_11 Number of hours per week - on a computer - past 3 months ..... 219
SAC_12A Number of hours per week - play video games - past 3 months ..... 219
SAC_12B Number of hours per week - other types of games - past 3 months ..... 220
SAC_13 Number of hours per week - television/DVD/videos - past 3 months ..... 220
SAC_14 Number of hours per week - reading - past 3 months ..... 220

SDC: Socio-demographic characteristics

AMBFABT Aboriginal origin or identity - (F) ..... 319
AMB_01 Is an aboriginal person ..... 317
AMB_02A Aboriginal person - First Nations ..... 317
AMB_02B Aboriginal person - Métis ..... 318
AMB_02C Aboriginal person - Inuk (Inuit) ..... 318
IMMCCB Country of birth - (C) ..... 325
IMMDAAC Age when first came to live in Canada - (D) ..... 317
IMMDALI Age at time of landed immigration - (D) ..... 316
IMMDLAC Length of time since first came to live in Canada - (D) ..... 316
IMMDLLI Length of time since became a landed immigrant - (D) ..... 315
IMMGCB Country of birth - (G) ..... 325
IMM_02 Province/territory of birth ..... 314
IMM_03 Landed immigrant ..... 314
IMM_04 Year first became landed immigrant in Canada ..... 315
IMM_05 Year first came to Canada to live ..... 315
LAEDCON Languages - can converse - (D) ..... 329
LAEDFL1 First language learned and still understood - (D) ..... 330
LAEDSPH Language(s) spoken most often at home - (D) ..... 330
PGDCGT Cultural or racial group - (D) ..... 324
PG_01A Population group - White ..... 319
PG_01B Population group - South Asian ..... 319
PG_01C Population group - Chinese ..... 320
PG_01D Population group - Black ..... 320
PG_01E Population group - Filipino ..... 321
PG_01F Population group - Latin American ..... 321
PG_01G Population group - Arab ..... 321
PG_01H Population group - Southeast Asian ..... 322
PG_01I Population group - West Asian ..... 322
PG_01J Population group - Korean ..... 323
PG_01K Population group - Japanese ..... 323
PG_01L Population group - Other ..... 324

SDQ: Strengths and difficulties© Robert Goodman

SDQDCON Conduct Problems - (D) ..... 300
SDQDEMO Emotional Problems - (D) ..... 300
SDQDHYP Hyperactivity/Inattention - (D) ..... 301
SDQDPRO Prosocial Behaviour - (D) ..... 301
SDQDPRP Peer Relationship Problems - (D) ..... 302
SDQDTOT Total Difficulties Score - (D) ..... 302
SDQGCON Conduct Problems - (D, G) ..... 303
SDQGEMO Emotional Problems - (D, G) ..... 303
SDQGHYP Hyperactivity/Inattention - (D, G) ..... 304
SDQGPRO Prosocial Behaviour - (D, G) ..... 304
SDQGPRP Peer Relationship Problems - (D, G) ..... 305
SDQGTOT Total Difficulties Score - (D, G) ..... 305
SDQ_11 Considerate of other people's feelings ..... 289

SDQ_12 Restless, overactive, cannot stay still for long ..... 289
SDQ_13 Complains of headaches, stomach aches or sickness ..... 290
SDQ_14 Shares readily with other children ..... 290
SDQ_15 Loses temper ..... 291
SDQ_16 Solitary, would rather be alone ..... 291
SDQ_17 Well behaved, usually does what adults request ..... 291
SDQ_18 Many worries ..... 292
SDQ_19 Helpful if someone is hurt, upset or feeling ill ..... 292
SDQ_20 Constantly fidgeting or squirming ..... 293
SDQ_21 At least one good friend ..... 293
SDQ_22 Fights with other children/youth or bullies them ..... 294
SDQ_23 Often unhappy, depressed or tearful ..... 294
SDQ_24 Generally liked by other children/youth ..... 295
SDQ_25 Easily distracted, concentration wanders ..... 295
SDQ_26 Nervous/clingy in new situations, easily loses confidence ..... 295
SDQ_27 Kind to younger children ..... 296
SDQ_28 Often lies or cheats ..... 296
SDQ_29 Picked on or bullied by other children/youth ..... 297
SDQ_30 Often offers to help others ..... 297
SDQ_31 Thinks things out before acting ..... 298
SDQ_32 Steals from home, school or elsewhere ..... 298
SDQ_33 Gets along better with adults than with other children/youth ..... 299
SDQ_34 Has many fears, is easily scared ..... 299
SDQ_35 Has a good attention span, sees chores or homework through ..... 300

SLP: Sleep

SLP_11 Hours spent sleeping in 24 hour period ..... 243
SLP_12 Frequency - trouble sleeping ..... 243
SLP_13 Duration - trouble sleeping ..... 244
SLP_14 Frequency - sleep refreshing ..... 244
SLP_15 Duration - sleep not refreshing ..... 245
SLP_16 Frequency - difficulty staying awake during waking hours ..... 245
SLP_17 Duration - difficulty staying awake ..... 245

SLT: Salt consumption

SLT_11 Salt added to food ..... 143
SLT_12 Type of salt usually used ..... 143
SLT_13 Often ordinary table salt added cooking/preparation of foods ..... 144

SMK: Smoking

SMKDAQD Age stopped smoking daily - (D) ..... 253
SMKDAQS Age stopped smoking completely - (D) ..... 253
SMKDASD Age started smoking daily - (D) ..... 254
SMKDNSD Number of cigs smoked daily - (D) ..... 254
SMKDSTP Number of years since stopping smoking completely - (D) ..... 252
SMKDSTY Type of smoker - (D) ..... 252
SMKDYFS Number of years smoked daily (former daily smokers) - (D) ..... 253
SMK_11 Smoked 100 or more cigarettes - lifetime ..... 246
SMK_12 Type of smoker ..... 246
SMK_21 Age - smoked first whole cigarette ..... 247
SMK_21A Smoked at least 1 cigarette a month ..... 247
SMK_22 Age - started smoking at least 1 cigarette/month ..... 247
SMK_23 Number days/typical month smoked at least 1 cigarette ..... 248
SMK_24 Number of cigarettes smoked per day at age started smoking ..... 248
SMK_31 Number of cigarettes smoked per day (daily smoker) ..... 249
SMK_41 Number of cigarettes smoked per day (occasional smoker) ..... 249
SMK_42 Number days/past month - smoked 1 cig or more (occasional) ..... 249
SMK_51 Ever smoked cigarettes daily ..... 250
SMK_52 Age started smoking daily ..... 250
SMK_53 Number of cigarettes usually smoked per day ..... 251

SMK_54 Age stopped smoking cigarettes daily/completely ..... 251
SMK_60 Smoked cigars/pipe or used snuff/chewing tobacco - past month ..... 251

SXB: Sexual Behaviour

SXB_11 Ever had sexual intercourse ..... 264
SXB_12 Sexual intercourse - past 12 months ..... 264
SXB_13 Number of different partners - past 12 months ..... 265
SXB_21 Ever diagnosed with a sexually transmitted disease/infection ..... 265
SXB_22A Sexually transmitted disease/infection - HIV ..... 266
SXB_22B Sexually transmitted disease/infection - AIDS ..... 266
SXB_22C Sexually transmitted disease/infection - Chlamydia ..... 267
SXB_22D Sexually transmitted disease/infection - Genital Herpes ..... 267
SXB_22E Sexually transmitted disease/infection - Syphilis ..... 267
SXB_22F Sexually transmitted disease/infection - Gonorrhoea ..... 268
SXB_22G Sexually transmitted disease/infection - Genital Warts ..... 268
SXB_22H Sexually transmitted disease/infection - Venereal disease ..... 269
SXB_22I Sexually transmitted disease/infection - Hepatitis B ..... 269
SXB_22J Sexually transmitted disease/infection - other ..... 270
SXB_23 Use of condom / last time had sexual intercourse ..... 270
SXB_24 Usual use of condom ..... 270

TSO: Time Spent Outdoors

TSO_01A Attended daycare center during the past month ..... 208
TSO_01B Attended home-based daycare during the past month ..... 208
TSO_01C Attended nursery school or preschool during the past month ..... 209
TSO_01D Attended school during the past month ..... 209
TSO_01E Stayed at home during the past month ..... 209
TSO_01F Received any other type of childcare during the past month ..... 210
TSO_02 School grade ..... 210
TSO_03 Time spent outside before arriving at childcare - per day ..... 211
TSO_04 Time spent outside while at daycare center - per day ..... 211
TSO_05 Time spent outside while at home-based daycare - per day ..... 212
TSO_06 Time spent outside while at nursery/preschool - per day ..... 212
TSO_07 Time spent outside while at kindergarten - per day ..... 213
TSO_08 Time spent outside between child care and dinner - per day ..... 213
TSO_09 Time spent outside after dinner - per day ..... 214
TSO_10 Time spent outside on day child did not attend childcare ..... 214
TSO_11 Time spent outside - per day ..... 215
TSO_21 Attended school during the past month ..... 215
TSO_22 Time spent outside before school - per day ..... 216
TSO_23 Time spent outside while at school - per day ..... 216
TSO_24 Time spent outside between school and dinner - per day ..... 216
TSO_25 Time spent outside after dinner - per day ..... 217
TSO_26 Time spent outside on non-school days - per day ..... 217
TSO_27 Time spent outside on weekdays - per day ..... 218
TSO_28 Time spent outside on weekends - per day ..... 218

WSD: Water and soft drink consumption

WSDD30Y Drinks diet soft drinks - times per year - (D) ..... 125
WSDD31Y Drinks regular soft drinks - times per year - (D) ..... 126
WSDD32Y Drinks sport drinks - times per year - (D) ..... 127
WSDD33Y Drinks vitamin-added water - times per year - (D) ..... 128
WSDD34Y Drinks orange or grapefruit juice - times per year - (D) ..... 130
WSDD35Y Drinks other 100% fruit juices - times per year - (D) ..... 131
WSDD36Y Drinks juice with calcium and vitamin D - times per year - (D) ..... 132
WSDD37Y Drinks fruit flavoured drinks - times per year - (D) ..... 133
WSDD38Y Drinks vegetable juices - times per year - (D) ..... 134
WSDD39Y Drinks water at home - number of cups per year - (D) ..... 135
WSDD41Y Drinks water away from home - number of cups per year - (D) ..... 137
WSDDTWY Drinks water (anywhere) - number of cups per year - (D) ..... 143

WSD_30 Drinks diet soft drinks - number of times ..... 124
WSD_30N Drinks diet soft drinks - reporting period ..... 125
WSD_31 Drinks regular soft drinks - number of times ..... 125
WSD_31N Drinks regular soft drinks - reporting period ..... 126
WSD_32 Drinks sport drinks - number of times ..... 126
WSD_32N Drinks sport drinks - reporting period ..... 127
WSD_33 Drinks vitamin-added water - number of times ..... 128
WSD_33N Drinks vitamin-added water - reporting period ..... 128
WSD_34 Drinks orange or grapefruit juice - number of times ..... 129
WSD_34N Drinks orange ou grapefruit juice - reporting period ..... 129
WSD_35 Drinks other 100% fruit juices - number of times ..... 130
WSD_35N Drinks other 100% fruit juices - reporting period ..... 130
WSD_36 Drinks juice with calcium and vitamin D added - number of times ..... 131
WSD_36N Drinks juice with calcium and vitamin D added - reporting period ..... 131
WSD_37 Drinks fruit-flavoured drinks - number of times ..... 132
WSD_37N Drinks fruit-flavoured drinks - reporting period ..... 133
WSD_38 Drinks vegetable juices - number of times ..... 133
WSD_38N Drinks vegetable juices - reporting period ..... 134
WSD_39 Drinks water at home - number of cups ..... 135
WSD_39N Drinks water at home - reporting period ..... 135
WSD_40 Primary source of drinking water - home ..... 136
WSD_41 Drinks water away from home - number of cups ..... 136
WSD_41N Amount drinks water away from home - reporting period ..... 137
WSD_42 Primary source of drinking water - away from home ..... 137
WSD_43 Source of tap water - home ..... 138
WSD_44A Home water treated using - filter ..... 138
WSD_44B Home water treated using - water softener ..... 139
WSD_44C Home water treated using - ultraviolet system ..... 139
WSD_44D Home water treated using - reverse osmosis ..... 140
WSD_44E Home water treated using - boiling ..... 140
WSD_44F Home water treated using - distilling ..... 141
WSD_44G Home water treated using - other ..... 141
WSD_44H Home water treated using - no treatment ..... 142
WSD_45 Water used for drinking or food treated with water softener ..... 142

# Variable Index


| Variable | Description | Page |
|---|---|---|
| ALCDDLY | Average daily alcohol consumption - (D) | 261 |
| ALCDTYP | Type of drinker - (D) | 261 |
| ALCDWKY | Weekly consumption - (D) | 261 |
| ALC_11 | Drank alcohol - past 12 months | 255 |
| ALC_12 | Frequency of drinking alcohol | 255 |
| ALC_13A | Frequency of having [5/4] or more drinks | 255 |
| ALC_14 | Drank alcohol - past week | 256 |
| ALC_15A | Number of drinks - Sunday | 256 |
| ALC_15B | Number of drinks - Monday | 257 |
| ALC_15C | Number of drinks - Tuesday | 257 |
| ALC_15D | Number of drinks - Wednesday | 258 |
| ALC_15E | Number of drinks - Thursday | 258 |
| ALC_15F | Number of drinks - Friday | 258 |
| ALC_15G | Number of drinks - Saturday | 259 |
| ALC_16 | Usual consumption of alcohol | 259 |
| ALC_17 | Ever had a drink | 259 |
| ALC_18 | Regularly drank more than 12 drinks a week | 260 |
| ALC_19 | Age - started drinking alcoholic beverages | 260 |
| AMBFABT | Aboriginal origin or identity - (F) | 319 |
| AMB_01 | Is an aboriginal person | 317 |
| AMB_02A | Aboriginal person - First Nations | 317 |
| AMB_02B | Aboriginal person - Métis | 318 |
| AMB_02C | Aboriginal person - Inuk (Inuit) | 318 |
| BIR_11 | Weight at birth | 283 |
| BIR_12 | Birth weight - Pounds | 283 |
| BIR_13 | Birth weight - Ounces | 284 |
| BIR_14 | Birth weight - Grams | 284 |
| BIR_21 | Born before, on or after due date | 284 |
| BIR_22 | Days before/after due date | 285 |
| BIR_23 | Type of birth | 285 |
| BIR_24 | Respondent admitted to neonatal unit | 286 |
| BIR_25 | Days care received | 286 |
| BIR_26 | Age of mother | 286 |
| BRIFEB6 | Exclusive breastfeeding for at least 3 months - (D) | 288 |
| BRI_11 | Respondent breastfed | 287 |
| BRI_12 | Length of time breastfed | 287 |
| BRI_13 | Length of time fed only breast milk | 288 |
| C2_DAY | Day of household interview | 17 |
| C2_MTH | Month of household interview | 18 |
| C2_YEAR | Year of household interview | 18 |
| CCCF1 | Has a chronic condition - (F) | 63 |
| CCC_101 | Other long term physical or mental health condition | 62 |
| CCC_11 | Has asthma | 37 |
| CCC_12 | Asthma - age first diagnosed | 37 |
| CCC_13 | Asthma - had symptoms or attacks | 38 |
| CCC_21 | Has fibromyalgia | 38 |
| CCC_22 | Has arthritis | 38 |
| CCC_23A | Has arthritis - Rheumatoid arthritis | 39 |
| CCC_23B | Has arthritis - Osteoarthritis | 39 |
| CCC_23D | Has arthritis - Other | 40 |
| CCC_24 | Has back problems excluding fibromyalgia and arthritis | 40 |
| CCC_25 | Has osteoporosis | 41 |
| CCC_31 | Has high blood pressure | 41 |
| CCC_32 | Medication for high blood pressure - past month | 41 |
| CCC_33 | Ever had blood cholesterol measured | 42 |
| CCC_34 | Ever told blood cholesterol high | 42 |
| CCC_41 | Has chronic bronchitis | 43 |
| CCC_42 | Chronic bronchitis - age first diagnosed | 43 |

| | | |
|---|---|---|
| CCC_43 | Has emphysema | 43 |
| CCC_44 | Emphysema - age first diagnosed | 44 |
| CCC_45 | Has chronic obstructive pulmonary disease (COPD) | 44 |
| CCC_46 | Chronic obstructive pulmonary disease - age first diagnosed | 44 |
| CCC_51 | Has diabetes | 45 |
| CCC_52A | Diabetes - insulin dependant (Type 1) | 45 |
| CCC_52B | Diabetes - non-insulin dependant (Type 2) | 46 |
| CCC_52C | Diabetes - gestational | 46 |
| CCC_53 | Diabetes - age first diagnosed | 46 |
| CCC_61 | Has heart disease | 47 |
| CCC_62 | Heart disease - age first diagnosed | 47 |
| CCC_63 | Ever had a heart attack | 48 |
| CCC_71 | Has cancer | 48 |
| CCC_72 | Ever had cancer | 48 |
| CCC_73 | Cancer - age first diagnosed | 49 |
| CCC_74A | Type of cancer - breast | 49 |
| CCC_74B | Type of cancer - colorectal | 50 |
| CCC_74C | Type of cancer - skin (melanoma) | 50 |
| CCC_74D | Type of cancer - skin (non-melanoma) | 50 |
| CCC_74E | Type of cancer - ovarian | 51 |
| CCC_74F | Type of cancer - cervical | 51 |
| CCC_74G | Type of cancer - uterine | 52 |
| CCC_74H | Type of cancer - other | 52 |
| CCC_75A | Type of cancer - prostate | 53 |
| CCC_75B | Type of cancer - colorectal | 53 |
| CCC_75C | Type of cancer - skin (melanoma) | 53 |
| CCC_75D | Type of cancer - skin (non-melanoma) | 54 |
| CCC_75E | Type of cancer - other | 54 |
| CCC_81 | Suffers from the effects of a stroke | 54 |
| CCC_82 | Has a thyroid condition | 55 |
| CCC_83 | Has a mood disorder | 55 |
| CCC_91 | Has eating disorder | 56 |
| CCC_92 | Has kidney dysfunction or disease | 56 |
| CCC_93 | Has liver disease or gallbladder problems | 56 |
| CCC_94A | Liver disease or gallbladder problem - Hepatitis A | 57 |
| CCC_94B | Liver disease or gallbladder problem - Hepatitis B | 57 |
| CCC_94C | Liver disease or gallbladder problem - Hepatitis C | 58 |
| CCC_94D | Liver disease or gallbladder problem - Jaundice | 58 |
| CCC_94E | Liver disease or gallbladder problem - Cirrhosis | 58 |
| CCC_94F | Liver disease or gallbladder problem - Gallstones | 59 |
| CCC_94G | Liver disease or gallbladder problem - Other | 59 |
| CCC_95 | Has hepatitis | 60 |
| CCC_96A | Type of hepatitis - A | 60 |
| CCC_96B | Type of hepatitis - B | 60 |
| CCC_96C | Type of hepatitis - C | 61 |
| CCC_97 | Has developmental disability/disorder | 61 |
| CCC_98 | Has Attention Deficit Disorder | 62 |
| CCC_99 | Has learning disability | 62 |
| CLINICID | Clinic identifier of selected respondent | 17 |
| CPADSACX | Total number of hours per day spent in sedentary activities | 207 |
| CPADTOTX | Total number of hours per week participated in physical activities | 207 |
| CPA_11 | Number of days physically active - past 7 days | 204 |
| CPA_12 | Number of days physically active - usual week | 204 |
| CPA_13 | Hours/week - physical activity - free time at school | 204 |
| CPA_14 | Hours/week - physical activity - class time at school | 205 |
| CPA_15 | Hours/week - physical activity - lessons or sports | 205 |
| CPA_16 | Hours/week - physical activity - unorganized activities | 206 |
| CPA_17 | Hours/day - watching TV | 206 |
| CPA_18 | Hours/day - on computer | 207 |
| DFCD11Y | Eats regular - fat salad dressing/mayo - times per year - (D) | 121 |
| DFCD12Y | Eats regular - fat chips - times/year - (D) | 122 |
| DFCD13Y | Eats margarine - times per year - (D) | 123 |
| DFCD14Y | Eats omega-3 enriched margarine - times per year - (D) | 124 |

| | | |
|---|---|---|
| DFC_11 | Eats regular-fat salad dressing/mayo - number of times | 120 |
| DFC_11N | Eats regular-fat salad dressing/mayo - reporting period | 120 |
| DFC_12 | Eats regular-fat chips - number of times | 121 |
| DFC_12N | Eats regular-fat chips - reporting period | 121 |
| DFC_13 | Eats margarine - number of times | 122 |
| DFC_13N | Eats margarine - reporting period | 122 |
| DFC_14 | Eats omega-3 enriched margarine - number of times | 123 |
| DFC_14N | Eats omega-3 enriched margarine - reporting period | 124 |
| DHHD611 | Number of persons 6 to 11 years old in household - (D) | 28 |
| DHHDDWE | Type of dwelling - (D) | 31 |
| DHHDECF | Economic family status (household type) - (D) | 29 |
| DHHDHSZ | Household size - (D) | 29 |
| DHHDL12 | Number of persons in household less than 12 years old - (D) | 28 |
| DHHDLE5 | Number of persons in household less than 6 years old - (D) | 28 |
| DHHDLVG | Living arrangement of selected respondent - (D) | 30 |
| DHHDOKD | Number of persons 16 or 17 years old in household - (D) | 29 |
| DHHDYKD | Number of persons 15 years old or less in household - (D) | 28 |
| DHH_AGE | Age at household interview | 21 |
| DHH_BED | Dwelling - number of bedrooms | 27 |
| DHH_DOB | Day of birth | 20 |
| DHH_ED1 | Highest grade of elementary or high school completed | 22 |
| DHH_ED2 | Graduated from high school (secondary school) | 23 |
| DHH_ED3 | Received any other education | 23 |
| DHH_ED4 | Highest degree, certificate or diploma obtained | 23 |
| DHH_MOB | Month of birth | 21 |
| DHH_MS | Marital status | 27 |
| DHH_OWN | Dwelling - own or rent | 26 |
| DHH_PRN | Province of residence of respondent | 20 |
| DHH_REP | Dwelling - in need of repairs | 26 |
| DHH_SEX | Sex | 22 |
| DHH_YOB | Year of birth | 21 |
| EDM_01A | Attending educational institutiuon - elementary/jr. h.s./high school | 331 |
| EDM_01B | Attending educational institution - trade school/college/CEGEP | 332 |
| EDM_01C | Attending educational institution - university | 332 |
| EDM_02 | Enrolled as full/part time student | 332 |
| EDUDH04 | Highest level of education - household, 4 levels - (D) | 25 |
| EDUDH10 | Highest level of education - household, 10 levels - (D) | 25 |
| EDUDR04 | Highest level of education - respondent, 4 levels - (D) | 24 |
| EDUDR10 | Highest level of education - respondent, 10 levels - (D) | 24 |
| ESC1_01 | Attending school/college/university | 331 |
| ETS_01 | Allowed smoking inside this home | 271 |
| ETS_02 | Smoking restricted inside this home | 271 |
| ETS_03A | Smoking restriction - allow in certain rooms only | 272 |
| ETS_03B | Smoking restriction - in presence of young children | 272 |
| ETS_03C | Smoking restriction - allow if windows are open/ventilation | 273 |
| ETS_03D | Smoking restriction - other restriction | 273 |
| ETS_04 | How often someone smokes inside the home | 274 |
| ETS_05 | Number of people who smoke inside home everyday | 274 |
| ETS_06A | Product smoked inside home - cigarettes | 274 |
| ETS_06B | Product smoked inside home - cigarillos or little cigars | 275 |
| ETS_06C | Product smoked inside home - all other types of cigars | 275 |
| ETS_06D | Product smoked inside home - pipes | 276 |
| ETS_07 | Number cigarettes smoked inside the house - typical day | 276 |
| ETS_08 | Total period time/typical day smoking pipe | 277 |
| ETS_09 | Often exposed to second-hand smoke inside home - past month | 277 |
| ETS_14 | Exposed to second-hand smoke - private vehicle | 278 |
| ETS_16 | Exposed to second-hand smoke - place of work | 278 |
| ETS_20 | Exposed to second-hand smoke - inside someone else's home | 278 |
| ETS_21 | Exposed to second-hand smoke - indoors, in public places | 279 |
| ETS_22 | Exposed to second-hand smoke - outdoors, in public places | 279 |
| ETS_23 | Exposed to second-hand smoke - anywhere else | 280 |
| ETS_24 | Often exposed to second-hand smoke excluding own home - past month | 280 |
| FMH_11 | Immediate family member ever diagnosed with heart disease | 63 |

FMH_12 Youngest age - immediate family diagnosed with heart disease ..... 64
FMH_13 Immediate family member ever had stroke ..... 64
FMH_14 Youngest age - immediate family member had stroke ..... 65
FMH_15 Immediate family member ever had high blood pressure ..... 65
FMH_16 Youngest age - immediate family member - high blood pressure ..... 65
FMH_17 Immediate family member had arthritis ..... 66
FMH_18 Youngest age - immediate family member - arthritis ..... 66
FMH_19 Immediate family had diabetes ..... 67
FMH_21 Type of diabetes ..... 67
FMH_22 Youngest age - immediate family member - diabetes ..... 68
FMH_23 Immediate family had asthma ..... 68
FMH_24 Parents diagnosed with asthma ..... 69
GENDHDI Self-rated health - (D) ..... 36
GENDMHI Self-rated mental health - (D) ..... 36
GEN_11 Self-perceived health ..... 31
GEN_12 Self-perceived health compared to one year ago ..... 32
GEN_13A Satisfied with life right now ..... 32
GEN_14 Self-perceived mental health ..... 32
GEN_15 Self-perceived stress ..... 33
GEN_16 Worked at job or business ..... 33
GEN_17 Self-perceived work stress ..... 34
GEN_18 Sense of belonging to local community ..... 34
GEN_19 Self-perceived quality of life ..... 35
GEN_20 Family doctor ..... 35
GFVD11Y Eats hot or cold cereal - times per year - (D) ..... 102
GFVD12Y Eats whole grain bread - times per year - (D) ..... 103
GFVD13Y Eats white bread - times per year - (D) ..... 105
GFVD14Y Eats any kind of pasta - times per year - (D) ..... 106
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) ..... 107
GFVD17AY Eats citrus fruit - times per year - (D) ..... 108
GFVD17BY Eats strawberries - times per summer - (D) ..... 109
GFVD17CY Eats strawberries - times per year, excluding summer (D) ..... 110
GFVD17DY Eats other types of fruit - times per year - (D) ..... 111
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) ..... 113
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) ..... 114
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) ..... 115
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) ..... 116
GFVD22Y Eats other potatoes - times per year - (D) ..... 117
GFVD23Y Eats all other types of vegetables - times per year - (D) ..... 118
GFVD24Y Eats flax seeds - times per year - (D) ..... 119
GFV_11 Eats hot or cold cereal - number of times ..... 102
GFV_11N Eats hot or cold cereal - reporting period ..... 102
GFV_12 Eats whole grain bread - number of times ..... 103
GFV_12N Eats whole grain bread - reporting period ..... 103
GFV_13 Eats white bread - number of times ..... 104
GFV_13N Eats white bread - reporting period ..... 104
GFV_14 Eats pasta - number of times ..... 105
GFV_14N Eats pasta - reporting period ..... 105
GFV_16 Eats instant, seasoned or wild rice - number of times ..... 106
GFV_16N Eats instant, seasoned or wild rice - reporting period ..... 106
GFV_17A Eats citrus fruit - number of times ..... 107
GFV_17AN Eats citrus fruit - reporting period ..... 108
GFV_17B Eats strawberries in the summer - number of times ..... 108
GFV_17BN Eats strawberries in the summer - reporting period ..... 109
GFV_17C Eats strawberries during the rest of the year - number of times ..... 110
GFV_17CN Eats strawberries rest of the year - reporting period ..... 110
GFV_17D Eats other types of fruit - number of times ..... 111
GFV_17DN Eats other types of fruit - reporting period ..... 111
GFV_18 Eats tomatoes or tomato sauce - number of times ..... 112
GFV_18N Eats tomatoes or tomato sauce - reporting period ..... 112
GFV_19 Eats lettuce or green leafy salad - number of times ..... 113
GFV_19N Eats lettuce or green leafy salad - reporting period ..... 113
GFV_20 Eats spinach, mustard greens or cabbage - number of times ..... 114

| | | |
|---|---|---|
| GFV_20N | Eats spinach, mustard greens or cabbage - reporting period | 114 |
| GFV_21 | Eats french/home fries or hash brown potatoes - number times | 115 |
| GFV_21N | Eats french/home fries or hash brown potatoes - reporting period | 116 |
| GFV_22 | Eats other potatoes - number of times | 116 |
| GFV_22N | Eats other potatoes - reporting period | 117 |
| GFV_23 | Eats all other types of vegetables - number of times | 117 |
| GFV_23N | Eats all other types of vegetables - reporting period | 118 |
| GFV_24 | Eats flax seeds, whole or ground - number of times | 119 |
| GFV_24N | Eats flax seeds, whole or ground - reporting period | 119 |
| HEP_12 | Ever received complete series of hepatitis B vaccines | 70 |
| HEP_13 | Received blood transfusion in Canada before 1990 | 70 |
| HOBD12Y | Arts - times per year - (D) | 228 |
| HOBD13Y | Pottery and ceramics using a kiln - times per year - (D) | 230 |
| HOBD14Y | Model making - times per year - (D) | 231 |
| HOBD15Y | Making fishing sinkers or weights - times per year - (D) | 233 |
| HOBD16Y | Welding/soldering - times per year - (D) | 235 |
| HOBD17Y | Auto repairs - times per year - (D) | 236 |
| HOBD18Y | Electronics assembly, repairs of components - times per year - (D) | 238 |
| HOBD19Y | Plumbing - times per year - (D) | 239 |
| HOBD20Y | Refinishing furniture - times per year - (D) | 241 |
| HOBD21Y | Woodworking - times per year - (D) | 242 |
| HOB_11A | Leisure activity / last 3 months - arts | 223 |
| HOB_11B | Leisure activity / last 3 months - pottery | 223 |
| HOB_11C | Leisure activity / last 3 months - model making | 223 |
| HOB_11D | Leisure activity / last 3 months - making fishing sinkers | 224 |
| HOB_11E | Leisure activity / last 3 months - welding/soldering | 224 |
| HOB_11F | Leisure activity / last 3 months - auto repairs | 225 |
| HOB_11G | Leisure activity / last 3 months - electronics assembly | 225 |
| HOB_11H | Leisure activity / last 3 months - plumbing | 225 |
| HOB_11I | Leisure activity / last 3 months - refinishing furniture | 226 |
| HOB_11J | Leisure activity / last 3 months - woodworking | 226 |
| HOB_11K | Leisure activity / last 3 months - none | 227 |
| HOB_12 | Arts - number of times | 227 |
| HOB_12N | Arts - reporting period | 227 |
| HOB_12T | Arts - time spent each occasion | 228 |
| HOB_13 | Pottery - number of times | 229 |
| HOB_13N | Pottery - reporting period | 229 |
| HOB_13T | Pottery - time spent each occasion | 229 |
| HOB_14 | Model making - number of times | 230 |
| HOB_14N | Model making - reporting period | 231 |
| HOB_14T | Model making - time spent each occasion | 231 |
| HOB_15 | Making fishing sinkers - number of times | 232 |
| HOB_15N | Making fishing sinkers - reporting period | 232 |
| HOB_15T | Making fishing sinkers - time spent each occasion | 233 |
| HOB_16 | Welding/soldering - number of times | 233 |
| HOB_16N | Welding/soldering - reporting period | 234 |
| HOB_16T | Welding/soldering - time spent each occasion | 234 |
| HOB_17 | Auto repairs - number of times | 235 |
| HOB_17N | Auto repairs - reporting period | 235 |
| HOB_17T | Auto repairs - time spent each occasion | 236 |
| HOB_18 | Electronics - number of times | 236 |
| HOB_18N | Electronics - reporting period | 237 |
| HOB_18T | Electronics - time spent each occasion | 237 |
| HOB_19 | Plumbing - number of times | 238 |
| HOB_19N | Plumbing - reporting period | 238 |
| HOB_19T | Plumbing - time spent each occasion | 239 |
| HOB_20 | Refinishing furniture - number of times | 240 |
| HOB_20N | Refinishing furniture - reporting period | 240 |
| HOB_20T | Refinishing furniture - time spent each occasion | 240 |
| HOB_21 | Woodworking - number of times | 241 |
| HOB_21N | Woodworking - reporting period | 242 |
| HOB_21T | Woodworking - time spent each occasion | 242 |
| HWTDBMI | Body Mass Index / self-reported - (D) | 75 |

| | | |
|---|---|---|
| HWTDBMIA | BMI norms, 18 or older / self-reported - (D) | 75 |
| HWTDBMIK | BMI norms, 3 to 17 years old / self-reported - (D) | 76 |
| HWTDCM | Height (centimetres) / self-reported - (D) | 73 |
| HWTDCOL | BMI classification (3 to 18 years) / self-reported - Cole system - (D) | 76 |
| HWTDHTM | Height (metres) / self-reported - (D) | 74 |
| HWTDIN | Height (inches) / self-reported - (D) | 74 |
| HWTDKG | Weight (kilograms) / self-reported - (D) | 74 |
| HWTDLB | Weight (pounds) / self-reported - (D) | 75 |
| HWTDWHOK | BMI classification (5 to 18 years old) / self-reported - WHO - (D) | 77 |
| HWTDWHOP | BMI classification (3 to 5 years old) / self-reported - WHO - (D) | 77 |
| HWT_1A | Height - feet / self-reported | 71 |
| HWT_1B | Height - inches / self-reported | 71 |
| HWT_1C | Height - centimetres / self-reported | 72 |
| HWT_1N | Height - unit of measure in feet and inches, in cm / self-reported | 71 |
| HWT_3 | Weight / self-reported | 72 |
| HWT_3N | Weight - unit of measure in pounds or kilograms / self-reported | 73 |
| HWT_4 | Respondent's opinion of own weight / self-reported | 73 |
| IDU_11 | Used or tried marijuana, cannabis or hashish | 262 |
| IDU_21 | Used or tried prescription drugs for the feeling | 262 |
| IDU_22 | Used or tried other drugs (cocaine, speed) | 263 |
| IDU_32 | Injected with drugs for the experience/feeling | 263 |
| IDU_33 | Other than by injection, used other drugs for the feeling | 264 |
| IMMCCB | Country of birth - (C) | 325 |
| IMMDAAC | Age when first came to live in Canada - (D) | 317 |
| IMMDALI | Age at time of landed immigration - (D) | 316 |
| IMMDLAC | Length of time since first came to live in Canada - (D) | 316 |
| IMMDLLI | Length of time since became a landed immigrant - (D) | 315 |
| IMMGCB | Country of birth - (G) | 325 |
| IMM_02 | Province/territory of birth | 314 |
| IMM_03 | Landed immigrant | 314 |
| IMM_04 | Year first became landed immigrant in Canada | 315 |
| IMM_05 | Year first came to Canada to live | 315 |
| LAEC02A | Language - knowledge of non-offical language - 1st | 326 |
| LAEC02B | Language - knowledge of non-offical language - 2nd | 326 |
| LAEC02C | Language - knowledge of non-offical language - 3rd | 327 |
| LAEC03A | Language - home language spoken most often - 1st | 327 |
| LAEC03B | Language - home language spoken most often - 2 nd | 328 |
| LAEC03C | Language - home language spoken most often - 3 rd | 328 |
| LAEC06A | Language - mother tongue - 1st | 328 |
| LAEC06B | Language - mother tongue - 2nd | 329 |
| LAEC06C | Language - mother tongue - 3rd | 329 |
| LAEDCON | Languages - can converse - (D) | 329 |
| LAEDFL1 | First language learned and still understood - (D) | 330 |
| LAEDSPH | Language(s) spoken most often at home - (D) | 330 |
| LAE_01 | Language - knowledge of official languages | 326 |
| LAFCIC12 | North American Industry Classification System (NAICS) 2012 | 312 |
| LAFCOC11 | National Occupational Classification - Statistics (NOC-S) 2011 | 313 |
| LAFDJST | Job status - previous 12 months - (D) | 311 |
| LAFDWSL | Working status last week (6 groups) - (D) | 311 |
| LAFDWSS | Working status last week (4 groups) - (D) | 312 |
| LAFGO11A | Variant of NOC for highly aggregated data - (G) | 313 |
| LAFGO11S | Variant for analysis by NOC skill level - (G) | 313 |
| LFH_16 | Job - number of hours worked per week | 310 |
| LFY_01 | Job - had a job/business in the past 12 months | 309 |
| LFY_02 | Job - tried to find work in the past 12 months | 310 |
| LMA2_04 | Job - last 4 weeks tried to find work | 307 |
| LMA2_05 | Job - last week had job with start date | 307 |
| LMA2_06 | Job - start date | 308 |
| LMA2_07 | Job - wanted job with more or less 30 hours per week | 308 |
| LMA2_08 | Job - could have worked last week if offered | 309 |
| LMA2_09 | Job - main reason not available to work last week | 309 |
| LMA3_10 | Job - were you employee/self-employed | 310 |
| LMAM_01 | Job - last week had a job or business | 305 |

LMAM_02 Job - had a job/ business last week but was absent ..... 306
LMAM_03 Job - main reason absent work last week ..... 306
MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) ..... 88
MDCD02Y Drinks/uses omega-3 milk substitutes - times per year - (D) ..... 89
MDCD04Y Drinks or uses milk or flavoured milk - times per year - (D) ..... 91
MDCD05Y Drinks or uses omega-3 enriched milk - times per year - (D) ..... 93
MDCD13BY Eats processed cheese - times per year - (D) ..... 98
MDCD13CY Eats other types of cheese - times per year - (D) ..... 99
MDCD13Y Eats cottage cheese - times per year - (D) ..... 97
MDCD14Y Eats yogurt - times per year - (D) ..... 100
MDCD15Y Eats ice cream or frozen yogurt - times per year - (D) ..... 101
MDC_01 Drinks/uses enriched milk substitutes - number of times ..... 87
MDC_01N Drinks/uses enriched milk substitutes - reporting period ..... 87
MDC_02 Drinks/uses omega-3 enriched milk substitutes - number of times ..... 88
MDC_02N Drinks/uses omega-3 enriched milk substitutes - reporting period ..... 88
MDC_03A Drinks/uses enriched milk substitutes - rice ..... 89
MDC_03B Drinks/uses enriched milk substitutes - soya ..... 89
MDC_03C Drinks/uses enriched milk substitutes - almond ..... 90
MDC_03D Drinks/uses enriched milk substitutes - other (enriched) ..... 90
MDC_04 Drinks/uses milk/flavoured milk - number of times ..... 91
MDC_04N Drinks/uses milk/flavoured milk - reporting period ..... 91
MDC_05 Drinks/uses omega-3 enriched milk - number of times ..... 92
MDC_05N Drinks/uses omega-3 enriched milk - reporting period ..... 92
MDC_12A Type of milk used - 3.25% ..... 93
MDC_12B Type of milk used - 2% ..... 93
MDC_12C Type of milk used - 1% ..... 94
MDC_12D Type of milk used - 0.5% ..... 94
MDC_12E Type of milk used - skim or non-fat ..... 95
MDC_12F Type of milk used - flavoured milk beverages ..... 95
MDC_12G Type of milk used - other ..... 95
MDC_13 Eats cottage cheese - number of times ..... 96
MDC_13B Eats processed cheese - number of times ..... 97
MDC_13BN Eats processed cheese - reporting period ..... 97
MDC_13C Eats other type of cheese - number of times ..... 98
MDC_13CN Eats other type of cheese - reporting period ..... 99
MDC_13N Eats cottage cheese - reporting period ..... 96
MDC_14 Eats yogurt - number of times ..... 99
MDC_14N Eats yogurt - reporting period ..... 100
MDC_15 Eats ice cream or frozen yogurt - number of times ..... 100
MDC_15N Eats ice cream or frozen yogurt - reporting period ..... 101
MFCD11Y Eats red meat - times per year - (D) ..... 78
MFCD12Y Eats liver - times per year - (D) ..... 80
MFCD14Y Eats beef or pork hot dogs - times per year - (D) ..... 81
MFCD15Y Eats sausage or bacon - times per year - (D) ..... 82
MFCD19AY Eats eggs/egg dishes - times per year - (D) ..... 83
MFCD19BY Eats eggs omega-3 enriched - times per year - (D) ..... 84
MFCD20Y Eats cooked dried beans - times per year - (D) ..... 85
MFCD21Y Eats nuts - times per year - (D) ..... 86
MFC_11 Eats red meat - number of times ..... 78
MFC_11N Eats red meat - reporting period ..... 78
MFC_12 Eats liver - number of times ..... 79
MFC_12N Eats liver - reporting period ..... 79
MFC_14 Eats beef or pork hot dogs - number of times ..... 80
MFC_14N Eats beef or pork hot dogs - reporting period ..... 80
MFC_15 Eats sausage or bacon - number of times ..... 81
MFC_15N Eats sausage or bacon - reporting period ..... 81
MFC_19A Eats eggs/egg dishes - number of times ..... 82
MFC_19AN Eats eggs/egg dishes - reporting period ..... 83
MFC_19B Eats egg made with omega-3 enriched - number of times ..... 83
MFC_19BN Eats eggs omega-3 enriched - reporting period ..... 84
MFC_20 Eats cooked dried beans - number of times ..... 84
MFC_20N Eats cooked dried beans - reporting period ..... 85
MFC_21 Eats nuts - number of times ..... 86

MFC_21N Eats nuts - reporting period ..... 86
PAADOTH Total minutes of other physical activities per week - (D) ..... 158
PAADREC Total minutes of recreational physical activity per week - (D) ..... 153
PAADTOT Total minutes of physical activity from all domains per week - (D) ..... 159
PAADTRVL Total minutes of active transportation per week - (D) ..... 148
PAADVIG Total minutes of vigorous intensity physical activities per week - (D) ..... 160
PAA_005 Active ways to get to places during the last week ..... 144
PAA_010A Active ways to get to places- Monday ..... 145
PAA_010B Active ways to get to places- Tuesday ..... 145
PAA_010C Active ways to get to places - Wednesday ..... 145
PAA_010D Active ways to get to places - Thursday ..... 146
PAA_010E Active ways to get to places - Friday ..... 146
PAA_010F Active ways to get to places - Saturday ..... 147
PAA_010G Active ways to get to places - Sunday ..... 147
PAA_015 Time spent on active ways to get to places last week - hours ..... 147
PAA_020N Time spent on active ways to get to places last week - minutes ..... 148
PAA_030 Recreational physical activities- last week ..... 149
PAA_035 Recreational physical activities - sweat and breathe harder ..... 149
PAA_040A Recreational physical activities - sweat and breathe harder - Monday ..... 149
PAA_040B Recreational physical activities - sweat and breathe harder - Tuesday ..... 150
PAA_040C Recreational physical activities - sweat and breathe harder - Wed. ..... 150
PAA_040D Recreational physical activities - sweat and breathe harder - Thursday ..... 151
PAA_040E Recreational physical activities - sweat and breathe harder - Friday ..... 151
PAA_040F Recreational physical activities - sweat and breathe harder - Saturday ..... 152
PAA_040G Recreational physical activities - sweat and breathe harder - Sunday ..... 152
PAA_045 Time spent on recreational physical activities - hours ..... 152
PAA_050N Time spent on recreational physical activities - minutes ..... 153
PAA_060 Other physical activities - last week ..... 154
PAA_065 Other physical activities - sweat and breathe harder ..... 154
PAA_070A Other physical activities - sweat and breathe harder - Monday ..... 155
PAA_070B Other physical activities - sweat and breathe harder - Tuesday ..... 155
PAA_070C Other physical activities - sweat and breathe harder - Wednesday ..... 155
PAA_070D Other physical activities - sweat and breathe harder - Thursday ..... 156
PAA_070E Other physical activities - sweat and breathe harder - Friday ..... 156
PAA_070F Other physical activities - sweat and breathe harder - Saturday ..... 157
PAA_070G Other physical activities - sweat and breathe harder - Sunday ..... 157
PAA_075 Time spent on other physical activities - hours ..... 157
PAA_080N Time spent on other physical activities - minutes ..... 158
PAA_095 Vigorous intensity physical activities ..... 159
PAA_100 Vigorous intensity physical activities - hours ..... 159
PAA_105N Vigorous intensity physical activities - minutes ..... 160
PAYDOTH Total minutes of other physical activities per week - (D) ..... 198
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) ..... 196
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) ..... 196
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) ..... 196
PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) ..... 197
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) ..... 197
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) ..... 197
PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) ..... 198
PAYDREC Total minutes of recreational physical activity per week - (D) ..... 189
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) ..... 186
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) ..... 187
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) ..... 187
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) ..... 187
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) ..... 188
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) ..... 188
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) ..... 188
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) ..... 178
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) ..... 178
PAYDSCH4 Time of physical activity at school/day camp (min.) - Wednesday - (D) ..... 178
PAYDSCH5 Time of physical activity at school/day camp (min.) - Thursday - (D) ..... 179
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) ..... 179
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) ..... 179

PAYDTOT Total minutes of physical activity from all domains per week - (D) ..... 199
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) ..... 168
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) ..... 169
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) ..... 169
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) ..... 169
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) ..... 170
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) ..... 170
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) ..... 170
PAYDTRVL Total minutes of active transportation per week - (D) ..... 171
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) ..... 203
PAY_05A Attend school - Last week ..... 161
PAY_05B Attend a day camp - Last week ..... 161
PAY_05C Attend paid or unpaid work - Last week ..... 161
PAY_05D None of the above - Last week ..... 162
PAY_10 Active ways to get to places during the last week ..... 162
PAY_100 Vigorous intensity physical activities - last week - hours ..... 202
PAY_105N Vigorous intensity physical activities - last week - minutes ..... 203
PAY_15A Time spent on active ways to get to places - [Sunday] - hours ..... 163
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes ..... 166
PAY_15B Time spent on active ways to get to places - [Monday] - hours ..... 163
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes ..... 166
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours ..... 163
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes ..... 166
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours ..... 164
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes ..... 167
PAY_15E Time spent on active ways to get to places - [Thursday] - hours ..... 164
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes ..... 167
PAY_15F Time spent on active ways to get to places - [Friday] - hours ..... 165
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes ..... 167
PAY_15G Time spent on active ways to get to places - [Saturday] - hours ..... 165
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes ..... 168
PAY_25 Physical activities at school/day camp - last week ..... 171
PAY_30 Physical activities at school/day camp - sweat and breathe harder ..... 172
PAY_35A Activities school/day camp - sweat/breathe harder - [Sun.] - hours ..... 172
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sun.] - minutes ..... 175
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours ..... 172
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes ..... 175
PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours ..... 173
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes ..... 176
PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours ..... 173
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes ..... 176
PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours ..... 174
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes ..... 176
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours ..... 174
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes ..... 177
PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours ..... 174
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes ..... 177
PAY_45 Physical activities in leisure time ..... 180
PAY_50 Physical activities in leisure time - sweat and breathe harder ..... 180
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours ..... 181
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes ..... 184
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours ..... 181
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes ..... 184
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours ..... 182
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes ..... 184
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours ..... 182
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes ..... 185
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours ..... 182
PAY_55EN Leisure-time activities- sweat/breathe harder - [Thursday] - minutes ..... 185
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours ..... 183
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes ..... 185
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours ..... 183
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes ..... 186

| | | |
|---|---|---|
| PAY_65 | Other physical activities - last week | 189 |
| PAY_70 | Other physical activities - sweat and breathe harder | 190 |
| PAY_75A | Other physical act. - sweat and breathe harder - [Sunday] - hours | 190 |
| PAY_75AN | Other physical act. - sweat and breathe harder - [Sunday] - minutes | 193 |
| PAY_75B | Other physical act. - sweat and breathe harder - [Monday] - hours | 190 |
| PAY_75BN | Other physical act. - sweat and breathe harder - [Monday] - minutes | 193 |
| PAY_75C | Other physical act.- sweat and breathe harder - [Tuesday] - hours | 191 |
| PAY_75CN | Other physical act. - sweat and breath harder - [Tuesday] - minutes | 194 |
| PAY_75D | Other physical act. - sweat and breathe harder - [Wednesday] - hours | 191 |
| PAY_75DN | Other physical act. - sweat and breathe harder - [Wednesday] - minutes | 194 |
| PAY_75E | Other physical act. - sweat and breathe harder - [Thursday] - hours | 192 |
| PAY_75EN | Other physical act. - sweat and breathe harder - [Thursday] - minutes | 194 |
| PAY_75F | Other physical act. - sweat and breathe harder - [Friday] - hours | 192 |
| PAY_75FN | Other physical act. - sweat and breathe harder - [Friday] - minutes | 195 |
| PAY_75G | Other physical act. - sweat and breathe harder - [Saturday] - hours | 192 |
| PAY_75GN | Other physical act. - sweat and breathe harder - [Saturday] - minutes | 195 |
| PAY_90 | Vigorous intensity physical activities | 199 |
| PAY_95A | Vigorous intensity physical activities - Monday | 199 |
| PAY_95B | Vigorous intensity physical activities - Tuesday | 200 |
| PAY_95C | Vigorous intensity physical activities - Wednesday | 200 |
| PAY_95D | Vigorous intensity physical activities - Thursday | 201 |
| PAY_95E | Vigorous intensity physical activities - Friday | 201 |
| PAY_95F | Vigorous intensity physical activities - Saturday | 201 |
| PAY_95G | Vigorous intensity physical activities - Sunday | 202 |
| PGDCGT | Cultural or racial group - (D) | 324 |
| PG_01A | Population group - White | 319 |
| PG_01B | Population group - South Asian | 319 |
| PG_01C | Population group - Chinese | 320 |
| PG_01D | Population group - Black | 320 |
| PG_01E | Population group - Filipino | 321 |
| PG_01F | Population group - Latin American | 321 |
| PG_01G | Population group - Arab | 321 |
| PG_01H | Population group - Southeast Asian | 322 |
| PG_01I | Population group - West Asian | 322 |
| PG_01J | Population group - Korean | 323 |
| PG_01K | Population group - Japanese | 323 |
| PG_01L | Population group - Other | 324 |
| PLM_11 | Cough with phlegm - 3 months or more / past year | 69 |
| PLM_12 | Cough with phlegm - 3 months or more / year before past year | 69 |
| PPID03 | Relationship of proxy respondent to selected respondent - (D) | 19 |
| PPI_02 | Person providing health component information - parent/guardian | 19 |
| PPI_03 | Person providing health component information - biological parent | 19 |
| PRG_11 | Smoked during pregnancy | 280 |
| PRG_12 | Number of cigarettes/day | 281 |
| PRG_13A | Stage of pregnancy - first trimester | 281 |
| PRG_13B | Stage of pregnancy - second trimester | 282 |
| PRG_13C | Stage of pregnancy - third trimester | 282 |
| PRG_13D | Stage of pregnancy - throughout | 283 |
| PROXY | Health component completed by proxy | 18 |
| PRS_11 | Pregnant | 36 |
| SACDRCA | Sedentary activity excluding reading (hours/week) - categorical (D) | 222 |
| SACDRCO | Sedentary activity excluding reading (hours per week) - continuous (D) | 222 |
| SACDTOT | Sedentary activity (hours per week) - categorical (D) | 221 |
| SACDTOTX | Sedentary activity (hours per week) - continuous (D) | 221 |
| SAC_11 | Number of hours per week - on a computer - past 3 months | 219 |
| SAC_12A | Number of hours per week - play video games - past 3 months | 219 |
| SAC_12B | Number of hours per week - other types of games - past 3 months | 220 |
| SAC_13 | Number of hours per week - television/DVD/videos - past 3 months | 220 |
| SAC_14 | Number of hours per week - reading - past 3 months | 220 |
| SDQDCON | Conduct Problems - (D) | 300 |
| SDQDEMO | Emotional Problems - (D) | 300 |
| SDQDHYP | Hyperactivity/Inattention - (D) | 301 |
| SDQDPRO | Prosocial Behaviour - (D) | 301 |

| | | |
|---|---|---|
| SDQDPRP | Peer Relationship Problems - (D) | 302 |
| SDQDTOT | Total Difficulties Score - (D) | 302 |
| SDQGCON | Conduct Problems - (D, G) | 303 |
| SDQGEMO | Emotional Problems - (D, G) | 303 |
| SDQGHYP | Hyperactivity/Inattention - (D, G) | 304 |
| SDQGPRO | Prosocial Behaviour - (D, G) | 304 |
| SDQGPRP | Peer Relationship Problems - (D, G) | 305 |
| SDQGTOT | Total Difficulties Score - (D, G) | 305 |
| SDQ_11 | Considerate of other people's feelings | 289 |
| SDQ_12 | Restless, overactive, cannot stay still for long | 289 |
| SDQ_13 | Complains of headaches, stomach aches or sickness | 290 |
| SDQ_14 | Shares readily with other children | 290 |
| SDQ_15 | Loses temper | 291 |
| SDQ_16 | Solitary, would rather be alone | 291 |
| SDQ_17 | Well behaved, usually does what adults request | 291 |
| SDQ_18 | Many worries | 292 |
| SDQ_19 | Helpful if someone is hurt, upset or feeling ill | 292 |
| SDQ_20 | Constantly fidgeting or squirming | 293 |
| SDQ_21 | At least one good friend | 293 |
| SDQ_22 | Fights with other children/youth or bullies them | 294 |
| SDQ_23 | Often unhappy, depressed or tearful | 294 |
| SDQ_24 | Generally liked by other children/youth | 295 |
| SDQ_25 | Easily distracted, concentration wanders | 295 |
| SDQ_26 | Nervous/clingy in new situations, easily loses confidence | 295 |
| SDQ_27 | Kind to younger children | 296 |
| SDQ_28 | Often lies or cheats | 296 |
| SDQ_29 | Picked on or bullied by other children/youth | 297 |
| SDQ_30 | Often offers to help others | 297 |
| SDQ_31 | Thinks things out before acting | 298 |
| SDQ_32 | Steals from home, school or elsewhere | 298 |
| SDQ_33 | Gets along better with adults than with other children/youth | 299 |
| SDQ_34 | Has many fears, is easily scared | 299 |
| SDQ_35 | Has a good attention span, sees chores or homework through | 300 |
| SITE | Collection site | 17 |
| SLP_11 | Hours spent sleeping in 24 hour period | 243 |
| SLP_12 | Frequency - trouble sleeping | 243 |
| SLP_13 | Duration - trouble sleeping | 244 |
| SLP_14 | Frequency - sleep refreshing | 244 |
| SLP_15 | Duration - sleep not refreshing | 245 |
| SLP_16 | Frequency - difficulty staying awake during waking hours | 245 |
| SLP_17 | Duration - difficulty staying awake | 245 |
| SLT_11 | Salt added to food | 143 |
| SLT_12 | Type of salt usually used | 143 |
| SLT_13 | Often ordinary table salt added cooking/preparation of foods | 144 |
| SMKDAQD | Age stopped smoking daily - (D) | 253 |
| SMKDAQS | Age stopped smoking completely - (D) | 253 |
| SMKDASD | Age started smoking daily - (D) | 254 |
| SMKDNSD | Number of cigs smoked daily - (D) | 254 |
| SMKDSTP | Number of years since stopping smoking completely - (D) | 252 |
| SMKDSTY | Type of smoker - (D) | 252 |
| SMKDYFS | Number of years smoked daily (former daily smokers) - (D) | 253 |
| SMK_11 | Smoked 100 or more cigarettes - lifetime | 246 |
| SMK_12 | Type of smoker | 246 |
| SMK_21 | Age - smoked first whole cigarette | 247 |
| SMK_21A | Smoked at least 1 cigarette a month | 247 |
| SMK_22 | Age - started smoking at least 1 cigarette/month | 247 |
| SMK_23 | Number days/typical month smoked at least 1 cigarette | 248 |
| SMK_24 | Number of cigarettes smoked per day at age started smoking | 248 |
| SMK_31 | Number of cigarettes smoked per day (daily smoker) | 249 |
| SMK_41 | Number of cigarettes smoked per day (occasional smoker) | 249 |
| SMK_42 | Number days/past month - smoked 1 cig or more (occasional) | 249 |
| SMK_51 | Ever smoked cigarettes daily | 250 |
| SMK_52 | Age started smoking daily | 250 |

| | | |
|---|---|---|
| SMK_53 | Number of cigarettes usually smoked per day | 251 |
| SMK_54 | Age stopped smoking cigarettes daily/completely | 251 |
| SMK_60 | Smoked cigars/pipe or used snuff/chewing tobacco - past month | 251 |
| SXB_11 | Ever had sexual intercourse | 264 |
| SXB_12 | Sexual intercourse - past 12 months | 264 |
| SXB_13 | Number of different partners - past 12 months | 265 |
| SXB_21 | Ever diagnosed with a sexually transmitted disease/infection | 265 |
| SXB_22A | Sexually transmitted disease/infection - HIV | 266 |
| SXB_22B | Sexually transmitted disease/infection - AIDS | 266 |
| SXB_22C | Sexually transmitted disease/infection - Chlamydia | 267 |
| SXB_22D | Sexually transmitted disease/infection - Genital Herpes | 267 |
| SXB_22E | Sexually transmitted disease/infection - Syphilis | 267 |
| SXB_22F | Sexually transmitted disease/infection - Gonorrhoea | 268 |
| SXB_22G | Sexually transmitted disease/infection - Genital Warts | 268 |
| SXB_22H | Sexually transmitted disease/infection - Venereal disease | 269 |
| SXB_22I | Sexually transmitted disease/infection - Hepatitis B | 269 |
| SXB_22J | Sexually transmitted disease/infection - other | 270 |
| SXB_23 | Use of condom / last time had sexual intercourse | 270 |
| SXB_24 | Usual use of condom | 270 |
| THID14 | Total household income - groups - (G) | 336 |
| THIFIMP4 | Total household income imputation flag - (F) | 336 |
| THI_01 | Total household income - amount | 335 |
| TPID14 | Total personal income - groups - (G) | 335 |
| TPI_01 | Total personal income - amount | 333 |
| TPI_02 | Total personal income - ranges - income lost to $30,000 | 333 |
| TPI_03 | Total personal income - ranges - less than $5,000 to $30, 000 | 334 |
| TPI_04 | Total personal income - ranges - $30,000 and over | 334 |
| TSO_01A | Attended daycare center during the past month | 208 |
| TSO_01B | Attended home-based daycare during the past month | 208 |
| TSO_01C | Attended nursery school or preschool during the past month | 209 |
| TSO_01D | Attended school during the past month | 209 |
| TSO_01E | Stayed at home during the past month | 209 |
| TSO_01F | Received any other type of childcare during the past month | 210 |
| TSO_02 | School grade | 210 |
| TSO_03 | Time spent outside before arriving at childcare - per day | 211 |
| TSO_04 | Time spent outside while at daycare center - per day | 211 |
| TSO_05 | Time spent outside while at home-based daycare - per day | 212 |
| TSO_06 | Time spent outside while at nursery/preschool - per day | 212 |
| TSO_07 | Time spent outside while at kindergarten - per day | 213 |
| TSO_08 | Time spent outside between child care and dinner - per day | 213 |
| TSO_09 | Time spent outside after dinner - per day | 214 |
| TSO_10 | Time spent outside on day child did not attend childcare | 214 |
| TSO_11 | Time spent outside - per day | 215 |
| TSO_21 | Attended school during the past month | 215 |
| TSO_22 | Time spent outside before school - per day | 216 |
| TSO_23 | Time spent outside while at school - per day | 216 |
| TSO_24 | Time spent outside between school and dinner - per day | 216 |
| TSO_25 | Time spent outside after dinner - per day | 217 |
| TSO_26 | Time spent outside on non-school days - per day | 217 |
| TSO_27 | Time spent outside on weekdays - per day | 218 |
| TSO_28 | Time spent outside on weekends - per day | 218 |
| WGT_FULL | Full sample weight | 337 |
| WSDD30Y | Drinks diet soft drinks - times per year - (D) | 125 |
| WSDD31Y | Drinks regular soft drinks - times per year - (D) | 126 |
| WSDD32Y | Drinks sport drinks - times per year - (D) | 127 |
| WSDD33Y | Drinks vitamin-added water - times per year - (D) | 128 |
| WSDD34Y | Drinks orange or grapefruit juice - times per year - (D) | 130 |
| WSDD35Y | Drinks other 100% fruit juices - times per year - (D) | 131 |
| WSDD36Y | Drinks juice with calcium and vitamin D - times per year - (D) | 132 |
| WSDD37Y | Drinks fruit flavoured drinks - times per year - (D) | 133 |
| WSDD38Y | Drinks vegetable juices - times per year - (D) | 134 |
| WSDD39Y | Drinks water at home - number of cups per year - (D) | 135 |
| WSDD41Y | Drinks water away from home - number of cups per year - (D) | 137 |

WSDDTWY Drinks water (anywhere) - number of cups per year - (D) ..... 143
WSD_30 Drinks diet soft drinks - number of times ..... 124
WSD_30N Drinks diet soft drinks - reporting period ..... 125
WSD_31 Drinks regular soft drinks - number of times ..... 125
WSD_31N Drinks regular soft drinks - reporting period ..... 126
WSD_32 Drinks sport drinks - number of times ..... 126
WSD_32N Drinks sport drinks - reporting period ..... 127
WSD_33 Drinks vitamin-added water - number of times ..... 128
WSD_33N Drinks vitamin-added water - reporting period ..... 128
WSD_34 Drinks orange or grapefruit juice - number of times ..... 129
WSD_34N Drinks orange ou grapefruit juice - reporting period ..... 129
WSD_35 Drinks other 100% fruit juices - number of times ..... 130
WSD_35N Drinks other 100% fruit juices - reporting period ..... 130
WSD_36 Drinks juice with calcium and vitamin D added - number of times ..... 131
WSD_36N Drinks juice with calcium and vitamin D added - reporting period ..... 131
WSD_37 Drinks fruit-flavoured drinks - number of times ..... 132
WSD_37N Drinks fruit-flavoured drinks - reporting period ..... 133
WSD_38 Drinks vegetable juices - number of times ..... 133
WSD_38N Drinks vegetable juices - reporting period ..... 134
WSD_39 Drinks water at home - number of cups ..... 135
WSD_39N Drinks water at home - reporting period ..... 135
WSD_40 Primary source of drinking water - home ..... 136
WSD_41 Drinks water away from home - number of cups ..... 136
WSD_41N Amount drinks water away from home - reporting period ..... 137
WSD_42 Primary source of drinking water - away from home ..... 137
WSD_43 Source of tap water - home ..... 138
WSD_44A Home water treated using - filter ..... 138
WSD_44B Home water treated using - water softener ..... 139
WSD_44C Home water treated using - ultraviolet system ..... 139
WSD_44D Home water treated using - reverse osmosis ..... 140
WSD_44E Home water treated using - boiling ..... 140
WSD_44F Home water treated using - distilling ..... 141
WSD_44G Home water treated using - other ..... 141
WSD_44H Home water treated using - no treatment ..... 142
WSD_45 Water used for drinking or food treated with water softener ..... 142