Canadian Health Measures Survey

Cycle 5: Data Dictionary - Household (rounded)

October 2020

Statistics Canada Statistique Canada

Canada

Table of Contents

Variable	Position	Description	Page
INTRODUCTION			25
CLINICID	0001-0008	Clinic identifier of selected respondent	26
SITE	0009-0010	Collection site	26
C2_DAY	0011-0012	Day of household interview	26
C2_MTH	0013-0014	Month of household interview	27
C2_YEAR	0015-0018	Year of household interview	27
PROXY	0019-0019	Health component completed by proxy	27
PPI_02	0020-0020	Person providing health component information - parent/guardian	28
PPI_03	0021-0021	Person providing health component information - biological parent	28
PPID03	0022-0022	Relationship of proxy respondent to selected respondent - (D)	28
DHH_PRN	0023-0024	Province of residence of respondent	29
DHH_DOB	0025-0026	Day of birth	29
DHH_MOB	0027-0028	Month of birth	30
DHH_YOB	0029-0032	Year of birth	30
DHH_AGE	0033-0035	Age at household interview	30
DHH_SEX	0036-0036	Sex	31
EDC_01	0037-0037	Highest grade of elementary school completed	31
EDC_02	0038-0038	Graduated from high school (secondary school)	32
EDC_03	0039-0039	Received any other education	32
EDC_04	0040-0041	Highest degree, certificate or diploma obtained	32
EDUDR04	0042-0042	Highest level of education - respondent, 4 levels - (D)	33
EDUDR10	0043-0044	Highest level of education - respondent, 10 levels - (D)	33
EDUDH04	0045-0045	Highest level of education - household, 4 levels - (D)	34
EDUDH10	0046-0047	Highest level of education - household, 10 levels - (D)	34
DHH_OWN	0048-0048	Dwelling - own or rent	35
DHH_REP	0049-0049	Dwelling - in need of repairs	35
DHH_BED	0050-0051	Number of bedrooms in dwelling	36
DHH_MS	0052-0053	Marital status	36
DHHDLE5	0054-0055	Number of persons in household less than 6 years old - (D)	37
DHHD611	0056-0057	Number of persons 6 to 11 years old in household - (D)	37
DHHDL12	0058-0059	Number of persons in household less than 12 years old - (D)	37
DHHDYKD	0060-0061	Number of persons 15 years old or less in household - (D)	38
DHHDOKD	0062-0063	Number of persons 16 or 17 years old in household - (D)	38
DHHDHSZ	0064-0065	Household size - (D)	38
DHHDECF	0066-0067	Economic family status (household type) - (D)	39
DHHDLVG	0068-0069	Living arrangement of selected respondent - (D)	39
DHHDDWE	0070-0071	Type of dwelling - (D)	40
GEN_005	0072-0072	Self-perceived health	40
GEN_010	0073-0073	Self-perceived health compared to one year ago	41
GEN_015	0074-0075	Satisfied with life right now	41
GEN_020	0076-0076	Self-perceived mental health	42
GEN_025	0077-0077	Self-perceived stress	42
GEN_030	0078-0079	Main activity	43
GEN_035	0080-0080	Worked at job or business	43
GEN_040	0081-0081	Self-perceived work stress	44
GEN_045	0082-0082	Sense of belonging to local community	44
GEN_050	0083-0083	Self-perceived quality of life	45
GEN_055	0084-0084	Family doctor	45
GENDHDI	0085-0085	Self-rated health - (D)	46
GENDMHI	0086-0086	Self-rated mental health - (D)	46
HUI_005	0087-0087	Vision - read newsprint without glasses / contacts	46
HUI_010	0088-0088	Vision - read newsprint with glasses / contacts	47
HUI_015	0089-0089	Vision - able to see	47
HUI_020	0090-0090	Vision - recognize a friend without glasses / contacts	48
HUI_025	0091-0091	Vision - recognize a friend with glasses / contacts	48
HUI_030	0092-0092	Hearing - in group without hearing aid	48
HUI_035	0093-0093	Hearing - in group with hearing aid	49
HUI_040	0094-0094	Hearing - able to hear	49

HUI_045	0095-0095	Hearing - in quiet room without hearing aid	50
HUI_050	0096-0096	Hearing - in quiet room with hearing aid	50
HUI_055	0097-0097	Speech - completely understood by strangers	51
HUI_060	0098-0098	Speech - partially understood by strangers	51
HUI_065	0099-0099	Speech - completely understood by non-strangers	51
HUI_070	0100-0100	Speech - partially understood by non-strangers	52
HUI_075	0101-0101	Mobility - walk without difficulty and without support	52
HUI_080	0102-0102	Mobility - able to walk	53
HUI_085	0103-0103	Mobility - requires support to walk	53
HUI_090	0104-0104	Mobility - requires help of person to walk	53
HUI_095	0105-0105	Mobility - requires a wheelchair	54
HUI_100	0106-0106	Mobility - frequency of wheelchair use	54
HUI_105	0107-0107	Mobility - requires help to get around in wheelchair	54
HUI_110	0108-0108	Dexterity - able to grasp and handle small objects	55
HUI_115	0109-0109	Dexterity - requires help due to limitation in use of hands	55
HUI_120	0110-0110	Dexterity - requires help with tasks	56
HUI_125	0111-0111	Dexterity - requires special equipment / hand limitation	56
HUI_130	0112-0112	Emotion - self evaluation	56
HUI_135	0113-0113	Cognition - ability to remember things	57
HUI_140	0114-0114	Cognition - ability to think and solve problems	57
HUI_145	0115-0115	Usually free of pain or discomfort	58
HUI_150	0116-0116	Pain and discomfort - usual intensity	58
HUI_155	0117-0117	Pain and discomfort - number of activities prevented	58
HUIDCOG	0118-0119	Cognition problems - function code - (D)	59
HUIDDEX	0120-0121	Dexterity trouble - function code - (D)	59
HUIDEMO	0122-0122	Emotional problems - function code - (D)	60
HUIDHER	0123-0124	Hearing problems - function code - (D)	60
HUIDMOB	0125-0126	Mobility trouble - function code - (D)	61
HUIDPAD	0127-0127	Activities prevented by pain - function code - (D)	61
HUIDSPE	0128-0128	Speech trouble - function code - (D)	62
HUIDVIS	0129-0130	Vision trouble - function code - (D)	62
HUIDHSI	0131-0136	Health Utility Index (HUI3) - (D)	62
HUIDHSC	0137-0137	HUI score into 4 categories - no/mild/moderate/severe (D)	63
CCC_11	0138-0138	Has asthma	63
CCC_12	0139-0140	Asthma - age first diagnosed	64
CCC_13	0141-0141	Asthma - had symptoms or attacks	64
CCC_14	0142-0142	Has chronic bronchitis, emphysema or COPD	64
CCC_15	0143-0144	Chronic bronchitis, emphysema or COPD - age first diagnosed	65
CCC_21	0145-0145	Has fibromyalgia	65
CCC_22	0146-0146	Has arthritis	65
CCC_24	0147-0147	Has back problems excluding fibromyalgia and arthritis	66
CCC_25	0148-0148	Has osteoporosis	66
CCC_31	0149-0149	Has high blood pressure	67
CCC_32	0150-0150	Medication for high blood pressure - past month	67
CCC_33	0151-0151	Ever had blood cholesterol measured	67
CCC_34	0152-0152	Ever told blood cholesterol high	68
CCC_35	0153-0153	Has celiac disease	68
CCC_36	0154-0154	Has inflammatory bowel disease	69
CCC_51	0155-0155	Has diabetes	69
CCC_53	0156-0157	Diabetes - age first diagnosed	69
CCC_54	0158-0158	Diabetes - pregnant first diagnosed	70
CCC_55	0159-0159	Diabetes - other than pregnancy	70
CCC_56A	0160-0160	Diabetes - insulin dependant (Type 1)	71
CCC_56B	0161-0161	Diabetes - non-insulin dependant (Type 2)	71
CCC_57	0162-0163	Time after diabetes diagnosis to take insulin	71
CCC_58	0164-0164	Currently take insulin	72
CCC_59	0165-0165	Take pills to control blood sugar	72
CCC_61	0166-0166	Has heart disease	73
CCC_62	0167-0168	Heart disease - age first diagnosed	73
CCC_63	0169-0169	Ever had a heart attack	73
CCC_71	0170-0170	Has cancer	74
CCC_72	0171-0171	Ever had cancer	74
CCC_73	0172-0173	Cancer - age first diagnosed	75

CCC_74A	0174-0174	Type of cancer - breast	75
CCC_74B	0175-0175	Type of cancer - colorectal	75
CCC_74C	0176-0176	Type of cancer - skin (melanoma)	76
CCC_74D	0177-0177	Type of cancer - skin (non-melanoma)	76
CCC_74E	0178-0178	Type of cancer - ovarian	77
CCC_74F	0179-0179	Type of cancer - cervical	77
CCC_74G	0180-0180	Type of cancer - uterine	77
CCC_74H	0181-0181	Type of cancer - other	78
CCC_75A	0182-0182	Type of cancer - prostate	78
CCC_75B	0183-0183	Type of cancer - colorectal	78
CCC_75C	0184-0184	Type of cancer - skin (melanoma)	79
CCC_75D	0185-0185	Type of cancer - skin (non-melanoma)	79
CCC_75E	0186-0186	Type of cancer - other	80
CCC_81	0187-0187	Suffers from the effects of a stroke	80
CCC_82	0188-0188	Has a thyroid condition	80
CCC_83	0189-0189	Has a mood disorder	81
CCC_92	0190-0190	Has kidney dysfunction or disease	81
CCC_93	0191-0191	Has liver disease or gallbladder problems	82
CCC_94A	0192-0192	Liver disease or gallbladder problem - Hepatitis A	82
CCC_94B	0193-0193	Liver disease or gallbladder problem - Hepatitis B	82
CCC_94C	0194-0194	Liver disease or gallbladder problem - Hepatitis C	83
CCC_94D	0195-0195	Liver disease or gallbladder problem - Jaundice	83
CCC_94E	0196-0196	Liver disease or gallbladder problem - Cirrhosis	84
CCC_94F	0197-0197	Liver disease or gallbladder problem - Gallstones	84
CCC_94G	0198-0198	Liver disease or gallbladder problem - Other	84
CCC_95	0199-0199	Has hepatitis	85
CCC_96A	0200-0200	Type of hepatitis - A	85
CCC_96B	0201-0201	Type of hepatitis - B	86
CCC_96C	0202-0202	Type of hepatitis - C	86
CCC_101	0203-0203	Other long term physical or mental health condition	86
VIS_005	0204-0204	Visited an eye care professional - last 12 months	87
VIS_010	0205-0205	Type of eye care professional last visited	87
VIS_015	0206-0206	Ever had an eye examination	88
VIS_020	0207-0208	Most recent eye exam - done by	88
VIS_030	0209-0209	Ever had glaucoma	89
VIS_035	0210-0211	Age when first diagnosed - Glaucoma	89
VIS_040	0212-0212	Ever had diabetic retinopathy	89
VIS_045	0213-0214	Age when first diagnosed - Diabetic retinopathy	90
VIS_050	0215-0215	Ever had age-related macular degeneration (AMD)	90
VIS_055	0216-0217	Age when first diagnosed - Age-related macular degeneration (AMD)	91
VIS_060	0218-0218	Ever had cataracts	91
VIS_065	0219-0219	Which eye - Cataracts	91
VIS_070	0220-0221	Age when first diagnosed - Cataracts	92
VIS_075	0222-0222	Ever had cataract surgery	92
VIS_080	0223-0223	Which eye - Cataract surgery	92
VIS_085	0224-0224	Waiting for cataract surgery	93
SPA_005	0225-0225	Ever been referred to a sleep lab for overnight testing	93
SPA_010	0226-0226	Diagnosed with sleep apnea	94
SPA_015	0227-0227	Been prescribed a treatment for sleep apnea	94
SPA_020	0228-0228	Trouble going to sleep or staying asleep	94
SPA_025	0229-0229	Awakened suddenly with the feeling of gasping or choking	95
SPA_030	0230-0230	Usually snore	95
SPA_035	0231-0231	Volume of snoring	96
SPA_040	0232-0232	Stop breathing during sleep	96
SPA_045	0233-0233	Tired, fatigued, or sleepy during the daytime	97
SPA_050	0234-0235	Sleepiness during a typical day	97
SPADSCOR	0236-0237	Sleep apnea risk - score	98
SPADRISK	0238-0239	Sleep apnea risk - classification	98
PRS_11	0240-0240	Pregnant	98
MEN_005	0241-0241	Mentrual period - Last 12 months	99
MEN_010A	0242-0242	Have not had a period - Contraceptives	99
MEN_010B	0243-0243	Have not had a period - Medical procedure, medication or drugs	100
MEN_010C	0244-0244	Have not had a period - Pregnancy	100

MEN_010D	0245-0245	Have not had a period - Breastfeeding	100
MEN_010E	0246-0246	Have not had a period - Menopause	101
MEN_010F	0247-0247	Have not had a period - Stress, weight loss or excessive exercise	101
MEN_010G	0248-0248	Have not had a period - Removal of the uterus	102
MEN_010H	0249-0249	Have not had a period - Removal of ovaries	102
MEN_010I	0250-0250	Have not had a period - Physical complications	102
MEN_010J	0251-0251	Have not had a period - Other - Specify	103
MEN_015	0252-0252	Had both ovaries removed	103
MEN_020	0253-0253	Experienced symptoms of menopause	104
MEN_025	0254-0254	Beginning of menopause symptoms	104
FRH_05	0255-0255	Fallen (last 12 months)	104
FRH_10	0256-0257	Fallen - Number of times	105
FRH_15A	0258-0258	Cause of fall - Sports	105
FRH_15B	0259-0259	Cause of fall - Running or roughhousing	106
FRH_15C	0260-0260	Cause of fall - Being hit or pushed	106
FRH_15D	0261-0261	Cause of fall - A vehicle, a car or bicycle	106
FRH_15G	0262-0262	Cause of fall - None of the above	107
FRH_20	0263-0264	Cause of fall - Other	107
FRH_25	0265-0265	Cause of slip	108
FRH_30	0266-0266	Ever broken or fractured a bone	108
FRH_35	0267-0268	Number of times broken or fractured a bone	109
FRH_40A	0269-0270	First break/fracture - age	109
FRH_40AA	0271-0271	First break/fracture - head	109
FRH_40AB	0272-0272	First break/fracture - spine	110
FRH_40AC	0273-0273	First break/fracture - ribs/sternum	110
FRH_40AD	0274-0274	First break/fracture - shoulder/upper arm/collarbone	111
FRH_40AE	0275-0275	First break/fracture - elbow	111
FRH_40AF	0276-0276	First break/fracture - forearm/wrist	112
FRH_40AG	0277-0277	First break/fracture - hand	112
FRH_40AH	0278-0278	First break/fracture - fingers	112
FRH_40AI	0279-0279	First break/fracture - hip	113
FRH_40AJ	0280-0280	First break/fracture - pelvis	113
FRH_40AK	0281-0281	First break/fracture - upper leg	113
FRH_40AL	0282-0282	First break/fracture - knee	114
FRH_40AM	0283-0283	First break/fracture - lower leg	114
FRH_40AN	0284-0284	First break/fracture - ankle	115
FRH_40AO	0285-0285	First break/fracture - foot	115
FRH_40AP	0286-0286	First break/fracture - toe(s)	115
FRH_40AQ	0287-0287	First break/fracture - other specify	116
FRH_41A	0288-0289	First break/fracture - how did it happen	116
FRH_42A	0290-0291	First break/fracture - type of fall	117
FRH_43A	0292-0292	First break/fracture - height of fall	117
FRH_40B	0293-0294	Second break/fracture - age	118
FRH_40BA	0295-0295	Second break/fracture - head	118
FRH_40BB	0296-0296	Second break/fracture - spine	119
FRH_40BC	0297-0297	Second break/fracture - ribs/sternum	119
FRH_40BD	0298-0298	Second break/fracture - shoulder/upper arm/collarbone	119
FRH_40BE	0299-0299	Second break/fracture - elbow	120
FRH_40BF	0300-0300	Second break/fracture - forearm/wrist	120
FRH_40BG	0301-0301	Second break/fracture - hand	121
FRH_40BH	0302-0302	Second break/fracture - fingers	121
FRH_40BI	0303-0303	Second break/fracture - hip	121
FRH_40BJ	0304-0304	Second break/fracture - pelvis	122
FRH_40BK	0305-0305	Second break/fracture - upper leg	122
FRH_40BL	0306-0306	Second break/fracture - knee	123
FRH_40BM	0307-0307	Second break/fracture - lower leg	123
FRH_40BN	0308-0308	Second break/fracture - ankle	123
FRH_40BO	0309-0309	Second break/fracture - foot	124
FRH_40BP	0310-0310	Second break/fracture - toe(s)	124
FRH_40BQ	0311-0311	Second break/fracture - other specify	125
FRH_41B	0312-0313	Second break/fracture - how did it happen	125
FRH_42B	0314-0315	Second break/fracture - type of fall	126
FRH_43B	0316-0316	Second break/fracture - height of fall	126

FRH_40C	0317-0318	Third break/fracture - age	127
FRH_40CA	0319-0319	Third break/fracture - head	127
FRH_40CB	0320-0320	Third break/fracture - spine	127
FRH_40CC	0321-0321	Third break/fracture - ribs/sternum	128
FRH_40CD	0322-0322	Third break/fracture - shoulder/upper arm/collarbone	128
FRH_40CE	0323-0323	Third break/fracture - elbow	129
FRH_40CF	0324-0324	Third break/fracture - forearm/wrist	129
FRH_40CG	0325-0325	Third break/fracture - hand	129
FRH_40CH	0326-0326	Third break/fracture - fingers	130
FRH_40CI	0327-0327	Third break/fracture - hip	130
FRH_40CJ	0328-0328	Third break/fracture - pelvis	131
FRH_40CK	0329-0329	Third break/fracture - upper leg	131
FRH_40CL	0330-0330	Third break/fracture - knee	131
FRH_40CM	0331-0331	Third break/fracture - lower leg	132
FRH_40CN	0332-0332	Third break/fracture - ankle	132
FRH_40CO	0333-0333	Third break/fracture - foot	133
FRH_40CP	0334-0334	Third break/fracture - toe(s)	133
FRH_40CQ	0335-0335	Third break/fracture - other specify	133
FRH_41C	0336-0337	Third break/fracture - how did it happen	134
FRH_42C	0338-0339	Third break/fracture - type of fall	134
FRH_43C	0340-0340	Third break/fracture - height of fall	135
FRH_40D	0341-0342	Fourth break/fracture - age	135
FRH_40DA	0343-0343	Fourth break/fracture - head	136
FRH_40DB	0344-0344	Fourth break/fracture - spine	136
FRH_40DC	0345-0345	Fourth break/fracture - ribs/sternum	136
FRH_40DD	0346-0346	Fourth break/fracture - shoulder/upper arm/collarbone	137
FRH_40DE	0347-0347	Fourth break/fracture - elbow	137
FRH_40DF	0348-0348	Fourth break/fracture - forearm/wrist	138
FRH_40DG	0349-0349	Fourth break/fracture - hand	138
FRH_40DH	0350-0350	Fourth break/fracture - fingers	138
FRH_40DI	0351-0351	Fourth break/fracture - hip	139
FRH_40DJ	0352-0352	Fourth break/fracture - pelvis	139
FRH_40DK	0353-0353	Fourth break/fracture - upper leg	140
FRH_40DL	0354-0354	Fourth break/fracture - knee	140
FRH_40DM	0355-0355	Fourth break/fracture - lower leg	140
FRH_40DN	0356-0356	Fourth break/fracture - ankle	141
FRH_40DO	0357-0357	Fourth break/fracture - foot	141
FRH_40DP	0358-0358	Fourth break/fracture - toe(s)	142
FRH_40DQ	0359-0359	Fourth break/fracture - other specify	142
FRH_41D	0360-0361	Fourth break/fracture - how did it happen	142
FRH_42D	0362-0363	Fourth break/fracture - type of fall	143
FRH_43D	0364-0364	Fourth break/fracture - height of fall	143
FRH_40E	0365-0366	Fifth break/fracture - age	144
FRH_40EA	0367-0367	Fifth break/fracture - head	144
FRH_40EB	0368-0368	Fifth break/fracture - spine	145
FRH_40EC	0369-0369	Fifth break/fracture - ribs/sternum	145
FRH_40ED	0370-0370	Fifth break/fracture - shoulder/upper arm/collarbone	146
FRH_40EE	0371-0371	Fifth break/fracture - elbow	146
FRH_40EF	0372-0372	Fifth break/fracture - forearm/wrist	146
FRH_40EG	0373-0373	Fifth break/fracture - hand	147
FRH_40EH	0374-0374	Fifth break/fracture - fingers	147
FRH_40EI	0375-0375	Fifth break/fracture - hip	148
FRH_40EJ	0376-0376	Fifth break/fracture - pelvis	148
FRH_40EK	0377-0377	Fifth break/fracture - upper leg	148
FRH_40EL	0378-0378	Fifth break/fracture - knee	149
FRH_40EM	0379-0379	Fifth break/fracture - lower leg	149
FRH_40EN	0380-0380	Fifth break/fracture - ankle	149
FRH_40EO	0381-0381	Fifth break/fracture - foot	150
FRH_40EP	0382-0382	Fifth break/fracture - toe(s)	150
FRH_40EQ	0383-0383	Fifth break/fracture - other specify	151
FRH_41E	0384-0385	Fifth break/fracture - how did it happen	151
FRH_42E	0386-0387	Fifth break/fracture - type of fall	152
FRH_43E	0388-0388	Fifth break/fracture - height of fall	152

FRH_40F	0389-0390	Sixth break/fracture - age	152
FRH_40FA	0391-0391	Sixth break/fracture - head	153
FRH_40FB	0392-0392	Sixth break/fracture - spine	153
FRH_40FC	0393-0393	Sixth break/fracture - ribs/sternum	154
FRH_40FD	0394-0394	Sixth break/ fracture - shoulder/upper arm/collarbone	154
FRH_40FE	0395-0395	Sixth break/fracture - elbow	154
FRH_40FF	0396-0396	Sixth break/fracture - forearm/wrist	155
FRH_40FG	0397-0397	Sixth break/fracture - hand	155
FRH_40FH	0398-0398	Sixth break/fracture - fingers	156
FRH_40FI	0399-0399	Sixth break/fracture - hip	156
FRH_40FJ	0400-0400	Sixth break/fracture - pelvis	156
FRH_40FK	0401-0401	Sixth break/fracture - upper leg	157
FRH_40FL	0402-0402	Sixth break/fracture - knee	157
FRH_40FM	0403-0403	Sixth break/fracture - lower leg	158
FRH_40FN	0404-0404	Sixth break/fracture - ankle	158
FRH_40FO	0405-0405	Sixth break/fracture - foot	158
FRH_40FP	0406-0406	Sixth break/fracture - toe(s)	159
FRH_40FQ	0407-0407	Sixth break/fracture - other specify	159
FRH_41F	0408-0409	Sixth break/fracture - how did it happen	160
FRH_42F	0410-0411	Sixth break/fracture - type of fall	160
FRH_43F	0412-0412	Sixth break/fracture - height of fall	161
FRH_40G	0413-0414	Seventh break/fracture - age	161
FRH_40GA	0415-0415	Seventh break/fracture - head	161
FRH_40GB	0416-0416	Seventh break/fracture - spine	162
FRH_40GC	0417-0417	Seventh break/fracture - ribs/sternum	162
FRH_40GD	0418-0418	Seventh break/fracture - shoulder/upper arm/collarbone	162
FRH_40GE	0419-0419	Seventh break/fracture - elbow	163
FRH_40GF	0420-0420	Seventh break/fracture - forearm/wrist	163
FRH_40GG	0421-0421	Seventh break/fracture - hand	164
FRH_40GH	0422-0422	Seventh break/fracture - fingers	164
FRH_40GI	0423-0423	Seventh break/fracture - hip	164
FRH_40GJ	0424-0424	Seventh break/fracture - pelvis	165
FRH_40GK	0425-0425	Seventh break/fracture - upper leg	165
FRH_40GL	0426-0426	Seventh break/fracture - knee	166
FRH_40GM	0427-0427	Seventh break/fracture - lower leg	166
FRH_40GN	0428-0428	Seventh break/fracture - ankle	166
FRH_40GO	0429-0429	Seventh break/fracture - foot	167
FRH_40GP	0430-0430	Seventh break/fracture - toe(s)	167
FRH_40GQ	0431-0431	Seventh break/fracture - other specify	168
FRH_41G	0432-0433	Seventh break/fracture - how did it happen	168
FRH_42G	0434-0435	Seventh break/fracture - type of fall	169
FRH_43G	0436-0436	Seventh break/fracture - height of fall	169
FRH_40H	0437-0438	Eighth break/fracture - age	169
FRH_40HA	0439-0439	Eighth break/fracture - head	170
FRH_40HB	0440-0440	Eighth break/fracture - spine	170
FRH_40HC	0441-0441	Eighth break/fracture - ribs/sternum	171
FRH_40HD	0442-0442	Eighth break/fracture - shoulder/upper arm/collarbone	171
FRH_40HE	0443-0443	Eighth break/fracture - elbow	171
FRH_40HF	0444-0444	Eighth break/fracture - forearm/wrist	172
FRH_40HG	0445-0445	Eighth break/fracture - hand	172
FRH_40HH	0446-0446	Eighth break/fracture - fingers	173
FRH_40HI	0447-0447	Eighth break/fracture - hip	173
FRH_40HJ	0448-0448	Eighth break/fracture - pelvis	173
FRH_40HK	0449-0449	Eighth break/fracture - upper leg	174
FRH_40HL	0450-0450	Eighth break/fracture - knee	174
FRH_40HM	0451-0451	Eighth break/fracture - lower leg	174
FRH_40HN	0452-0452	Eighth break/fracture - ankle	175
FRH_40HO	0453-0453	Eighth break/fracture - foot	175
FRH_40HP	0454-0454	Eighth break/fracture - toe(s)	176
FRH_40HQ	0455-0455	Eighth break/fracture - other specify	176
FRH_41H	0456-0457	Eighth break/fracture - how did it happen	176
FRH_42H	0458-0459	Eighth break/fracture - type of fall	177
FRH_43H	0460-0460	Eighth break/fracture - height of fall	177

FRH_40I	0461-0462	Ninth break/fracture - age	178
FRH_40IA	0463-0463	Ninth break/fracture - head	178
FRH_40IB	0464-0464	Ninth break/fracture - spine	178
FRH_40IC	0465-0465	Ninth break/fracture - ribs/sternum	179
FRH_40ID	0466-0466	Ninth break/fracture - shoulder/upper arm/collarbone	179
FRH_40IE	0467-0467	Ninth break/fracture - elbow	180
FRH_40IF	0468-0468	Ninth break/fracture - forearm/wrist	180
FRH_40IG	0469-0469	Ninth break/fracture - hand	180
FRH_40IH	0470-0470	Ninth break/fracture - fingers	181
FRH_40II	0471-0471	Ninth break/fracture - hip	181
FRH_40IJ	0472-0472	Ninth break/fracture - pelvis	182
FRH_40IK	0473-0473	Ninth break/fracture - upper leg	182
FRH_40IL	0474-0474	Ninth break/fracture - knee	182
FRH_40IM	0475-0475	Ninth break/fracture - lower leg	183
FRH_40IN	0476-0476	Ninth break/fracture - ankle	183
FRH_40IO	0477-0477	Ninth break/fracture - foot	184
FRH_40IP	0478-0478	Ninth break/fracture - toe(s)	184
FRH_40IQ	0479-0479	Ninth break/fracture - other specify	184
FRH_41I	0480-0481	Ninth break/fracture - how did it happen	185
FRH_42I	0482-0483	Ninth break/fracture - type of fall	185
FRH_43I	0484-0484	Ninth break/fracture - height of fall	186
FRH_40J	0485-0486	Tenth break/fracture - age	186
FRH_40JA	0487-0487	Tenth break/fracture - head	186
FRH_40JB	0488-0488	Tenth break/fracture - spine	187
FRH_40JC	0489-0489	Tenth break/fracture - ribs/sternum	187
FRH_40JD	0490-0490	Tenth break/fracture - shoulder/upper arm/collarbone	188
FRH_40JE	0491-0491	Tenth break/fracture - elbow	188
FRH_40JF	0492-0492	Tenth break/fracture - forearm/wrist	188
FRH_40JG	0493-0493	Tenth break/fracture - hand	189
FRH_40JH	0494-0494	Tenth break/fracture - fingers	189
FRH_40JI	0495-0495	Tenth break/fracture - hip	190
FRH_40JJ	0496-0496	Tenth break/fracture - pelvis	190
FRH_40JK	0497-0497	Tenth break/fracture - upper leg	190
FRH_40JL	0498-0498	Tenth break/fracture - knee	191
FRH_40JM	0499-0499	Tenth break/fracture - lower leg	191
FRH_40JN	0500-0500	Tenth break/fracture - ankle	192
FRH_40JO	0501-0501	Tenth break/fracture - foot	192
FRH_40JP	0502-0502	Tenth break/fracture - toe(s)	192
FRH_40JQ	0503-0503	Tenth break/fracture - other specify	193
FRH_41J	0504-0505	Tenth break/fracture - how did it happen	193
FRH_42J	0506-0507	Tenth break/fracture - type of fall	194
FRH_43J	0508-0508	Tenth break/fracture - height of fall	194
FRH_40K	0509-0510	Eleventh break/fracture - age	194
FRH_40KA	0511-0511	Eleventh break/fracture - head	195
FRH_40KB	0512-0512	Eleventh break/fracture - spine	195
FRH_40KC	0513-0513	Eleventh break/fracture - ribs/sternum	196
FRH_40KD	0514-0514	Eleventh break/fracture - shoulder/upper arm/collarbone	196
FRH_40KE	0515-0515	Eleventh break/fracture - elbow	196
FRH_40KF	0516-0516	Eleventh break/fracture - forearm/wrist	197
FRH_40KG	0517-0517	Eleventh break/fracture - hand	197
FRH_40KH	0518-0518	Eleventh break/fracture - fingers	198
FRH_40KI	0519-0519	Eleventh break/fracture - hip	198
FRH_40KJ	0520-0520	Eleventh break/fracture - pelvis	198
FRH_40KK	0521-0521	Eleventh break/fracture - upper leg	199
FRH_40KL	0522-0522	Eleventh break/fracture - knee	199
FRH_40KM	0523-0523	Eleventh break/fracture - lower leg	200
FRH_40KN	0524-0524	Eleventh break/fracture - ankle	200
FRH_40KO	0525-0525	Eleventh break/fracture - foot	200
FRH_40KP	0526-0526	Eleventh break/fracture - toe(s)	201
FRH_40KQ	0527-0527	Eleventh break/fracture - other specify	201
FRH_41K	0528-0529	Eleventh break/fracture - how did it happen	202
FRH_42K	0530-0531	Eleventh break/fracture - type of fall	202
FRH_43K	0532-0532	Eleventh break/fracture - height of fall	202

FRH_40L	0533-0534	Twelfth break/fracture - age	203
FRH_40LA	0535-0535	Twelfth break/fracture - head	203
FRH_40LB	0536-0536	Twelfth break/fracture - spine	204
FRH_40LC	0537-0537	Twelfth break/fracture - ribs/sternum	204
FRH_40LD	0538-0538	Twelfth break/fracture - shoulder/upper arm/collarbone	204
FRH_40LE	0539-0539	Twelfth break/fracture - elbow	205
FRH_40LF	0540-0540	Twelfth break/fracture - forearm/wrist	205
FRH_40LG	0541-0541	Twelfth break/fracture - hand	206
FRH_40LH	0542-0542	Twelfth break/fracture - fingers	206
FRH_40LI	0543-0543	Twelfth break/fracture - hip	206
FRH_40LJ	0544-0544	Twelfth break/fracture - pelvis	207
FRH_40LK	0545-0545	Twelfth break/fracture - upper leg	207
FRH_40LL	0546-0546	Twelfth break/fracture - knee	208
FRH_40LM	0547-0547	Twelfth break/fracture - lower leg	208
FRH_40LN	0548-0548	Twelfth break/fracture - ankle	208
FRH_40LO	0549-0549	Twelfth break/fracture - foot	209
FRH_40LP	0550-0550	Twelfth break/fracture - toe(s)	209
FRH_40LQ	0551-0551	Twelfth break/fracture - other specify	210
FRH_41L	0552-0553	Twelfth break/fracture - how did it happen	210
FRH_42L	0554-0555	Twelfth break/fracture - type of fall	210
FRH_43L	0556-0556	Twelfth break/fracture - height of fall	211
FRH_40M	0557-0558	Thirteenth break/fracture - age	211
FRH_40MA	0559-0559	Thirteenth break/fracture - head	212
FRH_40MB	0560-0560	Thirteenth break/fracture - spine	212
FRH_40MC	0561-0561	Thirteenth break/fracture - ribs/sternum	212
FRH_40MD	0562-0562	Thirteenth break/fracture - shoulder/upper arm/collarbone	213
FRH_40ME	0563-0563	Thirteenth break/fracture - elbow	213
FRH_40MF	0564-0564	Thirteenth break/fracture - forearm/wrist	214
FRH_40MG	0565-0565	Thirteenth break/fracture - hand	214
FRH_40MH	0566-0566	Thirteenth break/fracture - fingers	214
FRH_40MI	0567-0567	Thirteenth break/fracture - hip	215
FRH_40MJ	0568-0568	Thirteenth break/fracture - pelvis	215
FRH_40MK	0569-0569	Thirteenth break/fracture - upper leg	215
FRH_40ML	0570-0570	Thirteenth break/fracture - knee	216
FRH_40MM	0571-0571	Thirteenth break/fracture - lower leg	216
FRH_40MN	0572-0572	Thirteenth break/fracture - ankle	217
FRH_40MO	0573-0573	Thirteenth break/fracture - foot	217
FRH_40MP	0574-0574	Thirteenth break/fracture - toe(s)	217
FRH_40MQ	0575-0575	Thirteenth break/fracture - other specify	218
FRH_41M	0576-0577	Thirteenth break/fracture - how did it happen	218
FRH_42M	0578-0579	Thirteenth break/fracture - type of fall	219
FRH_43M	0580-0580	Thirteenth break/fracture - height of fall	219
FRH_40N	0581-0582	Fourteenth break/fracture - age	219
FRH_40NA	0583-0583	Fourteenth break/fracture - head	220
FRH_40NB	0584-0584	Fourteenth break/fracture - spine	220
FRH_40NC	0585-0585	Fourteenth break/fracture - ribs/sternum	221
FRH_40ND	0586-0586	Fourteenth break/fracture - shoulder/upper arm/collarbone	221
FRH_40NE	0587-0587	Fourteenth break/fracture - elbow	221
FRH_40NF	0588-0588	Fourteenth break/fracture - forearm/wrist	222
FRH_40NG	0589-0589	Fourteenth break/fracture - hand	222
FRH_40NH	0590-0590	Fourteenth break/fracture - fingers	222
FRH_40NI	0591-0591	Fourteenth break/fracture - hip	223
FRH_40NJ	0592-0592	Fourteenth break/fracture - pelvis	223
FRH_40NK	0593-0593	Fourteenth break/fracture - upper leg	224
FRH_40NL	0594-0594	Fourteenth break/fracture - knee	224
FRH_40NM	0595-0595	Fourteenth break/fracture - lower leg	224
FRH_40NN	0596-0596	Fourteenth break/fracture - ankle	225
FRH_40NO	0597-0597	Fourteenth break/fracture - foot	225
FRH_40NP	0598-0598	Fourteenth break/fracture - toe(s)	226
FRH_40NQ	0599-0599	Fourteenth break/fracture - other specify	226
FRH_41N	0600-0601	Fourteenth break/fracture - how did it happen	226
FRH_42N	0602-0603	Fourteenth break/fracture - type of fall	227
FRH_43N	0604-0604	Fourteenth break/fracture - height of fall	227

FRH_40O	0605-0606	Fifteenth break/fracture - age	228
FRH_40OA	0607-0607	Fifteenth break/fracture - head	228
FRH_40OB	0608-0608	Fifteenth break/fracture - spine	228
FRH_40OC	0609-0609	Fifteenth break/fracture - ribs/sternum	229
FRH_40OD	0610-0610	Fifteenth break/fracture - shoulder/upper arm/collarbone	229
FRH_40OE	0611-0611	Fifteenth break/fracture - elbow	230
FRH_40OF	0612-0612	Fifteenth break/fracture - forearm/wrist	230
FRH_40OG	0613-0613	Fifteenth break/fracture - hand	230
FRH_40OH	0614-0614	Fifteenth break/fracture - fingers	231
FRH_40OI	0615-0615	Fifteenth break/fracture - hip	231
FRH_40OJ	0616-0616	Fifteenth break/fracture - pelvis	232
FRH_40OK	0617-0617	Fifteenth break/fracture - upper leg	232
FRH_40OL	0618-0618	Fifteenth break/fracture - knee	232
FRH_40OM	0619-0619	Fifteenth break/fracture - lower leg	233
FRH_40ON	0620-0620	Fifteenth break/fracture - ankle	233
FRH_40OO	0621-0621	Fifteenth break/fracture - foot	234
FRH_40OP	0622-0622	Fifteenth break/fracture - toe(s)	234
FRH_40OQ	0623-0623	Fifteenth break/fracture - other specify	234
FRH_41O	0624-0625	Fifteenth break/fracture - how did it happen	235
FRH_42O	0626-0627	Fifteenth break/fracture - type of fall	235
FRH_43O	0628-0628	Fifteenth break/fracture - height of fall	236
FRH_40P	0629-0630	Sixteenth break/fracture - age	236
FRH_40PA	0631-0631	Sixteenth break/fracture - head	236
FRH_40PB	0632-0632	Sixteenth break/fracture - spine	237
FRH_40PC	0633-0633	Sixteenth break/fracture - ribs/sternum	237
FRH_40PD	0634-0634	Sixteenth break/fracture - shoulder/upper arm/collarbone	238
FRH_40PE	0635-0635	Sixteenth break/fracture - elbow	238
FRH_40PF	0636-0636	Sixteenth break/fracture - forearm/wrist	238
FRH_40PG	0637-0637	Sixteenth break/fracture - hand	239
FRH_40PH	0638-0638	Sixteenth break/fracture - fingers	239
FRH_40PI	0639-0639	Sixteenth break/fracture - hip	239
FRH_40PJ	0640-0640	Sixteenth break/fracture - pelvis	240
FRH_40PK	0641-0641	Sixteenth break/fracture - upper leg	240
FRH_40PL	0642-0642	Sixteenth break/fracture - knee	241
FRH_40PM	0643-0643	Sixteenth break/fracture - lower leg	241
FRH_40PN	0644-0644	Sixteenth break/fracture - ankle	241
FRH_40PO	0645-0645	Sixteenth break/fracture - foot	242
FRH_40PP	0646-0646	Sixteenth break/fracture - toe(s)	242
FRH_40PQ	0647-0647	Sixteenth break/fracture - other specify	243
FRH_41P	0648-0649	Sixteenth break/fracture - how did it happen	243
FRH_42P	0650-0651	Sixteenth break/fracture - type of fall	244
FRH_43P	0652-0652	Sixteenth break/fracture - height of fall	244
FRH_40Q	0653-0654	Seventeenth break/fracture - age	244
FRH_40QA	0655-0655	Seventeenth break/fracture - head	245
FRH_40QB	0656-0656	Seventeenth break/fracture - spine	245
FRH_40QC	0657-0657	Seventeenth break/fracture - ribs/sternum	245
FRH_40QD	0658-0658	Seventeenth break/fracture - shoulder/upper arm/collarbone	246
FRH_40QE	0659-0659	Seventeenth break/fracture - elbow	246
FRH_40QF	0660-0660	Seventeenth break/fracture - forearm/wrist	247
FRH_40QG	0661-0661	Seventeenth break/fracture - hand	247
FRH_40QH	0662-0662	Seventeenth break/fracture - fingers	247
FRH_40QI	0663-0663	Seventeenth break/fracture - hip	248
FRH_40QJ	0664-0664	Seventeenth break/fracture - pelvis	248
FRH_40QK	0665-0665	Seventeenth break/fracture - upper leg	249
FRH_40QL	0666-0666	Seventeenth break/fracture - knee	249
FRH_40QM	0667-0667	Seventeenth break/fracture - lower leg	249
FRH_40QN	0668-0668	Seventeenth break/fracture - ankle	250
FRH_40QO	0669-0669	Seventeenth break/fracture - foot	250
FRH_40QP	0670-0670	Seventeenth break/fracture - toe(s)	251
FRH_40QQ	0671-0671	Seventeenth break/fracture - other specify	251
FRH_41Q	0672-0673	Seventeenth break/fracture - how did it happen	251
FRH_42Q	0674-0675	Seventeenth break/fracture - type of fall	252
FRH_43Q	0676-0676	Seventeenth break/fracture - height of fall	252

FRH_40R	0677-0678	Eighteenth break/fracture - age	253
FRH_40RA	0679-0679	Eighteenth break/fracture - head	253
FRH_40RB	0680-0680	Eighteenth break/fracture - spine	253
FRH_40RC	0681-0681	Eighteenth break/fracture - ribs/sternum	254
FRH_40RD	0682-0682	Eighteenth break/fracture - shoulder/upper arm/collarbone	254
FRH_40RE	0683-0683	Eighteenth break/fracture - elbow	255
FRH_40RF	0684-0684	Eighteenth break/fracture - forearm/wrist	255
FRH_40RG	0685-0685	Eighteenth break/fracture - hand	255
FRH_40RH	0686-0686	Eighteenth break/fracture - fingers	256
FRH_40RI	0687-0687	Eighteenth break/fracture - hip	256
FRH_40RJ	0688-0688	Eighteenth break/fracture - pelvis	257
FRH_40RK	0689-0689	Eighteenth break/fracture - upper leg	257
FRH_40RL	0690-0690	Eighteenth break/fracture - knee	257
FRH_40RM	0691-0691	Eighteenth break/fracture - lower leg	258
FRH_40RN	0692-0692	Eighteenth break/fracture - ankle	258
FRH_40RO	0693-0693	Eighteenth break/fracture - foot	258
FRH_40RP	0694-0694	Eighteenth break/fracture - toe(s)	259
FRH_40RQ	0695-0695	Eighteenth break/fracture - other specify	259
FRH_41R	0696-0697	Eighteenth break/fracture - how did it happen	260
FRH_42R	0698-0699	Eighteenth break/fracture - type of fall	260
FRH_43R	0700-0700	Eighteenth break/fracture - height of fall	260
FRH_40S	0701-0702	Nineteenth break/fracture - age	261
FRH_40SA	0703-0703	Nineteenth break/fracture - head	261
FRH_40SB	0704-0704	Nineteenth break/fracture - spine	262
FRH_40SC	0705-0705	Nineteenth break/fracture - ribs/sternum	262
FRH_40SD	0706-0706	Nineteenth break/fracture - shoulder/upper arm/collarbone	262
FRH_40SE	0707-0707	Nineteenth break/fracture - elbow	263
FRH_40SF	0708-0708	Nineteenth break/fracture - forearm/wrist	263
FRH_40SG	0709-0709	Nineteenth break/fracture - hand	264
FRH_40SH	0710-0710	Nineteenth break/fracture - fingers	264
FRH_40SI	0711-0711	Nineteenth break/fracture - hip	264
FRH_40SJ	0712-0712	Nineteenth break/fracture - pelvis	265
FRH_40SK	0713-0713	Nineteenth break/fracture - upper leg	265
FRH_40SL	0714-0714	Nineteenth break/fracture - knee	266
FRH_40SM	0715-0715	Nineteenth break/fracture - lower leg	266
FRH_40SN	0716-0716	Nineteenth break/fracture - ankle	266
FRH_40SO	0717-0717	Nineteenth break/fracture - foot	267
FRH_40SP	0718-0718	Nineteenth break/fracture - toe(s)	267
FRH_40SQ	0719-0719	Nineteenth break/fracture - other specify	268
FRH_41S	0720-0721	Nineteenth break/fracture - how did it happen	268
FRH_42S	0722-0723	Nineteenth break/fracture - type of fall	268
FRH_43S	0724-0724	Nineteenth break/fracture - height of fall	269
FRH_40T	0725-0726	Twentieth break/fracture - age	269
FRH_40TA	0727-0727	Twentieth break/fracture - head	270
FRH_40TB	0728-0728	Twentieth break/fracture - spine	270
FRH_40TC	0729-0729	Twentieth break/fracture - ribs/sternum	270
FRH_40TD	0730-0730	Twentieth break/fracture - shoulder/upper arm/collarbone	271
FRH_40TE	0731-0731	Twentieth break/fracture - elbow	271
FRH_40TF	0732-0732	Twentieth break/fracture - forearm/wrist	272
FRH_40TG	0733-0733	Twentieth break/fracture - hand	272
FRH_40TH	0734-0734	Twentieth break/fracture - fingers	272
FRH_40TI	0735-0735	Twentieth break/fracture - hip	273
FRH_40TJ	0736-0736	Twentieth break/fracture - pelvis	273
FRH_40TK	0737-0737	Twentieth break/fracture - upper leg	274
FRH_40TL	0738-0738	Twentieth break/fracture - knee	274
FRH_40TM	0739-0739	Twentieth break/fracture - lower leg	274
FRH_40TN	0740-0740	Twentieth break/fracture - ankle	275
FRH_40TO	0741-0741	Twentieth break/fracture - foot	275
FRH_40TP	0742-0742	Twentieth break/fracture - toe(s)	276
FRH_40TQ	0743-0743	Twentieth break/fracture - other specify	276
FRH_41T	0744-0745	Twentieth break/fracture - how did it happen	276
FRH_42T	0746-0747	Twentieth break/fracture - type of fall	277
FRH_43T	0748-0748	Twentieth break/fracture - height of fall	277

FRH_45	0749-0749	Broke/fracture hip (self/mother)	278
FRH_50	0750-0752	Broke/fracture hip (self/mother) - age	278
FRH_55	0753-0753	Broke/fracture hip (self/father)	278
FRH_60	0754-0756	Broke/fracture hip (self/father) - age	279
SOM_005	0757-0757	Used steroids by inhalation	279
SOM_010	0758-0758	Used steriods on daily basis	280
SOM_015	0759-0759	Taken orally administered steriods	280
SOM_020	0760-0760	Take steroid hormones on a daily basis - more than 3 months	280
SOM_025	0761-0761	Prescription meds for osteoporosis/prevention bone loss or fractures	281
SOM_030A	0762-0762	Used Tamoxifen	281
SOM_030B	0763-0763	Used Bazedoxifene	282
SOM_030C	0764-0764	Used Calcitonin	282
SOM_030D	0765-0765	Used Clodronate	282
SOM_030E	0766-0766	Used Etidronate	283
SOM_030F	0767-0767	Used Risedronate	283
SOM_030G	0768-0768	Used Pamidronate	284
SOM_030H	0769-0769	Used Zoledronate	284
SOM_030I	0770-0770	Used Alendronate	284
SOM_030J	0771-0771	Used Parathyroid Hormone	285
SOM_030K	0772-0772	Used Denosumab	285
SOM_030L	0773-0773	Used Raloxifene	286
SOM_030M	0774-0774	Used - Other - Specify	286
SOM_035	0775-0779	Length of time - medication taken	286
SOM_040	0780-0780	Reporting period	287
HWT_1N	0781-0781	Height - unit of measure in feet and inches, in cm / self-reported	287
HWT_1A	0782-0783	Height - feet / self-reported	288
HWT_1B	0784-0788	Height - inches / self-reported	288
HWT_1C	0789-0794	Height - centimetres / self-reported	288
HWT_3	0795-0799	Weight / self-reported	289
HWT_3N	0800-0800	Weight - unit of measure in pounds or kilograms / self-reported	289
HWT_4	0801-0801	Respondent's opinion of own weight / self-reported	289
HWTDCM	0802-0806	Height (centimetres) / self-reported - (D)	290
HWTDIN	0807-0811	Height (inches) / self-reported - (D)	290
HWTDHTM	0812-0815	Height (metres) / self-reported - (D)	291
HWTDKG	0816-0818	Weight (kilograms) / self-reported - (D)	291
HWTDLB	0819-0821	Weight (pounds) / self-reported - (D)	291
HWTDBMI	0822-0826	Body Mass Index / self-reported - (D)	292
HWTDBMIA	0827-0828	BMI norms, 18 or older / self-reported - (D)	292
HWTDBMIK	0829-0829	BMI norms, 3 to 17 years old / self-reported - (D)	293
HWTDCOL	0830-0830	BMI classification (3 to 18 years) / self-reported - Cole system - (D)	293
HWTDWHOP	0831-0831	BMI classification (3 to 5 years old) / self-reported - WHO - (D)	293
HWTDWHOK	0832-0832	BMI classification (5 to 18 years old) / self-reported - WHO - (D)	294
MFC_11	0833-0835	Eats red meat - number of times	294
MFC_11N	0836-0836	Eats red meat - reporting period	295
MFCD11Y	0837-0840	Eats red meat - times per year - (D)	295
MFC_12	0841-0843	Eats liver - number of times	295
MFC_12N	0844-0844	Eats liver - reporting period	296
MFCD12Y	0845-0848	Eats liver - times per year - (D)	296
MFC_14	0849-0851	Eats beef or pork hot dogs - number of times	296
MFC_14N	0852-0852	Eats beef or pork hot dogs - reporting period	297
MFCD14Y	0853-0856	Eats beef or pork hot dogs - times per year - (D)	297
MFC_15	0857-0859	Eats sausage or bacon - number of times	298
MFC_15N	0860-0860	Eats sausage or bacon - reporting period	298
MFCD15Y	0861-0864	Eats sausage or bacon - times per year - (D)	298
MFC_19A	0865-0867	Eats eggs/egg dishes - number of times	299
MFC_19AN	0868-0868	Eats eggs/egg dishes - reporting period	299
MFCD19AY	0869-0872	Eats eggs/egg dishes - times per year - (D)	299
MFC_19B	0873-0875	Eats egg made with omega-3 enriched - number of times	300
MFC_19BN	0876-0876	Eats eggs omega-3 enriched - reporting period	300
MFCD19BY	0877-0880	Eats eggs omega-3 enriched - times per year - (D)	301
MFC_20	0881-0883	Eats cooked dried beans - number of times	301
MFC_20N	0884-0884	Eats cooked dried beans - reporting period	301
MFCD20Y	0885-0888	Eats cooked dried beans - times per year - (D)	302

MFC_21	0889-0891	Eats nuts - number of times	302
MFC_21N	0892-0892	Eats nuts - reporting period	303
MFCD21Y	0893-0896	Eats nuts - times per year - (D)	303
MDC_01	0897-0899	Drinks/uses enriched milk substitutes - number of times	303
MDC_01N	0900-0900	Drinks/uses enriched milk substitutes - reporting period	304
MDCD01Y	0901-0904	Drinks/uses enriched milk substitutes - times per year - (D)	304
MDC_02	0905-0907	Drinks/uses omega-3 enriched milk substitutes - number of times	304
MDC_02N	0908-0908	Drinks/uses omega-3 enriched milk substitutes - reporting period	305
MDCD02Y	0909-0912	Drinks/uses omega-3 milk substitutes - times per year - (D)	305
MDC_03A	0913-0913	Drinks/uses enriched milk substitutes - rice	306
MDC_03B	0914-0914	Drinks/uses enriched milk substitutes - soya	306
MDC_03C	0915-0915	Drinks/uses enriched milk substitutes - almond	306
MDC_03D	0916-0916	Drinks/uses enriched milk substitutes - other (enriched)	307
MDC_04	0917-0919	Drinks/uses milk/flavoured milk - number of times	307
MDC_04N	0920-0920	Drinks/uses milk/flavoured milk - reporting period	308
MDCD04Y	0921-0924	Drinks or uses milk or flavoured milk - times per year - (D)	308
MDC_05	0925-0927	Drinks/uses omega-3 enriched milk - number of times	308
MDC_05N	0928-0928	Drinks/uses omega-3 enriched milk - reporting period	309
MDCD05Y	0929-0932	Drinks or uses omega-3 enriched milk - times per year - (D)	309
MDC_12A	0933-0933	Type of milk used - 3.25%	310
MDC_12B	0934-0934	Type of milk used - 2%	310
MDC_12C	0935-0935	Type of milk used - 1%	310
MDC_12D	0936-0936	Type of milk used - 0.5%	311
MDC_12E	0937-0937	Type of milk used - skim or non-fat	311
MDC_12F	0938-0938	Type of milk used - flavoured milk beverages	312
MDC_12G	0939-0939	Type of milk used - other	312
MDC_13	0940-0942	Eats cottage cheese - number of times	312
MDC_13N	0943-0943	Eats cottage cheese - reporting period	313
MDCD13Y	0944-0947	Eats cottage cheese - times per year - (D)	313
MDC_13B	0948-0950	Eats processed cheese - number of times	314
MDC_13BN	0951-0951	Eats processed cheese - reporting period	314
MDCD13BY	0952-0955	Eats processed cheese - times per year - (D)	314
MDC_13C	0956-0958	Eats other type of cheese - number of times	315
MDC_13CN	0959-0959	Eats other type of cheese - reporting period	315
MDCD13CY	0960-0963	Eats other types of cheese - times per year - (D)	316
MDC_14	0964-0966	Eats yogurt - number of times	316
MDC_14N	0967-0967	Eats yogurt - reporting period	316
MDCD14Y	0968-0971	Eats yogurt - times per year - (D)	317
MDC_15	0972-0974	Eats ice cream or frozen yogurt - number of times	317
MDC_15N	0975-0975	Eats ice cream or frozen yogurt - reporting period	317
MDCD15Y	0976-0979	Eats ice cream or frozen yogurt - times per year - (D)	318
GFV_11	0980-0982	Eats hot or cold cereal - number of times	318
GFV_11N	0983-0983	Eats hot or cold cereal - reporting period	319
GFVD11Y	0984-0987	Eats hot or cold cereal - times per year - (D)	319
GFV_12	0988-0990	Eats whole grain bread - number of times	319
GFV_12N	0991-0991	Eats whole grain bread - reporting period	320
GFVD12Y	0992-0995	Eats whole grain bread - times per year - (D)	320
GFV_13	0996-0998	Eats white bread - number of times	321
GFV_13N	0999-0999	Eats white bread - reporting period	321
GFVD13Y	1000-1003	Eats white bread - times per year - (D)	321
GFV_14	1004-1006	Eats pasta - number of times	322
GFV_14N	1007-1007	Eats pasta - reporting period	322
GFVD14Y	1008-1011	Eats any kind of pasta - times per year - (D)	323
GFV_16	1012-1014	Eats instant, seasoned or wild rice - number of times	323
GFV_16N	1015-1015	Eats instant, seasoned or wild rice - reporting period	323
GFVD16Y	1016-1019	Eats instant, seasoned or wild rice - times per year - (D)	324
GFV_17A	1020-1022	Eats citrus fruit - number of times	324
GFV_17AN	1023-1023	Eats citrus fruit - reporting period	324
GFVD17AY	1024-1027	Eats citrus fruit - times per year - (D)	325
GFV_17B	1028-1030	Eats strawberries in the summer - number of times	325
GFV_17BN	1031-1031	Eats strawberries in the summer - reporting period	326
GFVD17BY	1032-1035	Eats strawberries - times per summer - (D)	326
GFV_17C	1036-1038	Eats strawberries during the rest of the year - number of times	326

GFV_17CN	1039-1039	Eats strawberries rest of the year - reporting period	327
GFVD17CY	1040-1043	Eats strawberries - times per year, excluding summer (D)	327
GFV_17D	1044-1046	Eats other types of fruit - number of times	327
GFV_17DN	1047-1047	Eats other types of fruit - reporting period	328
GFVD17DY	1048-1051	Eats other types of fruit - times per year - (D)	328
GFV_18	1052-1054	Eats tomatoes or tomato sauce - number of times	329
GFV_18N	1055-1055	Eats tomatoes or tomato sauce - reporting period	329
GFVD18Y	1056-1059	Eats tomatoes or tomato sauce - times per year - (D)	329
GFV_19	1060-1062	Eats lettuce or green leafy salad - number of times	330
GFV_19N	1063-1063	Eats lettuce or green leafy salad - reporting period	330
GFVD19Y	1064-1067	Eats lettuce or green leafy salad - times per year - (D)	330
GFV_20	1068-1070	Eats spinach, mustard greens or cabbage - number of times	331
GFV_20N	1071-1071	Eats spinach, mustard greens or cabbage - reporting period	331
GFVD20Y	1072-1075	Eats spinach, mustard greens, cabbage - times per year - (D)	332
GFV_21	1076-1078	Eats french/home fries or hash brown potatoes - number times	332
GFV_21N	1079-1079	Eats french/home fries or hash brown potatoes - reporting period	332
GFVD21Y	1080-1083	Eats french/home fries/hash brown potatoes - times per year - (D)	333
GFV_22	1084-1086	Eats other potatoes - number of times	333
GFV_22N	1087-1087	Eats other potatoes - reporting period	333
GFVD22Y	1088-1091	Eats other potatoes - times per year - (D)	334
GFV_23	1092-1094	Eats all other types of vegetables - number of times	334
GFV_23N	1095-1095	Eats all other types of vegetables - reporting period	334
GFVD23Y	1096-1099	Eats all other types of vegetables - times per year - (D)	335
GFV_24	1100-1102	Eats flax seeds, whole or ground - number of times	335
GFV_24N	1103-1103	Eats flax seeds, whole or ground - reporting period	336
GFVD24Y	1104-1107	Eats flax seeds - times per year - (D)	336
DFC_11	1108-1110	Eats regular-fat salad dressing/mayo - number of times	336
DFC_11N	1111-1111	Eats regular-fat salad dressing/mayo - reporting period	337
DFCD11Y	1112-1115	Eats regular - fat salad dressing/mayo - times per year - (D)	337
DFC_12	1116-1118	Eats regular-fat chips - number of times	338
DFC_12N	1119-1119	Eats regular-fat chips - reporting period	338
DFCD12Y	1120-1123	Eats regular - fat chips - times/year - (D)	338
DFC_13	1124-1126	Eats margarine - number of times	339
DFC_13N	1127-1127	Eats margarine - reporting period	339
DFCD13Y	1128-1131	Eats margarine - times per year - (D)	339
DFC_14	1132-1134	Eats omega-3 enriched margarine - number of times	340
DFC_14N	1135-1135	Eats omega-3 enriched margarine - reporting period	340
DFCD14Y	1136-1139	Eats omega-3 enriched margarine - times per year - (D)	341
WSD_30	1140-1142	Drinks diet soft drinks - number of times	341
WSD_30N	1143-1143	Drinks diet soft drinks - reporting period	341
WSDD30Y	1144-1147	Drinks diet soft drinks - times per year - (D)	342
WSD_31	1148-1150	Drinks regular soft drinks - number of times	342
WSD_31N	1151-1151	Drinks regular soft drinks - reporting period	342
WSDD31Y	1152-1155	Drinks regular soft drinks - times per year - (D)	343
WSD_32	1156-1158	Drinks sport drinks - number of times	343
WSD_32N	1159-1159	Drinks sport drinks - reporting period	344
WSDD32Y	1160-1163	Drinks sport drinks - times per year - (D)	344
WSD_33	1164-1166	Drinks vitamin-added water - number of times	344
WSD_33N	1167-1167	Drinks vitamin-added water - reporting period	345
WSDD33Y	1168-1171	Drinks vitamin-added water - times per year - (D)	345
WSD_34	1172-1174	Drinks orange or grapefruit juice - number of times	346
WSD_34N	1175-1175	Drinks orange or grapefruit juice - reporting period	346
WSDD34Y	1176-1179	Drinks orange or grapefruit juice - times per year - (D)	346
WSD_35	1180-1182	Drinks other 100% fruit juices - number of times	347
WSD_35N	1183-1183	Drinks other 100% fruit juices - reporting period	347
WSDD35Y	1184-1187	Drinks other 100% fruit juices - times per year - (D)	348
WSD_36	1188-1190	Drinks juice with calcium and vitamin D added - number of times	348
WSD_36N	1191-1191	Drinks juice with calcium and vitamin D added - reporting period	348
WSDD36Y	1192-1195	Drinks juice with calcium and vitamin D - times per year - (D)	349
WSD_37	1196-1198	Drinks fruit-flavoured drinks - number of times	349
WSD_37N	1199-1199	Drinks fruit-flavoured drinks - reporting period	349
WSDD37Y	1200-1203	Drinks fruit flavoured drinks - times per year - (D)	350
WSD_38	1204-1206	Drinks vegetable juices - number of times	350

WSD_38N	1207-1207	Drinks vegetable juices - reporting period	351
WSDD38Y	1208-1211	Drinks vegetable juices - times per year - (D)	351
WSD_39	1212-1214	Drinks water at home - number of cups	351
WSD_39N	1215-1215	Drinks water at home - reporting period	352
WSDD39Y	1216-1220	Drinks water at home - number of cups per year - (D)	352
WSD_40	1221-1221	Primary source of drinking water - home	353
WSD_41	1222-1224	Drinks water away from home - number of cups	353
WSD_41N	1225-1225	Amount drinks water away from home - reporting period	353
WSDD41Y	1226-1230	Drinks water away from home - number of cups per year - (D)	354
WSD_42	1231-1231	Primary source of drinking water - away from home	354
WSD_43	1232-1232	Source of tap water - home	355
WSD_44A	1233-1233	Home water treated using - filter	355
WSD_44B	1234-1234	Home water treated using - water softener	356
WSD_44C	1235-1235	Home water treated using - ultraviolet system	356
WSD_44D	1236-1236	Home water treated using - reverse osmosis	357
WSD_44E	1237-1237	Home water treated using - boiling	357
WSD_44F	1238-1238	Home water treated using - distilling	358
WSD_44G	1239-1239	Home water treated using - other	358
WSD_44H	1240-1240	Home water treated using - no treatment	359
WSD_45	1241-1241	Water used for drinking or food treated with water softener	359
WSDDTWY	1242-1246	Drinks water (anywhere) - number of cups per year - (D)	359
SLT_005	1247-1247	Salt added to food	360
SLT_010	1248-1249	Type of salt usually used	360
SLT_015	1250-1250	Often ordinary table salt added cooking/preparation of foods	361
PAA_005	1251-1251	Active ways to get to places during the last week	361
PAA_010A	1252-1252	Active ways to get to places- Monday	362
PAA_010B	1253-1253	Active ways to get to places - Tuesday	362
PAA_010C	1254-1254	Active ways to get to places - Wednesday	362
PAA_010D	1255-1255	Active ways to get to places - Thursday	363
PAA_010E	1256-1256	Active ways to get to places - Friday	363
PAA_010F	1257-1257	Active ways to get to places - Saturday	364
PAA_010G	1258-1258	Active ways to get to places - Sunday	364
PAA_015	1259-1261	Time spent on active ways to get to places last week - hours	364
PAA_020N	1262-1265	Time spent on active ways to get to places last week - minutes	365
PAADTRVL	1266-1270	Total minutes of active transportation per week - (D)	365
PAA_030	1271-1271	Recreational physical activities- last week	366
PAA_035	1272-1272	Recreational physical activities - sweat and breathe harder	366
PAA_040A	1273-1273	Recreational physical activities - sweat and breathe harder - Monday	367
PAA_040B	1274-1274	Recreational physical activities - sweat and breathe harder - Tuesday	367
PAA_040C	1275-1275	Recreational physical activities - sweat and breathe harder - Wed,	367
PAA_040D	1276-1276	Recreational physical activities - sweat and breathe harder - Thursday	368
PAA_040E	1277-1277	Recreational physical activities - sweat and breathe harder - Friday	368
PAA_040F	1278-1278	Recreational physical activities - sweat and breathe harder - Saturday	369
PAA_040G	1279-1279	Recreational physical activities - sweat and breathe harder - Sunday	369
PAA_045	1280-1282	Time spent on recreational physical activities - hours	369
PAA_050N	1283-1286	Time spent on recreational physical activities - minutes	370
PAADREC	1287-1291	Total minutes of recreational physical activity per week - (D)	370
PAA_060	1292-1292	Other physical activities - last week	371
PAA_065	1293-1293	Other physical activities - sweat and breathe harder	371
PAA_070A	1294-1294	Other physical activities - sweat and breathe harder - Monday	372
PAA_070B	1295-1295	Other physical activities - sweat and breathe harder - Tuesday	372
PAA_070C	1296-1296	Other physical activities - sweat and breathe harder - Wednesday	372
PAA_070D	1297-1297	Other physical activities - sweat and breathe harder - Thursday	373
PAA_070E	1298-1298	Other physical activities - sweat and breathe harder - Friday	373
PAA_070F	1299-1299	Other physical activities - sweat and breathe harder - Saturday	374
PAA_070G	1300-1300	Other physical activities - sweat and breathe harder - Sunday	374
PAA_075	1301-1303	Time spent on other physical activities - hours	374
PAA_080N	1304-1307	Time spent on other physical activities - minutes	375
PAADOTH	1308-1312	Total minutes of other physical activities per week - (D)	375
PAADTOT	1313-1317	Total minutes of physical activity from all domains per week - (D)	376
PAA_095	1318-1318	Vigorous intensity physical activities	376
PAA_100	1319-1321	Vigorous intensity physical activities - hours	376
PAA_105N	1322-1325	Vigorous intensity physical activities - minutes	377

PAADVIG	1326-1330	Total minutes of vigorous intensity physical activities per week - (D)	377
PAY_05A	1331-1331	Attend school - Last week	378
PAY_05B	1332-1332	Attend day camp - Last week	378
PAY_05C	1333-1333	Attend paid or unpaid work - Last week	378
PAY_05D	1334-1334	None of the above - Last week	379
PAY_10	1335-1335	Active ways to get to places during the last week	379
PAY_15A	1336-1337	Time spent on active ways to get to places - [Sunday] - hours	380
PAY_15AN	1338-1340	Time spent on active ways to get to places - [Sunday] - minutes	380
PAY_15B	1341-1342	Time spent on active ways to get to places - [Monday] - hours	380
PAY_15BN	1343-1345	Time spent on active ways to get to places - [Monday] - minutes	381
PAY_15C	1346-1347	Time spent on active ways to get to places - [Tuesday] - hours	381
PAY_15CN	1348-1350	Time spent on active ways to get to places - [Tuesday] - minutes	382
PAY_15D	1351-1352	Time spent on active ways to get to places - [Wednesday] - hours	382
PAY_15DN	1353-1355	Time spent on active ways to get to places - [Wednesday] - minutes	382
PAY_15E	1356-1357	Time spent on active ways to get to places - [Thursday] - hours	383
PAY_15EN	1358-1360	Time spent on active ways to get to places - [Thursday] - minutes	383
PAY_15F	1361-1362	Time spent on active ways to get to places - [Friday] - hours	384
PAY_15FN	1363-1365	Time spent on active ways to get to places - [Friday] - minutes	384
PAY_15G	1366-1367	Time spent on active ways to get to places - [Saturday] - hours	384
PAY_15GN	1368-1370	Time spent on active ways to get to places - [Saturday] - minutes	385
PAYDTRV1	1371-1374	Time of active transportation (minutes) - Sunday - (D)	385
PAYDTRV2	1375-1378	Time of active transportation (minutes) - Monday - (D)	386
PAYDTRV3	1379-1382	Time of active transportation (minutes) - Tuesday - (D)	386
PAYDTRV4	1383-1386	Time of active transportation (minutes) - Wednesday - (D)	386
PAYDTRV5	1387-1390	Time of active transportation (minutes) - Thursday - (D)	387
PAYDTRV6	1391-1394	Time of active transportation (minutes) - Friday - (D)	387
PAYDTRV7	1395-1398	Time of active transportation (minutes) - Saturday - (D)	387
PAYDTRVL	1399-1403	Total minutes of active transportation per week - (D)	388
PAY_25	1404-1404	Physical activities at school/day camp - last week	388
PAY_30	1405-1405	Physical activities at school/day camp - sweat and breathe harder	389
PAY_35A	1406-1407	Activities school/day camp - sweat/breathe harder - [Sunday] - hours	389
PAY_35AN	1408-1410	Activities school/day camp - sweat/breathe harder - [Sunday] - minutes	389
PAY_35B	1411-1412	Activities school/day camp - sweat/breathe harder - [Monday] - hours	390
PAY_35BN	1413-1415	Activities school/day camp - sweat/breathe harder - [Monday] - minutes	390
PAY_35C	1416-1417	Activities school/day camp - sweat/breathe harder - [Tuesday] - hours	391
PAY_35CN	1418-1420	Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes	391
PAY_35D	1421-1422	Activities school/day camp - sweat/breathe harder - [Wed.] - hours	391
PAY_35DN	1423-1425	Activities school/day camp - sweat/breathe harder - [Wed.] - minutes	392
PAY_35E	1426-1427	Activities school/day camp - sweat/breathe harder - [Thursday] - hours	392
PAY_35EN	1428-1430	Activities school/day camp - sweat/breathe harder - [Thursday]-minutes	393
PAY_35F	1431-1432	Activities school/day camp - sweat/breathe harder - [Friday] - hours	393
PAY_35FN	1433-1435	Activities school/day camp - sweat/breathe harder - [Friday] - minutes	393
PAY_35G	1436-1437	Activities school/day camp - sweat/breathe harder - [Saturday] - hours	394
PAY_35GN	1438-1440	Activities school/day camp - sweat/breathe harder - [Saturday]-minutes	394
PAYDSCH2	1441-1444	Time of physical activity at school/day camp (minutes) - Monday - (D)	395
PAYDSCH3	1445-1448	Time of physical activity at school/day camp (minutes) - Tuesday - (D)	395
PAYDSCH4	1449-1452	Time of physical activity at school/day camp (minutes)-Wednesday - (D)	395
PAYDSCH5	1453-1456	Time of physical activity at school/day camp (minutes)-Thursday - (D)	396
PAYDSCH6	1457-1460	Time of physical activity at school/day camp (minutes) - Friday - (D)	396
PAYDSCHL	1461-1465	Total minutes of physical activity at school/day camp per week - (D)	397
PAY_45	1466-1466	Physical activities in leisure time	397
PAY_50	1467-1467	Physical activities in leisure time - sweat and breathe harder	397
PAY_55A	1468-1469	Leisure-time activities - sweat/breathe harder - [Sunday] - hours	398
PAY_55AN	1470-1472	Leisure-time activities - sweat/breathe harder - [Sunday] - minutes	398
PAY_55B	1473-1474	Leisure-time activities - sweat/breathe harder - [Monday] - hours	398
PAY_55BN	1475-1477	Leisure-time activities - sweat/breathe harder - [Monday] - minutes	399
PAY_55C	1478-1479	Leisure-time activities - sweat/breathe harder - [Tuesday] - hours	399
PAY_55CN	1480-1482	Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes	400
PAY_55D	1483-1484	Leisure-time activities - sweat/breathe harder - [Wednesday] - hours	400
PAY_55DN	1485-1487	Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes	400
PAY_55E	1488-1489	Leisure-time activities - sweat/breathe harder - [Thursday] - hours	401
PAY_55EN	1490-1492	Leisure-time activities- sweat/breathe harder - [Thursday] - minutes	401
PAY_55F	1493-1494	Leisure-time activities - sweat/breathe harder - [Friday] - hours	402

PAY_55FN	1495-1497	Leisure-time activities - sweat/breathe harder - [Friday] - minutes	402
PAY_55G	1498-1499	Leisure-time activities - sweat/breathe harder - [Saturday] - hours	402
PAY_55GN	1500-1502	Leisure-time activities - sweat/breathe harder - [Saturday] - minutes	403
PAYDREC1	1503-1506	Time of recreational physical activity (minutes) - Sunday - (D)	403
PAYDREC2	1507-1510	Time of recreational physical activity (minutes) - Monday - (D)	404
PAYDREC3	1511-1514	Time of recreational physical activity (minutes) - Tuesday - (D)	404
PAYDREC4	1515-1518	Time of recreational physical activity (minutes) - Wednesday - (D)	404
PAYDREC5	1519-1522	Time of recreational physical activity (minutes) - Thursday - (D)	405
PAYDREC6	1523-1526	Time of recreational physical activity (minutes) - Friday - (D)	405
PAYDREC7	1527-1530	Time of recreational physical activity (minutes) - Saturday - (D)	405
PAYDREC	1531-1535	Total minutes of recreational physical activity per week - (D)	406
PAY_65	1536-1536	Other physical activities - last week	406
PAY_70	1537-1537	Other physical activities - sweat and breathe harder	407
PAY_75A	1538-1539	Other physical act. - sweat and breathe harder - [Sunday] - hours	407
PAY_75AN	1540-1542	Other physical act. - sweat and breathe harder - [Sunday] - minutes	407
PAY_75B	1543-1544	Other physical act. - sweat and breathe harder - [Monday] - hours	408
PAY_75BN	1545-1547	Other physical act. sweat and breathe harder - [Monday] - minutes	408
PAY_75C	1548-1549	Other physical act. - sweat and breathe harder - [Tuesday] - hours	409
PAY_75CN	1550-1552	Other physical act. - sweat and breath harder - [Tuesday] - minutes	409
PAY_75D	1553-1554	Other physical act. - sweat and breathe harder - [Wednesday] - hours	409
PAY_75DN	1555-1557	Other physical act. - sweat and breathe harder - [Wednesday] - minutes	410
PAY_75E	1558-1559	Other physical act. - sweat and breathe harder - [Thursday] - hours	410
PAY_75EN	1560-1562	Other physical act. - sweat and breathe harder - [Thursday] - minutes	411
PAY_75F	1563-1564	Other physical act. - sweat and breathe harder - [Friday] - hours	411
PAY_75FN	1565-1567	Other physical act. - sweat and breathe harder - [Friday] - minutes	411
PAY_75G	1568-1569	Other physical act. - sweat and breathe harder - [Saturday] - hours	412
PAY_75GN	1570-1572	Other physical act. - sweat and breathe harder - [Saturday] - minutes	412
PAYDOTH1	1573-1576	Time of other physical activities (minutes) - Sunday - (D)	413
PAYDOTH2	1577-1580	Time of other physical activities (minutes) - Monday - (D)	413
PAYDOTH3	1581-1584	Time of other physical activities (minutes) - Tuesday - (D)	413
PAYDOTH4	1585-1588	Time of other physical activities (minutes) - Wednesday - (D)	414
PAYDOTH5	1589-1592	Time of other physical activities (minutes) - Thursday - (D)	414
PAYDOTH6	1593-1596	Time of other physical activities (minutes) - Friday - (D)	414
PAYDOTH7	1597-1600	Time of other physical activities (minutes) - Saturday - (D)	415
PAYDOTH	1601-1605	Total minutes of other physical activities per week - (D)	415
PAYDTOT	1606-1610	Total minutes of physical activity from all domains per week - (D)	416
PAY_90	1611-1611	Vigorous intensity physical activities	416
PAY_95A	1612-1612	Vigorous intensity physical activities - Monday	416
PAY_95B	1613-1613	Vigorous intensity physical activities - Tuesday	417
PAY_95C	1614-1614	Vigorous intensity physical activities - Wednesday	417
PAY_95D	1615-1615	Vigorous intensity physical activities - Thursday	418
PAY_95E	1616-1616	Vigorous intensity physical activities - Friday	418
PAY_95F	1617-1617	Vigorous intensity physical activities - Saturday	419
PAY_95G	1618-1618	Vigorous intensity physical activities - Sunday	419
PAY_100	1619-1621	Vigorous intensity physical activities - last week - hours	419
PAY_105N	1622-1625	Vigorous intensity physical activities - last week - minutes	420
PAYDVIG	1626-1630	Total minutes of vigorous intensity physical activities per week - (D)	420
CPA_005	1631-1632	Number of days physically active - past 7 days	420
CPA_010	1633-1634	Number of days physically active - usual week	421
CPA_015	1635-1635	Hours/week - physical activity - free time at school	421
CPA_020	1636-1636	Hours/week - physical activity - class time at school	422
CPA_025	1637-1637	Hours/week - physical activity - lessons or sports	422
CPA_030	1638-1638	Hours/week - physical activity - unorganized activities	423
CPA_035	1639-1642	Hours/day - screen time	423
CPADSACX	1643-1646	Total number of hours per day spent in sedentary activities	424
CPADTOTX	1647-1649	Total number of hours per week participated in physical activities	424
TSD_05	1650-1650	Went to school (including kindergarten)	424
TSD_10A	1651-1651	Weekday - Before or after school care at school	425
TSD_10B	1652-1652	Weekday - daycare centre	425
TSD_10C	1653-1653	Weekday - Daycare in someone else's home	426
TSD_10D	1654-1654	Weekday - Nursery school or preschool	426
TSD_10E	1655-1655	Weekday - Stayed home with parent/guardian/caregiver/relative	426
TSD_10F	1656-1656	Weekday - Any other type of childcare	427

TSD_15	1657-1657	Grade at school	427
TSD_20	1658-1659	Days attended kindergarten - Last seven days	427
TSD_25A	1660-1661	Time spent outdoors in the morning - Kindergarten day (hours)	428
TSD_25AN	1662-1664	Time spent outdoors in the morning - Kindergarten day (minutes)	428
TSD_25B	1665-1666	Time spent outdoors - noon to 3pm - Kindergarten day (hours)	429
TSD_25BN	1667-1669	Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)	429
TSD_25C	1670-1671	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)	429
TSD_25CN	1672-1674	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)	430
TSD_25D	1675-1676	Time spent outdoors after dinner - Kindergarten day (hours)	430
TSD_25DN	1677-1679	Time spent outdoors after dinner - Kindergarten day (minutes)	431
TSD_30A	1680-1681	Time spent outdoors in the morning - No kindergarten (hours)	431
TSD_30AN	1682-1684	Time spent outdoors in the morning - No kindergarten (minutes)	431
TSD_30B	1685-1686	Time spent outdoors from noon until 3pm - No kindergarten (hours)	432
TSD_30BN	1687-1689	Time spent outdoors from noon until 3pm - No kindergarten(minutes)	432
TSD_30C	1690-1691	Time spent outdoors from 3pm until dinner - No kindergarten (hours)	433
TSD_30CN	1692-1694	Time spent outdoors from 3pm until dinner - No kindergarten (minutes)	433
TSD_30D	1695-1696	Time spent outdoors after dinner - No kindergarten (hours)	433
TSD_30DN	1697-1699	Time spent outdoors after dinner - No kindergarten (minutes)	434
TSD_35	1700-1701	Days attended school - Last seven days	434
TSD_40A	1702-1703	Time spend outdoors before school (hours)	435
TSD_40AN	1704-1706	Time spent outdoors before school (minutes)	435
TSD_40B	1707-1708	Time spend outdoors during school hours (hours)	435
TSD_40BN	1709-1711	Time spend outdoors during school hours (minutes)	436
TSD_40C	1712-1713	Time spent outdoors from 3 p.m. until dinner - School day (hours)	436
TSD_40CN	1714-1716	Time spent outdoors from 3 p.m. until dinner - School day (minutes)	437
TSD_40D	1717-1718	Time spent outdoors after dinner - School day (hours)	437
TSD_40DN	1719-1721	Time spent outdoors after dinner - School day (minutes)	437
TSD_45A	1722-1723	Time spent outdoors in the morning - Did not attend school (hours)	438
TSD_45AN	1724-1726	Time spent outdoors in the morning - Did not attend school (minutes)	438
TSD_45B	1727-1728	Time spent outdoors from noon until 3 pm - Did not attend school (hrs)	439
TSD_45BN	1729-1731	Time spent outdoors from noon until 3pm -Did not attend school (min)	439
TSD_45C	1732-1733	Time spent outdoors from 3 until dinner - Did not attend school (hrs)	439
TSD_45CN	1734-1736	Time spent outdoors from 3pm until dinner-Did not attend school (mins)	440
TSD_45D	1737-1738	Time spent outdoors after dinner - Did not attend school (hours)	440
TSD_45DN	1739-1741	Time spent outdoors after dinner - Did not attend school (minutes)	441
TSD_50A	1742-1743	Time spent outdoors in the morning - Average weekday (hours)	441
TSD_50AN	1744-1746	Time spent outdoors in the morning - Average weekday (minutes)	441
TSD_50B	1747-1748	Time spent outdoors from noon until 3pm - Average weekday (hours)	442
TSD_50BN	1749-1751	Time spent outdoors from noon until 3pm - Average weekday (minutes)	442
TSD_50C	1752-1753	Time spent outdoors from 3pm until dinner - Average weekday (hours)	443
TSD_50CN	1754-1756	Time spent outdoors from 3pm until dinner - Average weekday (minutes)	443
TSD_50D	1757-1758	Time spent outdoors after dinner - Average weekday (hours)	443
TSD_50DN	1759-1761	Time spent outdoors after dinner - Average weekday (minutes)	444
TSD_55	1762-1763	Time spent outdoors - Average weekend day (hours)	444
TSD_55N	1764-1766	Time spent outdoors - Average weekend day (minutes)	445
SAC_005	1767-1770	Number of hours per week - reading - past 7 days	445
SAC_010	1771-1774	Number of hours per week - television/DVD/videos - past 7 days	446
SAC_015	1775-1778	Number of hours per week - other types of games - past 7 days	446
SAC_020	1779-1782	Number of hours per week - play video games - past 7 days	446
SAC_025	1783-1786	Number of hours per week - on a computer - past 7 days	447
SACDTOT	1787-1788	Sedentary activity (hours per week) - categorical (D)	447
SACDTOTX	1789-1793	Sedentary activity (hours per week) - continuous (D)	448
SACDRCO	1794-1798	Sedentary activity excluding reading (hours per week) - continuous (D)	448
SACDRCA	1799-1800	Sedentary activity excluding reading (hours/week) - categorical (D)	449
NBE_005	1801-1802	Type of housing - neighbourhood	449
NBE_015	1803-1803	Shops, stores, markets, other places - neighbourhood	449
NBE_020	1804-1804	Transit stop - neighbourhood	450
NBE_025	1805-1805	There are sidewalks - neighbourhood	450
NBE_030	1806-1806	Designated areas for biking - neighbourhood	451
NBE_035	1807-1807	Free or low cost recreation facilities - neighbourhood	451
NBE_040	1808-1808	Crime rate - neighbourhood	452
NBE_045	1809-1809	Many interesting things to look at - neighbourhood	452
NBE_050	1810-1810	Sidewalks are well maintained - neighbourhood	452

NBE_055	1811-1811	Traffic makes it unpleasant to walk - neighbourhood	453
NBE_060	1812-1812	Traffic makes it unpleasant to bike - neighbourhood	453
NBE_070	1813-1813	Driver's licence	454
NBE_075	1814-1814	Vehicle at disposal	454
TOX_005	1815-1815	Cats in dwelling - past 12 months	454
TOX_010	1816-1817	Number of cats in dwelling - past 12 months	455
TOX_015	1818-1818	Have a litter box	455
TOX_020	1819-1819	Frequency of changing the litter box	456
TOX_025	1820-1820	Did you ever change the cat litter	456
TOX_030	1821-1821	Cat go outdoors - past 12 months	457
TOX_035	1822-1822	Handle soil with bare hands - past 12 months	457
TOX_040	1823-1823	Eaten any hunted game meat - past 12 months	458
TOX_045A	1824-1824	Types of hunted game meat - Bear	458
TOX_045B	1825-1825	Types of hunted game meat - Caribou	458
TOX_045C	1826-1826	Types of hunted game meat - Deer	459
TOX_045D	1827-1827	Types of hunted game meat - Elk	459
TOX_045E	1828-1828	Types of hunted game meat - Moose	460
TOX_045F	1829-1829	Types of hunted game meat - Duck or goose	460
TOX_045G	1830-1830	Types hunted game meat - Wild turkey/pheasant/partridge/quail/grouse	460
TOX_045H	1831-1831	Types of hunted game meat - Rabbit or hare	461
TOX_045I	1832-1832	Types of hunted game meat - Seal	461
TOX_045J	1833-1833	Types of hunted game meat - Other - Specify	462
TOX_050A	1834-1834	Eaten meat uncooked/cooked with some red or pink still showing - Beef	462
TOX_050B	1835-1835	Eaten meat uncooked/cooked with some red or pink still showing - Lamb	462
TOX_050C	1836-1836	Eaten meat uncooked/cooked with some red or pink still showing - Pork	463
TOX_050D	1837-1837	Eaten meat uncooked/cooked with some red/pink-Other red meat - Specify	463
TOX_050E	1838-1838	Eaten meat uncooked/cooked with some red or pink still showing - No	464
SMK_11	1839-1839	Smoked 100 or more cigarettes - lifetime	464
SMK_12	1840-1840	Type of smoker	464
SMK_21	1841-1842	Age - smoked first whole cigarette	465
SMK_21A	1843-1843	Smoked at least 1 cigarette a month	465
SMK_22	1844-1845	Age - started smoking at least 1 cigarette/month	466
SMK_23	1846-1847	Number days/typical month smoked at least 1 cigarette	466
SMK_24	1848-1849	Number of cigarettes smoked per day at age started smoking	466
SMK_31	1850-1851	Number of cigarettes smoked per day (daily smoker)	467
SMK_41	1852-1853	Number of cigarettes smoked per day (occasional smoker)	467
SMK_42	1854-1855	Number days/past month - smoked 1 cig or more (occasional)	468
SMK_51	1856-1856	Ever smoked cigarettes daily	468
SMK_52	1857-1858	Age started smoking daily	468
SMK_53	1859-1860	Number of cigarettes usually smoked per day	469
SMK_54	1861-1862	Age stopped smoking cigarettes daily/completely	469
SMK_60	1863-1863	Smoked cigars/pipe or used snuff/chewing tobacco - past month	470
SMKDSTY	1864-1865	Type of smoker - (D)	470
SMKDSTP	1866-1868	Number of years since stopping smoking completely - (D)	471
SMKDYFS	1869-1871	Number of years smoked daily (former daily smokers) - (D)	471
SMKDAQD	1872-1873	Age stopped smoking daily - (D)	471
SMKDAQS	1874-1875	Age stopped smoking completely - (D)	472
SMKDASD	1876-1877	Age started smoking daily - (D)	472
SMKDNSD	1878-1879	Number of cigs smoked daily - (D)	473
ELC_005	1880-1880	Tried an electronic cigarette	473
ELC_010	1881-1881	Use an electronic cigarette - past month	473
ELC_015	1882-1882	Nicotine in the last e-cigarette	474
ETS_01	1883-1883	Allowed smoking inside this home	474
ETS_02	1884-1884	Smoking restricted inside this home	475
ETS_03A	1885-1885	Smoking restriction - allow in certain rooms only	475
ETS_03B	1886-1886	Smoking restriction - in presence of young children	475
ETS_03C	1887-1887	Smoking restriction - allow if windows are open/ventilation	476
ETS_03D	1888-1888	Smoking restriction - other restriction	476
ETS_04	1889-1890	How often someone smokes inside the home	477
ETS_05	1891-1892	Number of people who smoke inside home every day	477
ETS_06A	1893-1893	Product smoked inside home - cigarettes	478
ETS_06B	1894-1894	Product smoked inside home - cigarillos or little cigars	478
ETS_06C	1895-1895	Product smoked inside home - all other types of cigars	479

ETS_06D	1896-1896	Product smoked inside home - pipes	479
ETS_07	1897-1899	Number of cigars/cigarettes smoked inside home	479
ETS_08	1900-1900	Total period time/typical day smoking pipe	480
ETS_09	1901-1901	Often exposed to second-hand smoke inside home - past month	480
ETS_14	1902-1902	Exposed to second-hand smoke - private vehicle	481
ETS_16	1903-1903	Exposed to second-hand smoke - place of work	481
ETS_20	1904-1904	Exposed to second-hand smoke - inside someone else's home	481
ETS_21	1905-1905	Exposed to second-hand smoke - indoors, in public places	482
ETS_22	1906-1906	Exposed to second-hand smoke - outdoors, in public places	482
ETS_23	1907-1907	Exposed to second-hand smoke - anywhere else	483
ETS_24	1908-1908	Often exposed to second-hand smoke excluding own home - past month	483
ETV_005	1909-1909	Exposed to second-hand vapour inside home	483
ALC_11	1910-1910	Drank alcohol - past 12 months	484
ALC_12	1911-1912	Frequency of drinking alcohol	484
ALC_13A	1913-1914	Frequency of having [5/4] or more drinks	485
ALC_14	1915-1915	Drank alcohol - past week	485
ALC_15A	1916-1917	Number of drinks - Sunday	486
ALC_15B	1918-1919	Number of drinks - Monday	486
ALC_15C	1920-1921	Number of drinks - Tuesday	486
ALC_15D	1922-1923	Number of drinks - Wednesday	487
ALC_15E	1924-1925	Number of drinks - Thursday	487
ALC_15F	1926-1927	Number of drinks - Friday	488
ALC_15G	1928-1929	Number of drinks - Saturday	488
ALC_16	1930-1930	Usual consumption of alcohol	488
ALC_17	1931-1931	Ever had a drink	489
ALC_18	1932-1932	Regularly drank more than 12 drinks a week	489
ALC_19	1933-1934	Age - started drinking alcoholic beverages	490
ALCDDLY	1935-1937	Average daily alcohol consumption - (D)	490
ALCDTYP	1938-1938	Type of drinker - (D)	490
ALCDWKY	1939-1941	Weekly consumption - (D)	491
IDU_11	1942-1942	Used or tried marijuana, cannabis or hashish	491
IDU_21	1943-1943	Used or tried prescription drugs for the feeling	492
IDU_22	1944-1944	Used or tried other drugs (cocaine, speed)	492
IDU_32	1945-1945	Injected with drugs for the experience/feeling	493
IDU_33	1946-1946	Other than by injection, used other drugs for the feeling	493
SXB_11	1947-1947	Ever had sexual intercourse	493
SXB_12	1948-1948	Sexual intercourse - past 12 months	494
SXB_13	1949-1949	Number of different partners - past 12 months	494
SXB_21	1950-1950	Ever diagnosed with a sexually transmitted disease/infection	495
SXB_22A	1951-1951	Sexually transmitted disease/infection - HIV	495
SXB_22B	1952-1952	Sexually transmitted disease/infection - AIDS	496
SXB_22C	1953-1953	Sexually transmitted disease/infection - Chlamydia	496
SXB_22D	1954-1954	Sexually transmitted disease/infection - Genital Herpes	496
SXB_22E	1955-1955	Sexually transmitted disease/infection - Syphilis	497
SXB_22F	1956-1956	Sexually transmitted disease/infection - Gonorrhoea	497
SXB_22G	1957-1957	Sexually transmitted disease/infection - Genital Warts	498
SXB_22H	1958-1958	Sexually transmitted disease/infection - Venereal disease	498
SXB_22I	1959-1959	Sexually transmitted disease/infection - Hepatitis B	499
SXB_22J	1960-1960	Sexually transmitted disease/infection - other	499
SXB_23	1961-1961	Use of condom / last time had sexual intercourse	500
SXB_24	1962-1962	Usual use of condom	500
BCL_005	1963-1963	Ever used birth control pills	501
BCL_010	1964-1964	Number of years used birth control pills	501
BCL_015	1965-1965	Ever had a progesterone birth control injection	501
BCL_020	1966-1966	Number of years used progesterone injections	502
MBF_11	1967-1967	Ever given birth	502
MBF_12	1968-1969	Number of live births	503
MBF_21A	1970-1970	Breastfeeding first baby	503
MBF_21AA	1971-1972	Length of time breastfeeding first baby	503
MBF_21B	1973-1973	Breastfeeding second baby	504
MBF_21BB	1974-1975	Length of time breastfeeding second baby	504
MBF_21C	1976-1976	Breastfeeding third baby	505
MBF_21CC	1977-1978	Length of time breastfeeding third baby	505

MBF_21D	1979-1979	Breastfeeding fourth baby	506
MBF_21DD	1980-1981	Length of time breastfeeding fourth baby	506
MBF_21E	1982-1982	Breastfeeding fifth baby	507
MBF_21EE	1983-1984	Length of time breastfeeding fifth baby	507
MBF_21F	1985-1985	Breastfeeding sixth baby	507
MBF_21FF	1986-1987	Length of time breastfeeding sixth baby	508
MBF_21G	1988-1988	Breastfeeding seventh baby	508
MBF_21GG	1989-1990	Length of time breastfeeding seventh baby	509
MBF_21H	1991-1991	Breastfeeding eighth baby	509
MBF_21HH	1992-1993	Length of time breastfeeding eighth baby	509
MBF_21I	1994-1994	Breastfeeding ninth baby	510
MBF_21II	1995-1996	Length of time breastfeeding ninth baby	510
MBF_21J	1997-1997	Breastfeeding tenth baby	511
MBF_21JJ	1998-1999	Length of time breastfeeding tenth baby	511
MBF_21K	2000-2000	Breastfeeding eleventh baby	511
MBF_21KK	2001-2002	Length of time breastfeeding eleventh baby	512
MBF_21L	2003-2003	Breastfeeding twelfth baby	512
MBF_21LL	2004-2005	Length of time breastfeeding twelfth baby	512
MBF_21M	2006-2006	Breastfeeding thirteenth baby	513
MBF_21MM	2007-2008	Length of time breastfeeding thirteenth baby	513
MBF_21N	2009-2009	Breastfeeding fourteenth baby	514
MBF_21NN	2010-2011	Length of time breastfeeding fourteenth baby	514
MBF_21O	2012-2012	Breastfeeding fifteenth baby	514
MBF_21OO	2013-2014	Length of time breastfeeding fifteenth baby	515
PRG_11	2015-2015	Smoked during pregnancy	515
PRG_12	2016-2017	Number of cigarettes/day	515
PRG_13A	2018-2018	Stage of pregnancy - first trimester	516
PRG_13B	2019-2019	Stage of pregnancy - second trimester	516
PRG_13C	2020-2020	Stage of pregnancy - third trimester	517
PRG_13D	2021-2021	Stage of pregnancy - throughout	517
BIR_11	2022-2022	Weight at birth	517
BIR_12	2023-2024	Birth weight - Pounds	518
BIR_13	2025-2026	Birth weight - Ounces	518
BIR_14	2027-2030	Birth weight - Grams	519
BIR_21	2031-2031	Born before, on or after due date	519
BIR_22	2032-2034	Days before/after due date	519
BIR_23	2035-2035	Type of birth	520
BIR_24	2036-2036	Respondent admitted to neonatal unit	520
BIR_25	2037-2039	Days care received	521
BIR_26	2040-2041	Age of mother	521
BRI_11	2042-2042	Respondent breastfed	522
BRI_12	2043-2044	Length of time breastfed	522
BRI_13	2045-2046	Length of time fed only breast milk	522
BRIFEB6	2047-2047	Exclusive breastfeeding for at least 3 months - (D)	523
LMAM_01	2048-2048	Job - last week had a job or business	523
LMAM_02	2049-2049	Job - had a job/ business last week but was absent	524
LMAM_03	2050-2051	Job - main reason absent work last week	524
LMA2_04	2052-2052	Job - last 4 weeks tried to find work	525
LMA2_05	2053-2053	Job - last week had job with start date	525
LMA2_06	2054-2054	Job - start date	526
LMA2_07	2055-2055	Job - wanted job with more or less 30 hours per week	526
LMA2_08	2056-2056	Job - could have worked last week if offered	526
LMA2_09	2057-2058	Job - main reason not available to work last week	527
LMA3_10	2059-2059	Job - were you employee/self-employed	527
LMH_016	2060-2064	Number of hours worked per week	528
LAFDWSL	2065-2066	Working status last week (6 groups) - (D)	528
LAFDWSS	2067-2067	Working status last week (4 groups) - (D)	528
LAFCIC12	2068-2071	North American Industry Classification System (NAICS) 2012	529
LAFCOC11	2072-2075	National Occupational Classification - Statistics (NOC-S) 2011	529
LAFCIC17	2076-2079	North American Industry Classification System (NAICS) 2017	530
LAFCOC16	2080-2083	National Occupational Classification - Statistics (NOC-S) 2016	530
LAFGO16S	2084-2085	Variant for analysis by NOC skill level - (G)	530
LAFGO16A	2086-2087	Variant of NOC for highly aggregated data - (G)	531

IMG_02	2088-2089	Province/territory of birth	531
IMG_03	2090-2090	Landed immigrant	532
IMG_04	2091-2094	Year first became landed immigrant in Canada	532
IMGDLLI	2095-2097	Length of time since became a landed immigrant - (D)	532
IMGDALI	2098-2100	Age at time of landed immigration - (D)	533
AMB_01	2101-2101	Is an aboriginal person	533
AMB_02A	2102-2102	Aboriginal person - First Nations	534
AMB_02B	2103-2103	Aboriginal person - Métis	534
AMB_02C	2104-2104	Aboriginal person - Inuk (Inuit)	534
AMBFABT	2105-2105	Aboriginal origin or identity - (F)	535
PG_01A	2106-2106	Population group - White	535
PG_01B	2107-2107	Population group - South Asian	536
PG_01C	2108-2108	Population group - Chinese	536
PG_01D	2109-2109	Population group - Black	537
PG_01E	2110-2110	Population group - Filipino	537
PG_01F	2111-2111	Population group - Latin American	537
PG_01G	2112-2112	Population group - Arab	538
PG_01H	2113-2113	Population group - Southeast Asian	538
PG_01I	2114-2114	Population group - West Asian	539
PG_01J	2115-2115	Population group - Korean	539
PG_01K	2116-2116	Population group - Japanese	539
PG_01L	2117-2117	Population group - Other	540
PGDCGT	2118-2119	Cultural or racial group - (D)	540
IMGCCB	2120-2124	Country of birth - (C)	541
IMGGCB	2125-2126	Country of birth - (G)	541
LAE_01	2127-2127	Language - knowledge of official languages	542
LAEC02A	2128-2135	Language - knowledge of non-offical language - 1st	542
LAEC02B	2136-2143	Language - knowledge of non-offical language - 2nd	543
LAEC02C	2144-2151	Language - knowledge of non-offical language - 3rd	543
LAEC03A	2152-2159	Language - home language spoken most often - 1st	543
LAEC03B	2160-2167	Language - home language spoken most often - 2nd	544
LAEC03C	2168-2175	Language - home language spoken most often - 3rd	544
LAEC06A	2176-2183	Language - mother tongue - 1st	545
LAEC06B	2184-2191	Language - mother tongue - 2nd	545
LAEC06C	2192-2199	Language - mother tongue - 3rd	545
LAEDCON	2200-2201	Languages - can converse - (D)	546
LAEDFL1	2202-2203	First language learned and still understood - (D)	546
LAEDSPH	2204-2205	Language(s) spoken most often at home - (D)	547
ESC1_01	2206-2206	Currently attending school, college, CEGEP or university	547
EDM_01A	2207-2207	Attending educational institutiuon - elementary/jr. h.s./high school	548
EDM_01B	2208-2208	Attending educational institution -trade school/college/CEGEP	548
EDM_01C	2209-2209	Attending educational institution - university	548
EDM_02	2210-2210	Enrolled as full/part time student	549
WGT_FULL	2211-2225	Full sample weight	549

Topical Index 551
Variable Index 575

Introduction

NOTE: Totals may not add up due to rounding. Frequencies for rare events may round to zero and have a corresponding non-zero weighted frequency.

Variable Name: CLINICID **Length:** 8.0 **Position:** 1

Question Name:

Concept: Clinic identifier of selected respondent

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: SITE **Length:** 2.0 **Position:** 9

Question Name:

Concept: Collection site

Question Text:

Universe: All respondents

Note: The population count next to the name of each site below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the site represents.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Petawawa / Pembroke	01	350	1,856,500	5.6
Saint John	02	350	1,187,000	3.6
Montreal Centre	03	350	2,163,000	6.6
West Longueuil / Boucherville	04	450	2,062,500	6.3
Cambridge	05	350	2,206,000	6.7
Humboldt	06	350	2,822,500	8.6
Coquitlam	07	350	2,176,500	6.6
Brampton	08	300	2,093,000	6.4
Calgary South	09	400	3,216,000	9.8
Toronto West	10	300	2,290,000	7.0
Trail	11	400	2,125,000	6.5
Peterborough	12	400	2,250,500	6.8
Montague	13	400	975,000	3.0
Pickering / Ajax	14	350	2,131,500	6.5
Rimouski	15	450	1,745,500	5.3
Sherbrooke	16	400	1,621,500	4.9
Total		5,800	32,921,500	100.0

Variable Name: C2_DAY **Length:** 2.0 **Position:** 11

Question Name:

Concept: Day of household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Day (1 to 31)		01 - 31	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: C2_MTH **Length:** 2.0 **Position:** 13

Question Name:

Concept: Month of household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Month (1 to 12)		01 - 12	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: C2_YEAR **Length:** 4.0 **Position:** 15

Question Name:

Concept: Year of household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Year		2016 - 2017	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: PROXY **Length:** 1.0 **Position:** 19

Question Name:

Concept: Health component completed by proxy

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Proxy	1	1,700	3,709,500	11.3
Non-proxy	2	4,100	29,212,000	88.7
Total		5,800	32,921,500	100.0

Variable Name: PPI_02 **Length:** 1.0 **Position:** 20

Question Name: PPI_N02

Concept: Person providing health component information - parent/guardian

Question Text: Is the person providing the information a parent or guardian of (Respondent name)?

Universe: PROXY = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,700	3,638,000	11.1
No	2	0	71,500	0.2
Valid skip	6	4,100	29,212,000	88.7
Total		5,800	32,921,500	100.0

Variable Name: PPI_03 **Length:** 1.0 **Position:** 21

Question Name: PPI_N03

Concept: Person providing health component information - biological parent

Question Text: Is the person providing the information a birth or biological parent of (Respondent name)?

Universe: PPI_02 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,650	3,574,000	10.9
No	2	50	64,000	0.2
Valid skip	6	4,100	29,283,500	88.9
Total		5,800	32,921,500	100.0

Variable Name: PPID03 **Length:** 1.0 **Position:** 22

Question Name:

Concept: Relationship of proxy respondent to selected respondent - (D)

Question Text:

Universe: PROXY = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Biological father	1	400	771,000	2.3
Biological mother	2	1,250	2,792,000	8.5
Non-biological male parent/guardian	3	0	9,000	0.0
Non-biological female parent/guardian	4	50	47,500	0.1
Other	5	0	90,500	0.3
Valid skip	6	4,100	29,212,000	88.7
Total		5,800	32,921,500	100.0

Variable Name: DHH_PRN **Length:** 2.0 **Position:** 23

Question Name:

Concept: Province of residence of respondent

Question Text:

Universe: All respondents

Note: The population count next to the name of each province below refers to the proportion of the region's total population (Atlantic, Québec, Ontario, Prairies or British Columbia) that the province
represents.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Prince Edward Island	11	400	975,000	3.0
New Brunswick	13	350	1,187,000	3.6
Quebec	24	1,600	7,592,500	23.1
Ontario	35	1,950	12,827,500	39.0
Saskatchewan	47	350	2,822,500	8.6
Alberta	48	400	3,216,000	9.8
British Columbia	59	750	4,301,500	13.1
Total		5,800	32,921,500	100.0

Variable Name: DHH_DOB **Length:** 2.0 **Position:** 25

Question Name:

Concept: Day of birth

Totals may not add up due to rounding.

Question Text: What is your date of birth? Enter the day.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Day (1 to 31)	01 - 31	5,800	32,910,000	100.0
Don't know	97	0	2,000	0.0
Refusal	98	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: DHH_MOB **Length:** 2.0 **Position:** 27

Question Name:

Concept: Month of birth

Question Text: What is your date of birth? Enter the month.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Month (1 to 12)	01 - 12	5,800	32,910,000	100.0
Don't know	97	0	2,000	0.0
Refusal	98	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: DHH_YOB **Length:** 4.0 **Position:** 29

Question Name:

Concept: Year of birth

Question Text: What is your date of birth? Enter a four-digit year.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Year	1936 - 2014	5,800	32,912,000	100.0
Refusal	9998	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: DHH_AGE **Length:** 3.0 **Position:** 33

Question Name:

Concept: Age at household interview

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Years		003 - 079	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHH_SEX **Length:** 1.0 **Position:** 36

Question Name: SEX_Q01

Concept: Sex

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Male		1	2,900	16,424,000	49.9
Female		2	2,900	16,497,500	50.1
	Total		5,800	32,921,500	100.0

Variable Name: EDC_01 **Length:** 1.0 **Position:** 37

Question Name: EDC_Q01

Concept: Highest grade of elementary school completed

Question Text: What is the highest grade of elementary or high school (respondent name) has ever completed?

Universe: All respondents

Note: Variable name changed from Cycle 4 (was DHH_ED1).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Québec: Secondary II or lower)	1	2,200	5,146,000	15.6
Grade 9 - 10 (Qc: Sec. III or IV, N.L.: 1st yr sec.)	2	400	2,034,000	6.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 11 - 13 (Qc: Sec. V, N.L.: 2nd to 4th yr of sec.)	3	3,200	25,432,000	77.3
Don't know	7	0	309,500	0.9
Total		5,800	32,921,500	100.0

Variable Name: EDC_02 **Length:** 1.0 **Position:** 38

Question Name: EDC_Q02

Concept: Graduated from high school (secondary school)

Question Text: Did [Respondent name] complete a high school diploma or its equivalent?

Universe: EDC_01 = 3, DK

Note: Variable name changed from cycle 4 (was DHH_ED2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,950	24,086,500	73.2
No	2	250	1,465,500	4.5
Valid skip	6	2,600	7,180,000	21.8
Don't know	7	0	189,500	0.6
Total		5,800	32,921,500	100.0

Variable Name: EDC_03 **Length:** 1.0 **Position:** 39

Question Name: EDC_Q03

Concept: Received any other education

Question Text: Has [Respondent name] received any other education that could be counted towards a certificate, diploma or degree from an educational institution?

Universe: All respondents

Note: Variable name changed from Cycle 4 (was DHH_ED3).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,500	19,582,500	59.5
No	2	3,250	13,105,000	39.8
Don't know	7	0	234,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: EDC_04 **Length:** 2.0 **Position:** 40

Question Name: EDC_Q04

Concept: Highest degree, certificate or diploma obtained

Question Text: What is the highest certificate, diploma or degree that [Respondent name] has completed?

Universe: EDC_03 = 1

Note: Variable name change from Cycle 4 (was DHH_ED4).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than high school diploma or its equivalent	01	100	310,500	0.9
High school diploma or a high school equivalency certificate	02	200	1,587,000	4.8
Trade certificate or diploma	03	400	3,121,000	9.5
College/CEGEP/other non-university certificate or diploma	04	750	6,271,000	19.0
University certificate or diploma below the bachelor's level	05	100	732,000	2.2
Bachelor's degree (e.g. B.A., B.Sc., LL.B.)	06	700	5,417,000	16.5
University certificate, diploma, degree above the BA level	07	300	2,093,500	6.4
Valid skip	96	3,250	13,105,000	39.8
Don't know	97	0	50,000	0.2
Not stated	99	0	234,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: EDUDR04 **Length:** 1.0 **Position:** 42

Question Name:

Concept: Highest level of education - respondent, 4 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than secondary school graduation	1	2,750	8,202,000	24.9
Secondary school graduation	2	800	6,746,000	20.5
Post-secondary graduation	4	2,200	17,634,500	53.6
Not stated	9	50	338,500	1.0
Total		5,800	32,921,500	100.0

Variable Name: EDUDR10 **Length:** 2.0 **Position:** 43

Question Name:

Concept: Highest level of education - respondent, 10 levels - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Quebec secondary II or lower)	01	2,150	5,015,500	15.2
Grade 9-10 (Quebec secondary III, IV; NFLD secondary I)	02	350	1,761,500	5.4
Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV)	03	250	1,290,000	3.9
Secondary school graduate	04	800	6,746,000	20.5
Trades certificate or diploma	06	400	3,121,000	9.5
Non-university diploma / certificate - college, CEGEP, etc.	07	750	6,271,000	19.0
University certificate below a bachelor's level	08	100	732,000	2.2
Bachelor's degree	09	700	5,417,000	16.5
University degree or certificate above bachelor's degree	10	300	2,093,500	6.4
Not stated	99	50	473,500	1.4
Total		5,800	32,921,500	100.0

Variable Name: EDUDH04 **Length:** 1.0 **Position:** 45

Question Name:

Concept: Highest level of education - household, 4 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than secondary school graduation	1	200	1,234,000	3.7
Secondary school graduation	2	750	4,536,500	13.8
Post-secondary graduation	4	4,750	26,254,000	79.7
Not stated	9	100	897,000	2.7
Total		5,800	32,921,500	100.0

Variable Name: EDUDH10 **Length:** 2.0 **Position:** 46

Question Name:

Concept: Highest level of education - household, 10 levels - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Grade 8 or lower (Quebec secondary II or lower)	01	50	331,500	1.0
Grade 9-10 (Quebec secondary III, IV; NFLD secondary I)	02	100	401,000	1.2
Grade 11-13 (Quebec secondary V; NFLD secondary II, III, IV)	03	50	416,500	1.3
Secondary school graduate	04	700	4,424,000	13.4
Trades certificate or diploma	06	550	3,322,000	10.1
Non-university diploma / certificate - college, CEGEP, etc.	07	1,500	8,095,000	24.6
University certificate below a bachelor's level	08	150	868,500	2.6
Bachelor's degree	09	1,650	9,232,500	28.0
University degree or certificate above bachelor's degree	10	900	4,669,500	14.2
Not stated	99	150	1,161,000	3.5
Total		5,800	32,921,500	100.0

Variable Name: DHH_OWN **Length:** 1.0 **Position:** 48

Question Name: DMB_Q01

Concept: Dwelling - own or rent

Question Text: Is this dwelling... ?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Owned by member of hhld, even if it is still being paid for	1	4,400	24,493,500	74.4
Rented, even if no cash rent is paid	2	1,350	8,428,000	25.6
Total		5,800	32,921,500	100.0

Variable Name: DHH_REP **Length:** 1.0 **Position:** 49

Question Name: DMB_Q02

Concept: Dwelling - in need of repairs

Question Text: Is this dwelling in need of any repairs?

Do not include remodelling or additions.

Universe: All respondents

Totals may not add up due to rounding.

Note: Regular maintenance includes painting, furnace cleaning, etc. Minor repairs includes missing or loose floor tiles, bricks or shingles, defective steps, railing or siding, etc. Major repairs includes defective plumbing or electrical wiring, structural repairs to walls, floors or ceilings, etc.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No, only regular maintenance is needed	1	4,550	26,812,500	81.4
Yes, minor repairs are needed	2	900	4,661,500	14.2
Yes, major repairs are needed	3	350	1,403,500	4.3
Don't know	7	0	42,500	0.1
Refusal	8	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: DHH_BED **Length:** 2.0 **Position:** 50

Question Name: DWE2_Q01

Concept: Number of bedrooms in dwelling

Question Text: How many bedrooms are there in this dwelling?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of bedrooms	00 - 08	5,800	32,907,000	100.0
Don't know	97	0	9,000	0.0
Refusal	98	0	5,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: DHH_MS **Length:** 2.0 **Position:** 52

Question Name: MSWC_Q02

Concept: Marital status

Question Text: What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single/never married?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Married	01	1,650	14,105,500	42.8
Living common-law	02	400	2,920,000	8.9
Widowed	03	150	597,500	1.8
Separated	04	150	783,000	2.4
Divorced	05	250	1,467,500	4.5

Answer Categories		Code	Frequency	Weighted Frequency	%
Single, never married		06	3,200	12,985,000	39.4
Refusal		98	0	63,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: DHHDLE5 **Length:** 2.0 **Position:** 54

Question Name:

Concept: Number of persons in household less than 6 years old - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 04	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHHD611 **Length:** 2.0 **Position:** 56

Question Name:

Concept: Number of persons 6 to 11 years old in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 04	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHHDL12 **Length:** 2.0 **Position:** 58

Question Name:

Concept: Number of persons in household less than 12 years old - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 06	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHHDYKD **Length:** 2.0 **Position:** 60

Question Name:

Concept: Number of persons 15 years old or less in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 06	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHHDOKD **Length:** 2.0 **Position:** 62

Question Name:

Concept: Number of persons 16 or 17 years old in household - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of persons		00 - 02	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: DHHDHSZ **Length:** 2.0 **Position:** 64

Question Name:

Concept: Household size - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of persons	01 - 11	5,800	32,921,500	100.0
Total		5,800	32,921,500	100.0

Variable Name: DHHDECF **Length:** 2.0 **Position:** 66

Question Name:

Concept: Economic family status (household type) - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Unattached individual	01	600	4,682,000	14.2
Unattached individual living with others	02	100	1,178,500	3.6
Couple alone	03	700	7,143,500	21.7
Couple with no children, others	04	50	320,000	1.0
Couple, children < 25 years old	05	3,150	12,982,500	39.4
Couple, children < 25 years old, others	06	200	1,597,500	4.9
Couple, all children >= 25 years old	07	50	1,277,500	3.9
Couple, all children >= 25 years old, others	08	50	197,000	0.6
Female lone parent, children < 25 years old	09	250	665,000	2.0
Female lone parent, children < 25 years old, others	10	500	1,689,500	5.1
Female lone parent, all children >= 25 years old	11	50	316,000	1.0
Female lone parent, all children >= 25 years old, others	12	0	53,500	0.2
Male lone parent, children < 25	13	50	235,000	0.7
Male lone parent, children < 25, others	14	50	364,000	1.1
Male lone parent, all children >= 25	15	0	54,500	0.2
Male lone parent, all children >= 25, others	16	0	17,000	0.1
Other household type	17	0	128,000	0.4
Not stated	99	0	20,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: DHHDLVG **Length:** 2.0 **Position:** 68

Question Name:

Concept: Living arrangement of selected respondent - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Unattached individual living alone	01	600	4,682,000	14.2
Unattached individual living with others	02	100	1,519,500	4.6
Living with spouse or partner	03	700	7,143,500	21.7
Parent living with spouse or partner, children	04	1,200	8,174,000	24.8
Single parent living with children	05	300	1,260,500	3.8
Child living with single parent	06	150	607,000	1.8
Child living with single parent, siblings	07	350	1,120,500	3.4
Child living with two parents	08	300	926,000	2.8
Child living with two parents, siblings	09	1,700	5,143,000	15.6
Other	10	350	2,345,500	7.1
Total		5,800	32,921,500	100.0

Variable Name: DHHDDWE **Length:** 2.0 **Position:** 70

Question Name:

Concept: Type of dwelling - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Single detached	01	4,050	22,100,000	67.1
Double	02	250	1,721,500	5.2
Row or terrace	03	350	1,951,500	5.9
Duplex	04	200	1,172,500	3.6
Low-rise apartment of fewer than 5 stories or a flat	05	700	4,371,500	13.3
High-rise apartment of 5 stories or more	06	200	1,376,500	4.2
Hotel; rooming/lodging house; camp	08	0	1,500	0.0
Mobile home	09	50	174,500	0.5
Other - Specify	10	0	51,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: GEN_005 **Length:** 1.0 **Position:** 72

Question Name: GEN_Q005

Concept: Self-perceived health

Question Text: In general, would you say your health is: (excellent, very good, good, fair, or poor)?

Universe: All respondents

Note: Variable name changed from Cycle 4 (was GEN_11).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,550	6,790,000	20.6
Very good	2	2,150	11,780,500	35.8
Good	3	1,600	11,179,000	34.0
Fair	4	400	2,626,000	8.0
Poor	5	100	538,500	1.6
Don't know	7	0	7,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: GEN_010 **Length:** 1.0 **Position:** 73

Question Name: GEN_Q010

Concept: Self-perceived health compared to one year ago

Question Text: Compared to one year ago, how would you say your health is now? Is it: much better now than 1 year ago, somewhat better now (than 1 year ago), about the same as 1 year ago, somewhat worse now (than 1 year ago), or much worse now (than 1 year ago)?

Universe: All respondents

Note: Variable name changed from Cycle 4 (was GEN_12).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Much better now than 1 year ago	1	550	3,607,000	11.0
Somewhat better now (than 1 year ago)	2	900	4,545,000	13.8
About the same as 1 year ago	3	3,700	20,399,500	62.0
Somewhat worse now (than 1 year ago)	4	550	4,015,000	12.2
Much worse now (than 1 year ago)	5	50	351,000	1.1
Don't know	7	0	4,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GEN_015 **Length:** 2.0 **Position:** 74

Question Name: GEN_Q015

Concept: Satisfied with life right now

Question Text: Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

Universe: PROXY = 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_13A).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Scale	00 - 10	4,100	29,210,500	88.7
Valid skip	96	1,650	3,447,500	10.5
Don't know	97	0	1,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	50	262,000	0.8
	Total		5,800	32,921,500	100.0

Variable Name: GEN_020 **Length:** 1.0 **Position:** 76

Question Name: GEN_Q020

Concept: Self-perceived mental health

Question Text: In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?

Universe: PROXY = 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_14).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Excellent		1	1,150	7,439,500	22.6
Very good		2	1,650	11,301,500	34.3
Good		3	1,000	7,861,000	23.9
Fair		4	300	2,180,000	6.6
Poor		5	50	429,500	1.3
Valid skip		6	1,650	3,447,500	10.5
Don't know		7	0	500	0.0
Not stated		9	50	262,000	0.8
	Total		5,800	32,921,500	100.0

Variable Name: GEN_025 **Length:** 1.0 **Position:** 77

Question Name: GEN_Q025

Concept: Self-perceived stress

Question Text: Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Universe: DHH_AGE > 11

Note: Variable name changed from Cycle 4 (was GEN_15).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all stressful	1	400	2,920,500	8.9
Not very stressful	2	1,050	6,561,500	19.9
A bit stressful	3	1,650	12,041,500	36.6
Quite a bit stressful	4	900	7,386,000	22.4
Extremely stressful	5	100	562,000	1.7
Valid skip	6	1,650	3,447,500	10.5

Answer Categories	Code	Frequency	Weighted Frequency	%
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GEN_030 **Length:** 2.0 **Position:** 78

Question Name: GEN_Q030

Concept: Main activity

Question Text: During the past 12 months, was your main activity working at a paid job or business, looking for paid work, going to school, caring for children, household work, retired or something else?

Universe: DHH_AGE > 11

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Working at a paid job or business	01	2,050	18,028,500	54.8
Looking for paid work	02	50	530,000	1.6
Going to school	03	1,050	4,433,500	13.5
Caring for children	04	200	833,000	2.5
Household work	05	50	517,000	1.6
Retired	06	650	4,133,500	12.6
Maternity/paternity or parental leave	07	0	62,500	0.2
Long term illness	08	100	691,500	2.1
Volunteering	09	0	79,500	0.2
Providing care, family/friends, long term health condition	10	0	84,000	0.3
Other - Specify	11	0	78,500	0.2
Valid skip	96	1,650	3,447,500	10.5
Not stated	99	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GEN_035 **Length:** 1.0 **Position:** 80

Question Name: GEN_Q035

Concept: Worked at job or business

Question Text: Have you worked at a job or business at any time in the past 12 months?

Universe: (DHH_AGE >= 15 and DHH_AGE <= 75) and GEN_030 <> 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_16).

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

Yes	1	600	3,741,000	11.4
No	2	950	6,010,500	18.3
Valid skip	6	4,250	23,170,500	70.4
Total		5,800	32,921,500	100.0

Variable Name: GEN_040 **Length:** 1.0 **Position:** 81

Question Name: GEN_Q040

Concept: Self-perceived work stress

Question Text: Would you say that most days at work were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

Universe: (DHH_AGE >= 15 and DHH_AGE <= 75) and PROXY = 2 and GEN_035 <> 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_17).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all stressful	1	300	2,150,500	6.5
Not very stressful	2	600	4,391,500	13.3
A bit stressful	3	1,000	8,861,000	26.9
Quite a bit stressful	4	600	5,086,500	15.4
Extremely stressful	5	150	1,192,500	3.6
Valid skip	6	3,150	11,205,500	34.0
Not stated	9	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GEN_045 **Length:** 1.0 **Position:** 82

Question Name: GEN_Q045

Concept: Sense of belonging to local community

Question Text: How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

Universe: PROXY = 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_18).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very strong	1	900	6,182,500	18.8
Somewhat strong	2	2,050	14,239,500	43.3
Somewhat weak	3	850	6,419,500	19.5
Very weak	4	250	2,322,500	7.1
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	48,000	0.1
Not stated	9	50	262,000	0.8
Total		5,800	32,921,500	100.0

Variable Name: GEN_050 **Length:** 1.0 **Position:** 83

Question Name: GEN_Q050

Concept: Self-perceived quality of life

Question Text: Would you rate your quality of life as: (excellent, very good, good, fair or poor)?

Universe: PROXY = 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 15 to 75 were coded as "not stated".

Variable name changed from Cycle 4 (was GEN_19).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,200	7,335,500	22.3
Very good	2	1,750	12,641,500	38.4
Good	3	950	7,467,500	22.7
Fair	4	200	1,481,500	4.5
Poor	5	50	286,000	0.9
Valid skip	6	1,650	3,447,500	10.5
Not stated	9	50	262,000	0.8
Total		5,800	32,921,500	100.0

Variable Name: GEN_055 **Length:** 1.0 **Position:** 84

Question Name: GEN_Q055

Concept: Family doctor

Question Text: Do you have a regular medical doctor?

Universe: All respondents

Note: Variable name changed from Cycle 4 (was GEN_20).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,150	28,371,000	86.2
No	2	650	4,411,000	13.4
Don't know	7	0	139,500	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: GENDHDI **Length:** 1.0 **Position:** 85

Question Name:

Concept: Self-rated health - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	100	538,500	1.6
Fair	1	400	2,626,000	8.0
Good	2	1,600	11,179,000	34.0
Very good	3	2,150	11,780,500	35.8
Excellent	4	1,550	6,790,000	20.6
Not stated	9	0	7,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: GENDMHI **Length:** 1.0 **Position:** 86

Question Name:

Concept: Self-rated mental health - (D)

Question Text:

Universe: PROXY = 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	50	429,500	1.3
Fair	1	300	2,180,000	6.6
Good	2	1,000	7,861,000	23.9
Very good	3	1,650	11,301,500	34.3
Excellent	4	1,150	7,439,500	22.6
Valid skip	6	1,650	3,447,500	10.5
Not stated	9	50	262,500	0.8
Total		5,800	32,921,500	100.0

Variable Name: HUI_005 **Length:** 1.0 **Position:** 87

Question Name: HUI_Q005

Concept: Vision - read newsprint without glasses / contacts

Question Text: Are you usually able to see (clearly, and without distortion, the words in a book/well enough to read ordinary newsprint) without glasses or contact lenses?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_01).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,400	17,985,000	54.6
No	2	1,750	13,783,000	41.9
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_010 **Length:** 1.0 **Position:** 88

Question Name: HUI_Q010

Concept: Vision - read newsprint with glasses / contacts

Question Text: Are you usually able to see (clearly, and without distortion, the words in a book/well enough to read ordinary newsprint) with glasses or contact lenses?

Universe: DHH_AGE >= 6 and HUI_005 <>1

Note: Returning from cycle 2. Variable name changed (was HUI_02).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,700	13,520,500	41.1
No	2	50	233,500	0.7
Valid skip	6	4,050	19,132,500	58.1
Don't know	7	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: HUI_015 **Length:** 1.0 **Position:** 89

Question Name: HUI_Q015

Concept: Vision - able to see

Question Text: Are you able to see at all?

Universe: DHH_AGE >= 6 and HUI_005 <>1 and HUI_010 <>1

Note: Returning from cycle 2. Variable name changed (was HUI_03).

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	254,500	0.8
No	2	0	14,000	0.0
Valid skip	6	5,750	32,653,500	99.2
Total		5,800	32,921,500	100.0

Variable Name: HUI_020 **Length:** 1.0 **Position:** 90

Question Name: HUI_Q020

Concept: Vision - recognize a friend without glasses / contacts

Question Text: Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?

Universe: DHH_AGE >= 6 and (HUI_005 = 1 or HUI_010 = 1 or HUI_015 = 1)

Note: Returning from cycle 2. Variable name changed (was HUI_04).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,000	22,951,500	69.7
No	2	1,200	8,764,000	26.6
Valid skip	6	600	1,161,500	3.5
Don’t know	7	0	44,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: HUI_025 **Length:** 1.0 **Position:** 91

Question Name: HUI_Q025

Concept: Vision - recognize a friend with glasses / contacts

Question Text: Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?

Universe: DHH_AGE >= 6 and HUI_020 = 2

Note: Returning from cycle 2. Variable name changed (was HUI_05).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,150	8,631,500	26.2
No	2	0	126,500	0.4
Valid skip	6	4,600	24,113,000	73.2
Don’t know	7	0	6,000	0.0
Not stated	9	0	44,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: HUI_030 **Length:** 1.0 **Position:** 92

Question Name: HUI_Q030

Concept: Hearing - in group without hearing aid

Question Text: Are you usually able to hear what is said in a group conversation with at least three other people without a hearing aid?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_06).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,000	30,285,500	92.0
No	2	200	1,485,000	4.5
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_035 **Length:** 1.0 **Position:** 93

Question Name: HUI_Q035

Concept: Hearing - in group with hearing aid

Question Text: Are you usually able to hear what is said in a group conversation with at least three other people with a hearing aid?

Universe: HUI_030 = 2

Note: Returning from cycle 2. Variable name changed (was HUI_07).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	588,500	1.8
No	2	50	335,500	1.0
Valid skip	6	5,600	31,433,000	95.5
Don't know	7	50	550,000	1.7
Refusal	8	0	11,000	0.0
Not stated	9	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_040 **Length:** 1.0 **Position:** 94

Question Name: HUI_Q040

Concept: Hearing - able to hear

Question Text: Are you able to hear at all?

Universe: DHH_AGE >= 6 and HUI_030 = 2 and HUI_035 <> 1

Totals may not add up due to rounding.

Note: Returning from cycle 2. Variable name changed (was HUI_07A).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	888,500	2.7
No	2	0	8,000	0.0
Valid skip	6	5,700	32,021,500	97.3
Not stated	9	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_045 **Length:** 1.0 **Position:** 95

Question Name: HUI_Q045

Concept: Hearing - in quiet room without hearing aid

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?

Universe: DHH_AGE >= 6 and (HUI_030 = 2 and HUI_035 = 1) or HUI_040 = 1

Note: Returning from cycle 2. Variable name changed (was HUI_08).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,350,000	4.1
No	2	50	123,000	0.4
Valid skip	6	5,600	31,441,000	95.5
Don't know	7	0	4,500	0.0
Not stated	9	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_050 **Length:** 1.0 **Position:** 96

Question Name: HUI_Q050

Concept: Hearing - in quiet room with hearing aid

Question Text: Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?

Universe: DHH_AGE >= 6 and (HUI_030 = 2 and HUI_035 = 1) and HUI_040 = 1 or HUI_045 = 2, 7

Note: Returning from cycle 2. Variable name changed (was HUI_09).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	90,500	0.3
No	2	0	28,000	0.1
Valid skip	6	5,750	32,791,000	99.6
Don't know	7	0	9,000	0.0
Not stated	9	0	3,500	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: HUI_055 **Length:** 1.0 **Position:** 97

Question Name: HUI_Q055

Concept: Speech - completely understood by strangers

Question Text: Are you usually able to be understood completely when speaking with strangers in your own language?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_10).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5,100	31,437,000	95.5
No		2	50	262,500	0.8
Valid skip		6	600	1,147,500	3.5
Don't know		7	0	74,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: HUI_060 **Length:** 1.0 **Position:** 98

Question Name: HUI_Q060

Concept: Speech - partially understood by strangers

Question Text: Are you able to be understood partially when speaking with strangers?

Universe: DHH_AGE >= 6 and HUI_055 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_11).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	321,500	1.0
No		2	0	15,500	0.0
Valid skip		6	5,700	32,584,500	99.0
	Total		5,800	32,921,500	100.0

Variable Name: HUI_065 **Length:** 1.0 **Position:** 99

Question Name: HUI_Q065

Concept: Speech - completely understood by non-strangers

Totals may not add up due to rounding.

Question Text: Are you able to be understood completely when speaking with those who know you well?

Universe: DHH_AGE >= 6 and HUI_055 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_12).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	293,500	0.9
No	2	0	44,000	0.1
Valid skip	6	5,700	32,584,500	99.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_070 **Length:** 1.0 **Position:** 100

Question Name: HUI_Q070

Concept: Speech - partially understood by non-strangers

Question Text: Are you able to be understood partially when speaking with those who know you well?

Universe: DHH_AGE >= 6 and HUI_065 = 2, 7

Note: Returning from cycle 2. Variable name changed (was HUI_13).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	41,000	0.1
No	2	0	2,500	0.0
Valid skip	6	5,750	32,878,000	99.9
Total		5,800	32,921,500	100.0

Variable Name: HUI_075 **Length:** 1.0 **Position:** 101

Question Name: HUI_Q075

Concept: Mobility - walk without difficulty and without support

Question Text: Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_14).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,050	31,023,500	94.2
No	2	150	751,000	2.3
Valid skip	6	600	1,147,500	3.5
Total		5,800	32,921,500	100.0

Variable Name: HUI_080 **Length:** 1.0 **Position:** 102

Question Name: HUI_Q080

Concept: Mobility - able to walk

Question Text: Are you able to walk at all?

Universe: DHH_AGE >= 6 and HUI_075 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_15).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	706,000	2.1
No	2	0	45,000	0.1
Valid skip	6	5,650	32,171,000	97.7
Total		5,800	32,921,500	100.0

Variable Name: HUI_085 **Length:** 1.0 **Position:** 103

Question Name: HUI_Q085

Concept: Mobility - requires support to walk

Question Text: Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_080 <> 2

Note: Returning from cycle 2. Variable name changed (was HUI_16).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	419,500	1.3
No	2	50	285,500	0.9
Valid skip	6	5,650	32,215,500	97.9
Don’t know	7	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_090 **Length:** 1.0 **Position:** 104

Question Name: HUI_Q090

Concept: Mobility - requires help of person to walk

Question Text: Do you require the help of another person to be able to walk?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_080 <> 2

Note: Returning from cycle 2. Variable name changed (was HUI_17).

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	92,500	0.3
No	2	100	613,500	1.9
Valid skip	6	5,650	32,215,500	97.9
Total		5,800	32,921,500	100.0

Variable Name: HUI_095 **Length:** 1.0 **Position:** 105

Question Name: HUI_Q095

Concept: Mobility - requires a wheelchair

Question Text: Do you require a wheelchair to get around?

Universe: DHH_AGE >= 6 and HUI_075 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_18).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	83,000	0.3
No	2	100	667,500	2.0
Valid skip	6	5,650	32,171,000	97.7
Total		5,800	32,921,500	100.0

Variable Name: HUI_100 **Length:** 1.0 **Position:** 106

Question Name: HUI_Q100

Concept: Mobility - frequency of wheelchair use

Question Text: How often do you use a wheelchair?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_095 <> 2

Note: Returning from cycle 2. Variable name changed (was HUI_19).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	0	47,000	0.1
Often	2	0	14,000	0.0
Sometimes	3	0	22,000	0.1
Valid skip	6	5,750	32,838,500	99.7
Total		5,800	32,921,500	100.0

Variable Name: HUI_105 **Length:** 1.0 **Position:** 107

Question Name: HUI_Q105

Concept: Mobility - requires help to get around in wheelchair

Question Text: Do you need the help of another person to get around in the wheelchair?

Universe: DHH_AGE >= 6 and HUI_075 <> 1 and HUI_095 <> 2

Note: Returning from cycle 2. Variable name changed (was HUI_20).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	19,500	0.1
No	2	0	63,500	0.2
Valid skip	6	5,750	32,838,500	99.7
Total		5,800	32,921,500	100.0

Variable Name: HUI_110 **Length:** 1.0 **Position:** 108

Question Name: HUI_Q110

Concept: Dexterity - able to grasp and handle small objects

Question Text: Are you usually able to grasp and handle small objects such as a pencil or scissors?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_21).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,150	31,534,000	95.8
No	2	0	240,000	0.7
Valid skip	6	600	1,147,500	3.5
Total		5,800	32,921,500	100.0

Variable Name: HUI_115 **Length:** 1.0 **Position:** 109

Question Name: HUI_Q115

Concept: Dexterity - requires help due to limitation in use of hands

Question Text: Do you require the help of another person because of limitations in the use of your hands or fingers?

Universe: DHH_AGE >= 6 and HUI_110 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_22).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	71,500	0.2
No	2	0	168,500	0.5
Valid skip	6	5,750	32,681,500	99.3
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: HUI_120 **Length:** 1.0 **Position:** 110

Question Name: HUI_Q120

Concept: Dexterity - requires help with tasks

Question Text: Do you require the help of another person with: (some tasks, most tasks, almost all tasks or all tasks)?

Universe: DHH_AGE >= 6 and HUI_110 <> 1 and HUI_115 <> 2

Note: Returning from cycle 2. Variable name changed (was HUI_23).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Some tasks	1	0	34,500	0.1
Most tasks	2	0	27,000	0.1
Almost all tasks	3	0	10,000	0.0
Valid skip	6	5,800	32,850,000	99.8
Total		5,800	32,921,500	100.0

Variable Name: HUI_125 **Length:** 1.0 **Position:** 111

Question Name: HUI_Q125

Concept: Dexterity - requires special equipment / hand limitation

Question Text: Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of your hands or fingers?

Universe: DHH_AGE >= 6 and HUI_110 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_24).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	26,500	0.1
No	2	0	213,500	0.6
Valid skip	6	5,750	32,681,500	99.3
Total		5,800	32,921,500	100.0

Variable Name: HUI_130 **Length:** 1.0 **Position:** 112

Question Name: HUI_Q130

Concept: Emotion - self evaluation

Question Text: Would you describe yourself as being usually: (happy and interested in life, somewhat happy, somewhat unhappy, unhappy with little interest in life or so unhappy that life is not worthwhile)?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_25).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Happy and interested in life	1	4,050	23,809,500	72.3
Somewhat happy	2	1,000	6,778,000	20.6
Somewhat unhappy	3	100	826,500	2.5
Unhappy with little interest in life	4	50	213,000	0.6
So unhappy, that life is not worthwhile	5	0	141,500	0.4
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	4,000	0.0
Refusal	8	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_135 **Length:** 1.0 **Position:** 113

Question Name: HUI_Q135

Concept: Cognition - ability to remember things

Question Text: How would you describe your usual ability to remember things?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_26).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Able to remember most things	1	3,700	22,123,500	67.2
Somewhat forgetful	2	1,350	8,815,000	26.8
Very forgetful	3	150	833,500	2.5
Unable to remember anything at all	4	0	2,000	0.0
Valid skip	6	600	1,147,500	3.5
Total		5,800	32,921,500	100.0

Variable Name: HUI_140 **Length:** 1.0 **Position:** 114

Question Name: HUI_Q140

Concept: Cognition - ability to think and solve problems

Question Text: How would you describe your usual ability to think and solve day-to-day problems?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_27).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Able to think clearly and solve problems	1	4,300	27,337,500	83.0
Having a little difficulty	2	650	3,490,000	10.6
Having some difficulty	3	150	830,500	2.5
Having a great deal of difficulty	4	0	103,500	0.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Unable to think or solve problems	5	0	9,000	0.0
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_145 **Length:** 1.0 **Position:** 115

Question Name: HUI_Q145

Concept: Usually free of pain or discomfort

Question Text: Are you usually free of pain or discomfort?

Universe: DHH_AGE >= 6

Note: Returning from cycle 2. Variable name changed (was HUI_28).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,950	23,362,000	71.0
No	2	1,250	8,410,000	25.5
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_150 **Length:** 1.0 **Position:** 116

Question Name: HUI_Q150

Concept: Pain and discomfort - usual intensity

Question Text: How would you describe the usual intensity of your pain or discomfort?

Universe: DHH_AGE >= 6 and HUI_145 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_29).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Mild	1	500	3,525,500	10.7
Moderate	2	600	4,254,500	12.9
Severe	3	100	630,000	1.9
Valid skip	6	4,550	24,509,500	74.4
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUI_155 **Length:** 1.0 **Position:** 117

Question Name: HUI_Q155

Concept: Pain and discomfort - number of activities prevented

Question Text: How many activities does your pain or discomfort prevent?

Universe: DHH_AGE >= 6 and HUI_145 <> 1

Note: Returning from cycle 2. Variable name changed (was HUI_30).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	450	3,265,000	9.9
A few	2	400	2,574,000	7.8
Some	3	250	1,699,500	5.2
Most	4	150	872,000	2.6
Valid skip	6	4,550	24,509,500	74.4
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUIDCOG **Length:** 2.0 **Position:** 118

Question Name:

Concept: Cognition problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No cognitive problems	01	3,350	20,516,500	62.3
A little difficulty thinking	02	350	1,521,000	4.6
Somewhat forgetful	03	900	6,483,500	19.7
Somewhat forgetful/little diff. think.	04	450	2,316,500	7.0
Somewhat forgetful/great deal diff. think.	05	150	923,500	2.8
Unable to remember or think	06	0	9,000	0.0
Valid skip	96	600	1,147,500	3.5
Not stated	99	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUIDDEX **Length:** 2.0 **Position:** 120

Question Name:

Concept: Dexterity trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No dexterity problems	01	5,150	31,534,000	95.8
Dext. probl. - no help required	02	0	168,500	0.5
Dext. probl. - help with some tasks	04	0	34,500	0.1
Dext. probl. - help with most tasks	05	0	37,000	0.1
Valid skip	96	600	1,147,500	3.5
Total		5,800	32,921,500	100.0

Variable Name: HUIDEMO **Length:** 1.0 **Position:** 122

Question Name:

Concept: Emotional problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Happy and interested in life	1	4,050	23,809,500	72.3
Somewhat happy	2	1,000	6,778,000	20.6
Somewhat unhappy	3	100	826,500	2.5
Unhappy with little interest in life	4	50	213,000	0.6
So unhappy, that life is not worthwhile	5	0	141,500	0.4
Valid skip	6	600	1,147,500	3.5
Not stated	9	0	5,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUIDHER **Length:** 2.0 **Position:** 123

Question Name:

Concept: Hearing problems - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No hearing problems	01	5,000	30,285,500	92.0
Problem hearing in group - corrected	02	50	490,000	1.5
Problem hearing in group and individual - corrected	03	0	94,500	0.3
Problem hearing in group - not corrected	04	50	304,500	0.9
Problem hearing in group and individual - not corrected	05	0	14,500	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Cannot hear	06	0	17,000	0.1
Valid skip	96	600	1,147,500	3.5
Not stated	99	50	568,500	1.7
Total		5,800	32,921,500	100.0

Variable Name: HUIDMOB **Length:** 2.0 **Position:** 125

Question Name:

Concept: Mobility trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No mobility issues	01	5,050	31,023,500	94.2
Probl. - no aid required	02	50	239,500	0.7
Problem - requires mechanical support	03	50	360,500	1.1
Problem - requires wheelchair	04	0	13,000	0.0
Problem - requires help from people	05	0	92,500	0.3
Cannot walk	06	0	45,000	0.1
Valid skip	96	600	1,147,500	3.5
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: HUIDPAD **Length:** 1.0 **Position:** 127

Question Name:

Concept: Activities prevented by pain - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No pain or discomfort	1	3,950	23,362,000	71.0
Pain prevents no activities	2	450	3,265,000	9.9
Pain prevents few activites	3	400	2,574,000	7.8
Pain prevents some activities	4	250	1,699,500	5.2
Pain prevents most activities	5	150	872,000	2.6
Valid skip	6	600	1,147,500	3.5
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: HUIDSPE **Length:** 1.0 **Position:** 128

Question Name:

Concept: Speech trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No speech problems	1	5,100	31,437,000	95.5
Partially understood by strangers	2	50	209,000	0.6
Partially understood by friends	3	0	38,000	0.1
Not understood by strangers	4	0	13,000	0.0
Not understood by friends	5	0	2,500	0.0
Valid skip	6	600	1,147,500	3.5
Not stated	9	0	74,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: HUIDVIS **Length:** 2.0 **Position:** 129

Question Name:

Concept: Vision trouble - function code - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No visual problems	01	2,900	14,468,000	43.9
Problems corrected by lenses	02	2,200	16,895,000	51.3
Problems seeing distance - not corrected	03	0	93,000	0.3
Problems seeing close - not corrected	04	0	186,000	0.6
Problems seeing close & distance - not corrected	05	0	33,500	0.1
No sight at all	06	0	14,000	0.0
Valid skip	96	600	1,147,500	3.5
Not stated	99	0	84,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: HUIDHSI **Length:** 6.3 **Position:** 131

Question Name:

Concept: Health Utility Index (HUI3) - (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Health index scale	-0.132 - 01.000	5,100	31,114,500	94.5
Valid skip	99.996	600	1,147,500	3.5
Not stated	99.999	100	659,500	2.0
Total		5,800	32,921,500	100.0

Variable Name: HUIDHSC **Length:** 1.0 **Position:** 137

Question Name:

Concept: HUI score into 4 categories - no/mild/moderate/severe (D)

Question Text:

Universe: DHH_AGE >= 6

Note: Returning from cycle 2

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No disability	1	1,400	6,716,500	20.4
Mild disability	2	1,950	13,628,000	41.4
Moderate disability	3	1,050	6,086,000	18.5
Severe disability	4	700	4,684,500	14.2
Valid skip	6	600	1,147,500	3.5
Not stated	9	100	659,500	2.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_11 **Length:** 1.0 **Position:** 138

Question Name: CCC_Q11

Concept: Has asthma

Question Text: Do you have asthma?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	2,837,000	8.6
No	2	5,250	30,057,000	91.3
Don’t know	7	0	27,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: CCC_12 **Length:** 2.0 **Position:** 139

Question Name: CCC_Q12

Concept: Asthma - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 76	550	2,755,500	8.4
Valid skip	96	5,250	30,057,000	91.3
Don't know	97	0	81,000	0.2
Not stated	99	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_13 **Length:** 1.0 **Position:** 141

Question Name: CCC_Q13

Concept: Asthma - had symptoms or attacks

Question Text: Have you had any asthma symptoms or asthma attacks in the past 12 months?

Universe: CCC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,560,000	4.7
No	2	250	1,257,500	3.8
Valid skip	6	5,250	30,057,000	91.3
Don't know	7	0	19,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_14 **Length:** 1.0 **Position:** 142

Question Name: CCC_Q14

Concept: Has chronic bronchitis, emphysema or COPD

Question Text: Do you have chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	683,500	2.1
No	2	5,700	32,227,000	97.9
Don't know	7	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_15 **Length:** 2.0 **Position:** 143

Question Name: CCC_Q15

Concept: Chronic bronchitis, emphysema or COPD - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 76	100	653,000	2.0
Valid skip	96	5,700	32,227,000	97.9
Don't know	97	0	30,500	0.1
Not stated	99	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_21 **Length:** 1.0 **Position:** 145

Question Name: CCC_Q21

Concept: Has fibromyalgia

Question Text: Do you have fibromyalgia?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	590,000	1.8
No	2	4,050	28,851,000	87.6
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	31,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_22 **Length:** 1.0 **Position:** 146

Totals may not add up due to rounding.

Question Name: CCC_Q22

Concept: Has arthritis

Question Text: Do you have arthritis [excluding fibromyalgia]?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,207,500	15.8
No	2	3,450	24,233,500	73.6
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	31,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_24 **Length:** 1.0 **Position:** 147

Question Name: CCC_Q24

Concept: Has back problems excluding fibromyalgia and arthritis

Question Text: Do you have back problems [excluding fibromyalgia and arthritis]?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,750,500	14.4
No	2	3,500	24,661,000	74.9
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	60,500	0.2
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_25 **Length:** 1.0 **Position:** 148

Question Name: CCC_Q25

Concept: Has osteoporosis

Question Text: Do you have osteoporosis?

Universe: DHH_AGE > 39

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,027,000	3.1
No	2	1,900	15,538,000	47.2
Valid skip	6	3,750	16,283,500	49.5
Don't know	7	0	73,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: CCC_31 **Length:** 1.0 **Position:** 149

Question Name: CCC_Q31

Concept: Has high blood pressure

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have high blood pressure?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,462,000	13.6
No	2	4,550	27,201,000	82.6
Valid skip	6	600	1,147,500	3.5
Don't know	7	50	111,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: CCC_32 **Length:** 1.0 **Position:** 150

Question Name: CCC_Q32

Concept: Medication for high blood pressure - past month

Question Text: In the past month have you taken any medicine for high blood pressure?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	600	4,309,500	13.1
No	2	4,600	27,430,000	83.3
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_33 **Length:** 1.0 **Position:** 151

Totals may not add up due to rounding.

Question Name: CCC_Q33

Concept: Ever had blood cholesterol measured

Question Text: Have you ever had your blood cholesterol measured?

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,300	18,329,500	55.7
No	2	2,600	11,681,000	35.5
Valid skip	6	600	1,147,500	3.5
Don't know	7	300	1,763,500	5.4
Total		5,800	32,921,500	100.0

Variable Name: CCC_34 **Length:** 1.0 **Position:** 152

Question Name: CCC_Q34

Concept: Ever told blood cholesterol high

Question Text: Have you ever been told by a health professional that your blood cholesterol was high?

Universe: CCC_33 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,008,500	18.3
No	2	1,550	12,211,000	37.1
Valid skip	6	3,200	12,828,500	39.0
Don't know	7	0	110,000	0.3
Not stated	9	300	1,763,500	5.4
Total		5,800	32,921,500	100.0

Variable Name: CCC_35 **Length:** 1.0 **Position:** 153

Question Name: CCC_Q35

Concept: Has celiac disease

Question Text: Do you have celiac disease?

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	289,500	0.9
No	2	5,750	32,630,000	99.1
Don't know	7	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_36 **Length:** 1.0 **Position:** 154

Question Name: CCC_Q36

Concept: Has inflammatory bowel disease

Question Text: Do you have an inflammatory bowel disease (IBD), for example, Crohn's disease or ulcerative colitis?

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	507,500	1.5
No	2	5,700	32,409,000	98.4
Don't know	7	0	5,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_51 **Length:** 1.0 **Position:** 155

Question Name: CCC_Q51

Concept: Has diabetes

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have diabetes?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	2,041,000	6.2
No	2	5,500	30,874,000	93.8
Don't know	7	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_53 **Length:** 2.0 **Position:** 156

Question Name: CCC_Q53

Totals may not add up due to rounding.

Concept: Diabetes - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_51 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	04 - 75	250	2,037,500	6.2
Valid skip	96	5,500	30,874,000	93.8
Don't know	97	0	3,500	0.0
Not stated	99	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_54 **Length:** 1.0 **Position:** 158

Question Name: CCC_Q54

Concept: Diabetes - pregnant first diagnosed

Question Text: Were you pregnant when you were first diagnosed with diabetes?

Universe: DHH_SEX = 2 and (12 < CCC_53 < 60 or CCC_53 = DK, RF)

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	60,500	0.2
No	2	50	511,000	1.6
Valid skip	6	5,700	32,350,000	98.3
Total		5,800	32,921,500	100.0

Variable Name: CCC_55 **Length:** 1.0 **Position:** 159

Question Name: CCC_Q55

Concept: Diabetes - other than pregnancy

Question Text: Other than during pregnancy, has a health professional ever told you that you have diabetes?

Universe: CCC_54 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	42,000	0.1
No	2	0	19,000	0.1
Valid skip	6	5,750	32,861,000	99.8

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: CCC_56A **Length:** 1.0 **Position:** 160

Question Name: CCC_Q56

Concept: Diabetes - insulin dependant (Type 1)

Question Text: Were you diagnosed with...? - Insulin dependent diabetes - Type 1

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note: Modified in cycle 5 (was CCC_52A)

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	300,000	0.9
No		2	200	1,702,500	5.2
Valid skip		6	5,500	30,892,500	93.8
Don’t know		7	0	19,500	0.1
Not stated		9	0	6,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: CCC_56B **Length:** 1.0 **Position:** 161

Question Name: CCC_Q56

Concept: Diabetes - non-insulin dependant (Type 2)

Question Text: Were you diagnosed with...? - Non-insulin dependent diabetes - Type 2

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note: Modified in cycle 5 (was CCC_52B)

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,720,000	5.2
No		2	50	282,500	0.9
Valid skip		6	5,500	30,892,500	93.8
Don’t know		7	0	19,500	0.1
Not stated		9	0	6,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: CCC_57 **Length:** 2.0 **Position:** 162

Question Name: CCC_Q57

Concept: Time after diabetes diagnosis to take insulin

Totals may not add up due to rounding.

Question Text: When you were first diagnosed with diabetes, how long was it before you were started on insulin?

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 month	01	50	224,500	0.7
1 month to less than 2 months	02	0	13,000	0.0
2 months to less than 6 months	03	0	1,000	0.0
6 months to less than 1 year	04	0	3,500	0.0
1 year or more	05	50	382,500	1.2
Never	06	200	1,378,000	4.2
Valid skip	96	5,500	30,892,500	93.8
Not stated	99	0	26,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_58 **Length:** 1.0 **Position:** 164

Question Name: CCC_Q58

Concept: Currently take insulin

Question Text: Do you currently take insulin for your diabetes?

Universe: CCC_51 = 1 and CCC_57 < 6

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	450,500	1.4
No	2	0	174,000	0.5
Valid skip	6	5,700	32,270,500	98.0
Not stated	9	0	26,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_59 **Length:** 1.0 **Position:** 165

Question Name: CCC_Q59

Concept: Take pills to control blood sugar

Question Text: In the past month, did you take pills to control your blood sugar?

Universe: CCC_51 = 1 and CCC_55 = 1, VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,644,500	5.0
No	2	50	358,500	1.1
Valid skip	6	5,500	30,892,500	93.8
Not stated	9	0	26,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_61 **Length:** 1.0 **Position:** 166

Question Name: CCC_Q61

Concept: Has heart disease

Question Text: Do you have heart disease?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,152,000	3.5
No	2	5,600	31,744,000	96.4
Don't know	7	0	25,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_62 **Length:** 2.0 **Position:** 167

Question Name: CCC_Q62

Concept: Heart disease - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_61 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	00 - 77	150	1,134,000	3.4
Valid skip	96	5,600	31,744,000	96.4
Don't know	97	0	18,000	0.1
Not stated	99	0	25,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_63 **Length:** 1.0 **Position:** 169

Question Name: CCC_Q63

Totals may not add up due to rounding.

Concept: Ever had a heart attack

Question Text: Have you ever been told by a health professional that you have had a heart attack?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	510,000	1.5
No	2	5,700	32,393,500	98.4
Don't know	7	0	18,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_71 **Length:** 1.0 **Position:** 170

Question Name: CCC_Q71

Concept: Has cancer

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you have cancer?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	477,000	1.4
No	2	5,750	32,441,000	98.5
Don't know	7	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_72 **Length:** 1.0 **Position:** 171

Question Name: CCC_Q72

Concept: Ever had cancer

Question Text: Have you ever been diagnosed with cancer?

Universe: CCC_71 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,421,500	4.3
No	2	5,550	31,001,500	94.2
Valid skip	6	50	477,000	1.4
Don't know	7	0	18,000	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	3,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: CCC_73 **Length:** 2.0 **Position:** 172

Question Name: CCC_Q73

Concept: Cancer - age first diagnosed

Question Text: How old were you when this was first diagnosed?

Universe: CCC_71 = 1 or CCC_72 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Years		03 - 76	250	1,886,000	5.7
Valid skip		96	5,550	31,001,500	94.2
Don't know		97	0	12,500	0.0
Not stated		99	0	21,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: CCC_74A **Length:** 1.0 **Position:** 174

Question Name: CCC_Q74

Concept: Type of cancer - breast

Question Text: What type of cancer [do/did] you have? - Breast

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	211,500	0.6
No		2	100	767,000	2.3
Valid skip		6	5,650	31,921,500	97.0
Not stated		9	0	21,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: CCC_74B **Length:** 1.0 **Position:** 175

Question Name: CCC_Q74

Concept: Type of cancer - colorectal

Totals may not add up due to rounding.

Question Text: What type of cancer [do/did] you have? - Colorectal

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	13,000	0.0
No	2	150	965,500	2.9
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_74C **Length:** 1.0 **Position:** 176

Question Name: CCC_Q74

Concept: Type of cancer - skin (melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Melanoma

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	108,500	0.3
No	2	100	870,000	2.6
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_74D **Length:** 1.0 **Position:** 177

Question Name: CCC_Q74

Concept: Type of cancer - skin (non-melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Non-melanoma

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	178,500	0.5
No	2	100	800,000	2.4
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: CCC_74E **Length:** 1.0 **Position:** 178

Question Name: CCC_Q74

Concept: Type of cancer - ovarian

Question Text: What type of cancer [do/did] you have? - Ovarian

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	38,000	0.1
No	2	150	940,500	2.9
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_74F **Length:** 1.0 **Position:** 179

Question Name: CCC_Q74

Concept: Type of cancer - cervical

Question Text: What type of cancer [do/did] you have? - Cervical

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	136,000	0.4
No	2	100	842,500	2.6
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_74G **Length:** 1.0 **Position:** 180

Question Name: CCC_Q74

Concept: Type of cancer - uterine

Question Text: What type of cancer [do/did] you have? - Uterine

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	59,500	0.2
No	2	150	919,500	2.8
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_74H **Length:** 1.0 **Position:** 181

Question Name: CCC_Q74

Concept: Type of cancer - other

Question Text: What type of cancer [do/did] you have? - Other

Universe: DHH_SEX = 2 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	276,500	0.8
No	2	100	702,000	2.1
Valid skip	6	5,650	31,921,500	97.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_75A **Length:** 1.0 **Position:** 182

Question Name: CCC_Q75

Concept: Type of cancer - prostate

Question Text: What type of cancer [do/did] you have? - Prostate

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	201,500	0.6
No	2	100	715,500	2.2
Valid skip	6	5,650	31,980,500	97.1
Don’t know	7	0	3,000	0.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_75B **Length:** 1.0 **Position:** 183

Question Name: CCC_Q75

Concept: Type of cancer - colorectal

Question Text: What type of cancer [do/did] you have? - Colorectal

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	33,500	0.1
No	2	100	883,500	2.7
Valid skip	6	5,650	31,980,500	97.1
Don't know	7	0	3,000	0.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_75C **Length:** 1.0 **Position:** 184

Question Name: CCC_Q75

Concept: Type of cancer - skin (melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - Melanoma

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	72,500	0.2
No	2	100	844,500	2.6
Valid skip	6	5,650	31,980,500	97.1
Don't know	7	0	3,000	0.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_75D **Length:** 1.0 **Position:** 185

Question Name: CCC_Q75

Concept: Type of cancer - skin (non-melanoma)

Question Text: What type of cancer [do/did] you have? - Skin - non-melanoma

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	194,500	0.6
No	2	100	722,500	2.2
Valid skip	6	5,650	31,980,500	97.1
Don't know	7	0	3,000	0.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_75E **Length:** 1.0 **Position:** 186

Question Name: CCC_Q75

Concept: Type of cancer - other

Question Text: What type of cancer [do/did] you have? - Other

Universe: DHH_SEX = 1 and (CCC_71 = 1 or CCC_72 = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	463,000	1.4
No	2	50	454,000	1.4
Valid skip	6	5,650	31,980,500	97.1
Don't know	7	0	3,000	0.0
Not stated	9	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CCC_81 **Length:** 1.0 **Position:** 187

Question Name: CCC_Q81

Concept: Suffers from the effects of a stroke

Question Text: (Remember, we're interested in conditions diagnosed by a health professional.) Do you suffer from the effects of a stroke?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	140,500	0.4
No	2	4,100	29,331,500	89.1
Valid skip	6	1,650	3,447,500	10.5
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_82 **Length:** 1.0 **Position:** 188

Question Name: CCC_Q82

Concept: Has a thyroid condition

Question Text: Do you have a thyroid condition?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,760,500	5.3
No	2	3,850	27,681,000	84.1
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	30,000	0.1
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_83 **Length:** 1.0 **Position:** 189

Question Name: CCC_Q83

Concept: Has a mood disorder

Question Text: Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,728,500	8.3
No	2	5,400	30,191,500	91.7
Don't know	7	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_92 **Length:** 1.0 **Position:** 190

Question Name: CCC_Q92

Concept: Has kidney dysfunction or disease

Question Text: Do you suffer from kidney dysfunction or disease?

Universe: DHH_AGE > 11

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	187,000	0.6
No	2	4,100	29,267,500	88.9
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	17,500	0.1
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_93 **Length:** 1.0 **Position:** 191

Question Name: CCC_Q93

Concept: Has liver disease or gallbladder problems

Question Text: Do you have liver disease or gallbladder problems?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	464,000	1.4
No	2	4,050	29,008,000	88.1
Valid skip	6	1,650	3,447,500	10.5
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94A **Length:** 1.0 **Position:** 192

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis A

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis A

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	456,500	1.4
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94B **Length:** 1.0 **Position:** 193

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis B

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis B

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,500	0.0
No	2	50	445,000	1.4
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94C **Length:** 1.0 **Position:** 194

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Hepatitis C

Question Text: What kind of liver disease or gallbladder problem do you have? - Hepatitis C

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,500	0.1
No	2	50	432,000	1.3
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94D **Length:** 1.0 **Position:** 195

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Jaundice

Question Text: What kind of liver disease or gallbladder problem do you have? - Jaundice

Universe: CCC_93 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	50	453,500	1.4
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94E **Length:** 1.0 **Position:** 196

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Cirrhosis

Question Text: What kind of liver disease or gallbladder problem do you have? - Cirrhosis

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	50	439,500	1.3
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94F **Length:** 1.0 **Position:** 197

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Gallstones

Question Text: What kind of liver disease or gallbladder problem do you have? - Gallstones

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	158,500	0.5
No	2	50	298,000	0.9
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_94G **Length:** 1.0 **Position:** 198

Question Name: CCC_Q94

Concept: Liver disease or gallbladder problem - Other

Question Text: What kind of liver disease or gallbladder problem do you have? - Other

Universe: CCC_93 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	258,000	0.8
No	2	50	198,500	0.6
Valid skip	6	5,700	32,456,000	98.6
Don't know	7	0	7,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_95 **Length:** 1.0 **Position:** 199

Question Name: CCC_Q95

Concept: Has hepatitis

Question Text: Do you have hepatitis?

Universe: CCC_94A <> 1 and CCC_94B <> 1 and CCC_94C <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	100,000	0.3
No	2	5,750	32,780,000	99.6
Valid skip	6	0	31,500	0.1
Don't know	7	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_96A **Length:** 1.0 **Position:** 200

Question Name: CCC_Q96

Concept: Type of hepatitis - A

Question Text: What type of hepatitis do you have? - Hepatitis A

Universe: CCC_95 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	28,000	0.1
No	2	0	34,000	0.1
Valid skip	6	5,750	32,811,500	99.7
Don't know	7	0	38,000	0.1
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_96B **Length:** 1.0 **Position:** 201

Question Name: CCC_Q96

Concept: Type of hepatitis - B

Question Text: What type of hepatitis do you have? - Hepatitis B

Universe: CCC_95 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,500	0.1
No	2	0	37,000	0.1
Valid skip	6	5,750	32,811,500	99.7
Don't know	7	0	38,000	0.1
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_96C **Length:** 1.0 **Position:** 202

Question Name: CCC_Q96

Concept: Type of hepatitis - C

Question Text: What type of hepatitis do you have? - Hepatitis C

Universe: CCC_95 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,500	0.0
No	2	0	52,500	0.2
Valid skip	6	5,750	32,811,500	99.7
Don't know	7	0	38,000	0.1
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CCC_101 **Length:** 1.0 **Position:** 203

Question Name: CCC_Q101

Concept: Other long term physical or mental health condition

Question Text: Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,050	6,126,500	18.6
No	2	4,700	26,757,500	81.3
Don't know	7	0	37,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_005 **Length:** 1.0 **Position:** 204

Question Name: VIS_Q005

Concept: Visited an eye care professional - last 12 months

Question Text: In the past 12 months, that is from this date one year ago to yesterday, have you visited an eye care professional, for example, an ophthalmologist or an optometrist? Do not include visits to an optician.

Universe: DHH_AGE > 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,650	15,382,500	46.7
No	2	2,500	16,276,500	49.4
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	115,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: VIS_010 **Length:** 1.0 **Position:** 205

Question Name: VIS_Q010

Concept: Type of eye care professional last visited

Question Text: What type of eye care professional did you last visit?

Universe: DHH_AGE > 5 and VIS_005 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Ophthalmologist	1	400	2,482,500	7.5
Optometrist	2	2,200	12,316,000	37.4
Other - specify	3	50	306,500	0.9
Valid skip	6	3,100	17,424,000	52.9
Don't know	7	50	277,500	0.8
Not stated	9	0	115,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: VIS_015 **Length:** 1.0 **Position:** 206

Question Name: VIS_Q015

Concept: Ever had an eye examination

Question Text: Have you ever had an eye examination? Please include reading letters from a chart or when a health professional shines a light in the child's eye.

Universe: DHH_AGE < 6

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	676,500	2.1
No	2	250	466,500	1.4
Valid skip	6	5,200	31,774,000	96.5
Don't know	7	0	4,000	0.0
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: VIS_020 **Length:** 2.0 **Position:** 207

Question Name: VIS_Q020

Concept: Most recent eye exam - done by

Question Text: Was the most recent exam done by...?

Universe: DHH_AGE < 6 and VIS_015 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
An ophthalmologist	01	50	59,500	0.2
An optometrist	02	250	461,000	1.4
A family doctor	03	50	74,500	0.2
A pediatrician	04	0	23,000	0.1
A school nurse	05	0	40,500	0.1
Other - Specify	06	0	16,500	0.1
Valid skip	96	5,450	32,240,500	97.9
Don't know	97	0	1,000	0.0
Not stated	99	0	4,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: VIS_030 **Length:** 1.0 **Position:** 209

Question Name: VIS_Q030

Concept: Ever had glaucoma

Question Text: Have you ever had glaucoma?

Universe: DHH_AGE >= 40

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	487,000	1.5
No		2	1,950	16,081,500	48.8
Valid skip		6	3,750	16,283,500	49.5
Don’t know		7	0	69,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: VIS_035 **Length:** 2.0 **Position:** 210

Question Name: VIS_Q035

Concept: Age when first diagnosed - Glaucoma

Question Text: How old were you when this was first diagnosed?

Universe: DHH_AGE >= 40 and VIS_030 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		18 - 75	50	481,500	1.5
Valid skip		96	5,700	32,365,000	98.3
Don’t know		97	0	5,500	0.0
Not stated		99	0	69,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: VIS_040 **Length:** 1.0 **Position:** 212

Question Name: VIS_Q040

Concept: Ever had diabetic retinopathy

Question Text: Have you ever had diabetic retinopathy?

Totals may not add up due to rounding.

Universe: (20 <= DHH_AGE <= 39 and (CCC_54 = 2 or CCC_56A = 1 or CCC_56B =1)) or DHH_AGE >= 40

Note: New in cycle 5. VIS_040 should only have been asked to respondents who did not have diabetes, however those who answered VIS_Q030 = 2, DK, RF, regardless of if they had diabetes, were also asked this question.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	104,000	0.3
No	2	2,000	16,139,000	49.0
Valid skip	6	3,800	16,632,500	50.5
Don't know	7	0	46,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_045 **Length:** 2.0 **Position:** 213

Question Name: VIS_Q045

Concept: Age when first diagnosed - Diabetic retinopathy

Question Text: How old were you when this was first diagnosed?

Universe: VIS_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	29 - 69	0	104,000	0.3
Valid skip	96	5,750	32,771,500	99.5
Not stated	99	0	46,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_050 **Length:** 1.0 **Position:** 215

Question Name: VIS_Q050

Concept: Ever had age-related macular degeneration (AMD)

Question Text: Have you ever had age-related macular degeneration (AMD)?

Universe: DHH_AGE >= 40

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	193,000	0.6
No	2	2,000	16,395,500	49.8
Valid skip	6	3,750	16,283,500	49.5
Don't know	7	0	50,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: VIS_055 **Length:** 2.0 **Position:** 216

Question Name: VIS_Q055

Concept: Age when first diagnosed - Age-related macular degeneration (AMD)

Question Text: How old were you when this was first diagnosed?

Universe: VIS_050 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 74	50	193,000	0.6
Valid skip	96	5,750	32,679,000	99.3
Not stated	99	0	50,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: VIS_060 **Length:** 1.0 **Position:** 218

Question Name: VIS_Q060

Concept: Ever had cataracts

Question Text: Have you ever had cataracts?

Universe: DHH_AGE >= 40

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,582,000	7.8
No	2	1,700	14,028,500	42.6
Valid skip	6	3,750	16,283,500	49.5
Don’t know	7	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_065 **Length:** 1.0 **Position:** 219

Question Name: VIS_Q065

Concept: Which eye - Cataracts

Question Text: In which eye?

Universe: VIS_060 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	50	335,000	1.0
Left	2	50	263,000	0.8
Both	3	250	1,757,000	5.3
Valid skip	6	5,450	30,312,000	92.1
Don't know	7	50	227,000	0.7
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_070 **Length:** 2.0 **Position:** 220

Question Name: VIS_Q070

Concept: Age when first diagnosed - Cataracts

Question Text: How old were you when this was first diagnosed?

Universe: VIS_060 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	03 - 78	350	2,546,000	7.7
Valid skip	96	5,450	30,312,000	92.1
Don't know	97	0	35,500	0.1
Not stated	99	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_075 **Length:** 1.0 **Position:** 222

Question Name: VIS_Q075

Concept: Ever had cataract surgery

Question Text: Have you ever had cataract surgery?

Universe: VIS_060 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,297,500	3.9
No	2	150	1,284,500	3.9
Valid skip	6	5,450	30,312,000	92.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_080 **Length:** 1.0 **Position:** 223

Question Name: VIS_Q080

Concept: Which eye - Cataract surgery

Question Text: In which eye?

Universe: VIS_075 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Right	1	50	197,000	0.6
Left	2	0	108,500	0.3
Both	3	150	992,000	3.0
Valid skip	6	5,600	31,596,500	96.0
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: VIS_085 **Length:** 1.0 **Position:** 224

Question Name: VIS_Q085

Concept: Waiting for cataract surgery

Question Text: Are you waiting for cataract surgery?

Universe: VIS_075 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	180,000	0.5
No	2	150	1,163,000	3.5
Valid skip	6	5,600	31,538,500	95.8
Don’t know	7	0	12,500	0.0
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_005 **Length:** 1.0 **Position:** 225

Question Name: SPA_Q005

Concept: Ever been referred to a sleep lab for overnight testing

Question Text: Have you ever been referred to a sleep lab for overnight testing?

Universe: DHH_AGE > 17

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	2,964,000	9.0
No	2	3,000	24,258,500	73.7
Valid skip	6	2,500	5,699,000	17.3
Total		5,800	32,921,500	100.0

Variable Name: SPA_010 **Length:** 1.0 **Position:** 226

Question Name: SPA_Q010

Concept: Diagnosed with sleep apnea

Question Text: Has a health care professional ever diagnosed you with sleep apnea?

Universe: DHH_AGE > 17

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,733,500	5.3
No	2	3,100	25,436,500	77.3
Valid skip	6	2,500	5,699,000	17.3
Don't know	7	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SPA_015 **Length:** 1.0 **Position:** 227

Question Name: SPA_Q015

Concept: Been prescribed a treatment for sleep apnea

Question Text: Has a health professional prescribed you a treatment for sleep apnea?

Universe: SPA_010 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,460,000	4.4
No	2	50	274,000	0.8
Valid skip	6	5,550	31,135,500	94.6
Not stated	9	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SPA_020 **Length:** 1.0 **Position:** 228

Question Name: SPA_Q020

Concept: Trouble going to sleep or staying asleep

Question Text: Without the use of sleeping aids, how often do you usually have trouble going to sleep or staying asleep?

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	950	7,785,500	23.6
Rarely	2	750	6,716,500	20.4
Sometimes	3	750	5,817,000	17.7
Most of the time	4	400	3,195,000	9.7
All of the time	5	200	1,942,500	5.9
Valid skip	6	2,700	7,433,000	22.6
Don't know	7	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_025 **Length:** 1.0 **Position:** 229

Question Name: SPA_Q025

Concept: Awakened suddenly with the feeling of gasping or choking

Question Text: In the last 12 months, how often have you awakened suddenly with the feeling of gasping or choking?

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	2,750	22,906,000	69.6
Rarely (only once or a few times)	2	200	1,437,000	4.4
Sometimes (a few nights per month)	3	100	683,500	2.1
Often (at least once a week, but pattern may be irregular)	4	0	358,000	1.1
Very often (every night or almost every night)	5	0	50,000	0.2
Valid skip	6	2,700	7,433,000	22.6
Don't know	7	0	22,000	0.1
Not stated	9	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_030 **Length:** 1.0 **Position:** 230

Question Name: SPA_Q030

Concept: Usually snore

Question Text: Do you usually snore?

Totals may not add up due to rounding.

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,350	10,934,000	33.2
No	2	1,600	13,397,500	40.7
Valid skip	6	2,700	7,433,000	22.6
Don't know	7	150	1,125,500	3.4
Not stated	9	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_035 **Length:** 1.0 **Position:** 231

Question Name: SPA_Q035

Concept: Volume of snoring

Question Text: According to what other have told you, how loud do you usually snore? Would you say...?

Universe: SPA_030 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Slightly louder than heavy breathing	1	400	3,112,000	9.5
About as loud as a normal speaking voice	2	450	3,618,500	11.0
Louder than a normal speaking voice	3	200	1,621,500	4.9
Loud enough to be heard through closed doors	4	250	1,904,500	5.8
Valid skip	6	4,300	20,830,000	63.3
Don't know	7	100	677,500	2.1
Not stated	9	150	1,157,500	3.5
Total		5,800	32,921,500	100.0

Variable Name: SPA_040 **Length:** 1.0 **Position:** 232

Question Name: SPA_Q040

Concept: Stop breathing during sleep

Question Text: In the last 12 months, has anyone observed you stop breathing during your sleep?

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,427,500	4.3
No	2	2,950	23,830,500	72.4
Valid skip	6	2,700	7,433,000	22.6
Don't know	7	50	199,000	0.6
Not stated	9	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_045 **Length:** 1.0 **Position:** 233

Question Name: SPA_Q045

Concept: Tired, fatigued, or sleepy during the daytime

Question Text: (In the last 12 months,) have you often felt tired, fatigued, or sleepy during the daytime?

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,900	15,341,000	46.6
No	2	1,150	10,092,500	30.7
Valid skip	6	2,700	7,433,000	22.6
Don't know	7	0	23,500	0.1
Not stated	9	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: SPA_050 **Length:** 2.0 **Position:** 234

Question Name: SPA_Q050

Concept: Sleepiness during a typical day

Question Text: Using a scale from 0 to 10, where 0 means 'no sleepiness' and 10 means 'extremely sleepy', how would you assess your sleepiness during a typical day? By 'sleepiness', I mean the strong tendency to doze off.

Universe: SPA_010 = 2, 7, 8

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
no sleepiness (0) - extremely sleepy (10)	00 - 10	3,100	25,408,500	77.2
Valid skip	96	2,700	7,433,000	22.6
Don't know	97	0	48,000	0.1
Not stated	99	0	32,000	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: SPADSCOR **Length:** 2.0 **Position:** 236

Question Name:

Concept: Sleep apnea risk - score

Question Text:

Universe: DHH_AGE > 17 and SPA_010 <> 1 and WHR_015 <> 1

Note: New in cycle 5

Source: www.stopbang.ca

Answer Categories	Code	Frequency	Weighted Frequency	%
Score	00 - 07	2,800	23,174,000	70.4
Valid skip	96	2,700	7,749,000	23.5
Not stated	99	300	1,999,000	6.1
Total		5,800	32,921,500	100.0

Variable Name: SPADRISK **Length:** 2.0 **Position:** 238

Question Name:

Concept: Sleep apnea risk - classification

Question Text:

Universe: DHH_AGE > 17 and SPA_010 <> 1 and WHR_015 <> 1

Note: New in cycle 5

Source: www.stopbang.ca

Answer Categories	Code	Frequency	Weighted Frequency	%
High risk	01	450	3,446,000	10.5
Moderate risk	02	400	3,383,000	10.3
Low risk	03	1,950	16,345,500	49.6
Valid skip	96	2,700	7,749,000	23.5
Not stated	99	300	1,999,000	6.1
Total		5,800	32,921,500	100.0

Variable Name: PRS_11 **Length:** 1.0 **Position:** 240

Question Name: PRS_Q11

Concept: Pregnant

Question Text: It is important to know when analyzing health whether or not the person is pregnant.
Are you pregnant?

Universe: DHH_SEX = 2 and 13 < DHH_AGE < 60

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	336,000	1.0
No	2	1,400	10,575,000	32.1
Valid skip	6	4,350	21,957,000	66.7
Don't know	7	0	1,500	0.0
Refusal	8	0	4,500	0.0
Not stated	9	0	47,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_005 **Length:** 1.0 **Position:** 241

Question Name: MEN_Q005

Concept: Mentrual period - Last 12 months

Question Text: Have you had a menstrual period in the last 12 months, that is from this date one year ago to today?

Universe: PRS_11 <> 1 and DHH_SEX = 2 and 39 < DHH_AGE < 66

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	2,764,500	8.4
No	2	400	3,818,500	11.6
Valid skip	6	5,050	26,300,500	79.9
Don't know	7	0	4,000	0.0
Refusal	8	0	27,500	0.1
Not stated	9	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MEN_010A **Length:** 1.0 **Position:** 242

Question Name: MEN_Q010

Concept: Have not had a period - Contraceptives

Question Text: What is the reason you have not had a period? - Contraceptives

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	132,500	0.4
No	2	400	3,683,500	11.2
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MEN_010B **Length:** 1.0 **Position:** 243

Question Name: MEN_Q010

Concept: Have not had a period - Medical procedure, medication or drugs

Question Text: What is the reason you have not had a period? - Medical procedure, medication or drugs (do not include contraceptives)

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	242,000	0.7
No	2	400	3,573,500	10.9
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010C **Length:** 1.0 **Position:** 244

Question Name: MEN_Q010

Concept: Have not had a period - Pregnancy

Question Text: What is the reason you have not had a period? - Pregnancy

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	400	3,815,000	11.6
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010D **Length:** 1.0 **Position:** 245

Question Name: MEN_Q010

Concept: Have not had a period - Breastfeeding

Question Text: What is the reason you have not had a period? - Breastfeeding

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	400	3,816,000	11.6
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010E **Length:** 1.0 **Position:** 246

Question Name: MEN_Q010

Concept: Have not had a period - Menopause

Question Text: What is the reason you have not had a period? - Menopause

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	2,818,000	8.6
No	2	100	998,000	3.0
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010F **Length:** 1.0 **Position:** 247

Question Name: MEN_Q010

Concept: Have not had a period - Stress, weight loss or excessive exercise

Question Text: What is the reason you have not had a period? - Stress, weight loss or excessive exercise

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,500	0.0
No	2	400	3,804,500	11.6
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MEN_010G **Length:** 1.0 **Position:** 248

Question Name: MEN_Q010

Concept: Have not had a period - Removal of the uterus

Question Text: What is the reason you have not had a period? - Removal of the uterus (partial or complete hysterectomy)

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	662,500	2.0
No	2	350	3,153,500	9.6
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010H **Length:** 1.0 **Position:** 249

Question Name: MEN_Q010

Concept: Have not had a period - Removal of ovaries

Question Text: What is the reason you have not had a period? - Removal of ovaries

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	118,000	0.4
No	2	400	3,698,000	11.2
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010I **Length:** 1.0 **Position:** 250

Question Name: MEN_Q010

Concept: Have not had a period - Physical complications

Question Text: What is the reason you have not had a period? - Physical complications (do not include the removal of uterus or ovaries)

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	400	3,816,000	11.6
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_010J **Length:** 1.0 **Position:** 251

Question Name: MEN_Q010

Concept: Have not had a period - Other - Specify

Question Text: What is the reason you have not had a period? - Other - Specify

Universe: MEN_005 = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	63,000	0.2
No	2	400	3,753,000	11.4
Valid skip	6	5,350	29,065,000	88.3
Don't know	7	0	2,500	0.0
Not stated	9	0	38,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: MEN_015 **Length:** 1.0 **Position:** 252

Question Name: MEN_Q015

Concept: Had both ovaries removed

Question Text: Have you had both ovaries removed?

Universe: MEN_010H = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	69,000	0.2
No	2	0	49,000	0.1
Valid skip	6	5,750	32,763,000	99.5
Not stated	9	0	40,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MEN_020 **Length:** 1.0 **Position:** 253

Question Name: MEN_Q020

Concept: Experienced symptoms of menopause

Question Text: Have you experienced any symptoms of menopause? These symptoms may include hot flushes (flashes), night sweats, or increased vaginal pain, dryness and itching.

Universe: MEN_010G = 1 and MEN_015 = (2 or 6)

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	378,500	1.1
No	2	0	231,500	0.7
Valid skip	6	5,700	32,260,500	98.0
Not stated	9	0	51,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: MEN_025 **Length:** 1.0 **Position:** 254

Question Name: MEN_Q025

Concept: Beginning of menopause symptoms

Question Text: How long ago did these symptoms first begin?

Universe: MEN_020 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 2 years ago	1	0	50,000	0.2
2 to less than 5 years ago	2	0	73,000	0.2
5 or more years ago	3	50	255,500	0.8
Valid skip	6	5,700	32,492,000	98.7
Not stated	9	0	51,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: FRH_05 **Length:** 1.0 **Position:** 255

Question Name: FRH_Q005

Concept: Fallen (last 12 months)

Question Text: Have you fallen in the past 12 months, that is from (date one year ago) to today?

By a fall, I mean that you unintentionally came to rest on a lower surface or object with all or part of your body.

Include all falls even if they did not result in an injury.

Universe: DHH_AGE > 19

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	5,253,000	16.0
No	2	2,450	21,024,000	63.9
Valid skip	6	2,650	6,539,000	19.9
Don't know	7	0	105,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_10 **Length:** 2.0 **Position:** 256

Question Name: FRH_Q010

Concept: Fallen - Number of times

Question Text: How many times?

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 95	650	5,080,500	15.4
Valid skip	96	5,150	27,563,000	83.7
Don't know	97	0	172,500	0.5
Not stated	99	0	105,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_15A **Length:** 1.0 **Position:** 258

Question Name: FRH_Q015

Concept: Cause of fall - Sports

Question Text: Was that fall/the most serious fall caused by any of the following? - Sports

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,125,500	3.4
No	2	500	4,116,500	12.5
Valid skip	6	5,150	27,563,000	83.7
Don't know	7	0	11,000	0.0
Not stated	9	0	105,000	0.3

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_15B **Length:** 1.0 **Position:** 259

Question Name: FRH_Q015

Concept: Cause of fall - Running or roughhousing

Question Text: Was that fall/the most serious fall caused by any of the following? - Running or roughhousing

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	328,000	1.0
No		2	600	4,914,000	14.9
Valid skip		6	5,150	27,563,000	83.7
Don't know		7	0	11,000	0.0
Not stated		9	0	105,000	0.3
	Total		5,800	32,921,500	100.0

Variable Name: FRH_15C **Length:** 1.0 **Position:** 260

Question Name: FRH_Q015

Concept: Cause of fall - Being hit or pushed

Question Text: Was that fall/the most serious fall caused by any of the following? - Being hit or pushed

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	161,000	0.5
No		2	650	5,081,500	15.4
Valid skip		6	5,150	27,563,000	83.7
Don't know		7	0	11,000	0.0
Not stated		9	0	105,000	0.3
	Total		5,800	32,921,500	100.0

Variable Name: FRH_15D **Length:** 1.0 **Position:** 261

Question Name: FRH_Q015

Concept: Cause of fall - A vehicle, a car or bicycle

Question Text: Was that fall/the most serious fall caused by any of the following? - A vehicle, for example, a car or bicycle

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	76,000	0.2
No	2	650	5,166,500	15.7
Valid skip	6	5,150	27,563,000	83.7
Don't know	7	0	11,000	0.0
Not stated	9	0	105,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_15G **Length:** 1.0 **Position:** 262

Question Name: FRH_Q015

Concept: Cause of fall - None of the above

Question Text: Was that fall/the most serious fall caused by any of the following? - None of the above

Universe: FRH_05 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	3,637,000	11.0
No	2	200	1,605,000	4.9
Valid skip	6	5,150	27,563,000	83.7
Don't know	7	0	11,000	0.0
Not stated	9	0	105,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_20 **Length:** 2.0 **Position:** 263

Question Name: FRH_Q020

Concept: Cause of fall - Other

Question Text: What was the cause of that fall?

Universe: FRH_15G = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Illness, weakness or frailty	01	50	323,000	1.0
Alcohol, medications or other substances	02	0	5,000	0.0
Natural imbalance due to height (eg. standing on a roof)	03	0	182,500	0.6
Dizzy/loss of consci. not from ill/ alc/meds/other substance	04	0	71,000	0.2
Slipping	05	200	1,806,000	5.5
Tripping or bumping into an obstruction	06	150	1,035,500	3.1
Other - Specify	07	50	224,500	0.7
Valid skip	96	5,300	29,168,000	88.6
Not stated	99	0	105,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_25 **Length:** 1.0 **Position:** 265

Question Name: FRH_Q025

Concept: Cause of slip

Question Text: What was the cause of that slip?

Universe: FRH_20 = 5

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Slipping while walking/standing indoors (eg: in the bath)	1	50	420,500	1.3
Slipping while walking or standing outdoors (e.g., on ice)	2	150	1,285,000	3.9
Slipping while climbing something (e.g., climbing a ladder)	3	0	65,500	0.2
Other - Specify	4	0	34,500	0.1
Valid skip	6	5,550	31,010,000	94.2
Not stated	9	0	105,500	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_30 **Length:** 1.0 **Position:** 266

Question Name: FRH_Q030

Concept: Ever broken or fractured a bone

Question Text: Have you ever broken or fractured a bone? Please include bone chips and cracks. Do not include bones that were broken for surgical procedures.

Universe: DHH_AGE > 5

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,950	13,618,000	41.4
No	2	3,250	18,043,000	54.8
Valid skip	6	600	1,147,500	3.5
Don't know	7	0	106,000	0.3
Refusal	8	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: FRH_35 **Length:** 2.0 **Position:** 267

Question Name: FRH_Q035

Concept: Number of times broken or fractured a bone

Question Text: In your lifetime, on how many occasions have you broken or fractured a bone?

Universe: FRH_30 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	01 - 20	1,950	13,595,000	41.3
Valid skip	96	3,850	19,190,500	58.3
Don't know	97	0	23,000	0.1
Not stated	99	0	113,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_40A **Length:** 2.0 **Position:** 269

Question Name:

Concept: First break/fracture - age

Question Text: How old were you on the first occasion?

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 77	1,900	13,519,000	41.1
Valid skip	96	3,850	19,190,500	58.3
Don't know	97	0	76,000	0.2
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AA **Length:** 1.0 **Position:** 271

Totals may not add up due to rounding.

Question Name:

Concept: First break/fracture - head

Question Text: Which bone(s) did you break or fracture on the first occasion - Head (skull, face, jaw, nose)

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	691,000	2.1
No	2	1,850	12,875,500	39.1
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AB **Length:** 1.0 **Position:** 272

Question Name:

Concept: First break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the first occasion - Spine (neck, back, tail-bone)

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	374,000	1.1
No	2	1,900	13,192,500	40.1
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AC **Length:** 1.0 **Position:** 273

Question Name:

Concept: First break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the first occasion - Ribs/sternum

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	679,000	2.1
No	2	1,850	12,887,500	39.1
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AD **Length:** 1.0 **Position:** 274

Question Name:

Concept: First break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the first occasion - Shoulder/upper arm/collarbone

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,550,500	4.7
No	2	1,700	12,016,000	36.5
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AE **Length:** 1.0 **Position:** 275

Question Name:

Concept: First break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the first occasion - Elbow

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	635,000	1.9
No	2	1,850	12,931,500	39.3
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40AF **Length:** 1.0 **Position:** 276

Question Name:

Concept: First break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the first occasion - Forearm/wrist

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	3,333,500	10.1
No	2	1,450	10,233,000	31.1
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AG **Length:** 1.0 **Position:** 277

Question Name:

Concept: First break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the first occasion - Hand

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	715,000	2.2
No	2	1,850	12,851,500	39.0
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AH **Length:** 1.0 **Position:** 278

Question Name:

Concept: First break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the first occasion - Finger(s)

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,605,000	4.9
No	2	1,700	11,961,500	36.3
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AI **Length:** 1.0 **Position:** 279

Question Name:

Concept: First break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the first occasion - Hip

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	42,000	0.1
No	2	1,900	13,525,000	41.1
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AJ **Length:** 1.0 **Position:** 280

Question Name:

Concept: First break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the first occasion - Pelvis

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	65,500	0.2
No	2	1,900	13,501,000	41.0
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40AK **Length:** 1.0 **Position:** 281

Question Name:

Concept: First break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the first occasion - Upper leg

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	237,500	0.7
No	2	1,900	13,329,000	40.5
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AL **Length:** 1.0 **Position:** 282

Question Name:

Concept: First break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the first occasion - Knee

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	240,000	0.7
No	2	1,900	13,326,500	40.5
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AM **Length:** 1.0 **Position:** 283

Question Name:

Concept: First break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the first occasion - Lower leg

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	860,000	2.6
No	2	1,800	12,706,500	38.6
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AN **Length:** 1.0 **Position:** 284

Question Name:

Concept: First break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the first occasion - Ankle

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,139,000	3.5
No	2	1,750	12,427,500	37.7
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AO **Length:** 1.0 **Position:** 285

Question Name:

Concept: First break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the first occasion - Foot

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	822,500	2.5
No	2	1,800	12,744,000	38.7
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40AP **Length:** 1.0 **Position:** 286

Question Name:

Concept: First break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the first occasion - Toe(s)

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	972,000	3.0
No	2	1,800	12,594,500	38.3
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40AQ **Length:** 1.0 **Position:** 287

Question Name:

Concept: First break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the first occasion - Other - Specify

Universe: 0 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	86,500	0.3
No	2	1,950	13,480,500	40.9
Valid skip	6	3,850	19,190,500	58.3
Don't know	7	0	28,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41A **Length:** 2.0 **Position:** 288

Question Name:

Concept: First break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (first occasion)

Universe: FRH_40AB=1 or FRH_40AC=1 or FRH_40AD=1 or FRH_40AE=1 or FRH_40AF=1 or FRH_40AG=1 or FRH_40AI=1 or FRH_40AJ=1 or FRH_40AK=1 or FRH_40AL=1 or FRH_40AM=1 or FRH_40AN=1 or FRH_40AO=1 or FRH_40AQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	100	660,000	2.0
Injury as a result of sports or physical activity	02	750	5,447,000	16.5
Being hit or struck by a person/object (no sports injuries)	03	100	444,500	1.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	50	444,000	1.3
Fall (do not include sports injuries)	05	400	3,156,000	9.6
No fall or significant impact (e.g., as a result of a hug)	06	0	94,500	0.3
Other - Specify	07	50	216,000	0.7
Valid skip	96	4,300	22,233,500	67.5
Don't know	97	0	90,500	0.3
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42A **Length:** 2.0 **Position:** 290

Question Name:

Concept: First break/fracture - type of fall

Question Text: What was the type of fall? (first occasion)

Universe: FRH_41A = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	112,500	0.3
Fall from a standing height while indoors	02	100	738,500	2.2
Fall from a standing height while outdoors	03	150	1,168,000	3.5
Fall up the stairs	04	0	55,000	0.2
Fall down the stairs	05	50	327,500	1.0
Fall from more than a standing height	06	100	582,500	1.8
Other - Specify	07	0	158,500	0.5
Valid skip	96	5,300	29,323,500	89.1
Don't know	97	0	13,500	0.0
Not stated	99	50	442,500	1.3
Total		5,800	32,921,500	100.0

Variable Name: FRH_43A **Length:** 1.0 **Position:** 292

Question Name:

Concept: First break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (first occasion)

Totals may not add up due to rounding.

Universe: FRH_42A = 5, 6, DK, RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	785,000	2.4
No	2	0	113,500	0.3
Valid skip	6	5,600	31,555,500	95.9
Don't know	7	0	16,500	0.0
Not stated	9	50	451,000	1.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40B **Length:** 2.0 **Position:** 293

Question Name:

Concept: Second break/fracture - age

Question Text: How old were you on the second occasion?

Universe: 1 < FRH_35 < EV

Note: New in cycle 5. Relates to FRD_Q010 in the questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	01 - 78	750	5,627,000	17.1
Valid skip	96	5,000	27,079,000	82.3
Don't know	97	0	79,500	0.2
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BA **Length:** 1.0 **Position:** 295

Question Name:

Concept: Second break/fracture - head

Question Text: Which bone(s) did you break or fracture on the second occasion - Head (skull, face, jaw, nose)

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	273,000	0.8
No	2	700	5,366,500	16.3
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40BB **Length:** 1.0 **Position:** 296

Question Name:

Concept: Second break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the second occasion - Spine (neck, back, tailbone)

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	198,500	0.6
No		2	750	5,441,000	16.5
Valid skip		6	5,000	27,079,000	82.3
Don't know		7	0	67,000	0.2
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40BC **Length:** 1.0 **Position:** 297

Question Name:

Concept: Second break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the second occasion - Ribs/sternum

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	365,500	1.1
No		2	700	5,274,000	16.0
Valid skip		6	5,000	27,079,000	82.3
Don't know		7	0	67,000	0.2
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40BD **Length:** 1.0 **Position:** 298

Question Name:

Totals may not add up due to rounding.

Concept: Second break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the second occasion - Shoulder/upper arm/collarbone

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	654,500	2.0
No	2	700	4,985,500	15.1
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BE **Length:** 1.0 **Position:** 299

Question Name:

Concept: Second break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the second occasion - Elbow

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	84,000	0.3
No	2	750	5,555,500	16.9
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BF **Length:** 1.0 **Position:** 300

Question Name:

Concept: Second break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the second occasion - Forearm/wrist

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	946,000	2.9
No	2	600	4,693,500	14.3
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BG **Length:** 1.0 **Position:** 301

Question Name:

Concept: Second break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the second occasion - Hand

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	138,500	0.4
No	2	700	5,501,500	16.7
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BH **Length:** 1.0 **Position:** 302

Question Name:

Concept: Second break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the second occasion - Finger(s)

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	630,500	1.9
No	2	650	5,009,500	15.2
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BI **Length:** 1.0 **Position:** 303

Totals may not add up due to rounding.

Question Name:

Concept: Second break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the second occasion - Hip

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	46,000	0.1
No	2	750	5,593,500	17.0
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BJ **Length:** 1.0 **Position:** 304

Question Name:

Concept: Second break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the second occasion - Pelvis

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	750	5,622,500	17.1
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BK **Length:** 1.0 **Position:** 305

Question Name:

Concept: Second break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the second occasion - Upper leg

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	33,000	0.1
No	2	750	5,606,500	17.0
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BL **Length:** 1.0 **Position:** 306

Question Name:

Concept: Second break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the second occasion - Knee

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	280,500	0.9
No	2	750	5,359,000	16.3
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BM **Length:** 1.0 **Position:** 307

Question Name:

Concept: Second break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the second occasion - Lower leg

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	169,500	0.5
No	2	700	5,470,000	16.6
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BN **Length:** 1.0 **Position:** 308

Totals may not add up due to rounding.

Question Name:

Concept: Second break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the second occasion - Ankle

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	816,500	2.5
No	2	700	4,823,000	14.7
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BO **Length:** 1.0 **Position:** 309

Question Name:

Concept: Second break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the second occasion - Foot

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	546,500	1.7
No	2	700	5,093,000	15.5
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BP **Length:** 1.0 **Position:** 310

Question Name:

Concept: Second break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the second occasion - Toe(s)

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	510,500	1.6
No	2	700	5,129,000	15.6
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40BQ **Length:** 1.0 **Position:** 311

Question Name:

Concept: Second break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the second occasion - Other - Specify

Universe: 1 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	750	5,627,000	17.1
Valid skip	6	5,000	27,079,000	82.3
Don't know	7	0	67,000	0.2
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41B **Length:** 2.0 **Position:** 312

Question Name:

Concept: Second break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (second occasion)

Universe: FRH_40BB=1 or FRH_40BC=1 or FRH_40BD=1 or FRH_40BE=1 or FRH_40BF=1 or FRH_40BG=1 or FRH_40BI=1 or FRH_40BJ=1 or FRH_40BK=1 or FRH_40BL=1 or FRH_40BM=1 or FRH_40BN=1 or FRH_40BO=1 or FRH_40BQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	50	321,000	1.0
Injury as a result of sports or physical activity	02	300	2,311,500	7.0
Being hit or struck by a person/object (no sports injuries)	03	50	135,000	0.4
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	121,000	0.4
Fall (do not include sports injuries)	05	150	1,100,500	3.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No fall or significant impact (e.g., as a result of a hug)	06	0	100,000	0.3
Other - Specify	07	0	139,500	0.4
Valid skip	96	5,200	28,453,500	86.4
Don't know	97	0	103,000	0.3
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42B **Length:** 2.0 **Position:** 314

Question Name:

Concept: Second break/fracture - type of fall

Question Text: What was the type of fall? (second occasion)

Universe: FRH_41B = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	14,000	0.0
Fall from a standing height while indoors	02	0	96,000	0.3
Fall from a standing height while outdoors	03	50	533,500	1.6
Fall up the stairs	04	0	3,000	0.0
Fall down the stairs	05	0	165,500	0.5
Fall from more than a standing height	06	0	226,000	0.7
Other - Specify	07	0	52,000	0.2
Valid skip	96	5,600	31,442,500	95.5
Don't know	97	0	10,500	0.0
Not stated	99	50	378,500	1.1
Total		5,800	32,921,500	100.0

Variable Name: FRH_43B **Length:** 1.0 **Position:** 316

Question Name:

Concept: Second break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (second occasion)

Universe: FRH_42B = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	1	50	354,000	1.1
Yes	2	0	18,000	0.1
Valid skip	6	5,700	32,141,000	97.6
Don't know	7	0	30,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	50	378,500	1.1
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40C **Length:** 2.0 **Position:** 317

Question Name:

Concept: Third break/fracture - age

Question Text: How old were you on the third occasion?

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		01 - 77	350	2,728,500	8.3
Valid skip		96	5,400	30,007,000	91.1
Don't know		97	0	50,500	0.2
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40CA **Length:** 1.0 **Position:** 319

Question Name:

Concept: Third break/fracture - head

Question Text: Which bone(s) did you break or fracture on the third occasion - Head (skull, face, jaw, nose)

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	251,000	0.8
No		2	350	2,498,000	7.6
Valid skip		6	5,400	30,007,000	91.1
Don't know		7	0	30,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40CB **Length:** 1.0 **Position:** 320

Question Name:

Totals may not add up due to rounding.

Concept: Third break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the third occasion - Spine (neck, back, tail-bone)

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	59,000	0.2
No	2	350	2,690,000	8.2
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CC **Length:** 1.0 **Position:** 321

Question Name:

Concept: Third break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the third occasion - Ribs/sternum

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	244,500	0.7
No	2	350	2,504,000	7.6
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CD **Length:** 1.0 **Position:** 322

Question Name:

Concept: Third break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the third occasion - Shoulder/upper arm/collarbone

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	402,500	1.2
No	2	350	2,346,000	7.1
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CE **Length:** 1.0 **Position:** 323

Question Name:

Concept: Third break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the third occasion - Elbow

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	42,000	0.1
No	2	350	2,707,000	8.2
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CF **Length:** 1.0 **Position:** 324

Question Name:

Concept: Third break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the third occasion - Forearm/wrist

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	204,000	0.6
No	2	300	2,545,000	7.7
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CG **Length:** 1.0 **Position:** 325

Totals may not add up due to rounding.

Question Name:

Concept: Third break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the third occasion - Hand

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	160,500	0.5
No	2	350	2,588,500	7.9
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CH **Length:** 1.0 **Position:** 326

Question Name:

Concept: Third break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the third occasion - Finger(s)

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	558,500	1.7
No	2	300	2,190,500	6.7
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CI **Length:** 1.0 **Position:** 327

Question Name:

Concept: Third break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the third occasion - Hip

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,000	0.0
No	2	350	2,733,500	8.3
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CJ **Length:** 1.0 **Position:** 328

Question Name:

Concept: Third break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the third occasion - Pelvis

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	41,000	0.1
No	2	350	2,708,000	8.2
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CK **Length:** 1.0 **Position:** 329

Question Name:

Concept: Third break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the third occasion - Upper leg

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	500	0.0
No	2	350	2,748,000	8.3
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CL **Length:** 1.0 **Position:** 330

Totals may not add up due to rounding.

Question Name:

Concept: Third break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the third occasion - Knee

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	89,500	0.3
No	2	350	2,659,500	8.1
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CM **Length:** 1.0 **Position:** 331

Question Name:

Concept: Third break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the third occasion - Lower leg

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	98,500	0.3
No	2	350	2,650,500	8.1
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CN **Length:** 1.0 **Position:** 332

Question Name:

Concept: Third break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the third occasion - Ankle

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	248,500	0.8
No	2	350	2,500,000	7.6
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CO **Length:** 1.0 **Position:** 333

Question Name:

Concept: Third break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the third occasion - Foot

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	124,000	0.4
No	2	350	2,625,000	8.0
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CP **Length:** 1.0 **Position:** 334

Question Name:

Concept: Third break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the third occasion - Toe(s)

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	319,500	1.0
No	2	300	2,429,500	7.4
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40CQ **Length:** 1.0 **Position:** 335

Totals may not add up due to rounding.

Question Name:

Concept: Third break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the third occasion - Other - Specify

Universe: 2 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	350	2,749,000	8.3
Valid skip	6	5,400	30,007,000	91.1
Don't know	7	0	30,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41C **Length:** 2.0 **Position:** 336

Question Name:

Concept: Third break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (third occasion)

Universe: FRH_40CB=1 or FRH_40CC=1 or FRH_40CD=1 or FRH_40CE=1 or FRH_40CF=1 or FRH_40CG=1 or FRH_40CI=1 or FRH_40CJ=1 or FRH_40CK=1 or FRH_40CL=1 or FRH_40CM=1 or FRH_40CN=1 or FRH_40CO=1 or FRH_40CQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	86,000	0.3
Injury as a result of sports or physical activity	02	100	989,500	3.0
Being hit or struck by a person/object (no sports injuries)	03	0	112,000	0.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	112,000	0.3
Fall (do not include sports injuries)	05	50	233,500	0.7
No fall or significant impact (e.g., as a result of a hug)	06	0	83,500	0.3
Other - Specify	07	0	23,500	0.1
Valid skip	96	5,550	31,098,000	94.5
Don't know	97	0	47,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42C **Length:** 2.0 **Position:** 338

Question Name:

Concept: Third break/fracture - type of fall

Question Text: What was the type of fall? (third occasion)

Universe: FRH_41C = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	1,000	0.0
Fall from a standing height while indoors	02	0	57,500	0.2
Fall from a standing height while outdoors	03	50	124,000	0.4
Fall down the stairs	05	0	5,500	0.0
Fall from more than a standing height	06	0	32,500	0.1
Other - Specify	07	0	10,500	0.0
Valid skip	96	5,700	32,481,000	98.7
Not stated	99	50	210,000	0.6
Total		5,800	32,921,500	100.0

Variable Name: FRH_43C **Length:** 1.0 **Position:** 340

Question Name:

Concept: Third break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (third occasion)

Universe: FRH_42C = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	25,500	0.1
No	2	0	8,000	0.0
Valid skip	6	5,750	32,674,000	99.2
Not stated	9	50	214,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: FRH_40D **Length:** 2.0 **Position:** 341

Question Name:

Concept: Fourth break/fracture - age

Question Text: How old were you on the fourth occasion?

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	00 - 73	200	1,409,000	4.3
Valid skip	96	5,600	31,284,000	95.0
Don't know	97	0	92,500	0.3
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DA **Length:** 1.0 **Position:** 343

Question Name:

Concept: Fourth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Head (skull, face, jaw, nose)

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	264,500	0.8
No	2	150	1,228,000	3.7
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DB **Length:** 1.0 **Position:** 344

Question Name:

Concept: Fourth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Spine (neck, back, tailbone)

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,000	0.0
No	2	200	1,486,500	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DC **Length:** 1.0 **Position:** 345

Question Name:

Concept: Fourth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Ribs/sternum

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	105,000	0.3
No	2	150	1,387,500	4.2
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DD **Length:** 1.0 **Position:** 346

Question Name:

Concept: Fourth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Shoulder/upper arm/collarbone

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	119,000	0.4
No	2	150	1,373,500	4.2
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DE **Length:** 1.0 **Position:** 347

Question Name:

Concept: Fourth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Elbow

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	200	1,491,000	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DF **Length:** 1.0 **Position:** 348

Question Name:

Concept: Fourth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Forearm/wrist

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	81,000	0.2
No	2	150	1,411,500	4.3
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DG **Length:** 1.0 **Position:** 349

Question Name:

Concept: Fourth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Hand

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	74,500	0.2
No	2	150	1,418,500	4.3
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DH **Length:** 1.0 **Position:** 350

Question Name:

Concept: Fourth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Finger(s)

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	183,000	0.6
No	2	150	1,309,500	4.0
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DI **Length:** 1.0 **Position:** 351

Question Name:

Concept: Fourth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Hip

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	11,000	0.0
No	2	200	1,481,500	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DJ **Length:** 1.0 **Position:** 352

Question Name:

Concept: Fourth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Pelvis

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,500	0.0
No	2	200	1,477,000	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DK **Length:** 1.0 **Position:** 353

Question Name:

Concept: Fourth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Upper leg

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	200	1,489,500	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DL **Length:** 1.0 **Position:** 354

Question Name:

Concept: Fourth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Knee

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,000	0.0
No	2	200	1,480,500	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DM **Length:** 1.0 **Position:** 355

Question Name:

Concept: Fourth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Lower leg

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	122,500	0.4
No	2	150	1,370,500	4.2
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DN **Length:** 1.0 **Position:** 356

Question Name:

Concept: Fourth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Ankle

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	176,500	0.5
No	2	150	1,316,000	4.0
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DO **Length:** 1.0 **Position:** 357

Question Name:

Concept: Fourth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Foot

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	35,000	0.1
No	2	200	1,457,500	4.4
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DP **Length:** 1.0 **Position:** 358

Question Name:

Concept: Fourth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Toe(s)

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	326,000	1.0
No	2	150	1,166,500	3.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40DQ **Length:** 1.0 **Position:** 359

Question Name:

Concept: Fourth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fourth occasion - Other - Specify

Universe: 3 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	200	1,492,500	4.5
Valid skip	6	5,600	31,284,000	95.0
Don't know	7	0	9,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41D **Length:** 2.0 **Position:** 360

Question Name:

Concept: Fourth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fourth occasion)

Universe: FRH_40DB=1 or FRH_40DC=1 or FRH_40DD=1 or FRH_40DE=1 or FRH_40DF=1 or FRH_40DG=1 or FRH_40DI=1 or FRH_40DJ=1 or FRH_40DK=1 or FRH_40DL=1 or FRH_40DM=1 or FRH_40DN=1 or FRH_40DO=1 or FRH_40DQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	145,000	0.4
Injury as a result of sports or physical activity	02	50	419,500	1.3
Being hit or struck by a person/object (no sports injuries)	03	0	40,500	0.1
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	2,000	0.0
Fall (do not include sports injuries)	05	0	106,500	0.3
No fall or significant impact (e.g., as a result of a hug)	06	0	4,500	0.0
Other - Specify	07	0	9,500	0.0
Valid skip	96	5,650	32,050,000	97.4
Don't know	97	0	8,000	0.0
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42D **Length:** 2.0 **Position:** 362

Question Name:

Concept: Fourth break/fracture - type of fall

Question Text: What was the type of fall? (fourth occasion)

Universe: FRH_41D = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a lying or sitting position (e.g., out of bed)	01	0	5,500	0.0
Fall from a standing height while indoors	02	0	5,000	0.0
Fall from a standing height while outdoors	03	0	63,500	0.2
Fall down the stairs	05	0	23,000	0.1
Fall from more than a standing height	06	0	9,000	0.0
Other - Specify	07	0	500	0.0
Valid skip	96	5,750	32,661,000	99.2
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_43D **Length:** 1.0 **Position:** 364

Question Name:

Concept: Fourth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fourth occasion)

Universe: FRH_42D = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	25,500	0.1
No	2	0	6,500	0.0
Valid skip	6	5,750	32,735,500	99.4
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40E **Length:** 2.0 **Position:** 365

Question Name:

Concept: Fifth break/fracture - age

Question Text: How old were you on the fifth occasion?

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	03 - 63	100	812,500	2.5
Valid skip	96	5,650	31,854,500	96.8
Don’t know	97	0	118,500	0.4
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EA **Length:** 1.0 **Position:** 367

Question Name:

Concept: Fifth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Head (skull, face, jaw, nose)

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	117,500	0.4
No	2	100	779,000	2.4
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EB **Length:** 1.0 **Position:** 368

Question Name:

Concept: Fifth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Spine (neck, back, tail-bone)

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	40,500	0.1
No	2	100	856,000	2.6
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EC **Length:** 1.0 **Position:** 369

Question Name:

Concept: Fifth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Ribs/sternum

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	45,000	0.1
No	2	100	851,000	2.6
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40ED **Length:** 1.0 **Position:** 370

Question Name:

Concept: Fifth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Shoulder/upper arm/collarbone

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	21,500	0.1
No	2	100	875,000	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EE **Length:** 1.0 **Position:** 371

Question Name:

Concept: Fifth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Elbow

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	94,000	0.3
No	2	100	802,500	2.4
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EF **Length:** 1.0 **Position:** 372

Question Name:

Concept: Fifth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Forearm/wrist

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	18,000	0.1
No	2	100	878,500	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EG **Length:** 1.0 **Position:** 373

Question Name:

Concept: Fifth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Hand

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	139,000	0.4
No	2	100	757,500	2.3
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EH **Length:** 1.0 **Position:** 374

Question Name:

Concept: Fifth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Finger(s)

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	304,500	0.9
No	2	100	592,000	1.8
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40EI **Length:** 1.0 **Position:** 375

Question Name:

Concept: Fifth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Hip

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	896,500	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EJ **Length:** 1.0 **Position:** 376

Question Name:

Concept: Fifth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Pelvis

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	41,500	0.1
No	2	100	855,000	2.6
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EK **Length:** 1.0 **Position:** 377

Question Name:

Concept: Fifth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Upper leg

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	100	893,500	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EL **Length:** 1.0 **Position:** 378

Question Name:

Concept: Fifth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Knee

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	8,500	0.0
No	2	100	888,000	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EM **Length:** 1.0 **Position:** 379

Question Name:

Concept: Fifth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Lower leg

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,000	0.1
No	2	100	872,500	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40EN **Length:** 1.0 **Position:** 380

Question Name:

Concept: Fifth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Ankle

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	27,500	0.1
No	2	100	869,000	2.6
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EO **Length:** 1.0 **Position:** 381

Question Name:

Concept: Fifth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Foot

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	37,500	0.1
No	2	100	858,500	2.6
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EP **Length:** 1.0 **Position:** 382

Question Name:

Concept: Fifth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Toe(s)

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	207,000	0.6
No	2	100	689,500	2.1
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40EQ **Length:** 1.0 **Position:** 383

Question Name:

Concept: Fifth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fifth occasion - Other - Specify

Universe: 4 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	896,500	2.7
Valid skip	6	5,650	31,854,500	96.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41E **Length:** 2.0 **Position:** 384

Question Name:

Concept: Fifth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fifth occasion)

Universe: FRH_40EB=1 or FRH_40EC=1 or FRH_40ED=1 or FRH_40EE=1 or FRH_40EF=1 or FRH_40EG=1 or FRH_40EI=1 or FRH_40EJ=1 or FRH_40EK=1 or FRH_40EL=1 or FRH_40EM=1 or FRH_40EN=1 or FRH_40EO=1 or FRH_40EQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	112,000	0.3
Injury as a result of sports or physical activity	02	50	151,500	0.5
Being hit or struck by a person/object (no sports injuries)	03	0	49,000	0.1
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	500	0.0
Fall (do not include sports injuries)	05	0	68,500	0.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Other - Specify	07	0	1,000	0.0
Valid skip	96	5,700	32,368,500	98.3
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42E **Length:** 2.0 **Position:** 386

Question Name:

Concept: Fifth break/fracture - type of fall

Question Text: What was the type of fall? (fifth occasion)

Universe: FRH_41E = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while indoors	02	0	1,000	0.0
Fall from a standing height while outdoors	03	0	46,000	0.1
Fall from more than a standing height	06	0	21,000	0.1
Valid skip	96	5,750	32,682,000	99.3
Not stated	99	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43E **Length:** 1.0 **Position:** 388

Question Name:

Concept: Fifth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fifth occasion)

Universe: FRH_42E = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,500	0.0
No	2	0	5,500	0.0
Valid skip	6	5,750	32,729,500	99.4
Not stated	9	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40F **Length:** 2.0 **Position:** 389

Question Name:

Concept: Sixth break/fracture - age

Question Text: How old were you on the sixth occasion?

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	08 - 64	50	544,500	1.7
Valid skip	96	5,700	32,201,000	97.8
Don't know	97	0	40,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FA **Length:** 1.0 **Position:** 391

Question Name:

Concept: Sixth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Head (skull, face, jaw, nose)

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	78,000	0.2
No	2	50	471,500	1.4
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FB **Length:** 1.0 **Position:** 392

Question Name:

Concept: Sixth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Spine (neck, back, tail-bone)

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,500	0.1
No	2	50	529,000	1.6
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FC **Length:** 1.0 **Position:** 393

Question Name:

Concept: Sixth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Ribs/sternum

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	39,500	0.1
No	2	50	510,500	1.6
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FD **Length:** 1.0 **Position:** 394

Question Name:

Concept: Sixth break/ fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Shoulder/upper arm/collarbone

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	20,000	0.1
No	2	50	529,500	1.6
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FE **Length:** 1.0 **Position:** 395

Question Name:

Concept: Sixth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Elbow

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	549,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FF **Length:** 1.0 **Position:** 396

Question Name:

Concept: Sixth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Forearm/wrist

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	7,000	0.0
No	2	50	542,500	1.6
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FG **Length:** 1.0 **Position:** 397

Question Name:

Concept: Sixth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Hand

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	50	548,000	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FH **Length:** 1.0 **Position:** 398

Question Name:

Concept: Sixth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Finger(s)

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	28,500	0.1
No	2	50	521,500	1.6
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FI **Length:** 1.0 **Position:** 399

Question Name:

Concept: Sixth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Hip

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	549,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FJ **Length:** 1.0 **Position:** 400

Question Name:

Concept: Sixth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Pelvis

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	50	547,000	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FK **Length:** 1.0 **Position:** 401

Question Name:

Concept: Sixth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Upper leg

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	549,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FL **Length:** 1.0 **Position:** 402

Question Name:

Concept: Sixth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Knee

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	94,000	0.3
No	2	50	456,000	1.4
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FM **Length:** 1.0 **Position:** 403

Question Name:

Concept: Sixth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Lower leg

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	50	547,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FN **Length:** 1.0 **Position:** 404

Question Name:

Concept: Sixth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Ankle

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	151,000	0.5
No	2	50	399,000	1.2
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FO **Length:** 1.0 **Position:** 405

Question Name:

Concept: Sixth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Foot

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	500	0.0
No	2	50	549,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FP **Length:** 1.0 **Position:** 406

Question Name:

Concept: Sixth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Toe(s)

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	136,500	0.4
No	2	50	413,000	1.3
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40FQ **Length:** 1.0 **Position:** 407

Question Name:

Concept: Sixth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the sixth occasion - Other - Specify

Universe: 5 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	549,500	1.7
Valid skip	6	5,700	32,201,000	97.8
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41F **Length:** 2.0 **Position:** 408

Question Name:

Concept: Sixth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (sixth occasion)

Universe: FRH_40FB=1 or FRH_40FC=1 or FRH_40FD=1 or FRH_40FE=1 or FRH_40FF=1 or FRH_40FG=1 or FRH_40FI=1 or FRH_40FJ=1 or FRH_40FK=1 or FRH_40FL=1 or FRH_40FM=1 or FRH_40FN=1 or FRH_40FO=1 or FRH_40FQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	128,000	0.4
Injury as a result of sports or physical activity	02	0	115,000	0.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	12,500	0.0
Fall (do not include sports injuries)	05	0	83,500	0.3
Valid skip	96	5,750	32,412,500	98.5
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42F **Length:** 2.0 **Position:** 410

Question Name:

Concept: Sixth break/fracture - type of fall

Question Text: What was the type of fall? (sixth occasion)

Universe: FRH_41F = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	83,500	0.3
Valid skip	96	5,750	32,668,000	99.2
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43F **Length:** 1.0 **Position:** 412

Question Name:

Concept: Sixth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (sixth occasion)

Universe: FRH_42F = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40G **Length:** 2.0 **Position:** 413

Question Name:

Concept: Seventh break/fracture - age

Question Text: How old were you on the seventh occasion?

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	08 - 44	50	273,500	0.8
Valid skip	96	5,750	32,398,500	98.4
Don’t know	97	0	113,000	0.3
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GA **Length:** 1.0 **Position:** 415

Question Name:

Concept: Seventh break/fracture - head

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Head (skull, face, jaw, nose)

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	15,000	0.0
No	2	50	337,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GB **Length:** 1.0 **Position:** 416

Question Name:

Concept: Seventh break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Spine (neck, back, tailbone)

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	27,500	0.1
No	2	50	324,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GC **Length:** 1.0 **Position:** 417

Question Name:

Concept: Seventh break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Ribs/sternum

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	27,500	0.1
No	2	50	324,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GD **Length:** 1.0 **Position:** 418

Question Name:

Concept: Seventh break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Shoulder/upper arm/collarbone

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,500	0.0
No	2	50	345,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GE **Length:** 1.0 **Position:** 419

Question Name:

Concept: Seventh break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Elbow

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GF **Length:** 1.0 **Position:** 420

Question Name:

Concept: Seventh break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Forearm/wrist

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	50	322,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GG **Length:** 1.0 **Position:** 421

Question Name:

Concept: Seventh break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Hand

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,000	0.0
No	2	50	346,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GH **Length:** 1.0 **Position:** 422

Question Name:

Concept: Seventh break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Finger(s)

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	44,000	0.1
No	2	0	307,500	0.9
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GI **Length:** 1.0 **Position:** 423

Question Name:

Concept: Seventh break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Hip

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GJ **Length:** 1.0 **Position:** 424

Question Name:

Concept: Seventh break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Pelvis

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GK **Length:** 1.0 **Position:** 425

Question Name:

Concept: Seventh break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Upper leg

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GL **Length:** 1.0 **Position:** 426

Question Name:

Concept: Seventh break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Knee

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	28,500	0.1
No	2	50	323,500	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GM **Length:** 1.0 **Position:** 427

Question Name:

Concept: Seventh break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Lower leg

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	19,000	0.1
No	2	50	333,000	1.0
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GN **Length:** 1.0 **Position:** 428

Question Name:

Concept: Seventh break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Ankle

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GO **Length:** 1.0 **Position:** 429

Question Name:

Concept: Seventh break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Foot

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	153,000	0.5
No	2	50	199,000	0.6
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GP **Length:** 1.0 **Position:** 430

Question Name:

Concept: Seventh break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Toe(s)

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	77,000	0.2
No	2	50	275,000	0.8
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40GQ **Length:** 1.0 **Position:** 431

Question Name:

Concept: Seventh break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the seventh occasion - Other - Specify

Universe: 6 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	50	351,500	1.1
Valid skip	6	5,750	32,398,500	98.4
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41G **Length:** 2.0 **Position:** 432

Question Name:

Concept: Seventh break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (seventh occasion)

Universe: FRH_40GB=1 or FRH_40GC=1 or FRH_40GD=1 or FRH_40GE=1 or FRH_40GF=1 or FRH_40GG=1 or FRH_40GI=1 or FRH_40GJ=1 or FRH_40GK=1 or FRH_40GL=1 or FRH_40GM=1 or FRH_40GN=1 or FRH_40GO=1 or FRH_40GQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	98,000	0.3
Injury as a result of sports or physical activity	02	0	112,500	0.3
Bumping/hitting an obstruction (dont inc. sports injuries)	04	0	5,000	0.0
Fall (do not include sports injuries)	05	0	500	0.0
Other - Specify	07	0	25,000	0.1
Valid skip	96	5,750	32,509,500	98.7

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	34,500	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_42G **Length:** 2.0 **Position:** 434

Question Name:

Concept: Seventh break/fracture - type of fall

Question Text: What was the type of fall? (seventh occasion)

Universe: FRH_41G = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Fall down the stairs		05	0	500	0.0
Valid skip		96	5,750	32,725,500	99.4
Not stated		99	0	195,500	0.6
	Total		5,800	32,921,500	100.0

Variable Name: FRH_43G **Length:** 1.0 **Position:** 436

Question Name:

Concept: Seventh break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (seventh occasion)

Universe: FRH_42G = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	500	0.0
Valid skip		6	5,750	32,725,500	99.4
Not stated		9	0	195,500	0.6
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40H **Length:** 2.0 **Position:** 437

Question Name:

Concept: Eighth break/fracture - age

Question Text: How old were you on the eighth occasion?

Totals may not add up due to rounding.

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	09 - 42	0	159,000	0.5
Valid skip	96	5,750	32,421,500	98.5
Don't know	97	0	205,000	0.6
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HA **Length:** 1.0 **Position:** 439

Question Name:

Concept: Eighth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Head (skull, face, jaw, nose)

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HB **Length:** 1.0 **Position:** 440

Question Name:

Concept: Eighth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Spine (neck, back, tailbone)

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HC **Length:** 1.0 **Position:** 441

Question Name:

Concept: Eighth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Ribs/sternum

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	33,000	0.1
No	2	0	297,000	0.9
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HD **Length:** 1.0 **Position:** 442

Question Name:

Concept: Eighth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Shoulder/upper arm/collarbone

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	29,500	0.1
No	2	0	300,500	0.9
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HE **Length:** 1.0 **Position:** 443

Question Name:

Concept: Eighth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Elbow

Universe: 7 < FRH_35 < VS

Totals may not add up due to rounding.

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	94,500	0.3
No	2	0	235,000	0.7
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HF **Length:** 1.0 **Position:** 444

Question Name:

Concept: Eighth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Forearm/wrist

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
No	2	0	327,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HG **Length:** 1.0 **Position:** 445

Question Name:

Concept: Eighth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Hand

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	0	327,500	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HH **Length:** 1.0 **Position:** 446

Question Name:

Concept: Eighth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Finger(s)

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,000	0.0
No	2	0	316,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HI **Length:** 1.0 **Position:** 447

Question Name:

Concept: Eighth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Hip

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,000	0.1
No	2	0	306,000	0.9
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HJ **Length:** 1.0 **Position:** 448

Question Name:

Concept: Eighth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Pelvis

Universe: 7 < FRH_35 < VS

Totals may not add up due to rounding.

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HK **Length:** 1.0 **Position:** 449

Question Name:

Concept: Eighth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Upper leg

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HL **Length:** 1.0 **Position:** 450

Question Name:

Concept: Eighth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Knee

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	16,500	0.1
No	2	0	313,500	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HM **Length:** 1.0 **Position:** 451

Question Name:

Concept: Eighth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Lower leg

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HN **Length:** 1.0 **Position:** 452

Question Name:

Concept: Eighth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Ankle

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HO **Length:** 1.0 **Position:** 453

Question Name:

Concept: Eighth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Foot

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	30,500	0.1
No	2	0	299,000	0.9
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HP **Length:** 1.0 **Position:** 454

Question Name:

Concept: Eighth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Toe(s)

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	82,500	0.3
No	2	0	247,500	0.8
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40HQ **Length:** 1.0 **Position:** 455

Question Name:

Concept: Eighth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eighth occasion - Other - Specify

Universe: 7 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	330,000	1.0
Valid skip	6	5,750	32,421,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41H **Length:** 2.0 **Position:** 456

Question Name:

Concept: Eighth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eighth occasion)

Universe: FRH_40HB=1 or FRH_40HC=1 or FRH_40HD=1 or FRH_40HE=1 or FRH_40HF=1 or FRH_40HG=1 or FRH_40HI=1 or FRH_40HJ=1 or FRH_40HK=1 or FRH_40HL=1 or FRH_40HM=1 or FRH_40HN=1 or FRH_40HO=1 or FRH_40HQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	94,000	0.3
Injury as a result of sports or physical activity	02	0	132,000	0.4
Being hit or struck by a person/object (no sports injuries)	03	0	7,500	0.0
Valid skip	96	5,750	32,518,000	98.8
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42H **Length:** 2.0 **Position:** 458

Question Name:

Concept: Eighth break/fracture - type of fall

Question Text: What was the type of fall? (eighth occasion)

Universe: FRH_41H = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43H **Length:** 1.0 **Position:** 460

Question Name:

Concept: Eighth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eighth occasion)

Universe: FRH_42H = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,750	32,751,500	99.5
Not stated		9	0	170,000	0.5
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40I **Length:** 2.0 **Position:** 461

Question Name:

Concept: Ninth break/fracture - age

Question Text: How old were you on the ninth occasion?

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		09 - 51	0	219,500	0.7
Valid skip		96	5,750	32,434,500	98.5
Don't know		97	0	131,000	0.4
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IA **Length:** 1.0 **Position:** 463

Question Name:

Concept: Ninth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Head (skull, face, jaw, nose)

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	1,500	0.0
No		2	0	315,500	1.0
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IB **Length:** 1.0 **Position:** 464

Question Name:

Concept: Ninth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Spine (neck, back, tail-bone)

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	32,000	0.1
No	2	0	285,000	0.9
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IC **Length:** 1.0 **Position:** 465

Question Name:

Concept: Ninth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Ribs/sternum

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	119,000	0.4
No	2	0	198,000	0.6
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40ID **Length:** 1.0 **Position:** 466

Question Name:

Concept: Ninth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Shoulder/upper arm/collarbone

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	315,000	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IE **Length:** 1.0 **Position:** 467

Question Name:

Concept: Ninth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Elbow

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	317,000	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IF **Length:** 1.0 **Position:** 468

Question Name:

Concept: Ninth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Forearm/wrist

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	40,500	0.1
No	2	0	276,500	0.8
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IG **Length:** 1.0 **Position:** 469

Question Name:

Concept: Ninth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Hand

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	317,000	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IH **Length:** 1.0 **Position:** 470

Question Name:

Concept: Ninth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Finger(s)

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	10,500	0.0
No	2	0	306,500	0.9
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40II **Length:** 1.0 **Position:** 471

Question Name:

Concept: Ninth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Hip

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	317,000	1.0
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IJ **Length:** 1.0 **Position:** 472

Question Name:

Concept: Ninth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Pelvis

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	317,000	1.0
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IK **Length:** 1.0 **Position:** 473

Question Name:

Concept: Ninth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Upper leg

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	317,000	1.0
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IL **Length:** 1.0 **Position:** 474

Question Name:

Concept: Ninth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Knee

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	0	314,500	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IM **Length:** 1.0 **Position:** 475

Question Name:

Concept: Ninth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Lower leg

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	317,000	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40IN **Length:** 1.0 **Position:** 476

Question Name:

Concept: Ninth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Ankle

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	317,000	1.0
Valid skip	6	5,750	32,434,500	98.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IO **Length:** 1.0 **Position:** 477

Question Name:

Concept: Ninth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Foot

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	30,500	0.1
No		2	0	286,000	0.9
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IP **Length:** 1.0 **Position:** 478

Question Name:

Concept: Ninth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Toe(s)

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	79,000	0.2
No		2	0	238,000	0.7
Valid skip		6	5,750	32,434,500	98.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40IQ **Length:** 1.0 **Position:** 479

Question Name:

Concept: Ninth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the ninth occasion - Other - Specify

Universe: 8 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	317,000	1.0
Valid skip	6	5,750	32,434,500	98.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41I **Length:** 2.0 **Position:** 480

Question Name:

Concept: Ninth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (ninth occasion)

Universe: FRH_40IB=1 or FRH_40IC=1 or FRH_40ID=1 or FRH_40IE=1 or FRH_40IF=1 or FRH_40IG=1 or FRH_40II=1 or FRH_40IJ=1 or FRH_40IK=1 or FRH_40IL=1 or FRH_40IM=1 or FRH_40IN=1 or FRH_40IO=1 or FRH_40IQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	96,000	0.3
Injury as a result of sports or physical activity	02	0	83,000	0.3
Being hit or struck by a person/object (no sports injuries)	03	0	16,500	0.1
Fall (do not include sports injuries)	05	0	30,500	0.1
Valid skip	96	5,750	32,525,500	98.8
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42I **Length:** 2.0 **Position:** 482

Question Name:

Concept: Ninth break/fracture - type of fall

Question Text: What was the type of fall? (ninth occasion)

Universe: FRH_41I = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	30,500	0.1
Valid skip	96	5,750	32,720,500	99.4
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43I **Length:** 1.0 **Position:** 484

Question Name:

Concept: Ninth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (ninth occasion)

Universe: FRH_42I = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40J **Length:** 2.0 **Position:** 485

Question Name:

Concept: Tenth break/fracture - age

Question Text: How old were you on the tenth occasion?

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	10 - 44	0	56,000	0.2
Valid skip	96	5,750	32,524,500	98.8
Don’t know	97	0	205,000	0.6
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JA **Length:** 1.0 **Position:** 487

Question Name:

Concept: Tenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Head (skull, face, jaw, nose)

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JB **Length:** 1.0 **Position:** 488

Question Name:

Concept: Tenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Spine (neck, back, tail-bone)

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JC **Length:** 1.0 **Position:** 489

Question Name:

Concept: Tenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Ribs/sternum

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JD **Length:** 1.0 **Position:** 490

Question Name:

Concept: Tenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Shoulder/upper arm/collarbone

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	227,000	0.7
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JE **Length:** 1.0 **Position:** 491

Question Name:

Concept: Tenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Elbow

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	227,000	0.7
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JF **Length:** 1.0 **Position:** 492

Question Name:

Concept: Tenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Forearm/wrist

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JG **Length:** 1.0 **Position:** 493

Question Name:

Concept: Tenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Hand

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	225,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JH **Length:** 1.0 **Position:** 494

Question Name:

Concept: Tenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Finger(s)

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	32,000	0.1
No	2	0	195,000	0.6
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JI **Length:** 1.0 **Position:** 495

Question Name:

Concept: Tenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Hip

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	227,000	0.7
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JJ **Length:** 1.0 **Position:** 496

Question Name:

Concept: Tenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Pelvis

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	227,000	0.7
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JK **Length:** 1.0 **Position:** 497

Question Name:

Concept: Tenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Upper leg

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JL **Length:** 1.0 **Position:** 498

Question Name:

Concept: Tenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Knee

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	98,000	0.3
No	2	0	129,000	0.4
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JM **Length:** 1.0 **Position:** 499

Question Name:

Concept: Tenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Lower leg

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JN **Length:** 1.0 **Position:** 500

Question Name:

Concept: Tenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Ankle

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	16,500	0.1
No		2	0	210,500	0.6
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JO **Length:** 1.0 **Position:** 501

Question Name:

Concept: Tenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Foot

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	227,000	0.7
Valid skip		6	5,750	32,524,500	98.8
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40JP **Length:** 1.0 **Position:** 502

Question Name:

Concept: Tenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Toe(s)

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	79,000	0.2
No	2	0	148,000	0.5
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40JQ **Length:** 1.0 **Position:** 503

Question Name:

Concept: Tenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the tenth occasion - Other - Specify

Universe: 9 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	227,000	0.7
Valid skip	6	5,750	32,524,500	98.8
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41J **Length:** 2.0 **Position:** 504

Question Name:

Concept: Tenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (tenth occasion)

Universe: FRH_40JB=1 or FRH_40JC=1 or FRH_40JD=1 or FRH_40JE=1 or FRH_40JF=1 or FRH_40JG=1 or FRH_40JI=1 or FRH_40JJ=1 or FRH_40JK=1 or FRH_40JL=1 or FRH_40JM=1 or FRH_40JN=1 or FRH_40JO=1 or FRH_40JQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	94,000	0.3
Injury as a result of sports or physical activity	02	0	22,500	0.1
Valid skip	96	5,750	32,635,000	99.1
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42J **Length:** 2.0 **Position:** 506

Question Name:

Concept: Tenth break/fracture - type of fall

Question Text: What was the type of fall? (tenth occasion)

Universe: FRH_41J = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43J **Length:** 1.0 **Position:** 508

Question Name:

Concept: Tenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (tenth occasion)

Universe: FRH_42J = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40K **Length:** 2.0 **Position:** 509

Question Name:

Concept: Eleventh break/fracture - age

Question Text: How old were you on the eleventh occasion?

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	10 - 40	0	100,500	0.3
Valid skip	96	5,750	32,650,000	99.2
Don't know	97	0	35,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KA **Length:** 1.0 **Position:** 511

Question Name:

Concept: Eleventh break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Head (skull, face, jaw, nose)

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KB **Length:** 1.0 **Position:** 512

Question Name:

Concept: Eleventh break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Spine (neck, back, tailbone)

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KC **Length:** 1.0 **Position:** 513

Question Name:

Concept: Eleventh break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Ribs/sternum

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KD **Length:** 1.0 **Position:** 514

Question Name:

Concept: Eleventh break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Shoulder/upper arm/collarbone

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KE **Length:** 1.0 **Position:** 515

Question Name:

Concept: Eleventh break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Elbow

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KF **Length:** 1.0 **Position:** 516

Question Name:

Concept: Eleventh break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Forearm/wrist

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KG **Length:** 1.0 **Position:** 517

Question Name:

Concept: Eleventh break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Hand

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KH **Length:** 1.0 **Position:** 518

Question Name:

Concept: Eleventh break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Finger(s)

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	98,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KI **Length:** 1.0 **Position:** 519

Question Name:

Concept: Eleventh break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Hip

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KJ **Length:** 1.0 **Position:** 520

Question Name:

Concept: Eleventh break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Pelvis

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KK **Length:** 1.0 **Position:** 521

Question Name:

Concept: Eleventh break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Upper leg

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KL **Length:** 1.0 **Position:** 522

Question Name:

Concept: Eleventh break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Knee

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	100,500	0.3
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40KM **Length:** 1.0 **Position:** 523

Question Name:

Concept: Eleventh break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Lower leg

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	100,500	0.3
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40KN **Length:** 1.0 **Position:** 524

Question Name:

Concept: Eleventh break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Ankle

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	24,000	0.1
No		2	0	76,500	0.2
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40KO **Length:** 1.0 **Position:** 525

Question Name:

Concept: Eleventh break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Foot

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KP **Length:** 1.0 **Position:** 526

Question Name:

Concept: Eleventh break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Toe(s)

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	74,500	0.2
No	2	0	26,000	0.1
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40KQ **Length:** 1.0 **Position:** 527

Question Name:

Concept: Eleventh break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eleventh occasion - Other - Specify

Universe: 10 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41K **Length:** 2.0 **Position:** 528

Question Name:

Concept: Eleventh break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eleventh occasion)

Universe: FRH_40KB=1 or FRH_40KC=1 or FRH_40KD=1 or FRH_40KE=1 or FRH_40KF=1 or FRH_40KG=1 or FRH_40KI=1 or FRH_40KJ=1 or FRH_40KK=1 or FRH_40KL=1 or FRH_40KM=1 or FRH_40KN=1 or FRH_40KO=1 or FRH_40KQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	24,000	0.1
Valid skip	96	5,750	32,727,000	99.4
Don't know	97	0	35,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42K **Length:** 2.0 **Position:** 530

Question Name:

Concept: Eleventh break/fracture - type of fall

Question Text: What was the type of fall? (eleventh occasion)

Universe: FRH_41K = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,000	99.5
Not stated	99	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43K **Length:** 1.0 **Position:** 532

Question Name:

Concept: Eleventh break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eleventh occasion)

Universe: FRH_42K = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,000	99.5
Not stated	9	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40L **Length:** 2.0 **Position:** 533

Question Name:

Concept: Twelfth break/fracture - age

Question Text: How old were you on the twelfth occasion?

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	10 - 40	0	100,500	0.3
Valid skip	96	5,750	32,650,000	99.2
Don’t know	97	0	35,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LA **Length:** 1.0 **Position:** 535

Question Name:

Concept: Twelfth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Head (skull, face, jaw, nose)

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	98,500	0.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LB **Length:** 1.0 **Position:** 536

Question Name:

Concept: Twelfth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Spine (neck, back, tailbone)

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LC **Length:** 1.0 **Position:** 537

Question Name:

Concept: Twelfth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Ribs/sternum

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LD **Length:** 1.0 **Position:** 538

Question Name:

Concept: Twelfth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Shoulder/upper arm/collarbone

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LE **Length:** 1.0 **Position:** 539

Question Name:

Concept: Twelfth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Elbow

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LF **Length:** 1.0 **Position:** 540

Question Name:

Concept: Twelfth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Forearm/wrist

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,500	0.1
No	2	0	76,000	0.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LG **Length:** 1.0 **Position:** 541

Question Name:

Concept: Twelfth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Hand

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LH **Length:** 1.0 **Position:** 542

Question Name:

Concept: Twelfth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Finger(s)

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LI **Length:** 1.0 **Position:** 543

Question Name:

Concept: Twelfth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Hip

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LJ **Length:** 1.0 **Position:** 544

Question Name:

Concept: Twelfth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Pelvis

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LK **Length:** 1.0 **Position:** 545

Question Name:

Concept: Twelfth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Upper leg

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40LL **Length:** 1.0 **Position:** 546

Question Name:

Concept: Twelfth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Knee

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	100,500	0.3
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40LM **Length:** 1.0 **Position:** 547

Question Name:

Concept: Twelfth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Lower leg

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	100,500	0.3
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40LN **Length:** 1.0 **Position:** 548

Question Name:

Concept: Twelfth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Ankle

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LO **Length:** 1.0 **Position:** 549

Question Name:

Concept: Twelfth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Foot

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	74,000	0.2
No	2	0	26,500	0.1
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40LP **Length:** 1.0 **Position:** 550

Question Name:

Concept: Twelfth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Toe(s)

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	100,500	0.3
Valid skip	6	5,750	32,650,000	99.2
Don't know	7	0	35,000	0.1
Not stated	9	0	136,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40LQ **Length:** 1.0 **Position:** 551

Question Name:

Concept: Twelfth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the twelfth occasion - Other - Specify

Universe: 11 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	100,500	0.3
Valid skip		6	5,750	32,650,000	99.2
Don't know		7	0	35,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_41L **Length:** 2.0 **Position:** 552

Question Name:

Concept: Twelfth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (twelfth occasion)

Universe: FRH_40LB=1 or FRH_40LC=1 or FRH_40LD=1 or FRH_40LE=1 or FRH_40LF=1 or FRH_40LG=1 or FRH_40LI=1 or FRH_40LJ=1 or FRH_40LK=1 or FRH_40LL=1 or FRH_40LM=1 or FRH_40LN=1 or FRH_40LO=1 or FRH_40LQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity		02	0	98,500	0.3
Valid skip		96	5,750	32,652,000	99.2
Don't know		97	0	35,000	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_42L **Length:** 2.0 **Position:** 554

Question Name:

Concept: Twelfth break/fracture - type of fall

Question Text: What was the type of fall? (twelfth occasion)

Universe: FRH_41L = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,000	99.5
Not stated	99	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43L **Length:** 1.0 **Position:** 556

Question Name:

Concept: Twelfth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (twelfth occasion)

Universe: FRH_42L = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,000	99.5
Not stated	9	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40M **Length:** 2.0 **Position:** 557

Question Name:

Concept: Thirteenth break/fracture - age

Question Text: How old were you on the thirteenth occasion?

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	11 - 32	0	26,500	0.1
Valid skip	96	5,750	32,725,000	99.4
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40MA **Length:** 1.0 **Position:** 559

Question Name:

Concept: Thirteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Head (skull, face, jaw, nose)

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	24,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MB **Length:** 1.0 **Position:** 560

Question Name:

Concept: Thirteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Spine (neck, back, tailbone)

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MC **Length:** 1.0 **Position:** 561

Question Name:

Concept: Thirteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Ribs/sternum

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MD **Length:** 1.0 **Position:** 562

Question Name:

Concept: Thirteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Shoulder/upper arm/collarbone

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	26,000	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40ME **Length:** 1.0 **Position:** 563

Question Name:

Concept: Thirteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Elbow

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40MF **Length:** 1.0 **Position:** 564

Question Name:

Concept: Thirteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Forearm/wrist

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MG **Length:** 1.0 **Position:** 565

Question Name:

Concept: Thirteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Hand

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MH **Length:** 1.0 **Position:** 566

Question Name:

Concept: Thirteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Finger(s)

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MI **Length:** 1.0 **Position:** 567

Question Name:

Concept: Thirteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Hip

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MJ **Length:** 1.0 **Position:** 568

Question Name:

Concept: Thirteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Pelvis

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MK **Length:** 1.0 **Position:** 569

Question Name:

Totals may not add up due to rounding.

Concept: Thirteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Upper leg

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40ML **Length:** 1.0 **Position:** 570

Question Name:

Concept: Thirteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Knee

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MM **Length:** 1.0 **Position:** 571

Question Name:

Concept: Thirteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Lower leg

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40MN **Length:** 1.0 **Position:** 572

Question Name:

Concept: Thirteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Ankle

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	24,000	0.1
No		2	0	3,000	0.0
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40MO **Length:** 1.0 **Position:** 573

Question Name:

Concept: Thirteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Foot

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40MP **Length:** 1.0 **Position:** 574

Question Name:

Concept: Thirteenth break/fracture - toe(s)

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Toe(s)

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40MQ **Length:** 1.0 **Position:** 575

Question Name:

Concept: Thirteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the thirteenth occasion - Other - Specify

Universe: 12 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41M **Length:** 2.0 **Position:** 576

Question Name:

Concept: Thirteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (thirteenth occasion)

Universe: FRH_40MB=1 or FRH_40MC=1 or FRH_40MD=1 or FRH_40ME=1 or FRH_40MF=1 or FRH_40MG=1 or FRH_40MI=1 or FRH_40MJ=1 or FRH_40MK=1 or FRH_40ML=1 or FRH_40MM=1 or FRH_40MN=1 or FRH_40MO=1 or FRH_40MQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	24,500	0.1
Valid skip	96	5,750	32,726,500	99.4

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	34,000	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_42M **Length:** 2.0 **Position:** 578

Question Name:

Concept: Thirteenth break/fracture - type of fall

Question Text: What was the type of fall? (thirteenth occasion)

Universe: FRH_41M = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		96	5,750	32,751,500	99.5
Not stated		99	0	170,000	0.5
	Total		5,800	32,921,500	100.0

Variable Name: FRH_43M **Length:** 1.0 **Position:** 580

Question Name:

Concept: Thirteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (thirteenth occasion)

Universe: FRH_42M = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,750	32,751,500	99.5
Not stated		9	0	170,000	0.5
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40N **Length:** 2.0 **Position:** 581

Question Name:

Concept: Fourteenth break/fracture - age

Question Text: How old were you on the fourteenth occasion?

Universe: 13 < FRH_35 < VS

Totals may not add up due to rounding.

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	14 - 36	0	26,500	0.1
Valid skip	96	5,750	32,725,000	99.4
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NA **Length:** 1.0 **Position:** 583

Question Name:

Concept: Fourteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Head (skull, face, jaw, nose)

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NB **Length:** 1.0 **Position:** 584

Question Name:

Concept: Fourteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Spine (neck, back, tailbone)

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NC **Length:** 1.0 **Position:** 585

Question Name:

Concept: Fourteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Ribs/sternum

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	24,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40ND **Length:** 1.0 **Position:** 586

Question Name:

Concept: Fourteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Shoulder/upper arm/collarbone

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,000	0.1
No	2	0	3,000	0.0
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NE **Length:** 1.0 **Position:** 587

Question Name:

Concept: Fourteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Elbow

Universe: 13 < FRH_35 < VS

Totals may not add up due to rounding.

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NF **Length:** 1.0 **Position:** 588

Question Name:

Concept: Fourteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Forearm/wrist

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	26,000	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NG **Length:** 1.0 **Position:** 589

Question Name:

Concept: Fourteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Hand

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NH **Length:** 1.0 **Position:** 590

Question Name:

Concept: Fourteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Finger(s)

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NI **Length:** 1.0 **Position:** 591

Question Name:

Concept: Fourteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Hip

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NJ **Length:** 1.0 **Position:** 592

Question Name:

Concept: Fourteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Pelvis

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NK **Length:** 1.0 **Position:** 593

Question Name:

Concept: Fourteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Upper leg

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NL **Length:** 1.0 **Position:** 594

Question Name:

Concept: Fourteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Knee

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NM **Length:** 1.0 **Position:** 595

Question Name:

Concept: Fourteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Lower leg

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NN **Length:** 1.0 **Position:** 596

Question Name:

Concept: Fourteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Ankle

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40NO **Length:** 1.0 **Position:** 597

Question Name:

Concept: Fourteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Foot

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40NP **Length:** 1.0 **Position:** 598

Question Name:

Concept: Fourteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Toe(s)

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40NQ **Length:** 1.0 **Position:** 599

Question Name:

Concept: Fourteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fourteenth occasion - Other - Specify

Universe: 13 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_41N **Length:** 2.0 **Position:** 600

Question Name:

Concept: Fourteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fourteenth occasion)

Universe: FRH_40NB=1 or FRH_40NC=1 or FRH_40ND=1 or FRH_40NE=1 or FRH_40NF=1 or FRH_40NG=1 or FRH_40NI=1 or FRH_40NJ=1 or FRH_40NK=1 or FRH_40NL=1 or FRH_40NM=1 or FRH_40NN=1 or FRH_40NO=1 or FRH_40NQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Fall (do not include sports injuries)	05	0	24,000	0.1
Valid skip	96	5,750	32,725,000	99.4
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42N **Length:** 2.0 **Position:** 602

Question Name:

Concept: Fourteenth break/fracture - type of fall

Question Text: What was the type of fall? (fourteenth occasion)

Universe: FRH_41N = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	24,000	0.1
Valid skip	96	5,750	32,727,500	99.4
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43N **Length:** 1.0 **Position:** 604

Question Name:

Concept: Fourteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fourteenth occasion)

Universe: FRH_42N = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40O **Length:** 2.0 **Position:** 605

Question Name:

Concept: Fifteenth break/fracture - age

Question Text: How old were you on the fifteenth occasion?

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		14 - 39	0	26,500	0.1
Valid skip		96	5,750	32,725,000	99.4
Don't know		97	0	34,000	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OA **Length:** 1.0 **Position:** 607

Question Name:

Concept: Fifteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Head (skull, face, jaw, nose)

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OB **Length:** 1.0 **Position:** 608

Question Name:

Concept: Fifteenth break/fracture - spine

Question Text: Which bone(s) did you break or fifteenth on the second occasion - Spine (neck, back, tailbone)

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	26,000	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40OC **Length:** 1.0 **Position:** 609

Question Name:

Concept: Fifteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Ribs/sternum

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40OD **Length:** 1.0 **Position:** 610

Question Name:

Concept: Fifteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Shoulder/upper arm/collarbone

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OE **Length:** 1.0 **Position:** 611

Question Name:

Concept: Fifteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Elbow

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OF **Length:** 1.0 **Position:** 612

Question Name:

Concept: Fifteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Forearm/wrist

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	2,000	0.0
No		2	0	24,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OG **Length:** 1.0 **Position:** 613

Question Name:

Concept: Fifteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Hand

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40OH **Length:** 1.0 **Position:** 614

Question Name:

Concept: Fifteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Finger(s)

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40OI **Length:** 1.0 **Position:** 615

Question Name:

Concept: Fifteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Hip

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OJ **Length:** 1.0 **Position:** 616

Question Name:

Concept: Fifteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Pelvis

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OK **Length:** 1.0 **Position:** 617

Question Name:

Concept: Fifteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Upper leg

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OL **Length:** 1.0 **Position:** 618

Question Name:

Concept: Fifteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Knee

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40OM **Length:** 1.0 **Position:** 619

Question Name:

Concept: Fifteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Lower leg

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40ON **Length:** 1.0 **Position:** 620

Question Name:

Concept: Fifteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Ankle

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	24,000	0.1
No	2	0	3,000	0.0
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OO **Length:** 1.0 **Position:** 621

Question Name:

Concept: Fifteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Foot

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OP **Length:** 1.0 **Position:** 622

Question Name:

Concept: Fifteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Toe(s)

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	26,500	0.1
Valid skip		6	5,750	32,725,000	99.4
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40OQ **Length:** 1.0 **Position:** 623

Question Name:

Concept: Fifteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the fifteenth occasion - Other - Specify

Universe: 14 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	26,500	0.1
Valid skip	6	5,750	32,725,000	99.4
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41O **Length:** 2.0 **Position:** 624

Question Name:

Concept: Fifteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (fifteenth occasion)

Universe: FRH_40OB=1 or FRH_40OC=1 or FRH_40OD=1 or FRH_40OE=1 or FRH_40OF=1 or FRH_40OG=1 or FRH_40OI=1 or FRH_40OJ=1 or FRH_40OK=1 or FRH_40OL=1 or FRH_40OM=1 or FRH_40ON=1 or FRH_40OO=1 or FRH_40OQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Fall (do not include sports injuries)	05	0	24,000	0.1
Valid skip	96	5,750	32,725,000	99.4
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42O **Length:** 2.0 **Position:** 626

Question Name:

Concept: Fifteenth break/fracture - type of fall

Question Text: What was the type of fall? (fifteenth occasion)

Universe: FRH_41O = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	24,000	0.1
Valid skip	96	5,750	32,727,500	99.4
Not stated	99	0	170,000	0.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_43O **Length:** 1.0 **Position:** 628

Question Name:

Concept: Fifteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (fifteenth occasion)

Universe: FRH_42O = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	5,750	32,751,500	99.5
Not stated		9	0	170,000	0.5
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40P **Length:** 2.0 **Position:** 629

Question Name:

Concept: Sixteenth break/fracture - age

Question Text: How old were you on the sixteenth occasion?

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		15 - 20	0	3,000	0.0
Valid skip		96	5,750	32,748,500	99.5
Don't know		97	0	34,000	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40PA **Length:** 1.0 **Position:** 631

Question Name:

Concept: Sixteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Head (skull, face, jaw, nose)

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PB **Length:** 1.0 **Position:** 632

Question Name:

Concept: Sixteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Spine (neck, back, tailbone)

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PC **Length:** 1.0 **Position:** 633

Question Name:

Concept: Sixteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Ribs/sternum

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_40PD **Length:** 1.0 **Position:** 634

Question Name:

Concept: Sixteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Shoulder/upper arm/collarbone

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	1,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PE **Length:** 1.0 **Position:** 635

Question Name:

Concept: Sixteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Elbow

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PF **Length:** 1.0 **Position:** 636

Question Name:

Concept: Sixteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Forearm/wrist

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PG **Length:** 1.0 **Position:** 637

Question Name:

Concept: Sixteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Hand

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PH **Length:** 1.0 **Position:** 638

Question Name:

Concept: Sixteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Finger(s)

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PI **Length:** 1.0 **Position:** 639

Totals may not add up due to rounding.

Question Name:

Concept: Sixteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Hip

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PJ **Length:** 1.0 **Position:** 640

Question Name:

Concept: Sixteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Pelvis

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PK **Length:** 1.0 **Position:** 641

Question Name:

Concept: Sixteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Upper leg

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PL **Length:** 1.0 **Position:** 642

Question Name:

Concept: Sixteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Knee

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	2,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PM **Length:** 1.0 **Position:** 643

Question Name:

Concept: Sixteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Lower leg

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PN **Length:** 1.0 **Position:** 644

Totals may not add up due to rounding.

Question Name:

Concept: Sixteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Ankle

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PO **Length:** 1.0 **Position:** 645

Question Name:

Concept: Sixteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Foot

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PP **Length:** 1.0 **Position:** 646

Question Name:

Concept: Sixteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Toe(s)

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40PQ **Length:** 1.0 **Position:** 647

Question Name:

Concept: Sixteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the sixteenth occasion - Other - Specify

Universe: 15 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41P **Length:** 2.0 **Position:** 648

Question Name:

Concept: Sixteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (sixteenth occasion)

Universe: FRH_40PB=1 or FRH_40PC=1 or FRH_40PD=1 or FRH_40PE=1 or FRH_40PF=1 or FRH_40PG=1 or FRH_40PI=1 or FRH_40PJ=1 or FRH_40PK=1 or FRH_40PL=1 or FRH_40PM=1 or FRH_40PN=1 or FRH_40PO=1 or FRH_40PQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Valid skip	96	5,750	32,748,500	99.5
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: FRH_42P **Length:** 2.0 **Position:** 650

Question Name:

Concept: Sixteenth break/fracture - type of fall

Question Text: What was the type of fall? (sixteenth occasion)

Universe: FRH_41P = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43P **Length:** 1.0 **Position:** 652

Question Name:

Concept: Sixteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (sixteenth occasion)

Universe: FRH_42P = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40Q **Length:** 2.0 **Position:** 653

Question Name:

Concept: Seventeenth break/fracture - age

Question Text: How old were you on the seventeenth occasion?

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	15 - 21	0	3,000	0.0
Valid skip	96	5,750	32,748,500	99.5
Don’t know	97	0	34,000	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40QA **Length:** 1.0 **Position:** 655

Question Name:

Concept: Seventeenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Head (skull, face, jaw, nose)

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40QB **Length:** 1.0 **Position:** 656

Question Name:

Concept: Seventeenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Spine (neck, back, tailbone)

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40QC **Length:** 1.0 **Position:** 657

Question Name:

Totals may not add up due to rounding.

Concept: Seventeenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Ribs/sternum

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QD **Length:** 1.0 **Position:** 658

Question Name:

Concept: Seventeenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Shoulder/upper arm/collarbone

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	1,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QE **Length:** 1.0 **Position:** 659

Question Name:

Concept: Seventeenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Elbow

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QF **Length:** 1.0 **Position:** 660

Question Name:

Concept: Seventeenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Forearm/wrist

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QG **Length:** 1.0 **Position:** 661

Question Name:

Concept: Seventeenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Hand

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QH **Length:** 1.0 **Position:** 662

Totals may not add up due to rounding.

Question Name:

Concept: Seventeenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Finger(s)

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QI **Length:** 1.0 **Position:** 663

Question Name:

Concept: Seventeenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Hip

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QJ **Length:** 1.0 **Position:** 664

Question Name:

Concept: Seventeenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Pelvis

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QK **Length:** 1.0 **Position:** 665

Question Name:

Concept: Seventeenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Upper leg

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QL **Length:** 1.0 **Position:** 666

Question Name:

Concept: Seventeenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Knee

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QM **Length:** 1.0 **Position:** 667

Totals may not add up due to rounding.

Question Name:

Concept: Seventeenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Lower leg

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	2,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QN **Length:** 1.0 **Position:** 668

Question Name:

Concept: Seventeenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Ankle

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QO **Length:** 1.0 **Position:** 669

Question Name:

Concept: Seventeenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Foot

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QP **Length:** 1.0 **Position:** 670

Question Name:

Concept: Seventeenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Toe(s)

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40QQ **Length:** 1.0 **Position:** 671

Question Name:

Concept: Seventeenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the seventeenth occasion - Other - Specify

Universe: 16 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41Q **Length:** 2.0 **Position:** 672

Question Name:

Totals may not add up due to rounding.

Concept: Seventeenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (seventeenth occasion)

Universe: FRH_40QB=1 or FRH_40QC=1 or FRH_40QD=1 or FRH_40QE=1 or FRH_40QF=1 or FRH_40QG=1 or FRH_40QI=1 or FRH_40QJ=1 or FRH_40QK=1 or FRH_40QL=1 or FRH_40QM=1 or FRH_40QN=1 or FRH_40QO=1 or FRH_40QQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Valid skip	96	5,750	32,748,500	99.5
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42Q **Length:** 2.0 **Position:** 674

Question Name:

Concept: Seventeenth break/fracture - type of fall

Question Text: What was the type of fall? (seventeenth occasion)

Universe: FRH_41Q = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43Q **Length:** 1.0 **Position:** 676

Question Name:

Concept: Seventeenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (seventeenth occasion)

Universe: FRH_42Q = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40R **Length:** 2.0 **Position:** 677

Question Name:

Concept: Eighteenth break/fracture - age

Question Text: How old were you on the eighteenth occasion?

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		22 - 24	0	3,000	0.0
Valid skip		96	5,750	32,748,500	99.5
Don't know		97	0	34,000	0.1
Not stated		99	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40RA **Length:** 1.0 **Position:** 679

Question Name:

Concept: Eighteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Head (skull, face, jaw, nose)

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40RB **Length:** 1.0 **Position:** 680

Question Name:

Concept: Eighteenth break/fracture - spine

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Spine (neck, back, tailbone)

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RC **Length:** 1.0 **Position:** 681

Question Name:

Concept: Eighteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Ribs/sternum

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RD **Length:** 1.0 **Position:** 682

Question Name:

Concept: Eighteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Shoulder/upper arm/collarbone

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	2,000	0.0
Valid skip	6	5,750	32,748,500	99.5

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RE **Length:** 1.0 **Position:** 683

Question Name:

Concept: Eighteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Elbow

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RF **Length:** 1.0 **Position:** 684

Question Name:

Concept: Eighteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Forearm/wrist

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RG **Length:** 1.0 **Position:** 685

Question Name:

Concept: Eighteenth break/fracture - hand

Totals may not add up due to rounding.

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Hand

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RH **Length:** 1.0 **Position:** 686

Question Name:

Concept: Eighteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Finger(s)

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RI **Length:** 1.0 **Position:** 687

Question Name:

Concept: Eighteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Hip

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RJ **Length:** 1.0 **Position:** 688

Question Name:

Concept: Eighteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Pelvis

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RK **Length:** 1.0 **Position:** 689

Question Name:

Concept: Eighteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Upper leg

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RL **Length:** 1.0 **Position:** 690

Question Name:

Concept: Eighteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Knee

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40RM **Length:** 1.0 **Position:** 691

Question Name:

Concept: Eighteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Lower leg

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40RN **Length:** 1.0 **Position:** 692

Question Name:

Concept: Eighteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Ankle

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	3,000	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	34,000	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40RO **Length:** 1.0 **Position:** 693

Question Name:

Concept: Eighteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Foot

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RP **Length:** 1.0 **Position:** 694

Question Name:

Concept: Eighteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Toe(s)

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40RQ **Length:** 1.0 **Position:** 695

Question Name:

Concept: Eighteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the eighteenth occasion - Other - Specify

Universe: 17 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	34,000	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41R **Length:** 2.0 **Position:** 696

Question Name:

Concept: Eighteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (eighteenth occasion)

Universe: FRH_40RB=1 or FRH_40RC=1 or FRH_40RD=1 or FRH_40RE=1 or FRH_40RF=1 or FRH_40RG=1 or FRH_40RI=1 or FRH_40RJ=1 or FRH_40RK=1 or FRH_40RL=1 or FRH_40RM=1 or FRH_40RN=1 or FRH_40RO=1 or FRH_40RQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	3,000	0.0
Valid skip	96	5,750	32,748,500	99.5
Don't know	97	0	34,000	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42R **Length:** 2.0 **Position:** 698

Question Name:

Concept: Eighteenth break/fracture - type of fall

Question Text: What was the type of fall? (eighteenth occasion)

Universe: FRH_41R = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43R **Length:** 1.0 **Position:** 700

Question Name:

Concept: Eighteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (eighteenth occasion)

Universe: FRH_42R = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_40S **Length:** 2.0 **Position:** 701

Question Name:

Concept: Nineteenth break/fracture - age

Question Text: How old were you on the nineteenth occasion?

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	22 - 60	0	28,500	0.1
Valid skip	96	5,750	32,748,500	99.5
Don’t know	97	0	8,000	0.0
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SA **Length:** 1.0 **Position:** 703

Question Name:

Concept: Nineteenth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Head (skull, face, jaw, nose)

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	8,000	0.0
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40SB **Length:** 1.0 **Position:** 704

Question Name:

Concept: Nineteenth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Spine (neck, back, tailbone)

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	28,500	0.1
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	8,000	0.0
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40SC **Length:** 1.0 **Position:** 705

Question Name:

Concept: Nineteenth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Ribs/sternum

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	28,500	0.1
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	8,000	0.0
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40SD **Length:** 1.0 **Position:** 706

Question Name:

Concept: Nineteenth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Shoulder/upper arm/collarbone

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,000	0.0
No	2	0	26,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SE **Length:** 1.0 **Position:** 707

Question Name:

Concept: Nineteenth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Elbow

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SF **Length:** 1.0 **Position:** 708

Question Name:

Concept: Nineteenth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Forearm/wrist

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

| Answer Categories | | Code | Frequency | Weighted Frequency | % |

No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SG **Length:** 1.0 **Position:** 709

Question Name:

Concept: Nineteenth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Hand

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SH **Length:** 1.0 **Position:** 710

Question Name:

Concept: Nineteenth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Finger(s)

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	28,000	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SI **Length:** 1.0 **Position:** 711

Question Name:

Concept: Nineteenth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Hip

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SJ **Length:** 1.0 **Position:** 712

Question Name:

Concept: Nineteenth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Pelvis

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SK **Length:** 1.0 **Position:** 713

Question Name:

Concept: Nineteenth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Upper leg

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SL **Length:** 1.0 **Position:** 714

Question Name:

Concept: Nineteenth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Knee

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SM **Length:** 1.0 **Position:** 715

Question Name:

Concept: Nineteenth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Lower leg

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SN **Length:** 1.0 **Position:** 716

Question Name:

Concept: Nineteenth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Ankle

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	26,000	0.1
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SO **Length:** 1.0 **Position:** 717

Question Name:

Concept: Nineteenth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Foot

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SP **Length:** 1.0 **Position:** 718

Question Name:

Concept: Nineteenth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Toe(s)

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40SQ **Length:** 1.0 **Position:** 719

Question Name:

Concept: Nineteenth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the nineteenth occasion - Other - Specify

Universe: 18 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	28,500	0.1
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	8,000	0.0
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_41S **Length:** 2.0 **Position:** 720

Question Name:

Concept: Nineteenth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (nineteenth occasion)

Universe: FRH_40SB=1 or FRH_40SC=1 or FRH_40SD=1 or FRH_40SE=1 or FRH_40SF=1 or FRH_40SG=1 or FRH_40SI=1 or FRH_40SJ=1 or FRH_40SK=1 or FRH_40SL=1 or FRH_40SM=1 or FRH_40SN=1 or FRH_40SO=1 or FRH_40SQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Injury as a result of sports or physical activity	02	0	2,000	0.0
Fall (do not include sports injuries)	05	0	26,000	0.1
Valid skip	96	5,750	32,749,500	99.5
Don't know	97	0	8,000	0.0
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42S **Length:** 2.0 **Position:** 722

Question Name:

Concept: Nineteenth break/fracture - type of fall

Question Text: What was the type of fall? (nineteenth occasion)

Universe: FRH_41S = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from a standing height while outdoors	03	0	26,000	0.1
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	144,500	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_43S **Length:** 1.0 **Position:** 724

Question Name:

Concept: Nineteenth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (nineteenth occasion)

Universe: FRH_42S = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,777,500	99.6
Not stated	9	0	144,500	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40T **Length:** 2.0 **Position:** 725

Question Name:

Concept: Twentieth break/fracture - age

Question Text: How old were you on the twentieth occasion?

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q005 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	25 - 61	0	7,500	0.0
Valid skip	96	5,750	32,748,500	99.5
Don’t know	97	0	29,500	0.1
Not stated	99	0	136,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TA **Length:** 1.0 **Position:** 727

Question Name:

Concept: Twentieth break/fracture - head

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Head (skull, face, jaw, nose)

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 01 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	7,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TB **Length:** 1.0 **Position:** 728

Question Name:

Concept: Twentieth break/fracture - spine

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Spine (neck, back, tailbone)

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 02 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	2,000	0.0
No		2	0	5,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TC **Length:** 1.0 **Position:** 729

Question Name:

Concept: Twentieth break/fracture - ribs/sternum

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Ribs/sternum

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 03 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TD **Length:** 1.0 **Position:** 730

Question Name:

Concept: Twentieth break/fracture - shoulder/upper arm/collarbone

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Shoulder/upper arm/collarbone

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 04 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TE **Length:** 1.0 **Position:** 731

Question Name:

Concept: Twentieth break/fracture - elbow

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Elbow

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 05 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	6,500	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TF **Length:** 1.0 **Position:** 732

Question Name:

Concept: Twentieth break/fracture - forearm/wrist

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Forearm/wrist

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 06 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
No	2	0	6,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TG **Length:** 1.0 **Position:** 733

Question Name:

Concept: Twentieth break/fracture - hand

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Hand

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 07 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TH **Length:** 1.0 **Position:** 734

Question Name:

Concept: Twentieth break/fracture - fingers

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Finger(s)

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 08 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TI **Length:** 1.0 **Position:** 735

Question Name:

Concept: Twentieth break/fracture - hip

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Hip

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 09 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TJ **Length:** 1.0 **Position:** 736

Question Name:

Concept: Twentieth break/fracture - pelvis

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Pelvis

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 10 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TK **Length:** 1.0 **Position:** 737

Question Name:

Concept: Twentieth break/fracture - upper leg

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Upper leg

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 11 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	7,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TL **Length:** 1.0 **Position:** 738

Question Name:

Concept: Twentieth break/fracture - knee

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Knee

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 12 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	7,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TM **Length:** 1.0 **Position:** 739

Question Name:

Concept: Twentieth break/fracture - lower leg

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Lower leg

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 13 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TN **Length:** 1.0 **Position:** 740

Question Name:

Concept: Twentieth break/fracture - ankle

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Ankle

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 14 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	0	7,500	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_40TO **Length:** 1.0 **Position:** 741

Question Name:

Concept: Twentieth break/fracture - foot

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Foot

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 15 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	4,500	0.0
No	2	0	3,000	0.0
Valid skip	6	5,750	32,748,500	99.5
Don't know	7	0	29,500	0.1
Not stated	9	0	136,000	0.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TP **Length:** 1.0 **Position:** 742

Question Name:

Concept: Twentieth break/fracture - toe(s)

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Toe(s)

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 16 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	7,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_40TQ **Length:** 1.0 **Position:** 743

Question Name:

Concept: Twentieth break/fracture - other specify

Question Text: Which bone(s) did you break or fracture on the twentieth occasion - Other - Specify

Universe: 19 < FRH_35 < VS

Note: New in cycle 5. Relates to FRD_Q010 option 17 in questionnaire.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	0	7,500	0.0
Valid skip		6	5,750	32,748,500	99.5
Don't know		7	0	29,500	0.1
Not stated		9	0	136,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: FRH_41T **Length:** 2.0 **Position:** 744

Question Name:

Concept: Twentieth break/fracture - how did it happen

Question Text: How did the bone break or fracture happen? (twentieth occasion)

Universe: FRH_40TB=1 or FRH_40TC=1 or FRH_40TD=1 or FRH_40TE=1 or FRH_40TF=1 or FRH_40TG=1 or FRH_40TI=1 or FRH_40TJ=1 or FRH_40TK=1 or FRH_40TL=1 or FRH_40TM=1 or FRH_40TN=1 or FRH_40TO=1 or FRH_40TQ=1

Note: New in cycle 5. Relates to FRD_Q015 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Motor vehicle accident	01	0	2,000	0.0
Injury as a result of sports or physical activity	02	0	1,000	0.0
Fall (do not include sports injuries)	05	0	4,500	0.0
Valid skip	96	5,750	32,748,500	99.5
Don't know	97	0	29,500	0.1
Not stated	99	0	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: FRH_42T **Length:** 2.0 **Position:** 746

Question Name:

Concept: Twentieth break/fracture - type of fall

Question Text: What was the type of fall? (twentieth occasion)

Universe: FRH_41T = 5

Note: New in cycle 5. Relates to FRD_Q020 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Fall from more than a standing height	06	0	4,500	0.0
Valid skip	96	5,750	32,751,500	99.5
Not stated	99	0	165,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_43T **Length:** 1.0 **Position:** 748

Question Name:

Concept: Twentieth break/fracture - height of fall

Question Text: Was the fall from a height of more than 3 steps? (twentieth occasion)

Universe: FRH_42T = 5,6,DK,RF

Note: New in cycle 5. Relates to FRD_Q025 in questionnaire.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	4,500	0.0
Valid skip	6	5,750	32,751,500	99.5
Not stated	9	0	165,500	0.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: FRH_45 **Length:** 1.0 **Position:** 749

Question Name: FRH_Q045

Concept: Broke/fracture hip (self/mother)

Question Text: Did you ever break or fracture your hip? / Did your birth mother ever break or fracture her hip?

Universe: DHH_AGE > 5

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	1,237,500	3.8
No		2	4,850	29,636,000	90.0
Valid skip		6	600	1,147,500	3.5
Don’t know		7	150	893,500	2.7
Refusal		8	0	7,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: FRH_50 **Length:** 3.0 **Position:** 750

Question Name: FRH_Q050

Concept: Broke/fracture hip (self/mother) - age

Question Text: How old were you/she when you/she broke or fractured your/her hip (the first time)?

Universe: FRH_45 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age		002 - 097	150	1,212,000	3.7
Valid skip		996	5,500	30,783,500	93.5
Don’t know		997	0	25,000	0.1
Not stated		999	150	900,500	2.7
	Total		5,800	32,921,500	100.0

Variable Name: FRH_55 **Length:** 1.0 **Position:** 753

Question Name: FRH_Q055

Concept: Broke/fracture hip (self/father)

Question Text: Did you ever break or fracture your hip? / Did your birth father ever break or fracture her hip?

Universe: DHH_AGE > 5

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	770,500	2.3
No	2	4,850	29,188,000	88.7
Valid skip	6	600	1,147,500	3.5
Don't know	7	250	1,815,500	5.5
Total		5,800	32,921,500	100.0

Variable Name: FRH_60 **Length:** 3.0 **Position:** 754

Question Name: FRH_Q060

Concept: Broke/fracture hip (self/father) - age

Question Text: How old were you/he when you/he broke or fractured your/his hip (the first time)?

Universe: FRH_55 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
FRH_Q060	012 - 096	100	677,500	2.1
Valid skip	996	5,450	30,335,500	92.1
Don't know	997	0	93,000	0.3
Not stated	999	250	1,815,500	5.5
Total		5,800	32,921,500	100.0

Variable Name: SOM_005 **Length:** 1.0 **Position:** 757

Question Name: SOM_Q005

Concept: Used steroids by inhalation

Question Text: Have you ever used steroids administered by inhalation, for example, Flovent, Pulmicort or Vanceril? Do not include nasal sprays.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,300	6,895,500	20.9
No	2	4,400	25,728,500	78.2
Don't know	7	50	298,000	0.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: SOM_010 **Length:** 1.0 **Position:** 758

Question Name: SOM_Q010

Concept: Used steriods on daily basis

Question Text: Did you ever use these types of steroids on a daily basis for more than a 12 month period? By daily basis, I mean that you did not miss more than 21 days of use over the course of one year (for example, if you temporarily ran out of medication or you forgot to take a dose).

Universe: SOM_005 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	200	1,198,000	3.6
No		2	1,100	5,597,500	17.0
Valid skip		6	4,400	25,728,500	78.2
Don't know		7	0	89,500	0.3
Not stated		9	50	308,000	0.9
	Total		5,800	32,921,500	100.0

Variable Name: SOM_015 **Length:** 1.0 **Position:** 759

Question Name: SOM_Q015

Concept: Taken orally administered steriods

Question Text: Have you ever taken orally-administered steroid hormones, for example, prednisone, prednisolone, dexamethasone or hydrocortisone? Do not include the use of anabolic steroids, such as testosterone, dihydrotestosterone or DHEA.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	450	2,917,500	8.9
No		2	5,250	29,507,000	89.6
Don't know		7	100	497,000	1.5
	Total		5,800	32,921,500	100.0

Variable Name: SOM_020 **Length:** 1.0 **Position:** 760

Question Name: SOM_Q020

Concept: Take steroid hormones on a daily basis - more than 3 months

Question Text: Did you ever take these types of steroid hormones on a daily basis for longer than a 3 month period?

Universe: SOM_015 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	599,500	1.8
No	2	400	2,288,000	7.0
Valid skip	6	5,250	29,507,000	89.6
Don't know	7	0	30,000	0.1
Not stated	9	100	497,000	1.5
Total		5,800	32,921,500	100.0

Variable Name: SOM_025 **Length:** 1.0 **Position:** 761

Question Name: SOM_Q025

Concept: Prescription meds for osteoporosis/prevention bone loss or fractures

Question Text: Have you ever taken prescription medication for osteoporosis or for the prevention of bone loss or fractures? Do not include calcium and vitamin D.

Universe: DHH_AGE >= 40

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	744,000	2.3
No	2	1,950	15,881,500	48.2
Valid skip	6	3,750	16,283,500	49.5
Don't know	7	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030A **Length:** 1.0 **Position:** 762

Question Name: SOM_Q030

Concept: Used Tamoxifen

Question Text: Which medications have you used? - Tamoxifen (e.g., Novaldex, Tamone, Tamoplex)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	616,000	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030B **Length:** 1.0 **Position:** 763

Question Name: SOM_Q030

Concept: Used Bazedoxifene

Question Text: Which medications have you used? - Bazedoxifene (e.g., Viviant)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	616,000	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030C **Length:** 1.0 **Position:** 764

Question Name: SOM_Q030

Concept: Used Calcitonin

Question Text: Which medications have you used? - Calcitonin (e.g., Calcimar, Caltine, Miacalcin nasal spray)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	100	613,000	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030D **Length:** 1.0 **Position:** 765

Question Name: SOM_Q030

Concept: Used Clodronate

Question Text: Which medications have you used? - Clodronate (e.g., Bonefos, Ostac)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,500	0.0
No	2	100	606,500	1.8
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030E **Length:** 1.0 **Position:** 766

Question Name: SOM_Q030

Concept: Used Etidronate

Question Text: Which medications have you used? - Etidronate (e.g., Didronel, Didrocal)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,000	0.0
No	2	100	610,000	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030F **Length:** 1.0 **Position:** 767

Question Name: SOM_Q030

Concept: Used Risedronate

Question Text: Which medications have you used? - Risedronate (e.g., Actonel)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	191,500	0.6
No	2	50	424,500	1.3
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030G **Length:** 1.0 **Position:** 768

Question Name: SOM_Q030

Concept: Used Pamidronate

Question Text: Which medications have you used? - Pamidronate (e.g., Aredia)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	100	598,500	1.8
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030H **Length:** 1.0 **Position:** 769

Question Name: SOM_Q030

Concept: Used Zoledronate

Question Text: Which medications have you used? - Zoledronate (e.g., Aclasta)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,000	0.0
No	2	100	604,000	1.8
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030I **Length:** 1.0 **Position:** 770

Question Name: SOM_Q030

Concept: Used Alendronate

Question Text: Which medications have you used? - Alendronate (e.g., Fosamax, Fosavance)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	230,500	0.7
No	2	50	385,500	1.2
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030J **Length:** 1.0 **Position:** 771

Question Name: SOM_Q030

Concept: Used Parathyroid Hormone

Question Text: Which medications have you used? - Parathyroid Hormone (e.g., Forteo)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	100	616,000	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030K **Length:** 1.0 **Position:** 772

Question Name: SOM_Q030

Concept: Used Denosumab

Question Text: Which medications have you used? - Denosumab (e.g., Prolia)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	68,000	0.2
No	2	50	548,000	1.7
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030L **Length:** 1.0 **Position:** 773

Question Name: SOM_Q030

Concept: Used Raloxifene

Question Text: Which medications have you used? - Raloxifene (e.g., Evista)

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	2,500	0.0
No	2	100	613,500	1.9
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_030M **Length:** 1.0 **Position:** 774

Question Name: SOM_Q030

Concept: Used - Other - Specify

Question Text: Which medications have you used? - Other - Specify

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	158,000	0.5
No	2	50	457,500	1.4
Valid skip	6	5,700	32,165,000	97.7
Don't know	7	0	128,000	0.4
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_035 **Length:** 5.1 **Position:** 775

Question Name: SOM_Q035

Concept: Length of time - medication taken

Question Text: In total, over your lifetime, for how long did you take the medication?

Universe: SOM_030 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Amount of time	001.0 - 045.0	100	707,500	2.1
Valid skip	999.6	5,700	32,165,000	97.7
Don't know	999.7	0	36,500	0.1
Not stated	999.9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SOM_040 **Length:** 1.0 **Position:** 780

Question Name: SOM_N040

Concept: Reporting period

Question Text: Select the reporting period.

Universe: SOM_025 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	1	0	1,000	0.0
Weeks	2	0	77,500	0.2
Months	3	0	127,000	0.4
Years	4	50	502,000	1.5
Valid skip	6	5,700	32,165,000	97.7
Not stated	9	0	49,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: HWT_1N **Length:** 1.0 **Position:** 781

Question Name: HWT_Q1

Concept: Height - unit of measure in feet and inches, in cm / self-reported

Question Text: The next questions are about height and weight. How tall are you without shoes on?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Feet and inches	1	4,300	27,015,000	82.1
Centimetres	2	750	4,342,000	13.2
Don't know	7	750	1,558,000	4.7
Refusal	8	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: HWT_1A **Length:** 2.0 **Position:** 782

Question Name: HWT_N1A

Concept: Height - feet / self-reported

Question Text: Enter feet only.

Universe: HWT_1N = 1

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Feet	00 - 06	4,300	27,015,000	82.1
Valid skip	96	750	4,342,000	13.2
Not stated	99	750	1,564,000	4.8
Total		5,800	32,921,500	100.0

Variable Name: HWT_1B **Length:** 5.2 **Position:** 784

Question Name: HWT_N1B

Concept: Height - inches / self-reported

Question Text: Enter inches only, to the nearest quarter of an inch.

Universe: HWT_1N = 1

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Inches	00.00 - 66.00	4,300	27,015,000	82.1
Valid skip	99.96	750	4,342,000	13.2
Not stated	99.99	750	1,564,000	4.8
Total		5,800	32,921,500	100.0

Variable Name: HWT_1C **Length:** 6.2 **Position:** 789

Question Name: HWT_N1C

Concept: Height - centimetres / self-reported

Question Text: Record the height to the nearest half centimetre.

Universe: HWT_1N = 2

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_1N.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Centimeters	080.00 - 200.00	750	4,342,000	13.2
Valid skip	999.96	4,300	27,015,000	82.1
Not stated	999.99	750	1,564,000	4.8
Total		5,800	32,921,500	100.0

Variable Name: HWT_3 **Length:** 5.1 **Position:** 795

Question Name:

Concept: Weight / self-reported

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight	012.0 - 400.0	5,350	31,417,000	95.4
Don’t know	999.7	450	1,475,500	4.5
Refusal	999.8	0	29,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: HWT_3N **Length:** 1.0 **Position:** 800

Question Name:

Concept: Weight - unit of measure in pounds or kilograms / self-reported

Question Text:

Universe: All respondents

Note: This question was coded as "not stated" if a valid answer was not provided at HWT_3.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Pounds	1	4,700	27,316,500	83.0
Kilograms	2	650	4,100,500	12.5
Not stated	9	450	1,504,500	4.6
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: HWT_4 **Length:** 1.0 **Position:** 801

Question Name: HWT_Q4

Concept: Respondent's opinion of own weight / self-reported

Question Text: Do you consider yourself... ?

Universe: DHH_AGE > 11

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 12 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Overweight	1	1,700	12,424,500	37.7
Underweight	2	200	1,381,000	4.2
Just about right	3	2,250	15,351,000	46.6
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	55,500	0.2
Not stated	9	50	262,000	0.8
Total		5,800	32,921,500	100.0

Variable Name: HWTDCM **Length:** 5.1 **Position:** 802

Question Name:

Concept: Height (centimetres) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Height in centimetres	076.0 - 200.0	5,050	31,357,500	95.2
Not stated	999.9	750	1,564,000	4.8
Total		5,800	32,921,500	100.0

Variable Name: HWTDIN **Length:** 5.2 **Position:** 807

Question Name:

Concept: Height (inches) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Inches		30.00 - 79.00	5,050	31,357,500	95.2
Not stated		99.99	750	1,564,000	4.8
	Total		5,800	32,921,500	100.0

Variable Name: HWTDHTM **Length:** 4.2 **Position:** 812

Question Name:

Concept: Height (metres) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Height in metres		0.76 - 2.00	5,050	31,357,500	95.2
Not stated		9.99	750	1,564,000	4.8
	Total		5,800	32,921,500	100.0

Variable Name: HWTDKG **Length:** 3.0 **Position:** 816

Question Name:

Concept: Weight (kilograms) / self-reported - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Weight in kilograms		008 - 181	5,350	31,417,000	95.4
Not stated		999	450	1,504,500	4.6
	Total		5,800	32,921,500	100.0

Variable Name: HWTDLB **Length:** 3.0 **Position:** 819

Question Name:

Concept: Weight (pounds) / self-reported - (D)

Question Text:

Totals may not add up due to rounding.

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Weight in pounds	017 - 400	5,350	31,417,000	95.4
Not stated	999	450	1,504,500	4.6
Total		5,800	32,921,500	100.0

Variable Name: HWTDBMI **Length:** 5.2 **Position:** 822

Question Name:

Concept: Body Mass Index / self-reported - (D)

Question Text:

Universe: PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Body Mass Index score	07.14 - 59.84	4,900	30,113,000	91.5
Valid skip	99.96	0	336,000	1.0
Not stated	99.99	900	2,472,500	7.5
Total		5,800	32,921,500	100.0

Variable Name: HWTDBMIA **Length:** 2.0 **Position:** 827

Question Name:

Concept: BMI norms, 18 or older / self-reported - (D)

Question Text:

Universe: DHH_AGE > 17 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	01	50	608,500	1.8
Normal weight	02	1,150	10,633,000	32.3
Overweight	03	1,200	9,341,000	28.4
Obese - Class I	04	500	3,437,000	10.4
Obese - Class II	05	150	1,133,000	3.4
Obese - Class III	06	100	1,009,500	3.1
Valid skip	96	2,500	6,012,000	18.3
Not stated	99	100	747,000	2.3
Total		5,800	32,921,500	100.0

Variable Name: HWTDBMIK **Length:** 1.0 **Position:** 829

Question Name:

Concept: BMI norms, 3 to 17 years old / self-reported - (D)

Question Text:

Universe: 2 < DHH_AGE < 18 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Underweight	1	150	362,500	1.1
Normal weight	2	1,100	2,636,000	8.0
Overweight	3	250	469,000	1.4
Obese	4	200	473,000	1.4
Valid skip	6	3,300	27,245,500	82.8
Not stated	9	800	1,735,500	5.3
Total		5,800	32,921,500	100.0

Variable Name: HWTDCOL **Length:** 1.0 **Position:** 830

Question Name:

Concept: BMI classification (3 to 18 years) / self-reported - Cole system - (D)

Question Text:

Universe: 2 < DHH_AGE < 19 and PRS_11 = 2, VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Neither overweight nor obese	1	1,300	3,469,500	10.5
Overweight	2	300	655,500	2.0
Obese	3	150	282,000	0.9
Valid skip	6	3,200	26,779,500	81.3
Not stated	9	800	1,735,500	5.3
Total		5,800	32,921,500	100.0

Variable Name: HWTDWHOP **Length:** 1.0 **Position:** 831

Question Name:

Concept: BMI classification (3 to 5 years old) / self-reported - WHO - (D)

Question Text:

Universe: 2 < DHH_AGE <= 5

Totals may not add up due to rounding.

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Thinness	1	0	29,000	0.1
Normal	2	100	243,000	0.7
At risk of overweight	3	50	46,500	0.1
Overweight	4	0	35,000	0.1
Obese	5	50	42,500	0.1
Valid skip	6	5,350	32,162,500	97.7
Not stated	9	200	363,500	1.1
Total		5,800	32,921,500	100.0

Variable Name: HWTDWHOK **Length:** 1.0 **Position:** 832

Question Name:

Concept: BMI classification (5 to 18 years old) / self-reported - WHO - (D)

Question Text:

Universe: 4 < DHH_AGE < 19 and PRS_11 = 2

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Thinness	1	100	199,500	0.6
Normal	2	1,000	2,676,000	8.1
Overweight	3	300	667,000	2.0
Obese	4	200	443,000	1.3
Valid skip	6	3,650	27,550,500	83.7
Not stated	9	600	1,385,500	4.2
Total		5,800	32,921,500	100.0

Variable Name: MFC_11 **Length:** 3.0 **Position:** 833

Question Name:

Concept: Eats red meat - number of times

Question Text: How often do you usually eat red meat, such as beef, hamburger, pork or lamb?

Universe: All respondents

Note: This includes wild red meat such as bear, elk, venison or bison.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 060	5,800	32,918,500	100.0
Don’t know	997	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_11N **Length:** 1.0 **Position:** 836

Question Name:

Concept: Eats red meat - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_11 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	450	2,657,500	8.1
Per week	2	4,350	24,100,000	73.2
Per month	3	600	3,709,500	11.3
Per year	4	50	326,500	1.0
Valid skip	6	300	2,125,000	6.5
Not stated	9	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFCD11Y **Length:** 4.0 **Position:** 837

Question Name:

Concept: Eats red meat - times per year - (D)

Question Text:

Universe: MFC_11 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2600	5,800	32,918,500	100.0
Not stated	9999	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_12 **Length:** 3.0 **Position:** 841

Question Name:

Concept: Eats liver - number of times

Question Text: How often do you usually eat liver, including all types of liver such as beef, veal, pork or chicken, but excluding liverwurst and liver pâté?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 018	5,800	32,911,000	100.0
Don't know		997	0	10,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFC_12N **Length:** 1.0 **Position:** 844

Question Name:

Concept: Eats liver - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_12 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per week		2	50	337,000	1.0
Per month		3	350	2,376,000	7.2
Per year		4	550	3,922,000	11.9
Valid skip		6	4,800	26,275,500	79.8
Not stated		9	0	10,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFCD12Y **Length:** 4.0 **Position:** 845

Question Name:

Concept: Eats liver - times per year - (D)

Question Text:

Universe: MFC_12 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0208	5,800	32,911,000	100.0
Not stated		9999	0	10,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFC_14 **Length:** 3.0 **Position:** 849

Question Name:

Concept: Eats beef or pork hot dogs - number of times

Question Text: How often do you usually eat beef or pork hot dogs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 090	5,800	32,909,000	100.0
Don't know	997	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_14N **Length:** 1.0 **Position:** 852

Question Name:

Concept: Eats beef or pork hot dogs - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	0	30,500	0.1
Per week	2	800	3,364,500	10.2
Per month	3	2,000	9,928,500	30.2
Per year	4	1,250	7,960,000	24.2
Valid skip	6	1,700	11,625,500	35.3
Not stated	9	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFCD14Y **Length:** 4.0 **Position:** 853

Question Name:

Concept: Eats beef or pork hot dogs - times per year - (D)

Question Text:

Universe: MFC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	32,909,000	100.0
Not stated	9999	0	12,500	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MFC_15 **Length:** 3.0 **Position:** 857

Question Name:

Concept: Eats sausage or bacon - number of times

Question Text: How often do you usually eat sausage or bacon, including all types of sausages such as breakfast, pepperoni and Kielbasa but excluding low-fat, light or turkey varieties?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 090	5,800	32,910,500	100.0
Don't know	997	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_15N **Length:** 1.0 **Position:** 860

Question Name:

Concept: Eats sausage or bacon - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_15 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	443,000	1.3
Per week	2	2,250	11,871,500	36.1
Per month	3	2,150	11,542,000	35.1
Per year	4	450	2,951,500	9.0
Valid skip	6	900	6,102,000	18.5
Not stated	9	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFCD15Y **Length:** 4.0 **Position:** 861

Question Name:

Concept: Eats sausage or bacon - times per year - (D)

Question Text:

Universe: MFC_15 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1300	5,800	32,910,500	100.0
Not stated		9999	0	11,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFC_19A **Length:** 3.0 **Position:** 865

Question Name:

Concept: Eats eggs/egg dishes - number of times

Question Text: How often do you usually eat eggs and egg dishes that include the yolk? Please exclude all egg dishes made with only egg whites. Egg dishes could include such things as eggs, omelette, frittata or quiche.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 150	5,800	32,920,500	100.0
Don't know		997	0	1,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFC_19AN **Length:** 1.0 **Position:** 868

Question Name:

Concept: Eats eggs/egg dishes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_19A < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	500	3,605,500	11.0
Per week		2	3,850	21,063,000	64.0
Per month		3	950	5,432,500	16.5
Per year		4	100	658,000	2.0
Valid skip		6	450	2,162,000	6.6
Not stated		9	0	1,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFCD19AY **Length:** 4.0 **Position:** 869

Totals may not add up due to rounding.

Question Name:

Concept: Eats eggs/egg dishes - times per year - (D)

Question Text:

Universe: MFC_19A < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1460	5,800	32,920,500	100.0
Not stated	9999	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_19B **Length:** 3.0 **Position:** 873

Question Name:

Concept: Eats egg made with omega-3 enriched - number of times

Question Text: How often do you usually eat eggs and egg dishes that are made with omega-3 enriched eggs? Please exclude all egg dishes made with only egg whites.

Universe: 0 < MFC_19A < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 052	4,900	28,240,000	85.8
Valid skip	996	450	2,162,000	6.6
Don't know	997	450	2,518,500	7.7
Not stated	999	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_19BN **Length:** 1.0 **Position:** 876

Question Name:

Concept: Eats eggs omega-3 enriched - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_19B < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	726,500	2.2
Per week	2	700	4,411,000	13.4

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		3	300	1,836,000	5.6
Per year		4	50	314,000	1.0
Valid skip		6	4,200	23,114,500	70.2
Not stated		9	450	2,519,500	7.7
	Total		5,800	32,921,500	100.0

Variable Name: MFCD19BY **Length:** 4.0 **Position:** 877

Question Name:

Concept: Eats eggs omega-3 enriched - times per year - (D)

Question Text:

Universe: MFC_19B < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1460	4,900	28,240,000	85.8
Valid skip		9996	450	2,162,000	6.6
Not stated		9999	450	2,519,500	7.7
	Total		5,800	32,921,500	100.0

Variable Name: MFC_20 **Length:** 3.0 **Position:** 881

Question Name:

Concept: Eats cooked dried beans - number of times

Question Text: How often do you usually eat cooked dried beans, such as refried beans, baked beans, pea soup or kidney beans, excluding green and yellow beans?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 180	5,800	32,910,000	100.0
Don’t know		997	0	11,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MFC_20N **Length:** 1.0 **Position:** 884

Question Name:

Concept: Eats cooked dried beans - reporting period

Totals may not add up due to rounding.

Question Text: Interviewer: Select the reporting period.

Universe: MFC_20 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	699,500	2.1
Per week	2	2,050	12,126,000	36.8
Per month	3	1,850	11,413,500	34.7
Per year	4	450	2,455,000	7.5
Valid skip	6	1,350	6,216,000	18.9
Not stated	9	0	11,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFCD20Y **Length:** 4.0 **Position:** 885

Question Name:

Concept: Eats cooked dried beans - times per year - (D)

Question Text:

Universe: MFC_20 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1716	5,800	32,910,000	100.0
Not stated	9999	0	11,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MFC_21 **Length:** 3.0 **Position:** 889

Question Name:

Concept: Eats nuts - number of times

Question Text: How often do you usually eat peanuts, walnuts, seeds or other nuts, excluding nut butters such as peanut butter?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 070	5,800	32,893,000	99.9
Don't know	997	0	28,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MFC_21N **Length:** 1.0 **Position:** 892

Question Name:

Concept: Eats nuts - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: MFC_21 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	700	4,374,500	13.3
Per week	2	2,300	13,244,500	40.2
Per month	3	1,450	8,240,000	25.0
Per year	4	300	1,809,000	5.5
Valid skip	6	1,000	5,225,500	15.9
Not stated	9	0	28,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MFCD21Y **Length:** 4.0 **Position:** 893

Question Name:

Concept: Eats nuts - times per year - (D)

Question Text:

Universe: MFC_21 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	32,893,000	99.9
Not stated	9999	0	28,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MDC_01 **Length:** 3.0 **Position:** 897

Question Name:

Concept: Drinks/uses enriched milk substitutes - number of times

Question Text: How often do you drink enriched milk substitutes such as enriched soya, rice or almond milk, or use them on cereal? (For example: twice a day, three times a week, once a month).

Universe: All respondents

Totals may not add up due to rounding.

Note: This includes only milk substitutes that have been enriched with vitamins and minerals. Milk substitutes added to coffee or tea are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 030	5,800	32,919,000	100.0
Don't know	997	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_01N **Length:** 1.0 **Position:** 900

Question Name:

Concept: Drinks/uses enriched milk substitutes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	300	1,917,500	5.8
Per week	2	450	2,502,500	7.6
Per month	3	250	1,325,000	4.0
Per year	4	100	584,500	1.8
Valid skip	6	4,700	26,589,500	80.8
Not stated	9	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDCD01Y **Length:** 4.0 **Position:** 901

Question Name:

Concept: Drinks/uses enriched milk substitutes - times per year - (D)

Question Text:

Universe: MDC_01 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1460	5,800	32,919,000	100.0
Not stated	9999	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_02 **Length:** 3.0 **Position:** 905

Question Name:

Concept: Drinks/uses omega-3 enriched milk substitutes - number of times

Question Text: How often do you drink or use omega-3 enriched milk substitutes?

Universe: 0 < MDC_01 < VS

Note: Milk substitutes added to coffee or tea are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 015	1,000	5,860,500	17.8
Valid skip	996	4,700	26,589,500	80.8
Don't know	997	100	469,000	1.4
Not stated	999	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_02N **Length:** 1.0 **Position:** 908

Question Name:

Concept: Drinks/uses omega-3 enriched milk substitutes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_02 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	209,000	0.6
Per week	2	50	239,500	0.7
Per month	3	50	125,500	0.4
Per year	4	0	183,500	0.6
Valid skip	6	5,600	31,692,500	96.3
Not stated	9	100	471,500	1.4
Total		5,800	32,921,500	100.0

Variable Name: MDCD02Y **Length:** 4.0 **Position:** 909

Question Name:

Concept: Drinks/uses omega-3 milk substitutes - times per year - (D)

Question Text:

Universe: MDC_02 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	1,000	5,860,500	17.8
Valid skip		9996	4,700	26,589,500	80.8
Not stated		9999	100	471,500	1.4
	Total		5,800	32,921,500	100.0

Variable Name: MDC_03A **Length:** 1.0 **Position:** 913

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - rice

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Rice (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	233,500	0.7
No		2	1,000	6,088,500	18.5
Valid skip		6	4,700	26,589,500	80.8
Don't know		7	0	7,500	0.0
Not stated		9	0	2,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_03B **Length:** 1.0 **Position:** 914

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - soya

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Soya (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	400	2,342,500	7.1
No		2	700	3,979,500	12.1
Valid skip		6	4,700	26,589,500	80.8
Don't know		7	0	7,500	0.0
Not stated		9	0	2,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_03C **Length:** 1.0 **Position:** 915

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - almond

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Almond (enriched)

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	4,504,500	13.7
No	2	350	1,818,000	5.5
Valid skip	6	4,700	26,589,500	80.8
Don't know	7	0	7,500	0.0
Not stated	9	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_03D **Length:** 1.0 **Position:** 916

Question Name: MDC_Q03

Concept: Drinks/uses enriched milk substitutes - other (enriched)

Question Text: What kind of enriched milk substitutes do you usually drink or use on cereal? - Other - Specify

Universe: 0 < MDC_01 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	780,500	2.4
No	2	950	5,542,000	16.8
Valid skip	6	4,700	26,589,500	80.8
Don't know	7	0	7,500	0.0
Not stated	9	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_04 **Length:** 3.0 **Position:** 917

Question Name:

Concept: Drinks/uses milk/flavoured milk - number of times

Question Text: How often do you drink milk or flavoured milk beverages or use them on cereal? (For example: twice a day, three times a week, once a month)

Universe: All respondents

Note: Milk or cream added to coffee or tea are not included.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 364	5,800	32,915,500	100.0
Don't know		997	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_04N **Length:** 1.0 **Position:** 920

Question Name:

Concept: Drinks/uses milk/flavoured milk - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	2,850	12,996,500	39.5
Per week		2	1,500	9,076,500	27.6
Per month		3	350	2,341,500	7.1
Per year		4	50	286,000	0.9
Valid skip		6	1,050	8,215,000	25.0
Not stated		9	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDCD04Y **Length:** 4.0 **Position:** 921

Question Name:

Concept: Drinks or uses milk or flavoured milk - times per year - (D)

Question Text:

Universe: MDC_04 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 5840	5,800	32,915,500	100.0
Not stated		9999	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_05 **Length:** 3.0 **Position:** 925

Question Name:

Concept: Drinks/uses omega-3 enriched milk - number of times

Question Text: How often do you drink or use omega-3 enriched milk or milk beverages?

Universe: 0 < MDC_04 < VS

Note: Milk or cream added to coffee or tea are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 005	4,650	24,334,000	73.9
Valid skip	996	1,050	8,215,000	25.0
Don't know	997	50	366,500	1.1
Not stated	999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_05N **Length:** 1.0 **Position:** 928

Question Name:

Concept: Drinks/uses omega-3 enriched milk - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_05 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	87,500	0.3
Per week	2	0	62,500	0.2
Per month	3	0	13,500	0.0
Valid skip	6	5,700	32,385,500	98.4
Not stated	9	50	373,000	1.1
Total		5,800	32,921,500	100.0

Variable Name: MDCD05Y **Length:** 4.0 **Position:** 929

Question Name:

Concept: Drinks or uses omega-3 enriched milk - times per year - (D)

Question Text:

Universe: MDC_05 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	4,650	24,334,000	73.9
Valid skip	9996	1,050	8,215,000	25.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9999	50	373,000	1.1
	Total		5,800	32,921,500	100.0

Variable Name: MDC_12A **Length:** 1.0 **Position:** 933

Question Name: MDC_Q12

Concept: Type of milk used - 3.25%

Question Text: What kind of milk do you usually drink or use on cereal? - 3.25% (Whole or homo)

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	800	3,226,500	9.8
No		2	3,950	21,451,000	65.2
Valid skip		6	1,050	8,215,000	25.0
Don't know		7	0	23,500	0.1
Not stated		9	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_12B **Length:** 1.0 **Position:** 934

Question Name: MDC_Q12

Concept: Type of milk used - 2%

Question Text: What kind of milk do you usually drink or use on cereal? - 2%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,650	13,224,000	40.2
No		2	2,100	11,453,500	34.8
Valid skip		6	1,050	8,215,000	25.0
Don't know		7	0	23,500	0.1
Not stated		9	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_12C **Length:** 1.0 **Position:** 935

Question Name: MDC_Q12

Concept: Type of milk used - 1%

Question Text: What kind of milk do you usually drink or use on cereal? - 1%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,100	6,527,000	19.8
No	2	3,650	18,150,000	55.1
Valid skip	6	1,050	8,215,000	25.0
Don't know	7	0	23,500	0.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_12D **Length:** 1.0 **Position:** 936

Question Name: MDC_Q12

Concept: Type of milk used - 0.5%

Question Text: What kind of milk do you usually drink or use on cereal? - 0.5%

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	44,000	0.1
No	2	4,700	24,633,000	74.8
Valid skip	6	1,050	8,215,000	25.0
Don't know	7	0	23,500	0.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_12E **Length:** 1.0 **Position:** 937

Question Name: MDC_Q12

Concept: Type of milk used - skim or non-fat

Question Text: What kind of milk do you usually drink or use on cereal? - Skim or Non-Fat (including powdered milk)

Universe: 0 < MDC_04 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,579,000	7.8
No	2	4,400	22,098,000	67.1
Valid skip	6	1,050	8,215,000	25.0
Don't know	7	0	23,500	0.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_12F **Length:** 1.0 **Position:** 938

Question Name: MDC_Q12

Concept: Type of milk used - flavoured milk beverages

Question Text: What kind of milk do you usually drink or use on cereal? - Flavoured milk beverages (such as Chocolate milk and flavoured milks such as Oh Henry! ®)

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	1,603,000	4.9
No	2	4,350	23,074,000	70.1
Valid skip	6	1,050	8,215,000	25.0
Don't know	7	0	23,500	0.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_12G **Length:** 1.0 **Position:** 939

Question Name:

Concept: Type of milk used - other

Question Text: What kind of milk do you usually drink or use on cereal? - Other

Universe: 0 < MDC_04 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	132,000	0.4
No	2	4,700	24,545,000	74.6
Valid skip	6	1,050	8,215,000	25.0
Don't know	7	0	23,500	0.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_13 **Length:** 3.0 **Position:** 940

Question Name:

Concept: Eats cottage cheese - number of times

Question Text: How often do you usually eat cottage cheese?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 021	5,800	32,858,000	99.8
Don't know	997	0	63,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: MDC_13N **Length:** 1.0 **Position:** 943

Question Name:

Concept: Eats cottage cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	245,000	0.7
Per week	2	400	2,550,500	7.7
Per month	3	750	4,564,000	13.9
Per year	4	500	3,546,000	10.8
Valid skip	6	4,100	21,952,500	66.7
Not stated	9	0	63,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: MDCD13Y **Length:** 4.0 **Position:** 944

Question Name:

Concept: Eats cottage cheese - times per year - (D)

Question Text:

Universe: MDC_13 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	32,858,000	99.8
Not stated		9999	0	63,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: MDC_13B **Length:** 3.0 **Position:** 948

Question Name:

Concept: Eats processed cheese - number of times

Question Text: How often do you usually eat processed cheese such as Kraft Cheez Whiz®, Kraft Singles®, or Black Diamond Slices®?"

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 300	5,800	32,846,500	99.8
Don’t know		997	0	75,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: MDC_13BN **Length:** 1.0 **Position:** 951

Question Name:

Concept: Eats processed cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13B < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	200	1,039,000	3.2
Per week		2	1,600	8,218,500	25.0
Per month		3	1,100	6,832,500	20.8
Per year		4	300	1,634,000	5.0
Valid skip		6	2,600	15,122,500	45.9
Not stated		9	0	75,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: MDCD13BY **Length:** 4.0 **Position:** 952

Question Name:

Concept: Eats processed cheese - times per year - (D)

Question Text:

Universe: MDC_13 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	32,846,500	99.8
Not stated	9999	0	75,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: MDC_13C **Length:** 3.0 **Position:** 956

Question Name:

Concept: Eats other type of cheese - number of times

Question Text: How often do you usually eat other types of cheese such as mozzarella, cheddar, or Swiss?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 104	5,800	32,913,500	100.0
Don't know	997	0	8,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_13CN **Length:** 1.0 **Position:** 959

Question Name:

Concept: Eats other type of cheese - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_13C < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,200	5,726,500	17.4
Per week	2	3,450	19,493,500	59.2
Per month	3	700	4,663,500	14.2
Per year	4	50	544,500	1.7

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	400	2,485,000	7.5
Not stated		9	0	8,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDCD13CY **Length:** 4.0 **Position:** 960

Question Name:

Concept: Eats other types of cheese - times per year - (D)

Question Text:

Universe: MDC_13B < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1460	5,800	32,913,500	100.0
Not stated		9999	0	8,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_14 **Length:** 3.0 **Position:** 964

Question Name:

Concept: Eats yogurt - number of times

Question Text: How often do you usually eat yogurt, excluding frozen yogurt?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 250	5,800	32,917,000	100.0
Don’t know		997	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: MDC_14N **Length:** 1.0 **Position:** 967

Question Name:

Concept: Eats yogurt - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,450	7,679,000	23.3
Per week	2	2,500	13,741,500	41.7
Per month	3	750	4,261,000	12.9
Per year	4	100	640,000	1.9
Valid skip	6	1,000	6,596,000	20.0
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDCD14Y **Length:** 4.0 **Position:** 968

Question Name:

Concept: Eats yogurt - times per year - (D)

Question Text:

Universe: MDC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	32,917,000	100.0
Not stated	9999	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: MDC_15 **Length:** 3.0 **Position:** 972

Question Name:

Concept: Eats ice cream or frozen yogurt - number of times

Question Text: How often do you usually eat ice cream or frozen yogurt?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	32,887,000	99.9
Don’t know	997	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MDC_15N **Length:** 1.0 **Position:** 975

Totals may not add up due to rounding.

Question Name:

Concept: Eats ice cream or frozen yogurt - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < MDC_15 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	554,500	1.7
Per week	2	2,000	9,543,500	29.0
Per month	3	2,150	12,299,000	37.4
Per year	4	700	4,550,500	13.8
Valid skip	6	800	5,939,500	18.0
Not stated	9	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: MDCD15Y **Length:** 4.0 **Position:** 976

Question Name:

Concept: Eats ice cream or frozen yogurt - times per year - (D)

Question Text:

Universe: MDC_15 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	32,887,000	99.9
Not stated	9999	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_11 **Length:** 3.0 **Position:** 980

Question Name:

Concept: Eats hot or cold cereal - number of times

Question Text: How often do you usually eat hot or cold cereal? (For examplle: once a day, three times a week, twice a month).

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 200	5,800	32,850,500	99.8
Don't know		997	0	71,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: GFV_11N **Length:** 1.0 **Position:** 983

Question Name:

Concept: Eats hot or cold cereal - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_11 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	1,150	5,292,000	16.1
Per week		2	2,800	15,326,500	46.6
Per month		3	800	4,800,000	14.6
Per year		4	150	1,272,500	3.9
Valid skip		6	850	6,159,500	18.7
Not stated		9	0	71,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: GFVD11Y **Length:** 4.0 **Position:** 984

Question Name:

Concept: Eats hot or cold cereal - times per year - (D)

Question Text:

Universe: GFV_11 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	32,850,500	99.8
Not stated		9999	0	71,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: GFV_12 **Length:** 3.0 **Position:** 988

Question Name:

Concept: Eats whole grain bread - number of times

Totals may not add up due to rounding.

Question Text: How often do you usually eat whole grain bread such as whole wheat, rye or pumpernickel including bread made with oats or buckwheat? Please include bagels, rolls, pita bread or tortillas.

Universe: All respondents

Note: White bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles® are not included.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 025	5,800	32,884,500	99.9
Don't know	997	0	37,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_12N **Length:** 1.0 **Position:** 991

Question Name:

Concept: Eats whole grain bread - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	1,750	9,490,000	28.8
Per week	2	2,350	13,872,000	42.1
Per month	3	450	3,125,500	9.5
Per year	4	50	316,500	1.0
Valid skip	6	1,200	6,080,500	18.5
Not stated	9	0	37,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFVD12Y **Length:** 4.0 **Position:** 992

Question Name:

Concept: Eats whole grain bread - times per year - (D)

Question Text:

Universe: GFV_12 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2555	5,800	32,884,500	99.9
Not stated	9999	0	37,500	0.1

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: GFV_13 **Length:** 3.0 **Position:** 996

Question Name:

Concept: Eats white bread - number of times

Question Text: How often do you usually eat white bread, including bagels, rolls, pita bread or tortillas?

Universe: All respondents

Note: This includes white bread made with whole grains such as Dempster's Smart® blanc or Wonder® + Invisibles®.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 060	5,800	32,901,500	99.9
Don't know		997	0	20,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFV_13N **Length:** 1.0 **Position:** 999

Question Name:

Concept: Eats white bread - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_13 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	1,000	5,734,000	17.4
Per week		2	2,400	12,449,000	37.8
Per month		3	850	5,747,000	17.5
Per year		4	150	925,000	2.8
Valid skip		6	1,400	8,046,500	24.4
Not stated		9	0	20,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFVD13Y **Length:** 4.0 **Position:** 1000

Question Name:

Concept: Eats white bread - times per year - (D)

Totals may not add up due to rounding.

Question Text:

Universe: GFV_13 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2920	5,800	32,901,500	99.9
Not stated		9999	0	20,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFV_14 **Length:** 3.0 **Position:** 1004

Question Name:

Concept: Eats pasta - number of times

Question Text: How often do you usually eat any kind of pasta, including spaghetti, noodles, macaroni & cheese or pasta salad?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 100	5,800	32,909,500	100.0
Don’t know		997	0	12,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: GFV_14N **Length:** 1.0 **Position:** 1007

Question Name:

Concept: Eats pasta - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_14 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	100	326,000	1.0
Per week		2	4,300	22,559,000	68.5
Per month		3	1,150	7,738,500	23.5
Per year		4	100	707,000	2.1
Valid skip		6	200	1,578,500	4.8
Not stated		9	0	12,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: GFVD14Y **Length:** 4.0 **Position:** 1008

Question Name:

Concept: Eats any kind of pasta - times per year - (D)

Question Text:

Universe: GFV_14 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 4015	5,800	32,909,500	100.0
Not stated	9999	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_16 **Length:** 3.0 **Position:** 1012

Question Name:

Concept: Eats instant, seasoned or wild rice - number of times

Question Text: How often do you usually eat instant, seasoned or wild rice, such as Minute Rice®, Dainty®, Rice-a-Roni®?

Universe: All respondents

Note: This includes all types of wild rice, but only include white and brown rice if it is instant.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 250	5,800	32,897,500	99.9
Don't know	997	0	24,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_16N **Length:** 1.0 **Position:** 1015

Question Name:

Concept: Eats instant, seasoned or wild rice - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_16 < VS

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	50	137,000	0.4
Per week		2	1,400	7,255,000	22.0
Per month		3	950	6,161,000	18.7
Per year		4	150	790,000	2.4
Valid skip		6	3,300	18,554,500	56.4
Not stated		9	0	24,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFVD16Y **Length:** 4.0 **Position:** 1016

Question Name:

Concept: Eats instant, seasoned or wild rice - times per year - (D)

Question Text:

Universe: GFV_16 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0730	5,800	32,897,500	99.9
Not stated		9999	0	24,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFV_17A **Length:** 3.0 **Position:** 1020

Question Name:

Concept: Eats citrus fruit - number of times

Question Text: How often do you usually eat citrus fruit such as oranges or grapefruits, fresh, frozen or canned?

Universe: All respondents

Note: This only includes citrus fruit such as lemons or limes if the entire fruit is consumed (not just a slice added to a dish or beverage).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 160	5,750	32,851,500	99.8
Don’t know		997	0	70,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: GFV_17AN **Length:** 1.0 **Position:** 1023

Question Name:

Concept: Eats citrus fruit - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17A < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	750	4,297,000	13.1
Per week	2	2,700	14,997,000	45.6
Per month	3	1,200	6,635,000	20.2
Per year	4	250	1,563,000	4.7
Valid skip	6	900	5,359,500	16.3
Not stated	9	0	70,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: GFVD17AY **Length:** 4.0 **Position:** 1024

Question Name:

Concept: Eats citrus fruit - times per year - (D)

Question Text:

Universe: GFV_17A < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1824	5,750	32,851,500	99.8
Not stated	9999	0	70,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: GFV_17B **Length:** 3.0 **Position:** 1028

Question Name: GFV_Q17B

Concept: Eats strawberries in the summer - number of times

Question Text: How often do you usually eat strawberries, fresh, frozen or canned, in the summer?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 050	5,750	32,887,000	99.9
Don’t know	997	0	34,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: GFV_17BN **Length:** 1.0 **Position:** 1031

Question Name: GFV_N17B

Concept: Eats strawberries in the summer - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17B < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	950	4,639,500	14.1
Per week	2	3,550	19,030,000	57.8
Per month	3	650	4,993,000	15.2
Per summer	4	150	1,139,000	3.5
Valid skip	6	450	3,085,500	9.4
Not stated	9	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFVD17BY **Length:** 4.0 **Position:** 1032

Question Name:

Concept: Eats strawberries - times per summer - (D)

Question Text:

Universe: GFV_17B < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 4600	5,750	32,887,000	99.9
Not stated	9999	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_17C **Length:** 3.0 **Position:** 1036

Question Name: GFV_Q17C

Concept: Eats strawberries during the rest of the year - number of times

Question Text: How often do you usually eat strawberries (fresh, frozen or canned) during the rest of the year?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 050	5,750	32,732,000	99.4
Don't know		997	0	189,500	0.6
	Total		5,800	32,921,500	100.0

Variable Name: GFV_17CN **Length:** 1.0 **Position:** 1039

Question Name: GFV_N17C

Concept: Eats strawberries rest of the year - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17C < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	200	1,016,500	3.1
Per week		2	2,100	10,387,000	31.6
Per month		3	1,700	9,587,000	29.1
Overall, during the rest of the year		4	250	2,018,500	6.1
Valid skip		6	1,500	9,723,000	29.5
Not stated		9	0	189,500	0.6
	Total		5,800	32,921,500	100.0

Variable Name: GFVD17CY **Length:** 4.0 **Position:** 1040

Question Name:

Concept: Eats strawberries - times per year, excluding summer (D)

Question Text:

Universe: GFV_17C < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0546	5,750	32,732,000	99.4
Not stated		9999	0	189,500	0.6
	Total		5,800	32,921,500	100.0

Variable Name: GFV_17D **Length:** 3.0 **Position:** 1044

Question Name:

Totals may not add up due to rounding.

Concept: Eats other types of fruit - number of times

Question Text: How often do you usually eat other types of fruit; fresh, frozen or canned?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 040	5,800	32,918,000	100.0
Don't know	997	0	4,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_17DN **Length:** 1.0 **Position:** 1047

Question Name:

Concept: Eats other types of fruit - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_17D < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	3,750	19,265,500	58.5
Per week	2	1,700	11,141,000	33.8
Per month	3	250	1,557,000	4.7
Per year	4	50	280,500	0.9
Valid skip	6	100	674,000	2.0
Not stated	9	0	4,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFVD17DY **Length:** 4.0 **Position:** 1048

Question Name:

Concept: Eats other types of fruit - times per year - (D)

Question Text:

Universe: GFV_17D < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 3650	5,800	32,918,000	100.0
Not stated	9999	0	4,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_18 **Length:** 3.0 **Position:** 1052

Question Name:

Concept: Eats tomatoes or tomato sauce - number of times

Question Text: How often do you usually eat tomatoes or tomato sauce, including salsa, tomato soup and spaghetti sauce but excluding tomato paste, ketchup or pizza sauce?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 200	5,800	32,908,000	100.0
Don't know	997	0	14,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_18N **Length:** 1.0 **Position:** 1055

Question Name:

Concept: Eats tomatoes or tomato sauce - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_18 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	600	4,109,500	12.5
Per week	2	4,100	22,599,000	68.6
Per month	3	700	4,715,000	14.3
Per year	4	50	347,500	1.1
Valid skip	6	300	1,137,000	3.5
Not stated	9	0	14,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFVD18Y **Length:** 4.0 **Position:** 1056

Question Name:

Concept: Eats tomatoes or tomato sauce - times per year - (D)

Question Text:

Universe: GFV_18 < VS

Note: See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	5,800	32,908,000	100.0
Not stated		9999	0	14,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: GFV_19 **Length:** 3.0 **Position:** 1060

Question Name:

Concept: Eats lettuce or green leafy salad - number of times

Question Text: How often do you usually eat lettuce or green leafy salad with or without other vegetables? Do not include spinach.

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 100	5,800	32,884,000	99.9
Don’t know		997	0	37,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFV_19N **Length:** 1.0 **Position:** 1063

Question Name:

Concept: Eats lettuce or green leafy salad - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_19 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	650	4,529,500	13.8
Per week		2	3,500	20,696,500	62.9
Per month		3	750	4,247,500	12.9
Per year		4	50	344,500	1.0
Valid skip		6	800	3,066,000	9.3
Not stated		9	0	37,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: GFVD19Y **Length:** 4.0 **Position:** 1064

Question Name:

Concept: Eats lettuce or green leafy salad - times per year - (D)

Question Text:

Universe: GFV_19 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	32,884,000	99.9
Not stated	9999	0	37,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_20 **Length:** 3.0 **Position:** 1068

Question Name:

Concept: Eats spinach, mustard greens or cabbage - number of times

Question Text: How often do you usually eat spinach, mustard greens, or cabbage, excluding kale?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 100	5,800	32,879,500	99.9
Don’t know	997	0	42,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_20N **Length:** 1.0 **Position:** 1071

Question Name:

Concept: Eats spinach, mustard greens or cabbage - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_20 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	200	1,508,500	4.6
Per week	2	2,250	14,736,500	44.8
Per month	3	1,350	8,022,000	24.4
Per year	4	200	1,597,500	4.9
Valid skip	6	1,750	7,015,000	21.3
Not stated	9	0	42,000	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: GFVD20Y **Length:** 4.0 **Position:** 1072

Question Name:

Concept: Eats spinach, mustard greens, cabbage - times per year - (D)

Question Text:

Universe: GFV_20 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,800	32,879,500	99.9
Not stated	9999	0	42,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_21 **Length:** 3.0 **Position:** 1076

Question Name:

Concept: Eats french/home fries or hash brown potatoes - number times

Question Text: How often do you usually eat french fries, home fries, or hash brown potatoes?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 144	5,800	32,921,500	100.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_21N **Length:** 1.0 **Position:** 1079

Question Name:

Concept: Eats french/home fries or hash brown potatoes - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_21 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	256,500	0.8
Per week	2	2,700	14,486,000	44.0

Answer Categories		Code	Frequency	Weighted Frequency	%
Per month		3	2,250	12,986,500	39.4
Per year		4	250	1,671,500	5.1
Valid skip		6	550	3,521,000	10.7
	Total		5,800	32,921,500	100.0

Variable Name: GFVD21Y **Length:** 4.0 **Position:** 1080

Question Name:

Concept: Eats french/home fries/hash brown potatoes - times per year - (D)

Question Text:

Universe: GFV_21 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 0416	5,800	32,921,500	100.0
	Total		5,800	32,921,500	100.0

Variable Name: GFV_22 **Length:** 3.0 **Position:** 1084

Question Name:

Concept: Eats other potatoes - number of times

Question Text: How often do you usually eat other potatoes including baked, boiled, mashed or in potato salad, but excluding sweet potatoes?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 180	5,800	32,912,500	100.0
Don’t know		997	0	9,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: GFV_22N **Length:** 1.0 **Position:** 1087

Question Name:

Concept: Eats other potatoes - reporting period

Question Text: Interviewer: Select the reporting period.

Totals may not add up due to rounding.

Universe: 0 < GFV_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	857,500	2.6
Per week	2	3,650	19,729,500	59.9
Per month	3	1,350	8,502,000	25.8
Per year	4	150	1,031,500	3.1
Valid skip	6	550	2,792,000	8.5
Not stated	9	0	9,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFVD22Y **Length:** 4.0 **Position:** 1088

Question Name:

Concept: Eats other potatoes - times per year - (D)

Question Text:

Universe: GFV_22 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,800	32,912,500	100.0
Not stated	9999	0	9,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: GFV_23 **Length:** 3.0 **Position:** 1092

Question Name:

Concept: Eats all other types of vegetables - number of times

Question Text: How often do you usually eat all other types of vegetables, excluding those already mentioned?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 030	5,800	32,893,500	99.9
Don't know	997	0	28,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_23N **Length:** 1.0 **Position:** 1095

Question Name:

Concept: Eats all other types of vegetables - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_23 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	3,350	17,558,000	53.3
Per week	2	2,150	13,527,000	41.1
Per month	3	200	1,190,000	3.6
Per year	4	0	58,000	0.2
Valid skip	6	100	561,000	1.7
Not stated	9	0	28,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFVD23Y **Length:** 4.0 **Position:** 1096

Question Name:

Concept: Eats all other types of vegetables - times per year - (D)

Question Text:

Universe: GFV_23 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2920	5,800	32,893,500	99.9
Not stated	9999	0	28,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: GFV_24 **Length:** 3.0 **Position:** 1100

Question Name:

Concept: Eats flax seeds, whole or ground - number of times

Question Text: How often do you usually eat flax seeds, whole or ground, including flax seeds eaten in foods such as breakfast cereal, yogurt, muffins, bread or any other dishes?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 150	5,650	32,212,000	97.8
Don't know		997	100	709,500	2.2
	Total		5,800	32,921,500	100.0

Variable Name: GFV_24N **Length:** 1.0 **Position:** 1103

Question Name:

Concept: Eats flax seeds, whole or ground - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < GFV_24 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	350	2,356,000	7.2
Per week		2	1,000	6,202,000	18.8
Per month		3	500	2,935,000	8.9
Per year		4	150	817,500	2.5
Valid skip		6	3,700	19,902,000	60.5
Not stated		9	100	709,500	2.2
	Total		5,800	32,921,500	100.0

Variable Name: GFVD24Y **Length:** 4.0 **Position:** 1104

Question Name:

Concept: Eats flax seeds - times per year - (D)

Question Text:

Universe: GFV_24 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1825	5,650	32,212,000	97.8
Not stated		9999	100	709,500	2.2
	Total		5,800	32,921,500	100.0

Variable Name: DFC_11 **Length:** 3.0 **Position:** 1108

Question Name:

Concept: Eats regular-fat salad dressing/mayo - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 124	5,800	32,832,500	99.7
Don't know	997	0	89,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: DFC_11N **Length:** 1.0 **Position:** 1111

Question Name:

Concept: Eats regular-fat salad dressing/mayo - reporting period

Question Text:

Universe: 0 < DFC_11 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	550	3,375,500	10.3
Per week	2	3,250	18,132,500	55.1
Per month	3	700	4,249,500	12.9
Per year	4	100	477,500	1.5
Valid skip	6	1,200	6,598,000	20.0
Not stated	9	0	89,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: DFCD11Y **Length:** 4.0 **Position:** 1112

Question Name:

Concept: Eats regular - fat salad dressing/mayo - times per year - (D)

Question Text:

Universe: DFC_11 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	32,832,500	99.7
Not stated	9999	0	89,000	0.3
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: DFC_12 **Length:** 3.0 **Position:** 1116

Question Name:

Concept: Eats regular-fat chips - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 050	5,800	32,921,000	100.0
Don't know	997	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: DFC_12N **Length:** 1.0 **Position:** 1119

Question Name:

Concept: Eats regular-fat chips - reporting period

Question Text:

Universe: 0 < DFC_12 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	705,000	2.1
Per week	2	2,850	15,248,000	46.3
Per month	3	1,850	10,655,500	32.4
Per year	4	250	1,217,500	3.7
Valid skip	6	700	5,094,500	15.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: DFCD12Y **Length:** 4.0 **Position:** 1120

Question Name:

Concept: Eats regular - fat chips - times/year - (D)

Question Text:

Universe: DFC_12 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 5110	5,800	32,921,000	100.0
Not stated		9999	0	500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: DFC_13 **Length:** 3.0 **Position:** 1124

Question Name:

Concept: Eats margarine - number of times

Question Text:

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 045	5,750	32,875,000	99.9
Don't know		997	0	46,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: DFC_13N **Length:** 1.0 **Position:** 1127

Question Name:

Concept: Eats margarine - reporting period

Question Text:

Universe: 0 < DFC_13 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	1,150	6,909,500	21.0
Per week		2	1,300	7,184,000	21.8
Per month		3	300	2,095,500	6.4
Per year		4	50	286,000	0.9
Valid skip		6	2,950	16,400,000	49.8
Not stated		9	0	46,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: DFCD13Y **Length:** 4.0 **Position:** 1128

Question Name:

Totals may not add up due to rounding.

Concept: Eats margarine - times per year - (D)

Question Text:

Universe: DFC_13 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,750	32,875,000	99.9
Not stated	9999	0	46,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: DFC_14 **Length:** 3.0 **Position:** 1132

Question Name:

Concept: Eats omega-3 enriched margarine - number of times

Question Text:

Universe: 0 < DFC_13 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 015	2,550	14,539,000	44.2
Valid skip	996	2,950	16,400,000	49.8
Don’t know	997	300	1,936,000	5.9
Not stated	999	0	46,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: DFC_14N **Length:** 1.0 **Position:** 1135

Question Name:

Concept: Eats omega-3 enriched margarine - reporting period

Question Text:

Universe: 0 < DFC_14 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	350	2,082,500	6.3
Per week	2	350	1,882,000	5.7
Per month	3	100	560,000	1.7
Per year	4	0	138,000	0.4
Valid skip	6	4,650	26,276,500	79.8

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	300	1,982,500	6.0
	Total		5,800	32,921,500	100.0

Variable Name: DFCD14Y **Length:** 4.0 **Position:** 1136

Question Name:

Concept: Eats omega-3 enriched margarine - times per year - (D)

Question Text:

Universe: DFC_14 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1095	2,550	14,539,000	44.2
Valid skip		9996	2,950	16,400,000	49.8
Not stated		9999	300	1,982,500	6.0
	Total		5,800	32,921,500	100.0

Variable Name: WSD_30 **Length:** 3.0 **Position:** 1140

Question Name:

Concept: Drinks diet soft drinks - number of times

Question Text: How often do you usually drink diet soft drinks? (For example: once a day, three times a week, twice a month.)

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 020	5,800	32,915,000	100.0
Don't know		997	0	7,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: WSD_30N **Length:** 1.0 **Position:** 1143

Question Name:

Concept: Drinks diet soft drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Totals may not add up due to rounding.

Universe: 0 < WSD_30 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	1,196,500	3.6
Per week	2	450	2,988,500	9.1
Per month	3	400	2,883,500	8.8
Per year	4	150	707,000	2.1
Valid skip	6	4,600	25,139,000	76.4
Not stated	9	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSDD30Y **Length:** 4.0 **Position:** 1144

Question Name:

Concept: Drinks diet soft drinks - times per year - (D)

Question Text:

Universe: WSD_30 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	32,915,000	100.0
Not stated	9999	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_31 **Length:** 3.0 **Position:** 1148

Question Name:

Concept: Drinks regular soft drinks - number of times

Question Text: How often do you usually drink regular soft drinks?

Universe: All respondents

Note: Regular means non-diet soft drinks.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 020	5,800	32,914,500	100.0
Don’t know	997	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_31N **Length:** 1.0 **Position:** 1151

Question Name:

Concept: Drinks regular soft drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_31 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	250	1,502,500	4.6
Per week	2	1,450	9,013,500	27.4
Per month	3	1,300	6,808,500	20.7
Per year	4	350	1,630,000	5.0
Valid skip	6	2,500	13,960,000	42.4
Not stated	9	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSDD31Y **Length:** 4.0 **Position:** 1152

Question Name:

Concept: Drinks regular soft drinks - times per year - (D)

Question Text:

Universe: WSD_31 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2190	5,800	32,914,500	100.0
Not stated	9999	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_32 **Length:** 3.0 **Position:** 1156

Question Name:

Concept: Drinks sport drinks - number of times

Question Text: How often do you usually drink sport drinks, such as Gatorade® or Powerade®?

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 150	5,800	32,906,500	100.0
Don't know	997	0	15,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_32N **Length:** 1.0 **Position:** 1159

Question Name:

Concept: Drinks sport drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_32 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	50	469,500	1.4
Per week	2	650	3,505,000	10.6
Per month	3	850	4,668,500	14.2
Per year	4	500	2,299,000	7.0
Valid skip	6	3,700	21,964,500	66.7
Not stated	9	0	15,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSDD32Y **Length:** 4.0 **Position:** 1160

Question Name:

Concept: Drinks sport drinks - times per year - (D)

Question Text:

Universe: WSD_32 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1095	5,800	32,906,500	100.0
Not stated	9999	0	15,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_33 **Length:** 3.0 **Position:** 1164

Question Name:

Concept: Drinks vitamin-added water - number of times

Question Text: How often do you usually drink vitamin-added water, such as Aquafina Plus Vitamins® or Vitamin Water®? Do not include flavoured water or other types of water that are not fortified with vitamins.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 048	5,800	32,918,500	100.0
Don't know	997	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_33N **Length:** 1.0 **Position:** 1167

Question Name:

Concept: Drinks vitamin-added water - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_33 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	0	54,000	0.2
Per week	2	200	1,119,500	3.4
Per month	3	300	1,961,500	6.0
Per year	4	150	964,000	2.9
Valid skip	6	5,100	28,818,500	87.5
Not stated	9	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSDD33Y **Length:** 4.0 **Position:** 1168

Question Name:

Concept: Drinks vitamin-added water - times per year - (D)

Question Text:

Universe: WSD_33 < VS

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 1460	5,800	32,918,500	100.0
Not stated		9999	0	3,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: WSD_34 **Length:** 3.0 **Position:** 1172

Question Name:

Concept: Drinks orange or grapefruit juice - number of times

Question Text: How often do you usually drink orange or grapefruit juice?

Universe: All respondents

Note: This only includes 100% pure fruit juices. Include juice to which calcium and vitamin D has been added.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 120	5,800	32,905,500	100.0
Don't know		997	0	16,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: WSD_34N **Length:** 1.0 **Position:** 1175

Question Name:

Concept: Drinks orange or grapefruit juice - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_34 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Per day		1	700	3,775,500	11.5
Per week		2	2,050	11,174,500	33.9
Per month		3	1,100	6,467,000	19.6
Per year		4	300	1,960,000	6.0
Valid skip		6	1,600	9,528,500	28.9
Not stated		9	0	16,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: WSDD34Y **Length:** 4.0 **Position:** 1176

Question Name:

Concept: Drinks orange or grapefruit juice - times per year - (D)

Question Text:

Universe: WSD_34 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 1825	5,800	32,905,500	100.0
Not stated	9999	0	16,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WSD_35 **Length:** 3.0 **Position:** 1180

Question Name:

Concept: Drinks other 100% fruit juices - number of times

Question Text: How often do you usually drink other 100% fruit juices, for example, apple, grape or mixed fruit juice?

Universe: All respondents

Note: This includes juice to which calcium and vitamin D has been added.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 120	5,800	32,894,000	99.9
Don’t know	997	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: WSD_35N **Length:** 1.0 **Position:** 1183

Question Name:

Concept: Drinks other 100% fruit juices - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_35 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	700	2,703,500	8.2
Per week	2	2,000	9,543,000	29.0
Per month	3	1,000	6,031,000	18.3
Per year	4	200	1,822,500	5.5
Valid skip	6	1,900	12,794,500	38.9
Not stated	9	0	27,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: WSDD35Y **Length:** 4.0 **Position:** 1184

Question Name:

Concept: Drinks other 100% fruit juices - times per year - (D)

Question Text:

Universe: WSD_35 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		0000 - 2190	5,800	32,894,000	99.9
Not stated		9999	0	27,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: WSD_36 **Length:** 3.0 **Position:** 1188

Question Name:

Concept: Drinks juice with calcium and vitamin D added - number of times

Question Text: How often do you usually drink juice with calcium and vitamin D added?

Universe: 0 < WSD_34 < VS or 0 < WSD_35 < VS

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of times		000 - 027	3,800	20,890,000	63.5
Valid skip		996	900	5,706,500	17.3
Don’t know		997	1,100	6,314,500	19.2
Refusal		998	0	2,000	0.0
Not stated		999	0	9,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: WSD_36N **Length:** 1.0 **Position:** 1191

Question Name:

Concept: Drinks juice with calcium and vitamin D added - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_36 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	150	779,000	2.4
Per week	2	450	2,556,500	7.8
Per month	3	250	1,447,500	4.4
Per year	4	50	346,000	1.1
Valid skip	6	3,750	21,467,000	65.2
Not stated	9	1,100	6,325,500	19.2
Total		5,800	32,921,500	100.0

Variable Name: WSDD36Y **Length:** 4.0 **Position:** 1192

Question Name:

Concept: Drinks juice with calcium and vitamin D - times per year - (D)

Question Text:

Universe: WSD_36 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,000	28,802,000	87.5
Not stated	9999	800	4,119,500	12.5
Total		5,800	32,921,500	100.0

Variable Name: WSD_37 **Length:** 3.0 **Position:** 1196

Question Name:

Concept: Drinks fruit-flavoured drinks - number of times

Question Text: How often do you usually drink fruit-flavoured drinks?

Universe: All respondents

Note: This does not include Crystal Light®.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 030	5,750	32,860,500	99.8
Don’t know	997	0	61,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_37N **Length:** 1.0 **Position:** 1199

Totals may not add up due to rounding.

Question Name:

Concept: Drinks fruit-flavoured drinks - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_37 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	200	976,500	3.0
Per week	2	700	3,368,000	10.2
Per month	3	550	2,565,500	7.8
Per year	4	200	1,115,000	3.4
Valid skip	6	4,100	24,835,500	75.4
Not stated	9	0	61,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSDD37Y **Length:** 4.0 **Position:** 1200

Question Name:

Concept: Drinks fruit flavoured drinks - times per year - (D)

Question Text:

Universe: WSD_37 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 2920	5,750	32,860,500	99.8
Not stated	9999	0	61,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_38 **Length:** 3.0 **Position:** 1204

Question Name:

Concept: Drinks vegetable juices - number of times

Question Text: How often do you usually drink vegetable juices?

Universe: All respondents

Note: This does not include vegetable juices used in cooking.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	000 - 150	5,800	32,855,000	99.8
Don't know	997	0	67,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_38N **Length:** 1.0 **Position:** 1207

Question Name:

Concept: Drinks vegetable juices - reporting period

Question Text: Interviewer: Select the reporting period.

Universe: 0 < WSD_38 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	100	404,500	1.2
Per week	2	600	3,214,500	9.8
Per month	3	700	4,241,000	12.9
Per year	4	350	2,214,000	6.7
Valid skip	6	4,050	22,780,500	69.2
Not stated	9	0	67,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSDD38Y **Length:** 4.0 **Position:** 1208

Question Name:

Concept: Drinks vegetable juices - times per year - (D)

Question Text:

Universe: WSD_38 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of times	0000 - 0730	5,800	32,855,000	99.8
Not stated	9999	0	67,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_39 **Length:** 3.0 **Position:** 1212

Totals may not add up due to rounding.

Question Name: WSD_Q39

Concept: Drinks water at home - number of cups

Question Text: How much water, in cups, do you usually drink at home? A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	000 - 036	5,750	32,865,500	99.8
Don't know	997	0	56,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_39N **Length:** 1.0 **Position:** 1215

Question Name: WSD_N39

Concept: Drinks water at home - reporting period

Question Text: Select the reporting period.

Universe: 0 < WSD_39 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	5,450	30,209,500	91.8
Per week	2	150	1,435,500	4.4
Per month	3	0	198,500	0.6
Per year	4	0	58,000	0.2
Valid skip	6	150	964,500	2.9
Not stated	9	0	56,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: WSDD39Y **Length:** 5.0 **Position:** 1216

Question Name:

Concept: Drinks water at home - number of cups per year - (D)

Question Text:

Universe: WSD_39 < VS

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of cups		00000 - 13140	5,750	32,865,500	99.8
Not stated		99999	0	56,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: WSD_40 **Length:** 1.0 **Position:** 1221

Question Name: WSD_Q40

Concept: Primary source of drinking water - home

Question Text: When you drink water at home, what is your primary source of drinking water?

Universe: 0 < WSD_39 < VS

Note: This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from an individual serving-size bottle or from a water cooler.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Tap water		1	4,450	24,803,500	75.3
Bottled water		2	1,200	7,008,000	21.3
Other - Specify		3	0	80,000	0.2
Valid skip		6	150	964,500	2.9
Don’t know		7	0	10,000	0.0
Not stated		9	0	56,000	0.2
	Total		5,800	32,921,500	100.0

Variable Name: WSD_41 **Length:** 3.0 **Position:** 1222

Question Name: WSD_Q41

Concept: Drinks water away from home - number of cups

Question Text: How much water, in cups, do you usually drink away from home? (A cup is equivalent to the size of a measuring cup: 250 ml or 8 oz.)

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of cups		000 - 040	5,600	32,208,500	97.8
Don’t know		997	200	713,000	2.2
	Total		5,800	32,921,500	100.0

Variable Name: WSD_41N **Length:** 1.0 **Position:** 1225

Totals may not add up due to rounding.

Question Name: WSD_N41

Concept: Amount drinks water away from home - reporting period

Question Text: Select the reporting period.

Universe: 0 < WSD_41 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Per day	1	4,600	25,881,000	78.6
Per week	2	400	2,439,000	7.4
Per month	3	50	228,000	0.7
Per year	4	0	24,000	0.1
Valid skip	6	550	3,636,500	11.0
Not stated	9	200	713,000	2.2
Total		5,800	32,921,500	100.0

Variable Name: WSDD41Y **Length:** 5.0 **Position:** 1226

Question Name:

Concept: Drinks water away from home - number of cups per year - (D)

Question Text:

Universe: WSD_41 < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	00000 - 11680	5,600	32,208,500	97.8
Not stated	99999	200	713,000	2.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_42 **Length:** 1.0 **Position:** 1231

Question Name: WSD_Q42

Concept: Primary source of drinking water - away from home

Question Text: When you drink water away from home, what is your primary source of drinking water?

Universe: 0 < WSD_41 < VS

Note: This includes carbonated water and flavoured water as ”bottled water”. This does not include vitamin-added water.

Tap water includes water from a Brita®-type jug and bottled water includes water from an individual serving-size bottle or from a water cooler.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Tap water	1	3,400	17,668,000	53.7
Bottled water	2	1,600	10,692,000	32.5
Other - Specify	3	0	186,000	0.6
Valid skip	6	550	3,636,500	11.0
Don't know	7	0	26,000	0.1
Not stated	9	200	713,000	2.2
Total		5,800	32,921,500	100.0

Variable Name: WSD_43 **Length:** 1.0 **Position:** 1232

Question Name: WSD_Q43

Concept: Source of tap water - home

Question Text: What is the source of the tap water in this home?

Universe: All respondents

Note: Water from a surface source includes natural spring, lake, river, lagoon or dugout.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Water supplied by your city, town or municipality	1	4,700	28,008,000	85.1
Water from a private well	2	1,000	4,136,000	12.6
Water from a cistern	3	0	68,000	0.2
Water from a surface source	4	50	467,500	1.4
Other - Specify	5	0	68,000	0.2
Don't know	7	0	4,500	0.0
Not stated	9	0	169,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: WSD_44A **Length:** 1.0 **Position:** 1233

Question Name: WSD_Q44

Concept: Home water treated using - filter

Question Text: Is the water in this home treated using... ? - A filter, for example, a faucet attachment, refrigerator filter or Brita®-type jug filter

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only

Totals may not add up due to rounding.

the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,850	10,888,500	33.1
No		2	3,900	21,559,500	65.5
Don't know		7	50	304,500	0.9
Not stated		9	0	169,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: WSD_44B **Length:** 1.0 **Position:** 1234

Question Name: WSD_Q44

Concept: Home water treated using - water softener

Question Text: Is the water in this home treated using... ? - A water softener

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	600	3,523,500	10.7
No		2	5,100	28,924,500	87.9
Don't know		7	50	304,500	0.9
Not stated		9	0	169,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: WSD_44C **Length:** 1.0 **Position:** 1235

Question Name: WSD_Q44

Concept: Home water treated using - ultraviolet system

Question Text: Is the water in this home treated using... ? - An ultraviolet system

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	680,000	2.1
No	2	5,600	31,768,000	96.5
Don't know	7	50	304,500	0.9
Not stated	9	0	169,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: WSD_44D **Length:** 1.0 **Position:** 1236

Question Name: WSD_Q44

Concept: Home water treated using - reverse osmosis

Question Text: Is the water in this home treated using... ? - Reverse osmosis

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,728,500	5.3
No	2	5,500	30,719,000	93.3
Don't know	7	50	304,500	0.9
Not stated	9	0	169,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: WSD_44E **Length:** 1.0 **Position:** 1237

Question Name: WSD_Q44

Concept: Home water treated using - boiling

Question Text: Is the water in this home treated using... ? - Boiling

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,014,000	3.1
No	2	5,550	31,433,500	95.5
Don't know	7	50	304,500	0.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	0	169,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: WSD_44F **Length:** 1.0 **Position:** 1238

Question Name: WSD_Q44

Concept: Home water treated using - distilling

Question Text: Is the water in this home treated using... ? - Distilling

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	54,000	0.2
No		2	5,750	32,394,000	98.4
Don’t know		7	50	304,500	0.9
Not stated		9	0	169,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: WSD_44G **Length:** 1.0 **Position:** 1239

Question Name: WSD_Q44

Concept: Home water treated using - other

Question Text: Is the water in this home treated using... ? - Other - Specify

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	205,500	0.6
No		2	5,700	32,242,000	97.9
Don’t know		7	50	304,500	0.9
Not stated		9	0	169,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: WSD_44H **Length:** 1.0 **Position:** 1240

Question Name: WSD_Q44

Concept: Home water treated using - no treatment

Question Text: Is the water in this home treated using... ? - No treatment

Universe: All respondents

Note: This refers to any water treatment done at the home. This does not include treatments performed by the municipality.

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,200	17,665,000	53.7
No	2	2,550	14,783,000	44.9
Don’t know	7	50	304,500	0.9
Not stated	9	0	169,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: WSD_45 **Length:** 1.0 **Position:** 1241

Question Name: WSD_Q45

Concept: Water used for drinking or food treated with water softener

Question Text: Is the water used for drinking and food preparation treated using the water softener?

Universe: WSD_44B = 1

Note:

Source: In households with two selected respondents this question was asked only for the respondent aged less than 12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	2,372,000	7.2
No	2	150	1,022,000	3.1
Valid skip	6	5,100	28,924,500	87.9
Don’t know	7	0	129,500	0.4
Not stated	9	50	474,000	1.4
Total		5,800	32,921,500	100.0

Variable Name: WSDDTWY **Length:** 5.0 **Position:** 1242

Totals may not add up due to rounding.

Question Name:

Concept: Drinks water (anywhere) - number of cups per year - (D)

Question Text:

Universe: WSDD39Y < VS and WSDD41Y < VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cups	00000 - 17520	5,600	32,193,000	97.8
Not stated	99999	200	728,500	2.2
Total		5,800	32,921,500	100.0

Variable Name: SLT_005 **Length:** 1.0 **Position:** 1247

Question Name: SLT_Q005

Concept: Salt added to food

Question Text: How often do you usually add salt to your food, after it has been prepared, for example, at the table?

Universe: All respondents

Note: Modified in cycle 5 (was SLT_11 in cycle 4)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	350	2,270,500	6.9
Often	2	450	2,631,000	8.0
Sometimes	3	850	5,201,500	15.8
Rarely	4	1,450	8,309,000	25.2
Never	5	2,700	14,508,000	44.1
Don’t know	7	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SLT_010 **Length:** 2.0 **Position:** 1248

Question Name: SLT_Q010

Concept: Type of salt usually used

Question Text: What type of salt is usually used?

Universe: SLT_005 = 1,2,3,4

Note: Modified in cycle 5 (was SLT_12 in cycle 4)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ordinary table salt	01	1,900	10,995,500	33.4
Seasoned or other flavoured salt	02	100	521,000	1.6
Sea salt or gourmet salt	03	1,050	6,573,000	20.0
Light salt or half salt	04	0	34,000	0.1
Salt substitute	05	0	87,000	0.3
Other - Specify	06	50	184,500	0.6
Valid skip	96	2,700	14,508,000	44.1
Don't know	97	0	17,000	0.1
Not stated	99	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SLT_015 **Length:** 1.0 **Position:** 1250

Question Name: SLT_Q015

Concept: Often ordinary table salt added cooking/preparation of foods

Question Text: How often is ordinary table salt added during the cooking or preparation of foods that you eat?

Universe: All respondents

Note: In households with two selected respondents this question was asked only for the respondent aged <12 and the information was applied to both respondents. "Not stated" includes cases where two respondents were selected in the household but only the selected respondent aged 12 or older completed the household interview, so the question was never asked.

Modified in cycle 5 (was SLT_13 in cycle 4)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Always	1	1,250	7,626,000	23.2
Often	2	950	5,578,500	16.9
Sometimes	3	1,100	6,012,000	18.3
Rarely	4	1,050	6,362,000	19.3
Never	5	1,400	7,138,000	21.7
Don't know	7	50	205,500	0.6
Total		5,800	32,921,500	100.0

Variable Name: PAA_005 **Length:** 1.0 **Position:** 1251

Question Name: PAA_Q005

Concept: Active ways to get to places during the last week

Question Text: In the last seven days, that is from last this day last week to yesterday, did you use active ways like walking or cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends?

Universe: DHH_AGE > 17

Note: This does not include walking, cycling or other activities done purely for leisure.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,250	10,697,500	32.5
No	2	2,100	16,515,000	50.2
Valid skip	6	2,500	5,699,000	17.3
Don't know	7	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010A **Length:** 1.0 **Position:** 1252

Question Name: PAA_Q010

Concept: Active ways to get to places- Monday

Question Text: In the last seven days, on which days did you do these activities? - Monday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	7,211,000	21.9
No	2	450	3,476,500	10.6
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010B **Length:** 1.0 **Position:** 1253

Question Name: PAA_Q010

Concept: Active ways to get to places - Tuesday

Question Text: In the last seven days, on which days did you do these activities? - Tuesday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	800	7,041,000	21.4
No	2	450	3,646,000	11.1
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010C **Length:** 1.0 **Position:** 1254

Question Name: PAA_Q010

Concept: Active ways to get to places - Wednesday

Question Text: In the last seven days, on which days did you do these activities? - Wednesday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	800	7,281,500	22.1
No	2	450	3,406,000	10.3
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010D **Length:** 1.0 **Position:** 1255

Question Name: PAA_Q010

Concept: Active ways to get to places - Thursday

Question Text: In the last seven days, on which days did you do these activities? - Thursday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	7,120,500	21.6
No	2	450	3,566,500	10.8
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010E **Length:** 1.0 **Position:** 1256

Question Name: PAA_Q010

Concept: Active ways to get to places - Friday

Question Text: In the last seven days, on which days did you do these activities? - Friday

Universe: PAA_005 = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,536,500	19.9
No	2	500	4,151,000	12.6
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010F **Length:** 1.0 **Position:** 1257

Question Name: PAA_Q010

Concept: Active ways to get to places - Saturday

Question Text: In the last seven days, on which days did you do these activities? - Saturday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	5,938,000	18.0
No	2	650	4,749,500	14.4
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_010G **Length:** 1.0 **Position:** 1258

Question Name: PAA_Q010

Concept: Active ways to get to places - Sunday

Question Text: In the last seven days, on which days did you do these activities? - Sunday

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	4,857,000	14.8
No	2	750	5,830,000	17.7
Valid skip	6	4,550	22,214,000	67.5
Don't know	7	0	10,000	0.0
Not stated	9	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_015 **Length:** 3.0 **Position:** 1259

Question Name: PAA_Q015

Concept: Time spent on active ways to get to places last week - hours

Question Text: How much time in total, in the last seven days, did you spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes.

Universe: PAA_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 048	1,250	10,696,500	32.5
Valid skip	996	4,550	22,214,000	67.5
Don't know	997	0	1,000	0.0
Not stated	999	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_020N **Length:** 4.0 **Position:** 1262

Question Name: PAA_N020

Concept: Time spent on active ways to get to places last week - minutes

Question Text: Enter number of minutes.

Universe: PAA_015 < 168

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0490	1,250	10,696,500	32.5
Valid skip	9996	4,550	22,214,000	67.5
Not stated	9999	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAADTRVL **Length:** 5.0 **Position:** 1266

Question Name:

Concept: Total minutes of active transportation per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02880	3,300	27,211,500	82.7
Valid skip	99996	2,500	5,699,000	17.3
Not stated	99999	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_030 **Length:** 1.0 **Position:** 1271

Question Name: PAA_Q030

Concept: Recreational physical activities- last week

Question Text: [Not including activities you just reported], In the last seven days, did you do sports, fitness or recreational physical activities, organized or non-organized, that lasted a minimum of 10 continuous minutes?

Examples are walking, home or gym exercise, swimming, cycling, running, skiing, dancing and all team sports.

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,950	15,524,500	47.2
No	2	1,350	11,688,500	35.5
Valid skip	6	2,500	5,699,000	17.3
Don’t know	7	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAA_035 **Length:** 1.0 **Position:** 1272

Question Name: PAA_Q035

Concept: Recreational physical activities - sweat and breathe harder

Question Text: Did any of these recreational physical activities make you sweat at least a little and breathe harder?

Universe: PAA_030 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,550	12,067,500	36.7
No	2	400	3,439,000	10.4
Valid skip	6	3,850	17,387,500	52.8
Don’t know	7	0	18,000	0.1
Not stated	9	0	10,000	0.0

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: PAA_040A **Length:** 1.0 **Position:** 1273

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Monday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Monday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	850	6,463,000	19.6
No		2	700	5,579,000	16.9
Valid skip		6	4,250	20,826,500	63.3
Don't know		7	0	25,500	0.1
Not stated		9	0	27,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAA_040B **Length:** 1.0 **Position:** 1274

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Tuesday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Tuesday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	800	6,456,000	19.6
No		2	750	5,586,500	17.0
Valid skip		6	4,250	20,826,500	63.3
Don't know		7	0	25,500	0.1
Not stated		9	0	27,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAA_040C **Length:** 1.0 **Position:** 1275

Question Name: PAA_Q040

Totals may not add up due to rounding.

Concept: Recreational physical activities - sweat and breathe harder - Wed,

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Wednesday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	6,254,500	19.0
No	2	700	5,787,500	17.6
Valid skip	6	4,250	20,826,500	63.3
Don't know	7	0	25,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_040D **Length:** 1.0 **Position:** 1276

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Thursday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Thursday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,063,000	18.4
No	2	800	5,979,500	18.2
Valid skip	6	4,250	20,826,500	63.3
Don't know	7	0	25,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_040E **Length:** 1.0 **Position:** 1277

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Friday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Friday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	6,096,500	18.5
No	2	800	5,945,500	18.1
Valid skip	6	4,250	20,826,500	63.3
Don't know	7	0	25,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_040F **Length:** 1.0 **Position:** 1278

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Saturday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Saturday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,749,000	17.5
No	2	850	6,293,000	19.1
Valid skip	6	4,250	20,826,500	63.3
Don't know	7	0	25,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_040G **Length:** 1.0 **Position:** 1279

Question Name: PAA_Q040

Concept: Recreational physical activities - sweat and breathe harder - Sunday

Question Text: In the last seven days, on which days did you do these recreational activities that made you sweat at least a little and breathe harder? - Sunday

Universe: PAA_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,786,500	14.5
No	2	900	7,255,500	22.0
Valid skip	6	4,250	20,826,500	63.3
Don't know	7	0	25,500	0.1
Not stated	9	0	27,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: PAA_045 **Length:** 3.0 **Position:** 1280

Question Name: PAA_Q045

Concept: Time spent on recreational physical activities - hours

Question Text: (In the last seven days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder?

Universe: PAA_035 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 045	1,550	12,067,500	36.7
Valid skip	996	4,250	20,826,500	63.3
Not stated	999	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_050N **Length:** 4.0 **Position:** 1283

Question Name: PAA_N050

Concept: Time spent on recreational physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_045 < 168

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0355	1,550	12,067,500	36.7
Valid skip	9996	4,250	20,826,500	63.3
Not stated	9999	0	27,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAADREC **Length:** 5.0 **Position:** 1287

Question Name:

Concept: Total minutes of recreational physical activity per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 02700	3,300	27,195,000	82.6
Valid skip		99996	2,500	5,699,000	17.3
Not stated		99999	0	27,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAA_060 **Length:** 1.0 **Position:** 1292

Question Name: PAA_Q060

Concept: Other physical activities - last week

Question Text: In the last seven days, did you do any other physical activities while at work, in or around your home or while volunteering?

Examples are carrying heavy loads, shoveling, and household chores such as vacuuming or washing windows. Please remember to only include activities that lasted a minimum of 10 continuous minutes.

Universe: DHH_AGE > 17

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,250	18,927,000	57.5
No		2	1,050	8,285,500	25.2
Valid skip		6	2,500	5,699,000	17.3
Don't know		7	0	10,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAA_065 **Length:** 1.0 **Position:** 1293

Question Name: PAA_Q065

Concept: Other physical activities - sweat and breathe harder

Question Text: Did any of these other physical activities make you sweat at least a little and breathe harder?

Universe: PAA_060 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,400	11,115,000	33.8
No		2	850	7,769,500	23.6
Valid skip		6	3,550	13,984,500	42.5
Don't know		7	0	42,500	0.1
Not stated		9	0	10,000	0.0
	Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: PAA_070A **Length:** 1.0 **Position:** 1294

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Monday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Monday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	5,371,500	16.3
No	2	700	5,670,500	17.2
Valid skip	6	4,400	21,754,000	66.1
Don't know	7	0	73,000	0.2
Not stated	9	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAA_070B **Length:** 1.0 **Position:** 1295

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Tuesday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Tuesday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	5,094,000	15.5
No	2	700	5,948,500	18.1
Valid skip	6	4,400	21,754,000	66.1
Don't know	7	0	73,000	0.2
Not stated	9	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAA_070C **Length:** 1.0 **Position:** 1296

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Wednesday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Wednesday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	5,351,000	16.3
No	2	700	5,691,000	17.3
Valid skip	6	4,400	21,754,000	66.1
Don't know	7	0	73,000	0.2
Not stated	9	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAA_070D **Length:** 1.0 **Position:** 1297

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Thursday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Thursday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,391,000	16.4
No	2	700	5,651,000	17.2
Valid skip	6	4,400	21,754,000	66.1
Don't know	7	0	73,000	0.2
Not stated	9	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAA_070E **Length:** 1.0 **Position:** 1298

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Friday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Friday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	5,272,000	16.0
No	2	750	5,770,500	17.5
Valid skip	6	4,400	21,754,000	66.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	73,000	0.2
Not stated		9	0	52,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: PAA_070F **Length:** 1.0 **Position:** 1299

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Saturday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Saturday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	550	4,452,500	13.5
No		2	800	6,590,000	20.0
Valid skip		6	4,400	21,754,000	66.1
Don't know		7	0	73,000	0.2
Not stated		9	0	52,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: PAA_070G **Length:** 1.0 **Position:** 1300

Question Name: PAA_Q070

Concept: Other physical activities - sweat and breathe harder - Sunday

Question Text: In the last seven days, on which days did you do these other activities that made you sweat at least a little and breathe harder? - Sunday

Universe: PAA_065 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	450	3,616,500	11.0
No		2	900	7,425,500	22.6
Valid skip		6	4,400	21,754,000	66.1
Don't know		7	0	73,000	0.2
Not stated		9	0	52,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: PAA_075 **Length:** 3.0 **Position:** 1301

Question Name: PAA_Q075

Concept: Time spent on other physical activities - hours

Question Text: (In the last seven days), how much time in total did you spend doing these activities that made you sweat at least a little and breathe harder?

Universe: PAA_065 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 072	1,400	11,054,000	33.6
Valid skip	996	4,400	21,754,000	66.1
Don't know	997	0	61,500	0.2
Not stated	999	0	52,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAA_080N **Length:** 4.0 **Position:** 1304

Question Name: PAA_N080

Concept: Time spent on other physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_075 < 168

Note: This only include those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0140	1,400	11,054,000	33.6
Valid skip	9996	4,400	21,754,000	66.1
Not stated	9999	0	114,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: PAADOTH **Length:** 5.0 **Position:** 1308

Question Name:

Concept: Total minutes of other physical activities per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 04320	3,300	27,108,500	82.3
Valid skip		99996	2,500	5,699,000	17.3
Not stated		99999	0	114,000	0.3
	Total		5,800	32,921,500	100.0

Variable Name: PAADTOT **Length:** 5.0 **Position:** 1313

Question Name:

Concept: Total minutes of physical activity from all domains per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 05580	3,300	27,091,000	82.3
Valid skip		99996	2,500	5,699,000	17.3
Not stated		99999	0	132,000	0.4
	Total		5,800	32,921,500	100.0

Variable Name: PAA_095 **Length:** 1.0 **Position:** 1318

Question Name: PAA_Q095

Concept: Vigorous intensity physical activities

Question Text: You have reported a total of (PAADTOT) minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

Universe: PAA_005 = 1 or PAA_035 = 1 or PAA_065 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	900	7,069,500	21.5
No		2	1,700	14,468,500	43.9
Valid skip		6	3,200	11,355,000	34.5
Don't know		7	0	7,500	0.0
Not stated		9	0	21,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAA_100 **Length:** 3.0 **Position:** 1319

Question Name: PAA_Q100

Concept: Vigorous intensity physical activities - hours

Question Text: In the last seven days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Please only include activities that lasted a minimum of 10 continuous minutes.

Universe: PAA_095 = 1

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 045	900	7,023,500	21.3
Valid skip	996	4,900	25,823,500	78.4
Don't know	997	0	46,500	0.1
Not stated	999	0	28,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAA_105N **Length:** 4.0 **Position:** 1322

Question Name: PAA_N105

Concept: Vigorous intensity physical activities - minutes

Question Text: Enter number of minutes.

Universe: PAA_100 < 168

Note: This only includes those physical activities that lasted at least 10 minutes, including rest periods.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 1500	900	7,023,500	21.3
Valid skip	9996	4,900	25,823,500	78.4
Not stated	9999	0	74,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAADVIG **Length:** 5.0 **Position:** 1326

Question Name:

Concept: Total minutes of vigorous intensity physical activities per week - (D)

Question Text:

Universe: DHH_AGE > 17

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		00000 - 02700	3,300	27,148,000	82.5
Valid skip		99996	2,500	5,699,000	17.3
Not stated		99999	0	74,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: PAY_05A **Length:** 1.0 **Position:** 1331

Question Name: PAY_Q005

Concept: Attend school - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend school

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	650	1,851,500	5.6
No		2	150	395,500	1.2
Valid skip		6	4,950	30,670,000	93.2
Not stated		9	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_05B **Length:** 1.0 **Position:** 1332

Question Name: PAY_Q005

Concept: Attend day camp - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend a day camp

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	0	22,500	0.1
No		2	800	2,225,000	6.8
Valid skip		6	4,950	30,670,000	93.2
Not stated		9	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_05C **Length:** 1.0 **Position:** 1333

Question Name: PAY_Q005

Concept: Attend paid or unpaid work - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - Attend paid or unpaid work

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	326,500	1.0
No	2	700	1,920,500	5.8
Valid skip	6	4,950	30,670,000	93.2
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_05D **Length:** 1.0 **Position:** 1334

Question Name: PAY_Q005

Concept: None of the above - Last week

Question Text: During the last seven days, that is from this day last week to yesterday, did you...? - None of the above

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	269,000	0.8
No	2	700	1,978,000	6.0
Valid skip	6	4,950	30,670,000	93.2
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_10 **Length:** 1.0 **Position:** 1335

Question Name: PAY_Q010

Concept: Active ways to get to places during the last week

Question Text: In the last seven days, did you use active ways like walking or cycling to get to places such as [work/school, the bus stop, the shopping centre] or to visit friends?

Universe: 11 < DHH_AGE < 18

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,550,000	4.7
No	2	250	696,000	2.1
Valid skip	6	4,950	30,670,000	93.2
Don't know	7	0	1,000	0.0
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15A **Length:** 2.0 **Position:** 1336

Question Name:

Concept: Time spent on active ways to get to places - [Sunday] - hours

Question Text: How much time did you spend using active ways to get to places [Sunday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,533,500	4.7
Valid skip	96	5,250	31,366,500	95.3
Don't know	97	0	16,500	0.0
Not stated	99	0	5,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15AN **Length:** 3.0 **Position:** 1338

Question Name:

Concept: Time spent on active ways to get to places - [Sunday] - minutes

Question Text: How much time did you spend using active ways to get to places [Sunday]? Enter the number of minutes.

Universe: PAY_15A < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	550	1,533,500	4.7
Valid skip	996	5,250	31,366,500	95.3
Not stated	999	0	21,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_15B **Length:** 2.0 **Position:** 1341

Question Name:

Concept: Time spent on active ways to get to places - [Monday] - hours

Question Text: How much time did you spend using active ways to get to places [Monday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,544,500	4.7
Valid skip	96	5,250	31,366,500	95.3
Don't know	97	0	5,000	0.0
Not stated	99	0	5,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15BN **Length:** 3.0 **Position:** 1343

Question Name:

Concept: Time spent on active ways to get to places - [Monday] - minutes

Question Text: How much time did you spend using active ways to get to places [Monday]? Enter the number of minutes.

Universe: PAY_15B < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,544,500	4.7
Valid skip	996	5,250	31,366,500	95.3
Not stated	999	0	10,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15C **Length:** 2.0 **Position:** 1346

Question Name:

Concept: Time spent on active ways to get to places - [Tuesday] - hours

Question Text: How much time did you spend using active ways to get to places [Tuesday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	550	1,540,000	4.7
Valid skip		96	5,250	31,366,500	95.3
Don't know		97	0	9,500	0.0
Not stated		99	0	5,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15CN **Length:** 3.0 **Position:** 1348

Question Name:

Concept: Time spent on active ways to get to places - [Tuesday] - minutes

Question Text: How much time did you spend using active ways to get to places [Tuesday]? Enter the number of minutes.

Universe: PAY_15C < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 055	550	1,540,000	4.7
Valid skip		996	5,250	31,366,500	95.3
Not stated		999	0	15,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15D **Length:** 2.0 **Position:** 1351

Question Name:

Concept: Time spent on active ways to get to places - [Wednesday] - hours

Question Text: How much time did you spend using active ways to get to places [Wednesday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	550	1,548,500	4.7
Valid skip		96	5,250	31,366,500	95.3
Don't know		97	0	1,000	0.0
Not stated		99	0	5,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15DN **Length:** 3.0 **Position:** 1353

Question Name:

Concept: Time spent on active ways to get to places - [Wednesday] - minutes

Question Text: How much time did you spend using active ways to get to places [Wednesday]? Enter the number of minutes.

Universe: PAY_15D < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,548,500	4.7
Valid skip	996	5,250	31,366,500	95.3
Not stated	999	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15E **Length:** 2.0 **Position:** 1356

Question Name:

Concept: Time spent on active ways to get to places - [Thursday] - hours

Question Text: How much time did you spend using active ways to get to places [Thursday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	550	1,545,500	4.7
Valid skip	96	5,250	31,366,500	95.3
Don’t know	97	0	4,500	0.0
Not stated	99	0	5,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15EN **Length:** 3.0 **Position:** 1358

Question Name:

Concept: Time spent on active ways to get to places - [Thursday] - minutes

Question Text: How much time did you spend using active ways to get to places [Thursday]? Enter the number of minutes.

Universe: PAY_15E < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 055	550	1,545,500	4.7
Valid skip		996	5,250	31,366,500	95.3
Not stated		999	0	9,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15F **Length:** 2.0 **Position:** 1361

Question Name:

Concept: Time spent on active ways to get to places - [Friday] - hours

Question Text: How much time did you spend using active ways to get to places [Friday]? - Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 12	550	1,538,000	4.7
Valid skip		96	5,250	31,366,500	95.3
Don't know		97	0	12,000	0.0
Not stated		99	0	5,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15FN **Length:** 3.0 **Position:** 1363

Question Name:

Concept: Time spent on active ways to get to places - [Friday] - minutes

Question Text: How much time did you spend using active ways to get to places [Friday]? Enter the number of minutes.

Universe: PAY_15F < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 055	550	1,538,000	4.7
Valid skip		996	5,250	31,366,500	95.3
Not stated		999	0	17,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAY_15G **Length:** 2.0 **Position:** 1366

Question Name:

Concept: Time spent on active ways to get to places - [Saturday] - hours

Question Text: How much time did you spend using active ways to get to places [Saturday]? Enter the number of hours.

Universe: PAY_10 = 1

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	550	1,536,500	4.7
Valid skip	96	5,250	31,366,500	95.3
Don't know	97	0	13,500	0.0
Not stated	99	0	5,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_15GN **Length:** 3.0 **Position:** 1368

Question Name:

Concept: Time spent on active ways to get to places - [Saturday] - minutes

Question Text: How much time did you spend using active ways to get to places [Saturday]? Enter the number of minutes.

Universe: PAY_15G < 24

Note: The day of the week was re-coded during processing, based on the day of the interview.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 055	550	1,536,500	4.7
Valid skip	996	5,250	31,366,500	95.3
Not stated	999	0	18,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV1 **Length:** 4.0 **Position:** 1371

Question Name:

Concept: Time of active transportation (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	800	2,229,500	6.8
Valid skip	9996	4,950	30,670,000	93.2

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9999	0	21,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV2 **Length:** 4.0 **Position:** 1375

Question Name:

Concept: Time of active transportation (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0360	850	2,241,000	6.8
Valid skip		9996	4,950	30,670,000	93.2
Not stated		9999	0	10,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV3 **Length:** 4.0 **Position:** 1379

Question Name:

Concept: Time of active transportation (minutes) - Tuesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0420	850	2,236,500	6.8
Valid skip		9996	4,950	30,670,000	93.2
Not stated		9999	0	15,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV4 **Length:** 4.0 **Position:** 1383

Question Name:

Concept: Time of active transportation (minutes) - Wednesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	850	2,245,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV5 **Length:** 4.0 **Position:** 1387

Question Name:

Concept: Time of active transportation (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	850	2,241,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV6 **Length:** 4.0 **Position:** 1391

Question Name:

Concept: Time of active transportation (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0720	850	2,234,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	17,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAYDTRV7 **Length:** 4.0 **Position:** 1395

Totals may not add up due to rounding.

Question Name:

Concept: Time of active transportation (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	850	2,232,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	18,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAYDTRVL **Length:** 5.0 **Position:** 1399

Question Name:

Concept: Total minutes of active transportation per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02580	800	2,201,500	6.7
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	0	50,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: PAY_25 **Length:** 1.0 **Position:** 1404

Question Name: PAY_Q025

Concept: Physical activities at school/day camp - last week

Question Text: In the last seven days, did you do sports, fitness or recreational physical activities while at [school or day camp, including during physical education classes, during your breaks and any other time you played indoors or outdoors/school, including during physical education classes, during your breaks and any other time you played indoors or outdoors/day camp, including any time you played indoors or outdoors]?

Universe: PAY_05A = 1 or PAY_05B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,477,500	4.5
No	2	150	389,500	1.2
Valid skip	6	5,100	31,050,000	94.3
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_30 **Length:** 1.0 **Position:** 1405

Question Name: PAY_Q030

Concept: Physical activities at school/day camp - sweat and breathe harder

Question Text: Did any of these activities make you sweat at least a little and breathe harder?

Universe: PAY_25 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	500	1,305,000	4.0
No	2	50	172,500	0.5
Valid skip	6	5,250	31,440,000	95.5
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35A **Length:** 2.0 **Position:** 1406

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,300	31,612,000	96.0
Not stated	99	500	1,309,500	4.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35AN **Length:** 3.0 **Position:** 1408

Question Name:

Totals may not add up due to rounding.

Concept: Activities school/day camp - sweat/breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_35A < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	996	5,300	31,612,000	96.0
Not stated	999	500	1,309,500	4.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35B **Length:** 2.0 **Position:** 1411

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	500	1,302,000	4.0
Valid skip	96	5,300	31,612,000	96.0
Don't know	97	0	3,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35BN **Length:** 3.0 **Position:** 1413

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Monday] Enter the number of minutes.

Universe: PAY_35B < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 075	500	1,302,000	4.0
Valid skip		996	5,300	31,612,000	96.0
Not stated		999	0	7,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_35C **Length:** 2.0 **Position:** 1416

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 09	500	1,305,000	4.0
Valid skip		96	5,300	31,612,000	96.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_35CN **Length:** 3.0 **Position:** 1418

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_35C < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 090	500	1,305,000	4.0
Valid skip		996	5,300	31,612,000	96.0
Not stated		999	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_35D **Length:** 2.0 **Position:** 1421

Totals may not add up due to rounding.

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Wed.] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	500	1,304,500	4.0
Valid skip	96	5,300	31,612,000	96.0
Don't know	97	0	500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35DN **Length:** 3.0 **Position:** 1423

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Wed.] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_35D < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 105	500	1,304,500	4.0
Valid skip	996	5,300	31,612,000	96.0
Not stated	999	0	5,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35E **Length:** 2.0 **Position:** 1426

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 09	500	1,303,500	4.0
Valid skip		96	5,300	31,612,000	96.0
Don't know		97	0	1,500	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_35EN **Length:** 3.0 **Position:** 1428

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Thursday]-minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Thursday]?Enter the number of minutes.

Universe: PAY_35E < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 095	500	1,303,500	4.0
Valid skip		996	5,300	31,612,000	96.0
Not stated		999	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_35F **Length:** 2.0 **Position:** 1431

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	500	1,301,000	4.0
Valid skip		96	5,300	31,612,000	96.0
Don't know		97	0	4,500	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: PAY_35FN **Length:** 3.0 **Position:** 1433

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_35F < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 075	500	1,298,000	3.9
Valid skip	996	5,300	31,612,000	96.0
Don't know	997	0	3,000	0.0
Not stated	999	0	8,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35G **Length:** 2.0 **Position:** 1436

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_30 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,300	31,612,000	96.0
Not stated	99	500	1,309,500	4.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_35GN **Length:** 3.0 **Position:** 1438

Question Name:

Concept: Activities school/day camp - sweat/breathe harder - [Saturday]-minutes

Question Text: How much time did you spend doing these activities at [school or day camp/ school/ day camp] that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_35G < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		996	5,300	31,612,000	96.0
Not stated		999	500	1,309,500	4.0
	Total		5,800	32,921,500	100.0

Variable Name: PAYDSCH2 **Length:** 4.0 **Position:** 1441

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Monday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0540	700	1,864,000	5.7
Valid skip		9996	5,100	31,050,000	94.3
Not stated		9999	0	7,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAYDSCH3 **Length:** 4.0 **Position:** 1445

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Tuesday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		0000 - 0540	700	1,867,000	5.7
Valid skip		9996	5,100	31,050,000	94.3
Not stated		9999	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAYDSCH4 **Length:** 4.0 **Position:** 1449

Question Name:

Totals may not add up due to rounding.

Concept: Time of physical activity at school/day camp (minutes)-Wednesday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	700	1,866,500	5.7
Valid skip	9996	5,100	31,050,000	94.3
Not stated	9999	0	5,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDSCH5 **Length:** 4.0 **Position:** 1453

Question Name:

Concept: Time of physical activity at school/day camp (minutes)-Thursday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	700	1,865,500	5.7
Valid skip	9996	5,100	31,050,000	94.3
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDSCH6 **Length:** 4.0 **Position:** 1457

Question Name:

Concept: Time of physical activity at school/day camp (minutes) - Friday - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	650	1,860,000	5.7
Valid skip	9996	5,100	31,050,000	94.3
Not stated	9999	0	11,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDSCHL **Length:** 5.0 **Position:** 1461

Question Name:

Concept: Total minutes of physical activity at school/day camp per week - (D)

Question Text:

Universe: PAY_05A = 1 or PAY_05B = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 01980	800	2,235,000	6.8
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	0	16,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_45 **Length:** 1.0 **Position:** 1466

Question Name: PAY_Q045

Concept: Physical activities in leisure time

Question Text: In the last seven days, did you do physical activities in your leisure time including exercising, playing an organized or non-organized sport or playing with your friends?

Universe: 11 < DHH_AGE < 18

Note: This includes exercising, playing organised or non-organised sport or playing with friends.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	1,746,500	5.3
No	2	200	500,500	1.5
Valid skip	6	4,950	30,670,000	93.2
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_50 **Length:** 1.0 **Position:** 1467

Question Name: PAY_Q050

Concept: Physical activities in leisure time - sweat and breathe harder

Question Text: Did any of these leisure-time activities make you sweat at least a little and breathe harder?

Universe: PAY_45 = 1

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	1,562,000	4.7
No	2	100	184,500	0.6
Valid skip	6	5,150	31,171,000	94.7
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55A **Length:** 2.0 **Position:** 1468

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,550,500	4.7
Valid skip	96	5,200	31,355,500	95.2
Don’t know	97	0	11,000	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55AN **Length:** 3.0 **Position:** 1470

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_55A < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,550,500	4.7
Valid skip	996	5,200	31,355,500	95.2
Not stated	999	0	15,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55B **Length:** 2.0 **Position:** 1473

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,555,000	4.7
Valid skip	96	5,200	31,355,500	95.2
Don't know	97	0	7,000	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55BN **Length:** 3.0 **Position:** 1475

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

Universe: PAY_55B < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 055	550	1,555,000	4.7
Valid skip	996	5,200	31,355,500	95.2
Not stated	999	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55C **Length:** 2.0 **Position:** 1478

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	550	1,555,000	4.7
Valid skip		96	5,200	31,355,500	95.2
Don't know		97	0	7,000	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55CN **Length:** 3.0 **Position:** 1480

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_55C < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 090	550	1,555,000	4.7
Valid skip		996	5,200	31,355,500	95.2
Not stated		999	0	11,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55D **Length:** 2.0 **Position:** 1483

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Wednesday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 07	550	1,559,000	4.7
Valid skip		96	5,200	31,355,500	95.2
Don't know		97	0	3,000	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55DN **Length:** 3.0 **Position:** 1485

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_55D < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 080	550	1,559,000	4.7
Valid skip	996	5,200	31,355,500	95.2
Not stated	999	0	7,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55E **Length:** 2.0 **Position:** 1488

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	550	1,551,000	4.7
Valid skip	96	5,200	31,355,500	95.2
Don’t know	97	0	10,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55EN **Length:** 3.0 **Position:** 1490

Question Name:

Concept: Leisure-time activities- sweat/breathe harder - [Thursday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

Universe: PAY_55E < 24

Note:

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 080	550	1,551,000	4.7
Valid skip		996	5,200	31,355,500	95.2
Not stated		999	0	15,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55F **Length:** 2.0 **Position:** 1493

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	550	1,546,500	4.7
Valid skip		96	5,200	31,355,500	95.2
Don't know		97	0	15,500	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55FN **Length:** 3.0 **Position:** 1495

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_55F < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 090	550	1,543,500	4.7
Valid skip		996	5,200	31,355,500	95.2
Don't know		997	0	3,000	0.0
Not stated		999	0	20,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: PAY_55G **Length:** 2.0 **Position:** 1498

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_50 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 10	550	1,560,000	4.7
Valid skip	96	5,200	31,355,500	95.2
Don't know	97	0	2,000	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_55GN **Length:** 3.0 **Position:** 1500

Question Name:

Concept: Leisure-time activities - sweat/breathe harder - [Saturday] - minutes

Question Text: How much time did you spend doing these leisure-time activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_55G < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	550	1,560,000	4.7
Valid skip	996	5,200	31,355,500	95.2
Not stated	999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC1 **Length:** 4.0 **Position:** 1503

Question Name:

Concept: Time of recreational physical activity (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	850	2,236,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	15,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC2 **Length:** 4.0 **Position:** 1507

Question Name:

Concept: Time of recreational physical activity (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	850	2,240,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC3 **Length:** 4.0 **Position:** 1511

Question Name:

Concept: Time of recreational physical activity (minutes) - Tuesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	850	2,240,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	11,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC4 **Length:** 4.0 **Position:** 1515

Question Name:

Concept: Time of recreational physical activity (minutes) - Wednesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0420	850	2,244,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	7,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC5 **Length:** 4.0 **Position:** 1519

Question Name:

Concept: Time of recreational physical activity (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0375	800	2,236,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	15,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC6 **Length:** 4.0 **Position:** 1523

Question Name:

Concept: Time of recreational physical activity (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	800	2,228,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	22,500	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: PAYDREC7 **Length:** 4.0 **Position:** 1527

Question Name:

Concept: Time of recreational physical activity (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0600	850	2,245,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDREC **Length:** 5.0 **Position:** 1531

Question Name:

Concept: Total minutes of recreational physical activity per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02520	800	2,205,500	6.7
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	0	45,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_65 **Length:** 1.0 **Position:** 1536

Question Name: PAY_Q065

Concept: Other physical activities - last week

Question Text: In the last seven days, did you do any other physical activities [that you have not already reported/actvities] for example, while you [were doing paid or unpaud work or/were] helping your family with chores?

Universe: 11 < DHH_AGE < 18

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	400	1,062,000	3.2
No		2	450	1,185,000	3.6
Valid skip		6	4,950	30,670,000	93.2
Not stated		9	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_70 **Length:** 1.0 **Position:** 1537

Question Name: PAY_Q070

Concept: Other physical activities - sweat and breathe harder

Question Text: Did any of these other physical activities make you sweat at least a little and breathe harder?

Universe: PAY_65 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	476,500	1.4
No		2	200	586,000	1.8
Valid skip		6	5,400	31,855,000	96.8
Not stated		9	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_75A **Length:** 2.0 **Position:** 1538

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Sunday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	150	476,500	1.4
Valid skip		96	5,650	32,441,000	98.5
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_75AN **Length:** 3.0 **Position:** 1540

Totals may not add up due to rounding.

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Sunday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Sunday]? Enter the number of minutes.

Universe: PAY_75A < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	150	476,500	1.4
Valid skip	996	5,650	32,441,000	98.5
Not stated	999	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75B **Length:** 2.0 **Position:** 1543

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Monday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	150	475,000	1.4
Valid skip	96	5,650	32,441,000	98.5
Don’t know	97	0	1,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75BN **Length:** 3.0 **Position:** 1545

Question Name:

Concept: Other physical act. sweat and breathe harder - [Monday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Monday]? Enter the number of minutes.

Universe: PAY_75B < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	150	475,000	1.4
Valid skip		996	5,650	32,441,000	98.5
Not stated		999	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_75C **Length:** 2.0 **Position:** 1548

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Tuesday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 09	150	475,000	1.4
Valid skip		96	5,650	32,441,000	98.5
Don't know		97	0	1,500	0.0
Not stated		99	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_75CN **Length:** 3.0 **Position:** 1550

Question Name:

Concept: Other physical act. - sweat and breath harder - [Tuesday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Tuesday]? Enter the number of minutes.

Universe: PAY_75C < 24

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 045	150	475,000	1.4
Valid skip		996	5,650	32,441,000	98.5
Not stated		999	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: PAY_75D **Length:** 2.0 **Position:** 1553

Question Name:

Totals may not add up due to rounding.

Concept: Other physical act. - sweat and breathe harder - [Wednesday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	150	472,500	1.4
Valid skip	96	5,650	32,441,000	98.5
Don't know	97	0	4,000	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75DN **Length:** 3.0 **Position:** 1555

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Wednesday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Wednesday]? Enter the number of minutes.

Universe: PAY_75D < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	150	472,500	1.4
Valid skip	996	5,650	32,441,000	98.5
Not stated	999	0	8,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75E **Length:** 2.0 **Position:** 1558

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Thursday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	150	475,000	1.4
Valid skip	96	5,650	32,441,000	98.5
Don't know	97	0	1,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75EN **Length:** 3.0 **Position:** 1560

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Thursday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Thursday]? Enter the number of minutes.

Universe: PAY_75E < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	150	475,000	1.4
Valid skip	996	5,650	32,441,000	98.5
Not stated	999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75F **Length:** 2.0 **Position:** 1563

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Friday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 09	150	475,000	1.4
Valid skip	96	5,650	32,441,000	98.5
Don't know	97	0	1,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75FN **Length:** 3.0 **Position:** 1565

Totals may not add up due to rounding.

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Friday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Friday]? Enter the number of minutes.

Universe: PAY_75F < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	150	475,000	1.4
Valid skip	996	5,650	32,441,000	98.5
Not stated	999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75G **Length:** 2.0 **Position:** 1568

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Saturday] - hours

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of hours.

Universe: PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 08	150	475,000	1.4
Valid skip	96	5,650	32,441,000	98.5
Don’t know	97	0	1,500	0.0
Not stated	99	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_75GN **Length:** 3.0 **Position:** 1570

Question Name:

Concept: Other physical act. - sweat and breathe harder - [Saturday] - minutes

Question Text: How much time did you spend doing these other physical activities that made you sweat at least a little and breathe harder [Saturday]? Enter the number of minutes.

Universe: PAY_75G < 24

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	150	475,000	1.4
Valid skip	996	5,650	32,441,000	98.5
Not stated	999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH1 **Length:** 4.0 **Position:** 1573

Question Name:

Concept: Time of other physical activities (minutes) - Sunday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0360	850	2,247,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH2 **Length:** 4.0 **Position:** 1577

Question Name:

Concept: Time of other physical activities (minutes) - Monday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	850	2,245,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH3 **Length:** 4.0 **Position:** 1581

Question Name:

Concept: Time of other physical activities (minutes) - Tuesday - (D)

Totals may not add up due to rounding.

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	850	2,245,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH4 **Length:** 4.0 **Position:** 1585

Question Name:

Concept: Time of other physical activities (minutes) - Wednesday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	850	2,243,000	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	8,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH5 **Length:** 4.0 **Position:** 1589

Question Name:

Concept: Time of other physical activities (minutes) - Thursday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	850	2,245,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH6 **Length:** 4.0 **Position:** 1593

Question Name:

Concept: Time of other physical activities (minutes) - Friday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0540	850	2,245,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH7 **Length:** 4.0 **Position:** 1597

Question Name:

Concept: Time of other physical activities (minutes) - Saturday - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 0480	850	2,245,500	6.8
Valid skip	9996	4,950	30,670,000	93.2
Not stated	9999	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDOTH **Length:** 5.0 **Position:** 1601

Question Name:

Concept: Total minutes of other physical activities per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 02700	850	2,243,000	6.8
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	0	8,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAYDTOT **Length:** 5.0 **Position:** 1606

Question Name:

Concept: Total minutes of physical activity from all domains per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 03780	800	2,160,500	6.6
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	50	91,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: PAY_90 **Length:** 1.0 **Position:** 1611

Question Name: PAY_Q090

Concept: Vigorous intensity physical activities

Question Text: You have reported a total of [total time] minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused you to be out of breath?

Universe: PAY_10 = 1 or PAY_30 = 1 or PAY_50 = 1 or PAY_70 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	1,209,000	3.7
No	2	350	906,500	2.8
Valid skip	6	5,000	30,770,000	93.5
Don't know	7	0	32,000	0.1
Not stated	9	0	4,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PAY_95A **Length:** 1.0 **Position:** 1612

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Monday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Monday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	562,000	1.7
No	2	250	607,500	1.8
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95B **Length:** 1.0 **Position:** 1613

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Tuesday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Tuesday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	452,000	1.4
No	2	250	717,500	2.2
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95C **Length:** 1.0 **Position:** 1614

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Wednesday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Wednesday

Universe: PAY_90 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	472,500	1.4
No	2	250	697,000	2.1
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95D **Length:** 1.0 **Position:** 1615

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Thursday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Thursday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	481,500	1.5
No	2	250	688,000	2.1
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95E **Length:** 1.0 **Position:** 1616

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Friday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Friday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	473,500	1.4
No	2	250	696,000	2.1
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95F **Length:** 1.0 **Position:** 1617

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Saturday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Saturday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	507,500	1.5
No	2	250	662,000	2.0
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_95G **Length:** 1.0 **Position:** 1618

Question Name: PAY_Q095

Concept: Vigorous intensity physical activities - Sunday

Question Text: In the last seven days, on which days did you do these vigorous activities that caused you to be out of breath? - Sunday

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	432,500	1.3
No	2	300	737,000	2.2
Valid skip	6	5,350	31,676,500	96.2
Don't know	7	0	39,500	0.1
Not stated	9	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_100 **Length:** 3.0 **Position:** 1619

Question Name: PAY_Q100

Concept: Vigorous intensity physical activities - last week - hours

Question Text: (In the last seven days), how much time in total did you spend doing vigorous activities that caused you to be out of breath?

Totals may not add up due to rounding.

Universe: PAY_90 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	000 - 032	450	1,196,000	3.6
Valid skip	996	5,350	31,676,500	96.2
Don't know	997	0	13,000	0.0
Not stated	999	0	36,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAY_105N **Length:** 4.0 **Position:** 1622

Question Name: PAY_N105

Concept: Vigorous intensity physical activities - last week - minutes

Question Text: In the last 7 days, how much time in total did you spend doing vigorous activities that caused you to be out of breath? Enter number of minutes.

Universe: PAY_100 < 168

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	0000 - 1380	450	1,196,000	3.6
Valid skip	9996	5,350	31,676,500	96.2
Not stated	9999	0	49,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: PAYDVIG **Length:** 5.0 **Position:** 1626

Question Name:

Concept: Total minutes of vigorous intensity physical activities per week - (D)

Question Text:

Universe: 11 < DHH_AGE < 18

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	00000 - 01920	800	2,115,500	6.4
Valid skip	99996	4,950	30,670,000	93.2
Not stated	99999	50	136,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: CPA_005 **Length:** 2.0 **Position:** 1631

Question Name: CPA_Q005

Concept: Number of days physically active - past 7 days

Question Text: Over the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Universe: DHH_AGE < 12

Note: Modified categories in cycle 5 (was CPA_11 in cycle 4).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 07	1,650	3,413,000	10.4
Valid skip	96	4,150	29,474,000	89.5
Don't know	97	0	34,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: CPA_010 **Length:** 2.0 **Position:** 1633

Question Name: CPA_Q010

Concept: Number of days physically active - usual week

Question Text: Over a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

Universe: DHH_AGE < 12

Note: Modified categories in cycle 5 (was CPA_10 in cycle 4).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 07	1,650	3,434,000	10.4
Valid skip	96	4,150	29,474,000	89.5
Don't know	97	0	14,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CPA_015 **Length:** 1.0 **Position:** 1635

Question Name: CPA_Q015

Concept: Hours/week - physical activity - free time at school

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: in your free time at school, for example, at lunch?

Universe: 5 < DHH_AGE < 12

Note: Variable name changed from cycle 4 (was CPA_13).

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	50	81,000	0.2
Less than 2 hours per week	2	200	356,000	1.1
2 to less than 4 hours per week	3	400	808,000	2.5
4 to less than 7 hours per week	4	350	899,500	2.7
7 or more hours per week	5	50	106,500	0.3
Valid skip	6	4,750	30,621,500	93.0
Don't know	7	50	47,500	0.1
Refusal	8	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CPA_020 **Length:** 1.0 **Position:** 1636

Question Name: CPA_Q020

Concept: Hours/week - physical activity - class time at school

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: in your class time at school?

Universe: 5 < DHH_AGE < 12

Note: Variable name changed from cycle 4 (was CPA_14).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	0	63,500	0.2
Less than 2 hours per week	2	500	1,121,000	3.4
2 to less than 4 hours per week	3	400	855,500	2.6
4 to less than 7 hours per week	4	50	140,000	0.4
7 or more hours per week	5	0	13,500	0.0
Valid skip	6	4,750	30,621,500	93.0
Don't know	7	50	105,500	0.3
Refusal	8	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CPA_025 **Length:** 1.0 **Position:** 1637

Question Name: CPA_Q025

Concept: Hours/week - physical activity - lessons or sports

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: [outside of school] while participating in lessons, leagues, or team sports?

Universe: DHH_AGE < 12

Note: Variable name changed from cycle 4 (was CPA_15).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	600	1,339,000	4.1
Less than 2 hours per week	2	450	870,500	2.6
2 to less than 4 hours per week	3	350	750,500	2.3
4 to less than 7 hours per week	4	150	326,500	1.0
7 or more hours per week	5	50	150,500	0.5
Valid skip	6	4,150	29,474,000	89.5
Don't know	7	0	10,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: CPA_030 **Length:** 1.0 **Position:** 1638

Question Name: CPA_Q030

Concept: Hours/week - physical activity - unorganized activities

Question Text: About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual: [outside of school] while participating in unorganized activities, either on your own or with friends?

Universe: DHH_AGE < 12

Note: Variable name changed from cycle 4 (was CPA_16).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	100	244,500	0.7
Less than 2 hours per week	2	300	546,500	1.7
2 to less than 4 hours per week	3	400	890,500	2.7
4 to less than 7 hours per week	4	350	819,000	2.5
7 or more hours per week	5	500	940,500	2.9
Valid skip	6	4,150	29,474,000	89.5
Don't know	7	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: CPA_035 **Length:** 4.1 **Position:** 1639

Question Name: CPA_Q035

Concept: Hours/day - screen time

Question Text: On average, about how many hours a day do you spend watching TV, using a game console, computer, tablet or hand-held electronic device? Include time spent playing games, watching videos or movies, [and using the Internet. Include time spent on the computer with an adult or older child./doing homework, e-mailing, chatting and using the Internet.]

Universe: DHH_AGE < 12

Note: Modified in cycle 5 (was CPA_17 and CPA_18 in cycle 4.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00.0 - 24.0	1,650	3,447,500	10.5
Valid skip		99.6	4,150	29,474,000	89.5
	Total		5,800	32,921,500	100.0

Variable Name: CPADSACX **Length:** 4.1 **Position:** 1643

Question Name:

Concept: Total number of hours per day spent in sedentary activities

Question Text:

Universe: DHH_AGE < 12

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00.0 - 24.0	1,650	3,447,500	10.5
Valid skip		99.6	4,150	29,474,000	89.5
	Total		5,800	32,921,500	100.0

Variable Name: CPADTOTX **Length:** 3.0 **Position:** 1647

Question Name:

Concept: Total number of hours per week participated in physical activities

Question Text:

Universe: 5 < DHH_AGE < 12

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		000 - 028	1,000	2,160,500	6.6
Valid skip		996	4,750	30,621,500	93.0
Not stated		999	50	139,500	0.4
	Total		5,800	32,921,500	100.0

Variable Name: TSD_05 **Length:** 1.0 **Position:** 1650

Question Name: TSD_Q005

Concept: Went to school (including kindergarten)

Question Text: During a weekday, did you go to school (including kindergarten)?

Universe: DHH_AGE < 7

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	777,000	2.4
No	2	400	708,500	2.2
Valid skip	6	5,050	31,435,000	95.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_10A **Length:** 1.0 **Position:** 1651

Question Name: TSD_Q010A

Concept: Weekday - Before or after school care at school

Question Text: During a weekday, did you: receive before or after school care at the school?

Universe: TSD_05 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	195,000	0.6
No	2	250	582,000	1.8
Valid skip	6	5,400	32,143,500	97.6
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_10B **Length:** 1.0 **Position:** 1652

Question Name: TSD_Q010B

Concept: Weekday - daycare centre

Question Text: During a weekday, did you: go to a daycare centre?

Universe: DHH_AGE < 7

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	433,500	1.3
No	2	500	1,052,500	3.2
Valid skip	6	5,050	31,435,000	95.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_10C **Length:** 1.0 **Position:** 1653

Question Name: TSD_Q010C

Concept: Weekday - Daycare in someone else's home

Question Text: (During a weekday, did you:)
receive daycare in someone else's home?

Universe: DHH_AGE < 7

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	238,000	0.7
No	2	650	1,248,000	3.8
Valid skip	6	5,050	31,435,000	95.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_10D **Length:** 1.0 **Position:** 1654

Question Name: TSD_Q010D

Concept: Weekday - Nursery school or preschool

Question Text: (During a weekday, did you:) go to nursery school or preschool?

Universe: TSD_05 = 2

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	119,000	0.4
No	2	350	589,000	1.8
Valid skip	6	5,400	32,212,000	97.8
Not stated	9	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_10E **Length:** 1.0 **Position:** 1655

Question Name: TSD_Q010E

Concept: Weekday - Stayed home with parent/guardian/caregiver/relative

Question Text: (During a weekday, did you:)
stay at home with a parent, guardian, caregiver or relative?

Universe: DHH_AGE < 7

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	450	841,500	2.6
No	2	300	644,000	2.0
Valid skip	6	5,050	31,435,000	95.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_10F **Length:** 1.0 **Position:** 1656

Question Name: TSD_Q010F

Concept: Weekday - Any other type of childcare

Question Text: (During a weekday, did you:)
receive any other type of childcare (e.g., go to day camp)?

Universe: DHH_AGE < 7

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	56,500	0.2
No	2	750	1,429,500	4.3
Valid skip	6	5,050	31,435,000	95.5
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_15 **Length:** 1.0 **Position:** 1657

Question Name: TSD_Q015

Concept: Grade at school

Question Text: What grade are you in at school?

Universe: TSD_05 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Junior or senior kindergarten	1	250	527,000	1.6
Grade 1 or higher	2	100	250,500	0.8
Valid skip	6	5,400	32,143,500	97.6
Not stated	9	0	500	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: TSD_20 **Length:** 2.0 **Position:** 1658

Question Name: TSD_Q020

Concept: Days attended kindergarten - Last seven days

Question Text: In the last seven days, that is from last week to yesterday, on how many days did you attend kindergarten?

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	01 - 06	250	527,000	1.6
Valid skip	96	5,500	32,394,000	98.4
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_25A **Length:** 2.0 **Position:** 1660

Question Name:

Concept: Time spent outdoors in the morning - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: in the morning? (hours)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 02	250	501,500	1.5
Valid skip	96	5,500	32,394,000	98.4
Don’t know	97	0	25,500	0.1
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_25AN **Length:** 3.0 **Position:** 1662

Question Name:

Concept: Time spent outdoors in the morning - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: in the morning? (minutes)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	250	501,500	1.5
Valid skip		996	5,500	32,394,000	98.4
Not stated		999	0	26,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TSD_25B **Length:** 2.0 **Position:** 1665

Question Name:

Concept: Time spent outdoors - noon to 3pm - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: from noon until 3 in the afternoon? (hours)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 02	250	491,500	1.5
Valid skip		96	5,500	32,394,000	98.4
Don’t know		97	0	35,500	0.1
Not stated		99	0	500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_25BN **Length:** 3.0 **Position:** 1667

Question Name:

Concept: Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 055	250	491,500	1.5
Valid skip		996	5,500	32,394,000	98.4
Not stated		999	0	36,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TSD_25C **Length:** 2.0 **Position:** 1670

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)

Question Text: On an average kindergarten day, how much time did you spend outside: from 3 p.m. until dinner? (hours)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	250	511,500	1.6
Valid skip	96	5,500	32,394,000	98.4
Don't know	97	0	15,500	0.0
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_25CN **Length:** 3.0 **Position:** 1672

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)

Question Text: On an average kindergarten day, how much time did you spend outside: from 3 p.m. until dinner? (minutes)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	250	511,500	1.6
Valid skip	996	5,500	32,394,000	98.4
Not stated	999	0	16,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_25D **Length:** 2.0 **Position:** 1675

Question Name:

Concept: Time spent outdoors after dinner - Kindergarten day (hours)

Question Text: On an average kindergarten day, how much time did you spend outside: after dinner? (hours)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	250	526,500	1.6
Valid skip	96	5,500	32,394,000	98.4
Don't know	97	0	500	0.0
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_25DN **Length:** 3.0 **Position:** 1677

Question Name:

Concept: Time spent outdoors after dinner - Kindergarten day (minutes)

Question Text: On an average kindergarten day, how much time did you spend outside: after dinner? (minutes)

Universe: TSD_15 = 1

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	250	526,500	1.6
Valid skip	996	5,500	32,394,000	98.4
Not stated	999	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_30A **Length:** 2.0 **Position:** 1680

Question Name:

Concept: Time spent outdoors in the morning - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the week-days when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: in the morning? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 04	100	199,000	0.6
Valid skip	96	5,700	32,721,500	99.4
Don't know	97	0	500	0.0
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_30AN **Length:** 3.0 **Position:** 1682

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors in the morning - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: in the morning? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	100	199,000	0.6
Valid skip	996	5,700	32,721,500	99.4
Not stated	999	0	1,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_30B **Length:** 2.0 **Position:** 1685

Question Name:

Concept: Time spent outdoors from noon until 3pm - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from noon until 3 in the afternoon? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	100	194,500	0.6
Valid skip	96	5,700	32,721,500	99.4
Don't know	97	0	5,000	0.0
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_30BN **Length:** 3.0 **Position:** 1687

Question Name:

Concept: Time spent outdoors from noon until 3pm - No kindergarten(minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 045	100	194,500	0.6
Valid skip		996	5,700	32,721,500	99.4
Not stated		999	0	5,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_30C **Length:** 2.0 **Position:** 1690

Question Name:

Concept: Time spent outdoors from 3pm until dinner - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from 3 until dinner? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 03	100	195,500	0.6
Valid skip		96	5,700	32,721,500	99.4
Don’t know		97	0	4,000	0.0
Not stated		99	0	500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_30CN **Length:** 3.0 **Position:** 1692

Question Name:

Concept: Time spent outdoors from 3pm until dinner - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: from 3 until dinner? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 030	100	195,500	0.6
Valid skip		996	5,700	32,721,500	99.4
Not stated		999	0	4,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_30D **Length:** 2.0 **Position:** 1695

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors after dinner - No kindergarten (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Repondent name] did not attend kindergarten. On average, how much time did you spend outside: after dinner? (hours)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 02	100	199,500	0.6
Valid skip	96	5,700	32,721,500	99.4
Not stated	99	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_30DN **Length:** 3.0 **Position:** 1697

Question Name:

Concept: Time spent outdoors after dinner - No kindergarten (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend kindergarten. On average, how much time did you spend outside: after dinner? (minutes)

Universe: TSD_15= 1 and TSD_20 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 030	100	199,500	0.6
Valid skip	996	5,700	32,721,500	99.4
Not stated	999	0	500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_35 **Length:** 2.0 **Position:** 1700

Question Name: TSD_Q035

Concept: Days attended school - Last seven days

Question Text: In the last seven days, how many days did you attend school?

Universe: (6 < DHH_AGE < 18) or TSD_15 = 2

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of days	00 - 06	1,850	4,461,000	13.6
Valid skip	96	3,950	28,458,000	86.4
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40A **Length:** 2.0 **Position:** 1702

Question Name:

Concept: Time spend outdoors before school (hours)

Question Text: On an average school day, how much time did you spend outside before school starts? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 04	1,500	3,689,500	11.2
Valid skip	96	4,250	29,217,500	88.7
Don’t know	97	0	12,000	0.0
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40AN **Length:** 3.0 **Position:** 1704

Question Name:

Concept: Time spent outdoors before school (minutes)

Question Text: On an average school day, how much time did you spend outside before school starts? (minutes)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 120	1,500	3,689,500	11.2
Valid skip	996	4,250	29,217,500	88.7
Not stated	999	0	14,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40B **Length:** 2.0 **Position:** 1707

Question Name:

Totals may not add up due to rounding.

Concept: Time spend outdoors during school hours (hours)

Question Text: On an average school day, how much time did you spend outside during school hours? (hours)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	3,619,000	11.0
Valid skip	96	4,250	29,217,500	88.7
Don't know	97	50	83,000	0.3
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40BN **Length:** 3.0 **Position:** 1709

Question Name:

Concept: Time spend outdoors during school hours (minutes)

Question Text: On an average school day, how much time did you spend outside during school hours? (minutes)

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 160	1,500	3,619,000	11.0
Valid skip	996	4,250	29,217,500	88.7
Not stated	999	50	85,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: TSD_40C **Length:** 2.0 **Position:** 1712

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - School day (hours)

Question Text: On an average school, how much time did you spend outside (after school ends): from 3 p.m. until dinner? (hours).

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	3,686,000	11.2
Valid skip	96	4,250	29,217,500	88.7
Don't know	97	0	16,000	0.0
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40CN **Length:** 3.0 **Position:** 1714

Question Name:

Concept: Time spent outdoors from 3 p.m. until dinner - School day (minutes)

Question Text: On an average school, how much time did you spend outside (after school ends): from 3 p.m. until dinner? (minutes).

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	1,500	3,686,000	11.2
Valid skip	996	4,250	29,217,500	88.7
Not stated	999	0	18,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TSD_40D **Length:** 2.0 **Position:** 1717

Question Name:

Concept: Time spent outdoors after dinner - School day (hours)

Question Text: On an average school, how much time did you spend outside after dinner? (hours).

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 07	1,500	3,676,000	11.2
Valid skip	96	4,250	29,217,500	88.7
Don't know	97	0	26,000	0.1
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_40DN **Length:** 3.0 **Position:** 1719

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors after dinner - School day (minutes)

Question Text: On an average school, how much time did you spend outside after dinner? (minutes).

Universe: TSD_35 = (1, 2, 3, 4, 5, 6, 7)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	1,500	3,676,000	11.2
Valid skip	996	4,250	29,217,500	88.7
Not stated	999	0	28,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: TSD_45A **Length:** 2.0 **Position:** 1722

Question Name:

Concept: Time spent outdoors in the morning - Did not attend school (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: in the morning? (hours).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	500	1,121,000	3.4
Valid skip	96	5,300	31,744,000	96.4
Don't know	97	0	54,000	0.2
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_45AN **Length:** 3.0 **Position:** 1724

Question Name:

Concept: Time spent outdoors in the morning - Did not attend school (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: in the morning? (minutes).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 075	500	1,121,000	3.4
Valid skip		996	5,300	31,744,000	96.4
Not stated		999	0	56,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: TSD_45B **Length:** 2.0 **Position:** 1727

Question Name:

Concept: Time spent outdoors from noon until 3 pm - Did not attend school (hrs)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Responent name] did not attend school. On average, how much time did you spend outside: from noon until 3 in the afternoon? (hours).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 03	500	1,122,500	3.4
Valid skip		96	5,300	31,744,000	96.4
Don't know		97	0	53,000	0.2
Not stated		99	0	2,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_45BN **Length:** 3.0 **Position:** 1729

Question Name:

Concept: Time spent outdoors from noon until 3pm -Did not attend school (min)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from noon until 3 in the afternoon? (minutes)

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	500	1,122,500	3.4
Valid skip		996	5,300	31,744,000	96.4
Not stated		999	0	55,500	0.2
	Total		5,800	32,921,500	100.0

Variable Name: TSD_45C **Length:** 2.0 **Position:** 1732

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors from 3 until dinner - Did not attend school (hrs)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from 3 until dinner? (hours).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 05	500	1,146,000	3.5
Valid skip	96	5,300	31,744,000	96.4
Don't know	97	0	29,500	0.1
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_45CN **Length:** 3.0 **Position:** 1734

Question Name:

Concept: Time spent outdoors from 3pm until dinner-Did not attend school (mins)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: from 3 until dinner? (minutes).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 060	500	1,146,000	3.5
Valid skip	996	5,300	31,744,000	96.4
Not stated	999	0	32,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TSD_45D **Length:** 2.0 **Position:** 1737

Question Name:

Concept: Time spent outdoors after dinner - Did not attend school (hours)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: after dinner? (hours).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	500	1,150,500	3.5
Valid skip		96	5,300	31,744,000	96.4
Don't know		97	0	25,000	0.1
Not stated		99	0	2,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_45DN **Length:** 3.0 **Position:** 1739

Question Name:

Concept: Time spent outdoors after dinner - Did not attend school (minutes)

Question Text: Remember that we are talking about the last seven days. Now, think about the weekdays when [Respondent name] did not attend school. On average, how much time did you spend outside: after dinner? (minutes).

Universe: TSD_35 = (1, 2, 3, 4)

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 045	500	1,150,500	3.5
Valid skip		996	5,300	31,744,000	96.4
Not stated		999	0	27,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TSD_50A **Length:** 2.0 **Position:** 1742

Question Name:

Concept: Time spent outdoors in the morning - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: in the morning? (hours)

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 06	700	1,436,000	4.4
Valid skip		96	5,100	31,451,500	95.5
Don't know		97	0	31,000	0.1
Not stated		99	0	3,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_50AN **Length:** 3.0 **Position:** 1744

Totals may not add up due to rounding.

Question Name:

Concept: Time spent outdoors in the morning - Average weekday (minutes)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: in the morning? (minutes)

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	700	1,436,000	4.4
Valid skip	996	5,100	31,451,500	95.5
Not stated	999	0	34,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TSD_50B **Length:** 2.0 **Position:** 1747

Question Name:

Concept: Time spent outdoors from noon until 3pm - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: from noon until 3pm? (hours).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 03	650	1,435,000	4.4
Valid skip	96	5,100	31,451,500	95.5
Don’t know	97	0	32,000	0.1
Not stated	99	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_50BN **Length:** 3.0 **Position:** 1749

Question Name:

Concept: Time spent outdoors from noon until 3pm - Average weekday (minutes)

Question Text: On an average weekday, how much time did you spend outside: from noon unitl 3pm? (minutes).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	650	1,435,000	4.4
Valid skip		996	5,100	31,451,500	95.5
Not stated		999	0	35,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TSD_50C **Length:** 2.0 **Position:** 1752

Question Name:

Concept: Time spent outdoors from 3pm until dinner - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: from 3 until dinner? (hours).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of hours		00 - 05	700	1,456,000	4.4
Valid skip		96	5,100	31,451,500	95.5
Don't know		97	0	11,000	0.0
Not stated		99	0	3,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_50CN **Length:** 3.0 **Position:** 1754

Question Name:

Concept: Time spent outdoors from 3pm until dinner - Average weekday (minutes)

Question Text: On average, how much time did you spend outside: from 3 until dinner? (minutes).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of minutes		000 - 050	700	1,456,000	4.4
Valid skip		996	5,100	31,451,500	95.5
Not stated		999	0	14,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TSD_50D **Length:** 2.0 **Position:** 1757

Question Name:

Totals may not add up due to rounding.

Concept: Time spent outdoors after dinner - Average weekday (hours)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: after dinner? (hours).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 06	700	1,463,000	4.4
Valid skip	96	5,100	31,451,500	95.5
Don't know	97	0	4,000	0.0
Not stated	99	0	3,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_50DN **Length:** 3.0 **Position:** 1759

Question Name:

Concept: Time spent outdoors after dinner - Average weekday (minutes)

Question Text: On an average weekday (Monday to Friday), how much time did you spend outside: after dinner? (minutes).

Universe: TSD_05 = 2 or TSD_35 = 0

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 045	700	1,463,000	4.4
Valid skip	996	5,100	31,451,500	95.5
Not stated	999	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_55 **Length:** 2.0 **Position:** 1762

Question Name:

Concept: Time spent outdoors - Average weekend day (hours)

Question Text: How much time did you spend outside per day on an average weekend day (Saturday or Sunday)? (hours)

Universe: DHH_AGE < 18

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00 - 16	2,450	5,663,500	17.2
Valid skip	96	3,300	27,222,500	82.7
Don't know	97	0	33,000	0.1
Not stated	99	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: TSD_55N **Length:** 3.0 **Position:** 1764

Question Name:

Concept: Time spent outdoors - Average weekend day (minutes)

Question Text: How much time did you spend outside per day on an average weekend day (Saturday or Sunday)? (minutes)

Universe: DHH_AGE < 18

Note: New in cycle 5 - replaces the Time Spent Outdoors (TSO) block in previous cycles

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of minutes	000 - 050	2,450	5,663,500	17.2
Valid skip	996	3,300	27,222,500	82.7
Not stated	999	0	35,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: SAC_005 **Length:** 4.1 **Position:** 1767

Question Name: SAC_Q005

Concept: Number of hours per week - reading - past 7 days

Question Text: In the last seven days, how much of your free time did you spend:
reading books, magazines or newspapers, including in electronic formats? Include time spent reading as part of your homework, but do not include time spent reading at work, during class time, while travelling in a vehicle or while exercising.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 75.0	4,150	29,468,000	89.5
Valid skip	99.6	1,650	3,447,500	10.5
Don't know	99.7	0	4,000	0.0
Not stated	99.9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: SAC_010 **Length:** 4.1 **Position:** 1771

Question Name: SAC_Q010

Concept: Number of hours per week - television/DVD/videos - past 7 days

Question Text: (In the last seven days, how much of your free time did you spend:)

watching TV, DVDs, movies or Internet videos? Do not include time spent watching while exercising.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 95.5	4,150	29,454,000	89.5
Valid skip	99.6	1,650	3,447,500	10.5
Don't know	99.7	0	18,000	0.1
Not stated	99.9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SAC_015 **Length:** 4.1 **Position:** 1775

Question Name: SAC_Q015

Concept: Number of hours per week - other types of games - past 7 days

Question Text: (In the last seven days, how much of your free time did you spend:)

playing video games that require physical activity, such as Wii® Fit, Xbox® Kinect or the game "Just Dance"?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 40.0	4,150	29,472,000	89.5
Valid skip	99.6	1,650	3,447,500	10.5
Not stated	99.9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SAC_020 **Length:** 4.1 **Position:** 1779

Question Name: SAC_Q020

Concept: Number of hours per week - play video games - past 7 days

Question Text: (In the last seven days, how much of your free time did you spend:)

playing other video or computer games? Include games played on a game console,

computer or hand-held electronic device such as a tablet or smart phone.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 72.0	4,150	29,456,000	89.5
Valid skip	99.6	1,650	3,447,500	10.5
Don't know	99.7	0	16,000	0.0
Not stated	99.9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SAC_025 **Length:** 4.1 **Position:** 1783

Question Name: SAC_Q025

Concept: Number of hours per week - on a computer - past 7 days

Question Text: In the last seven days, how much of your free time did you spend on a computer, tablet or smart phone, doing activities such as using the Internet, emailing, using Facebook® or doing homework?

Do not include time spent at work, during class time or while travelling in a vehicle.

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of hours	00.0 - 95.0	4,150	29,428,000	89.4
Valid skip	99.6	1,650	3,447,500	10.5
Don't know	99.7	0	44,000	0.1
Not stated	99.9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SACDTOT **Length:** 2.0 **Position:** 1787

Question Name:

Concept: Sedentary activity (hours per week) - categorical (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 5 hours	01	150	1,317,000	4.0
From 5 to less than 10 hours	02	400	3,140,500	9.5
From 10 to less than 15 hours	03	550	3,884,500	11.8
From 15 to less than 20 hours	04	600	4,181,500	12.7
From 20 to less than 25 hours	05	500	3,782,500	11.5
From 25 to less than 30 hours	06	400	3,160,000	9.6
From 30 to less than 35 hours	07	350	2,496,000	7.6
From 35 to less than 40 hours	08	300	2,112,500	6.4
From 40 to less than 45 hours	09	200	1,222,000	3.7
45 hours or more	10	600	4,101,000	12.5
Valid skip	96	1,650	3,447,500	10.5
Not stated	99	0	76,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SACDTOTX **Length:** 5.1 **Position:** 1789

Question Name:

Concept: Sedentary activity (hours per week) - continuous (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 168.0	4,100	29,397,500	89.3
Valid skip	999.6	1,650	3,447,500	10.5
Not stated	999.9	0	76,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SACDRCO **Length:** 5.1 **Position:** 1794

Question Name:

Concept: Sedentary activity excluding reading (hours per week) - continuous (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 155.0	4,100	29,401,500	89.3
Valid skip	999.6	1,650	3,447,500	10.5
Not stated	999.9	0	72,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SACDRCA **Length:** 2.0 **Position:** 1799

Question Name:

Concept: Sedentary activity excluding reading (hours/week) - categorical (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 5 hours	01	300	2,204,500	6.7
From 5 to less than 10 hours	02	600	4,408,500	13.4
From 10 to less than 15 hours	03	700	5,101,000	15.5
From 15 to less than 20 hours	04	500	4,059,000	12.3
From 20 to less than 25 hours	05	550	3,969,500	12.1
From 25 to less than 30 hours	06	400	2,780,000	8.4
From 30 to less than 35 hours	07	250	1,619,000	4.9
From 35 to less than 40 hours	08	250	1,615,500	4.9
From 40 to less than 45 hours	09	150	831,000	2.5
45 hours or more	10	400	2,813,000	8.5
Valid skip	96	1,650	3,447,500	10.5
Not stated	99	0	72,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: NBE_005 **Length:** 2.0 **Position:** 1801

Question Name: NBE_Q005

Concept: Type of housing - neighbourhood

Question Text: What is the main type of housing in your neighbourhood?

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Single-detached housing	01	3,950	21,779,500	66.2
Semi-detached/terrace/townhouse/apartment/condo, 2-3 storys	02	700	4,076,500	12.4
Apartments or condos of 4 to 12 storeys	03	200	1,042,000	3.2
Apartments or condos of more than 12 storeys	04	50	320,500	1.0
Mix of detached houses/semi/terrace/town/apartments/condos	05	900	5,599,500	17.0
Other - specify	06	0	86,000	0.3
Don't know	97	0	18,000	0.1
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: NBE_015 **Length:** 1.0 **Position:** 1803

Question Name: NBE_Q015

Concept: Shops, stores, markets, other places - neighbourhood

Question Text: There are many shops, stores, markets or other places to buy things within easy walking distance of your home.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,050	13,009,000	39.5
Somewhat agree	2	1,100	6,537,000	19.9
Somewhat disagree	3	650	3,495,000	10.6
Strongly disagree	4	2,050	9,876,000	30.0
Don’t know	7	0	5,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: NBE_020 **Length:** 1.0 **Position:** 1804

Question Name: NBE_Q020

Concept: Transit stop - neighbourhood

Question Text: It is less than a 15 minute walk to a transit stop (such as bus, train, subway or street car) from your home.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,850	22,873,000	69.5
Somewhat agree	2	250	1,352,000	4.1
Somewhat disagree	3	50	199,000	0.6
Strongly disagree	4	200	788,500	2.4
Not applicable - no public transportation	5	1,450	7,511,500	22.8
Don’t know	7	50	198,000	0.6
Total		5,800	32,921,500	100.0

Variable Name: NBE_025 **Length:** 1.0 **Position:** 1805

Question Name: NBE_Q025

Concept: There are sidewalks - neighbourhood

Question Text: There are sidewalks on most of the streets in your neighbourhood.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,400	21,314,500	64.7
Somewhat agree	2	600	3,027,000	9.2
Somewhat disagree	3	350	1,751,500	5.3
Strongly disagree	4	1,450	6,826,500	20.7
Don't know	7	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: NBE_030 **Length:** 1.0 **Position:** 1806

Question Name: NBE_Q030

Concept: Designated areas for biking - neighbourhood

Question Text: In or near your neighbourhood, there are designated areas for bicycling such as special bicycle lanes, separate paths or trails, shared use paths for bicycles and pedestrians.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	1,950	11,342,000	34.5
Somewhat agree	2	1,000	5,133,000	15.6
Somewhat disagree	3	450	2,875,500	8.7
Strongly disagree	4	2,300	13,122,500	39.9
Don't know	7	50	446,000	1.4
Refusal	8	0	2,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: NBE_035 **Length:** 1.0 **Position:** 1807

Question Name: NBE_Q035

Concept: Free or low cost recreation facilities - neighbourhood

Question Text: Your neighbourhood has several free or low cost recreation facilities, such as parks, walking trails, bike paths, recreation centres, playgrounds, public swimming pools, etc.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,250	18,445,000	56.0
Somewhat agree	2	1,300	7,859,500	23.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Somewhat disagree	3	350	2,029,500	6.2
Strongly disagree	4	850	4,320,000	13.1
Don't know	7	50	267,000	0.8
Total		5,800	32,921,500	100.0

Variable Name: NBE_040 **Length:** 1.0 **Position:** 1808

Question Name: NBE_Q040

Concept: Crime rate - neighbourhood

Question Text: The crime rate in your neighbourhood makes it unsafe to go on walks at night.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	150	976,000	3.0
Somewhat agree	2	400	2,435,500	7.4
Somewhat disagree	3	800	4,669,000	14.2
Strongly disagree	4	4,350	24,304,000	73.8
Don't know	7	100	537,500	1.6
Total		5,800	32,921,500	100.0

Variable Name: NBE_045 **Length:** 1.0 **Position:** 1809

Question Name: NBE_Q045

Concept: Many interesting things to look at - neighbourhood

Question Text: There are many interesting things to look at while walking in your neighbourhood.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,200	12,230,500	37.1
Somewhat agree	2	1,950	11,009,000	33.4
Somewhat disagree	3	950	5,331,500	16.2
Strongly disagree	4	650	4,179,500	12.7
Don't know	7	0	171,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: NBE_050 **Length:** 1.0 **Position:** 1810

Question Name: NBE_Q050

Concept: Sidewalks are well maintained - neighbourhood

Question Text: The sidewalks in your neighbourhood are well maintained (paved, with few cracks) and not obstructed.

Universe: NBE_025 < 4

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,500	14,604,000	44.4
Somewhat agree	2	1,200	7,624,000	23.2
Somewhat disagree	3	400	2,560,000	7.8
Strongly disagree	4	200	1,187,500	3.6
Valid skip	6	1,450	6,826,500	20.7
Don't know	7	0	117,500	0.4
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: NBE_055 **Length:** 1.0 **Position:** 1811

Question Name: NBE_Q055

Concept: Traffic makes it unpleasant to walk - neighbourhood

Question Text: There is so much traffic on the streets that it makes it difficult or unpleasant to walk in your neighbourhood.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	350	1,510,500	4.6
Somewhat agree	2	750	4,298,500	13.1
Somewhat disagree	3	1,150	6,526,500	19.8
Strongly disagree	4	3,550	20,574,000	62.5
Don't know	7	0	12,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: NBE_060 **Length:** 1.0 **Position:** 1812

Question Name: NBE_Q060

Concept: Traffic makes it unpleasant to bike - neighbourhood

Question Text: There is so much traffic on the streets that it makes it difficult or unpleasant to ride a bicycle in your neighbourhood.

Universe: All respondents

Totals may not add up due to rounding.

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	500	2,277,500	6.9
Somewhat agree	2	850	4,785,500	14.5
Somewhat disagree	3	1,150	6,869,500	20.9
Strongly disagree	4	3,250	18,520,000	56.3
Don't know	7	50	469,000	1.4
Total		5,800	32,921,500	100.0

Variable Name: NBE_070 **Length:** 1.0 **Position:** 1813

Question Name: NBE_Q070

Concept: Driver's licence

Question Text: Do you have a valid driver's licence? (Do not include a learner's licence where the driver must be accompanied by someone who has a valid driver's licence.)

Universe: DHH_AGE > 17

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,950	24,441,500	74.2
No	2	350	2,781,000	8.4
Valid skip	6	2,500	5,699,000	17.3
Total		5,800	32,921,500	100.0

Variable Name: NBE_075 **Length:** 1.0 **Position:** 1814

Question Name: NBE_Q075

Concept: Vehicle at disposal

Question Text: In the last seven days, did you have a vehicle at your disposal?

Universe: NBE_070 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,850	23,058,500	70.0
No	2	150	1,383,000	4.2
Valid skip	6	2,800	8,480,000	25.8
Total		5,800	32,921,500	100.0

Variable Name: TOX_005 **Length:** 1.0 **Position:** 1815

Question Name: TOX_Q005

Concept: Cats in dwelling - past 12 months

Question Text: In the past 12 months, have any cats lived in your dwelling?

Universe: All respondents

Note: New in cycle 5

In households with two selected respondents this question was asked only to the first respondent to receive the Toxoplasmosis block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,700	8,103,000	24.6
No	2	4,050	24,743,500	75.2
Valid skip	6	0	74,000	0.2
Don't know	7	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_010 **Length:** 2.0 **Position:** 1816

Question Name: TOX_Q010

Concept: Number of cats in dwelling - past 12 months

Question Text: In the past 12 months, what is the maximum number of cats that lived in your dwelling at a given time?

Universe: TOX_005 = 1

Note: New in cycle 5

In households with two selected respondents this question was asked only to the first respondent to receive the Toxoplasmosis block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cats	01 - 18	1,700	8,098,000	24.6
Valid skip	96	4,100	24,817,500	75.4
Don't know	97	0	5,000	0.0
Not stated	99	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_015 **Length:** 1.0 **Position:** 1818

Question Name: TOX_Q015

Concept: Have a litter box

Totals may not add up due to rounding.

Question Text: Did [this cat/any of these cats] have a litter box?

Universe: TOX_005 = 1

Note: New in cycle 5

In households with two selected respondents this question was asked only to the first respondent to receive the Toxoplasmosis block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,600	7,840,000	23.8
No	2	50	263,000	0.8
Valid skip	6	4,100	24,817,500	75.4
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_020 **Length:** 1.0 **Position:** 1819

Question Name: TOX_Q020

Concept: Frequency of changing the litter box

Question Text: How often was the cat litter usually changed or scooped?

Universe: TOX_015 = 1

Note: New in cycle 5

In households with two selected respondents this question was asked only to the first respondent to receive the Toxoplasmosis block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily	1	650	2,941,000	8.9
More than once per week	2	650	2,966,500	9.0
Once per week	3	250	1,584,500	4.8
Less than once per week	4	50	220,000	0.7
Valid skip	6	4,150	25,080,500	76.2
Don’t know	7	0	128,000	0.4
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_025 **Length:** 1.0 **Position:** 1820

Question Name: TOX_Q025

Concept: Did you ever change the cat litter

Question Text: In the past 12 months, did you ever change or scoop the litter?

Universe: DHH_AGE > 5 and TOX_015 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	950	5,701,000	17.3
No	2	550	1,899,000	5.8
Valid skip	6	3,600	22,534,000	68.4
Not stated	9	750	2,788,000	8.5
Total		5,800	32,921,500	100.0

Variable Name: TOX_030 **Length:** 1.0 **Position:** 1821

Question Name: TOX_Q030

Concept: Cat go outdoors - past 12 months

Question Text: In the past 12 months, did [this cat/any of these cats] go outdoors?

Universe: TOX_005 = 1

Note: New in cycle 5

In households with two selected respondents this question was asked only to the first respondent to receive the Toxoplasmosis block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	4,065,000	12.3
No	2	800	3,773,000	11.5
Valid skip	6	4,150	25,080,500	76.2
Don’t know	7	0	2,000	0.0
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_035 **Length:** 1.0 **Position:** 1822

Question Name: TOX_Q035

Concept: Handle soil with bare hands - past 12 months

Question Text: In the past 12 months, did you handle soil or sand with your bare hands, for example when doing outdoor yard work, gardening or farming, in a sand box or at the beach? Do not include indoor potting soil.

Universe: DHH_AGE >= 12

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,850	19,200,000	58.3
No		2	1,300	10,261,000	31.2
Valid skip		6	1,650	3,447,500	10.5
Don't know		7	0	11,500	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TOX_040 **Length:** 1.0 **Position:** 1823

Question Name: TOX_Q040

Concept: Eaten any hunted game meat - past 12 months

Question Text: In the past 12 months, have you eaten any hunted game meat? Include both mammals and birds.

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,300	7,540,000	22.9
No		2	4,450	25,338,500	77.0
Don't know		7	0	43,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TOX_045A **Length:** 1.0 **Position:** 1824

Question Name: TOX_Q045

Concept: Types of hunted game meat - Bear

Question Text: What types of hunted game meat did you eat? - Bear

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	494,000	1.5
No		2	1,250	7,032,500	21.4
Valid skip		6	4,450	25,338,500	77.0
Don't know		7	0	13,500	0.0
Not stated		9	0	43,000	0.1
	Total		5,800	32,921,500	100.0

Variable Name: TOX_045B **Length:** 1.0 **Position:** 1825

Question Name: TOX_Q045

Concept: Types of hunted game meat - Caribou

Question Text: What types of hunted game meat did you eat? - Caribou

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	131,500	0.4
No	2	1,300	7,395,000	22.5
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045C **Length:** 1.0 **Position:** 1826

Question Name: TOX_Q045

Concept: Types of hunted game meat - Deer

Question Text: What types of hunted game meat did you eat? - Deer

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	5,365,000	16.3
No	2	450	2,161,500	6.6
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045D **Length:** 1.0 **Position:** 1827

Question Name: TOX_Q045

Concept: Types of hunted game meat - Elk

Question Text: What types of hunted game meat did you eat? - Elk

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,311,000	4.0
No	2	1,100	6,215,500	18.9
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045E **Length:** 1.0 **Position:** 1828

Question Name: TOX_Q045

Concept: Types of hunted game meat - Moose

Question Text: What types of hunted game meat did you eat? - Moose

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	3,757,500	11.4
No	2	650	3,769,000	11.4
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045F **Length:** 1.0 **Position:** 1829

Question Name: TOX_Q045

Concept: Types of hunted game meat - Duck or goose

Question Text: What types of hunted game meat did you eat? - Duck or goose

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,274,500	3.9
No	2	1,150	6,252,000	19.0
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045G **Length:** 1.0 **Position:** 1830

Question Name: TOX_Q045

Concept: Types hunted game meat - Wild turkey/pheasant/partridge/quail/grouse

Question Text: What types of hunted game meat did you eat? - Wild turkey, pheasant, partridge, quail, grouse

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,311,000	4.0
No	2	1,100	6,215,500	18.9
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045H **Length:** 1.0 **Position:** 1831

Question Name: TOX_Q045

Concept: Types of hunted game meat - Rabbit or hare

Question Text: What types of hunted game meat did you eat? - Rabbit or hare

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	413,500	1.3
No	2	1,250	7,113,000	21.6
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045I **Length:** 1.0 **Position:** 1832

Question Name: TOX_Q045

Concept: Types of hunted game meat - Seal

Question Text: What types of hunted game meat did you eat? - Seal

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	4,000	0.0
No	2	1,300	7,522,500	22.8
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_045J **Length:** 1.0 **Position:** 1833

Question Name: TOX_Q045

Concept: Types of hunted game meat - Other - Specify

Question Text: What types of hunted game meat did you eat? - Other - Specify

Universe: TOX_040 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	272,000	0.8
No	2	1,250	7,254,500	22.0
Valid skip	6	4,450	25,338,500	77.0
Don't know	7	0	13,500	0.0
Not stated	9	0	43,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: TOX_050A **Length:** 1.0 **Position:** 1834

Question Name: TOX_Q050

Concept: Eaten meat uncooked/cooked with some red or pink still showing - Beef

Question Text: In the past 12 months, have you eaten any of the following types of meat uncooked, or cooked with some red or pink still showing? - Beef

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,550	15,729,000	47.8
No	2	3,200	17,189,500	52.2
Don't know	7	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_050B **Length:** 1.0 **Position:** 1835

Question Name: TOX_Q050

Concept: Eaten meat uncooked/cooked with some red or pink still showing - Lamb

Question Text: In the past 12 months, have you eaten any of the following types of meat uncooked, or cooked with some red or pink still showing? - Lamb

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,867,000	8.7
No	2	5,400	30,051,500	91.3
Don't know	7	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_050C **Length:** 1.0 **Position:** 1836

Question Name: TOX_Q050

Concept: Eaten meat uncooked/cooked with some red or pink still showing - Pork

Question Text: In the past 12 months, have you eaten any of the following types of meat uncooked, or cooked with some red or pink still showing? - Pork

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	550	2,856,500	8.7
No	2	5,250	30,062,000	91.3
Don't know	7	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: TOX_050D **Length:** 1.0 **Position:** 1837

Question Name: TOX_Q050

Concept: Eaten meat uncooked/cooked with some red/pink-Other red meat - Specify

Question Text: In the past 12 months, have you eaten any of the following types of meat uncooked, or cooked with some red or pink still showing? - Other red meat - Specify

Universe: All respondents

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	598,000	1.8
No		2	5,650	32,320,500	98.2
Don't know		7	0	3,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: TOX_050E **Length:** 1.0 **Position:** 1838

Question Name: TOX_Q050

Concept: Eaten meat uncooked/cooked with some red or pink still showing - No

Question Text: In the past 12 months, have you eaten any of the following types of meat uncooked, or cooked with some red or pink still showing? - No

Universe: All respondents

Note: New in cycle 5

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	3,150	16,763,500	50.9
No		2	2,650	16,154,500	49.1
Don't know		7	0	3,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: SMK_11 **Length:** 1.0 **Position:** 1839

Question Name: SMK_Q11

Concept: Smoked 100 or more cigarettes - lifetime

Question Text: In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,550	12,413,500	37.7
No		2	2,550	17,048,000	51.8
Valid skip		6	1,650	3,447,500	10.5
Don't know		7	0	4,000	0.0
Refusal		8	0	6,000	0.0
Not stated		9	0	2,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: SMK_12 **Length:** 1.0 **Position:** 1840

Question Name: SMK_Q12

Concept: Type of smoker

Question Text: At the present time, do you smoke cigarettes daily, occasionally or not at all?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily	1	450	4,185,000	12.7
Occasionally	2	150	880,000	2.7
Not at all	3	3,550	24,399,500	74.1
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	1,500	0.0
Refusal	8	0	6,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SMK_21 **Length:** 2.0 **Position:** 1841

Question Name: SMK_Q21

Concept: Age - smoked first whole cigarette

Question Text: At what age did you smoke your first whole cigarette?

Universe: SMK_11 = 1 or (SMK_11 = 2, DK, RF and SMK_12 = 1, 2)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 45	1,600	12,602,500	38.3
Valid skip	96	4,200	20,299,500	61.7
Don't know	97	0	10,000	0.0
Not stated	99	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SMK_21A **Length:** 1.0 **Position:** 1843

Question Name: SMK_Q21A

Concept: Smoked at least 1 cigarette a month

Question Text: Have you ever smoked at least one cigarette a month?

Universe: (SMK_11 = 1, DK, RF and SMK_12 = 2, 3) or (SMK_11 = 2 and SMK_12 = 2)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,100	8,082,500	24.6
No	2	50	323,000	1.0
Valid skip	6	4,600	24,484,500	74.4
Don't know	7	0	22,000	0.1
Not stated	9	0	9,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: SMK_22 **Length:** 2.0 **Position:** 1844

Question Name: SMK_Q22

Concept: Age - started smoking at least 1 cigarette/month

Question Text: How old were you when you started smoking at least one cigarette a month?

Universe: SMK_12 = 1 or SMK_21A = 1

Note: Respondents who never smoked at least 1 cigarette a month are excluded from this question for cycles 3 & 4

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 49	1,550	12,244,500	37.2
Valid skip	96	4,200	20,622,500	62.6
Don't know	97	0	23,000	0.1
Not stated	99	0	31,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: SMK_23 **Length:** 2.0 **Position:** 1846

Question Name: SMK_Q23

Concept: Number days/typical month smoked at least 1 cigarette

Question Text: When you [started smoking], how many days in a typical month did you smoke at least one cigarette?

Universe: 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	01 - 31	1,500	11,798,500	35.8
Valid skip	96	4,200	20,622,500	62.6
Don't know	97	50	445,500	1.4
Not stated	99	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_24 **Length:** 2.0 **Position:** 1848

Question Name: SMK_Q24

Concept: Number of cigarettes smoked per day at age started smoking

Question Text: When you [started smoking]...

...[how many cigarettes did you usually smoke each day/on the days you smoked]?

Universe: 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 60	1,500	11,725,500	35.6
Valid skip	96	4,200	20,622,500	62.6
Don't know	97	50	519,000	1.6
Not stated	99	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_31 **Length:** 2.0 **Position:** 1850

Question Name: SMK_Q31

Concept: Number of cigarettes smoked per day (daily smoker)

Question Text: How many cigarettes do you smoke each day now?

Universe: SMK_12 = 1 and 0 < SMK_22 < VS

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 60	450	4,178,000	12.7
Valid skip	96	5,350	28,688,500	87.1
Not stated	99	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_41 **Length:** 2.0 **Position:** 1852

Question Name: SMK_Q41

Concept: Number of cigarettes smoked per day (occasional smoker)

Question Text: On the days that you smoke, how many cigarettes do you usually smoke?

Universe: SMK_12 = 2 and SMK_21A = 1

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 31	150	819,500	2.5
Valid skip	96	5,650	32,031,000	97.3
Don't know	97	0	16,500	0.1
Not stated	99	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_42 **Length:** 2.0 **Position:** 1854

Question Name: SMK_Q42

Concept: Number days/past month - smoked 1 cig or more (occasional)

Question Text: In the past month, that is, from Date of last month to today, on how many days have you smoked one or more cigarettes?

Universe: SMK_12 = 2 and SMK_21A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	00 - 31	150	831,000	2.5
Valid skip	96	5,650	32,031,000	97.3
Don't know	97	0	4,500	0.0
Not stated	99	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_51 **Length:** 1.0 **Position:** 1856

Question Name: SMK_Q51

Concept: Ever smoked cigarettes daily

Question Text: Have you ever smoked cigarettes daily?

Universe: SMK_12 = 2,3 and (SMK_23 < 31 or SMK_23 = DK or RF)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,779,500	8.4
No	2	100	985,000	3.0
Valid skip	6	5,250	29,098,500	88.4
Don't know	7	0	3,500	0.0
Not stated	9	0	55,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_52 **Length:** 2.0 **Position:** 1857

Question Name: SMK_Q52

Concept: Age started smoking daily

Question Text: At what age did you begin to smoke cigarettes daily?

Universe: (SMK_12 = 1 and (SMK_23 < 31 or SMK_23 = DK or RF)) or SMK_51 = 1

Note: Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_52 since, for them, this same information was collected at SMK_22.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 45	550	4,672,000	14.2
Valid skip	96	5,200	28,076,500	85.3
Don't know	97	0	114,500	0.3
Not stated	99	0	58,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_53 **Length:** 2.0 **Position:** 1859

Question Name: SMK_Q53

Concept: Number of cigarettes usually smoked per day

Question Text: [When you started smoking cigarettes daily], How many cigarettes did you usually smoke each day?

Universe: (SMK_12 = 1 and (SMK_23 < 31 or SMK_23 = DK, RF)) or SMK_51 = 1

Note: Respondents who smoked daily when they first started smoking at least 1 cigarette a month were not asked SMK_53 since, for them, this same information was collected at SMK_24.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 75	550	4,693,000	14.3
Valid skip	96	5,200	28,076,500	85.3
Don't know	97	0	93,500	0.3
Not stated	99	0	58,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_54 **Length:** 2.0 **Position:** 1861

Question Name: SMK_Q54

Concept: Age stopped smoking cigarettes daily/completely

Question Text: At what age did you stop smoking cigarettes [completely/daily]?

Universe: DHH_AGE > 11 and ((SMK_11 = 1 and SMK_12 = 2,3) and (SMK_23 = 31 or SMK_51 = 1)) or (SMK_11 = 1 and SMK_12 = 3 and SMK_51 = 2 and SMK_21A = 1) or (SMK_11 = 2 and (SMK_23 = 31 or SMK_51 = 1) and SMK_31 <> 31) or (SMK_12 <> 1 and

Totals may not add up due to rounding.

SMK_11 = DK, RF, NS) or SMK_21 = DK or SMK_22 = DK or SMK_21A = DK))

Note: Respondents aged 12 and older who are former daily or former occasional smokers.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	13 - 79	1,050	7,706,500	23.4
Valid skip	96	4,700	25,115,500	76.3
Don't know	97	0	41,500	0.1
Not stated	99	0	58,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMK_60 **Length:** 1.0 **Position:** 1863

Question Name: SMK_Q60

Concept: Smoked cigars/pipe or used snuff/chewing tobacco - past month

Question Text: In the past month, that is, from Date last month to today, have you smoked cigars, cigarillos or a pipe or used snuff or chewing tobacco?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,475,500	4.5
No	2	3,950	27,990,500	85.0
Valid skip	6	1,650	3,447,500	10.5
Don't know	7	0	1,500	0.0
Refusal	8	0	4,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: SMKDSTY **Length:** 2.0 **Position:** 1864

Question Name:

Concept: Type of smoker - (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily smoker	01	450	4,178,000	12.7
Occasional smoker, former daily smoker	02	100	521,000	1.6
Always an occasional smoker	03	50	358,000	1.1
Non-smoker, former daily smoker	04	900	6,557,000	19.9

Answer Categories	Code	Frequency	Weighted Frequency	%
Non-smoker, former occasional smoker	05	100	945,500	2.9
Never smoked more than 100 cigarettes	06	2,550	16,852,000	51.2
Valid skip	96	1,650	3,447,500	10.5
Not stated	99	0	62,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMKDSTP **Length:** 3.0 **Position:** 1866

Question Name:

Concept: Number of years since stopping smoking completely - (D)

Question Text:

Universe: SMKDSTY = 4, 5 and SMK_21A = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 056	950	7,000,500	21.3
Valid skip	996	4,800	25,636,500	77.9
Not stated	999	50	285,000	0.9
Total		5,800	32,921,500	100.0

Variable Name: SMKDYFS **Length:** 3.0 **Position:** 1869

Question Name:

Concept: Number of years smoked daily (former daily smokers) - (D)

Question Text:

Universe: SMKDSTY = (2 or 4) and SMK_11 <> 2

Note: Former daily smoker only.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 064	1,000	7,044,000	21.4
Valid skip	996	4,800	25,811,500	78.4
Not stated	999	0	66,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMKDAQD **Length:** 2.0 **Position:** 1872

Question Name:

Totals may not add up due to rounding.

Concept: Age stopped smoking daily - (D)

Question Text:

Universe: SMKDSTY = 2

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	14 - 70	100	491,000	1.5
Valid skip	96	5,650	32,338,000	98.2
Not stated	99	0	92,500	0.3
Total		5,800	32,921,500	100.0

Variable Name: SMKDAQS **Length:** 2.0 **Position:** 1874

Question Name:

Concept: Age stopped smoking completely - (D)

Question Text:

Universe: SMKDSTY = 4 or 5 and SMK_54 <> VS

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	13 - 79	950	7,215,500	21.9
Valid skip	96	4,800	25,636,500	77.9
Not stated	99	0	70,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: SMKDASD **Length:** 2.0 **Position:** 1876

Question Name:

Concept: Age started smoking daily - (D)

Question Text:

Universe: SMKDSTY = 1, 2 or 4

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	05 - 45	1,400	11,141,000	33.8
Valid skip	96	4,350	21,603,500	65.6
Not stated	99	0	177,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: SMKDNSD **Length:** 2.0 **Position:** 1878

Question Name:

Concept: Number of cigs smoked daily - (D)

Question Text:

Universe: SMKDSTY = 1,2 or 4

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of cigarettes	01 - 75	1,400	10,986,000	33.4
Valid skip	96	4,350	21,603,500	65.6
Not stated	99	50	332,500	1.0
Total		5,800	32,921,500	100.0

Variable Name: ELC_005 **Length:** 1.0 **Position:** 1880

Question Name: ELC_Q005

Concept: Tried an electronic cigarette

Question Text: Have you ever tried an electronic cigarette, also known as an e-cigarette?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	650	4,742,000	14.4
No	2	3,500	24,725,500	75.1
Valid skip	6	1,650	3,447,500	10.5
Refusal	8	0	4,500	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ELC_010 **Length:** 1.0 **Position:** 1881

Question Name: ELC_Q010

Concept: Use an electronic cigarette - past month

Question Text: In the past month, that is, from (date one month ago) to today, did you use an electronic cigarette... ?

Universe: ELC_005 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	50	299,000	0.9
Almost every day	2	0	255,500	0.8
At least once a week	3	50	161,500	0.5
At least once in the past month	4	100	581,500	1.8
Never	5	450	3,444,500	10.5
Valid skip	6	5,150	28,173,000	85.6
Not stated	9	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: ELC_015 **Length:** 1.0 **Position:** 1882

Question Name: ELC_Q015

Concept: Nicotine in the last e-cigarette

Question Text: The last time you used an e-cigarette, did it contain nicotine?

Universe: ELC_005 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,858,500	8.7
No	2	200	1,497,000	4.5
Valid skip	6	5,150	28,173,000	85.6
Don’t know	7	50	387,000	1.2
Not stated	9	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_01 **Length:** 1.0 **Position:** 1883

Question Name: ETS_Q01

Concept: Allowed smoking inside this home

Question Text: Is smoking allowed inside this home?

Universe: All respondents

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,610,500	7.9
No	2	5,400	30,138,000	91.5
Valid skip	6	0	173,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: ETS_02 **Length:** 1.0 **Position:** 1884

Question Name: ETS_Q02

Concept: Smoking restricted inside this home

Question Text: Is smoking inside this home restricted in any way?

Universe: ETS_01 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,293,500	3.9
No	2	150	1,316,000	4.0
Valid skip	6	5,400	30,311,000	92.1
Don’t know	7	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_03A **Length:** 1.0 **Position:** 1885

Question Name: ETS_Q03

Concept: Smoking restriction - allow in certain rooms only

Question Text: How is smoking restricted inside this home? - Allowed in certain rooms only

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	547,000	1.7
No	2	100	746,500	2.3
Valid skip	6	5,600	31,627,000	96.1
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_03B **Length:** 1.0 **Position:** 1886

Question Name: ETS_Q03

Concept: Smoking restriction - in presence of young children

Totals may not add up due to rounding.

Question Text: How is smoking restricted inside this home? - Restricted in the presence of young children

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	558,500	1.7
No	2	150	735,000	2.2
Valid skip	6	5,600	31,627,000	96.1
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_03C **Length:** 1.0 **Position:** 1887

Question Name: ETS_Q03

Concept: Smoking restriction - allow if windows are open/ventilation

Question Text: How is smoking restricted inside this home? - Allowed only if windows are open or with another type of ventilation

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	544,500	1.7
No	2	100	749,000	2.3
Valid skip	6	5,600	31,627,000	96.1
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_03D **Length:** 1.0 **Position:** 1888

Question Name: ETS_Q03

Concept: Smoking restriction - other restriction

Question Text: How is smoking restricted inside this home? - Other restriction(s)

Universe: ETS_02 = 1

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the

first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	116,000	0.4
No	2	200	1,177,500	3.6
Valid skip	6	5,600	31,627,000	96.1
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_04 **Length:** 2.0 **Position:** 1889

Question Name: ETS_Q04

Concept: How often someone smokes inside the home

Question Text: How often does someone smoke inside this home? Include both household members and visitors.

Universe: ETS_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	250	1,706,500	5.2
Almost every day	02	50	235,500	0.7
At least once a week	03	50	279,000	0.8
At least once a month	04	0	83,000	0.3
Less than once a month	05	50	223,500	0.7
Never	06	1,550	6,177,500	18.8
Valid skip	96	3,850	24,215,500	73.6
Not stated	99	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_05 **Length:** 2.0 **Position:** 1891

Question Name: ETS_Q05

Concept: Number of people who smoke inside home every day

Question Text: How many people smoke inside this home every day or almost every day?

Universe: ETS_04 = 1 , 2

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of people	01 - 05	300	1,906,500	5.8
Valid skip	96	5,500	31,015,000	94.2
Total		5,800	32,921,500	100.0

Variable Name: ETS_06A **Length:** 1.0 **Position:** 1893

Question Name: ETS_Q06

Concept: Product smoked inside home - cigarettes

Question Text: Which of the following tobacco products are smoked inside this home? - Cigarettes

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	1,894,500	5.8
No	2	0	12,500	0.0
Valid skip	6	5,500	31,015,000	94.2
Total		5,800	32,921,500	100.0

Variable Name: ETS_06B **Length:** 1.0 **Position:** 1894

Question Name: ETS_Q06

Concept: Product smoked inside home - cigarillos or little cigars

Question Text: Which of the following tobacco products are smoked inside this home? - Cigarillos or little cigars

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,000	0.1
No	2	250	1,889,500	5.7
Valid skip	6	5,500	31,015,000	94.2
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: ETS_06C **Length:** 1.0 **Position:** 1895

Question Name: ETS_Q06

Concept: Product smoked inside home - all other types of cigars

Question Text: Which of the following tobacco products are smoked inside this home? - All other types of cigars

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	14,500	0.0
No	2	300	1,892,500	5.7
Valid skip	6	5,500	31,015,000	94.2
Total		5,800	32,921,500	100.0

Variable Name: ETS_06D **Length:** 1.0 **Position:** 1896

Question Name: ETS_Q06

Concept: Product smoked inside home - pipes

Question Text: Which of the following tobacco products are smoked inside this home? - Pipes

Universe: ETS_05 < VS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	17,500	0.1
No	2	300	1,889,000	5.7
Valid skip	6	5,500	31,015,000	94.2
Total		5,800	32,921,500	100.0

Variable Name: ETS_07 **Length:** 3.0 **Position:** 1897

Question Name: ETS_Q07

Concept: Number of cigars/cigarettes smoked inside home

Question Text: On a typical day, how many [cigarettes/cigarillos or little cigars/cigars/cigarettes and cigarillos or little cigars/cigarettes and cigars/cigarillos, little cigars and other types of cigars/cigarettes, cigarillos or little cigars, and other types of cigars] are smoked inside

Totals may not add up due to rounding.

this home?

Universe: ETS_06A = 1, NS or ETS_06B = 1, NS or ETS_06C = 1, NS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number	001 - 100	250	1,880,500	5.7
Valid skip	996	5,500	31,015,000	94.2
Don't know	997	0	26,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: ETS_08 **Length:** 1.0 **Position:** 1900

Question Name: ETS_Q08

Concept: Total period time/typical day smoking pipe

Question Text: On a typical day, what is the total period of time that at least one person is smoking a pipe inside this home?

Universe: ETS_06D = 1, NS

Note: In households with two selected respondents this question was asked only to the first respondent to receive the Exposure to Second Hand Smoke block of the survey. "Valid skip" includes cases where two respondents were selected in the household but the first household interview was not fully completed, so the question was never asked.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 hour	1	0	17,500	0.1
Valid skip	6	5,800	32,904,000	99.9
Total		5,800	32,921,500	100.0

Variable Name: ETS_09 **Length:** 1.0 **Position:** 1901

Question Name: ETS_Q09

Concept: Often exposed to second-hand smoke inside home - past month

Question Text: [Not including your own smoking] In the past month, how often were you exposed to second hand smoke inside this home?

Universe: ETS_04 = 1, 2, 3, 4, 5, DK, RF

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	150	817,500	2.5
Almost every day	2	50	177,000	0.5
At least once a week	3	50	484,500	1.5
At least once in the past month	4	50	130,000	0.4
Never	5	150	918,500	2.8
Valid skip	6	5,400	30,392,500	92.3
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_14 **Length:** 1.0 **Position:** 1902

Question Name: ETS_Q14

Concept: Exposed to second-hand smoke - private vehicle

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day in a car or other vehicle?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,787,000	5.4
No	2	5,550	31,134,500	94.6
Don't know	7	0	0	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_16 **Length:** 1.0 **Position:** 1903

Question Name: ETS_Q16

Concept: Exposed to second-hand smoke - place of work

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day at your place of work?

Universe: GEN_030 = 1 or GEN_035 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	2,489,000	7.6
No	2	2,450	19,280,500	58.6
Valid skip	6	3,150	11,150,000	33.9
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_20 **Length:** 1.0 **Position:** 1904

Totals may not add up due to rounding.

Question Name: ETS_Q20

Concept: Exposed to second-hand smoke - inside someone else's home

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day inside someone else's home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,350,500	4.1
No	2	5,600	31,564,500	95.9
Don't know	7	0	6,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_21 **Length:** 1.0 **Position:** 1905

Question Name: ETS_Q21

Concept: Exposed to second-hand smoke - indoors, in public places

Question Text: (In the past month, were you exposed to second-hand smoke, every day or almost every day indoors, in public places such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys, concert or sporting facilities?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	602,500	1.8
No	2	5,750	32,267,500	98.0
Don't know	7	0	52,000	0.2
Total		5,800	32,921,500	100.0

Variable Name: ETS_22 **Length:** 1.0 **Position:** 1906

Question Name: ETS_Q22

Concept: Exposed to second-hand smoke - outdoors, in public places

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day outdoors, in public places such as outdoor patios, bus stops or shelters, entrances to buildings, school property, sidewalks or parks?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	700	5,317,500	16.2
No	2	5,100	27,592,000	83.8
Don't know	7	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_23 **Length:** 1.0 **Position:** 1907

Question Name: ETS_Q23

Concept: Exposed to second-hand smoke - anywhere else

Question Text: In the past month, were you exposed to second-hand smoke, every day or almost every day anywhere else?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	487,000	1.5
No	2	5,700	32,431,500	98.5
Don't know	7	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETS_24 **Length:** 1.0 **Position:** 1908

Question Name: ETS_Q24

Concept: Often exposed to second-hand smoke excluding own home - past month

Question Text: Overall,[excluding inside your own home], in the past month how often were you exposed to second-hand smoke? [Do not include exposure to your own smoke.]

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	200	1,907,000	5.8
Almost every day	2	650	4,944,500	15.0
At least once a week	3	650	3,779,000	11.5
At least once in the past month	4	1,250	7,393,000	22.5
Never	5	3,000	14,886,500	45.2
Don't know	7	0	11,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: ETV_005 **Length:** 1.0 **Position:** 1909

Totals may not add up due to rounding.

Question Name: ETV_Q005

Concept: Exposed to second-hand vapour inside home

Question Text: Overall, in the past month,how often were you exposed to second-hand vapour inside this home? [Do not include your own vapor.]

Universe:

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	1	50	216,000	0.7
Almost every day	2	50	245,500	0.7
At least once a week	3	100	456,000	1.4
At least once in the past month	4	100	887,500	2.7
Never	5	5,500	31,079,500	94.4
Don't know	7	0	37,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: ALC_11 **Length:** 1.0 **Position:** 1910

Question Name: ALC_Q11

Concept: Drank alcohol - past 12 months

Question Text: During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,050	23,582,500	71.6
No	2	1,100	5,885,500	17.9
Valid skip	6	1,650	3,447,500	10.5
Refusal	8	0	4,000	0.0
Not stated	9	0	2,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_12 **Length:** 2.0 **Position:** 1911

Question Name: ALC_Q12

Concept: Frequency of drinking alcohol

Question Text: During the past 12 months, how often did you drink alcoholic beverages?

Universe: ALC_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than once a month	01	700	4,468,000	13.6
Once a month	02	300	2,397,500	7.3
2 to 3 times a month	03	400	3,113,000	9.5
Once a week	04	450	4,217,000	12.8
2 to 3 times a week	05	650	5,623,000	17.1
4 to 6 times a week	06	250	1,649,000	5.0
Every day	07	250	2,097,500	6.4
Valid skip	96	2,750	9,333,000	28.3
Don't know	97	0	17,000	0.1
Not stated	99	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_13A **Length:** 2.0 **Position:** 1913

Question Name:

Concept: Frequency of having [5/4] or more drinks

Question Text: How often in the past 12 months have you had [5/4] or more drinks on one occasion?

Universe: ALC_11 = 1

Note: Males (DHH_SEX = 1) were asked how often they had 5 or more drinks, while females (DHH_SEX = 2) were asked how often they had 4 or more drinks on one occasion. In cycles 1 and 2, at questions ALC_13, all respondents were asked how often they had 5 or more drinks on one occasion.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	01	1,300	9,889,500	30.0
Less than once a month	02	950	7,505,000	22.8
Once a month	03	300	2,066,500	6.3
2 to 3 times a month	04	250	1,716,500	5.2
Once a week	05	150	1,447,500	4.4
More than once a week	06	100	911,000	2.8
Valid skip	96	2,750	9,333,000	28.3
Don't know	97	0	46,500	0.1
Not stated	99	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_14 **Length:** 1.0 **Position:** 1915

Question Name: ALC_Q14

Concept: Drank alcohol - past week

Question Text: Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

Universe: ALC_11 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,950	15,413,500	46.8
No		2	1,100	8,169,000	24.8
Valid skip		6	2,750	9,333,000	28.3
Not stated		9	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_15A **Length:** 2.0 **Position:** 1916

Question Name:

Concept: Number of drinks - Sunday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Sunday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of Drinks		00 - 20	1,950	15,413,500	46.8
Valid skip		96	3,850	17,502,000	53.2
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_15B **Length:** 2.0 **Position:** 1918

Question Name:

Concept: Number of drinks - Monday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Monday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of Drinks		00 - 30	1,950	15,413,500	46.8
Valid skip		96	3,850	17,502,000	53.2
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_15C **Length:** 2.0 **Position:** 1920

Question Name:

Concept: Number of drinks - Tuesday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Tuesday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 20	1,950	15,413,000	46.8
Valid skip	96	3,850	17,502,000	53.2
Don't know	97	0	500	0.0
Not stated	99	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_15D **Length:** 2.0 **Position:** 1922

Question Name:

Concept: Number of drinks - Wednesday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Wednesday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 30	1,950	15,401,500	46.8
Valid skip	96	3,850	17,502,000	53.2
Don't know	97	0	12,000	0.0
Not stated	99	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_15E **Length:** 2.0 **Position:** 1924

Question Name:

Concept: Number of drinks - Thursday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Thursday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of Drinks	00 - 28	1,950	15,371,000	46.7
Valid skip	96	3,850	17,502,000	53.2
Don't know	97	0	42,500	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_15F **Length:** 2.0 **Position:** 1926

Question Name:

Concept: Number of drinks - Friday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Friday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of Drinks		00 - 24	1,950	15,322,500	46.5
Valid skip		96	3,850	17,502,000	53.2
Don't know		97	0	90,500	0.3
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_15G **Length:** 2.0 **Position:** 1928

Question Name:

Concept: Number of drinks - Saturday

Question Text: Starting with yesterday, that is [day name] how many drinks did you have? - Saturday

Universe: ALC_14 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of Drinks		00 - 20	1,950	15,366,000	46.7
Valid skip		96	3,850	17,502,000	53.2
Don't know		97	0	47,500	0.1
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_16 **Length:** 1.0 **Position:** 1930

Question Name: ALC_Q16

Concept: Usual consumption of alcohol

Question Text: Is the amount you drank over the last week more, about the same, or less compared to most weeks?

Universe: ALC_14 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
More	1	700	5,542,500	16.8
About the same	2	1,100	9,007,000	27.4
Less	3	150	859,500	2.6
Valid skip	6	3,850	17,502,000	53.2
Don't know	7	0	4,500	0.0
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_17 **Length:** 1.0 **Position:** 1931

Question Name: ALC_Q17

Concept: Ever had a drink

Question Text: Have you ever had a drink?

Universe: ALC_11 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	400	2,646,500	8.0
No	2	700	3,239,000	9.8
Valid skip	6	4,700	27,030,000	82.1
Not stated	9	0	6,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ALC_18 **Length:** 1.0 **Position:** 1932

Question Name: ALC_Q18

Concept: Regularly drank more than 12 drinks a week

Question Text: Did you ever regularly drink more than 12 drinks a week?

Universe: ALC_11 = 1 or ALC_17 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	850	6,336,000	19.2
No	2	2,550	19,878,000	60.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Valid skip		6	2,350	6,686,500	20.3
Don't know		7	0	14,500	0.0
Not stated		9	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALC_19 **Length:** 2.0 **Position:** 1933

Question Name: ALC_Q19

Concept: Age - started drinking alcoholic beverages

Question Text: Not counting small sips, how old were you when you started drinking alcoholic beverages?

Universe: ALC_11 = 1 or ALC_17 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Age in years		05 - 75	3,400	25,972,000	78.9
Valid skip		96	2,350	6,686,500	20.3
Don't know		97	50	257,000	0.8
Not stated		99	0	6,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: ALCDDLY **Length:** 3.0 **Position:** 1935

Question Name:

Concept: Average daily alcohol consumption - (D)

Question Text:

Universe: ALC_11 = 1

Note: See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of drinks		000 - 012	3,000	23,443,000	71.2
Valid skip		996	2,750	9,333,000	28.3
Not stated		999	50	145,500	0.4
	Total		5,800	32,921,500	100.0

Variable Name: ALCDTYP **Length:** 1.0 **Position:** 1938

Question Name:

Concept: Type of drinker - (D)

Question Text:

Universe: DHH_AGE > 11

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Regular drinker	1	2,350	19,097,500	58.0
Occasional drinker	2	700	4,468,000	13.6
Former drinker	3	400	2,646,500	8.0
Never drank	4	700	3,239,000	9.8
Valid skip	6	1,650	3,447,500	10.5
Not stated	9	0	23,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: ALCDWKY **Length:** 3.0 **Position:** 1939

Question Name:

Concept: Weekly consumption - (D)

Question Text:

Universe: ALC_11 = 1

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of drinks	000 - 084	3,000	23,443,000	71.2
Valid skip	996	2,750	9,333,000	28.3
Not stated	999	50	145,500	0.4
Total		5,800	32,921,500	100.0

Variable Name: IDU_11 **Length:** 1.0 **Position:** 1942

Question Name: IDU_Q11

Concept: Used or tried marijuana, cannabis or hashish

Question Text: Have you ever used or tried marijuana, cannabis or hashish?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

| Answer Categories | Code | Frequency | Weighted Frequency | % |

Yes	1	1,950	14,340,500	43.6
No	2	1,850	14,155,000	43.0
Valid skip	6	1,950	4,196,500	12.7
Refusal	8	0	15,500	0.0
Not stated	9	0	214,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: IDU_21 **Length:** 1.0 **Position:** 1943

Question Name: IDU_Q21

Concept: Used or tried prescription drugs for the feeling

Question Text: Have you ever used or tried prescription drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,598,500	4.9
No	2	3,650	26,897,000	81.7
Valid skip	6	1,950	4,196,500	12.7
Not stated	9	50	230,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: IDU_22 **Length:** 1.0 **Position:** 1944

Question Name: IDU_Q22

Concept: Used or tried other drugs (cocaine, speed)

Question Text: Have you ever used or tried other drugs or substances such as cocaine, speed, solvents or steroids?

Universe: DHH_AGE > 13

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	600	4,349,000	13.2
No	2	3,250	24,146,500	73.3
Valid skip	6	1,950	4,196,500	12.7
Not stated	9	50	230,000	0.7
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: IDU_32 **Length:** 1.0 **Position:** 1945

Question Name: IDU_Q32

Concept: Injected with drugs for the experience/feeling

Question Text: Have you ever injected or been injected with drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high?

Universe: IDU_21 = 1 or IDU_22 = 1

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	313,500	1.0
No	2	550	4,610,000	14.0
Valid skip	6	5,150	27,768,000	84.3
Not stated	9	50	230,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: IDU_33 **Length:** 1.0 **Position:** 1946

Question Name: IDU_Q33

Concept: Other than by injection, used other drugs for the feeling

Question Text: Other than by injection, have you ever used or tried drugs for non-medicinal purposes, for the experience, for the feeling they cause or to get high? [Do not include marijuana, cannabis or hashish.]

Universe: IDU_32 = 1

Note: Questions for this module were not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	245,500	0.7
No	2	0	68,000	0.2
Valid skip	6	5,700	32,378,000	98.3
Not stated	9	50	230,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: SXB_11 **Length:** 1.0 **Position:** 1947

Question Name: SXB_Q11

Concept: Ever had sexual intercourse

Question Text: Have you ever had sexual intercourse?

Totals may not add up due to rounding.

Universe: DHH_AGE > 13

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,250	25,810,000	78.4
No	2	500	2,387,500	7.3
Valid skip	6	1,950	4,196,500	12.7
Don't know	7	0	68,000	0.2
Refusal	8	50	245,000	0.7
Not stated	9	0	214,000	0.7
Total		5,800	32,921,500	100.0

Variable Name: SXB_12 **Length:** 1.0 **Position:** 1948

Question Name: SXB_Q12

Concept: Sexual intercourse - past 12 months

Question Text: In the past 12 months, have you had sexual intercourse?

Universe: SXB_11 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,550	20,901,500	63.5
No	2	650	4,679,000	14.2
Valid skip	6	2,450	6,584,000	20.0
Don't know	7	0	15,500	0.0
Refusal	8	0	214,000	0.6
Not stated	9	50	527,500	1.6
Total		5,800	32,921,500	100.0

Variable Name: SXB_13 **Length:** 1.0 **Position:** 1949

Question Name: SXB_Q13

Concept: Number of different partners - past 12 months

Question Text: With how many different partners?

Universe: SXB_12 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 partner	1	2,300	18,881,500	57.4
2 partners	2	150	1,009,000	3.1
3 partners	3	50	473,500	1.4
4 or more partners	4	50	533,500	1.6
Valid skip	6	3,150	11,263,000	34.2
Refusal	8	0	4,000	0.0
Not stated	9	100	757,000	2.3
Total		5,800	32,921,500	100.0

Variable Name: SXB_21 **Length:** 1.0 **Position:** 1950

Question Name: SXB_Q21

Concept: Ever diagnosed with a sexually transmitted disease/infection

Question Text: Have you ever been diagnosed with a sexually transmitted disease or infection?

Universe: SXB_12 = 1 or 2

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	2,424,000	7.4
No	2	2,900	23,132,500	70.3
Valid skip	6	2,450	6,584,000	20.0
Don’t know	7	0	24,500	0.1
Not stated	9	100	757,000	2.3
Total		5,800	32,921,500	100.0

Variable Name: SXB_22A **Length:** 1.0 **Position:** 1951

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - HIV

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - HIV (Human Immunodeficiency Virus)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	18,500	0.1
No	2	300	2,308,500	7.0
Valid skip	6	5,350	29,716,500	90.3
Don’t know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: SXB_22B **Length:** 1.0 **Position:** 1952

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - AIDS

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - AIDS (Acquired Immunodeficiency Syndrome)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were
coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
No		2	300	2,327,500	7.1
Valid skip		6	5,350	29,716,500	90.3
Don’t know		7	0	89,000	0.3
Refusal		8	0	7,500	0.0
Not stated		9	100	781,500	2.4
	Total		5,800	32,921,500	100.0

Variable Name: SXB_22C **Length:** 1.0 **Position:** 1953

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Chlamydia

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Chlamydia

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	1,308,500	4.0
No		2	150	1,018,500	3.1
Valid skip		6	5,350	29,716,500	90.3
Don’t know		7	0	89,000	0.3
Refusal		8	0	7,500	0.0
Not stated		9	100	781,500	2.4
	Total		5,800	32,921,500	100.0

Variable Name: SXB_22D **Length:** 1.0 **Position:** 1954

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Genital Herpes

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Herpes (Herpes Simplex Type II)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	362,000	1.1
No	2	250	1,965,500	6.0
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22E **Length:** 1.0 **Position:** 1955

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Syphilis

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Syphilis

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	46,000	0.1
No	2	300	2,281,000	6.9
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22F **Length:** 1.0 **Position:** 1956

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Gonorrhoea

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Gonorrhoea

Totals may not add up due to rounding.

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	260,500	0.8
No	2	250	2,067,000	6.3
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22G **Length:** 1.0 **Position:** 1957

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Genital Warts

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Genital Warts (Human Papilloma Virus or HPV)

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	294,000	0.9
No	2	250	2,033,000	6.2
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22H **Length:** 1.0 **Position:** 1958

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Venereal disease

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Venereal disease

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	31,500	0.1
No	2	300	2,296,000	7.0
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22I **Length:** 1.0 **Position:** 1959

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - Hepatitis B

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Hepatitis B

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	9,500	0.0
No	2	300	2,318,000	7.0
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0
Not stated	9	100	781,500	2.4
Total		5,800	32,921,500	100.0

Variable Name: SXB_22J **Length:** 1.0 **Position:** 1960

Question Name: SXB_Q22

Concept: Sexually transmitted disease/infection - other

Question Text: Which sexually transmitted disease(s) or infection(s) have you been diagnosed with? - Other - Specify

Universe: SXB_21 = 1

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	111,500	0.3
No	2	300	2,216,000	6.7
Valid skip	6	5,350	29,716,500	90.3
Don't know	7	0	89,000	0.3
Refusal	8	0	7,500	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	100	781,500	2.4
	Total		5,800	32,921,500	100.0

Variable Name: SXB_23 **Length:** 1.0 **Position:** 1961

Question Name: SXB_Q23

Concept: Use of condom / last time had sexual intercourse

Question Text: Did you or your partner use a condom the last time you had sexual intercourse?

Universe: SXB_12 = 1 and (DHH_MS = (3,4,5, or 6) or SXB_13 > 1)

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	350	2,857,000	8.7
No		2	450	3,374,500	10.3
Valid skip		6	4,900	25,923,500	78.7
Don’t know		7	0	5,500	0.0
Not stated		9	100	761,000	2.3
	Total		5,800	32,921,500	100.0

Variable Name: SXB_24 **Length:** 1.0 **Position:** 1962

Question Name: SXB_Q24

Concept: Usual use of condom

Question Text: Do you or your partner usually use a condom when you have sexual intercourse?

Universe: SXB_12 = 1 and (DHH_MS = (3,4,5,or 6) or SXB_13 > 1)

Note: This question was not asked in proxy interviews. Proxy interviews for respondents aged 14 and older were coded as "not stated".
This question excludes married or common-law respondents (DHH_MS = 1 or 2) who answered SXB_13 = 1.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	350	3,083,000	9.4
No		2	450	3,149,500	9.6
Valid skip		6	4,900	25,923,500	78.7
Don’t know		7	0	2,000	0.0
Refusal		8	0	2,500	0.0
Not stated		9	100	761,000	2.3
	Total		5,800	32,921,500	100.0

Variable Name: BCL_005 **Length:** 1.0 **Position:** 1963

Question Name: BCL_Q005

Concept: Ever used birth control pills

Question Text: Have you ever used birth control pills?

Universe: DHH_AGE > 11 and DHH_SEX = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,400	10,604,000	32.2
No	2	650	4,042,000	12.3
Valid skip	6	3,700	18,105,500	55.0
Don't know	7	0	97,500	0.3
Refusal	8	0	22,500	0.1
Not stated	9	0	50,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: BCL_010 **Length:** 1.0 **Position:** 1964

Question Name: BCL_Q010

Concept: Number of years used birth control pills

Question Text: In total, over your lifetime, how many years did you use birth control pills?

Universe: BCL_005 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 2 years	1	350	2,385,000	7.2
2 to less than 4 years	2	200	1,856,000	5.6
4 years or more	3	850	6,348,000	19.3
Valid skip	6	4,350	22,147,500	67.3
Don't know	7	0	15,000	0.0
Not stated	9	0	170,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: BCL_015 **Length:** 1.0 **Position:** 1965

Question Name: BCL_Q015

Concept: Ever had a progesterone birth control injection

Question Text: Have you ever had a progesterone birth control injection, for example Depo Provera®?

Universe: DHH_AGE > 11 and DHH_SEX = 2

Totals may not add up due to rounding.

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	967,500	2.9
No	2	1,950	13,761,500	41.8
Valid skip	6	3,700	18,105,500	55.0
Don't know	7	0	15,500	0.0
Refusal	8	0	21,000	0.1
Not stated	9	0	50,500	0.2
Total		5,800	32,921,500	100.0

Variable Name: BCL_020 **Length:** 1.0 **Position:** 1966

Question Name: BCL_Q020

Concept: Number of years used progesterone injections

Question Text: In total, over your lifetime, how many years did you use progesterone injections?

Universe: BCL_015 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 2 years	1	100	649,500	2.0
2 to less than 4 years	2	50	137,000	0.4
4 years or more	3	0	181,000	0.6
Valid skip	6	5,650	31,867,000	96.8
Not stated	9	0	87,000	0.3
Total		5,800	32,921,500	100.0

Variable Name: MBF_11 **Length:** 1.0 **Position:** 1967

Question Name: MBF_Q11

Concept: Ever given birth

Question Text: Have you ever given birth?

Universe: DHH_AGE >= 14 and DHH_SEX = 2 and SXB_11 = 1 and PROXY = 2

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,300	9,490,500	28.8
No	2	350	3,381,500	10.3
Valid skip	6	4,100	19,895,500	60.4
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_12 **Length:** 2.0 **Position:** 1968

Question Name: MBF_Q12

Concept: Number of live births

Question Text: How many live births have you had (excluding stillborns and miscarriages)?

Universe: MBF_11 = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Births	00 - 10	1,300	9,490,500	28.8
Valid skip	96	4,450	23,277,000	70.7
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21A **Length:** 1.0 **Position:** 1970

Question Name:

Concept: Breastfeeding first baby

Question Text: Did you ever breastfeed your first baby?

Universe: 0 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,000	7,310,500	22.2
No	2	300	2,176,000	6.6
Valid skip	6	4,450	23,281,000	70.7
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21AA **Length:** 2.0 **Position:** 1971

Question Name:

Concept: Length of time breastfeeding first baby

Question Text: For how long did you breastfeed your first baby?

Universe: MBF_21A = 1

Note: New in cycle 5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	50	206,500	0.6
1 to 2 weeks	02	50	383,500	1.2
3 to 4 weeks	03	50	568,000	1.7
5 to 8 weeks	04	50	587,500	1.8
9 to less than 12 weeks	05	50	360,000	1.1
3 months (12 weeks to less than 16 weeks)	06	100	748,000	2.3
4 months (16 weeks to less than 20 weeks)	07	50	536,000	1.6
5 months (20 weeks to less than 24 weeks)	08	50	266,000	0.8
6 months (24 weeks to less than 28 weeks)	09	150	799,500	2.4
7 to 9 months	10	100	1,019,500	3.1
10 to 12 months	11	150	687,000	2.1
More than 1 year	12	200	1,144,000	3.5
Valid skip	96	4,800	25,457,000	77.3
Don't know	97	0	6,000	0.0
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21B **Length:** 1.0 **Position:** 1973

Question Name:

Concept: Breastfeeding second baby

Question Text: Did you ever breastfeed your second baby?

Universe: 1 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	750	5,188,000	15.8
No	2	300	1,979,500	6.0
Valid skip	6	4,750	25,600,500	77.8
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21BB **Length:** 2.0 **Position:** 1974

Question Name:

Concept: Length of time breastfeeding second baby

Question Text: For how long did you breastfeed your second baby?

Universe: MBF_21B = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	0	107,000	0.3
1 to 2 weeks	02	0	168,000	0.5

Answer Categories	Code	Frequency	Weighted Frequency	%
3 to 4 weeks	03	50	523,000	1.6
5 to 8 weeks	04	50	218,000	0.7
9 to less than 12 weeks	05	0	173,500	0.5
3 months (12 weeks to less than 16 weeks)	06	50	558,000	1.7
4 months (16 weeks to less than 20 weeks)	07	50	225,000	0.7
5 months (20 weeks to less than 24 weeks)	08	50	217,000	0.7
6 months (24 weeks to less than 28 weeks)	09	100	498,000	1.5
7 to 9 months	10	100	425,500	1.3
10 to 12 months	11	100	844,000	2.6
More than 1 year	12	150	1,227,000	3.7
Valid skip	96	5,050	27,580,000	83.8
Don't know	97	0	4,000	0.0
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21C **Length:** 1.0 **Position:** 1976

Question Name:

Concept: Breastfeeding third baby

Question Text: Did you ever breastfeed your third baby?

Universe: 2 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	2,017,000	6.1
No	2	150	883,500	2.7
Valid skip	6	5,350	29,867,000	90.7
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21CC **Length:** 2.0 **Position:** 1977

Question Name:

Concept: Length of time breastfeeding third baby

Question Text: For how long did you breastfeed your third baby?

Universe: MBF_21C = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	0	8,500	0.0
1 to 2 weeks	02	0	8,000	0.0
3 to 4 weeks	03	0	125,000	0.4
5 to 8 weeks	04	0	144,000	0.4

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
9 to less than 12 weeks	05	0	50,000	0.2
3 months (12 weeks to less than 16 weeks)	06	0	177,500	0.5
4 months (16 weeks to less than 20 weeks)	07	0	112,500	0.3
5 months (20 weeks to less than 24 weeks)	08	0	69,500	0.2
6 months (24 weeks to less than 28 weeks)	09	50	230,500	0.7
7 to 9 months	10	50	232,500	0.7
10 to 12 months	11	50	382,500	1.2
More than 1 year	12	50	476,500	1.4
Valid skip	96	5,500	30,750,500	93.4
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21D **Length:** 1.0 **Position:** 1979

Question Name:

Concept: Breastfeeding fourth baby

Question Text: Did you ever breastfeed your fourth baby?

Universe: 3 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	675,000	2.1
No	2	50	332,500	1.0
Valid skip	6	5,650	31,760,000	96.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21DD **Length:** 2.0 **Position:** 1980

Question Name:

Concept: Length of time breastfeeding fourth baby

Question Text: For how long did you breastfeed your fourth baby?

Universe: MBF_21D = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 2 weeks	02	0	4,500	0.0
3 to 4 weeks	03	0	38,000	0.1
5 to 8 weeks	04	0	18,000	0.1
9 to less than 12 weeks	05	0	14,000	0.0
3 months (12 weeks to less than 16 weeks)	06	0	63,500	0.2
4 months (16 weeks to less than 20 weeks)	07	0	26,500	0.1
5 months (20 weeks to less than 24 weeks)	08	0	3,500	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
6 months (24 weeks to less than 28 weeks)	09	0	79,500	0.2
7 to 9 months	10	0	53,500	0.2
10 to 12 months	11	0	194,000	0.6
More than 1 year	12	0	179,500	0.5
Valid skip	96	5,700	32,093,000	97.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21E **Length:** 1.0 **Position:** 1982

Question Name:

Concept: Breastfeeding fifth baby

Question Text: Did you ever breastfeed your fifth baby?

Universe: 4 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	261,500	0.8
No	2	0	124,500	0.4
Valid skip	6	5,750	32,381,500	98.4
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21EE **Length:** 2.0 **Position:** 1983

Question Name:

Concept: Length of time breastfeeding fifth baby

Question Text: For how long did you breastfeed your fifth baby?

Universe: MBF_21E = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
3 months (12 weeks to less than 16 weeks)	06	0	12,000	0.0
6 months (24 weeks to less than 28 weeks)	09	0	20,500	0.1
7 to 9 months	10	0	32,500	0.1
10 to 12 months	11	0	93,000	0.3
More than 1 year	12	0	104,000	0.3
Valid skip	96	5,750	32,506,000	98.7
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21F **Length:** 1.0 **Position:** 1985

Question Name:

Concept: Breastfeeding sixth baby

Question Text: Did you ever breastfeed your sixth baby?

Universe: 5 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	41,500	0.1
No	2	0	89,500	0.3
Valid skip	6	5,750	32,636,500	99.1
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21FF **Length:** 2.0 **Position:** 1986

Question Name:

Concept: Length of time breastfeeding sixth baby

Question Text: For how long did you breastfeed your sixth baby?

Universe: MBF_21F = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
3 months (12 weeks to less than 16 weeks)	06	0	9,000	0.0
6 months (24 weeks to less than 28 weeks)	09	0	7,000	0.0
7 to 9 months	10	0	2,500	0.0
10 to 12 months	11	0	20,500	0.1
More than 1 year	12	0	2,000	0.0
Valid skip	96	5,750	32,726,500	99.4
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21G **Length:** 1.0 **Position:** 1988

Question Name:

Concept: Breastfeeding seventh baby

Question Text: Did you ever breastfeed your seventh baby?

Universe: 6 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	8,000	0.0
No	2	0	3,500	0.0
Valid skip	6	5,750	32,756,500	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21GG **Length:** 2.0 **Position:** 1989

Question Name:

Concept: Length of time breastfeeding seventh baby

Question Text: For how long did you breastfeed your seventh baby?

Universe: MBF_21G = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
4 months (16 weeks to less than 20 weeks)	07	0	1,000	0.0
6 months (24 weeks to less than 28 weeks)	09	0	2,500	0.0
More than 1 year	12	0	4,000	0.0
Valid skip	96	5,750	32,760,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21H **Length:** 1.0 **Position:** 1991

Question Name:

Concept: Breastfeeding eighth baby

Question Text: Did you ever breastfeed your eighth baby?

Universe: 7 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	6,500	0.0
No	2	0	500	0.0
Valid skip	6	5,750	32,760,500	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21HH **Length:** 2.0 **Position:** 1992

Question Name:

Concept: Length of time breastfeeding eighth baby

Question Text: For how long did you breastfeed your eighth baby?

Universe: MBF_21H = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
6 months (24 weeks to less than 28 weeks)	09	0	2,500	0.0
More than 1 year	12	0	4,000	0.0
Valid skip	96	5,750	32,761,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21I **Length:** 1.0 **Position:** 1994

Question Name:

Concept: Breastfeeding ninth baby

Question Text: Did you ever breastfeed your ninth baby?

Universe: 8 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	4,000	0.0
No	2	0	500	0.0
Valid skip	6	5,750	32,763,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21II **Length:** 2.0 **Position:** 1995

Question Name:

Concept: Length of time breastfeeding ninth baby

Question Text: For how long did you breastfeed your ninth baby?

Universe: MBF_21I = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
More than 1 year	12	0	4,000	0.0
Valid skip	96	5,750	32,764,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21J **Length:** 1.0 **Position:** 1997

Question Name:

Concept: Breastfeeding tenth baby

Question Text: Did you ever breastfeed your tenth baby?

Universe: 9 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,000	0.0
Valid skip	6	5,750	32,766,500	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21JJ **Length:** 2.0 **Position:** 1998

Question Name:

Concept: Length of time breastfeeding tenth baby

Question Text: For how long did you breastfeed your tenth baby?

Universe: MBF_21J = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
More than 1 year	12	0	1,000	0.0
Valid skip	96	5,750	32,766,500	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21K **Length:** 1.0 **Position:** 2000

Question Name:

Concept: Breastfeeding eleventh baby

Totals may not add up due to rounding.

Question Text: Did you ever breastfeed your eleventh baby?

Universe: 10 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,768,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21KK **Length:** 2.0 **Position:** 2001

Question Name:

Concept: Length of time breastfeeding eleventh baby

Question Text: For how long did you breastfeed your eleventh baby?

Universe: MBF_21K = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,768,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21L **Length:** 1.0 **Position:** 2003

Question Name:

Concept: Breastfeeding twelfth baby

Question Text: Did you ever breastfeed your twelfth baby?

Universe: 11 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,768,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21LL **Length:** 2.0 **Position:** 2004

Question Name:

Concept: Length of time breastfeeding twelfth baby

Question Text: For how long did you breastfeed your twelfth baby?

Universe: MBF_21L = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,768,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21M **Length:** 1.0 **Position:** 2006

Question Name:

Concept: Breastfeeding thirteenth baby

Question Text: Did you ever breastfeed your thirteenth baby?

Universe: 12 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,768,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21MM **Length:** 2.0 **Position:** 2007

Question Name:

Concept: Length of time breastfeeding thirteenth baby

Question Text: For how long did you breastfeed your thirteenth baby?

Universe: MBF_21M = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,768,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: MBF_21N **Length:** 1.0 **Position:** 2009

Question Name:

Concept: Breastfeeding fourteenth baby

Question Text: Did you ever breastfeed your fourteenth baby?

Universe: 13 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,768,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21NN **Length:** 2.0 **Position:** 2010

Question Name:

Concept: Length of time breastfeeding fourteenth baby

Question Text: For how long did you breastfeed your fourteenth baby?

Universe: MBF_21N = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,768,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21O **Length:** 1.0 **Position:** 2012

Question Name:

Concept: Breastfeeding fifteenth baby

Question Text: Did you ever breastfeed your fifteenth baby?

Universe: 14 < MBF_12 < VS

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	5,750	32,768,000	99.5
Not stated	9	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: MBF_21OO **Length:** 2.0 **Position:** 2013

Question Name:

Concept: Length of time breastfeeding fifteenth baby

Question Text: For how long did you breastfeed your fifteenth baby?

Universe: MBF_21O = 1

Note: New in cycle 5

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	96	5,750	32,768,000	99.5
Not stated	99	0	154,000	0.5
Total		5,800	32,921,500	100.0

Variable Name: PRG_11 **Length:** 1.0 **Position:** 2015

Question Name: PRG_Q11

Concept: Smoked during pregnancy

Question Text: Did [you/she] smoke during [your/her] pregnancy with (respondent's name)?

Universe: DHH_AGE > 12 and PPID03 = 1 or 2

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	279,500	0.8
No	2	1,450	3,101,000	9.4
Valid skip	6	4,150	29,530,500	89.7
Don't know	7	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PRG_12 **Length:** 2.0 **Position:** 2016

Question Name: PRG_Q12

Concept: Number of cigarettes/day

Question Text: How many cigarettes per day did you/she smoke?

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	01 - 25	150	275,500	0.8
Valid skip	96	5,600	32,631,000	99.1
Don't know	97	0	4,000	0.0
Not stated	99	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PRG_13A **Length:** 1.0 **Position:** 2018

Question Name: PRG_Q13

Concept: Stage of pregnancy - first trimester

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the first three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	53,500	0.2
No	2	150	224,000	0.7
Valid skip	6	5,600	32,631,000	99.1
Don't know	7	0	2,000	0.0
Not stated	9	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PRG_13B **Length:** 1.0 **Position:** 2019

Question Name: PRG_Q13

Concept: Stage of pregnancy - second trimester

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the second three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	12,500	0.0
No	2	150	265,500	0.8
Valid skip	6	5,600	32,631,000	99.1
Don't know	7	0	2,000	0.0
Not stated	9	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PRG_13C **Length:** 1.0 **Position:** 2020

Question Name: PRG_Q13

Concept: Stage of pregnancy - third trimester

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- During the third three months

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	5,000	0.0
No	2	150	272,500	0.8
Valid skip	6	5,600	32,631,000	99.1
Don't know	7	0	2,000	0.0
Not stated	9	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PRG_13D **Length:** 1.0 **Position:** 2021

Question Name: PRG_Q13

Concept: Stage of pregnancy - throughout

Question Text: At what stage in [her/your] pregnancy did [she/you] smoke[this amount]?
- Throughout

Universe: PRG_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	217,000	0.7
No	2	50	60,500	0.2
Valid skip	6	5,600	32,631,000	99.1
Don't know	7	0	2,000	0.0
Not stated	9	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: BIR_11 **Length:** 1.0 **Position:** 2022

Question Name: BIR_Q11

Concept: Weight at birth

Totals may not add up due to rounding.

Question Text: How much did you weigh at birth?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Pounds and ounces	1	1,350	2,829,500	8.6
Grams	2	200	460,500	1.4
Valid skip	6	4,150	29,474,000	89.5
Don't know	7	100	157,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: BIR_12 **Length:** 2.0 **Position:** 2023

Question Name: BIR_N12

Concept: Birth weight - Pounds

Question Text: How much did you weigh at birth?

Enter pounds only.

Universe: BIR_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Pounds	02 - 12	1,350	2,829,500	8.6
Valid skip	96	4,350	29,934,500	90.9
Not stated	99	100	157,500	0.5
Total		5,800	32,921,500	100.0

Variable Name: BIR_13 **Length:** 2.0 **Position:** 2025

Question Name: BIR_N13

Concept: Birth weight - Ounces

Question Text: How much did you weigh at birth?

Enter ounces only.

Universe: BIR_11 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Ounces	00 - 15	1,350	2,829,500	8.6
Valid skip	96	4,350	29,934,500	90.9

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		99	100	157,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: BIR_14 **Length:** 4.0 **Position:** 2027

Question Name: BIR_N14

Concept: Birth weight - Grams

Question Text: How much did you weigh at birth?

Enter grams.

Universe: BIR_11 = 2

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Grams		0250 - 5000	200	460,500	1.4
Valid skip		9996	5,500	32,303,500	98.1
Not stated		9999	100	157,500	0.5
	Total		5,800	32,921,500	100.0

Variable Name: BIR_21 **Length:** 1.0 **Position:** 2031

Question Name: BIR_Q21

Concept: Born before, on or after due date

Question Text: Was you born before, after or on the due date?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Before the due date		1	800	1,700,500	5.2
After the due date		2	500	1,009,000	3.1
On the due date		3	350	702,500	2.1
Valid skip		6	4,150	29,474,000	89.5
Don’t know		7	50	35,500	0.1
	Total		5,800	32,921,500	100.0

Variable Name: BIR_22 **Length:** 3.0 **Position:** 2032

Question Name: BIR_Q22

Totals may not add up due to rounding.

Concept: Days before/after due date

Question Text: How many days before/after the due date were you born?

Universe: BIR_21 = 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	001 - 126	1,250	2,686,500	8.2
Valid skip	996	4,500	30,176,500	91.7
Don't know	997	0	22,000	0.1
Refusal	998	0	1,000	0.0
Not stated	999	50	35,500	0.1
Total		5,800	32,921,500	100.0

Variable Name: BIR_23 **Length:** 1.0 **Position:** 2035

Question Name: BIR_Q23

Concept: Type of birth

Question Text: Was this a single birth, or was it twins or triplets?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Single birth	1	1,600	3,332,500	10.1
Twins	2	50	107,000	0.3
Valid skip	6	4,150	29,474,000	89.5
Don't know	7	0	8,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: BIR_24 **Length:** 1.0 **Position:** 2036

Question Name: BIR_Q24

Concept: Respondent admitted to neonatal unit

Question Text: Was [Name of respondent] admitted to a special neonatal unit or an intensive care unit immediately following birth, before you left the hospital?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	398,500	1.2
No	2	1,400	3,029,500	9.2
Valid skip	6	4,150	29,474,000	89.5
Don't know	7	0	11,500	0.0
Not stated	9	0	8,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: BIR_25 **Length:** 3.0 **Position:** 2037

Question Name: BIR_Q25

Concept: Days care received

Question Text: For how many days, in total, was this care received?

Universe: BIR_21 = 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Days	000 - 150	200	397,000	1.2
Valid skip	996	5,550	32,503,500	98.7
Don't know	997	0	1,000	0.0
Not stated	999	0	20,000	0.1
Total		5,800	32,921,500	100.0

Variable Name: BIR_26 **Length:** 2.0 **Position:** 2040

Question Name: BIR_Q26

Concept: Age of mother

Question Text: How old [were you/was [Respondent Name]'s biological mother] when [Respondent Name] was born?

Universe: DHH_AGE < 12

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	16 - 51	1,650	3,424,000	10.4
Valid skip	96	4,150	29,474,000	89.5
Don't know	97	0	14,000	0.0
Refusal	98	0	1,000	0.0
Not stated	99	0	8,500	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: BRI_11 **Length:** 1.0 **Position:** 2042

Question Name: BRI_Q11

Concept: Respondent breastfed

Question Text: Did [you/[Respondent Name]'s biological mother] breastfeed [Respondent Name] as an infant, even if only for a short period of time?

Universe: DHH_AGE < 12 and PPID03 = 1 or 2

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,400	2,981,500	9.1
No	2	200	396,000	1.2
Valid skip	6	4,150	29,530,500	89.7
Don't know	7	0	13,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: BRI_12 **Length:** 2.0 **Position:** 2043

Question Name: BRI_Q12

Concept: Length of time breastfed

Question Text: For how long did [you/she] breastfeed?

Universe: BRI_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	50	79,500	0.2
1 to less than 3 weeks	02	50	141,000	0.4
3 to less than 5 weeks	03	50	116,000	0.4
5 to less than 9 weeks	04	50	110,000	0.3
9 to less than 12 weeks	05	50	90,000	0.3
3 to less than 7 months	06	300	624,500	1.9
7 to less than 10 months	07	200	455,000	1.4
10 to 12 months	08	200	478,500	1.5
More than 1 year	09	400	871,500	2.6
Valid skip	96	4,400	29,926,500	90.9
Don't know	97	0	14,000	0.0
Refusal	98	0	1,500	0.0
Not stated	99	0	13,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: BRI_13 **Length:** 2.0 **Position:** 2045

Question Name: BRI_Q13

Concept: Length of time fed only breast milk

Question Text: For how long was [Respondent Name] fed only breast milk?

Universe: BRI_11 = 1

Note: This question was coded as "valid skip" if a biological parent was not providing the information (PPID03 = 3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one week	01	150	313,500	1.0
1 to less than 3 weeks	02	100	203,500	0.6
3 to less than 5 weeks	03	50	125,500	0.4
5 to less than 9 weeks	04	50	151,500	0.5
9 to less than 12 weeks	05	50	135,500	0.4
3 to 6 months	06	650	1,474,000	4.5
More than 6 months	07	250	517,500	1.6
Valid skip	96	4,400	29,926,500	90.9
Don't know	97	50	58,500	0.2
Refusal	98	0	1,500	0.0
Not stated	99	0	13,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: BRIFEB6 **Length:** 1.0 **Position:** 2047

Question Name:

Concept: Exclusive breastfeeding for at least 3 months - (D)

Question Text:

Universe: DHH_AGE < 12

Note: This question was coded as "not stated" if a biological parent was not providing the information (PPID03 =3,4,5)

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	900	1,992,000	6.1
No	2	650	1,325,500	4.0
Valid skip	6	4,150	29,474,000	89.5
Not stated	9	50	130,000	0.4
Total		5,800	32,921,500	100.0

Variable Name: LMAM_01 **Length:** 1.0 **Position:** 2048

Question Name: LMAM_Q01

Concept: Job - last week had a job or business

Question Text: Many of the following questions concern your activities last week. By last week, I mean the week beginning on [date one week ago] and ending [date of yesterday].

Totals may not add up due to rounding.

Last week, did you work at a job or business? (regardless of the number of hours)

Universe: 14 < DHH_AGE < 76

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,200	18,962,500	57.6
No	2	1,400	8,764,000	26.6
Valid skip	6	2,200	5,195,000	15.8
Total		5,800	32,921,500	100.0

Variable Name: LMAM_02 **Length:** 1.0 **Position:** 2049

Question Name: LMAM_Q02

Concept: Job - had a job/ business last week but was absent

Question Text: Last week, did you have a job or business from which you were absent?

Universe: LMAM_01 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,206,500	3.7
No	2	1,250	7,557,000	23.0
Valid skip	6	4,400	24,157,500	73.4
Total		5,800	32,921,500	100.0

Variable Name: LMAM_03 **Length:** 2.0 **Position:** 2050

Question Name: LMAM_Q03

Concept: Job - main reason absent work last week

Question Text: What was the main reason you were absent from work last week?

Universe: LMAM_02 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Own illness or disability	01	50	325,000	1.0
Caring for own children	02	0	7,000	0.0
Maternity or parental leave	04	50	141,000	0.4
Other personal or family responsibilities	05	0	169,000	0.5
Vacation	06	50	353,500	1.1

Answer Categories	Code	Frequency	Weighted Frequency	%
Labour dispute (strike or lockout) (Employees only)	07	0	3,500	0.0
Temporary layoff due to business conditions (Employees only)	08	0	36,000	0.1
Seasonal layoff (Employees only)	09	0	26,000	0.1
Casual job, no work available (Employees only)	10	0	26,500	0.1
Work schedule (e.g., shift work) (Employees only)	11	0	26,500	0.1
Self-employed, no work available (Self-employed only)	12	0	8,500	0.0
Seasonal business (Excluding employees)	13	0	18,500	0.1
Other - Specify	14	0	65,000	0.2
Valid skip	96	5,600	31,715,000	96.3
Total		5,800	32,921,500	100.0

Variable Name: LMA2_04 **Length:** 1.0 **Position:** 2052

Question Name: LMA2_Q04

Concept: Job - last 4 weeks tried to find work

Question Text: In the 4 weeks ending [date of yesterday], did you do anything to find work?

Universe: LMAM_02 = 2 or (LMAM_02 = 1 and LMAM_03 = 9, 10)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,272,000	3.9
No	2	1,050	6,338,000	19.3
Valid skip	6	4,550	25,312,000	76.9
Total		5,800	32,921,500	100.0

Variable Name: LMA2_05 **Length:** 1.0 **Position:** 2053

Question Name: LMA2_Q05

Concept: Job - last week had job with start date

Question Text: Last week, did you have a job to start at a definite date in the future?

Universe: 14 < DHH_AGE < 65 and LMA2_04 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	151,000	0.5
No	2	650	3,661,500	11.1
Valid skip	6	5,100	29,109,000	88.4
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: LMA2_06 **Length:** 1.0 **Position:** 2054

Question Name: LMA2_Q06

Concept: Job - start date

Question Text: Will you start that job before or after [today's date plus 28 days]?

Universe: LMA2_05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Before the date above	1	0	40,000	0.1
On or after the date above	2	0	111,000	0.3
Valid skip	6	5,750	32,770,500	99.5
Total		5,800	32,921,500	100.0

Variable Name: LMA2_07 **Length:** 1.0 **Position:** 2055

Question Name: LMA2_Q07

Concept: Job - wanted job with more or less 30 hours per week

Question Text: Did you want a job with more or less than 30 hours per week?

Universe: LMA2_04 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
30 or more hours per week	1	100	881,000	2.7
Less than 30 hours per week	2	100	390,000	1.2
Valid skip	6	5,600	31,649,500	96.1
Don't know	7	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LMA2_08 **Length:** 1.0 **Position:** 2056

Question Name: LMA2_Q08

Concept: Job - could have worked last week if offered

Question Text: Could you have worked last week [if you had been recalled/if a suitable job had been offered]?

Universe: LMAM_03 = 8 or LMA2_04 = 1 or LMA2_06 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	906,500	2.8
No	2	50	441,000	1.3
Valid skip	6	5,600	31,573,500	95.9
Don't know	7	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LMA2_09 **Length:** 2.0 **Position:** 2057

Question Name: LMA2_Q09

Concept: Job - main reason not available to work last week

Question Text: What was the main reason you were not available to work last week?

Universe: LMA2_08 = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Own illness or disability	01	0	28,500	0.1
Caring for own children	02	0	69,000	0.2
Caring for elder relative (60 years of age or older)	03	0	16,500	0.0
Other personal or family responsibilities	04	0	13,000	0.0
Going to school	05	0	277,000	0.8
Vacation	06	0	7,000	0.0
Already has a job	07	0	3,500	0.0
Other - Specify	08	0	26,500	0.1
Valid skip	96	5,750	32,479,500	98.7
Not stated	99	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LMA3_10 **Length:** 1.0 **Position:** 2059

Question Name: LMA3_Q10

Concept: Job - were you employee/self-employed

Question Text: Were you an employee or self-employed?

Universe: LMAM_01=1 or LMAM_01=2 and LMAM_02=1 and LMAM_03 = (1, 2, 3, 4, 5, 6, 7, 11, 12, 13, or 14)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Employee	1	1,900	16,734,000	50.8
Self-employed	2	400	3,219,500	9.8
Working in a family business without pay	3	0	127,000	0.4

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	3,450	12,840,500	39.0
Not stated	9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LMH_016 **Length:** 5.1 **Position:** 2060

Question Name: LMH_Q16

Concept: Number of hours worked per week

Question Text: On average, how many hours do you usually work per week?

Universe: LMAM_01=1 or LMAM_01=2 and LMAM_02=1 and LMAM_03 = (1, 2, 3, 4, 5, 6, 7, 11, 12, 13, or 14)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Hours	000.0 - 105.0	2,300	19,992,500	60.7
Valid skip	999.6	3,450	12,840,500	39.0
Don't know	999.7	0	85,000	0.3
Refusal	999.8	0	3,000	0.0
Not stated	999.9	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAFDWSL **Length:** 2.0 **Position:** 2065

Question Name:

Concept: Working status last week (6 groups) - (D)

Question Text:

Universe: 14 < DHH_AGE < 76

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Had a job - at work last week	01	2,200	18,962,500	57.6
Had a job - temporary / seasonal layoff	02	50	115,500	0.4
Had a job - absent for some other reason	03	150	1,091,000	3.3
No job - looked for past 4 weeks	04	200	1,267,000	3.8
No job - did not look over past 4 weeks	05	1,050	6,290,500	19.1
Valid skip	96	2,200	5,195,000	15.8
Total		5,800	32,921,500	100.0

Variable Name: LAFDWSS **Length:** 1.0 **Position:** 2067

Question Name:

Concept: Working status last week (4 groups) - (D)

Question Text:

Universe: 14 < DHH_AGE < 76

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Had a job - at work last week	1	2,200	18,962,500	57.6
Had a job - absent from work last week	2	150	1,206,500	3.7
Did not have a job last week	3	1,250	7,557,000	23.0
Valid skip	6	2,200	5,195,000	15.8
Total		5,800	32,921,500	100.0

Variable Name: LAFCIC12 **Length:** 4.0 **Position:** 2068

Question Name:

Concept: North American Industry Classification System (NAICS) 2012

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: North American Industry Classification System (NAICS) 2012 codes are used for cycle 3.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
North American Industry Classification System (NAICS) 2012	1100 - 9130	2,300	20,072,500	61.0
Valid skip	9996	3,450	12,840,500	39.0
Not stated	9999	0	9,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAFCOC11 **Length:** 4.0 **Position:** 2072

Question Name:

Concept: National Occupational Classification - Statistics (NOC-S) 2011

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2011 codes are used for cycle 3.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
National Occupational Classification (NOC) 2011	0011 - 9619	2,300	20,071,500	61.0
Valid skip	9996	3,450	12,840,500	39.0
Not stated	9999	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAFCIC17 **Length:** 4.0 **Position:** 2076

Question Name:

Concept: North American Industry Classification System (NAICS) 2017

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: North American Industry Classification System (NAICS) 2017 codes are used for cycle 5.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
North American Industry Classification System (NAICS) 2017	1100 - 9130	2,300	20,072,500	61.0
Valid skip	9996	3,450	12,840,500	39.0
Not stated	9999	0	9,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAFCOC16 **Length:** 4.0 **Position:** 2080

Question Name:

Concept: National Occupational Classification - Statistics (NOC-S) 2016

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2016 codes are used for cycle 5.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
National Occupational Classification (NOC) 2016	0011 - 9619	2,300	20,071,500	61.0
Valid skip	9996	3,450	12,840,500	39.0
Not stated	9999	0	10,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAFGO16S **Length:** 2.0 **Position:** 2084

Question Name:

Concept: Variant for analysis by NOC skill level - (G)

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2016

Source:

Variable Name: LAFGO16A **Length:** 2.0 **Position:** 2086

Question Name:

Concept: Variant of NOC for highly aggregated data - (G)

Question Text:

Universe: LMA3_10 = 1, 2, 3

Note: National Occupational Classification (NOC) 2016

Source:

Variable Name: IMG_02 **Length:** 2.0 **Position:** 2088

Question Name: IMG_Q02

Concept: Province/territory of birth

Question Text: In which province or territory were you born?

Universe: IMGCCB = 11124

Note: Variable name changed from Cycle 4 (was IMM_02).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Newfoundland and Labrador	10	0	105,500	0.3
Prince Edward Island	11	300	837,000	2.5
Nova Scotia	12	50	297,500	0.9
New Brunswick	13	300	1,105,500	3.4
Quebec	24	1,400	6,056,500	18.4
Ontario	35	1,500	8,828,000	26.8
Manitoba	46	50	302,000	0.9
Saskatchewan	47	300	2,700,000	8.2
Alberta	48	300	1,831,500	5.6
British Columbia	59	500	2,650,500	8.1
Yukon	60	0	5,000	0.0
Northwest Territories	61	0	16,500	0.0
Nunavut	62	0	1,000	0.0
Valid skip	96	1,000	8,182,500	24.9

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		97	0	3,000	0.0
Not stated		99	0	1,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: IMG_03 **Length:** 1.0 **Position:** 2090

Question Name: IMG_Q03

Concept: Landed immigrant

Question Text: Are you now, or have you ever been a landed immigrant in Canada?

Universe: IMGCCB <> 11124

Note: Variable name changed from Cycle 4 (was IMM_03).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	950	7,623,000	23.2
No		2	50	559,500	1.7
Valid skip		6	4,800	24,738,000	75.1
Refusal		8	0	1,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: IMG_04 **Length:** 4.0 **Position:** 2091

Question Name: IMG_Q04

Concept: Year first became landed immigrant in Canada

Question Text: In what year did you first become a landed immigrant in Canada?

Universe: IMG_03 = 1

Note: Variable name changed from Cycle 4 (was IMM_04).

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Year		1940 - 2017	950	7,623,000	23.2
Valid skip		9996	4,850	25,297,500	76.8
Not stated		9999	0	1,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: IMGDLLI **Length:** 3.0 **Position:** 2095

Question Name:

Concept: Length of time since became a landed immigrant - (D)

Question Text:

Universe: IMG_03 = 1

Note: See document on derived variables.
Variable name changed from Cycle 4 (was IMMDLLI).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 077	950	7,623,000	23.2
Valid skip	996	4,850	25,297,500	76.8
Not stated	999	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: IMGDALI **Length:** 3.0 **Position:** 2098

Question Name:

Concept: Age at time of landed immigration - (D)

Question Text:

Universe: IMG_03 = 1

Note: See document on derived variables.

Variable name changed from Cycle 4 (was IMMDALI).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Age in years	000 - 068	950	7,623,000	23.2
Valid skip	996	4,850	25,297,500	76.8
Not stated	999	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: AMB_01 **Length:** 1.0 **Position:** 2101

Question Name: AMB_Q01

Concept: Is an aboriginal person

Question Text: Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians.

Universe: IMMCCB = 11124, 11840, 11304, 21276

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	200	1,126,500	3.4
No	2	4,650	24,039,500	73.0
Valid skip	6	950	7,742,500	23.5

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	0	13,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: AMB_02A **Length:** 1.0 **Position:** 2102

Question Name: AMB_Q02

Concept: Aboriginal person - First Nations

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - First Nations (North American Indian)

Universe: AMB_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	365,000	1.1
No		2	100	737,000	2.2
Valid skip		6	5,550	31,782,000	96.5
Don't know		7	0	24,500	0.1
Not stated		9	0	13,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: AMB_02B **Length:** 1.0 **Position:** 2103

Question Name: AMB_Q02

Concept: Aboriginal person - Métis

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - Métis

Universe: AMB_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	100	753,000	2.3
No		2	100	348,500	1.1
Valid skip		6	5,550	31,782,000	96.5
Don't know		7	0	24,500	0.1
Not stated		9	0	13,500	0.0
	Total		5,800	32,921,500	100.0

Variable Name: AMB_02C **Length:** 1.0 **Position:** 2104

Question Name: AMB_Q02

Concept: Aboriginal person - Inuk (Inuit)

Question Text: Are you First Nations, Métis or Inuk (Inuit)? - Inuk (Inuit)

Universe: AMB_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	1,500	0.0
No	2	200	1,100,500	3.3
Valid skip	6	5,550	31,782,000	96.5
Don't know	7	0	24,500	0.1
Not stated	9	0	13,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: AMBFABT **Length:** 1.0 **Position:** 2105

Question Name:

Concept: Aboriginal origin or identity - (F)

Question Text:

Universe: IMMCCB = 11124, 11840, 11304, 21276

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Aboriginal	1	200	1,126,500	3.4
Not Aboriginal	2	4,650	24,039,500	73.0
Valid skip	6	950	7,742,500	23.5
Not stated	9	0	13,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01A **Length:** 1.0 **Position:** 2106

Question Name: PG_Q01

Concept: Population group - White

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - White

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24A

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,500	24,336,000	73.9
No	2	1,100	7,456,500	22.6
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01B **Length:** 1.0 **Position:** 2107

Question Name: PG_Q01

Concept: Population group - South Asian

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - South Asian (e.g., East Indian, Pakistani, Sri Lankan)

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	350	2,102,000	6.4
No	2	5,250	29,690,500	90.2
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01C **Length:** 1.0 **Position:** 2108

Question Name: PG_Q01

Concept: Population group - Chinese

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - Chinese

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,266,000	3.8
No	2	5,400	30,526,500	92.7
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01D **Length:** 1.0 **Position:** 2109

Question Name: PG_Q01

Concept: Population group - Black

Question Text: You may belong to one or more racial or cultural groups on the following list.

Are you... ? - Black

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	250	1,614,000	4.9
No	2	5,300	30,178,500	91.7
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01E **Length:** 1.0 **Position:** 2110

Question Name:

Concept: Population group - Filipino

Question Text: You may belong to one or more racial or cultural groups on the following list.
Are you... ? - Filipino

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24E

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	972,500	3.0
No	2	5,450	30,819,500	93.6
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01F **Length:** 1.0 **Position:** 2111

Question Name:

Concept: Population group - Latin American

Totals may not add up due to rounding.

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Latin American

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24F

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,102,500	3.3
No	2	5,400	30,689,500	93.2
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01G **Length:** 1.0 **Position:** 2112

Question Name:

Concept: Population group - Arab

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Arab

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24G

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	100	449,000	1.4
No	2	5,500	31,343,000	95.2
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01H **Length:** 1.0 **Position:** 2113

Question Name:

Concept: Population group - Southeast Asian

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24H

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	495,500	1.5
No	2	5,500	31,296,500	95.1
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01I **Length:** 1.0 **Position:** 2114

Question Name:

Concept: Population group - West Asian

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - West Asian (e.g., Iranian, Afghan)

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24I

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	349,500	1.1
No	2	5,500	31,443,000	95.5
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01J **Length:** 1.0 **Position:** 2115

Question Name:

Concept: Population group - Korean

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Korean

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24J

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	0	96,000	0.3
No	2	5,550	31,696,500	96.3
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Totals may not add up due to rounding.

Variable Name: PG_01K **Length:** 1.0 **Position:** 2116

Question Name:

Concept: Population group - Japanese

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Japanese

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24K

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	132,500	0.4
No	2	5,550	31,659,500	96.2
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PG_01L **Length:** 1.0 **Position:** 2117

Question Name:

Concept: Population group - Other

Question Text: You may belong to one or more racial or cultural groups on the following list. Are you... ? - Other

Universe: AMB_01 > 1

Note: In cycle 2, this variable was SDC_24L

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	50	400,500	1.2
No	2	5,500	31,392,000	95.4
Valid skip	6	200	1,126,500	3.4
Don't know	7	0	2,000	0.0
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: PGDCGT **Length:** 2.0 **Position:** 2118

Question Name:

Concept: Cultural or racial group - (D)

Question Text:

Universe: AMB_01 > 1

Note: In cycle 2 this variable was SDCCGT.

See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
White	01	4,250	23,133,000	70.3
Black	02	200	1,338,000	4.1
Korean	03	0	87,000	0.3
Filipino	04	100	713,500	2.2
Japanese	05	0	55,000	0.2
Chinese	06	150	1,005,000	3.1
South Asian	07	300	1,938,500	5.9
Southeast Asian	08	50	315,000	1.0
Arab	09	50	412,000	1.3
West Asian	10	50	318,000	1.0
Latin America	11	100	819,500	2.5
Other racial or cultural origin	12	50	215,500	0.7
Multiple racial or cultural origins	13	250	1,443,500	4.4
Valid skip	96	200	1,126,500	3.4
Not stated	99	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: IMGCCB **Length:** 5.0 **Position:** 2120

Question Name:

Concept: Country of birth - (C)

Question Text:

Universe: All respondents

Note: Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographieeng.htm

Variable name changed from Cycle 4 (was IMMCCB).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Country of birth	11124 - 51258	5,800	32,920,500	100.0
Refusal	99998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: IMGGCB **Length:** 2.0 **Position:** 2125

Question Name:

Concept: Country of birth - (G)

Question Text:

Universe: All respondents

Totals may not add up due to rounding.

Note: Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2011 available at: http://www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographieeng.htm

Variable name changed from Cycle 4 (was IMMGCB).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Canada	01	4,800	24,738,000	75.1
Other North America	02	50	486,000	1.5
South, Central America and Caribbean	03	150	1,337,500	4.1
Europe	04	250	1,794,000	5.5
Africa	05	100	779,500	2.4
Asia	06	450	3,771,500	11.5
Oceania	07	0	13,500	0.0
Not stated	99	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAE_01 **Length:** 1.0 **Position:** 2127

Question Name: LAE_Q01

Concept: Language - knowledge of official languages

Question Text: Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... ?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	1	3,750	23,192,500	70.4
French only	2	800	3,036,500	9.2
Both English and French	3	1,200	6,193,000	18.8
Neither English nor French	4	50	498,000	1.5
Refusal	8	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC02A **Length:** 8.0 **Position:** 2128

Question Name:

Concept: Language - knowledge of non-offical language - 1st

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21020000 - 22240000	1,250	8,910,500	27.1
No other languages	90000000	4,500	23,988,000	72.9
Don't know	99999997	0	11,000	0.0
Refusal	99999998	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC02B **Length:** 8.0 **Position:** 2136

Question Name:

Concept: Language - knowledge of non-offical language - 2nd

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: LAEC02A <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	22020100 - 22240000	250	2,129,500	6.5
No other languages	90000000	1,000	6,779,500	20.6
Valid skip	99999996	4,500	23,988,000	72.9
Don't know	99999997	0	12,500	0.0
Refusal	99999998	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC02C **Length:** 8.0 **Position:** 2144

Question Name:

Concept: Language - knowledge of non-offical language - 3rd

Question Text: What language(s) other than English or French do you speak well enough to conduct a conversation?

Universe: LAEC02B < 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	22020100 - 22240000	50	421,000	1.3
No other languages	90000000	200	1,708,000	5.2
Valid skip	99999996	5,500	30,767,500	93.5
Don't know	99999997	0	12,500	0.0
Refusal	99999998	0	12,500	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC03A **Length:** 8.0 **Position:** 2152

Totals may not add up due to rounding.

Question Name:

Concept: Language - home language spoken most often - 1st

Question Text: What language do you speak most often at home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	5,800	32,914,500	100.0
Don't know	99999997	0	6,000	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC03B **Length:** 8.0 **Position:** 2160

Question Name:

Concept: Language - home language spoken most often - 2nd

Question Text: What language do you speak most often at home?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	600	3,186,000	9.7
No other languages	90000000	5,150	29,728,000	90.3
Don't know	99999997	0	6,500	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC03C **Length:** 8.0 **Position:** 2168

Question Name:

Concept: Language - home language spoken most often - 3rd

Question Text: What language do you speak most often at home?

Universe: LAEC03B <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22230300	50	212,000	0.6
No other languages	90000000	600	2,974,000	9.0

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	99999996	5,150	29,728,000	90.3
Don't know	99999997	0	6,500	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC06A **Length:** 8.0 **Position:** 2176

Question Name:

Concept: Language - mother tongue - 1st

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	5,800	32,910,500	100.0
Don't know	99999997	0	10,000	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC06B **Length:** 8.0 **Position:** 2184

Question Name:

Concept: Language - mother tongue - 2nd

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22240000	650	3,608,000	11.0
No other languages	90000000	5,150	29,302,500	89.0
Don't know	99999997	0	10,000	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEC06C **Length:** 8.0 **Position:** 2192

Question Name:

Concept: Language - mother tongue - 3rd

Totals may not add up due to rounding.

Question Text: What is the language that you first learned at home in childhood and still understand?

Universe: LAEC06B <> 90000000

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Language	21010000 - 22200205	50	304,500	0.9
No other languages	90000000	600	3,303,500	10.0
Valid skip	99999996	5,150	29,302,500	89.0
Don't know	99999997	0	10,000	0.0
Refusal	99999998	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEDCON **Length:** 2.0 **Position:** 2200

Question Name:

Concept: Languages - can converse - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	2,900	17,170,000	52.2
French only	02	700	2,741,500	8.3
English and French only	03	900	4,091,000	12.4
English and French and other	04	300	2,102,000	6.4
English and other (not French)	05	850	6,022,500	18.3
French and other (not English)	06	50	295,500	0.9
Neither English nor French (other)	07	50	490,500	1.5
No languages	08	0	7,500	0.0
Not stated	99	0	1,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEDFL1 **Length:** 2.0 **Position:** 2202

Question Name:

Concept: First language learned and still understood - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	3,250	18,683,500	56.8
French only	02	1,250	5,545,000	16.8
English and French only	03	200	703,000	2.1
English and French and other	04	50	124,500	0.4
English and other (not French)	05	300	1,882,000	5.7
French and other (not English)	06	50	503,500	1.5
Neither English nor French (other)	07	700	5,468,500	16.6
Not stated	99	0	11,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: LAEDSPH **Length:** 2.0 **Position:** 2204

Question Name:

Concept: Language(s) spoken most often at home - (D)

Question Text:

Universe: All respondents

Note: See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
English only	01	3,600	21,128,500	64.2
French only	02	1,250	5,348,000	16.2
English and French only	03	150	654,500	2.0
English and French and other	04	50	122,000	0.4
English and other (not French)	05	350	2,016,500	6.1
French and other (not English)	06	50	353,500	1.1
Neither English nor French (other)	07	350	3,291,500	10.0
Not stated	99	0	7,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: ESC1_01 **Length:** 1.0 **Position:** 2206

Question Name: ESC1_Q01

Concept: Currently attending school, college, CEGEP or university

Question Text: Are you currently attending school, college, CEGEP or university?

Universe: DHH_AGE > 11

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,150	5,189,500	15.8
No	2	3,000	24,281,500	73.8
Valid skip	6	1,650	3,447,500	10.5
Refusal	8	0	1,000	0.0
Not stated	9	0	2,000	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		5,800	32,921,500	100.0

Variable Name: EDM_01A **Length:** 1.0 **Position:** 2207

Question Name: EDM_Q01

Concept: Attending educational institutiuon - elementary/jr. h.s./high school

Question Text: What type of educational institution [are you attending/did you attend]? - Elementary, junior high school or high school

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	850	2,660,500	8.1
No		2	300	2,525,000	7.7
Valid skip		6	4,650	27,729,000	84.2
Don't know		7	0	4,000	0.0
Not stated		9	0	3,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: EDM_01B **Length:** 1.0 **Position:** 2208

Question Name: EDM_Q01

Concept: Attending educational institution -trade school/college/CEGEP

Question Text: What type of educational institution [are you attending/did you attend]? - Trade school, college, CEGEP or other non-university institution

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	1,101,500	3.3
No		2	1,000	4,083,500	12.4
Valid skip		6	4,650	27,729,000	84.2
Don't know		7	0	4,000	0.0
Not stated		9	0	3,000	0.0
	Total		5,800	32,921,500	100.0

Variable Name: EDM_01C **Length:** 1.0 **Position:** 2209

Question Name: EDM_Q01

Concept: Attending educational institution - university

Question Text: What type of educational institution [are you attending/did you attend]? - University

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	150	1,441,000	4.4
No	2	1,000	3,744,500	11.4
Valid skip	6	4,650	27,729,000	84.2
Don't know	7	0	4,000	0.0
Not stated	9	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: EDM_02 **Length:** 1.0 **Position:** 2210

Question Name: EDM_Q02

Concept: Enrolled as full/part time student

Question Text: [Are you enrolled/Were you enrolled] as... ?

Universe: ESC1_01 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A full-time student	1	1,050	4,097,000	12.4
A part-time student	2	100	1,036,500	3.1
Both full-time and part-time student	3	0	49,000	0.1
Valid skip	6	4,650	27,729,000	84.2
Don't know	7	0	7,000	0.0
Not stated	9	0	3,000	0.0
Total		5,800	32,921,500	100.0

Variable Name: WGT_FULL **Length:** 15.8 **Position:** 2211

Question Name:

Concept: Full sample weight

Question Text:

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Topical Index

Variable	Description	Page
001: Introduction		
INTRODUCTION		25
ADM: Administration Information		
C2_DAY	Day of household interview	26
C2_MTH	Month of household interview	27
C2_YEAR	Year of household interview	27
CLINICID	Clinic identifier of selected respondent	26
SITE	Collection site	26
WGT_FULL	Full sample weight	549
ALC: Alcohol Use		
ALCDDLY	Average daily alcohol consumption - (D)	490
ALCDTYP	Type of drinker - (D)	490
ALCDWKY	Weekly consumption - (D)	491
ALC_11	Drank alcohol - past 12 months	484
ALC_12	Frequency of drinking alcohol	484
ALC_13A	Frequency of having [5/4] or more drinks	485
ALC_14	Drank alcohol - past week	485
ALC_15A	Number of drinks - Sunday	486
ALC_15B	Number of drinks - Monday	486
ALC_15C	Number of drinks - Tuesday	486
ALC_15D	Number of drinks - Wednesday	487
ALC_15E	Number of drinks - Thursday	487
ALC_15F	Number of drinks - Friday	488
ALC_15G	Number of drinks - Saturday	488
ALC_16	Usual consumption of alcohol	488
ALC_17	Ever had a drink	489
ALC_18	Regularly drank more than 12 drinks a week	489
ALC_19	Age - started drinking alcoholic beverages	490
AMB: Aboriginal Minimum		
AMBFABT	Aboriginal origin or identity - (F)	535
AMB_01	Is an aboriginal person	533
AMB_02A	Aboriginal person - First Nations	534
AMB_02B	Aboriginal person - Métis	534
AMB_02C	Aboriginal person - Inuk (Inuit)	534
BCL: Birth Control		
BCL_005	Ever used birth control pills	501
BCL_010	Number of years used birth control pills	501
BCL_015	Ever had a progesterone birth control injection	501
BCL_020	Number of years used progesterone injections	502
BIR: Birth Information		
BIR_11	Weight at birth	517
BIR_12	Birth weight - Pounds	518
BIR_13	Birth weight - Ounces	518
BIR_14	Birth weight - Grams	519
BIR_21	Born before, on or after due date	519
BIR_22	Days before/after due date	519
BIR_23	Type of birth	520

BIR_24 Respondent admitted to neonatal unit 520
BIR_25 Days care received 521
BIR_26 Age of mother 521

BRI: Breastfeeding Information

BRIFEB6 Exclusive breastfeeding for at least 3 months - (D) 523
BRI_11 Respondent breastfed 522
BRI_12 Length of time breastfed 522
BRI_13 Length of time fed only breast milk 522

CCC: Chronic Conditions

CCC_101 Other long term physical or mental health condition 86
CCC_11 Has asthma 63
CCC_12 Asthma - age first diagnosed 64
CCC_13 Asthma - had symptoms or attacks 64
CCC_14 Has chronic bronchitis, emphysema or COPD 64
CCC_15 Chronic bronchitis, emphysema or COPD - age first diagnosed 65
CCC_21 Has fibromyalgia 65
CCC_22 Has arthritis 65
CCC_24 Has back problems excluding fibromyalgia and arthritis 66
CCC_25 Has osteoporosis 66
CCC_31 Has high blood pressure 67
CCC_32 Medication for high blood pressure - past month 67
CCC_33 Ever had blood cholesterol measured 67
CCC_34 Ever told blood cholesterol high 68
CCC_35 Has celiac disease 68
CCC_36 Has inflammatory bowel disease 69
CCC_51 Has diabetes 69
CCC_53 Diabetes - age first diagnosed 69
CCC_54 Diabetes - pregnant first diagnosed 70
CCC_55 Diabetes - other than pregnancy 70
CCC_56A Diabetes - insulin dependant (Type 1) 71
CCC_56B Diabetes - non-insulin dependant (Type 2) 71
CCC_57 Time after diabetes diagnosis to take insulin 71
CCC_58 Currently take insulin 72
CCC_59 Take pills to control blood sugar 72
CCC_61 Has heart disease 73
CCC_62 Heart disease - age first diagnosed 73
CCC_63 Ever had a heart attack 73
CCC_71 Has cancer 74
CCC_72 Ever had cancer 74
CCC_73 Cancer - age first diagnosed 75
CCC_74A Type of cancer - breast 75
CCC_74B Type of cancer - colorectal 75
CCC_74C Type of cancer - skin (melanoma) 76
CCC_74D Type of cancer - skin (non-melanoma) 76
CCC_74E Type of cancer - ovarian 77
CCC_74F Type of cancer - cervical 77
CCC_74G Type of cancer - uterine 77
CCC_74H Type of cancer - other 78
CCC_75A Type of cancer - prostate 78
CCC_75B Type of cancer - colorectal 78
CCC_75C Type of cancer - skin (melanoma) 79
CCC_75D Type of cancer - skin (non-melanoma) 79
CCC_75E Type of cancer - other 80
CCC_81 Suffers from the effects of a stroke 80
CCC_82 Has a thyroid condition 80
CCC_83 Has a mood disorder 81
CCC_92 Has kidney dysfunction or disease 81
CCC_93 Has liver disease or gallbladder problems 82
CCC_94A Liver disease or gallbladder problem - Hepatitis A 82

CCC_94B Liver disease or gallbladder problem - Hepatitis B 82
CCC_94C Liver disease or gallbladder problem - Hepatitis C 83
CCC_94D Liver disease or gallbladder problem - Jaundice 83
CCC_94E Liver disease or gallbladder problem - Cirrhosis 84
CCC_94F Liver disease or gallbladder problem - Gallstones 84
CCC_94G Liver disease or gallbladder problem - Other 84
CCC_95 Has hepatitis 85
CCC_96A Type of hepatitis - A 85
CCC_96B Type of hepatitis - B 86
CCC_96C Type of hepatitis - C 86

CPA: Physical Activity of Children

CPADSACX Total number of hours per day spent in sedentary activities 424
CPADTOTX Total number of hours per week participated in physical activities 424
CPA_005 Number of days physically active - past 7 days 420
CPA_010 Number of days physically active - usual week 421
CPA_015 Hours/week - physical activity - free time at school 421
CPA_020 Hours/week - physical activity - class time at school 422
CPA_025 Hours/week - physical activity - lessons or sports 422
CPA_030 Hours/week - physical activity - unorganized activities 423
CPA_035 Hours/day - screen time 423

DFC: Dietary Fat Consumption

DFCD11Y Eats regular - fat salad dressing/mayo - times per year - (D) 337
DFCD12Y Eats regular - fat chips - times/year - (D) 338
DFCD13Y Eats margarine - times per year - (D) 339
DFCD14Y Eats omega-3 enriched margarine - times per year - (D) 341
DFC_11 Eats regular-fat salad dressing/mayo - number of times 336
DFC_11N Eats regular-fat salad dressing/mayo - reporting period 337
DFC_12 Eats regular-fat chips - number of times 338
DFC_12N Eats regular-fat chips - reporting period 338
DFC_13 Eats margarine - number of times 339
DFC_13N Eats margarine - reporting period 339
DFC_14 Eats omega-3 enriched margarine - number of times 340
DFC_14N Eats omega-3 enriched margarine - reporting period 340

DHH: Demographic and household variables

DHHD611 Number of persons 6 to 11 years old in household - (D) 37
DHHDDWE Type of dwelling - (D) 40
DHHDECF Economic family status (household type) - (D) 39
DHHDHSZ Household size - (D) 38
DHHDL12 Number of persons in household less than 12 years old - (D) 37
DHHDLE5 Number of persons in household less than 6 years old - (D) 37
DHHDLVG Living arrangement of selected respondent - (D) 39
DHHDOKD Number of persons 16 or 17 years old in household - (D) 38
DHHDYKD Number of persons 15 years old or less in household - (D) 38
DHH_AGE Age at household interview 30
DHH_DOB Day of birth 29
DHH_MOB Month of birth 30
DHH_PRN Province of residence of respondent 29
DHH_YOB Year of birth 30

DMB: Dwelling Minimum

DHH_OWN Dwelling - own or rent 35
DHH_REP Dwelling - in need of repairs 35

DWE2: Number of Bedrooms v.2

DHH_BED Number of bedrooms in dwelling 36

EDC: Educational Diploma/Certificate

EDC_01 Highest grade of elementary school completed 31
EDC_02 Graduated from high school (secondary school) 32
EDC_03 Received any other education 32
EDC_04 Highest degree, certificate or diploma obtained 32

EDM: Education Minimum Block with Concept

EDM_01A Attending educational institutiuon - elementary/jr. h.s./high school 548
EDM_01B Attending educational institution -trade school/college/CEGEP 548
EDM_01C Attending educational institution - university 548
EDM_02 Enrolled as full/part time student 549

EDU: Education

EDUDH04 Highest level of education - household, 4 levels - (D) 34
EDUDH10 Highest level of education - household, 10 levels - (D) 34
EDUDR04 Highest level of education - respondent, 4 levels - (D) 33
EDUDR10 Highest level of education - respondent, 10 levels - (D) 33

ELC: Electronic Cigarette

ELC_005 Tried an electronic cigarette 473
ELC_010 Use an electronic cigarette - past month 473
ELC_015 Nicotine in the last e-cigarette 474

ESC1: Education - School Attendance v.1

ESC1_01 Currently attending school, college, CEGEP or university 547

ETS: Exposure to Second-Hand Smoke

ETS_01 Allowed smoking inside this home 474
ETS_02 Smoking restricted inside this home 475
ETS_03A Smoking restriction - allow in certain rooms only 475
ETS_03B Smoking restriction - in presence of young children 475
ETS_03C Smoking restriction - allow if windows are open/ventilation 476
ETS_03D Smoking restriction - other restriction 476
ETS_04 How often someone smokes inside the home 477
ETS_05 Number of people who smoke inside home every day 477
ETS_06A Product smoked inside home - cigarettes 478
ETS_06B Product smoked inside home - cigarillos or little cigars 478
ETS_06C Product smoked inside home - all other types of cigars 479
ETS_06D Product smoked inside home - pipes 479
ETS_07 Number of cigars/cigarettes smoked inside home 479
ETS_08 Total period time/typical day smoking pipe 480
ETS_09 Often exposed to second-hand smoke inside home - past month 480
ETS_14 Exposed to second-hand smoke - private vehicle 481
ETS_16 Exposed to second-hand smoke - place of work 481
ETS_20 Exposed to second-hand smoke - inside someone else's home 481
ETS_21 Exposed to second-hand smoke - indoors, in public places 482
ETS_22 Exposed to second-hand smoke - outdoors, in public places 482
ETS_23 Exposed to second-hand smoke - anywhere else 483
ETS_24 Often exposed to second-hand smoke excluding own home - past month 483

ETV: Exposure to Second-Hand Vapor

ETV_005 Exposed to second-hand vapour inside home 483

FRH: Fracture History

FRH_05 Fallen (last 12 months) 104

FRH_10 Fallen - Number of times 105
FRH_15A Cause of fall - Sports 105
FRH_15B Cause of fall - Running or roughhousing 106
FRH_15C Cause of fall - Being hit or pushed 106
FRH_15D Cause of fall - A vehicle, a car or bicycle 106
FRH_15G Cause of fall - None of the above 107
FRH_20 Cause of fall - Other 107
FRH_25 Cause of slip 108
FRH_30 Ever broken or fractured a bone 108
FRH_35 Number of times broken or fractured a bone 109
FRH_40A First break/fracture - age 109
FRH_40AA First break/fracture - head 109
FRH_40AB First break/fracture - spine 110
FRH_40AC First break/fracture - ribs/sternum 110
FRH_40AD First break/fracture - shoulder/upper arm/collarbone 111
FRH_40AE First break/fracture - elbow 111
FRH_40AF First break/fracture - forearm/wrist 112
FRH_40AG First break/fracture - hand 112
FRH_40AH First break/fracture - fingers 112
FRH_40AI First break/fracture - hip 113
FRH_40AJ First break/fracture - pelvis 113
FRH_40AK First break/fracture - upper leg 113
FRH_40AL First break/fracture - knee 114
FRH_40AM First break/fracture - lower leg 114
FRH_40AN First break/fracture - ankle 115
FRH_40AO First break/fracture - foot 115
FRH_40AP First break/fracture - toe(s) 115
FRH_40AQ First break/fracture - other specify 116
FRH_40B Second break/fracture - age 118
FRH_40BA Second break/fracture - head 118
FRH_40BB Second break/fracture - spine 119
FRH_40BC Second break/fracture - ribs/sternum 119
FRH_40BD Second break/fracture - shoulder/upper arm/collarbone 119
FRH_40BE Second break/fracture - elbow 120
FRH_40BF Second break/fracture - forearm/wrist 120
FRH_40BG Second break/fracture - hand 121
FRH_40BH Second break/fracture - fingers 121
FRH_40BI Second break/fracture - hip 121
FRH_40BJ Second break/fracture - pelvis 122
FRH_40BK Second break/fracture - upper leg 122
FRH_40BL Second break/fracture - knee 123
FRH_40BM Second break/fracture - lower leg 123
FRH_40BN Second break/fracture - ankle 123
FRH_40BO Second break/fracture - foot 124
FRH_40BP Second break/fracture - toe(s) 124
FRH_40BQ Second break/fracture - other specify 125
FRH_40C Third break/fracture - age 127
FRH_40CA Third break/fracture - head 127
FRH_40CB Third break/fracture - spine 127
FRH_40CC Third break/fracture - ribs/sternum 128
FRH_40CD Third break/fracture - shoulder/upper arm/collarbone 128
FRH_40CE Third break/fracture - elbow 129
FRH_40CF Third break/fracture - forearm/wrist 129
FRH_40CG Third break/fracture - hand 129
FRH_40CH Third break/fracture - fingers 130
FRH_40CI Third break/fracture - hip 130
FRH_40CJ Third break/fracture - pelvis 131
FRH_40CK Third break/fracture - upper leg 131
FRH_40CL Third break/fracture - knee 131
FRH_40CM Third break/fracture - lower leg 132
FRH_40CN Third break/fracture - ankle 132
FRH_40CO Third break/fracture - foot 133
FRH_40CP Third break/fracture - toe(s) 133

FRH_40CQ Third break/fracture - other specify 133
FRH_40D Fourth break/fracture - age 135
FRH_40DA Fourth break/fracture - head 136
FRH_40DB Fourth break/fracture - spine 136
FRH_40DC Fourth break/fracture - ribs/sternum 136
FRH_40DD Fourth break/fracture - shoulder/upper arm/collarbone 137
FRH_40DE Fourth break/fracture - elbow 137
FRH_40DF Fourth break/fracture - forearm/wrist 138
FRH_40DG Fourth break/fracture - hand 138
FRH_40DH Fourth break/fracture - fingers 138
FRH_40DI Fourth break/fracture - hip 139
FRH_40DJ Fourth break/fracture - pelvis 139
FRH_40DK Fourth break/fracture - upper leg 140
FRH_40DL Fourth break/fracture - knee 140
FRH_40DM Fourth break/fracture - lower leg 140
FRH_40DN Fourth break/fracture - ankle 141
FRH_40DO Fourth break/fracture - foot 141
FRH_40DP Fourth break/fracture - toe(s) 142
FRH_40DQ Fourth break/fracture - other specify 142
FRH_40E Fifth break/fracture - age 144
FRH_40EA Fifth break/fracture - head 144
FRH_40EB Fifth break/fracture - spine 145
FRH_40EC Fifth break/fracture - ribs/sternum 145
FRH_40ED Fifth break/fracture - shoulder/upper arm/collarbone 146
FRH_40EE Fifth break/fracture - elbow 146
FRH_40EF Fifth break/fracture - forearm/wrist 146
FRH_40EG Fifth break/fracture - hand 147
FRH_40EH Fifth break/fracture - fingers 147
FRH_40EI Fifth break/fracture - hip 148
FRH_40EJ Fifth break/fracture - pelvis 148
FRH_40EK Fifth break/fracture - upper leg 148
FRH_40EL Fifth break/fracture - knee 149
FRH_40EM Fifth break/fracture - lower leg 149
FRH_40EN Fifth break/fracture - ankle 149
FRH_40EO Fifth break/fracture - foot 150
FRH_40EP Fifth break/fracture - toe(s) 150
FRH_40EQ Fifth break/fracture - other specify 151
FRH_40F Sixth break/fracture - age 152
FRH_40FA Sixth break/fracture - head 153
FRH_40FB Sixth break/fracture - spine 153
FRH_40FC Sixth break/fracture - ribs/sternum 154
FRH_40FD Sixth break/ fracture - shoulder/upper arm/collarbone 154
FRH_40FE Sixth break/fracture - elbow 154
FRH_40FF Sixth break/fracture - forearm/wrist 155
FRH_40FG Sixth break/fracture - hand 155
FRH_40FH Sixth break/fracture - fingers 156
FRH_40FI Sixth break/fracture - hip 156
FRH_40FJ Sixth break/fracture - pelvis 156
FRH_40FK Sixth break/fracture - upper leg 157
FRH_40FL Sixth break/fracture - knee 157
FRH_40FM Sixth break/fracture - lower leg 158
FRH_40FN Sixth break/fracture - ankle 158
FRH_40FO Sixth break/fracture - foot 158
FRH_40FP Sixth break/fracture - toe(s) 159
FRH_40FQ Sixth break/fracture - other specify 159
FRH_40G Seventh break/fracture - age 161
FRH_40GA Seventh break/fracture - head 161
FRH_40GB Seventh break/fracture - spine 162
FRH_40GC Seventh break/fracture - ribs/sternum 162
FRH_40GD Seventh break/fracture - shoulder/upper arm/collarbone 162
FRH_40GE Seventh break/fracture - elbow 163
FRH_40GF Seventh break/fracture - forearm/wrist 163
FRH_40GG Seventh break/fracture - hand 164

FRH_40GH Seventh break/fracture - fingers 164
FRH_40GI Seventh break/fracture - hip 164
FRH_40GJ Seventh break/fracture - pelvis 165
FRH_40GK Seventh break/fracture - upper leg 165
FRH_40GL Seventh break/fracture - knee 166
FRH_40GM Seventh break/fracture - lower leg 166
FRH_40GN Seventh break/fracture - ankle 166
FRH_40GO Seventh break/fracture - foot 167
FRH_40GP Seventh break/fracture - toe(s) 167
FRH_40GQ Seventh break/fracture - other specify 168
FRH_40H Eighth break/fracture - age 169
FRH_40HA Eighth break/fracture - head 170
FRH_40HB Eighth break/fracture - spine 170
FRH_40HC Eighth break/fracture - ribs/sternum 171
FRH_40HD Eighth break/fracture - shoulder/upper arm/collarbone 171
FRH_40HE Eighth break/fracture - elbow 171
FRH_40HF Eighth break/fracture - forearm/wrist 172
FRH_40HG Eighth break/fracture - hand 172
FRH_40HH Eighth break/fracture - fingers 173
FRH_40HI Eighth break/fracture - hip 173
FRH_40HJ Eighth break/fracture - pelvis 173
FRH_40HK Eighth break/fracture - upper leg 174
FRH_40HL Eighth break/fracture - knee 174
FRH_40HM Eighth break/fracture - lower leg 174
FRH_40HN Eighth break/fracture - ankle 175
FRH_40HO Eighth break/fracture - foot 175
FRH_40HP Eighth break/fracture - toe(s) 176
FRH_40HQ Eighth break/fracture - other specify 176
FRH_40I Ninth break/fracture - age 178
FRH_40IA Ninth break/fracture - head 178
FRH_40IB Ninth break/fracture - spine 178
FRH_40IC Ninth break/fracture - ribs/sternum 179
FRH_40ID Ninth break/fracture - shoulder/upper arm/collarbone 179
FRH_40IE Ninth break/fracture - elbow 180
FRH_40IF Ninth break/fracture - forearm/wrist 180
FRH_40IG Ninth break/fracture - hand 180
FRH_40IH Ninth break/fracture - fingers 181
FRH_40II Ninth break/fracture - hip 181
FRH_40IJ Ninth break/fracture - pelvis 182
FRH_40IK Ninth break/fracture - upper leg 182
FRH_40IL Ninth break/fracture - knee 182
FRH_40IM Ninth break/fracture - lower leg 183
FRH_40IN Ninth break/fracture - ankle 183
FRH_40IO Ninth break/fracture - foot 184
FRH_40IP Ninth break/fracture - toe(s) 184
FRH_40IQ Ninth break/fracture - other specify 184
FRH_40J Tenth break/fracture - age 186
FRH_40JA Tenth break/fracture - head 186
FRH_40JB Tenth break/fracture - spine 187
FRH_40JC Tenth break/fracture - ribs/sternum 187
FRH_40JD Tenth break/fracture - shoulder/upper arm/collarbone 188
FRH_40JE Tenth break/fracture - elbow 188
FRH_40JF Tenth break/fracture - forearm/wrist 188
FRH_40JG Tenth break/fracture - hand 189
FRH_40JH Tenth break/fracture - fingers 189
FRH_40JI Tenth break/fracture - hip 190
FRH_40JJ Tenth break/fracture - pelvis 190
FRH_40JK Tenth break/fracture - upper leg 190
FRH_40JL Tenth break/fracture - knee 191
FRH_40JM Tenth break/fracture - lower leg 191
FRH_40JN Tenth break/fracture - ankle 192
FRH_40JO Tenth break/fracture - foot 192
FRH_40JP Tenth break/fracture - toe(s) 192

FRH_40JQ Tenth break/fracture - other specify 193
FRH_40K Eleventh break/fracture - age 194
FRH_40KA Eleventh break/fracture - head 195
FRH_40KB Eleventh break/fracture - spine 195
FRH_40KC Eleventh break/fracture - ribs/sternum 196
FRH_40KD Eleventh break/fracture - shoulder/upper arm/collarbone 196
FRH_40KE Eleventh break/fracture - elbow 196
FRH_40KF Eleventh break/fracture - forearm/wrist 197
FRH_40KG Eleventh break/fracture - hand 197
FRH_40KH Eleventh break/fracture - fingers 198
FRH_40KI Eleventh break/fracture - hip 198
FRH_40KJ Eleventh break/fracture - pelvis 198
FRH_40KK Eleventh break/fracture - upper leg 199
FRH_40KL Eleventh break/fracture - knee 199
FRH_40KM Eleventh break/fracture - lower leg 200
FRH_40KN Eleventh break/fracture - ankle 200
FRH_40KO Eleventh break/fracture - foot 200
FRH_40KP Eleventh break/fracture - toe(s) 201
FRH_40KQ Eleventh break/fracture - other specify 201
FRH_40L Twelfth break/fracture - age 203
FRH_40LA Twelfth break/fracture - head 203
FRH_40LB Twelfth break/fracture - spine 204
FRH_40LC Twelfth break/fracture - ribs/sternum 204
FRH_40LD Twelfth break/fracture - shoulder/upper arm/collarbone 204
FRH_40LE Twelfth break/fracture - elbow 205
FRH_40LF Twelfth break/fracture - forearm/wrist 205
FRH_40LG Twelfth break/fracture - hand 206
FRH_40LH Twelfth break/fracture - fingers 206
FRH_40LI Twelfth break/fracture - hip 206
FRH_40LJ Twelfth break/fracture - pelvis 207
FRH_40LK Twelfth break/fracture - upper leg 207
FRH_40LL Twelfth break/fracture - knee 208
FRH_40LM Twelfth break/fracture - lower leg 208
FRH_40LN Twelfth break/fracture - ankle 208
FRH_40LO Twelfth break/fracture - foot 209
FRH_40LP Twelfth break/fracture - toe(s) 209
FRH_40LQ Twelfth break/fracture - other specify 210
FRH_40M Thirteenth break/fracture - age 211
FRH_40MA Thirteenth break/fracture - head 212
FRH_40MB Thirteenth break/fracture - spine 212
FRH_40MC Thirteenth break/fracture - ribs/sternum 212
FRH_40MD Thirteenth break/fracture - shoulder/upper arm/collarbone 213
FRH_40ME Thirteenth break/fracture - elbow 213
FRH_40MF Thirteenth break/fracture - forearm/wrist 214
FRH_40MG Thirteenth break/fracture - hand 214
FRH_40MH Thirteenth break/fracture - fingers 214
FRH_40MI Thirteenth break/fracture - hip 215
FRH_40MJ Thirteenth break/fracture - pelvis 215
FRH_40MK Thirteenth break/fracture - upper leg 215
FRH_40ML Thirteenth break/fracture - knee 216
FRH_40MM Thirteenth break/fracture - lower leg 216
FRH_40MN Thirteenth break/fracture - ankle 217
FRH_40MO Thirteenth break/fracture - foot 217
FRH_40MP Thirteenth break/fracture - toe(s) 217
FRH_40MQ Thirteenth break/fracture - other specify 218
FRH_40N Fourteenth break/fracture - age 219
FRH_40NA Fourteenth break/fracture - head 220
FRH_40NB Fourteenth break/fracture - spine 220
FRH_40NC Fourteenth break/fracture - ribs/sternum 221
FRH_40ND Fourteenth break/fracture - shoulder/upper arm/collarbone 221
FRH_40NE Fourteenth break/fracture - elbow 221
FRH_40NF Fourteenth break/fracture - forearm/wrist 222
FRH_40NG Fourteenth break/fracture - hand 222

FRH_40NH Fourteenth break/fracture - fingers 222
FRH_40NI Fourteenth break/fracture - hip 223
FRH_40NJ Fourteenth break/fracture - pelvis 223
FRH_40NK Fourteenth break/fracture - upper leg 224
FRH_40NL Fourteenth break/fracture - knee 224
FRH_40NM Fourteenth break/fracture - lower leg 224
FRH_40NN Fourteenth break/fracture - ankle 225
FRH_40NO Fourteenth break/fracture - foot 225
FRH_40NP Fourteenth break/fracture - toe(s) 226
FRH_40NQ Fourteenth break/fracture - other specify 226
FRH_40O Fifteenth break/fracture - age 228
FRH_40OA Fifteenth break/fracture - head 228
FRH_40OB Fifteenth break/fracture - spine 228
FRH_40OC Fifteenth break/fracture - ribs/sternum 229
FRH_40OD Fifteenth break/fracture - shoulder/upper arm/collarbone 229
FRH_40OE Fifteenth break/fracture - elbow 230
FRH_40OF Fifteenth break/fracture - forearm/wrist 230
FRH_40OG Fifteenth break/fracture - hand 230
FRH_40OH Fifteenth break/fracture - fingers 231
FRH_40OI Fifteenth break/fracture - hip 231
FRH_40OJ Fifteenth break/fracture - pelvis 232
FRH_40OK Fifteenth break/fracture - upper leg 232
FRH_40OL Fifteenth break/fracture - knee 232
FRH_40OM Fifteenth break/fracture - lower leg 233
FRH_40ON Fifteenth break/fracture - ankle 233
FRH_40OO Fifteenth break/fracture - foot 234
FRH_40OP Fifteenth break/fracture - toe(s) 234
FRH_40OQ Fifteenth break/fracture - other specify 234
FRH_40P Sixteenth break/fracture - age 236
FRH_40PA Sixteenth break/fracture - head 236
FRH_40PB Sixteenth break/fracture - spine 237
FRH_40PC Sixteenth break/fracture - ribs/sternum 237
FRH_40PD Sixteenth break/fracture - shoulder/upper arm/collarbone 238
FRH_40PE Sixteenth break/fracture - elbow 238
FRH_40PF Sixteenth break/fracture - forearm/wrist 238
FRH_40PG Sixteenth break/fracture - hand 239
FRH_40PH Sixteenth break/fracture - fingers 239
FRH_40PI Sixteenth break/fracture - hip 239
FRH_40PJ Sixteenth break/fracture - pelvis 240
FRH_40PK Sixteenth break/fracture - upper leg 240
FRH_40PL Sixteenth break/fracture - knee 241
FRH_40PM Sixteenth break/fracture - lower leg 241
FRH_40PN Sixteenth break/fracture - ankle 241
FRH_40PO Sixteenth break/fracture - foot 242
FRH_40PP Sixteenth break/fracture - toe(s) 242
FRH_40PQ Sixteenth break/fracture - other specify 243
FRH_40Q Seventeenth break/fracture - age 244
FRH_40QA Seventeenth break/fracture - head 245
FRH_40QB Seventeenth break/fracture - spine 245
FRH_40QC Seventeenth break/fracture - ribs/sternum 245
FRH_40QD Seventeenth break/fracture - shoulder/upper arm/collarbone 246
FRH_40QE Seventeenth break/fracture - elbow 246
FRH_40QF Seventeenth break/fracture - forearm/wrist 247
FRH_40QG Seventeenth break/fracture - hand 247
FRH_40QH Seventeenth break/fracture - fingers 247
FRH_40QI Seventeenth break/fracture - hip 248
FRH_40QJ Seventeenth break/fracture - pelvis 248
FRH_40QK Seventeenth break/fracture - upper leg 249
FRH_40QL Seventeenth break/fracture - knee 249
FRH_40QM Seventeenth break/fracture - lower leg 249
FRH_40QN Seventeenth break/fracture - ankle 250
FRH_40QO Seventeenth break/fracture - foot 250
FRH_40QP Seventeenth break/fracture - toe(s) 251

FRH_40QQ Seventeenth break/fracture - other specify 251
FRH_40R Eighteenth break/fracture - age 253
FRH_40RA Eighteenth break/fracture - head 253
FRH_40RB Eighteenth break/fracture - spine 253
FRH_40RC Eighteenth break/fracture - ribs/sternum 254
FRH_40RD Eighteenth break/fracture - shoulder/upper arm/collarbone 254
FRH_40RE Eighteenth break/fracture - elbow 255
FRH_40RF Eighteenth break/fracture - forearm/wrist 255
FRH_40RG Eighteenth break/fracture - hand 255
FRH_40RH Eighteenth break/fracture - fingers 256
FRH_40RI Eighteenth break/fracture - hip 256
FRH_40RJ Eighteenth break/fracture - pelvis 257
FRH_40RK Eighteenth break/fracture - upper leg 257
FRH_40RL Eighteenth break/fracture - knee 257
FRH_40RM Eighteenth break/fracture - lower leg 258
FRH_40RN Eighteenth break/fracture - ankle 258
FRH_40RO Eighteenth break/fracture - foot 258
FRH_40RP Eighteenth break/fracture - toe(s) 259
FRH_40RQ Eighteenth break/fracture - other specify 259
FRH_40S Nineteenth break/fracture - age 261
FRH_40SA Nineteenth break/fracture - head 261
FRH_40SB Nineteenth break/fracture - spine 262
FRH_40SC Nineteenth break/fracture - ribs/sternum 262
FRH_40SD Nineteenth break/fracture - shoulder/upper arm/collarbone 262
FRH_40SE Nineteenth break/fracture - elbow 263
FRH_40SF Nineteenth break/fracture - forearm/wrist 263
FRH_40SG Nineteenth break/fracture - hand 264
FRH_40SH Nineteenth break/fracture - fingers 264
FRH_40SI Nineteenth break/fracture - hip 264
FRH_40SJ Nineteenth break/fracture - pelvis 265
FRH_40SK Nineteenth break/fracture - upper leg 265
FRH_40SL Nineteenth break/fracture - knee 266
FRH_40SM Nineteenth break/fracture - lower leg 266
FRH_40SN Nineteenth break/fracture - ankle 266
FRH_40SO Nineteenth break/fracture - foot 267
FRH_40SP Nineteenth break/fracture - toe(s) 267
FRH_40SQ Nineteenth break/fracture - other specify 268
FRH_40T Twentieth break/fracture - age 269
FRH_40TA Twentieth break/fracture - head 270
FRH_40TB Twentieth break/fracture - spine 270
FRH_40TC Twentieth break/fracture - ribs/sternum 270
FRH_40TD Twentieth break/fracture - shoulder/upper arm/collarbone 271
FRH_40TE Twentieth break/fracture - elbow 271
FRH_40TF Twentieth break/fracture - forearm/wrist 272
FRH_40TG Twentieth break/fracture - hand 272
FRH_40TH Twentieth break/fracture - fingers 272
FRH_40TI Twentieth break/fracture - hip 273
FRH_40TJ Twentieth break/fracture - pelvis 273
FRH_40TK Twentieth break/fracture - upper leg 274
FRH_40TL Twentieth break/fracture - knee 274
FRH_40TM Twentieth break/fracture - lower leg 274
FRH_40TN Twentieth break/fracture - ankle 275
FRH_40TO Twentieth break/fracture - foot 275
FRH_40TP Twentieth break/fracture - toe(s) 276
FRH_40TQ Twentieth break/fracture - other specify 276
FRH_41A First break/fracture - how did it happen 116
FRH_41B Second break/fracture - how did it happen 125
FRH_41C Third break/fracture - how did it happen 134
FRH_41D Fourth break/fracture - how did it happen 142
FRH_41E Fifth break/fracture - how did it happen 151
FRH_41F Sixth break/fracture - how did it happen 160
FRH_41G Seventh break/fracture - how did it happen 168
FRH_41H Eighth break/fracture - how did it happen 176

FRH_41I Ninth break/fracture - how did it happen 185
FRH_41J Tenth break/fracture - how did it happen 193
FRH_41K Eleventh break/fracture - how did it happen 202
FRH_41L Twelfth break/fracture - how did it happen 210
FRH_41M Thirteenth break/fracture - how did it happen 218
FRH_41N Fourteenth break/fracture - how did it happen 226
FRH_41O Fifteenth break/fracture - how did it happen 235
FRH_41P Sixteenth break/fracture - how did it happen 243
FRH_41Q Seventeenth break/fracture - how did it happen 251
FRH_41R Eighteenth break/fracture - how did it happen 260
FRH_41S Nineteenth break/fracture - how did it happen 268
FRH_41T Twentieth break/fracture - how did it happen 276
FRH_42A First break/fracture - type of fall 117
FRH_42B Second break/fracture - type of fall 126
FRH_42C Third break/fracture - type of fall 134
FRH_42D Fourth break/fracture - type of fall 143
FRH_42E Fifth break/fracture - type of fall 152
FRH_42F Sixth break/fracture - type of fall 160
FRH_42G Seventh break/fracture - type of fall 169
FRH_42H Eighth break/fracture - type of fall 177
FRH_42I Ninth break/fracture - type of fall 185
FRH_42J Tenth break/fracture - type of fall 194
FRH_42K Eleventh break/fracture - type of fall 202
FRH_42L Twelfth break/fracture - type of fall 210
FRH_42M Thirteenth break/fracture - type of fall 219
FRH_42N Fourteenth break/fracture - type of fall 227
FRH_42O Fifteenth break/fracture - type of fall 235
FRH_42P Sixteenth break/fracture - type of fall 244
FRH_42Q Seventeenth break/fracture - type of fall 252
FRH_42R Eighteenth break/fracture - type of fall 260
FRH_42S Nineteenth break/fracture - type of fall 268
FRH_42T Twentieth break/fracture - type of fall 277
FRH_43A First break/fracture - height of fall 117
FRH_43B Second break/fracture - height of fall 126
FRH_43C Third break/fracture - height of fall 135
FRH_43D Fourth break/fracture - height of fall 143
FRH_43E Fifth break/fracture - height of fall 152
FRH_43F Sixth break/fracture - height of fall 161
FRH_43G Seventh break/fracture - height of fall 169
FRH_43H Eighth break/fracture - height of fall 177
FRH_43I Ninth break/fracture - height of fall 186
FRH_43J Tenth break/fracture - height of fall 194
FRH_43K Eleventh break/fracture - height of fall 202
FRH_43L Twelfth break/fracture - height of fall 211
FRH_43M Thirteenth break/fracture - height of fall 219
FRH_43N Fourteenth break/fracture - height of fall 227
FRH_43O Fifteenth break/fracture - height of fall 236
FRH_43P Sixteenth break/fracture - height of fall 244
FRH_43Q Seventeenth break/fracture - height of fall 252
FRH_43R Eighteenth break/fracture - height of fall 260
FRH_43S Nineteenth break/fracture - height of fall 269
FRH_43T Twentieth break/fracture - height of fall 277
FRH_45 Broke/fracture hip (self/mother) 278
FRH_50 Broke/fracture hip (self/mother) - age 278
FRH_55 Broke/fracture hip (self/father) 278
FRH_60 Broke/fracture hip (self/father) - age 279

GEN: General Health

GENDHDI Self-rated health - (D) 46
GENDMHI Self-rated mental health - (D) 46
GEN_005 Self-perceived health 40
GEN_010 Self-perceived health compared to one year ago 41

GEN_015 Satisfied with life right now 41
GEN_020 Self-perceived mental health 42
GEN_025 Self-perceived stress 42
GEN_030 Main activity 43
GEN_035 Worked at job or business 43
GEN_040 Self-perceived work stress 44
GEN_045 Sense of belonging to local community 44
GEN_050 Self-perceived quality of life 45
GEN_055 Family doctor 45

GFV: Grain, Fruit and Vegetable Consumption

GFVD11Y Eats hot or cold cereal - times per year - (D) 319
GFVD12Y Eats whole grain bread - times per year - (D) 320
GFVD13Y Eats white bread - times per year - (D) 321
GFVD14Y Eats any kind of pasta - times per year - (D) 323
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) 324
GFVD17AY Eats citrus fruit - times per year - (D) 325
GFVD17BY Eats strawberries - times per summer - (D) 326
GFVD17CY Eats strawberries - times per year, excluding summer (D) 327
GFVD17DY Eats other types of fruit - times per year - (D) 328
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) 329
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) 330
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) 332
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) 333
GFVD22Y Eats other potatoes - times per year - (D) 334
GFVD23Y Eats all other types of vegetables - times per year - (D) 335
GFVD24Y Eats flax seeds - times per year - (D) 336
GFV_11 Eats hot or cold cereal - number of times 318
GFV_11N Eats hot or cold cereal - reporting period 319
GFV_12 Eats whole grain bread - number of times 319
GFV_12N Eats whole grain bread - reporting period 320
GFV_13 Eats white bread - number of times 321
GFV_13N Eats white bread - reporting period 321
GFV_14 Eats pasta - number of times 322
GFV_14N Eats pasta - reporting period 322
GFV_16 Eats instant, seasoned or wild rice - number of times 323
GFV_16N Eats instant, seasoned or wild rice - reporting period 323
GFV_17A Eats citrus fruit - number of times 324
GFV_17AN Eats citrus fruit - reporting period 324
GFV_17B Eats strawberries in the summer - number of times 325
GFV_17BN Eats strawberries in the summer - reporting period 326
GFV_17C Eats strawberries during the rest of the year - number of times 326
GFV_17CN Eats strawberries rest of the year - reporting period 327
GFV_17D Eats other types of fruit - number of times 327
GFV_17DN Eats other types of fruit - reporting period 328
GFV_18 Eats tomatoes or tomato sauce - number of times 329
GFV_18N Eats tomatoes or tomato sauce - reporting period 329
GFV_19 Eats lettuce or green leafy salad - number of times 330
GFV_19N Eats lettuce or green leafy salad - reporting period 330
GFV_20 Eats spinach, mustard greens or cabbage - number of times 331
GFV_20N Eats spinach, mustard greens or cabbage - reporting period 331
GFV_21 Eats french/home fries or hash brown potatoes - number times 332
GFV_21N Eats french/home fries or hash brown potatoes - reporting period 332
GFV_22 Eats other potatoes - number of times 333
GFV_22N Eats other potatoes - reporting period 333
GFV_23 Eats all other types of vegetables - number of times 334
GFV_23N Eats all other types of vegetables - reporting period 334
GFV_24 Eats flax seeds, whole or ground - number of times 335
GFV_24N Eats flax seeds, whole or ground - reporting period 336

HUI: Health Utility Index

HUIDCOG Cognition problems - function code - (D) ... 59
HUIDDEX Dexterity trouble - function code - (D) ... 59
HUIDEMO Emotional problems - function code - (D) ... 60
HUIDHER Hearing problems - function code - (D) ... 60
HUIDHSC HUI score into 4 categories - no/mild/moderate/severe (D) ... 63
HUIDHSI Health Utility Index (HUI3) - (D) ... 62
HUIDMOB Mobility trouble - function code - (D) ... 61
HUIDPAD Activities prevented by pain - function code - (D) ... 61
HUIDSPE Speech trouble - function code - (D) ... 62
HUIDVIS Vision trouble - function code - (D) ... 62
HUI_005 Vision - read newsprint without glasses / contacts ... 46
HUI_010 Vision - read newsprint with glasses / contacts ... 47
HUI_015 Vision - able to see ... 47
HUI_020 Vision - recognize a friend without glasses / contacts ... 48
HUI_025 Vision - recognize a friend with glasses / contacts ... 48
HUI_030 Hearing - in group without hearing aid ... 48
HUI_035 Hearing - in group with hearing aid ... 49
HUI_040 Hearing - able to hear ... 49
HUI_045 Hearing - in quiet room without hearing aid ... 50
HUI_050 Hearing - in quiet room with hearing aid ... 50
HUI_055 Speech - completely understood by strangers ... 51
HUI_060 Speech - partially understood by strangers ... 51
HUI_065 Speech - completely understood by non-strangers ... 51
HUI_070 Speech - partially understood by non-strangers ... 52
HUI_075 Mobility - walk without difficulty and without support ... 52
HUI_080 Mobility - able to walk ... 53
HUI_085 Mobility - requires support to walk ... 53
HUI_090 Mobility - requires help of person to walk ... 53
HUI_095 Mobility - requires a wheelchair ... 54
HUI_100 Mobility - frequency of wheelchair use ... 54
HUI_105 Mobility - requires help to get around in wheelchair ... 54
HUI_110 Dexterity - able to grasp and handle small objects ... 55
HUI_115 Dexterity - requires help due to limitation in use of hands ... 55
HUI_120 Dexterity - requires help with tasks ... 56
HUI_125 Dexterity - requires special equipment / hand limitation ... 56
HUI_130 Emotion - self evaluation ... 56
HUI_135 Cognition - ability to remember things ... 57
HUI_140 Cognition - ability to think and solve problems ... 57
HUI_145 Usually free of pain or discomfort ... 58
HUI_150 Pain and discomfort - usual intensity ... 58
HUI_155 Pain and discomfort - number of activities prevented ... 58

HWT: Height and Weight

HWTDBMI Body Mass Index / self-reported - (D) ... 292
HWTDBMIA BMI norms, 18 or older / self-reported - (D) ... 292
HWTDBMIK BMI norms, 3 to 17 years old / self-reported - (D) ... 293
HWTDCM Height (centimetres) / self-reported - (D) ... 290
HWTDCOL BMI classification (3 to 18 years) / self-reported - Cole system - (D) ... 293
HWTDHTM Height (metres) / self-reported - (D) ... 291
HWTDIN Height (inches) / self-reported - (D) ... 290
HWTDKG Weight (kilograms) / self-reported - (D) ... 291
HWTDLB Weight (pounds) / self-reported - (D) ... 291
HWTDWHOK BMI classification (5 to 18 years old) / self-reported - WHO - (D) ... 294
HWTDWHOP BMI classification (3 to 5 years old) / self-reported - WHO - (D) ... 293
HWT_1A Height - feet / self-reported ... 288
HWT_1B Height - inches / self-reported ... 288
HWT_1C Height - centimetres / self-reported ... 288
HWT_1N Height - unit of measure in feet and inches, in cm / self-reported ... 287
HWT_3 Weight / self-reported ... 289
HWT_3N Weight - unit of measure in pounds or kilograms / self-reported ... 289
HWT_4 Respondent's opinion of own weight / self-reported ... 289

IDU: Illicit Drug Use

IDU_11 Used or tried marijuana, cannabis or hashish 491
IDU_21 Used or tried prescription drugs for the feeling 492
IDU_22 Used or tried other drugs (cocaine, speed) 492
IDU_32 Injected with drugs for the experience/feeling 493
IDU_33 Other than by injection, used other drugs for the feeling 493

IMG: Immigration Block

IMGCCB Country of birth - (C) 541
IMGDALI Age at time of landed immigration - (D) 533
IMGDLLI Length of time since became a landed immigrant - (D) 532
IMGGCB Country of birth - (G) 541
IMG_02 Province/territory of birth 531
IMG_03 Landed immigrant 532
IMG_04 Year first became landed immigrant in Canada 532

LAE: Language Extended

LAEC02A Language - knowledge of non-offical language - 1st 542
LAEC02B Language - knowledge of non-offical language - 2nd 543
LAEC02C Language - knowledge of non-offical language - 3rd 543
LAEC03A Language - home language spoken most often - 1st 543
LAEC03B Language - home language spoken most often - 2nd 544
LAEC03C Language - home language spoken most often - 3rd 544
LAEC06A Language - mother tongue - 1st 545
LAEC06B Language - mother tongue - 2nd 545
LAEC06C Language - mother tongue - 3rd 545
LAEDCON Languages - can converse - (D) 546
LAEDFL1 First language learned and still understood - (D) 546
LAEDSPH Language(s) spoken most often at home - (D) 547
LAE_01 Language - knowledge of official languages 542

LAF: Labour Market

LAFCIC12 North American Industry Classification System (NAICS) 2012 529
LAFCIC17 North American Industry Classification System (NAICS) 2017 530
LAFCOC11 National Occupational Classification - Statistics (NOC-S) 2011 529
LAFCOC16 National Occupational Classification - Statistics (NOC-S) 2016 530
LAFDWSL Working status last week (6 groups) - (D) 528
LAFDWSS Working status last week (4 groups) - (D) 528
LAFGO16A Variant of NOC for highly aggregated data - (G) 531
LAFGO16S Variant for analysis by NOC skill level - (G) 530

LMA2: Labour Force Status

LMA2_04 Job - last 4 weeks tried to find work 525
LMA2_05 Job - last week had job with start date 525
LMA2_06 Job - start date 526
LMA2_07 Job - wanted job with more or less 30 hours per week 526
LMA2_08 Job - could have worked last week if offered 526
LMA2_09 Job - main reason not available to work last week 527

LMA3: Class of Worker

LMA3_10 Job - were you employee/self-employed 527

LMAM: Labour Market Activities Minimal

LMAM_01 Job - last week had a job or business 523
LMAM_02 Job - had a job/ business last week but was absent 524
LMAM_03 Job - main reason absent work last week 524

LMH: Labour Market Hours of Work

LMH_016 Number of hours worked per week 528

MBF: Maternal Breastfeeding

MBF_11 Ever given birth 502
MBF_12 Number of live births 503
MBF_21A Breastfeeding first baby 503
MBF_21AA Length of time breastfeeding first baby 503
MBF_21B Breastfeeding second baby 504
MBF_21BB Length of time breastfeeding second baby 504
MBF_21C Breastfeeding third baby 505
MBF_21CC Length of time breastfeeding third baby 505
MBF_21D Breastfeeding fourth baby 506
MBF_21DD Length of time breastfeeding fourth baby 506
MBF_21E Breastfeeding fifth baby 507
MBF_21EE Length of time breastfeeding fifth baby 507
MBF_21F Breastfeeding sixth baby 507
MBF_21FF Length of time breastfeeding sixth baby 508
MBF_21G Breastfeeding seventh baby 508
MBF_21GG Length of time breastfeeding seventh baby 509
MBF_21H Breastfeeding eighth baby 509
MBF_21HH Length of time breastfeeding eighth baby 509
MBF_21I Breastfeeding ninth baby 510
MBF_21II Length of time breastfeeding ninth baby 510
MBF_21J Breastfeeding tenth baby 511
MBF_21JJ Length of time breastfeeding tenth baby 511
MBF_21K Breastfeeding eleventh baby 511
MBF_21KK Length of time breastfeeding eleventh baby 512
MBF_21L Breastfeeding twelfth baby 512
MBF_21LL Length of time breastfeeding twelfth baby 512
MBF_21M Breastfeeding thirteenth baby 513
MBF_21MM Length of time breastfeeding thirteenth baby 513
MBF_21N Breastfeeding fourteenth baby 514
MBF_21NN Length of time breastfeeding fourteenth baby 514
MBF_21O Breastfeeding fifteenth baby 514
MBF_21OO Length of time breastfeeding fifteenth baby 515

MDC: Milk and Dairy Product Consumption

MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) 304
MDCD02Y Drinks/uses omega-3 milk substitutes - times per year - (D) 305
MDCD04Y Drinks or uses milk or flavoured milk - times per year - (D) 308
MDCD05Y Drinks or uses omega-3 enriched milk - times per year - (D) 309
MDCD13BY Eats processed cheese - times per year - (D) 314
MDCD13CY Eats other types of cheese - times per year - (D) 316
MDCD13Y Eats cottage cheese - times per year - (D) 313
MDCD14Y Eats yogurt - times per year - (D) 317
MDCD15Y Eats ice cream or frozen yogurt - times per year - (D) 318
MDC_01 Drinks/uses enriched milk substitutes - number of times 303
MDC_01N Drinks/uses enriched milk substitutes - reporting period 304
MDC_02 Drinks/uses omega-3 enriched milk substitutes - number of times 304
MDC_02N Drinks/uses omega-3 enriched milk substitutes - reporting period 305
MDC_03A Drinks/uses enriched milk substitutes - rice 306
MDC_03B Drinks/uses enriched milk substitutes - soya 306
MDC_03C Drinks/uses enriched milk substitutes - almond 306
MDC_03D Drinks/uses enriched milk substitutes - other (enriched) 307
MDC_04 Drinks/uses milk/flavoured milk - number of times 307
MDC_04N Drinks/uses milk/flavoured milk - reporting period 308
MDC_05 Drinks/uses omega-3 enriched milk - number of times 308
MDC_05N Drinks/uses omega-3 enriched milk - reporting period 309
MDC_12A Type of milk used - 3.25% 310

MDC_12B Type of milk used - 2% 310
MDC_12C Type of milk used - 1% 310
MDC_12D Type of milk used - 0.5% 311
MDC_12E Type of milk used - skim or non-fat 311
MDC_12F Type of milk used - flavoured milk beverages 312
MDC_12G Type of milk used - other 312
MDC_13 Eats cottage cheese - number of times 312
MDC_13B Eats processed cheese - number of times 314
MDC_13BN Eats processed cheese - reporting period 314
MDC_13C Eats other type of cheese - number of times 315
MDC_13CN Eats other type of cheese - reporting period 315
MDC_13N Eats cottage cheese - reporting period 313
MDC_14 Eats yogurt - number of times 316
MDC_14N Eats yogurt - reporting period 316
MDC_15 Eats ice cream or frozen yogurt - number of times 317
MDC_15N Eats ice cream or frozen yogurt - reporting period 317

MEN: Menopause

MEN_005 Mentrual period - Last 12 months 99
MEN_010A Have not had a period - Contraceptives 99
MEN_010B Have not had a period - Medical procedure, medication or drugs 100
MEN_010C Have not had a period - Pregnancy 100
MEN_010D Have not had a period - Breastfeeding 100
MEN_010E Have not had a period - Menopause 101
MEN_010F Have not had a period - Stress, weight loss or excessive exercise 101
MEN_010G Have not had a period - Removal of the uterus 102
MEN_010H Have not had a period - Removal of ovaries 102
MEN_010I Have not had a period - Physical complications 102
MEN_010J Have not had a period - Other - Specify 103
MEN_015 Had both ovaries removed 103
MEN_020 Experienced symptoms of menopause 104
MEN_025 Beginning of menopause symptoms 104

MFC: Meat Consumption

MFCD11Y Eats red meat - times per year - (D) 295
MFCD12Y Eats liver - times per year - (D) 296
MFCD14Y Eats beef or pork hot dogs - times per year - (D) 297
MFCD15Y Eats sausage or bacon - times per year - (D) 298
MFCD19AY Eats eggs/egg dishes - times per year - (D) 299
MFCD19BY Eats eggs omega-3 enriched - times per year - (D) 301
MFCD20Y Eats cooked dried beans - times per year - (D) 302
MFCD21Y Eats nuts - times per year - (D) 303
MFC_11 Eats red meat - number of times 294
MFC_11N Eats red meat - reporting period 295
MFC_12 Eats liver - number of times 295
MFC_12N Eats liver - reporting period 296
MFC_14 Eats beef or pork hot dogs - number of times 296
MFC_14N Eats beef or pork hot dogs - reporting period 297
MFC_15 Eats sausage or bacon - number of times 298
MFC_15N Eats sausage or bacon - reporting period 298
MFC_19A Eats eggs/egg dishes - number of times 299
MFC_19AN Eats eggs/egg dishes - reporting period 299
MFC_19B Eats egg made with omega-3 enriched - number of times 300
MFC_19BN Eats eggs omega-3 enriched - reporting period 300
MFC_20 Eats cooked dried beans - number of times 301
MFC_20N Eats cooked dried beans - reporting period 301
MFC_21 Eats nuts - number of times 302
MFC_21N Eats nuts - reporting period 303

MSWC: Marital Status with Confirmation (De-facto)

DHH_MS Marital status 36

NBE: Neighbourhood Environment

NBE_005 Type of housing - neighbourhood 449
NBE_015 Shops, stores, markets, other places - neighbourhood 449
NBE_020 Transit stop - neighbourhood 450
NBE_025 There are sidewalks - neighbourhood 450
NBE_030 Designated areas for biking - neighbourhood 451
NBE_035 Free or low cost recreation facilities - neighbourhood 451
NBE_040 Crime rate - neighbourhood 452
NBE_045 Many interesting things to look at - neighbourhood 452
NBE_050 Sidewalks are well maintained - neighbourhood 452
NBE_055 Traffic makes it unpleasant to walk - neighbourhood 453
NBE_060 Traffic makes it unpleasant to bike - neighbourhood 453
NBE_070 Driver's licence 454
NBE_075 Vehicle at disposal 454

PAA: Physical Activities - Adults 18 Years and Older

PAADOTH Total minutes of other physical activities per week - (D) 375
PAADREC Total minutes of recreational physical activity per week - (D) 370
PAADTOT Total minutes of physical activity from all domains per week - (D) 376
PAADTRVL Total minutes of active transportation per week - (D) 365
PAADVIG Total minutes of vigorous intensity physical activities per week - (D) 377
PAA_005 Active ways to get to places during the last week 361
PAA_010A Active ways to get to places- Monday 362
PAA_010B Active ways to get to places - Tuesday 362
PAA_010C Active ways to get to places - Wednesday 362
PAA_010D Active ways to get to places - Thursday 363
PAA_010E Active ways to get to places - Friday 363
PAA_010F Active ways to get to places - Saturday 364
PAA_010G Active ways to get to places - Sunday 364
PAA_015 Time spent on active ways to get to places last week - hours 364
PAA_020N Time spent on active ways to get to places last week - minutes 365
PAA_030 Recreational physical activities- last week 366
PAA_035 Recreational physical activities - sweat and breathe harder 366
PAA_040A Recreational physical activities - sweat and breathe harder - Monday 367
PAA_040B Recreational physical activities - sweat and breathe harder - Tuesday 367
PAA_040C Recreational physical activities - sweat and breathe harder - Wed, ... 367
PAA_040D Recreational physical activities - sweat and breathe harder - Thursday 368
PAA_040E Recreational physical activities - sweat and breathe harder - Friday 368
PAA_040F Recreational physical activities - sweat and breathe harder - Saturday 369
PAA_040G Recreational physical activities - sweat and breathe harder - Sunday 369
PAA_045 Time spent on recreational physical activities - hours 369
PAA_050N Time spent on recreational physical activities - minutes 370
PAA_060 Other physical activities - last week 371
PAA_065 Other physical activities - sweat and breathe harder 371
PAA_070A Other physical activities - sweat and breathe harder - Monday 372
PAA_070B Other physical activities - sweat and breathe harder - Tuesday 372
PAA_070C Other physical activities - sweat and breathe harder - Wednesday 372
PAA_070D Other physical activities - sweat and breathe harder - Thursday 373
PAA_070E Other physical activities - sweat and breathe harder - Friday 373
PAA_070F Other physical activities - sweat and breathe harder - Saturday 374
PAA_070G Other physical activities - sweat and breathe harder - Sunday 374
PAA_075 Time spent on other physical activities - hours 374
PAA_080N Time spent on other physical activities - minutes 375
PAA_095 Vigorous intensity physical activities 376
PAA_100 Vigorous intensity physical activities - hours 376
PAA_105N Vigorous intensity physical activities - minutes 377

PAY: Physical Activities for Youth

PAYDOTH Total minutes of other physical activities per week - (D) 415
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) 413
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) 413
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) 413
PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) 414
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) 414
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) 414
PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) 415
PAYDREC Total minutes of recreational physical activity per week - (D) 406
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) 403
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) 404
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) 404
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) 404
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) 405
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) 405
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) 405
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) 395
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) 395
PAYDSCH4 Time of physical activity at school/day camp (minutes)-Wednesday - (D) 395
PAYDSCH5 Time of physical activity at school/day camp (minutes)-Thursday - (D) 396
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) 396
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) 397
PAYDTOT Total minutes of physical activity from all domains per week - (D) 416
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) 385
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) 386
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) 386
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) 386
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) 387
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) 387
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) 387
PAYDTRVL Total minutes of active transportation per week - (D) 388
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) 420
PAY_05A Attend school - Last week 378
PAY_05B Attend day camp - Last week 378
PAY_05C Attend paid or unpaid work - Last week 378
PAY_05D None of the above - Last week 379
PAY_10 Active ways to get to places during the last week 379
PAY_100 Vigorous intensity physical activities - last week - hours 419
PAY_105N Vigorous intensity physical activities - last week - minutes 420
PAY_15A Time spent on active ways to get to places - [Sunday] - hours 380
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes 380
PAY_15B Time spent on active ways to get to places - [Monday] - hours 380
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes 381
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours 381
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes 382
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours 382
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes 382
PAY_15E Time spent on active ways to get to places - [Thursday] - hours 383
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes 383
PAY_15F Time spent on active ways to get to places - [Friday] - hours 384
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes 384
PAY_15G Time spent on active ways to get to places - [Saturday] - hours 384
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes 385
PAY_25 Physical activities at school/day camp - last week 388
PAY_30 Physical activities at school/day camp - sweat and breathe harder 389
PAY_35A Activities school/day camp - sweat/breathe harder - [Sunday] - hours 389
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sunday] - minutes 389
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours 390
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes 390
PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours 391
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes 391
PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours 391
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes 392

PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours 392
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes 393
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours 393
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes 393
PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours 394
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes 394
PAY_45 Physical activities in leisure time 397
PAY_50 Physical activities in leisure time - sweat and breathe harder 397
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours 398
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes 398
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours 398
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes 399
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours 399
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes 400
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours 400
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes 400
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours 401
PAY_55EN Leisure-time activities- sweat/breathe harder - [Thursday] - minutes 401
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours 402
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes 402
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours 402
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes 403
PAY_65 Other physical activities - last week 406
PAY_70 Other physical activities - sweat and breathe harder 407
PAY_75A Other physical act. - sweat and breathe harder - [Sunday] - hours 407
PAY_75AN Other physical act. - sweat and breathe harder - [Sunday] - minutes 407
PAY_75B Other physical act. - sweat and breathe harder - [Monday] - hours 408
PAY_75BN Other physical act. sweat and breathe harder - [Monday] - minutes 408
PAY_75C Other physical act. - sweat and breathe harder - [Tuesday] - hours 409
PAY_75CN Other physical act. - sweat and breath harder - [Tuesday] - minutes 409
PAY_75D Other physical act. - sweat and breathe harder - [Wednesday] - hours 409
PAY_75DN Other physical act. - sweat and breathe harder - [Wednesday] - minutes 410
PAY_75E Other physical act. - sweat and breathe harder - [Thursday] - hours 410
PAY_75EN Other physical act. - sweat and breathe harder - [Thursday] - minutes 411
PAY_75F Other physical act. - sweat and breathe harder - [Friday] - hours 411
PAY_75FN Other physical act. - sweat and breathe harder - [Friday] - minutes 411
PAY_75G Other physical act. - sweat and breathe harder - [Saturday] - hours 412
PAY_75GN Other physical act. - sweat and breathe harder - [Saturday] - minutes 412
PAY_90 Vigorous intensity physical activities 416
PAY_95A Vigorous intensity physical activities - Monday 416
PAY_95B Vigorous intensity physical activities - Tuesday 417
PAY_95C Vigorous intensity physical activities - Wednesday 417
PAY_95D Vigorous intensity physical activities - Thursday 418
PAY_95E Vigorous intensity physical activities - Friday 418
PAY_95F Vigorous intensity physical activities - Saturday 419
PAY_95G Vigorous intensity physical activities - Sunday 419

PG: Population Group

PGDCGT Cultural or racial group - (D) 540
PG_01A Population group - White 535
PG_01B Population group - South Asian 536
PG_01C Population group - Chinese 536
PG_01D Population group - Black 537
PG_01E Population group - Filipino 537
PG_01F Population group - Latin American 537
PG_01G Population group - Arab 538
PG_01H Population group - Southeast Asian 538
PG_01I Population group - West Asian 539
PG_01J Population group - Korean 539
PG_01K Population group - Japanese 539
PG_01L Population group - Other 540

PPI: Person Providing Information

PPID03 Relationship of proxy respondent to selected respondent - (D) 28
PPI_02 Person providing health component information - parent/guardian 28
PPI_03 Person providing health component information - biological parent 28
PROXY Health component completed by proxy 27

PRG: Pregnancy Information

PRG_11 Smoked during pregnancy 515
PRG_12 Number of cigarettes/day 515
PRG_13A Stage of pregnancy - first trimester 516
PRG_13B Stage of pregnancy - second trimester 516
PRG_13C Stage of pregnancy - third trimester 517
PRG_13D Stage of pregnancy - throughout 517

PRS: Pregnancy

PRS_11 Pregnant 98

SAC: Sedentary Activities

SACDRCA Sedentary activity excluding reading (hours/week) - categorical (D) 449
SACDRCO Sedentary activity excluding reading (hours per week) - continuous (D) 448
SACDTOT Sedentary activity (hours per week) - categorical (D) 447
SACDTOTX Sedentary activity (hours per week) - continuous (D) 448
SAC_005 Number of hours per week - reading - past 7 days 445
SAC_010 Number of hours per week - television/DVD/videos - past 7 days 446
SAC_015 Number of hours per week - other types of games - past 7 days 446
SAC_020 Number of hours per week - play video games - past 7 days 446
SAC_025 Number of hours per week - on a computer - past 7 days 447

SEX: Sex

DHH_SEX Sex 31

SLT: Salt Consumption

SLT_005 Salt added to food 360
SLT_010 Type of salt usually used 360
SLT_015 Often ordinary table salt added cooking/preparation of foods 361

SMK: Smoking

SMKDAQD Age stopped smoking daily - (D) 471
SMKDAQS Age stopped smoking completely - (D) 472
SMKDASD Age started smoking daily - (D) 472
SMKDNSD Number of cigs smoked daily - (D) 473
SMKDSTP Number of years since stopping smoking completely - (D) 471
SMKDSTY Type of smoker - (D) 470
SMKDYFS Number of years smoked daily (former daily smokers) - (D) 471
SMK_11 Smoked 100 or more cigarettes - lifetime 464
SMK_12 Type of smoker 464
SMK_21 Age - smoked first whole cigarette 465
SMK_21A Smoked at least 1 cigarette a month 465
SMK_22 Age - started smoking at least 1 cigarette/month 466
SMK_23 Number days/typical month smoked at least 1 cigarette 466
SMK_24 Number of cigarettes smoked per day at age started smoking 466
SMK_31 Number of cigarettes smoked per day (daily smoker) 467
SMK_41 Number of cigarettes smoked per day (occasional smoker) 467
SMK_42 Number days/past month - smoked 1 cig or more (occasional) 468
SMK_51 Ever smoked cigarettes daily 468
SMK_52 Age started smoking daily 468

SMK_53 Number of cigarettes usually smoked per day 469
SMK_54 Age stopped smoking cigarettes daily/completely 469
SMK_60 Smoked cigars/pipe or used snuff/chewing tobacco - past month 470

SOM: Steroids and Osteoporosis Medications

SOM_005 Used steroids by inhalation 279
SOM_010 Used steriods on daily basis 280
SOM_015 Taken orally administered steriods 280
SOM_020 Take steroid hormones on a daily basis - more than 3 months 280
SOM_025 Prescription meds for osteoporosis/prevention bone loss or fractures 281
SOM_030A Used Tamoxifen 281
SOM_030B Used Bazedoxifene 282
SOM_030C Used Calcitonin 282
SOM_030D Used Clodronate 282
SOM_030E Used Etidronate 283
SOM_030F Used Risedronate 283
SOM_030G Used Pamidronate 284
SOM_030H Used Zoledronate 284
SOM_030I Used Alendronate 284
SOM_030J Used Parathyroid Hormone 285
SOM_030K Used Denosumab 285
SOM_030L Used Raloxifene 286
SOM_030M Used - Other - Specify 286
SOM_035 Length of time - medication taken 286
SOM_040 Reporting period 287

SPA: Sleep Apnea

SPADRISK Sleep apnea risk - classification 98
SPADSCOR Sleep apnea risk - score 98
SPA_005 Ever been referred to a sleep lab for overnight testing 93
SPA_010 Diagnosed with sleep apnea 94
SPA_015 Been prescribed a treatment for sleep apnea 94
SPA_020 Trouble going to sleep or staying asleep 94
SPA_025 Awakened suddenly with the feeling of gasping or choking 95
SPA_030 Usually snore 95
SPA_035 Volume of snoring 96
SPA_040 Stop breathing during sleep 96
SPA_045 Tired, fatigued, or sleepy during the daytime 97
SPA_050 Sleepiness during a typical day 97

SXB: Sexual Behaviour

SXB_11 Ever had sexual intercourse 493
SXB_12 Sexual intercourse - past 12 months 494
SXB_13 Number of different partners - past 12 months 494
SXB_21 Ever diagnosed with a sexually transmitted disease/infection 495
SXB_22A Sexually transmitted disease/infection - HIV 495
SXB_22B Sexually transmitted disease/infection - AIDS 496
SXB_22C Sexually transmitted disease/infection - Chlamydia 496
SXB_22D Sexually transmitted disease/infection - Genital Herpes 496
SXB_22E Sexually transmitted disease/infection - Syphilis 497
SXB_22F Sexually transmitted disease/infection - Gonorrhoea 497
SXB_22G Sexually transmitted disease/infection - Genital Warts 498
SXB_22H Sexually transmitted disease/infection - Venereal disease 498
SXB_22I Sexually transmitted disease/infection - Hepatitis B 499
SXB_22J Sexually transmitted disease/infection - other 499
SXB_23 Use of condom / last time had sexual intercourse 500
SXB_24 Usual use of condom 500

TOX: Toxoplasmosis

TOX_005 Cats in dwelling - past 12 months 454
TOX_010 Number of cats in dwelling - past 12 months 455
TOX_015 Have a litter box 455
TOX_020 Frequency of changing the litter box 456
TOX_025 Did you ever change the cat litter 456
TOX_030 Cat go outdoors - past 12 months 457
TOX_035 Handle soil with bare hands - past 12 months 457
TOX_040 Eaten any hunted game meat - past 12 months 458
TOX_045A Types of hunted game meat - Bear 458
TOX_045B Types of hunted game meat - Caribou 458
TOX_045C Types of hunted game meat - Deer 459
TOX_045D Types of hunted game meat - Elk 459
TOX_045E Types of hunted game meat - Moose 460
TOX_045F Types of hunted game meat - Duck or goose 460
TOX_045G Types hunted game meat - Wild turkey/pheasant/partridge/quail/grouse 460
TOX_045H Types of hunted game meat - Rabbit or hare 461
TOX_045I Types of hunted game meat - Seal 461
TOX_045J Types of hunted game meat - Other - Specify 462
TOX_050A Eaten meat uncooked/cooked with some red or pink still showing - Beef 462
TOX_050B Eaten meat uncooked/cooked with some red or pink still showing - Lamb 462
TOX_050C Eaten meat uncooked/cooked with some red or pink still showing - Pork 463
TOX_050D Eaten meat uncooked/cooked with some red/pink-Other red meat - Specify 463
TOX_050E Eaten meat uncooked/cooked with some red or pink still showing - No 464

TSD: Time Spent Outdoors

TSD_05 Went to school (including kindergarten) 424
TSD_10A Weekday - Before or after school care at school 425
TSD_10B Weekday - daycare centre 425
TSD_10C Weekday - Daycare in someone else's home 426
TSD_10D Weekday - Nursery school or preschool 426
TSD_10E Weekday - Stayed home with parent/guardian/caregiver/relative 426
TSD_10F Weekday - Any other type of childcare 427
TSD_15 Grade at school 427
TSD_20 Days attended kindergarten - Last seven days 427
TSD_25A Time spent outdoors in the morning - Kindergarten day (hours) 428
TSD_25AN Time spent outdoors in the morning - Kindergarten day (minutes) 428
TSD_25B Time spent outdoors - noon to 3pm - Kindergarten day (hours) 429
TSD_25BN Time spent outdoors - noon to 3 pm - Kindergarten day (minutes) 429
TSD_25C Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs) 429
TSD_25CN Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins) 430
TSD_25D Time spent outdoors after dinner - Kindergarten day (hours) 430
TSD_25DN Time spent outdoors after dinner - Kindergarten day (minutes) 431
TSD_30A Time spent outdoors in the morning - No kindergarten (hours) 431
TSD_30AN Time spent outdoors in the morning - No kindergarten (minutes) 431
TSD_30B Time spent outdoors from noon until 3pm - No kindergarten (hours) 432
TSD_30BN Time spent outdoors from noon until 3pm - No kindergarten(minutes) 432
TSD_30C Time spent outdoors from 3pm until dinner - No kindergarten (hours) 433
TSD_30CN Time spent outdoors from 3pm until dinner - No kindergarten (minutes) 433
TSD_30D Time spent outdoors after dinner - No kindergarten (hours) 433
TSD_30DN Time spent outdoors after dinner - No kindergarten (minutes) 434
TSD_35 Days attended school - Last seven days 434
TSD_40A Time spend outdoors before school (hours) 435
TSD_40AN Time spent outdoors before school (minutes) 435
TSD_40B Time spend outdoors during school hours (hours) 435
TSD_40BN Time spend outdoors during school hours (minutes) 436
TSD_40C Time spent outdoors from 3 p.m. until dinner - School day (hours) 436
TSD_40CN Time spent outdoors from 3 p.m. until dinner - School day (minutes) 437
TSD_40D Time spent outdoors after dinner - School day (hours) 437
TSD_40DN Time spent outdoors after dinner - School day (minutes) 437
TSD_45A Time spent outdoors in the morning - Did not attend school (hours) 438
TSD_45AN Time spent outdoors in the morning - Did not attend school (minutes) 438
TSD_45B Time spent outdoors from noon until 3 pm - Did not attend school (hrs) 439

TSD_45BN Time spent outdoors from noon until 3pm -Did not attend school (min) ... 439
TSD_45C Time spent outdoors from 3 until dinner - Did not attend school (hrs) ... 439
TSD_45CN Time spent outdoors from 3pm until dinner-Did not attend school (mins) ... 440
TSD_45D Time spent outdoors after dinner - Did not attend school (hours) ... 440
TSD_45DN Time spent outdoors after dinner - Did not attend school (minutes) ... 441
TSD_50A Time spent outdoors in the morning - Average weekday (hours) ... 441
TSD_50AN Time spent outdoors in the morning - Average weekday (minutes) ... 441
TSD_50B Time spent outdoors from noon until 3pm - Average weekday (hours) ... 442
TSD_50BN Time spent outdoors from noon until 3pm - Average weekday (minutes) ... 442
TSD_50C Time spent outdoors from 3pm until dinner - Average weekday (hours) ... 443
TSD_50CN Time spent outdoors from 3pm until dinner - Average weekday (minutes) ... 443
TSD_50D Time spent outdoors after dinner - Average weekday (hours) ... 443
TSD_50DN Time spent outdoors after dinner - Average weekday (minutes) ... 444
TSD_55 Time spent outdoors - Average weekend day (hours) ... 444
TSD_55N Time spent outdoors - Average weekend day (minutes) ... 445

VIS: Vision

VIS_005 Visited an eye care professional - last 12 months ... 87
VIS_010 Type of eye care professional last visited ... 87
VIS_015 Ever had an eye examination ... 88
VIS_020 Most recent eye exam - done by ... 88
VIS_030 Ever had glaucoma ... 89
VIS_035 Age when first diagnosed - Glaucoma ... 89
VIS_040 Ever had diabetic retinopathy ... 89
VIS_045 Age when first diagnosed - Diabetic retinopathy ... 90
VIS_050 Ever had age-related macular degeneration (AMD) ... 90
VIS_055 Age when first diagnosed - Age-related macular degeneration (AMD) ... 91
VIS_060 Ever had cataracts ... 91
VIS_065 Which eye - Cataracts ... 91
VIS_070 Age when first diagnosed - Cataracts ... 92
VIS_075 Ever had cataract surgery ... 92
VIS_080 Which eye - Cataract surgery ... 92
VIS_085 Waiting for cataract surgery ... 93

WSD: Water and Soft Drink Consumption

WSDD30Y Drinks diet soft drinks - times per year - (D) ... 342
WSDD31Y Drinks regular soft drinks - times per year - (D) ... 343
WSDD32Y Drinks sport drinks - times per year - (D) ... 344
WSDD33Y Drinks vitamin-added water - times per year - (D) ... 345
WSDD34Y Drinks orange or grapefruit juice - times per year - (D) ... 346
WSDD35Y Drinks other 100% fruit juices - times per year - (D) ... 348
WSDD36Y Drinks juice with calcium and vitamin D - times per year - (D) ... 349
WSDD37Y Drinks fruit flavoured drinks - times per year - (D) ... 350
WSDD38Y Drinks vegetable juices - times per year - (D) ... 351
WSDD39Y Drinks water at home - number of cups per year - (D) ... 352
WSDD41Y Drinks water away from home - number of cups per year - (D) ... 354
WSDDTWY Drinks water (anywhere) - number of cups per year - (D) ... 359
WSD_30 Drinks diet soft drinks - number of times ... 341
WSD_30N Drinks diet soft drinks - reporting period ... 341
WSD_31 Drinks regular soft drinks - number of times ... 342
WSD_31N Drinks regular soft drinks - reporting period ... 342
WSD_32 Drinks sport drinks - number of times ... 343
WSD_32N Drinks sport drinks - reporting period ... 344
WSD_33 Drinks vitamin-added water - number of times ... 344
WSD_33N Drinks vitamin-added water - reporting period ... 345
WSD_34 Drinks orange or grapefruit juice - number of times ... 346
WSD_34N Drinks orange or grapefruit juice - reporting period ... 346
WSD_35 Drinks other 100% fruit juices - number of times ... 347
WSD_35N Drinks other 100% fruit juices - reporting period ... 347
WSD_36 Drinks juice with calcium and vitamin D added - number of times ... 348
WSD_36N Drinks juice with calcium and vitamin D added - reporting period ... 348

WSD_37 Drinks fruit-flavoured drinks - number of times 349
WSD_37N Drinks fruit-flavoured drinks - reporting period 349
WSD_38 Drinks vegetable juices - number of times 350
WSD_38N Drinks vegetable juices - reporting period 351
WSD_39 Drinks water at home - number of cups 351
WSD_39N Drinks water at home - reporting period 352
WSD_40 Primary source of drinking water - home 353
WSD_41 Drinks water away from home - number of cups 353
WSD_41N Amount drinks water away from home - reporting period 353
WSD_42 Primary source of drinking water - away from home 354
WSD_43 Source of tap water - home 355
WSD_44A Home water treated using - filter 355
WSD_44B Home water treated using - water softener 356
WSD_44C Home water treated using - ultraviolet system 356
WSD_44D Home water treated using - reverse osmosis 357
WSD_44E Home water treated using - boiling 357
WSD_44F Home water treated using - distilling 358
WSD_44G Home water treated using - other 358
WSD_44H Home water treated using - no treatment 359
WSD_45 Water used for drinking or food treated with water softener 359

Variable Index

Variable	Description	Page
ALCDDLY	Average daily alcohol consumption - (D)	490
ALCDTYP	Type of drinker - (D)	490
ALCDWKY	Weekly consumption - (D)	491
ALC_11	Drank alcohol - past 12 months	484
ALC_12	Frequency of drinking alcohol	484
ALC_13A	Frequency of having [5/4] or more drinks	485
ALC_14	Drank alcohol - past week	485
ALC_15A	Number of drinks - Sunday	486
ALC_15B	Number of drinks - Monday	486
ALC_15C	Number of drinks - Tuesday	486
ALC_15D	Number of drinks - Wednesday	487
ALC_15E	Number of drinks - Thursday	487
ALC_15F	Number of drinks - Friday	488
ALC_15G	Number of drinks - Saturday	488
ALC_16	Usual consumption of alcohol	488
ALC_17	Ever had a drink	489
ALC_18	Regularly drank more than 12 drinks a week	489
ALC_19	Age - started drinking alcoholic beverages	490
AMBFABT	Aboriginal origin or identity - (F)	535
AMB_01	Is an aboriginal person	533
AMB_02A	Aboriginal person - First Nations	534
AMB_02B	Aboriginal person - Métis	534
AMB_02C	Aboriginal person - Inuk (Inuit)	534
BCL_005	Ever used birth control pills	501
BCL_010	Number of years used birth control pills	501
BCL_015	Ever had a progesterone birth control injection	501
BCL_020	Number of years used progesterone injections	502
BIR_11	Weight at birth	517
BIR_12	Birth weight - Pounds	518
BIR_13	Birth weight - Ounces	518
BIR_14	Birth weight - Grams	519
BIR_21	Born before, on or after due date	519
BIR_22	Days before/after due date	519
BIR_23	Type of birth	520
BIR_24	Respondent admitted to neonatal unit	520
BIR_25	Days care received	521
BIR_26	Age of mother	521
BRIFEB6	Exclusive breastfeeding for at least 3 months - (D)	523
BRI_11	Respondent breastfed	522
BRI_12	Length of time breastfed	522
BRI_13	Length of time fed only breast milk	522
C2_DAY	Day of household interview	26
C2_MTH	Month of household interview	27
C2_YEAR	Year of household interview	27
CCC_101	Other long term physical or mental health condition	86
CCC_11	Has asthma	63
CCC_12	Asthma - age first diagnosed	64
CCC_13	Asthma - had symptoms or attacks	64
CCC_14	Has chronic bronchitis, emphysema or COPD	64
CCC_15	Chronic bronchitis, emphysema or COPD - age first diagnosed	65
CCC_21	Has fibromyalgia	65
CCC_22	Has arthritis	65
CCC_24	Has back problems excluding fibromyalgia and arthritis	66
CCC_25	Has osteoporosis	66
CCC_31	Has high blood pressure	67
CCC_32	Medication for high blood pressure - past month	67
CCC_33	Ever had blood cholesterol measured	67
CCC_34	Ever told blood cholesterol high	68

CCC_35 Has celiac disease 68
CCC_36 Has inflammatory bowel disease 69
CCC_51 Has diabetes 69
CCC_53 Diabetes - age first diagnosed 69
CCC_54 Diabetes - pregnant first diagnosed 70
CCC_55 Diabetes - other than pregnancy 70
CCC_56A Diabetes - insulin dependant (Type 1) 71
CCC_56B Diabetes - non-insulin dependant (Type 2) 71
CCC_57 Time after diabetes diagnosis to take insulin 71
CCC_58 Currently take insulin 72
CCC_59 Take pills to control blood sugar 72
CCC_61 Has heart disease 73
CCC_62 Heart disease - age first diagnosed 73
CCC_63 Ever had a heart attack 73
CCC_71 Has cancer 74
CCC_72 Ever had cancer 74
CCC_73 Cancer - age first diagnosed 75
CCC_74A Type of cancer - breast 75
CCC_74B Type of cancer - colorectal 75
CCC_74C Type of cancer - skin (melanoma) 76
CCC_74D Type of cancer - skin (non-melanoma) 76
CCC_74E Type of cancer - ovarian 77
CCC_74F Type of cancer - cervical 77
CCC_74G Type of cancer - uterine 77
CCC_74H Type of cancer - other 78
CCC_75A Type of cancer - prostate 78
CCC_75B Type of cancer - colorectal 78
CCC_75C Type of cancer - skin (melanoma) 79
CCC_75D Type of cancer - skin (non-melanoma) 79
CCC_75E Type of cancer - other 80
CCC_81 Suffers from the effects of a stroke 80
CCC_82 Has a thyroid condition 80
CCC_83 Has a mood disorder 81
CCC_92 Has kidney dysfunction or disease 81
CCC_93 Has liver disease or gallbladder problems 82
CCC_94A Liver disease or gallbladder problem - Hepatitis A 82
CCC_94B Liver disease or gallbladder problem - Hepatitis B 82
CCC_94C Liver disease or gallbladder problem - Hepatitis C 83
CCC_94D Liver disease or gallbladder problem - Jaundice 83
CCC_94E Liver disease or gallbladder problem - Cirrhosis 84
CCC_94F Liver disease or gallbladder problem - Gallstones 84
CCC_94G Liver disease or gallbladder problem - Other 84
CCC_95 Has hepatitis 85
CCC_96A Type of hepatitis - A 85
CCC_96B Type of hepatitis - B 86
CCC_96C Type of hepatitis - C 86
CLINICID Clinic identifier of selected respondent 26
CPADSACX Total number of hours per day spent in sedentary activities 424
CPADTOTX Total number of hours per week participated in physical activities 424
CPA_005 Number of days physically active - past 7 days 420
CPA_010 Number of days physically active - usual week 421
CPA_015 Hours/week - physical activity - free time at school 421
CPA_020 Hours/week - physical activity - class time at school 422
CPA_025 Hours/week - physical activity - lessons or sports 422
CPA_030 Hours/week - physical activity - unorganized activities 423
CPA_035 Hours/day - screen time 423
DFCD11Y Eats regular - fat salad dressing/mayo - times per year - (D) 337
DFCD12Y Eats regular - fat chips - times/year - (D) 338
DFCD13Y Eats margarine - times per year - (D) 339
DFCD14Y Eats omega-3 enriched margarine - times per year - (D) 341
DFC_11 Eats regular-fat salad dressing/mayo - number of times 336
DFC_11N Eats regular-fat salad dressing/mayo - reporting period 337
DFC_12 Eats regular-fat chips - number of times 338

DFC_12N Eats regular-fat chips - reporting period ... 338
DFC_13 Eats margarine - number of times ... 339
DFC_13N Eats margarine - reporting period ... 339
DFC_14 Eats omega-3 enriched margarine - number of times ... 340
DFC_14N Eats omega-3 enriched margarine - reporting period ... 340
DHHD611 Number of persons 6 to 11 years old in household - (D) ... 37
DHHDDWE Type of dwelling - (D) ... 40
DHHDECF Economic family status (household type) - (D) ... 39
DHHDHSZ Household size - (D) ... 38
DHHDL12 Number of persons in household less than 12 years old - (D) ... 37
DHHDLE5 Number of persons in household less than 6 years old - (D) ... 37
DHHDLVG Living arrangement of selected respondent - (D) ... 39
DHHDOKD Number of persons 16 or 17 years old in household - (D) ... 38
DHHDYKD Number of persons 15 years old or less in household - (D) ... 38
DHH_AGE Age at household interview ... 30
DHH_BED Number of bedrooms in dwelling ... 36
DHH_DOB Day of birth ... 29
DHH_MOB Month of birth ... 30
DHH_MS Marital status ... 36
DHH_OWN Dwelling - own or rent ... 35
DHH_PRN Province of residence of respondent ... 29
DHH_REP Dwelling - in need of repairs ... 35
DHH_SEX Sex ... 31
DHH_YOB Year of birth ... 30
EDC_01 Highest grade of elementary school completed ... 31
EDC_02 Graduated from high school (secondary school) ... 32
EDC_03 Received any other education ... 32
EDC_04 Highest degree, certificate or diploma obtained ... 32
EDM_01A Attending educational institutiuon - elementary/jr. h.s./high school ... 548
EDM_01B Attending educational institution -trade school/college/CEGEP ... 548
EDM_01C Attending educational institution - university ... 548
EDM_02 Enrolled as full/part time student ... 549
EDUDH04 Highest level of education - household, 4 levels - (D) ... 34
EDUDH10 Highest level of education - household, 10 levels - (D) ... 34
EDUDR04 Highest level of education - respondent, 4 levels - (D) ... 33
EDUDR10 Highest level of education - respondent, 10 levels - (D) ... 33
ELC_005 Tried an electronic cigarette ... 473
ELC_010 Use an electronic cigarette - past month ... 473
ELC_015 Nicotine in the last e-cigarette ... 474
ESC1_01 Currently attending school, college, CEGEP or university ... 547
ETS_01 Allowed smoking inside this home ... 474
ETS_02 Smoking restricted inside this home ... 475
ETS_03A Smoking restriction - allow in certain rooms only ... 475
ETS_03B Smoking restriction - in presence of young children ... 475
ETS_03C Smoking restriction - allow if windows are open/ventilation ... 476
ETS_03D Smoking restriction - other restriction ... 476
ETS_04 How often someone smokes inside the home ... 477
ETS_05 Number of people who smoke inside home every day ... 477
ETS_06A Product smoked inside home - cigarettes ... 478
ETS_06B Product smoked inside home - cigarillos or little cigars ... 478
ETS_06C Product smoked inside home - all other types of cigars ... 479
ETS_06D Product smoked inside home - pipes ... 479
ETS_07 Number of cigars/cigarettes smoked inside home ... 479
ETS_08 Total period time/typical day smoking pipe ... 480
ETS_09 Often exposed to second-hand smoke inside home - past month ... 480
ETS_14 Exposed to second-hand smoke - private vehicle ... 481
ETS_16 Exposed to second-hand smoke - place of work ... 481
ETS_20 Exposed to second-hand smoke - inside someone else's home ... 481
ETS_21 Exposed to second-hand smoke - indoors, in public places ... 482
ETS_22 Exposed to second-hand smoke - outdoors, in public places ... 482
ETS_23 Exposed to second-hand smoke - anywhere else ... 483
ETS_24 Often exposed to second-hand smoke excluding own home - past month ... 483
ETV_005 Exposed to second-hand vapour inside home ... 483

FRH_05 Fallen (last 12 months) 104
FRH_10 Fallen - Number of times 105
FRH_15A Cause of fall - Sports 105
FRH_15B Cause of fall - Running or roughhousing 106
FRH_15C Cause of fall - Being hit or pushed 106
FRH_15D Cause of fall - A vehicle, a car or bicycle 106
FRH_15G Cause of fall - None of the above 107
FRH_20 Cause of fall - Other 107
FRH_25 Cause of slip 108
FRH_30 Ever broken or fractured a bone 108
FRH_35 Number of times broken or fractured a bone 109
FRH_40A First break/fracture - age 109
FRH_40AA First break/fracture - head 109
FRH_40AB First break/fracture - spine 110
FRH_40AC First break/fracture - ribs/sternum 110
FRH_40AD First break/fracture - shoulder/upper arm/collarbone 111
FRH_40AE First break/fracture - elbow 111
FRH_40AF First break/fracture - forearm/wrist 112
FRH_40AG First break/fracture - hand 112
FRH_40AH First break/fracture - fingers 112
FRH_40AI First break/fracture - hip 113
FRH_40AJ First break/fracture - pelvis 113
FRH_40AK First break/fracture - upper leg 113
FRH_40AL First break/fracture - knee 114
FRH_40AM First break/fracture - lower leg 114
FRH_40AN First break/fracture - ankle 115
FRH_40AO First break/fracture - foot 115
FRH_40AP First break/fracture - toe(s) 115
FRH_40AQ First break/fracture - other specify 116
FRH_40B Second break/fracture - age 118
FRH_40BA Second break/fracture - head 118
FRH_40BB Second break/fracture - spine 119
FRH_40BC Second break/fracture - ribs/sternum 119
FRH_40BD Second break/fracture - shoulder/upper arm/collarbone 119
FRH_40BE Second break/fracture - elbow 120
FRH_40BF Second break/fracture - forearm/wrist 120
FRH_40BG Second break/fracture - hand 121
FRH_40BH Second break/fracture - fingers 121
FRH_40BI Second break/fracture - hip 121
FRH_40BJ Second break/fracture - pelvis 122
FRH_40BK Second break/fracture - upper leg 122
FRH_40BL Second break/fracture - knee 123
FRH_40BM Second break/fracture - lower leg 123
FRH_40BN Second break/fracture - ankle 123
FRH_40BO Second break/fracture - foot 124
FRH_40BP Second break/fracture - toe(s) 124
FRH_40BQ Second break/fracture - other specify 125
FRH_40C Third break/fracture - age 127
FRH_40CA Third break/fracture - head 127
FRH_40CB Third break/fracture - spine 127
FRH_40CC Third break/fracture - ribs/sternum 128
FRH_40CD Third break/fracture - shoulder/upper arm/collarbone 128
FRH_40CE Third break/fracture - elbow 129
FRH_40CF Third break/fracture - forearm/wrist 129
FRH_40CG Third break/fracture - hand 129
FRH_40CH Third break/fracture - fingers 130
FRH_40CI Third break/fracture - hip 130
FRH_40CJ Third break/fracture - pelvis 131
FRH_40CK Third break/fracture - upper leg 131
FRH_40CL Third break/fracture - knee 131
FRH_40CM Third break/fracture - lower leg 132
FRH_40CN Third break/fracture - ankle 132
FRH_40CO Third break/fracture - foot 133

FRH_40CP Third break/fracture - toe(s) 133
FRH_40CQ Third break/fracture - other specify 133
FRH_40D Fourth break/fracture - age 135
FRH_40DA Fourth break/fracture - head 136
FRH_40DB Fourth break/fracture - spine 136
FRH_40DC Fourth break/fracture - ribs/sternum 136
FRH_40DD Fourth break/fracture - shoulder/upper arm/collarbone 137
FRH_40DE Fourth break/fracture - elbow 137
FRH_40DF Fourth break/fracture - forearm/wrist 138
FRH_40DG Fourth break/fracture - hand 138
FRH_40DH Fourth break/fracture - fingers 138
FRH_40DI Fourth break/fracture - hip 139
FRH_40DJ Fourth break/fracture - pelvis 139
FRH_40DK Fourth break/fracture - upper leg 140
FRH_40DL Fourth break/fracture - knee 140
FRH_40DM Fourth break/fracture - lower leg 140
FRH_40DN Fourth break/fracture - ankle 141
FRH_40DO Fourth break/fracture - foot 141
FRH_40DP Fourth break/fracture - toe(s) 142
FRH_40DQ Fourth break/fracture - other specify 142
FRH_40E Fifth break/fracture - age 144
FRH_40EA Fifth break/fracture - head 144
FRH_40EB Fifth break/fracture - spine 145
FRH_40EC Fifth break/fracture - ribs/sternum 145
FRH_40ED Fifth break/fracture - shoulder/upper arm/collarbone 146
FRH_40EE Fifth break/fracture - elbow 146
FRH_40EF Fifth break/fracture - forearm/wrist 146
FRH_40EG Fifth break/fracture - hand 147
FRH_40EH Fifth break/fracture - fingers 147
FRH_40EI Fifth break/fracture - hip 148
FRH_40EJ Fifth break/fracture - pelvis 148
FRH_40EK Fifth break/fracture - upper leg 148
FRH_40EL Fifth break/fracture - knee 149
FRH_40EM Fifth break/fracture - lower leg 149
FRH_40EN Fifth break/fracture - ankle 149
FRH_40EO Fifth break/fracture - foot 150
FRH_40EP Fifth break/fracture - toe(s) 150
FRH_40EQ Fifth break/fracture - other specify 151
FRH_40F Sixth break/fracture - age 152
FRH_40FA Sixth break/fracture - head 153
FRH_40FB Sixth break/fracture - spine 153
FRH_40FC Sixth break/fracture - ribs/sternum 154
FRH_40FD Sixth break/ fracture - shoulder/upper arm/collarbone 154
FRH_40FE Sixth break/fracture - elbow 154
FRH_40FF Sixth break/fracture - forearm/wrist 155
FRH_40FG Sixth break/fracture - hand 155
FRH_40FH Sixth break/fracture - fingers 156
FRH_40FI Sixth break/fracture - hip 156
FRH_40FJ Sixth break/fracture - pelvis 156
FRH_40FK Sixth break/fracture - upper leg 157
FRH_40FL Sixth break/fracture - knee 157
FRH_40FM Sixth break/fracture - lower leg 158
FRH_40FN Sixth break/fracture - ankle 158
FRH_40FO Sixth break/fracture - foot 158
FRH_40FP Sixth break/fracture - toe(s) 159
FRH_40FQ Sixth break/fracture - other specify 159
FRH_40G Seventh break/fracture - age 161
FRH_40GA Seventh break/fracture - head 161
FRH_40GB Seventh break/fracture - spine 162
FRH_40GC Seventh break/fracture - ribs/sternum 162
FRH_40GD Seventh break/fracture - shoulder/upper arm/collarbone 162
FRH_40GE Seventh break/fracture - elbow 163
FRH_40GF Seventh break/fracture - forearm/wrist 163

FRH_40GG Seventh break/fracture - hand 164
FRH_40GH Seventh break/fracture - fingers 164
FRH_40GI Seventh break/fracture - hip 164
FRH_40GJ Seventh break/fracture - pelvis 165
FRH_40GK Seventh break/fracture - upper leg 165
FRH_40GL Seventh break/fracture - knee 166
FRH_40GM Seventh break/fracture - lower leg 166
FRH_40GN Seventh break/fracture - ankle 166
FRH_40GO Seventh break/fracture - foot 167
FRH_40GP Seventh break/fracture - toe(s) 167
FRH_40GQ Seventh break/fracture - other specify 168
FRH_40H Eighth break/fracture - age 169
FRH_40HA Eighth break/fracture - head 170
FRH_40HB Eighth break/fracture - spine 170
FRH_40HC Eighth break/fracture - ribs/sternum 171
FRH_40HD Eighth break/fracture - shoulder/upper arm/collarbone 171
FRH_40HE Eighth break/fracture - elbow 171
FRH_40HF Eighth break/fracture - forearm/wrist 172
FRH_40HG Eighth break/fracture - hand 172
FRH_40HH Eighth break/fracture - fingers 173
FRH_40HI Eighth break/fracture - hip 173
FRH_40HJ Eighth break/fracture - pelvis 173
FRH_40HK Eighth break/fracture - upper leg 174
FRH_40HL Eighth break/fracture - knee 174
FRH_40HM Eighth break/fracture - lower leg 174
FRH_40HN Eighth break/fracture - ankle 175
FRH_40HO Eighth break/fracture - foot 175
FRH_40HP Eighth break/fracture - toe(s) 176
FRH_40HQ Eighth break/fracture - other specify 176
FRH_40I Ninth break/fracture - age 178
FRH_40IA Ninth break/fracture - head 178
FRH_40IB Ninth break/fracture - spine 178
FRH_40IC Ninth break/fracture - ribs/sternum 179
FRH_40ID Ninth break/fracture - shoulder/upper arm/collarbone 179
FRH_40IE Ninth break/fracture - elbow 180
FRH_40IF Ninth break/fracture - forearm/wrist 180
FRH_40IG Ninth break/fracture - hand 180
FRH_40IH Ninth break/fracture - fingers 181
FRH_40II Ninth break/fracture - hip 181
FRH_40IJ Ninth break/fracture - pelvis 182
FRH_40IK Ninth break/fracture - upper leg 182
FRH_40IL Ninth break/fracture - knee 182
FRH_40IM Ninth break/fracture - lower leg 183
FRH_40IN Ninth break/fracture - ankle 183
FRH_40IO Ninth break/fracture - foot 184
FRH_40IP Ninth break/fracture - toe(s) 184
FRH_40IQ Ninth break/fracture - other specify 184
FRH_40J Tenth break/fracture - age 186
FRH_40JA Tenth break/fracture - head 186
FRH_40JB Tenth break/fracture - spine 187
FRH_40JC Tenth break/fracture - ribs/sternum 187
FRH_40JD Tenth break/fracture - shoulder/upper arm/collarbone 188
FRH_40JE Tenth break/fracture - elbow 188
FRH_40JF Tenth break/fracture - forearm/wrist 188
FRH_40JG Tenth break/fracture - hand 189
FRH_40JH Tenth break/fracture - fingers 189
FRH_40JI Tenth break/fracture - hip 190
FRH_40JJ Tenth break/fracture - pelvis 190
FRH_40JK Tenth break/fracture - upper leg 190
FRH_40JL Tenth break/fracture - knee 191
FRH_40JM Tenth break/fracture - lower leg 191
FRH_40JN Tenth break/fracture - ankle 192
FRH_40JO Tenth break/fracture - foot 192

FRH_40JP Tenth break/fracture - toe(s) ... 192
FRH_40JQ Tenth break/fracture - other specify ... 193
FRH_40K Eleventh break/fracture - age ... 194
FRH_40KA Eleventh break/fracture - head ... 195
FRH_40KB Eleventh break/fracture - spine ... 195
FRH_40KC Eleventh break/fracture - ribs/sternum ... 196
FRH_40KD Eleventh break/fracture - shoulder/upper arm/collarbone ... 196
FRH_40KE Eleventh break/fracture - elbow ... 196
FRH_40KF Eleventh break/fracture - forearm/wrist ... 197
FRH_40KG Eleventh break/fracture - hand ... 197
FRH_40KH Eleventh break/fracture - fingers ... 198
FRH_40KI Eleventh break/fracture - hip ... 198
FRH_40KJ Eleventh break/fracture - pelvis ... 198
FRH_40KK Eleventh break/fracture - upper leg ... 199
FRH_40KL Eleventh break/fracture - knee ... 199
FRH_40KM Eleventh break/fracture - lower leg ... 200
FRH_40KN Eleventh break/fracture - ankle ... 200
FRH_40KO Eleventh break/fracture - foot ... 200
FRH_40KP Eleventh break/fracture - toe(s) ... 201
FRH_40KQ Eleventh break/fracture - other specify ... 201
FRH_40L Twelfth break/fracture - age ... 203
FRH_40LA Twelfth break/fracture - head ... 203
FRH_40LB Twelfth break/fracture - spine ... 204
FRH_40LC Twelfth break/fracture - ribs/sternum ... 204
FRH_40LD Twelfth break/fracture - shoulder/upper arm/collarbone ... 204
FRH_40LE Twelfth break/fracture - elbow ... 205
FRH_40LF Twelfth break/fracture - forearm/wrist ... 205
FRH_40LG Twelfth break/fracture - hand ... 206
FRH_40LH Twelfth break/fracture - fingers ... 206
FRH_40LI Twelfth break/fracture - hip ... 206
FRH_40LJ Twelfth break/fracture - pelvis ... 207
FRH_40LK Twelfth break/fracture - upper leg ... 207
FRH_40LL Twelfth break/fracture - knee ... 208
FRH_40LM Twelfth break/fracture - lower leg ... 208
FRH_40LN Twelfth break/fracture - ankle ... 208
FRH_40LO Twelfth break/fracture - foot ... 209
FRH_40LP Twelfth break/fracture - toe(s) ... 209
FRH_40LQ Twelfth break/fracture - other specify ... 210
FRH_40M Thirteenth break/fracture - age ... 211
FRH_40MA Thirteenth break/fracture - head ... 212
FRH_40MB Thirteenth break/fracture - spine ... 212
FRH_40MC Thirteenth break/fracture - ribs/sternum ... 212
FRH_40MD Thirteenth break/fracture - shoulder/upper arm/collarbone ... 213
FRH_40ME Thirteenth break/fracture - elbow ... 213
FRH_40MF Thirteenth break/fracture - forearm/wrist ... 214
FRH_40MG Thirteenth break/fracture - hand ... 214
FRH_40MH Thirteenth break/fracture - fingers ... 214
FRH_40MI Thirteenth break/fracture - hip ... 215
FRH_40MJ Thirteenth break/fracture - pelvis ... 215
FRH_40MK Thirteenth break/fracture - upper leg ... 215
FRH_40ML Thirteenth break/fracture - knee ... 216
FRH_40MM Thirteenth break/fracture - lower leg ... 216
FRH_40MN Thirteenth break/fracture - ankle ... 217
FRH_40MO Thirteenth break/fracture - foot ... 217
FRH_40MP Thirteenth break/fracture - toe(s) ... 217
FRH_40MQ Thirteenth break/fracture - other specify ... 218
FRH_40N Fourteenth break/fracture - age ... 219
FRH_40NA Fourteenth break/fracture - head ... 220
FRH_40NB Fourteenth break/fracture - spine ... 220
FRH_40NC Fourteenth break/fracture - ribs/sternum ... 221
FRH_40ND Fourteenth break/fracture - shoulder/upper arm/collarbone ... 221
FRH_40NE Fourteenth break/fracture - elbow ... 221
FRH_40NF Fourteenth break/fracture - forearm/wrist ... 222

FRH_40NG Fourteenth break/fracture - hand 222
FRH_40NH Fourteenth break/fracture - fingers 222
FRH_40NI Fourteenth break/fracture - hip 223
FRH_40NJ Fourteenth break/fracture - pelvis 223
FRH_40NK Fourteenth break/fracture - upper leg 224
FRH_40NL Fourteenth break/fracture - knee 224
FRH_40NM Fourteenth break/fracture - lower leg 224
FRH_40NN Fourteenth break/fracture - ankle 225
FRH_40NO Fourteenth break/fracture - foot 225
FRH_40NP Fourteenth break/fracture - toe(s) 226
FRH_40NQ Fourteenth break/fracture - other specify 226
FRH_40O Fifteenth break/fracture - age 228
FRH_40OA Fifteenth break/fracture - head 228
FRH_40OB Fifteenth break/fracture - spine 228
FRH_40OC Fifteenth break/fracture - ribs/sternum 229
FRH_40OD Fifteenth break/fracture - shoulder/upper arm/collarbone 229
FRH_40OE Fifteenth break/fracture - elbow 230
FRH_40OF Fifteenth break/fracture - forearm/wrist 230
FRH_40OG Fifteenth break/fracture - hand 230
FRH_40OH Fifteenth break/fracture - fingers 231
FRH_40OI Fifteenth break/fracture - hip 231
FRH_40OJ Fifteenth break/fracture - pelvis 232
FRH_40OK Fifteenth break/fracture - upper leg 232
FRH_40OL Fifteenth break/fracture - knee 232
FRH_40OM Fifteenth break/fracture - lower leg 233
FRH_40ON Fifteenth break/fracture - ankle 233
FRH_40OO Fifteenth break/fracture - foot 234
FRH_40OP Fifteenth break/fracture - toe(s) 234
FRH_40OQ Fifteenth break/fracture - other specify 234
FRH_40P Sixteenth break/fracture - age 236
FRH_40PA Sixteenth break/fracture - head 236
FRH_40PB Sixteenth break/fracture - spine 237
FRH_40PC Sixteenth break/fracture - ribs/sternum 237
FRH_40PD Sixteenth break/fracture - shoulder/upper arm/collarbone 238
FRH_40PE Sixteenth break/fracture - elbow 238
FRH_40PF Sixteenth break/fracture - forearm/wrist 238
FRH_40PG Sixteenth break/fracture - hand 239
FRH_40PH Sixteenth break/fracture - fingers 239
FRH_40PI Sixteenth break/fracture - hip 239
FRH_40PJ Sixteenth break/fracture - pelvis 240
FRH_40PK Sixteenth break/fracture - upper leg 240
FRH_40PL Sixteenth break/fracture - knee 241
FRH_40PM Sixteenth break/fracture - lower leg 241
FRH_40PN Sixteenth break/fracture - ankle 241
FRH_40PO Sixteenth break/fracture - foot 242
FRH_40PP Sixteenth break/fracture - toe(s) 242
FRH_40PQ Sixteenth break/fracture - other specify 243
FRH_40Q Seventeenth break/fracture - age 244
FRH_40QA Seventeenth break/fracture - head 245
FRH_40QB Seventeenth break/fracture - spine 245
FRH_40QC Seventeenth break/fracture - ribs/sternum 245
FRH_40QD Seventeenth break/fracture - shoulder/upper arm/collarbone 246
FRH_40QE Seventeenth break/fracture - elbow 246
FRH_40QF Seventeenth break/fracture - forearm/wrist 247
FRH_40QG Seventeenth break/fracture - hand 247
FRH_40QH Seventeenth break/fracture - fingers 247
FRH_40QI Seventeenth break/fracture - hip 248
FRH_40QJ Seventeenth break/fracture - pelvis 248
FRH_40QK Seventeenth break/fracture - upper leg 249
FRH_40QL Seventeenth break/fracture - knee 249
FRH_40QM Seventeenth break/fracture - lower leg 249
FRH_40QN Seventeenth break/fracture - ankle 250
FRH_40QO Seventeenth break/fracture - foot 250

FRH_40QP Seventeenth break/fracture - toe(s) 251
FRH_40QQ Seventeenth break/fracture - other specify 251
FRH_40R Eighteenth break/fracture - age 253
FRH_40RA Eighteenth break/fracture - head 253
FRH_40RB Eighteenth break/fracture - spine 253
FRH_40RC Eighteenth break/fracture - ribs/sternum 254
FRH_40RD Eighteenth break/fracture - shoulder/upper arm/collarbone 254
FRH_40RE Eighteenth break/fracture - elbow 255
FRH_40RF Eighteenth break/fracture - forearm/wrist 255
FRH_40RG Eighteenth break/fracture - hand 255
FRH_40RH Eighteenth break/fracture - fingers 256
FRH_40RI Eighteenth break/fracture - hip 256
FRH_40RJ Eighteenth break/fracture - pelvis 257
FRH_40RK Eighteenth break/fracture - upper leg 257
FRH_40RL Eighteenth break/fracture - knee 257
FRH_40RM Eighteenth break/fracture - lower leg 258
FRH_40RN Eighteenth break/fracture - ankle 258
FRH_40RO Eighteenth break/fracture - foot 258
FRH_40RP Eighteenth break/fracture - toe(s) 259
FRH_40RQ Eighteenth break/fracture - other specify 259
FRH_40S Nineteenth break/fracture - age 261
FRH_40SA Nineteenth break/fracture - head 261
FRH_40SB Nineteenth break/fracture - spine 262
FRH_40SC Nineteenth break/fracture - ribs/sternum 262
FRH_40SD Nineteenth break/fracture - shoulder/upper arm/collarbone 262
FRH_40SE Nineteenth break/fracture - elbow 263
FRH_40SF Nineteenth break/fracture - forearm/wrist 263
FRH_40SG Nineteenth break/fracture - hand 264
FRH_40SH Nineteenth break/fracture - fingers 264
FRH_40SI Nineteenth break/fracture - hip 264
FRH_40SJ Nineteenth break/fracture - pelvis 265
FRH_40SK Nineteenth break/fracture - upper leg 265
FRH_40SL Nineteenth break/fracture - knee 266
FRH_40SM Nineteenth break/fracture - lower leg 266
FRH_40SN Nineteenth break/fracture - ankle 266
FRH_40SO Nineteenth break/fracture - foot 267
FRH_40SP Nineteenth break/fracture - toe(s) 267
FRH_40SQ Nineteenth break/fracture - other specify 268
FRH_40T Twentieth break/fracture - age 269
FRH_40TA Twentieth break/fracture - head 270
FRH_40TB Twentieth break/fracture - spine 270
FRH_40TC Twentieth break/fracture - ribs/sternum 270
FRH_40TD Twentieth break/fracture - shoulder/upper arm/collarbone 271
FRH_40TE Twentieth break/fracture - elbow 271
FRH_40TF Twentieth break/fracture - forearm/wrist 272
FRH_40TG Twentieth break/fracture - hand 272
FRH_40TH Twentieth break/fracture - fingers 272
FRH_40TI Twentieth break/fracture - hip 273
FRH_40TJ Twentieth break/fracture - pelvis 273
FRH_40TK Twentieth break/fracture - upper leg 274
FRH_40TL Twentieth break/fracture - knee 274
FRH_40TM Twentieth break/fracture - lower leg 274
FRH_40TN Twentieth break/fracture - ankle 275
FRH_40TO Twentieth break/fracture - foot 275
FRH_40TP Twentieth break/fracture - toe(s) 276
FRH_40TQ Twentieth break/fracture - other specify 276
FRH_41A First break/fracture - how did it happen 116
FRH_41B Second break/fracture - how did it happen 125
FRH_41C Third break/fracture - how did it happen 134
FRH_41D Fourth break/fracture - how did it happen 142
FRH_41E Fifth break/fracture - how did it happen 151
FRH_41F Sixth break/fracture - how did it happen 160
FRH_41G Seventh break/fracture - how did it happen 168

FRH_41H Eighth break/fracture - how did it happen 176
FRH_41I Ninth break/fracture - how did it happen 185
FRH_41J Tenth break/fracture - how did it happen 193
FRH_41K Eleventh break/fracture - how did it happen 202
FRH_41L Twelfth break/fracture - how did it happen 210
FRH_41M Thirteenth break/fracture - how did it happen 218
FRH_41N Fourteenth break/fracture - how did it happen 226
FRH_41O Fifteenth break/fracture - how did it happen 235
FRH_41P Sixteenth break/fracture - how did it happen 243
FRH_41Q Seventeenth break/fracture - how did it happen 251
FRH_41R Eighteenth break/fracture - how did it happen 260
FRH_41S Nineteenth break/fracture - how did it happen 268
FRH_41T Twentieth break/fracture - how did it happen 276
FRH_42A First break/fracture - type of fall 117
FRH_42B Second break/fracture - type of fall 126
FRH_42C Third break/fracture - type of fall 134
FRH_42D Fourth break/fracture - type of fall 143
FRH_42E Fifth break/fracture - type of fall 152
FRH_42F Sixth break/fracture - type of fall 160
FRH_42G Seventh break/fracture - type of fall 169
FRH_42H Eighth break/fracture - type of fall 177
FRH_42I Ninth break/fracture - type of fall 185
FRH_42J Tenth break/fracture - type of fall 194
FRH_42K Eleventh break/fracture - type of fall 202
FRH_42L Twelfth break/fracture - type of fall 210
FRH_42M Thirteenth break/fracture - type of fall 219
FRH_42N Fourteenth break/fracture - type of fall 227
FRH_42O Fifteenth break/fracture - type of fall 235
FRH_42P Sixteenth break/fracture - type of fall 244
FRH_42Q Seventeenth break/fracture - type of fall 252
FRH_42R Eighteenth break/fracture - type of fall 260
FRH_42S Nineteenth break/fracture - type of fall 268
FRH_42T Twentieth break/fracture - type of fall 277
FRH_43A First break/fracture - height of fall 117
FRH_43B Second break/fracture - height of fall 126
FRH_43C Third break/fracture - height of fall 135
FRH_43D Fourth break/fracture - height of fall 143
FRH_43E Fifth break/fracture - height of fall 152
FRH_43F Sixth break/fracture - height of fall 161
FRH_43G Seventh break/fracture - height of fall 169
FRH_43H Eighth break/fracture - height of fall 177
FRH_43I Ninth break/fracture - height of fall 186
FRH_43J Tenth break/fracture - height of fall 194
FRH_43K Eleventh break/fracture - height of fall 202
FRH_43L Twelfth break/fracture - height of fall 211
FRH_43M Thirteenth break/fracture - height of fall 219
FRH_43N Fourteenth break/fracture - height of fall 227
FRH_43O Fifteenth break/fracture - height of fall 236
FRH_43P Sixteenth break/fracture - height of fall 244
FRH_43Q Seventeenth break/fracture - height of fall 252
FRH_43R Eighteenth break/fracture - height of fall 260
FRH_43S Nineteenth break/fracture - height of fall 269
FRH_43T Twentieth break/fracture - height of fall 277
FRH_45 Broke/fracture hip (self/mother) 278
FRH_50 Broke/fracture hip (self/mother) - age 278
FRH_55 Broke/fracture hip (self/father) 278
FRH_60 Broke/fracture hip (self/father) - age 279
GENDHDI Self-rated health - (D) 46
GENDMHI Self-rated mental health - (D) 46
GEN_005 Self-perceived health 40
GEN_010 Self-perceived health compared to one year ago 41
GEN_015 Satisfied with life right now 41
GEN_020 Self-perceived mental health 42

GEN_025 Self-perceived stress 42
GEN_030 Main activity 43
GEN_035 Worked at job or business 43
GEN_040 Self-perceived work stress 44
GEN_045 Sense of belonging to local community 44
GEN_050 Self-perceived quality of life 45
GEN_055 Family doctor 45
GFVD11Y Eats hot or cold cereal - times per year - (D) 319
GFVD12Y Eats whole grain bread - times per year - (D) 320
GFVD13Y Eats white bread - times per year - (D) 321
GFVD14Y Eats any kind of pasta - times per year - (D) 323
GFVD16Y Eats instant, seasoned or wild rice - times per year - (D) 324
GFVD17AY Eats citrus fruit - times per year - (D) 325
GFVD17BY Eats strawberries - times per summer - (D) 326
GFVD17CY Eats strawberries - times per year, excluding summer (D) 327
GFVD17DY Eats other types of fruit - times per year - (D) 328
GFVD18Y Eats tomatoes or tomato sauce - times per year - (D) 329
GFVD19Y Eats lettuce or green leafy salad - times per year - (D) 330
GFVD20Y Eats spinach, mustard greens, cabbage - times per year - (D) 332
GFVD21Y Eats french/home fries/hash brown potatoes - times per year - (D) 333
GFVD22Y Eats other potatoes - times per year - (D) 334
GFVD23Y Eats all other types of vegetables - times per year - (D) 335
GFVD24Y Eats flax seeds - times per year - (D) 336
GFV_11 Eats hot or cold cereal - number of times 318
GFV_11N Eats hot or cold cereal - reporting period 319
GFV_12 Eats whole grain bread - number of times 319
GFV_12N Eats whole grain bread - reporting period 320
GFV_13 Eats white bread - number of times 321
GFV_13N Eats white bread - reporting period 321
GFV_14 Eats pasta - number of times 322
GFV_14N Eats pasta - reporting period 322
GFV_16 Eats instant, seasoned or wild rice - number of times 323
GFV_16N Eats instant, seasoned or wild rice - reporting period 323
GFV_17A Eats citrus fruit - number of times 324
GFV_17AN Eats citrus fruit - reporting period 324
GFV_17B Eats strawberries in the summer - number of times 325
GFV_17BN Eats strawberries in the summer - reporting period 326
GFV_17C Eats strawberries during the rest of the year - number of times 326
GFV_17CN Eats strawberries rest of the year - reporting period 327
GFV_17D Eats other types of fruit - number of times 327
GFV_17DN Eats other types of fruit - reporting period 328
GFV_18 Eats tomatoes or tomato sauce - number of times 329
GFV_18N Eats tomatoes or tomato sauce - reporting period 329
GFV_19 Eats lettuce or green leafy salad - number of times 330
GFV_19N Eats lettuce or green leafy salad - reporting period 330
GFV_20 Eats spinach, mustard greens or cabbage - number of times 331
GFV_20N Eats spinach, mustard greens or cabbage - reporting period 331
GFV_21 Eats french/home fries or hash brown potatoes - number times 332
GFV_21N Eats french/home fries or hash brown potatoes - reporting period 332
GFV_22 Eats other potatoes - number of times 333
GFV_22N Eats other potatoes - reporting period 333
GFV_23 Eats all other types of vegetables - number of times 334
GFV_23N Eats all other types of vegetables - reporting period 334
GFV_24 Eats flax seeds, whole or ground - number of times 335
GFV_24N Eats flax seeds, whole or ground - reporting period 336
HUIDCOG Cognition problems - function code - (D) 59
HUIDDEX Dexterity trouble - function code - (D) 59
HUIDEMO Emotional problems - function code - (D) 60
HUIDHER Hearing problems - function code - (D) 60
HUIDHSC HUI score into 4 categories - no/mild/moderate/severe (D) 63
HUIDHSI Health Utility Index (HUI3) - (D) 62
HUIDMOB Mobility trouble - function code - (D) 61
HUIDPAD Activities prevented by pain - function code - (D) 61

HUIDSPE Speech trouble - function code - (D) 62
HUIDVIS Vision trouble - function code - (D) 62
HUI_005 Vision - read newsprint without glasses / contacts 46
HUI_010 Vision - read newsprint with glasses / contacts 47
HUI_015 Vision - able to see 47
HUI_020 Vision - recognize a friend without glasses / contacts 48
HUI_025 Vision - recognize a friend with glasses / contacts 48
HUI_030 Hearing - in group without hearing aid 48
HUI_035 Hearing - in group with hearing aid 49
HUI_040 Hearing - able to hear 49
HUI_045 Hearing - in quiet room without hearing aid 50
HUI_050 Hearing - in quiet room with hearing aid 50
HUI_055 Speech - completely understood by strangers 51
HUI_060 Speech - partially understood by strangers 51
HUI_065 Speech - completely understood by non-strangers 51
HUI_070 Speech - partially understood by non-strangers 52
HUI_075 Mobility - walk without difficulty and without support 52
HUI_080 Mobility - able to walk 53
HUI_085 Mobility - requires support to walk 53
HUI_090 Mobility - requires help of person to walk 53
HUI_095 Mobility - requires a wheelchair 54
HUI_100 Mobility - frequency of wheelchair use 54
HUI_105 Mobility - requires help to get around in wheelchair 54
HUI_110 Dexterity - able to grasp and handle small objects 55
HUI_115 Dexterity - requires help due to limitation in use of hands 55
HUI_120 Dexterity - requires help with tasks 56
HUI_125 Dexterity - requires special equipment / hand limitation 56
HUI_130 Emotion - self evaluation 56
HUI_135 Cognition - ability to remember things 57
HUI_140 Cognition - ability to think and solve problems 57
HUI_145 Usually free of pain or discomfort 58
HUI_150 Pain and discomfort - usual intensity 58
HUI_155 Pain and discomfort - number of activities prevented 58
HWTDBMI Body Mass Index / self-reported - (D) 292
HWTDBMIA BMI norms, 18 or older / self-reported - (D) 292
HWTDBMIK BMI norms, 3 to 17 years old / self-reported - (D) 293
HWTDCM Height (centimetres) / self-reported - (D) 290
HWTDCOL BMI classification (3 to 18 years) / self-reported - Cole system - (D) 293
HWTDHTM Height (metres) / self-reported - (D) 291
HWTDIN Height (inches) / self-reported - (D) 290
HWTDKG Weight (kilograms) / self-reported - (D) 291
HWTDLB Weight (pounds) / self-reported - (D) 291
HWTDWHOK BMI classification (5 to 18 years old) / self-reported - WHO - (D) 294
HWTDWHOP BMI classification (3 to 5 years old) / self-reported - WHO - (D) 293
HWT_1A Height - feet / self-reported 288
HWT_1B Height - inches / self-reported 288
HWT_1C Height - centimetres / self-reported 288
HWT_1N Height - unit of measure in feet and inches, in cm / self-reported 287
HWT_3 Weight / self-reported 289
HWT_3N Weight - unit of measure in pounds or kilograms / self-reported 289
HWT_4 Respondent's opinion of own weight / self-reported 289
IDU_11 Used or tried marijuana, cannabis or hashish 491
IDU_21 Used or tried prescription drugs for the feeling 492
IDU_22 Used or tried other drugs (cocaine, speed) 492
IDU_32 Injected with drugs for the experience/feeling 493
IDU_33 Other than by injection, used other drugs for the feeling 493
IMGCCB Country of birth - (C) 541
IMGDALI Age at time of landed immigration - (D) 533
IMGDLLI Length of time since became a landed immigrant - (D) 532
IMGGCB Country of birth - (G) 541
IMG_02 Province/territory of birth 531
IMG_03 Landed immigrant 532
IMG_04 Year first became landed immigrant in Canada 532

LAEC02A Language - knowledge of non-offical language - 1st 542
LAEC02B Language - knowledge of non-offical language - 2nd 543
LAEC02C Language - knowledge of non-offical language - 3rd 543
LAEC03A Language - home language spoken most often - 1st 543
LAEC03B Language - home language spoken most often - 2nd 544
LAEC03C Language - home language spoken most often - 3rd 544
LAEC06A Language - mother tongue - 1st 545
LAEC06B Language - mother tongue - 2nd 545
LAEC06C Language - mother tongue - 3rd 545
LAEDCON Languages - can converse - (D) 546
LAEDFL1 First language learned and still understood - (D) 546
LAEDSPH Language(s) spoken most often at home - (D) 547
LAE_01 Language - knowledge of official languages 542
LAFCIC12 North American Industry Classification System (NAICS) 2012 529
LAFCIC17 North American Industry Classification System (NAICS) 2017 530
LAFCOC11 National Occupational Classification - Statistics (NOC-S) 2011 529
LAFCOC16 National Occupational Classification - Statistics (NOC-S) 2016 530
LAFDWSL Working status last week (6 groups) - (D) 528
LAFDWSS Working status last week (4 groups) - (D) 528
LAFGO16A Variant of NOC for highly aggregated data - (G) 531
LAFGO16S Variant for analysis by NOC skill level - (G) 530
LMA2_04 Job - last 4 weeks tried to find work 525
LMA2_05 Job - last week had job with start date 525
LMA2_06 Job - start date 526
LMA2_07 Job - wanted job with more or less 30 hours per week 526
LMA2_08 Job - could have worked last week if offered 526
LMA2_09 Job - main reason not available to work last week 527
LMA3_10 Job - were you employee/self-employed 527
LMAM_01 Job - last week had a job or business 523
LMAM_02 Job - had a job/ business last week but was absent 524
LMAM_03 Job - main reason absent work last week 524
LMH_016 Number of hours worked per week 528
MBF_11 Ever given birth 502
MBF_12 Number of live births 503
MBF_21A Breastfeeding first baby 503
MBF_21AA Length of time breastfeeding first baby 503
MBF_21B Breastfeeding second baby 504
MBF_21BB Length of time breastfeeding second baby 504
MBF_21C Breastfeeding third baby 505
MBF_21CC Length of time breastfeeding third baby 505
MBF_21D Breastfeeding fourth baby 506
MBF_21DD Length of time breastfeeding fourth baby 506
MBF_21E Breastfeeding fifth baby 507
MBF_21EE Length of time breastfeeding fifth baby 507
MBF_21F Breastfeeding sixth baby 507
MBF_21FF Length of time breastfeeding sixth baby 508
MBF_21G Breastfeeding seventh baby 508
MBF_21GG Length of time breastfeeding seventh baby 509
MBF_21H Breastfeeding eighth baby 509
MBF_21HH Length of time breastfeeding eighth baby 509
MBF_21I Breastfeeding ninth baby 510
MBF_21II Length of time breastfeeding ninth baby 510
MBF_21J Breastfeeding tenth baby 511
MBF_21JJ Length of time breastfeeding tenth baby 511
MBF_21K Breastfeeding eleventh baby 511
MBF_21KK Length of time breastfeeding eleventh baby 512
MBF_21L Breastfeeding twelfth baby 512
MBF_21LL Length of time breastfeeding twelfth baby 512
MBF_21M Breastfeeding thirteenth baby 513
MBF_21MM Length of time breastfeeding thirteenth baby 513
MBF_21N Breastfeeding fourteenth baby 514
MBF_21NN Length of time breastfeeding fourteenth baby 514
MBF_21O Breastfeeding fifteenth baby 514

MBF_21OO Length of time breastfeeding fifteenth baby 515
MDCD01Y Drinks/uses enriched milk substitutes - times per year - (D) 304
MDCD02Y Drinks/uses omega-3 milk substitutes - times per year - (D) 305
MDCD04Y Drinks or uses milk or flavoured milk - times per year - (D) 308
MDCD05Y Drinks or uses omega-3 enriched milk - times per year - (D) 309
MDCD13BY Eats processed cheese - times per year - (D) 314
MDCD13CY Eats other types of cheese - times per year - (D) 316
MDCD13Y Eats cottage cheese - times per year - (D) 313
MDCD14Y Eats yogurt - times per year - (D) 317
MDCD15Y Eats ice cream or frozen yogurt - times per year - (D) 318
MDC_01 Drinks/uses enriched milk substitutes - number of times 303
MDC_01N Drinks/uses enriched milk substitutes - reporting period 304
MDC_02 Drinks/uses omega-3 enriched milk substitutes - number of times 304
MDC_02N Drinks/uses omega-3 enriched milk substitutes - reporting period 305
MDC_03A Drinks/uses enriched milk substitutes - rice 306
MDC_03B Drinks/uses enriched milk substitutes - soya 306
MDC_03C Drinks/uses enriched milk substitutes - almond 306
MDC_03D Drinks/uses enriched milk substitutes - other (enriched) 307
MDC_04 Drinks/uses milk/flavoured milk - number of times 307
MDC_04N Drinks/uses milk/flavoured milk - reporting period 308
MDC_05 Drinks/uses omega-3 enriched milk - number of times 308
MDC_05N Drinks/uses omega-3 enriched milk - reporting period 309
MDC_12A Type of milk used - 3.25% 310
MDC_12B Type of milk used - 2% 310
MDC_12C Type of milk used - 1% 310
MDC_12D Type of milk used - 0.5% 311
MDC_12E Type of milk used - skim or non-fat 311
MDC_12F Type of milk used - flavoured milk beverages 312
MDC_12G Type of milk used - other 312
MDC_13 Eats cottage cheese - number of times 312
MDC_13B Eats processed cheese - number of times 314
MDC_13BN Eats processed cheese - reporting period 314
MDC_13C Eats other type of cheese - number of times 315
MDC_13CN Eats other type of cheese - reporting period 315
MDC_13N Eats cottage cheese - reporting period 313
MDC_14 Eats yogurt - number of times 316
MDC_14N Eats yogurt - reporting period 316
MDC_15 Eats ice cream or frozen yogurt - number of times 317
MDC_15N Eats ice cream or frozen yogurt - reporting period 317
MEN_005 Mentrual period - Last 12 months 99
MEN_010A Have not had a period - Contraceptives 99
MEN_010B Have not had a period - Medical procedure, medication or drugs 100
MEN_010C Have not had a period - Pregnancy 100
MEN_010D Have not had a period - Breastfeeding 100
MEN_010E Have not had a period - Menopause 101
MEN_010F Have not had a period - Stress, weight loss or excessive exercise 101
MEN_010G Have not had a period - Removal of the uterus 102
MEN_010H Have not had a period - Removal of ovaries 102
MEN_010I Have not had a period - Physical complications 102
MEN_010J Have not had a period - Other - Specify 103
MEN_015 Had both ovaries removed 103
MEN_020 Experienced symptoms of menopause 104
MEN_025 Beginning of menopause symptoms 104
MFCD11Y Eats red meat - times per year - (D) 295
MFCD12Y Eats liver - times per year - (D) 296
MFCD14Y Eats beef or pork hot dogs - times per year - (D) 297
MFCD15Y Eats sausage or bacon - times per year - (D) 298
MFCD19AY Eats eggs/egg dishes - times per year - (D) 299
MFCD19BY Eats eggs omega-3 enriched - times per year - (D) 301
MFCD20Y Eats cooked dried beans - times per year - (D) 302
MFCD21Y Eats nuts - times per year - (D) 303
MFC_11 Eats red meat - number of times 294
MFC_11N Eats red meat - reporting period 295

MFC_12 Eats liver - number of times 295
MFC_12N Eats liver - reporting period 296
MFC_14 Eats beef or pork hot dogs - number of times 296
MFC_14N Eats beef or pork hot dogs - reporting period 297
MFC_15 Eats sausage or bacon - number of times 298
MFC_15N Eats sausage or bacon - reporting period 298
MFC_19A Eats eggs/egg dishes - number of times 299
MFC_19AN Eats eggs/egg dishes - reporting period 299
MFC_19B Eats egg made with omega-3 enriched - number of times 300
MFC_19BN Eats eggs omega-3 enriched - reporting period 300
MFC_20 Eats cooked dried beans - number of times 301
MFC_20N Eats cooked dried beans - reporting period 301
MFC_21 Eats nuts - number of times 302
MFC_21N Eats nuts - reporting period 303
NBE_005 Type of housing - neighbourhood 449
NBE_015 Shops, stores, markets, other places - neighbourhood 449
NBE_020 Transit stop - neighbourhood 450
NBE_025 There are sidewalks - neighbourhood 450
NBE_030 Designated areas for biking - neighbourhood 451
NBE_035 Free or low cost recreation facilities - neighbourhood 451
NBE_040 Crime rate - neighbourhood 452
NBE_045 Many interesting things to look at - neighbourhood 452
NBE_050 Sidewalks are well maintained - neighbourhood 452
NBE_055 Traffic makes it unpleasant to walk - neighbourhood 453
NBE_060 Traffic makes it unpleasant to bike - neighbourhood 453
NBE_070 Driver's licence 454
NBE_075 Vehicle at disposal 454
PAADOTH Total minutes of other physical activities per week - (D) 375
PAADREC Total minutes of recreational physical activity per week - (D) 370
PAADTOT Total minutes of physical activity from all domains per week - (D) 376
PAADTRVL Total minutes of active transportation per week - (D) 365
PAADVIG Total minutes of vigorous intensity physical activities per week - (D) 377
PAA_005 Active ways to get to places during the last week 361
PAA_010A Active ways to get to places- Monday 362
PAA_010B Active ways to get to places - Tuesday 362
PAA_010C Active ways to get to places - Wednesday 362
PAA_010D Active ways to get to places - Thursday 363
PAA_010E Active ways to get to places - Friday 363
PAA_010F Active ways to get to places - Saturday 364
PAA_010G Active ways to get to places - Sunday 364
PAA_015 Time spent on active ways to get to places last week - hours 364
PAA_020N Time spent on active ways to get to places last week - minutes 365
PAA_030 Recreational physical activities- last week 366
PAA_035 Recreational physical activities - sweat and breathe harder 366
PAA_040A Recreational physical activities - sweat and breathe harder - Monday 367
PAA_040B Recreational physical activities - sweat and breathe harder - Tuesday 367
PAA_040C Recreational physical activities - sweat and breathe harder - Wed, ... 367
PAA_040D Recreational physical activities - sweat and breathe harder - Thursday 368
PAA_040E Recreational physical activities - sweat and breathe harder - Friday 368
PAA_040F Recreational physical activities - sweat and breathe harder - Saturday 369
PAA_040G Recreational physical activities - sweat and breathe harder - Sunday 369
PAA_045 Time spent on recreational physical activities - hours 369
PAA_050N Time spent on recreational physical activities - minutes 370
PAA_060 Other physical activities - last week 371
PAA_065 Other physical activities - sweat and breathe harder 371
PAA_070A Other physical activities - sweat and breathe harder - Monday 372
PAA_070B Other physical activities - sweat and breathe harder - Tuesday 372
PAA_070C Other physical activities - sweat and breathe harder - Wednesday 372
PAA_070D Other physical activities - sweat and breathe harder - Thursday 373
PAA_070E Other physical activities - sweat and breathe harder - Friday 373
PAA_070F Other physical activities - sweat and breathe harder - Saturday 374
PAA_070G Other physical activities - sweat and breathe harder - Sunday 374
PAA_075 Time spent on other physical activities - hours 374

PAA_080N Time spent on other physical activities - minutes 375
PAA_095 Vigorous intensity physical activities 376
PAA_100 Vigorous intensity physical activities - hours 376
PAA_105N Vigorous intensity physical activities - minutes 377
PAYDOTH Total minutes of other physical activities per week - (D) 415
PAYDOTH1 Time of other physical activities (minutes) - Sunday - (D) 413
PAYDOTH2 Time of other physical activities (minutes) - Monday - (D) 413
PAYDOTH3 Time of other physical activities (minutes) - Tuesday - (D) 413
PAYDOTH4 Time of other physical activities (minutes) - Wednesday - (D) 414
PAYDOTH5 Time of other physical activities (minutes) - Thursday - (D) 414
PAYDOTH6 Time of other physical activities (minutes) - Friday - (D) 414
PAYDOTH7 Time of other physical activities (minutes) - Saturday - (D) 415
PAYDREC Total minutes of recreational physical activity per week - (D) 406
PAYDREC1 Time of recreational physical activity (minutes) - Sunday - (D) 403
PAYDREC2 Time of recreational physical activity (minutes) - Monday - (D) 404
PAYDREC3 Time of recreational physical activity (minutes) - Tuesday - (D) 404
PAYDREC4 Time of recreational physical activity (minutes) - Wednesday - (D) 404
PAYDREC5 Time of recreational physical activity (minutes) - Thursday - (D) 405
PAYDREC6 Time of recreational physical activity (minutes) - Friday - (D) 405
PAYDREC7 Time of recreational physical activity (minutes) - Saturday - (D) 405
PAYDSCH2 Time of physical activity at school/day camp (minutes) - Monday - (D) 395
PAYDSCH3 Time of physical activity at school/day camp (minutes) - Tuesday - (D) 395
PAYDSCH4 Time of physical activity at school/day camp (minutes)-Wednesday - (D) 395
PAYDSCH5 Time of physical activity at school/day camp (minutes)-Thursday - (D) 396
PAYDSCH6 Time of physical activity at school/day camp (minutes) - Friday - (D) 396
PAYDSCHL Total minutes of physical activity at school/day camp per week - (D) 397
PAYDTOT Total minutes of physical activity from all domains per week - (D) 416
PAYDTRV1 Time of active transportation (minutes) - Sunday - (D) 385
PAYDTRV2 Time of active transportation (minutes) - Monday - (D) 386
PAYDTRV3 Time of active transportation (minutes) - Tuesday - (D) 386
PAYDTRV4 Time of active transportation (minutes) - Wednesday - (D) 386
PAYDTRV5 Time of active transportation (minutes) - Thursday - (D) 387
PAYDTRV6 Time of active transportation (minutes) - Friday - (D) 387
PAYDTRV7 Time of active transportation (minutes) - Saturday - (D) 387
PAYDTRVL Total minutes of active transportation per week - (D) 388
PAYDVIG Total minutes of vigorous intensity physical activities per week - (D) 420
PAY_05A Attend school - Last week 378
PAY_05B Attend day camp - Last week 378
PAY_05C Attend paid or unpaid work - Last week 378
PAY_05D None of the above - Last week 379
PAY_10 Active ways to get to places during the last week 379
PAY_100 Vigorous intensity physical activities - last week - hours 419
PAY_105N Vigorous intensity physical activities - last week - minutes 420
PAY_15A Time spent on active ways to get to places - [Sunday] - hours 380
PAY_15AN Time spent on active ways to get to places - [Sunday] - minutes 380
PAY_15B Time spent on active ways to get to places - [Monday] - hours 380
PAY_15BN Time spent on active ways to get to places - [Monday] - minutes 381
PAY_15C Time spent on active ways to get to places - [Tuesday] - hours 381
PAY_15CN Time spent on active ways to get to places - [Tuesday] - minutes 382
PAY_15D Time spent on active ways to get to places - [Wednesday] - hours 382
PAY_15DN Time spent on active ways to get to places - [Wednesday] - minutes 382
PAY_15E Time spent on active ways to get to places - [Thursday] - hours 383
PAY_15EN Time spent on active ways to get to places - [Thursday] - minutes 383
PAY_15F Time spent on active ways to get to places - [Friday] - hours 384
PAY_15FN Time spent on active ways to get to places - [Friday] - minutes 384
PAY_15G Time spent on active ways to get to places - [Saturday] - hours 384
PAY_15GN Time spent on active ways to get to places - [Saturday] - minutes 385
PAY_25 Physical activities at school/day camp - last week 388
PAY_30 Physical activities at school/day camp - sweat and breathe harder 389
PAY_35A Activities school/day camp - sweat/breathe harder - [Sunday] - hours 389
PAY_35AN Activities school/day camp - sweat/breathe harder - [Sunday] - minutes 389
PAY_35B Activities school/day camp - sweat/breathe harder - [Monday] - hours 390
PAY_35BN Activities school/day camp - sweat/breathe harder - [Monday] - minutes 390

PAY_35C Activities school/day camp - sweat/breathe harder - [Tuesday] - hours 391
PAY_35CN Activities school/day camp - sweat/breathe harder - [Tuesday] -minutes 391
PAY_35D Activities school/day camp - sweat/breathe harder - [Wed.] - hours 391
PAY_35DN Activities school/day camp - sweat/breathe harder - [Wed.] - minutes 392
PAY_35E Activities school/day camp - sweat/breathe harder - [Thursday] - hours 392
PAY_35EN Activities school/day camp - sweat/breathe harder - [Thursday]-minutes 393
PAY_35F Activities school/day camp - sweat/breathe harder - [Friday] - hours 393
PAY_35FN Activities school/day camp - sweat/breathe harder - [Friday] - minutes 393
PAY_35G Activities school/day camp - sweat/breathe harder - [Saturday] - hours 394
PAY_35GN Activities school/day camp - sweat/breathe harder - [Saturday]-minutes 394
PAY_45 Physical activities in leisure time 397
PAY_50 Physical activities in leisure time - sweat and breathe harder 397
PAY_55A Leisure-time activities - sweat/breathe harder - [Sunday] - hours 398
PAY_55AN Leisure-time activities - sweat/breathe harder - [Sunday] - minutes 398
PAY_55B Leisure-time activities - sweat/breathe harder - [Monday] - hours 398
PAY_55BN Leisure-time activities - sweat/breathe harder - [Monday] - minutes 399
PAY_55C Leisure-time activities - sweat/breathe harder - [Tuesday] - hours 399
PAY_55CN Leisure-time activities - sweat/breathe harder - [Tuesday] - minutes 400
PAY_55D Leisure-time activities - sweat/breathe harder - [Wednesday] - hours 400
PAY_55DN Leisure-time activities - sweat/breathe harder - [Wednesday] - minutes 400
PAY_55E Leisure-time activities - sweat/breathe harder - [Thursday] - hours 401
PAY_55EN Leisure-time activities- sweat/breathe harder - [Thursday] - minutes 401
PAY_55F Leisure-time activities - sweat/breathe harder - [Friday] - hours 402
PAY_55FN Leisure-time activities - sweat/breathe harder - [Friday] - minutes 402
PAY_55G Leisure-time activities - sweat/breathe harder - [Saturday] - hours 402
PAY_55GN Leisure-time activities - sweat/breathe harder - [Saturday] - minutes 403
PAY_65 Other physical activities - last week 406
PAY_70 Other physical activities - sweat and breathe harder 407
PAY_75A Other physical act. - sweat and breathe harder - [Sunday] - hours 407
PAY_75AN Other physical act. - sweat and breathe harder - [Sunday] - minutes 407
PAY_75B Other physical act. - sweat and breathe harder - [Monday] - hours 408
PAY_75BN Other physical act. sweat and breathe harder - [Monday] - minutes 408
PAY_75C Other physical act. - sweat and breathe harder - [Tuesday] - hours 409
PAY_75CN Other physical act. - sweat and breath harder - [Tuesday] - minutes 409
PAY_75D Other physical act. - sweat and breathe harder - [Wednesday] - hours 409
PAY_75DN Other physical act. - sweat and breathe harder - [Wednesday] - minutes 410
PAY_75E Other physical act. - sweat and breathe harder - [Thursday] - hours 410
PAY_75EN Other physical act. - sweat and breathe harder - [Thursday] - minutes 411
PAY_75F Other physical act. - sweat and breathe harder - [Friday] - hours 411
PAY_75FN Other physical act. - sweat and breathe harder - [Friday] - minutes 411
PAY_75G Other physical act. - sweat and breathe harder - [Saturday] - hours 412
PAY_75GN Other physical act. - sweat and breathe harder - [Saturday] - minutes 412
PAY_90 Vigorous intensity physical activities 416
PAY_95A Vigorous intensity physical activities - Monday 416
PAY_95B Vigorous intensity physical activities - Tuesday 417
PAY_95C Vigorous intensity physical activities - Wednesday 417
PAY_95D Vigorous intensity physical activities - Thursday 418
PAY_95E Vigorous intensity physical activities - Friday 418
PAY_95F Vigorous intensity physical activities - Saturday 419
PAY_95G Vigorous intensity physical activities - Sunday 419
PGDCGT Cultural or racial group - (D) 540
PG_01A Population group - White 535
PG_01B Population group - South Asian 536
PG_01C Population group - Chinese 536
PG_01D Population group - Black 537
PG_01E Population group - Filipino 537
PG_01F Population group - Latin American 537
PG_01G Population group - Arab 538
PG_01H Population group - Southeast Asian 538
PG_01I Population group - West Asian 539
PG_01J Population group - Korean 539
PG_01K Population group - Japanese 539
PG_01L Population group - Other 540

PPID03 Relationship of proxy respondent to selected respondent - (D) 28
PPI_02 Person providing health component information - parent/guardian 28
PPI_03 Person providing health component information - biological parent 28
PRG_11 Smoked during pregnancy 515
PRG_12 Number of cigarettes/day 515
PRG_13A Stage of pregnancy - first trimester 516
PRG_13B Stage of pregnancy - second trimester 516
PRG_13C Stage of pregnancy - third trimester 517
PRG_13D Stage of pregnancy - throughout 517
PROXY Health component completed by proxy 27
PRS_11 Pregnant 98
SACDRCA Sedentary activity excluding reading (hours/week) - categorical (D) 449
SACDRCO Sedentary activity excluding reading (hours per week) - continuous (D) 448
SACDTOT Sedentary activity (hours per week) - categorical (D) 447
SACDTOTX Sedentary activity (hours per week) - continuous (D) 448
SAC_005 Number of hours per week - reading - past 7 days 445
SAC_010 Number of hours per week - television/DVD/videos - past 7 days 446
SAC_015 Number of hours per week - other types of games - past 7 days 446
SAC_020 Number of hours per week - play video games - past 7 days 446
SAC_025 Number of hours per week - on a computer - past 7 days 447
SITE Collection site 26
SLT_005 Salt added to food 360
SLT_010 Type of salt usually used 360
SLT_015 Often ordinary table salt added cooking/preparation of foods 361
SMKDAQD Age stopped smoking daily - (D) 471
SMKDAQS Age stopped smoking completely - (D) 472
SMKDASD Age started smoking daily - (D) 472
SMKDNSD Number of cigs smoked daily - (D) 473
SMKDSTP Number of years since stopping smoking completely - (D) 471
SMKDSTY Type of smoker - (D) 470
SMKDYFS Number of years smoked daily (former daily smokers) - (D) 471
SMK_11 Smoked 100 or more cigarettes - lifetime 464
SMK_12 Type of smoker 464
SMK_21 Age - smoked first whole cigarette 465
SMK_21A Smoked at least 1 cigarette a month 465
SMK_22 Age - started smoking at least 1 cigarette/month 466
SMK_23 Number days/typical month smoked at least 1 cigarette 466
SMK_24 Number of cigarettes smoked per day at age started smoking 466
SMK_31 Number of cigarettes smoked per day (daily smoker) 467
SMK_41 Number of cigarettes smoked per day (occasional smoker) 467
SMK_42 Number days/past month - smoked 1 cig or more (occasional) 468
SMK_51 Ever smoked cigarettes daily 468
SMK_52 Age started smoking daily 468
SMK_53 Number of cigarettes usually smoked per day 469
SMK_54 Age stopped smoking cigarettes daily/completely 469
SMK_60 Smoked cigars/pipe or used snuff/chewing tobacco - past month 470
SOM_005 Used steroids by inhalation 279
SOM_010 Used steriods on daily basis 280
SOM_015 Taken orally administered steriods 280
SOM_020 Take steroid hormones on a daily basis - more than 3 months 280
SOM_025 Prescription meds for osteoporosis/prevention bone loss or fractures 281
SOM_030A Used Tamoxifen 281
SOM_030B Used Bazedoxifene 282
SOM_030C Used Calcitonin 282
SOM_030D Used Clodronate 282
SOM_030E Used Etidronate 283
SOM_030F Used Risedronate 283
SOM_030G Used Pamidronate 284
SOM_030H Used Zoledronate 284
SOM_030I Used Alendronate 284
SOM_030J Used Parathyroid Hormone 285
SOM_030K Used Denosumab 285
SOM_030L Used Raloxifene 286

SOM_030M Used - Other - Specify 286
SOM_035 Length of time - medication taken 286
SOM_040 Reporting period 287
SPADRISK Sleep apnea risk - classification 98
SPADSCOR Sleep apnea risk - score 98
SPA_005 Ever been referred to a sleep lab for overnight testing 93
SPA_010 Diagnosed with sleep apnea 94
SPA_015 Been prescribed a treatment for sleep apnea 94
SPA_020 Trouble going to sleep or staying asleep 94
SPA_025 Awakened suddenly with the feeling of gasping or choking 95
SPA_030 Usually snore 95
SPA_035 Volume of snoring 96
SPA_040 Stop breathing during sleep 96
SPA_045 Tired, fatigued, or sleepy during the daytime 97
SPA_050 Sleepiness during a typical day 97
SXB_11 Ever had sexual intercourse 493
SXB_12 Sexual intercourse - past 12 months 494
SXB_13 Number of different partners - past 12 months 494
SXB_21 Ever diagnosed with a sexually transmitted disease/infection 495
SXB_22A Sexually transmitted disease/infection - HIV 495
SXB_22B Sexually transmitted disease/infection - AIDS 496
SXB_22C Sexually transmitted disease/infection - Chlamydia 496
SXB_22D Sexually transmitted disease/infection - Genital Herpes 496
SXB_22E Sexually transmitted disease/infection - Syphilis 497
SXB_22F Sexually transmitted disease/infection - Gonorrhoea 497
SXB_22G Sexually transmitted disease/infection - Genital Warts 498
SXB_22H Sexually transmitted disease/infection - Venereal disease 498
SXB_22I Sexually transmitted disease/infection - Hepatitis B 499
SXB_22J Sexually transmitted disease/infection - other 499
SXB_23 Use of condom / last time had sexual intercourse 500
SXB_24 Usual use of condom 500
TOX_005 Cats in dwelling - past 12 months 454
TOX_010 Number of cats in dwelling - past 12 months 455
TOX_015 Have a litter box 455
TOX_020 Frequency of changing the litter box 456
TOX_025 Did you ever change the cat litter 456
TOX_030 Cat go outdoors - past 12 months 457
TOX_035 Handle soil with bare hands - past 12 months 457
TOX_040 Eaten any hunted game meat - past 12 months 458
TOX_045A Types of hunted game meat - Bear 458
TOX_045B Types of hunted game meat - Caribou 458
TOX_045C Types of hunted game meat - Deer 459
TOX_045D Types of hunted game meat - Elk 459
TOX_045E Types of hunted game meat - Moose 460
TOX_045F Types of hunted game meat - Duck or goose 460
TOX_045G Types hunted game meat - Wild turkey/pheasant/partridge/quail/grouse 460
TOX_045H Types of hunted game meat - Rabbit or hare 461
TOX_045I Types of hunted game meat - Seal 461
TOX_045J Types of hunted game meat - Other - Specify 462
TOX_050A Eaten meat uncooked/cooked with some red or pink still showing - Beef 462
TOX_050B Eaten meat uncooked/cooked with some red or pink still showing - Lamb 462
TOX_050C Eaten meat uncooked/cooked with some red or pink still showing - Pork 463
TOX_050D Eaten meat uncooked/cooked with some red/pink-Other red meat - Specify 463
TOX_050E Eaten meat uncooked/cooked with some red or pink still showing - No 464
TSD_05 Went to school (including kindergarten) 424
TSD_10A Weekday - Before or after school care at school 425
TSD_10B Weekday - daycare centre 425
TSD_10C Weekday - Daycare in someone else's home 426
TSD_10D Weekday - Nursery school or preschool 426
TSD_10E Weekday - Stayed home with parent/guardian/caregiver/relative 426
TSD_10F Weekday - Any other type of childcare 427
TSD_15 Grade at school 427
TSD_20 Days attended kindergarten - Last seven days 427

TSD_25A	Time spent outdoors in the morning - Kindergarten day (hours)	428
TSD_25AN	Time spent outdoors in the morning - Kindergarten day (minutes)	428
TSD_25B	Time spent outdoors - noon to 3pm - Kindergarten day (hours)	429
TSD_25BN	Time spent outdoors - noon to 3 pm - Kindergarten day (minutes)	429
TSD_25C	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (hrs)	429
TSD_25CN	Time spent outdoors from 3 p.m. until dinner - Kindergarten day (mins)	430
TSD_25D	Time spent outdoors after dinner - Kindergarten day (hours)	430
TSD_25DN	Time spent outdoors after dinner - Kindergarten day (minutes)	431
TSD_30A	Time spent outdoors in the morning - No kindergarten (hours)	431
TSD_30AN	Time spent outdoors in the morning - No kindergarten (minutes)	431
TSD_30B	Time spent outdoors from noon until 3pm - No kindergarten (hours)	432
TSD_30BN	Time spent outdoors from noon until 3pm - No kindergarten(minutes)	432
TSD_30C	Time spent outdoors from 3pm until dinner - No kindergarten (hours)	433
TSD_30CN	Time spent outdoors from 3pm until dinner - No kindergarten (minutes)	433
TSD_30D	Time spent outdoors after dinner - No kindergarten (hours)	433
TSD_30DN	Time spent outdoors after dinner - No kindergarten (minutes)	434
TSD_35	Days attended school - Last seven days	434
TSD_40A	Time spend outdoors before school (hours)	435
TSD_40AN	Time spent outdoors before school (minutes)	435
TSD_40B	Time spend outdoors during school hours (hours)	435
TSD_40BN	Time spend outdoors during school hours (minutes)	436
TSD_40C	Time spent outdoors from 3 p.m. until dinner - School day (hours)	436
TSD_40CN	Time spent outdoors from 3 p.m. until dinner - School day (minutes)	437
TSD_40D	Time spent outdoors after dinner - School day (hours)	437
TSD_40DN	Time spent outdoors after dinner - School day (minutes)	437
TSD_45A	Time spent outdoors in the morning - Did not attend school (hours)	438
TSD_45AN	Time spent outdoors in the morning - Did not attend school (minutes)	438
TSD_45B	Time spent outdoors from noon until 3 pm - Did not attend school (hrs)	439
TSD_45BN	Time spent outdoors from noon until 3pm -Did not attend school (min)	439
TSD_45C	Time spent outdoors from 3 until dinner - Did not attend school (hrs)	439
TSD_45CN	Time spent outdoors from 3pm until dinner-Did not attend school (mins)	440
TSD_45D	Time spent outdoors after dinner - Did not attend school (hours)	440
TSD_45DN	Time spent outdoors after dinner - Did not attend school (minutes)	441
TSD_50A	Time spent outdoors in the morning - Average weekday (hours)	441
TSD_50AN	Time spent outdoors in the morning - Average weekday (minutes)	441
TSD_50B	Time spent outdoors from noon until 3pm - Average weekday (hours)	442
TSD_50BN	Time spent outdoors from noon until 3pm - Average weekday (minutes)	442
TSD_50C	Time spent outdoors from 3pm until dinner - Average weekday (hours)	443
TSD_50CN	Time spent outdoors from 3pm until dinner - Average weekday (minutes)	443
TSD_50D	Time spent outdoors after dinner - Average weekday (hours)	443
TSD_50DN	Time spent outdoors after dinner - Average weekday (minutes)	444
TSD_55	Time spent outdoors - Average weekend day (hours)	444
TSD_55N	Time spent outdoors - Average weekend day (minutes)	445
VIS_005	Visited an eye care professional - last 12 months	87
VIS_010	Type of eye care professional last visited	87
VIS_015	Ever had an eye examination	88
VIS_020	Most recent eye exam - done by	88
VIS_030	Ever had glaucoma	89
VIS_035	Age when first diagnosed - Glaucoma	89
VIS_040	Ever had diabetic retinopathy	89
VIS_045	Age when first diagnosed - Diabetic retinopathy	90
VIS_050	Ever had age-related macular degeneration (AMD)	90
VIS_055	Age when first diagnosed - Age-related macular degeneration (AMD)	91
VIS_060	Ever had cataracts	91
VIS_065	Which eye - Cataracts	91
VIS_070	Age when first diagnosed - Cataracts	92
VIS_075	Ever had cataract surgery	92
VIS_080	Which eye - Cataract surgery	92
VIS_085	Waiting for cataract surgery	93
WGT_FULL	Full sample weight	549
WSDD30Y	Drinks diet soft drinks - times per year - (D)	342
WSDD31Y	Drinks regular soft drinks - times per year - (D)	343
WSDD32Y	Drinks sport drinks - times per year - (D)	344

WSDD33Y Drinks vitamin-added water - times per year - (D) 345
WSDD34Y Drinks orange or grapefruit juice - times per year - (D) 346
WSDD35Y Drinks other 100% fruit juices - times per year - (D) 348
WSDD36Y Drinks juice with calcium and vitamin D - times per year - (D) 349
WSDD37Y Drinks fruit flavoured drinks - times per year - (D) 350
WSDD38Y Drinks vegetable juices - times per year - (D) 351
WSDD39Y Drinks water at home - number of cups per year - (D) 352
WSDD41Y Drinks water away from home - number of cups per year - (D) 354
WSDDTWY Drinks water (anywhere) - number of cups per year - (D) 359
WSD_30 Drinks diet soft drinks - number of times 341
WSD_30N Drinks diet soft drinks - reporting period 341
WSD_31 Drinks regular soft drinks - number of times 342
WSD_31N Drinks regular soft drinks - reporting period 342
WSD_32 Drinks sport drinks - number of times 343
WSD_32N Drinks sport drinks - reporting period 344
WSD_33 Drinks vitamin-added water - number of times 344
WSD_33N Drinks vitamin-added water - reporting period 345
WSD_34 Drinks orange or grapefruit juice - number of times 346
WSD_34N Drinks orange or grapefruit juice - reporting period 346
WSD_35 Drinks other 100% fruit juices - number of times 347
WSD_35N Drinks other 100% fruit juices - reporting period 347
WSD_36 Drinks juice with calcium and vitamin D added - number of times 348
WSD_36N Drinks juice with calcium and vitamin D added - reporting period 348
WSD_37 Drinks fruit-flavoured drinks - number of times 349
WSD_37N Drinks fruit-flavoured drinks - reporting period 349
WSD_38 Drinks vegetable juices - number of times 350
WSD_38N Drinks vegetable juices - reporting period 351
WSD_39 Drinks water at home - number of cups 351
WSD_39N Drinks water at home - reporting period 352
WSD_40 Primary source of drinking water - home 353
WSD_41 Drinks water away from home - number of cups 353
WSD_41N Amount drinks water away from home - reporting period 353
WSD_42 Primary source of drinking water - away from home 354
WSD_43 Source of tap water - home 355
WSD_44A Home water treated using - filter 355
WSD_44B Home water treated using - water softener 356
WSD_44C Home water treated using - ultraviolet system 356
WSD_44D Home water treated using - reverse osmosis 357
WSD_44E Home water treated using - boiling 357
WSD_44F Home water treated using - distilling 358
WSD_44G Home water treated using - other 358
WSD_44H Home water treated using - no treatment 359
WSD_45 Water used for drinking or food treated with water softener 359