Canadian Health Measures Survey (CHMS)

Derived Variable (DV) Specifications: Cycle 6

Household and Clinic Data

Table of Contents

AFC **mCAFT (9 DVs)**

1) AFCDELG-Eligibility - Modified Canadian Aerobic Fitness Test (mCAFT) component 1
2) AFTD01-Starting stage of the modified Canadian Aerobic Fitness Test (mCAFT) 2
3) AFTD02-Ceiling heart rate for the modified Canadian Aerobic Fitness Test (mCAFT) 2
4) AFTD21-Final stepping stage of the modified Canadian Aerobic Fitness Test (mCAFT) 5
5) AFTD22-Immediate post-exercise heart rate 5
6) AFTD71-Oxygen cost of the modified Canadian Aerobic Fitness Test (mCAFT) 6
7) AFTD72-Aerobic fitness score based on the modified Canadian Aerobic Fitness Test (mCAFT) 7
8) AFTD73-Health benefit rating for aerobic fitness for respondents 15 - 69 7
9) AFTD74-Classification of aerobic fitness for respondents 8 - 14 10

ALC **Alcohol use (3 DVs)**

1) ALCDWKY-Weekly consumption 12
2) ALCDDLY-Average daily alcohol consumption 12
3) ALCDTYP-Type of drinker 13

AMC **Activity monitor (1 DV)**

1) AMCDELG-Eligibility - Activity monitor component 14

ANC **Anthropometry component (13 DVs)**

1) ANCDELG-Eligibility - Anthropometric component 15
2) HWMD11IN-Standing height (inches) - measured 15
3) HWMD13LB-Weight (pounds) - measured 15
4) HWMD14IN-Waist circumference (inches) - measured 16
5) HWMD16IN-Neck circumference (inches) - measured 16
6) HWMDBMI-Body Mass Index (BMI) - measured 16
7) HWMDBMIA-BMI classification for adults aged 18 and over / measured - international standard 17
8) HWMDBMIK-BMI classification for children aged 3 to 17 / measured - CDC BMI-for-age 18
9) HWMDWSTA-Waist circumference classification 19
10) HWMDCOL-BMI classification for children aged 3 to 18 / measured - Cole classification system 19
11) HWMDHTM-Standing height (metres) - measured 24
12) HWMDWHOK-BMI classification for children aged 5 to 18 years / measured - WHO BMI-for-age 24
13) HWMDWHOP-BMI classification for children aged 3 to 5 years / measured - WHO BMI-for-age 25

BPC **Blood pressure component (15 DVs)**

1) BPCDELG-Eligibility - Blood pressure component 27
2) BPMD161-Average systolic blood pressure (mmHg) - first set 27

3) BPMD162-Average diastolic blood pressure (mmHg) - first set 27
4) BPMD163-Average resting heart rate - first set 27
5) BPMD261-Average systolic blood pressure (mmHg) - second set 28
6) BPMD262-Average diastolic blood pressure (mmHg) - second set 28
7) BPMD263-Average resting heart rate - second set 28
8) BPMDSBPS-Final average systolic blood pressure (mmHg) - screening 29
9) BPMDSBPD-Final average diastolic blood pressure (mmHg) - screening 29
10) BPMDSHR-Final average resting heart rate - screening 29
11) BPMDPBPS-Final average systolic blood pressure (mmHg) - prevalence 29
12) BPMDPBPD-Final average diastolic blood pressure (mmHg) - prevalence 30
13) BPMDPHR-Final average resting heart rate - prevalence 30
14) BPMDBPA-Classification of blood pressure for respondents 18 or older 30
15) BPMDBPK-Classification of blood pressure for respondents 6 to 17 31

BRI Breastfeeding information (1 DV)

1) BRIFEB6-Exclusively breastfed for at least three months 32

CPA Childrens physical activity (2 DVs)

1) CPADSACX-Total number of hours per day spent in sedentary activities 33
2) CPADTOTX-Total number of hours per week participated in physical activities 34

DFC Dietary fat consumption (4 DVs)

1) DFCD11Y-Eats regular-fat salad dressing - times per year 35
2) DFCD12Y-Eats regular-fat potato chips, tortilla chips or corn chips - times per year 35
3) DFCD13Y-Eats margarine - times per year 36
4) DFCD14Y-Eats omega-3 enriched margarine - times per year 36

DHH Demographic and household variables (10 DVs)

1) PPID03-Relationship of proxy respondent to selected respondent 37
2) DHHDLE5-Number of persons in household less than 6 years of age 38
3) DHHD611-Number of persons in household 6 to 11 years of age 38
4) DHHDL12-Number of persons in household less than 12 years of age 38
5) DHHDYKD-Number of persons in household less than 16 years of age 39
6) DHHDOKD-Number of persons in household 16 or 17 years of age 39
7) DHHDHSZ-Household size 39
8) DHHDECF-Economic family status (household type) 40
9) DHHDLVG-Living/ family arrangement of selected respondent 42
10) DHHDDWE-Dwelling type 44

EDU Education (4 DVs)

1) EDUDR04-Highest level of education - respondent, 4 levels 45
2) EDUDR10-Highest level of education - respondent, 10 levels 45
3) EDUDH04-Highest level of education - household, 4 levels 46
4) EDUDH10-Highest level of education - household, 10 levels 46

FSC Fish and shellfish consumption (26 DVs)

1) FSFD12Y-Eats lobster - times per year 47
2) FSFD13Y-Eats shrimp - times per year 47
3) FSFD14Y-Eats mussels - times per year 47
4) FSFD15Y-Eats scallops- times per year 48
5) FSFD16Y-Eats oyster - times per year 48
6) FSFD17Y-Eats squid or calamari - times per year 49
7) FSFD18Y-Eats clams - times per year 49
8) FSFD19Y-Eats crab - times per year 50
9) FSFD20Y-Eats surimi or imitation crab - times per year 50
10) FSFD21Y-Eats other shellfish (1) - times per year 51
11) FSFD22Y-Eats other shellfish (2) - times per year 51
12) FSFD23Y-Eats other shellfish (3) - times per year 51
13) FSFD25AY-Eats light (flaked or chunk) tuna in a can or pouch - times per year 52
14) FSFD25BY-Eats white (solid) tuna in a can or pouch - times per year 52
15) FSFD25CY-Eats both light (flaked or chunk) and white (solid) tuna in a can or pouch - times per year 53
16) FSFD26Y-Eats tuna steak or fillets - times per year 53
17) FSFD27Y-Eats salmon in a can or pouch - times per year 54
18) FSFD28Y-Eats salmon (fresh, frozen or smoked) - times per year 54
19) FSFD30Y-Eats shark - times per year 54
20) FSFD31Y-Eats marlin - times per year 55
21) FSFD32Y-Eats swordfish - times per year 55
22) FSFD36Y-Eats mackerel - times per year 56
23) FSFD37Y-Eats herring - times per year 56
24) FSFD42Y-Eats other fish (1) - times per year 57
25) FSFD43Y-Eats other fish (2) - times per year 57
26) FSFD44Y-Eats other fish (3) - times per year 58

GEN General health (2 DVs)

1) GENDHDI-Self-rated health (formerly Health Description Index) 59
2) GENDMHI-Self-rated mental health 59

GFV Grains, fruits and vegetables consumption (16 DVs)

1) GFVD11Y-Eats hot or cold cereal - times per year 60
2) GFVD12Y-Eats whole grain bread - times per year 60
3) GFVD13Y-Eats white bread - times per year 61
4) GFVD14Y-Eats any kind of pasta - times per year 61
5) GFVD16Y-Eats instant, seasoned or wild rice - times per year 62
6) GFVD17AY-Eats citrus fruit - times per year 62
7) GFVD17BY-Eats strawberries during the summer - times per summer 63
8) GFVD17CY-Eats strawberries during the rest of the year - times per rest of year 63
9) GFVD17DY-Eats other types of fruit - times per year 64
10) GFVD18Y-Eats tomatoes or tomato sauce - times per year 64
11) GFVD19Y-Eats lettuce or green leafy salad - times per year 65
12) GFVD20Y-Eats spinach, mustard greens, cabbage or collards - times per year 65
13) GFVD21Y-Eats french fries, home fries or hash brown potatoes - times per year 66
14) GFVD22Y-Eats other potatoes - times per year 66
15) GFVD23Y-Eats all other types of vegetables - times per year 67
16) GFVD24Y-Eats flax seeds - times per year 67

GSC Grip strength component (4 DVs)

1) GSCDELG-Eligibility - Grip strength component 68
2) GSMD51-Total hand grip strength (kilograms) 68
3) GSMD52-Health benefit rating for grip strength for respondents 15 to 69 years of age 70
4) GSMD53-Classification of grip strength for respondents 7 to 14 years of age 73

HSC Hair Sample Component (1 DV)

1) HSCDELG-Eligibility - Hair sample component 75

HUI Health utility index (HUI) (10 DVs)

1) HUIDCOG-Cognition problems (function code) 76
2) HUIDDEX-Dexterity trouble (function code) 76
3) HUIDEMO-Emotional problems (function code) 77
4) HUIDHER-Hearing problems (function code) 78
5) HUIDMOB-Mobility trouble (function code) 79
6) HUIDPAD-Activities prevented by discomfort / pain (function code) 80
7) HUIDSPE-Speech trouble (function code) 81
8) HUIDVIS-Vision trouble (function code) 81
9) HUIDHSI-Health Utility Index 82
10) HUIDHSC-Health Utility Index - categorical variable 83

HWT **Height and weight (11 DVs)**

1) HWTDCM-Standing height (centimetres) / self-reported 84
2) HWTDIN-Height (inches) / self-reported 84
3) HWTDHTM-Height (metres) / self-reported 85
4) HWTDKG-Weight (kilograms) / self-reported 85
5) HWTDLB-Weight (pounds) / self-reported 85
6) HWTDBMI-Body Mass Index / self-reported 86
7) HWTDBMIA-BMI classification for adults aged 18 and over / self-reported - international standard 86
8) HWTDBMIK-BMI classification for children less than 18 years of age / self-reported - CDC BMI-for-age 87
9) HWTDCOL-BMI classification for children aged 3 to 18 / self-reported - Cole classification system 88
10) HWTDWHOP-BMI classification for children aged 3 to 5 / self-reported - WHO BMI-for-age 95
11) HWTDWHOK-BMI classification for children aged 5 to 18 / self-reported - WHO BMI-for-age 96

INC **Income (2 DVs)**

1) TPID14-Total personal income - groups 98
2) THID14-Total household income - groups 98

LAB **Laboratory (1 DV)**

1) LABDELG-Eligibility - Laboratory component 100

LAE **Language (3 DVs)**

1) LAEDCON-Language(s) in which respondent can converse 101
2) LAEDFL1-First official language learned and still understood 101
3) LAEDSPH-Language(s) spoken most often at home 102

LAF **Labour force (4 DVs)**

1) LAFDWSL-Working status last week (6 groups) 104
2) LAFDWSS-Working status last week (4 groups) 104
3) LAFGO16S-Variant for analysis by NOC skill level 105
4) LAFGO16A-Variant of NOC for highly aggregated data 105

MDC **Milk and dairy product consumption (9 DVs)**

1) MDCD01Y-Drinks enriched milk substitutes - times per year 107
2) MDCD02Y-Drinks or uses omega-3 enriched milk substitutes - times per year 107
3) MDCD04Y-Drinks milk or flavoured milk beverages - times per year 108
4) MDCD05Y-Drinks or uses omega-3 enriched milk or milk beverages - times per year 108
5) MDCD13Y-Eats cottage cheese - times per year 109
6) MDCD13BY-Eats processed cheese - times per year 109

7) MDCD13CY-Eats other types of cheese - times per year 110
8) MDCD14Y-Eats yogurt - times per year 110
9) MDCD15Y-Eats ice cream or frozen yogurt - times per year 111

MFC Meat consumption (8 DVs)

1) MFCD11Y-Eats red meat - times per year 112
2) MFCD12Y-Eats liver - times per year 112
3) MFCD14Y-Eats beef or pork hot dogs - times per year 113
4) MFCD15Y-Eats sausage or bacon- times per year 113
5) MFCD19AY-Eats eggs/egg dishes that include the yolk - times per year 114
6) MFCD19BY-Eats eggs and egg dishes that are made with omega-3 enriched eggs - times per year 114
7) MFCD20Y-Eats cooked dried beans - times per year 115
8) MFCD21Y-Eats peanuts, walnuts, seeds or other nuts - times per year 115

PAA Physical activity – adults 18 years and older (5 DVs)

1) PAADTRVL-Physical activity - transportation (minutes) - total 116
2) PAADREC-Physical activity - recreational (minutes) - total 116
3) PAADOTH-Physical activity - other (minutes) - total 116
4) PAADTOT-Physical activity - all domains (minutes) - total 117
5) PAADVIG-Physical activity - vigorous intensity (minutes) - total 117

PAY Physical activities for youth (32 DVs)

1) PAYDTRV1-Physical activity - active transportation (minutes) - Sunday 119
2) PAYDTRV2-Physical activity - active transportation (minutes) - Monday 119
3) PAYDTRV3-Physical activity - active transportation (minutes) - Tuesday 120
4) PAYDTRV4-Physical activity - active transportation (minutes) - Wednesday 120
5) PAYDTRV5-Physical activity - active transportation (minutes) - Thursday 120
6) PAYDTRV6-Physical activity - active transportation (minutes) - Friday 121
7) PAYDTRV7-Physical activity - active transportation (minutes) - Saturday 121
8) PAYDTRVL-Physical activity - active transportation (minutes) - total 122
9) PAYDSCH2-Physical activity - at school/day camp (minutes) - Monday 122
10) PAYDSCH3-Physical activity - at school/day camp (minutes) - Tuesday 123
11) PAYDSCH4-Physical activity - at school/day camp (minutes) - Wednesday 123
12) PAYDSCH5-Physical activity - at school/day camp (minutes) - Thursday 124
13) PAYDSCH6-Physical activity - at school/day camp (minutes) - Friday 124
14) PAYDSCHL-Physical activity - at school/day camp (minutes) - total 124
15) PAYDREC1-Physical activity - recreational (minutes) - Sunday 125
16) PAYDREC2-Physical activity - recreational (minutes) - Monday 125

17) PAYDREC3-Physical activity - recreational (minutes) - Tuesday 126
18) PAYDREC4-Physical activity - recreational (minutes) - Wednesday 126
19) PAYDREC5-Physical activity - recreational (minutes) - Thursday 127
20) PAYDREC6-Physical activity - recreational (minutes) - Friday 127
21) PAYDREC7-Physical activity - recreational (minutes) - Saturday 128
22) PAYDREC-Physical activity - recreational (minutes) - total 128
23) PAYDOTH1-Physical activity - other (minutes) - Sunday 129
24) PAYDOTH2-Physical activity - other (minutes) - Monday 129
25) PAYDOTH3-Physical activity - other (minutes) - Tuesday 129
26) PAYDOTH4-Physical activity - other (minutes) - Wednesday 130
27) PAYDOTH5-Physical activity - other (minutes) - Thursday 130
28) PAYDOTH6-Physical activity - other (minutes) - Friday 131
29) PAYDOTH7-Physical activity - other (minutes) - Saturday 131
30) PAYDOTH-Physical activity - other (minutes) - total 132
31) PAYDTOT-Physical activity - all domains (minutes) - total 132
32) PAYDVIG-Physical activity - vigorous intensity (minutes) - total 133

PHB Phlebotomy (2 DVs)

1) PHBDELG-Eligibility - Phlebotomy component 134
2) PHID12-Fasting status 134

SAC Sedentary activities (4 DVs)

1) SACDTOTX-Total number of hours in the last seven days spent in sedentary activities - continuous variable 136
2) SACDTOT-Total number of hours in the last 7 days spent in sedentary activities - categorical variable 136
3) SACDRCO-Total number of hours in the last seven days spent in sedentary activities, other than reading - continuous variable 137
4) SACDRCA-Total number of hours in the last seven days spent in sedentary activities, other than reading - categorical variable 137

SDC Socio-demographic characteristics (5 DVs)

1) IMGDLLI-Length of time since became a landed immigrant 139
2) IMGDALI-Age when first became a landed immigrant in Canada 139
3) AMBFABT-Aboriginal flag 139
4) PGDCGT-Culture / race flag 140
5) IMGGCB-Country of birth - grouped 142

SMK Smoking (7 DVs)

1) SMKDSTY-Type of smoker 144
2) SMKDSTP-Number of years since respondent stopped smoking completely 144

3) SMKDYFS-Number of years smoked daily (former daily smokers only) 145
4) SMKDAQD-Respondent's age when they quit smoking daily 145
5) SMKDAQS-Respondent's age when they quit smoking completely 146
6) SMKDASD-Respondent's age when they started smoking daily 146
7) SMKDNSD-Number of cigarettes smoked per day 147

SPA Sleep Apnea (2 DVs)

1) SPADSCOR-Sleep Apnea Risk - Score 148
2) SPADRISK-Sleep Apnea Risk - Classification 149

SRC Sit and reach (4 DVs)

1) SRCDELG-Eligibility - Sit and reach component 151
2) SRMD11-Sit and reach measure (centimetres) 151
3) SRMD12-Health benefit rating for sit and reach for respondents 15- 69 152
4) SRMD13-Classification of sit and reach test results for respondents 6 - 14 155

UCH Urine Collection - Home (1 DV)

1) UCHDELG-Eligibility - Urine collection - home 157

URC Urine collection (3 DVs)

1) U1CDELG-Eligibility - Urine collection 1 component 158
2) U2CDELG-Eligibility - Urine collection 2 component 158
3) URCDSPL-Type of urine sample provided 158

WSD Water and soft drink consumption (12 DVs)

1) WSDD30Y-Diet soft drinks - times per year 160
2) WSDD31Y-Regular soft drinks- times per year 160
3) WSDD32Y-Sports drinks- times per year 161
4) WSDD33Y-Drinks vitamin-added water - times per year 161
5) WSDD34Y-Drinks orange or grapefruit juice - times per year 162
6) WSDD35Y-Drinks other 100% fruit juices - times per year 162
7) WSDD36Y-Drinks juice with calcium and vitamin D added - times per year 163
8) WSDD37Y-Fruit flavoured drinks - times per year 163
9) WSDD38Y-Vegetable juices - times per year 164
10) WSDD39Y-Amount of water consumed at home - number of cups per year 164
11) WSDD41Y-Amount of water consumed away from home - number of cups per year 165
12) WSDDTWY-Total amount of water consumed - number of cups per year 165

mCAFT (9 DVs)

1) AFCDELG-Eligibility - Modified Canadian Aerobic Fitness Test (mCAFT) component

Variable name: AFCDELG

Based on: CLC_AGE, V2_TYPE, ATG_33B, WHR_020, PHC_37, PHC_42G, PHC_44G, MED_611B, PHR_80B, PHR_56CB, PHR_57CB, PHR_58CB, PHR_59CB, PHR_60CB, PHR_61CB, PHR_62CB, PHR_63CB, PHR_64CB, PHR_65CB, PHR_66CB, PHR_95B, PHR_20, PHR_25, PHR_40E, PHR_40H, PHR_45A, PHC_57B, ORS_3, BPMDSBPS, BPMDSBPD, BPMDSHR, BPC_COC

Description: This variable indicates whether the respondent was eligible for the modified Canadian Aerobic Fitness Test (mCAFT). As there are multiple reasons to be screened out of this measure, the prevalence of screen outs by reason should not be based on frequency counts for this variable. This test was performed by respondents 8 to 69 years of age.

Specifications

Value	Condition(s)	Description	Notes
2	V2_TYPE = 2	Not eligible - home visit	
3	CLC_AGE < 8 or CLC_AGE > 69	Not eligible - age	
5	ATG_33B = 1	Not eligible - drank alcohol too close to visit time	
6	WHR_020 > 12 or WHR_020 < VS	Not eligible - more than 12 weeks pregnant	
8	PHC_37 = 2	Not eligible - did not bring breathing medication	
9	PHC_42G = 1 or PHC_44G = 1 or PHR_80B = 1 or PHR_56CB = 1 or PHR_57CB = 1 or PHR_58CB = 1 or PHR_59CB = 1 or PHR_60CB = 1 or PHR_61CB = 1 or PHR_62CB = 1 or PHR_63CB = 1 or PHR_64CB = 1 or PHR_65CB = 1 or PHR_66CB = 1	Not eligible - acute or chronic condition	
12	MED_611B = 1	Not eligible - medication use	
13	PHR_20 = 1 or PHR_25 = 1 or PHR_40E = 1 or PHR_40H = 1 or PHR_45A = 1	Not eligible - PAR-Q answer	
14	PHR_95B = 1 or ORS_3 = 1	Not eligible - other reason	
15	(CLC_AGE > 14 and (144 < BPMDSBPS < VS)) or (CLC_AGE > 14 and (94 < BPMDSBPD < VS))	Not eligible - high blood pressure	
16	CLC_AGE > 14 and (99 < BPMDSHR < VS)	Not eligible - high heart rate	
24	PHC_57B = 3	Not eligible - double mastectomy	
30	BPC_COC in (79, 80)	Not eligible - did not complete blood pressure	
1	Else	Eligible	

2) AFTD01-Starting stage of the modified Canadian Aerobic Fitness Test (mCAFT)

Variable name: AFTD01

Based on: CLC_AGE, CLC_SEX, AFCDELG

Description: This variable indicates the starting stage for the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
9	(CLC_AGE = DK, RF, NS) or (CLC_SEX = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
6	(1 < AFCDELG < VS)	Population exclusions	VS
1	(CLC_SEX = 1 and (59 < CLC_AGE < 70)) or (CLC_SEX = 2 and (49 < CLC_AGE < 70))	Set mCAFT starting stage to Stage 1	
2	(CLC_SEX = 1 and (49 < CLC_AGE < 60)) or (CLC_SEX = 2 and (39 < CLC_AGE < 50))	Set mCAFT starting stage to Stage 2	
3	(CLC_SEX = 1 and (29 < CLC_AGE < 50)) or (CLC_SEX = 2 and (14 < CLC_AGE < 40))	Set mCAFT starting stage to Stage 3	
4	CLC_SEX = 1 and (14 < CLC_AGE < 30)	Set mCAFT starting stage to Stage 4	
5	CLC_AGE < 15	Set mCAFT starting stage to Stage 5	

3) AFTD02-Ceiling heart rate for the modified Canadian Aerobic Fitness Test (mCAFT)

Variable name: AFTD02

Based on: CLC_AGE, AFCDELG, AFTD01

Description: This variable indicates the ceiling or maximum heart rate that the respondent may reach when completing the modified Canadian Aerobic Fitness Test (mCAFT). It is the heart rate (in beats per minute) at which the test is stopped. The mCAFT consists of a maximum of eight 3-minute stepping tests. The test is discontinued when the respondent's heart rate measured at the end of a stage reaches the ceiling indicated. The ceiling rates are based on the age of the respondent.

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
999	(CLC_AGE = DK, RF, NS) or (AFTD01 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
996	(1 < AFCDELG < VS)	Population exclusions	VS

180	CLC_AGE = 8 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 8 (in beats per minute)
179	CLC_AGE = 9 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 9 (in beats per minute)
178	CLC_AGE = 10 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 10 (in beats per minute)
177	(CLC_AGE = 11, 12) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 11 - 12 (in beats per minute)
176	CLC_AGE = 13 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 13 (in beats per minute)
175	CLC_AGE = 14 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 14 (in beats per minute)
174	CLC_AGE = 15 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 15 (in beats per minute)
173	(CLC_AGE = 16, 17) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 16 - 17 (in beats per minute)
172	CLC_AGE = 18 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 18 (in beats per minute)
171	CLC_AGE = 19 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 19 (in beats per minute)
170	CLC_AGE = 20 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 20 (in beats per minute)
169	CLC_AGE = 21 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 21 (in beats per minute)
168	CLC_AGE = 22 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 22 (in beats per minute)
167	(CLC_AGE = 23, 24) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 23 - 24 (in beats per minute)
166	CLC_AGE = 25 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 25 (in beats per minute)
165	CLC_AGE = 26 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 26 (in beats per minute)
164	CLC_AGE = 27 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 27 (in beats per minute)
163	CLC_AGE = 28 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 28 (in beats per minute)
162	(CLC_AGE = 29, 30) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 29 - 30 (in beats per minute)
161	CLC_AGE = 31 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 31 (in beats per minute)
160	CLC_AGE = 32 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 32 (in beats per minute)
159	CLC_AGE = 33 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 33 (in beats per minute)
158	CLC_AGE = 34 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 34 (in beats per minute)
157	CLC_AGE = 35 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 35 (in beats per minute)
156	(CLC_AGE = 36, 37) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 36 - 37 (in beats per minute)
155	CLC_AGE = 38 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 38 (in beats per minute)

154	CLC_AGE = 39 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 39 (in beats per minute)
153	CLC_AGE = 40 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 40 (in beats per minute)
152	CLC_AGE = 41 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 41 (in beats per minute)
151	CLC_AGE = 42 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 42 (in beats per minute)
150	(CLC_AGE = 43, 44) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 43 - 44 (in beats per minute)
149	CLC_AGE = 45 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 45 (in beats per minute)
148	CLC_AGE = 46 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 46 (in beats per minute)
147	CLC_AGE = 47 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 47 (in beats per minute)
146	CLC_AGE = 48 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 48 (in beats per minute)
145	(CLC_AGE = 49, 50) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 49 - 50 (in beats per minute)
144	CLC_AGE = 51 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 51 (in beats per minute)
143	CLC_AGE = 52 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 52 (in beats per minute)
142	CLC_AGE = 53 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 53 (in beats per minute)
141	CLC_AGE = 54 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 54 (in beats per minute)
140	CLC_AGE = 55 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 55 (in beats per minute)
139	(CLC_AGE = 56, 57) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 56 - 57 (in beats per minute)
138	CLC_AGE = 58 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 58 (in beats per minute)
137	CLC_AGE = 59 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 59 (in beats per minute)
136	CLC_AGE = 60 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 60 (in beats per minute)
135	CLC_AGE = 61 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 61 (in beats per minute)
134	CLC_AGE = 62 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 62 (in beats per minute)
133	(CLC_AGE = 63, 64) and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 63 - 64 (in beats per minute)
132	CLC_AGE = 65 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 65 (in beats per minute)
131	CLC_AGE = 66 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 66 (in beats per minute)
130	CLC_AGE = 67 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 67 (in beats per minute)
129	CLC_AGE = 68 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 68 (in beats per minute)

128	CLC_AGE = 69 and (0 < AFTD01 < 6)	The ceiling heart rate for respondents aged 69 (in beats per minute)

4) AFTD21-Final stepping stage of the modified Canadian Aerobic Fitness Test (mCAFT)

Variable name: AFTD21

Based on: AFCDELG, AFT_11, AFT_12, AFT_13, AFT_14, AFT_15, AFT_16, AFT_17, AFT_18

Description: This variable indicates the final stepping stage for respondents that completed the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
96	(1 < AFCDELG < VS)	Population exclusions	VS
8	(0 < AFT_18 < VS)	Final stepping stage set to stage 8	
7	(0 < AFT_17 < VS)	Final stepping stage set to stage 7	
6	(0 < AFT_16 < VS)	Final stepping stage set to stage 6	
5	(0 < AFT_15 < VS)	Final stepping stage set to stage 5	
4	(0 < AFT_14 < VS)	Final stepping stage set to stage 4	
3	(0 < AFT_13 < VS)	Final stepping stage set to stage 3	
2	(0 < AFT_12 < VS)	Final stepping stage set to stage 2	
1	(0 < AFT_11 < VS)	Final stepping stage set to stage 1	
99	Else		NS

5) AFTD22-Immediate post-exercise heart rate

Variable name: AFTD22

Based on: AFCDELG, AFT_11, AFT_12, AFT_13, AFT_14, AFT_15, AFT_16, AFT_17, AFT_18

Description: This variable indicates the immediate post-exercise heart rate for respondents who completed the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
996	(1 < AFCDELG < VS)	Population exclusions	VS
AFTD22 = AFT_18	(0 < AFT_18 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 8	

AFTD22 = AFT_17	(0 < AFT_17 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 7	
AFTD22 = AFT_16	(0 < AFT_16 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 6	
AFTD22 = AFT_15	(0 < AFT_15 < VS)	The Immediate Post-exercise Heart Rate equals the heart rate at the end of Stage 5	
AFTD22 = AFT_14	(0 < AFT_14 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 4	
AFTD22 = AFT_13	(0 < AFT_13 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 3	
AFTD22 = AFT_12	(0 < AFT_12 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 2	
AFTD22 = AFT_11	(0 < AFT_11 < VS)	The immediate post-exercise heart rate equals the heart rate at the end of Stage 1	
999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

6) AFTD71-Oxygen cost of the modified Canadian Aerobic Fitness Test (mCAFT)

Variable name: AFTD71

Based on: CLC_SEX, AFCDELG, AFTD21, CLC_AGE

Description: This variable indicates the oxygen cost for respondents who completed the modified Canadian Aerobic Fitness Test (mCAFT). Oxygen cost is measured in millilitres/kilograms/ minute.

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
99.9	(AFTD21 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
99.6	(1 < AFCDELG < VS)	Population exclusions	VS
15.9	AFTD21 = 1	Oxygen cost for respondents with a final stepping stage of stage 1	
18.0	AFTD21 = 2	Oxygen cost for respondents with a final stepping stage of stage 2	
22.0	AFTD21 = 3	Oxygen cost for respondents with a final stepping stage of stage 3	
24.5	AFTD21 = 4	Oxygen cost for respondents with a final stepping stage of stage 4	
26.3	(CLC_SEX = 1 and CLC_AGE < 15 and AFTD21 = 5) or (CLC_SEX = 2 and AFTD21 = 5)	Oxygen cost for male respondents aged 14 and younger and female respondents with a final stepping stage of stage 5	

29.5	(CLC_SEX = 1 and CLC_AGE > 14 and AFTD21 = 5) or (CLC_SEX = 1 and CLC_AGE < 15 and AFTD21 = 6) or (CLC_SEX = 2 and AFTD21 = 6)	Oxygen cost for male respondents aged 15 and older with a final stepping stage of stage 5 and males aged 14 and younger or females with a final stepping stage of stage 6
33.6	(CLC_SEX = 1 and CLC_AGE > 14 and AFTD21 = 6) or (CLC_SEX = 1 and CLC_AGE < 15 and AFTD21 = 7) or (CLC_SEX = 2 and AFTD21 = 7	Oxygen cost for male respondents aged 15 and older with a final stepping stage of stage 6 and males aged 14 and younger or females with a final stepping stage of stage 7
36.2	(CLC_SEX = 1 and CLC_AGE > 14 and AFTD21 = 7) or (CLC_SEX = 1 and CLC_AGE < 15 and AFTD21 = 8) or (CLC_SEX = 2 and AFTD21 = 8)	Oxygen cost for male respondents aged 15 and older with a final stepping stage of stage 7 and males aged 14 and younger or females with a final stepping stage of stage 8
40.1	CLC_SEX = 1 and AFTD21 = 8	Oxygen cost for male respondents with a final stepping stage of stage 8

7) AFTD72-Aerobic fitness score based on the modified Canadian Aerobic Fitness Test (mCAFT)

Variable name: AFTD72

Based on: HWM_13KG, AFCDELG, AFTD71, CLC_AGE

Description: This variable indicates the aerobic fitness score based on the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This test was performed by respondents 8 to 69 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
999	(AFTD71 = DK, R, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
996	(1 < AFCDELG < VS)	Population exclusions	VS
Round((10 * (17.2 + (1.29 * AFTD71) - (0.09 * HWM_13KG) - (0.18 * CLC_AGE))), 1)	(0 < HWM_13KG < VS)	Aerobic fitness score	(Rounded to integer)
999	Else		NS

8) AFTD73-Health benefit rating for aerobic fitness for respondents 15 - 69

Variable name: AFTD73

Based on: CLC_AGE, CLC_SEX, AFCDELG, AFTD72

Description: This variable evaluates the health benefits from the aerobic fitness score for respondents 15 to 69 years of age, based on the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This result is derived for respondents 15 to 69 years of age.

The Physical Activity Training for Health (CSEP-PATH, 2013), provides the following description of the health benefit rating determined from the aerobic fitness score :
Excellent - aerobic fitness falls within a range that is generally associated with optimal health benefits
Very Good - aerobic fitness falls within a range that is generally associated with considerable health benefits
Good - aerobic fitness falls within a range that is generally associated with many health benefits
Fair - aerobic fitness falls within a range that is generally associated with some health benefits but also some health risks
Poor - aerobic fitness falls within a range that is generally associated with considerable health risks

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
9	(AFTD72 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
6	CLC_AGE < 15 or (1 < AFCDELG < VS)	Population exclusions	VS
0	(CLC_SEX = 1 and ((14 < CLC_AGE < 20) and (0 < AFTD72 < 436)) or ((19 < CLC_AGE < 30) and (0 < AFTD72 < 416)) or ((29 < CLC_AGE < 40) and (0 < AFTD72 < 337)) or ((39 < CLC_AGE < 50) and (0 < AFTD72 < 319)) or ((49 < CLC_AGE < 60) and (0 < AFTD72 < 260)) or ((59 < CLC_AGE < 70) and (0 < AFTD72 < 235))) or (CLC_SEX = 2 and ((14 < CLC_AGE < 20) and (0 < AFTD72 < 368)) or ((19 < CLC_AGE < 30) and (0 < AFTD72 < 350)) or ((29 < CLC_AGE < 40) and (0 < AFTD72 < 330)) or ((39 < CLC_AGE < 50) and (0 < AFTD72 < 271)) or ((49 < CLC_AGE < 60) and (0 < AFTD72 < 246)) or ((59 < CLC_AGE < 70) and (0 < AFTD72 < 235)))	Poor	

1	(CLC_SEX = 1 and ((14 < CLC_AGE < 20) and (435 < AFTD72 < 488)) or ((19 < CLC_AGE < 30) and (415 < AFTD72 < 472)) or ((29 < CLC_AGE < 40) and (336 < AFTD72 < 401)) or ((39 < CLC_AGE < 50) and (318 < AFTD72 < 355)) or ((49 < CLC_AGE < 60) and (259 < AFTD72 < 301)) or ((59 < CLC_AGE < 70) and (234 < AFTD72 < 287))) or (CLC_SEX = 2 and ((14 < CLC_AGE < 20) and (367 < AFTD72 < 395)) or ((19 < CLC_AGE < 30) and (349 < AFTD72 < 378)) or ((29 < CLC_AGE < 40) and (329 < AFTD72 < 360)) or ((39 < CLC_AGE < 50) and (270 < AFTD72 < 319)) or ((49 < CLC_AGE < 60) and (245 < AFTD72 < 310)) or ((59 < CLC_AGE < 70) and (234 < AFTD72 < 296)))	Fair
2	(CLC_SEX = 1 and ((14 < CLC_AGE < 20) and (487 < AFTD72 < 524)) or ((19 < CLC_AGE < 30) and (471 < AFTD72 < 506)) or ((29 < CLC_AGE < 40) and (400 < AFTD72 < 454)) or ((39 < CLC_AGE < 50) and (354 < AFTD72 < 427)) or ((49 < CLC_AGE < 60) and (300 < AFTD72 < 365)) or ((59 < CLC_AGE < 70) and (286 < AFTD72 < 328))) or (CLC_SEX = 2 and ((14 < CLC_AGE < 20) and (394 < AFTD72 < 437)) or ((19 < CLC_AGE < 30) and (377 < AFTD72 < 420)) or ((29 < CLC_AGE < 40) and (359 < AFTD72 < 401)) or ((39 < CLC_AGE < 50) and (318 < AFTD72 < 351)) or ((49 < CLC_AGE < 60) and (309 < AFTD72 < 340)) or ((59 < CLC_AGE < 70) and (295 < AFTD72 < 328)))	Good

3	(CLC_SEX = 1 and ((14 < CLC_AGE < 20) and (523 < AFTD72 < 574)) or ((19 < CLC_AGE < 30) and (505 < AFTD72 < 556)) or ((29 < CLC_AGE < 40) and (453 < AFTD72 < 488)) or ((39 < CLC_AGE < 50) and (426 < AFTD72 < 470)) or ((49 < CLC_AGE < 60) and (364 < AFTD72 < 418)) or ((59 < CLC_AGE < 70) and (327 < AFTD72 < 384))) or (CLC_SEX = 2 and ((14 < CLC_AGE < 20) and (436 < AFTD72 < 490)) or ((19 < CLC_AGE < 30) and (419 < AFTD72 < 472)) or ((29 < CLC_AGE < 40) and (400 < AFTD72 < 454)) or ((39 < CLC_AGE < 50) and (350 < AFTD72 < 400)) or ((49 < CLC_AGE < 60) and (339 < AFTD72 < 366)) or ((59 < CLC_AGE < 70) and (327 < AFTD72 < 358)))	Very good	
4	(CLC_SEX = 1 and ((14 < CLC_AGE < 20) and (573 < AFTD72 < VS)) or ((19 < CLC_AGE < 30) and (555 < AFTD72 < VS)) or ((29 < CLC_AGE < 40) and (487 < AFTD72 < VS)) or ((39 < CLC_AGE < 50) and (469 < AFTD72 < VS)) or ((49 < CLC_AGE < 60) and (417 < AFTD72 < VS)) or ((59 < CLC_AGE < 70) and (383 < AFTD72 < VS))) or (CLC_SEX = 2 and ((14 < CLC_AGE < 20) and (489 < AFTD72 < VS)) or ((19 < CLC_AGE < 30) and (471 < AFTD72 < VS)) or ((29 < CLC_AGE < 40) and (453 < AFTD72 < VS)) or ((39 < CLC_AGE < 50) and (399 < AFTD72 < VS)) or ((49 < CLC_AGE < 60) and (365 < AFTD72 < VS)) or ((59 < CLC_AGE < 70) and (357 < AFTD72 < VS)))	Excellent	
9	Else		NS

9) AFTD74-Classification of aerobic fitness for respondents 8 - 14

Variable name: AFTD74

Based on: CLC_AGE, AFCDELG, AFTD21, AFTD22, AFTD72

Description: This variable indicates the classification according the aerobic fitness norms for respondents less than 15, based on the modified Canadian Aerobic Fitness Test (mCAFT).

Note: This result is derived for respondents 8 to 14 years of age.

The aerobic fitness norms for respondents less than 15 years of age are described as follows:

Excellent - aerobic fitness falls within a range that is generally associated with optimal health benefits
Very good - aerobic fitness falls within a range that is generally associated with considerable health benefits
Good - aerobic fitness falls within a range that is generally associated with many health benefits
Average - aerobic fitness falls within a range that is generally associated with some health benefits but also some health risks
Low - aerobic fitness falls within a range that may accelerate certain health risks

Source: National Center for Health Statistics. Assessing physical fitness and physical activity in population-based surveys. Hyattsville: Department of Health and Human Services publication; 1989. 657 p.

Specifications

Value	Condition(s)	Description	Notes
9	(AFTD72 = DK, R, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
6	CLC_AGE > 14 or (1 < AFCDELG < VS)	Population exclusions	VS
0	AFTD21 = 5	Low	
1	AFTD21 = 6	Average	
2	AFTD21 = 7 and (167 < AFTD22 < VS)	Good	
3	AFTD21 = 7 and (130 < AFTD22 < 168)	Very good	
4	AFTD21 = 7 and (0 < AFTD22 < 131)	Excellent	
9	Else		NS

Alcohol use (3 DVs)

1) ALCDWKY-Weekly consumption

Variable name: ALCDWKY

Based on: ALC_11, ALC_14, ALC_15A, ALC_15B, ALC_15C, ALC_15D, ALC_15E, ALC_15F, ALC_15G, DHH_AGE

Description: This variable indicates the total number of drinks consumed in the week prior to the interview.

Note: Respondents less than 12 years of age and those who did not have at least one drink in the past 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	ALC_11 = 2 or DHH_AGE < 12	Population exclusions	VS
999	(ALC_15A = DK, RF, NS) or (ALC_15B = DK, RF, NS) or (ALC_15C = DK, RF, NS) or (ALC_15D = DK, RF, NS) or (ALC_15E = DK, RF, NS) or (ALC_15F = DK, RF, NS) or (ALC_15G = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	ALC_14 = 2	Hasn't had a drink in last week	
ALC_15A + ALC_15B + ALC_15C + ALC_15D + ALC_15E + ALC_15F + ALC_15G	(0 <= ALC_15A < VS) and (0 <= ALC_15B < VS) and (0 <= ALC_15C < VS) and (0 <= ALC_15D < VS) and (0 <= ALC_15E < VS) and (0 <= ALC_15F < VS) and (0 <= ALC_15G < VS)	Number of drinks consumed in past week	(min: 0; max: 665)

2) ALCDDLY-Average daily alcohol consumption

Variable name: ALCDDLY

Based on: ALCDWKY

Description: This variable indicates the average number of drinks the respondent consumed per day in the week prior to the interview.

Note: Respondents less than 12 years of age and those who did not have at least one drink in the last 12 months were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	ALCDWKY = VS	Population exclusions	VS
999	ALCDWKY = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
round ((ALCDWKY / 7),1)	ALCDWKY <= 665	Average daily alcohol consumption	Rounded to integer (min: 0; max: 95)

3) ALCDTYP-Type of drinker

Variable name: ALCDTYP

Based on: ALC_12, ALC_17, DHH_AGE

Description: This variable indicates the type of drinker the respondent is based on their drinking habits.

Note: Respondents less than 12 years of age are excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 12	Population exclusion	VS
9	ALC_12 = (DK, RF, NS) or ALC_17 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	2 <= ALC_12 < VS	Regular drinker	
2	ALC_12 = 1	Occasional drinker	
3	ALC_17 = 1	Former drinker	
4	ALC_17 = 2	Never drank	

Activity monitor (1 DV)

1) AMCDELG-Eligibility - Activity monitor component

Variable name: AMCDELG

Based on: PHC_42E, PHC_44E

Description: This variable indicates whether the respondent was eligible for the activity monitor component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
9	PHC_42E = 1 or PHC_44E = 1	Not eligible - acute or chronic condition	
1	Else	Eligible	

Anthropometry component (13 DVs)

1) ANCDELG-Eligibility - Anthropometric component

Variable name: ANCDELG

Based on: N/A

Description: For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Note: All respondents are eligible for the anthropometry component.

Specifications

Value	Condition(s)	Description	Notes
1		Eligible	

2) HWMD11IN-Standing height (inches) - measured

Variable name: HWMD11IN

Based on: ANCDELG, HWM_11CM

Description: This variable indicates the respondent's measured standing height in inches.

Specifications

Value	Condition(s)	Description	Notes
99.6	(ANCDELG > 1 and ANCDELG < VS)	Population exclusions	VS
99.9	HWM_11CM in (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
round ((HWM_11CM * 0.3937), .1)	HWM_11CM > 0 and HWM_11CM < VS	Measured standing height in inches	(Rounded to one decimal place)

3) HWMD13LB-Weight (pounds) - measured

Variable name: HWMD13LB

Based on: ANCDELG, HWM_13KG

Description: This variable indicates the respondent's measured weight in pounds.

Specifications

Value	Condition(s)	Description	Notes
999.6	(ANCDELG > 1 and ANCDELG < VS)	Population exclusions	VS
round ((HWM_13KG * 2.205), .1)	HWM_13KG > 0 and HWM_13KG < VS	Measured weight in pounds	(Rounded to one decimal place)

999.9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) HWMD14IN-Waist circumference (inches) - measured

Variable name: HWMD14IN

Based on: ANCDELG, WHR_015, HWM_14CX

Description: This variable indicates the respondent's measured waist circumference in inches.

Note: Waist circumference was not measured for pregnant women. PHC_11 changed to WHR_015 in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
99.6	WHR_015 = 1 or (ANCDELG > 1 and ANCDELG < VS)	Population exclusions	VS
round ((HWM_14CX * 0.3937), .1)	HWM_14CX > 0 and HWM_14CX < VS	Waist circumference in inches	(Rounded to one decimal place)
99.9	Else		NS

5) HWMD16IN-Neck circumference (inches) - measured

Variable name: HWMD16IN

Based on: ANCDELG, WHR_015, HWM_16CM

Description: This variable indicates the respondent's measured neck circumference in inches.

Specifications

Value	Condition(s)	Description	Notes
99.6	(ANCDELG > 1 and ANCDELG < VS)	Population exclusions	VS
round ((HWM_16CM * 0.3937), .1)	HWM_16CM > 0 and HWM_16CM < VS	Neck circumference in inches	(Rounded to one decimal place)
99.9	Else		NS

6) HWMDBMI-Body Mass Index (BMI) - measured

Variable name: HWMDBMI

Based on: ANCDELG, CLC_SEX, WHR_015, HWM_13KG, HWMDHTM

Description: Body Mass Index (BMI) is a comparison of "weight" relative to the "height" of respondents. BMI is calculated by dividing weight in kilograms by height in metres squared.

(BMI = WEIGHT (KG) / HEIGHT (in metres) SQUARED)

Note: BMI was not calculated for pregnant women. This BMI classification is created using "measured height" and "measured weight" variables. PHC_11 changed to WHR_015 in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
99.96	WHR_015 = 1 or (1 < ANCDELG < VS)	Population exclusions	VS
99.99	CLC_SEX = 2 and (WHR_015 = DK, RF, NS)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	NS
99.99	HWM_13KG > VS or HWMDHTM = NS	Respondents for whom a valid measured height and weight were not obtained	NS
round (HWM_13KG / (HWMDHTM * HWMDHTM), .01)	HWM_13KG < VS and HWMDHTM < VS	BMI calculated from both measured height and measured weight values	(Rounded to two decimal places)

7) HWMDBMIA-BMI classification for adults aged 18 and over / measured - international standard

Variable name: HWMDBMIA

Based on: ANCDELG, CLC_AGE, WHR_015, HWMDBMI

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; normal weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:

normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and seniors.

This variable excludes female respondents aged 18 and over who were pregnant or who did not answer the pregnancy question (i.e., WHR_015 = don't know, refusal, not stated).

PHC_11 changed to WHR_015 in Cycles 5 & 6.

Source: Health Canada. Canadian guidelines for body weight classification in adults. Ottawa: Health Canada; 2003. 40 p.
Adapted from : World Health Organization (WHO). Obesity: preventing and managing the global epidemic. Report of a WHO consultation. Geneva: World Health Organization (WHO); 1999. 252 p.

Internet site: www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/healthy-weights/canadian-guidelines-body-weight-classification-adults/body-mass-index-nomogram.html

Specifications

Value	Condition(s)	Description	Notes
96	CLC_AGE < 18 or WHR_015 = 1 or	Population exclusions	VS

	(ANCDELG > 1 and ANCDELG < VS)		
99	HWMDBMI = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HWMDBMI < 18.50	Underweight	
2	(18.50 <= HWMDBMI <= 24.99)	Normal weight	
3	(25.00 <= HWMDBMI <= 29.99)	Overweight	
4	(30.00 <= HWMDBMI <= 34.99)	Obese - Class I	
5	(35.00 <= HWMDBMI <= 39.99)	Obese - Class II	
6	HWMDBMI >= 40.00	Obese - Class III	

8) HWMDBMIK-BMI classification for children aged 3 to 17 / measured - CDC BMI-for-age

Variable name: HWMDBMIK

Based on: ANCDELG, CLC_AGE, WHR_015, HWMDBMI, CLC_SEX, CLC_YOB, CLC_MOB, CLC_DOB, V2_YEAR, V2_MTH, V2_DAY

Description: BMI growth charts from the Centers for Disease Control and Prevention (CDC) of the United States can be used beginning at 2 years of age. BMI is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The growth charts consist of a series of percentile curves illustrating the distribution of measurements in U.S. children. Most of the data used to construct the charts comes from the National Health and Nutrition Examination Survey (NHANES), which has periodically collected height and weight data (and other health information) on the American population since the early 1960's.

Note: In these charts, the following percentiles were selected as cutoff points:
Less than the 5th percentile = underweight
5th percentile to less than the 85th percentile = normal
85th to less than the 95th percentile = overweight
95th percentile or greater = obese

This variable excludes female respondents who were pregnant and respondents who were 6570 days in age and older, i.e. 18 years or older.

PHC_11 changed to WHR_015 in Cycles 5 & 6.

Internet site: www.cdc.gov/growthcharts

Specifications

Value	Condition(s)	Description	Notes
6	CLC_AGE >17 or WHR_015 = 1 or (1 < ANCDELG < VS)	Population exclusions	VS
9	HWMDBMI = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	Less than the 5th percentile, for the child's age in days, and sex	Underweight	
2	5th percentile to less than the 85th percentile, for the child's age in days, and sex	Normal weight	
3	85th to less than the 95th percentile, for the child's age in days, and sex	Overweight	
4	95th percentile or greater, for the child's age in days, and sex	Obese	

9) HWMDWSTA-Waist circumference classification

Variable name: HWMDWSTA

Based on: ANCDELG, CLC_AGE, CLC_SEX, HWM_14CX, HWMDBMI, WHR_015

Description: Waist circumference is an important indicator of health risk associated with abdominal obesity. Sex-specific cut-off points have been established to identify risks associated with excess abdominal fat. A waist circumference above these points is associated with an increased health risk. The measurement should be used among those with BMIs between 18.5 and 34.9, to identify additional risk. For BMIs > 35.0, the waist circumference measurement does not provide additional information on health risk.

Note: This variable applies to respondents aged 15 to 69 years old.
Waist circumference was not measured in pregnant women.
This calculation is based on the waist circumference measurement obtained using the NIH protocol in cycles 2, 3, 4 and 5.
The WHO protocol was used in cycle 1.

Source: Health Canada. Canadian guidelines for body weight classification in adults. Ottawa: Health Canada; 2003. 40 p.

Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
6	CLC_AGE < 15 or CLC_AGE > 69 or WHR_015 = 1 or (1 < ANCDELG < VS) or HWM_14CX = VS	Population exclusions	VS
9	(HWM_14CX = DK, RF, NS) or HWMDBMI = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(29.99 < HWMDBMI < VS) and ((CLC_SEX = 1 and (101.0 < HWM_14CX < VS)) or (CLC_SEX =2 and (87.0 < HWM_14CX < VS)))	Score of 0	Needs
1	(18.49 < HWMDBMI < 30.0) and ((CLC_SEX = 1 and (101.0 < HWM_14CX < VS)) or (CLC_SEX = 2 and (87.0 < HWM_14CX < VS)))	Score of 1	Fair
2	(29.99 < HWMDBMI < VS) and ((CLC_SEX = 1 and (93.9 < HWM_14CX < 101.1)) or (CLC_SEX = 2 and (79.9 < HWM_14CX <87.1)))	Score of 2	Good
3	(CLC_SEX = 1 and ((0 < HWMDBMI < 18.50) or ((18.49 < HWMDBMI < 30.00) and (93.9 < HWM_14CX < 101.1)))) or (CLC_SEX = 2 and ((0 < HWMDBMI < 18.50) or ((18.49 < HWMDBMI < 30.00) and (79.9 < HWM_14CX < 87.1))))	Score of 3	Very good
4	(CLC_SEX = 1 and (0 < HWM_14CX < 94.0)) or (CLC_SEX = 2 and (0 < HWM_14CX < 80.0))	Score of 4	Excellent

10) HWMDCOL-BMI classification for children aged 3 to 18 / measured - Cole classification system

Variable name: HWMDCOL

Based on: ANCDELG, CLC_AGE, CLC_SEX, CLC_YOB, CLC_MOB, CLC_DOB, V2_YEAR, V2_MTH, V2_DAY, HWMDBMI, WHR_015

Description: This variable classifies children aged 3 to 18 as "obese" or "overweight" according to the age-and-sex-specific BMI cut-off

points as defined by Cole et al (2000). The Cole cut-off points are based on pooled international data (Brazil, Great Britain, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the internationally accepted adult BMI cut-off points of 25 (overweight) and 30 kg/m² (obese).

Note: Respondents who do not fall within the categories of "Obese" or "Overweight" (as defined by Cole et al. (2000)) have been classified by CCHS as "neither obese nor overweight".
This variable excludes female respondents who were pregnant and respondents over 18 years old according to the calculated age in years.
PHC_11 changed to WHR_015 in Cycles 5 & 6.

Source: Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey. British Medical Journal. 2000; 320(7244): 1240-1243 p.

Temporary Reformat

Value	Condition(s)	Description	Notes
AGET1			
round ((mdy(V2_MTH, V2_DAY, V2_YEAR) - mdy (CLC_MOB, CLC_DOB, CLC_YOB)) / 365.25, 0.5)	Interview date (V2_YEAR, V2_MTH and V2_DAY) - Date of birth (CLC_YOB, CLC_MOB, and CLC_DOB)	Calculate the respondent's age in years rounded to the nearest half-year at the time of the mobile examination clinic visit	Min:3; Max:18; (Rounded to the nearest 0.5)

Specifications

Value	Condition(s)	Description	Notes
6	AGET1 >18 or WHR_015 = 1 or (1 < ANCDELG < VS)	Population exclusions	VS
9	HWMDBMI = NS	At least one required question was not answered (don’t know, refusal, not stated)	NS

2	(AGET1 = 3 and CLC_SEX = 1 and (HWMDBMI >= 17.89 and HWMDBMI < 19.57)) or (AGET1 = 3 and CLC_SEX = 2 and (HWMDBMI >= 17.56 and HWMDBMI < 19.36)) or (AGET1 = 3.5 and CLC_SEX = 1 and (HWMDBMI >= 17.69 and HWMDBMI < 19.39)) or (AGET1 = 3.5 and CLC_SEX = 2 and (HWMDBMI >= 17.40 and HWMDBMI < 19.23)) or (AGET1 = 4 and CLC_SEX = 1 and (HWMDBMI >= 17.55 and HWMDBMI < 19.29)) or (AGET1 = 4 and CLC_SEX = 2 and (HWMDBMI >= 17.28 and HWMDBMI < 19.15)) or (AGET1 = 4.5 and CLC_SEX = 1 and (HWMDBMI >= 17.47 and HWMDBMI < 19.26)) or (AGET1 = 4.5 and CLC_SEX = 2 and (HWMDBMI >= 17.19 and HWMDBMI < 19.12)) or (AGET1 = 5 and CLC_SEX = 1 and (HWMDBMI >= 17.42 and HWMDBMI < 19.30)) or (AGET1 = 5 and CLC_SEX = 2 and (HWMDBMI >= 17.15 and HWMDBMI < 19.17)) or (AGET1 = 5.5 and CLC_SEX = 1 and (HWMDBMI >= 17.45 and HWMDBMI < 19.47)) or (AGET1 = 5.5 and CLC_SEX = 2 and (HWMDBMI >= 17.20 and HWMDBMI < 19.34)) or (AGET1 = 6 and CLC_SEX = 1 and (HWMDBMI >= 17.55 and HWMDBMI < 19.78)) or (AGET1 = 6 and CLC_SEX = 2 and (HWMDBMI >= 17.34 and HWMDBMI < 19.65)) or (AGET1 = 6.5 and CLC_SEX = 1 and (HWMDBMI >= 17.71 and HWMDBMI < 20.23)) or (AGET1 = 6.5 and CLC_SEX = 2 and (HWMDBMI >= 17.53 and HWMDBMI < 20.08)) or (AGET1 = 7 and CLC_SEX = 1 and (HWMDBMI >= 17.92 and HWMDBMI < 20.63)) or (AGET1 = 7 and CLC_SEX = 2 and (HWMDBMI >= 17.75 and HWMDBMI < 20.51)) or (AGET1 = 7.5 and CLC_SEX = 1 and (HWMDBMI >= 18.16 and HWMDBMI < 21.09)) or (AGET1 = 7.5 and CLC_SEX = 2 and (HWMDBMI >= 18.03 and HWMDBMI < 21.01)) or (AGET1 = 8 and CLC_SEX = 1 and (HWMDBMI >= 18.44 and HWMDBMI < 21.60)) or (AGET1 = 8 and CLC_SEX = 2 and (HWMDBMI >= 18.35 and HWMDBMI < 21.57)) or (AGET1 = 8.5 and CLC_SEX = 1 and (HWMDBMI >= 18.76 and HWMDBMI < 22.17)) or (AGET1 = 8.5 and CLC_SEX = 2 and (HWMDBMI >= 18.69 and HWMDBMI < 22.18)) or (AGET1 = 9 and CLC_SEX = 1 and (HWMDBMI >= 19.10 and HWMDBMI < 22.77)) or (AGET1 = 9 and CLC_SEX = 2 and (HWMDBMI >= 19.07 and HWMDBMI < 22.81)) or (AGET1 = 9.5 and CLC_SEX = 1 and (HWMDBMI >= 19.46 and HWMDBMI < 23.39)) or (AGET1 = 9.5 and CLC_SEX = 2 and (HWMDBMI >= 19.45 and HWMDBMI < 23.46)) or (AGET1 = 10 and CLC_SEX = 1 and (HWMDBMI >= 19.84 and HWMDBMI < 24.00)) or (AGET1 = 10 and CLC_SEX = 2 and (HWMDBMI >= 19.86 and HWMDBMI < 24.11)) or (AGET1 = 10.5 and CLC_SEX = 1 and (HWMDBMI >= 20.20 and HWMDBMI < 24.57)) or (AGET1 = 10.5 and CLC_SEX = 2 and (HWMDBMI >= 20.29 and HWMDBMI < 24.77)) or (AGET1 = 11 and CLC_SEX = 1 and (HWMDBMI >= 20.55 and HWMDBMI < 25.10)) or (AGET1 = 11 and CLC_SEX = 2 and (HWMDBMI >= 20.74 and HWMDBMI < 25.42)) or (AGET1 = 11.5 and CLC_SEX = 1 and (HWMDBMI >= 20.89 and HWMDBMI < 25.58)) or (AGET1 = 11.5 and CLC_SEX = 2 and (HWMDBMI >= 21.20 and HWMDBMI < 26.05)) or (AGET1 = 12 and CLC_SEX = 1 and	Overweight

(HWMDBMI >= 21.22 and HWMDBMI < 26.02)) or
(AGET1 = 12 and CLC_SEX = 2 and
(HWMDBMI >= 21.68 and HWMDBMI < 26.67)) or
(AGET1 = 12.5 and CLC_SEX = 1 and
(HWMDBMI >= 21.56 and HWMDBMI < 26.43)) or
(AGET1 = 12.5 and CLC_SEX = 2 and
(HWMDBMI >= 22.14 and HWMDBMI < 27.24)) or
(AGET1 = 13 and CLC_SEX = 1 and
(HWMDBMI >= 21.91 and HWMDBMI < 26.84)) or
(AGET1 = 13 and CLC_SEX = 2 and
(HWMDBMI >= 22.58 and HWMDBMI < 27.76)) or
(AGET1 = 13.5 and CLC_SEX = 1 and
(HWMDBMI >= 22.27 and HWMDBMI < 27.25)) or
(AGET1 = 13.5 and CLC_SEX = 2 and
(HWMDBMI >= 22.98 and HWMDBMI < 28.20)) or
(AGET1 = 14 and CLC_SEX = 1 and
(HWMDBMI >= 22.62 and HWMDBMI < 27.63)) or
(AGET1 = 14 and CLC_SEX = 2 and
(HWMDBMI >= 23.34 and HWMDBMI < 28.57)) or
(AGET1 = 14.5 and CLC_SEX = 1 and
(HWMDBMI >= 22.96 and HWMDBMI < 27.98)) or
(AGET1 = 14.5 and CLC_SEX = 2 and
(HWMDBMI >= 23.66 and HWMDBMI < 28.87)) or
(AGET1 = 15 and CLC_SEX = 1 and
(HWMDBMI >= 23.29 and HWMDBMI < 28.30)) or
(AGET1 = 15 and CLC_SEX = 2 and
(HWMDBMI >= 23.94 and HWMDBMI < 29.11)) or
(AGET1 = 15.5 and CLC_SEX = 1 and
(HWMDBMI >= 23.60 and HWMDBMI < 28.60)) or
(AGET1 = 15.5 and CLC_SEX = 2 and
(HWMDBMI >= 24.17 and HWMDBMI < 29.29)) or
(AGET1 = 16 and CLC_SEX = 1 and
(HWMDBMI >= 23.90 and HWMDBMI < 28.88)) or
(AGET1 = 16 and CLC_SEX = 2 and
(HWMDBMI >= 24.37 and HWMDBMI < 29.43)) or
(AGET1 = 16.5 and CLC_SEX = 1 and
(HWMDBMI >= 24.19 and HWMDBMI < 29.14)) or
(AGET1 = 16.5 and CLC_SEX = 2 and
(HWMDBMI >= 24.54 and HWMDBMI < 29.56)) or
(AGET1 = 17 and CLC_SEX = 1 and
(HWMDBMI >= 24.46 and HWMDBMI < 29.41)) or
(AGET1 = 17 and CLC_SEX = 2 and
(HWMDBMI >= 24.70 and HWMDBMI < 29.69)) or
(AGET1 = 17.5 and CLC_SEX = 1 and
(HWMDBMI >= 24.73 and HWMDBMI < 29.70)) or
(AGET1 = 17.5 and CLC_SEX = 2 and
(HWMDBMI >= 24.85 and HWMDBMI < 29.84)) or
(AGET1 = 18 and CLC_SEX = 1 and
(HWMDBMI >= 25.00 and HWMDBMI < 30.00)) or
(AGET1 = 18 and CLC_SEX = 2 and
(HWMDBMI >= 25.00 and HWMDBMI < 30.00)

3	(AGET1 = 3 and CLC_SEX = 1 and HWMDBMI >= 19.57) or (AGET1 = 3 and CLC_SEX = 2 and HWMDBMI >= 19.36) or (AGET1 = 3.5 and CLC_SEX = 1 and HWMDBMI >= 19.39) or (AGET1 = 3.5 and CLC_SEX = 2 and HWMDBMI >= 19.23) or (AGET1 = 4 and CLC_SEX = 1 and HWMDBMI >= 19.29) or (AGET1 = 4 and CLC_SEX = 2 and HWMDBMI >= 19.15) or (AGET1 = 4.5 and CLC_SEX = 1 and HWMDBMI >= 19.26) or (AGET1 = 4.5 and CLC_SEX = 2 and HWMDBMI >= 19.12) or (AGET1 = 5 and CLC_SEX = 1 and HWMDBMI >= 19.30) or (AGET1 = 5 and CLC_SEX = 2 and HWMDBMI >= 19.17) or (AGET1 = 5.5 and CLC_SEX = 1 and HWMDBMI >= 19.47) or (AGET1 = 5.5 and CLC_SEX = 2 and HWMDBMI >= 19.34) or (AGET1 = 6 and CLC_SEX = 1 and HWMDBMI >= 19.78) or (AGET1 = 6 and CLC_SEX = 2 and HWMDBMI >= 19.65) or (AGET1 = 6.5 and CLC_SEX = 1 and HWMDBMI >= 20.23) or (AGET1 = 6.5 and CLC_SEX = 2 and HWMDBMI >= 20.08) or (AGET1 = 7 and CLC_SEX = 1 and HWMDBMI >= 20.63) or (AGET1 = 7 and CLC_SEX = 2 and HWMDBMI >= 20.51) or (AGET1 = 7.5 and CLC_SEX = 1 and HWMDBMI >= 21.09) or (AGET1 = 7.5 and CLC_SEX = 2 and HWMDBMI >= 21.01) or (AGET1 = 8 and CLC_SEX = 1 and HWMDBMI >= 21.60) or (AGET1 = 8 and CLC_SEX = 2 and HWMDBMI >= 21.57) or (AGET1 = 8.5 and CLC_SEX = 1 and HWMDBMI >= 22.17) or (AGET1 = 8.5 and CLC_SEX = 2 and HWMDBMI >= 22.18) or (AGET1 = 9 and CLC_SEX = 1 and HWMDBMI >= 22.77) or (AGET1 = 9 and CLC_SEX = 2 and HWMDBMI >= 22.81) or (AGET1 = 9.5 and CLC_SEX = 1 and HWMDBMI >= 23.39) or (AGET1 = 9.5 and CLC_SEX = 2 and HWMDBMI >= 23.46) or (AGET1 = 10 and CLC_SEX = 1 and HWMDBMI >= 24.00) or (AGET1 = 10 and CLC_SEX = 2 and HWMDBMI >= 24.41) or (AGET1 = 10.5 and CLC_SEX = 1 and HWMDBMI >= 24.57) or (AGET1 = 10.5 and CLC_SEX = 2 and HWMDBMI >= 24.77) or (AGET1 = 11 and CLC_SEX = 1 and HWMDBMI >= 25.10) or (AGET1 = 11 and CLC_SEX = 2 and HWMDBMI >= 24.42) or (AGET1 = 11.5 and CLC_SEX = 1 and HWMDBMI >= 25.58) or (AGET1 = 11.5 and CLC_SEX = 2 and HWMDBMI >= 26.05) or (AGET1 = 12 and CLC_SEX = 1 and HWMDBMI >= 26.02) or (AGET1 = 12 and CLC_SEX = 2 and HWMDBMI >= 26.67) or (AGET1 = 12.5 and CLC_SEX = 1 and HWMDBMI >= 26.43) or (AGET1 = 12.5 and CLC_SEX = 2 and HWMDBMI >= 27.24) or (AGET1 = 13 and CLC_SEX = 1 and HWMDBMI >= 26.84) or (AGET1 = 13 and CLC_SEX = 2 and HWMDBMI >= 27.76) or (AGET1 = 13.5 and CLC_SEX = 1 and HWMDBMI >= 27.25) or (AGET1 = 13.5 and CLC_SEX = 2 and HWMDBMI >= 28.20) or (AGET1 = 14 and CLC_SEX = 1 and HWMDBMI >= 27.63) or (AGET1 = 14 and CLC_SEX = 2 and HWMDBMI >= 28.57) or (AGET1 = 14.5 and CLC_SEX = 1 and HWMDBMI >= 27.98) or (AGET1 = 14.5 and CLC_SEX = 2 and HWMDBMI >= 28.87) or (AGET1 = 15 and CLC_SEX = 1 and	Obese

	HWMDBMI >= 28.30) or (AGET1 = 15 and CLC_SEX = 2 and HWMDBMI >= 29.11) or (AGET1 = 15.5 and CLC_SEX = 1 and HWMDBMI >= 28.60) or (AGET1 = 15.5 and CLC_SEX = 2 and HWMDBMI >= 29.29) or (AGET1 = 16 and CLC_SEX = 1 and HWMDBMI >= 28.88) or (AGET1 = 16 and CLC_SEX = 2 and HWMDBMI >= 29.43) or (AGET1 = 16.5 and CLC_SEX = 1 and HWMDBMI >= 29.14) or (AGET1 = 16.5 and CLC_SEX = 2 and HWMDBMI >= 29.56) or (AGET1 = 17 and CLC_SEX = 1 and HWMDBMI >= 29.41) or (AGET1 = 17 and CLC_SEX = 2 and HWMDBMI >= 29.69) or (AGET1 = 17.5 and CLC_SEX = 1 and HWMDBMI >= 29.70) or (AGET1 = 17.5 and CLC_SEX = 2 and HWMDBMI >= 29.84) or (AGET1 = 18 and CLC_SEX = 1 and HWMDBMI >= 30.00) or (AGET1 = 18 and CLC_SEX = 2 and HWMDBMI >= 30.00)	
1	Else	Neither overweight nor obese

11) HWMDHTM-Standing height (metres) - measured

Variable name: HWMDHTM

Based on: ANCDELG, HWM_11CM

Description: This variable indicates the respondent's standing height in metres.

Specifications

Value	Condition(s)	Description	Notes
9.996	(1 < ANCDELG < VS)	Population exclusions	VS
9.999	(HWM_11CM = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
round ((HWM_11CM / 100), 0.001)	Else	Standing height in metres	Rounded to 3 decimal places.

12) HWMDWHOK-BMI classification for children aged 5 to 18 years / measured - WHO BMI-for-age

Variable name: HWMDWHOK

Based on: CLC_AGE, WHR_015, ANCDELG, HWMDBMI, V2_YEAR, V2_MTH, V2_DAY, CLC_DOB, CLC_MOB, CLC_YOB

Description: Body mass index (BMI) is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The World Health Organization (WHO) developed BMI-for-age Child Growth Standards for children from birth to 5 years (up to 60 months) using data from the Multicentre Growth Reference Study (MGRS). In addition, WHO developed BMI-for-age Growth References for children and adolescents aged 5 to 18 years (starting at 61 months) merging the 1977 National Center for Health Statistics (NCHS)/WHO growth reference with data from the MGRS.

Note: The following cut-off points are specified for children and youth aged 5 to 18 years (61 to 227 months):
Less than or equal to 2SD below the mean = thinness;
Greater than 2SD below the mean and less than or equal to 1SD above the mean = normal;
Greater than 1SD and less than or equal to 2SD above the mean = overweight;
Greater than 2SD above the mean = obesity

PHC_11 changed to WHR_015 in Cycles 5 & 6.

Source: De Onis M, Onyango AW, Borghi E, Siyam A, Nishida C, Siekmann J. Development of a WHO growth reference for school-aged children and adolescents. Bulletin of the World Health Organization. 2007; 85: 660-667 p.

Internet site: www.who.int/childgrowth/en

Temporary Reformat

Value	Condition(s)	Description	Notes
AGEMOST			
9999	(CLC_DOB = DK, RF, NS) or (CLC_MOB = DK,RF, NS) or (CLC_YOB = DK, RF, NS)	A valid day of birth, or month of birth, or year of birth is not available for the respondent	NS
CLC_AGM age in months	Interview date converted in months (V2_YEAR, V2_MTH and V2_DAY) - Date of birth converted in months (CLC_YOB, CLC_MOB and CLC_DOB)	Calculates the respondent's age in months at time of the interview	(Min: 61; Max: 227)

Specifications

Value	Condition(s)	Description	Notes
6	AGEMOST < 61 or AGEMOST > 227 or WHR_015 = 1 or (1 < ANCDELG < VS)	Population exclusions	VS
9	HWMDBMI = NS or (CLC_DOB = DK, RF, NS) or (CLC_MOB = DK, RF, NS) or (CLC_YOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	At or below 2 standard deviations below the mean for the child's age in months, and sex	Thinness	
2	Between 2 standard deviations below the mean and up to and including 1 standard deviation above the mean for the child's age in months, and sex	Normal	
3	Between 1 standard deviation up to and including 2 standard deviations above the mean for the child's age in months, and sex	Overweight	
4	Greater than 2 standard deviations above the mean for the child's age in months, and sex	Obese	

13) HWMDWHOP-BMI classification for children aged 3 to 5 years / measured - WHO BMI-for-age

Variable name: HWMDWHOP

Based on: ANCDELG, CLC_AGE, HWMDBMI,V2_YEAR, V2_MTH, V2_DAY, CLC_DOB, CLC_MOB, CLC_YOB

Description: Body mass index (BMI) is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The World Health Organization (WHO) developed BMI-for-age Child Growth Standards for children from birth to 5 years (up to 60 months) using data from the Multicentre Growth Reference Study (MGRS). In addition, WHO developed BMI-for-age Growth References for children and adolescents aged 5 to 18 years (starting at 61 months) merging the 1977 National Center for Health Statistics (NCHS)/WHO growth reference with data from the MGRS.

Note: The following cut-off points are specified for children aged 3 to 5 years (36 to 60 months):
Less than or equal to 2SD below the mean = thinness;
Greater than 2SD below the mean and less than or equal to 1SD above the mean = normal;
Greater than 1SD and less than or equal to 2SD above the mean = at risk of overweight;
Greater than 2SD and less than or equal to 3SD above the mean = overweight;
Greater than 3SD above the mean = obesity;

Source: World Health Organization (WHO). Training course on child growth assessment. [Internet]. Geneva: World Health Organization; 2008. Available from: www.who.int/childgrowth/training/en

Internet site: www.who.int/childgrowth/en

Temporary Reformat

Value	Condition(s)	Description	Notes
AGEMOST			
9999	(CLC_DOB = DK, RF, NS) or (CLC_MOB = DK, RF, NS) or (CLC_YOB = DK, RF, NS)	A valid day of birth, or month of birth, or year of birth is not available for the respondent	NS
CLC_AGM Age in months	Interview date converted in months (V2_YEAR, V2_MTH and V2_DAY) - Date of birth converted in months (CLC_YOB, CLC_MOB and CLC_DOB)	Calculates the respondent's age in months at time of the interview	(Min: 36; Max: 60)

Specifications

Value	Condition(s)	Description	Notes
6	AGEMOST >= 61 or (1 < ANCDELG < VS)	Population exclusions	VS
9	HWMDBMI = NS or (CLC_DOB = DK, RF, NS) or (CLC_MOB = DK, RF, NS) or (CLC_YOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	At or below 2 standard deviations below the mean for the child's age in months, and sex	Thinness	
2	Between 2 standard deviations below the mean and up to and including 1 standard deviation above the mean for the child's age in months, and sex	Normal	
3	Between 1 standard deviation and up to and including 2 standard deviations above the mean for the child's age in months, and sex	At risk of overweight	
4	Between 2 standard deviations and up to and including 3 standard deviations above the mean for the child's age in months, and sex	Overweight	
5	Greater than 3 standard deviations above the mean for the child's age in months, and sex	Obese	

Blood pressure component (15 DVs)

1) BPCDELG-Eligibility - Blood pressure component

Variable name: BPCDELG

Based on: CLC_AGE, PHC_57B

Description: For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
3	CLC_AGE < 6	Not eligible - age	
24	PHC_57B = 3	Not eligible - double mastectomy	
1	Else	Eligible	

2) BPMD161-Average systolic blood pressure (mmHg) - first set

Variable name: BPMD161

Based on: BPM_111A, BPM_121A, BPM_131A, BPM_141A, BPM_151A, CLC_AGE

Description: This variable indicates the average resting systolic blood pressure for the first set of blood pressure measurements. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Blood pressure was not measured on respondents 3 to 5 years of age.

3) BPMD162-Average diastolic blood pressure (mmHg) - first set

Variable name: BPMD162

Based on: BPM_112A, BPM_122A, BPM_132A, BPM_142A, BPM_152A, CLC_AGE

Description: This variable indicates the average resting diastolic blood pressure for the first set of blood pressure measurements. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Blood pressure was not measured on respondents 3-5 years of age.

4) BPMD163-Average resting heart rate - first set

Variable name: BPMD163

Based on: BPM_113A, BPM_123A, BPM_133A, BPM_143A, BPM_153A, CLC_AGE

Description: This variable indicates the average resting heart rate for the first set of heart rate measurements. Heart rate is measured in beats per minute (bpm).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Heart rate was not measured on respondents 3-5 years of age.

5) BPMD261-Average systolic blood pressure (mmHg) - second set

Variable name: BPMD261

Based on: BPM_211A, BPM_221A, BPM_231A, BPM_241A, BPM_251A, CLC_AGE

Description: This variable indicates the average resting systolic blood pressure for the second set of blood pressure measurements. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Blood pressure was not measured on respondents 3-5 years of age.

6) BPMD262-Average diastolic blood pressure (mmHg) - second set

Variable name: BPMD262

Based on: BPM_212A, BPM_222A, BPM_232A, BPM_242A, BPM_252A, CLC_AGE

Description: This variable indicates the average resting diastolic blood pressure for the second set of blood pressure measurements. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Blood pressure was not measured on respondents 3-5 years of age.

7) BPMD263-Average resting heart rate - second set

Variable name: BPMD263

Based on: BPM_213A, BPM_223A, BPM_233A, BPM_243A, BPM_253A, CLC_AGE

Description: This variable indicates the average resting heart rate for the second set of heart rate measurements. Heart rate is measured in beats per minute (bpm).

Note: The SAS code used to derive this variable is available upon request.

The first measure of the set is dropped prior to deriving this variable.

Heart rate was not measured on respondents 3-5 years of age.

8) BPMDSBPS-Final average systolic blood pressure (mmHg) - screening

Variable name: BPMDSBPS

Based on: BPMD161, BPMD261, CLC_AGE

Description: This variable indicates the average resting systolic blood pressure for the screening blood pressure measurement. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average systolic blood pressure (screening) was not calculated on respondents under 15 years of age.

9) BPMDSBPD-Final average diastolic blood pressure (mmHg) - screening

Variable name: BPMDSBPD

Based on: BPMD162, BPMD262, CLC_AGE

Description: This variable indicates the average resting diastolic blood pressure for the screening blood pressure measurement. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average diastolic blood pressure (screening) was not calculated on respondents under 15 years of age.

10) BPMDSHR-Final average resting heart rate - screening

Variable name: BPMDSHR

Based on: BPMD163, BPMD263, CLC_AGE

Description: This variable indicates the average resting heart rate for the screening heart rate measurement. Heart rate is measured in beats per minute (bpm).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average resting heart rate (screening) was not calculated on respondents under 15 years of age.

11) BPMDPBPS-Final average systolic blood pressure (mmHg) - prevalence

Variable name: BPMDPBPS

Based on: BPMD161, BPMD162, BPMD163, BPMD261, BPMD262, BPMD263, CLC_AGE

Description: This variable indicates the average resting systolic blood pressure for the prevalence blood pressure measurement. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average systolic blood pressure (prevalence) was not calculated on respondents 3-5 years of age.

12) BPMDPBPD-Final average diastolic blood pressure (mmHg) - prevalence

Variable name: BPMDPBPD

Based on: BPMD161, BPMD162, BPMD163, BPMD261, BPMD262, BPMD263, CLC_AGE

Description: This variable indicates the average resting diastolic blood pressure for the prevalence blood pressure measurement. Blood pressure is measured in millimetres of mercury (mmHg).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average diastolic blood pressure (prevalence) was not calculated on respondents 3-5 years of age.

13) BPMDPHR-Final average resting heart rate - prevalence

Variable name: BPMDPHR

Based on: BPMD161, BPMD162, BPMD163, BPMD261, BPMD262, BPMD263, CLC_AGE

Description: This variable indicates the average resting heart rate for the prevalence heart rate measurement. Heart rate is measured in beats per minute (bpm).

Note: The SAS code used to derive this variable is available upon request.

The first measure from each set is dropped prior to deriving this variable.

Final average resting heart rate (prevalence) was not calculated on respondents 3-5 years of age.

14) BPMDBPA-Classification of blood pressure for respondents 18 or older

Variable name: BPMDBPA

Based on: BPMDPBPD, BPMDPBPS, CLC_AGE

Description: This variable indicates the classification of blood pressure for respondents 18 years of age and older based on the average systolic and diastolic blood pressure measurement.

Note: The SAS code used to derive this variable is available upon request.
The Canadian Coalition for High Blood Pressure Prevention and Control, 1994 provides the following description of blood pressure norms:
Category 1 - Within the acceptable range
Category 2 - Acceptable, but at the high end of the acceptable range
Category 3 - Above the acceptable range
Category 4 - Moderately high

Category 5 - High
Category 6 - Very high

Source: Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. The Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Archives of Internal Medicine. 1997;157(21), 2413-2446.

Abbott D, Campbell N, Carruthers-Czyzewski P, Chockalingam A, David M, Dunkley G, et al. Guidelines for measurement of blood pressure, follow-up, and lifestyle counselling. Canadian Coalition for High Blood Pressure Prevention and Control. Canadian Journal of Public Health. 1994;85 Suppl 2:S29-43.

15) BPMDBPK-Classification of blood pressure for respondents 6 to 17

Variable name: BPMDBPK

Based on: BPMDPBPD, BPMDPBPS, CLC_AGE, CLC_SEX, HWM_11CM

Description: This variable indicates the classification of blood pressure for respondents 6 to 17 years of age based on the average systolic and diastolic blood pressure measurement.

Note: The SAS code used to derive this variable is available upon request.
The Fourth Report on the Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents, 2004 provides the following description of blood pressure norms:
Category 1 - Normal
Category 2 - Normal but at the high end of the normal range
Category 3 - High
Category 4 - Very high

Source: National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents. The Fourth Report on the Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents. Pediatrics. 2004;114 Suppl 2:555-576.

Breastfeeding information (1 DV)

1) BRIFEB6-Exclusively breastfed for at least three months

Variable name: BRIFEB6

Based on: DHH_AGE, BRI_11, BRI_12, BRI_13

Description: This variable indicates whether the respondent was exclusively breastfed for at least three months.

Note: Respondents greater than 11 years of age were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE > 11	Population exclusions	VS
1	(BRI_13 = 6, 7)	Respondent was exclusively breastfed for at least three months	
2	BRI_11 = 2 or BRI_13 < 6	Respondent not exclusively breastfed for at least three months	
9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Childrens physical activity (2 DVs)

The reformatting variables for this block changed in Cycle 3, and the variables were renamed accordingly from CPADTOT and CPADSAC to CPADTOTX and CPADSACX, respectively.

Temporary Reformat			
Value	**Condition(s)**	**Description**	**Notes**
CPAT015			
0	CPA_015 = 1	Recode to midpoint of response ranges	
1	CPA_015 = 2	Recode to midpoint of response ranges	
3	CPA_015 = 3	Recode to midpoint of response ranges	
5.5	CPA_015 = 4	Recode to midpoint of response ranges	
7	CPA_015 = 5	Recode to midpoint of response ranges	
CPAT020			
0	CPA_020 = 1	Recode to midpoint of response ranges	
1	CPA_020 = 2	Recode to midpoint of response ranges	
3	CPA_020 = 3	Recode to midpoint of response ranges	
5.5	CPA_020 = 4	Recode to midpoint of response ranges	
7	CPA_020 = 5	Recode to midpoint of response ranges	
CPAT025			
0	CPA_025 = 1	Recode to midpoint of response ranges	
1	CPA_025 = 2	Recode to midpoint of response ranges	
3	CPA_025 = 3	Recode to midpoint of response ranges	
5.5	CPA_025 = 4	Recode to midpoint of response ranges	
7	CPA_025 = 5	Recode to midpoint of response ranges	
CPAT030			
0	CPA_030 = 1	Recode to midpoint of response ranges	
1	CPA_030 = 2	Recode to midpoint of response ranges	
3	CPA_030 = 3	Recode to midpoint of response ranges	
5.5	CPA_030 = 4	Recode to midpoint of response ranges	
7	CPA_030 = 5	Recode to midpoint of response ranges	

1) CPADSACX-Total number of hours per day spent in sedentary activities

Variable name: CPADSACX

Based on: DHH_AGE, CPA_005, CPA_035

Description: This variable estimates the total number of hours per day the child participates in sedentary activities, including watching TV or videos, playing video games, and spending time on a computer playing games, e-mailing, chatting and surfing the Internet.

Note: This variable applies to children aged 3 to 11. (In Cycle 5, CPA_005 replaced CPA_11 and CPA_035 replaced CPA_17 + CPA_18. See the data dictionary for more information.)

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
99.6	CPA_005 = VS or DHH_AGE > 11	Population exclusions	VS
99.9	CPA_035 = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS

CPA_035	0 <= CPA_035 <= 24	Total number of hours per day participated in sedentary activities (e.g. watching TV, spending time on a computer)	(min: 0.0; max: 24.0)

2) CPADTOTX-Total number of hours per week participated in physical activities

Variable name: CPADTOTX

Based on: CPA_005, CPA_015, CPA_020, CPA_025, CPA_030, DHH_AGE

Description: This variable estimates the total number of hours per week the child usually takes part in physical activities at school or outside of school.

Note: This variable applies to children aged 6 to 11. (The variable names changed between Cycle 4 and Cycle 5. See the data dictionary for more information.)

Specifications

Value	Condition(s)	Description	Notes
996	CPA_005 = VS or DHH_AGE > 11 or DHH_AGE < 6	Population exclusions	VS
999	(CPA_015 = DK, RF, NS) or (CPA_020 = DK, RF, NS) or (CPA_025 = DK, RF, NS) or (CPA_030 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
CPAT015 + CPAT020 + CPAT025 + CPAT030 (round to whole number)	(0 <= CPAT015 <= 7) and (0 <= CPAT020 <= 7) and (0 <= CPAT025 <= 7) and (0 <= CPAT030 <= 7)	Total number of hours per week participated in physical activities	(min: 0; max: 28)

Dietary fat consumption (4 DVs)

1) DFCD11Y-Eats regular-fat salad dressing - times per year

Variable name: DFCD11Y

Based on: DFC_11, DFC_11N

Description: The number of times per year the respondent eats regular-fat salad dressing or mayonnaise.

Specifications

Value	Condition(s)	Description	Notes
0	DFC_11 = 0	Never	
DFC_11 * 365	DFC_11N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
DFC_11 * 52	DFC_11N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
DFC_11 * 12	DFC_11N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
DFC_11	DFC_11N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) DFCD12Y-Eats regular-fat potato chips, tortilla chips or corn chips - times per year

Variable name: DFCD12Y

Based on: DFC_12, DFC_12N

Description: The number of times per year the respondent eats regular-fat potato chips, tortilla chips or corn chips (excluding low fat chips and pretzels).

Specifications

Value	Condition(s)	Description	Notes
0	DFC_12 = 0	Never	
DFC_12 * 365	DFC_12N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
DFC_12 * 52	DFC_12N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
DFC_12 * 12	DFC_12N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
DFC_12	DFC_12N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) DFCD13Y-Eats margarine - times per year

Variable name: DFCD13Y

Based on: DFC_13, DFC_13N

Description: The number of times per year the respondent eats margarine.

Specifications

Value	Condition(s)	Description	Notes
0	DFC_13 = 0	Never	
DFC_13 * 365	DFC_13N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
DFC_13 * 52	DFC_13N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
DFC_13 * 12	DFC_13N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
DFC_13	DFC_13N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) DFCD14Y-Eats omega-3 enriched margarine - times per year

Variable name: DFCD14Y

Based on: DFC_14, DFC_14N, DFC_13

Description: The number of times per year the respondent eats omega-3 enriched margarine.

Specifications

Value	Condition(s)	Description	Notes
0	DFC_14 = 0	Never	
DFC_14 * 365	DFC_14N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
DFC_14 * 52	DFC_14N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
DFC_14 * 12	DFC_14N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
DFC_14	DFC_14N = 4	Reported number of times consumed per year	
9996	DFC_13 = 0	Population exclusions	VS
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Demographic and household variables (10 DVs)

1) PPID03-Relationship of proxy respondent to selected respondent

Variable name: PPID03

Based on: PROXY, PPI_02, PPI_03, sex of proxy respondent (TSEX)

Description: This variable indicates the relationship between the proxy respondent and the selected respondent.

Temporary Reformat

Value	Condition(s)	Description	Notes
TSEX			
IN_SEX01	PPI_01 = 1	Sex of person 1 in the household	
IN_SEX02	PPI_01 = 2	Sex of person 2 in the household	
IN_SEX03	PPI_01 = 3	Sex of person 3 in the household	
IN_SEX04	PPI_01 = 4	Sex of person 4 in the household	
IN_SEX05	PPI_01 = 5	Sex of person 5 in the household	
IN_SEX06	PPI_01 = 6	Sex of person 6 in the household	
IN_SEX07	PPI_01 = 7	Sex of person 7 in the household	
IN_SEX08	PPI_01 = 8	Sex of person 8 in the household	
IN_SEX09	PPI_01 = 9	Sex of person 9 in the household	
IN_SEX10	PPI_01 = 10	Sex of person 10 in the household	
IN_SEX11	PPI_01 = 11	Sex of person 11 in the household	
IN_SEX12	PPI_01 = 12	Sex of person 12 in the household	
IN_SEX13	PPI_01 = 13	Sex of person 13 in the household	
IN_SEX14	PPI_01 = 14	Sex of person 14 in the household	
IN_SEX15	PPI_01 = 15	Sex of person 15 in the household	
IN_SEX16	PPI_01 = 16	Sex of person 16 in the household	
IN_SEX17	PPI_01 = 17	Sex of person 17 in the household	
IN_SEX18	PPI_01 = 18	Sex of person 18 in the household	
IN_SEX19	PPI_01 = 19	Sex of person 19 in the household	
IN_SEX20	PPI_01 = 20	Sex of person 20 in the household	

Specifications

Value	Condition(s)	Description	Notes
6	PROXY = 2	Population exclusions	VS
1	PROXY = 1 and PPI_02 = 1 and PPI_03 = 1 and TSEX = 1	Biological father	

2	PROXY = 1 and PPI_02 = 1 and PPI_03 = 1 and TSEX = 2	Biological mother
3	PROXY = 1 and PPI_02 = 1 and TSEX = 1	Non-biological parent or guardian - male
4	PROXY = 1 and PPI_02 = 1 and TSEX = 2	Non-biological parent or guardian - female
5	Else	Other

2) DHHDLE5-Number of persons in household less than 6 years of age

Variable name: DHHDLE5

Based on: SAMPLEID, PERSONID, DHH_AGE

Description: This variable indicates the number of people living within a household whose age is less than 6 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value less than 6 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs for each SAMPLEID	DHH_AGE <= 5 (from Member file)	Number of persons under 6 in a household	

3) DHHD611-Number of persons in household 6 to 11 years of age

Variable name: DHHD611

Based on: SAMPLEID, PERSONID, DHH_AGE

Description: This variable indicates the number of people living within a household whose age is between 6 and 11 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value from 6 to 11 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs for each SAMPLEID	(6 <= DHH_AGE <= 11) (from Member file)	Number of persons 6 to 11 in a household	

4) DHHDL12-Number of persons in household less than 12 years of age

Variable name: DHHDL12

Based on: SAMPLEID, PERSONID, DHH_AGE

Description: This variable indicates the number of people living within a household whose age is less than 12 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value less than 12 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs for each SAMPLEID	DHH_AGE < 12 (from Member file)	Number of persons under 12 in a household	

5) DHHDYKD-Number of persons in household less than 16 years of age

Variable name: DHHDYKD

Based on: SAMPLEID, PERSONID, DHH_AGE

Description: This variable indicates the number of people living within a household whose age is less than 16 years old.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value of less than 16 within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs for each SAMPLEID	DHH_AGE < 16 (from Member file)	Number of persons under 16 in a household	

6) DHHDOKD-Number of persons in household 16 or 17 years of age

Variable name: DHHDOKD

Based on: PERSONID, DHH_AGE, RELATIONSHIP

Description: This variable indicates the number of people living within a household whose age is 16 or 17 years old and whose relationship to at least one adult living within the household is child, grandchild, child-in-law, niece or nephew.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs that have a DHH_AGE value of 16 or 17 and whose RELATIONSHIP value of (51, 52, 53, 80, 100, 112 or 123) within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs with each SAMPLEID	DHH_AGE = 16, 17 (Member file) and RELATIONSHIP = 51, 52, 53, 80, 100, 112, 123 (Relation files)	Number of persons aged 16 or 17 in a household whose relationship with at least one adult of the household is child, grandchild, child-in-law, or niece or nephew	(min: 0; max: 40)

7) DHHDHSZ-Household size

Variable name: DHHDHSZ

Based on: Based on household roster, SAMPLEID, PERSONID

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and PERSONID and by counting the number of PERSONIDs within each SAMPLEID.

Specifications

Value	Condition(s)	Description	Notes
Total number of PERSONIDs for each SAMPLEID	Sort the file (Member file) by SAMPLEID and PERSONID	Number of persons in a household	

8) DHHDECF-Economic family status (household type)

Variable name: DHHDECF

Based on: DHH_REL for all PERSONID in SAMPLEID, DHH_AGE, DHH_SEX, DHHDHSZ

Description: This variable identifies the family relationships within the household.

Note: The necessary data is collected using a set of relationship codes that define a link between each person in a household. All relationships within each household (relationship of each person in a household to each other person within that household) are used in creating this variable. The variable is based on the ages and reported relationships of each person to all others in the household. The matrix of relationship codes is not placed on the master file.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHH_REL			
X	10, 20	Temporary recodes to collapse relationships - Spouse (10 = Husband/Wife, 20 = Common Law Partner)	Relationship Codes DVECF94
A	40, 41, 42, 43	Temporary recodes to collapse relationships - Parental	Relationship Codes DVECF94
M	50, 51, 52, 53 (sorted by age)	Temporary recodes to collapse relationships - Child (50 = Son/Daughter, 51 = Birth Child, 52 = Step Child, 53 = Adopted Child)	Relationship Codes DVECF94
L	60, 61, 62, 63, 64, 65*, 70*, 80*, 90, 100, 110, 111, 112, 113, 114, 120, 121, 122, 123, 124, 260	Temporary recodes to collapse relationships -Other (60 = Brother/Sister, 61 = Full Sister/Brother, 62 = Half Sister/Brother, 63 = Step Sister/Brother, 64 = Adopted Sister/Brother, 65 = Foster Sister/Brother, 70 = Foster Parent, 80 = Foster Child, 90 = Grandparent, 100 = Grandchild, 110 = In-Law, 111 = Father/Mother-in-law, 112 = Son/Daughter-inlaw, 113 = Brother/Sister-in-law, 114 = Other in-law, 120 = Other Related, 121 = Uncle/Aunt, 122 = Cousin, 123 = Nephew/Niece, 124 = Other Relative, 260 = Unrelated)	Relationship Codes DVECF94*All Foster relationships (foster sister/brother, parent, or child) have been recoded into the Other relationship category due to the temporary nature of the relationships
Y	DHHDHSZ = 1	Temporary recodes to collapse relationships - Single	Relationship Codes DVECF94
Z	Else	Temporary recodes to collapse relationships - Not stated	Relationship Codes DVECF94

Specifications

Value	Condition(s)	Description	Notes

99	Any DHH_REL = Z	Not stated	NS
1	DHHDHSZ = 1	Unattached individual living alone Household size = 1	
2	All DHH_REL for all PERSONID in SAMPLEID in (L,Y)	Unattached individual living with others There cannot be a marital/common-law or parental relationship but other relationships such as siblings are allowed	
3	DHHDHSZ = 2 and DHH_REL for both PERSONID in SAMPLEID = X	Couple (married or common law) with no dependent children No other relationships are permitted Household size = 2	
4	DHHDHSZ > 2 and At least 2 PERSONID in SAMPLEID must have a DHH_REL= X and DHH_REL for all PERSONID in SAMPLEID <> A and M	Couple (married or common law) with no dependent children, and others There can be no parent/child relationships Other relationships are permitted Household size > 2	
5	DHHDHSZ > 2 and At least 2 PERSONID in SAMPLEID must have a DHH_REL = X and at least one of which must have a DHH_REL = A. All others PERSONID in SAMPLEID must have DHH_REL = M and of these at least one is DHH_AGE < 25	Couple (married or common law) with children < 25 At least one partner must be the parent of a dependent child < 25 years old No other relationships are allowed	
6	At least 2 PERSONID in SAMPLEID must have an DHH_REL = X and at least one of which must have an DHH_REL = A. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these at least one is DHH_AGE < 25	Couple (married or common law) with children < 25, and others At least one partner must be the parent of a dependent child < 25 years old Other relationships are allowed	
7	DHHDHSZ > 2 and at least 2 PERSONID in SAMPLEID must have an DHH_REL = X and at least one of which must have an DHH_REL = A. All others PERSONID in SAMPLEID must have DHH_REL = M and of these DHH_AGE >= 25	Couple (married or common law) with all children >= 25 No other relationships are permitted.	
8	DHHDHSZ > 2 and at least 2 PERSONID in SAMPLEID must have an DHH_REL = X and at least one of which must have an DHH_REL = A. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these DHH_AGE >= 25	Couple (married or common law) with all children >= 25, and others Other relationships are allowed	
9	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 2. All others PERSONID in SAMPLEID must have DHH_REL = M and of these at least one DHH_AGE < 25	Female lone parent with children < 25 One child must be < 25 years old No other relationships are permitted	
10	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 2. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these at least one DHH_AGE < 25	Female lone parent with children < 25, and others One child must be < 25 years old Other relationships are allowed	
11	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 2. All others PERSONID in SAMPLEID must have DHH_REL = M and of these DHH_AGE >= 25	Female lone parent with all children >= 25 All children must be >= 25 years old No other relationships are permitted	

12	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 2. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these DHH_AGE >= 25	Female lone parent with all children >= 25, and others All children must be >= 25 years old Other relationships are allowed
13	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 1. All others PERSONID in SAMPLEID must have DHH_REL = M and of these at least one DHH_AGE < 25	Male lone parent with children < 25 One child must be < 25 years old No other relationships are permitted
14	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 1. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these at least one DHH_AGE < 25	Male lone parent with children < 25, and others One child must be < 25 years old Other relationships are allowed
15	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 1. All others PERSONID in SAMPLEID must have DHH_REL = M and of these DHH_AGE >= 25	Male lone parent with all children >= 25 All children must be >= 25 years old No other relationships are permitted
16	DHHDHSZ > 1 and one PERSONID in SAMPLEID must have DHH_REL = A and DHH_SEX = 1. At least one other PERSONID in SAMPLEID must have DHH_REL = M with the above PERSONID and of these DHH_AGE >= 25	Male lone parent with all children >= 25 years old, and others All children must be >= 25 years old Other relationships are allowed
17	Else	Other family type All other household types

9) DHHDLVG-Living/ family arrangement of selected respondent

Variable name: DHHDLVG

Based on: DHH_REL of selected respondent, DHHDHSZ

Description: This variable identifies the family relationships between the selected respondent and the rest of the household.

Note: The necessary data is collected using a set of relationship codes that define a link between each person in a household. All relationships with the selected respondent within each sample (relationship of selected respondent to each other person within the household) are used in creating this variable.

Temporary Reformat

Value	Condition(s)	Description	Notes
DHH_REL			
Z1	NS	Temporary recodes to collapse relationships - Not stated	Relationship Codes
A1	40, 41, 42, 43	Temporary recodes to collapse relationships - Parental	Relationship Codes
B1	50, 51, 52, 53	Temporary recodes to collapse relationships - Child	Relationship Codes
C1	60, 61, 62, 63, 64	Temporary recodes to collapse relationships - Sibling	Relationship Codes
K1	90, 100, 110, 111, 112, 113, 114, 120, 121, 122, 123, 124	Temporary recodes to collapse relationships - Other relative	Relationship Codes

L1	65*, 70*, 80*, 260, 261, 262, 263	Temporary recodes to collapse relationships - Non-relative	Relationship Codes *All Foster relationships (foster sister/brother, parent, or child) have been recoded into the Other relationship category due to the temporary nature of the relationships.
X1	10, 20	Temporary recodes to collapse relationships - Spouse/Partner	Relationship Codes

Specifications

Value	Condition(s)	Description	Notes
99	Any DHH_REL = Z1	Not stated	NS
1	DHHDHSZ = 1	Unattached individual living alone Lives alone Household size=1	
2	All DHH_REL <> X1 and A1	Unattached individual living with others Lives with others S/he cannot have a marital/common-law or parental relationship but other relationships such as siblings are allowed	
3	DHHDHSZ = 2 and DHH_REL = X1	Spouse/partner living with spouse/partner Lives with spouse/partner only Household size=2	
4	DHHDHSZ > 2 and one DHH_REL = X1 and all other DHH_REL = A1	Parent living with spouse/partner and children Lives with spouse/partner and child(ren)	
5	All DHH_REL = A1	Single parent living with children Lives with child(ren) No other relationships are permitted	
6	DHHDHSZ = 2 and DHH_REL = B1	Child living with single parent Household size=2	
7	DHHDHSZ > 2 and one DHH_REL = B1 and all other DHH_ REL = C1	Child living with single parent and siblings	
8	DHHDHSZ = 3 and all DHH_REL = B1	Child living with two parents Household size=3	
9	DHHDHSZ > 3 and two DHH_REL = B1 and all other DHH_REL = C1	Child living with two parents and siblings	
10	Else	Other Lives in a household composition not classified above	

Total number of PERSONIDs with each SAMPLEID	DHH_AGE = 16, 17 (Member file) and RELATIONSHIP = 51, 52, 53, 80, 100, 112, 123 (Relation files)	Number of persons aged 16 or 17 in a household whose relationship with at least one adult of the household is child, grandchild, child-in-law or, niece or nephew	(min: 0; max: 40)

10) DHHDDWE-Dwelling type

Variable name: DHHDDWE

Based on: DHH_DW1, DHH_DW2

Description: This variable indicates the type of dwelling the respondent lives in, according to the answer either given on the phone (DHH_DW1) or entered by observation (DHH_DW2).

Note: DHH_DW1 and DHH_DW2 are DW_Q01 (Entry - Exit) and DW_N02 from the household questionnaire.

Specifications

Value	Condition(s)	Description	Notes
99	(DHH_DW1 = DK, RF, NS) and (DHH_DW2 = DK, RF, NS)	None of the required questions were answered (don't know, refusal, not stated)	NS
1	DHH_DW1 = 1 or DHH_DW2 = 1	Single detached	
2	DHH_DW1 = 2 or DHH_DW2 = 2	Double	
3	DHH_DW1 = 3 or DHH_DW2 = 3	Row or terrace	
4	DHH_DW1 = 4 or DHH_DW2 = 4	Duplex	
5	DHH_DW1 = 5 or DHH_DW2 = 5	Low-rise apartment (< 5 stories) or flat	
6	DHH_DW1 = 6 or DHH_DW2 = 6	High-rise apartment (5 stories or more)	
7	DHH_DW1 = 7 or DHH_DW2 = 7	Institution	
8	DHH_DW1 = 8 or DHH_DW2 = 8	Hotel/rooming house/camp	
9	DHH_DW1 = 9 or DHH_DW2 = 9	Mobile home	
10	DHH_DW1 = 10 or DHH_DW2 = 10	Other	

Education (4 DVs)

1) EDUDR04-Highest level of education - respondent, 4 levels

Variable name: EDUDR04

Based on: EDC_01, EDC_02, EDC_03, EDC_04

Description: This variable indicates the highest level of education acquired by the respondent.

Note: The category 3, "Some post-secondary education", was removed in Cycle 3 when the answer categories for DHH_ED4 changed. In Cycle 5 the variables names changed from DHH_ED1 - DHH_ED4 to EDC_01 - EDC_04. Refer to the data dictionary for more information.

Specifications

Value	Condition(s)	Description	Notes
1	(EDC_01 in (1, 2) and EDC_03 = 2) or (EDC_02 in (2, VS) and (EDC_03 = 2 or EDC_04 = 1))	Less than secondary school graduation	
2	(EDC_02 = 1 and (EDC_03 = 2 or EDC_04 = 2)) or (EDC_01 < 3 and EDC_04 = 2)	Secondary school graduation	
4	(3 <= EDC_04 <= 7)	Post-secondary degree/diploma	
9	Else	A required question was not answered (don't know, refusal, not stated)	NS

2) EDUDR10-Highest level of education - respondent, 10 levels

Variable name: EDUDR10

Based on: EDC_01, EDC_02, EDC_03, EDC_04

Description: This variable indicates the highest level of education acquired by the respondent.

Note: The category 5, "Some post-secondary education", was removed in Cycle 3 when the answer categories for DHH_ED4 changed. In Cycle 5 the variables names changed from DHH_ED1 - DHH_ED4 to EDC_01 - EDC_04. Refer to the data dictionary for more information.

Specifications

Value	Condition(s)	Description	Notes
1	EDC_01 = 1 and (EDC_03 = 2 or EDC_04 = 1)	Grade 8 or lower (Québec: Secondary II or lower)	
2	EDC_01 = 2 and (EDC_03 = 2 or EDC_04 = 1)	Grade 9-10 (Québec: Secondary III or IV; Newfoundland & Labrador: 1st year of secondary)	
3	(EDC_01 = 3 and EDC_02 = 2 and (EDC_03 = 2 or EDC_04 = 1))	Grade 11-13 (Québec: Secondary V; Newfoundland & Labrador: 2nd to 3rd year of secondary)	

4	(EDC_02 = 1 and (EDC_03 = 2 or EDC_04 = 2)) or (EDC_01 < 3 and EDC_04 = 2)	Secondary school graduate	
6	EDC_04 = 3	Trade certificate or diploma from a vocational school or apprenticeship training	
7	EDC_04 = 4	Non-university certificate or diploma from a community college, CEGEP, school of nursing, etc.	
8	EDC_04 = 5	University certificate below bachelor's level	
9	EDC_04 = 6	Bachelor's degree (e.g. B.A., B.Sc., LL.B)	
10	EDC_04 = 7	University degree or certificate above bachelor's degree	
99	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) EDUDH04-Highest level of education - household, 4 levels

Variable name: EDUDH04

Based on: EDUDR04 for each member of the household

Description: This variable indicates the highest level of education acquired by any member of the household.

Note: This variable is derived by temporarily creating EDUDR04 for all members of the household (all PERSONIDs within SAMPLEID), then by comparing the values of EDUDR04 within the household and returning the highest value. If EDUDR04 for any household member is NS (not stated), then NS is returned.
The SAS code used to derive this variable is available upon request.

4) EDUDH10-Highest level of education - household, 10 levels

Variable name: EDUDH10

Based on: EDUDR10 for each member of the household

Description: This variable indicates the highest level of education acquired by any member of the household.

Note: This variable is derived by temporarily creating EDUDR10 for all members of the household (all PERSONIDs within SAMPLEID), then by comparing the values of EDUDR10 within the household and returning the highest value. If EDUDR10 for any household member is NS (not stated), then NS is returned.
The SAS code used to derive this variable is available upon request.

Fish and shellfish consumption (26 DVs)

1) FSFD12Y-Eats lobster - times per year

Variable name: FSFD12Y

Based on: FSF_12, FSF_12N

Description: The number of times per year the respondent eats lobster.

Specifications

Value	Condition(s)	Description	Notes
FSF_12 * 12	FSF_12N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_12 * 52	FSF_12N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_12 * 365	FSF_12N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_12N = VS	Population exclusions	VS
9999	Else		NS

2) FSFD13Y-Eats shrimp - times per year

Variable name: FSFD13Y

Based on: FSF_13, FSF_13N

Description: The number of times per year the respondent eats shrimp.

Specifications

Value	Condition(s)	Description	Notes
FSF_13 * 12	FSF_13N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_13 * 52	FSF_13N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_13 * 365	FSF_13N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_13N = VS	Population exclusions	VS
9999	Else		NS

3) FSFD14Y-Eats mussels - times per year

Variable name: FSFD14Y

Based on: FSF_14, FSF_14N

Description: The number of times per year the respondent eats mussels.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_14 * 12	FSF_14N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_14 * 52	FSF_14N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_14 * 365	FSF_14N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_14N = VS	Population exclusions	VS
9999	Else		NS

4) FSFD15Y-Eats scallops- times per year

Variable name: FSFD15Y

Based on: FSF_15, FSF_15N

Description: The number of times per year the respondent eats scallops.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_15 * 12	FSF_15N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_15 * 52	FSF_15N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_15 * 365	FSF_15N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_15N = VS	Population exclusions	VS
9999	Else		NS

5) FSFD16Y-Eats oyster - times per year

Variable name: FSFD16Y

Based on: FSF_16, FSF_16N

Description: The number of times per year the respondent eats oyster.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_16 * 12	FSF_16N = 1	Reported number of times consumed per month	

		converted to derived number of times consumed per year	
FSF_16 * 52	FSF_16N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_16 * 365	FSF_16N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_16N = VS	Population exclusions	VS
9999	Else		NS

6) FSFD17Y-Eats squid or calamari - times per year

Variable name: FSFD17Y

Based on: FSF_17, FSF_17N

Description: The number of times per year the respondent eats squid or calamari.

Specifications

Value	Condition(s)	Description	Notes
FSF_17 * 12	FSF_17N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_17 * 52	FSF_17N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_17 * 365	FSF_17N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_17N = VS	Population exclusions	VS
9999	Else		NS

7) FSFD18Y-Eats clams - times per year

Variable name: FSFD18Y

Based on: FSF_18, FSF_18N

Description: The number of times per year the respondent eats clams.

Specifications

Value	Condition(s)	Description	Notes
FSF_18 * 12	FSF_18N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_18 * 52	FSF_18N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	

FSF_18 * 365	FSF_18N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_18N = VS	Population exclusions	VS
9999	Else		NS

8) FSFD19Y-Eats crab - times per year

Variable name: FSFD19Y

Based on: FSF_19, FSF_19N

Description: The number of times per year the respondent eats crab.

Specifications

Value	Condition(s)	Description	Notes
FSF_19 * 12	FSF_19N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_19 * 52	FSF_19N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_19 * 365	FSF_19N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_19N = VS	Population exclusions	VS
9999	Else		NS

9) FSFD20Y-Eats surimi or imitation crab - times per year

Variable name: FSFD20Y

Based on: FSF_20, FSF_20N

Description: The number of times per year the respondent eats surimi or imitation crab.

Specifications

Value	Condition(s)	Description	Notes
FSF_20 * 12	FSF_20N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_20 * 52	FSF_20N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_20 * 365	FSF_20N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_20N = VS	Population exclusions	VS
9999	Else		NS

10) FSFD21Y-Eats other shellfish (1) - times per year

Variable name: FSFD21Y

Based on: FSF_21, FSF_21N

Description: The number of times per year the respondent eats other shellfish (1).

Specifications

Value	Condition(s)	Description	Notes
FSF_21 * 12	FSF_21N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_21 * 52	FSF_21N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_21 * 365	FSF_21N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_21N = VS	Population exclusions	VS
9999	Else		NS

11) FSFD22Y-Eats other shellfish (2) - times per year

Variable name: FSFD22Y

Based on: FSF_22, FSF_22N

Description: The number of times per year the respondent eats other shellfish (2).

Specifications

Value	Condition(s)	Description	Notes
FSF_22 * 12	FSF_22N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_22 * 52	FSF_22N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_22 * 365	FSF_22N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_22N = VS	Population exclusions	VS
9999	Else		NS

12) FSFD23Y-Eats other shellfish (3) - times per year

Variable name: FSFD23Y

Based on: FSF_23, FSF_23N

Description: The number of times per year the respondent eats other shellfish (3).

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_23 * 12	FSF_23N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_23 * 52	FSF_23N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_23 * 365	FSF_23N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_23N = VS	Population exclusions	VS
9999	Else		NS

13) FSFD25AY-Eats light (flaked or chunk) tuna in a can or pouch - times per year

Variable name: FSFD25AY

Based on: FSF_25A, FSF_25AN

Description: The number of times per year the respondent eats light (flaked or chunk) tuna in a can or pouch.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_25A * 12	FSF_25AN = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_25A * 52	FSF_25AN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_25A * 365	FSF_25AN = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_25AN = VS	Population exclusions	VS
9999	Else		NS

14) FSFD25BY-Eats white (solid) tuna in a can or pouch - times per year

Variable name: FSFD25BY

Based on: FSF_25B, FSF_25BN

Description: The number of times per year the respondent eats white (solid) tuna in a can or pouch.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
FSF_25B * 12	FSF_25BN = 1	Reported number of times consumed per month converted to derived number of times consumed per year	

FSF_25B * 52	FSF_25BN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_25B * 365	FSF_25BN = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_25BN = VS	Population exclusions	VS
9999	Else		NS

15) FSFD25CY-Eats tune of unknown type, in a can or pouch - times per year

Variable name: FSFD25CY

Based on: FSF_25C, FSF_25CN

Description: The number of times per year the respondent eats tuna of an unknown type in a can or pouch.

Specifications

Value	Condition(s)	Description	Notes
FSF_25C * 12	FSF_25CN = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_25C * 52	FSF_25CN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_25C * 365	FSF_25CN = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_25CN = VS	Population exclusions	VS
9999	Else		NS

16) FSFD26Y-Eats tuna steak or fillets - times per year

Variable name: FSFD26Y

Based on: FSF_26, FSF_26N

Description: The number of times per year the respondent eats tuna steak or fillets.

Specifications

Value	Condition(s)	Description	Notes
FSF_26 * 12	FSF_26N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_26 * 52	FSF_26N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_26 * 365	FSF_26N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_26N = VS	Population exclusions	VS

9999	Else		NS

17) FSFD27Y-Eats salmon in a can or pouch - times per year

Variable name: FSFD27Y

Based on: FSF_27, FSF_27N

Description: The number of times per year the respondent eats salmon in a can or pouch.

Specifications

Value	Condition(s)	Description	Notes
FSF_27 * 12	FSF_27N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_27 * 52	FSF_27N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_27 * 365	FSF_27N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_27N = VS	Population exclusions	VS
9999	Else		NS

18) FSFD28Y-Eats salmon (fresh, frozen or smoked) - times per year

Variable name: FSFD28Y

Based on: FSF_28, FSF_28N

Description: The number of times per year the respondent eats salmon (fresh, frozen or smoked).

Specifications

Value	Condition(s)	Description	Notes
FSF_28 * 12	FSF_28N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_28 * 52	FSF_28N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_28 * 365	FSF_28N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_28N = VS	Population exclusions	VS
9999	Else		NS

19) FSFD30Y-Eats shark - times per year

Variable name: FSFD30Y

Based on: FSF_30, FSF_30N

Description: The number of times per year the respondent eats shark.

Specifications

Value	Condition(s)	Description	Notes
FSF_30 * 12	FSF_30N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_30 * 52	FSF_30N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_30 * 365	FSF_30N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_30N = VS	Population exclusions	VS
9999	Else		NS

20) FSFD31Y-Eats marlin - times per year

Variable name: FSFD31Y

Based on: FSF_31, FSF_31N

Description: The number of times per year the respondent eats marlin.

Specifications

Value	Condition(s)	Description	Notes
FSF_31 * 12	FSF_31N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_31 * 52	FSF_31N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_31 * 365	FSF_31N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_31N = VS	Population exclusions	VS
9999	Else		NS

21) FSFD32Y-Eats swordfish - times per year

Variable name: FSFD32Y

Based on: FSF_32, FSF_32N

Description: The number of times per year the respondent eats swordfish.

Specifications

Value	Condition(s)	Description	Notes

FSF_32 * 12	FSF_32N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_32 * 52	FSF_32N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_32 * 365	FSF_32N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_32N = VS	Population exclusions	VS
9999	Else		NS

22) FSFD36Y-Eats mackerel - times per year

Variable name: FSFD36Y

Based on: FSF_36, FSF_36N

Description: The number of times per year the respondent eats mackerel.

Specifications

Value	Condition(s)	Description	Notes
FSF_36 * 12	FSF_36N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_36 * 52	FSF_36N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_36 * 365	FSF_36N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_36N = VS	Population exclusions	VS
9999	Else		NS

23) FSFD37Y-Eats herring - times per year

Variable name: FSFD37Y

Based on: FSF_37, FSF_37N

Description: The number of times per year the respondent eats herring.

Specifications

Value	Condition(s)	Description	Notes
FSF_37 * 12	FSF_37N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_37 * 52	FSF_37N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	

FSF_37 * 365	FSF_37N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_37N = VS	Population exclusions	VS
9999	Else		NS

24) FSFD42Y-Eats other fish (1) - times per year

Variable name: FSFD42Y

Based on: FSF_42, FSF_42N

Description: The number of times per year the respondent eats any other fish (1).

Specifications

Value	Condition(s)	Description	Notes
FSF_42 * 12	FSF_42N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_42 * 52	FSF_42N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_42 * 365	FSF_42N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_42N = VS	Population exclusions	VS
9999	Else		NS

25) FSFD43Y-Eats other fish (2) - times per year

Variable name: FSFD43Y

Based on: FSF_43, FSF_43N

Description: The number of times per year the respondent eats any other fish (2).

Specifications

Value	Condition(s)	Description	Notes
FSF_43 * 12	FSF_43N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_43 * 52	FSF_43N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_43 * 365	FSF_43N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_43N = VS	Population exclusions	VS
9999	Else		NS

26) FSFD44Y-Eats other fish (3) - times per year

Variable name: FSFD44Y

Based on: FSF_44, FSF_44N

Description: The number of times per year the respondent eats any other fish (3).

Specifications

Value	Condition(s)	Description	Notes
FSF_44 * 12	FSF_44N = 1	Reported number of times consumed per month converted to derived number of times consumed per year	
FSF_44 * 52	FSF_44N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
FSF_44 * 365	FSF_44N = 3	Reported number of times consumed per day converted to derived number of times consumed per year	
9996	FSF_44N = VS	Population exclusions	VS
9999	Else		NS

General health (2 DVs)

1) GENDHDI-Self-rated health (formerly Health Description Index)

Variable name: GENDHDI

Based on: GEN_005

Description: This variable indicates the respondent's health status based on his/her own judgement.

Note: Higher scores indicate positive self-reported health status. (In Cycle 5 the variable name changed from GEN_11 to GEN_005. Refer to the data dictionary for more information.)

Specifications

Value	Condition(s)	Description	Notes
9	(GEN_005 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	GEN_005 = 5	Poor	
1	GEN_005 = 4	Fair	
2	GEN_005 = 3	Good	
3	GEN_005 = 2	Very good	
4	GEN_005 = 1	Excellent	

2) GENDMHI-Self-rated mental health

Variable name: GENDMHI

Based on: GEN_020, DHH_AGE

Description: This variable indicates the respondent's mental health status based on his/her own judgement.

Note: Higher scores indicate positive self-reported mental health status. (In Cycle 5 the variable name changed from GEN_14 to GEN_020. Refer to the data dictionary for more information.)

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 12	Population exclusions	VS
9	(GEN_020 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	GEN_020 = 5	Poor	
1	GEN_020 = 4	Fair	
2	GEN_020 = 3	Good	
3	GEN_020 = 2	Very good	
4	GEN_020 = 1	Excellent	

Grains, fruits and vegetables consumption (16 DVs)

1) GFVD11Y-Eats hot or cold cereal - times per year

Variable name: GFVD11Y

Based on: GFV_11, GFV_11N

Description: The number of times per year the respondent eats hot or cold cereal.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_11 = 0	Never	
GFV_11 * 365	GFV_11N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_11 * 52	GFV_11N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_11 * 12	GFV_11N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_11	GFV_11N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) GFVD12Y-Eats whole grain bread - times per year

Variable name: GFVD12Y

Based on: GFV_12, GFV_12N

Description: The number of times per year the respondent eats whole grain bread such as whole wheat, rye or pumpernickel including bread made with oats or buckwheat (also including bagels, rolls, pita bread or tortillas).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_12 = 0	Never	
GFV_12 * 365	GFV_12N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_12 * 52	GFV_12N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_12 * 12	GFV_12N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_12	GFV_12N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) GFVD13Y-Eats white bread - times per year

Variable name: GFVD13Y

Based on: GFV_13, GFV_13N

Description: The number of times per year the respondent eats white bread (including bagels, rolls, pita bread or tortillas).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_13 = 0	Never	
GFV_13 * 365	GFV_13N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_13 * 52	GFV_13N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_13 * 12	GFV_13N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_13	GFV_13N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) GFVD14Y-Eats any kind of pasta - times per year

Variable name: GFVD14Y

Based on: GFV_14, GFV_14N

Description: The number of times per year the respondent eats any kind of pasta (including spaghetti, noodles, macaroni and cheese or pasta salad).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_14 = 0	Never	
GFV_14 * 365	GFV_14N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_14 * 52	GFV_14N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_14 * 12	GFV_14N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_14	GFV_14N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

5) GFVD16Y-Eats instant, seasoned or wild rice - times per year

Variable name: GFVD16Y

Based on: GFV_16, GFV_16N

Description: The number of times per year the respondent who eats rice eats instant, seasoned or wild rice (including Minute Rice®, Dainty®, Rice-a-Roni®).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_16 = 0	Never	
GFV_16 * 365	GFV_16N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_16 * 52	GFV_16N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_16 * 12	GFV_16N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_16	GFV_16N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

6) GFVD17AY-Eats citrus fruit - times per year

Variable name: GFVD17AY

Based on: GFV_17A, GFV_17AN

Description: The number of times per year the respondent eats citrus fruit such as oranges or grapefruits (fresh, frozen, canned).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_17A = 0	Never	
GFV_17A * 365	GFV_17AN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_17A * 52	GFV_17AN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_17A * 12	GFV_17AN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_17A	GFV_17AN = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

7) GFVD17BY-Eats strawberries during the summer - times per summer

Variable name: GFVD17BY

Based on: GFV_17B, GFV_17BN

Description: The number of times the respondent eats strawberries during the summer (fresh, frozen or canned).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_17B = 0	Never	
GFV_17B * 92	GFV_17BN = 1	Reported number of times consumed per day converted to derived number of times consumed per summer	
GFV_17B * 13	GFV_17BN = 2	Reported number of times consumed per week converted to derived number of times consumed per summer	
GFV_17B * 3	GFV_17BN = 3	Reported number of times consumed per month converted to derived number of times consumed per summer	
GFV_17B	GFV_17BN = 4	Reported number of times consumed per summer	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

8) GFVD17CY-Eats strawberries during the rest of the year - times per rest of year

Variable name: GFVD17CY

Based on: GFV_17C, GFV_17CN

Description: The number of times the respondent eats strawberries(fresh, frozen or canned) during the rest of the year (excluding summer).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_17C = 0	Never	
GFV_17C * 273	GFV_17CN = 1	Reported number of times consumed per day converted to derived number of times consumed during the rest of the year	
GFV_17C * 39	GFV_17CN = 2	Reported number of times consumed per week converted to derived number of times consumed during the rest of the year	
GFV_17C * 9	GFV_17CN = 3	Reported number of times consumed per month converted to derived number of times consumed during the rest of the year	
GFV_17C	GFV_17CN = 4	Reported number of times consumed overall during the rest of the year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

9) GFVD17DY-Eats other types of fruit - times per year

Variable name: GFVD17DY

Based on: GFV_17D, GFV_17DN

Description: The number of times per year the respondent eats other types of fruit (fresh, frozen or canned), excluding citrus fruits and strawberries.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_17D = 0	Never	
GFV_17D * 365	GFV_17DN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_17D * 52	GFV_17DN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_17D * 12	GFV_17DN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_17D	GFV_17DN = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

10) GFVD18Y-Eats tomatoes or tomato sauce - times per year

Variable name: GFVD18Y

Based on: GFV_18, GFV_18N

Description: The number of times per year the respondent eats tomatoes or tomato sauce (including salsa, tomato soup and spaghetti sauce but excluding tomato paste, ketchup or pizza sauce).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_18 = 0	Never	
GFV_18 * 365	GFV_18N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_18 * 52	GFV_18N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_18 * 12	GFV_18N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_18	GFV_18N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

11) GFVD19Y-Eats lettuce or green leafy salad - times per year

Variable name: GFVD19Y

Based on: GFV_19, GFV_19N

Description: The number of times per year the respondent eats lettuce or green leafy salad with or without other vegetables.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_19 = 0	Never	
GFV_19 * 365	GFV_19N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_19 * 52	GFV_19N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_19 * 12	GFV_19N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_19	GFV_19N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

12) GFVD20Y-Eats spinach, mustard greens, cabbage or collards - times per year

Variable name: GFVD20Y

Based on: GFV_20, GFV_20N

Description: The number of times per year the respondent eats spinach, mustard greens, cabbage or collards excluding kale.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_20 = 0	Never	
GFV_20 * 365	GFV_20N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_20 * 52	GFV_20N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_20 * 12	GFV_20N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_20	GFV_20N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

13) GFVD21Y-Eats french fries, home fries or hash brown potatoes - times per year

Variable name: GFVD21Y

Based on: GFV_21, GFV_21N

Description: The number of times per year the respondent eats french fries, home fries or hash brown potatoes.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_21 = 0	Never	
GFV_21 * 365	GFV_21N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_21 * 52	GFV_21N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_21 * 12	GFV_21N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_21	GFV_21N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

14) GFVD22Y-Eats other potatoes - times per year

Variable name: GFVD22Y

Based on: GFV_22, GFV_22N

Description: The number of times per year the respondent eats other potatoes (including baked, boiled, mashed or in potato salad, but excluding sweet potatoes).

Specifications

Value	Condition(s)	Description	Notes
0	GFV_22 = 0	Never	
GFV_22 * 365	GFV_22N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_22 * 52	GFV_22N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_22 * 12	GFV_22N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_22	GFV_22N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

15) GFVD23Y-Eats all other types of vegetables - times per year

Variable name: GFVD23Y

Based on: GFV_23, GFV_23N

Description: The number of times per year the respondent eats all other types of vegetables.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_23 = 0	Never	
GFV_23 * 365	GFV_23N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_23 * 52	GFV_23N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_23 * 12	GFV_23N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_23	GFV_23N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

16) GFVD24Y-Eats flax seeds - times per year

Variable name: GFVD24Y

Based on: GFV_24, GFV_24N

Description: The number of times per year the respondent eats flax seeds (including those eaten in foods such as breakfast cereal, yogurt, muffins or bread.

Specifications

Value	Condition(s)	Description	Notes
0	GFV_24 = 0	Never	
GFV_24 * 365	GFV_24N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
GFV_24 * 52	GFV_24N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
GFV_24* 12	GFV_24N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
GFV_24	GFV_24N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Grip strength component (4 DVs)

1) GSCDELG-Eligibility - Grip strength component

Variable name: GSCDELG

Based on: CLC_AGE, ATG_33A, PHC_42H, PHC_44H, PHR_05, PHR_80A, PHR_95A, PHR_56CA, PHR_57CA, PHR_58CA, PHR_59CA, PHR_60CA, PHR_61CA, PHR_62CA, PHR_63CA, PHR_64CA, PHR_65CA, PHR_66CA, PHR_15E, MED_611A, ORS_1, PHR_07

Description: This variable indicates whether the respondent was eligible for the grip strength component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met. This test was performed by respondents 6 to 79 years of age.

Specifications

Value	Condition(s)	Description	Notes
3	CLC_AGE < 6	Not eligible - age	
5	ATG_33A = 1	Not eligible - drank alcohol before appointment	
9	PHC_42H = 1 or PHC_44H = 1 or PHR_05 = 1 or PHR_80A = 1 or PHR_56CA = 1 or PHR_57CA = 1 or PHR_58CA = 1 or PHR_59CA = 1 or PHR_60CA = 1 or PHR_61CA = 1 or PHR_62CA = 1 or PHR_63CA = 1 or PHR_64CA = 1 or PHR_65CA = 1 or PHR_66CA = 1 or PHR_07	Not eligible - acute or chronic condition	
12	PHR_15E = 1 or MED_611A = 1	Not eligible - medication use	
14	PHR_95A = 1 or ORS_1 = 1	Not eligible - other reason	
1	Else	Eligible	

2) GSMD51-Total hand grip strength (kilograms)

Variable name: GSMD51

Based on: GSCDELG, GSM_11, GSM_12, GSM_21, GSM_22

Description: This variable indicates respondent's total hand grip strength.

Note: This test was performed by respondents 6 to 79 years of age.

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013.

Specifications

Value	Condition(s)	Description	Notes
996	(1 < GSCDELG < VS)	Population exclusions	VS

999	(GSM_11 > VS and GSM_21 > VS) or (GSM_12 > VS and GSM_22 > VS)	At least one required question was not answered (don't know, refusal, not stated)	NS
GSM_21 + GSM_22	((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_11 < GSM_21) and (GSM_12 < GSM_22)) or ((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (GSM_12 >= VS) and (0 < GSM_22 < VS) and (GSM_11 < GSM_21)) or ((GSM_11 >= VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_12 < GSM_22)) or ((GSM_11 >= VS) and (0 < GSM_21 < VS) and (GSM_12 >= VS) and (0 < GSM_22 < VS))	Second grip strength measurement for the right hand and the left hand	
GSM_21 + GSM_12	((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_11 < GSM_21) and (GSM_12 >= GSM_22)) or ((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (GSM_22 >= VS) and (GSM_11 < GSM_21)) or ((GSM_11 >= VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_12 >= GSM_22)) or ((GSM_11 >= VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (GSM_22 >= VS))	Second grip strength measurement for the right hand and first grip strength measurement for the left hand	
GSM_11 + GSM_22	((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_11 >= GSM_21) and (GSM_12 < GSM_22)) or ((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (GSM_12 >= VS) and (0 < GSM_22 < VS) and (GSM_11 >= GSM_21)) or ((0 < GSM_11 < VS) and (GSM_21 >= VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_12 < GSM_22)) or ((0 < GSM_11 < VS) and (GSM_21 >= VS) and (GSM_12 >= VS) and (0 < GSM_22 < VS))	First grip strength measurement for the right hand and second grip strength measurement for the left hand	

GSM_11 + GSM_12	((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_11 >= GSM_21) and (GSM_12 >= GSM_22)) or ((0 < GSM_11 < VS) and (0 < GSM_21 < VS) and (0 < GSM_12 < VS) and (GSM_22 >= VS) and (GSM_11 >= GSM_21)) or ((0 < GSM_11 < VS) and (GSM_21 >= VS) and (0 < GSM_12 < VS) and (0 < GSM_22 < VS) and (GSM_12 >= GSM_22)) or ((0 < GSM_11 < VS) and (GSM_21 >= VS) and (0 < GSM_12 < VS) and (GSM_22 >= VS))	First grip strength measurement for the right hand and first grip strength measurement for the left hand

3) GSMD52-Health benefit rating for grip strength for respondents 15 to 69 years of age

Variable name: GSMD52

Based on: GSCDELG, CLC_AGE, CLC_SEX, GSMD51

Description: This variable evaluates the health benefits from the grip strength score for respondents 15 to 69.

Note: The Physical Activity Training for Health (CSEP-PATH, 2013), provides the following description of the health benefit rating determined from the grip strength score :

Excellent - grip strength falls within a range that is generally associated with optimal health benefits
Very Good- grip strength falls within a range that is generally associated with considerable health benefits
Good - grip strength falls within a range that is generally associated with many health benefits
Fair - grip strength falls within a range that is generally associated with some health benefits but also some health risks
Poor - grip strength falls within a range that is generally associated with considerable health risks

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013.

Specifications

Value	Condition(s)	Description	Notes
6	CLC_AGE < 15 or GSCDELG > 1	Population exclusions	VS

0	(CLC_SEX = 1 and ((CLC_AGE < 20 and (0 < GSMD51 < 79)) or ((19 < CLC_AGE < 30) and (0 < GSMD51 < 84)) or ((29 < CLC_AGE < 40) and (0 < GSMD51 < 84)) or ((39 < CLC_AGE < 50) and (0 < GSMD51 < 80)) or ((49 < CLC_AGE < 60) and (0 < GSMD51 < 76)) or ((59 < CLC_AGE < 70) and (0 < GSMD51 < 73)))) or (CLC_SEX = 2 and ((CLC_AGE < 20 and (0 < GSMD51 < 48)) or ((19 < CLC_AGE < 30) and (0 < GSMD51 < 52)) or ((29 < CLC_AGE < 40) and (0 < GSMD51 < 51)) or ((39 < CLC_AGE < 50) and (0 < GSMD51 < 49)) or ((49 < CLC_AGE < 60) and (0 < GSMD51 < 45)) or ((59 < CLC_AGE < 70) and (0 < GSMD51 < 41))))	Poor
1	(CLC_SEX = 1 and ((CLC_AGE < 20 and (78 < GSMD51 < 90)) or ((19 < CLC_AGE < 30) and (83 < GSMD51 < 95)) or ((29 < CLC_AGE < 40) and (83 < GSMD51 < 95)) or ((39 < CLC_AGE < 50) and (79 < GSMD51 < 88)) or ((49 < CLC_AGE < 60) and (75 < GSMD51 < 84)) or ((59 < CLC_AGE < 70) and (72 < GSMD51 < 84)))) or (CLC_SEX = 2 and ((CLC_AGE < 20 and (47 < GSMD51 < 53)) or ((19 < CLC_AGE < 30) and (51 < GSMD51 < 58)) or ((29 < CLC_AGE < 40) and (50 < GSMD51 < 58)) or ((39 < CLC_AGE < 50) and (48 < GSMD51 < 54)) or ((49 < CLC_AGE < 60) and (44 < GSMD51 < 49)) or ((59 < CLC_AGE < 70) and (40 < GSMD51 < 45))))	Fair

2	(CLC_SEX = 1 and ((CLC_AGE < 20 and (89 < GSMD51 < 98)) or ((19 < CLC_AGE < 30) and (94 < GSMD51 < 104)) or ((29 < CLC_AGE < 40) and (94 < GSMD51 < 104)) or ((39 < CLC_AGE < 50) and (87 < GSMD51 < 97)) or ((49 < CLC_AGE < 60) and (83 < GSMD51 < 92)) or ((59 < CLC_AGE < 70) and (83 < GSMD51 < 91)))) or (CLC_SEX = 2 and ((CLC_AGE < 20 and (52 < GSMD51 < 60)) or ((19 < CLC_AGE < 30) and (57 < GSMD51 < 63)) or ((29 < CLC_AGE < 40) and (57 < GSMD51 < 63)) or ((39 < CLC_AGE < 50) and (53 < GSMD51 < 61)) or ((49 < CLC_AGE < 60) and (48 < GSMD51 < 54)) or ((59 < CLC_AGE < 70) and (44 < GSMD51 < 48))))	Good
3	(CLC_SEX = 1 and ((CLC_AGE < 20 and (97 < GSMD51 < 108)) or ((19 < CLC_AGE < 30) and (103 < GSMD51 < 115)) or ((29 < CLC_AGE < 40) and (103 < GSMD51 < 115)) or ((39 < CLC_AGE < 50) and (96 < GSMD51 < 108)) or ((49 < CLC_AGE < 60) and (91 < GSMD51 < 101)) or ((59 < CLC_AGE < 70) and (90 < GSMD51 < 100)))) or (CLC_SEX = 2 and ((CLC_AGE < 20 and (59 < GSMD51 < 68)) or ((19 < CLC_AGE < 30) and (62 < GSMD51 < 70)) or ((29 < CLC_AGE < 40) and (62 < GSMD51 < 71)) or ((39 < CLC_AGE < 50) and (60 < GSMD51 < 69)) or ((49 < CLC_AGE < 60) and (53 < GSMD51 < 61)) or ((59 < CLC_AGE < 70) and (47 < GSMD51 < 54))))	Very good

4	(CLC_SEX = 1 and ((CLC_AGE < 20) and (107 < GSMD51 < VS)) or ((19 < CLC_AGE < 30) and (114 < GSMD51 < VS)) or ((29 < CLC_AGE < 40) and (114 < GSMD51 < VS)) or ((39 < CLC_AGE < 50) and (107 < GSMD51 < VS)) or ((49 < CLC_AGE < 60) and (100 < GSMD51 < VS)) or ((59 < CLC_AGE < 70) and (99 < GSMD51 < VS)))) or (CLC_SEX = 2 and ((CLC_AGE < 20 and (67 < GSMD51 < VS)) or ((19 < CLC_AGE < 30) and (69 < GSMD51 < VS)) or ((29 < CLC_AGE < 40) and (70 < GSMD51 < VS)) or ((39 < CLC_AGE < 50) and (68 < GSMD51 < VS)) or ((49 < CLC_AGE < 60) and (60 < GSMD51 < VS)) or ((59 < CLC_AGE < 70) and (53 < GSMD51 < VS))))	Excellent	
5	CLC_AGE > 69	No norms for this age group	
9	GSMD51 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS

4) GSMD53-Classification of grip strength for respondents 7 to 14 years of age

Variable name: GSMD53

Based on: GSCDELG, CLC_AGE, CLC_SEX, GSMD51

Description: This variable indicates the grip strength norms for respondents 7-14 years of age.

Source: National Center for Health Statistics. Assessing physical fitness and physical activity in population-based surveys. Hyattsville: Department of Health and Human Services publication; 1989.

Specifications

Value	Condition(s)	Description	Notes
6	GSCDELG > 1 or CLC_AGE > 14	Population exclusions	VS
1	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (0 < GSMD51 < 28)) or ((9 < CLC_AGE < 13) and (0 < GSMD51 < 43)) or ((12 < CLC_AGE < 15) and (0 < GSMD51 < 61)))) or (CLC_SEX = 2 and (((6 < CLC_AGE < 10) and (0 < GSMD51 < 26)) or ((9 < CLC_AGE < 13) and (0 < GSMD51 < 36)) or ((12 < CLC_AGE < 15) and (0 < GSMD51 < 52))))	Below average	

2	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (27 < GSMD51 < 33)) or ((9 < CLC_AGE < 13) and (42 < GSMD51 < 48)) or ((12 < CLC_AGE < 15) and (60 < GSMD51 < 70)))) or (CLC_SEX = 2 and (((6 < CLC_AGE < 10) and (25 < GSMD51 < 29)) or ((9 < CLC_AGE < 13) and (35 < GSMD51 < 41)) or ((12 < CLC_AGE < 15) and (51 < GSMD51 < 57))))	Average	
3	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (32 < GSMD51 < VS)) or ((9 < CLC_AGE < 13) and (47 < GSMD51 < VS)) or ((12 < CLC_AGE < 15) and (69 < GSMD51 < VS)))) or (CLC_SEX = 2 and (((6 < CLC_AGE < 10) and (28 < GSMD51 < VS)) or ((9 < CLC_AGE < 13) and (40 < GSMD51 < VS)) or ((12 < CLC_AGE < 15) and (56 < GSMD51 < VS))))	Above average	
5	CLC_AGE = 6	No norms for this age group	
9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Hair Sample Component (1 DV)

1) HSCDELG-Eligibility - Hair sample component

Variable name: HSCDELG

Based on: CLC_AGE, HSR_005, HSC_010

Description: This variable indicates whether the respondent was eligible for the hair sample component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met. This test was performed by respondents 20 to 59 years of age.

Specifications

Value	Condition(s)	Description	Notes
3	CLC_AGE < 20 or CLC_AGE > 59	Not eligible - age	
25	HSR_005 = 2	Not eligible - not enough hair	
26	HSR_010 = 2	Not eligible - not respondents own hair	
1	Else	Eligible	

Health utility index (HUI) (10 DVs)

1) HUIDCOG-Cognition problems (function code)

Variable name: HUIDCOG

Based on: HUI_135, HUI_140, DHH_AGE

Description: This variable classifies respondents between 6 and 79 years old based on their level of cognitive problems. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 6	Population exclusions	NA
99	(HUI_135 = DK, RF, NS) or (HUI_140 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_135 = 1 and HUI_140 = 1	No cognitive problems	
2	(HUI_135 = 1 and HUI_140 = 2) or (HUI_135 = 1 and HUI_140 = 3)	A little difficulty thinking	
3	HUI_135 = 2 and HUI_140 = 1	Somewhat forgetful	
4	(HUI_135 = 2 and HUI_140 = 2) or (HUI_135 = 2 and HUI_140 = 3)	Somewhat forgetful / a little difficulty thinking	
5	(HUI_135 = 1 and HUI_140 = 4) or (HUI_135 = 2 and HUI_140 = 4) or (HUI_135 = 3 and HUI_140 = 1) or (HUI_135 = 3 and HUI_140 = 2) or (HUI_135 = 3 and HUI_140 = 3) or (HUI_135 = 3 and HUI_140 = 4)	Very forgetful / great deal of difficulty thinking	
6	(HUI_135 = 1 and HUI_140 = 5) or (HUI_135 = 2 and HUI_140 = 5) or (HUI_135 = 3 and HUI_140 = 5) or (HUI_135 = 4 and HUI_140 = 1) or (HUI_135 = 4 and HUI_140 = 2) or (HUI_135 = 4 and HUI_140 = 3) or (HUI_135 = 4 and HUI_140 = 4) or (HUI_135 = 4 and HUI_140 = 5)	Unable to remember and / or to think	

2) HUIDDEX-Dexterity trouble (function code)

Variable name: HUIDDEX

Based on: HUI_110, HUI_115, HUI_120, HUI_125, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their state of dexterity trouble.This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 6	Population exclusions	NA

99	(HUI_110 = DK, RF, NS) or (HUI_115 = DK, RF, NS) or (HUI_120 = DK, RF, NS) or (HUI_125 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_110 = 1 and HUI_115 = 6 and HUI_120 = 6 and HUI_125 = 6	No dexterity problems	
2	HUI_110 = 2 and HUI_115 = 2 and HUI_120 = 6 and HUI_125 = 2	Dexterity problem - no help required	
3	HUI_110 = 2 and HUI_115 = 2 and HUI_120 = 6 and HUI_125 = 1	Dexterity problem - require special equipment	
4	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 1 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 1 and HUI_125 = 2)	Dexterity problem - requires help with some tasks	
5	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 2 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 2 and HUI_125 = 2) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 3 and HUI_125 =1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 3 and HUI_125 = 2)	Dexterity problem - requires help with most tasks	
6	(HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 4 and HUI_125 = 1) or (HUI_110 = 2 and HUI_115 = 1 and HUI_120 = 4 and HUI_125 = 2)	Dexterity problem - requires help with all tasks	

3) HUIDEMO-Emotional problems (function code)

Variable name: HUIDEMO

Based on: HUI_130, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their level of emotional problems.This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 6	Population exclusions	NA

9	(HUI_130 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_130 = 1	Happy and interested in life	
2	HUI_130 = 2	Somewhat happy	
3	HUI_130 = 3	Somewhat unhappy	
4	HUI_130 = 4	Unhappy with little interest in life	
5	HUI_130 = 5	So unhappy that life is not worthwhile	

4) HUIDHER-Hearing problems (function code)

Variable name: HUIDHER

Based on: HUI_030, HUI_035, HUI_040, HUI_045, HUI_050, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their hearing state.This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 6	Population exclusions	NA
99	(HUI_030 = DK, RF, NS) or (HUI_035 = DK, RF, NS) or (HUI_040 = DK, RF, NS) or (HUI_045 = DK, RF, NS) or (HUI_050 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_030 = 1 and HUI_035 = 6 and HUI_040 = 6 and HUI_045 = 6 and HUI_050 = 6	No hearing problems	
2	HUI_030 = 2 and HUI_035 = 1 and HUI_040 = 6 and HUI_045 = 1 and HUI_050 = 6	Problem hearing in group - corrected	
3	(HUI_030 = 2 and HUI_035 = 1 and HUI_040 = 6 and HUI_045 = 2 and HUI_050 = 1) or (HUI_030 = 2 and HUI_035 = 1 and HUI_040 = 6 and HUI_045 = 2 and HUI_050 = 2)	Problem hearing in group and individual - corrected	
4	HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 1 and HUI_045 = 1 and HUI_050 = 6	Problem hearing in group - not corrected	
5	HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 1 and HUI_045 = 2 and HUI_050 = 1	Problem hearing in group and individual - individual corrected	

6	(HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 1 and HUI_045 = 2 and HUI_050 = 2) or (HUI_030 = 2 and HUI_035 = 2 and HUI_040 = 2 and HUI_045 = 6 and HUI_050 = 6)	Cannot hear

5) HUIDMOB-Mobility trouble (function code)

Variable name: HUIDMOB

Based on: HUI_075, HUI_080, HUI_085, HUI_090, HUI_095, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their state of mobility trouble. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 6	Population exclusions	NA
99	(HUI_075 = DK, RF, NS) or (HUI_080 = DK, RF, NS) or (HUI_085 = DK, RF, NS) or (HUI_090 = DK, RF, NS) or (HUI_095 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_075 = 1 and HUI_080 = 6 and HUI_085 = 6 and HUI_090 = 6 and HUI_095 = 6	No mobility problems	
2	HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 2 and HUI_095 = 2	Problem - no aid required	
3	HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 2 and HUI_095 = 2	Problem - requires mechanical support	
4	(HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 2 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 2 and HUI_095 = 1)	Problem - requires wheelchair	

5	(HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 1 and HUI_090 = 1 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080= 1 and HUI_085 = 1 and HUI_090 = 1 and HUI_095 = 2) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 1 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 1 and HUI_085 = 2 and HUI_090 = 1 and HUI_095 = 2)	Problem - requires help from people
6	(HUI_075 = 2 and HUI_080 = 2 and HUI_085 = 6 and HUI_090 = 6 and HUI_095 = 1) or (HUI_075 = 2 and HUI_080 = 2 and HUI_085 = 6 and HUI_090 = 6 and HUI_095 = 2)	Cannot walk

6) HUIDPAD-Activities prevented by discomfort / pain (function code)

Variable name: HUIDPAD

Based on: HUI_145, HUI_155, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their activity limitation due to pain or discomfort. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 6	Population exclusions	NA
9	(HUI_145 = DK, RF, NS) or (HUI_155 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_145 = 1 and HUI_155 = 6	No pain or discomfort	
2	HUI_145 = 2 and HUI_155 = 1	Pain - does not prevent activity	
3	HUI_145 = 2 and HUI_155 = 2	Pain prevents a few activities	
4	HUI_145 = 2 and HUI_155 = 3	Pain prevents some activities	
5	HUI_145 = 2 and HUI_155 = 4	Pain prevents most activities	

7) HUIDSPE-Speech trouble (function code)

Variable name: HUIDSPE

Based on: HUI_055, HUI_060, HUI_065, HUI_070, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their state of speech trouble. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 6	Population exclusions	NA
9	(HUI_055 = DK, RF, NS) or (HUI_060 = DK, RF, NS) or (HUI_065 = DK, RF, NS) or (HUI_070 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_055 = 1 and HUI_060 = 6 and HUI_065 = 6 and HUI_070 = 6	No speech problems	
2	HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 1 and HUI_070 = 6	Partially understood by strangers	
3	HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 2 and HUI_070 = 1	Partially understood by friends	
4	(HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 1 and HUI_070 = 6) or (HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 2 and HUI_070 = 1)	Not understood by strangers	
5	(HUI_055 = 2 and HUI_060 = 1 and HUI_065 = 2 and HUI_070 = 2) or (HUI_055 = 2 and HUI_060 = 2 and HUI_065 = 2 and HUI_070 = 2)	Not understood by friends	

8) HUIDVIS-Vision trouble (function code)

Variable name: HUIDVIS

Based on: HUI_005, HUI_010, HUI_015, HUI_020, HUI_025, DHH_AGE

Description: This variable classifies the respondents between 6 and 79 years old based on their vision state. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 6	Population exclusions	NA

99	(HUI_005 = DK, RF, NS) or (HUI_010 = DK, RF, NS) or (HUI_015 = DK, RF, NS) or (HUI_020 = DK, RF, NS) or (HUI_025= DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HUI_005 = 1 and HUI_010 = 6 and HUI_015 = 6 and HUI_020 = 1 and HUI_025 = 6	No visual problems	
2	(HUI_005 = 1 and HUI_010 = 6 and HUI_015 = 6 and HUI_020 = 2 and HUI_025 = 1) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = 6 and HUI_020 = 1 and HUI_025 = 6) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = 6 and HUI_020 = 2 and HUI_025 = 1)	Problems corrected by lenses (distance, close, or both)	
3	(HUI_005 = 1 and HUI_010 = 6 and HUI_015 = 6 and HUI_020 = 2 and HUI_025 = 2) or (HUI_005 = 2 and HUI_010 = 1 and HUI_015 = 6 and HUI_020 = 2 and HUI_025 = 2)	Problems seeing distance - not corrected	
4	(HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUI_020 = 1 and HUI_025 = 6) or (HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUI_020 = 2 and HUI_025 = 1)	Problems seeing close - not corrected	
5	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 1 and HUI_020 = 2 and HUI_025 = 2	Problem seeing close and distance - not corrected	
6	HUI_005 = 2 and HUI_010 = 2 and HUI_015 = 2 and HUI_020 = 6 and HUI_025 = 6	No sight at all	

9) HUIDHSI-Health Utility Index

Variable name: HUIDHSI

Based on: HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUIDPAD, DHH_AGE

Description: The Health Status Index or Health Utility Index (HUI) is a generic health status index that is able to synthesize both quantitative and qualitative aspects of health. The index, developed at McMaster University's Centre for Health Economics and Policy Analysis, is based on the Comprehensive Health Status Measurement System (CHSMS). It provides a description of an individual's overall functional health, based on eight attributes: vision, hearing, speech, mobility (ability to get around), dexterity (use of hands and fingers), cognition (memory and thinking), emotion (feelings), and pain and discomfort. This variable applies to respondents aged 6 to 79 years old. This variable is not derived for respondents 3-5 years old.

Note: In addition to describing functional health status levels, the CHSMS is the basis for the Health Utility Index Mark 3 (HUI3). The HUI3 is a single numerical value for any possible combination of levels of these eight self-reported health attributes. The HUI3 maps any one of the vectors of eight health attribute levels into a summary health value between -0.360 and 1. For instance, an individual who is near-sighted, yet fully healthy on the other seven attributes, receives a score of 0.973. On that scale, the most preferred health level (perfect health) is rated 1.000 and death is rated 0.000, while negative scores reflect health states considered worse than death.
The scores of the HUI embody the views of society concerning health status. These views are termed societal preferences, since preferences about various health states are elicited from a representative sample of individuals.
The HUI3 (Mark 3) was developed by McMaster University's Centre for Health Economics and Policy Analysis, and is derived using societal preferences from a random sample of 500 people within the boundaries of the City of Hamilton-Wentworth, Ontario, Canada.
The algorithm mapping the questions to the CHSMS itself is the property of Health Utilities Inc. and is protected by copyright. Statistics Canada is authorized, when requested, to share this algorithm with users who wish to replicate results or analyses conducted by Statistics Canada. The use of the algorithm for other purposes, or the sharing of it with others, is prohibited.

Higher scale indicates better health index.

Range: -0.360 to 1 in increments of 0.001

Source: Furlong WJ, Feeny DH, Torrance GW. Health Utilities Index (HUI): Algorithm for determining HUI Mark 2 (HUI2)/ Mark 3 (HUI3) health status classification levels, health states, health-related quality of life utility scores and single-attribute utility score from 40-item interviewer-administered health status questionnaires. Dundas, Canada: Health Utilities Inc. February 1999
Furlong WJ, Feeny DH, Torrance GW, et al. Multiplicative multi-attribute utility function for the Health Utilities Index Mark 3 (HUI3) system: a technical report. Hamilton: McMaster University Centre for Health Economics and Policy Analysis Working Paper #98-11, December 1998.

Internet site: www.fhs.mcmaster.ca/hug/index.htm

10) HUIDHSC-Health Utility Index - categorical variable

Variable name: HUIDHSC

Based on: HUIDHSI, DHH_AGE

Description: This variable categorizes the HUI score of respondents between 6 and 79 years old into one of four categories: no disability, mild disability, moderate disability, or severe disability. This variable is not derived for respondents 3-5 years old.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 6	Population exclusions	NA
9	HUIDHSI = NS	At least one required question was not answered (don't know, refusal, not stated)	VS
1	HUIDHSI = 1	No disability	
2	HUIDHSI >= 0.89 and HUIDHSI < 1	Mild disability	
3	HUIDHSI >= 0.7 and HUIDHSI < 0.89	Moderate disability	
4	HUIDHSI < 0.7	Severe disability	

Height and weight (11 DVs)

1) HWTDCM-Standing height (centimetres) / self-reported

Variable name: HWTDCM

Based on: HWT_1N, HWT_1C, HWTDIN

Description: This variable indicates the respondent's self-reported standing height in centimetres.

Specifications

Value	Condition(s)	Description	Notes
HWT_1C	HWT_1N = 2	Self-reported standing height in centimetres	
round ((HWTDIN * 2.54), 1)	HWT_1N = 1	Self-reported standing height in inches converted to centimetres	(Rounded to integer)
999.9	HWT_1N = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS

2) HWTDIN-Height (inches) / self-reported

Variable name: HWTDIN

Based on: HWT_1N, HWT_1A, HWT_1B, HWT_1C

Description: This variable indicates the respondent's self-reported standing height in inches.

Specifications

Value	Condition(s)	Description	Notes
HWT_1B	HWT_1N = 1 and HWT_1A = 0	Less than 12"	
HWT_1B + 12	HWT_1N = 1 and HWT_1A = 1	Between 12" and 23"	
HWT_1B + 24	HWT_1N = 1 and HWT_1A = 2	Between 24" to 35"	
HWT_1B + 36	HWT_1N = 1 and HWT_1A = 3	Between 36" and 47"	
HWT_1B + 48	HWT_1N = 1 and HWT_1A = 4	Between 48" and 59"	
HWT_1B + 60	HWT_1N = 1 and HWT_1A = 5	Between 60" and 71"	
HWT_1B + 72	HWT_1N = 1 and HWT_1A = 6	Between 72" and 83"	
HWT_1B + 84	HWT_1N = 1 and HWT_1A = 7	Between 84" and 95"	
round ((HWT_1C * 0.3937), 1)	HWT_1N = 2	Self-reported height in centimetres converted to inches	(Rounded to integer)
99.99	HWT_1N = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS

3) HWTDHTM-Height (metres) / self-reported

Variable name: HWTDHTM

Based on: HWTDCM

Description: This variable indicates the respondent's self-reported standing height in metres.

Specifications

Value	Condition(s)	Description	Notes
9.99	HWTDCM = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
HWTDCM/100	Else	Height in metres (round to two decimal places)	

4) HWTDKG-Weight (kilograms) / self-reported

Variable name: HWTDKG

Based on: HWT_3, HWT_3N

Description: This variable indicates the respondent's self-reported weight in kilograms.

Specifications

Value	Condition(s)	Description	Notes
round (HWT_3 * 0.4536, 1)	HWT_3N = 1	Self-reported weight in pounds converted to kilograms	Rounded to the nearest whole number
round (HWT_3, 1)	HWT_3N = 2	Self-reported weight in kilograms	
999	HWT_3 = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS

5) HWTDLB-Weight (pounds) / self-reported

Variable name: HWTDLB

Based on: HWT_3, HWT_3N

Description: This variable indicates the respondent's self-reported weight in pounds.

Specifications

Value	Condition(s)	Description	Notes
round (HWT_3, 1)	HWT_3N = 1	Self-reported weight in pounds	
round (HWT_3 * 2.205, 1)	HWT_3N = 2	Self-reported weight in kilograms converted to pounds	Rounded to the nearest whole number
999	HWT_3 = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS

6) HWTDBMI-Body Mass Index / self-reported

Variable name: HWTDBMI

Based on: HWTDHTM, HWTDKG, PRS_11, DHH_SEX

Description: Body Mass Index (BMI) is a comparison of "weight" relative to the "height" of respondents. BMI is calculated by dividing weight in kilograms by height in metres squared.

(BMI = WEIGHT (KG) / HEIGHT (METRES) SQUARED)

Note: BMI is not calculated for pregnant women. This BMI classification is created using "self-reported height" and "self-reported weight" variables.

Specifications

Value	Condition(s)	Description	Notes
99.96	PRS_11 = 1	Population exclusion - pregnant	VS
99.99	HWTDHTM = NS or HWTDKG = NS	Respondents for whom a valid height or weight was not obtained	NS
99.99	DHH_SEX = 2 and (PRS_11 = DK, RF, NS)	Females who did not answer the pregnancy question (don't know, refusal, not stated)	NS
round (HWTDKG / (HWTDHTM * HWTDHTM), 0.01)	HWTDHTM < VS and HWTDKG < VS	BMI calculated from both self-reported height and self-reported weight values	(Rounded to two decimal places)

7) HWTDBMIA-BMI classification for adults aged 18 and over / self-reported - international standard

Variable name: HWTDBMIA

Based on: HWTDBMI, DHH_AGE, PRS_11

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; normal weight; overweight; obese class I; obese class II; and, obese class III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related risks at the population and individual levels. The following health risks are associated with each of the BMI categories for adults aged 18 and over:
normal weight = least health risk;
underweight and overweight = increased health risk;
obese class I = high health risk;
obese class II = very high health risk;
obese class III = extremely high health risk

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and seniors.

This variable excludes female respondents aged 18 and over who were pregnant or who did not answer the pregnancy question (i.e., WHR_015 = don't know, refusal, not stated).

Source: Health Canada. Canadian guidelines for body weight classification in adults. Ottawa: Health Canada; 2003. p. 40
Adapted from : World Health Organization (WHO). Obesity: preventing and managing the global epidemic. Report of a WHO consultation. Geneva: World Health Organization (WHO); 1999. p. 252 .

Internet site: www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/healthy-weights/canadian-guidelines-body-weight-classification-adults/body-mass-index-nomogram.html

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 18 or PRS_11 = 1	Population exclusion	VS
99	HWTDBMI = NS or (PRS_11 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	HWTDBMI < 18.50	Underweight	
2	(18.50 <= HWTDBMI <= 24.99)	Normal weight	
3	(25.00 <= HWTDBMI <= 29.99)	Overweight	
4	(30.00 <= HWTDBMI <= 34.99)	Obese - Class I	
5	(35.00 <= HWTDBMI <= 39.99)	Obese - Class II	
6	HWTDBMI >= 40.00	Obese - Class III	

8) HWTDBMIK-BMI classification for children less than 18 years of age / self-reported - CDC BMI-for-age

Variable name: HWTDBMIK

Based on: DHH_AGE, PRS_11, HWTDBMI, C2_YEAR, C2_MTH, C2_DAY, DHH_YOB, DHH_MOB, DHH_DOB

Description: BMI growth charts can be used beginning at 2 years of age. BMI is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The growth charts consist of a series of percentile curves illustrating the distribution of measurements in U.S. children. Most of the data used to construct the charts comes from the National Health and Nutrition Examination Survey (NHANES), which was periodically collected height and weight data (and other health information) on the American population since the early 1960's.

Note: This variable excludes female respondents who were pregnant and respondents who were 6570 days in age or older, i.e. 18 years of age or older. In these charts, the following percentiles were selected as cutoff points:
Less than the 5th percentile = underweight;
5th percentile to less than the 85th percentile = normal;
85th to less than the 95th percentile = overweight;
95th percentile or greater = obese.

Internet site: www.cdc.gov/growthcharts

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE >17 or PRS_11 = 1	Population exclusions	VS
9	HWTDBMI = NS or (PRS_11 = DK, RF, NS) or (DHH_YOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	Less than the 5th percentile, for the child's sex and age (in days)	Underweight	
2	5th percentile to less than the 85th percentile, for the child's sex and age (in days)	Normal weight	
3	85th to less than the 95th percentile, for the child's sex and age (in days)	Overweight	
4	95th percentile or greater, for the child's sex and age (in days)	Obese	

9) HWTDCOL-BMI classification for children aged 3 to 18 / self-reported - Cole classification system

Variable name: HWTDCOL

Based on: HWTDBMI, DHH_AGE,PRS_11, DHH_SEX, DHH_YOB, DHH_MOB, DHH_DOB, C2_YEAR, C2_MTH, C2_DAY

Description: This variable classifies children aged 3 to 18 (except female respondents aged 14 to 18 who were pregnant or did not answer the pregnancy question) as "obese", "overweight" or "neither obese or overweight" according to the age-and-sex-specific BMI cut-off points as defined by Cole et al. The Cole cut-off points are based on pooled international data (Brazil, Great Britain, Hong Kong, Netherlands, Singapore, and United States) for BMI and linked to the widely internationally accepted adult BMI cut-off points of 25 (overweight) and 30 (obese).

Note: Respondents who do not fall within the categories of "Obese" or "Overweight" (as defined by Cole et al.) have been classified by CCHS and CHMS as "neither obese nor overweight". This variable excludes respondents over 18 (calculated age).

Source: Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a Standard Definition for Child Overweight and Obesity Worldwide - International survey. British Medical Journal. 2000; 320(7244): 1240-1243 p.

Temporary Reformat

Value	Condition(s)	Description	Notes
AGET1			
999	HWTDBMI = NS or (PRS_11 = DK, RF, NS) or (DHH_YOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
round ((mdy(C2_MTH, C2_DAY, C2_YEAR) - mdy(DHH_MOB, DHH_DOB, DHH_YOB)) / 365.25, 0.5)	Interview date (C2_YEAR, C2_MTH and C2_DAY) - Date of birth (DHH_YOB, DHH_MOB and DHH_DOB)	Calculate the respondent's age in years rounded to the nearest half-year at the time of the household interview	Min:3; Max:18; (Rounded to the nearest 0.5)

Specifications

Value	Condition(s)	Description	Notes
6	PRS_11 = 1 or (18 < AGET1 < NS) or DHH_AGE > 18	Population exclusions	VS
9	AGET1 = 999	At least one required question was not answered (don’t know, refusal, not stated)	NS

3	(AGET1 = 3 and CLC_SEX = 1 and HWTDBMI >= 19.57) or (AGET1 = 3 and CLC_SEX = 2 and HWTDBMI >= 19.36) or (AGET1 = 3.5 and CLC_SEX = 1 and HWTDBMI >= 19.39) or (AGET1 = 3.5 and CLC_SEX = 2 and HWTDBMI >= 19.23) or (AGET1 = 4 and CLC_SEX = 1 and HWTDBMI >= 19.29) or (AGET1 = 4 and CLC_SEX = 2 and HWTDBMI >= 19.15) or (AGET1 = 4.5 and CLC_SEX = 1 and HWTDBMI >= 19.26) or (AGET1 = 4.5 and CLC_SEX = 2 and HWTDBMI >= 19.12) or (AGET1 = 5 and CLC_SEX = 1 and HWTDBMI >= 19.30) or (AGET1 = 5 and CLC_SEX = 2 and HWTDBMI >= 19.17) or (AGET1 = 5.5 and CLC_SEX = 1 and HWTDBMI >= 19.47) or (AGET1 = 5.5 and CLC_SEX = 2 and HWTDBMI >= 19.34) or (AGET1 = 6 and CLC_SEX = 1 and HWTDBMI >= 19.78) or (AGET1 = 6 and CLC_SEX = 2 and HWTDBMI >= 19.65) or (AGET1 = 6.5 and CLC_SEX = 1 and HWTDBMI >= 20.23) or (AGET1 = 6.5 and CLC_SEX = 2 and HWTDBMI >= 20.08) or (AGET1 = 7 and CLC_SEX = 1 and HWTDBMI >= 20.63) or (AGET1 = 7 and CLC_SEX = 2 and HWTDBMI >= 20.51) or (AGET1 = 7.5 and CLC_SEX = 1 and HWTDBMI >= 21.09) or (AGET1 = 7.5 and CLC_SEX = 2 and HWTDBMI >= 21.01) or (AGET1 = 8 and CLC_SEX = 1 and HWTDBMI >= 21.60) or (AGET1 = 8 and CLC_SEX = 2 and HWTDBMI >= 21.57) or (AGET1 = 8.5 and CLC_SEX = 1 and HWTDBMI >= 22.17) or (AGET1 = 8.5 and CLC_SEX = 2 and HWTDBMI >= 22.18) or (AGET1 = 9 and	Obese

CLC_SEX = 1 and
HWTDBMI >= 22.77) or
(AGET1 = 9 and
CLC_SEX = 2 and
HWTDBMI >= 22.81) or
(AGET1 = 9.5 and
CLC_SEX = 1 and
HWTDBMI >= 23.39) or
(AGET1 = 9.5 and
CLC_SEX = 2 and
HWTDBMI >= 23.46) or
(AGET1 = 10 and
CLC_SEX = 1 and
HWTDBMI >= 24.00) or
(AGET1 = 10 and
CLC_SEX = 2 and
HWTDBMI >= 24.11) or
(AGET1 = 10.5 and
CLC_SEX = 1 and
HWTDBMI >= 24.57) or
(AGET1 = 10.5 and
CLC_SEX = 2 and
HWTDBMI >= 24.77) or
(AGET1 = 11 and
CLC_SEX = 1 and
HWTDBMI >= 25.10) or
(AGET1 = 11 and
CLC_SEX = 2 and
HWTDBMI >= 24.42) or
(AGET1 = 11.5 and
CLC_SEX = 1 and
HWTDBMI >= 25.58) or
(AGET1 = 11.5 and
CLC_SEX = 2 and
HWTDBMI >= 26.05) or
(AGET1 = 12 and
CLC_SEX = 1 and
HWTDBMI >= 26.02) or
(AGET1 = 12 and
CLC_SEX = 2 and
HWTDBMI >= 26.67) or
(AGET1 = 12.5 and
CLC_SEX = 1 and
HWTDBMI >= 26.43) or
(AGET1 = 12.5 and
CLC_SEX = 2 and
HWTDBMI >= 27.24) or
(AGET1 = 13 and
CLC_SEX = 1 and
HWTDBMI >= 26.84) or
(AGET1 = 13 and
CLC_SEX = 2 and
HWTDBMI >= 27.76) or
(AGET1 = 13.5 and
CLC_SEX = 1 and
HWTDBMI >= 27.25) or
(AGET1 = 13.5 and
CLC_SEX = 2 and
HWTDBMI >= 28.20) or
(AGET1 = 14 and
CLC_SEX = 1 and
HWTDBMI >= 27.63) or
(AGET1 = 14 and
CLC_SEX = 2 and
HWTDBMI >= 28.57) or
(AGET1 = 14.5 and
CLC_SEX = 1 and
HWTDBMI >= 27.98) or
(AGET1 = 14.5 and
CLC_SEX = 2 and
HWTDBMI >= 28.87) or
(AGET1 = 15 and
CLC_SEX = 1 and

HWTDBMI >= 28.30) or
(AGET1 = 15 and
CLC_SEX = 2 and
HWTDBMI >= 29.11) or
(AGET1 = 15.5 and
CLC_SEX = 1 and
HWTDBMI >= 28.60) or
(AGET1 = 15.5 and
CLC_SEX = 2 and
HWTDBMI >= 29.29) or
(AGET1 = 16 and
CLC_SEX = 1 and
HWTDBMI >= 28.88) or
(AGET1 = 16 and
CLC_SEX = 2 and
HWTDBMI >= 29.43) or
(AGET1 = 16.5 and
CLC_SEX = 1 and
HWTDBMI >= 29.14) or
(AGET1 = 16.5 and
CLC_SEX = 2 and
HWTDBMI >= 29.56) or
(AGET1 = 17 and
CLC_SEX = 1 and
HWTDBMI >= 29.41) or
(AGET1 = 17 and
CLC_SEX = 2 and
HWTDBMI >= 29.69) or
(AGET1 = 17.5 and
CLC_SEX = 1 and
HWTDBMI >= 29.70) or
(AGET1 = 17.5 and
CLC_SEX = 2 and
HWTDBMI >= 29.84) or
(AGET1 = 18 and
CLC_SEX = 1 and
HWTDBMI >= 30.00) or
(AGET1 = 18 and
CLC_SEX = 2 and
HWTDBMI >= 30.00)

2	(AGET1 = 3 and CLC_SEX = 1 and (HWTDBMI >= 17.89 and HWTDBMI < 19.57)) or (AGET1 = 3 and CLC_SEX = 2 and (HWTDBMI >= 17.56 and HWTDBMI < 19.36)) or (AGET1 = 3.5 and CLC_SEX = 1 and (HWTDBMI >= 17.69 and HWTDBMI < 19.39)) or (AGET1 = 3.5 and CLC_SEX = 2 and (HWTDBMI >= 17.40 and HWTDBMI < 19.23)) or (AGET1 = 4 and CLC_SEX = 1 and (HWTDBMI >= 17.55 and HWTDBMI < 19.29)) or (AGET1 = 4 and CLC_SEX = 2 and (HWTDBMI >= 17.28 and HWTDBMI < 19.15)) or (AGET1 = 4.5 and CLC_SEX = 1 and (HWTDBMI >= 17.47 and HWTDBMI < 19.26)) or (AGET1 = 4.5 and CLC_SEX = 2 and (HWTDBMI >= 17.19 and HWTDBMI < 19.12)) or (AGET1 = 5 and CLC_SEX = 1 and (HWTDBMI >= 17.42 and HWTDBMI < 19.30)) or (AGET1 = 5 and CLC_SEX = 2 and (HWTDBMI >= 17.15 and HWTDBMI < 19.17)) or (AGET1 = 5.5 and CLC_SEX = 1 and (HWTDBMI >= 17.45 and HWTDBMI < 19.47)) or (AGET1 = 5.5 and CLC_SEX = 2 and (HWTDBMI >= 17.20 and HWTDBMI < 19.34)) or (AGET1 = 6 and CLC_SEX = 1 and (HWTDBMI >= 17.55 and HWTDBMI < 19.78)) or (AGET1 = 6 and CLC_SEX = 2 and (HWTDBMI >= 17.34 and HWTDBMI < 19.65)) or (AGET1 = 6.5 and CLC_SEX = 1 and (HWTDBMI >= 17.71 and HWTDBMI < 20.23)) or (AGET1 = 6.5 and CLC_SEX = 2 and (HWTDBMI >= 17.53 and HWTDBMI < 20.08)) or (AGET1 = 7 and CLC_SEX = 1 and (HWTDBMI >= 17.92 and HWTDBMI < 20.63)) or (AGET1 = 7 and CLC_SEX = 2 and (HWTDBMI >= 17.75 and HWTDBMI < 20.51)) or (AGET1 = 7.5 and	Overweight

CLC_SEX = 1 and
(HWTDBMI >= 18.16 and
HWTDBMI < 21.09)) or
(AGET1 = 7.5 and
CLC_SEX = 2 and
(HWTDBMI >= 18.03 and
HWTDBMI < 21.01)) or
(AGET1 = 8 and
CLC_SEX = 1 and
(HWTDBMI >= 18.44 and
HWTDBMI < 21.60)) or
(AGET1 = 8 and
CLC_SEX = 2 and
(HWTDBMI >= 18.35 and
HWTDBMI < 21.57)) or
(AGET1 = 8.5 and
CLC_SEX = 1 and
(HWTDBMI >= 18.76 and
HWTDBMI < 22.17)) or
(AGET1 = 8.5 and
CLC_SEX = 2 and
(HWTDBMI >= 18.69 and
HWTDBMI < 22.18)) or
(AGET1 = 9 and
CLC_SEX = 1 and
(HWTDBMI >= 19.10 and
HWTDBMI < 22.77)) or
(AGET1 = 9 and
CLC_SEX = 2 and
(HWTDBMI >= 19.07 and
HWTDBMI < 22.81)) or
(AGET1 = 9.5 and
CLC_SEX = 1 and
(HWTDBMI >= 19.46 and
HWTDBMI < 23.39)) or
(AGET1 = 9.5 and
CLC_SEX = 2 and
(HWTDBMI >= 19.45 and
HWTDBMI < 23.46)) or
(AGET1 = 10 and
CLC_SEX = 1 and
(HWTDBMI >= 19.84 and
HWTDBMI < 24.00)) or
(AGET1 = 10 and
CLC_SEX = 2 and
(HWTDBMI >= 19.86 and
HWTDBMI < 24.11)) or
(AGET1 = 10.5 and
CLC_SEX = 1 and
(HWTDBMI >= 20.20 and
HWTDBMI < 24.57)) or
(AGET1 = 10.5 and
CLC_SEX = 2 and
(HWTDBMI >= 20.29 and
HWTDBMI < 24.77)) or
(AGET1 = 11 and
CLC_SEX = 1 and
(HWTDBMI >= 20.55 and
HWTDBMI < 25.10)) or
(AGET1 = 11 and
CLC_SEX = 2 and
(HWTDBMI >= 20.74 and
HWTDBMI < 25.42)) or
(AGET1 = 11.5 and
CLC_SEX = 1 and
(HWTDBMI >= 20.89 and
HWTDBMI < 25.58)) or
(AGET1 = 11.5 and
CLC_SEX = 2 and
(HWTDBMI >= 21.20 and
HWTDBMI < 26.05)) or
(AGET1 = 12 and
CLC_SEX = 1 and

(HWTDBMI >= 21.22 and
HWTDBMI < 26.02)) or
(AGET1 = 12 and
CLC_SEX = 2 and
(HWTDBMI >= 21.68 and
HWTDBMI < 26.67)) or
(AGET1 = 12.5 and
CLC_SEX = 1 and
(HWTDBMI >= 21.56 and
HWTDBMI < 26.43)) or
(AGET1 = 12.5 and
CLC_SEX = 2 and
(HWTDBMI >= 22.14 and
HWTDBMI < 27.24)) or
(AGET1 = 13 and
CLC_SEX = 1 and
(HWTDBMI >= 21.91 and
HWTDBMI < 26.84)) or
(AGET1 = 13 and
CLC_SEX = 2 and
(HWTDBMI >= 22.58 and
HWTDBMI < 27.76)) or
(AGET1 = 13.5 and
CLC_SEX = 1 and
(HWTDBMI >= 22.27 and
HWTDBMI < 27.25)) or
(AGET1 = 13.5 and
CLC_SEX = 2 and
(HWTDBMI >= 22.98 and
HWTDBMI < 28.20)) or
(AGET1 = 14 and
CLC_SEX = 1 and
(HWTDBMI >= 22.62 and
HWTDBMI < 27.63)) or
(AGET1 = 14 and
CLC_SEX = 2 and
(HWTDBMI >= 23.34 and
HWTDBMI < 28.57)) or
(AGET1 = 14.5 and
CLC_SEX = 1 and
(HWTDBMI >= 22.96 and
HWTDBMI < 27.98)) or
(AGET1 = 14.5 and
CLC_SEX = 2 and
(HWTDBMI >= 23.66 and
HWTDBMI < 28.87)) or
(AGET1 = 15 and
CLC_SEX = 1 and
(HWTDBMI >= 23.29 and
HWTDBMI < 28.30)) or
(AGET1 = 15 and
CLC_SEX = 2 and
(HWTDBMI >= 23.94 and
HWTDBMI < 29.11)) or
(AGET1 = 15.5 and
CLC_SEX = 1 and
(HWTDBMI >= 23.60 and
HWTDBMI < 28.60)) or
(AGET1 = 15.5 and
CLC_SEX = 2 and
(HWTDBMI >= 24.17 and
HWTDBMI < 29.29)) or
(AGET1 = 16 and
CLC_SEX = 1 and
(HWTDBMI >= 23.90 and
HWTDBMI < 28.88)) or
(AGET1 = 16 and
CLC_SEX = 2 and
(HWTDBMI >= 24.37 and
HWTDBMI < 29.43)) or
(AGET1 = 16.5 and
CLC_SEX = 1 and
(HWTDBMI >= 24.19 and

	HWTDBMI < 29.14)) or (AGET1 = 16.5 and CLC_SEX = 2 and (HWTDBMI >= 24.54 and HWTDBMI < 29.56)) or (AGET1 = 17 and CLC_SEX = 1 and (HWTDBMI >= 24.46 and HWTDBMI < 29.41)) or (AGET1 = 17 and CLC_SEX = 2 and (HWTDBMI >= 24.70 and HWTDBMI < 29.69)) or (AGET1 = 17.5 and CLC_SEX = 1 and (HWTDBMI >= 24.73 and HWTDBMI < 29.70)) or (AGET1 = 17.5 and CLC_SEX = 2 and (HWTDBMI >= 24.85 and HWTDBMI < 29.84)) or (AGET1 = 18 and CLC_SEX = 1 and (HWTDBMI >= 25.00 and HWTDBMI < 30.00))or (AGET1 = 18 and CLC_SEX = 2 and (HWTDBMI >= 25.00 and HWTDBMI < 30.00)	
1	Else	Neither overweight nor obese

10) HWTDWHOP-BMI classification for children aged 3 to 5 / self-reported - WHO BMI-for-age

Variable name: HWTDWHOP

Based on: DHH_AGE, HWTDBMI, C2_YEAR, C2_MTH, C2_DAY, DHH_YOB, DHH_MOB, DHH_DOB

Description: Body mass index (BMI) is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The World Health Organization (WHO) developed BMI-for-age Child Growth Standards for children from birth to 5 years (up to 60 months) using data from the Multicentre Growth Reference Study (MGRS). In addition, WHO developed BMI-for-age Growth References for children and adolescents aged 5 to 18 years (starting at 61 months) merging the 1977 National Center for Health Statistics (NCHS)/WHO growth reference with data from the MGRS.

Note: The following cut-off points are specified for children aged 3 to 5 years (36 to 60 months):
Less than or equal to 2SD below the mean = thinness;
Greater than 2SD below the mean and less than or equal to 1SD above the mean = normal;
Greater than 1SD and less than or equal to 2SD above the mean = at risk of overweight;
Greater than 2SD and less than or equal to 3SD above the mean = overweight;
Greater than 3SD above the mean = obesity.

Source: World Health Organization (WHO). Training course on child growth assessment. [Internet]. Geneva: World Health Organization; 2008. Available from: www.who.int/childgrowth/training/en

Internet site: www.who.int/childgrowth/en

Temporary Reformat

Value	Condition(s)	Description	Notes
AGEMOST			
9999	(DHH_DOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	A valid day of birth or month of birth or year of birth is not available for the respondent	NS

AGEMOST Age in months	Interview date converted in months (C2_YEAR, C2_MTH and C2_DAY) - Date of birth converted in months (DHH_YOB, DHH_MOB and DHH_DOB)	Create respondent's age in months at time of the interview	(Min: 36; Max: 60)

Specifications

Value	Condition(s)	Description	Notes
6	AGEMOST >= 61	Population exclusions	VS
9	HWTDBMI = NS or (DHH_DOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	At or below 2 standard deviations below the mean for the child's sex and age (in months)	Thinness	
2	Between 2 standard deviations and up to and including 1 standard deviation above the mean for the child's sex and age (in months)	Normal	
3	Between 1 standard deviation and up to and including 2 standard deviations above the mean for the child's sex and age (in months)	At risk of overweight	
4	Between 2 standard deviations and up to and including 3 standard deviations above the mean for the child's sex and age (in months)	Overweight	
5	Greater than 3 standard deviations above the mean for the child's sex and age (in months)	Obese	

11) HWTDWHOK-BMI classification for children aged 5 to 18 / self-reported - WHO BMI-for-age

Variable name: HWTDWHOK

Based on: DHH_AGE, PRS_11, HWTDBMI, C2_YEAR, C2_MTH, C2_DAY, DHH_YOB, DHH_MOB, DHH_DOB

Description: Body mass index (BMI) is calculated from weight and height measurements and is used to determine whether an individual's weight is appropriate for their height. The World Health Organization (WHO) developed BMI-for-age Child Growth Standards for children from birth to 5 years (up to 60 months) using data from the Multicentre Growth Reference Study (MGRS). In addition, WHO developed BMI-for-age Growth References for children and adolescents aged 5 to 18 years (starting at 61 months) merging the 1977 National Center for Health Statistics (NCHS)/WHO growth reference with data from the MGRS.

Note: The following cut-off points are specified for children and youth aged 5 to 18 years (61 to 227 months):
Less than or equal to 2SD below the mean = thinness;
Greater than 2SD below the mean and less than or equal to 1SD above the mean = normal;
Greater than 1SD and less than or equal to 2SD above the mean = overweight;
Greater than 2SD above the mean = obesity;

Source: De Onis M, Onyango AW, Borghi E, Siyam A, Nishida C, Siekmann J. Development of a WHO growth reference for schoolaged children and adolescents. Bulletin of the World Health Organization 2007;85:660-7.

Internet site: www.who.int/childgrowth/en/index.html

Temporary Reformat

Value	Condition(s)	Description	Notes
AGEMOST			
9999	(DHH_DOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	A valid day of birth or month of birth or year of birth is not available for the respondent	NS

AGEMOST Age in months	Interview date converted in months (C2_YEAR, C2_MTH and C2_DAY) - Date of birth converted in months (DHH_YOB, DHH_MOB and DHH_DOB)	Create respondent's age in months at time of the interview	(Min: 61; Max: 227)

Specifications

Value	Condition(s)	Description	Notes
6	AGEMOST < 61 or AGEMOST >227 or PRS_11 = 1	Population exclusions	VS
9	HWTDBMI = NS or (DHH_DOB = DK, RF, NS) or (DHH_MOB = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	At or below 2 standard deviations below the meanfor the child's sex and age (in months)	Thinness	
2	Between 2 standard deviations below the mean and up to and including 1 standard deviation abovethe mean for the child's sex and age (in months)	Normal	
3	Between 1 standard deviation up to and including 2 standard deviations above the mean for the child's sex and age (in months)	Overweight	
4	Greater than 2 standard deviations above the mean for the child's sex and age (in months)	Obese	

Income (2 DVs)

1) TPID14-Total personal income - groups

Variable name: TPID14

Based on: TPI_01, TPI_02, TPI_03, TPI_04

Description: This variable indicates the respondent's personal income from all sources, before taxes and other deductions.

Note: Respondents less than 15 years old were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 15	Population exclusions	VS
99	((TPI_01 = DK, RF, NS) and (TPI_02 = DK, RF, NS)) or ((TPI_03 = DK, RF) or TPI_04 = DK, RF))	At least one required question was not answered (don't know, refusal, not stated)	NS
1	TPI_01 < 5000 or TPI_03 = 1	Less than $5,000	
2	TPI_01 < 10000 or TPI_03 = 2	$5,000 to $9,999	
3	TPI_01 < 15000 or TPI_03 = 3	$10,000 to $14,999	
4	TPI_01 < 20000 or TPI_03 = 4	$15,000 to $19,999	
5	TPI_01 < 25000 or TPI_03 = 5	$20,000 to $24,999	
6	TPI_01 < 30000 or TPI_03 = 6	$25,000 to $29,999	
7	TPI_01 < 40000 or TPI_04 = 1	$30,000 to $39,999	
8	TPI_01 < 50000 or TPI_04 = 2	$40,000 to $49,999	
9	TPI_01 < 60000 or TPI_04 = 3	$50,000 to $59,999	
10	TPI_01 < 70000 or TPI_04 = 4	$60,000 to $69,999	
11	TPI_01 < 80000 or TPI_04 = 5	$70,000 to $79,999	
12	TPI_01 < 90000 or TPI_04 = 6	$80,000 to $89,999	
13	TPI_01 < 100000 or TPI_04 = 7	$90,000 to $99,999	
14	100000 <= TPI_01 < NA or TPI_04 = 8	$100,000 +	

2) THID14-Total household income - groups

Variable name: THID14

Based on: THI_01

Description: This variable is based on THI_01 (total household income) which includes imputed values. The flag THIFIMP4 indicates whether the value in THI_01 was imputed, and if so, on what information the imputation was based.

Specifications

Value	Condition(s)	Description	Notes
99	THI_01 = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	THI_01 < 5000	Less than $5,000	
2	THI_01 < 10000	$5,000 to $9,999	
3	THI_01 < 15000	$10,000 to $14,999	
4	THI_01 < 20000	$15,000 to $19,999	
5	THI_01 < 30000	$20,000 to $29,999	
6	THI_01 < 40000	$30,000 to $39,999	
7	THI_01 < 50000	$40,000 to $49,999	
8	THI_01 < 60000	$50,000 to $59,999	
9	THI_01 < 70000	$60,000 to $69,999	
10	THI_01 < 80000	$70,000 to $79,999	
11	THI_01 < 90000	$80,000 to $89,999	
12	THI_01 < 100000	$90,000 to $99,999	
13	THI_01 < 150000	$100,000 to $149,999	
14	150000 <= THI_01	$150,000 or more	

Laboratory (1 DV)

1) LABDELG-Eligibility - Laboratory component

Variable name: LABDELG

Based on: URG_14, PHC_51, PHC_52

Description: This variable indicates whether the respondent was eligible for the laboratory component. As there are multiple reasons to be screened out of this measure, the prevalence of screen outs by reason should not be based on frequency counts for this variable.

Specifications

Value	Condition(s)	Description	Notes
10	URG_14 = 1 and PHC_51 = 1	Not eligible - Catheter and haemophilia	
11	URG_14 = 1 and PHC_52 = 1	Not eligible - Catheter and chemotherapy	
1	Else	Eligible	

Language (3 DVs)

1) LAEDCON-Language(s) in which respondent can converse

Variable name: LAEDCON

Based on: LAE_01, LAEC02A, LAEC02B, LAEC02C

Description: This variable indicates the language(s) in which the respondent speaks well enough to conduct a conversation.

Specifications

Value	Condition(s)	Description	Notes
99	LAE_01 = DK, RF, NS	Required question was not answered (don't know, refusal, not stated)	NS
1	LAE_01 = 1 and LAEC02A >= 90000000	English only	
2	LAE_01 = 2 and LAEC02A >= 90000000	French only	
3	LAE_01 = 3 and LAEC02A >= 90000000	English and French only	
4	LAE_01 = 3 and LAEC02A < 90000000	English, French and Other	
5	LAE_01 = 1 and LAEC02A < 90000000	English and Other (not French)	
6	LAE_01 = 2 and LAEC02A < 90000000	French and Other (not English)	
7	LAE_01 = 4 and LAEC02A < 90000000	Other (neither English nor French)	
8	LAE_01 = 4 and LAEC02A = 90000000	No languages	

2) LAEDFL1-First official language learned and still understood

Variable name: LAEDFL1

Based on: LAEC06A, LAEC06B, LAEC06C

Description: This variable indicates the language(s) the respondent first learned at home in childhood and still understands.

Specifications

Value	Condition(s)	Description	Notes
99	LAEC06A = DK, RF, NS	Required question was not answered (don't know, refusal, not stated)	NS
1	LAEC06A = 21010000 and LAEC06B = 90000000	English only	
2	LAEC06A = 21020000 and LAEC06B = 90000000	French only	
3	LAEC06A = (21010000, 21020000) and LAEC06B = (21010000, 21020000) and LAEC06C = 90000000	English and French only	

4	(LAEC06A = (21010000, 21020000) and LAEC06B = (21010000, 21020000) and LAEC06C < 90000000) or (LAEC06A = (21010000, 21020000) and LAEC06B < 90000000 and LAEC06C = (21010000, 21020000)) or (LAEC06A < 90000000 and LAEC06B = (21010000, 21020000) and LAEC06C = (21010000, 21020000))	English, French and Other
5	(LAEC06A = 21010000 or LAEC06B = 21010000 or LAEC06C = 21010000) and (LAEC06A <> 21020000 and LAEC06B <> 21020000 and LAEC06C <> 21020000) and (LAEC06A < 90000000 or LAEC06B < 90000000 or LAEC06C < 90000000)	English and Other (not French)
6	(LAEC06A = 21020000 or LAEC06B = 21020000 or LAEC06C = 21020000) and (LAEC06A <> 21010000 and LAEC06B <>21010000 and LAEC06C <> 21010000) and (LAEC06A < 90000000 or LAEC06B < 90000000 or LAEC06C < 90000000)	French and Other (not English)
7	(LAEC06A <> 21020000 and LAEC06B <> 21020000 and LAEC06C <> 21020000) and (LAEC06A <> 21010000 and LAEC06B <> 21010000 and LAEC06C <> 21010000) and (LAEC06A < 90000000 or LAEC06B < 90000000 or LAEC06C < 90000000)	Other (neither English nor French)

3) LAEDSPH-Language(s) spoken most often at home

Variable name: LAEDSPH

Based on: LAEC03A, LAEC03B, LAEC03C

Description: This variable indicates the language(s) the respondent speaks most often at home.

Specifications

Value	Condition(s)	Description	Notes
99	LAEC03A = DK, RF, NS	Required question was not answered (don't know, refusal, not stated)	NS
1	LAEC03A = 21010000 and LAEC03B = 90000000	English only	
2	LAEC03A = 21020000 and LAEC03B = 90000000	French only	
3	LAEC03A = (21010000, 21020000) and LAEC03B = (21010000, 21020000) and LAEC03C = 90000000	English and French only	

4	(LAEC03A = (21010000, 21020000) and LAEC03B = (21010000, 21020000) and LAEC03C < 90000000) or (LAEC03A = (21010000, 21020000) and LAEC03B < 90000000 and LAEC03C = (21010000, 21020000)) or (LAEC03A < 90000000 and LAEC03B = (21010000, 21020000) and LAEC03C = (21010000, 21020000))	English, French and Other
5	(LAEC03A = 21010000 or LAEC03B = 21010000 or LAEC03C = 21010000) and (LAEC03A <> 21020000 and LAEC03B <> 21020000 and LAEC03C <> 21020000) and (LAEC03A < 90000000 or LAEC03B < 90000000 or LAEC03C < 90000000)	English and Other (not French)
6	(LAEC03A = 21020000 or LAEC03B = 21020000 or LAEC03C = 21020000) and (LAEC03A <> 21010000 and LAEC03B <> 21010000 and LAEC03C <> 21010000) and (LAEC03A < 90000000 or LAEC03B < 90000000 or LAEC03C < 90000000)	French and Other (not English)
7	(LAEC03A <> 21020000 and LAEC03B <> 21020000 and LAEC03C <> 21020000) and (LAEC03A <> 21010000 and LAEC03B <> 21010000 and LAEC03C <> 21010000) and (LAEC03A < 90000000 or LAEC03B < 90000000 or LAEC03C < 90000000)	Other (neither English nor French)

Labour force (4 DVs)

1) LAFDWSL-Working status last week (6 groups)

Variable name: LAFDWSL

Based on: DHH_AGE, LMAM_01, LMAM_03, LMA2_04, GEN_035

Description: This variable indicates the respondent's job status within the past week.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 15 or DHH_AGE > 75	Population exclusions	VS
1	LMAM_01 = 1	Worked in the past week	
2	LMAM_03 = (8,9,10,12,13)	Temporary or seasonal layoff in past week	
3	LMAM_03 = (1, 2, 3, 4, 5, 6, 7, 11, 14)	Absent from job (other) in past week	
4	(GEN_035 = 2 or LMAM_01 = 2) and LMA2_04 = 1	Did not have a job in past week, looked for work for over past four weeks	
5	(GEN_035 = 2 or LMAM_01 = 2) and LMA2_04 = 2	Did not have a job in the past week, did not look for work over past four weeks	
99	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) LAFDWSS-Working status last week (4 groups)

Variable name: LAFDWSS

Based on: DHH_AGE, LMAM_01, LMAM_02, GEN_035

Description: This variable indicates the respondent's job status within the past week.

Note: LFY block was deleted in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
6	DHH_AGE < 15 or DHH_AGE > 75	Population exclusions	VS
1	LMAM_01 = 1	Worked at a job or business	
2	LMAM_02 = 1	Had a job but did not work (absent)	
3	GEN_035 = 2 or LMAM_01 = 2 or LMAM_02 = 2	Did not have a job	
9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) LAFGO16S-Variant for analysis by NOC skill level

Variable name: LAFGO16S

Based on: LAFCOC16

Description: This variant consists of four groupings, from A to D, that refer to the four skill levels defined within the National Occupational Classification (NOC). Skill level is one of the two classification criteria on which the structure of the NOC is based. The four NOC skill levels are explained in the NOC classification criteria. The highest level, NOC skill level A, is further divided into two subclasses, Management and Professional, reflecting the two criteria used to define NOC skill level A.

All classes consist of entire major groups; no major group is split between classes of the variant.

Note: The skill level classes are coded as follows:
NOC skill level A1: Management
NOC skill level A2: Professional: occupations usually require university education
NOC skill level B: occupations usually require college education or apprenticeship training
NOC skill level C: occupations usually require secondary school and/or occupation-specific training
NOC skill level D: on-the-job training is usually provided for these occupations

Internet site: http://www23.statcan.gc.ca/imdb/p3VD.pl?Function=getVD&TVD=424578&CVD=424579&CPV=0&CST=01012016&CLV=1&MLV=4

Specifications

Value	Condition(s)	Description	Notes
96	LAFCOC16 = VS	Population exclusions	VS
A1	The first two digits of LAFCOC16 = (00, 01, 02, 03, 04, 05, 06, 07, 08, 09)	NOC skill level A1	
A2	The first two digits of LAFCOC16 = (11, 21, 30, 31, 40, 41, 51)	NOC skill level A2	
B	The first two digits of LAFCOC16 = (12, 13, 22, 32, 42, 43, 52, 62, 63, 72, 73, 82, 92)	NOC skill level B	
C	The first two digits of LAFCOC16 = (14, 15, 34, 44, 64, 65, 74, 75, 84, 94, 95)	NOC skill level C	
D	The first two digits of LAFCOC16 = (66, 67, 76, 86, 96)	NOC skill level D	
99	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) LAFGO16A-Variant of NOC for highly aggregated data

Variable name: LAFGO16A

Based on: LAFCOC16

Description: This variant of NOC is a departmental standard, which was approved December 14, 2017.

This variant of NOC 2016 has been developed jointly by Statistics Canada and Human Resources and Skills Development Canada. It is based on a review of actual practices in the analysis of highly aggregated occupational data, consideration of the highest aggregation level in the International Standard Classification of Occupations (ISCO) and consultation with potential users.

This variant consists of 10 groupings, from A to J, that are a convenient and useful way to summarize and analyse more detailed classes. The first three classes are homogeneous on skill level. The remaining classes focus on skill type. All classes consist of entire major groups; no major group is split between classes of the variant.

Internet site: http://www23.statcan.gc.ca/imdb/p3VD.pl?Function=getVD&TVD=424578&CVD=424579&CPV=0&CST=01012016&CLV=1&MLV=4

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
96	LAFCOC16 = VS	Population exclusions	VS
A	The first two digits of LAFCOC16 = (00, 01, 02, 03, 04, 05, 06, 07, 08, 09)	Management	
B	The first two digits of LAFCOC16 = (11, 21, 30, 31, 40, 41, 51)	Professional	
C	The first two digits of LAFCOC16 = (22, 32, 42, 43, 52)	Technical and paraprofessional	
D	The first two digits of LAFCOC16 = (12, 13, 14, 15)	Administration and administrative support	
E	The first two digits of LAFCOC16 = (62, 64, 66)	Sales	
F	The first two digits of LAFCOC16 = (34, 44, 63, 65, 67)	Personal and customer information services	
G	The first two digits of LAFCOC16 = (72, 73)	Industrial, construction and equipment operation trades	
H	The first two digits of LAFCOC16 = (74, 75, 76)	Workers and labourers in transport and construction	
I	The first two digits of LAFCOC16 = (82, 84, 86)	Natural resources, agriculture and related production occupations	
J	The first two digits of LAFCOC16 = (92, 94, 95, 96)	Occupations in manufacturing and utilities	
99	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Milk and dairy product consumption (9 DVs)

1) MDCD01Y-Drinks enriched milk substitutes - times per year

Variable name: MDCD01Y

Based on: MDC_01, MDC_01N

Description: The number of times per year the respondent drinks enriched milk subtitutes such as enriched soya, rice or almond milk, or uses them on cereal.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_01 = 0	Never	
MDC_01 * 365	MDC_01N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_01 * 52	MDC_01N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_01 * 12	MDC_01N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_01	MDC_01N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) MDCD02Y-Drinks or uses omega-3 enriched milk substitutes - times per year

Variable name: MDCD02Y

Based on: MDC_02, MDC_02N

Description: The number of times per year the respondent drinks or uses omega-3 enriched milk subtitutes.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_02 = 0	Never	
MDC_02 * 365	MDC_02N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_02 * 52	MDC_02N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_02 * 12	MDC_02N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_02	MDC_02N = 4	Reported number of times consumed per year	
9996	MDC_01 = 0	Population exclusions	VS
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) MDCD04Y-Drinks milk or flavoured milk beverages - times per year

Variable name: MDCD04Y

Based on: MDC_04, MDC_04N

Description: The number of times per year the respondent drinks milk or flavoured milk beverages or uses them on cereal.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_04 = 0	Never	
MDC_04 * 365	MDC_04N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_04 * 52	MDC_04N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_04 * 12	MDC_04N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_04	MDC_04N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) MDCD05Y-Drinks or uses omega-3 enriched milk or milk beverages - times per year

Variable name: MDCD05Y

Based on: MDC_05, MDC_05N

Description: The number of times per year the respondent drinks or uses omega-3 enriched milk or milk beverages.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_05 = 0	Never	
MDC_05 * 365	MDC_05N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_05 * 52	MDC_05N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_05 * 12	MDC_05N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_05	MDC_05N = 4	Reported number of times consumed per year	
9996	MDC_04 = 0	Population exclusions	VS
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

5) MDCD13Y-Eats cottage cheese - times per year

Variable name: MDCD13Y

Based on: MDC_13, MDC_13N

Description: The number of times per year the respondent eats cottage cheese.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_13 = 0	Never	
MDC_13 * 365	MDC_13N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_13 * 52	MDC_13N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_13 * 12	MDC_13N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_13	MDC_13N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

6) MDCD13BY-Eats processed cheese - times per year

Variable name: MDCD13BY

Based on: MDC_13B, MDC_13BN

Description: The number of times per year the respondent eats processed cheese such as Kraft Cheez Whiz®, Kraft Singles® or Black Diamond Slices®.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_13B = 0	Never	
MDC_13B * 365	MDC_13BN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_13B * 52	MDC_13BN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_13B * 12	MDC_13BN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_13B	MDC_13BN = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

7) MDCD13CY-Eats other types of cheese - times per year

Variable name: MDCD13CY

Based on: MDC_13C, MDC_13CN

Description: The number of times per year the respondent eats other types of cheese such as mozzerella, cheddar or swiss.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_13C = 0	Never	
MDC_13C * 365	MDC_13CN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_13C * 52	MDC_13CN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_13C * 12	MDC_13CN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_13C	MDC_13CN = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

8) MDCD14Y-Eats yogurt - times per year

Variable name: MDCD14Y

Based on: MDC_14, MDC_14N

Description: The number of times per year the respondent eats yogurt, excluding frozen yogurt.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_14 = 0	Never	
MDC_14 * 365	MDC_14N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_14 * 52	MDC_14N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_14 * 12	MDC_14N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_14	MDC_14N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

9) MDCD15Y-Eats ice cream or frozen yogurt - times per year

Variable name: MDCD15Y

Based on: MDC_15, MDC_15N

Description: The number of times per year the respondent eats ice cream or frozen yogurt.

Specifications

Value	Condition(s)	Description	Notes
0	MDC_15 = 0	Never	
MDC_15 * 365	MDC_15N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MDC_15 * 52	MDC_15N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MDC_15 * 12	MDC_15N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MDC_15	MDC_15N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Meat consumption (8 DVs)

1) MFCD11Y-Eats red meat - times per year

Variable name: MFCD11Y

Based on: MFC_11, MFC_11N

Description: The number of times per year the respondent eats red meat, such as beef, hamburger, pork or lamb.

Specifications

Value	Condition(s)	Description	Notes
0	MFC_11 = 0	Never	
MFC_11 * 365	MFC_11N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_11 * 52	MFC_11N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_11 * 12	MFC_11N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_11	MFC_11N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) MFCD12Y-Eats liver - times per year

Variable name: MFCD12Y

Based on: MFC_12, MFC_12N

Description: The number of times per year the respondent eats liver (including all types of liver such as beef, veal, pork or chicken but excluding liverwurst and liver pâté).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_12 = 0	Never	
MFC_12 * 365	MFC_12N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_12 * 52	MFC_12N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_12 * 12	MFC_12N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_12	MFC_12N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) MFCD14Y-Eats beef or pork hot dogs - times per year

Variable name: MFCD14Y

Based on: MFC_14, MFC_14N

Description: The number of times per year the respondent eats beef or pork hot dogs.

Specifications

Value	Condition(s)	Description	Notes
0	MFC_14 = 0	Never	
MFC_14 * 365	MFC_14N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_14 * 52	MFC_14N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_14 * 12	MFC_14N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_14	MFC_14N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) MFCD15Y-Eats sausage or bacon- times per year

Variable name: MFCD15Y

Based on: MFC_15, MFC_15N

Description: The number of times per year the respondent eats sausages or bacon (including all types of sausages such as breakfast, pepperoni and Kielbassa, but excluding low-fat, light or turkey varieties).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_15 = 0	Never	
MFC_15 * 365	MFC_15N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_15 * 52	MFC_15N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_15 * 12	MFC_15N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_15	MFC_15N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

5) MFCD19AY-Eats eggs/egg dishes that include the yolk - times per year

Variable name: MFCD19AY

Based on: MFC_19A, MFC_19AN

Description: The number of times per year the respondent eats eggs or egg dishes that include the yolk, such as eggs, omelette, frittata or quiche (excluding all egg dishes made with only egg whites).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_19A = 0	Never	
MFC_19A * 365	MFC_19AN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_19A * 52	MFC_19AN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_19A * 12	MFC_19AN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_19A	MFC_19AN = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

6) MFCD19BY-Eats eggs and egg dishes that are made with omega-3 enriched eggs - times per year

Variable name: MFCD19BY

Based on: MFC_19B, MFC_19BN

Description: The number of times per year the respondent eats eggs and egg dishes that are made with omega-3 enriched eggs including the yolk such as eggs, omelette, frittata or quiche (excluding all egg dishes made with only egg whites).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_19B = 0	Never	
MFC_19B * 365	MFC_19BN = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_19B * 52	MFC_19BN = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_19B * 12	MFC_19BN = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_19B	MFC_19BN = 4	Reported number of times consumed per year	
9996	MFC_19A = 0	Population exclusions	VS
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

7) MFCD20Y-Eats cooked dried beans - times per year

Variable name: MFCD20Y

Based on: MFC_20, MFC_20N

Description: The number of times per year the respondent eats cooked dried beans (including refried beans, baked beans, pea soup or kidney beans, excluding green and yellow beans).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_20 = 0	Never	
MFC_20 * 365	MFC_20N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_20 * 52	MFC_20N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_20 * 12	MFC_20N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_20	MFC_20N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

8) MFCD21Y-Eats peanuts, walnuts, seeds or other nuts - times per year

Variable name: MFCD21Y

Based on: MFC_21, MFC_21N

Description: The number of times per year the respondent eats peanuts, walnuts, seeds, or other nuts (excluding nut butters such as peanut butter).

Specifications

Value	Condition(s)	Description	Notes
0	MFC_21 = 0	Never	
MFC_21 * 365	MFC_21N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
MFC_21 * 52	MFC_21N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
MFC_21 * 12	MFC_21N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
MFC_21	MFC_21N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Physical activity – adults 18 years and older (5 DVs)

1) PAADTRVL-Physical activity - transportation (minutes) - total

Variable name: PAADTRVL

Based on: DHH_AGE, PAA_005, PAA_015, PAA_020N

Description: This variable indicates the estimated total time spent (in minutes) using active ways to get to places, during the last 7 days.

Note: This variable applies to respondents aged 18 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 18	Population exclusion	VS
99999	(PAA_005 = DK, RF, NS) or (PAA_015 = DK, RF, NS) or (PAA_020N = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_005 = 2	No physical activity - transportation	
(PAA_015 * 60) + PAA_020N	Else	Total minutes of active transportation per week	

2) PAADREC-Physical activity - recreational (minutes) - total

Variable name: PAADREC

Based on: DHH_AGE, PAA_030, PAA_035, PAA_045, PAA_050N

Description: This variable indicates the total time spent (in minutes) participating in recreational physical activity, such as sports, fitness, organized or non-organized, that lasted a minimum of 10 continuous minutes and made them sweat a little and breathe harder, during the last 7 days.

Note: This variable applies to respondents aged 18 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 18	Population exclusions	VS
99999	(PAA_030 = DK, RF, NS) or (PAA_035 = DR, RF, NS) or (PAA_045 = DK, RF, NS) or (PAA_050N = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_030 = 2 or PAA_035 = 2	No physical activity - recreational	
(PAA_045 * 60) + PAA_050N	Else	Total minutes of recreational physical activity per week	

3) PAADOTH-Physical activity - other (minutes) - total

Variable name: PAADOTH

Based on: DHH_AGE, PAA_060, PAA_065, PAA_075, PAA_080N

Description: This variable indicates the total time spent (in minutes) participating in other physical activities while at work, in or around home, or while volunteering, that lasted a minimum of 10 continuous minutes and made them sweat a little and breathe harder, during the last 7 days.

Note: This variable applies to respondents aged 18 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 18	Population exclusions	VS
99999	(PAA_060 = DK, RF, NS) or (PAA_065 = DK, RF, NS) or (PAA_075 = DK, RF, NS) or (PAA_080N = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAA_060 = 2 or PAA_065 = 2	No other physical activity	
(PAA_075 * 60) + PAA_080N	Else	Total minutes of other physical activity per week	

4) PAADTOT-Physical activity - all domains (minutes) - total

Variable name: PAADTOT

Based on: DHH_AGE, PAADTRVL, PAADREC, PAADOTH

Description: This variable indicates the total minutes of physical activity from all domains, during the last 7 days.

Note: This variable applies to respondents aged 18 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 18	Population exclusions	VS
99999	PAADTRVL = NS or PAADREC = NS or PAADOTH = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
PAADTRVL + PAADREC + PAADOTH	PAADTRVL < VS and PAADREC < VS and PAADOTH < VS	Total minutes of physical activity from all domains	

5) PAADVIG-Physical activity - vigorous intensity (minutes) - total

Variable name: PAADVIG

Based on: DHH_AGE, PAA_095, PAA_100, PAA_105N, PAADTRVL, PAADREC, PAADOTH

Description: This variable indicates the estimated total time spent (in minutes) doing vigorous physical activity, during the last 7 days.

Note: This variable applies to respondents aged 18 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
0	(PAADTRVL=0 and PAADREC=0 and	No vigorous physical activity	

	PAADOTH=0) or PAA_095 = 2		
99996	DHH_AGE < 18 or PAA_095 = VS	Population exclusions	VS
99999	(PAA_095 = DK, RF, NS) or (PAA_100 = DK, RF, NS) or (PAA_105N = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
(PAA_100 * 60) + PAA_105N	Else	Total minutes of vigorous physical activity per week	

Physical activities for youth (32 DVs)

The variables PAY_15A-G, PAY_35A-G, PAY_55A-G and PAY_75A-G were re-coded during processing, based on the day of the week, so that:

A = Sunday,
B = Monday,
C = Tuesday,
D = Wednesday,
E = Thursday,
F = Friday,
G = Saturday.

The group of variables for physical activity at school does not include PAYDSCH1 or PAYDSCH7. CHMS did not collect data for Sunday and Saturday since these are not considered school days.

1) PAYDTRV1-Physical activity - active transportation (minutes) - Sunday

Variable name: PAYDTRV1

Based on: DHH_AGE, PAY_15A, PAY_15AN, PAY_10

Description: Time spent on Sunday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15A = DK, RF, NS) or (PAY_15AN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15A * 60) + PAY_15AN	Else	Active transportation - minutes	

2) PAYDTRV2-Physical activity - active transportation (minutes) - Monday

Variable name: PAYDTRV2

Based on: DHH_AGE, PAY_15B, PAY_15BN, PAY_10

Description: Time spent on Monday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15B = DK, RF, NS) or (PAY_15BN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15B * 60) + PAY_15BN	Else	Active transportation - minutes	

3) PAYDTRV3-Physical activity - active transportation (minutes) - Tuesday

Variable name: PAYDTRV3

Based on: DHH_AGE, PAY_15C, PAY_15CN, PAY_10

Description: Time spent on Tuesday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15C = DK, RF, NS) or (PAY_15CN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15C * 60) + PAY_15CN	Else	Active transportation - minutes	

4) PAYDTRV4-Physical activity - active transportation (minutes) - Wednesday

Variable name: PAYDTRV4

Based on: DHH_AGE, PAY_15D, PAY_15DN, PAY_10

Description: Time spent on Wednesday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15D = DK, RF, NS) or (PAY_15DN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15D * 60) + PAY_15DN	Else	Active transportation - minutes	

5) PAYDTRV5-Physical activity - active transportation (minutes) - Thursday

Variable name: PAYDTRV5

Based on: DHH_AGE, PAY_15E, PAY_15EN, PAY_10

Description: Time spent on Thursday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15E = DK, RF, NS) or (PAY_15EN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15E * 60) + PAY_15EN	Else	Active transportation - minutes	

6) PAYDTRV6-Physical activity - active transportation (minutes) - Friday

Variable name: PAYDTRV6

Based on: DHH_AGE, PAY_15F, PAY_15FN, PAY_10

Description: Time spent on Friday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15F = DK, RF, NS) or (PAY_15FN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
(PAY_15F * 60) + PAY_15FN	Else	Active transportation - minutes	

7) PAYDTRV7-Physical activity - active transportation (minutes) - Saturday

Variable name: PAYDTRV7

Based on: DHH_AGE, PAY_15G, PAY_15GN, PAY_10

Description: Time spent on Saturday using active ways to get to places.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_15G = DK, RF, NS) or (PAY_15GN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	

(PAY_15G * 60) + PAY_15GN	Else	Active transportation - minutes

8) PAYDTRVL-Physical activity - active transportation (minutes) - total

Variable name: PAYDTRVL

Based on: DHH_AGE, PAY_10, PAYDTRV1, PAYDTRV2, PAYDTRV3, PAYDTRV4, PAYDTRV5, PAYDTRV6, PAYDTRV7

Description: This variable indicates the estimated total time spent (in minutes) using active ways to get to places, during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusion	VS
99999	(PAY_10 = DK, RF, NS) or PAYDTRV1 = NS or PAYDTRV2 = NS or PAYDTRV3 = NS or PAYDTRV4 = NS or PAYDTRV5 = NS or PAYDTRV6 = NS or PAYDTRV7 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_10 = 2	Did not use active ways to get to places	
PAYDTRV1 + PAYDTRV2 + PAYDTRV3 + PAYDTRV4 + PAYDTRV5 + PAYDTRV6 + PAYDTRV7	Else	Total minutes of active transportation per week	

9) PAYDSCH2-Physical activity - at school/day camp (minutes) - Monday

Variable name: PAYDSCH2

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAY_35B, PAY_35BN

Description: Time spent on Monday doing physical activity at school/day camp.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9996	PAY_05A = 2 and PAY_05B = 2	Did not attend school or day camp in the last 7 days	VS
9999	(PAY_35B = DK, RF, NS) or (PAY_35BN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_25 = 2 or PAY_30 = 2	Did not do sports, fitness or recreational physical activities while at school/day camp	

(PAY_35B * 60) + PAY_35BN	Else	Physical activity at school/day camp - minutes	

10) PAYDSCH3-Physical activity - at school/day camp (minutes) - Tuesday

Variable name: PAYDSCH3

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAY_35C, PAY_35CN

Description: Time spent on Tuesday doing physical activity at school/day camp.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9996	PAY_05A = 2 and PAY_05B = 2	Did not attend school or day camp	VS
9999	(PAY_35C = DK, RF, NS) or (PAY_35CN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_25 = 2 or PAY_30 = 2	Did not do sports, fitness or recreational physical activities while at school/day camp	
(PAY_35C * 60) + PAY_35CN	Else	Physical activity at school/day camp - minutes	

11) PAYDSCH4-Physical activity - at school/day camp (minutes) - Wednesday

Variable name: PAYDSCH4

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAY_35D, PAY_35DN,

Description: Time spent on Wednesday doing physical activity at school/day camp.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9996	PAY_05A = 2 and PAY_05B = 2	Did not attend school or day camp	VS
9999	(PAY_35D = DK, RF, NS) or (PAY_35DN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_25 = 2 or PAY_30 = 2	Did not do sports, fitness or recreational physical activities while at school	
(PAY_35D * 60) + PAY_35DN	Else	Physical activity at school/day camp - minutes	

12) PAYDSCH5-Physical activity - at school/day camp (minutes) - Thursday

Variable name: PAYDSCH5

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAY_35E, PAY_35EN

Description: Time spent on Thursday doing physical activity at school/day camp.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9996	PAY_05A = 2 and PAY_05B = 2	Did not attend school/day camp in the past 7 days.	VS
9999	(PAY_35E = DK, RF, NS) or (PAY_35EN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_25 = 2 or PAY_30 = 2	Did not do sports, fitness or recreational physical activities while at school/day camp	
(PAY_35E * 60) + PAY_35EN	Else	Physical activity at school/day camp - minutes	

13) PAYDSCH6-Physical activity - at school/day camp (minutes) - Friday

Variable name: PAYDSCH6

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAY_35F, PAY_35FN

Description: Time spent on Friday doing physical activity at school/day camp.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9996	PAY_05A = 2 and PAY_05B = 2	Did not attend school/day camp in the past 7 days.	VS
9999	(PAY_35F = DK, RF, NS) or (PAY_35FN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_25 = 2 or PAY_30 = 2	Did not do sports, fitness or recreational physical activities while at school/day camp	
(PAY_35F * 60) + PAY_35FN	Else	Physical activity at school/day camp - minutes	

14) PAYDSCHL-Physical activity - at school/day camp (minutes) - total

Variable name: PAYDSCHL

Based on: DHH_AGE, PAY_05A, PAY_05B, PAY_25, PAY_30, PAYDSCH2, PAYDSCH3, PAYDSCH4, PAYDSCH5, PAYDSCH6

Description: This variable indicates the total time spent (in minutes) participating in physical activity at school (during physical education classes or breaks) or at day camp, including any time playing indoors or outdoors (that made them sweat a little and breathe harder), during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
99999	(PAY_25 = DK, RF, NS) or (PAY_30 = DR, RF, NS) or PAYDSCH2 = NS or PAYDSCH3 = NS or PAYDSCH4 = NS or PAYDSCH5 = NS or PAYDSCH6 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	(PAY_25 = 2 or PAY_30 = 2) or (PAY_05A = 2 and PAY_05B = 2)	No physical activity - at school/day camp or did not attend school/day camp in the past 7 days	
PAYDSCH2 + PAYDSCH3 + PAYDSCH4 + PAYDSCH5 + PAYDSCH6	Else	Total minutes of physical activity at school/day camp per week	

15) PAYDREC1-Physical activity - recreational (minutes) - Sunday

Variable name: PAYDREC1

Based on: DHH_AGE, PAY_55A, PAY_55AN, PAY_45, PAY_50

Description: Time spent on Sunday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55A = DK, RF, NS) or (PAY_55AN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55A * 60) + PAY_55AN	Else	Recreational physical activity - minutes	

16) PAYDREC2-Physical activity - recreational (minutes) - Monday

Variable name: PAYDREC2

Based on: DHH_AGE, PAY_55B, PAY_55BN, PAY_45, PAY_50

Description: Time spent on Monday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55B = DK, RF, NS) or (PAY_55BN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55B * 60) + PAY_55BN	Else	Recreational physical activity - minutes	

17) PAYDREC3-Physical activity - recreational (minutes) - Tuesday

Variable name: PAYDREC3

Based on: DHH_AGE, PAY_55C, PAY_55CN, PAY_45, PAY_50

Description: Time spent on Tuesday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55C = DK, RF, NS) or (PAY_55CN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55C * 60) + PAY_55CN	Else	Recreational physical activity - minutes	

18) PAYDREC4-Physical activity - recreational (minutes) - Wednesday

Variable name: PAYDREC4

Based on: DHH_AGE, PAY_55D, PAY_55DN, PAY_45, PAY_50

Description: Time spent on Wednesday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS

9999	(PAY_55D = DK, RF, NS) or (PAY_55DN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55D * 60) + PAY_55DN	Else	Recreational physical activity - minutes	

19) PAYDREC5-Physical activity - recreational (minutes) - Thursday

Variable name: PAYDREC5

Based on: DHH_AGE, PAY_55E, PAY_55EN, PAY_45, PAY_50

Description: Time spent on Thursday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55E = DK, RF, NS) or (PAY_55EN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55E * 60) + PAY_55EN	Else	Recreational physical activity - minutes	

20) PAYDREC6-Physical activity - recreational (minutes) - Friday

Variable name: PAYDREC6

Based on: DHH_AGE, PAY_55F, PAY_55FN, PAY_45, PAY_50

Description: Time spent on Friday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55F = DK, RF, NS) or (PAY_55FN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55F * 60) + PAY_55FN	Else	Recreational physical activity - minutes	

21) PAYDREC7-Physical activity - recreational (minutes) - Saturday

Variable name: PAYDREC7

Based on: DHH_AGE, PAY_55G, PAY_55GN, PAY_45, PAY_50

Description: Time spent on Saturday doing recreational physical activity.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_55G = DK, RF, NS) or (PAY_55GN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
(PAY_55G * 60) + PAY_55GN	Else	Recreational physical activity - minutes	

22) PAYDREC-Physical activity - recreational (minutes) - total

Variable name: PAYDREC

Based on: DHH_AGE, PAY_45, PAY_50, PAYDREC1, PAYDREC2, PAYDREC3, PAYDREC4, PAYDREC5, PAYDREC6, PAYDREC7

Description: This variable indicates the total time spent (in minutes) participating in recreational physical activity, exercising, playing an organized or non-organized sport, or playing with friends (that made them sweat a little and breathe harder), during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
99999	(PAY_45 = DK, RF, NS) or (PAY_50 = DR, RF, NS) or PAYDREC1 = NS or PAYDREC2 = NS or PAYDREC3 = NS or PAYDREC4 = NS or PAYDREC5 = NS or PAYDREC6 = NS or PAYDREC7 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_45 = 2 or PAY_50 = 2	Did not do physical activities during leisure time	
PAYDREC1 + PAYDREC2 + PAYDREC3 + PAYDREC4 + PAYDREC5 + PAYDREC6 + PAYDREC7	Else	Total minutes of recreational physical activity per week	

23) PAYDOTH1-Physical activity - other (minutes) - Sunday

Variable name: PAYDOTH1

Based on: DHH_AGE, PAY_75A, PAY_75AN, PAY_65, PAY_70

Description: Time spent on Sunday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75A = DK, RF, NS) or (PAY_75AN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75A * 60) + PAY_75AN	Else	Other physical activity - minutes	

24) PAYDOTH2-Physical activity - other (minutes) - Monday

Variable name: PAYDOTH2

Based on: DHH_AGE, PAY_75B, PAY_75BN, PAY_65, PAY_70

Description: Time spent on Monday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75B = DK, RF, NS) or (PAY_75BN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75B * 60) + PAY_75BN	Else	Other physical activity - minutes	

25) PAYDOTH3-Physical activity - other (minutes) - Tuesday

Variable name: PAYDOTH3

Based on: DHH_AGE, PAY_75C, PAY_75CN, PAY_65, PAY_70

Description: Time spent on Tuesday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75C = DK, RF, NS) or (PAY_75CN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75C * 60) + PAY_75CN	Else	Other physical activity - minutes	

26) PAYDOTH4-Physical activity - other (minutes) - Wednesday

Variable name: PAYDOTH4

Based on: DHH_AGE, PAY_75D, PAY_75DN, PAY_65, PAY_70

Description: Time spent on Wednesday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75D = DK, RF, NS) or (PAY_75DN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75D * 60) + PAY_75DN	Else	Other physical activity - minutes	

27) PAYDOTH5-Physical activity - other (minutes) - Thursday

Variable name: PAYDOTH5

Based on: DHH_AGE, PAY_75E, PAY_75EN, PAY_65, PAY_70

Description: Time spent on Thursday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS

9999	(PAY_75E = DK, RF, NS) or (PAY_75EN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75E * 60) + PAY_75EN	Else	Other physical activity - minutes	

28) PAYDOTH6-Physical activity - other (minutes) - Friday

Variable name: PAYDOTH6

Based on: DHH_AGE, PAY_75F, PAY_75FN, PAY_65, PAY_70

Description: Time spent on Friday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75F = DK, RF, NS) or (PAY_75FN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75F * 60) + PAY_75FN	Else	Other physical activity - minutes	

29) PAYDOTH7-Physical activity - other (minutes) - Saturday

Variable name: PAYDOTH7

Based on: DHH_AGE, PAY_75G, PAY_75GN, PAY_65, PAY_70

Description: Time spent on Saturday doing other physical activites.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
9996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
9999	(PAY_75G = DK, RF, NS) or (PAY_75GN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
(PAY_75G * 60) + PAY_75GN	Else	Other physical activity - minutes	

30) PAYDOTH-Physical activity - other (minutes) - total

Variable name: PAYDOTH

Based on: DHH_AGE, PAY_65, PAY_70, PAYDOTH1, PAYDOTH2, PAYDOTH3, PAYDOTH4, PAYDOTH5, PAYDOTH6, PAYDOTH7

Description: This variable indicates the total time spent (in minutes) participating in other physical activities while at work, or helping their family with chores (that made them sweat a little and breathe harder), during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
99999	(PAY_65 = DK, RF, NS) or (PAY_70 = DK, RF, NS) or PAYDOTH1 = NS or PAYDOTH2 = NS or PAYDOTH3 = NS or PAYDOTH4 = NS or PAYDOTH5 = NS or PAYDOTH6 = NS or PAYDOTH7 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_65 = 2 or PAY_70 = 2	Did not do any other physical activities	
PAYDOTH1 + PAYDOTH2 + PAYDOTH3 + PAYDOTH4 + PAYDOTH5 + PAYDOTH6 + PAYDOTH7	Else	Total minutes of other physical activity per week	

31) PAYDTOT-Physical activity - all domains (minutes) - total

Variable name: PAYDTOT

Based on: DHH_AGE, PAYDTRVL, PAYDREC, PAYDOTH, PAYDSCHL

Description: This variable indicates the total minutes of physical activity from all domains, during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
99999	PAYDTRVL = NS or PAYDREC = NS or PAYDOTH = NS or PAYDSCHL = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
PAYDTRVL + PAYDREC + PAYDOTH + PAYDSCHL	PAYDTRVL < VS and PAYDREC < VS and PAYDOTH < VS and PAYDSCHL < VS	Total minutes of physical activity from all domains	

32) PAYDVIG-Physical activity - vigorous intensity (minutes) - total

Variable name: PAYDVIG

Based on: DHH_AGE, PAY_90, PAY_100, PAY_105N, PAYDTOT

Description: This variable indicates the estimated total time spent (in minutes) doing vigorous physical activity (that caused them to be out of breath), during the last 7 days.

Note: This variable applies to respondents aged 12 to 17 years old.

Specifications

Value	Condition(s)	Description	Notes
99996	DHH_AGE < 12 or DHH_AGE > 17	Population exclusions	VS
99999	(PAY_90 = DK, RF, NS) or (PAY_100 = DK, RF, NS) or PAYDTOT = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
0	PAY_90 = 2 or PAYDTOT = 0	No vigorous physical activity	
(PAY_100 * 60) + PAY_105N	Else	Total minutes of vigorous physical activity per week	

Phlebotomy (2 DVs)

1) PHBDELG-Eligibility - Phlebotomy component

Variable name: PHBDELG

Based on: PHC_51, PHC_52, PHC_57B

Description: This variable indicates whether the respondent was eligible for the Phlebotomy component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
10	PHC_51 = 1	Not eligible - hemophilia or von Willebrand disease	
11	PHC_52 = 1	Not eligible - received chemoptherapy in past 4 weeks	
24	PHC_57B = 3	Not eligible - double mastectomy	
1	Else	Eligible	

2) PHID12-Fasting status

Variable name: PHID12

Based on: PHBDELG, ATG_11, ATG_11H, ATG_11M, CLC_AGE, System time and date when variable is derived at the mobile examination center

Description: This variable indicates whether the respondent was selected for the fasting subsample and whether they had fasted for 10 hours or more at the time of the clinic visit.

Specifications

Value	Condition(s)	Description	Notes
6	PHBDELG > 1	Population exclusions	VS
1	Respondent was asked to fast and (ATG_11 = 1 and the difference between CurrentDate-1/ATG_11H:ATG_11M and System date and time at the mobile examination center was 10 hours or more) or (ATG_11 = 2 and the difference between CurrentDate/ATG_11H:ATG_11M and System date and time at the mobile examination center was 10 hours or more)	Respondent was selected for the fasting subsample and was fasted 10 hours or more	
2	Respondent was asked to fast and (ATG_11 = 2 and the difference between CurrentDate/ATG_11H:ATG_11M and System date and time at the mobile examination center was less than 10 hours) or (ATG_11 = 1 and the difference between CurrentDate-1/ATG_11H:ATG_11M and System date and time at the mobile examination center was less than 10 hours)	Respondent was selected for the fasting subsample but was not fasted	

3	Respondent was not asked to fast and (ATG_11 = 1 and the difference between CurrentDate-1/ATG_11H:ATG_11M and System date and time at the mobile examination center was 10 hours or more) or (ATG_11 = 2 and the difference between CurrentDate/ATG_11H:ATG_11M and System date and time at the mobile examination center was 10 hours or more)	Respondent was not selected for the fasting subsample but was fasted 10 hours or more
4	Respondent was not asked to fast and (ATG_11 = 1 and the difference between CurrentDate-1/ATG_11H:ATG_11M and System date and time at the mobile examination center was less than 10 hours) or (ATG_11 = 2 and the difference between CurrentDate/ATG_11H:ATG_11M and System date and time at the mobile examination center was less than 10 hours)	Respondent was not selected for the fasting subsample and was not fasted
9	Else	Not stated

Sedentary activities (4 DVs)

1) SACDTOTX-Total number of hours in the last seven days spent in sedentary activities - continuous variable

Variable name: SACDTOTX

Based on: DHH_AGE, SAC_005, SAC_010, SAC_020, SAC_025

Description: This variable calculates the total number of hours the respondent spent in the last seven days doing the following sedentary activities: computer, computer games and Internet, video games, television, DVD's or videos and reading. Sedentary activities spent at school or work are excluded.

Note: Respondents less than 12 years of age were excluded from the population.
The wording of this variable has been changed from: "time spent in a typical week in the last 3 months" in Cycle 4 to: "time spent in the last seven days" in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
999.6	DHH_AGE < 12	Not eligible - age	VS
SAC_005 + SAC_010 + SAC_020 + SAC_025	SAC_005 < VS and SAC_010< VS and SAC_020 < VS and SAC_025 < VS	Total number of hours spent in sedentary activities	
999.9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) SACDTOT-Total number of hours in the last 7 days spent in sedentary activities - categorical variable

Variable name: SACDTOT

Based on: SACDTOTX

Description: This variable establishes categories for the total number of hours the respondent spent in the last seven days doing the following sedentary activities: computer, computer games and Internet, video games, television, DVD'S or videos and reading. Sedentary activities spent at school or work are excluded.

Note: Respondents less than 12 years of age were excluded from the population.
The wording of this variable has been changed from: "time spent in a typical week in the last 3 months" in Cycle 4 to: "time spent in the last seven days" in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
96	SACDTOTX = VS	Population exclusions	VS
99	SACDTOTX = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SACDTOTX < 5	Less than 5 hours	
2	SACDTOTX < 10	From 5 to less than 10 hours	
3	SACDTOTX < 15	From 10 to less than 15 hours	
4	SACDTOTX < 20	From 15 to less than 20 hours	
5	SACDTOTX < 25	From 20 to less than 25 hours	
6	SACDTOTX < 30	From 25 to less than 30 hours	
7	SACDTOTX < 35	From 30 to less than 35 hours	

8	SACDTOTX < 40	From 35 to less than 40 hours
9	SACDTOTX < 45	From 40 to less than 45 hours
10	Else	45 hours of more

3) SACDRCO-Total number of hours in the last seven days spent in sedentary activities, other than reading - continuous variable

Variable name: SACDRCO

Based on: DHH_AGE, SAC_010, SAC_020_SAC_025

Description: This variable calculates the total number of hours the respondent spent in the last seven days doing the following sedentary activities: computer, computer games and Internet, video games, and television, DVDs or videos. Sedentary activities spent at school or work are excluded.

Note: Respondents less than 12 years of age were excluded from the population.
The wording of this variable has been changed from: "time spent in a typical week in the last 3 months" in Cycle 4 to: "time spent in the last seven days" in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
999.6	DHH_AGE < 12	Not eligible - age	VS
SAC_010 + SAC_020 + SAC_025	SAC_010< VS and SAC_020 < VS and SAC_025 < VS	Total number of hours spent in sedentary activities.	
999.9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) SACDRCA-Total number of hours in the last seven days spent in sedentary activities, other than reading - categorical variable

Variable name: SACDRCA

Based on: SACDRCO

Description: This variable establishes categories for the total number of hours the respondent spent in the last seven days doing the following sedentary activities: computer, computer games and Internet, video games, television or videos. Sedentary activity time spent at work or at school are excluded.

Note: Respondents less than 12 years of age were excluded from the population.
The wording of this variable has been changed from: "time spent in a typical week in the last 3 months" in Cycle 4 to: "time spent in the last seven days" in Cycles 5 & 6.

Specifications

Value	Condition(s)	Description	Notes
96	SACDRCO = VS	Population exclusions	VS
99	SACDRCO = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SACDRCO < 5	Less than 5 hours	
2	SACDRCO < 10	From 5 to less than 10 hours	
3	SACDRCO < 15	From 10 to less than 15 hours	
4	SACDRCO < 20	From 15 to less than 20 hours	

5	SACDRCO < 25	From 20 to less than 25 hours
6	SACDRCO < 30	From 25 to less than 30 hours
7	SACDRCO < 35	From 30 to less than 35 hours
8	SACDRCO < 40	From 35 to less than 40 hours
9	SACDRCO < 45	From 40 to less than 45 hours
10	Else	45 hours or more

Socio-demographic characteristics (5 DVs)

1) IMGDLLI-Length of time since became a landed immigrant

Variable name: IMGDLLI

Based on: IMG_04, C2_YEAR

Description: This variable indicates the length of time in years the respondent has been in Canada since he/she first became a landed immigrant in Canada.

Note: Non-immigrants were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	IMG_04 = VS	Population exclusion	VS
999	IMG_04 = DK, RF, NS	At least one required question was not answered (don't know, refusal, not stated)	NS
C2_YEAR - IMG_04	IMG_04 < VS	Length of time in Canada since first became a landed immigrant	[min: 0; max: 130 (current age)]

2) IMGDALI-Age when first became a landed immigrant in Canada

Variable name: IMGDALI

Based on: IMG_04, DHH_YOB

Description: This variable indicates the age of the respondent at the time that the respondent first became a landed immigrant in Canada.

Note: Non-immigrants were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
996	IMG_04 = VS	Population exclusion	VS
999	(IMG_04 = DK, RF, NS) or (DHH_YOB = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
IMG_04 - DHH_YOB	IMG_04 < VS	Age when became landed immigrant	[min: 0; max: 130 (current age)]

3) AMBFABT-Aboriginal flag

Variable name: AMBFABT

Based on: AMB_01

Description: This variable indicates whether the respondent reported being an Aboriginal person (First Nations includes Status and Non-Status Indians, Métis or Inuk (Inuit)).

Specifications

Value	Condition(s)	Description	Notes

6	AMB_01 = VS	Population exclusions	VS
9	AMB_01 = DK, RF, NS	Required question was not answered (don't know, refusal, not stated)	NS
1	AMB_01 = 1	Aboriginal (North American Indian, Métis, Inuit)	
2	AMB_01 = 2	Not Aboriginal	

4) PGDCGT-Culture / race flag

Variable name: PGDCGT

Based on: AMB_01, PG_01A, PG_01B, PG_01C, PG_01D, PG_01E, PG_01F, PG_01G, PG_01H, PG_01I, PG_01J, PG_01K, PG_01L

Description: This variable indicates the cultural or racial background of the respondent. It excludes all respondents who self-identify as Aboriginal.

Specifications

Value	Condition(s)	Description	Notes
96	AMB_01 = 1	Aboriginal origin	VS
99	(PG_01A = DK, RF, NS)	Required question was not answered (don't know, refusal, not stated)	NS
1	PG_01A = 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	White only	
2	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D = 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Black only	
3	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J = 1 and PG_01K > 1 and PG_01L > 1	Korean only	

4	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E = 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Filipino only
5	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K = 1 and PG_01L > 1	Japanese only
6	PG_01A > 1 and PG_01B > 1 and PG_01C = 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Chinese only
7	PG_01A > 1 and PG_01B = 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	South Asian only
8	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H = 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Southeast Asian only

9	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G = 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Arab only
10	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I = 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	West Asian only
11	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F = 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L > 1	Latin American only
12	PG_01A > 1 and PG_01B > 1 and PG_01C > 1 and PG_01D > 1 and PG_01E > 1 and PG_01F > 1 and PG_01G > 1 and PG_01H > 1 and PG_01I > 1 and PG_01J > 1 and PG_01K > 1 and PG_01L = 1	Other racial or cultural origin (only)
13	AMB_01 > 1 and More than one category answered from PG_01A to PG_01L	Multiple racial or cultural origins

5) IMGGCB-Country of birth - grouped

Variable name: IMGGCB

Based on: IMGCCB

Description: This variable classifies the respondent based on their country of birth in specific groups.

Note: Coding based on Standard Classification of Countries and Areas of Interest (SCCAI) 2018.

Source: www.statcan.gc.ca/subjects-sujets/standard-norme/sgc-cgt/geography-geographie-eng.htm

Specifications

Value	Condition(s)	Description	Notes
99	IMGCCB = DK, RF, NS	Required question was not answered (don't know, refusal, not stated)	NS
1	IMGCCB = 11124	Canada	
2	(11124 <= IMGCCB < 12000) or (IMGCCB = 12484)	Other North America	
3	(12000 <= IMGCCB < 12484) or (12484 < IMGCCB < 15000)	South, Central America and Caribbean	
4	21000 <= IMGCCB < 25000	Europe	
5	31000 <= IMGCCB < 36000	Africa	
6	41000 <= IMGCCB < 45000	Asia	
7	51000 <= IMGCCB < 55000	Oceania	
8	61010 <= IMGCCB <= 61334	Antarctic and other islands	

Smoking (7 DVs)

1) SMKDSTY-Type of smoker

Variable name: SMKDSTY

Based on: DHH_AGE, SMK_11, SMK_12, SMK_21A, SMK_23, SMK_51

Description: This variable indicates the type of smoker the respondent is, based on their smoking habits.

Note: Respondents less than 12 years of age were excluded from the population.

The calculation of SMKDSTY changed in Cycle 3, due to the addition of SMK_21A in the questionnaire.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 12	Population exclusions	VS
99	(SMK_11 = DK, RF, NS) or (SMK_12 = DK, RF, NS) or (SMK_21A = DK, RF, NS) or (SMK_51 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	SMK_12 = 1	Current daily smoker	
2	SMK_12 = 2 and (SMK_23 = 31 or SMK_51 = 1)	Occasional smoker (former daily smoker)	
3	SMK_12 = 2 and (SMK_21A = 2 or SMK_51 = 2)	Occasional smoker (never a daily smoker)	
4	SMK_12 = 3 and (SMK_23 = 31 or SMK_51 = 1)	Non-smoker (former daily smoker)	
5	SMK_12 = 3 and SMK_51 = 2, VS and (SMK_11 = 1 or SMK_21A = 1)	Non-smoker (former occasional smoker, at least 100 cigarettes in lifetime or at least one cigarette a month)	
6	SMK_12 = 3 and SMK_11 = 2	Never smoked (at least 100 cigarettes)	

2) SMKDSTP-Number of years since respondent stopped smoking completely

Variable name: SMKDSTP

Based on: DHH_AGE, SMK_12, SMK_21A, SMK_23, SMK_51, SMK_54, SMKDSTY

Description: This variable indicates the approximate number of years since former smokers completely quit smoking.

Note: Current smokers and respondents who did not smoke a total of 100 cigarettes or more in their lifetime were excluded from the population. Respondents less than 12 years of age were excluded from the population.

The calculation of SMKDSTP changed in Cycle 3, due to the addition of SMK_21A in the questionnaire.

Specifications

Value	Condition(s)	Description	Notes
996	DHH_AGE < 12 or (SMKDSTY = 1, 2, 3, 6) or	Population exclusions	VS

	(SMK_12 = 3 and SMK_21A = 2)		
999	SMKDSTY = NS or (SMK_23 = DK, RF, NS) or (SMK_51 = DK, RF, NS) or (SMK_54 = DK, RF, NS) or (DHH_AGE = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
DHH_AGE - SMK_54	SMK_23 = 31 or SMK_51 = (1, 2)	Number of years since completely quit smoking	

3) SMKDYFS-Number of years smoked daily (former daily smokers only)

Variable name: SMKDYFS

Based on: DHH_AGE, SMK_11, SMK_12, SMK_22, SMK_23, SMK_51, SMK_52, SMK_54

Description: This variable indicates the number of years the respondent smoked daily.

Note: Respondents less than 12 years of age, respondents who are daily smokers, respondents who have never been daily smokers or who never smoked at least 1 cigarette per month or respondents who have not smoked a total of 100 cigarettes in their lifetime have been excluded from the population.

The calculation of SMKDYFS changed in Cycle 3, due to the addition of SMK_21A in the questionnaire.

Specifications

Value	Condition(s)	Description	Notes
996	DHH_AGE < 12 or SMK_12 = 1 or SMK_51 = 2 or (SMK_23 < 31 and SMK_51 <> 1) or SMK_11 = 2 or SMK_21A = 2	Population exclusions	VS
999	(SMK_12 = DK, RF, NS) or (SMK_23 = DK, RF, NS and SMK_22 = DK, RF, NS) or (SMK_51 = DK, RF, NS and SMK_52 = DK, RF, NS) or (SMK_54 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SMK_54 - SMK_22	(SMK_12 = 2, 3) and SMK_23 = 31	Number of years smoked daily	(min: 0; max: 125)
SMK_54 - SMK_52	(SMK_12 = 2, 3) and SMK_51 = 1	Number of years smoked daily	(min: 0; max: 125)

4) SMKDAQD-Respondent's age when they quit smoking daily

Variable name: SMKDAQD

Based on: DHH_AGE, SMKDSTY, SMK_11, SMK_54

Description: This variable indicates the respondent's age when they quit smoking daily (occasional, former daily smokers).

Note: This variable applies to respondents aged 12 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes

96	DHH_AGE < 12 or (SMKDSTY = 1,3,4,5,6)	Population exclusions	VS
99	SMKDSTY = NS or (SMK_54 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SMK_54	SMKDSTY = 2	Age when quit smoking daily	

5) SMKDAQS-Respondent's age when they quit smoking completely

Variable name: SMKDAQS

Based on: DHH_AGE, SMKDSTY, SMK_54

Description: This variable indicates when the respondent quit smoking completely (former daily or former occasional smokers).

Note: This variable applies to respondents aged 12 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 12 or (SMKDSTY = 1,2,3,6) or SMK_54 = VS	Population exclusions	VS
99	SMKDSTY = NS or SMK_54 = (DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SMK_54	SMKDSTY = 4, 5	Age when quit smoking completely (former daily or former occasional smokers).	

6) SMKDASD-Respondent's age when they started smoking daily

Variable name: SMKDASD

Based on: DHH_AGE, SMKDSTY, SMK_12, SMK_22, SMK_23, SMK_51, SMK_52

Description: This variable indicates the respondent's age when they started smoking daily.

Note: This variable applies to respondents aged 12 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 12 or (SMKDSTY = 3,5,6)	Population exclusions	VS
99	SMKDSTY = NS or (SMK_23 = 31 and SMK_22 = DK, RF, NS) or ((SMK_12 = 1 or SMK_51 = 1) and SMK_52 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SMK_22	SMK_23 = 31	Respondent's age when they started smoking daily	
SMK_52	SMK_12 = 1 or SMK_51 = 1	Respondent's age when they started smoking daily	

7) SMKDNSD-Number of cigarettes smoked per day

Variable name: SMKDNSD

Based on: DHH_AGE, SMKDSTY, SMK_12, SMK_23, SMK_24, SMK_51, SMK_53

Description: This variable indicates the number of cigarettes the respondent smoked when started smoking daily.

Note: This variable applies to respondents aged 12 to 79 years old.

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 12 or (SMKDSTY = 3,5,6)	Population exclusions	VS
99	SMKDSTY = NS or (SMK_23 = 31 and SMK_24 = DK, RF, NS) or ((SMK_12 = 1 or SMK_51 = 1) and SMK_53 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SMK_24	SMK_23 = 31	Number of cigarettes smoked per day when started smoking	
SMK_53	SMK_12 = 1 or SMK_51 = 1	Number of cigarettes smoked per day when started smoking daily	

Sleep Apnea (2 DVs)

Based on the updated STOP-Bang Questionnaire.
Property of University Health Network, for further info: www.stopbang.ca
Modified from Chung F et al. Anesthesiology 2008; 108:812-21, Chung F et al Br J Anaesth 2012; 108:768-75, Chung F et al Obes Surg 2013; 23:2050-57, Chung F et al J Clin Sleep Med Sept 2014

Temporary Reformat

Value	Condition(s)	Description	Notes
SPAT35			
1	SPA_030 = 1 and SPA_035 = 3 or 4	First criterion of the STOP-Bang tool met (Snoring loudly)	Else set value to zero
SPAT40			
1	SPA_040 = 1	Third criterion of the STOP-Bang tool met (Observed stop breathing)	Else set value to zero
SPAT45			
1	SPA_045 = 1	Second criterion of the STOP-Bang tool met (Tired)	Else set value to zero
SPATAGE			
1	CLC_AGE > 50	Sixth criterion of the STOP-Bang tool met (Age > 50 years)	Else set value to zero
SPATBMI			
1	VS > HWMDBMI > 35	Fifth criterion of the STOP-Bang tool met (Body Mass Index > 35 kg/m2)	Else set value to zero
SPATBPM			
1	VS > BPMDPBPS > 140 or VS > BPMDPBPD > 90 or CCC_32 = 1	Fourth criterion of the STOP-Bang tool met (High blood pressure measured, or taking medication for high blood pressure)	Else set value to zero
SPATNEC			
1	(CLC_SEX = 1 and VS > HWMD16IN ≥ 17) or (CLC_SEX = 2 and VS > HWMD16IN ≥ 16)	Seventh criterion of the STOP-Bang tool met (Neck circumference ≥ 17 inches (male), or ≥ 16 inches (female))	Else set value to zero
SPATSEX			
1	CLC_SEX = 1	Eighth criterion of the STOP-Bang tool met (Gender = Male)	Else set value to zero

1) SPADSCOR-Sleep Apnea Risk - Score

Variable name: SPADSCOR

Based on: DHH_AGE, CLC_AGE, WHR_015, CLC_SEX, SPA_010, SPA_035, SPA_040, SPA_045, BPMDPBPS, BPMDPBPD, CCC_32, HWMDBMI, HWMD16IN

Description: The score is based on the criteria from the STOP-Bang Questionnaire, and ranges from 0 to 8. It is used to calculate the potential risk for obstructive sleep apnea (OSA).

Note: This score was calculated for respondents > 17 years old who were not already diagnosed with sleep apnea (SPA_010 <> 1).

Source: Chung F, Yegneswaran B, Liao P, et al. STOP questionnaire: a tool to screen patients for obstructive sleep apnea. Anesthesiology. 2008 May; 108(5):812-21.
Chung F, Subramanyam R, Liao P, et al. High STOP-Bang score indicates a high probability of obstructive sleep apnoea. British Journal of Anaesthesia. 2012 May; 108(5): 768-75.
Chung F, Yang Y, Brown R, Liao P. Alternative scoring models of STOP-Bang Questionnaire improve specificity to detect undiagnosed obstructive sleep apnea. Journal of Clinical Sleep Medicine. 2014 Sep 15; 10(9): 951-58.

Internet site: www.stopbang.ca/translation/pdf/caeng.pdf

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 18 or	Population exclusions	VS

	SPA_010 = 1 or WHR_015 = 1		
99	(SPA_035 = DK, RF, NS) or (SPA_040 = DK, RF, NS) or (SPA_045 = DK, RF, NS) or (CCC_32 = DK, RF, NS and ((BPMDPBPS = DK, RF, NS or BPMDPBPD = DK, RF, NS))) or (HWMDBMI = DK, RF, NS) or (CLC_AGE = DK, RF, NS) or (CLC_SEX = DK, RF, NS) or (HWMD16IN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
SPAT35 + SPAT40 + SPAT45 + SPATBPM + SPATBMI + SPATAGE + SPATNEC + SPATSEX	Else	Sums the total number of responses to create the Sleep Apnea Risk Score.	Score: 0 to 8

2) SPADRISK-Sleep Apnea Risk - Classification

Variable name: SPADRISK

Based on: DHH_AGE, CLC_AGE, WHR_015, CLC_SEX, SPA_010, SPA_035, SPA_040, SPA_045, BPMDPBPS, BPMDPBPD, CCC_32, HWMDBMI, HWMD16IN, SPADSCOR

Description: The classification is based on the STOP-Bang Questionnaire to calculate the potential risk for obstructive sleep apnea (OSA).

Note: The classification was calculated for respondents > 17 years old who were not already diagnosed with sleep apnea (SPA_010 <> 1).

Source: Chung F, Yegneswaran B, Liao P, et al. STOP questionnaire: a tool to screen patients for obstructive sleep apnea. Anesthesiology. 2008 May; 108(5):812-21.
Chung F, Subramanyam R, Liao P, et al. High STOP-Bang score indicates a high probability of obstructive sleep apnoea. British Journal of Anaesthesia. 2012 May; 108(5): 768–75.
Chung F, Yang Y, Brown R, Liao P. Alternative scoring models of STOP-Bang Questionnaire improve specificity to detect undiagnosed obstructive sleep apnea. Journal of Clinical Sleep Medicine. 2014 Sep 15; 10(9): 951-58.

Internet site: www.stopbang.ca/translation/pdf/caeng.pdf

Temporary Reformat

Value	Condition(s)	Description	Notes
SPATSTOP			
SPAT35 + SPAT40 + SPAT45 + SPATBPM		Sums the first four (STOP) questions based on the STOP-Bang Questionnaire.	Else set value to zero

Specifications

Value	Condition(s)	Description	Notes
96	DHH_AGE < 18 or SPA_010 = 1 or WHR_015 = 1	Population exclusions	VS

99	(SPA_035 = DK, RF, NS) or (SPA_040 = DK, RF, NS) or (SPA_045 = DK, RF, NS) or (CCC_32 = DK, RF, NS and ((BPMDPBPS = DK, RF, NS or BPMDPBPD = DK, RF, NS))) or (HWMDBMI = DK, RF, NS) or (CLC_AGE = DK, RF, NS) or (CLC_SEX = DK, RF, NS) or (HWMD16IN = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(SPADSCOR in (5,6,7,8)) or (SPATSTOP in (2,3,4) and SPATSEX = 1) or (SPATSTOP in (2,3,4) and SPATBMI = 1) or (SPATSTOP in (2,3,4) and SPATNEC = 1)	("Yes" to 5-8 questions) or ("Yes" to 2 of 4 STOP questions and CLC_SEX =1) or ("Yes" to 2 of 4 SPATSTOP score and HWMDBMI > 35 kg/m2) or ("Yes" to 2 of 4 SPATSTOP score and CLC_SEX = 1 and neck circumference is GE to 17 inches) or ("Yes" to 2 of 4 SPATSTOP score and CLC_SEX = 2 and neck circumference is GE to 16 inches)	High risk
2	SPADSCOR = 3 or 4	"Yes" to 3 - 4 questions	Moderate risk
3	SPADSCOR ≤ 2	"Yes" to 0 - 2 questions	Low risk

Sit and reach (4 DVs)

1) SRCDELG-Eligibility - Sit and reach component

Variable name: SRCDELG

Based on: CLC_AGE, V2_TYPE, ATG_33C, WHR_020, PHC_42I, PHC_44I, PHR_80C, PHR_56CC, PHR_57CC, PHR_58CC, PHR_59CC, PHR_60CC, PHR_61CC, PHR_62CC, PHR_63CC, PHR_64CC, PHR_65CC, PHR_66CC, PHR_95C, ORS_4

Description: This variable indicates whether the respondent was eligible for the Sit and Reach component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met. As there are multiple reasons to be screened out of this measure, the prevalence of screen outs by reason should not be based on frequency counts for this variable. This test was performed by respondents 6 to 69 years of age.

Specifications

Value	Condition(s)	Description	Notes
2	V2_TYPE = 2	Not eligible - home visit	
3	CLC_AGE < 6 or CLC_AGE > 69	Not eligible - age	
5	ATG_33C = 1	Not eligible - drank alcohol too close to visit time	
6	WHR_020 > 12 and WHR_020 < VS	Not eligible - more than 12 weeks pregnant	
9	PHC_42I = 1 or PHC_44I = 1 or PHR_80C = 1 or PHR_56CC = 1 or PHR_57CC = 1 or PHR_58CC = 1 or PHR_59CC = 1 or PHR_60CC = 1 or PHR_61CC = 1 or PHR_62CC = 1 or PHR_63CC = 1 or PHR_64CC = 1 or PHR_65CC = 1 or PHR_66CC = 1	Not eligible - acute or chronic condition	
14	PHR_95C = 1 or ORS_4 = 1	Not eligible - other reason	
1	Else	Eligible	

2) SRMD11-Sit and reach measure (centimetres)

Variable name: SRMD11

Based on: SRM_01, SRM_02, SRCDELG

Description: This variable indicates which of the two Sit and Reach Measurements will be used in subsequent derived variables.

Specifications

Value	Condition(s)	Description	Notes
99.9	(SRM_01 = DK, RF, NS) and (SRM_02 = DK, RF, NS)	At least one required question was not answered (don't know, refusal, not stated)	NS
99.6	(1 < SRCDELG < VS)	Population exclusions	VS

SRMD11 = SRM_01	((0 =< SRM_01 < 99.6) and (0 =< SRM_02 < 99.6) and (SRM_01 > SRM_02)) or ((0 =< SRM_01 < 99.6) and (SRM_02 => 99.6))	SRMD11 is equal to the first Sit and Reach measurement
SRMD11 = SRM_02	((0 =< SRM_01 < 99.6) and (0 =< SRM_02 < 99.6) and (SRM_01 <= SRM_02)) or ((SRM_01 => 99.6) and (0 < SRM_02 < 99.6))	SRMD11 is equal to the second Sit and Reach measurement

3) SRMD12-Health benefit rating for sit and reach for respondents 15 - 69

Variable name: SRMD12

Based on: CLC_AGE, CLC_SEX, SRMD11

Description: This variable evaluates the health benefits from the sit and reach result for respondents 15 to 69 years of age.

Note: The Physical Activity Training for Health (CSEP-PATH, 2013), provides the following description of the health benefit rating determined from the sit and reach test result :
Excellent - hamstring and lower back flexibility falls within a range that is generally associated with optimal health benefits
Very Good- hamstring and lower back flexibility falls within a range that is generally associated with considerable health benefits
Good - hamstring and lower back flexibility falls within a range that is generally associated with many health benefits
Fair - hamstring and lower back flexibility falls within a range that is generally associated with some health benefits but also some health risks
Poor - hamstring and lower back flexibility falls within a range that is generally associated with considerable health risks

Source: Canadian Society for Exercise Physiology. CSEP - Physical Activity Training for Health (CSEP-PATH). Ottawa: CSEP; 2013. 210 p.

Specifications

Value	Condition(s)	Description	Notes
6	CLC_AGE < 15 or CLC_AGE > 69	Population exclusions	VS
9	SRMD11 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
6	SRMD11 = VS	Population exclusions	VS

0	(CLC_SEX = 1 and (((14 < CLC_AGE < 20) and (0 <= SRMD11 < 23.5)) or ((19 < CLC_AGE < 30) and (0 <= SRMD11 < 24.5)) or ((29 < CLC_AGE < 40) and (0 <= SRMD11 < 22.5)) or ((39 < CLC_AGE < 50) and (0 <= SRMD11 < 17.5)) or ((49 < CLC_AGE < 60) and (0 <= SRMD11 < 15.5)) or ((59 < CLC_AGE < 70) and (0 <= SRMD11 < 14.5)))) or (CLC_SEX = 2 and (((14 < CLC_AGE < 20) and (0 <= SRMD11 < 28.5)) or ((19 < CLC_AGE < 30) and (0 <= SRMD11 < 27.5)) or ((29 < CLC_AGE < 40) and (0 <= SRMD11 < 26.5)) or ((39 < CLC_AGE < 50) and (0 <= SRMD11 < 24.5)) or ((49 < CLC_AGE < 60) and (0 <= SRMD11 < 24.5)) or ((59 < CLC_AGE < 70) and (0 <= SRMD11 < 22.5))))	Poor
1	(CLC_SEX = 1 and (((14 < CLC_AGE < 20) and (23.4 < SRMD11 < 28.5)) or ((19 < CLC_AGE < 30) and (24.4 < SRMD11 < 29.5)) or ((29 < CLC_AGE < 40) and (22.4 < SRMD11 < 27.5)) or ((39 < CLC_AGE < 50) and (17.4 < SRMD11 < 23.5)) or ((49 < CLC_AGE < 60) and (15.4 < SRMD11 < 23.5)) or ((59 < CLC_AGE < 70) and (14.4 < SRMD11 < 19.5)))) or (CLC_SEX = 2 and (((14 < CLC_AGE < 20) and (28.4 < SRMD11 < 33.5)) or ((19 < CLC_AGE < 30) and (27.4 < SRMD11 < 32.5)) or ((29 < CLC_AGE < 40) and (26.4 < SRMD11 < 31.5)) or ((39 < CLC_AGE < 50) and (24.4 < SRMD11 < 29.5)) or ((49 < CLC_AGE < 60) and (24.4 < SRMD11 < 29.5)) or ((59 < CLC_AGE < 70) and (22.4 < SRMD11 < 26.5))))	Fair

2	(CLC_SEX = 1 and (((14 < CLC_AGE < 20) and (28.4 < SRMD11 < 33.5)) or ((19 < CLC_AGE < 30) and (29.4 < SRMD11 < 33.5)) or ((29 < CLC_AGE < 40) and (27.4 < SRMD11 < 32.5)) or ((39 < CLC_AGE < 50) and (23.4 < SRMD11 < 28.5)) or ((49 < CLC_AGE < 60) and (23.4 < SRMD11 < 27.5)) or ((59 < CLC_AGE < 70) and (19.4 < SRMD11 < 24.5)))) or (CLC_SEX = 2 and (((14 < CLC_AGE < 20) and (33.4 < SRMD11 < 37.5)) or ((19 < CLC_AGE < 30) and (32.4 < SRMD11 < 36.5)) or ((29 < CLC_AGE < 40) and (31.4 < SRMD11 < 35.5)) or ((39 < CLC_AGE < 50) and (29.4 < SRMD11 < 33.5)) or ((49 < CLC_AGE < 60) and (29.4 < SRMD11 < 32.5)) or ((59 < CLC_AGE < 70) and (26.4 < SRMD11 < 30.5))))	Good
3	(CLC_SEX = 1 and (((14 < CLC_AGE < 20) and (33.4 < SRMD11 < 38.5)) or ((19 < CLC_AGE < 30) and (33.4 < SRMD11 < 39.5)) or ((29 < CLC_AGE < 40) and (32.4 < SRMD11 < 37.5)) or ((39 < CLC_AGE < 50) and (28.4 < SRMD11 < 34.5)) or ((49 < CLC_AGE < 60) and (27.4 < SRMD11 < 34.5)) or ((59 < CLC_AGE < 70) and (24.4 < SRMD11 < 32.5)))) or (CLC_SEX = 2 and (((14 < CLC_AGE < 20) and (37.4 < SRMD11 < 42.5)) or ((19 < CLC_AGE < 30) and (36.4 < SRMD11 < 40.5)) or ((29 < CLC_AGE < 40) and (35.4 < SRMD11 < 40.5)) or ((39 < CLC_AGE < 50) and (33.4 < SRMD11 < 37.5)) or ((49 < CLC_AGE < 60) and (32.4 < SRMD11 < 38.5)) or (59 < CLC_AGE < 70) and (30.4 < SRMD11 < 34.5))))	Very Good

4	(CLC_SEX = 1 and (((14 < CLC_AGE < 20) and (38.4 < SRMD11 < 99.6)) or ((19 < CLC_AGE < 30) and (39.4 < SRMD11 < 99.6)) or ((29 < CLC_AGE < 40) and (37.4 < SRMD11 < 99.6)) or ((39 < CLC_AGE < 50) and (34.4 < SRMD11 < 99.6)) or ((49 < CLC_AGE < 60) and (34.4 < SRMD11 < 99.6)) or ((59 < CLC_AGE < 70) and (32.4 < SRMD11 < 99.6)))) or (CLC_SEX = 2 and (((14 < CLC_AGE < 20) and (42.4 < SRMD11 < 99.6)) or ((19 < CLC_AGE < 30) and (40.4 < SRMD11 < 99.6)) or ((29 < CLC_AGE < 40) and (40.4 < SRMD11 < 99.6)) or ((39 < CLC_AGE < 50) and (37.4 < SRMD11 < 99.6)) or ((49 < CLC_AGE < 60) and (38.4 < SRMD11 < 99.6)) or ((59 < CLC_AGE < 70) and (34.4 < SRMD11 < 99.6))))	Excellent

4) SRMD13-Classification of sit and reach test results for respondents 7 - 14

Variable name: SRMD13

Based on: CLC_AGE, CLC_SEX, SRMD11

Description: This variable indicates the flexibility norms for respondents aged less than 15 years of age.

Source: Canadian Fitness and Lifestyle Research Institute (1988) Canada Fitness Survey Longitudinal Study: Reference Booklet. Canadian Fitness and Lifestyle Research Institute Ottawa: ON.

Specifications

Value	Condition(s)	Description	Notes
6	CLC_AGE > 14 or SRMD11 = VS	Population exclusions	VS
5	CLC_AGE = 6	Norm not available	
9	SRMD11 = NS	At least one required question was not answered (don't know, refusal, not stated)	NS
1	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (0 < = SRMD11 < 25.5)) or ((9 < CLC_AGE < 13) and (0 < = SRMD11 < 25.5)) or ((12 < CLC_AGE < 15) and (0 < = SRMD11 < 24.5)))) or (CLC_SEX = 2 and (((6 < CLC_AGE < 10) and (0 < = SRMD11 < 30.5)) or ((9 < CLC_AGE < 13) and (0 < = SRMD11 < 29.5)) or ((12 < CLC_AGE < 15) and (0 < = SRMD11 < 31.5))))	Below average	

2	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (25.4 < SRMD11 < 30.5)) or ((9 < CLC_AGE < 13) and (25.4 < SRMD11 < 29.5)) or ((12 < CLC_AGE < 15) and (24.4 < SRMD11 < 29.5)))) or (CLC_SEX = 2 and (((6 < CLC_AGE < 10) and (30.4 < SRMD11 < 34.5)) or ((9 < CLC_AGE < 13) and (29.4 < SRMD11 < 34.5)) or ((12 < CLC_AGE < 15) and (31.4 < SRMD11 < 35.5))))	Average
3	(CLC_SEX = 1 and (((6 < CLC_AGE < 10) and (30.4 < SRMD11 < 99.6)) or ((9 < CLC_AGE < 13) and (29.4 < SRMD11 < 99.6)) or ((12 < CLC_AGE < 15) and (29.4 < SRMD11 < 99.6)))) or (CLC_SEX = 2 and ((6 < CLC_AGE < 10) and (34.4 < SRMD11 < 99.6)) or ((9 < CLC_AGE < 13) and (34.4 < SRMD11 < 99.6)) or ((12 < CLC_AGE < 15) and (35.4 < SRMD11 < 99.6))))	Above average

Urine Collection - Home (1 DV)

1) UCHDELG-Eligibility - Urine collection - home

Variable name: UCHDELG

Based on: URG_13, URG_14, U1C_COC

Description: This variable indicates whether the respondent was eligible for the urine collection at home component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
6	URG_13 = 1 and URG_14 = 1	Not eligible - in wheelchair and using a catheter	
9	URG_13 = 1 and (URG_14 = DK, RF)	Not eligible - in wheelchair, and don't know or refusal to catheter question	
19	U1C_COC ne 70	Not eligible - Other reason (Urine 1 collection not completed)	
1	Else	Eligible	

Urine collection (3 DVs)

1) U1CDELG-Eligibility - Urine collection 1 component

Variable name: U1CDELG

Based on: URG_13, URG_14

Description: This variable indicates whether the respondent was eligible for the urine collection 1 component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
6	URG_13 = 1 and URG_14 = 1	Not eligible - in wheelchair, and using a catheter	
9	URG_13 = 1 and (URG_14 = DK, RF)	Not eligible - in wheelchair and don't know or refuse to catheter question	
1	Else	Eligible	

2) U2CDELG-Eligibility - Urine collection 2 component

Variable name: U2CDELG

Based on: URG_13, URG_14, UC1_50, U1C_COC

Description: This variable indicates whether the respondent was eligible for the urine collection 2 component. For a given respondent, this variable represents the first occurrence of a screen-out in the order captured during the clinic visit, and therefore does not include subsequent reasons for screen-out. Respondents may have been excluded from subsequent screening questions if a previous criterion for screen-out was already met.

Specifications

Value	Condition(s)	Description	Notes
6	URG_13 = 1 and URG_14 = 1	Not eligible - in wheelchair and yes to catheter question	
9	URG_13 = 1 and (URG_14 = DK, RF)	Not eligible - in wheelchair and don't know or refuse to catheter question	
19	UC1_50 = 1 or U1C_COC ne 70	Not eligible - not required	
1	Else	Eligible	

3) URCDSPL-Type of urine sample provided

Variable name: URCDSPL

Based on: URG_14, UC1_40, If first urine sample provided could be used for testing, If second urine sample provided could be used for testing.

Description: This variable identifies whether or not a urine sample was provided. If a sample was provided, the variable also identifies if the sample used for testing was an individual sample, a pooled sample (mixture of first and second samples) or if the sample could not be tested.

Note: Wheelchair bound respondents who did not answer "No" to using a catheter were excluded from the population.

Specifications			
Value	**Condition(s)**	**Description**	**Notes**
6	URG_14 = 1, DK, RF, NS	Not eligible	
1	UC1_40 = 2	No sample provided	
2	First urine sample could be used for testing and second sample was required and could be used for testing	Pooled sample (mixture 1st and 2nd samples)	
3	First urine sample could be used for testing AND second sample was not required	Sample used for testing was a single catch sample	
4	First urine sample could not be used for testing	Sample provided but could not be used for testing	
9	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

Water and soft drink consumption (12 DVs)

1) WSDD30Y-Diet soft drinks - times per year

Variable name: WSDD30Y

Based on: WSD_30, WSD_30N

Description: The number of times per year the respondent drinks diet soft drinks.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_30 = 0	Never	
WSD_30 * 365	WSD_30N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_30 * 52	WSD_30N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_30 * 12	WSD_30N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_30	WSD_30N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

2) WSDD31Y-Regular soft drinks- times per year

Variable name: WSDD31Y

Based on: WSD_31, WSD_31N

Description: The number of times per year the respondent drinks regular soft drinks.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_31 = 0	Never	
WSD_31 * 365	WSD_31N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_31 * 52	WSD_31N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_31 * 12	WSD_31N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_31	WSD_31N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

3) WSDD32Y-Sports drinks- times per year

Variable name: WSDD32Y

Based on: WSD_32, WSD_32N

Description: The number of times per year the respondent drinks sports drinks such as Gatorade® or Powerade®.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_32 = 0	Never	
WSD_32 * 365	WSD_32N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_32 * 52	WSD_32N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_32 * 12	WSD_32N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_32	WSD_32N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

4) WSDD33Y-Drinks vitamin-added water - times per year

Variable name: WSDD33Y

Based on: WSD_33, WSD_33N

Description: The number of times per year the respondent drinks vitamin-added water such as Aquafina Plus Vitamins® or Vitamin Water®.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_33 = 0	Never	
WSD_33 * 365	WSD_33N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_33 * 52	WSD_33N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_33 * 12	WSD_33N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_33	WSD_33N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

5) WSDD34Y-Drinks orange or grapefruit juice - times per year

Variable name: WSDD34Y

Based on: WSD_34, WSD_34N

Description: The number of times per year the respondent drinks orange or grapefruit juice.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_34 = 0	Never	
WSD_34 * 365	WSD_34N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_34 * 52	WSD_34N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_34 * 12	WSD_34N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_34	WSD_34N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

6) WSDD35Y-Drinks other 100% fruit juices - times per year

Variable name: WSDD35Y

Based on: WSD_35, WSD_35N

Description: The number of times per year the respondent drinks other 100% fruit juices, for example, apple, grape or mixed fruit juice (does not include orange or grapefruit juice).

Specifications

Value	Condition(s)	Description	Notes
0	WSD_35 = 0	Never	
WSD_35 * 365	WSD_35N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_35 * 52	WSD_35N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_35 * 12	WSD_35N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_35	WSD_35N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

7) WSDD36Y-Drinks juice with calcium and vitamin D added - times per year

Variable name: WSDD36Y

Based on: WSD_36, WSD_36N, WSDD34Y, WSDD35Y

Description: The number of times per year the respondent drinks juice with calcium and vitamin D added.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_36 = 0 or WSDD34Y = 0 or WSDD35Y = 0	Never	
WSD_36 * 365	WSD_36N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_36 * 52	WSD_36N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_36 * 12	WSD_36N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_36	WSD_36N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

8) WSDD37Y-Fruit flavoured drinks - times per year

Variable name: WSDD37Y

Based on: WSD_37, WSD_37N

Description: The number of times per year the respondent drinks fruit flavoured drinks.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_37 = 0	Never	
WSD_37 * 365	WSD_37N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_37 * 52	WSD_37N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_37 * 12	WSD_37N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_37	WSD_37N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

9) WSDD38Y-Vegetable juices - times per year

Variable name: WSDD38Y

Based on: WSD_38, WSD_38N

Description: The number of times per year the respondent drinks vegetable juices.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_38 = 0	Never	
WSD_38 * 365	WSD_38N = 1	Reported number of times consumed per day converted to derived number of times consumed per year	
WSD_38 * 52	WSD_38N = 2	Reported number of times consumed per week converted to derived number of times consumed per year	
WSD_38 * 12	WSD_38N = 3	Reported number of times consumed per month converted to derived number of times consumed per year	
WSD_38	WSD_38N = 4	Reported number of times consumed per year	
9999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

10) WSDD39Y-Amount of water consumed at home - number of cups per year

Variable name: WSDD39Y

Based on: WSD_39, WSD_39N

Description: The total amount of water, in cups, the respondent consumes at home per year.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_39 = 0	Never	
WSD_39 * 365	WSD_39N = 1	Reported number of cups consumed per day converted to derived number of cups consumed per year	
WSD_39 * 52	WSD_39N = 2	Reported number of cups consumed per week converted to derived number of cups consumed per year	
WSD_39 * 12	WSD_39N = 3	Reported number of cups consumed per month converted to derived number of cups consumed per year	
WSD_39	WSD_39N = 4	Reported number of cups consumed per year	
99999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

11) WSDD41Y-Amount of water consumed away from home - number of cups per year

Variable name: WSDD41Y

Based on: WSD_41, WSD_41N

Description: The total amount of water, in cups, the respondent consumes away from home per year.

Specifications

Value	Condition(s)	Description	Notes
0	WSD_41 = 0	Never	
WSD_41 * 365	WSD_41N = 1	Reported number of cups consumed per day converted to derived number of cups consumed per year	
WSD_41 * 52	WSD_41N = 2	Reported number of cups consumed per week converted to derived number of cups consumed per year	
WSD_41 * 12	WSD_41N = 3	Reported number of cups consumed per month converted to derived number of cups consumed per year	
WSD_41	WSD_41N = 4	Reported number of cups consumed per year	
99999	Else	At least one required question was not answered (don't know, refusal, not stated)	NS

12) WSDDTWY-Total amount of water consumed - number of cups per year

Variable name: WSDDTWY

Based on: WSDD39Y, WSDD41Y

Description: The total amount of water, in cups, the respondent consumes per year.

Specifications

Value	Condition(s)	Description	Notes
0	WSDD39Y = 0 and WSDD41Y = 0	Never	
WSDD39Y + WSDD41Y	WSDD39Y < VS and WSDD41Y < VS	Number of cups consumed per year	
99999	WSDD39Y = NS or WSDD41Y = NS	At least one required question was not answered (don’t know, refusal, not stated)	NS