Form No. 1

Canadian Health Measures Survey - Cycle 6 - 2018 to 2019

Clinic Questionnaire

Statistics Canada Statistique Canada

Canada

Table of Contents

Data Capture 5
Selected Case Start Block (SCS) 5
Respondent Verification (RVB) 9
Name Spelling Confirmation (NSC) 11
Sex Confirmation (SXC) 13
Language Confirmation (LNG) 14
Consent (CON) 15
Urgent Condition (URG) 20
Urine Collection 1 (UC1) 23
Screening Component Introduction (SCI) 27
Adherence to Guidelines (ATG) 28
Physical and Health Conditions (PHC) 32
Women's Health Restrictions (WHR) 37
Physical Activity Restrictions (PHR) 39
Bone or Joint Problem (BJP) 45
Bone Mineral Density Test Restrictions (BMR) 48
Vision Component Restrictions (VIR) 50
Medications and Product Confirmation (MEDC) 53
Confirm Drug Product (CDP) 58
Medication Use for Clinic (MEUC) 59
New Product Information (NPI) 62
New Product Information - Call Block (NPC) 68
Cannabis - Call Block (CAN) 70
Other Reason for Screening Out (ORS) 71
Distance Viewing Confirmation (DVC) 75
Vision Clinic (VIC) 79
Vision Prescription Clinic (VPRC) 83
Vision Prescription Value (VPV) 87
Fish and Shellfish Consumption (FSF) 88
Detail Fish and Shellfish (DFS) 96
Anthropometric Component Introduction (ACI) 97
Height and Weight Measurements (HWM) 98
Blood Pressure Measurement (BPM) 104
Blood Pressure Recording (BPR) 119
OMRON Blood Pressure Measurement (OBPM) 121
OMRON Blood Pressure Recording (OBPR) 126
Phlebotomy Component Introduction (PHI) 128
Blood Collection (BDC) 131
Peripheral Quantitative Computed Tomography Measurement Block (QCT) 135
Visual Acuity Scenario's (VAS) 140
Visual Acuity Measurement (VAM) 141
Visual Acuity Recording (VAR) 145
Visual Field (Frequency Doubling Test) Introduction (FDTI) 148
Visual Field (Frequency Doubling Test) Measurement (FDTM) 151
Retinal Photography Measurement (RTP) 157
Retinal Photography - Derived Variables (RPD) 162
Intraocular Pressure Introduction (IOPI) 163
Intraocular Pressure Measurement (IOPM) 165
Intraocular Pressure Capture (IOPD) 169
Jumping Mechanography Introduction (JMI) 171
Hopping Force Measurement (HFM) 172
Jumping Force Measurement (JFM) 175
mCAFT Measurement (AFT) 178
Sit and Reach Component Introduction (SRI) 187
Sit and Reach Measurement (SRM) 189

Grip Strength Component Introduction (GSI) 191
Grip Strength Measurement (GSM) 193
Activity Monitor (AM) 196
Urine Collection- Home (UCH) 200
Urine Collection 2 (UC2) 204
Exit Component Introduction (ECI) 206
Exit Consent Questions (ECQ) 207
Contact (CONT) 210
Clinic Sign-Out (CSO) 213
Date (DATE) 216
North American Telephone (NATP) 217
Overseas Telephone (OSTP) 219
New Address (NAD) 220
Health Number Validation (HN) 232
Electronic Address (EA) 234
Get Contact Name (GCN) 236
Respondent Verification (CRVB) 237
Consent (CCON) 238
Urine Collection 1 (CUC1) 239
Screening (CSCR) 240
Vision Questions (CVIC) 241
Fish and Shellfish Consumption (CFSF) 242
Anthropometry (CANC) 243
Blood Pressure (CBPC) 244
OMRON Blood Pressure Measurement (COBC) 245
Phlebotomy (CPHB) 246
Quantitative Computed Tomography (CQCT) 247
Visual Acuity (CVAC) 248
Visual Field (CFDT) 249
Retinal Photography (CRTP) 250
Intraocular Pressure (CIOP) 251
Jumping Mechanography (CJMC) 252
mCAFT (CAFT) 253
Sit and Reach (CSRC) 254
Grip Strength (CGSC) 255
Activity Monitor (CAMC) 256
Urine Collection - Home (CUCH) 257
Urine Collection 2 (CUC2) 258
Report of Measurements (CRMC) 259
Exit (CECC) 260
End of Clinic Visit (CCSO) 261
Appendix II 262
Calculating Age (CALC) 262
New Address (NAD) 263
Variable Creation - Clinic (VC) 275
Topical Index 292

Data Capture

Selected Case Start Block (SCS)

SCS_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
INTVLANG: language of application during the household interview (either English or French)
AWC_AGE: age of respondent
INTNAME: name of household interviewer
BCA_B32_DAY: day of clinic appointment booked for the respondent during the household interview
BCA_B32_MONTH: month of clinic appointment booked for the respondent during the household interview
BCA_B32_YEAR: year of clinic appointment booked for the respondent during the household interview
BCA_N33: time of clinic appointment booked for the respondent during the household interview
C2_YEAR: year of household interview
C2_MONTH: month of household interview
C2_DAY: day of household interview
PERMNOTE: household "permanent" note

Variables assigned in Variable Creation (Appendix II):
DryRun: indicator of whether the case is a dry run case
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
HouseholdContact: name of household contact
RespondentName: name of respondent
GenderE: English text for sex of respondent
RespLangE: English text of the language of the Health component interview
RespNeedE: English text of the special needs of the respondent
TelephoneNumber1: telephone number of the respondent
TelephoneNumber2: telephone number of the respondent
TelephoneNumber3: telephone number of the respondent
BestPhoneNumber: best telephone number to contact the respondent
PregnantE: English text of whether respondent is pregnant
DiabetesE: English text of whether respondent has been diagnosed with diabetes
AppointmentE: English text of the selected type of clinic appointment
PTCTextE: English text of preferred time to call

Variables from booking desk :
BHV_B12.DAY: day of home visit
BHV_B12.MONTH: month of home visit
BHV_B12.YEAR: year of home visit
BHV_N13: time of home visit
BCA_B32.Day: day of clinic appointment
BCA_B32.Month: month of clinic appointment
BCA_B32. Year: year of clinic appointment
BCA_N33: time of clinic appointment

Note: There are no headers for this block

SCS_N11

INSTRUCTION: Verify all information that appears on the screen. If there is an error in any of this information, inform the coordinator immediately. The coordinator will verify and correct the information as necessary.
Press <1> to continue.

1 Continue
(DK, RF not allowed)

Programmer:

Display the following information on the screen (using the example below as a template):

Stand : ^STAND Date : ^CurrentDate Session : essionE Clinic ID : ^CLINICID

Respondent Information:
Name : ^RespondentName
Clinic ID : ^CLINICID
Age : ^AWC_AGE
Sex : ^GenderE

Household Telephone Number : ^TelephoneNumber1
Best Telephone Number : ^BestPhoneNumber
Preferred Time to Call : ^PTCTextE

Diabetic : ^DiabetesE
Pregnant : ^PregnantE

Household Interview Information:
Interviewer : ^INTNAME
Appointment Date : ^SCSD11BTextE
Language of interview : ^RespLangE
Special Needs: ^RespNeedE
Notes : ^PERMNOTE

Appointment Information:
Appointment : ^AppointmentE
Appointment Type: ^AptTypeTextE
Appointment Date : ^SCSD11ATextE
Appointment Time : ^AptTime

Notes:
The field can be left empty, and should not be included on the returned data file.

SCS_N12

INSTRUCTION: Display the following information on the screen:

Stand : ^STAND Date : ^CurrentDate Session : essionE Clinic ID : ^CLINICID

Household Contact : ^HouseholdContact
Respondent : ^RespondentName
Age : ^AWC_AGE
Sex : ^GenderE
Language of interview : ^RespLangE
Notes : ^PERMNOTE

Select the operation to be performed.

3 Start Clinic Visit
4 Capture Home Visit
(DK, RF not allowed)

SCS_END

Respondent Verification (RVB)

RVB_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
AWC_AGE: age of respondent
AWC_YOB: year of birth of respondent
AWC_MOB: month of birth of respondent
AWC_DOB: day of birth of respondent
RespondentName: name of respondent

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
ShortRespName: first 4 letters of LNAME plus first 3 letters of FNAME
IntLangE: English text of language of application during the household interview (either English or French)
GenderE: English text for sex of respondent
SCS_N12: visit type

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

RVB_C11

If SCS_N12 = 4, go to RVB_END.
Otherwise, go to RVB_N11.

RVB_N11

<u>INSTRUCTION</u>: Press <1> to print the Participant's personal information form.

1 Print the form
(DK, RF not allowed)

Programmer:

"AWC_MOB" and "AWC_DOB" should be displayed in numbers and always be 2 digits long. Add a leading zero for values from 1 to 9.

The form should be printed English/French.

RVB_R11

Here is the first of several forms we will be asking you to complete. Please read it carefully and provide the information requested.

INSTRUCTION: Provide the respondent with the English/French double-sided Participant's personal information form.

When the respondent returns the form, check to ensure that all requested information has been filled in and is legible.

Press <1> to continue.

RVB_N12

INSTRUCTION: Press <1> to print the label with the respondent's CLINICID as a bar code identifier.

- Stick the first label onto a bracelet
- Attach the bracelet around the wrist of the respondent.

1 Print the form
(DK, RF not allowed)

Programmer: *Use TYPE 2 Label*

RVB_END

Name Spelling Confirmation (NSC)

NSC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
FNAME: first name of respondent
LNAME: last name of respondent
AWC_AGE: age of respondent

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
RespondentName: name of respondent
GenderE: English text for sex of respondent

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

NSC_C11

If RespondentName = EMPTY, go to NSC_N13.
Otherwise, go to NSC_R11.

NSC_R11

Please confirm your first and last name on this form. We will not be able to send the reports in the mail without a valid name.

INSTRUCTION: Press <1> to continue.

NSC_N11

INSTRUCTION: Record whether ^RespondentName's name is spelled correctly.

1 Yes (Go to NSC_D15)
2 No
(DK, RF not allowed)

NSC_N12

INSTRUCTION: Record whether corrections are to be made to:

1 ...the first name only?
2 ...the last name only? (Go to NSC_N14)
3 ...both names?
(DK, RF not allowed)

NSC_N13

INSTRUCTION: Enter the first name only.

	(25 spaces) (DK, RF not allowed)
Programmer:	*Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*
NSC_C14	If NSC_N12 = 1 (first name only), go to NSC_D15. Otherwise, go to NSC_N14.
NSC_N14	INSTRUCTION: Enter the last name only.
	(25 spaces) (DK, RF not allowed) Go to NSC_D15
Programmer:	*Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*
NSC_N15	INSTRUCTION: Is this a fictitious name for the respondent? 1 Yes 2 No (DK, RF not allowed)
NSC_END	

Sex Confirmation (SXC)

SXC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
AWC_AGE: age of respondent
SEX_Q01: sex of respondent

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
GenderE: English text for sex of respondent

Variables from previously completed blocks:
RespondentName: name of respondent

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

SXC_C11

If SEX_Q01 = EMPTY, go to SXC_N12.
Otherwise, go to SXC_N11.

SXC_N11

<u>INSTRUCTION</u>: Record whether ^RespondentName's sex is correct.

1 Yes (Go to SXC_D13)
2 No
(DK, RF not allowed)

SXC_N12

<u>INSTRUCTION</u>: Record ^RespondentName's sex.

1 Male
2 Female
(DK, RF not allowed)

SXC_END

Language Confirmation (LNG)

LNG_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent DDN_R4A: respondent is not eligible due to age Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
LNG_C11	If DDN_R4A = 1, go to LNG_END. Otherwise, go to LNG_N11.
LNG_N11	<u>INSTRUCTION</u>: Record ^DT_RESPONDENTNAME's preferred official language. 1 English 2 French (DK, RF not allowed)
LNG_END	If necessary, change the application language to correspond to the response to LNG_N11.

Consent (CON)

CON_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place DryRun: whether the case is a dry run case SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentFirstName: first name of respondent RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent LNG_N11: respondent's preferred official language SCS_N12: visit type CON_SEX: sex of respondent Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
CON_C01	If SCS_N12 <> 4, go to CON_D01A. Otherwise, go to CON_D11A.
CON_N01	<u>INSTRUCTION</u>: Press <1> to print the Consent form(s).

1 Print the form(s)
(DK, RF not allowed)

Programmer:

```
IF DryRun in (1, 2) THEN
   IF LNG_N11 = 1 THEN
      Print ConsentDRYRUN_E.docx
   ELSE
      Print ConsentDRYRUN_F.docx
   ENDIF
ELSE
   IF LNG_N11 = 1 THEN
      IF CON_AGE < 6 THEN
         Print Consent3_5_E.docx
      ELSE IF CON_AGE < 14 THEN
         Print Assent6_13_E.docx
         Print Consent6_13_E.docx
      ELSE
         Print Consent14+_E.docx
      ENDIF
   ELSE
      IF CON_AGE < 6 THEN
         Print Consent3_5_F.docx
      ELSE IF CON_AGE < 14 THEN
         Print Assent6_13_F.docx
         Print Consent6_13_F.docx
      ELSE
         Print Consent14+_F.docx
      ENDIF
   ENDIF
ENDIF
```

CON_Q11

Before we start the clinic tests, we need to ensure you have reviewed the *Information and Consent Booklet* that was given to you during the interview at your home. Did you have a chance to read that booklet?

INSTRUCTION: Show the respondent the *Information and Consent Booklet*.

1 Yes
2 No
(DK, RF not allowed)

CON_C12

If CON_Q11 <> 2, go to CON_R12.
Otherwise, go to CON_R13.

CON_R12

Do you have any questions about any of the information in the booklet or about the clinic portion of the survey?

INSTRUCTION: Answer any questions as thoroughly as possible.

Press <1> to continue.

Go to CON_R14

CON_R13

Here is a copy of the *Information and Consent Booklet*. Please take a few minutes to read through it. If you have any questions about the information in the booklet or the clinic tests, I can answer them for you.

INSTRUCTION: Hand the *Information and Consent Booklet* to the respondent and give him/her time to read through it (approximately 5 minutes).

Press <1> to continue.

CON_R14

Here is the Consent form for participation in the clinic portion of the survey. Please read the form carefully and check either the "Yes" or "No" box for each item.

INSTRUCTION: Provide **[the parent or guardian/the respondent]** with the Consent form.

Check to ensure that it has been completed correctly.

Sign the form as the witness.

Press <1> to continue.

CON_R15

I am now going to enter that information into our computer system. I may have some additional questions about your responses.

INSTRUCTION: Press <1> to continue.

CON_C15

If CON_AGE < 14, go to CON_N15.
Otherwise, go to CON_D16.

CON_N15

INSTRUCTION: Record whether the parent or guardian has consented to the respondent participating in the physical measure tests.

1 Yes
2 No (Go to CON_END)
(DK, RF not allowed)

CON_C16

If CON_AGE > 5, go to CON_R16.
Otherwise, go to CON_C18.

CON_R16

Your parent or guardian has said you can take part in the tests today. If you would like to participate we need you to write or print your name on this form.

INSTRUCTION: Provide the child with the Assent form.

Check to ensure that it has been completed correctly.

Sign the form as the witness.

Press <1> to continue.

CON_N16

INSTRUCTION: Record whether the respondent has [consented/assented] to participating in the physical measure tests.

1 Yes
2 No (Go to CON_END)
(DK, RF not allowed)

CON_C18	If SCS_N12 = 3 and CON_AGE > 5, go to CON_D18. Otherwise, go to CON_N21.
CON_N18	INSTRUCTION: Record whether [the parent or guardian/the respondent] has consented to having [^RespondentFirstName's/his/her] x-rays taken. 1 Yes 2 No (DK, RF not allowed)
CON_N21	INSTRUCTION: Record whether [the parent or guardian/the respondent] has consented to receiving reports of [^RespondentFirstName's/his/her] test results. 1 Yes 2 No (DK, RF not allowed)
CON_N23	INSTRUCTION: Record whether [the parent or guardian/the respondent] has consented to allowing Statistics Canada to test [^RespondentFirstName's/his/her] blood and urine for [contaminants that might require/diseases and contaminants that might require] mandatory reporting in his/her province of residence, and to contact him/her as well as the appropriate provincial authorities if the results are outside the established reference range and require a follow-up. 1 Yes 2 No (DK, RF not allowed)
CON_C23	If CON_N21 = 2 and CON_N23 = 1, go to CON_R23. Otherwise, go to CON_C24A.
CON_R23	**You have indicated on the Consent form that you do not want to receive reports of [your/^RespondentFirstName's] test results. However, you have agreed that Statistics Canada can test [your/^RespondentFirstName's] blood and urine for reportable [contaminants/diseases and contaminants]. I just want you to be aware that, by agreeing to have these tests done, you will receive the results if they are positive.** INSTRUCTION: Answer any questions as thoroughly as possible. Press <1> to continue.
CON_C24A	If DRYRUN = 3, go to CON_C24B. Otherwise, go to CON_END.
CON_C24B	If CON_AGE < 14, go to CON_N24. Otherwise, go to CON_N25.
CON_N24	INSTRUCTION: Record whether the parent or guardian has consented to storage of the respondent's blood and urine for use in future health studies.

1 Yes
2 No
(DK, RF not allowed)

Go to CON_D25

CON_N25

INSTRUCTION: Record whether the respondent has agreed to storage of blood and urine for use in future health studies.

1 Yes
2 No
(DK, RF not allowed)

CON_N26

INSTRUCTION: Record whether [the parent or guardian/the respondent] has agreed to storage of DNA for use in future health studies.

1 Yes
2 No
(DK, RF not allowed)

CON_END

Urgent Condition (URG)

URG_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
TelephoneNumber1: First telephone number of the respondent
TelephoneNumber2: Second telephone number of the respondent
EMAILADDRESS: E-mail address of respondent or of parent/guardian (if less than 14 years old)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentFirstName: first name of respondent
RespondentName: first and last name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
LNG_N11: respondent's preferred official language
CON_N15: whether a parent or guardian has consented to the respondent participating in the physical measure tests
CON_N16: whether the respondent has consented to participating in the physical measure tests

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

URG_C04

If CON_N15 = 2 or CON_N16 = 2, go to URG_END.
Otherwise, go to URG_C05.

URG_C05

If TelephoneNumber1 = EMPTY and TelephoneNumber2 = EMPTY, go to URG_D10.
Otherwise, go to URG_R06.

URG_R06

I would like to confirm the telephone numbers we have on file.

INSTRUCTION: Press <1> to continue.

URG_Q07

Is ^TelephoneNumber1 correct?

1	Yes	(Go to URG_C08)
2	No	
(DK, RF not allowed)		

Programmer: *If "Yes" is selected, copy the values from the displayed telephone number into the respective URG_B07 phone number fields and go to URG_C08.*

URG_B07 Call the North American Telephone (NATP) block. See Appendix I.

Programmer: *Pass the following parameters:*
*DV_QTEXT_E = "**What is the correct phone number?**"*
ASKEXT = 2 (No).

URG_C08 If TelephoneNumber2 = EMPTY, go to URG_D10.
Otherwise, go to URG_Q09.

URG_Q09 **Is ^TelephoneNumber2 correct?**

1	Yes	(Go to URG_C11)
2	No	
(DK, RF not allowed)		

Programmer: *If "Yes" is selected, copy the values from the displayed telephone number into the respective URG_B09 phone number fields and go to URG_C11.*

URG_B09 Call the North American Telephone (NATP) block. See Appendix I.

Programmer: *Pass the following parameters:*
*DV_QTEXT_E = "**What is the correct phone number?**"*
ASKEXT = 2 (No).

URG_C09 If 1=1, go to URG_C11.
Otherwise, go to URG_C11.

URG_Q10 **Is there [a/another] phone number that can be used to reach you?**

1	Yes	
2	No	(Go to URG_C11)
DK, RF		(Go to URG_C11)

URG_B11 Call the North American Telephone (NATP) block. See Appendix I.

Programmer: *Pass "**What is it?**" as parameter.*

URG_C11 If EMAILADDRESS = DK, RF or EMPTY, go to URG_Q11.
Otherwise, go to URG_B12.

URG_Q11 **Can you provide us with an e-mail address?**

1	Yes	
2	No	(Go to URG_N13)
DK, RF		(Go to URG_N13)

URG_B12 Call the Electronic Address block (EA)

Programmer: *SPECRESPNAME = RespondentFirstName*

URG_N13 INSTRUCTION: Is the respondent in a wheelchair?

	1 Yes 2 No (DK, RF not allowed)
URG_C14	If URG_N13 = 1, go to URG_Q14. Otherwise, go to URG_D20.
URG_Q14	**The laboratories that analyse the urine samples require that these samples are provided without the use of a catheter. For this reason, we need to know if you use a catheter.** <u>INSTRUCTION</u>: Record if the respondent is using a catheter. 1 Yes 2 No DK, RF
URG_END	

Urine Collection 1 (UC1)

UC1_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
RespondentFirstName: first name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: Visit type

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp : ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

UC1_Q10

Now, we would like you to provide a urine sample.

INSTRUCTION: Press <1> to continue.

1 Continue
DK (Go to UC1_B70)
(RF not allowed)

UC1_C15

If CON_AGE < 6, go to UC1_D21.
Otherwise, go to UC1_Q15.

UC1_Q15

Certain respondents prefer to use a urine collection device that rests under the toilet seat rather than the usual container. Would you like to use a urine collection device?

INSTRUCTION: Answer any questions as thoroughly as possible.

1 Yes (Go to UC1_D21)
2 No
(DK, RF not allowed)

UC1_R20

Please use this container to collect the urine sample.

- Once you are in the washroom, you will need to remove the lid and place it on the shelf, the inside of the lid facing up.
- Do not touch the inside of the container.
- Fill the container as full as possible and put the lid back on tightly.
- Once you are finished, please rinse and dry the exterior of the container. Wash your hands, place the container in the paper bag provided and bring it back to me.

INSTRUCTION: Demonstrate how to remove the lid using the sample container and ensure the respondent understands what is meant by placing the lid on the shelf "with the inside facing up".

Answer any questions as thoroughly as possible.

Press <1> to continue.

Go to UC1_C30

UC1_R21

To use the urine collection device:

- You will need to lift the toilet seat and install the collection device.
- Ensure it fits snugly in the front of the toilet with the edges resting over the lip of the bowl.
- Lower the toilet seat.

INSTRUCTION: Show the sample urine collection device to the respondent or parent/guardian and demonstrate which end is the front.

Answer any questions as thoroughly as possible.

Press <1> to continue.

UC1_R22

To collect the urine, ensure you are sitting on the toilet seat in such a way that the urine stream is collected in the device.

Try to collect as much urine as possible and avoid touching the inside of the collection device.

INSTRUCTION: Press <1> to continue.

UC1_R23

[Once ^RespondentFirstName no longer requires your assistance/Once you are finished]:

- Remove the lid of the container and place it on the shelf in the washroom, the inside of the lid facing up.
- Over the toilet, pour the urine from the collection device into the container using the 'spout'.
- Fill the container as full as possible and put the lid back on tightly.
- Discard the collection device in the washroom garbage.
- Please rinse and dry the exterior of the container. Wash your hands, place the container in the paper bag provided and bring it back to me.

INSTRUCTION: Show the respondent or parent/guardian the spout used for pouring the urine.

Demonstrate how to remove the lid and pour the urine using the sample container.

Ensure the respondent or parent/guardian understands what is meant by placing the lid on the shelf "with the inside facing up".

Answer any questions as thoroughly as possible.

Press <1> to continue.

UC1_C30

If SCS_N12 = 4, go to UC1_N40.
Otherwise, go to UC1_R30.

UC1_R30

In case you forget any of the collection procedures, there are step by step instructions posted in the washroom.

INSTRUCTION: Press <1> to continue.

UC1_N40

INSTRUCTION: Record whether the respondent provided a urine sample.

1 Yes
2 No (Go to UC1_B70)
(DK, RF not allowed)

UC1_Q43

In order to complete an accurate analysis of the sample provided, we would like to know how long ago you urinated prior to providing this sample.

INSTRUCTION: Read categories to respondent.

1 Less than 1 hour ago
2 1 hour to less than 2 hours ago
3 More than 2 hours ago
DK
(RF not allowed)

UC1_N50

INSTRUCTION: The required urine volume can be found on the urine container label.

Did the respondent provide a urine sample of sufficient volume?

1 Yes (Go to UC1_END)
2 No
(DK, RF not allowed)

UC1_R60

We did not obtain enough urine for the lab to run all the desired tests. I will prepare another urine container so that a second sample can be collected before the end of the clinic visit.

INSTRUCTION: Prepare a second urine container using the label printed during UC2.

Using a Sharpie, write the number 2 on top of the lid.

Provide the paper bag containing the second labelled urine container to the respondent.

Press <1> to continue.

Go to UC1_END

UC1_B70 Call Reason Not Done Block (RND).

Programmer: *Pass along values 03-06-10-20 as parameters.*

UC1_END

Screening Component Introduction (SCI)

SCI_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: Visit Type (3= clinic visit; 4= home visit)

Screen display:
The following header should be displayed for each question:
Stand : ^STAND Date : ^CurrentDate Session : essionE Comp : ^CompE
Clinic ID : ^ClinicID Name : ^RespondentName Age : ^CON_AGE Sex : ^GenderE

SCI_R1

The following questions are asked to ensure that you are given all the tests for which you are eligible. Some questions may have been asked during the home interview, but we need to ensure that our information is up-to-date. We also need to know if any changes have occurred since the home interview.
It is important to note that some medications and physical conditions may exclude you from certain tests.

Please answer to the best of your knowledge, as accurate information about you is important.

INSTRUCTION: Press <1> to continue.

SCI_END

Adherence to Guidelines (ATG)

ATG_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
SELFAST: whether selected to fast for 12 hours (1=fasting, 2=non-fasting)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: visit type

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

ATG_R11

At the time of the home interview, you were given a set of pre-testing guidelines. We will now review those guidelines.

INSTRUCTION: Press <1> to continue.

ATG_Q11

When did you last eat or drink anything other than water (e.g., coffee, tea, alcohol, juice or flavoured water)?

INSTRUCTION: Probe to determine what and how much the respondent ate or drank.

Enter the time (followed by "AM" or "PM") at which the respondent last ate or drank something that does not meet the phlebotomy fasting requirements.

(MIN: 1)
(MAX: 13)

(DK, RF not allowed)

Help text:

*The respondent is still considered **fasted** if the following have been consumed within the indicated time-frame:*

- *Black coffee - up until the time of the appointment*
- *Coffee with milk/cream - up to 2 hours prior to the appointment*
- *Juice - up to 2 hours prior to the appointment*
- *Gum and candy - up until the time of the appointment*

*The respondent is **not** considered **fasted** if the following have been consumed within the past 10 hours.*

- *Liquids other than those indicated above, including*
  - *Milkshakes*
  - *Protein shakes*
  - *Meal replacements*
  - *Milk*
  - *Energy drinks*
  - *Any other beverages or supplements*
- *Any food*

ATG_N11

INSTRUCTION: Confirm the date.

1 Yesterday
2 Today
(DK, RF not allowed)

ATG_C11

If SCS_N12 = 3, go to ATG_D12.
Otherwise, go to ATG_N12.

ATG_N12

INSTRUCTION: Enter the time (followed by "AM" or "PM") the fasting question (ATG_Q11) was asked to the respondent.

(MIN: 1)
(MAX: 13)

(DK, RF not allowed)

ATG_C14A

If CON_AGE < 6, go to ATG_Q41.
Otherwise, go to ATG_C21.

ATG_C21

If CON_AGE < 12, go to ATG_Q22.
Otherwise, go to ATG_Q21A.

ATG_Q21A

Have you smoked cigarettes or used other tobacco or nicotine products...?

INSTRUCTION: Read categories to respondent.

1 **Today, during the past 2 hours**
2 **Today, more than 2 hours ago**
3 **Yesterday**
4 **3 to 4 days ago**
5 **5 to 7 days ago**
6 **More than 7 days ago**
7 **Never**
(DK, RF not allowed)

ATG_Q22

Have you consumed any caffeinated products (e.g., coffee, pop, energy drinks, tea or chocolate) during the past 2 hours?

1 Yes
2 No
(DK, RF not allowed)

ATG_C31

If CON_AGE < 12, go to ATG_Q41.
Otherwise, go to ATG_Q31.

ATG_Q31

Have you consumed any alcohol during the past 6 hours?

1 Yes
2 No (Go to ATG_Q41)
(DK, RF not allowed)

ATG_N32

INSTRUCTION: Probe to determine when and how much the respondent drank.

Record whether the respondent should be excluded from one or more tests.

1 Yes
2 No (Go to ATG_Q41)
(DK, RF not allowed)

ATG_N33

INSTRUCTION: From which test(s) should the respondent be excluded?

Mark all that apply.

2 Grip Strength
3 mCAFT
4 Sit and reach
5 Jumping mechanography
6 Quantitative computed tomography
7 Vision
(DK, RF not allowed)

ATG_Q41

Have you exercised today for at least ten minutes at a time (e.g., running, moderate or vigorous walking, swimming, weight training)?

1 Yes
2 No (Go to ATG_END)
(DK, RF not allowed)

ATG_Q43 **How long has it been since you last exercised?**

1 1 to less than 30 minutes ago
2 30 minutes to less than 1 hour ago
3 1 hour to less than 2 hours ago
4 More than 2 hours ago
(DK, RF not allowed)

ATG_END

Physical and Health Conditions (PHC)

PHC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
CCC_Q11: respondent has been diagnosed with asthma.
CCC_Q14: respondent has been diagnosed with chronic bronchitis, emphysema or chronic obstructive pulmonary disease.

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
Date2MonthsAgoE: the date two months ago in English
TwoMonthsAgoDay: the day of the date two months ago
TwoMonthsAgoMonth: the month of the date two months ago
TwoMonthsAgoYear: the year of the date two months ago

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_SEX: sex of respondent
CON_AGE: age of respondent

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

PHC_R11

I am now going to ask you about your current health and physical condition.

INSTRUCTION: Press <1> to continue.

PHC_C31

If CON_AGE < 8 or > 69, go to PHC_Q41.
Otherwise, go to PHC_Q31.

PHC_Q31

Have you been diagnosed with exercise-induced asthma or a breathing condition that worsens with exercise such as chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD)?

1 Yes (Go to PHC_Q36A)
2 No
(DK, RF not allowed)

PHC_C32

If CCC_Q11 = 1 (respondent has been diagnosed with asthma), go to PHC_Q32.
Otherwise, go to PHC_C32A.

PHC_Q32

During the interview in your home, it was reported that you had asthma. Is this correct?

1 Yes (Go to PHC_Q36A)
2 No
DK, RF

PHC_C32A

If CCC_Q14 = 1 (respondent has been diagnosed with chronic bronchitis, emphysema or chronic obstructive pulmonary disease), go to PHC_Q32A.
Otherwise, go to PHC_Q41.

PHC_Q32A

During the interview in your home, it was reported that you had chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD). Is this correct?

1 Yes (Go to PHC_Q36A)
2 No
DK, RF

Go to PHC_Q41

PHC_Q36A

Are you currently taking any medications for your breathing condition(s)?

1 Yes
2 No (Go to PHC_Q41)
(DK, RF not allowed)

PHC_Q36B

What type(s) of medication(s) are you taking?

INSTRUCTION: Probe to determine the type(s) of medication(s).

· Quick relief medications: Relieve symptoms once they begin.
Examples: Salbutamol (Ventolin)
Formoterol (Oxese)
Ipatropium bromide (Atrovent)

· Controller medications: Prevent symptoms from arising in the first place.

1 **Quick relief**
2 **Controller** (Go to PHC_Q41)
3 **Both**
(DK, RF not allowed)

PHC_Q37

Do you have your quick relief medication(s) with you?

1 Yes
2 No
(DK, RF not allowed)

PHC_Q41

Do you have any acute conditions, for example a sprained wrist, flu or other infection? An acute condition develops suddenly and is short-term.

1 Yes
2 No (Go to PHC_Q43)
(DK, RF not allowed)

PHC_N41

INSTRUCTION: What type(s) of acute condition(s) does the respondent have?

Mark all that apply.

1 Bone, joint or muscle problem
2 Flu or other infection
3 Recovery from a medical procedure
4 Other health problem
6 Fever
(DK, RF not allowed)

PHC_N42

INSTRUCTION: From which test(s) should the respondent be excluded because of this condition?

Probe to determine the seriousness of the condition.

Mark all that apply.

01 Activity monitor
02 Grip strength
03 mCAFT
04 Sit and reach
05 Jumping mechanography
06 Quantitative computed tomography
07 Vision
90 None
(DK, RF not allowed)

PHC_Q43

Do you have a chronic condition, for example arthritis, heart condition, multiple sclerosis, or colostomy bag, that may prevent you from participating in any of the tests today? A chronic condition develops slowly and is long lasting.

INSTRUCTION: Show the laminated card with pictures of each test to the respondent.

1 Yes
2 No (Go to PHC_Q51)
(DK, RF not allowed)

PHC_N43

INSTRUCTION: What type(s) of chronic condition(s) does the respondent have?

Mark all that apply.

1 Bone, joint or muscle problem
2 Cardiovascular condition
3 Respiratory condition
4 Physically impaired
5 Other health problem
(DK, RF not allowed)

PHC_N44

INSTRUCTION: From which test(s) should the respondent be excluded because of this condition?

Probe to determine the seriousness of the condition.

Mark all that apply.

01 Activity monitor
02 Grip strength
03 mCAFT
04 Sit and reach
05 Jumping mechanography
06 Quantitative computed tomography
07 Vision
90 None
(DK, RF not allowed)

PHC_Q51

Do you have a clotting condition such as haemophilia or von Willebrand disease?

1 Yes
2 No
(DK, RF not allowed)

PHC_Q52

Have you received chemotherapy in the past four weeks?

1 Yes
2 No
(DK, RF not allowed)

PHC_Q56

Have you ever felt dizzy or fainted during a blood draw?

1 Yes
2 No
(DK, RF not allowed)

PHC_C57

If CON_AGE < 19, go to PHC_END.
Otherwise, go to PHC_Q57A.

PHC_Q57A

Have you ever had a mastectomy?

INSTRUCTION: A mastectomy involves removal of the breast tissue, the underlying muscle tissue, and lymph nodes of the underarm.

1 Yes
2 No (Go to PHC_END)
(DK, RF not allowed)

PHC_Q57B **On which side?**

1 Right
2 Left
3 Both
(DK, RF not allowed)

PHC_END

Women's Health Restrictions (WHR)

WHR_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent CON_SEX: sex of respondent Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
WHR_C001A	If CON_SEX = 1, go to WHR_END. Otherwise, go to WHR_C001B.
WHR_C001B	If CON_AGE < 8, go to WHR_END. Otherwise, go to WHR_R001.
WHR_R001	**I also need to ask a few questions related specifically to women's health.** <u>INSTRUCTION</u>: Press <1> to continue.
WHR_Q005	**Have you ever had a menstrual period?** 1 Yes 2 No (Go to WHR_END) (DK, RF not allowed)
WHR_Q010	**At what age did you have your first menstrual period?**

INSTRUCTION: Minimum is 8; maximum is ^CON_AGE.

|_|_|
(MIN: 8)
(MAX: 79)

DK, RF

WHR_C15

If CON_AGE > 59, go to WHR_END.
Otherwise, go to WHR_Q015.

WHR_Q015

Are you currently pregnant?

1 Yes (Go to WHR_Q020)
2 No
DK
(RF not allowed)

Go to WHR_Q025

WHR_Q020

In what week are you?

|_|_|
(MIN: 1)
(MAX: 45)

DK, RF

Go to WHR_END

WHR_Q025

Is there a possibility that you may be pregnant? By "possibility" I mean being sexually active without the use of contraception.

INSTRUCTION: Examples of contraception include the regular use of birth control pills, patches, injections (Depo-Provera®), intrauterine devices (IUD), diaphragms, condoms, as well as tubal ligation (tubes tied), vasectomy and hysterectomy.

Select "No" if the respondent does not believe that she can become pregnant as a result of menopause or infertility.

1 Yes
2 No
(DK, RF not allowed)

WHR_END

Physical Activity Restrictions (PHR)

PHR_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

PHR_C001

If CON_AGE < 6, go to PHR_END.
Otherwise, go to PHR_R001.

PHR_R001

The next questions are used to identify people for whom certain tests might be inappropriate. Please answer each question thinking about the tests that you will be doing today. Remember, we're interested in conditions diagnosed by a health professional.

INSTRUCTION: Show the laminated card with pictures of each test to the respondent.

Press <1> to continue.

PHR_Q005

Have you ever been diagnosed with an aneurysm?

INSTRUCTION: An aneurysm is a bulge in the wall of an artery. The pressure of blood inside the artery forces the weak area of wall to balloon outward. If untreated, an aneurysm may rupture, resulting in internal bleeding.

1 Yes
2 No
(DK, RF not allowed)

PHR_Q007

In the last 6 months, have you experienced a stroke?

1 Yes
2 No
(DK, RF not allowed)

PHR_Q010

Are you currently taking prescribed medications for a cardiovascular disease, for example high blood pressure, a heart condition or an aneurysm?

1 Yes
2 No (Go to PHR_Q020)
(DK, RF not allowed)

PHR_Q015

For which condition(s) are you taking the prescribed medications?

INSTRUCTION: Mark all that apply.

01 High blood pressure
02 Low blood pressure
03 Angina
04 Previous heart attack
05 Aneurysm
06 Arrhythmia
07 Other heart condition
08 Other medical condition
DK, RF

PHR_C015

If PHR_Q015 in (7, 8), go to PHR_S015.
Otherwise, go to PHR_Q020.

PHR_S015

(For which condition(s) are you taking the prescribed medications?)

INSTRUCTION: Specify.

_____
(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

PHR_Q020

Do you feel pain in your chest when you do physical activity?

1 Yes
2 No
(DK, RF not allowed)

PHR_Q025

In the past month, have you had chest pain when you were not doing physical activity, for example, at rest or during your daily activities of living?

1 Yes
2 No
(DK, RF not allowed)

PHR_Q030

In the last 12 months, have you lost your balance because of dizziness or have you lost consciousness?

1 Yes
2 No (Go to PHR_Q050)
(DK, RF not allowed)

PHR_Q040

Under which condition(s) did this happen?

INSTRUCTION: Mark all that apply.

01 Standing up quickly
02 Getting up from lying down
03 After an injury/accident (e.g., concussion, head injury)
04 During an illness (e.g., inner ear infection)
05 During or after exercise
06 After fasting for a long period of time
07 On hot days
08 At random
09 Other - Specify (Go to PHR_S040)
(DK, RF not allowed)

Go to PHR_C045

PHR_S040

(Under which condition(s) did this happen?)

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

PHR_C045

If PHR_Q040 < 9, go to PHR_Q050.
Otherwise, go to PHR_N045.

PHR_N045

INSTRUCTION: From which tests should the respondent be excluded because of this condition?

Probe to determine the seriousness of the condition.

Mark all that apply.

03 mCAFT
05 Jumping Mechanography
90 None
(DK, RF not allowed)

PHR_Q050

Do you have a bone or joint problem that could be aggravated by physical activity?

1 Yes
2 No (Go to PHR_Q070)
(DK, RF not allowed)

PHR_Q055

The problem is with which bone or joint?

INSTRUCTION: Mark all that apply.

01 Head / Jaw
02 Neck
03 Back / Spine (excluding neck)
04 Shoulder
05 Arm / Elbow
06 Wrist
07 Hand / Fingers
08 Hip
09 Leg / Knee
10 Ankle
11 Foot / Toes
(DK, RF not allowed)

PHR_B060

Call the Bone or Joint Problem block (see Appendix I).

Programmer:

The block should be called for each answer identified in PHR_Q055.
Parameters required: PHR_Q055.

PHR_Q070

Has a health care professional said that you should not do certain types of physical activity?

1 Yes
2 No (Go to PHR_Q085)
(DK, RF not allowed)

PHR_N075

INSTRUCTION: Probe to determine the type(s) of physical activity that the respondent should not do.

Record whether the respondent should be excluded from one or more tests.

1 Yes
2 No (Go to PHR_Q085)
(DK, RF not allowed)

PHR_N080

INSTRUCTION: From which test(s) should the respondent be excluded?

Mark all that apply.

2 Grip Strength
3 mCAFT
4 Sit and reach
5 Jumping mechanography
(DK, RF not allowed)

PHR_Q085

Do you know of <u>any other reason</u> why you should not do physical activity?

1 Yes
2 No (Go to PHR_END)
(DK, RF not allowed)

PHR_Q090

Please specify the reason you should not do physical activity?

<u>INSTRUCTION</u>: Mark all that apply.

01 Bone, joint or muscle problem
02 Cardiovascular condition
03 Recovery from a medical procedure
04 Respiratory condition
05 Physically impaired
06 Pregnancy
07 Other health problem
08 Other - Specify (Go to PHR_S090)
(DK, RF not allowed)

Go to PHR_N093

PHR_S090

(Please specify the reason you should not do physical activity?)

<u>INSTRUCTION</u>: Specify.

_____

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

PHR_N093

<u>INSTRUCTION</u>: Probe to determine the type(s) of physical activity that the respondent should not do.

Record whether the respondent should be excluded from one or more tests.

1 Yes
2 No (Go to PHR_END)
(DK, RF not allowed)

PHR_N095

INSTRUCTION: From which test(s) should the respondent be excluded because of this condition?

Probe to determine the seriousness of the condition.

Mark all that apply.

2 Grip Strength
3 mCAFT
4 Sit and reach
5 Jumping mechanography
(DK, RF not allowed)

PHR_END

Bone or Joint Problem (BJP)

BJP_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
BJP_Q1	**What is the condition that affects your ^DT_BONEJOINT1E?**

INSTRUCTION: Mark all that apply.

01 Arthritis (osteoarthritis or rheumatoid arthritis)
02 Vertebral disorder (e.g., chronic back or neck pain)
03 Osteoporosis
04 Chronic soft tissue condition (e.g., tendonitis)
05 Chronic joint condition (e.g., bursitis, carpal tunnel syndrome)
06 Acute soft tissue condition (e.g., pulled muscle, sprain, strain)
07 Acute bone condition (e.g., broken bone)
08 Neuromuscular disorder (e.g., multiple sclerosis, cerebral palsy, spinal cord dysfunction, muscular dystrophy, brain injury)
09 Amputation
10 Other - Specify (Go to BJP_S1)
(DK, RF not allowed)

Go to BJP_N2

BJP_S1 **(What is the condition that affects your ^DT_BONEJOINT1E?)**

INSTRUCTION: Specify.

_____
(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

BJP_N2 INSTRUCTION: Probe to determine what types of activities can aggravate the respondent's ^DT_BONEJOINT1E problem.

Record whether the respondent should be excluded from one or more tests.

1 Yes
2 No (Go to BJP_END)
(DK, RF not allowed)

BJP_N3 INSTRUCTION: From which test(s) should the respondent be excluded because of this condition?

Mark all that apply.

2 Grip Strength
3 mCAFT
4 Sit and reach
5 Jumping mechanography
(DK, RF not allowed)

BJP_END

Bone Mineral Density Test Restrictions (BMR)

BMR_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
Date12MonthsAgoE: the date 12 months ago in English (TwelveMonthsAgoMonthE + TwelveMonthsAgoDay + "," + TwelveMonthsAgoYear)
DryRun: whether the case is a dry run case

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: Visit type (3= clinic visit; 4= home visit)

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

BMR_C001

If SCS_N12 = 4 or CON_AGE < 6, go to BMR_END.
Otherwise, go to BMR_R001.

BMR_R001

I also need to ask a few bone-health-related questions to ensure that you are eligible for the bone mineral density test.

INSTRUCTION: Press <1> to continue.

BMR_Q005

In the last 12 months, that is from ^Date12MonthsAgoE to today, have you broken, fractured, cracked or chipped your leg below the knee joint, including the ankle?

1 Yes
2 No (Go to BMR_Q015)
(DK, RF not allowed)

BMR_Q010

Which leg?

1 Right
2 Left
3 Both
(DK, RF not allowed)

BMR_Q015

Do you have metal in your leg anywhere below the knee, including the ankle? For example, screws, rods, plates, shrapnel or pellets?

1 Yes
2 No (Go to BMR_END)
(DK, RF not allowed)

BMR_Q020

Which leg?

1 Right
2 Left
3 Both
(DK, RF not allowed)

BMR_END

Vision Component Restrictions (VIR)

VIR_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
DV_NONGESTATIONALDIABETES = Whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
TwelveMonthsAgoYear: Numeric year of date twelve months before the clinic visit
TwelveMonthsAgoMonth: Numeric month of date twelve months before the clinic visit
TwelveMonthsAgoDay: Numeric day of date twelve months before the clinic visit
TwelveMonthsAgoMonthE: English text of month of date twelve months before the clinic visit
Date12MonthsAgoE: the date 12 months ago in English (TwelveMonthsAgoMonthE + TwelveMonthsAgoDay + "," + TwelveMonthsAgoYear)
TwelveWeeksAgoYear: Numeric year of date 12 weeks (84 days) before the clinic visit
TwelveWeeksAgoMonth: Numeric month of date 12 weeks (84 days) before the clinic visit
TwelveWeeksAgoDay: Numeric day of date 12 weeks (84 days) before the clinic visit
TwelveWeeksAgoMonthE: English text of month 12 weeks (84 days) before the clinic visit
Date12WeeksAgoE: the date 12 weeks (84 days) ago in English (TwelveWeeksAgoMonthE + TwelveWeeksAgoDay + "," + TwelveWeeksAgoYear)

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: Visit type (3= clinic visit; 4= home visit)

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

VIR_C001

If SCS_N12 = 4 or CON_AGE < 6 or (CON_AGE > 19 AND CON_AGE < 40 and DV_NONGESTATIONALDIABETES = 2), go to VIR_END. Otherwise, go to VIR_R001.

VIR_R001

Now, some questions about the health and care of your eyes.

INSTRUCTION: Press <1> to continue.

VIR_Q005

Do you have an eye infection?

INSTRUCTION: Symptoms of eye infections can include a red, painful eye that is tearing and with coloured discharge.

1 Yes
2 No
(DK, RF not allowed)

VIR_Q010

In the past year, that is from ^Date12MonthsAgoE to yesterday, have you received corneal transplant surgery?

INSTRUCTION: A corneal transplant, also known as corneal grafting, is a surgical procedure where a damaged or diseased cornea is replaced by donated corneal tissue.

1 Yes
2 No (Go to VIR_Q020)
(DK, RF not allowed)

VIR_Q015

In which eye?

1 Right
2 Left
3 Both
(DK, RF not allowed)

VIR_Q020

In the past 12 weeks, that is from ^Date12WeeksAgoE to yesterday, have you had any of the following: an eye injury, an injection of medicine into an eye or an eye surgery, including corrective laser eye surgery?

INSTRUCTION: Do not include medicated eye drops (such as drops for glaucoma) or unmedicated drops (such as artificial tears, Visine etc.).

1 Yes
2 No (Go to VIR_Q030)
(DK, RF not allowed)

VIR_Q025

In which eye?

1 Right
2 Left
3 Both
(DK, RF not allowed)

VIR_Q030

Do you have an artificial eye?

1 Yes
2 No (Go to VIR_Q040)
(DK, RF not allowed)

VIR_Q035 **In which eye?**

1 Right
2 Left
3 Both
(DK, RF not allowed)

VIR_Q040 **Are you blind in either one or both eyes?**

INSTRUCTION: Blindness is considered as the inability to see completely even with vision correction.

1 Yes
2 No (Go to VIR_D050)
(DK, RF not allowed)

VIR_Q045 **In which eye?**

1 Right
2 Left
3 Both
(DK, RF not allowed)

VIR_END

Medications and Product Confirmation (MEDC)

MEDC_BEG

Content block

External fields required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

MEU_B11[i].DV_PIN: Product Identification Number (DIN, DIN-HM, NPN or EN) of the ith prescription medication from the household interview, i = 1 to 45.
MEU_B11[i].DV_Product_name: Name of the ith prescription medication from the household interview, i = 1 to 45.
MEU_B11[i].DV_Short_form: Code for the form of ith prescription medication from the household interview, i = 1 to 45 (used to derive dynamic text for take/use).

01 = Tablet/pill/capsule
02 = Lozenge
03 = Chew/gummy
04 = Globule
05 = Drop
06 = Tincture
07 = Liquid/solution
08 = Suspension
09 = Cream/ointment/gel/lotion
10 = Packet/sachet
11 = Powder
12 = Granule
13 = Spray/aerosol
14 = Patch
15 = Kit
16 = Suppository
50 = Other

MEU_B25[j].DV_PIN: Product Identification Number (DIN, DIN-HM, NPN or EN) of the jth over-the-counter or other health product from the household interview, j = 1 to 45.
MEU_B25[j].DV_Product_name: Name of the jth over-the-counter or health product from the household interview, j = 1 to 45.
MEU_B25[j].DV_Short_form: Code for the form of the jth over-the-counter or health product from the household interview, j = 1 to 45 (used to derive dynamic text for take/use).

01 = Tablet/pill/capsule
02 = Lozenge
03 = Chew/gummy
04 = Globule
05 = Drop
06 = Tincture
07 = Liquid/solution
08 = Suspension
09 = Cream/ointment/gel/lotion
10 = Packet/sachet
11 = Powder
12 = Granule

13 = Spray/aerosol
14 = Patch
15 = Kit
16 = Suppository
50 = Other

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
DT_RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
CON_SEX: sex of respondent
ProxySex: gender of selected respondent and whether the interview is being conducted by proxy

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^DT_RespondentName Age: ^CON_AGE Sex: ^GenderE

Tag:

PIN_DB.txt - This is a flat file that is used to load into a blaise look-up table. A look-up table is just a blaise database that is accessed from the blaise clinic application. Any changes to this file will require a new look-up table (database) be created and deployed into production. It is not used in the MedSearch tool.

MedDB.db - This is a relational database file that is used in the Medsearch Tool. This file can be replace with a new file if the only changes are data related.

There are no direct link between PIN_DB.txt and MedDB.db, but if one is changed the other should be updated as well.

Jason Gray CSID

MEDC_R100

Now I'd like to confirm your use of prescription and over-the-counter medications and other health products, including natural health products.

INSTRUCTION: Press <1> to continue.

MEDC_C100C

If MEU_B11[n].DV_Product_Name, go to MEDC_D100B.
Otherwise, go to MEDC_C100D.

MEDC_C100D

If MEU_B25[n].DV_Product_Name, go to MEDC_D200B.
Otherwise, go to MEDC_B300.

MEDC_B101

Call the Confirm Drug Product (CDP) block

Programmer:	*Pass "DT_QuestionE = **During the interview in your home, it was reported that you were ^DT_TAKE2E ^DV_PRODUCT_NAME. When was the last time that you ^DT_TAKE1E this medication?** "as parameter for the 1st product and every other multiple of 5.* *Pass "DT_QuestionE = **When was the last time that you ^DT_TAKE1E ^DV_PRODUCT_NAME?** " as parameter for all other products.* *Each time a medication is confirmed (MEDC_B101[index].CDP_Q1 = 1, 2, 3, 4, RF, DK), increment aMedsConfirmed by 1.*
MEDC_C200B	If MEU_B25[n].DV_PRODUCT_NAME, go to MEDC_D200. Otherwise, go to MEDC_B300.
MEDC_B201	Call the Confirm Drug Product (CDP) block
Programmer:	*Pass "DT_QuestionE = **During the interview in your home, it was reported that you were ^DT_TAKE2E ^DV_Product_name. When was the last time that you ^DT_TAKE1E this product?** "As parameter for the 1st product and every other multiple of 5.* *Pass "DT_QuestionE = **When was the last time that you ^DT_TAKE1E ^DV_Product_name?** " as parameter for all other products.* *Each time a medication is confirmed (MEDC_B201[index].CDP_Q1 = 1, 2, 3, 4, RF, DK), increment aMedsConfirmed by 1.*
MEDC_B300	Call the Medication Use for clinic (MEUC) block
Programmer:	*Each time a medication is recorded (MEDC_B300.MEUC_B11[index].NPI_Q25 = 1,2,3,4,RF,DK OR MEDC_B300.MEUC_B25[index].NPI_Q25 = 1,2,3,4,RF,DK), increment aMedsRecorded by 1.*
MEDC_C411A	If CON_AGE < 6, go to MEDC_END. Otherwise, go to MEDC_C411B.
MEDC_C411B	If CON_AGE < 14, go to MEDC_C511. Otherwise, go to MEDC_R411.
MEDC_R411	**Now I am going to ask you a few questions about your use of other substances such as performance enhancing or recreational drugs. We ask this question because these drugs can affect the results of the physical and biological measures that we will be taking today. You can be assured that anything you say will remain confidential and that your answer will not screen you out of any tests.** <u>INSTRUCTION</u>: Press <1> to continue.
MEDC_Q411	**In the past week have you used any performance enhancing or recreational drugs, excluding marijuana, such as steroids or cocaine?** 1 Yes 2 No DK, RF
MEDC_B411	Call the Cannabis (CAN) block.
MEDC_C511	If aMedsConfirmed > 0 OR aMedsRecorded > 0, go to MEDC_N611. Otherwise, go to MEDC_END.

MEDC_N611

INSTRUCTION: From which test(s) should the respondent be excluded because of medication use?

Mark all that apply.

02 Grip strength
03 mCAFT
05 Jumping mechanography
90 None
(DK, RF not allowed)

Programmer:

Display a list of all medication (prescription and over-the-counter, confirmed as well as new ones) immediately below the question header, as follows:

If no medication, do not display MEDC_N611.

For each of MEDC_B101 and MEDC_B201:
IF CDP_Q1 = 1, 2, 3, 4, DK or RF THEN
include ^DV_Product_name from sample file in list
ENDIF
For each of MEDC_B300.MEUC_B11 and MEDC_B300.MEUC_B25:
IF NPI_Q25 = 1, 2, 3, 4, DK or RF THEN
include ^DV_Product_name in list
ENDIF

If any drugs are to be displayed, include a title as follows:
"Medications currently being taken:"
Indent the list of products and place a bullet in front of each product.

MEDC_END

Confirm Drug Product (CDP)

CDP_BEG

Called block

External variables required:

Variables from previously completed blocks:
Proxysex: gender of selected respondent and whether the interview is being conducted by proxy
DT_QuestionE: English question text
DT_TAKE1E: English text for "used/took"
DV_Product_name: Name of product
DV_PIN: Product Identification Number (DIN, DIN-HM, NPN or EN) from the household interview

Content type:

NOTE TO DATA USERS: Up to 45 medications (both prescription and non-prescription) entered at the household interview will be confirmed at the clinic in MEDC (see call block). The respondent will be asked the time at which they last took each of these medications.

CDP_Q1

^DT_QUESTIONE
(The response categories are today, yesterday, within the last week, within the last month or more than one month ago.)

1 Today
2 Yesterday
3 Within the last week
4 Within the last month
5 More than one month ago
6 Never ^DT_TAKE1E the product
DK, RF

Programmer:

Save the variables DV_Product_name and DV_PIN on the output file.

CDP_END

Medication Use for Clinic (MEUC)

MEUC_BEG

Called block

External variables required:

Variables from previously completed blocks:
PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
CON_SEX: sex of respondent
CON_AGE: age of respondent
RespondentFirstname: first name of respondent
DV_PIN: Product Identification Number (DIN, DIN-HM, NPN or EN) from NPI block

Programmer:

Set DT_DateLastMonthE = English text of date one month ago.

MEUC_Q02

In the past month, that is, from ^DT_DateLastMonthE to today, have you taken or used any ^DT_OTHER1medications that have been prescribed or administered by a health professional such as a doctor or dentist? This includes such things as insulin, ^DT_MEUText2E.

INSTRUCTION: This question applies only to medications taken or used within the past month. Medications that have been prescribed but not taken or used within this period of time (e.g., Epi-pen) should not be captured.

1	Yes	
2	No	(Go to MEUC_Q22)
DK, RF		(Go to MEUC_Q22)

MEUC_B11

Call the New product information (NPI) block

MEUC_C11

If the number of products captured is less than 15, go to MEUC_N11. Otherwise, go to MEUC_Q15.

MEUC_N11

INSTRUCTION: Do you have another prescription medication to capture?

1	Yes	(Go to MEUC_B11)
2	No	
(DK not allowed)		
RF		(Go to MEUC_Q22)

Programmer:

Continue the "Counter" for the Called Block (e.g., If the last prescription medication was the "fifth", continue using "sixth", "seventh", etc.)

MEUC_Q12

Have you taken or used any other prescription medications in the past month? Please include any prescription creams, injections or patches.

1	Yes	(Go to MEUC_B11)
2	No	
DK, RF		

Go to MEUC_Q22

MEUC_Q15

How many other prescription medications have you taken or used in the past month? Please include any prescription creams, injections or patches.

|_|_|
(MIN: 0)
(MAX: 95)

DK, RF

MEUC_Q20

Have you taken or used any [other/EMPTY] over-the-counter medications or other health products, including natural health products in the past month?

Over-the-counter medications could include such things as pain killers, antacids, allergy pills and hydrocortisone creams. Examples of health products include vitamins, minerals, amino acids, probiotics, fish oils and other oils, herbal remedies and homeopathic preparations.

INSTRUCTION: This question applies only to products taken or used within the past month. Products that have not been taken or used within this period of time should not be captured.

1	Yes	(Go to MEUC_Q21)
2	No	
DK, RF		

Go to MEUC_END

MEUC_Q21

How many [other/EMPTY] over-the-counter medications or other health products have you taken or used in the past month?

|_|_|
(MIN: 1)
(MAX: 95)

DK, RF

Go to MEUC_END

MEUC_Q22

Have you taken or used any [other/EMPTY] over-the-counter medications or other health products, including natural health products, in the past month, that is, from ^DT_DateLastMonthE to today.

Over-the-counter medications could include such things as pain killers, antacids, allergy pills and hydrocortisone creams. Examples of health products include vitamins, minerals, amino acids, probiotics, fish oils and other oils, herbal remedies and homeopathic preparations.

INSTRUCTION: Has the respondent taken or used any over-the-counter medications or other health products in the past month?

This question applies only to products taken or used within the past month. Products that have not been taken or used within this period of time should not be captured.

1	Yes	
2	No	(Go to MEUC_END)
DK, RF		(Go to MEUC_END)

MEUC_B25 Call the New Drug Product (NPI) block

MEUC_C26 If the number of products (combined) captured is less than 15, go to MEUC_N26.
Otherwise, go to MEUC_Q29.

MEUC_N26 INSTRUCTION: Do you have another over-the-counter medication or health product to capture?

1	Yes	(Go to MEUC_B25)
2	No	
(DK not allowed)		
RF		(Go to MEUC_END)

Programmer: *Continue the "Counter" for the blocks (e.g. If the last product was the "fifth", continue using "sixth", "seventh", etc.)*

MEUC_Q27 **Have you taken or used any other over-the-counter medications or health products in the past month? Please include any solutions, powders, creams or pastes.**

1	Yes	(Go to MEUC_B25)
2	No	
DK, RF		

Go to MEUC_END

MEUC_Q29 **How many other over-the-counter medications or health products have you taken or used in the past month? Please include any solutions, powders, creams or pastes.**

|_|_|
(MIN: 0)
(MAX: 95)

DK, RF

MEUC_END

New Product Information (NPI)

NPI_BEG

Called block

External variables required:

Variables from previously completed blocks:
MEUC_Q22: whether respondent taken or used any over-the-counter medications or health products
ProxySex: gender of selected respondent and whether the interview is being conducted by proxy
FollowUpFlag: 0 or 1
CON_AGE: age of respondent

NPI_Q16

['To search for this product I will need some of the following information:
- Product Identification Number: for example, DIN, DIN-HM, NPN, EN
- Product name: for example, Accutane, Alesse 21 or Ventolin.
- Product form: for example, pill, powder, liquid or cream.
- Manufacturer: for example, Roche, Pfizer or GlaxoSmithKline./To search for this product, I will need some of the following information:
- Product Identification Number: for example, DIN, DIN-HM, NPN, EN
- Product name: for example, Children's Tylenol® Cold and Cough Nighttime.
- Product form: for example, pill, powder, liquid or cream.
- Manufacturer: for example, Bayer, Jamieson or Sisu./EMPTY]

INSTRUCTION: Use the MedSearch tool to find the product.

Press <1> to continue.

1 Continue
(DK, RF not allowed)

NPI_N17

INSTRUCTION: Was an exact product match found?

1 Yes
2 No (Go to NPI_D18A)
(DK, RF not allowed)

NPI_Q17A

Product identification number: ^DV_PIN
Product name: ^DV_PRODUCT_NAME
Form: [NPI_S20/EMPTY/English text of category selected at NPI_Q20]
Strength: ^DT_STRENGTH
Route of administration: ^DT_ROUTEE

INSTRUCTION: Confirm whether the information displayed is correct.

1 Yes (Go to NPI_D25)
2 No
(DK, RF not allowed)

NPI_N17B

INSTRUCTION: Do you want to search for the product again?

1 Yes (Go to NPI_D15)
2 No
(DK, RF not allowed)

Programmer: *Set values as follow:*

DV_PIN = EMPTY
DV_DB = EMPTY
DT_Company_name = EMPTY
DV_Product_name = EMPTY
DT_FormE = EMPTY
DT_FormF = EMPTY
DV_Short_form = EMPTY
DT_Strength = EMPTY
DT_RouteE = EMPTY
DT_RouteF = EMPTY
FollowUpFlag =0

NPI_Q18A **(What is the Product Identification Number?)**

INSTRUCTION: Capture the number from the product container, if it is available. Otherwise, enter "0". Enter number only.

|_|_|_|_|_|_|_|_|
(MIN: 0)
(MAX: 99,999,995)

DK, RF

NPI_Q18B **(What is the name of this product? [For example, Accutane, Alesse 21 or Ventolin. /For example, Children's Tylenol® Cold and Cough Nighttime.])**

INSTRUCTION: Capture the information from the product container, if it is available. Otherwise, ask the respondent to provide the information, as accurately as possible.

(80 spaces)

DK, RF (Go to NPI_END)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

NPI_Q19 What company information is found on the product container? **[For example, Roche, Pfizer, GlaxoSmithKline. /For example, Bayer, Jamieson or Sisu.]**

INSTRUCTION: Capture all the company names from the product container. This could include: the manufacturer, the importer and/or the company for which this product was manufactured. If there is no company information on the container, enter <Don't know>.

(80 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

NPI_Q20 **(What is the form of this product? For example, is it a pill, powder, liquid or cream?)**

INSTRUCTION: Capture the information from the product container, if it is available. Otherwise, ask the respondent to provide the information, as accurately as possible.

Select the product form.

01 Tablet / pill / capsule
02 Lozenge
03 Chew / gummy
04 Globule
05 Drop
06 Tincture
07 Liquid / solution
08 Suspension
09 Cream / ointment / gel / lotion
10 Packet / sachet
11 Powder
12 Granule
13 Spray / aerosol
14 Patch
15 Kit
16 Suppository
50 Other - Specify (Go to NPI_S20)
DK, RF

Go to NPI_D20

NPI_S20 **((What is the form of this product? For example, is it a pill, powder, liquid or cream?))**

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

NPI_Q21 **(What is the strength of this product, for example, 250 mg, 1%, 1000 international units?)**

INSTRUCTION: Capture the information from the product container, if it is available. Otherwise, ask the respondent to provide the information, as accurately as possible.

(80 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

NPI_Q22 **(How is this product administered? For example, is it inhaled, swallowed, dissolved beneath the tongue or applied to the skin?)**

INSTRUCTION: Capture the information from the product container, if it is available. Otherwise, ask the respondent to provide the information as accurately as possible.

Select the route of administration of the product.

01 Oral
02 Sublingual (under tongue)
03 Buccal (inside of cheek)
04 Dental (teeth or gums)
05 By inhalation
06 Nasal (nose)
07 Ophthalmic (eyeball)
08 Otic (ear)
09 Topical (applied to skin)
10 Transdermal (absorbed through skin)
11 By injection
12 Rectal
13 Vaginal
50 Other - Specify (Go to NPI_S22)
DK, RF

Go to NPI_D25

NPI_S22 **((How is this product administered? For example, is it inhaled, swallowed, dissolved beneath the tongue or applied to the skin?))**

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Go to NPI_D25

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

NPI_Q25 **When was the last time that you ^DT_Take1E this product? (The response categories are today, yesterday, within the last week or within the last month.)**

1	Today	
2	Yesterday	
3	Within the last week	
4	Within the last month	
5	More than one month ago	(Go to NPI_END)
DK, RF		(Go to NPI_END)

NPI_C25 If FollowUpFlag = 1 (administer follow-up questions), go to NPI_D26. Otherwise, go to NPI_END.

NPI_B26 Call the NPI Call Block (NPC).

Programmer: *Pass "DT_NPC_TEXT1E, DT_NPC_TEXT1E and available choices for NPC_N12)" as a parameter.*

NPI_Q63 **[For how long have you been [using/taking] [this or a similar product/this product]? (^DV_PRODUCT_NAME)/For how long did you [use/take] [this or a similar product/this product]? (^DV_PRODUCT_NAME)]**

(If you stopped [using/taking] it at some point, only include the most recent period of use.)

You may answer in days, weeks, months or years.

INSTRUCTION: Enter time only.

[Consider a change in prescription (e.g., a change in medication company or dosage) to be a stop in medication use.

Do not consider a short break in the use of prescribed medication (e.g., temporarily ran out of medication or forgot to take a dose) to be a stop in medication use.

For prescription medication used on an as-needed basis (e.g., medicated cream for a reoccurring condition), only include the period when it was last used. /A similar product could be a different company name (e.g., Jamieson Vitamin C® vs. Flintstones Vitamin C®) or a different form (e.g., tablet vs. liquid).

Do not consider a short break in the use of a product (e.g., temporarily ran out of a vitamin supplement or forgot to take a dose) to be a stop in product use.

For over-the-counter medication used on an as-needed basis (e.g., medication for a cold or headache), only include the period when it was last used]

(MIN: 1)
(MAX: 500)

DK	(Go to NPI_Q65)
RF	(Go to NPI_END)

NPI_N64

INSTRUCTION: Select the reporting period.

1 Days
2 Weeks
3 Months
4 Years
(DK, RF not allowed)

NPI_Q65

In the past month, on how many days did you [use/take] this product (^DV_PRODUCT_NAME)?

INSTRUCTION: Enter number of days.

If the medication was used every day for the past month, enter "31".

|_|_|
(MIN: 1)
(MAX: 31)

DK, RF

NPI_END

New Product Information - Call Block (NPC)

NPC_BEG

Called Block

External variables required:

Variables from previously completed blocks:
DT_NPC_TEXT1E: example text in English
DV_Product_Name: product name in English
DT_Take1E: English text fill for "used/took"
DT_Take3E: English text fill for "use/take"

NPC_Q10

On the days that you ^DT_TAKE1E this product, how many times did you usually ^DT_TAKE3E it in a single day?

INSTRUCTION: Record the number of times per day.

|_|_|_|
(MIN: 1)
(MAX: 100)

DK, RF (Go to NPC_END)

NPC_Q11

How much did you usually ^DT_TAKE3E each time you ^DT_TAKE1E it? ^DT_NPC_TEXT1E

INSTRUCTION: Enter the quantity only.

(MIN: 0.01)
(MAX: 99,995.00)

DK, RF (Go to NPC_END)

NPC_N12

INSTRUCTION: Select the unit of measure.

01	Tablets / pills / capsules	
02	Lozenges	
03	Chews / gummies	
04	Millilitres (mL)	
05	Milligrams (mg)	
06	Grams (g)	
07	Tablespoons (Tbsp)	
08	Teaspoons (tsp)	
09	Capfuls	
10	Scoops	
11	Packets / sachets	
12	Drops	
13	Sprays	
14	Doses	
15	Vials	
16	Units	
50	Other - Specify	(Go to NPC_S12)
DK, RF		(Go to NPC_END)

Go to NPC_D12

NPC_S12

(Select the unit of measure.)

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

NPC_Q14

So you ^DT_TAKE1E ^NPC_Q11 [DT_UNITE] ^NPC_Q10 [time/times] that each day you ^DT_TAKE1E this product (^DV_PRODUCT_NAME). Is that correct?

1 Yes
2 No (Go to NPC_Q10)
(DK, RF not allowed)

NPC_END

Cannabis - Call Block (CAN)

CAN_BEG

Called block

External variables required:

Variables from previously completed blocks:
ProxySex: gender of selected respondent and whether the interview is being conducted by proxy
CON_AGE: age of respondent

CAN_Q005

During the past three months have you used marijuana?

1	Yes	
2	No	(Go to CAN_END)
DK, RF		(Go to CAN_END)

CAN_Q010

During the past three months how often did you use marijuana?

INTERVIEWER: Read categories to respondent.

1	**Once or twice**	
2	**Monthly**	
3	**Weekly**	(Go to CAN_Q020)
4	**Daily or almost daily**	(Go to CAN_END)
DK, RF		(Go to CAN_END)

CAN_Q015

During the past 30 days, have you used marijuana?

1	Yes	
2	No	(Go to CAN_END)
DK, RF		(Go to CAN_END)

CAN_Q020

In the past week, have you used marijuana?

1	Yes
2	No
DK, RF	

CAN_END

Other Reason for Screening Out (ORS)

ORS_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
DV_NONGESTATIONALDIABETES: Whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
DRYRUN: Whether the respondent is a dry-run or not.

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

ORS_Q0

Other than what you have already mentioned, are there <u>any other reasons</u> you should not participate in one or more of the physical tests?

1 Yes
2 No
DK, RF

ORS_C1

If CON_AGE < 6, go to ORS_END.
Otherwise, go to ORS_N1.

ORS_N1

<u>INSTRUCTION</u>: Is there any other reason why the respondent should not perform the grip strength test?

1 Yes
2 No (Go to ORS_C3A)
(DK, RF not allowed)

ORS_S1

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

ORS_C3A

If CON_AGE > 69, go to ORS_N9.
Otherwise, go to ORS_C3B.

ORS_C3B

If CON_AGE < 8, go to ORS_N4.
Otherwise, go to ORS_N3.

ORS_N3

INSTRUCTION: Is there any other reason why the respondent should not perform the modified Canadian Aerobic Fitness Test (mCAFT)?

1 Yes
2 No (Go to ORS_N4)
(DK, RF not allowed)

ORS_S3

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

ORS_N4

INSTRUCTION: Is there any other reason why the respondent should not perform the sit and reach test?

1 Yes
2 No (Go to ORS_N9)
(DK, RF not allowed)

ORS_S4

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

ORS_N9

INSTRUCTION: Is there any other reason why the respondent should not perform the jumping mechanography tests?

1 Yes
2 No (Go to ORS_N10)
(DK, RF not allowed)

ORS_S9

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

ORS_C10 If (DryRun = 1 or 2), go to ORS_C11.
Otherwise, go to ORS_N10.

ORS_N10 INSTRUCTION: Is there any other reason why the respondent should not perform the quantitative computed tomography test?

1 Yes
2 No (Go to ORS_C11)
(DK, RF not allowed)

ORS_S10

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

ORS_C11 If CON_AGE > 19 AND CON_AGE < 40 AND DV_NONGESTATIONALDIABETES = 2, go to ORS_END.
Otherwise, go to ORS_N11.

ORS_N11 INSTRUCTION: Is there any other reason why the respondent should not perform the vision tests?

1 Yes
2 No (Go to ORS_END)
(DK, RF not allowed)

ORS_S11

INSTRUCTION: Specify the reason.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

ORS_END

Distance Viewing Confirmation (DVC)

DVC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
DV_NONGESTATIONALDIABETES = whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
ATG_N33: Test exclusion due to alcohol consumption
PHC_N42: Test exclusion due to an acute condition
PHC_N44: Test exclusion due to a chronic condition
VIR_Q005: Test exclusion due to eye infection(1 = Yes, 2 = No)
VIR_Q015: Test exclusion due to undergoing corneal transplant surgery within the past 12 months. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q025: Test exclusion due to undergoing an eye injury, an injection of medicine into an eye or an eye surgery, including corrective laser eye surgery within the past 12 weeks. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q035: Test exclusion due to having an artificial eye. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q045: Test exclusion due to being blind. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_D050: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)
VIR_D055: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)
ORS_N11: Whether the respondent should not perform Vision for any other reason (1 = Yes; 2 = No)

PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
1 = male, non-proxy
2 = female, non-proxy
3 = male, proxy
4 = female, proxy

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

DVC_R001

Now, some questions about eyeglasses and contacts.

INSTRUCTION: Press <1> to continue.

Programmer: *Allow 'DK' as a response category.*

DVC_C005 If DVC_R001 = DK, go to DVC_END.
Otherwise, go to DVC_D005.

DVC_Q010 **Do you wear eyeglasses or contacts?**

1 Yes
2 No
(DK, RF not allowed)

DVC_C015 If SCS_N12 = 4 or (DVC_Q010 = 1 AND (19 < CON_AGE < 40 AND DV_NONGESTATIONALDIABETES = 2)) or DVC_Q010 = 2 or ATG_N33 = 7 or PHC_N42 = 7 or PHC_N44 = 7 or VIR_Q005 = 1 or VIR_Q015 = 3 or VIR_Q025 = 3 or VIR_Q035 = 3 or VIR_Q045 = 3 or (VIR_D050 = 2 AND VIR_D055 = 2) or ORS_N11 = 1, go to DVC_END.
Otherwise, go to DVC_D015.

DVC_Q015 **Do you use eyeglasses or contacts for distance viewing? For example, while watching television or [driving/seeing the board at school]?**

INSTRUCTION: Distance viewing requires focus on an object that is at least one meter away. If the respondent confirms that they use eyeglasses or contacts for only one of the examples listed, then this question should be answered as yes.

1 Yes (Go to DVC_END)
2 No
(DK, RF not allowed)

DVC_C020 If CON_AGE ≥ 6 and CON_AGE ≤ 19, go to DVC_END.
Otherwise, go to DVC_N020.

DVC_N020 INSTRUCTION: Is the respondent currently wearing glasses?

1 Yes
2 No
(DK, RF not allowed)

DVC_Q025 **Are you wearing contacts?**

1 Yes
2 No (Go to DVC_END)
(DK, RF not allowed)

DVC_Q030 **In order to perform all of the vision tests today, you will need to remove your contacts.**

INSTRUCTION: Provide the respondent with a contact case and solution to remove his/her contacts.

Did the respondent remove his/her contacts?

1 Yes
2 No
(DK, RF not allowed)

DVC_END

Vision Clinic (VIC)

VIC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
DV_NONGESTATIONALDIABETES = whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
DVC_R001: introduction to vision eyewear questions
DVC_Q010: Whether the respondent wears eyeglasses or contacts (1= Yes, 2 = No)
DVC_Q015: Whether the respondent wears distance viewing glasses or contacts (1 = Yes, 2 = No)
ATG_N33: Test exclusion due to alcohol consumption
PHC_N42: Test exclusion due to an acute condition
PHC_N44: Test exclusion due to a chronic condition
VIR_Q005: Test exclusion due to eye infection(1 = Yes, 2 = No)
VIR_Q015: Test exclusion due to undergoing corneal transplant surgery within the past 12 months. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q025: Test exclusion due to undergoing an eye injury, an injection of medicine into an eye or an eye surgery, including corrective laser eye surgery within the past 12 weeks. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q035: Test exclusion due to having an artificial eye. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_Q045: Test exclusion due to being blind. Eye specific. (1 = Right, 2 = Left, 3 = Both)
VIR_D050: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)
VIR_D055: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)
ORS_N11: Whether the respondent should not perform Vision for any other reason (1 = Yes; 2 = No)

PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
1 = male, non-proxy
2 = female, non-proxy
3 = male, proxy
4 = female, proxy

Screen Display:

The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

VIC_C005

If SCS_N12 = 4 or (19 < CON_AGE < 40 and DV_NONGESTATIONALDIABETES = 2) or DVC_R001 = DK or DVC_Q010 = 2 or DVC_Q015 = 2 or ATG_N33 = 7 or PHC_N42 = 7 or PHC_N44 = 7 or VIR_Q005 = 1 or VIR_Q015 = 3 or VIR_Q025 = 3 or VIR_Q035 = 3 or VIR_Q045 = 3 or (VIR_D050 = 2 AND VIR_D055 = 2) or ORS_N11 = 1, go to VIC_END.
Otherwise, go to VIC_N005.

VIC_N005

INSTRUCTION: Is the respondent currently wearing glasses?

1 Yes
2 No (Go to VIC_Q015)
(DK, RF not allowed)

VIC_Q010

Are your glasses for distance viewing?

INSTRUCTION: Distance viewing requires focus on an object that is at least one meter away (e.g. watching television, driving or seeing the board at school).

1 Yes
2 No
(DK, RF not allowed)

VIC_Q015

Are you wearing contacts?

1 Yes
2 No (Go to VIC_C025A)
(DK, RF not allowed)

VIC_Q020

Are your contacts for distance viewing?

INSTRUCTION: Distance viewing requires focus on an object that is at least one meter away (e.g. watching television, driving or seeing the board at school).

1 Yes
2 No
(DK, RF not allowed)

VIC_C025A

If CON_AGE ≥ 6 and CON_AGE ≤ 19, go to VIC_END.
Otherwise, go to VIC_C025B.

VIC_C025B

If VIC_Q010 = EMPTY or VIC_Q010 = 2, go to VIC_Q025.
Otherwise, go to VIC_C030.

VIC_Q025

Did you bring distance viewing glasses with you today?

1 Yes
2 No
(DK, RF not allowed)

VIC_C030

If VIC_Q015 = 2 or (VIC_Q015 =1 and VIC_Q020 = 1 and VIC_Q025 = 2), go to VIC_C035.
Otherwise, go to VIC_Q030.

VIC_Q030

In order to perform all of the vision tests today, you will need to remove your contacts.

INSTRUCTION: Provide the respondent with a contact case and solution to remove their contacts.

Did the respondent remove their contacts?

1 Yes
2 No
(DK, RF not allowed)

VIC_C035

If VIC_Q025 = 1 or (VIC_N005 = 1 AND VIC_Q010 = 1), go to VIC_Q035.
Otherwise, go to VIC_END.

VIC_Q035

Are the lenses of your distance viewing glasses tinted or do they change colour when exposed to light?

INSTRUCTION: Tinted lenses are coloured to increase or decrease the brightness of what you see. This includes photochromatic or transition lenses which darken automatically when exposed to sunlight.

1 Yes
2 No
DK, RF

VIC_END

Vision Prescription Clinic (VPRC)

VPRC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
DVC_R001: questions about eyeglasses or contacts
DVC_Q010: Whether the respondent wears eyeglasses or contacts

PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
1 = male, non-proxy
2 = female, non-proxy
3 = male, proxy
4 = female, proxy

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

VPRC_C005A

If DVC_R001 = DK, go to VPRC_B110.
Otherwise, go to VPRC_C005B.

VPRC_C005B

If DVC_Q010 = 2, go to VPRC_END.
Otherwise, go to VPRC_Q010.

VPRC_Q010

Do you have your current eyeglass or contact prescription with you today?

1 Yes (Go to VPRC_Q020)
2 No
(DK, RF not allowed)

VPRC_Q015

Do you know the power or strength of your eyeglass or contact prescription?

1	Yes	(Go to VPRC_Q030A)
2	No	(Go to VPRC_END)
DK, RF		(Go to VPRC_END)

VPRC_Q020

I will now record the values from the prescription; this will just take a few minutes. (Is this prescription for your eyeglasses or contacts?)

INSTRUCTION: Please record the most recent prescription available. However, if the respondent has both an eyeglass and contact prescription with the same date, record the eyeglass prescription only.

1 Eyeglasses
2 Contacts
DK
(RF not allowed)

VPRC_N025

INSTRUCTION: Is the sphere value present for the right eye (ex., OD)?

1	Yes	
2	No	(Go to VPRC_N055)
(DK, RF not allowed)		

VPRC_Q030A

(What is the power or strength of the lens for the right eye?)

INSTRUCTION: Record the sphere value for the right eye (ex., OD).

(MIN: -30.00)
(MAX: 30.00)

(DK, RF not allowed)

VPRC_N030B

INSTRUCTION: Re-enter the sphere value for the right eye (ex., OD).

(MIN: -30.00)
(MAX: 30.00)

(DK, RF not allowed)

VPRC_C035

If VPRC _Q010 = 2, go to VPRC_Q060A.
Otherwise, go to VPRC_N035.

VPRC_N035

INSTRUCTION: Is the cylinder value present for the right eye (ex., OD)?

1	Yes	
2	No	(Go to VPRC_N055)
(DK, RF not allowed)		

VPRC_N040A

INSTRUCTION: Record the cylinder value for the right eye (ex., OD).

(MIN: -10.00)
(MAX: 10.00)

(DK, RF not allowed)

VPRC_N040B

INSTRUCTION: Re-enter the cylinder value for the right eye (ex., OD).

(MIN: -10.00)
(MAX: 10.00)

(DK, RF not allowed)

VPRC_N045

INSTRUCTION: Is the axis value present for the right eye (ex., OD)?

1 Yes
2 No (Go to VPRC_N055)
(DK, RF not allowed)

VPRC_N050A

INSTRUCTION: Record the axis value for the right eye (ex., OD).

|_|_|_|
(MIN: 0)
(MAX: 180)

(DK, RF not allowed)

VPRC_N050B

INSTRUCTION: Re-enter the axis value for the right eye (ex., OD).

|_|_|_|
(MIN: 0)
(MAX: 180)

(DK, RF not allowed)

VPRC_N055

INSTRUCTION: Is the sphere value present for the left eye (ex., OS or OG)?

1 Yes
2 No (Go to VPRC_D085)
(DK, RF not allowed)

VPRC_Q060A

(What is the power or strength of the lens for the left eye?)

INSTRUCTION: Record the sphere value for the left eye (ex., OS or OG).

(MIN: -30.00)
(MAX: 30.00)

(DK, RF not allowed)

VPRC_N060B

INSTRUCTION: Re-enter the sphere value for the left eye (ex., OS or OG).

(MIN: -30.00)
(MAX: 30.00)

(DK, RF not allowed)

VPRC_C065

If VPRC _Q010 = 2, go to VPRC_D085.
Otherwise, go to VPRC_N065.

VPRC_N065

INSTRUCTION: Is the cylinder value present for the left eye (ex., OS or OG)?

	1 Yes 2 No (Go to VPRC_D085) (DK, RF not allowed)
VPRC_N070A	INSTRUCTION: Record the cylinder value for the left eye (ex., OS or OG). (MIN: -10.00) (MAX: 10.00) (DK, RF not allowed)
VPRC_N070B	INSTRUCTION: Re-enter the cylinder value for the left eye (ex., OS or OG). (MIN: -10.00) (MAX: 10.00) (DK, RF not allowed)
VPRC_N075	INSTRUCTION: Is the axis value present for the left eye (ex., OS or OG)? 1 Yes 2 No (Go to VPRC_D085) (DK, RF not allowed)
VPRC_N080A	INSTRUCTION: Record the axis value for the left eye (ex., OS or OG). |_|_|_| (MIN: 0) (MAX: 180) (DK, RF not allowed)
VPRC_N080B	INSTRUCTION: Re-enter the axis value for the left eye (ex., OS or OG). |_|_|_| (MIN: 0) (MAX: 180) (DK, RF not allowed)
VPRC_C110	If DVC_R001 = DK, go to VPRC_B110. Otherwise, go to VPRC_END.
VPRC_B110	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-06-20 as parameters.*
VPRC_END	

Vision Prescription Value (VPV)

VPV_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
DVC_Q010: Whether the respondent wears eyeglasses or contacts
VPRC_Q010: whether the eyeglass or contact prescription was available during the clinic visit
VPRC_Q015: whether the respondent knew the strength of their prescription.
VPRC_Q020: whether the respondents prescription captured during the clinic visit is for glasses or contacts
VPRC_N025: whether the sphere value was present for the right eye
VPRC_Q030A: sphere value for the right eye
VPRC_N035: whether the cylinder value was present for the right eye
VPRC_N040A: cylinder value for the right eye
VPRC_N045: whether the axis value was present for the right eye
VPRC_N050A: axis value for the right eye
VPRC_N055: whether the sphere value was present for the left eye
VPRC_Q060A: sphere value for the left eye
VPRC_N065: whether the cylinder value was present for the left eye
VPRC_N070A: cylinder value for the left eye
VPRC_N075: whether the axis value was present for the left eye
VPRC_N080A: axis value for the left eye

VPV_END

Fish and Shellfish Consumption (FSF)

FSF_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place DateLastMonthE: English text of month of date one month before the clinic visit Variables from previously completed blocks: RespondentName: name of respondent CON_SEX: sex of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent SCS_N12: visit type Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
FSF_R10	**Now a few questions about your consumption of shellfish over the past month. Think about <u>all</u> the shellfish you ate, both meals and snacks, at home and away from home. Include fresh, frozen and canned shellfish.** <u>INSTRUCTION</u>: Press <1> to continue.
Programmer:	*Allow 'DK' as a response category.*
FSF_C10	If FSF_R10 = DK, go to FSF_B70. Otherwise, go to FSF_D10.
FSF_Q10	**Have you eaten any of the following shellfish over the past month, that is, from ^DateLastMonthE to today?**

INSTRUCTION: The term "shellfish" refers to a type of mollusc/crustacean. It does not include "saltwater fish" which are covered in the next question.

Read categories to respondent. Mark all that apply.

01	**Lobster**	
02	**Shrimp**	
03	**Mussels**	
04	**Scallops**	
05	**Oysters**	
06	**Squid or calamari**	
07	**Clams**	
08	**Crab**	
09	**Surimi or imitation crab**	
10	**Any other shellfish**	(Go to FSF_S10V)
11	No shellfish	
DK		
RF		(Go to FSF_END)

Go to FSF_C11

FSF_S10V **What other shellfish did you consume?**

INSTRUCTION: Enter one type of shellfish only.

(80 spaces)

DK, RF (Go to FSF_C11)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_Q10X **Over the past month, did you consume any other shellfish?**

1	Yes	
2	No	(Go to FSF_C11)
DK, RF		(Go to FSF_C11)

FSF_S10X **What other shellfish did you consume?**

INSTRUCTION: Enter one type of shellfish only.

(80 spaces)

DK, RF (Go to FSF_C11)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_Q10Y **Over the past month, did you consume any other shellfish?**

1	Yes	
2	No	(Go to FSF_C11)
DK, RF		(Go to FSF_C11)

FSF_S10Y **What other shellfish did you consume?**

INSTRUCTION: Enter one type of shellfish only.

(80 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_C11 If FSF_Q10 = 11 or DK, go to FSF_R24.
Otherwise, go to FSF_C12.

FSF_C12 If FSF_Q10 = 1, go to FSF_B12.
Otherwise, go to FSF_C13.

FSF_B12 Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**lobster**" as parameter.*

FSF_C13 If FSF_Q10 = 2, go to FSF_B13.
Otherwise, go to FSF_C14.

FSF_B13 Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**shrimp**" as parameter.*

FSF_C14 If FSF_Q10 = 3, go to FSF_B14.
Otherwise, go to FSF_C15.

FSF_B14 Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**mussels**" as parameter.*

FSF_C15 If FSF_Q10 = 4, go to FSF_B15.
Otherwise, go to FSF_C16.

FSF_B15 Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**scallops**" as parameter.*

FSF_C16 If FSF_Q10 = 5, go to FSF_B16.
Otherwise, go to FSF_C17.

FSF_B16 Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**oysters**" as parameter.*

FSF_C17 If FSF_Q10 = 6, go to FSF_B17.
Otherwise, go to FSF_C18.

FSF_B17	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**squid or calamari**" as parameter.*
FSF_C18	If FSF_Q10 = 7, go to FSF_B18. Otherwise, go to FSF_C19.
FSF_B18	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**clams**" as parameter.*
FSF_C19	If FSF_Q10 = 8, go to FSF_B19. Otherwise, go to FSF_C20.
FSF_B19	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**crab**" as parameter.*
FSF_C20	If FSF_Q10 = 9, go to FSF_B20. Otherwise, go to FSF_C21.
FSF_B20	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**surimi or imitation crab**" as parameter.*
FSF_C21	If FSF_S10V = RESPONSE and <> DK, RF, go to FSF_B21. Otherwise, go to FSF_C22.
FSF_B21	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S10V**" as parameter.*
FSF_C22	If FSF_S10X = RESPONSE and <> DK, RF, go to FSF_B22. Otherwise, go to FSF_C23.
FSF_B22	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S10X**" as parameter.*
FSF_C23	If FSF_S10Y = RESPONSE and <> DK, RF, go to FSF_B23. Otherwise, go to FSF_R24.
FSF_B23	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S10Y**" as parameter.*
FSF_R24	**Now, think about <u>all</u> salt and freshwater fish you ate, both meals and snacks, at home and away from home. Include fresh, frozen and canned fish of all types, as well as the fish in fish and chips.** <u>INSTRUCTION</u>: Press <1> to continue.
FSF_Q24	**Have you eaten any of the following fish over the past month, that is, from ^DateLastMonthE to today?**

INSTRUCTION: The term "saltwater fish" does not include "shellfish", which were asked about in the previous question.

Read categories to respondent. Mark all that apply.

02 **Tuna in a can or pouch**
03 **Tuna steaks or fillets (fresh or frozen)**
04 **Salmon in a can or pouch**
05 **Salmon - fresh, frozen or smoked**
07 **Shark**
08 **Marlin**
09 **Swordfish**
13 **Mackerel**
14 **Herring**
19 **Any other fish** (Go to FSF_S24V)
20 No fish
DK, RF

Go to FSF_C24A

FSF_S24V **What other fish did you consume?**

INSTRUCTION: Enter one type of fish only.

(80 spaces)

DK, RF (Go to FSF_C24A)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_Q24X **In the past month, did you consume any other fish?**

1 Yes
2 No (Go to FSF_C24A)
DK, RF (Go to FSF_C24A)

FSF_S24X **What other fish did you consume?**

INSTRUCTION: Enter one type of fish only.

(80 spaces)

DK, RF (Go to FSF_C24A)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_Q24Y **In the past month, did you consume any other fish?**

1	Yes	
2	No	(Go to FSF_C24A)
DK, RF		(Go to FSF_C24A)

FSF_S24Y

What other fish did you consume?

INSTRUCTION: Enter one type of fish only.

(80 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

FSF_C24A

If FSF_Q24 = 20, DK or RF, go to FSF_END.
Otherwise, go to FSF_C25A.

FSF_C25A

If FSF_Q24 = 2, go to FSF_Q25.
Otherwise, go to FSF_C26.

FSF_Q25

Over the past month, when you ate tuna in a can or pouch, was it:

INSTRUCTION: Read categories to respondent.

1	**...light (flaked or chunk) tuna?**	
2	**...white (solid) tuna?**	(Go to FSF_C25B)
3	**...both?**	
DK, RF		(Go to FSF_C25C)

FSF_B25A

Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**light (flaked or chunk) tuna in a can or pouch**" as parameter.*

FSF_C25B

If FSF_Q25 = 2 or 3, go to FSF_B25B.
Otherwise, go to FSF_C25C.

FSF_B25B

Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**white (solid) tuna in a can or pouch**" as parameter.*

FSF_C25C

If FSF_Q25 = DK or RF, go to FSF_B25C.
Otherwise, go to FSF_C26.

FSF_B25C

Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**tuna in a can or pouch**" as parameter.*

FSF_C26

If FSF_Q24 = 3, go to FSF_B26.
Otherwise, go to FSF_C27.

FSF_B26

Call the Detail Fish and Shellfish (DFS) block.

Programmer: *Pass DT_QuestionE = "**tuna steaks or fillets (fresh or frozen)**" as parameter.*

FSF_C27	If FSF_Q24 = 4, go to FSF_B27. Otherwise, go to FSF_C28.
FSF_B27	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**salmon in a can or pouch**" as parameter.*
FSF_C28	If FSF_Q24 = 5, go to FSF_B28. Otherwise, go to FSF_C30.
FSF_B28	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**salmon - fresh, frozen or smoked**" as parameter.*
FSF_C30	If FSF_Q24 = 7, go to FSF_B30. Otherwise, go to FSF_C31.
FSF_B30	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**shark**" as parameter.*
FSF_C31	If FSF_Q24 = 8, go to FSF_B31. Otherwise, go to FSF_C32.
FSF_B31	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**marlin**" as parameter.*
FSF_C32	If FSF_Q24 = 9, go to FSF_B32. Otherwise, go to FSF_C36.
FSF_B32	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**swordfish**" as parameter.*
FSF_C36	If FSF_Q24 = 13, go to FSF_B36. Otherwise, go to FSF_C37.
FSF_B36	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**mackerel**" as parameter.*
FSF_C37	If FSF_Q24 = 14, go to FSF_B37. Otherwise, go to FSF_C42.
FSF_B37	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**herring**" as parameter.*
FSF_C42	If FSF_S24V = RESPONSE and <> DK, RF, go to FSF_B42. Otherwise, go to FSF_C43.
FSF_B42	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S24V**" as parameter.*
FSF_C43	If FSF_S24X = RESPONSE and <> DK, RF, go to FSF_B43. Otherwise, go to FSF_C44.

FSF_B43	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S24X**" as parameter.*
FSF_C44	If FSF_S24Y = RESPONSE and <> DK, RF, go to FSF_B44. Otherwise, go to FSF_END.
FSF_B44	Call the Detail Fish and Shellfish (DFS) block.
Programmer:	*Pass DT_QuestionE = "**^FSF_S24Y**" as parameter.*
FSF_B70	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-06-20 as parameters*
FSF_END	

Detail Fish and Shellfish (DFS)

DFS_BEG

Called block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: sex of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
DT_QuestionE: English question text

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

DFS_Q11

Over the past month, how many times did you eat:

... ^DT_QUESTIONE?

|_|_| Times
(MIN: 1)
(MAX: 95)

DK, RF (Go to DFS_END)

DFS_N11

<u>INSTRUCTION</u>: Select the reporting period.

1 Per month
2 Per week
3 Per day
(DK, RF not allowed)

DFS_END

Anthropometric Component Introduction (ACI)

ACI_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent SCS_N12: Visit Type Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: RespondentName Age: ^CON_AGE Sex: ^GenderE
ACI_R02	**Next will be a series of body measurements.** <u>INSTRUCTION</u>: Press <1> to continue.
Programmer:	*Allow 'DK' as a response category*
ACI_C02	If ACI_R02 = DK, go to ACI_END. Otherwise, go to ACI_D02.
ACI_END	

Height and Weight Measurements (HWM)

HWM_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
ANCREP: whether an anthropometric replicate has been assigned

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
SCS_N12: Clinic visit (3) or home visit (4)
CON_SEX: sex of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
WHR_Q015: whether the respondent is pregnant
DT_ACI_RACI: ACI_R02 or RACI_R01 depending from where this block is called from

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

HWM_C10

If DT_ACI_RACI = DK, go to HWM_C59.
Otherwise, go to HWM_R11.

HWM_R11

I'm going to start by measuring how tall you are. Please remove your shoes and stand with your feet together, keeping your heels, buttocks, back and head in contact with the measuring device. Look straight ahead and stand as tall as possible.

Now, take a deep breath in and hold it.

INSTRUCTION: Ensure the respondent's head is aligned with the Frankfort plane and all hair ties or ornaments (e.g., buns, braids, clips) have been removed.

Take the measurement while the breath is being held.

Press <1> to continue.

HWM_N11

INSTRUCTION: Record how the data will be captured.

	1 Electronically	
	2 Manually with a portable device	(Go to HWM_N11B)
	3 Self-report	(Go to HWM_N11B)
	4 Electronic data entered manually	
	(DK, RF not allowed)	
HWM_N11A	INSTRUCTION: Ensure that the stadiometer is set to millimeters (mm). Press the "Send" button on the left side of the digital display box or the "Data" button on the SPC (send to PC) device. (MIN: 846) (MAX: 2,071) (DK, RF not allowed)	
HWM_C11	If HWM_N11 = 4, go to HWM_N11D. Otherwise, go to HWM_D11.	
HWM_N11B	INSTRUCTION: Record the standing height in centimetres. (MIN: 19) (MAX: 208)	
	DK, RF	(Go to HWM_D11)
HWM_N11C	INSTRUCTION: Re-enter the standing height in centimetres. (MIN: 19) (MAX: 208) (DK, RF not allowed)	
HWM_C11D	If HWM_N11 = 04, go to HWM_N11D. Otherwise, go to HWM_D11.	
HWM_N11D	INSTRUCTION: Re-enter the standing height in millimeters. (MIN: 846) (MAX: 2,071) (DK, RF not allowed)	
HWM_C11A	If HWM_Q11 = DK, go to HWM_S11. Otherwise, go to HWM_R13.	
HWM_S11	INSTRUCTION: Specify the reason why the measurement could not be taken.	

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

HWM_R13

Next I'm going to measure how much you weigh. Please empty your pockets, remove all heavy accessories and step onto the centre of the scale. Keep your hands at your sides and look straight ahead.

INSTRUCTION: Ensure the respondent has on only minimal clothing (no shoes), has nothing in his/her pockets and has removed all heavy accessories (e.g., a watch, belt, pair of glasses).

Press <1> to continue.

HWM_N13

INSTRUCTION: Record how the data will be captured.

1 Electronically
2 Manually with a portable device (Go to HWM_N13B)
3 Self-report (Go to HWM_N13B)
4 Electronic data entered manually (Go to HWM_N13B)
(DK, RF not allowed)

HWM_N13A

INSTRUCTION: Ensure the scale is set to kilograms (kg).

Press <Print> on the scale.

Press <1> to save the measurement in Blaise.

1 Save the measurement
(DK, RF not allowed)

Programmer: *Data from the scale will be available as a string value saved in the Blaise registry under "HKEY_CURRENT_USER". A single string value will be saved, containing 8 bytes of data. The data should be copied to specific capture fields as follows:*

```
IF Substring(EDATA, 1, 1) = E THEN
   Save DK code "999.9" in HWM_Q13
   Save Substring(EDATA, 2, 2) in HWM_S13
ELSE
   Save Substring(EDATA, 4, 5) in HWM_Q13
ENDIF
```

HWM_R13A

Check the data returned from the scale.

INSTRUCTION: Press <1> to continue.

HWM_C13A

If HWM_N13A = RESPONSE, go to HWM_C14A.
Otherwise, go to HWM_N13B.

HWM_N13B

INSTRUCTION: When the measurement is stable, record the weight in kilograms.

(MIN: 0.5)
(MAX: 500.0)

DK, RF (Go to HWM_D13)

HWM_N13C

INSTRUCTION: Re-enter the weight in kilograms.

(MIN: 0.5)
(MAX: 500.0)

(DK, RF not allowed)

HWM_C13

If HWM_Q13 = DK, go to HWM_S13.
Otherwise, go to HWM_C14A.

HWM_S13

INSTRUCTION: Specify the reason why the measurement could not be taken.

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

HWM_C14A

If WHR_Q015 = 1, go to HWM_R16.
Otherwise, go to HWM_R14.

HWM_R14

Now I'm going to measure your waist circumference. Please stand up straight with your arms hanging loosely at your sides, and breathe normally. I may need to move your clothing slightly because the measurement has to be taken directly on the skin. In order to ensure I have the correct position, I am going to feel for certain landmarks and make a few small marks on your skin with a washable marker to indicate where to place the tape. When I'm done, I'll remove them with a wipe.

INSTRUCTION: Landmark both sides.

Read the measurement at the right side of the body.

Take the measurement at the end of a normal expiration.

Press <1> to continue.

HWM_N14A

INSTRUCTION: Record the waist circumference in centimetres.

(MIN: 0)
(MAX: 305)

DK, RF (Go to HWM_D14)

HWM_N14B

INSTRUCTION: Re-enter the waist circumference in centimetres.

(MIN: 0)
(MAX: 305)

(DK, RF not allowed)

HWM_C14B

If HWM_Q14 = DK, go to HWM_S14.
Otherwise, go to HWM_R16.

HWM_S14

INSTRUCTION: Specify the reason why the measurement could not be taken.

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

HWM_R16

Now, I'll measure your neck circumference. Please stand up straight, with your arms hanging loosely at your sides, and look straight ahead. I will need to touch your neck in order to find the appropriate spot to take the measurement.

INSTRUCTION: Ensure the respondent's head is aligned with the Frankfort plane.

Ensure the respondent does not clench his/her teeth.

Read the measurement at the landmark on the front of the neck.

Press <1> to continue.

HWM_N16A

INSTRUCTION: Record the neck circumference in centimetres.

(MIN: 0)
(MAX: 150)

DK, RF (Go to HWM_D16)

HWM_N16B

INSTRUCTION: Re-enter the neck circumference in centimetres.

(MIN: 0)
(MAX: 150)

(DK, RF not allowed)

HWM_C16

If HWM_Q16 = DK, go to HWM_S16.
Otherwise, go to HWM_C20.

HWM_S16

INSTRUCTION: Specify the reason why the measurement could not be taken.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

HWM_C20

If ANCREP = 1 OR SCS_N12 = 4 or (WHR_Q015 = 1 AND HWM_Q11= NONRESPONSE AND HWM_Q13 = NONRESPONSE AND HWM_Q16 = NONRESPONSE) OR (HWM_Q11 = NONRESPONSE AND HWM_Q13 = NONRESPONSE AND HWM_Q14 = NONRESPONSE AND HWM_Q16 = NONRESPONSE), go to HWM_C59.
Otherwise, go to HWM_R20.

HWM_R20

At the end of the appointment, we may need to repeat the measurements I have just completed. The computer randomly selects people to be re-measured for quality control purposes. In case you are selected, I will now erase the marks I put on your skin to ensure that they do not influence a possible second set of measurements.

INSTRUCTION: Press <1> to continue.

Use a wipe to wash off all marks on the respondent's skin.

HWM_C59

If DT_ACI_RACI = DK, go to HWM_B60.
Otherwise, go to HWM_END.

HWM_B60

Call Reason Not Done Block (RND).

Programmer: *Pass along values 01-03-06-20 as parameters.*

HWM_END

Blood Pressure Measurement (BPM)

BPM_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent CON_SEX: sex of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent HWM_Q11: standing height (in centimetres) SCS_N12: visit type (3 = clinic visit; 4 = home visit) WHR_Q020: Number of weeks of pregnancy reported by respondent ATG_N33: Test exclusion due to alcohol consumption PHR_Q020: Whether the respondent has chest pain during physical activity (1 = Yes; 2 = No) PHR_Q025: Whether the respondent had chest pain when not doing physical activity, in past month (1 = Yes; 2 = No) PHR_Q040: Condition(s) under which respondent has lost balance/consciousness within the last 12 months PHR_N045: Test exclusion due to condition under which respondent has lost balance/consciousness, as assessed by the HMS PHR_B060.BJP_N3_1: Test exclusion due to bone or joint problem (Head/Jaw). PHR_B060.BJP_N3_2: Test exclusion due to bone or joint problem (Neck). PHR_B060.BJP_N3_3: Test exclusion due to bone or joint problem (Back/Spine). PHR_B060.BJP_N3_4: Test exclusion due to bone or joint problem (Shoulder). PHR_B060.BJP_N3_5: Test exclusion due to bone or joint problem (Arm/Elbow). PHR_B060.BJP_N3_6: Test exclusion due to bone or joint problem (Wrist). PHR_B060.BJP_N3_7: Test exclusion due to bone or joint problem (Hand/Fingers). PHR_B060.BJP_N3_8: Test exclusion due to bone or joint problem (Hip). PHR_B060.BJP_N3_9: Test exclusion due to bone or joint problem (Leg/Knee). PHR_B060.BJP_N3_10: Test exclusion due to bone or joint problem (Ankle). PHR_B060.BJP_N3_11: Test exclusion due to bone or joint problem (Foot/Toes). PHR_N080: Test exclusion due to physical activity restriction(s) identified by a health professional. PHR_N095: Test exclusion due to other reason for not doing physical activity reported by respondent.

PHC_Q37: Whether the respondent has his quick relief medication(s) with him (1 = Yes; 2 = No)
PHC_N42: Test exclusion due to an acute condition
PHC_N44: Test exclusion due to a chronic condition
PHC_Q57B: indicates on which side the respondent has had a mastectomy
MEDC_N611: Test exclusion due to medication use
ORS_N3: Whether the respondent should not perform the mCAFT for any other reason (1 = Yes; 2 = No)

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

BPM_N100

INSTRUCTION: -Verify that the room temperature is 21°C +/- 2°C.

-Measure the respondent's arm circumference and select the appropriate cuff size. Record the selected cuff size.

1 Child (13-18 cm)
2 Small adult (18-26 cm)
3 Regular adult (26-34 cm)
4 Large adult (32-43 cm)
5 X-Large adult (41-52 cm)
DK (Go to BPM_B600)
(RF not allowed)

BPM_N100A

INSTRUCTION: Press <1> to proceed with the [electronic transfer/manual entry] of blood pressure.

1 Continue
(DK, RF not allowed)

BPM_N101

INSTRUCTION:

1 Electronically (BpTRU)
3 BpTRU data entered manually
(DK, RF not allowed)

Programmer:

This element will automatically be generated in the background.

Default to BPM_N101 = 1

If BPM_N101= 3 is selected, please do not pre-fill the values with previous data.

BPM_C101A

If BPM_N101 = 3, go to BPM_B110.
Otherwise, go to BPM_Q101A.

BPM_Q101A

Now, I will take your blood pressure and heart rate, using an automated blood pressure cuff. During this test, you will need to sit up straight with your feet flat on the floor, your back against the back rest of the chair, and your [left/right] arm on the table.

INSTRUCTION: - Ensure the BpTRU is communicating with Health Listener.
- Set the BpTRU to cycle 1 (1-minute intervals).
- Turn the BpTRU away from the respondent.

Press <1> to continue.

1 Continue
(DK not allowed)
RF (Go to BPM_END)

BPM_Q102

[The cuff will fill with air and it will squeeze your arm a little. It will do this 6 times. During the test, you cannot talk. You need to sit really still and keep both feet flat on the floor. You should stay relaxed to ensure we get good results. Before we start, I will leave you alone to sit and relax for 5 minutes. I will then come back to start the machine. It is very important that we don't talk until the test is done/The cuff will inflate automatically once every minute, applying pressure to your arm. A total of 6 measures will be taken. I will stay in the room for the first measurement then I will leave the room. Although I will not be present during the test, should you require assistance, I will be just outside the room. You should not move or talk during the test, and you need to keep both feet flat on the floor. It is important that you stay relaxed to ensure we get good results. Before we begin, I will leave you alone to sit and relax for 5 minutes. I will then return to start the machine. I ask that you do not talk when I return to take the first measurement]. Do you have any questions before we begin?

INSTRUCTION: - Answer any questions as thoroughly as possible.
- Secure the cuff on the respondent's **[left/right]** arm.
- Ensure respondent is in the correct position (palm down, feet flat, arm and back rested, relaxed).
- Start the stopwatch to return to the room after 5 minutes.
- After the 5-minute rest period, return to the room and press the <Start> button on the BpTRU.
- Stay in the room for the first measure and write down the result.
- Press < CTL-ALT-DELETE> and then < ENTER> to lock the computer before leaving the room.

Press <1> to continue.

1 Continue
(DK, RF not allowed)

BPM_N105

INSTRUCTION: Press <1> to save the measurements in Blaise.

1 Save the measurements (Go to BPM_D160A)
(DK, RF not allowed)

Programmer:

Programmers Note:

Data from the BPTru will be available in a series of string values saved in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\". Six string values will be saved, each containing 13 bytes of data. The data should be copied to specific capture fields as follows:

```
IF Substring(EDATA1, 1, 1) = E THEN
    Save DK code "999" in BPM_B110.BPR_N1A
    Save Substring(EDATA1, 2, 3) in BPM_B110.DT_BPR_N4
ELSE
    Save Substring(EDATA1, 5, 3) in BPM_B110.BPR_N1A
    Save Substring(EDATA1, 8, 3) in BPM_B110.BPR_N2A
    Save Substring(EDATA1, 11, 3) in BPM_B110.BPR_N3A
ENDIF

IF Substring(EDATA2, 1, 1) = E THEN
    Save DK code "999" in BPM_B111.BPR_N1A
    Save Substring(EDATA2, 2, 3) in BPM_B111. DT_BPR_N4
ELSE
    Save Substring(EDATA2, 5, 3) in BPM_B111.BPR_N1A
    Save Substring(EDATA2, 8, 3) in BPM_B111.BPR_N2A
    Save Substring(EDATA2, 11, 3) in BPM_B111.BPR_N3A
ENDIF

IF Substring(EDATA3, 1, 1) = E THEN
    Save DK code"999" in BPM_B121.BPR_N1A
    Save Substring(EDATA3, 2, 3) in BPM_B121. DT_BPR_N4
ELSE
    Save Substring(EDATA3, 5, 3) in BPM_B121.BPR_N1A
    Save Substring(EDATA3, 8, 3) in BPM_B121.BPR_N2A
    Save Substring(EDATA3, 11, 3) in BPM_B121.BPR_N3A
ENDIF

IF Substring(EDATA4, 1, 1) = E THEN
    Save DK code "999" in BPM_B131.BPR_N1A
    Save Substring(EDATA4, 2, 3) in BPM_B131. DT_BPR_N4
ELSE
    Save Substring(EDATA4, 5, 3) in BPM_B131.BPR_N1A
    Save Substring(EDATA4, 8, 3) in BPM_B131.BPR_N2A
    Save Substring(EDATA4, 11, 3) in BPM_B131.BPR_N3A
ENDIF

IF Substring(EDATA5, 1, 1) = E THEN
    Save DK code "999" in BPM_B141.BPR_N1A
    Save Substring(EDATA5, 2, 3) in BPM_B141. DT_BPR_N4
ELSE
    Save Substring(EDATA5, 5, 3) in BPM_B141.BPR_N1A
    Save Substring(EDATA5, 8, 3) in BPM_B141.BPR_N2A
    Save Substring(EDATA5, 11, 3) in BPM_B141.BPR_N3A
ENDIF

IF Substring(EDATA6, 1, 1) = E THEN
    Save DK code "999" in BPM_B151.BPR_N1A
    Save Substring(EDATA6, 2, 3) in BPM_B151. DT_BPR_N4
ELSE
    Save Substring(EDATA6, 5, 3) in BPM_B151.BPR_N1A
    Save Substring(EDATA6, 8, 3) in BPM_B151.BPR_N2A
    Save Substring(EDATA6, 11, 3) in BPM_B151.BPR_N3A
ENDIF
```

Set value of ResetCounter to 2 in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\".

Lock the fields containing the data from the BPTru and delete the data transfer file.

BPM_B110

Call the Blood Pressure Recording (BPR) block.

Programmer:	*In the code, BPM_B110 is an array 1 to 6 of BPR and also represents BPM_B111, BPM_B121, BPM_B131, BPM_B141 and BPM_B151. It was written this way in QDT in order to include BPM_C111 and BPM_C112 in the correct flow.*
BPM_C111	If BPM_B110.BPR_N1A = RF, go to BPM_END. Otherwise, go to BPM_B111.
BPM_B111	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B110[2] in the code.*
BPM_C112	If BPM_B111.BPR_N1A = RF, go to BPM_END. Otherwise, go to BPM_B121.
BPM_B121	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B110[3] in the code.*
BPM_B131	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B110[4] in the code.*
BPM_B141	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B110[5] in the code.*
BPM_B151	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B110[6] in the code.*
BPM_N160	<u>INSTRUCTION</u>: Check the blood pressure and heart rate data. [Press <Clear> on the BPTru screen./EMPTY]

1 ^DT_ELEC1EMeasurement is valid.
2 ^DT_ELEC1EMeasurement is not valid.
3 Transfer is unsuccessful.
(DK, RF not allowed)

Help text:

Select option "2" if the blood pressure measurements are invalid. For example:
- *There was a noteworthy distraction or noise in the room while the measurement was being taken (e.g., something fell from a shelf or desk, likely startling the respondent); or*
- *The protocol was not respected (e.g., the respondent is not in the correct position, moves or talks during the measurements).*

Programmer:

If BPM_N101 = 3, remove option 3
If BPM_N160 = 3, switch BPM_N101 = 3

Data should be displayed on the screen in a four-column, six- line table of values:

SYSTOLIC BLOOD PRESSURE
1 BPM_B110.BPR_N1A
2 BPM_B111.BPR_N1A
3 BPM_B121.BPR_N1A
4 BPM_B131.BPR_N1A
5 BPM_B141.BPR_N1A
6 BPM_B151.BPR_N1A

DIASTOLIC BLOOD PRESSURE
1 BPM_B110.BPR_N2A
2 BPM_B111.BPR_N2A
3 BPM_B121.BPR_N2A
4 BPM_B131.BPR_N2A
5 BPM_B141.BPR_N2A
6 BPM_B151.BPR_N2A

HEART RATE
1 BPM_B110.BPR_N3A
2 BPM_B111.BPR_N3A
3 BPM_B121.BPR_N3A
4 BPM_B131.BPR_N3A
5 BPM_B141.BPR_N3A
6 BPM_B151.BPR_N3A

ERROR CODE
1 BPM_B110.BPR_N4
2 BPM_B111.BPR_N4
3 BPM_B121.BPR_N4
4 BPM_B131.BPR_N4
5 BPM_B141.BPR_N4
6 BPM_B151.BPR_N4

Display error codes (4th column in the table above) in red text.

BPM_N161

INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

1 Yes
2 No
(DK, RF not allowed)

BPM_C161	If BPM_N160 = 2, go to BPM_D200. Otherwise, go to BPM_D161.
BPM_C164	If BPM_D160A = 1, go to BPM_D200. Otherwise, go to BPM_C165.
BPM_C165	If BPM_D161 < 145 and BPM_D162 < 95 and BPM_D163 < 100, go to BPM_D401. Otherwise, go to BPM_C166.
BPM_C166	If SCS_N12 = 4 or (CON_AGE < 15 or > 69) or WHR_Q020 > 12 or ATG_N33 = 3 or PHR_Q020 = 1 or PHR_Q025 = 1 or PHR_Q040 = 5 or 8 or PHR_N045 = 3 or if any of (PHR_B060.BJP_N3_1 or PHR_B060.BJP_N3_2 or PHR_B060.BJP_N3_3 or PHR_B060.BJP_N3_4 or PHR_B060.BJP_N3_5 or PHR_B060.BJP_N3_6 or PHR_B060.BJP_N3_7 or PHR_B060.BJP_N3_8 or PHR_B060.BJP_N3_9 or PHR_B060.BJP_N3_10 or PHR_B060.BJP_N3_11) = 3 or PHR_N080 = 3 or PHR_N095 = 3 or PHC_Q37 = 2 or PHC_N42 = 3 or PHC_N44 = 3 or MEDC_N611 = 3 or ORS_N3 = 1, go to BPM_D401. Otherwise, go to BPM_D200.
BPM_N200A	<u>INSTRUCTION</u>: Press <1> to proceed with the [electronic transfer/manual entry] of blood pressure. 1 Continue (DK, RF not allowed)
BPM_N200B	<u>INSTRUCTION</u>: 1 Electronically (BpTRU) 3 BpTRU data entered manually (Go to BPM_B210) (DK, RF not allowed)
Programmer:	*This element will automatically be generated in the background.* *Default to BPM_N200B = 1* *Set value of ResetCounter to 1 in the Blaise registry under "HKEY_CURRENT_USER".* *If BPM_N200B = 3 is selected, please do not pre-fill the values with previous data.*
BPM_Q201	**There were too many errors with that set of measurements, so we have to do the test again. I will retake your blood pressure and heart rate. Remember, you should not move or talk during the test, and you need to keep both feet flat on the floor. It's important that you stay relaxed to ensure we get good results.**

INSTRUCTION: - Ensure the BpTRU is communicating with Health Listener.
- Set the BpTRU to cycle 1.
- Turn the BpTRU away from the respondent.
- Answer any questions as thoroughly as possible.
- Secure the cuff on the respondent's **[left/right]** arm.
- Ensure respondent is in the correct position (palm down, feet flat, arm and back rested, relaxed).
- <Start> the BpTRU.
- Stay in the room for the first measure and write down the result.
- Press <CTL-ALT-DELETE> and then <ENTER> to lock the computer before leaving the room.

1 Press <1> to continue.
(DK not allowed)
RF (Go to BPM_D401)

BPM_N205 INSTRUCTION: Press <1> to save the measurements in Blaise.

1 Save the measurements (Go to BPM_D260A)
(DK, RF not allowed)

Programmer:

Programmers Note:

Data from the BPTru will be available in a series of string values saved in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\". Six string values will be saved, each containing 13 bytes of data. The data should be copied to specific capture fields as follows:

```
IF Substring(EDATA1, 1, 1) = E THEN
    Save DK code "999" in BPM_B210.BPR_N1A
    Save Substring(EDATA1, 2, 3) in BPM_B210. DT_BPR_N4
ELSE
    Save Substring(EDATA1, 5, 3) in BPM_B210.BPR_N1A
    Save Substring(EDATA1, 8, 3) in BPM_B210.BPR_N2A
    Save Substring(EDATA1, 11, 3) in BPM_B210.BPR_N3A
ENDIF

IF Substring(EDATA2, 1, 1) = E THEN
    Save DK code "999" in BPM_B211.BPR_N1A
    Save Substring(EDATA2, 2, 3) in BPM_B211. DT_BPR_N4
ELSE
    Save Substring(EDATA2, 5, 3) in BPM_B211.BPR_N1A
    Save Substring(EDATA2, 8, 3) in BPM_B211.BPR_N2A
    Save Substring(EDATA2, 11, 3) in BPM_B211.BPR_N3A
ENDIF

IF Substring(EDATA3, 1, 1) = E THEN
    Save DK code "999" in BPM_B221.BPR_N1A
    Save Substring(EDATA3, 2, 3) in BPM_B221. DT_BPR_N4
ELSE
    Save Substring(EDATA3, 5, 3) in BPM_B221.BPR_N1A
    Save Substring(EDATA3, 8, 3) in BPM_B221.BPR_N2A
    Save Substring(EDATA3, 11, 3) in BPM_B221.BPR_N3A
ENDIF

IF Substring(EDATA4, 1, 1) = E THEN
    Save DK code "999" in BPM_B231.BPR_N1A
    Save Substring(EDATA4, 2, 3) in BPM_B231. DT_BPR_N4
ELSE
    Save Substring(EDATA4, 5, 3) in BPM_B231.BPR_N1A
    Save Substring(EDATA4, 8, 3) in BPM_B231.BPR_N2A
    Save Substring(EDATA4, 11, 3) in BPM_B231.BPR_N3A
ENDIF

IF Substring(EDATA5, 1, 1) = E THEN
    Save DK code "999" in BPM_B241.BPR_N1A
    Save Substring(EDATA5, 2, 3) in BPM_B241. DT_BPR_N4
ELSE
    Save Substring(EDATA5, 5, 3) in BPM_B241.BPR_N1A
    Save Substring(EDATA5, 8, 3) in BPM_B241.BPR_N2A
    Save Substring(EDATA5, 11, 3) in BPM_B241.BPR_N3A
ENDIF

IF Substring(EDATA6, 1, 1) = E THEN
    Save DK code "999" in BPM_B251.BPR_N1A
    Save Substring(EDATA6, 2, 3) in BPM_B251. DT_BPR_N4
ELSE
    Save Substring(EDATA6, 5, 3) in BPM_B251.BPR_N1A
    Save Substring(EDATA6, 8, 3) in BPM_B251.BPR_N2A
    Save Substring(EDATA6, 11, 3) in BPM_B251.BPR_N3A
ENDIF
```

Set value of ResetCounter to 2 in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\". Lock the fields containing the data from the BpTRU, delete the data transfer file.

BPM_B210

Call the Blood Pressure Recording (BPR) block.

Programmer:	*In the code, BPM_B210 is an array 1 to 6 of BPR and also represents BPM_B211, BPM_B221, BPM_B231, BPM_B241 and BPM_B251. It was written this way in QDT in order to include BPM_C211 and BPM_C221 in the correct flow.*
BPM_C211	If BPM_B210.BPR_N1A = RF, go to BPM_D401. Otherwise, go to BPM_B211.
BPM_B211	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B210[2] in the code.*
BPM_C221	If BPM_B211.BPR_N1A = RF, go to BPM_D401. Otherwise, go to BPM_B221.
BPM_B221	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B210[3] in the code.*
BPM_B231	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B210[4] in the code.*
BPM_B241	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B210[5] in the code.*
BPM_B251	Call the Blood Pressure Recording (BPR) block.
Programmer:	*Called BPM_B210[6] in the code.*
BPM_N260	<u>INSTRUCTION</u>: Check the blood pressure and heart rate data. [Press <Clear> on the BPTru screen./EMPTY]

1 ^DT_ELEC2EMeasurement is Valid.
2 ^DT_ELEC2EMeasurement is not valid.
3 Transfer unsuccessful.
(DK, RF not allowed)

Help text:

Select option "2" if the blood pressure measurements are invalid. For example:
- There was a noteworthy distraction or noise in the room while the measurement was being taken (e.g., something fell from a shelf or desk, likely startling the respondent); or
- The protocol was not respected (e.g., the respondent is not in the correct position, moves or talks during the measurements).

Programmer:

If BPM_N200B = 3, remove option 3
If BPM_N260 = 3, switch BPM_N200B = 3

Data should be displayed on the screen in a four-column, six-line table of values:

SYSTOLIC BLOOD PRESSURE
1 BPM_B210.BPR_N1A
2 BPM_B211.BPR_N1A
3 BPM_B221.BPR_N1A
4 BPM_B231.BPR_N1A
5 BPM_B241.BPR_N1A
6 BPM_B251.BPR_N1A

DIASTOLIC BLOOD PRESSURE
1 BPM_B210.BPR_N2A
2 BPM_B211.BPR_N2A
3 BPM_B221.BPR_N2A
4 BPM_B231.BPR_N2A
5 BPM_B241.BPR_N2A
6 BPM_B251.BPR_N2A

HEART RATE
1 BPM_B210.BPR_N3A
2 BPM_B211.BPR_N3A
3 BPM_B221.BPR_N3A
4 BPM_B231.BPR_N3A
5 BPM_B241.BPR_N3A
6 BPM_B251.BPR_N3A

ERROR CODE
1 BPM_B210.BPR_N4
2 BPM_B211.BPR_N4
3 BPM_B221.BPR_N4
4 BPM_B231.BPR_N4
5 BPM_B241.BPR_N4
6 BPM_B251.BPR_N4

Display error codes (4th column in the table above) in red text.

BPM_N261

INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

1 Yes
2 No
(DK, RF not allowed)

BPM_C261B	If BPM_N260 = 2, go to BPM_D401. Otherwise, go to BPM_D261.
BPM_C411	If BPM_D411A = RESPONSE and BPM_D411A > 2, go to BPM_D411B. Otherwise, go to BPM_D412A.
BPM_R411	**[Your average blood pressure today was ^BPM_D317 / ^BPM_D318 mmHg, which means your blood pressure is indicative of severe hypertension. You should see a doctor or clinic today, or go to a hospital emergency room, to have your blood pressure re-checked.** **Because of these results, we will not continue with your clinic visit./EMPTY]** <u>INSTRUCTION</u>: **[- Answer any questions as thoroughly as possible. - Sign the blood pressure reporting letter and ensure that the exit and sign-out components are completed as soon as possible./The respondent's average blood pressure was ^BPM_D317 / ^BPM_D318 mmHg, which means their blood pressure is [high-normal/indicative of mild hypertension/indicative of moderate hypertension]. A blood pressure reporting letter will be generated at the end of the clinic visit.]** Go to BPM_END
BPM_C412	If BPM_D412A = RESPONSE and BPM_D412A > 2, go to BPM_D412B. Otherwise, go to BPM_C599.
BPM_R412	**[Your average blood pressure today was ^BPM_D317 / ^BPM_D318 mmHg, this means your blood pressure is very high. You should see a doctor or clinic today, or go to a hospital emergency room, to have your blood pressure re-checked.** **Because of these results, we will not continue with your clinic visit./EMPTY]** <u>INSTRUCTION</u>: **[- Answer any questions as thoroughly as possible. - Sign the blood pressure reporting letter and ensure that the exit and sign-out components are completed as soon as possible./The respondent's average blood pressure was ^BPM_D317 / ^BPM_D318 mmHg, this means their blood pressure was high. A blood pressure reporting letter will be generated at the end of the clinic visit.]** Press <1> to continue. Go to BPM_END
BPM_C599	If BPM_D317 = RESPONSE, go to BPM_END. Otherwise, go to BPM_B600.
BPM_B600	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
BPM_END	

Blood Pressure Recording (BPR)

BPR_BEG	Called block	
BPR_N1A	INSTRUCTION: Record the systolic blood pressure measurement.	
	|_|_|_| Systolic blood pressure (in mmHg) (MIN: 30) (MAX: 300)	
	DK	(Go to BPR_N2A)
	RF	(Go to BPR_END)
BPR_N1B	INSTRUCTION: Re-enter the systolic blood pressure measurement.	
	|_|_|_| Systolic blood pressure (in mmHg) (MIN: 30) (MAX: 300)	
	(DK, RF not allowed)	
BPR_N2A	INSTRUCTION: Record the diastolic blood pressure measurement.	
	|_|_|_| Diastolic blood pressure (in mmHg) (MIN: 30) (MAX: 200)	
	DK (RF not allowed)	(Go to BPR_N3A)
BPR_N2B	INSTRUCTION: Re-enter the diastolic blood pressure measurement.	
	|_|_|_| Diastolic blood pressure (in mmHg) (MIN: 30) (MAX: 200)	
	(DK, RF not allowed)	
BPR_N3A	INSTRUCTION: Record the heart rate.	
	|_|_|_| Heart rate (in beats per minute) (MIN: 30) (MAX: 200)	
	DK (RF not allowed)	(Go to BPR_N4)
BPR_N3B	INSTRUCTION: Re-enter the heart rate.	
	|_|_|_| (MIN: 30) (MAX: 200)	
	(DK, RF not allowed)	

BPR_C4

If BPR_N1A = DK or BPR_N2A = DK, go to BPR_N4.
Otherwise, go to BPR_END.

BPR_N4

INSTRUCTION: Record the reason why the measurement could not be taken.

Mark all that apply.

00 Too few pulses detected
01 Excessive motion artifacts
06 Deflation too fast
08 Low pulse amplitude
20 Indeterminate systolic blood pressure
21 Indeterminate diastolic blood pressure
23 Systolic blood pressure under-range
24 Diastolic blood pressure under-range
25 Systolic blood pressure over-range
26 Diastolic blood pressure over-range
88 Other - Specify (Go to BPR_S4)
(DK, RF not allowed)

Go to BPR_END

BPR_S4

(Record the reason why the measurement could not be taken.)

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

BPR_END

OMRON Blood Pressure Measurement (OBPM)

OBPM_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: sex of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: visit type (3 = clinic visit; 4 = home visit)
PHC_Q57B: indicates on which side the respondent has had a mastectomy

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

OBPM_N100

<u>INSTRUCTION</u>: -Verify that the room temperature is 21°C +/- 2°C.

-Measure the respondent's arm circumference and select the appropriate cuff size. Record the selected cuff size.

1 Small (17-22 cm)
2 Medium (22-32 cm)
3 Large (32-42 cm)
4 Extra Large (42-50 cm)
DK (Go to OBPM_B600)
(RF not allowed)

OBPM_Q101A

Now, I will take your blood pressure and heart rate, using an automated blood pressure cuff. During this test, you will need to sit up straight with your feet flat on the floor, your back against the back rest of the chair, and your [left/right] arm on the table.

INSTRUCTION: - Ensure P-SET is at AUTO
- MODE is set to AVG

Press <1> to continue.

1 Continue
(DK not allowed)
RF (Go to OBPM_END)

OBPM_Q102

When I start the machine, there will be a 5 minute rest period. After that, the cuff will inflate automatically once every minute, applying pressure to your arm. A total of 3 measures will be taken. You should not move or talk during the test, and you need to keep both feet flat on the floor. It is important that you stay relaxed to ensure we get good results. Although I will not be present during the test, should you require assistance, I will be just outside the room. Do you have any questions before we begin?

INSTRUCTION: - Answer any questions as thoroughly as possible.
- Secure the cuff on the respondent's **[left/right]** arm.
- Ensure respondent is in the correct position (palm down, feet flat, arm and back rested, relaxed).
- Start the stopwatch to return to the room after 9 minutes.
- Press <WINDOWS-L> to lock the computer before leaving the room.

Press <1> to continue.

1 Continue
(DK, RF not allowed)

OBPM_B110

Call the OMRON Blood Pressure Recording (OBPR) block.

Programmer:

In the code, OBPM_B110 is an array 1 to 3 of OBPR and also represents OBPM_B111, OBPM_B121. It was written this way in QDT in order to include OBPM_C111 and OBPM_C112 in the correct flow.

OBPM_C111

If OBPM_B110.OBPR_N1A = RF, go to OBPM_END.
Otherwise, go to OBPM_C111A.

OBPM_C111A

If OBPM_B110.OBPR_N1A = DK, go to OBPM_D160A.
Otherwise, go to OBPM_B111.

OBPM_B111

Call the Blood Pressure Recording (OBPR) block.

Programmer:

Called OBPM_B110[2] in the code.

OBPM_C112

If OBPM_B111.OBPR_N1A = NONRESPONSE, go to OBPM_D160A.
Otherwise, go to OBPM_B121.

OBPM_B121

Call the Blood Pressure Recording (OBPR) block.

Programmer:

Called OBPM_B110[3] in the code.

OBPM_N160

INSTRUCTION: Check the blood pressure and heart rate data.

1 Measurements are valid.
2 Measurements are not valid.
(DK, RF not allowed)

Help text:

Select option "2" if the blood pressure measurements are invalid. For example:
· There was a noteworthy distraction or noise in the room while the measurement was being taken (e.g., something fell from a shelf or desk, likely startling the respondent); or
· The protocol was not respected (e.g., the respondent is not in the correct position, moves or talks during the measurements).

Programmer:

Data should be displayed on the screen in a four-column, six- line table of values:

SYSTOLIC BLOOD PRESSURE
1 OBPM_B110.OBPR_N1A
2 OBPM_B111.OBPR_N1A
3 OBPM_B121.OBPR_N1A

DIASTOLIC BLOOD PRESSURE
1 OBPM_B110.OBPR_N2A
2 OBPM_B111.OBPR_N2A
3 OBPM_B121.OBPR_N2A

HEART RATE
1 OBPM_B110.OBPR_N3A
2 OBPM_B111.OBPR_N3A
3 OBPM_B121.OBPR_N3A

ERROR CODE
1 OBPM_B110.OBPR_N4
2 OBPM_B111.OBPR_N4
3 OBPM_B121.OBPR_N4

Display error codes (4th column in the table above) in red text.

OBPM_N161

INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

1 Yes
2 No
(DK, RF not allowed)

OBPM_C164

If OBPM_N160 = 2, go to OBPM_Q201.
Otherwise, go to OBPM_C201.

OBPM_C201

If OBPM_D160A = 1, go to OBPM_Q201.
Otherwise, go to OBPM_END.

OBPM_Q201

There were too many errors with that set of measurements, so we have to do the test again. I will retake your blood pressure and heart rate. Remember, you should not move or talk during the test, and you need to keep both feet flat on the floor. It's important that you stay relaxed to ensure we get good results.

INSTRUCTION: - Turn the OMRON away from the respondent.
- Answer any questions as thoroughly as possible.
- Secure the cuff on the respondent's **[left/right]** arm.
- Ensure respondent is in the correct position (palm down, feet flat, arm and back rested, relaxed).
- Press <Start> button twice on the OMRON to bypass the 5 min rest period.
- Press <WINDOWS-L> to lock the computer before leaving the room.

Press <1> to continue.

1 Continue
(DK not allowed)
RF (Go to OBPM_C599)

OBPM_B210 Call the OMRON Blood Pressure Recording (OBPR) block.

Programmer: *In the code, OBPM_B210 is an array 1 to 3 of OBPR and also represents OBPM_B211, OBPM_B221. It was written this way in QDT in order to include OBPM_C211 and OBPM_C221 in the correct flow.*

OBPM_C211 If OBPM_B210.OBPR_N1A = DK or RF, go to OBPM_C599.
Otherwise, go to OBPM_B211.

OBPM_B211 Call the OMRON Blood Pressure Recording (OBPR) block.

Programmer: *Called OBPM_B210[2] in the code.*

OBPM_C221 If OBPM_B211.OBPR_N1A = NONRESPONSE, go to OBPM_D260A.
Otherwise, go to OBPM_B221.

OBPM_B221 Call the OMRON Blood Pressure Recording (OBPR) block.

Programmer: *Called OBPM_B210[3] in the code.*

OBPM_N260 INSTRUCTION: Check the blood pressure and heart rate data.

1 Measurements are valid.
2 Measurements are not valid.
(DK, RF not allowed)

Help text: *Select option "2" if the blood pressure measurements are invalid. For example:*
- There was a noteworthy distraction or noise in the room while the measurement was being taken (e.g., something fell from a shelf or desk, likely startling the respondent); or
- The protocol was not respected (e.g., the respondent is not in the correct position, moves or talks during the measurements).

Programmer: *Data should be displayed on the screen in a four-column, three-line table of values:*

SYSTOLIC BLOOD PRESSURE
1 OBPM_B210.OBPR_N1A
2 OBPM_B211.OBPR_N1A
3 OBPM_B221.OBPR_N1A

DIASTOLIC BLOOD PRESSURE
1 OBPM_B210.OBPR_N2A
2 OBPM_B211.OBPR_N2A
3 OBPM_B221.OBPR_N2A

HEART RATE
1 OBPM_B210.OBPR_N3A
2 OBPM_B211.OBPR_N3A
3 OBPM_B221.OBPR_N3A

ERROR CODE
1 OBPM_B210.OBPR_N4
2 OBPM_B211.OBPR_N4
3 OBPM_B221.OBPR_N4

Display error codes (4th column in the table above) in red text.

OBPM_N261 INSTRUCTION: Was anyone in the room with the respondent (e.g., HMS, parent or guardian) when the blood pressure measurements were taken?

1 Yes
2 No
(DK, RF not allowed)

OBPM_C599 If (OBPM_B110.OBPR_N1A = DK and (OBPM_B210.OBPR_N1A = empty or NONRESPONSE)) or (OBPM_N160 = 2 and (OBPM_B210.OBPR_N1A =EMPTY or NONRESPONSE or OBPM_N260 = 2)), go to OBPM_B600. Otherwise, go to OBPM_END.

OBPM_B600 Call Reason Not Done Block (RND).

Programmer: *Pass along values 01-02-03-04-05-06-20 as parameters.*

OBPM_END

OMRON Blood Pressure Recording (OBPR)

OBPR_BEG	Called block
OBPR_N1A	INSTRUCTION: Record the systolic blood pressure measurement. |_|_|_| Systolic blood pressure (in mmHg) (MIN: 0) (MAX: 299) DK (Go to OBPR_C4) RF (Go to OBPR_END)
OBPR_N1B	INSTRUCTION: Re-enter the systolic blood pressure measurement. |_|_|_| (MIN: 0) (MAX: 299) (DK, RF not allowed)
OBPR_N2A	INSTRUCTION: Record the diastolic blood pressure measurement. |_|_|_| Diastolic blood pressure (in mmHg) (MIN: 0) (MAX: 299) (DK, RF not allowed)
OBPR_N2B	INSTRUCTION: Re-enter the diastolic blood pressure measurement. |_|_|_| (MIN: 0) (MAX: 299) (DK, RF not allowed)
OBPR_N3A	INSTRUCTION: Record the heart rate. |_|_|_| Heart rate (in beats per minute) (MIN: 30) (MAX: 199) (DK, RF not allowed)
OBPR_N3B	INSTRUCTION: Re-enter the heart rate. |_|_|_| (MIN: 30) (MAX: 199) (DK, RF not allowed)
OBPR_C4	If OBPR_N1A = DK, go to OBPR_N4. Otherwise, go to OBPR_END.

OBPR_N4

INSTRUCTION: Record the reason why the measurement could not be taken.

Select the error.

01 Inflation Error
02 Deflation Error
03 Overpressure Error
04 Insufficient Inflation Error
05 Indeterminable Blood Pressure Error
06 Low Pulse Level
07 Blood Pressure Error
08 Pulse Rate Error
09 Device Error
10 Other - Specify (Go to OBPR_S4)
(DK, RF not allowed)

Go to OBPR_END

OBPR_S4

(Record the reason why the measurement could not be taken.)

INSTRUCTION: Specify

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

OBPR_END

Phlebotomy Component Introduction (PHI)

PHI_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
SELFAST: whether the respondent was selected to fast for 12 hours (1 = fasting, 2 = non-fasting)
SMKTYPE: Possible smoker type values (1 = Non-Smoker non-exposed to smoke; 2 = Non-Smoker exposed to smoke; 3 = Smoker; 0 = Non-smoker but cannot determine if this person is exposed or not; 9 = Cannot determine if this person is a smoker or not)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
ATG_Q11: time at which the respondent last ate/drank
ATG_N11: date at which the respondent last ate/drank (1 = Yesterday; 2 = Today)
DT_ATGN11E: English text for reported fasting date (Yesterday/Today)
ATG_D12: Fasting status as it relates to laboratory tests, identified in screening (1 = fasting; 2 = non-fasting)
SCS_N12: type of visit
ATG_Q21A: Tobacco or nicotine products consumption during the past week (1 = Today during the past 2 hours; 2 = Today but more than 2 hours ago; 3 = Yesterday; 4 = 3 to 4 days ago; 5 = 5 to 7 days ago; 7 = Never)

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^DT_RespondentName Age: ^CON_AGE Sex: ^GenderE

PHI_R10

Hi, my name is.... Please have a seat on the chair, I need to ask you a few questions before we begin.

INSTRUCTION: Press <1> to continue.

Programmer:

Allow 'DK' as a response category

If PHI_R10 = DK, go to PHI_END.
Otherwise, go to PHI_D10.

PHI_Q11

I need to confirm your fasting status. When did you last eat or drink anything other than water (e.g., coffee, tea, alcohol, juice or flavoured water)?

The respondent reported last eating or drinking at ^ATG_Q11 ^DT_ATGN11E.

INSTRUCTION: Probe to determine the date and time at which the respondent last ate or drank something that does not meet the phlebotomy fasting requirements.

Record whether the fasting time and date recorded during the screening component are correct.

1 Yes (Go to PHI_C12)
2 No
(DK, RF not allowed)

Help text:

The respondent is still considered fasted if the following have been consumed within the indicated time-frame:

- *Black coffee - up until the time of the appointment*
- *Coffee with milk/cream - up to 2 hours prior to the appointment*
- *Juice - up to 2 hours prior to the appointment*
- *Gum and candy - up to the appointment*

The respondent is not considered fasted if the following have been consumed within the past 10 hours:

- *Liquids other than those indicated above, including*
  - *Milkshakes*
  - *Protein shakes*
  - *Meal replacements*
  - *Milk*
  - *Energy drinks*
  - *Any other beverages or supplements*
- *Any food*

PHI_N11

INSTRUCTION: Enter the time (followed by "AM" or "PM") at which the respondent last ate or drank something that does not meet the phlebotomy fasting requirements.

(MIN: 1)
(MAX: 13)

(DK, RF not allowed)

PHI_N12A

INSTRUCTION: Confirm the date.

1 Yesterday
2 Today
(DK, RF not allowed)

PHI_C12

If SCS_N12 = 3, go to PHI_D12.
Otherwise, go to PHI_N12B.

PHI_N12B

INSTRUCTION: Enter the time (followed by "AM" or "PM") the fasting question (PHI_Q11 or PHI_N11) was asked to the respondent.

(MIN: 1)
(MAX: 13)

(DK, RF not allowed)

PHI_END

Blood Collection (BDC)

BDC_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
T211FLAG: Flag for test 211.

Variables assigned in Variable Creation (Appendix II):
DryRun: whether the case is a dry run case
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_AGE: age of respondent
CON_SEX: sex of respondent
GenderE: English text for sex of respondent
CON_D25: Whether the respondent, parent or guardian has provided consent to storage of blood and urine (1 = Yes, 2 = No)
CON_N26: whether the respondent provided consent for DNA storage
BVOCFLG: Blood VOC subsampling flag
PHC_Q56: whether the respondent felt dizzy or fainted previously during a blood draw
PHI_R10: introduction to the phlebotomy component
PHC_Q57B: indicator of which side the respondent has had a mastectomy (1=right, 2=left, 3=both)

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

BDC_C9

If PHI_R10 = DK, go to BDC_B44.
Otherwise, go to BDC_C10.

BDC_C10

If PHC_Q56 = 1, go to BDC_N10.
Otherwise, go to BDC_Q21.

BDC_N10

<u>INSTRUCTION</u>: During the screening component, the respondent has stated they have felt dizzy or fainted previously during a blood draw. Probe and take the appropriate precautions.

Press <1> to continue.

1 Continue
(DK, RF not allowed)

BDC_Q21

I am going to do the blood draw.

INSTRUCTION: Explain the procedure to the respondent. Perform the blood draw on **[the left arm/the right arm/either the left or the right arm]**.

Press <1> to Continue

1 Continue
(DK not allowed)
RF (Go to BDC_END)

BDC_N24

INSTRUCTION: Record which of the required tubes of blood were collected.
Include only the collected tubes that apply.

Mark all that apply.

51 None of the required tubes.
(DK not allowed)
RF

Programmer:

By default all main tubes should be selected. However, if BDC_N24 = 51, then deselect all the other responses.
In the application, the answer categories numbers are not showed to the interviewer but they will be returned for processing.

For example instead of displaying:
1. Tube 11

It will show up as:
__Tube 11

BDC_N35

INSTRUCTION: Press <1> to print the blood collection tube labels.

1 Print the labels
(DK, RF not allowed)

BDC_N42

INSTRUCTION: In the presence of the respondent, stick each label on the appropriate blood collection tube.

Press <1> to continue.

1 Continue
(DK, RF not allowed)

Programmer: *Data should be displayed on the screen in the following format (but if label number and tubetype are EMPTY, do not display the category):*

Label Number	*Tube Type*
^Label10	*^TubeType10*
^Label11	*^TubeType11*
^Label12	*^TubeType12*
^Label13	*^TubeType13*
^Label15	*^TubeType15*
^Label16	*^TubeType16*
^Label17	*^TubeType17*
^Label20	*^TubeType20*
^Label21	*^TubeType21*
^Label22	*^TubeType22*
^Label23	*^TubeType23*
^Label 24	*^TubeType24*
^Label25	*^TubeType25*
^Label26	*^TubeType26*
^Label 27	*^TubeType27*
^Label29	*^TubeType29*
^Label30	*^TubeType30*
^Label31	*^TubeType31*
^Label32	*^TubeType32*
^Label33	*^TubeType33*
^Label40	*^TubeType40*
^Label41	*^TubeType41*
^Label42	*^TubeType42*
^Label43	*^TubeType43*
^Label44	*^TubeType44*
^Label50	*^TubeType50*
^Label51	*^TubeType51*
^Label52	*^TubeType52*
^Label60	*^TubeType60*
^Label61	*^TubeType61*
^Label62	*^TubeType62*
^Label63	*^TubeType63*
^Label64	*^TubeType64*
^Label65	*^TubeType65*
^Label70	*^TubeType70*
^Label71	*^TubeType71*
^Label72	*^TubeType72*
^Label80	*^TubeType80*
^Label81	*^TubeType81*
^Label211	*^TubeType211*
^Label99	*^TubeType99*

**if it is a dry run then two 211 will be collected.*

BDC_C44 If all of the required main tubes or sub tubes were collected, go to BDC_N51.
Otherwise, go to BDC_B44.

BDC_B44 Call Reason Not Done Block (RND).

Programmer: *Pass along values 01-03-06-11-12-13-14-20 as parameters.*

BDC_C51 If PHI_R10 = DK, go to BDC_END.
Otherwise, go to BDC_N51.

BDC_N51

INSTRUCTION: Record whether another staff member assisted with the blood draw.

1 Yes
2 No (Go to BDC_END)
(DK, RF not allowed)

BDC_N52

INSTRUCTION: Record the HMSID of the staff member that assisted with the blood draw.

|_|_|_|_|
(MIN: 1,000)
(MAX: 9,995)

(DK, RF not allowed)

BDC_END

Peripheral Quantitative Computed Tomography Measurement Block (QCT)

QCT_BEG

Content block

External fields required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent

BMR_Q010: whether the respondent has broken their (right, left or both) leg(s) below the knee in the last 12 months
BMR_Q020: whether the respondent has metal in their (right, left or both) leg(s) below the knee, including the ankle

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

QCT_Q010

We will be doing a test of your [right/left] lower leg to measure your bone mineral density.

1 Press <1> to continue.
DK (Go to QCT_B085)
(RF not allowed)

QCT_Q015

There are two parts to the test which will take 8 to 10 minutes altogether. There will be a small amount of radiation, but it will be less than you would get if you were having a dental x-ray. Do you have any questions before we begin?

INSTRUCTION: Answer any questions as thoroughly as possible.

1 Press <1> to continue.
(DK not allowed)
RF (Go to QCT_N090)

QCT_R020

Please remove your sock and shoe from your [right/left] leg (and roll up your pant leg to above the knee).

INSTRUCTION: Press <1> to continue.

QCT_N022

INSTRUCTION: Confirm that the test will be performed on the [right/left] leg.

1	Yes	(Go to QCT_R025)
2	No, use the other leg	(Go to QCT_D024)
DK		(Go to QCT_B085)
(RF not allowed)		

Programmer: *If BMR_Q010=empty and BMR_Q020=empty then allow option 2, Otherwise, remove option 2*

QCT_R025

I need to know the length of your lower leg to complete the test. In order to take the measurement, I will mark a point on your knee and ankle using a washable marker. When I'm done, I'll remove them with a wipe.

INSTRUCTION: Measure and write down on the daily appointment list next to the respective clinic ID the length of the respondent's tibia in millimeters (mm). You will need to enter this value later in the pQCT software.

Press <1> to continue.

QCT_R030

I need to enter some information into the computer to prepare for the test. This will only take a few minutes.

INSTRUCTION: Enter the respondent information into the Packager and pQCT software then proceed to the scout view (SV) start position.

Press <1> to continue.

Help text: *Scan the respondent's bracelet (Clinic ID) into the Packager software.*

Open the pQCT software and enter the required information as follows:
- Name: scan the respondent's bracelet (Clinic ID).
- Birth: scan the DOB barcode or manually enter "11/11/1911".
- Record the CT number assigned to the respondent on the daily appointment list next to their clinic ID.
- Proceed to the measurement screen and complete the "side of object" and "object length" fields.
- Move the gantry assembly to the scout view (SV) start position.

QCT_N035

INSTRUCTION: Enter the CT number for the respondent's scan series.

|_|_|_|_|_|
(MIN: 20,000)
(MAX: 66,000)

(DK, RF not allowed)

QCT_N036

INSTRUCTION: Re-enter the CT number for the respondent's scan series.

|_|_|_|_|_|_|
(MIN: 20,000)
(MAX: 66,000)

(DK, RF not allowed)

QCT_R040

Without holding on to the equipment, I need you to lift your [right/left] leg up and put it through the holder so we can position your leg. Rest your heel in the footrest and make sure you are comfortable.

I am going to adjust the holder so your knee is in the right position and fit the strap around your foot to help you to hold it still.

INSTRUCTION: Position the respondent in the scanner so that the centering light is at the level of the tip of the lateral malleolus.

Press <1> to continue.

QCT_N045

INSTRUCTION: Were you able to position the respondent?

1 Yes
2 No (Go to QCT_B085)
(DK, RF not allowed)

QCT_Q050

We are ready to start the first part of the test. Please hold completely still and do not talk for about 2-3 minutes. I will let you know when we are finished.

INSTRUCTION: Was the first scout view (SV) successful?

1 Yes (Go to QCT_N065)
2 No
DK (Go to QCT_B085)
(RF not allowed)

QCT_Q060

The first part of the test was not successful. We'll have to try it again. Please hold completely still and do not talk for about 2-3 minutes. I will let you know when we are finished.

INSTRUCTION: Was the second scout view (SV) successful?

1 Yes
2 No (Go to QCT_B085)
(DK, RF not allowed)

QCT_N065

INSTRUCTION: Set the reference line.

1 Press <1> to continue.
(DK, RF not allowed)

Help text:

Open growth plate: If the respondent has an open growth plate, the reference line is drawn through the distal portion.

Closed growth plate: If it is a closed growth plate, the reference line is drawn through the middle of the medial border of the articular cartilage.

QCT_R070	**The first part is finished, but I still need you to keep your leg still and in that position. The next part will be longer, about 6-8 minutes. You need to stay still and not talk until I tell you the test is done.** INSTRUCTION: Ensure the respondent is comfortable and perform the measurement scan. Remind the respondent as needed during the scan that they must hold completely still and refrain from talking or looking around. Press <1> to continue.
QCT_N075A	INSTRUCTION: Enter the respondent dose. (MIN: 0.00) (MAX: 10.00) (DK, RF not allowed)
Help text:	*The dose can be found at the bottom of the "Measurement Finished" screen.*
QCT_N075B	INSTRUCTION: Re-enter the respondent dose. (MIN: 0.00) (MAX: 10.00) (DK, RF not allowed)
QCT_N080A	INSTRUCTION: Enter the number of measurement slices completed. |_| (MIN: 0) (MAX: 3) (DK, RF not allowed)
QCT_N080B	INSTRUCTION: Re-enter the number of measurement slices completed. |_| (MIN: 0) (MAX: 3) (DK, RF not allowed)
QCT_C085	If QCT_N080A = 3, go to QCT_END. Otherwise, go to QCT_B085.
QCT_B085	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-03-04-05-06-07-08-20 as parameters.* *Go to QCT_END*
QCT_N090	INSTRUCTION: Did the respondent refuse the test because of the radiation exposure?

1 Yes
2 No
DK
(RF not allowed)

QCT_END

Visual Acuity Scenario's (VAS)

VAS_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: English text for sex of respondent
CON_AGE: age of respondent
DVC_Q010: Whether the respondent wears eyeglasses or contacts. 1= yes, 2 = no
DVC_Q015: Whether the respondent wears eyeglasses or contacts for distance viewing. 1= yes, 2 = no
VIC_N005: whether the respondent is currently wearing glasses.
VIC_Q010: whether the respondents glasses are for distance viewing.
VIC_Q015: whether the respondent is currently wearing contacts
VIC_Q020: whether the respondents contacts are for distance viewing.
VIC_Q025: whether the respondent brought distance viewing glasses, with him/her.
VIC_Q030: whether the respondent removed his/her distance viewing contacts

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

VAS_END

Visual Acuity Measurement (VAM)

VAM_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier HUI_Q025: whether the respondent can see well enough to recognize a friend on the other side of the street with glasses or contact lenses Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentFirstName: first name of respondent RespondentLastName: last name of respondent CON_SEX: English text for sex of respondent CON_AGE: age of respondent VAS_D005: whether the use of a pinhole occluder is anticipated for the visual acuity test (1 = Pinhole, 2 = Non-pinhole). VAS_D010: Distance eyewear status for the visual acuity test (1= no distance viewing correction; 2 = contacts for distance viewing; 3 = glasses for distance viewing) VIR_D050: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) VIR_D055: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) DVC_Q015: whether the respondent wears distance viewing glasses or contacts PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy 1 = male, non-proxy 2 = female, non-proxy 3 = male, proxy 4 = female, proxy Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
VAM_Q005	**Now, we will be doing a test to evaluate your ability to see from a certain distance.**

	1 Press <1> to continue. DK (Go to VAM_B060) (RF not allowed)
VAM_C010	If VAS_D005 = 1, go to VAM_Q020. Otherwise, go to VAM_C015.
VAM_C015	If VAS_D010 = 1, go to VAM_Q020. Otherwise, go to VAM_Q015.
VAM_Q015	**In order to perform the following vision test, you will need to wear your distance viewing glasses or contacts. Are you wearing your distance viewing glasses or contacts?** <u>INSTRUCTION</u>: Is the respondent currently wearing their distance viewing glasses or contacts? 1 Yes 2 No (Go to VAM_C040F) (DK, RF not allowed)
VAM_Q020	**I would like you to sit up straight, facing forward with your hands on your lap. For this test, you will be reading the letters that appear on the screen in front of you.** <u>INSTRUCTION</u>: - Ensure that the respondent's eyes are properly aligned (at the right height) with the monitor and that their chair is positioned 2 metres from the screen. Adjust the chair if necessary. - Ensure that the respondent is sitting up straight and not leaning towards the screen. 1 Press <1> to continue. (DK not allowed) RF (Go to VAM_END)
VAM_C025A	If VAS_D005 = 1, go to VAM_C040F. Otherwise, go to VAM_C025B.
VAM_C025B	If VIR_D050 = 1 and VIR_D055 = 1, go to VAM_B025. Otherwise, go to VAM_C025C.
VAM_C025C	If VIR_D050 = 1 and VIR_D055 = 2, go to VAM_B030. Otherwise, go to VAM_B035.
VAM_B025	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please read the first line of letters on the screen slowly, from left to right with <u>both eyes open</u>**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Have the respondent <u>use both eyes without</u> the use of the <u>occluders</u>." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "<u>ETDRS1</u>" as parameter.* *Display underlined dynamic text in red text font.*
VAM_C030	If VAM_B025.VAR_Q005 = DK or VAM_B025.VAR_N010A = DK, go to VAM_D040. Otherwise, go to VAM_B030.

VAM_B030	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please place this solid occluder over your left eye**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Have the respondent cover their left eye with a solid occluder." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "ETDRS2" as parameter.* *Display underlined dynamic text in red text font.*
VAM_C035	If VIR_D055 = 2, go to VAM_D040. Otherwise, go to VAM_B035.
VAM_B035	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please place this solid occluder over your right eye**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Have the respondent cover their right eye with a solid occluder." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "ETDRSR" as parameter.* *Display underlined dynamic text in red text font.*
VAM_C040A	If DVC_Q015 = 1 and HUI_Q025 = 2, go to VAM_C040F. Otherwise, go to VAM_C040B.
VAM_C040B	If VAM_D040 = 1, go to VAM_C040C. Otherwise, go to VAM_C055.
VAM_C040C	If VAM_B025.VAR_D020 ≥ 40 or (VAM_B025.VAR_N010A = RESPONSE and VAM_B025.VAR_D020 = EMPTY), go to VAM_B040. Otherwise, go to VAM_C040D.
VAM_C040D	If VAM_B030.VAR_D020 ≥ 40 or (VAM_B030.VAR_N010A = RESPONSE and VAM_B030.VAR_D020 = EMPTY), go to VAM_B045. Otherwise, go to VAM_C040E.
VAM_C040E	If VAM_B035.VAR_D020 ≥ 40 or (VAM_B035.VAR_N010A = RESPONSE and VAM_B035.VAR_D020 = EMPTY), go to VAM_B050. Otherwise, go to VAM_C055.
VAM_C040F	If VIR_D050 = 1 and VIR_D055 = 1, go to VAM_B040. Otherwise, go to VAM_C040G.
VAM_C040G	If VIR_D050 = 1 and VIR_D055 = 2, go to VAM_B045. Otherwise, go to VAM_B050.
VAM_B040	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please place these pinhole occluders over both of your eyes**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Provide the respondent with two pinhole occluders to place over both eyes." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "ETDRS1" as parameter.* *Display underlined dynamic text in red text font.*

VAM_C045A	If VAM_B040.VAR_Q005 = DK or VAM_B040.VAR_Q010A = DK, go to VAM_C055. Otherwise, go to VAM_C045B.
VAM_C045B	If VAS_D005 = 1 or VAM_B030.VAR_D020 ≥ 40 or VAM_Q015 = 2 or (DVC_Q015 = 1 and HUI_Q025 = 2) or (VAM_B030.VAR_N010A = RESPONSE and VAM_B030.VAR_D020 = EMPTY), go to VAM_B045. Otherwise, go to VAM_C050A.
VAM_B045	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please place this pinhole occluder over your right eye and the solid occluder over your left eye**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Provide the respondent with a pinhole occluder to cover the right eye and a solid occluder to cover the left eye." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "ETDRS2" as parameter.* *Display underlined dynamic text in red text font.*
VAM_C050A	If VIR_D055 = 1, go to VAM_C050B. Otherwise, go to VAM_C055.
VAM_C050B	If VAS_D005 = 1 or VAM_B035.VAR_D020 ≥ 40 or VAM_Q015 = 2 or (DVC_Q015 = 1 and HUI_Q025 = 2) or (VAM_B035.VAR_N010A = RESPONSE and VAM_B035.VAR_D020 = EMPTY), go to VAM_B050. Otherwise, go to VAM_C055.
VAM_B050	Call the Visual Acuity Recording Block (VAR).
Programmer:	*Pass DT_INTRO_TEXTEE = "**Please place this solid occluder over your right eye and the pinhole occluder over your left eye**." as parameter.* *Pass DT_INSTRUCTION_TEXTEE = "Provide the respondent with a solid occluder to cover the right eye and a pinhole occluder to cover the left eye." as parameter.* *Pass DT_TESTSELECTED_TEXTE = "ETDRSR" as parameter.* *Display underlined dynamic text in red text font.*
VAM_C055	If VAM_B025.VAR_Q005 = DK or VAM_B025.VAR_N010A = DK or VAM_B030.VAR_Q005 = DK or VAM_B030.VAR_N010A = DK or VAM_B035.VAR_Q005 = DK or VAM_B035.VAR_N010A = DK or VAM_B040.VAR_Q005 = DK or VAM_B040.VAR_N010A = DK or VAM_B045.VAR_Q005 = DK or VAM_B045.VAR_N010A = DK or VAM_B050.VAR_Q005 = DK or VAM_B050.VAR_N010A = DK, go to VAM_B060. Otherwise, go to VAM_END.
VAM_B060	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
VAM_END	

Visual Acuity Recording (VAR)

VAR_BEG

Called block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: English text for sex of respondent
CON_AGE: age of respondent
VAM -DT_INTRO_TEXTEE: Introduction text to indicate to the respondent what portion of the test they will be doing
VAM -DT_INSTRUCTION_TEXTEE: Instruction text to indicate the evaluator how the test should be performed
VAM -DT_TESTSELECTED_TEXTEE: Text indicating which set of letters should be selected to perform the test

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

VAR_Q005

^DT_INTRO_TEXTEE You will read the first line, slowly, from left to right and then stop. I will let you know when to start reading the next line.

Do not squint when reading the letters.

(Do you have any questions?)

INSTRUCTION: - ^DT_INSTRUCTION_TEXTEE
- Ensure that the ^DT_TESTSELECTED_TEXTEE test is selected and start at the 200 level.
- Have the respondent read the letters one line at a time.

1 Press <1> to continue.
DK (Go to VAR_END)
(RF not allowed)

Help text:

Remote:

- Ensure that the appropriate screen is selected (press 'FNC' on the remote then 'LTR')
- You will see the test selected on the "Smart Sys Screen Info" pop-up screen.
- Press the '200' number on the remote.

Keyboard:

- Ensure that the appropriate screen is selected (press 'J' on the keyboard)
- You will see the test selected on the "Smart Sys Screen Info" pop-up screen.
- Use the up arrows until you get to the 200 level.

VAR_N010A

INSTRUCTION: Record the level at which the respondent failed to identify all the letters correctly.

|_|_|_|
(MIN: 10)
(MAX: 200)

DK (Go to VAR_END)
(RF not allowed)

VAR_N010B

INSTRUCTION: Re-enter the level at which the respondent failed to identify all the letters correctly.

|_|_|_|
(MIN: 10)
(MAX: 200)

(DK, RF not allowed)

VAR_N015A

INSTRUCTION: How many letters did the respondent correctly identify on level ^VAR_N010A?

|_|
(MIN: 0)
(MAX: 5)

(DK, RF not allowed)

VAR_N015B

INSTRUCTION: Re-enter the number of letters that the respondent correctly identified on the level ^VAR_N010A.

|_|
(MIN: 0)
(MAX: 5)

(DK, RF not allowed)

VAR_END

Visual Field (Frequency Doubling Test) Introduction (FDTI)

FDTI_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier DV_NONGESTATIONALDIABETES: whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No) Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place CON_DDN: respondent's confirmed date of birth Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_SEX: sex of respondent CON_AGE: age of respondent VIC_Q035: whether the respondent is currently wearing distance viewing glasses that are tinted or that change color when exposed to light VIR_D050: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) VIR_D055: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
FDTI_R005	**Now, we will conduct a visual field test which will examine your scope of vision.** <u>INSTRUCTION</u>: Press <1> to continue.
Programmer:	*Allow 'DK' as a response category.*
FDTI_C010	If FDTI_R005 = DK, go to FDTI_END. Otherwise, go to FDTI_D015.
FDTI_R020	**First, I will need to enter some information into our computer system to prepare the test. This will only take a few minutes.**

INSTRUCTION: Press <1> to print the label with the respondent's date of birth.

- Use the label to scan the respondent date of birth in the *Humphrey Matrix* software.
- Dispose of label following the appropriate protocol.

Help text:

In the Humphrey Matrix software:

- *From the "View Patient" Screen (F2)*

- Select "Add Patient".
- Enter "New Patient".
- Select "Enter New Patient".
- Scan the "date of birth" and the "Clinic ID" (Patient ID field).
- Select "Add Patient" and "OK" to save.

From the "Testing" Screen

- Select the screening test "N-30-1-FDT-Screening" from the drop down menu.

Programmer:

The bar code portion of the label should be the CON_DDN variable.
The printed portion of the label should consist of the CON_DDN variable with no spaces.

The label should be printed on a DYMO printer.

Label type 2

FDTI_N025

INSTRUCTION: Is the respondent wearing glasses?

1 Yes
2 No
(DK, RF not allowed)

FDTI_C030

If FDTI_N025 = 1 and VIC_Q035 = 1, go to FDTI_Q035.
Otherwise, go to FDTI_D040.

FDTI_Q035

In order to complete the test, you will need to remove your eyeglasses, because they are tinted or they change colour when they are exposed to light.

INSTRUCTION: Did the respondent remove their glasses?

1 Yes
2 No (Go to FDTI_END)
(DK not allowed)
RF (Go to FDTI_END)

FDTI_Q045

I will be taking the measurement on your ^DT_ FDTI045E. Please hold this response bar with one hand and put your thumb on the button. You will need to click this button whenever you perceive a white flicker, as small or as dim as it may seem. Press the button only once and release it quickly.

Do you have any questions before we begin the test?

INSTRUCTION: - Clean the chin rest with a disinfectant swab.
- Answer any questions as thoroughly as possible.

1 Press <1> to continue.
(DK not allowed)
RF (Go to FDTI_END)

Programmer: *IF FDTI045E = "left eye" then display the word "left" in the first sentence of the read text in red text font.*

FDTI_R065

Please place your head on the forehead pad and your chin on the ^ DT_CHINRESTCOLORE chin rest.

- Sit as still as you can with your feet flat on the floor.
- Adjust your head position until you are able to see all four triangles and the black square in the center of the screen.
- Breathe normally.

I am now going to adjust your position so that I can take a precise measurement.

INSTRUCTION: - Move the head rest to the **[right/left/right]** side to test the **[right/left/right]** eye.
- Adjust the respondent's position so that their eye is lined up within the circle on the screen and chin is correctly placed.
- Ensure "**[OD/OS/OD]**" (**[right/left/right]** eye) is selected and start the test.

Press <1> to continue.

Programmer: *IF DT_CHINRESTCOLORE = 'white' then display the word "White" in the first sentence of the read text in red text font.*

IF DT_FDTI055E = 'left' then display the word "left" in the instruction of the read text in red text font.

IF DT_FDTI060E = 'OS' then display the word "OS" in the instruction of the read text in red text font.

FDTI_END

Visual Field (Frequency Doubling Test) Measurement (FDTM)

FDTM_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier DV_NONGESTATIONALDIABETES: whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No) Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_SEX: sex of respondent CON_AGE: age of respondent VIC_Q035: whether the respondent is currently wearing distant viewing glasses that are tinted or change color when exposed to light VIR_D050: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) VIR_D055: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) FDTI_R005: introduction to the FDT measurement FDTI_Q035: whether the respondent removed their tinted, photochromatic or transition glasses FDTI_Q045: whether the respondent refused to do the measurement Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
FDTM_C005A	If FDTI_R005 = DK, go to FDTM_B210. Otherwise, go to FDTM_C005B.
FDTM_C005B	If FDTI_Q035 = RF or FDTI_Q035 = 2 or FDTI_Q045 = RF, go to FDTM_END. Otherwise, go to FDTM_R010.
FDTM_R010	**We will begin with a practice test.** **- Ensure that you can see all four triangles at the edge of the circle.** **- Focus on the black square.** **- Press the button when you think you see any sort of white flash.** **- You should blink normally during the test.**

	INSTRUCTION: Give the respondent the response button. Press <1> to continue.
Programmer:	*(DK, RF not allowed)*
FDTM_R015	**Now that you have practiced, we will start the test. You will see a brief flash just before the test begins. Remember to stay focused on the black square.** INSTRUCTION: Cue respondent to focus on the black square and to blink throughout the test. Press the "*start test*" button. Press <1> to continue.
Help text:	*The test can be paused (e.g., need to readjust their pupil) by using the "pause test" button or cancelled (e.g., respondent does not want to continue) by using the "cancel test" button at any time.*
Programmer:	*Allow 'DK' as a response category.*
FDTM_C020A	If VIR_D050 = 2 and FDTM_R015 = DK, go to FDTM_D050. Otherwise, go to FDTM_C020B.
FDTM_C020B	If VIR_D050 = 1 and FDTM_R015 = DK, go to FDTM_C030A. Otherwise, go to FDTM_C020C.
FDTM_C020C	If VIR_D050 = 1, go to FDTM_N025. Otherwise, go to FDTM_N045.
FDTM_N025	INSTRUCTION: Were there two errors or more in the first attempt for the right eye? 1 Yes 2 No (DK, RF not allowed)
FDTM_C030A	If VIR_D050 = 1 and VIR_D055 = 1, go to FDTM_R035. Otherwise, go to FDTM_D050.
FDTM_R035	**I will now take the measurement on your left eye. Ensure that you can see all four triangles at the edge of the circle, focus on the black square and stay still.** INSTRUCTION: - Move the head rest to the left side to test the left eye. - Adjust the respondent's position so that their eye is lined up within the circle on the screen and their chin is correctly placed. - Ensure "OS" (left eye) is selected and start the test. Press <1> to continue.
Programmer:	*Allow 'DK' as a response category.*
FDTM_C040A	If FDTM_R035 = DK, go to FDTM_D050. Otherwise, go to FDTM_N045.

FDTM_N045	INSTRUCTION: Were there two errors or more in the first attempt for the left eye? 1 Yes 2 No (DK, RF not allowed)
FDTM_C060	If DV_RIGHTFDTREDO1 = 2 and DV_LEFTFDTREDO1 = 2, go to FDTM_C175. Otherwise, go to FDTM_D065.
FDTM_R070	**There were some errors with that set of measurements, so we have to do the test again. I will take a second measurement of [your right eye/your left eye/both your eyes, one at a time].** INSTRUCTION: Press <1> to continue.
Programmer:	*Allow "DK" as a response category.*
FDTM_C075A	If FDTM_R070 = DK, go to FDTM_C175. Otherwise, go to FDTM_C075B.
FDTM_C075B	If VIR_D050 = 1 and DV_RIGHTFDTREDO1 = 1, go to FDTM_R080. Otherwise, go to FDTM_C095.
FDTM_R080	**(I will now take the measurement of your right eye). Ensure that you can see all four triangles at the edge of the circle, focus on the black square and hold still.** INSTRUCTION: - Move the head rest to the right side to test the right eye. - Adjust the respondent's position so that their eye is lined up within the circle on the screen and their chin is correctly placed. - Ensure "OD" (right eye) is selected and start the test. Press <1> to continue.
Programmer:	*Allow "DK" as a response category.*
FDTM_C085	If FDTM_R080 = DK, go to FDTM_C095. Otherwise, go to FDTM_N090.
FDTM_N090	INSTRUCTION: Were there two errors or more in the second attempt for the right eye? 1 Yes 2 No (DK, RF not allowed)
FDTM_C095	If VIR_D055 = 1 and DV_LEFTFDTREDO1 = 1, go to FDTM_R100. Otherwise, go to FDTM_D115A.
FDTM_R100	**(I will now take the measurement of your left eye). Ensure that you can see all four triangles at the edge of the circle, focus on the black square and hold still.**

INSTRUCTION: - Move the head rest to the left side to test the left eye.
- Adjust the respondent's position so that their eye is lined up within the circle on the screen and their chin is correctly placed.
- Ensure "OS" (left eye) is selected and start the test.

Press <1> to continue.

Programmer: *Allow "DK" as a response category.*

FDTM_C105

If FDTM_R100 = DK, go to FDTM_D115A.
Otherwise, go to FDTM_N110.

FDTM_N110

INSTRUCTION: Were there two errors or more in the second attempt for the left eye?

1 Yes
2 No
(DK, RF not allowed)

FDTM_C120

If DV_RIGHTFDTREDO2 = 2 and DV_LEFTFDTREDO2 = 2, go to FDTM_C175.
Otherwise, go to FDTM_D125.

FDTM_R130

There were some errors with that set of measurements, so we have to do the test again. I will take a last measurement of [your right eye/your left eye/both your eyes, one at a time].

INSTRUCTION: Press <1> to continue.

Programmer: *Allow "DK" as a response category.*

FDTM_C135A

If FDTM_R130 = DK, go to FDTM_C175.
Otherwise, go to FDTM_C135B.

FDTM_C135B

If VIR_D050 = 1 and DV_RIGHTFDTREDO2 = 1, go to FDTM_R140.
Otherwise, go to FDTM_C155.

FDTM_R140

(I will now take the last measurement of your right eye). Ensure that you can see all four triangles at the edge of the circle, focus on the black square and hold still.

INSTRUCTION: - Move the head rest to the right side to test the right eye.
- Adjust the respondent's position so that their eye is lined up within the circle on the screen and their chin is correctly placed.
- Ensure "OD" (right eye) is selected and start the test.

Press <1> to continue.

Programmer: *Allow "DK" as a response category.*

FDTM_C145

If FDTM_R140 = DK, go to FDTM_C155.
Otherwise, go to FDTM_N150.

FDTM_N150

INSTRUCTION: Were there two errors or more in the third attempt for the right eye?

	1 Yes 2 No (DK, RF not allowed)
FDTM_C155	If VIR_D055 = 1 and DV_LEFTFDTREDO2 = 1, go to FDTM_R160. Otherwise, go to FDTM_C175.
FDTM_R160	**(I will now take the last measurement of your left eye). Ensure that you can see all four triangles at the edge of the circle, focus on the black square and hold still.** <u>INSTRUCTION</u>: - Move the head rest to the left side to test the left eye. - Adjust the respondent's position so that their eye is lined up within the circle on the screen and their chin is correctly placed. - Ensure "OS" (left eye) is selected and start the test. Press <1> to continue.
Programmer:	*Allow "DK" as a response category.*
FDTM_C165	If FDTM_R160 = DK, go to FDTM_C175. Otherwise, go to FDTM_N170.
FDTM_N170	<u>INSTRUCTION</u>: Were there two errors or more in the <u>third</u> attempt for the <u>left</u> eye? 1 Yes 2 No (DK, RF not allowed)
FDTM_C175	If VIR_D050 = 1, go to FDTM_N180. Otherwise, go to FDTM_C185.
FDTM_N180	<u>INSTRUCTION</u>: Record how many tests were saved for the <u>right</u> eye. |_| (MIN: 0) (MAX: 3) (DK, RF not allowed)
FDTM_C185	If VIR_D055 = 1, go to FDTM_N190. Otherwise, go to FDTM_C195.
FDTM_N190	<u>INSTRUCTION</u>: Record how many tests were saved for the <u>left</u> eye. |_| (MIN: 0) (MAX: 3) (DK, RF not allowed)
FDTM_C195	If (FDTM_N180 = 0 or EMPTY) and (FDTM_N190 = 0 or EMPTY), go to FDTM_C205A. Otherwise, go to FDTM_N200.

FDTM_N200	INSTRUCTION: Ensure the test results have been saved in the FDTM software and the respondent's .xml file has been transferred from the software to the clinic server on the F:// drive. Press <1> to continue. (DK, RF not allowed)
Help text:	*In the Humphrey Matrix Software* *- "Recall" Patient (F3).* *- Search with Clinic ID.* *- Select all patient files.* *- Click "Save As".* *- Change file name to respondent Clinic ID.*
FDTM_C205A	If (VIR_D050 = 1 and FDTM_N180=0) or (VIR_D055 = 1 and FDTM_N190 = 0), go to FDTM_B210. Otherwise, go to FDTM_C205B.
FDTM_C205B	If ((VIR_D050 = 1 and VIR_D055 = 1) and (FDTM_N025=2 or FDTM_N090=2 or FDTM_N150=2) and (FDTM_N045=2 or FDTM_N110=2 or FDTM_N170=2)) or ((VIR_D050 = 1 and VIR_D055 = 2) and (FDTM_N025=2 or FDTM_N090=2 or FDTM_N150=2)) or ((VIR_D050 = 2 and VIR_D055 = 1) and (FDTM_N045=2 or FDTM_N110=2 or FDTM_N170=2)), go to FDTM_END. Otherwise, go to FDTM_B210.
FDTM_B210	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
FDTM_END	

Retinal Photography Measurement (RTP)

RTP_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: English text for sex of respondent
CON_AGE: age of respondent
RPD_D010: Determination of the type of compensation lens to be used during the retinal photography measurement of the right eye. If RPD_D005 ≥ 15, then RPD_D010 =1(Positive compensation lens for the right eye). Else if RPD_D005 ≤ - 12, then RPD_D010 = 2 (Negative compensation lens for the right eye). Otherwise, RPD_D010 = 3 (No compensation lens needed for the right eye).
RPD_D020: Determination of the type of compensation lens to be used during the retinal photography measurement of the left eye. If RPD_D015 ≥ 15, then RPD_D020 = 1(Positive compensation lens for the left eye). Else if RPD_D015 ≤ - 12, then RPD_D020 = 2 (Negative compensation lens for the left eye). Otherwise, RPD_D020 = 3 (No compensation lens needed for the left eye).
VIR_D060: whether the right eye should be tested based on the vision component restriction questions (1 = Yes, 2 = No)
VIR_D065: whether the left eye should be tested based on the vision component restriction questions (1 = Yes, 2 = No)
DVC_Q015: whether the respondent wears distance viewing glasses or contacts (1 = Yes, 2 = No)
DVC_N020: whether the respondent is currently wearing non-distance viewing glasses (1 = Yes, 2 = No)
DVC_Q025: whether the respondent is wearing non-distance viewing contacts (1 = Yes, 2 = No)
DVC_Q030: whether the respondent removed their non-distance viewing contacts (1 = Yes, 2 = No)
VIC_N005: whether the respondent is currently wearing glasses (1 = Yes, 2 = No)
VIC_Q015: whether the respondent is wearing contacts (1 = Yes, 2 = No)
VIC_Q025: whether the respondent brought distance viewing glasses with him/her (1 = Yes, 2 = No)
VIC_Q030: whether the respondent removed his/her distance viewing contacts (1 = Yes, 2 = No)
VAM_Q015: whether the respondent is wearing distance viewing glasses or contacts during visual acuity (1 = Yes, 2 = No)

PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
1 = male, non-proxy

2 = female, non-proxy
3 = male, proxy
4 = female, proxy

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

RTP_R005

For this next test, I will take a picture of the interior surface of your [eyes/right eye/left eye].

INSTRUCTION: Press <1> to continue.

Programmer: *Allow 'DK' as a response category.*

RTP_C010

If RTP_R005 = DK, go to RTP_B060.
Otherwise, go to RTP_D010.

RTP_R015

First, I need to enter some information into our computer system in order to prepare the test. This will only take a few minutes.

INSTRUCTION: - Open the Navis-Ex software shortcut on the desktop.
- Follow the instructions on importing the respondent information.

Press <1> to continue.

Help text: *In the Navis-Ex Software:*

- Click on the "File" tab in the upper right corner of the screen
- Select "Patient Import" (shift + ctrl + i)
- Select the file location:
C:\ProgramData\StatisticsCanada\Retinal
- Click "okay"
- Ensure that the respondent's Clinic ID appears on the "Patient ID" list

RTP_C020

If (DVC_Q025 = 1 and DVC_Q030 = 2) or (VIC_Q015 = 1 and VIC_Q025 = 2) or (VIC_Q015 =1 and VIC_Q025 = 1) or DVC_N020 = 1 or VIC_N005 = 1 or VAM_Q015 = 1, go to RTP_D025.
Otherwise, go to RTP_D030.

RTP_Q025

(In order to take a clear picture, you will need to remove your [contacts/glasses]. You will be able to put your [contacts/glasses] back on once we have completed this measurement.)

INSTRUCTION: Provide the respondent with a contact case and solution to remove their contacts, if necessary.

Did the respondent remove their **[contacts/glasses]**?

1 Yes
2 No
3 The **[contacts/glasses]** were already removed
(DK, RF not allowed)

RTP_C030

If RTP_Q025 = 2, go to RTP_B060.
Otherwise, go to RTP_D030.

RTP_Q030

During this test, you need to sit up straight, with your feet flat on the floor. I may need to adjust you so that we can take a proper measurement.

1. Please place your head and chin on the rests and remain as still as you can.
2. Focus on the green dot inside the camera.
3. You should expect a flash of bright light and the photo will be taken automatically.

I will take two to six photographs of your [eyes/right eye/left eye].

Do you have any questions before we begin?

INSTRUCTION: - Answer any questions as thoroughly as possible.
- Ensure the device is in the correct position (check right or left indicator on screen).
- Take two photographs of **[both eyes/the right eye/the left eye]**.

1 Press <1> to continue.
(DK not allowed)
RF (Go to RTP_END)

Help text:

Using the Nidek AFC-330 device:

Open respondents case

- Click on the clipboard icon.
- Click on the "Patient ID" tab.
- Scan the respondent's bracelet (Clinic ID).
- Click on "OK".
- Verify the respondent's information.
- If necessary, pull the compensation lens tab towards the + or - symbol.

Capturing the image

- Click on the camera icon in the bottom right corner.
- Take the first photograph.
- Save the image by clicking on the icon with the green circle and envelope.
- Click the camera icon on the left side of the screen to capture another image.
- Repeat the test until four clear images (up to a maximum of six trials) have been taken.

Programmer:

*Use red font for: "**[eyes/right eye/left eye]**" and "**[both eyes/the right eye/the left eye]**".*

RTP_N045

INSTRUCTION: Ensure the test results have been saved in the Navis-Ex software and the respondent's files transferred from the software to the clinic server R: drive.

	1 Press <1> to continue. (DK, RF not allowed)
Help text:	*In the Navis-Ex Software:* *- Double click on the respondent's name or respondent ID.* *- Verify that the appropriate number of images has been saved.* *- Click on the "File" tab in the upper left corner of the screen.* *- Select "Patient Export" (shift + ctrl + e).* *- Save files to the Retinal (R:) drive.* *-Click "OK".* *- Click on "Back".* *- Click on "Close".* *- Click "OK" to exit the Navis-Ex software*
RTP_C050	If VIR_D060 = 1, go to RTP_N050. Otherwise, go to RTP_C055.
RTP_N050	<u>INSTRUCTION</u>: Record the number of images saved for the <u>right</u> eye. |_| (MIN: 0) (MAX: 6) (DK, RF not allowed)
RTP_C055	If VIR_D065 = 1, go to RTP_N055. Otherwise, go to RTP_C060.
RTP_N055	<u>INSTRUCTION</u>: Record the number of images saved for the <u>left</u> eye. |_| (MIN: 0) (MAX: 6) (DK, RF not allowed)
RTP_C060	If (RTP_N050 = RESPONSE and < 2) or (RTP_N055 = RESPONSE and < 2), go to RTP_B060. Otherwise, go to RTP_END.
RTP_B060	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
RTP_END	

Retinal Photography - Derived Variables (RPD)

RPD_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
CON_SEX: English text for sex of respondent
CON_AGE: age of respondent
VPV_D005: The sphere value for the right eyeglasses or contact prescription is captured from the respondent's prescription or is self-reported if a prescription is unavailable during the household interview and clinic visit.
VPV_D010: The cylinder for the right eyeglasses or contact prescription is captured from the respondent's prescription during the household interview or clinic visit.
VPV_D020: The sphere for the left eyeglasses or contact prescription is captured from the respondent's prescription or is self-reported if a prescription is unavailable during the household interview and clinic visit.
VPV_D025: The cylinder for the left eyeglasses or contact prescription is captured from the respondent's prescription unavailable during the household interview or clinic visit.

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

RPD_END

Intraocular Pressure Introduction (IOPI)

IOPI_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
DV_NONGESTATIONALDIABETES: Whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No)

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_SEX: sex of respondent
CON_AGE: age of respondent
DVC_Q025: whether or not the respondent is wearing non-distance viewing contact lenses
DVC_Q030: whether the respondent removed their non-distance viewing contacts
DVC_D030: time at which respondent took out their non-distance viewing contact lenses
VIC_Q015: whether the respondent is currently wearing contact lenses for distance viewing
VIC_Q030: whether the respondent removed their contact lenses
VIC_D030: time at which respondent took out contact lenses
VIR_D060: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)
VIR_D065: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No)

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

IOPI_C005

If DVC_Q030 = 1 or VIC_Q030 = 1, go to IOPI_D005.
Otherwise, go to IOPI_R020.

IOPI_N010

<u>INSTRUCTION</u>: The respondent removed their contacts at [DVC_D030 (in HH:MM:SS format)/VIC_D030 (in HH:MM:SS format)].

1 Continue
2 Skip IOP measurement (Go to IOPI_END)
(DK, RF not allowed)

IOPI_R020

This next test measures the fluid pressure inside the eye.

INSTRUCTION: Ensure the respondent removes their glasses and unbuttons or removes any tight collared or buttoned shirt.

Press <1> to continue.

Programmer: *Allow 'DK' as a response category.*

IOPI_C025

If IOPI_R020 = DK, go to IOPI_END.
Otherwise, go to IOPI_D025.

IOPI_R035

During this test, there will be three puffs of air administered from this machine to your [left eye/right eye/eyes, one at a time]. I will now do a practice puff of air so you can feel how gentle it is. Please sit up straight, lean against the forehead rest and close both of your eyes.

INSTRUCTION: - Slide the forehead rest to the **[left/right/right]**.
- Adjust the height of the table or chair so that the canthus marks on the sides of the instrument are level with the respondent's eyes.

Press <1> to continue.

Programmer: *Display DT_IOPI30AE and DT_IOPI30BE in red text font if IOPI30A = "left eye" and IOPI30B = "left".*

IOPI_Q040

During the test, you will need to:

- sit as still as possible.
- adjust your head position until you are able to see the green dot in the middle of the four red dots.
- focus on the green target without squinting your eye.
- breathe normally.

Do you have any questions before we begin the test?

INSTRUCTION: Answer any questions as thoroughly as possible.

1 Press <1> to continue.
(DK not allowed)
RF

IOPI_END

Intraocular Pressure Measurement (IOPM)

IOPM_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier DV_NONGESTATIONALDIABETES: Whether the respondent has been diagnosed with type 1 or type 2 diabetes (1 = Yes; 2 = No) Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_SEX: sex of respondent CON_AGE: age of respondent VIR_D060: whether the right eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) VIR_D065: whether the left eye should be included in the block based on the vision restriction questions (1 = Yes, 2 = No) IOPI_N010: whether or not the respondent removed their contact lenses (1 = Yes, 2 = No) IOPI_R020: introduction to IOP measurement IOPI_Q040: if the respondent refuses to complete the IOP component after receiving test procedures Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
IOPM_C005A	If IOPI_N010 = 2 or IOPI_R020 = DK, go to IOPM_B110. Otherwise, go to IOPM_C005B.
IOPM_C005B	If IOPI_Q040 = RF, go to IOPM_END. Otherwise, go to IOPM_C005C.
IOPM_C005C	If VIR_D060 = 1, go to IOPM_R010. Otherwise, go to IOPM_C020.
IOPM_R010	**I will now take the measurement of your right eye. I'd like you to blink your eyes a few times and when you are ready, hold both your eyes open. Look at the green light and hold still.**

	INSTRUCTION: Perform the measurement on the right eye. - Verify that the forehead rest is positioned to the right side. - Ensure that the respondent can see the green dot and the red dots. - Press the triple puff icon to administer 3 puffs of air. Press <1> to continue.
IOPM_B015	Call the Intraocular Pressure Capture (IOPD) block.
Programmer:	*Pass DT_EYEE = "right" as parameter.*
IOPM_C015	If IOPM_B015.IOPD_N005A = RF, go to IOPM_END. Otherwise, go to IOPM_C020.
IOPM_C020	If VIR_D065 = 1, go to IOPM_D025. Otherwise, go to IOPM_C040A.
IOPM_R030	**[I will now take the measurement on your left eye. I'd like you to blink your eyes a few times and when you are ready, hold both your eyes open. Look at the green light and hold still. /I will now move the forehead rest to the other side and take the same measurement on your left eye. Once again, readjust until you are able to see the green dot in the middle of the four red dots.]** INSTRUCTION: Perform the measurement on the left eye. - Verify that the forehead rest is positioned to the left side. - Ensure that the respondent can see the green dot and the red dots. - Press the triple puff icon to administer 3 puffs of air. Press <1> to continue.
Programmer:	*IF IOPM_R010 = EMPTY, then display the word "left" in the first sentence of the read text at DT_IOPM25E in red text font.*
IOPM_B035	Call the Intraocular Pressure Capture (IOPD) block.
Programmer:	*Pass DT_EYEE = "left" as parameter.*
IOPM_C040A	If (IOPM_B015.IOPD_N005A = DK and IOPM_B035.IOPD_N005A = RF) or (VIR_D060 = 2 and IOPM_B035.IOPD_N005A = RF), go to IOPM_END. Otherwise, go to IOPM_C040B.
IOPM_C040B	If (IOPM_B015.IOPD_N005A = RESPONSE and IOPM_B035.IOPD_N005A = RF), go to IOPM_C100. Otherwise, go to IOPM_D040.
IOPM_C050	If DV_RIGHTEYEREDO = 2 and DV_LEFTEYEREDO = 2, go to IOPM_C100. Otherwise, go to IOPM_D050.
IOPM_Q055	**There were too many errors with that set of measurements, so we have to do the test again. I will take a second measurement of [your right eye/your left eye/both your eyes, one at a time].**

	1 Press <1> to continue. (DK not allowed) RF (Go to IOPM_C100)
Programmer:	*Display the DT_IOPM50E text in red text font.*
IOPM_C060	If DV_RIGHTEYEREDO = 1, go to IOPM_R065. Otherwise, go to IOPM_C080.
IOPM_R065	**(I will now take the measurement of your right eye). I'd like you to blink your eyes a few times and when you are ready, hold both your eyes open. Look at the green light and hold still.** <u>INSTRUCTION</u>: Capture the results of the second set of measurements on the <u>right</u> eye. - Verify that the forehead rest is positioned to the right side. - Ensure that the respondent can see the green dot and the red dots. - Press the triple puff icon to administer 3 puffs of air. Press <1> to continue.
IOPM_B075	Call the Intraocular Pressure Capture (IOPD) block.
Programmer:	*Pass DT_EYEE = "right" as parameter.*
IOPM_C075	If IOPM_B075.IOPD_N005A = RF, go to IOPM_C100. Otherwise, go to IOPM_C080.
IOPM_C080	If DV_LEFTEYEREDO = 1, go to IOPM_D085. Otherwise, go to IOPM_C100.
IOPM_R085	**^DT_IOPM85E** <u>INSTRUCTION</u>: Capture the results of the second set of measurements on the <u>left</u> eye. - Verify that the forehead rest is positioned to the left side. - Ensure that the respondent can see the green dot and the red dots. - Press the triple puff icon to administer 3 puffs of air. Press <1> to continue.
Programmer:	*IF IOPM_R065 = EMPTY then display the word "left" in the first sentence of the read text in red text font.*
IOPM_B095	Call the Intraocular Pressure Capture (IOPD) block.
Programmer:	*Pass DT_EYEE = "left" as parameter.*

IOPM_C100	If ((VIR_D060 = 1 and VIR_D065 = 1) and (IOPM_B015.IOPD_N005A = DK and IOPM_B035.IOPD_N005A = DK and IOPM_B075.IOPD_N005A = DK and IOPM_B095.IOPD_N005A = RF)) or ((VIR_D060 = 1 and VIR_D065 = 1) and (IOPM_B015.IOPD_N005A = DK and IOPM_B035.IOPD_N005A = DK and IOPM_B075.IOPD_N005A = RF)) or ((VIR_D060 = 1 and VIR_D065 = 2) and (IOPM_B015.IOPD_N005A = DK and IOPM_B075.IOPD_N005A = RF)) or ((VIR_D060 = 2 and VIR_D065 = 1) and (IOPM_B035.IOPD_N005A = DK and IOPM_B095.IOPD_N005A = RF)), go to IOPM_END. Otherwise, go to IOPM_D100.
IOPM_C110	If (IOPM_B015.IOPD_N005A = DK and IOPM_B075.IOPD_N005A = DK) or (IOPM_B035.IOPD_N005A = DK and IOPM_B095.IOPD_N005A = DK), go to IOPM_B110. Otherwise, go to IOPM_END.
IOPM_B110	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
IOPM_END	

Intraocular Pressure Capture (IOPD)

IOPD_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent CON_SEX: sex of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent DT_EYEE: English text for eye being measured Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name : ^RespondentName Age: ^CON_AGE Sex: ^GenderE
IOPD_N005A	INSTRUCTION: Record the IOPcc for the ^DT_EYEE eye. (MIN: 6.0) (MAX: 61.0) DK, RF
IOPD_C005	If IOPD_N005A = NONRESPONSE, go to IOPD_END. Otherwise, go to IOPD_N005B.
IOPD_N005B	INSTRUCTION: Re-enter the IOPcc for the ^DT_EYEE eye. (MIN: 6.0) (MAX: 61.0) (DK, RF not allowed)
IOPD_N010A	INSTRUCTION: Record the IOPg for the ^DT_EYEE eye. (MIN: 6.0) (MAX: 61.0) (DK, RF not allowed)
IOPD_N010B	INSTRUCTION: Re-enter the IOPg for the ^DT_EYEE eye.

(MIN: 6.0)
(MAX: 61.0)

(DK, RF not allowed)

IOPD_N015A

INSTRUCTION: Record the score for the ^DT_EYEE eye.

(MIN: 0)
(MAX: 10)

(DK, RF not allowed)

IOPD_N015B

INSTRUCTION: Re-enter the score for the ^DT_EYEE eye.

(MIN: 0)
(MAX: 10)

(DK, RF not allowed)

IOPD_N020

INSTRUCTION: Record whether a low confidence asterisk (*) was displayed next to the measurements of the ^DT_EYEE eye.

1 Yes
2 No
(DK, RF not allowed)

IOPD_N025

INSTRUCTION: Record the number of puffs successfully administered to the ^DT_EYEE eye.

1 1 puff
2 2 puffs
3 3 puffs
(DK, RF not allowed)

Help text:

The number of puffs successfully administered is displayed under the words "right" and "left" on the machine. For each puff successfully administered, the white dot will become black.

IOPD_END

Jumping Mechanography Introduction (JMI)

JMI_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^Gender
JMI_R001	**We will now do two tests to measure your lower body strength. There will be a hopping and a jumping test.** <u>INSTRUCTION</u>: Ensure the respondent is prepared for the test: - Ask the respondent to remove their shoes. - Ask the respondent to remove any jewelry and/or clothing that may bounce when jumping. - Ask the respondent to roll loose fitting pants up above the knee. Press <1> to continue.
Programmer:	*Allow 'DK' as a response category.*
JMI_C005	If JMI_R001 = DK, go to JMI_END. Otherwise, go to JMI_D005.
JMI_END	

Hopping Force Measurement (HFM)

HFM_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
JMI_R001: Jumping mechanography introduction

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

HFM_C005

If JMI_R001 = DK, go to HFM_B035.
Otherwise, go to HFM_R005.

HFM_R005

First, I need to enter some information into the computer system in order to prepare the tests. This will only take a few minutes.

<u>INSTRUCTION</u>: - Open the Leonardo GRFP Mechanography software shortcut on the desktop.
- Log in and create a respondent profile.

Press <1> to continue.

Help text:

Login name: ADM
Password: ADM

To create a respondent profile:

- Click on the "New" button at the top right of the screen.
- Select "Edit own patient ID".
- Enter the required information as follows:
- Patient ID: scan the respondent's bracelet (Clinic ID)
- First Name: enter a space in the field
- Last Name: enter a space in the field
- Date of Birth: scan the DOB barcode or manually enter "1911/11/11"
- Gender: leave as the default option, "Male"
- Click "Save" on the bottom left corner.

HFM_N010

INSTRUCTION: Initiate the hopping test.
- Select "*multiple Two Leg Hopping*" *(m2LH)* from the drop down menu.
- Click on "*Start selected test*".
- "*Zero adjust*" the plate.

1 Press <1> to continue.
(DK, RF not allowed)

HFM_R015

The first test measures the force you generate when hopping. I will demonstrate the test and then give you an opportunity to practice before we begin.

- Stand on the force plate, facing the front, with one foot on each side.
- You will have to hold perfectly still for a few seconds.
- When I tell you to, start hopping as high as you can, just like skipping with a rope.
- As you hop, you must ensure that your heels stay off the force plate and your legs stay straight.
- You will hop 10 times; I will tell you when to stop.
- When you stop, hold perfectly still until I say you can move.

INSTRUCTION: Demonstrate the test from start to finish, as realistically as possible, emphasizing the key components of the test.

Press <1> to continue.

Programmer:

Allow 'RF' as a response category.

HFM_C015

If HFM_R015 = RF, go to HFM_D040.
Otherwise, go to HFM_Q020.

HFM_Q020

To make sure we get good results, you need to practice before we begin the test.

INSTRUCTION: Complete up to two practice hopping trials. Provide feedback to help correct any errors.

Is the respondent able to try the hopping test?

1 Yes
2 No (Go to HFM_B035)
(DK not allowed)
RF

HFM_C025

If HFM_Q020 = RF, go to HFM_D040.
Otherwise, go to HFM_R025.

HFM_R025

We will now start the hopping test. We will repeat the test a few times to ensure that we get your best effort. Do you have any questions before we begin?

INSTRUCTION: - Answer any questions as thoroughly as possible.
- Verify that the "*multiple Two Leg Hopping*" *(m2LH)* test was selected.
- Instruct the respondent to get into the starting position.

Common verbal cues:
1. "Stand still."
2. "Start hopping now."
3. "One, two, three, four, five, six, seven, eight, nine, ten."
4. "Stop and stand still."

Press <1> to continue.

Help text:

- Ask the respondent to stand still.
- Click on "Start Measurement now!"
- Wait for the single-tone pitch, indicating the beginning of the test.
- Instruct the respondent to start hopping.
- Count with each hop.
- After 10 hops, instruct the respondent to stand still.
- Wait for the double-tone pitch, indicating the end of the test.
- Click on "Save & Next" button to continue to the next trial.
- Use the "Use for Trend Analysis" drop down menu to indicate if the trial is invalid "Invalid measurement" or valid "Measurement OK".
- Click on "Quit" to continue to the next trial.
- Repeat the test until 3 valid trials have been completed or a maximum of 5 trials have been attempted.

HFM_N030

INSTRUCTION: Record the number of hopping trials.

|_|
(MIN: 0)
(MAX: 5)

(DK, RF not allowed)

HFM_C035

If HFM_N030 < 3, go to HFM_B035.
Otherwise, go to HFM_D040.

HFM_B035

Call Reason Not Done Block (RND).

Programmer:

Pass along values 01-02-03-04-05-06-20 as parameters.

HFM_END

Jumping Force Measurement (JFM)

JFM_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent JMI_R001: Jumping mechanography introduction HFM_N030: number of hopping trials performed and saved Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
JFM_C005	If JMI_R001 = DK, go to JFM_B030. Otherwise, go to JFM_N005.
JFM_N005	<u>INSTRUCTION</u>: Initiate the jumping test. - Select "*single Two Leg Jump*" (*s2LJ*) from the drop down menu. - Click on "*Start selected test*". - "*Zero adjust*" the plate. Press <1> to continue. (DK, RF not allowed)
JFM_R010	**The second test measures the force you generate when jumping. I will demonstrate the test and then give you an opportunity to practice before we begin.** **- Stand on the force plate, facing the front, with one foot on each side.** **- You will have to hold perfectly still for a few seconds.** **- When I tell you to start, bend down and jump as high as you can.** **- When you land, hold perfectly still until I say you can move.**

INSTRUCTION: Demonstrate the test from start to finish, as realistically as possible, while emphasizing the key components of the test.

Press <1> to continue.

Programmer: *Allow 'RF' as a response category.*

JFM_C015 If JFM_R010 = RF, go to JFM_C035.
Otherwise, go to JFM_Q015.

JFM_Q015 **To make sure we get good results, you need to practice before we begin the test.**

INSTRUCTION: Complete up to two practice jumps. Provide feedback to help correct any errors.

Is the respondent able to try the jumping test?

1 Yes
2 No (Go to JFM_B030)
(DK not allowed)
RF

JFM_C020 If JFM_Q015 = RF, go to JFM_C035.
Otherwise, go to JFM_R020.

JFM_R020 **We will now start the jumping test. We will repeat the test a few times to ensure that we get your best effort. Do you have any questions before we begin?**

INSTRUCTION: - Answer any questions as thoroughly as possible.
- Verify that the "*single Two Leg Jump*" *(s2LJ)* test was selected.
- Instruct the respondent to get into the starting position.

Common verbal cues:
1. "Stand still."
2. "Jump now."
3. "Now stand still."

Press <1> to continue.

Help text:
- Instruct the respondent to stand still.
- Click on "Start selected test".
- Wait for the single-tone pitch, indicating the beginning of the test.
- Instruct the respondent to jump.
- After the jump, instruct the respondent to stand still.
- Wait for the double-tone pitch, indicating the end of the test.
- Click on "Save & Next" button to continue to the next trial.
- Use the "Use for Trend Analysis" drop down menu to indicate if the trial is invalid "Invalid measurement" or valid "Measurement OK".
- Click on "Quit" to continue to the next trial.
- Repeat the test until 3 valid trials have been completed or a maximum of 5 trials have been attempted.

JFM_N025 INSTRUCTION: Record the number of jumping trials.

	|_| (MIN: 0) (MAX: 5) (DK, RF not allowed)
JFM_C030	If JFM_N025 < 3, go to JFM_B030. Otherwise, go to JFM_N035.
JFM_B030	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
JFM_C035	If HFM_N030 = 0 and JFM_N025 = 0, go to JFM_D040. Otherwise, go to JFM_N035.
JFM_N035	INSTRUCTION: Using the MechanographyDataExport shortcut on the desktop, export all of the hopping and jumping trials to the clinic server. Press <1> to continue. (DK, RF not allowed)
Help text:	*- Open MechanographyDataExport.* *- Click on the entry field.* *- Scan the respondent's Clinic ID barcode or manually enter the Clinic ID number.* *- Click the "Export" button.*
JFM_END	

mCAFT Measurement (AFT)

AFT_BEG	Content block External fields required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent CON_SEX: sex of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent DT_ARME: English text for arm chosen for blood pressure measurement, derived at BPM_D101B BPM_N100: Cuff to be used for blood pressure measurement. HWM_Q13: Weight measurement in kilograms Screen Display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE The following information should be displayed below the two-lined header: Starting stage: ^AFT_D01 [Female/Male] Ceiling Heart Rate: ^AFT_D02
AFT_R10	<u>INSTRUCTION</u>: Verify that the room temperature is 21°C +/- 2°C.

The next test we are going to do is a stepping test to measure your fitness level. The test will require you to step up and down this set of stairs continuously to music for 3 minutes at a time. In total, there are [7/8], 3-minute stages. You are starting at stage ^AFT_D01. During the test, you will wear a heart rate monitor so that I can watch your heart rate. At the end of each 3 minute stepping stage, you will be asked to stop exercising. You will have to stand still and I will check your heart rate to see if you should do another stage. You will continue going through the stages until your heart rate meets a ceiling value for your age and sex. Your ceiling heart rate is ^AFT_D02. If your heart rate is at or above this number, then I will stop the test. At the end of the test, you will slowly walk around for one and a half minutes. Then, you will sit down and I will take your blood pressure and heart rate twice to make sure that you are recovering well from the test.

INSTRUCTION: Show the heart rate monitor to the respondent and help him/her put it on.

Press <1> to continue.

Programmer: *Allow 'DK' as a response category.*

AFT_C10

If AFT_R10 = DK, go to AFT_B81.
Otherwise, go to AFT_D10.

AFT_R11

During the test, you need to go up and down the stairs following the beat of the music. The stepping pattern goes like this: "step, step, up, step, step, down". When you are stepping, you should never have both feet on the first step at the same time, and you need to make sure that both feet are placed fully on the top step. ^DT_AFT11TEXTE I will play the music and show you how the test is done. Do you have any questions?

INSTRUCTION: Play the music and demonstrate the stepping pattern.

Press <1> to continue.

AFT_C11E

If AFT_D01 > 1, go to AFT_C12E.
Otherwise, go to AFT_N11A.

AFT_N11A

INSTRUCTION: Record the heart rate at the end of stage 1.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK (Go to AFT_B81)
RF (Go to AFT_END)

AFT_N11B

INSTRUCTION: Re-enter the heart rate at the end of stage 1.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C12D

If AFT_N11A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_C12E.

AFT_C12E

If AFT_D01 > 2, go to AFT_C13E.
Otherwise, go to AFT_N12A.

AFT_N12A

INSTRUCTION: Record the heart rate at the end of stage 2.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_C13A)

AFT_N12B

INSTRUCTION: Re-enter the heart rate at the end of stage 2.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C13A

If AFT_D01 < 2 and AFT_N12A = NONRESPONSE, go to AFT_D21.
Otherwise, go to AFT_C13B.

AFT_C13B

If AFT_D01 = 2 and AFT_N12A = DK, go to AFT_B81.
Otherwise, go to AFT_C13C.

AFT_C13C

If AFT_D01 = 2 and AFT_N12A = RF, go to AFT_END.
Otherwise, go to AFT_C13D.

AFT_C13D

If AFT_N12A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_C13E.

AFT_C13E

If AFT_D01 > 3, go to AFT_C14E.
Otherwise, go to AFT_N13A.

AFT_N13A

INSTRUCTION: Record the heart rate at the end of stage 3.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_C14A)

AFT_N13B

INSTRUCTION: Re-enter the heart rate at the end of stage 3.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C14A — If AFT_D01 < 3 and AFT_N13A = NONRESPONSE, go to AFT_D21.
Otherwise, go to AFT_C14B.

AFT_C14B — If AFT_D01 = 3 and AFT_N13A = DK, go to AFT_B81.
Otherwise, go to AFT_C14C.

AFT_C14C — If AFT_D01 = 3 and AFT_N13A = RF, go to AFT_END.
Otherwise, go to AFT_C14D.

AFT_C14D — If AFT_N13A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_C14E.

AFT_C14E — If AFT_D01 > 4, go to AFT_N15A.
Otherwise, go to AFT_N14A.

AFT_N14A — INSTRUCTION: Record the heart rate at the end of stage 4.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_C15A)

AFT_N14B — INSTRUCTION: Re-enter the heart rate at the end of stage 4.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C15A — If AFT_D01 < 4 and AFT_N14A = NONRESPONSE, go to AFT_D21.
Otherwise, go to AFT_C15B.

AFT_C15B — If AFT_D01 = 4 and AFT_N14A = DK, go to AFT_B81.
Otherwise, go to AFT_C15C.

AFT_C15C — If AFT_D01 = 4 and AFT_N14A = RF, go to AFT_END.
Otherwise, go to AFT_C15D.

AFT_C15D — If AFT_N14A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_N15A.

AFT_N15A — INSTRUCTION: Record the heart rate at the end of stage 5.

|_|_|_| Enregistrez la fréquence cardiaque à la fin du palier 5.
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_C16A)

AFT_N15B

INSTRUCTION: Re-enter the heart rate at the end of stage 5.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C16A

If AFT_D01 < 5 and AFT_N15A = NONRESPONSE, go to AFT_D21.
Otherwise, go to AFT_C16B.

AFT_C16B

If AFT_D01 = 5 and AFT_N15A = DK, go to AFT_B81.
Otherwise, go to AFT_C16C.

AFT_C16C

If AFT_D01 = 5 and AFT_N15A = RF, go to AFT_END.
Otherwise, go to AFT_C16D.

AFT_C16D

If AFT_N15A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_N16A.

AFT_N16A

INSTRUCTION: Record the heart rate at the end of stage 6.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_D21)

AFT_N16B

INSTRUCTION: Re-enter the heart rate at the end of stage 6.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C17D

If AFT_N16A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_N17A.

AFT_N17A

INSTRUCTION: Record the heart rate at the end of stage 7.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_D21)

AFT_N17B

INSTRUCTION: Re-enter the heart rate at the end of stage 7.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF

AFT_C18D

If CON_AGE < 15 or AFT_N17A >= AFT_D02, go to AFT_D21.
Otherwise, go to AFT_N18A.

AFT_N18A

INSTRUCTION: Record the heart rate at the end of stage 8.

|_|_|_|
(MIN: 30)
(MAX: 220)

DK, RF (Go to AFT_D21)

AFT_N18B

INSTRUCTION: Re-enter the heart rate at the end of stage 8.

|_|_|_| Heart rate (in beats per minute)
(MIN: 30)
(MAX: 220)

DK, RF

AFT_R23

The test is finished. I would like you to slowly walk around for one and a half minutes. I will then have you sit down so that I can take your blood pressure and heart rate again.

INSTRUCTION: Start the stopwatch. At 1 min 30 sec, ask the respondent to sit down.

Press <1> to continue.

AFT_R30

Now, I will take the first of two post exercise blood pressure and heart rate measurements, using this automated blood pressure cuff. During this test, you will need to sit with your feet flat on the floor, your back against the back rest of the chair, and your ^DT_ARME arm on the table. You should not move or talk during the measurement.

INSTRUCTION: - Select the ^DT_AFT30TEXTE cuff size.
- Secure the cuff on the respondent's ^DT_ARME arm.
- Ensure respondent is in the correct position (palm down, feet flat, arm and back rested, relaxed).
- Ensure the BpTRU is communicating with Health Listener.
- Set the BpTRU to collect a single measure (set cycle to SP).
- Press <Start> on the BpTRU 2 minutes after the respondent has completed the mCAFT.
- Turn the BpTRU away from the respondent.

Press <1> to continue.

Programmer:

Allow 'RF' as a response category.

If DT_ARME = ''left'' display ^DT_ARME in red font.

Display DT_AFT30TEXTE in red font.

AFT_C30

If AFT_R30 = RF, go to AFT_D71.
Otherwise, go to AFT_E30.

AFT_N31A

INSTRUCTION: Press <1> to save the measurements in Blaise.

1 Save the measurements
(DK, RF not allowed)

Programmer:

Data from the BpTRU will be available as a string value saved in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\". A single string value will be saved, containing 13 bytes of data. The data should be copied to specific capture fields as follows:

```
IF Substring(EDATA1, 1, 1) = E THEN
        SAVE DK code "999" in AFT_B31.BPR_N1A
        SAVE Substring(EDATA1, 2, 3) in AFT_B31.DT_BPR_N4
ELSE
        SAVE Substring(EDATA1, 5, 3) in AFT_B31.BPR_N1A
        SAVE Substring(EDATA1, 8, 3) in AFT_B31.BPR_N2A
        SAVE Substring(EDATA1, 11, 3) in AFT_B31.BPR_N3A
ENDIF
```

Set value of ResetCounter to 2 in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\"

Lock the fields containing the data from the BPTru and delete the data transfer file.

AFT_N31B

INSTRUCTION: Was the electronic transfer of data successful?

1 Yes (Go to AFT_N40A)
2 No
(DK, RF not allowed)

Programmer: *Data should be displayed on the screen in a four-column, one- line table of values:*

SYSTOLIC BLOOD PRESSURE
1 AFT_B31.BPR_N1A

DIASTOLIC BLOOD PRESSURE
1 AFT_B31.BPR_N2A

HEART RATE
1 AFT_B31.BPR_N3A

ERROR CODE
1 AFT_B31.BPR_N4

Display error codes (4th column in the table above) in red text.

AFT_B31 Call the Blood Pressure Recording block.

AFT_C32 If AFT_B31.BPR_N1A = RF, go to AFT_D71.
Otherwise, go to AFT_N40A.

AFT_N40A INSTRUCTION: Press <1> to reset the Health Listener registry and continue.

1 Press <1> to continue.
(DK, RF not allowed)

AFT_R40 **I will now take a second blood pressure and heart rate measurement.**

INSTRUCTION: Select the ^DT_AFT30TEXTE cuff size. Secure it on the ^DT_ARME arm and ensure the respondent is seated in the correct position.

Set the BpTRU to collect a single measure (set cycle to SP).

Press <Start> on the BpTRU 3 min 30 sec after the respondent has completed the mCAFT.

Press <1> to continue.

Programmer: *Allow 'RF' as a response category.*

If DT_ARME = ''left'' display ^DT_ARME in red font.

Display DT_AFT30TEXTE in red font.

AFT_C40B If AFT_R40 = RF, go to AFT_D71.
Otherwise, go to AFT_N40B.

AFT_N40B INSTRUCTION: Press <1> to save the measurements in Blaise.

1 Save the measurements
(DK, RF not allowed)

Programmer: *Data from the BpTRU will be available as a string value saved in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\". A single string value will be saved, containing 13 bytes of data. The data should be copied to specific capture fields as follows:*

```
IF Substring(EDATA1, 1, 1) = E THEN
        SAVE DK code "999" in AFT_B41.BPR_N1A
        SAVE Substring(EDATA1, 2, 3) in AFT_B41.DT_BPR_N4
ELSE
        SAVE Substring(EDATA1, 5, 3) in AFT_B41.BPR_N1A
        SAVE Substring(EDATA1, 8, 3) in AFT_B41.BPR_N2A
        SAVE Substring(EDATA1, 11, 3) in AFT_B41.BPR_N3A
ENDIF
```

Set value of ResetCounter to 2 in the Blaise registry under "HKEY_CURRENT_USER\Software\VB and VBA Program Settings\Environment\BPTru\"

Lock the fields containing the data from the BpTRU, delete the data transfer file.

AFT_N40C

INSTRUCTION: Was the electronic transfer of data successful?

1 Yes (Go to AFT_D71)
2 No
(DK, RF not allowed)

Programmer: *Data should be displayed on the screen in a four-column, one- line table of values:*

SYSTOLIC BLOOD PRESSURE
1 AFT_B41.BPR_N1A

DIASTOLIC BLOOD PRESSURE
1 AFT_B41.BPR_N2A

HEART RATE
1 AFT_B41.BPR_N3A

ERROR CODE
1 AFT_B41.BPR_N4

Display error codes (4th column in the table above) in red text.

AFT_B41

Call the Blood Pressure Recording block.

AFT_C80

If DV_AFT_D80 = 1, go to AFT_B81.
Otherwise, go to AFT_END.

AFT_B81

Call Reason Not Done Block (RND).

Programmer: *Pass along values 01-02-03-04-05-06-20 as parameters.*

AFT_END

Sit and Reach Component Introduction (SRI)

SRI_BEG	Content block External fields required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables output from Clinic Interface: CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
SRI_R01	**The next test we're going to do is called a sit-and-reach test, which will measure your back and hamstring flexibility. Before we start the test, I'll ask you to remove your shoes and we will do some stretches to loosen your leg muscles.** **- Sit on the floor with one leg out straight and the bottom of your other foot tucked into the straight leg.** **- Reach forward towards the toe of your straight leg only until you feel a slight stretch in the back of your leg.** **- You should not feel pain and you must not bounce.** **- Hold the stretch for 20 seconds and then switch to the other leg.** **- Perform the stretch twice on each leg, alternating each time.** <u>INSTRUCTION</u>: Have the respondent sit on the mat in the modified hurdle stretch position. Do the stretch twice on each leg, holding the stretch for 20 seconds each time. Perform the stretches alongside the respondent. Press <1> to continue.
Programmer:	*Allow 'DK' as a response category.*
SRI_C01	If SRI_R01 = DK, go to SRI_END. Otherwise, go to SRI_D01.

SRI_R02

I will demonstrate how the test is done.

- Sit with your legs straight out in front of you, your feet flat against the board, one foot on each side of the wooden block. Keep your legs straight.
- Put your arms straight out in front of you with your hands on top of one another, and your middle fingers aligned.
- Reach forward, slowly pushing the sliding marker along the scale with your fingertips as far as possible. Do not bounce.
- Lower your head between your arms and breathe out while reaching forwards to help you reach farther.
- When you have reached as far as you can, you must hold that position for 2 seconds. I will count this aloud for you and tell you when to sit up again.

INSTRUCTION: Demonstrate the movement while explaining the main points of the test.

Press <1> to continue.

SRI_R03

Do you have any questions before we begin?

INSTRUCTION: Answer any questions as thoroughly as possible.

Press <1> to continue.

SRI_END

Sit and Reach Measurement (SRM)

SRM_BEG

Content block

External fields required:
Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables output from Clinic Interface:
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SRI_R01: Explanation of the sit and reach test

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

SRM_C01

If SRI_R01 = DK, go to SRM_B03.
Otherwise, go to SRM_N01A.

SRM_N01A

<u>INSTRUCTION</u>: Record the <u>first</u> sit and reach attempt in centimeters.

(MIN: 0)
(MAX: 75)

DK	(Go to SRM_B03)
RF	(Go to SRM_END)

SRM_N01B

<u>INSTRUCTION</u>: Re-enter the <u>first</u> sit and reach attempt in centimeters.

(MIN: 0)
(MAX: 75)

(DK, RF not allowed)

SRM_N02A

<u>INSTRUCTION</u>: Record the <u>second</u> sit and reach attempt in centimeters.

(MIN: 0)
(MAX: 75)

DK, RF	(Go to SRM_D11)

SRM_N02B	INSTRUCTION: Re-enter the second sit and reach attempt in centimeters. (MIN: 0) (MAX: 75) (DK, RF not allowed) Go to SRM_D11
SRM_B03	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
SRM_END	

Grip Strength Component Introduction (GSI)

GSI_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: visit type

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^Gender

GSI_R1

Next I am going to measure your upper body strength with a hand grip dynamometer. You will perform this test twice on each hand, alternating each time. When performing the test, hold your hand away from your body and squeeze the handle as hard as you can, blowing out while you squeeze.

INSTRUCTION: Demonstrate the procedure while explaining the technique.
Press <1> to continue.

Programmer:

Allow 'DK' as a response category.

GSI_C1

If GSI_R1 = DK, go to GSI_END.
Otherwise, go to GSI_D1.

GSI_R2

Hold the handle so that the 2nd joint of your fingers fits comfortably under the handle; we can adjust the size if necessary. Remember, hold your arm straight and away from your body and squeeze the handle as hard as you can, blowing out while you squeeze.

INSTRUCTION: Ensure respondent has removed all rings or hand jewellery.

Press <1> to continue.

GSI_END

Grip Strength Measurement (GSM)

GSM_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
GSI_R1: grip strength introduction

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

GSM_C10

If GSI_R1 = DK, go to GSM_B60.
Otherwise, go to GSM_N11A.

GSM_N11A

INSTRUCTION: Record the first grip strength measurement for the right hand to the nearest kilogram (kg).

|_|_|_| Right hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

DK (Go to GSM_N12A)
RF (Go to GSM_END)

GSM_N11B

INSTRUCTION: Re-enter the first grip strength measurement for the right hand to the nearest kilogram (kg).

|_|_|_| Right hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

(DK, RF not allowed)

GSM_N12A

INSTRUCTION: Record the first grip strength measurement for the left hand to the nearest kilogram (kg).

|_|_|_| Left hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

DK, RF (Go to GSM_N21A)

GSM_N12B

INSTRUCTION: Re-enter the first grip strength measurement for the left hand to the nearest kilogram (kg).

|_|_|_| Left hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

(DK, RF not allowed)

GSM_N21A

INSTRUCTION: Record the second grip strength measurement for the right hand to the nearest kilogram (kg).

|_|_|_| Right hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

DK, RF (Go to GSM_N22A)

GSM_N21B

INSTRUCTION: Re-enter the second grip strength measurement for the right hand to the nearest kilogram (kg).

|_|_|_| Right hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

(DK, RF not allowed)

GSM_N22A

INSTRUCTION: Record the second grip strength measurement for the left hand to the nearest kilogram (kg).

|_|_|_| Left hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

DK, RF (Go to GSM_D51)

GSM_N22B

INSTRUCTION: Re-enter the second grip strength measurement for the left hand to the nearest kilogram (kg).

|_|_|_| Left hand grip strength (in kg)
(MIN: 1)
(MAX: 100)

(DK, RF not allowed)

GSM_C59

If (GSM_N11A = NONRESPONSE and GSM_N21A = NONRESPONSE) or (GSM_N12A = NONRESPONSE and GSM_N22A = NONRESPONSE), go to GSM_B60.
Otherwise, go to GSM_END.

GSM_B60	Call Reason Not Done Block (RND).
Programmer:	*Pass along values 01-02-03-04-05-06-20 as parameters.*
GSM_END	

Activity Monitor (AM)

AM_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
DateMailBackE: English text of date 8 days after the clinic visit

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: Visit type
UCH_N050: waybill number from Home urine

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

AM_N11

INSTRUCTION: Record whether an activity monitor is available.

1	Yes	
2	No	(Go to AM_END)
DK		(Go to AM_B33)
(RF not allowed)		

AM_R11

It is crucial to obtain information about Canadians' daily activity patterns. As a result, this survey will be measuring your daily activity patterns over a 7 day period. In order to do this, we would like you to wear an activity monitor for the next 7 days.
An activity monitor is a small battery-operated electronic device that is worn on a belt around the waist, on the right hip bone. The monitor records all daily activities as electronic signals. It is pre-programmed to start recording tomorrow morning, there is no activation required and it does not need to be turned on or off.

INSTRUCTION: Hold up the activity monitor (on the belt) for display.

Press <1> to continue.

AM_Q11

The activity monitor is to be worn for the next 7 days and mailed back after the 7 days are over. Do you have any questions before we proceed?

INSTRUCTION: Answer any questions as thoroughly as possible.

Press <1> to continue.

1 Continue (Go to AM_R21)
(DK not allowed)
RF

AM_N12

INSTRUCTION: Record the reason why the respondent is not willing to wear an activity monitor for the next 7 days.

01 Burden
02 Invasive
03 Aesthetics
04 Away during the collection period
05 Anticipating change in normal activity
06 Sick or laid up
07 Worried about losing or damaging the device
08 Other - Specify (Go to AM_S12)
(DK, RF not allowed)

Go to AM_END

AM_S12

(Record the reason why the respondent is not willing to wear an activity monitor for the next 7 days.)

INSTRUCTION: Specify the reason.

_____

(80 spaces)

(DK, RF not allowed)

Go to AM_END

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

AM_R21

We ask that you start wearing this monitor as soon as you wake up tomorrow morning and that you keep wearing it for 7 full days.

- **Place it on your right hip bone with the arrow pointing up and the belt snug.**
- **You can wear it over or under your clothes.**
- **It is important that you put on the activity monitor as soon as you wake up in the morning and take it off only when going to bed at night. We do not want to miss a step!**
- **Since the device is waterproof please wear it all day long without interruption (when showering, swimming, taking a nap, etc.).**

Please do not alter your usual physical activity behaviour, since we are interested in your normal activity level.

INSTRUCTION: Assist the respondent in putting the belt on. Check to ensure the belt fits snugly around the waist and that the activity monitor is positioned on the right hip bone with the arrow pointing up.

Write the respondent's initials on the belt if more than one member of the same household will receive a monitor.

Press <1> to continue.

AM_N21

INSTRUCTION: Record whether the respondent took an activity monitor.

1 Yes (Go to AM_N31A)
2 No
(DK, RF not allowed)

AM_N22

INSTRUCTION: Record the reason why the respondent did not take an activity monitor.

01 Burden
02 Invasive
03 Aesthetics
04 Away during the collection period
05 Anticipating change in normal activity
06 Sick or laid up
07 Worried about losing or damaging the device
08 Other - Specify (Go to AM_S22)
(DK, RF not allowed)

Go to AM_END

AM_S22

(Record the reason why the respondent did not take an activity monitor.)

INSTRUCTION: Specify.

(80 spaces)

(DK, RF not allowed)

Go to AM_END

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

AM_N31A

INSTRUCTION: To log in the serial number of the activity monitor, scan the bar code on the monitor.

(7 spaces)

(DK, RF not allowed)

Programmer: *Programmers Note:*
The Serial Number should be within A000001 and Z999999.

AM_N31B INSTRUCTION: Re-scan the bar code on the activity monitor.

(7 spaces)

(DK, RF not allowed)

Programmer: *Programmers Note:*
The Serial Number should be within A000001 and Z999999.

AM_N32 INSTRUCTION: To log in the waybill number of the postage-paid envelope, scan the bar code on the envelope.

(13 spaces)

(DK, RF not allowed)

Programmer: *Programmers Note:*
The Waybill Number should be within AA000000001CA and ZZ999999999CA.

AM_R33 **On the morning of ^DateMailBackE, please put the activity monitor into this postage-paid envelope and put the envelope into any Canada Post mailbox. Full descriptions of what the activity monitor is, what it measures, how it works, and why it is important are included on the information sheet in the envelope. Should you have any questions or concerns, you will find a toll free number on this sheet.**

INSTRUCTION: Give the postage-paid envelope (addressed to Statistics Canada), the monitor and the information sheet to the respondent. Ensure they do not confuse this material with the Home Urine Collection material.

Inform the respondent that he/she will receive a reminder call to ensure he/she has started to wear the monitor and another call to remind him/her to return it.

Press <1> to continue.

Go to AM_END

AM_B33 Call the Reason not done Block (RND).

Programmer: *Pass along values 01-02-04-05-06-20 as parameters.*

AM_END

Urine Collection- Home (UCH)

UCH_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent's identifier
REPLICID: 8 digit respondent's replicate identifier
DRYRUN: If the respondent is selected as a dryrun

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
DateMailBackE: Date- 8 days after the clinic visit

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
CON_SEX: sex of the respondent
AM_N32: the waybill number of the postage-paid envelope
SCS_N12: Visit type
PHI_D12: Fasting status - confirmed at phlebotomy
PHB.ComponentCode: The component outcome code of the Phlebotomy component
ATG_D12: Fasting status - confirmed at screening
UC1_Q15: Whether the respondent wanted a urine collection hat

Screen Display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

UCH_N001

<u>INSTRUCTION</u>: Record whether a home urine sample kit is available.

1	Yes	
2	No	(Go to UCH_END)
DK		(Go to UCH_B60)
(RF not allowed)		

UCH_R005

We would like to better assess your nutritional intake of sodium, potassium and/or iodine. To do this, we would like to collect ^DT_SAMPQTYE urine sample^DT_MULTIPLEE which you will provide at home.

<u>INSTRUCTION</u>: Show the home urine collection package for display.

Press <1> to continue.

UCH_R010

^DT_SAMPDRYE should be provided ideally within the next 7 days and mailed back to us the same day. Do you have any questions before I read the detailed instructions?

INSTRUCTION: Answer any questions as thoroughly as possible.

Press <1> to continue.

Programmer: *Allow RF (Go to UCH_N065)*

UCH_R015

In ^DT_INSDRYE postage-paid envelope, you will find:
- A box
- A labelled urine container
- An absorbent sheet
- A plastic bag (including a second absorbent sheet)
- An instruction sheet

INSTRUCTION: Ensure respondent has entire contents of the urine sample kit. You can confirm the correct shipping address in the help text.

Press <1> to continue.

Help text:

HC-Nutrition Research Division
251 Sir Frederick Banting Driveway
2203E, Room D240
Ottawa, Ontario K1A 0L2

UCH_R020

^DT_SELFASTE

^DT_READREPE

INSTRUCTION: ^DT_SHEETE

Ensure respondent has a copy of the instructions after you finish reading them.

^DT_COLLECHATE

Press <1> to continue.

UCH_N025

INSTRUCTION: Record whether the respondent accepted a home urine sample kit.

1 Yes
2 No (Go to UCH_B060)
(DK, RF not allowed)

UCH_N035

INSTRUCTION: Press <1> to print the label^DT_MULTIPLEE.

Stick the label^DT_MULTIPLEE to the urine container^DT_MULTIPLEE.

1 Print the
label^DT_MULTIPLEE
(DK, RF not allowed)

Programmer: *The barcode portion of the label should be the CLINICID + DV_TESTID.*
The numeric portion of the label should be the CLINICID + DV_TESTID.

Label type 9

IF DRYRUN in (1,2), print a second label
The barcode portion of the label should be the RESPID + DV_TESTID.
The numeric portion of the label should be the RESPID + DV_TESTID.

Label type 9

UCH_N040 INSTRUCTION: Please scan the urine container.

|_|_|_|_|_|_|_|_|_|_|_|_|
(MIN: 60,000,000,010)
(MAX: 69,999,999,999)

(DK, RF not allowed)

UCH_C045 If DRYRUN in (1, 2), go to UCH_N045.
Otherwise, go to UCH_N050.

UCH_N045 INSTRUCTION: Please scan the second urine container.

|_|_|_|_|_|_|_|_|_|_|_|_|
(MIN: 60,000,000,010)
(MAX: 69,999,999,999)

(DK, RF not allowed)

UCH_N050 INSTRUCTION: To log in the waybill number of the postage-paid envelope, scan the bar code on the envelope.

(13 spaces)

(DK, RF not allowed)

Programmer: *The Waybill Number should be within AA000000001CA and ZZ999999999CA.*

UCH_C050A If DRYRUN in (1, 2), go to UCH_N050A.
Otherwise, go to UCH_E050A.

UCH_N050A INSTRUCTION: To log in the waybill number of the second postage-paid envelope, scan the bar code on the envelope.

(13 spaces)

(DK, RF not allowed)

Programmer: *The Waybill Number should be within AA000000001CA and ZZ999999999CA or EMPTY.*

UCH_R050

Please mail the sample^DT_MULTIPLEE in the provided envelope^DT_MULTIPLEE on ^DateMailBackE. Should you have any questions or concerns, you will find a toll free number at the bottom of the provided instruction sheet.

INSTRUCTION: Give home urine sample kit(s) to the respondent. Ensure they do not confuse this material with the Activity Monitor material.

Inform the respondent that he/she will receive a call to ensure that ^TWOSAMPLES mailed.

Press <1> to continue.

Go to UCH_END

UCH_B060

Call Reason Not Done Block (RND).

Programmer:

Pass along values 01-02-04-05-06-20 as parameters.

Go to UCH_END

UCH_N065

INSTRUCTION: Record the reason why the respondent is not willing to provide a home urine sample.

1 Burden
2 Invasive
3 Away during collection period
4 Health problem
5 Other - Specify (Go to UCH_S065)
(DK, RF not allowed)

Go to UCH_END

UCH_S065

(Record the reason why the respondent is not willing to provide a urine sample.)

INSTRUCTION: Specify.

_____

(80 spaces)

(DK, RF not allowed)

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

UCH_END

Urine Collection 2 (UC2)

UC2_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: visit type
DDN_D6: Urine volume

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex : ^GenderE

UC2_N05

INSTRUCTION: Press 1 to print urine label

1 Continue
(DK, RF not allowed)

Programmer:

The bar code portion of the label should be the CLINICID.
The printed portion of the label should consist of the CLINICID + ShortRespName + DDN_D6
LABEL TYPE = 3

UC2_N10

INSTRUCTION: Record whether the respondent provided a second urine sample.

1 Yes
2 No
(DK, RF not allowed)

UC2_C10

If UC2_N10 = 1, go to UC2_END.
Otherwise, go to UC2_B30.

UC2_B30

Call Reason Not Done Block (RND).

Programmer:

Pass along values 03-06-10-20 as parameters.

UC2_END

Exit Component Introduction (ECI)

ECI_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
SCS_N12: visit type

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

ECI_R01

Before you leave, we have a few administrative steps.

INSTRUCTION: Press <1> to continue.

ECI_END

Exit Consent Questions (ECQ)

ECQ_BEG	Content block External variables required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier CPROV: province of residence LNKFLG: flag indicating whether consent to link will be asked or whether a linkage text will be read (1 = linkage question; 2 = linkage statement) Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: name of respondent RespondentFirstName: first name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent DryRun: whether the case is a dry run case CON_SEX: sex of the respondent Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
ECQ_C11	If DryRun in (1, 2), go to ECQ_END. Otherwise, go to ECQ_D11A.
ECQ_C12	If LNKFLG = 1, go to ECQ_Q12A. Otherwise, go to ECQ_Q13A.
Tag:	*For cycle 6, only the linkage statement (ECQ_Q13A) will be used.*
ECQ_Q12A	**Statistics Canada may combine information about [you/^RespondentFirstName] collected during this survey with information from other surveys or from administrative data sources.** **The results will be used for statistical purposes only.** **Do we have your permission to combine this information?**

1	Yes	(Go to ECQ_Q14)
2	No	(Go to ECQ_D21)
DK, RF		(Go to ECQ_D21)

Help text:

CHMS data could be combined with the respondent's information from:
- the Provincial Ministry of Health;
- Health registries or other recognized health organizations.

This would include information on the respondent's past and continuing use of:
- services provided at hospitals, clinics and doctors' offices;
- other health services provided by the province.

Tag:

The preceding question will not be asked in cycle 6.

ECQ_Q13A

Statistics Canada may combine information about [you/^RespondentFirstName] collected during this survey with information from other surveys or from administrative data sources.

The results will be used for statistical purposes only.

INSTRUCTION: Press <1> unless the respondent objects to combining the information.

1	Continue	
2	Respondent does not want the information combined with other data sources	(Go to ECQ_D21)
DK, RF		(Go to ECQ_D21)

Help text:

CHMS data could be combined with the respondent's information from:
- the Provincial Ministry of Health;
- health registries or other recognized health organizations.

This would include information on the respondent's past and continuing use of:
- services provided at hospitals, clinics and doctors' offices;
- other health services provided by the province.

ECQ_Q14

Having a [provincial/territorial] health number will assist Statistics Canada in linking the survey data to the [provincial/territorial] health information.
[Do you/Does ^RespondentFirstName] have a(n) [Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/Northwest Territories/Nunavut] health number?

1	Yes	(Go to ECQ_D16A)
2	No	
DK, RF		(Go to ECQ_D21)

ECQ_Q15

For which province or territory is [your/^RespondentFirstName's] health number?

10	Newfoundland and Labrador	
11	Prince Edward Island	
12	Nova Scotia	
13	New Brunswick	
24	Quebec	
35	Ontario	
46	Manitoba	
47	Saskatchewan	
48	Alberta	
59	British Columbia	
60	Yukon	
61	Northwest Territories	
62	Nunavut	
88	Does not have a Canadian health number	(Go to ECQ_D21)
DK, RF		(Go to ECQ_D21)

ECQ_B16 Call the Health number validation (HN) block.

ECQ_R21 **To avoid duplication of surveys, Statistics Canada has signed agreements to share the data from this survey with Health Canada and the Public Health Agency of Canada.**

They have agreed to keep the data confidential and use it only for statistical purposes.

With the exception of the postal code, [your name, telephone number, health number and address/your name, telephone number, and address/^RespondentFirstName's name, telephone number, health number and address/^RespondentFirstName's name, telephone number, and address] will not be shared.

INSTRUCTION: Press <1> to continue.

ECQ_Q22 **Do you agree to share the data with Health Canada and the Public Health Agency of Canada?**

1 Yes
2 No
DK, RF

ECQ_END

Contact (CONT)

CONT_BEG	Content block External fields required: Variables taken from sample file: STAND: name of the city/town/village in which the clinic has been set up CLINICID: 8 digit respondent identifier Variables assigned in Variable Creation (Appendix II): CurrentYear: numeric year during which clinic visit is taking place CurrentMonth: numeric month during which clinic visit is taking place CurrentDay: numeric day during which clinic visit is taking place DryRun: indicator of whether the case is a dry run case SessionE: English text of when the clinic visit is taking place Variables from previously completed blocks: RespondentName: first and last name of respondent GenderE: English text for sex of respondent CON_AGE: age of respondent CON_SEX: sex of respondent Screen display: The following header should be displayed for each question: Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE
CONT_C01	If DryRun in (1, 2), go to CONT_END. Otherwise, go to CONT_Q01.
CONT_Q01	**We may want to contact your household in a number of years to ask about your participation in a follow-up to this survey.** **Do we have your permission to contact you?** 1 Yes 2 No (DK not allowed) RF
CONT_C03B	If CONT_Q01 = 2 or RF, go to CONT_END. Otherwise, go to CONT_Q03.
CONT_Q03	**In case you move or change telephone number(s), it would be helpful if you could provide the name, telephone number, email address and address of a relative or friend who could help us to contact you.**

INSTRUCTION: Press <1> to continue.

1 Continue
(DK not allowed)
RF

CONT_C04

If CONT_Q03 = RF, go to CONT_END.
Otherwise, go to CONT_B05.

CONT_B05

Call the Get Contact Name (GCN) block. See Appendix I.

Programmer:

Pass the following parameters:
*DV_QTEXT_E = "**I want to emphasize that we will contact this person only if we experience difficulty reaching you**. "*

CONT_C05

If CONT_B05.GCN_Q02 = 1, go to CONT_END.
Otherwise, go to CONT_D05.

CONT_B06

Call the New Address block (NAD). See Appendix I.

Programmer:

Pass the following parameters:
*DV_QTEXT_E = "**What is the address for ^CONT1_NAMEE?**"*
LISTINGADFLAG = 2 (No)
NONCANADFLAG = 1 (Yes)
ASKDESCRIPTION = 1 (Yes)

CONT_C07

If CONT_B06.Province = 77 "Outside of Canada and U.S.A.", go to CONT_B08.
Otherwise, go to CONT_B07.

CONT_B07

Call the North American Telephone block (NATP). See Appendix I.

Go to CONT_B08A

Programmer:

Pass the following parameters:
*DV_QTEXT_E = "**What is the telephone number for ^CONT1_NAMEE, including the area code?**"*
ASKEXT = 2 (No).

CONT_B08

Call the Overseas Telephone block (OSTP). See Appendix I.

Programmer:

Pass the following parameters:
*DV_QTEXT_E = "**What is the telephone number for ^CONT1_NAMEE, including the area code?**"*

CONT_B08A

Call the Email Address block (EA). See Appendix I.

Programmer:

Pass the following parameters:

TARGET = NONRESPONDENT
SPECRESPFNAME= CONT1_NAMEE
EMAILADDRESS=EMPTY

CONT_B09

Call the Get Contact Name block (GCN). See Appendix I.

Programmer:

Pass the following parameters:
*DV_QTEXT_E = "**Is there someone else we could call to help us contact you? Again, we will contact this person only if we experience difficulty reaching you and then only to obtain the new address and telephone number**. "*

CONT_C09	If CONT_B09.GCN_Q02 = 1, go to CONT_END. Otherwise, go to CONT_D09.
CONT_B10	Call the New Address block (NAD). See Appendix I.
Programmer:	*Pass the following parameters:* *DV_QTEXT_E = "**What is the address for ^CONT2_NAMEE?**"* *LISTINGADFLAG = 2 (No)* *NONCANADFLAG = 1 (Yes)* *ASKDESCRIPTION = 1 (Yes)*
CONT_C11	If CONT_B10.Province = 77 "Outside of Canada and U.S.A.", go to CONT_B12. Otherwise, go to CONT_B11.
CONT_B11	Call the North American Telephone block (NATP). See Appendix I. Go to CONT_B15
Programmer:	*Pass the following parameters:* *DV_QTEXT_E = "**What is the telephone number for ^CONT2_NAMEE, including the area code?**"* *ASKEXT = 2 (No).*
CONT_B12	Call the Overseas Telephone block (OSTP). See Appendix I.
Programmer:	*Pass the following parameters:* *DV_QTEXT_E = "**What is the telephone number for ^CONT2_NAMEE, including the area code?**"*
CONT_B15	Call the Email Address block (EA). See Appendix I.
Programmer:	*Pass the following parameters:* *TARGET = NONRESPONDENT* *SPECRESPFNAME= CONT2_NAMEE* *EMAILADDRESS=EMPTY*
CONT_END	

Clinic Sign-Out (CSO)

CSO_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place
DryRun: indicator of whether the case is a dry run case

Variables output from previously completed blocks:
RespondentName: name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
RespondentFirstnName: first name of respondent
LNG_N11: respondent's preferred official language
SCS_N12: visit type
DT_REP11TEXTE : Dynamic text from REP block
("^RespondentFirstName's"/"your")
RespondentName: first and last name of the respondent
NSC_N15: whether it is a fictitious name

Screen display:
The following header should be displayed for each question:
Stand: ^STAND Date: ^CurrentDate Session: essionE Comp: ^CompE
Clinic ID: ^ClinicID Name: ^RespondentName Age: ^CON_AGE Sex: ^GenderE

CSO_R11A

Thank you for participating in the survey. Here is ^DT_REP11TEXTE Report of physical measurements containing the results for some of the tests [he/she/you] performed today.

<u>INSTRUCTION</u>: Provide the respondent with his/her Report of physical measurements.

Briefly review the report with the respondent, identifying each section and explaining where the results and interpretations can be found.

Press <1> to continue.

CSO_R11B

Do you have any questions about this report? If you would like, a Health Measures Specialist can spend a few minutes reviewing the test results with you now.

INSTRUCTION: If a respondent has questions, ask a Health Measures Specialist to answer any questions about the test results.

Press <1> to continue.

CSO_R12

We will send the final report of ^DT_REP11TEXTE test results in 6 to 7 months. [If you move, please inform us by phoning or e-mailing us/If you move, please inform us by e-mail or by returning this change of address card]

INSTRUCTION: Press <1> to continue.

CSO_C21

If DryRun in (1, 2), go to CSO_N23.
Otherwise, go to CSO_N22.

CSO_N22

INSTRUCTION: Record whether ^RespondentName is to receive the standard reimbursement of $100.

1 Yes (Go to CSO_D23)
2 No
(DK, RF not allowed)

CSO_N23

INSTRUCTION: Record the reimbursement amount.

|_|_|_| Amount (in dollars)
(MIN: 0)
(MAX: 300)

(DK, RF not allowed)

CSO_C24A

If DryRun = 3, go to CSO_C24C.
Otherwise, go to CSO_C24B.

CSO_C24B

If (DryRun = 1 or 2) and CSO_D23 > 0, go to CSO_N24.
Otherwise, go to CSO_END.

CSO_C24C

If DryRun = 3 and CSO_D23 > 100, go to CSO_N25.
Otherwise, go to CSO_D30.

CSO_N24

INSTRUCTION: Specify the reason why a reimbursement is being disbursed to a dry-run participant.

(80 spaces)

(DK, RF not allowed)

Go to CSO_D30

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

CSO_N25

INSTRUCTION: Specify the reason why a reimbursement in excess of $100 is being disbursed.

(80 spaces)

(DK, RF not allowed)

Programmer: *Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.*

CSO_N30

INSTRUCTION: Press <1> to print the Reimbursement form.

1 Print the form
(DK, RF not allowed)

Programmer:

```
IF LNG_N11 = 1 THEN
        Print the English Reimbursement form (Reimbursement_Form_E.docx)
ELSE
        Print the French Reimbursement form (Reimbursement_Form_F.docx)

ENDIF
```

The CurrentSMIDName used for the site manager needs to be the first level 3 found in the LOG block from the Interface.

```
IF CSO_N30 = RESPONSE AND DATE_D24 = EMPTY THEN
    DATE_D24   := SYSDATE
    TIME_D24   := SYSTIME
ENDIF
```

CSO_R31

Before you leave, I would like to provide you with a reimbursement of the expenses for ^DT_REP11TEXTE participation in the clinic portion of the survey. I need you to sign this form, which indicates that you received the reimbursement.

INSTRUCTION: Provide the **[respondent/parent or guardian]** with the Reimbursement Form.

When the **[respondent/parent or guardian]** returns the form, check to ensure that all requested information has been filled in and is legible.

Sign the form as the witness.

Press <1> to continue.

CSO_END

Date (DATE)

CAI standard block

Overview: The Date block collects a date as three separate fields in order by day, month, and year. Specific question text varies on the context.

DATE_BEG

Import the following variables:

DV_QTEXT_E (Question text)

DATE_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the day.
If necessary, ask: (**What is the day?**)

|_|_|
(MIN: 1)
(MAX: 31)

DK, RF

DATE_Q02

(^DV_QTEXT_E)

INTERVIEWER: Select the month.
If necessary, ask: (**What is the month?**)

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
DK, RF

DATE_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter a four digit year.
If necessary, ask (**What is the year?**)

|_|_|_|_|
(MIN: 0)
(MAX: 9,997)

DK, RF

DATE_END

North American Telephone (NATP)

CAI standard block

Overview: The North American Telephone block is called from within other blocks. Only a telephone number is collected.

NATP_BEG

Import the following variables:

DV_QTEXT_E (Question Text)
ASKEXT tYesNo

NATP_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the area code.
If necessary, ask: (**What is the area code?**)
Enter "000" if no telephone.

|_|_|_|
(MIN: 0)
(MAX: 995)

DK, RF (Go to NATP_Q02)

Help text:

Functionality:
If an area code outside of Canada and the United States is entered, a soft edit will be triggered for confirmation.

NATP_C01

If NATP_Q01 = "0", fill NATP_Q02 with "0", go to NATP_END.
Otherwise, go to NATP_E01A.

NATP_Q02

(^DV_QTEXT_E)

INTERVIEWER: Enter the telephone number.
If necessary, ask: (**What is the telephone number?**)

|_|_|_|_|_|_|_|
(MIN: 0)
(MAX: 9,999,995)

DK, RF (Go to NATP_END)

NATP_C03

If NATP_Q02 = DK, RF or "0000000" or ASKEXT = No, go to NATP_END.
Otherwise, go to NATP_Q03.

NATP_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter the extension, if applicable.

(6 spaces)

DK, RF

Help text:

Procedure:
If no extension, leave the EXT field blank (i.e., press <Enter>).

Programmer:

The extension field can be left empty.

NATP_END

Overseas Telephone (OSTP)

CAI standard block

Overview: The Overseas Telephone block is called from within other blocks. Only a telephone number is collected.

OSTP_BEG

Import the following variables:

DV_QTEXT_E (Question Text)

OSTP_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the country code.
If necessary, ask: (**What is the country code?**)
Enter "000" if no telephone.

(3 spaces)

DK, RF (Go to OSTP_Q02)

OSTP_C01

If OSTP_Q01 = "000", fill OSTP_Q02 with "0000" and OSTP_Q03 with "0000000", go to OSTP_END.
Otherwise, go to OSTP_Q02.

OSTP_Q02

(^DV_QTEXT_E)

INTERVIEWER: Enter the city code (if required).
If necessary, ask: (**What is the city code?**)

(4 spaces)

DK, RF

Help text:

Procedure:
If a city code is not required, leave the field blank (i.e., press <Enter>)

OSTP_C02

If OSTP_Q02 = "blank", go to OSTP_Q03.
Otherwise, go to OSTP_Q03.

OSTP_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter the telephone number.
If necessary, ask: (**What is the telephone number?**)

(8 spaces)

DK, RF

OSTP_END

New Address (NAD)

CAI standard block

Overview: The Address block is called from within other blocks. Only an address is collected. Note that surveys may choose whether or not to collect US addresses.

NAD_BEG

Import the following variables:

DV_QTEXT_E (QuestionText)
LISTINGADFLAG tYesNo
NONCANADFLAG tYesNo
ASKDESCIPTION tYesNo

NAD_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the civic number.
If necessary, ask: (**What is the civic number?**)

(6 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If a rural descriptive address, leave the field blank (i.e., press <Enter>).

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C01

If DK or RF is entered and LISTINGADFLAG <> Yes, go to NAD_N01. Otherwise, go to NAD_Q02.

NAD_N01

INTERVIEWER: Do you wish to skip the remaining address fields?

1 Yes (Go to NAD_END)
2 No
(DK, RF not allowed)

Help text:

Purpose:
To allow the remaining Address questions to be skipped.
Asked only if <F5> "Refusal" or <F6> "Don't Know" was used on NAD_Q01.

Procedure:
Select "Yes" to skip the remaining Address fields.

Programmer:

If "Yes" is selected, fill address fields with DK or RF (based on the response to NAD_Q01) and go to NAD_END.

NAD_Q02

(^DV_QTEXT_E)

INTERVIEWER: Enter the civic suffix.
If necessary, ask: (**What is the civic suffix**?)

(3 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no civic suffix, leave the field blank (i.e., press <Enter>).

NAD_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter the street name.
If necessary, ask: (**What is the street name**?)

(50 spaces)

DK, RF
Null is allowed

Help text:

Purpose:
To collect the street name.

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Procedure:
If a rural descriptive address, leave the field blank (i.e., press <Enter>).

NAD_Q04

(^DV_QTEXT_E)

INTERVIEWER: Enter the street type.
If necessary, ask: (**What is the street type?**)

(20 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no street type, leave the field blank (i.e., press <Enter>).

Programmer:

The filed NAD_Q04 is a look-up table for the street type. Here is the content of the lookup table:

ID	*TYPE*	*ABREVIATION*
0	*	
1	*ABBEY*	*ABBEY*
2	*ACCESS*	*ACCESS*
3	*ACRES*	*ACRES*
4	*ALLÉE*	*ALLÉE*
5	*ALLEY*	*ALLEY*
6	*AUT*	*AUT*
7	*AUTOROUTE*	*AUT*
8	*AV*	*AV*
9	*AVE*	*AVE*
10	*AVENUE*	*AVENUE*
11	*BAY*	*BAY*
12	*BEACH*	*BEACH*
13	*BEND*	*BEND*
14	*BLVD*	*BLVD*
15	*BOUL*	*BOUL*
16	*BOULEVARD*	*BLVD*
17	*BROOK*	*BROOK*
18	*BYPASS*	*BYPASS*
19	*BY-PASS*	*BYPASS*
20	*BYWAY*	*BYWAY*
21	*C*	*C*
22	*CAMPUS*	*CAMPUS*
23	*CAPE*	*CAPE*
24	*CAR*	*CAR*
25	*CARRÉ*	*CARRÉ*
26	*CARREF*	*CARREF*
27	*CARREFOUR*	*CARREF*
28	*CDS*	*CDS*
29	*CENTRE*	*CENTRE*
30	*CENTER*	*CENTER*
31	*CERCLE*	*CERCLE*
32	*CH*	*CH*
33	*CHASE*	*CHASE*
34	*CHEMIN*	*CHEMIN*
35	*CIR*	*CIR*
36	*CIRCLE*	*CIRCLE*
37	*CIRCT*	*CIRCT*
38	*CIRCUIT*	*CIRCT*
39	*CLOSE*	*CLOSE*
40	*COMMON*	*COMMON*
41	*CONC*	*CONC*
42	*CONCESSION*	*CONC*
43	*CORNERS CRNRS*	
44	*CÔTE*	*CÔTE*
45	*COUR*	*COUR*
46	*COURS*	*COURS*
47	*COURT*	*COURT*
48	*COVE*	*COVE*
49	*CRES*	*CRES*
50	*CRESCENT*	*CRES*
51	*CREST*	*CREST*
52	*CRNRS*	*CRNRS*
53	*CROFT*	*CROFT*
54	*CROIS*	*CROIS*
55	*CROISSANT*	*CROIS*
56	*CROSS*	*CROSS*
57	*CROSSING*	*CROSS*
58	*CROSSROAD*	*CRSSRD*
59	*CRSSRD*	*CRSSRD*
60	*CRT*	*CRT*
61	*CTR*	*CTR*
62	*CUL-DE-SAC*	*CDS*
63	*DALE*	*DALE*

64	DELL	DELL
65	DIVERS	DIVERS
66	DIVERSION	DIVERS
67	DOWNS	DOWNS
68	DR	DR
69	DRIVE	DRIVE
70	ECH	ÉCH
71	ECHANGEUR	ÉCH
72	END	END
73	ESPL	ESPL
74	ESPLANADE	ESPL
75	ESTATE	ESTATE
76	ESTATES	ESTATE
77	EXPRESSWAY	EXPY
78	EXPY	EXPY
79	EXTEN	EXTEN
80	EXTENSION	EXTEN
81	FARM	FARM
82	FIELD	FIELD
83	FOREST	FOREST
84	FREEWAY	FWY
85	FRONT	FRONT
86	FWY	FWY
87	GARDENS	GDNS
88	GATE	GATE
89	GDNS	GDNS
90	GLADE	GLADE
91	GLEN	GLEN
92	GREEN	GREEN
93	GRNDS	GRNDS
94	GROUNDS	GRNDS
95	GROVE	GROVE
96	HARBOUR	HARBR
97	HARBR	HARBR
98	HAVEN	HAVEN
99	HEATH	HEATH
100	HEIGHTS	HTS
101	HGHLDS	HGHLDS
102	HIGHLANDS	HGHLDS
103	HIGHWAY	HWY
104	HILL	HILL
105	HOLLOW	HOLLOW
106	HTS	HTS
107	HWY	HWY
108	ILE	ÎLE
110	IMP	IMP
111	IMPASSE	IMP
112	INLET	INLET
113	ISLAND	ISLAND
114	KEY	KEY
115	KNOLL	KNOLL
116	LANDING	LANDNG
117	LANDNG	LANDNG
118	LANE	LANE
119	LANEWAY	LANEWY
120	LANEWY	LANEWY
121	LIMITS	LIMITS
122	LINE	LINE
123	LINK	LINK
124	LKOUT	LKOUT
125	LMTS	LMTS
126	LOOKOUT	LKOUT
127	LOOP	LOOP
128	MALL	MALL
129	MANOR	MANOR
130	MAZE	MAZE
131	MEADOW	MEADOW
132	MEWS	MEWS

133	MONTÉE	MONTÉE
135	MOUNT	MOUNT
136	MOUNTAIN	MOUNT
137	MTN	MTN
138	ORCH	ORCH
139	ORCHARD	ORCH
140	PARADE	PARADE
141	PARC	PARC
142	PARK	PARK
143	PARKWAY	PKY
144	PASS	PASS
145	PASSAGE PASS	
146	PATH	PATH
147	PATHWAYPATH	
148	PINES	PINES
149	PK	PK
150	PKY	PKY
151	PL	PL
152	PLACE	PLACE
153	PLAT	PLAT
154	PLATEAU PLAT	
155	PLAZA	PLAZA
156	POINT	POINT
157	POINTE	POINTE
158	PORT	PORT
159	PRIVATE	PVT
160	PROM	PROM
161	PROMENADE	PROM
162	PT	PT
163	PTWAY	PTWAY
164	PVT	PVT
165	QUAI	QUAI
166	QUAY	QUAY
167	RAMP	RAMP
168	RANG	RANG
169	RANGE	RANGE
170	RD	RD
171	RDPT	RDPT
172	REACH	REACH
173	RG	RG
174	RIDGE	RIDGE
175	RIGHT OF WAY	RTOFWY
176	RISE	RISE
177	RLE	RLE
178	ROAD	ROAD
179	ROND POINT	RDPT
180	ROUTE	ROUTE
181	ROW	ROW
182	RTE	RTE
183	RTOFWY	RTOFWY
184	RUE	RUE
185	RUELLE	RUELLE
187	RUN	RUN
188	SECTION	SECTN
189	SECTN	SECTN
190	SENT	SENT
191	SENTIER	SENT
192	SIDERD	SIDERD
193	SIDEROAD	SIDERD
194	SQ	SQ
195	SQUARE	SQUARE
196	ST	ST
197	STREET	STREET
198	STROLL	STROLL
199	SUBDIV	SUBDIV
200	SUBDIVISION	SUBDIV
201	TERR	TERR
202	TERRACE TERR	

203	*TERRASSE TSSE*	
205	*THICKET*	*THICK*
206	*TLINE*	*TLINE*
207	*TOWERS TOWERS*	
208	*TOWNLINE*	*TLINE*
209	*TRACE*	*TRACE*
210	*TRAIL*	*TRAIL*
211	*TRNABT*	*TRNABT*
212	*TRUNK*	*TRUNK*
213	*TSSE*	*TSSE*
214	*TURNABOUT*	*TRNABT*
215	*VALE*	*VALE*
216	*VIA*	*VIA*
217	*VIEW*	*VIEW*
218	*VILLAGE*	*VILLGE*
219	*VILLAS*	*VILLAS*
220	*VILLGE*	*VILLGE*
221	*VISTA*	*VISTA*
222	*VOIE*	*VOIE*
223	*WALK*	*WALK*
224	*WAY*	*WAY*
225	*WHARF*	*WHARF*
226	*WOOD*	*WOOD*
227	*WYND*	*WYND*
228	*ÉCH*	*ÉCH*
229	*ÉCHANGEUR*	*ÉCH*
230	*ÎLE*	*ÎLE*
231	*AIRE*	*AIRE*
232	*BAIE*	*BAIE*
233	*BRGE*	*BRGE*
234	*DRPASS*	*DRPASS*
235	*FSR*	*FSR*
236	*PEAK*	*PEAK*

NAD_Q05

(^DV_QTEXT_E)

INTERVIEWER: Enter the street direction.
If necessary, ask: (**What is the street direction?**)

(2 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no street direction, leave the field blank (i.e., press <Enter>).

NAD_Q06

(^DV_QTEXT_E)

INTERVIEWER: Enter the apartment number.
If necessary, ask: (**What is the apartment number?**)

(6 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no apartment number, leave the field blank (i.e., press <Enter>).

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_Q07

(^DV_QTEXT_E)

INTERVIEWER: Enter the city, town, village or municipality.
If necessary, ask: (**What is the city, town, village or municipality?**)

(35 spaces)

(DK, RF not allowed)

Help text:

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_Q08

(^DV_QTEXT_E)

INTERVIEWER: Enter the postal code. **[Blank/If the address is outside Canada, press <Enter>]**
If necessary, ask: (**What is the postal code?**)

(6 spaces)

DK, RF (Go to NAD_Q10)
Null is allowed

Go to NAD_E08A

Help text:

Procedure:
If the respondent is unsure or is unwilling to provide the full postal code, ask for the first three characters.
If the address is outside of Canada, leave the field blank (i.e., press <Enter>).

Functionality:
Several format edits are applied on the postal code entered.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C09

If first character of the postal code is « X », go to NAD_D10.
Otherwise, go to .

NAD_Q09

(^DV_QTEXT_E)

INTERVIEWER: Confirm that the **[territory/province]** is **[Newfoundland and Labrador/Nova Scotia/Prince Edward Island/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon]**.
If necessary, ask: (**So [territory/province] is [Newfoundland and Labrador/Nova Scotia/Prince Edward Island/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon]?**)

1 Yes (Go to NAD_END)
2 No
(DK, RF not allowed)

Help text:

Purpose:
To confirm the province or territory based on the postal code that was entered.

Functionality:
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

NAD_Q10

(^DV_QTEXT_E)

INTERVIEWER: Select the province or territory.
If necessary, ask: (**What is the province or territory?**)

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
76 **[U.S.A./" "]**
77 **[Outside of Canada and U.S.A./" "]**
(DK, RF not allowed)

Help text:

Purpose:
To collect the province or territory when a postal code was not collected or not confirmed.

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

The above is the full list of possible locations that can be displayed. Surveys may select a sub-set of the list (i.e., codes 76 and 77 can be removed from the list).

NAD_C11	If 76 "U.S.A." is selected and NONCANADFLAG ne Yes, go to NAD_Q11. Otherwise, go to NAD_END.
NAD_Q11	**(^DV_QTEXT_E)**

INTERVIEWER: Select the state.
If necessary, ask: (**What is the state?**)

01 Alabama
02 Alaska
03 Arizona
04 Arkansas
05 California
06 Colorado
07 Connecticut
08 Delaware
09 District of Columbia
10 Florida
11 Georgia
12 Hawaï
13 Idaho
14 Illinois
15 Indiana
16 Iowa
17 Kansas
18 Kentucky
19 Louisiana
20 Maine
21 Maryland
22 Massachusetts
23 Michigan
24 Minnesota
25 Mississippi
26 Missouri
27 Montana
28 Nebraska
29 Nevada
30 New Hampshire
31 New Jersey
32 New Mexico
33 New York
34 North Carolina
35 North Dakota
36 Ohio
37 Oklahoma
38 Oregon
39 Pennsylvania
40 Rhode Island
41 South Carolina
42 South Dakota
43 Tennessee
44 Texas
45 Utah
46 Vermont
47 Virginia
48 Washington
49 West Virginia
50 Wisconsin
51 Wyoming
(DK, RF not allowed)

Help text:

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

NAD_Q12

(^DV_QTEXT_E)

INTERVIEWER: Enter only a US zip code.
If necessary, ask: (**What is the zip code?**)

(12 spaces)

DK, RF (Go to NAD_END)

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C13

If ASKDESCRIPTION = 1 (Yes)) and (NAD_Q01= (Empty, DK or RF) or NAD_Q03= (Empty, DK or RF)), go to NAD_Q13.
Otherwise, go to NAD_END.

NAD_Q13

(^DV_QTEXT_E)

INTERVIEWER: Enter the rural description.
If necessary, ask: (**What is the rural description**?)

(60 spaces)

DK, RF
Null is allowed

Help text:

Purpose:
To collect the rural description.

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_END

Health Number Validation (HN)

Core content

HN_BEG

Content block

External variables required:

Variables taken from sample file:
STAND: name of the city/town/village in which the clinic has been set up
CLINICID: 8 digit respondent identifier
CPROV: province of residence

Variables assigned in Variable Creation (Appendix II):
CurrentYear: numeric year during which clinic visit is taking place
CurrentMonth: numeric month during which clinic visit is taking place
CurrentDay: numeric day during which clinic visit is taking place
SessionE: English text of when the clinic visit is taking place

Variables from previously completed blocks: RespondentName: name of respondent RespondentFirstName: first name of respondent
GenderE: English text for sex of respondent
CON_AGE: age of respondent
CON_SEX: sex of the respondent
DV_HNPROV: Province of respondent's health card.

Screen display:
The following header should be displayed for each question: Stand : ^STAND Date : ^CurrentDate Session : essionE Comp : ^CompE Clinic ID : ^ClinicID Name : ^RespondentName Age : ^CON_AGE Sex : ^GenderE

HN_Q005

What is [your/his/her] health number?

INSTRUCTION: Enter a health number for **[Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/the Northwest Territories/Nunavut]**. In **[Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/the Northwest Territories/Nunavut]**, the health number is made up of **[twelve numbers/eight numbers/ten numbers/nine numbers/four letters followed by eight numbers/ten numbers. Do not include the two letters at the end for green health cards/nine numbers, beginning with 002/one letter followed by seven numbers]**. Do not insert blanks, hyphens or commas between the numbers. Field entry could varies from 8-12 characters depending on the province.

[Note: In Manitoba, health numbers of families can be listed on the same card. Be sure to capture the intended respondent's health number if there is more than one on the card. /Note: In British Columbia, residents may have a combined driver's license and health card. If the respondent has a combined card, the health number is on the back above the barcode./null]

(12 spaces)

DK, RF (Go to HN_END)

Programmer: *Response can only be a maximum length of the corresponding DV_HNPROV variable. Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.*

HN_N005B

INSTRUCTION: Re-enter the health number.

(12 spaces)

(DK, RF not allowed)

Programmer: *Derive the flag DV_HNGood using the HN validation algorithm in the document Health Number Validation / Verification des numéros de carte santé, SDD, February 20, 2008 (last update August 13, 2013).*

HN_END

Electronic Address (EA)

CAI standard block

Overview: This block is used to confirm or collect the electronic address.

EA_BEG

Call block

External variables required:

Variables taken from sample file:
EMAILADDRESS: specific respondent's e-mail address (as provided in a previous interview or survey)

Variables from previously completed blocks:
TARGET: indicates who is intended to respond (Optional; used only in clinic)
SPECRESPFNAME: the first name of the person who's email address is being collected.
PROXYSEX: gender of selected respondent and whether the interview is being conducted by proxy
1 = male, non-proxy
2 = female, non-proxy
3 = male, proxy
4 = female, proxy

EA_C01

If EMAILADDRESS = DK, RF or EMPTY, go to EA_Q02.
Otherwise, go to EA_D01.

EA_Q01

I would like to confirm ^DT_YOUR2 e-mail address.
Is it ^EMAILADDRESS?

<u>INSTRUCTION</u>: Read the e-mail address character by character.

1	Yes	
2	No	
DK, RF		(Go to EA_END)

Programmer: *Pre-fill the question text with the appropriate respondent name and e-mail address.*

EA_C02

If EA_Q01 = 1 (Yes), go to EA_END.
Otherwise, go to EA_Q02.

EA_Q02

What is ^DT_YOUR2 e-mail address?

INSTRUCTION: Ask about upper and lower case, special characters, etc.

(80 spaces)

DK, RF (Go to EA_END)

Help text:

Email address must follow the format: name@domain.type

*Name may contain only the following: letters (upper or lower case, no accents), numbers, or ! ' & . - + * $ % ^ _(no blank spaces)*

Domain may contain only:
(a) sequences of 1-3 numbers with a period (.) between them (e.g. 123.53.233) OR
(b) sequences of letters (upper or lower case, no accents) or numbers with a period (.) between each sequence; each sequence must contain at least one letter (e.g. statcan.gc)
May also contain the hyphen symbol "-", no blank spaces allowed.
Optionally, domain may begin with the character [

Type may contain only:
(a) 1-3 numbers OR
(b) 2-4 letters (e.g. com, org, net, ca)
Optionally, type may end with the character]

Programmer:

Any lower case text characters typed into the field should NOT be converted to upper case text characters after <Enter> is pressed.

EA_Q03

I would like to confirm the e-mail address.
Is it ^EA_Q02?

INSTRUCTION: Read the e-mail address character by character.

1	Yes	(Go to EA_END)
2	No	
DK, RF		(Go to EA_END)

EA_END

Get Contact Name (GCN)

CAI standard block

Overview: The Get Contact Name block is used to collect the name of a contact from outside the household. It is called in the CON1, CON2, CCN1, and CCN2 blocks.

GCN_BEG

Import the following variables:

DV_QTEXT_E (Question text)

GCN_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the first name.

(50 spaces)

DK, RF (Go to GCN_Q02)

Go to GCN_Q03

Programmer: *Pre-fill the response area with the appropriate contact information (if available).*

GCN_Q02

(^DV_QTEXT_E)

INTERVIEWER: Do you wish to skip the remaining contact fields?

1 Yes (Go to GCN_END)
2 No
(DK, RF not allowed)

Help text:

Purpose:
To allow the remaining Contact questions to be skipped.
Asked only if <F5> "Refusal" or <F6> "Don't Know" was used on the first name question.

Procedure:
Select "Yes" to skip the remaining Contact fields.

Programmer: *If "Yes" is selected, fill contact fields with DK or RF (based on the response to GCN_Q01).*

GCN_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter the last name.

(50 spaces)

DK, RF

Programmer: *Pre-fill the response area with the appropriate contact information (if available).*

GCN_END

Respondent Verification (CRVB)

CRVB_BEG	Respondent Verification Component
CRVB_B005	Call Respondent Verification (RVB)
CRVB_B010	CallName Spelling Confirmation (NSC)
CRVB_B015	Call Sex Confirmation (SXC)
CRVB_B020	Call Confirmation of Birth Date (DDN)
CRVB_B025	Call DDN1 (DDN1)
CRVB_B030	Call DDN3 (DDN3)
CRVB_B035	Call Language Confirmation (LNG)
CRVB_B040	Call Respondent Verification Component End (RVC)
CRVB_END	

Consent (CCON)

CCON_BEG	Consent Component
CCON_B005	Call Consent (CON)
CCON_B010	Call Report (REP)
CCON_B015	Call Urgent Condition (URG)
CCON_B025	Call Consent Component End (COC)
CCON_END	

Urine Collection 1 (CUC1)

CUC1_BEG	Urine Collection 1 Component
CUC1_B050	Call Urine Collection 1 (UC1)
CUC1_B010	Call Urine Collection 1 Component End (U1E)
CUC1_END	

Screening (CSCR)

CSCR_BEG	Screening Component
CSCR_B005	Call Screening Component Introduction (SCI)
CSCR_B010	Call Adherence to Guidelines (ATG)
CSCR_B015	Call Physical and Health Conditions (PHC)
CSCR_B020	Call Women's Health Restrictions (WHR)
CSCR_B025	Call Physical Activity Restrictions (PHR)
CSCR_B030	Call Bone or Joint Problem (BJP)
CSCR_B035	Call Bone Mineral Density Test Restrictions (BMR)
CSCR_B040	Call Vision Component Restrictions (VIR)
CSCR_B045	Call Hair Sample Restriction (HSR)
CSCR_B050	Call Medications and Product Confirmation (MEDC)
CSCR_B055	Call Confirm Drug Product (CDP)
CSCR_B060	Call Medication Use for Clinic (MEUC)
CSCR_B065	Call New Product Information (NPI)
CSCR_B070	Call Other Reason for Screening Out (ORS)
CSCR_B075	Call Screening Component End (SCR)
CSCR_END	

Vision Questions (CVIC)

CVIC_BEG	Vision Questions Component
CVIC_B005	Call Distance Viewing Confirmation (DVC)
CVIC_B010	Call Vision Clinic (VIC)
CVIC_B015	Call Vision Prescription Clinic (VPRC)
CVIC_B020	Call Vision Prescription Value (VPV)
CVIC_B025	Call Vision Questionnaire Component End (VQC)
CVIC_END	

Fish and Shellfish Consumption (CFSF)

CFSF_BEG	Fish and Shellfish Consumption Component
CFSF_B005	Call Fish and Shellfish Consumption (FSF)
CFSF_B010	Call Detail Fish and Shellfish (DFS)
CFSF_B015	Call Fish and Shellfish Consumption Component End (FSE)
CFSF_END	

Anthropometry (CANC)

CANC_BEG	Anthropometric Component
CANC_B005	Call Anthropometric Component Introduction (ACI)
CANC_B010	Call Height and Weight Measurements (HWM)
CANC_B015	Call Anthropometric Component End (ANC)
CANC_END	

Blood Pressure (CBPC)

CBPC_BEG	Blood Pressure Component
CBPC_B005	Call Blood Pressure Measurement (BPM)
CBPC_B015	Call Blood Pressure Measurement Component End (BPC)
CBPC_END	

OMRON Blood Pressure Measurement (COBC)

COBC_BEG	
COBC_B005	Call OMRON Blood Pressure Measurement (OBPM)
COBC_B010	Call OMRON Blood Pressure Measurement Component End (OBPC)
COBC_END	

Phlebotomy (CPHB)

CPHB_BEG	Phlebotomy Component
CPHB_B005	Call Phlebotomy Component Introduction (PHI)
CPHB_B010	Call Blood Collection (BDC)
CPHB_B015	Call Phlebotomy Component End (PHB)
CPHB_END	

Quantitative Computed Tomography (CQCT)

CQCT_BEG	Quantitative Computed Tomography Component
CQCT_B005	Call Peripheral Quantitative Computed Tomography Measurement Block (QCT)
CQCT_B010	Call pQCT Component End (QCC)
CQCT_END	

Visual Acuity (CVAC)

CVAC_BEG	Visual Acuity Component
CVAC_B005	Call Visual Acuity Scenario's (VAS)
CVAC_B010	Call Visual Acuity Measurement (VAM)
CVAC_B015	Call Visual Acuity Recording (VAR)
CVAC_B020	Call Visual Acuity Component End (VAC)
CVAC_END	

Visual Field (CFDT)

CFDT_BEG	Visual Field Component
CFDT_B005	Call Visual Field (Frequency Doubling Test) Introduction (FDTI)
CFDT_B010	Call Visual Field (Frequency Doubling Test) Measurement (FDTM)
CFDT_B015	Call Visual Field End (FDTC)
CFDT_END	

Retinal Photography (CRTP)

CRTP_BEG	Retinal Photography Component
CRTP_B005	Call Retinal Photography Measurement (RTP)
CRTP_B010	Call Retinal Photography - Derived Variables (RPD)
CRTP_B015	Call Retinal Photography Component End (RTPC)
CRTP_END	

Intraocular Pressure (CIOP)

CIOP_BEG	Intraocular Pressure Component
CIOP_B005	Call Intraocular Pressure Introduction (IOPI)
CIOP_B010	Call Intraocular Pressure Measurement (IOPM)
CIOP_B015	Call Intraocular Pressure Capture (IOPD)
CIOP_B020	Call Intraocular Pressure End (IOPC)
CIOP_END	

Jumping Mechanography (CJMC)

CJMC_BEG	Jumping Mechanography Component
CJMC_B005	Call Jumping Mechanography Introduction (JMI)
CJMC_B010	Call Hopping Force Measurement (HFM)
CJMC_B015	Call Jumping Force Measurement (JFM)
CJMC_B020	Call Jumping Mechanography Component End (JMC)
CJMC_END	

mCAFT (CAFT)

CAFT_BEG	mCAFT Component
CAFT_B005	Call mCAFT Measurement (AFT)
CAFT_B010	Call mCAFT Measurement Component End (AFC)
CAFT_END	

Sit and Reach (CSRC)

CSRC_BEG	Sit and Reach Component
CSRC_B005	Call Sit and Reach Component Introduction (SRI)
CSRC_B010	Call Sit and Reach Measurement (SRM)
CSRC_B015	Call Sit and Reach Component End (SRC)
CSRC_END	

Grip Strength (CGSC)

CGSC_BEG	Grip Strength Component
CGSC_B005	Call Grip Strength Component Introduction (GSI)
CGSC_B010	Call Grip Strength Measurement (GSM)
CGSC_B015	Call Grip Strength Component End (GSC)
CGSC_END	

Activity Monitor (CAMC)

CAMC_BEG	Activity Monitor Component
CAMC_B005	Call Activity Monitor (AM)
CAMC_B010	Call Activity Monitor Component End (AMC)
CAMC_END	

Urine Collection - Home (CUCH)

CUCH_BEG	Urine Collection - Home Component
CUCH_B005	Call Urine Collection- Home (UCH)
CUCH_B010	Call Urine Collection-Home End (UCE)
CUCH_END	

Urine Collection 2 (CUC2)

CUC2_BEG	Urine Collection 2 Component
CUC2_B005	Call Urine Collection 2 (UC2)
CUC2_B010	Call Urine Collection 2 Component End (U2E)
CUC2_END	

Report of Measurements (CRMC)

CRMC_BEG	Report of Measurements Component
CRMC_B005	Call Report of Measurements (RM)
CRMC_B010	Call Report of Measurements Component End (RMC)
CRMC_END	

Exit (CECC)

CECC_BEG	Exit Component
CECC_B005	Call Exit Component Introduction (ECI)
CECC_B010	Call Exit Consent Questions (ECQ)
CECC_B015	Call Contact (CONT)
CECC_B020	Call Health Number Validation (HN)
CECC_B025	Call Exit Component End (ECC)
CECC_END	

End of Clinic Visit (CCSO)

CCSO_BEG	End of Clinic Visit Component
CCSO_B005	Call Clinic Sign-Out (CSO)
CCSO_B010	Call End Clinic Visit Component End (CSC)
CCSO_END	

Appendix II

Calculating Age (CALC)

CALC_BEG

Calculating Age

If DAY, MONTH and YEAR all contain valid information:

AGE = [reference year] - [date of birth year]
([date of birth month] > [reference month])
(([date of birth month] = [reference month]) ×
([date of birth day] > [reference day]))

where: [reference day], [reference month] and [reference year] correspond to the current/system date or the date provided on the survey's sample file

and [date of birth day], [date of birth month] and [date of birth year] correspond to the date of birth

If DAY is DK or RF and MONTH and YEAR contain valid information and MONTH is not equal to the [reference month]:

AGE = [reference year] - [date of birth year]
([date of birth month] > [reference month])

where: [reference month] and [reference year] correspond to month and year of the current/system date or the month and year of the date provided on the survey's sample file

and [date of birth month] and [date of birth year] correspond to the month and year of the date of birth

CALC_END

New Address (NAD)

CAI standard block

Overview: The Address block is called from within other blocks. Only an address is collected. Note that surveys may choose whether or not to collect US addresses.

NAD_BEG

Import the following variables:

DV_QTEXT_E (QuestionText)
LISTINGADFLAG tYesNo
NONCANADFLAG tYesNo
ASKDESCIPTION tYesNo

NAD_Q01

^DV_QTEXT_E

INTERVIEWER: Enter the civic number.
If necessary, ask: (**What is the civic number?**)

(6 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If a rural descriptive address, leave the field blank (i.e., press <Enter>).

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C01

If DK or RF is entered and LISTINGADFLAG <> Yes, go to NAD_N01. Otherwise, go to NAD_Q02.

NAD_N01

INTERVIEWER: Do you wish to skip the remaining address fields?

1 Yes (Go to NAD_END)
2 No
(DK, RF not allowed)

Help text:

Purpose:
To allow the remaining Address questions to be skipped.
Asked only if <F5> "Refusal" or <F6> "Don't Know" was used on NAD_Q01.

Procedure:
Select "Yes" to skip the remaining Address fields.

Programmer:

If "Yes" is selected, fill address fields with DK or RF (based on the response to NAD_Q01) and go to NAD_END.

NAD_Q02

(^DV_QTEXT_E)

INTERVIEWER: Enter the civic suffix.
If necessary, ask: (**What is the civic suffix**?)

(3 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no civic suffix, leave the field blank (i.e., press <Enter>).

NAD_Q03

(^DV_QTEXT_E)

INTERVIEWER: Enter the street name.
If necessary, ask: (**What is the street name**?)

(50 spaces)

DK, RF
Null is allowed

Help text:

Purpose:
To collect the street name.

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Procedure:
If a rural descriptive address, leave the field blank (i.e., press <Enter>).

NAD_Q04

(^DV_QTEXT_E)

INTERVIEWER: Enter the street type.
If necessary, ask: (**What is the street type?**)

(20 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no street type, leave the field blank (i.e., press <Enter>).

Programmer:

The filed NAD_Q04 is a look-up table for the street type. Here is the content of the lookup table:

ID	TYPE	ABREVIATION
0	*	
1	ABBEY	ABBEY
2	ACCESS	ACCESS
3	ACRES	ACRES
4	ALLÉE	ALLÉE
5	ALLEY	ALLEY
6	AUT	AUT
7	AUTOROUTE	AUT
8	AV	AV
9	AVE	AVE
10	AVENUE	AVENUE
11	BAY	BAY
12	BEACH	BEACH
13	BEND	BEND
14	BLVD	BLVD
15	BOUL	BOUL
16	BOULEVARD	BLVD
17	BROOK	BROOK
18	BYPASS	BYPASS
19	BY-PASS	BYPASS
20	BYWAY	BYWAY
21	C	C
22	CAMPUS	CAMPUS
23	CAPE	CAPE
24	CAR	CAR
25	CARRÉ	CARRÉ
26	CARREF	CARREF
27	CARREFOUR	CARREF
28	CDS	CDS
29	CENTRE	CENTRE
30	CENTER	CENTER
31	CERCLE	CERCLE
32	CH	CH
33	CHASE	CHASE
34	CHEMIN	CHEMIN
35	CIR	CIR
36	CIRCLE	CIRCLE
37	CIRCT	CIRCT
38	CIRCUIT	CIRCT
39	CLOSE	CLOSE
40	COMMON	COMMON
41	CONC	CONC
42	CONCESSION	CONC
43	CORNERS CRNRS	
44	CÔTE	CÔTE
45	COUR	COUR
46	COURS	COURS
47	COURT	COURT
48	COVE	COVE
49	CRES	CRES
50	CRESCENT	CRES
51	CREST	CREST
52	CRNRS	CRNRS
53	CROFT	CROFT
54	CROIS	CROIS
55	CROISSANT	CROIS
56	CROSS	CROSS
57	CROSSING	CROSS
58	CROSSROAD	CRSSRD
59	CRSSRD	CRSSRD
60	CRT	CRT
61	CTR	CTR
62	CUL-DE-SAC	CDS
63	DALE	DALE

64	DELL	DELL
65	DIVERS	DIVERS
66	DIVERSION	DIVERS
67	DOWNS	DOWNS
68	DR	DR
69	DRIVE	DRIVE
70	ECH	ÉCH
71	ECHANGEUR	ÉCH
72	END	END
73	ESPL	ESPL
74	ESPLANADE	ESPL
75	ESTATE	ESTATE
76	ESTATES	ESTATE
77	EXPRESSWAY	EXPY
78	EXPY	EXPY
79	EXTEN	EXTEN
80	EXTENSION	EXTEN
81	FARM	FARM
82	FIELD	FIELD
83	FOREST	FOREST
84	FREEWAY	FWY
85	FRONT	FRONT
86	FWY	FWY
87	GARDENS	GDNS
88	GATE	GATE
89	GDNS	GDNS
90	GLADE	GLADE
91	GLEN	GLEN
92	GREEN	GREEN
93	GRNDS	GRNDS
94	GROUNDS	GRNDS
95	GROVE	GROVE
96	HARBOUR	HARBR
97	HARBR	HARBR
98	HAVEN	HAVEN
99	HEATH	HEATH
100	HEIGHTS	HTS
101	HGHLDS	HGHLDS
102	HIGHLANDS	HGHLDS
103	HIGHWAY	HWY
104	HILL	HILL
105	HOLLOW	HOLLOW
106	HTS	HTS
107	HWY	HWY
108	ILE	ÎLE
110	IMP	IMP
111	IMPASSE	IMP
112	INLET	INLET
113	ISLAND	ISLAND
114	KEY	KEY
115	KNOLL	KNOLL
116	LANDING	LANDNG
117	LANDNG	LANDNG
118	LANE	LANE
119	LANEWAY	LANEWY
120	LANEWY	LANEWY
121	LIMITS	LIMITS
122	LINE	LINE
123	LINK	LINK
124	LKOUT	LKOUT
125	LMTS	LMTS
126	LOOKOUT	LKOUT
127	LOOP	LOOP
128	MALL	MALL
129	MANOR	MANOR
130	MAZE	MAZE
131	MEADOW	MEADOW
132	MEWS	MEWS

133	MONTÉE	MONTÉE
135	MOUNT	MOUNT
136	MOUNTAIN	MOUNT
137	MTN	MTN
138	ORCH	ORCH
139	ORCHARD	ORCH
140	PARADE	PARADE
141	PARC	PARC
142	PARK	PARK
143	PARKWAY	PKY
144	PASS	PASS
145	PASSAGE PASS	
146	PATH	PATH
147	PATHWAYPATH	
148	PINES	PINES
149	PK	PK
150	PKY	PKY
151	PL	PL
152	PLACE	PLACE
153	PLAT	PLAT
154	PLATEAU PLAT	
155	PLAZA	PLAZA
156	POINT	POINT
157	POINTE	POINTE
158	PORT	PORT
159	PRIVATE	PVT
160	PROM	PROM
161	PROMENADE	PROM
162	PT	PT
163	PTWAY	PTWAY
164	PVT	PVT
165	QUAI	QUAI
166	QUAY	QUAY
167	RAMP	RAMP
168	RANG	RANG
169	RANGE	RANGE
170	RD	RD
171	RDPT	RDPT
172	REACH	REACH
173	RG	RG
174	RIDGE	RIDGE
175	RIGHT OF WAY	RTOFWY
176	RISE	RISE
177	RLE	RLE
178	ROAD	ROAD
179	ROND POINT	RDPT
180	ROUTE	ROUTE
181	ROW	ROW
182	RTE	RTE
183	RTOFWY	RTOFWY
184	RUE	RUE
185	RUELLE	RUELLE
187	RUN	RUN
188	SECTION	SECTN
189	SECTN	SECTN
190	SENT	SENT
191	SENTIER	SENT
192	SIDERD	SIDERD
193	SIDEROAD	SIDERD
194	SQ	SQ
195	SQUARE	SQUARE
196	ST	ST
197	STREET	STREET
198	STROLL	STROLL
199	SUBDIV	SUBDIV
200	SUBDIVISION	SUBDIV
201	TERR	TERR
202	TERRACE TERR	

203	*TERRASSE TSSE*	
205	*THICKET*	*THICK*
206	*TLINE*	*TLINE*
207	*TOWERS TOWERS*	
208	*TOWNLINE*	*TLINE*
209	*TRACE*	*TRACE*
210	*TRAIL*	*TRAIL*
211	*TRNABT*	*TRNABT*
212	*TRUNK*	*TRUNK*
213	*TSSE*	*TSSE*
214	*TURNABOUT*	*TRNABT*
215	*VALE*	*VALE*
216	*VIA*	*VIA*
217	*VIEW*	*VIEW*
218	*VILLAGE*	*VILLGE*
219	*VILLAS*	*VILLAS*
220	*VILLGE*	*VILLGE*
221	*VISTA*	*VISTA*
222	*VOIE*	*VOIE*
223	*WALK*	*WALK*
224	*WAY*	*WAY*
225	*WHARF*	*WHARF*
226	*WOOD*	*WOOD*
227	*WYND*	*WYND*
228	*ÉCH*	*ÉCH*
229	*ÉCHANGEUR*	*ÉCH*
230	*ÎLE*	*ÎLE*
231	*AIRE*	*AIRE*
232	*BAIE*	*BAIE*
233	*BRGE*	*BRGE*
234	*DRPASS*	*DRPASS*
235	*FSR*	*FSR*
236	*PEAK*	*PEAK*

NAD_Q05

(^DV_QTEXT_E)

INTERVIEWER: Enter the street direction.
If necessary, ask: (**What is the street direction?**)

(2 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no street direction, leave the field blank (i.e., press <Enter>).

NAD_Q06

(^DV_QTEXT_E)

INTERVIEWER: Enter the apartment number.
If necessary, ask: (**What is the apartment number?**)

(6 spaces)

DK, RF
Null is allowed

Help text:

Procedure:
If no apartment number, leave the field blank (i.e., press <Enter>).

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_Q07

(^DV_QTEXT_E)

INTERVIEWER: Enter the city, town, village or municipality.
If necessary, ask: (**What is the city, town, village or municipality?**)

(35 spaces)

(DK, RF not allowed)

Help text:

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_Q08

(^DV_QTEXT_E)

INTERVIEWER: Enter the postal code. **[Blank/If the address is outside Canada, press <Enter>]**
If necessary, ask: (**What is the postal code?**)

(6 spaces)

DK, RF (Go to NAD_Q10)
Null is allowed

Go to NAD_E08A

Help text:

Procedure:
If the respondent is unsure or is unwilling to provide the full postal code, ask for the first three characters.
If the address is outside of Canada, leave the field blank (i.e., press <Enter>).

Functionality:
Several format edits are applied on the postal code entered.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C09

If first character of the postal code is « X », go to NAD_D10.
Otherwise, go to .

NAD_Q09

(^DV_QTEXT_E)

INTERVIEWER: Confirm that the **[territory/province]** is **[Newfoundland and Labrador/Nova Scotia/Prince Edward Island/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon]**.
If necessary, ask: (**So [territory/province] is [Newfoundland and Labrador/Nova Scotia/Prince Edward Island/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon]?**)

1 Yes (Go to NAD_END)
2 No
(DK, RF not allowed)

Help text:

Purpose:
To confirm the province or territory based on the postal code that was entered.

Functionality:
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

NAD_Q10

(^DV_QTEXT_E)

INTERVIEWER: Select the province or territory.
If necessary, ask: (**What is the province or territory?**)

10 Newfoundland and Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
76 **[U.S.A./" "]**
77 **[Outside of Canada and U.S.A./" "]**
(DK, RF not allowed)

Help text:

Purpose:
To collect the province or territory when a postal code was not collected or not confirmed.

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

The above is the full list of possible locations that can be displayed. Surveys may select a sub-set of the list (i.e., codes 76 and 77 can be removed from the list).

NAD_C11	If 76 "U.S.A." is selected and NONCANADFLAG ne Yes, go to NAD_Q11. Otherwise, go to NAD_END.
NAD_Q11	**(^DV_QTEXT_E)**

INTERVIEWER: Select the state.
If necessary, ask: (**What is the state?**)

01 Alabama
02 Alaska
03 Arizona
04 Arkansas
05 California
06 Colorado
07 Connecticut
08 Delaware
09 District of Columbia
10 Florida
11 Georgia
12 Hawaii
13 Idaho
14 Illinois
15 Indiana
16 Iowa
17 Kansas
18 Kentucky
19 Louisiana
20 Maine
21 Maryland
22 Massachusetts
23 Michigan
24 Minnesota
25 Mississippi
26 Missouri
27 Montana
28 Nebraska
29 Nevada
30 New Hampshire
31 New Jersey
32 New Mexico
33 New York
34 North Carolina
35 North Dakota
36 Ohio
37 Oklahoma
38 Oregon
39 Pennsylvania
40 Rhode Island
41 South Carolina
42 South Dakota
43 Tennessee
44 Texas
45 Utah
46 Vermont
47 Virginia
48 Washington
49 West Virginia
50 Wisconsin
51 Wyoming
(DK, RF not allowed)

Help text:

Functionality:
Mandatory field - something must be entered to continue.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

NAD_Q12

(^DV_QTEXT_E)

INTERVIEWER: Enter only a US zip code.
If necessary, ask: (**What is the zip code?**)

(12 spaces)

DK, RF (Go to NAD_END)

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_C13

If ASKDESCRIPTION = 1 (Yes)) and (NAD_Q01= (Empty, DK or RF) or NAD_Q03= (Empty, DK or RF)), go to NAD_Q13.
Otherwise, go to NAD_END.

NAD_Q13

(^DV_QTEXT_E)

INTERVIEWER: Enter the rural description.
If necessary, ask: (**What is the rural description**?)

(60 spaces)

DK, RF
Null is allowed

Help text:

Purpose:
To collect the rural description.

Functionality:
Mandatory field - something must be entered in either civic number AND street name OR rural description to continue.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

NAD_END

Variable Creation - Clinic (VC)

Overview:

The following variables are set by the CHMS clinic application but are not specified in the block specifications for cycle 4. The specifications for these variables has been removed from the shell and interface specifications and consolidated in this appendix. If possible, the variables should be inserted into the necessary block specifications for cycle 5 with the guidance of CoSD.

VC_BEG

CurrentYear: Numeric year of current date
CurrentMonth: Numeric month of current date
CurrentDay: Numeric day of current date

CurrentDate: Numeric date in CurrentYear/CurrentMonth/CurrentDay format

CurrentTime: Numeric current time in HH:MM:SS format

CurrentMonthE: English text of the current month
CurrentMonthF: French text of the current month

OneWeekAgoYear: Numeric year of date 7 days before the clinic visit
OneWeekAgoMonth: Numeric month of date 7 days before the clinic visit
OneWeekAgoDay: Numeric day of date 7 days before the clinic visit

OneWeekAgoMonthE: English text of month 7 days before the clinic visit
OneWeekAgoMonthF: French text of month 7 days before the clinic visit

```
IF OneWeekAgoMonth = 1, THEN
        OneWeekAgoMonthE = "January"
        OneWeekAgoMonthF = "janvier"
ELSE IF OneWeekAgoMonth = 2, THEN
        OneWeekAgoMonthE = "February"
        OneWeekAgoMonthF = "février"
ELSE IF OneWeekAgoMonth = 3, THEN
        OneWeekAgoMonthE = "March"
        OneWeekAgoMonthF = "mars"
ELSE IF OneWeekAgoMonth = 4, THEN
        OneWeekAgoMonthE = "April"
        OneWeekAgoMonthF = "avril"
ELSE IF OneWeekAgoMonth = 5, THEN
        OneWeekAgoMonthE = "May"
        OneWeekAgoMonthF = "mai"
ELSE IF OneWeekAgoMonth = 6, THEN
        OneWeekAgoMonthE = "June"
        OneWeekAgoMonthF = "juin"
ELSE IF OneWeekAgoMonth = 7, THEN
        OneWeekAgoMonthE = "July"
        OneWeekAgoMonthF = "juillet"
ELSE IF OneWeekAgoMonth = 8, THEN
        OneWeekAgoMonthE = "August"
        OneWeekAgoMonthF = "août"
ELSE IF OneWeekAgoMonth = 9, THEN
        OneWeekAgoMonthE = "September"
        OneWeekAgoMonthF = "septembre"
ELSE IF OneWeekAgoMonth = 10, THEN
        OneWeekAgoMonthE = "October"
        OneWeekAgoMonthF = "octobre"
ELSE IF OneWeekAgoMonth = 11, THEN
        OneWeekAgoMonthE = "November"
        OneWeekAgoMonthF = "novembre"
ELSE IF OneWeekAgoMonth = 12, THEN
        OneWeekAgoMonthE = "December"
```

```
        OneWeekAgoMonthF = "décembre"
ENDIF
```

Date1WeekAgoE: OneWeekAgoMonthE + OneWeekAgoDay + "," + OneWeekAgoYear
Date1WeekAgoF: OneWeekAgoDay + OneWeekAgoMonthF + OneWeekAgoYear

LastMonthYear: Numeric year of date one month before the clinic visit
LastMonthMonth: Numeric month of date one month before the clinic visit
LastMonthDay: Numeric day of date one month before the clinic visit

LastMonthMonthE: English text of month of date one month before the clinic visit
LastMonthMonthF: French text of month of date one month before the clinic visit

```
IF LastMonthMonth = 1, THEN
        LastMonthMonthE = "January"
        LastMonthMonthF = "janvier"
ELSE IF LastMonthMonth = 2, THEN
        LastMonthMonthE = "February"
        LastMonthMonthF = "février"
ELSE IF LastMonthMonth = 3, THEN
        LastMonthMonthE = "March"
        LastMonthMonthF = "mars"
ELSE IF LastMonthMonth = 4, THEN
        LastMonthMonthE = "April"
        LastMonthMonthF = "avril"
ELSE IF LastMonthMonth = 5, THEN
        LastMonthMonthE = "May"
        LastMonthMonthF = "mai"
ELSE IF LastMonthMonth = 6, THEN
        LastMonthMonthE = "June"
        LastMonthMonthF = "juin"
ELSE IF LastMonthMonth = 7, THEN
        LastMonthMonthE = "July"
        LastMonthMonthF = "juillet"
ELSE IF LastMonthMonth = 8, THEN
        LastMonthMonthE = "August"
        LastMonthMonthF = "août"
ELSE IF LastMonthMonth = 9, THEN
        LastMonthMonthE = "September"
        LastMonthMonthF = "septembre"
ELSE IF LastMonthMonth = 10, THEN
        LastMonthMonthE = "October"
        LastMonthMonthF = "octobre"
ELSE IF LastMonthMonth = 11, THEN
        LastMonthMonthE = "November"
        LastMonthMonthF = "novembre"
ELSE IF LastMonthMonth = 12, THEN
        LastMonthMonthE = "December"
        LastMonthMonthF = "décembre"
ENDIF
```

DateLastMonthE: LastMonthMonthE + LastMonthDay + "," + LastMonthYear
DateLastMonthF: "LastMonthDay + LastMonthMonthF + LastMonthYear

TwoMonthsAgoYear: Numeric year of date two months before the clinic visit
TwoMonthsAgoMonth: Numeric month of date two months before the clinic visit
TwoMonthsAgoDay: Numeric day of date two months before the clinic visit

TwoMonthsAgoMonthE: English text of month of date two months before the clinic visit
TwoMonthsAgoMonthF: French text of month of date two months before the clinic visit

```
IF TwoMonthsAgoMonth = 1, THEN
        TwoMonthsAgoMonthE = "January"
        TwoMonthsAgoMonthF = "janvier"
ELSE IF TwoMonthsAgoMonth = 2, THEN
        TwoMonthsAgoMonthE = "February"
        TwoMonthsAgoMonthF = "février"
ELSE IF TwoMonthsAgoMonth = 3, THEN
        TwoMonthsAgoMonthE = "March"
        TwoMonthsAgoMonthF = "mars"
ELSE IF TwoMonthsAgoMonth = 4, THEN
        TwoMonthsAgoMonthE = "April"
        TwoMonthsAgoMonthF = "avril"
ELSE IF TwoMonthsAgoMonth = 5, THEN
        TwoMonthsAgoMonthE = "May"
        TwoMonthsAgoMonthF = "mai"
ELSE IF TwoMonthsAgoMonth = 6, THEN
        TwoMonthsAgoMonthE = "June"
        TwoMonthsAgoMonthF = "juin"
ELSE IF TwoMonthsAgoMonth = 7, THEN
        TwoMonthsAgoMonthE = "July"
        TwoMonthsAgoMonthF = "juillet"
ELSE IF TwoMonthsAgoMonth = 8, THEN
        TwoMonthsAgoMonthE = "August"
        TwoMonthsAgoMonthF = "août"
ELSE IF TwoMonthsAgoMonth = 9, THEN
        TwoMonthsAgoMonthE = "September"
        TwoMonthsAgoMonthF = "septembre"
ELSE IF TwoMonthsAgoMonth = 10, THEN
        TwoMonthsAgoMonthE = "October"
        TwoMonthsAgoMonthF = "octobre"
ELSE IF TwoMonthsAgoMonth = 11, THEN
        TwoMonthsAgoMonthE = "November"
        TwoMonthsAgoMonthF = "novembre"
ELSE IF TwoMonthsAgoMonth = 12, THEN
        TwoMonthsAgoMonthE = "December"
        TwoMonthsAgoMonthF = "décembre"
ENDIF
```

Date2MonthsAgoE: TwoMonthsAgoMonthE + TwoMonthsAgoDay + "," + TwoMonthsAgoYear

Date2MonthsAgoF: TwoMonthsAgoDay + TwoMonthsAgoMonthF + TwoMonthsAgoYear
SixMonthsAgoYear: Numeric year of date six months before the clinic visit

SixMonthsAgoMonth: Numeric month of date six months before the clinic visit
SixMonthsAgoDay: Numeric day of date six months before the clinic visit

SixMonthsAgoMonthE: English text of month of date six months before the clinic visit
SixMonthsAgoMonthF: French text of month of date six months before the clinic visit

```
IF SixMonthsAgoMonth = 1, THEN
        SixMonthsAgoMonthE = "January"
        SixMonthsAgoMonthF = "janvier"
ELSE IF SixMonthsAgoMonth = 2, THEN
        SixMonthsAgoMonthE = "February"
        SixMonthsAgoMonthF = "février"
ELSE IF SixMonthsAgoMonth = 3, THEN
        SixMonthsAgoMonthE = "March"
        SixMonthsAgoMonthF = "mars"
ELSE IF SixMonthsAgoMonth = 4, THEN
        SixMonthsAgoMonthE = "April"
        SixMonthsAgoMonthF = "avril"
ELSE IF SixMonthsAgoMonth = 5, THEN
        SixMonthsAgoMonthE = "May"
        SixMonthsAgoMonthF = "mai"
ELSE IF SixMonthsAgoMonth = 6, THEN
        SixMonthsAgoMonthE = "June"
        SixMonthsAgoMonthF = "juin"
ELSE IF SixMonthsAgoMonth = 7, THEN
        SixMonthsAgoMonthE = "July"
        SixMonthsAgoMonthF = "juillet"
ELSE IF SixMonthsAgoMonth = 8, THEN
        SixMonthsAgoMonthE = "August"
        SixMonthsAgoMonthF = "août"
ELSE IF SixMonthsAgoMonth = 9, THEN
        SixMonthsAgoMonthE = "September"
        SixMonthsAgoMonthF = "septembre"
ELSE IF SixMonthsAgoMonth = 10, THEN
        SixMonthsAgoMonthE = "October"
        SixMonthsAgoMonthF = "octobre"
ELSE IF SixMonthsAgoMonth = 11, THEN
        SixMonthsAgoMonthE = "November"
        SixMonthsAgoMonthF = "novembre"
ELSE IF SixMonthsAgoMonth = 12, THEN
        SixMonthsAgoMonthE = "December"
        SixMonthsAgoMonthF = "décembre"
ENDIF
```

Date6MonthsAgoE: SixMonthsAgoMonthE + SixMonthsAgoDay + "," + SixMonthsAgoYear
Date6MonthsAgoF: SixMonthsAgoDay + SixMonthsAgoMonthF + SixMonthsAgoYear

MailBackYear: Numeric year of date 8 days after the clinic visit
MailBackMonth: Numeric month of date 8 days after the clinic visit
MailBackDay: Numeric day of date 8 days after the clinic visit

MailBackMonthE: English text of month 8 days after the clinic visit
MailBackMonthF: French text of month 8 days after the clinic visit

```
IF MailBackMonth = 1, THEN
        MailBackMonthE = "January"
        MailBackMonthF = "janvier"
ELSE IF MailBackMonth = 2, THEN
        MailBackMonthE = "February"
        MailBackMonthF = "février"
ELSE IF MailBackMonth = 3, THEN
        MailBackMonthE = "March"
        MailBackMonthF = "mars"
ELSE IF MailBackMonth = 4, THEN
        MailBackMonthE = "April"
        MailBackMonthF = "avril"
ELSE IF MailBackMonth = 5, THEN
        MailBackMonthE = "May"
        MailBackMonthF = "mai"
ELSE IF MailBackMonth = 6, THEN
        MailBackMonthE = "June"
        MailBackMonthF = "juin"
ELSE IF MailBackMonth = 7, THEN
        MailBackMonthE = "July"
        MailBackMonthF = "juillet"
ELSE IF MailBackMonth = 8, THEN
        MailBackMonthE = "August"
        MailBackMonthF = "août"
ELSE IF MailBackMonth = 9, THEN
        MailBackMonthE = "September"
        MailBackMonthF = "septembre"
ELSE IF MailBackMonth = 10, THEN
        MailBackMonthE = "October"
        MailBackMonthF = "octobre"
ELSE IF MailBackMonth = 11, THEN
        MailBackMonthE = "November"
        MailBackMonthF = "novembre"
ELSE IF MailBackMonth = 12, THEN
        MailBackMonthE = "December"
        MailBackMonthF = "décembre"
ENDIF
```

DateMailBackE: MailBackMonthE + MailBackDay + "," + MailBackYear
DateMailBackF: MailBackDay + MailBackMonthF + MailBackYear

MailAddress: Mailing address of the respondent

```
IF INTVLANG = 1 THEN
        First line of address = MA_NUM  MA_STRT  (and if MA_APT is not
blank: ", APT. " MA_APT)
ELSE
        First line of address = MA_NUM  MA_STRT  (and if MA_APT is not
blank: ", APP. " MA_APT)
ENDIF
```

```
IF MA_PRN < 76 THEN
        Second line of address = MA_CITY  MA_PRA  MA_PC
ELSE IF MA_PRN = 76 THEN
        Second line of address = MA_CITY  MA_STA  MA_ZIP
ELSE
        Second line of address = MA_CITY
ENDIF
```

HouseholdContact: HCFNAME + HCLNAME (separated by one space)

RespondentName: FNAME + LNAME (separated by one space)

ShortRespName: Substring(LNAME,1,4) + Substring(FNAME,1,3)

Notes:
Omit any special characters e.g., apostrophe, space, period, dash. Instead, include subsequent characters [i.e., (LNAME, 5, x) and/or (FNAME, 4, x) where x is the number of special characters omitted].

If LNAME has only 3 alphabetical characters: Substring(LNAME,1,3) + Substring(FNAME,1,4)

If LNAME has only 2 alphabetical characters: Substring(LNAME,1,2) + Substring(FNAME,1,5)

If FNAME has less than the required alphabetical characters, leave the trailing characters blank.

IntLangE: English text of language of application during the household interview (either English or French)
IntLangF: French text of language of application during the household interview (either English or French)

```
IF INTVLANG = 1, THEN
        IntLangE = "English"
        IntLangF = "Anglais"
ELSE
        IntLangE = "French"
        IntLangF = "Français"
ENDIF
```

AppointmentE: English text of the selected type of clinic appointment
AppointmentF: French text of the selected type of clinic appointment

```
IF SELFAST = 1, THEN
        AppointmentE = "FASTED"
        AppointmentF = "À JEUN"
ELSE
        AppointmentE = "NON-FASTED"
        AppointmentF = "NON À JEUN"
ENDIF
```

SessionE: English text of current session
SessionF: French text of current session

```
IF 1 = 1 THEN
        SessionE = AppointmentE
        SessionF = AppointmentF
ENDIF
```

DryRun: Indicator of whether the case is a dry run case

```
IF Substring(CLINICID, 2, 2) = '03' THEN
        DryRun = 1
ELSE
        DryRun = 3
ENDIF
```

Gender: letter code for sex of respondent (i.e., M or F)

```
IF SEX_Q01 = 1, THEN
        GenderE = "M"
ELSE
        Gender = "F"
ENDIF
```

GenderE: English text for sex of respondent
GenderF: French text for sex of respondent

```
IF SEX_Q01= 1, THEN
        GenderE = "Male"
        GenderF = "Masculin"
ELSE
        GenderE = "Female"
        GenderF = "Féminin"
ENDIF
```

CalculatedAge: The calculated age of the respondent

If DAY, MONTH and YEAR all contain valid information:

AGE = [current year] - [date of birth year]
([date of birth month] > [current month])
(([date of birth month] = [current month]) × ([date of birth day] > [current day]))

where: [current day], [current month] and [current year] correspond to the current/system date or the date provided on the survey's sample file and [date of birth day], [date of birth month] and [date of birth year] correspond to the date of birth

If DAY is DK or RF and MONTH and YEAR contain valid information and MONTH is not equal to the [current month]:

AGE = [current year] - [date of birth year]
([date of birth month] > [current month])

where: [current month] and [current year] correspond to month and year of the current/system date or the month and year of the date provided on the survey's sample file and [date of birth month] and

[date of birth year] correspond to the month and year of the date of birth

LastCycleDays: The number of days since the first day of the respondents last menstrual cycle

If DAY, MONTH and YEAR all contain valid information:

LastCycleDays = [reference year] - [year of last cycle]
([month of last cycle] > [reference month])
(([month of last cycle] = [reference month]) × ([day of last cycle] > [reference day]))

where: [reference day], [reference month] and [reference year] correspond to the current/system date or the date provided on the survey's sample file and [day of last cycle], [month of last cycle] and [year of last cycle] correspond to the first day of their last menstrual cycle

Note: This uses the same logic as Age_Days

PregnantE: English text of whether respondent is pregnant
PregnantF: French text of whether respondent is pregnant

```
IF PRS_Q11 = 1, THEN
        PregnantE = "Yes"
        PregnantF = "Oui"
ELSE
        PregnantE = "No"
        PregnantF = "Non"
ENDIF
```

DiabetesE: English text of whether respondent has been diagnosed with diabetes
DiabetesF: French text of whether respondent has been diagnosed with diabetes

```
IF CCC_Q51 = 1, THEN
        DiabetesE = "Yes"
        DiabetesF = "Oui"
ELSE
        DiabetesE = "No"
        DiabetesF = "Non"
ENDIF
```

RespLangE: English text of the language of the Health component interview
RespLangF: French text of the language of the Health component interview

```
IF ADM_N38 = 1, THEN
        RespLangE = "English"
        RespLangF = "Anglais"
ELSE IF ADM_N38 = 2, THEN
        RespLangE = "French"
```

```
        RespLangF = "Français"
ELSE IF ADM_N38 = 3, THEN
        RespLangE = "Chinese"
        RespLangF = "Chinois"
ELSE IF ADM_N38 = 4, THEN
        RespLangE = "Italian"
        RespLangF = "Italien"
ELSE IF ADM_N38 = 5, THEN
        RespLangE = "Punjabi"
        RespLangF = "Pendjabi"
ELSE IF ADM_N38 = 6, THEN
        RespLangE = "Spanish"
        RespLangF = "Espagnol"
ELSE IF ADM_N38 = 7, THEN
        RespLangE = "Portuguese"
        RespLangF = "Portugais"
ELSE IF ADM_N38 = 8, THEN
        RespLangE = "Polish"
        RespLangF = "Polonais"
ELSE IF ADM_N38 = 9, THEN
        RespLangE = "German"
        RespLangF = "Allemand"
ELSE IF ADM_N38 = 10, THEN
        RespLangE = "Vietnamese"
        RespLangF = "Vietnamien"
ELSE IF ADM_N38 = 11, THEN
        RespLangE = "Arabic"
        RespLangF = "Arabe"
ELSE IF ADM_N38 = 12, THEN
        RespLangE = "Tagalog (Filipino)"
        RespLangF = "Tagalog (Philippin)"
ELSE IF ADM_N38 = 13, THEN
        RespLangE = "Greek"
        RespLangF = "Grec"
ELSE IF ADM_N38 = 14, THEN
        RespLangE = "Tamil"
        RespLangF = "Tamoul"
ELSE IF ADM_N38 = 15, THEN
        RespLangE = "Cree"
        RespLangF = "Cri"
ELSE IF ADM_N38 = 16, THEN
        RespLangE = "Afghan"
        RespLangF = "Afghan"
ELSE IF ADM_N38 = 17, THEN
        RespLangE = "Cantonese"
        RespLangF = "Cantonais"
ELSE IF ADM_N38 = 18, THEN
        RespLangE = "Hindi"
        RespLangF = "Hindi"
ELSE IF ADM_N38 = 19, THEN
        RespLangE = "Mandarin"
        RespLangF = "Mandarin"
ELSE IF ADM_N38 = 20, THEN
        RespLangE = "Persian (Farsi)"
        RespLangF = "Persan (Farsi)"
ELSE IF ADM_N38 = 21, THEN
        RespLangE = "Russian"
```

```
        RespLangF = "Russe"
ELSE IF ADM_N38 = 22, THEN
        RespLangE = "Ukrainian"
        RespLangF = "Ukrainien"
ELSE IF ADM_N38 = 23, THEN
        RespLangE = "Urdu"
        RespLangF = "Ourdou"
ELSE IF ADM_N38 = 24, THEN
        RespLangE = "Inuktitut"
        RespLangF = "Inuktitut"
ELSE IF ADM_N38 = 25, THEN
        RespLangE = "Hungarian"
        RespLangF = "Hongrois"
ELSE IF ADM_N38 = 26, THEN
        RespLangE = "Korean"
        RespLangF = "Coréen"
ELSE IF ADM_N38 = 27, THEN
        RespLangE = "Serbo-Croatian"
        RespLangF = "Serbo-croate"
ELSE IF ADM_N38 = 28, THEN
        RespLangE = "Gujarati"
        RespLangF = "Gujarati"
ELSE IF ADM_N38 = 29, THEN
        RespLangE = "Dari"
        RespLangF = "Dari"
ELSE
        RespLangE = "Other"
        RespLangF = "Autre"
ENDIF
```

RespNeedE: English text of the special needs of the respondent
RespNeedF: French text of the special needs of the respondent

```
IF CSN_N11 = 1 THEN
        IF CSNMN12A = 1 THEN
                RespNeed01E = "Blind"
                RespNeed01F = "Aveugle"
        ELSE
                RespNeed01E = EMPTY
                RespNeed01F = EMPTY
        ENDIF
        IF CSNMN12D = 1 THEN
                RespNeed04E = "Deaf/ Hearing impaired"
                RespNeed04F = "Sourd(e)/ Problème d'ouïe"
        ELSE
                RespNeed04E = EMPTY
                RespNeed04F = EMPTY
        ENDIF
        IF CSNMN12F = 1 THEN
                IF CSN_N15 = 3 THEN
                        RespNeed06E = "Chinese interpreter
needed"
                        RespNeed06F = "Besoin d'un interprète du
chinois"
                ELSE IF CSN_N15 = 4 THEN
                        RespNeed06E = "Italian interpreter needed"
```

RespNeed06F = “Besoin d’un interprète de l’italien”
ELSE IF CSN_N15 = 5 THEN
RespNeed06E = “Punjabi interpreter needed”
RespNeed06F = “Besoin d’un interprète du pendjabi ”
ELSE IF CSN_N15 = 6 THEN
RespNeed06E = “Spanish interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’espagnol”
ELSE IF CSN_N15 = 7 THEN
RespNeed06E = “Portuguese interpreter needed”
RespNeed06F = “Besoin d’un interprète du portugais”
ELSE IF CSN_N15 = 8 THEN
RespNeed06E = “Polish interpreter needed”
RespNeed06F = “Besoin d’un interprète du polonais”
ELSE IF CSN_N15 = 9 THEN
RespNeed06E = “German interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’allemand”
ELSE IF CSN_N15 = 10 THEN
RespNeed06E = “Vietnamese interpreter needed”
RespNeed06F = “Besoin d’un interprète du vietnamien”
ELSE IF CSN_N15 = 11 THEN
RespNeed06E = “Arabic interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’arabe”
ELSE IF CSN_N15 = 12 THEN
RespNeed06E = “Tagalog (Filipino) interpreter needed”
RespNeed06F = “Besoin d’un interprète du tagalog (philippin)”
ELSE IF CSN_N15 = 13 THEN
RespNeed06E = “Greek interpreter needed”
RespNeed06F = “Besoin d’un interprète du grec”
ELSE IF CSN_N15 = 14 THEN
RespNeed06E = “Tamil interpreter needed”
RespNeed06F = “Besoin d’un interprète du tamoul”
ELSE IF CSN_N15 = 15 THEN
RespNeed06E = “Cree interpreter needed”
RespNeed06F = “Besoin d’un interprète du cri”
ELSE IF CSN_N15 = 16 THEN
RespNeed06E = “Afghan interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’afghan”
ELSE IF CSN_N15 = 17 THEN
RespNeed06E = “Cantonese interpreter needed”

RespNeed06F = “Besoin d’un interprète du cantonais”
ELSE IF CSN_N15 = 18 THEN
RespNeed06E = “Hindi interpreter needed”
RespNeed06F = “Besoin d’un interprète du hindi”
ELSE IF CSN_N15 = 19 THEN
RespNeed06E = “Mandarin interpreter needed”
RespNeed06F = “Besoin d’un interprète du mandarin”
ELSE IF CSN_N15 = 20 THEN
RespNeed06E = “Persian (farsi) interpreter needed”
RespNeed06F = “Besoin d’un interprète du persan (farsi)”
ELSE IF CSN_N15 = 21 THEN
RespNeed06E = “Russian interpreter needed”
RespNeed06F = “Besoin d’un interprète du russe”
ELSE IF CSN_N15 = 22 THEN
RespNeed06E = “Ukrainian interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’ukrainien”
ELSE IF CSN_N15 = 23 THEN
RespNeed06E = “Urdu interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’ourdou”
ELSE IF CSN_N15 = 24 THEN
RespNeed06E = “Inuktitut interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’inuktitut”
ELSE IF CSN_N15 = 25 THEN
RespNeed06E = “Hungarian interpreter needed”
RespNeed06F = “Besoin d’un interprète de l’hongrois”
ELSE IF CSN_N15 = 26 THEN
RespNeed06E = “Korean interpreter needed”
RespNeed06F = “Besoin d’un interprète du coréen”
ELSE IF CSN_N15 = 27 THEN
RespNeed06E = “Serbo-Croatian interpreter needed”
RespNeed06F = “Besoin d’un interprète du serbo-croate ”
ELSE IF CSN_N15 = 28 THEN
RespNeed06E = “Gujarati interpreter needed”
RespNeed06F = “Besoin d’un interprète du Gujarati”
ELSE IF CSN_N15 = 29 THEN
RespNeed06E = “Dari interpreter needed”
RespNeed06F = “Besoin d’un interprète du dari”
ELSE IF CSN_N15 = 90 THEN

```
                                RespNeed06E = "^CSN_S15 interpreter
needed"
                                RespNeed06F = "Besoin d'un interprète du
^CSN_S15"
                        ELSE IF CSN_N14 = 1 AND ADM_N38 > 0 AND ADM_N38
< 90 THEN
                                RespNeed06E = "^RespLangE interpreter
needed"
                                RespNeed06F = "Besoin d'un interprète du
^RespLangF"
                        ELSE
                                RespNeed06E = EMPTY
                                RespNeed06F = EMPTY
                        ENDIF
                ELSE
                        RespNeed06E = EMPTY
                        RespNeed06F = EMPTY
                ENDIF
                IF CSNMN12G = 1 THEN
                        RespNeed07E = "Lift/Elevator needed"
                        RespNeed07F = "Besoin d'ascenseur"
                ELSE
                        RespNeed07E = EMPTY
                        RespNeed07F = EMPTY
                ENDIF
                IF CSNMN12H = 1 THEN
                        RespNeed08E = "Mentally impaired"
                        RespNeed08F = "Déficience mentale"
                ELSE
                        RespNeed08E = EMPTY
                        RespNeed08F = EMPTY
                ENDIF
                IF CSNMN12J = 1 THEN
                        RespNeed10E = "Substance abuser"
                        RespNeed10F = "Toxicomane"
                ELSE
                        RespNeed10E = EMPTY
                        RespNeed10F = EMPTY
                ENDIF
                IF CSNMN12L = 1 THEN
                        RespNeed12E = "Wheelchair needed"
                        RespNeed12F = "Besoin d'un fauteuil roulant"
                ELSE
                        RespNeed12E = EMPTY
                        RespNeed12F = EMPTY
                ENDIF
                IF CSNMN12M = 1 THEN
                        RespNeed13E = CSN_S12
                        RespNeed13F = CSN_S12
                ELSE
                        RespNeed13E = EMPTY
                        RespNeed13F = EMPTY
                ENDIF
                 IF CSNMN12N = 1 THEN
                        RespNeed14E = "Female HMS requested"
                        RespNeed14F = "SMS féminin demandé"
                ELSE
```

```
                RespNeed14E = EMPTY
                RespNeed14F = EMPTY
        ENDIF
         IF CSNMN12O = 1 THEN
                RespNeed15E = "Male HMS requested"
                RespNeed15F = "SMS masculin demandé"
        ELSE
                RespNeed15E = EMPTY
                RespNeed15F = EMPTY
        ENDIF
RespNeedE = RespNeed01E  RespNeed04E + RespNeed05E +
RespNeed06E + RespNeed07E + RespNeed08E + RespNeed10E +
RespNeed12E + RespNeed13E + RespNeed14E + RespNeed15E
(separated by slashes)

RespNeedF = RespNeed01F + RespNeed04F + RespNeed05F +
RespNeed06F + RespNeed07F + RespNeed08F + RespNeed10F +
RespNeed12F + RespNeed13F + RespNeed14F + RespNeed15F
(separated by slashes)
ELSE
        RespNeedE = EMPTY
        RespNeedF = EMPTY
ENDIF
```

TelephoneNumber1: 1st 10-digit telephone number from household interview [in "(613) 951-1234" format]
TelephoneNumber2: 2nd 10-digit telephone number from household interview [in "(613) 951-1234" format]
TelephoneNumber3: 3rd 10-digit telephone number from household interview [in "(613) 951-1234" format]

BestPhoneNumber: BTN_CODE + BTN_TEL [in "(613) 951-1234" format]

PTCTextE: English text of preferred time to call
PTCTextF: French text of preferred time to call

```
IF PTCMQ12A =1 THEN
        PTCTextE = "ANY TIME"
        PTCTextF = "N'IMPORTE QUELLE HEURE"
ELSE IF PTCMQ12B = 1 THEN
        IF PTCMQ12C = 1 THEN
                IF PTCMQ12D = 1 THEN
                        PTCTextE = "ANY TIME"
                        PTCTextF = "N'IMPORTE QUELLE HEURE"
                ELSE IF PTCMQ12G = 1 THEN
                        PTCTextE = "mornings and afternoons but NOT
evenings"
                        PTCTextF = "le matin et l'après-midi mais PAS
le soir"
                ELSE
                        PTCTextE = "mornings and afternoons"
                        PTCTextF = "le matin et l'après-midi"
                ENDIF
        ELSE IF PTCMQ12D = 1 THEN
                IF PTCMQ12F = 1 THEN
                        PTCTextE = "mornings and evenings but NOT
afternoons"
```

```
                    PTCTextF = "le matin et le soir mais PAS l'après-
midi"
            ELSE
                    PTCTextE = "mornings and evenings"
                    PTCTextF = "le matin et le soir"
            ENDIF
    ELSE IF PTCMQ12F = 1 THEN
            IF PTCMQ12G = 1 THEN
                    PTCTextE = "mornings but NOT afternoons and
NOT evenings"
                    PTCTextF = "le matin mais PAS l'après-midi et
PAS le soir"
            ELSE
                    PTCTextE = "mornings but NOT afternoons"
                    PTCTextF = "le matin mais PAS l'après-midi"
            ENDIF
    ELSE IF PTCMQ12G = 1 THEN
            PTCTextE = "mornings but NOT evenings"
            PTCTextF = "le matin mais PAS le soir"
    ELSE
            PTCTextE = "mornings"
            PTCTextF = "le matin"
    ENDIF
ELSE IF PTCMQ12C = 1 THEN
    IF PTCMQ12D = 1 THEN
            IF PTCMQ12E = 1 THEN
                    PTCTextE = "afternoons and evenings but NOT
mornings"
                    PTCTextF = "l'après-midi et le soir mais PAS le
matin"
            ELSE
                    PTCTextE = "afternoons and evenings"
                    PTCTextF = "l'après-midi et le soir"
            ENDIF
    ELSE IF PTCMQ12E = 1 THEN
            IF PTCMQ12G = 1 THEN
                    PTCTextE = "afternoons but NOT mornings and
NOT evenings"
                    PTCTextF = "l'après-midi mais PAS le matin et
PAS le soir"
            ELSE
                    PTCTextE = "afternoons but NOT mornings"
                    PTCTextF = "l'après-midi mais PAS le matin"
            ENDIF
    ELSE IF PTCMQ12G = 1 THEN
            PTCTextE = "afternoons but NOT evenings"
            PTCTextF = "l'après-midi mais PAS le soir"
    ELSE
            PTCTextE = "afternoons"
            PTCTextF = "l'après-midi"
    ENDIF
ELSE IF PTCMQ12D = 1 THEN
    IF PTCMQ12E = 1 THEN
            IF PTCMQ12F = 1 THEN
                    PTCTextE = "evenings but NOT mornings and
NOT afternoons"
```

```
                                PTCTextF = "le soir mais PAS le matin et PAS
l'après-midi"
                        ELSE
                                PTCTextE = "evenings but NOT mornings"
                                PTCTextF = "le soir mais PAS le matin"
                        ENDIF
                ELSE IF PTCMQ12F = 1 THEN
                        PTCTextE = "evenings but NOT afternoons"
                        PTCTextF = "le soir mais PAS l'après-midi"
                ELSE
                        PTCTextE = "evenings"
                        PTCTextF = "le soir"
                ENDIF
        ELSE IF PTCMQ12E = 1 THEN
                IF PTCMQ12F = 1 THEN
                        PTCTextE = "NOT mornings and NOT afternoons"
                        PTCTextF = "PAS le matin et PAS l'après-midi"
                ELSE IF PTCMQ12G = 1 THEN
                        PTCTextE = "NOT mornings and NOT evenings"
                        PTCTextF = "PAS le matin et PAS le soir"
                ELSE
                        PTCTextE = "NOT mornings"
                        PTCTextF = "PAS le matin"
                ENDIF
        ELSE IF PTCMQ12F = 1 THEN
                IF PTCMQ12G = 1 THEN
                        PTCTextE = "NOT afternoons and NOT evenings"
                        PTCTextF = "PAS l'après-midi et PAS le soir"
                ELSE
                        PTCTextE = "NOT afternoons"
                        PTCTextF = "PAS l'après-midi"
                ENDIF
        ELSE IF PTCMQ12G = 1 THEN
                PTCTextE = "NOT evenings"
                PTCTextF = "PAS le soir"
        ENDIF

VC_END
```

Topical Index

Activity Monitor (AM) 190
Activity Monitor (CAMC) 249
Adherence to Guidelines (ATG) 28
Anthropometric Component Introduction (ACI) 94
Anthropometry (CANC) 236
Blood Collection (BDC) 125
Blood Pressure (CBPC) 237
Blood Pressure Measurement (BPM) 101
Blood Pressure Recording (BPR) 113
Bone Mineral Density Test Restrictions (BMR) 48
Bone or Joint Problem (BJP) 45
Calculating Age (CALC) 255
Cannabis - Call Block (CAN) 69
Clinic Sign-Out (CSO) 207
Confirm Drug Product (CDP) 57
Consent (CCON) 231
Consent (CON) 15
Contact (CONT) 204
Date (DATE) 210
Detail Fish and Shellfish (DFS) 93
Distance Viewing Confirmation (DVC) 74
Electronic Address (EA) 227
End of Clinic Visit (CCSO) 254
Exit (CECC) 253
Exit Component Introduction (ECI) 200
Exit Consent Questions (ECQ) 201
Fish and Shellfish Consumption (CFSF) 235
Fish and Shellfish Consumption (FSF) 85
Get Contact Name (GCN) 229
Grip Strength (CGSC) 248
Grip Strength Component Introduction (GSI) 185
Grip Strength Measurement (GSM) 187
Health Number Validation (HN) 225
Height and Weight Measurements (HWM) 95
Hopping Force Measurement (HFM) 166
Intraocular Pressure (CIOP) 244
Intraocular Pressure Capture (IOPD) 163
Intraocular Pressure Introduction (IOPI) 157
Intraocular Pressure Measurement (IOPM) 159
Jumping Force Measurement (JFM) 169
Jumping Mechanography (CJMC) 245
Jumping Mechanography Introduction (JMI) 165
Language Confirmation (LNG) 14
mCAFT (CAFT) 246
mCAFT Measurement (AFT) 172
Medication Use for Clinic (MEUC) 58
Medications and Product Confirmation (MEDC) 53
Name Spelling Confirmation (NSC) 11
New Address (NAD) 214, 256
New Product Information (NPI) 61
New Product Information - Call Block (NPC) 67
North American Telephone (NATP) 211
OMRON Blood Pressure Measurement (COBC) 238

OMRON Blood Pressure Measurement (OBPM) 115
OMRON Blood Pressure Recording (OBPR) 120
Other Reason for Screening Out (ORS) 70
Overseas Telephone (OSTP) 213
Peripheral Quantitative Computed Tomography Measurement Block (QCT) 129
Phlebotomy (CPHB) 239
Phlebotomy Component Introduction (PHI) 122
Physical Activity Restrictions (PHR) 39
Physical and Health Conditions (PHC) 32
Quantitative Computed Tomography (CQCT) 240
Report of Measurements (CRMC) 252
Respondent Verification (CRVB) 230
Respondent Verification (RVB) 9
Retinal Photography (CRTP) 243
Retinal Photography - Derived Variables (RPD) 156
Retinal Photography Measurement (RTP) 151
Screening (CSCR) 233
Screening Component Introduction (SCI) 27
Selected Case Start Block (SCS) 6
Sex Confirmation (SXC) 13
Sit and Reach (CSRC) 247
Sit and Reach Component Introduction (SRI) 181
Sit and Reach Measurement (SRM) 183
Urgent Condition (URG) 20
Urine Collection - Home (CUCH) 250
Urine Collection 1 (CUC1) 232
Urine Collection 1 (UC1) 23
Urine Collection 2 (CUC2) 251
Urine Collection 2 (UC2) 198
Urine Collection- Home (UCH) 194
Variable Creation - Clinic (VC) 267
Vision Clinic (VIC) 77
Vision Component Restrictions (VIR) 50
Vision Prescription Clinic (VPRC) 80
Vision Prescription Value (VPV) 84
Vision Questions (CVIC) 234
Visual Acuity (CVAC) 241
Visual Acuity Measurement (VAM) 135
Visual Acuity Recording (VAR) 139
Visual Acuity Scenario's (VAS) 134
Visual Field (CFDT) 242
Visual Field (Frequency Doubling Test) Introduction (FDTI) 142
Visual Field (Frequency Doubling Test) Measurement (FDTM) 145
Women's Health Restrictions (WHR) 37