# CCHS 2014: Record Layout
# Master File - 12-Month



*June 2015*

| Variable | Length | Position | Concept |
|---|---|---|---|
| VERDATE | 8 | 0001 - 0008 | Date of file creation |
| REFPER | 13 | 0009 - 0021 | Reference period |
| SAMPLEID | 20 | 0022 - 0041 | Household identifier |
| PERSONID | 2 | 0042 - 0043 | Person identifier of respondent selected - health interview |
| GEO_PRV | 2 | 0044 - 0045 | Province of residence of respondent |
| GEODCMAA | 3 | 0046 - 0048 | 2011 Census Metropolitan Area (CMA) - (D) |
| GEODDA11 | 8 | 0049 - 0056 | 2011 Census dissemination area (DA) - (D) |
| GEODPC | 6 | 0057 - 0062 | Postal code - (D) |
| GEODHR4 | 4 | 0063 - 0066 | Health Region of residence of respondent - (D) |
| GEODDHA | 4 | 0067 - 0070 | Nova Scotia District Health Authority (DHA) |
| GEODBCHA | 4 | 0071 - 0074 | British Columbia Health Authority (BCHA) - (D) |
| GEODLHN | 4 | 0075 - 0078 | Local Health Integrated Networks (LHIN) - Ontario - (D) |
| GEODDA06 | 8 | 0079 - 0086 | 2006 Census Dissemination Area - (D) |
| GEODFED | 5 | 0087 - 0091 | Federal Electoral District - (D) |
| GEODCSD | 7 | 0092 - 0098 | Census Sub-Division - (D) |
| GEODCD | 4 | 0099 - 0102 | Census Division - (D) |
| GEODSAT | 1 | 0103 - 0103 | Statistical area classification type - (D) |
| GEODPG11 | 2 | 0104 - 0105 | Health Region Peer Group - (D) |
| GEODUR | 1 | 0106 - 0106 | Population Centre and Rural Areas |
| GEODUR2 | 1 | 0107 - 0107 | Population Centres and Rural Areas - 2 levels - (D) |
| GEODSUBZ | 6 | 0108 - 0113 | Subzones for Alberta |
| SAM_CP | 6 | 0114 - 0119 | Sampled collection period |
| SAM_TYP | 1 | 0120 - 0120 | Sample type |
| CASETYPE | 1 | 0121 - 0121 | Case type |
| SAMDSHR | 1 | 0122 - 0122 | Permission to share data - (D) |
| SAMDLNK | 1 | 0123 - 0123 | Permission to link data - (D) |
| ADM_STA | 2 | 0124 - 0125 | Response status after processing |
| ADM_PRX | 1 | 0126 - 0126 | Health Component completed by proxy |
| ADM_YOI | 4 | 0127 - 0130 | Year of interview |
| ADM_MOI | 2 | 0131 - 0132 | Month of interview |
| ADM_DOI | 2 | 0133 - 0134 | Day of interview |
| ADM_N09 | 1 | 0135 - 0135 | Interview by telephone or in person |
| ADM_N10 | 1 | 0136 - 0136 | Respondent alone during interview |
| ADM_N11 | 1 | 0137 - 0137 | Answers affected by presence of another person |
| ADM_N12 | 2 | 0138 - 0139 | Language of interview |
| ADM_LHH | 1 | 0140 - 0140 | Language of preference - household interview |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DHH_AGE | 3 | 0141 - 0143 | Age |
| DHH_YOB | 4 | 0144 - 0147 | Year of birth |
| DHH_MOB | 2 | 0148 - 0149 | Month of birth |
| DHH_DOB | 2 | 0150 - 0151 | Day of birth |
| DHH_SEX | 1 | 0152 - 0152 | Sex |
| DHH_MS | 2 | 0153 - 0154 | Marital Status |
| DHHDSAGE | 3 | 0155 - 0157 | Age of spouse |
| DHHDYKD | 2 | 0158 - 0159 | Number of persons 15 years old or less in household - (D) |
| DHHDOKD | 2 | 0160 - 0161 | Number of dependents 16 or 17 years old in household - (D) |
| DHHDLE5 | 2 | 0162 - 0163 | Number of persons 5 years old or less in household - (D) |
| DHHD611 | 2 | 0164 - 0165 | Number of persons 6 to 11 years old in household - (D) |
| DHHDL12 | 2 | 0166 - 0167 | Number of persons less than 12 years old in household - (D) |
| DHHDL18 | 2 | 0168 - 0169 | Number of persons less than 18 years of age in household (D) |
| DHHDLVG | 2 | 0170 - 0171 | Living arrangement of selected respondent - (D) |
| DHHDECF | 2 | 0172 - 0173 | Household type - (D) |
| DHHDHSZ | 2 | 0174 - 0175 | Household size - (D) |
| GEN_01 | 1 | 0176 - 0176 | Self-perceived health |
| GEN_02 | 1 | 0177 - 0177 | Self-perceived health compared to one year ago |
| GEN_02A2 | 2 | 0178 - 0179 | Satisfaction with life in general |
| GEN_02B | 1 | 0180 - 0180 | Self-perceived mental health |
| GEN_07 | 1 | 0181 - 0181 | Perceived life stress |
| GEN_08 | 1 | 0182 - 0182 | Worked at job or business |
| GEN_09 | 1 | 0183 - 0183 | Self-perceived work stress |
| GEN_10 | 1 | 0184 - 0184 | Sense of belonging to local community |
| GENDHDI | 1 | 0185 - 0185 | Perceived Health |
| GENDMHI | 1 | 0186 - 0186 | Perceived Mental Health |
| GENGSWL | 1 | 0187 - 0187 | Satisfaction with life in general |
| DOORG | 1 | 0188 - 0188 | Voluntary organization - Participate - Inclusion Flag - (F) |
| ORG_1 | 1 | 0189 - 0189 | Member of a voluntary organization |
| ORG_2 | 1 | 0190 - 0190 | Frequency - participate in activities |
| DOSLP | 1 | 0191 - 0191 | Optional module: Sleep - (F) |
| SLP_01 | 2 | 0192 - 0193 | Number of hours spent sleeping per night |
| SLP_02 | 1 | 0194 - 0194 | Frequency - trouble sleeping |
| SLP_03 | 1 | 0195 - 0195 | Frequency - find sleep refreshing |
| SLP_04 | 1 | 0196 - 0196 | Frequency - find it difficult to stay awake |
| DOCIH | 1 | 0197 - 0197 | Changes made to improve health module - Inclusion Flag - (F) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CIH_1 | 1 | 0198 - 0198 | Did something to improve health |
| CIH_2 | 2 | 0199 - 0200 | Most important change to improve health |
| CIH_3 | 1 | 0201 - 0201 | Thinks should do something to improve health |
| CIH_4 | 2 | 0202 - 0203 | Most important thing to improve health |
| CIH_5 | 1 | 0204 - 0204 | Barrier to improving health |
| CIH_6A | 1 | 0205 - 0205 | Barrier to improving health - lack of will power |
| CIH_6I | 1 | 0206 - 0206 | Barrier to improving health - family responsibilities |
| CIH_6B | 1 | 0207 - 0207 | Barrier to improving health - work schedule |
| CIH_6J | 1 | 0208 - 0208 | Barrier to improving health - addiction to drugs / alcohol |
| CIH_6K | 1 | 0209 - 0209 | Barrier to improving health - physical condition |
| CIH_6G | 1 | 0210 - 0210 | Barrier to improving health - disability / health problem |
| CIH_6F | 1 | 0211 - 0211 | Barrier to improving health - too stressed |
| CIH_6E | 1 | 0212 - 0212 | Barrier to improving health - too costly |
| CIH_6L | 1 | 0213 - 0213 | Barrier to improving health - not available - in area |
| CIH_6M | 1 | 0214 - 0214 | Barrier to improving health - transportation problems |
| CIH_6N | 1 | 0215 - 0215 | Barrier to improving health - weather problems |
| CIH_6H | 1 | 0216 - 0216 | Barrier to improving health - other |
| CIH_7 | 1 | 0217 - 0217 | Intending to improve health over next year |
| CIH_8A | 1 | 0218 - 0218 | Health improvement - more exercise |
| CIH_8B | 1 | 0219 - 0219 | Health improvement - lose weight |
| CIH_8C | 1 | 0220 - 0220 | Health improvement - improve eating habits |
| CIH_8J | 1 | 0221 - 0221 | Health improvement - quit smoking |
| CIH_8K | 1 | 0222 - 0222 | Health improvement - drink less alcohol |
| CIH_8G | 1 | 0223 - 0223 | Health improvement - reduce stress level |
| CIH_8L | 1 | 0224 - 0224 | Health improvement - receive medical treatment |
| CIH_8H | 1 | 0225 - 0225 | Health improvement - take vitamins |
| CIH_8I | 1 | 0226 - 0226 | Health improvement - other |
| DOOH1 | 1 | 0227 - 0227 | Theme module: Oral health 1 - (F) |
| OH1_20 | 1 | 0228 - 0228 | Self-perceived health of teeth and mouth |
| OH1_21A | 1 | 0229 - 0229 | Ability to chew - firm foods |
| OH1_21B | 1 | 0230 - 0230 | Ability to chew - fresh apple |
| OH1_21C | 1 | 0231 - 0231 | Ability to chew - boiled vegetables |
| OH1_22 | 1 | 0232 - 0232 | Frequency of pain in teeth or gums - past month |
| DOHCS | 1 | 0233 - 0233 | Health care system satisfaction module- Inclusion Flag - (F) |
| HCS_1 | 1 | 0234 - 0234 | Rating of availability of health care - province |
| HCS_2 | 1 | 0235 - 0235 | Rating of quality of health care - province |

| Variable | Length | Position | Concept |
|---|---|---|---|
| HCS_3 | 1 | 0236 - 0236 | Rating of availability of health care - community |
| HCS_4 | 1 | 0237 - 0237 | Rating of quality of health care - community |
| MAM_037 | 1 | 0238 - 0238 | Currently pregnant |
| HWT_2 | 2 | 0239 - 0240 | Height / self-reported |
| HWT_2A | 2 | 0241 - 0242 | Height - exact height from 1'0" to 1'11" / self-reported |
| HWT_2B | 2 | 0243 - 0244 | Height - exact height from 2'0" to 2'11" / self-reported |
| HWT_2C | 2 | 0245 - 0246 | Height - exact height from 3'0" to 3'11" / self-reported |
| HWT_2D | 2 | 0247 - 0248 | Height - exact height from 4'0" to 4'11" / self-reported |
| HWT_2E | 2 | 0249 - 0250 | Height - exact height from 5'0" to 5'11" / self-reported |
| HWT_2F | 2 | 0251 - 0252 | Height - exact height from 6'0" to 6'11" / self-reported |
| HWT_3 | 3 | 0253 - 0255 | Weight / self-reported |
| HWT_N4 | 1 | 0256 - 0256 | Weight - unit of measure in pounds/kilograms / self-reported |
| HWT_4 | 1 | 0257 - 0257 | Respondent's opinion of own weight - self-reported |
| HWTDHTM | 5.3 | 0258 - 0262 | Height (metres) / self-reported - (D) |
| HWTDWTK | 6.2 | 0263 - 0268 | Weight (kilograms) / self-reported - (D) |
| HWTDBMI | 6.2 | 0269 - 0274 | Body Mass Index (BMI) / self-report - (D) |
| HWTDISW | 2 | 0275 - 0276 | BMI class. (18 +) / self-report - Intern. standard - (D) |
| HWTDCOL | 1 | 0277 - 0277 | BMI class. (12 to 17) / self-report - Cole system - (D) |
| HWTDWHO | 1 | 0278 - 0278 | BMI of school-aged children & adolescents - self-report (D) |
| CCC_031 | 1 | 0279 - 0279 | Has asthma |
| CCC_035 | 1 | 0280 - 0280 | Asthma - had symptoms or attacks |
| CCC_036 | 1 | 0281 - 0281 | Asthma - took medication |
| CCC_041 | 1 | 0282 - 0282 | Has fibromyalgia |
| CCC_051 | 1 | 0283 - 0283 | Has arthritis |
| CCC_061 | 1 | 0284 - 0284 | Has back problems excluding fibromyalgia and arthritis |
| CCC_071 | 1 | 0285 - 0285 | Has high blood pressure |
| CCC_072 | 1 | 0286 - 0286 | Ever diagnosed with high blood pressure |
| CCC_073 | 1 | 0287 - 0287 | Medication - high blood pressure - past month |
| CCC_073A | 1 | 0288 - 0288 | Pregnant when first diagnosed with high blood pressure |
| CCC_073B | 1 | 0289 - 0289 | Other than during pregnancy - diag. with high blood pressure |
| CCC_081 | 1 | 0290 - 0290 | Has migraine headaches |
| CCC_091 | 1 | 0291 - 0291 | Has a COPD |
| CCC_101 | 1 | 0292 - 0292 | Has diabetes |
| CCC_102 | 3 | 0293 - 0295 | Diabetes - age first diagnosed |
| CCC_10A | 1 | 0296 - 0296 | Diabetes diagnosed - when pregnant |
| CCC_10B | 1 | 0297 - 0297 | Diabetes diagnosed - other than when pregnant |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CCC_10C | 2 | 0298 - 0299 | Diabetes diagnosed - when started with insulin |
| CCC_105 | 1 | 0300 - 0300 | Diabetes - currently takes insulin |
| CCC_106 | 1 | 0301 - 0301 | Diabetes - takes pills to control blood sugar |
| CCC_121 | 1 | 0302 - 0302 | Has heart disease |
| CCC_131 | 1 | 0303 - 0303 | Has cancer |
| CCC_31A | 1 | 0304 - 0304 | Ever had cancer |
| CCC_141 | 1 | 0305 - 0305 | Has stomach or intestinal ulcers |
| CCC_151 | 1 | 0306 - 0306 | Suffers from the effects of a stroke |
| CCC_161 | 1 | 0307 - 0307 | Has urinary incontinence |
| CCC_171 | 1 | 0308 - 0308 | Has a bowel disorder / Crohn's Disease or colitis |
| CCC_17A | 1 | 0309 - 0309 | Type of bowel disease |
| CCC_173 | 1 | 0310 - 0310 | Diagnosed with scoliosis |
| CCC_181 | 1 | 0311 - 0311 | Has Alzheimer's disease or other dementia |
| CCC_251 | 1 | 0312 - 0312 | Has chronic fatigue syndrome |
| CCC_261 | 1 | 0313 - 0313 | Suffers from multiple chemical sensitivities |
| CCC_280 | 1 | 0314 - 0314 | Has a mood disorder |
| CCC_290 | 1 | 0315 - 0315 | Has an anxiety disorder |
| CCCDDIA | 1 | 0316 - 0316 | Diabetes type |
| DODIA | 1 | 0317 - 0317 | Diabetes care - Inclusion Flag - (F) |
| DIA_01 | 1 | 0318 - 0318 | Tested for "A-one-C" haemoglobin |
| DIA_02 | 3 | 0319 - 0321 | Number of times - tested for haemoglobin "A-one-C" |
| DIA_03 | 1 | 0322 - 0322 | Feet checked by health professional |
| DIA_04 | 3 | 0323 - 0325 | Number of times - feet checked by health professional |
| DIA_05 | 1 | 0326 - 0326 | Urine tested for protein by health professional |
| DIA_06 | 1 | 0327 - 0327 | Ever had eye exam with pupils dilated |
| DIA_07 | 1 | 0328 - 0328 | Eye exam with pupils dilated - last time |
| DIA_08 | 1 | 0329 - 0329 | Checks glucose level / self - reporting unit |
| DIA_N8B | 3 | 0330 - 0332 | Checks glucose level/self - number of times per day |
| DIA_N8C | 3 | 0333 - 0335 | Checks glucose level/self - number of times per week |
| DIA_N8D | 3 | 0336 - 0338 | Checks glucose level/self - number of times per month |
| DIA_N8E | 3 | 0339 - 0341 | Checks glucose level/self - number of times per year |
| DIA_09 | 1 | 0342 - 0342 | Checks feet / self - reporting unit |
| DIA_N9B | 3 | 0343 - 0345 | Checks feet / self - number of times per day |
| DIA_N9C | 3 | 0346 - 0348 | Checks feet / self - number of times per week |
| DIA_N9D | 3 | 0349 - 0351 | Checks feet / self - number of times per month |
| DIA_N9E | 3 | 0352 - 0354 | Checks feet / self - number of times per year |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DIA_10 | 1 | 0355 - 0355 | Medication - ASA - past month |
| DIA_11 | 1 | 0356 - 0356 | Medication - blood cholesterol - past month |
| DOHUI | 1 | 0357 - 0357 | Health utility index - Inclusion Flag - (F) |
| HUI_01 | 1 | 0358 - 0358 | Vision - read newsprint without glasses / contacts |
| HUI_02 | 1 | 0359 - 0359 | Vision - read newsprint with glasses / contacts |
| HUI_03 | 1 | 0360 - 0360 | Vision - able to see |
| HUI_04 | 1 | 0361 - 0361 | Vision - recognize a friend without glasses / contacts |
| HUI_05 | 1 | 0362 - 0362 | Vision - recognize a friend with glasses / contacts |
| HUI_06 | 1 | 0363 - 0363 | Hearing - in group without hearing aid |
| HUI_07 | 1 | 0364 - 0364 | Hearing - in group with hearing aid |
| HUI_07A | 1 | 0365 - 0365 | Hearing - able to hear |
| HUI_08 | 1 | 0366 - 0366 | Hearing - in quiet room without hearing aid |
| HUI_09 | 1 | 0367 - 0367 | Hearing - in quiet room with hearing aid |
| HUI_10 | 1 | 0368 - 0368 | Speech - completely understood by strangers |
| HUI_11 | 1 | 0369 - 0369 | Speech - partially understood by strangers |
| HUI_12 | 1 | 0370 - 0370 | Speech - completely understood by non-strangers |
| HUI_13 | 1 | 0371 - 0371 | Speech - partially understood by non-strangers |
| HUI_14 | 1 | 0372 - 0372 | Mobility - walk without difficulty and without support |
| HUI_15 | 1 | 0373 - 0373 | Mobility - able to walk |
| HUI_16 | 1 | 0374 - 0374 | Mobility - requires support to walk |
| HUI_17 | 1 | 0375 - 0375 | Mobility - requires help of person to walk |
| HUI_18 | 1 | 0376 - 0376 | Mobility - requires a wheelchair |
| HUI_19 | 1 | 0377 - 0377 | Mobility - frequency of wheelchair use |
| HUI_20 | 1 | 0378 - 0378 | Mobility - requires help to move in wheelchair |
| HUI_21 | 1 | 0379 - 0379 | Dexterity - able to grasp and handle small objects |
| HUI_22 | 1 | 0380 - 0380 | Dexterity - requires help due to limitation in hands |
| HUI_23 | 1 | 0381 - 0381 | Dexterity - requires help with tasks |
| HUI_24 | 1 | 0382 - 0382 | Dexterity - requires special equipment / hand limitation |
| HUI_25 | 1 | 0383 - 0383 | Emotion - self evaluation |
| HUI_26 | 1 | 0384 - 0384 | Cognition - ability to remember things |
| HUI_27 | 1 | 0385 - 0385 | Cognition - ability to think and solve problems |
| HUIDVIS | 2 | 0386 - 0387 | Vision (function code) - (D) |
| HUIDHER | 2 | 0388 - 0389 | Hearing (function code) - (D) |
| HUIDSPE | 1 | 0390 - 0390 | Speech (function code) - (D) |
| HUIDMOB | 2 | 0391 - 0392 | Ambulation (mobility) (function code) - (D) |
| HUIDDEX | 2 | 0393 - 0394 | Dexterity (function code) - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| HUIDEMO | 1 | 0395 - 0395 | Emotion (function code) - (D) |
| HUIDCOG | 2 | 0396 - 0397 | Cognition problems - function code - (D) |
| HUIDHSI | 6.3 | 0398 - 0403 | Health utilities index - (D) |
| HUP_01 | 1 | 0404 - 0404 | Usually free of pain or discomfort |
| HUP_02 | 1 | 0405 - 0405 | Pain and discomfort - usual intensity |
| HUP_03 | 1 | 0406 - 0406 | Pain and discomfort - number of activities prevented |
| HUPDPAD | 1 | 0407 - 0407 | Pain (function code) - (D) |
| HCU_1AA | 1 | 0408 - 0408 | Has regular medical doctor |
| HCU_1BA | 1 | 0409 - 0409 | Reason has no regular doctor - no one available in area |
| HCU_1BB | 1 | 0410 - 0410 | Reason has no regular doctor - none taking new patients |
| HCU_1BC | 1 | 0411 - 0411 | Reason has no regular doctor - not tried to contact one |
| HCU_1BD | 1 | 0412 - 0412 | Reason has no regular doctor - has left or retired |
| HCU_1BE | 1 | 0413 - 0413 | Reason has no regular doctor - other |
| HCU_1A1 | 1 | 0414 - 0414 | Regular medical doctor |
| HCU_1A2 | 2 | 0415 - 0416 | Kind of place |
| HCU_1AC | 2 | 0417 - 0418 | Language spoken to doctor |
| CHP_01 | 1 | 0419 - 0419 | Overnight patient |
| CHP_02 | 3 | 0420 - 0422 | Number of nights as patient |
| CHP_03 | 1 | 0423 - 0423 | Consulted with family doctor/general practitioner |
| CHP_04 | 3 | 0424 - 0426 | Number of consultations - fam. doctor/general practitioner |
| CHP_05 | 2 | 0427 - 0428 | Where the most recent contact took place |
| CHP_06 | 1 | 0429 - 0429 | Consulted with eye specialist |
| CHP_07 | 2 | 0430 - 0431 | Number of consultations - eye specialist |
| CHP_08 | 1 | 0432 - 0432 | Consulted with other medical doctor |
| CHP_09 | 3 | 0433 - 0435 | Number of consultations - other medical doctor |
| CHP_10 | 2 | 0436 - 0437 | Where the most recent contact took place |
| CHP_11 | 1 | 0438 - 0438 | Consulted with nurse |
| CHP_12 | 3 | 0439 - 0441 | Number of consultations - nurse |
| CHP_13 | 2 | 0442 - 0443 | Where the most recent contact took place |
| CHP_14 | 1 | 0444 - 0444 | Consulted with dentist or orthodontist |
| CHP_15 | 3 | 0445 - 0447 | Number of consultations - dentist or orthodontist |
| CHPDMDC | 3 | 0448 - 0450 | Number of consultations with medical doctor - (D) |
| DOCP2 | 1 | 0451 - 0451 | Contacts with Health Prof. - Part 2 - Inclusion Flag - (F) |
| CHP_16 | 1 | 0452 - 0452 | Consulted with chiropractor |
| CHP_17 | 3 | 0453 - 0455 | Number of consultations - chiropractor |
| CHP_18 | 1 | 0456 - 0456 | Consulted with physiotherapist |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CHP_19 | 3 | 0457 - 0459 | Number of consultations - physiotherapist |
| CHP_20 | 1 | 0460 - 0460 | Consulted with psychologist |
| CHP_21 | 3 | 0461 - 0463 | Number of consultations - psychologist |
| CHP_22 | 1 | 0464 - 0464 | Consulted with social worker or counsellor |
| CHP_23 | 3 | 0465 - 0467 | Number of consultations - social worker or counsellor |
| CHP_24 | 1 | 0468 - 0468 | Consulted with speech/audiology/occ. therapist |
| CHP_25 | 3 | 0469 - 0471 | Number of consultations - speech/audiology/occ. therapist |
| DOUCN | 1 | 0472 - 0472 | Unmet health care needs - Inclusion Flag - (F) |
| UCN_010 | 1 | 0473 - 0473 | Unmet health care needs - self-perceived |
| UCN_020A | 1 | 0474 - 0474 | Care not received - not available in area |
| UCN_020B | 1 | 0475 - 0475 | Care not received - not available at time required |
| UCN_020C | 1 | 0476 - 0476 | Care not received - waiting time too long |
| UCN_020D | 1 | 0477 - 0477 | Care not received - felt would be inadequate |
| UCN_020E | 1 | 0478 - 0478 | Care not received - cost |
| UCN_020F | 1 | 0479 - 0479 | Care not received - too busy |
| UCN_020G | 1 | 0480 - 0480 | Care not received - didn't get around to it |
| UCN_020H | 1 | 0481 - 0481 | Care not received - decided not to seek care |
| UCN_020I | 1 | 0482 - 0482 | Care not received - dr didn't think it was necessary |
| UCN_020J | 1 | 0483 - 0483 | Care not received - other |
| UCN_030A | 1 | 0484 - 0484 | Type of care not received - treatment phys. health problem |
| UCN_030B | 1 | 0485 - 0485 | Type of care not received - treatment emotional problem |
| UCN_030C | 1 | 0486 - 0486 | Type of care not received - regular check-up |
| UCN_030D | 1 | 0487 - 0487 | Type of care not received - care of injury |
| UCN_030E | 1 | 0488 - 0488 | Type of care not received - other |
| UCN_040A | 1 | 0489 - 0489 | Location tried to get service - doctor's office |
| UCN_040B | 1 | 0490 - 0490 | Location tried to get service - community health centre/CLSC |
| UCN_040C | 1 | 0491 - 0491 | Location tried to get service - walk-in clinic |
| UCN_040D | 1 | 0492 - 0492 | Location tried to get service - appointment clinic |
| UCN_040E | 1 | 0493 - 0493 | Location tried to get service - hospital emergency room |
| UCN_040F | 1 | 0494 - 0494 | Location tried to get service - hosp. outpatient clinic |
| UCN_040G | 1 | 0495 - 0495 | Location tried to get service - other |
| DOHMC | 1 | 0496 - 0496 | Home care services - Inclusion Flag - (F) |
| HMC_09 | 1 | 0497 - 0497 | Received home care services - cost covered by government |
| HMC_10A | 1 | 0498 - 0498 | Type of govt. home care rec'd - nursing care |
| HMC_10B | 1 | 0499 - 0499 | Type of govt. home care rec'd - health services |
| HMC_10I | 1 | 0500 - 0500 | Type of govt. home care rec'd - Medical equipment |

| Variable | Length | Position | Concept |
|---|---|---|---|
| HMC_10C | 1 | 0501 - 0501 | Type of govt. home care rec'd - personal care |
| HMC_10D | 1 | 0502 - 0502 | Type of govt. home care rec'd - housework |
| HMC_10E | 1 | 0503 - 0503 | Type of govt. home care rec'd - meals |
| HMC_10F | 1 | 0504 - 0504 | Type of govt. home care rec'd - shopping |
| HMC_10G | 1 | 0505 - 0505 | Type of govt. home care rec'd - respite care |
| HMC_10H | 1 | 0506 - 0506 | Type of govt. home care rec'd - other |
| HMC_11 | 1 | 0507 - 0507 | Received home care services - cost not covered by government |
| HMC_12A | 1 | 0508 - 0508 | Non govt. home care - provided by nurse from private agency |
| HMC_12B | 1 | 0509 - 0509 | Non govt. home care - provided by homemaker |
| HMC_12G | 1 | 0510 - 0510 | Non govt. home care - physiotherapist |
| HMC_12C | 1 | 0511 - 0511 | Non govt. home care - provided by neighbour or friend |
| HMC_12D | 1 | 0512 - 0512 | Non govt. home care - provided by family member |
| HMC_12E | 1 | 0513 - 0513 | Non govt. home care - provided by volunteer |
| HMC_12F | 1 | 0514 - 0514 | Non govt. home care - provided by other |
| HMC_13A | 1 | 0515 - 0515 | Received other home care services - Nursing care |
| HMC_13B | 1 | 0516 - 0516 | Received home care serv.-physio,occupational,speech therapy |
| HMC_13C | 1 | 0517 - 0517 | Received other home care services - Med. Equip. or supplies |
| HMC_13D | 1 | 0518 - 0518 | Received other home care services - Personal care |
| HMC_13E | 1 | 0519 - 0519 | Received home care services - Housework |
| HMC_13F | 1 | 0520 - 0520 | Received other home care services - Meal prep. Or delivery |
| HMC_13G | 1 | 0521 - 0521 | Received other home care services - Shopping |
| HMC_13H | 1 | 0522 - 0522 | Received other home care services - Respite care |
| HMC_13I | 1 | 0523 - 0523 | Received other home care services - Other |
| HMC_14 | 1 | 0524 - 0524 | Self-perceived unmet home care needs |
| HMC_15A | 1 | 0525 - 0525 | Home care not received - not available / area |
| HMC_15B | 1 | 0526 - 0526 | Home care not received - not available at time required |
| HMC_15C | 1 | 0527 - 0527 | Home care not received - waiting time too long |
| HMC_15D | 1 | 0528 - 0528 | Home care not received - felt would be inadequate |
| HMC_15E | 1 | 0529 - 0529 | Home care not received - cost |
| HMC_15F | 1 | 0530 - 0530 | Home care not received - too busy |
| HMC_15G | 1 | 0531 - 0531 | Home care not received - didn't get around to it |
| HMC_15H | 1 | 0532 - 0532 | Home care not received - didn't know where to go |
| HMC_15I | 1 | 0533 - 0533 | Home care not received - language problems |
| HMC_15J | 1 | 0534 - 0534 | Home care not received - family responsibilities |
| HMC_15K | 1 | 0535 - 0535 | Home care not received - decided not to seek services |
| HMC_15L | 1 | 0536 - 0536 | Home care not received - doctor didn't think necessary |

| Variable | Length | Position | Concept |
|---|---|---|---|
| HMC_15N | 1 | 0537 - 0537 | Home care not received - Did not qualify |
| HMC_15O | 1 | 0538 - 0538 | Home care not received - Still waiting for homecare |
| HMC_15M | 1 | 0539 - 0539 | Home care not received - other |
| HMC_16A | 1 | 0540 - 0540 | Type of home care needed - nursing care |
| HMC_16B | 1 | 0541 - 0541 | Type of home care needed - health services |
| HMC_16I | 1 | 0542 - 0542 | Type of home care needed - Medical equipment or supplies |
| HMC_16C | 1 | 0543 - 0543 | Type of home care needed - personal care |
| HMC_16D | 1 | 0544 - 0544 | Type of home care needed - housework |
| HMC_16E | 1 | 0545 - 0545 | Type of home care needed - meals |
| HMC_16F | 1 | 0546 - 0546 | Type of home care needed - shopping |
| HMC_16G | 1 | 0547 - 0547 | Type of home care needed - respite care |
| HMC_16H | 1 | 0548 - 0548 | Type of home care needed - other |
| HMC_17A | 1 | 0549 - 0549 | Who contacted for home care - government sponsored program |
| HMC_17B | 1 | 0550 - 0550 | Who contacted for home care - private agency |
| HMC_17C | 1 | 0551 - 0551 | Who contacted for home care - family member or friend |
| HMC_17D | 1 | 0552 - 0552 | Who contacted for home care - volunteer organization |
| HMC_17E | 1 | 0553 - 0553 | Who contacted for home care - other |
| HMCFRHC | 1 | 0554 - 0554 | Received home care - (F) |
| DOPAS | 1 | 0555 - 0555 | Patient sat. - Health care service - Inclusion Flag -(F) |
| PAS_11 | 1 | 0556 - 0556 | Received health care services |
| PAS_12 | 1 | 0557 - 0557 | Rating of quality of care received |
| PAS_13 | 1 | 0558 - 0558 | Satisfaction with way care provided |
| PAS_21A | 1 | 0559 - 0559 | Received health care services at hospital |
| PAS_21B | 1 | 0560 - 0560 | Type of patient - most recent visit |
| PAS_22 | 1 | 0561 - 0561 | Rating of quality of care received - hospital |
| PAS_23 | 1 | 0562 - 0562 | Satisfaction with way care provided - hospital |
| PAS_31A | 1 | 0563 - 0563 | Received physician care |
| PAS_31B | 1 | 0564 - 0564 | Type of physician - most recent care |
| PAS_32 | 1 | 0565 - 0565 | Rating of quality of care received - physician |
| PAS_33 | 1 | 0566 - 0566 | Satisfaction with way care provided - physician |
| DOPSC | 1 | 0567 - 0567 | Patient sat. - Community-based care - Inclusion Flag - (F) |
| PSC_1 | 1 | 0568 - 0568 | Received any community-based care |
| PSC_2 | 1 | 0569 - 0569 | How rate quality of the community-based received |
| PSC_3 | 1 | 0570 - 0570 | How satisfied with the way community-based care provided |
| RAC_1 | 1 | 0571 - 0571 | Has dificulty with activities |
| RAC_2A | 1 | 0572 - 0572 | Reduction in kind/amount of activities - at home |

| Variable | Length | Position | Concept |
|---|---|---|---|
| RAC_2B1 | 1 | 0573 - 0573 | Reduction in kind/amount of activities - at school |
| RAC_2B2 | 1 | 0574 - 0574 | Reduction in kind/amount of activities - at work |
| RAC_2C | 1 | 0575 - 0575 | Reduction in kind/amount of activities - other activities |
| RAC_5 | 2 | 0576 - 0577 | Cause of health problem |
| RACDIMP | 1 | 0578 - 0578 | Impact of health problems - (D) |
| RACDPAL | 1 | 0579 - 0579 | Participation and activity limitation - (D) |
| DOADL | 1 | 0580 - 0580 | Activities of daily living - Inclusion Flag - (F) |
| ADL_01 | 1 | 0581 - 0581 | Needs help - preparing meals |
| ADL_02 | 1 | 0582 - 0582 | Needs help - getting to appointments / running errands |
| ADL_03 | 1 | 0583 - 0583 | Needs help - doing housework |
| ADL_04 | 1 | 0584 - 0584 | Needs help - personal care |
| ADL_05 | 1 | 0585 - 0585 | Needs help - moving about inside the house |
| ADL_06 | 1 | 0586 - 0586 | Needs help - looking after personal finances |
| ADLF6R | 1 | 0587 - 0587 | Help needed for tasks - (F) |
| FLU_160 | 1 | 0588 - 0588 | Ever had a flu shot |
| FLU_162 | 1 | 0589 - 0589 | Had flu shot - last time |
| FLU_164 | 2 | 0590 - 0591 | Had flu shot - which month |
| FLU_165 | 1 | 0592 - 0592 | Had flu shot - current/last year |
| FLU_66A | 1 | 0593 - 0593 | No flu shot - have not gotten around to it |
| FLU_66B | 1 | 0594 - 0594 | No flu shot - respondent didn't think it was necessary |
| FLU_66C | 1 | 0595 - 0595 | No flu shot - doctor didn't think it was necessary |
| FLU_66D | 1 | 0596 - 0596 | No flu shot - personal or family responsibilities |
| FLU_66E | 1 | 0597 - 0597 | No flu shot - not available at time required |
| FLU_66F | 1 | 0598 - 0598 | No flu shot - not available at all in area |
| FLU_66G | 1 | 0599 - 0599 | No flu shot - waiting time was too long |
| FLU_66H | 1 | 0600 - 0600 | No flu shot - transportation problems |
| FLU_66I | 1 | 0601 - 0601 | No flu shot - language problem |
| FLU_66J | 1 | 0602 - 0602 | No flu shot - cost |
| FLU_66K | 1 | 0603 - 0603 | No flu shot - did not know where to go |
| FLU_66L | 1 | 0604 - 0604 | No flu shot - fear |
| FLU_66M | 1 | 0605 - 0605 | No flu shot - bad reaction to previous shot |
| FLU_66O | 1 | 0606 - 0606 | No flu shot - unable to leave house / health problem |
| FLU_66N | 1 | 0607 - 0607 | No flu shot - other |
| DOBPC | 1 | 0608 - 0608 | Blood pressure check - Inclusion Flag - (F) |
| BPC_010 | 1 | 0609 - 0609 | Ever had blood pressure taken |
| BPC_012 | 1 | 0610 - 0610 | Last time blood pressure was taken |

| Variable | Length | Position | Concept |
|---|---|---|---|
| BPC_013 | 1 | 0611 - 0611 | Pregnant - blood pressure taken |
| BPC_16A | 1 | 0612 - 0612 | Blood pressure not taken - have not gotten around to it |
| BPC_16B | 1 | 0613 - 0613 | Blood pressure not taken - respondent didn't think necessary |
| BPC_16C | 1 | 0614 - 0614 | Blood pressure not taken - doctor didn't think necessary |
| BPC_16D | 1 | 0615 - 0615 | Blood pressure not taken - personal / fam. responsibilities |
| BPC_16E | 1 | 0616 - 0616 | Blood pressure not taken - not available when required |
| BPC_16F | 1 | 0617 - 0617 | Blood pressure not taken - not available in area |
| BPC_16G | 1 | 0618 - 0618 | Blood pressure not taken - waiting time too long |
| BPC_16H | 1 | 0619 - 0619 | Blood pressure not taken - transportation problems |
| BPC_16I | 1 | 0620 - 0620 | Blood pressure not taken - language problem |
| BPC_16J | 1 | 0621 - 0621 | Blood pressure not taken - cost |
| BPC_16K | 1 | 0622 - 0622 | Blood pressure not taken - did not know where to go |
| BPC_16L | 1 | 0623 - 0623 | Blood pressure not taken - fear |
| BPC_16N | 1 | 0624 - 0624 | Blood pressure not taken - unable to leave house/health prob |
| BPC_16M | 1 | 0625 - 0625 | Blood pressure not taken - other |
| DOPAP | 1 | 0626 - 0626 | PAP smear test module - Inclusion Flag - (F) |
| PAP_020 | 1 | 0627 - 0627 | Ever had PAP smear test |
| PAP_022 | 1 | 0628 - 0628 | Last time had PAP smear test |
| PAP_26A | 1 | 0629 - 0629 | No PAP smear - have not gotten around to it |
| PAP_26B | 1 | 0630 - 0630 | No PAP smear - respondent didn't think necessary |
| PAP_26C | 1 | 0631 - 0631 | No PAP smear - doctor didn't think necessary |
| PAP_26D | 1 | 0632 - 0632 | No PAP smear - personal / family responsibilities |
| PAP_26E | 1 | 0633 - 0633 | No PAP smear - not available when required |
| PAP_26F | 1 | 0634 - 0634 | No PAP smear - not available in area |
| PAP_26G | 1 | 0635 - 0635 | No PAP smear - waiting time too long |
| PAP_26H | 1 | 0636 - 0636 | No PAP smear - transportation problems |
| PAP_26I | 1 | 0637 - 0637 | No PAP smear - language problem |
| PAP_26J | 1 | 0638 - 0638 | No PAP smear - cost |
| PAP_26K | 1 | 0639 - 0639 | No PAP smear - did not know where to go |
| PAP_26L | 1 | 0640 - 0640 | No PAP smear - fear |
| PAP_26M | 1 | 0641 - 0641 | No PAP smear - hysterectomy |
| PAP_26N | 1 | 0642 - 0642 | No PAP smear - hate / dislike having one done |
| PAP_26P | 1 | 0643 - 0643 | No PAP smear - unable to leave house / health problem |
| PAP_26O | 1 | 0644 - 0644 | No PAP smear - other |
| DOMAM | 1 | 0645 - 0645 | Mammography - Inclusion Flag - (F) |
| MAM_030 | 1 | 0646 - 0646 | Ever had mammogram |

| Variable | Length | Position | Concept |
|---|---|---|---|
| MAM_31A | 1 | 0647 - 0647 | Had mammogram - family history |
| MAM_31B | 1 | 0648 - 0648 | Had mammogram - regular check-up |
| MAM_31C | 1 | 0649 - 0649 | Had mammogram - age |
| MAM_31D | 1 | 0650 - 0650 | Had mammogram - previously detected lump |
| MAM_31E | 1 | 0651 - 0651 | Had mammogram - follow-up of treatment |
| MAM_31F | 1 | 0652 - 0652 | Had mammogram - on hormone replacement therapy |
| MAM_31G | 1 | 0653 - 0653 | Had mammogram - breast problem |
| MAM_31H | 1 | 0654 - 0654 | Had mammogram - other |
| MAM_032 | 1 | 0655 - 0655 | Last time mammogram was done |
| MAM_36A | 1 | 0656 - 0656 | No mammogram - have not gotten around to it - past 2 yrs |
| MAM_36B | 1 | 0657 - 0657 | No mammogram - resp. did not think necessary - past 2 yrs |
| MAM_36C | 1 | 0658 - 0658 | No mammogram - doctor did not think necessary - past 2 yrs |
| MAM_36D | 1 | 0659 - 0659 | No mammogram - personal/family responsibilities - past 2 yrs |
| MAM_36E | 1 | 0660 - 0660 | No mammogram - not available when required - past 2 yrs |
| MAM_36F | 1 | 0661 - 0661 | No mammogram - not available in the area - past 2 yrs |
| MAM_36G | 1 | 0662 - 0662 | No mammogram - waiting time too long - past 2 yrs |
| MAM_36H | 1 | 0663 - 0663 | No mammogram - transportation problems - past 2 yrs |
| MAM_36I | 1 | 0664 - 0664 | No mammogram - language problem - past 2 yrs |
| MAM_36J | 1 | 0665 - 0665 | No mammogram - cost - past 2 yrs |
| MAM_36K | 1 | 0666 - 0666 | No mammogram - did not know where to go - past 2 yrs |
| MAM_36L | 1 | 0667 - 0667 | No mammogram - fear - past 2 yrs |
| MAM_36N | 1 | 0668 - 0668 | No mammogram - unable to leave house/hlth prob - past 2 yrs |
| MAM_36O | 1 | 0669 - 0669 | No mammogram - Breasts removed / Mastectomy |
| MAM_36M | 1 | 0670 - 0670 | No mammogram - other - past 2 yrs |
| MAM_038 | 1 | 0671 - 0671 | Had a hysterectomy |
| DOPSA | 1 | 0672 - 0672 | Prostate cancer screening - Inclusion Flag - (F) |
| PSA_170 | 1 | 0673 - 0673 | Ever had a PSA blood test (prostate cancer) |
| PSA_172 | 1 | 0674 - 0674 | Last time had PSA blood test |
| PSA_73A | 1 | 0675 - 0675 | Had PSA test - family history of prostate cancer |
| PSA_73B | 1 | 0676 - 0676 | Had PSA test - regular check-up |
| PSA_73C | 1 | 0677 - 0677 | Had PSA test - age |
| PSA_73G | 1 | 0678 - 0678 | Had PSA test - race |
| PSA_73D | 1 | 0679 - 0679 | Had PSA test - follow-up of problem |
| PSA_73E | 1 | 0680 - 0680 | Had PSA test - follow-up of prostate cancer treatment |
| PSA_73F | 1 | 0681 - 0681 | Had PSA test - other |
| PSA_174 | 1 | 0682 - 0682 | Had a digital rectal exam |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PSA_175 | 1 | 0683 - 0683 | Last time had digital rectal exam |
| DOCCS | 1 | 0684 - 0684 | Colorectal cancer screening - Inclusion Flag - (F) |
| CCS_180 | 1 | 0685 - 0685 | Had an FOBT test |
| CCS_182 | 2 | 0686 - 0687 | Last time FOBT test done |
| CCS_83A | 1 | 0688 - 0688 | Had FOBT - family history |
| CCS_83B | 1 | 0689 - 0689 | Had FOBT - regular check-up |
| CCS_83C | 1 | 0690 - 0690 | Had FOBT - age |
| CCS_83G | 1 | 0691 - 0691 | Had FOBT - race |
| CCS_83D | 1 | 0692 - 0692 | Had FOBT - follow-up of problem |
| CCS_83E | 1 | 0693 - 0693 | Had FOBT - follow-up of treatment |
| CCS_83F | 1 | 0694 - 0694 | Had FOBT - other |
| CCS_184 | 1 | 0695 - 0695 | Had colonoscopy or sigmoidoscopy |
| CCS_185 | 2 | 0696 - 0697 | Last time had colonoscopy or sigmoidoscopy |
| CCS_86A | 1 | 0698 - 0698 | Had colonoscopy/sigmoidoscopy - family history |
| CCS_86B | 1 | 0699 - 0699 | Had colonoscopy/sigmoidoscopy - regular check-up |
| CCS_86C | 1 | 0700 - 0700 | Had colonoscopy/sigmoidoscopy - age |
| CCS_86G | 1 | 0701 - 0701 | Had colonoscopy/sigmoidoscopy - race |
| CCS_86D | 1 | 0702 - 0702 | Had colonoscopy/sigmoidoscopy - follow-up of problem |
| CCS_86E | 1 | 0703 - 0703 | Had colonoscopy/sigmoidoscopy - follow-up of treatment |
| CCS_86F | 1 | 0704 - 0704 | Had colonoscopy/sigmoidoscopy - other |
| CCS_187 | 1 | 0705 - 0705 | Colonoscopy or sigmoidoscopy followed FOBT test |
| DOEYX | 1 | 0706 - 0706 | Eye examinations - Inclusion Flag - (F) |
| EYX_140 | 1 | 0707 - 0707 | Visit eye doctor - 12 m |
| EYX_142 | 1 | 0708 - 0708 | Last time eye examination |
| EYX_46A | 1 | 0709 - 0709 | No eye exam - not gotten around to it - past 2 yrs |
| EYX_46B | 1 | 0710 - 0710 | No eye exam - respondent didn't think necessary |
| EYX_46C | 1 | 0711 - 0711 | No eye exam - doctor didn't think necessary |
| EYX_46D | 1 | 0712 - 0712 | No eye exam - personal or family responsibilities |
| EYX_46E | 1 | 0713 - 0713 | No eye exam - not available when required |
| EYX_46F | 1 | 0714 - 0714 | No eye exam- not available in area |
| EYX_46G | 1 | 0715 - 0715 | No eye exam - waiting time too long |
| EYX_46H | 1 | 0716 - 0716 | No eye exam - transportation problems |
| EYX_46I | 1 | 0717 - 0717 | No eye exam - language problem |
| EYX_46J | 1 | 0718 - 0718 | No eye exam - cost |
| EYX_46K | 1 | 0719 - 0719 | No eye exam - did not know where to go |
| EYX_46L | 1 | 0720 - 0720 | No eye exam - fear |

| Variable | Length | Position | Concept |
|---|---|---|---|
| EYX_46N | 1 | 0721 - 0721 | No eye exam - health problem |
| EYX_46M | 1 | 0722 - 0722 | No eye exam - other reason |
| DODEN | 1 | 0723 - 0723 | Dental visits - Inclusion Flag - (F) |
| DEN_130 | 1 | 0724 - 0724 | Visited dentist |
| DEN_132 | 2 | 0725 - 0726 | Last time visited dentist |
| DEN_36A | 1 | 0727 - 0727 | No dental visit - have not gotten around to it |
| DEN_36B | 1 | 0728 - 0728 | No dental visit - respondent didn't think necessary |
| DEN_36C | 1 | 0729 - 0729 | No dental visit - dentist didn't think necessary |
| DEN_36D | 1 | 0730 - 0730 | No dental visit - personal / family responsibilities |
| DEN_36E | 1 | 0731 - 0731 | No dental visit - not available when required |
| DEN_36F | 1 | 0732 - 0732 | No dental visit - not available in area |
| DEN_36G | 1 | 0733 - 0733 | No dental visit - waiting time too long |
| DEN_36H | 1 | 0734 - 0734 | No dental visit - transportation problems |
| DEN_36I | 1 | 0735 - 0735 | No dental visit - language problem |
| DEN_36J | 1 | 0736 - 0736 | No dental visit - cost |
| DEN_36K | 1 | 0737 - 0737 | No dental visit - did not know where to go |
| DEN_36L | 1 | 0738 - 0738 | No dental visit - fear |
| DEN_36M | 1 | 0739 - 0739 | No dental visit - wears dentures |
| DEN_36O | 1 | 0740 - 0740 | No dental visit - unable to leave house / health problem |
| DEN_36N | 1 | 0741 - 0741 | No dental visit - other |
| DOOH2 | 1 | 0742 - 0742 | Oral health 2 - Inclusion Flag - (F) |
| OH2_10 | 1 | 0743 - 0743 | Frequency usually visits the dentist |
| OH2_11 | 1 | 0744 - 0744 | Insurance for dental expenses |
| OH2_11A | 1 | 0745 - 0745 | Type of dental insurance plan - government-sponsored |
| OH2_11B | 1 | 0746 - 0746 | Type of dental insurance plan - employer-sponsored |
| OH2_11C | 1 | 0747 - 0747 | Type of dental insurance plan - private |
| OH2_12 | 1 | 0748 - 0748 | Teeth removed by dentist - 12 mo |
| OH2_13 | 1 | 0749 - 0749 | Teeth removed - decay or gum disease - 12 mo |
| OH2_20 | 1 | 0750 - 0750 | Has one or more of own teeth |
| OH2_21 | 1 | 0751 - 0751 | Wears dentures |
| OH2_22 | 1 | 0752 - 0752 | Condition of teeth/mouth - difficulty speaking clearly |
| OH2_23 | 1 | 0753 - 0753 | Condition of teeth/mouth - avoided conversation - 12 mo |
| OH2_24 | 1 | 0754 - 0754 | Condition of teeth/mouth - avoided laughing/smiling - 12 mo |
| OH2_25A | 1 | 0755 - 0755 | Had a toothache - past mo. |
| OH2_25B | 1 | 0756 - 0756 | Teeth sensitive to hot or cold - past mo. |
| OH2_25C | 1 | 0757 - 0757 | Had pain - jaw joints - past mo. |

| Variable | Length | Position | Concept |
|---|---|---|---|
| OH2_25D | 1 | 0758 - 0758 | Had pain - mouth or face - past mo. |
| OH2_25E | 1 | 0759 - 0759 | Had bleeding gums - past mo. |
| OH2_25F | 1 | 0760 - 0760 | Had dry mouth - past mo. |
| OH2_25G | 1 | 0761 - 0761 | Had bad breath - past mo. |
| OH2_30 | 2 | 0762 - 0763 | Frequency of brushing teeth |
| OH2FLIM | 1 | 0764 - 0764 | Limited socially due to oral health status - 12 mo - (F) |
| OH2FOFP | 1 | 0765 - 0765 | Oral or facial pain - past mo. - (F) |
| DOFDC | 1 | 0766 - 0766 | Food choices - Inclusion Flag - (F) |
| FDC_1A | 1 | 0767 - 0767 | Chooses or avoids foods - concerned about body weight |
| FDC_1B | 1 | 0768 - 0768 | Chooses or avoids foods - concerned about heart disease |
| FDC_1C | 1 | 0769 - 0769 | Chooses or avoids foods - concerned about cancer |
| FDC_1D | 1 | 0770 - 0770 | Chooses or avoids foods - concerned about osteoporosis |
| FDC_2A | 1 | 0771 - 0771 | Reason to choose foods - lower fat content |
| FDC_2B | 1 | 0772 - 0772 | Reason to choose foods - fibre content |
| FDC_2C | 1 | 0773 - 0773 | Reason to choose foods - calcium content |
| FDC_3A | 1 | 0774 - 0774 | Reason to avoid foods - fat content |
| FDC_3B | 1 | 0775 - 0775 | Reason to avoid foods - type of fat |
| FDC_3C | 1 | 0776 - 0776 | Reason to avoid foods - salt content |
| FDC_3D | 1 | 0777 - 0777 | Reason to avoid foods - cholesterol content |
| FDC_3E | 1 | 0778 - 0778 | Reason to avoid foods - calorie content |
| FDCFAVD | 1 | 0779 - 0779 | Avoids foods for content reasons - (F) |
| FDCFCAH | 1 | 0780 - 0780 | Chooses/avoids foods b/c of certain health concerns - (F) |
| FDCFCHO | 1 | 0781 - 0781 | Chooses foods for content reasons - (F) |
| FVC_1A | 1 | 0782 - 0782 | Drinks fruit juices - reporting unit |
| FVC_1B | 2 | 0783 - 0784 | Drinks fruit juices - number of times per day |
| FVC_1C | 2 | 0785 - 0786 | Drinks fruit juices - number of times per week |
| FVC_1D | 3 | 0787 - 0789 | Drinks fruit juices - number of times per month |
| FVC_1E | 3 | 0790 - 0792 | Drinks fruit juices - number of times per year |
| FVC_2A | 1 | 0793 - 0793 | Eats fruit - reporting unit |
| FVC_2B | 2 | 0794 - 0795 | Eats fruit - number of times per day |
| FVC_2C | 2 | 0796 - 0797 | Eats fruit - number of times per week |
| FVC_2D | 3 | 0798 - 0800 | Eats fruit - number of times per month |
| FVC_2E | 3 | 0801 - 0803 | Eats fruit - number of times per year |
| FVC_3A | 1 | 0804 - 0804 | Eats green salad - reporting unit |
| FVC_3B | 2 | 0805 - 0806 | Eats green salad - number of times per day |
| FVC_3C | 2 | 0807 - 0808 | Eats green salad - number of times per week |

| Variable | Length | Position | Concept |
|---|---|---|---|
| FVC_3D | 3 | 0809 - 0811 | Eats green salad - number of times per month |
| FVC_3E | 3 | 0812 - 0814 | Eats green salad - number of times per year |
| FVC_4A | 1 | 0815 - 0815 | Eats potatoes - reporting unit |
| FVC_4B | 2 | 0816 - 0817 | Eats potatoes - number of times per day |
| FVC_4C | 2 | 0818 - 0819 | Eats potatoes - number of times per week |
| FVC_4D | 3 | 0820 - 0822 | Eats potatoes - number of times per month |
| FVC_4E | 3 | 0823 - 0825 | Eats potatoes - number of times per year |
| FVC_5A | 1 | 0826 - 0826 | Eats carrots - reporting unit |
| FVC_5B | 2 | 0827 - 0828 | Eats carrots - number of times per day |
| FVC_5C | 2 | 0829 - 0830 | Eats carrots - number of times per week |
| FVC_5D | 3 | 0831 - 0833 | Eats carrots - number of times per month |
| FVC_5E | 3 | 0834 - 0836 | Eats carrots - number of times per year |
| FVC_6A | 1 | 0837 - 0837 | Eats other vegetables - reporting unit |
| FVC_6B | 2 | 0838 - 0839 | Eats other vegetables - number of servings per day |
| FVC_6C | 2 | 0840 - 0841 | Eats other vegetables - number of servings per week |
| FVC_6D | 3 | 0842 - 0844 | Eats other vegetables - number of servings per month |
| FVC_6E | 3 | 0845 - 0847 | Eats other vegetables - number of servings per year |
| FVCDJUI | 5.1 | 0848 - 0852 | Daily consumption - fruit juice - (D) |
| FVCDFRU | 5.1 | 0853 - 0857 | Daily consumption - fruit - (D) |
| FVCDSAL | 5.1 | 0858 - 0862 | Daily consumption - green salad - (D) |
| FVCDPOT | 5.1 | 0863 - 0867 | Daily consumption - potatoes - (D) |
| FVCDCAR | 5.1 | 0868 - 0872 | Daily consumption - carrots - (D) |
| FVCDVEG | 5.1 | 0873 - 0877 | Daily consumption - other vegetables - (D) |
| FVCDTOT | 5.1 | 0878 - 0882 | Daily consumption - total fruits and vegetables - (D) |
| FVCGTOT | 1 | 0883 - 0883 | Daily consumption - total fruits and vegetables - (D, G) |
| PAC_1A | 1 | 0884 - 0884 | Activity / last 3 months - walking |
| PAC_1B | 1 | 0885 - 0885 | Activity / last 3 months - gardening or yard work |
| PAC_1C | 1 | 0886 - 0886 | Activity / last 3 months - swimming |
| PAC_1D | 1 | 0887 - 0887 | Activity / last 3 months - bicycling |
| PAC_1E | 1 | 0888 - 0888 | Activity / last 3 months - popular or social dance |
| PAC_1F | 1 | 0889 - 0889 | Activity / last 3 months - home exercises |
| PAC_1G | 1 | 0890 - 0890 | Activity / last 3 months - ice hockey |
| PAC_1H | 1 | 0891 - 0891 | Activity / last 3 months - ice skating |
| PAC_1I | 1 | 0892 - 0892 | Activity / last 3 months - in-line skating or rollerblading |
| PAC_1J | 1 | 0893 - 0893 | Activity / last 3 months - jogging or running |
| PAC_1K | 1 | 0894 - 0894 | Activity / last 3 months - golfing |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PAC_1L | 1 | 0895 - 0895 | Activity / last 3 months - exercise class or aerobics |
| PAC_1M | 1 | 0896 - 0896 | Activity / last 3 months - downhill skiing or snowboarding |
| PAC_1N | 1 | 0897 - 0897 | Activity / last 3 months - bowling |
| PAC_1O | 1 | 0898 - 0898 | Activity / last 3 months - baseball or softball |
| PAC_1P | 1 | 0899 - 0899 | Activity / last 3 months - tennis |
| PAC_1Q | 1 | 0900 - 0900 | Activity / last 3 months - weight-training |
| PAC_1R | 1 | 0901 - 0901 | Activity / last 3 months - fishing |
| PAC_1S | 1 | 0902 - 0902 | Activity / last 3 months - volleyball |
| PAC_1T | 1 | 0903 - 0903 | Activity / last 3 months - basketball |
| PAC_1Z | 1 | 0904 - 0904 | Activity / last 3 months - Soccer |
| PAC_1U | 1 | 0905 - 0905 | Activity / last 3 months - Any other |
| PAC_1V | 1 | 0906 - 0906 | Activity / last 3 months - No physical activity |
| PAC_1W | 1 | 0907 - 0907 | Activity / last 3 months - other (#2) |
| PAC_1X | 1 | 0908 - 0908 | Activity / last 3 months - other (#3) |
| PAC_2A | 3 | 0909 - 0911 | Number of times / 3 months - walking for exercise |
| PAC_3A | 1 | 0912 - 0912 | Time spent - walking for exercise |
| PAC_2B | 3 | 0913 - 0915 | Number of times / 3 months - gardening/yard work |
| PAC_3B | 1 | 0916 - 0916 | Time spent - gardening or yard work |
| PAC_2C | 3 | 0917 - 0919 | Number of times / 3 months - swimming |
| PAC_3C | 1 | 0920 - 0920 | Time spent - swimming |
| PAC_2D | 3 | 0921 - 0923 | Number of times / 3 months - bicycling |
| PAC_3D | 1 | 0924 - 0924 | Time spent - bicycling |
| PAC_2E | 3 | 0925 - 0927 | Number of times / 3 months - popular or social dance |
| PAC_3E | 1 | 0928 - 0928 | Time spent - popular or social dance |
| PAC_2F | 3 | 0929 - 0931 | Number of times / 3 months - home exercises |
| PAC_3F | 1 | 0932 - 0932 | Time spent - home exercises |
| PAC_2G | 3 | 0933 - 0935 | Number of times / 3 months - ice hockey |
| PAC_3G | 1 | 0936 - 0936 | Time spent - ice hockey |
| PAC_2H | 3 | 0937 - 0939 | Number of times / 3 months - ice skating |
| PAC_3H | 1 | 0940 - 0940 | Time spent - ice skating |
| PAC_2I | 3 | 0941 - 0943 | Number of times / 3 months- in-line skating or rollerblading |
| PAC_3I | 1 | 0944 - 0944 | Time spent - in-line skating or rollerblading |
| PAC_2J | 3 | 0945 - 0947 | Number of times / 3 months - jogging or running |
| PAC_3J | 1 | 0948 - 0948 | Time spent - jogging or running |
| PAC_2K | 3 | 0949 - 0951 | Number of times / 3 months - golfing |
| PAC_3K | 1 | 0952 - 0952 | Time spent - golfing |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PAC_2L | 3 | 0953 - 0955 | Number of times / 3 months - exercise class or aerobics |
| PAC_3L | 1 | 0956 - 0956 | Time spent - exercise class or aerobics |
| PAC_2M | 3 | 0957 - 0959 | Number of times / 3 months - downhill skiing or snowboarding |
| PAC_3M | 1 | 0960 - 0960 | Time spent - downhill skiing or snowboarding |
| PAC_2N | 3 | 0961 - 0963 | Number of times / 3 months - bowling |
| PAC_3N | 1 | 0964 - 0964 | Time spent - bowling |
| PAC_2O | 3 | 0965 - 0967 | Number of times / 3 months - baseball or softball |
| PAC_3O | 1 | 0968 - 0968 | Time spent - baseball or softball |
| PAC_2P | 3 | 0969 - 0971 | Number of times / 3 months - tennis |
| PAC_3P | 1 | 0972 - 0972 | Time spent - tennis |
| PAC_2Q | 3 | 0973 - 0975 | Number of times / 3 months - weight-training |
| PAC_3Q | 1 | 0976 - 0976 | Time spent - weight-training |
| PAC_2R | 3 | 0977 - 0979 | Number of times / 3 months - fishing |
| PAC_3R | 1 | 0980 - 0980 | Time spent - fishing |
| PAC_2S | 3 | 0981 - 0983 | Number of times / 3 months - volleyball |
| PAC_3S | 1 | 0984 - 0984 | Time spent - volleyball |
| PAC_2T | 3 | 0985 - 0987 | Number of times / 3 months - basketball |
| PAC_3T | 1 | 0988 - 0988 | Time spent - basketball |
| PAC_2Z | 3 | 0989 - 0991 | Number of times / 3 months - soccer |
| PAC_3Z | 1 | 0992 - 0992 | Time spent - soccer |
| PAC_2U | 3 | 0993 - 0995 | Number of times / 3 months - other activity (#1) |
| PAC_3U | 1 | 0996 - 0996 | Time spent - other activity (#1) |
| PAC_2W | 3 | 0997 - 0999 | Number of times / 3 months - other activity (#2) |
| PAC_3W | 1 | 1000 - 1000 | Time spent - other activity (#2) |
| PAC_2X | 3 | 1001 - 1003 | Number of times - other activity (#3) |
| PAC_3X | 1 | 1004 - 1004 | Time spent - other activity (#3) |
| PAC_7 | 1 | 1005 - 1005 | Walked to work or school / last 3 months |
| PAC_7A | 3 | 1006 - 1008 | Number of times / 3 months - walking to go work or school |
| PAC_7B | 1 | 1009 - 1009 | Time spent - walking to / from work or school |
| PAC_8 | 1 | 1010 - 1010 | Bicycled to work or school / last 3 months |
| PAC_8A | 3 | 1011 - 1013 | # times / 3 months - bicycling to and from work or school |
| PAC_8B | 1 | 1014 - 1014 | Time spent - bicycling to go work or school |
| PACDEE | 4.1 | 1015 - 1018 | Daily energy expenditure - Leisure physical activities - (D) |
| PACFLEI | 1 | 1019 - 1019 | Participant in leisure physical activity - (F) |
| PACDFM | 3 | 1020 - 1022 | Month. freq. - Leisure phys. activity lasting >15 min. - (D) |
| PACDFR | 1 | 1023 - 1023 | Frequency of all leisure physical activity > 15 min. - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PACFD | 1 | 1024 - 1024 | Participant in daily leisure phys. activity > 15 min. - (F) |
| PACDPAI | 1 | 1025 - 1025 | Leisure physical activity index - (D) |
| PACDLTI | 1 | 1026 - 1026 | Leisure and transportation physical activity index - (D) |
| PACDTLE | 4.1 | 1027 - 1030 | Daily ener. expend. - Transport. and leisure phy. act. - (D) |
| PACFLTI | 1 | 1031 - 1031 | Participant in leisure or transportation phys. activ. - (F) |
| DOSCP | 1 | 1032 - 1032 | Physical activity - Stages of change - Inclusion Flag - (F) |
| SCP_01 | 1 | 1033 - 1033 | level of physical activity for every week |
| SCP_02 | 1 | 1034 - 1034 | Increase of physical activity level |
| SCP_03 | 1 | 1035 - 1035 | Intend to increase of physical activity level/next 30 days |
| SCP_04 | 1 | 1036 - 1036 | Intend to increase of physical activity level/next 6 months |
| SCPDSTG | 1 | 1037 - 1037 | Stages of changes - physical activity |
| DOSAC | 1 | 1038 - 1038 | Sedentary activities module - Inclusion Flag - (F) |
| SAC_1 | 2 | 1039 - 1040 | Number of hours - on a computer - past 3 mo |
| SAC_2 | 2 | 1041 - 1042 | Number of hours - playing video games - past 3 mo |
| SAC_3 | 2 | 1043 - 1044 | Number of hours - watching television or videos - past 3 mo |
| SAC_4 | 2 | 1045 - 1046 | Number of hours - reading - past 3 mo |
| SACDTOT | 2 | 1047 - 1048 | Total number hours - sedentary activities - past 3 mo - (D) |
| SACDTER | 2 | 1049 - 1050 | Total no. hrs / week (excl. reading) - sedentary act. - (D) |
| DOUPE | 1 | 1051 - 1051 | Use of protective equipment - Inclusion Flag - (F) |
| UPE_01A | 1 | 1052 - 1052 | Done any bicycling in past 12 months |
| UPE_01 | 1 | 1053 - 1053 | Frequency - wears helmet - bicycling |
| UPE_02 | 1 | 1054 - 1054 | Done any in-line skating in past 12 months |
| UPE_02A | 1 | 1055 - 1055 | Frequency - wears helmet - in-line skating |
| UPE_02B | 1 | 1056 - 1056 | Frequency - wears wrist guards - in-line skating |
| UPE_02C | 1 | 1057 - 1057 | Frequency - wears elbow pads - in-line skating |
| UPE_02D | 1 | 1058 - 1058 | Frequency - wears knee pads - in-line skating |
| UPE_03A | 1 | 1059 - 1059 | Downhill skiing or snowboarding - past 3 mo. |
| UPE_03B | 1 | 1060 - 1060 | Downhill skiing or snowboarding - past 12 mo |
| UPE_04A | 1 | 1061 - 1061 | Frequency - wears helmet - downhill skiing |
| UPE_05A | 1 | 1062 - 1062 | Frequency - wears helmet - snowboarding |
| UPE_05B | 1 | 1063 - 1063 | Frequency - wears wrist guards - snowboarding |
| UPE_06 | 1 | 1064 - 1064 | Has done skateboarding - past 12 mo |
| UPE_06A | 1 | 1065 - 1065 | Frequency - wears helmet - skateboarding |
| UPE_06B | 1 | 1066 - 1066 | Frequency - wears wrist guards/protectors - skateboarding |
| UPE_06C | 1 | 1067 - 1067 | Frequency - wears elbow pads - skateboarding |
| UPE_07 | 1 | 1068 - 1068 | Played ice hockey past 12 months |

| Variable | Length | Position | Concept |
|---|---|---|---|
| UPE_07A | 1 | 1069 - 1069 | Wear a mouth guard |
| UPEFILS | 1 | 1070 - 1070 | Wears all protective equipment - in-line skating - (F) |
| UPEFSKB | 1 | 1071 - 1071 | Wears all protective equipment - skateboarding - (F) |
| UPEFSNB | 1 | 1072 - 1072 | Wears all protective equipment - snowboarding - (F) |
| DOSSB | 1 | 1073 - 1073 | Sun safety behaviours - Inclusion Flag - (F) |
| SSB_01 | 1 | 1074 - 1074 | Been sunburnt - past 12 months |
| SSB_02 | 1 | 1075 - 1075 | Sunburn involved blistering |
| SSB_03 | 1 | 1076 - 1076 | Sunburns involved pain - lasting more than 1 day |
| SSB_06 | 2 | 1077 - 1078 | Amount of time in the sun - 11 am to 4 pm |
| SSB_07 | 1 | 1079 - 1079 | Frequency - seek shade |
| SSB_08 | 1 | 1080 - 1080 | Frequency - wear hat in the sun |
| SSB_09A | 1 | 1081 - 1081 | Frequency - wear long pants or skirt in the sun |
| SSB_09B | 1 | 1082 - 1082 | Frequency - use sunscreen on your face |
| SSB_10 | 1 | 1083 - 1083 | Sun Proctection factor (SPF) usually use - face |
| SSB_11 | 1 | 1084 - 1084 | Frequency - use sunscreen on your body |
| SSB_12 | 1 | 1085 - 1085 | Sun Proctection factor (SPF) usually use on body |
| SSB_13 | 1 | 1086 - 1086 | Skin cancer |
| SSB_14 | 1 | 1087 - 1087 | Skin cancer - diagnosis |
| SSB_15 | 1 | 1088 - 1088 | Skin cancer - type of cancer |
| DOINJ | 1 | 1089 - 1089 | Injuries - Inclusion Flag - (F) |
| REP_1A | 1 | 1090 - 1090 | Repetitive strain injury |
| REP_2 | 1 | 1091 - 1091 | Repetitive strain injury - normal activities limited |
| REP_3 | 2 | 1092 - 1093 | Repetitive strain- activity causing injury |
| REP_3A | 1 | 1094 - 1094 | Repetitive strain- activity causing injury |
| REP_4 | 1 | 1095 - 1095 | Repetitive strain- working at a job or business |
| REP_5A | 1 | 1096 - 1096 | Repetitive strain - Activity - walking |
| REP_5B | 1 | 1097 - 1097 | Repetitive strain - Activity - sports |
| REP_5C | 1 | 1098 - 1098 | Repetitive strain - Activity - leisure |
| REP_5D | 1 | 1099 - 1099 | Repetitive strain - Activity - household chores |
| REP_5F | 1 | 1100 - 1100 | Repetitive strain - Activity - computer |
| REP_5G | 1 | 1101 - 1101 | Repetitive strain - Activity - driving motor vehicle |
| REP_5H | 1 | 1102 - 1102 | Repetitive strain - Activity - lifting or carrying |
| REP_5I | 1 | 1103 - 1103 | Repetitive strain - Activity - other |
| INJ_01 | 1 | 1104 - 1104 | Injured in past 12 months |
| INJ_02 | 2 | 1105 - 1106 | Number of injuries in past 12 months |
| INJ_03 | 2 | 1107 - 1108 | Most serious injury - month of occurrence |

| Variable | Length | Position | Concept |
|---|---|---|---|
| INJ_04 | 1 | 1109 - 1109 | Most serious injury - year of occurrence |
| INJ_05 | 2 | 1110 - 1111 | Most serious injury - type |
| INJ_06 | 2 | 1112 - 1113 | Most serious injury - body part affected |
| INJ_07 | 1 | 1114 - 1114 | Internal organs - body part affected |
| INJ_08 | 2 | 1115 - 1116 | Most serious injury - place of occurrence |
| INJ_09 | 2 | 1117 - 1118 | Most serious injury - activity when injured |
| INW_01 | 1 | 1119 - 1119 | Injury occured in current job |
| INWF02 | 1 | 1120 - 1120 | Response entered - kind of business - (F) |
| INWF03 | 1 | 1121 - 1121 | Response entered - kind of work - (F) |
| INWCSIC | 6 | 1122 - 1127 | N. American Industry Classification System (NAICS) 2007 |
| INWCSOC | 6 | 1128 - 1133 | Natl. Occupation Classification for (NOCS) 2006 |
| INWF04 | 1 | 1134 - 1134 | Response entered - most important duties at work - (F) |
| INWDOCG | 2 | 1135 - 1136 | Occupation group (SOC) where injury occurred |
| INWDING | 2 | 1137 - 1138 | Industry group - (D) |
| INJ_10 | 1 | 1139 - 1139 | Most serious injury - result of a fall |
| INJ_11A | 2 | 1140 - 1141 | How did you fall |
| INJ_12 | 2 | 1142 - 1143 | Time of injury |
| INJ_12A | 1 | 1144 - 1144 | Time of injury |
| INJ_13 | 1 | 1145 - 1145 | Most serious injury - received treatment within 48 hours |
| INJ_14A | 1 | 1146 - 1146 | Treated doctor’s office |
| INJ_14B | 1 | 1147 - 1147 | Treated emergency room |
| INJ_14C | 1 | 1148 - 1148 | Treated hospital outpatient |
| INJ_14L | 1 | 1149 - 1149 | Treated other clinic |
| INJ_14M | 1 | 1150 - 1150 | Treated physio/massage therap. |
| INJ_14F | 1 | 1151 - 1151 | Treated comm. health centre |
| INJ_14N | 1 | 1152 - 1152 | Treated -chiropractor's office |
| INJ_14O | 1 | 1153 - 1153 | Treated where injury happened |
| INJ_14K | 1 | 1154 - 1154 | Treated - Other |
| INJ_15 | 1 | 1155 - 1155 | Follow-up care because of injury |
| INJ_15A | 1 | 1156 - 1156 | Follow-up care because of injury |
| INJ_16 | 1 | 1157 - 1157 | Other injuries - treated but did not limit normal activities |
| INJ_17 | 2 | 1158 - 1159 | Other injuries - number |
| INJDTBS | 4 | 1160 - 1163 | Type of injury by body site - (D) |
| INJDCAU | 2 | 1164 - 1165 | Cause of injury - (D) |
| INJDCBP | 4 | 1166 - 1169 | Cause of injury by place of occurrence - (D) |
| INJDSTT | 1 | 1170 - 1170 | Injury Status - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DOSWL | 1 | 1171 - 1171 | Satisfaction with life - Inclusion Flag - (F) |
| SWL_02 | 1 | 1172 - 1172 | Satisfaction - job or main activity |
| SWL_03 | 1 | 1173 - 1173 | Satisfaction - leisure activities |
| SWL_04 | 1 | 1174 - 1174 | Satisfaction - financial situation |
| SWL_05 | 1 | 1175 - 1175 | Satisfaction - with self |
| SWL_06 | 1 | 1176 - 1176 | Satisfaction - way body looks |
| SWL_07 | 1 | 1177 - 1177 | Satisfaction - relationships with other family members |
| SWL_08 | 1 | 1178 - 1178 | Satisfaction - relationships with friends |
| SWL_09 | 1 | 1179 - 1179 | Satisfaction - housing |
| SWL_10 | 1 | 1180 - 1180 | Satisfaction - neighbourhood |
| DOSTS | 1 | 1181 - 1181 | Stress - sources - Inclusion Flag - (F) |
| STS_1 | 1 | 1182 - 1182 | Self-perceived ability to handle unexpected problem |
| STS_2 | 1 | 1183 - 1183 | Self-perceived ability to handle day-to-day demands |
| STS_3 | 2 | 1184 - 1185 | Most important source of feelings of stress |
| SMK_01A | 1 | 1186 - 1186 | Smoked 100 or more cigarettes - life |
| SMK_01B | 1 | 1187 - 1187 | Ever smoked whole cigarette |
| SMK_01C | 3 | 1188 - 1190 | Age - smoked first whole cigarette |
| SMK_202 | 1 | 1191 - 1191 | Type of smoker |
| SMK_203 | 3 | 1192 - 1194 | Age - started smoking daily (daily smoker) |
| SMK_204 | 3 | 1195 - 1197 | Number of cigarettes smoked per day (daily smoker) |
| SMK_05B | 3 | 1198 - 1200 | Number of cigarettes smoked per day (occasional smoker) |
| SMK_05C | 2 | 1201 - 1202 | Number of days - smoked 1 cigarette or more (occ. smoker) |
| SMK_05D | 1 | 1203 - 1203 | Ever smoked cigarettes daily |
| SMK_06A | 1 | 1204 - 1204 | Stopped smoking - when (was never a daily smoker) |
| SMK_06B | 2 | 1205 - 1206 | Stopped smoking - month (never daily smoker) |
| SMK_06C | 3 | 1207 - 1209 | Number of years since stopped smoking |
| SMK_207 | 3 | 1210 - 1212 | Age - started smoking daily (former daily smoker) |
| SMK_208 | 3 | 1213 - 1215 | Number of cigarettes smoked per day (former daily smoker) |
| SMK_09A | 1 | 1216 - 1216 | Stopped smoking daily - when stopped (former daily smoker) |
| SMK_09B | 2 | 1217 - 1218 | Stopped smoking daily - month (former daily smoker) |
| SMK_09C | 3 | 1219 - 1221 | No. of yrs since stopped smoking daily (former daily smoker) |
| SMK_10 | 1 | 1222 - 1222 | Quit smoking completely (former daily smoker) |
| SMK_10A | 1 | 1223 - 1223 | Stopped smoking completely - when (former daily smoker) |
| SMK_10B | 2 | 1224 - 1225 | Stopped smoking completely - month (former daily smoker) |
| SMK_10C | 3 | 1226 - 1228 | Number of years since stopped smoking (daily) |
| SMKDSTY | 2 | 1229 - 1230 | Type of smoker - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SMKDSTP | 3 | 1231 - 1233 | Number of years since stopped smoking completely - (D) |
| SMKDYCS | 3 | 1234 - 1236 | Number of years smoked (current daily smokers) - (D) |
| DOSCH | 1 | 1237 - 1237 | Smoking - stages of change - Inclusion Flag - (F) |
| SCH_1 | 1 | 1238 - 1238 | Quitting smoking - next 6 months |
| SCH_2 | 1 | 1239 - 1239 | Quitting smoking - next 30 days |
| SCH_3 | 1 | 1240 - 1240 | Stopped smoking for at least 24 hours - 12 mo |
| SCH_4 | 2 | 1241 - 1242 | Number of times stopped for at least 24 hours - 12 mo |
| SCHDSTG | 1 | 1243 - 1243 | Smoking stages of change - (D) |
| DOSCA | 1 | 1244 - 1244 | Smoking cessation methods - Inclusion Flag - (F) |
| SCA_10 | 1 | 1245 - 1245 | Used nicotine patch |
| SCA_10A | 1 | 1246 - 1246 | Usefulness of nicotine patch |
| SCA_11 | 1 | 1247 - 1247 | Used nicotine gum or candy |
| SCA_11A | 1 | 1248 - 1248 | Usefulness of nicotine gum or candy |
| SCA_12 | 1 | 1249 - 1249 | Used medication such as Zyban |
| SCA_12A | 1 | 1250 - 1250 | Usefulness of medication such as Zyban |
| SCA_50 | 1 | 1251 - 1251 | Stopped smoking for at least 24 hours |
| SCA_60 | 1 | 1252 - 1252 | Tried to quit smoking - nicotine patch |
| SCA_61 | 1 | 1253 - 1253 | Tried to quit smoking - nicotine gum or candy - past 12 mo |
| SCA_62 | 1 | 1254 - 1254 | Tried to quit smoking - medication such as Zyban |
| SCADQUI | 1 | 1255 - 1255 | Attempted to stop smoking - (D) |
| DOSPC | 1 | 1256 - 1256 | Smoking - physician counselling - Inclusion Flag - (F) |
| SPC_10 | 1 | 1257 - 1257 | Visited regular medical doctor |
| SPC_11 | 1 | 1258 - 1258 | Doctor - knows smokes/smoked |
| SPC_12 | 1 | 1259 - 1259 | Doctor - advised to quit |
| SPC_13 | 1 | 1260 - 1260 | Doctor - gave specific help |
| SPC_14A | 1 | 1261 - 1261 | Type of help - referral to one-on-one program |
| SPC_14B | 1 | 1262 - 1262 | Type of help - referral to group program |
| SPC_14C | 1 | 1263 - 1263 | Type of help - recommended nicotine patch or gum |
| SPC_14D | 1 | 1264 - 1264 | Type of help - recommended Zyban or other medication |
| SPC_14E | 1 | 1265 - 1265 | Type of help - provided self-help information |
| SPC_14F | 1 | 1266 - 1266 | Type of help - doctor offered counselling |
| SPC_14G | 1 | 1267 - 1267 | Type of help - other |
| SPC_20 | 1 | 1268 - 1268 | Visited dentist |
| SPC_21 | 1 | 1269 - 1269 | Dentist/hygienist - knows smokes/smoked |
| SPC_22 | 1 | 1270 - 1270 | Dentist/hygienist - advised to quit |
| DOYSM | 1 | 1271 - 1271 | Optional module: Smoking - Youth smoking - (F) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| YSM_1 | 2 | 1272 - 1273 | Source of cigarettes |
| YSM_2 | 1 | 1274 - 1274 | Bought cigarettes for self or others |
| YSM_3 | 1 | 1275 - 1275 | Age asked when buying cigarettes in store |
| YSM_4 | 1 | 1276 - 1276 | Someone refused to sell cigarettes |
| YSM_5 | 1 | 1277 - 1277 | Asked a stranger to buy cigarettes |
| ETS_10 | 1 | 1278 - 1278 | Someone smokes inside home |
| ETS_11 | 2 | 1279 - 1280 | Number of people who smoke inside home |
| ETS_20 | 1 | 1281 - 1281 | Exposed to second-hand smoke in private vehicle |
| ETS_20B | 1 | 1282 - 1282 | Exposed to second-hand smoke in public places |
| ETS_35 | 1 | 1283 - 1283 | Smoking allowed - House |
| ETS_36 | 1 | 1284 - 1284 | Smoking restrictions |
| ETS_37A | 1 | 1285 - 1285 | Type of restrictions -certain rooms only |
| ETS_37B | 1 | 1286 - 1286 | Type of restrictions - young children |
| ETS_37C | 1 | 1287 - 1287 | Type of restrictions - windows open |
| ETS_37D | 1 | 1288 - 1288 | Type of restrictions - Other |
| DOTAL | 1 | 1289 - 1289 | Smoking - Other tobacco products - Inclusion Flag - (F) |
| TAL_1 | 1 | 1290 - 1290 | Smoked cigars - last month |
| TAL_2 | 1 | 1291 - 1291 | Smoked a pipe - past month |
| TAL_3 | 1 | 1292 - 1292 | Used snuff - past month |
| TAL_4 | 1 | 1293 - 1293 | Used chewing tobacco - past month |
| ALC_1 | 1 | 1294 - 1294 | Drank alcohol in past 12 months |
| ALC_2 | 2 | 1295 - 1296 | Frequency of drinking alcohol |
| ALC_3 | 2 | 1297 - 1298 | Frequency of drinking 4 (female)/ 5 (male) or more drinks |
| ALCDTTM | 1 | 1299 - 1299 | Type of drinker (12 months) - (D) |
| DOALW | 1 | 1300 - 1300 | Alcohol use - past week - Inlusion Flag - (F) |
| ALW_1 | 1 | 1301 - 1301 | Drank alcohol in past week |
| ALW_2A1 | 3 | 1302 - 1304 | Number of drinks - Day1 |
| ALW_2A2 | 3 | 1305 - 1307 | Number of drinks - Day 2 |
| ALW_2A3 | 3 | 1308 - 1310 | Number of drinks - Day 3 |
| ALW_2A4 | 3 | 1311 - 1313 | Number of drinks - Day 4 |
| ALW_2A5 | 3 | 1314 - 1316 | Number of drinks - Day 5 |
| ALW_2A6 | 3 | 1317 - 1319 | Number of drinks - Day 6 |
| ALW_2A7 | 3 | 1320 - 1322 | Number of drinks - Day 7 |
| ALWDWKY | 3 | 1323 - 1325 | Weekly consumption - (D) |
| ALWDDLY | 3 | 1326 - 1328 | Average daily alcohol consumption - (D) |
| DODRV | 1 | 1329 - 1329 | Driving and safety - Inclusion Flag - (F) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DRV_01A | 1 | 1330 - 1330 | Drove a motor vehicle |
| DRV_01B | 1 | 1331 - 1331 | Drove a motorcycle |
| DRV_02 | 1 | 1332 - 1332 | Frequency - used seat belt when driving |
| DRV_03A | 1 | 1333 - 1333 | Use of a cell phone while driving |
| DRV_03B | 1 | 1334 - 1334 | Use of a hands-free while driving |
| DRV_04 | 1 | 1335 - 1335 | Frequency - felt tired when driving |
| DRV_05 | 1 | 1336 - 1336 | Driving speed compared to others |
| DRV_06 | 1 | 1337 - 1337 | Driving aggression compared to others |
| DRV_07 | 1 | 1338 - 1338 | Drove a vehicle an hour after 2+ drinks |
| DRV_07A | 2 | 1339 - 1340 | Number of times - drove after 2+ drinks |
| DRV_08A | 1 | 1341 - 1341 | Frequency - uses seat belt - front seat passenger |
| DRV_08B | 1 | 1342 - 1342 | Frequency - uses seat belt - back seat passenger |
| DRV_09 | 1 | 1343 - 1343 | Frequency - uses seat belt - in taxi |
| DRV_10 | 1 | 1344 - 1344 | Passenger - driver drove a vehicle an hour after 2+ drinks |
| DRV_10A | 2 | 1345 - 1346 | No. of times - passenger/driver had 2+ drinks |
| DRV_11A | 1 | 1347 - 1347 | Driver or passenger - snowmobile, motor boat or seadoo |
| DRV_11B | 1 | 1348 - 1348 | Driver or passenger - ATV |
| DRV_12 | 1 | 1349 - 1349 | Frequency wears helmet - ATV |
| DRV_13 | 1 | 1350 - 1350 | Passenger of ATV - driver drove an hour after 2+ drinks |
| DRV_13A | 2 | 1351 - 1352 | No. of times - passenger/driver had 2+ drinks-ATV/snowmobile |
| DRV_14 | 1 | 1353 - 1353 | Drove an ATV an hour after 2+ drinks |
| DRV_14A | 2 | 1354 - 1355 | No. of times - drove snowmobile, ATV, etc after 2+ drinks |
| DRVFSBU | 1 | 1356 - 1356 | Passenger seat belt use - motor vehicle - (F) |
| DOALD | 1 | 1357 - 1357 | Alcohol use - Dependence - Inclusion Flag - (F) |
| ALD_01 | 1 | 1358 - 1358 | Drunk - at work / school / takes care of child |
| ALD_02 | 1 | 1359 - 1359 | Number of times - drunk / hung-over |
| ALD_03 | 1 | 1360 - 1360 | Being drunk increased chances of getting hurt |
| ALD_04 | 1 | 1361 - 1361 | Emotional or psychological problems due to alcohol |
| ALD_05 | 1 | 1362 - 1362 | Strong desire or urge to drink |
| ALD_06 | 1 | 1363 - 1363 | Spent lot of time getting drunk - one month or more |
| ALD_07 | 1 | 1364 - 1364 | Drank much more than intended |
| ALD_08 | 1 | 1365 - 1365 | Number of times - drank much more than intended |
| ALD_09 | 1 | 1366 - 1366 | Had to drink more for the same effect |
| ALD_10 | 1 | 1367 - 1367 | Had symptoms - stopped/cut down/went without |
| ALD_11 | 1 | 1368 - 1368 | Drank alcohol - even though promised wouldn't |
| ALD_12 | 1 | 1369 - 1369 | Drank alcohol - little time for anything else |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ALD_13 | 1 | 1370 - 1370 | Reduced important activities - because of alcohol |
| ALD_14 | 1 | 1371 - 1371 | Continued despite health problems |
| ALD_15A | 2 | 1372 - 1373 | Level of interference - home responsibilities |
| ALD_5B1 | 2 | 1374 - 1375 | Level of interference - attend school |
| ALD_5B2 | 2 | 1376 - 1377 | Level of interference - work at a job |
| ALD_15C | 2 | 1378 - 1379 | Level of interference - close relationships |
| ALD_15D | 2 | 1380 - 1381 | Level of interference - social life |
| ALDDSF | 2 | 1382 - 1383 | Alcohol dependence scale - short form score - (D) |
| ALDDPP | 4.2 | 1384 - 1387 | Probability of caseness to respondents - (D) |
| ALDDINT | 4.1 | 1388 - 1391 | Alcohol interference - mean - 12 mo - (D) |
| ALDFINT | 1 | 1392 - 1392 | Alcohol interference - 12 mo - (F) |
| DOMEX | 1 | 1393 - 1393 | Module flag: Maternal Experiences - (F) |
| MEX_01 | 1 | 1394 - 1394 | Given birth in the past 5 years |
| MEX_01A | 4 | 1395 - 1398 | Year of birth of last baby |
| MEX_02 | 1 | 1399 - 1399 | Took folic acid - before last pregnancy |
| MEX_03 | 1 | 1400 - 1400 | Breastfed or tried to breastfeed last child |
| MEX_04 | 2 | 1401 - 1402 | Main reason did not breastfeed last child |
| MEX_05 | 1 | 1403 - 1403 | Still breastfeeding last child |
| MEX_06 | 2 | 1404 - 1405 | Duration of breastfeeding last child |
| MEX_06A | 1 | 1406 - 1406 | Other liquids have been introduced to the baby's feeds |
| MEX_06B | 2 | 1407 - 1408 | Age of last baby when other liquds were first added to feeds |
| MEX_08A | 2 | 1409 - 1410 | Age of last baby when solid food were first added to feeds |
| MEX_08B | 2 | 1411 - 1412 | Main reason why other liquids or/and solid food were added |
| MEX_09 | 1 | 1413 - 1413 | Give a vitamin supplement containing Vitamin D to the baby |
| MEX_09B | 1 | 1414 - 1414 | Frequency of giving the Vitamin D supplementation to baby |
| MEX_10 | 2 | 1415 - 1416 | Main reason why stopped breastfeeding |
| MEXDEBF2 | 2 | 1417 - 1418 | Length of exclusive breastfeeding (D) |
| MEXFEB6 | 1 | 1419 - 1419 | Exclusively breastfed for 6 months or more |
| DOMXA | 1 | 1420 - 1420 | Maternal exp.- Alcohol during preg. - Inclusion Flag - (F) |
| MXA_01 | 1 | 1421 - 1421 | Drank alcohol - last pregnancy |
| MXA_02 | 2 | 1422 - 1423 | Frequency of drinking - last pregnancy |
| MXA_03 | 1 | 1424 - 1424 | Drank alcohol - while breastfeeding last baby |
| MXA_04 | 2 | 1425 - 1426 | Frequency of drinking - while breastfeeding last baby |
| DOMXS | 1 | 1427 - 1427 | Maternal exp.- Smoking during preg. - Inclusion Flag - (F) |
| MXS_01 | 1 | 1428 - 1428 | Type of smoker - last pregnancy |
| MXS_02 | 3 | 1429 - 1431 | No. of cigarettes daily - last pregnancy (daily smoker) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| MXS_03 | 3 | 1432 - 1434 | No. of cigarettes daily - last pregnancy (occasional smoker) |
| MXS_04 | 1 | 1435 - 1435 | Smoked while breastfeeding last baby (occasional smoker) |
| MXS_05 | 3 | 1436 - 1438 | No. of cigarettes daily - while breastfeeding (daily smoker) |
| MXS_06 | 3 | 1439 - 1441 | No. of cigarettes daily - while breastfeeding (occ. smoker) |
| MXS_07 | 1 | 1442 - 1442 | Second-hand smoke - during or after last pregnancy |
| DOIDG | 1 | 1443 - 1443 | Illicit drugs use - Inclusion Flag - (F) |
| IDG_01 | 1 | 1444 - 1444 | Used - marijuana, cannabis, hashish - ever |
| IDG_02 | 1 | 1445 - 1445 | Used - marijuana, cannabis, hashish - 12 mo |
| IDG_03 | 1 | 1446 - 1446 | Frequency - marijuana, cannabis, hashish - 12 mo |
| IDG_04 | 1 | 1447 - 1447 | Used - cocaine, crack - ever |
| IDG_05 | 1 | 1448 - 1448 | Used - cocaine, crack - 12 mo |
| IDG_06 | 1 | 1449 - 1449 | Frequency - cocaine, crack - 12 mo |
| IDG_07 | 1 | 1450 - 1450 | Used - speed (amphetamines) - ever |
| IDG_08 | 1 | 1451 - 1451 | Used - speed (amphetamines) - 12 mo |
| IDG_09 | 1 | 1452 - 1452 | Frequency - speed (amphetamines) - 12 mo |
| IDG_10 | 1 | 1453 - 1453 | Used - ecstasy (MDMA) - ever |
| IDG_11 | 1 | 1454 - 1454 | Used - ecstasy (MDMA) - 12 mo |
| IDG_12 | 1 | 1455 - 1455 | Frequency - ecstacy (MDMA) - 12 mo |
| IDG_13 | 1 | 1456 - 1456 | Used - hallucinogens, PCP, LSD - ever |
| IDG_14 | 1 | 1457 - 1457 | Used - hallucinogens, PCP, LSD - 12 mo |
| IDG_15 | 1 | 1458 - 1458 | Frequency - hallucinogens, PCP, LSD - 12 mo |
| IDG_16 | 1 | 1459 - 1459 | Sniffed - glue, gasoline, other solvents - ever |
| IDG_17 | 1 | 1460 - 1460 | Sniffed - glue, gasoline, other solvents - 12 mo |
| IDG_18 | 1 | 1461 - 1461 | Frequency - glue, gasoline, other solvents - 12 mo |
| IDG_19 | 1 | 1462 - 1462 | Used - heroin - ever |
| IDG_20 | 1 | 1463 - 1463 | Used - heroin - 12 mo |
| IDG_21 | 1 | 1464 - 1464 | Frequency - heroin - 12 mo |
| IDG_22 | 1 | 1465 - 1465 | Used - steroids - ever |
| IDG_23 | 1 | 1466 - 1466 | Used - steroids - 12 mo |
| IDG_24 | 1 | 1467 - 1467 | Frequency - steroids - 12 mo |
| IDG_25A | 1 | 1468 - 1468 | Needed more drugs than usual to get high - 12 mo |
| IDG_25B | 1 | 1469 - 1469 | Had symptom during period of cut down/no drugs - 12 mo |
| IDG_25C | 1 | 1470 - 1470 | Used drugs - prevent having symptoms - 12 mo |
| IDG_25D | 1 | 1471 - 1471 | Used drugs - even though promised wouldn't - 12 mo |
| IDG_25E | 1 | 1472 - 1472 | Used drugs - more frequently than intended - 12 mo |
| IDG_25F | 1 | 1473 - 1473 | Used drugs - little time for anything else 12 mo |

| Variable | Length | Position | Concept |
|---|---|---|---|
| IDG_25G | 1 | 1474 - 1474 | Reduced important activities - because of drugs - 12 mo |
| IDG_25H | 1 | 1475 - 1475 | Continued taking drugs despite health problems - 12 mo |
| IDG_26A | 2 | 1476 - 1477 | Level of interference - home responsibilities - 12 mo |
| IDG_6B1 | 2 | 1478 - 1479 | Level of interference - attend school - 12 mo |
| IDG_6B2 | 2 | 1480 - 1481 | Level of interference - work at a job - 12 mo |
| IDG_26C | 2 | 1482 - 1483 | Level of interference - close relationships - 12 mo |
| IDG_26D | 2 | 1484 - 1485 | Level of interference - social life - 12 mo |
| IDGFLCA | 1 | 1486 - 1486 | Cannabis drug use - including one time only - ever - (F) |
| IDGFLCM | 1 | 1487 - 1487 | Cannabis drug use - excluding one time only - ever - (F) |
| IDGFYCM | 1 | 1488 - 1488 | Cannabis drug use - excluding one time only - 12 mo - (F) |
| IDGFLCO | 1 | 1489 - 1489 | Cocaine / crack drug use - ever - (F) |
| IDGFLAM | 1 | 1490 - 1490 | Amphetamine (speed) drug use - ever - (F) |
| IDGFLEX | 1 | 1491 - 1491 | MDMA (ecstasy) drug use - ever - (F) |
| IDGFLHA | 1 | 1492 - 1492 | Hallucinogens, PCP or LSD drug use - ever - (F) |
| IDGFLGL | 1 | 1493 - 1493 | Glue, gasoline or other solvent use - ever - (F) |
| IDGFLHE | 1 | 1494 - 1494 | Heroin drug use - ever - (F) |
| IDGFLST | 1 | 1495 - 1495 | Steroid use - ever - (F) |
| IDGFLA | 1 | 1496 - 1496 | Illicit drug use - including one time cannabis - ever - (F) |
| IDGFLAC | 1 | 1497 - 1497 | Illicit drug use - excluding one time cannabis - ever - (F) |
| IDGFYA | 1 | 1498 - 1498 | Illicit drug use - including one time cannabis - 12 mo - (F) |
| IDGFYAC | 1 | 1499 - 1499 | Illicit drug use - excluding one time cannabis - 12 mo - (F) |
| IDGDINT | 4.1 | 1500 - 1503 | Illicit drug interference - mean - 12 mo - (D) |
| IDGFINT | 1 | 1504 - 1504 | Illicit drug interference - 12 mo - (F) |
| DOCPG | 1 | 1505 - 1505 | Problem gambling - Inclusion Flag - (F) |
| CPG_01A | 2 | 1506 - 1507 | Frequence - spending $ on instant/daily win tickets - 12 mo |
| CPG_01B | 2 | 1508 - 1509 | Frequency - spending money on lottery tickets |
| CPG_01C | 2 | 1510 - 1511 | Frequency - spending money on bingo |
| CPG_01D | 2 | 1512 - 1513 | Frequency - spending money on cards/boards games |
| CPG_01E | 2 | 1514 - 1515 | Frequency - spending money on VLTs/outside casinos |
| CPG_01F | 2 | 1516 - 1517 | Frequency - spending money on VLTs/at casinos |
| CPG_01G | 2 | 1518 - 1519 | Frequency - spending money on other games/at casinos |
| CPG_01H | 2 | 1520 - 1521 | Frequency - spending money on Internet/arcade gambling |
| CPG_01I | 2 | 1522 - 1523 | Frequency - spending money on live horse racing |
| CPG_01J | 2 | 1524 - 1525 | Frequency - spending money on sports lotteries |
| CPG_01K | 2 | 1526 - 1527 | Frequency - spending money on speculative investments |
| CPG_01L | 2 | 1528 - 1529 | Frequency - spending money on games of skill |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CPG_01M | 2 | 1530 - 1531 | Frequency - spending money on other forms of gambling |
| CPG_01N | 2 | 1532 - 1533 | Amount of money spent on gambling activities |
| CPG_02 | 1 | 1534 - 1534 | Frequency - spent more than wanted on gambling |
| CPG_03 | 1 | 1535 - 1535 | Frequency - gambled more money for same feeling |
| CPG_04 | 1 | 1536 - 1536 | Frequency - returned to try to win back money lost |
| CPG_05 | 1 | 1537 - 1537 | Frequency - borrowed money/sold to get $ for gambling |
| CPG_06 | 1 | 1538 - 1538 | Frequency - felt might have a problem with gambling |
| CPG_07 | 1 | 1539 - 1539 | Frequency - gambling caused any health problems |
| CPG_08 | 1 | 1540 - 1540 | Frequency - people criticized respondent's betting |
| CPG_09 | 1 | 1541 - 1541 | Frequency - gambling caused financial problems |
| CPG_10 | 1 | 1542 - 1542 | Frequency - felt guilty about gambling |
| CPG_11 | 1 | 1543 - 1543 | Frequency - lied to hide gambling |
| CPG_12 | 1 | 1544 - 1544 | Frequency - wanted to stop betting but thought could not |
| CPG_13 | 1 | 1545 - 1545 | Frequency - bet more than could afford to lose |
| CPG_14 | 1 | 1546 - 1546 | Frequency - tried to quit/cut down; but unable |
| CPG_15 | 1 | 1547 - 1547 | Frequency - gambled to forget problems/feel better |
| CPG_16 | 1 | 1548 - 1548 | Frequency - gambling caused problem with family/friends |
| CPG_17 | 1 | 1549 - 1549 | Other family member with gambling problems |
| CPG_18 | 1 | 1550 - 1550 | Used alcohol or drugs while gambling |
| CPG_19A | 2 | 1551 - 1552 | Level of interference - home responsibilities - 12 mo |
| CPG_9B1 | 2 | 1553 - 1554 | Level of interference - ability to attend school - 12 mo |
| CPG_9B2 | 2 | 1555 - 1556 | Level of interference - ability to work at a job - 12 mo |
| CPG_19C | 2 | 1557 - 1558 | Level of interference - close relationships - 12 mo |
| CPG_19D | 2 | 1559 - 1560 | Level of interference - social life -12 mo |
| CPGFGAM | 1 | 1561 - 1561 | Gambling activity - gambler vs. non-gambler - (F) |
| CPGDSEV | 2 | 1562 - 1563 | Problem gambling severity index - (D) |
| CPGDTYP | 2 | 1564 - 1565 | Type of gambler - (D) |
| CPGDACT | 2 | 1566 - 1567 | Number of different types of gambling activities - (D) |
| CPGDINT | 4.1 | 1568 - 1571 | Gambling interference - Mean - (D) |
| CPGFINT | 1 | 1572 - 1572 | Gambling Interference - (F) |
| DOSXB | 1 | 1573 - 1573 | Sexual behaviours - Inclusion Flag - (F) |
| SXB_1 | 1 | 1574 - 1574 | Ever had sexual intercourse |
| SXB_2 | 3 | 1575 - 1577 | Age - first sexual intercourse |
| SXB_3 | 1 | 1578 - 1578 | Had sexual intercourse - past 12 months |
| SXB_4 | 1 | 1579 - 1579 | Number of different partners - past 12 months |
| SXB_07 | 1 | 1580 - 1580 | Ever diagnosed with STI |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SXB_7A | 1 | 1581 - 1581 | Condom use - last time |
| SXB_09 | 1 | 1582 - 1582 | Important to avoid getting pregnant |
| SXB_10 | 2 | 1583 - 1584 | Important to avoid getting partner pregnant |
| SXB_11 | 1 | 1585 - 1585 | Usually use birth control - past 12 months |
| SXB_12A | 1 | 1586 - 1586 | Usual birth control method - condom |
| SXB_12B | 1 | 1587 - 1587 | Usual birth control method - Birth control pill |
| SXB_12C | 1 | 1588 - 1588 | Usual birth control method - diaphragm |
| SXB_12D | 1 | 1589 - 1589 | Usual birth control method - spermicide |
| SXB_12F | 1 | 1590 - 1590 | Usual birth control method - birth control injection |
| SXB_12E | 1 | 1591 - 1591 | Usual birth control method - other |
| SXB_13A | 1 | 1592 - 1592 | Birth control method used last time - condom |
| SXB_13B | 1 | 1593 - 1593 | Birth control method used last time - birth control pill |
| SXB_13C | 1 | 1594 - 1594 | Birth control method used last time - diaphragm |
| SXB_13D | 1 | 1595 - 1595 | Birth control method used last time - spermicide |
| SXB_13F | 1 | 1596 - 1596 | Birth cntrl. method used last time - birth control injection |
| SXB_13G | 1 | 1597 - 1597 | Method used last time - nothing |
| SXB_13E | 1 | 1598 - 1598 | Birth control method used last time - other |
| DOSPS | 1 | 1599 - 1599 | Social Provisions - Inclusion Flag - (F) |
| SPS_01 | 1 | 1600 - 1600 | Relationships - people who can be count on to have help |
| SPS_02 | 1 | 1601 - 1601 | Relationships - enjoy the same social activities |
| SPS_03 | 1 | 1602 - 1602 | Relationships - sense of emotional security and wellbeing |
| SPS_04 | 1 | 1603 - 1603 | Relationships - Talk about important decisions in life |
| SPS_05 | 1 | 1604 - 1604 | Relationships - Competence and skill are recognized |
| SPS_06 | 1 | 1605 - 1605 | Relationships - trustworthy person for advice |
| SPS_07 | 1 | 1606 - 1606 | Relationships - share attitudes and beliefs |
| SPS_08 | 1 | 1607 - 1607 | Relationships - strong emotional bond |
| SPS_09 | 1 | 1608 - 1608 | Relationships - admire talents and abilities |
| SPS_10 | 1 | 1609 - 1609 | Relationships - people to count on in an emergency |
| SPSDCON | 2 | 1610 - 1611 | Social Provisions Overall Scale |
| SPSDATT | 2 | 1612 - 1613 | Social Provisions Scale - Attachment |
| SPSDGUI | 2 | 1614 - 1615 | Social Provisions Scale - Guidance |
| SPSDALL | 2 | 1616 - 1617 | Social Provisions Scale -Reliable alliance |
| SPSDINT | 2 | 1618 - 1619 | Social Provisions Scale - Social Integration |
| SPSDWOR | 2 | 1620 - 1621 | Social Provisions Scale - Reassurance of Worth |
| DOCMH | 1 | 1622 - 1622 | Consultations - mental health module - Inclusion Flag - (F) |
| CMH_01K | 1 | 1623 - 1623 | Consulted mental health professional |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CMH_01L | 3 | 1624 - 1626 | Consulted mental health professional - number of times |
| CMH_1MA | 1 | 1627 - 1627 | Consulted mental health professional - family doctor |
| CMH_1MB | 1 | 1628 - 1628 | Consulted mental health professional - psychiatrist |
| CMH_1MC | 1 | 1629 - 1629 | Consulted mental health professional - psychologist |
| CMH_1MD | 1 | 1630 - 1630 | Consulted mental health professional - nurse |
| CMH_1ME | 1 | 1631 - 1631 | Consulted mental hlth. professional - social worker |
| CMH_1MF | 1 | 1632 - 1632 | Consulted mental health professional - other |
| DOMDB | 1 | 1633 - 1633 | Mood (Bradburn affect balance scale) - Inclusion Flag - (F) |
| MDB_1 | 1 | 1634 - 1634 | Frequency - felt on top of the world |
| MDB_2 | 1 | 1635 - 1635 | Frequency - felt lonely or remote from other people |
| MDB_3 | 1 | 1636 - 1636 | Frequency - felt particularly excited or interested |
| MDB_4 | 1 | 1637 - 1637 | Frequency - felt depressed or very unhappy |
| MDB_5 | 1 | 1638 - 1638 | Frequency - felt pleased about having accomplished something |
| MDB_6 | 1 | 1639 - 1639 | Frequency - felt bored |
| MDB_7 | 1 | 1640 - 1640 | Frequency - felt proud |
| MDB_8 | 1 | 1641 - 1641 | Frequency - felt so restless could not sit |
| MDB_9 | 1 | 1642 - 1642 | Frequency - felt that things were going your way |
| MDB_10 | 1 | 1643 - 1643 | Frequency - felt upset because someone criticized you |
| MDB_11 | 1 | 1644 - 1644 | Happiness - self-perceived |
| MDBDPOS | 2 | 1645 - 1646 | Balance affect- positive mood - (D) |
| MDBDNEG | 2 | 1647 - 1648 | Balance affect- negative mood - (D) |
| MDBDBA1 | 3 | 1649 - 1651 | Balance affect- method A - (D) |
| MDBDBA2 | 1 | 1652 - 1652 | Balance affect- method B - (D) |
| DODIS | 1 | 1653 - 1653 | Distress - Inclusion Flag - (F) |
| DIS_10A | 1 | 1654 - 1654 | Frequency - distress: felt tired out - past month |
| DIS_10B | 1 | 1655 - 1655 | Frequency - distress: felt nervous - past month |
| DIS_10C | 1 | 1656 - 1656 | Freq./-distress: so nervous nothing calms down - past month |
| DIS_10D | 1 | 1657 - 1657 | Frequency - distress: felt hopeless - past month |
| DIS_10E | 1 | 1658 - 1658 | Frequency - distress: felt restless - past month |
| DIS_10F | 1 | 1659 - 1659 | Frequency - distress: could not sit still - past month |
| DIS_10G | 1 | 1660 - 1660 | Frequency - distress: felt sad / depressed - past month |
| DIS_10H | 1 | 1661 - 1661 | Frequency - distress: depressed/nothing cheers - past month |
| DIS_10I | 1 | 1662 - 1662 | Freq. - distress: felt everything was an effort - past month |
| DIS_10J | 1 | 1663 - 1663 | Frequency - distress: felt worthless - past month |
| DIS_10K | 1 | 1664 - 1664 | Frequency of distress feelings - past month |
| DIS_10L | 1 | 1665 - 1665 | Frequency of distress feelings (more often) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DIS_10M | 1 | 1666 - 1666 | Frequency of distress feelings (less often) |
| DIS_10N | 1 | 1667 - 1667 | Frequency of dist. feelings interfere with life - past month |
| DISDK6 | 2 | 1668 - 1669 | Distress scale - K6 - past month - (D) |
| DISDCHR | 2 | 1670 - 1671 | Chronicity of distress/impairment scale - past month - (D) |
| DISDDSX | 2 | 1672 - 1673 | Distress scale - K10 - past month - (D) |
| DODEP | 1 | 1674 - 1674 | Depression - Inclusion Flag - (F) |
| DPS_02 | 1 | 1675 - 1675 | Felt sad/blue/depressed - 2 weeks or more - 12 mo |
| DPS_03 | 1 | 1676 - 1676 | Sad/depressed - length feelings lasted - 2 wk |
| DPS_04 | 1 | 1677 - 1677 | Sad/depressed - frequency - 2 wk |
| DPS_05 | 1 | 1678 - 1678 | Sad/depressed - lose interest in things - 2 wk |
| DPS_06 | 1 | 1679 - 1679 | Sad/depressed - felt tired out / low on energy - 2 wk |
| DPS_07 | 1 | 1680 - 1680 | Sad/depressed - weight change - 2 wk |
| DPS_08A | 3 | 1681 - 1683 | Sad/depressed - weight change (amount) - 2 wk |
| DPS_08B | 1 | 1684 - 1684 | Sad/depressed - weight change (lb/kg) - 2 wk |
| DPS_09 | 1 | 1685 - 1685 | Sad/depressed - trouble falling asleep - 2 wk |
| DPS_10 | 1 | 1686 - 1686 | Sad/depressed trouble falling asleep - frequency - 2 wk |
| DPS_11 | 1 | 1687 - 1687 | Sad/depressed - trouble concentrating - 2 wk |
| DPS_12 | 1 | 1688 - 1688 | Sad/depressed - felt down on self - 2 wk |
| DPS_13 | 1 | 1689 - 1689 | Sad/depressed - thought a lot about death - 2 wk |
| DPS_14 | 2 | 1690 - 1691 | Sad/depressed - number of weeks - 12 mo |
| DPS_15 | 2 | 1692 - 1693 | Sad/depressed - most recent month - 2 wk |
| DPS_16 | 1 | 1694 - 1694 | Loss of interest - things that usually give pleasure - 12 mo |
| DPS_17 | 1 | 1695 - 1695 | Loss of interest - frequency - 12 mo |
| DPS_18 | 1 | 1696 - 1696 | Loss of interest - frequency - 2 wk |
| DPS_19 | 1 | 1697 - 1697 | Loss of interest - felt tired all the time - 2 wk |
| DPS_20 | 1 | 1698 - 1698 | Loss of interest - weight change - 2 wk |
| DPS_21A | 3 | 1699 - 1701 | Loss of interest - weight change (amount) |
| DPS_21B | 1 | 1702 - 1702 | Loss of interest - weight change (lb/kg) - 2 wk |
| DPS_22 | 1 | 1703 - 1703 | Loss of interest - trouble falling asleep - 2 wk |
| DPS_23 | 1 | 1704 - 1704 | Loss of interest - trouble falling asleep/frequency - 2 wk |
| DPS_24 | 1 | 1705 - 1705 | Loss of interest - trouble concentrating - 2 wk |
| DPS_25 | 1 | 1706 - 1706 | Loss of interest - felt down on self - 2 wk |
| DPS_26 | 1 | 1707 - 1707 | Loss of interest - thought a lot about death - 2 wk |
| DPS_27 | 2 | 1708 - 1709 | Loss of interest - number of weeks - 12 mo |
| DPS_28 | 2 | 1710 - 1711 | Loss of interest - most recent month - 2 wk |
| DPSDSF | 2 | 1712 - 1713 | Depression scale - short form score - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DPSDPP | 4.2 | 1714 - 1717 | Depression scale - Predicted probability - (D) |
| DPSDWK | 2 | 1718 - 1719 | Number of weeks felt depressed - (D) |
| DPSDMT | 2 | 1720 - 1721 | Specific month last felt depressed - 2 weeks in a row - (D) |
| DOSUI | 1 | 1722 - 1722 | Suicidal thoughts & attempts - Inclusion Flag - (F) |
| SUI_1 | 1 | 1723 - 1723 | Seriously considered suicide - lifetime |
| SUI_2 | 1 | 1724 - 1724 | Seriously considered suicide - past 12 months |
| SUI_3 | 1 | 1725 - 1725 | Attempted suicide - lifetime |
| SUI_4 | 1 | 1726 - 1726 | Attempted suicide - past 12 months |
| SUI_5 | 1 | 1727 - 1727 | Consulted health professional following suicide attempt |
| SUI_6A | 1 | 1728 - 1728 | Suicide attempt - consulted family doctor or g.p. |
| SUI_6B | 1 | 1729 - 1729 | Suicide attempt - consulted psychiatrist |
| SUI_6C | 1 | 1730 - 1730 | Suicide attempt - consulted psychologist |
| SUI_6D | 1 | 1731 - 1731 | Suicide attempt - consulted nurse |
| SUI_6E | 1 | 1732 - 1732 | Suicide attempt - consulted social worker or counsellor |
| SUI_6G | 1 | 1733 - 1733 | Suicide attempt - consulted religious or spiritual advisor |
| SUI_6H | 1 | 1734 - 1734 | Suicide attempt - consulted a teacher or guidance counsellor |
| SUI_6F | 1 | 1735 - 1735 | Suicide attempt - consulted other health professional |
| DOSFR | 1 | 1736 - 1736 | Health status (SF-36) module - Inclusion Flag - (F) |
| SFR_03 | 1 | 1737 - 1737 | Health status - limits vigorous activities |
| SFR_04 | 1 | 1738 - 1738 | Health status - limits moderate activities |
| SFR_05 | 1 | 1739 - 1739 | Health status - limits lifting or carrying groceries |
| SFR_06 | 1 | 1740 - 1740 | Health status - limits climbing several flights of stairs |
| SFR_07 | 1 | 1741 - 1741 | Health status - limits climbing one flight of stairs |
| SFR_08 | 1 | 1742 - 1742 | Health status - limits bending, kneeling, stooping |
| SFR_09 | 1 | 1743 - 1743 | Health status - limits walking more than one km |
| SFR_10 | 1 | 1744 - 1744 | Health status - limits walking several blocks |
| SFR_11 | 1 | 1745 - 1745 | Health status - limits walking one block |
| SFR_12 | 1 | 1746 - 1746 | Health status - limits bathing and dressing self |
| SFR_13 | 1 | 1747 - 1747 | Physical hlth - cut down time work/activities - past 4 wks |
| SFR_14 | 1 | 1748 - 1748 | Physical htlh - accomplished less - past 4 wks |
| SFR_15 | 1 | 1749 - 1749 | Physical hlth - limited type of work/activity - past 4 wks |
| SFR_16 | 1 | 1750 - 1750 | Phys. hlth - difficulty performing work/activities - 4 wks |
| SFR_17 | 1 | 1751 - 1751 | Emotion prob. - less time spent/work/activities - past 4 wks |
| SFR_18 | 1 | 1752 - 1752 | Emotional problems - accomplished less - past 4 wks |
| SFR_19 | 1 | 1753 - 1753 | Emotional prob. - not as careful at work/act. - past 4 wks |
| SFR_20 | 1 | 1754 - 1754 | Phys./emo. prob. interfered with social act. - past 4 wks |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SFR_21 | 2 | 1755 - 1756 | Level of bodily pain - past 4 wks |
| SFR_22 | 1 | 1757 - 1757 | Pain interfered with normal work - past 4 wks |
| SFR_23 | 2 | 1758 - 1759 | Feeling full of pep - past 4 wks |
| SFR_24 | 2 | 1760 - 1761 | Feeling nervous - past 4 wks |
| SFR_25 | 2 | 1762 - 1763 | Feeling down and can't be cheered up - past 4 wks |
| SFR_26 | 2 | 1764 - 1765 | Feeling calm and peaceful - past 4 wks |
| SFR_27 | 2 | 1766 - 1767 | Have lots of energy - past 4 wks |
| SFR_28 | 2 | 1768 - 1769 | Feeling downhearted and blue - past 4 wks |
| SFR_29 | 2 | 1770 - 1771 | Feeling worn out - past 4 wks |
| SFR_30 | 2 | 1772 - 1773 | Feeling happy - past 4 wks |
| SFR_31 | 2 | 1774 - 1775 | Feeling tired - past 4 wks |
| SFR_32 | 2 | 1776 - 1777 | Health limited social activities - past 4 wks |
| SFR_33 | 1 | 1778 - 1778 | Seem to get sick easier than others |
| SFR_34 | 1 | 1779 - 1779 | Sees self as healthy as others |
| SFR_35 | 1 | 1780 - 1780 | Expects health to worsen |
| SFR_36 | 1 | 1781 - 1781 | Views own health as excellent |
| SFRDPFS | 3 | 1782 - 1784 | Physical functioning scale - (D) |
| SFRDSFS | 3 | 1785 - 1787 | Social functioning scale - (D) |
| SFRDPRF | 3 | 1788 - 1790 | Role functioning (physical) scale - (D) |
| SFRDMRF | 3 | 1791 - 1793 | Role functioning (mental) scale - (D) |
| SFRDGMH | 3 | 1794 - 1796 | General mental health scale - (D) |
| SFRDVTS | 3 | 1797 - 1799 | Vitality scale - (D) |
| SFRDBPS | 3 | 1800 - 1802 | Bodily pain scale - (D) |
| SFRDGHP | 3 | 1803 - 1805 | General health perceptions scale - (D) |
| SFRDPCS | 2 | 1806 - 1807 | Summary measure of physical health - (D) |
| SFRDMCS | 2 | 1808 - 1809 | Summary measure of mental health - (D) |
| DOACC | 1 | 1810 - 1810 | Access to health care services - Inclusion flag - (F) |
| ACC_10 | 1 | 1811 - 1811 | Required visit to medical specialist |
| ACC_11 | 1 | 1812 - 1812 | Experienced difficulties getting specialist care |
| ACC_12A | 1 | 1813 - 1813 | Difficulty - getting a referral |
| ACC_12B | 1 | 1814 - 1814 | Difficulty - getting an appointment |
| ACC_12C | 1 | 1815 - 1815 | Difficulty - no specialists in area |
| ACC_12D | 1 | 1816 - 1816 | Difficulty - waited too long for an appointment |
| ACC_12E | 1 | 1817 - 1817 | Difficulty - waited too long to see doc. |
| ACC_12F | 1 | 1818 - 1818 | Difficulty - transportation |
| ACC_12G | 1 | 1819 - 1819 | Difficulty - language |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACC_12H | 1 | 1820 - 1820 | Difficulty - cost |
| ACC_12I | 1 | 1821 - 1821 | Difficulty - personal or family responsibilities |
| ACC_12J | 1 | 1822 - 1822 | Difficulty - general deterioration of health |
| ACC_12K | 1 | 1823 - 1823 | Difficulty - appointment cancelled/deferred |
| ACC_12L | 1 | 1824 - 1824 | Difficulty - still waiting for visit |
| ACC_12M | 1 | 1825 - 1825 | Difficulty - unable to leave house / health problem |
| ACC_12N | 1 | 1826 - 1826 | Difficulty - other |
| ACC_20 | 1 | 1827 - 1827 | Required non-emergency surgery |
| ACC_21 | 1 | 1828 - 1828 | Experienced difficulties getting non-emerg. surgery |
| ACC_22A | 1 | 1829 - 1829 | Difficulty - getting an appointment with a surgeon |
| ACC_22B | 1 | 1830 - 1830 | Difficulty - getting a diagnosis |
| ACC_22C | 1 | 1831 - 1831 | Difficulty - waited too long for a diagnostic test |
| ACC_22D | 1 | 1832 - 1832 | Difficulty - waited too long for a hospital bed |
| ACC_22E | 1 | 1833 - 1833 | Difficulty - waited too long for surgery |
| ACC_22F | 1 | 1834 - 1834 | Difficulty - service not available in area |
| ACC_22G | 1 | 1835 - 1835 | Difficulty - transportation |
| ACC_22H | 1 | 1836 - 1836 | Difficulty - language |
| ACC_22I | 1 | 1837 - 1837 | Difficulty - cost |
| ACC_22J | 1 | 1838 - 1838 | Difficulty - personal or family responsibilities |
| ACC_22K | 1 | 1839 - 1839 | Difficulty - general deterioration of health |
| ACC_22L | 1 | 1840 - 1840 | Difficulty - appointment cancelled/deferred |
| ACC_22M | 1 | 1841 - 1841 | Difficulty - still waiting for surgery |
| ACC_22N | 1 | 1842 - 1842 | Difficulty - unable to leave house / health problem |
| ACC_22O | 1 | 1843 - 1843 | Difficulty - other |
| ACC_30 | 1 | 1844 - 1844 | Required MRI, CT Scan, angiography |
| ACC_31 | 1 | 1845 - 1845 | Experienced difficulties getting test |
| ACC_32A | 1 | 1846 - 1846 | Difficulty - getting a referral |
| ACC_32B | 1 | 1847 - 1847 | Difficulty - getting an appointment |
| ACC_32C | 1 | 1848 - 1848 | Difficulty - waited too long to get an appointment |
| ACC_32D | 1 | 1849 - 1849 | Difficulty - waited too long to get test |
| ACC_32E | 1 | 1850 - 1850 | Difficulty - service not available at time required |
| ACC_32F | 1 | 1851 - 1851 | Difficulty - service not available in the area |
| ACC_32G | 1 | 1852 - 1852 | Difficulty - transportation |
| ACC_32H | 1 | 1853 - 1853 | Difficulty - language |
| ACC_32I | 1 | 1854 - 1854 | Difficulty - cost |
| ACC_32J | 1 | 1855 - 1855 | Difficulty - general deterioration of health |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACC_32K | 1 | 1856 - 1856 | Difficulty - did not know where to go |
| ACC_32L | 1 | 1857 - 1857 | Difficulty - still waiting for test |
| ACC_32M | 1 | 1858 - 1858 | Difficulty - unable to leave house / health problem |
| ACC_32N | 1 | 1859 - 1859 | Difficulty - other |
| ACC_40 | 1 | 1860 - 1860 | Required health information for self or family member |
| ACC_40A | 1 | 1861 - 1861 | Contact for health information - doctor's office |
| ACC_40B | 1 | 1862 - 1862 | Contact for health information - community hlth ctr / CLSC |
| ACC_40C | 1 | 1863 - 1863 | Contact for health information - walk-in clinic |
| ACC_40D | 1 | 1864 - 1864 | Contact for health information - telephone health line |
| ACC_40E | 1 | 1865 - 1865 | Contact for health information - emergency room |
| ACC_40F | 1 | 1866 - 1866 | Contact for health information - other hospital service |
| ACC_40G | 1 | 1867 - 1867 | Contact for health information - other |
| ACC_41 | 1 | 1868 - 1868 | Experienced diff. getting health information - self/family |
| ACC_42 | 1 | 1869 - 1869 | Experienced difficulties during regular hours |
| ACC_43A | 1 | 1870 - 1870 | Difficulty - contacting a physician or nurse |
| ACC_43B | 1 | 1871 - 1871 | Difficulty - did not have a phone number |
| ACC_43C | 1 | 1872 - 1872 | Difficulty - could not get through |
| ACC_43D | 1 | 1873 - 1873 | Difficulty - waited too long to speak to someone |
| ACC_43E | 1 | 1874 - 1874 | Difficulty - did not get adequate info or advice |
| ACC_43F | 1 | 1875 - 1875 | Difficulty - language |
| ACC_43G | 1 | 1876 - 1876 | Difficulty - did not know where to go/call/uninformed |
| ACC_43H | 1 | 1877 - 1877 | Difficulty - unable to leave house / health problem |
| ACC_43I | 1 | 1878 - 1878 | Difficulty - other |
| ACC_44 | 1 | 1879 - 1879 | Experienced difficulties during evenings/weekends |
| ACC_45A | 1 | 1880 - 1880 | Difficulty - contacting a physican or nurse |
| ACC_45B | 1 | 1881 - 1881 | Difficulty - did not have a phone number |
| ACC_45C | 1 | 1882 - 1882 | Difficulty - could not get through |
| ACC_45D | 1 | 1883 - 1883 | Difficulty - waited too long to speak to someone |
| ACC_45E | 1 | 1884 - 1884 | Difficulty - did not get adequate info or advice |
| ACC_45F | 1 | 1885 - 1885 | Difficulty - language |
| ACC_45G | 1 | 1886 - 1886 | Difficulty - did not know where to go/call/uninformed |
| ACC_45H | 1 | 1887 - 1887 | Difficulty - unable to leave house / health problem |
| ACC_45I | 1 | 1888 - 1888 | Difficulty - other |
| ACC_46 | 1 | 1889 - 1889 | Experienced difficulties during middle of night |
| ACC_47A | 1 | 1890 - 1890 | Difficulty - contacting a physican or nurse |
| ACC_47B | 1 | 1891 - 1891 | Difficulty - did not have a phone number |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACC_47C | 1 | 1892 - 1892 | Difficulty - could not get through |
| ACC_47D | 1 | 1893 - 1893 | Difficulty - waited too long to speak to someone |
| ACC_47E | 1 | 1894 - 1894 | Difficulty - did not get adequate info or advice |
| ACC_47F | 1 | 1895 - 1895 | Difficulty - language |
| ACC_47G | 1 | 1896 - 1896 | Difficulty - did not know where to go/call/uninformed |
| ACC_47H | 1 | 1897 - 1897 | Difficulty - unable to leave house / health problem |
| ACC_47I | 1 | 1898 - 1898 | Difficulty - other |
| ACC_50A | 1 | 1899 - 1899 | Has a regular family doctor |
| ACC_50 | 1 | 1900 - 1900 | Required routine care for self/family |
| ACC_51 | 1 | 1901 - 1901 | Experienced diff. getting routine/on-going care - self/fam. |
| ACC_52 | 1 | 1902 - 1902 | Experienced difficulties during regular hours |
| ACC_53A | 1 | 1903 - 1903 | Difficulty - contacting a physican |
| ACC_53B | 1 | 1904 - 1904 | Difficulty - getting an appointment |
| ACC_53C | 1 | 1905 - 1905 | Difficulty - do not have a family physician |
| ACC_53D | 1 | 1906 - 1906 | Difficulty - waited too long to get an appointment |
| ACC_53E | 1 | 1907 - 1907 | Difficulty - waited too long to see doc. |
| ACC_53F | 1 | 1908 - 1908 | Difficulty - service not available at time required |
| ACC_53G | 1 | 1909 - 1909 | Difficulty - service not available in the area |
| ACC_53H | 1 | 1910 - 1910 | Difficulty - transportation |
| ACC_53I | 1 | 1911 - 1911 | Difficulty - language |
| ACC_53J | 1 | 1912 - 1912 | Difficulty - cost |
| ACC_53K | 1 | 1913 - 1913 | Difficulty - did not know where to go |
| ACC_53L | 1 | 1914 - 1914 | Difficulty - unable to leave house / health problem |
| ACC_53M | 1 | 1915 - 1915 | Difficulty - other |
| ACC_54 | 1 | 1916 - 1916 | Experienced difficulties during evenings/weekends |
| ACC_55A | 1 | 1917 - 1917 | Difficulty - contacting a physican |
| ACC_55B | 1 | 1918 - 1918 | Difficulty - getting an appointment |
| ACC_55C | 1 | 1919 - 1919 | Difficulty - do not have a family physician |
| ACC_55D | 1 | 1920 - 1920 | Difficulty - waited too long to get an appointment |
| ACC_55E | 1 | 1921 - 1921 | Difficulty - waited too long to see doc. |
| ACC_55F | 1 | 1922 - 1922 | Difficulty - service not available at time required |
| ACC_55G | 1 | 1923 - 1923 | Difficulty - service not available in the area |
| ACC_55H | 1 | 1924 - 1924 | Difficulty - transportation |
| ACC_55I | 1 | 1925 - 1925 | Difficulty - language |
| ACC_55J | 1 | 1926 - 1926 | Difficulty - cost |
| ACC_55K | 1 | 1927 - 1927 | Difficulty - did not know where to go |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACC_55L | 1 | 1928 - 1928 | Difficulty - unable to leave house / health problem |
| ACC_55M | 1 | 1929 - 1929 | Difficulty - other |
| ACC_60 | 1 | 1930 - 1930 | Required immediate care/minor health problem - self/family |
| ACC_61 | 1 | 1931 - 1931 | Experienced difficulties getting immediate care - self/fam. |
| ACC_62 | 1 | 1932 - 1932 | Experienced difficulties during regular hours |
| ACC_63A | 1 | 1933 - 1933 | Difficulty - contacting a physican |
| ACC_63B | 1 | 1934 - 1934 | Difficulty - getting an appointment |
| ACC_63C | 1 | 1935 - 1935 | Difficulty - do not have a family physician |
| ACC_63D | 1 | 1936 - 1936 | Difficulty - waited too long to get an appointment |
| ACC_63E | 1 | 1937 - 1937 | Difficulty - waited too long to see doc. |
| ACC_63F | 1 | 1938 - 1938 | Difficulty - service not available at time required |
| ACC_63G | 1 | 1939 - 1939 | Difficulty - service not available in the area |
| ACC_63H | 1 | 1940 - 1940 | Difficulty - transportation |
| ACC_63I | 1 | 1941 - 1941 | Difficulty - language |
| ACC_63J | 1 | 1942 - 1942 | Difficulty - cost |
| ACC_63K | 1 | 1943 - 1943 | Difficulty - did not know where to go |
| ACC_63L | 1 | 1944 - 1944 | Difficulty - unable to leave house / health problem |
| ACC_63M | 1 | 1945 - 1945 | Difficulty - other |
| ACC_64 | 1 | 1946 - 1946 | Experienced difficulties during evenings/weekends |
| ACC_65A | 1 | 1947 - 1947 | Difficulty - contacting a physican |
| ACC_65B | 1 | 1948 - 1948 | Difficulty - getting an appointment |
| ACC_65C | 1 | 1949 - 1949 | Difficulty - do not have a family physician |
| ACC_65D | 1 | 1950 - 1950 | Difficulty - waited too long to get an appointment |
| ACC_65E | 1 | 1951 - 1951 | Difficulty - waited too long to see doc. |
| ACC_65F | 1 | 1952 - 1952 | Difficulty - service not available at time required |
| ACC_65G | 1 | 1953 - 1953 | Difficulty - service not available in the area |
| ACC_65H | 1 | 1954 - 1954 | Difficulty - transportation |
| ACC_65I | 1 | 1955 - 1955 | Difficulty - language |
| ACC_65J | 1 | 1956 - 1956 | Difficulty - cost |
| ACC_65K | 1 | 1957 - 1957 | Difficulty - did not know where to go |
| ACC_65L | 1 | 1958 - 1958 | Difficulty - unable to leave house / health problem |
| ACC_65M | 1 | 1959 - 1959 | Difficulty - other |
| ACC_66 | 1 | 1960 - 1960 | Experienced difficulties during middle of night |
| ACC_67A | 1 | 1961 - 1961 | Difficulty - contacting a physican |
| ACC_67B | 1 | 1962 - 1962 | Difficulty - getting an appointment |
| ACC_67C | 1 | 1963 - 1963 | Difficulty - do not have a family physician |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACC_67D | 1 | 1964 - 1964 | Difficulty - waited too long to get an appointment |
| ACC_67E | 1 | 1965 - 1965 | Difficulty - waited too long to see doc. |
| ACC_67F | 1 | 1966 - 1966 | Difficulty - service not available at time required |
| ACC_67G | 1 | 1967 - 1967 | Difficulty - service not available in the area |
| ACC_67H | 1 | 1968 - 1968 | Difficulty - transportation |
| ACC_67I | 1 | 1969 - 1969 | Difficulty - language |
| ACC_67J | 1 | 1970 - 1970 | Difficulty - cost |
| ACC_67K | 1 | 1971 - 1971 | Difficulty - did not know where to go |
| ACC_67L | 1 | 1972 - 1972 | Difficulty - unable to leave house / health problem |
| ACC_67M | 1 | 1973 - 1973 | Difficulty - other |
| DOWTM | 1 | 1974 - 1974 | Waiting times - Inclusion Flag - (F) |
| WTM_01 | 1 | 1975 - 1975 | Required visit to medical specialist |
| WTM_02 | 2 | 1976 - 1977 | Required visit to medical specialist - type of condition |
| WTM_03 | 1 | 1978 - 1978 | Person who referred respondent to medical specialist |
| WTM_04 | 1 | 1979 - 1979 | Already visited the medical specialist |
| WTM_05 | 1 | 1980 - 1980 | Had difficulties seeing the medical specialist |
| WTM_06A | 1 | 1981 - 1981 | Difficulty - getting a referral |
| WTM_06B | 1 | 1982 - 1982 | Difficulty - getting an appointment |
| WTM_06C | 1 | 1983 - 1983 | Difficulty - no specialists in area |
| WTM_06D | 1 | 1984 - 1984 | Difficulty - waited too long for an appointment |
| WTM_06E | 1 | 1985 - 1985 | Difficulty - waited too long to see doctor |
| WTM_06F | 1 | 1986 - 1986 | Difficulty - transportation |
| WTM_06G | 1 | 1987 - 1987 | Difficulty - language |
| WTM_06H | 1 | 1988 - 1988 | Difficulty - cost |
| WTM_06I | 1 | 1989 - 1989 | Difficulty - personal or family responsibilities |
| WTM_06J | 1 | 1990 - 1990 | Difficulty - general deterioration of health |
| WTM_06K | 1 | 1991 - 1991 | Difficulty - appointment cancelled/deferred |
| WTM_06L | 1 | 1992 - 1992 | Difficulty - unable to leave house/health problem |
| WTM_06M | 1 | 1993 - 1993 | Difficulty - other |
| WTM_07A | 3 | 1994 - 1996 | Length of wait to see specialist |
| WTM_07B | 1 | 1997 - 1997 | Length of wait to see specialist - reporting unit |
| WTM_08A | 3 | 1998 - 2000 | Length of time been waiting to see specialist |
| WTM_08B | 1 | 2001 - 2001 | Length of time been waiting to see specialist - report. unit |
| WTM_10 | 1 | 2002 - 2002 | Respondent's opinion of waiting time |
| WTM_11A | 3 | 2003 - 2005 | Acceptable waiting time |
| WTM_11B | 1 | 2006 - 2006 | Acceptable waiting time - reporting unit |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTM_12 | 1 | 2007 - 2007 | Visit to specialist cancelled or postponed |
| WTM_13A | 1 | 2008 - 2008 | Visit cancelled/postponed - by respondent |
| WTM_13B | 1 | 2009 - 2009 | Visit cancelled/postponed - by specialist |
| WTM_13C | 1 | 2010 - 2010 | Visit cancelled/postponed - by other |
| WTM_14 | 1 | 2011 - 2011 | Life affected by wait for visit to specialist |
| WTM_15A | 1 | 2012 - 2012 | Life affected by wait - worry |
| WTM_15B | 1 | 2013 - 2013 | Life affected by wait - worry for family |
| WTM_15C | 1 | 2014 - 2014 | Life affected by wait - pain |
| WTM_15D | 1 | 2015 - 2015 | Life affected by wait - prob. with activities/daily living |
| WTM_15E | 1 | 2016 - 2016 | Life affected by wait - loss of work |
| WTM_15F | 1 | 2017 - 2017 | Life affected by wait - loss of income |
| WTM_15G | 1 | 2018 - 2018 | Life affected by wait - increased dependence |
| WTM_15H | 1 | 2019 - 2019 | Life affected by wait - increased use medications |
| WTM_15I | 1 | 2020 - 2020 | Life affected by wait - health deteriorated |
| WTM_15J | 1 | 2021 - 2021 | Life affected by wait - health problem improved |
| WTM_15K | 1 | 2022 - 2022 | Life affected by wait - pers. relationships suffered |
| WTM_15L | 1 | 2023 - 2023 | Life affected by wait - other |
| WTM_16 | 2 | 2024 - 2025 | Type of surgery required |
| WTM_17 | 1 | 2026 - 2026 | Already had the surgery |
| WTM_18 | 1 | 2027 - 2027 | Surgery required overnight hospital stay |
| WTM_19 | 1 | 2028 - 2028 | Experienced difficulties getting this surgery |
| WTM_20A | 1 | 2029 - 2029 | Difficulty - getting an appointment |
| WTM_20B | 1 | 2030 - 2030 | Difficulty - getting a diagnosis |
| WTM_20C | 1 | 2031 - 2031 | Difficulty - waited too long for a diagnostic test |
| WTM_20D | 1 | 2032 - 2032 | Difficulty - waited too long for a hospital bed |
| WTM_20E | 1 | 2033 - 2033 | Difficulty - waited too long for surgery |
| WTM_20F | 1 | 2034 - 2034 | Difficulty - service not available in area |
| WTM_20G | 1 | 2035 - 2035 | Difficulty - transportation |
| WTM_20H | 1 | 2036 - 2036 | Difficulty - language |
| WTM_20I | 1 | 2037 - 2037 | Difficulty - cost |
| WTM_20J | 1 | 2038 - 2038 | Difficulty - personal or family responsibilities |
| WTM_20K | 1 | 2039 - 2039 | Difficulty - general deterioration of health |
| WTM_20L | 1 | 2040 - 2040 | Difficulty - appointment cancelled/deferred |
| WTM_20M | 1 | 2041 - 2041 | Difficulty - unable to leave house/health problem |
| WTM_20N | 1 | 2042 - 2042 | Difficulty - other |
| WTM_21A | 3 | 2043 - 2045 | Length of wait between decision and surgery |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTM_21B | 1 | 2046 - 2046 | Length of wait between decision and surgery - reported unit |
| WTM_22 | 1 | 2047 - 2047 | Surgery will require overnight hospital stay |
| WTM_23A | 3 | 2048 - 2050 | Time since decision to have surgery |
| WTM_23B | 1 | 2051 - 2051 | Time since decision to have surgery - reported unit |
| WTM_24 | 1 | 2052 - 2052 | Respondent's opinion of waiting time |
| WTM_25A | 3 | 2053 - 2055 | Acceptable waiting time |
| WTM_25B | 1 | 2056 - 2056 | Acceptable waiting time - reported unit |
| WTM_26 | 1 | 2057 - 2057 | Surgery cancelled or postponed |
| WTM_27A | 1 | 2058 - 2058 | Surgery cancelled/postponed - by respondent |
| WTM_27B | 1 | 2059 - 2059 | Surgery cancelled/postponed - by surgeon |
| WTM_27C | 1 | 2060 - 2060 | Surgery cancelled/postponed - by hospital |
| WTM_27D | 1 | 2061 - 2061 | Surgery cancelled/postponed - other |
| WTM_28 | 1 | 2062 - 2062 | Life affected by wait for surgery |
| WTM_29A | 1 | 2063 - 2063 | Life affected by wait - worry |
| WTM_29B | 1 | 2064 - 2064 | Life affected by wait - worry for family |
| WTM_29C | 1 | 2065 - 2065 | Life affected by wait - pain |
| WTM_29D | 1 | 2066 - 2066 | Life affected by wait - prob. with activities/daily living |
| WTM_29E | 1 | 2067 - 2067 | Life affected by wait - loss of work |
| WTM_29F | 1 | 2068 - 2068 | Life affected by wait - loss of income |
| WTM_29G | 1 | 2069 - 2069 | Life affected by wait - increased dependence |
| WTM_29H | 1 | 2070 - 2070 | Life affected by wait - increased used of medication |
| WTM_29I | 1 | 2071 - 2071 | Life affected by wait - health deteriorated |
| WTM_29J | 1 | 2072 - 2072 | Life affected by wait - health problem improved |
| WTM_29K | 1 | 2073 - 2073 | Life affected by wait - personal relationships suffered |
| WTM_29L | 1 | 2074 - 2074 | Life affected by wait - other |
| WTM_30 | 1 | 2075 - 2075 | Type of diagnostic test required |
| WTM_31 | 1 | 2076 - 2076 | Required diagnostic test - type of condition |
| WTM_32 | 1 | 2077 - 2077 | Already had diagnostic test |
| WTM_33 | 1 | 2078 - 2078 | Location of test |
| WTM_34 | 1 | 2079 - 2079 | Location of clinic |
| WTM_35 | 1 | 2080 - 2080 | Patient in hospital at time of test |
| WTM_36 | 1 | 2081 - 2081 | Had difficulties getting the diagnostic test |
| WTM_37A | 1 | 2082 - 2082 | Difficulty - getting a referral |
| WTM_37B | 1 | 2083 - 2083 | Difficulty - getting an appointment |
| WTM_37C | 1 | 2084 - 2084 | Difficulty - waited too long to get an appointment |
| WTM_37D | 1 | 2085 - 2085 | Difficulty - waited long to get test |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTM_37E | 1 | 2086 - 2086 | Difficulty - service not available at time required |
| WTM_37F | 1 | 2087 - 2087 | Difficulty - service not available in area |
| WTM_37G | 1 | 2088 - 2088 | Difficulty - transportation |
| WTM_37H | 1 | 2089 - 2089 | Difficulty - language |
| WTM_37I | 1 | 2090 - 2090 | Difficulty - cost |
| WTM_37J | 1 | 2091 - 2091 | Difficulty - general deterioration of health |
| WTM_37K | 1 | 2092 - 2092 | Difficulty - did not know where to get information |
| WTM_37L | 1 | 2093 - 2093 | Difficulty - unable to leave house/health problem |
| WTM_37M | 1 | 2094 - 2094 | Difficulty - other |
| WTM_38A | 3 | 2095 - 2097 | Length of wait between decision and test |
| WTM_38B | 1 | 2098 - 2098 | Length of wait between decision and test - reporting unit |
| WTM_39A | 3 | 2099 - 2101 | Length of time been waiting for diagnostic test |
| WTM_39B | 1 | 2102 - 2102 | Length of time been waiting for diagnostic test - unit |
| WTM_40 | 1 | 2103 - 2103 | Respondent's opinion of waiting time |
| WTM_41A | 3 | 2104 - 2106 | Acceptable waiting time |
| WTM_41B | 1 | 2107 - 2107 | Acceptable waiting time - unit |
| WTM_42 | 1 | 2108 - 2108 | Test cancelled or postponed |
| WTM_43 | 1 | 2109 - 2109 | Test cancelled or postponed by |
| WTM_44 | 1 | 2110 - 2110 | Life affected by wait for test |
| WTM_45A | 1 | 2111 - 2111 | Life affected by wait - worry |
| WTM_45B | 1 | 2112 - 2112 | Life affected by wait - worry for family |
| WTM_45C | 1 | 2113 - 2113 | Life affected by wait - pain |
| WTM_45D | 1 | 2114 - 2114 | Life affected by wait - prob. with activities/daily living |
| WTM_45E | 1 | 2115 - 2115 | Life affected by wait - loss of work |
| WTM_45F | 1 | 2116 - 2116 | Life affected by wait - loss of income |
| WTM_45G | 1 | 2117 - 2117 | Life affected by wait - increased dependence |
| WTM_45H | 1 | 2118 - 2118 | Life affected by wait - increased use medications |
| WTM_45I | 1 | 2119 - 2119 | Life affected by wait - health deteriorated |
| WTM_45J | 1 | 2120 - 2120 | Life affected by wait - health problem improved |
| WTM_45K | 1 | 2121 - 2121 | Life affected by wait - personal relationships suffered |
| WTM_45L | 1 | 2122 - 2122 | Life affected by wait - other |
| WTMDSO | 4 | 2123 - 2126 | Number/days wait/medical specialist - seen specialist - (D) |
| WTMDSN | 4 | 2127 - 2130 | Number/days wait/medical specialist - not seen spec. - (D) |
| WTMDSA | 4 | 2131 - 2134 | Number of days acceptable wait - med. specialist - (D) |
| WTMDCO | 4 | 2135 - 2138 | Number of days wait - non-urgent surgery - surgery done - (D |
| WTMDCN | 4 | 2139 - 2142 | Number of days wait - non-urgent surgery - not done - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTMDCA | 4 | 2143 - 2146 | Number of days acceptable wait - non emergency surgery - (D) |
| WTMDTO | 4 | 2147 - 2150 | Number of days wait - diagnostic test - done - (D) |
| WTMDTN | 4 | 2151 - 2154 | Number of days wait - diagnostic test - not done - (D) |
| WTMDTA | 4 | 2155 - 2158 | Number of days acceptable wait - diagnostic test - (D) |
| LBS_01 | 1 | 2159 - 2159 | Worked at job or business last week |
| LBS_02 | 1 | 2160 - 2160 | Absent from job or business last week |
| LBS_03 | 1 | 2161 - 2161 | Had more than one job or business last week |
| LBS_11 | 1 | 2162 - 2162 | Looked for work in past 4 weeks |
| LBS_31 | 1 | 2163 - 2163 | Employee or self-employed |
| LBSF32 | 1 | 2164 - 2164 | Response entered-name of business (self-employed) - (F) |
| LBSF33 | 1 | 2165 - 2165 | Response entered - whom you work for - (F) |
| LBSF34 | 1 | 2166 - 2166 | Response entered - kind of business - (F) |
| LBSF35 | 1 | 2167 - 2167 | Response entered - kind of work - (F) |
| LBSCSIC | 6 | 2168 - 2173 | N. American Industry Classification System (NAICS) 2007 |
| LBSCSOC | 6 | 2174 - 2179 | Natl. Occupation Classification for (NOCS) 2006 |
| LBSF36 | 1 | 2180 - 2180 | Response entered - most important duties at work - (F) |
| LBS_42 | 3 | 2181 - 2183 | Usual number of hours worked - current main job |
| LBS_53 | 3 | 2184 - 2186 | Usual number of hours worked - current other job |
| LBSDHPW | 3 | 2187 - 2189 | Total usual hours worked - current jobs - (D) |
| LBSDPFT | 1 | 2190 - 2190 | Current - full-time / part-time status - (D) |
| LBSDWSS | 1 | 2191 - 2191 | Working status last week - 4 groups - (D) |
| LBSDING | 2 | 2192 - 2193 | Industry group - (D) |
| LBSDOCG | 2 | 2194 - 2195 | Occupation group - (D) |
| DOLOP | 1 | 2196 - 2196 | Loss of production - Inclusion Flag - (F) |
| LOP_015 | 1 | 2197 - 2197 | Were you employed in past three months? |
| LOP_020 | 2 | 2198 - 2199 | Reason for not working |
| LOP_030 | 1 | 2200 - 2200 | Missed work due to chronic condition |
| LOP_040 | 2 | 2201 - 2202 | Number of work days lost due to chronic condition |
| LOP_050 | 2 | 2203 - 2204 | Chronic condition |
| LOP_060 | 1 | 2205 - 2205 | Missed work due to injury |
| LOP_070 | 2 | 2206 - 2207 | Number of work days missed due to injury |
| LOP_080 | 1 | 2208 - 2208 | Missed work due to infectious disease |
| LOP_81A | 1 | 2209 - 2209 | Had a cold |
| LOP_81B | 1 | 2210 - 2210 | Had the flu or influenza |
| LOP_81C | 1 | 2211 - 2211 | Stomach Flu |
| LOP_81D | 1 | 2212 - 2212 | Respiratory infection |

| Variable | Length | Position | Concept |
|---|---|---|---|
| LOP_81E | 1 | 2213 - 2213 | Other |
| LOP_082 | 2 | 2214 - 2215 | Number of work days missed due to cold |
| LOP_083 | 2 | 2216 - 2217 | Number of work days missed due to flu or influenza |
| LOP_084 | 2 | 2218 - 2219 | Number of work days missed due to stomach flu |
| LOP_085 | 2 | 2220 - 2221 | Number of work days missed due to respiratory infection |
| LOP_086 | 2 | 2222 - 2223 | Number of work days missed due to other infectious disease |
| LOP_090 | 1 | 2224 - 2224 | Missed work for any other reason related to ph. or m. health |
| LOP_100 | 2 | 2225 - 2226 | Nbr of work days missed related to physical or mental health |
| EDU_1 | 1 | 2227 - 2227 | Highest grade of elementary or high school completed |
| EDU_2 | 1 | 2228 - 2228 | Graduated from high school (2ndary school) |
| EDU_3 | 1 | 2229 - 2229 | Received any other education |
| EDU_4A | 2 | 2230 - 2231 | Highest degree, certificate or diploma obtained |
| EDUDH04 | 1 | 2232 - 2232 | Highest level of education – household, 4 levels - (D) |
| EDUDH10 | 2 | 2233 - 2234 | Highest level of education - household, 10 levels - (D) |
| EDUDR04 | 1 | 2235 - 2235 | Highest level of education - respondent, 4 levels - (D) |
| EDUDR10 | 2 | 2236 - 2237 | Highest level of education - respondent, 10 levels - (D) |
| SDC_8 | 1 | 2238 - 2238 | Current student |
| SDC_9 | 1 | 2239 - 2239 | Full time or part-time student or both |
| SDCCCB13 | 5 | 2240 - 2244 | Country of birth - Coded |
| SDCGCB10 | 2 | 2245 - 2246 | Country of birth - (G) |
| SDC_2 | 1 | 2247 - 2247 | Canadian citizen by birth |
| SDC_3 | 4 | 2248 - 2251 | Year of immigration to Canada |
| SDC_4A | 1 | 2252 - 2252 | Ethnic origin - Canadian |
| SDC_4B | 1 | 2253 - 2253 | Ethnic origin - French |
| SDC_4C | 1 | 2254 - 2254 | Ethnic origin - English |
| SDC_4D | 1 | 2255 - 2255 | Ethnic origin - German |
| SDC_4E | 1 | 2256 - 2256 | Ethnic origin - Scottish |
| SDC_4F | 1 | 2257 - 2257 | Ethnic origin - Irish |
| SDC_4G | 1 | 2258 - 2258 | Ethnic origin - Italian |
| SDC_4H | 1 | 2259 - 2259 | Ethnic origin - Ukrainian |
| SDC_4I | 1 | 2260 - 2260 | Ethnic origin - Dutch (Netherlands) |
| SDC_4J | 1 | 2261 - 2261 | Ethnic origin - Chinese |
| SDC_4K | 1 | 2262 - 2262 | Ethnic origin - Jewish |
| SDC_4L | 1 | 2263 - 2263 | Ethnic origin - Polish |
| SDC_4M | 1 | 2264 - 2264 | Ethnic origin - Portuguese |
| SDC_4N | 1 | 2265 - 2265 | Ethnic origin - South Asian |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SDC_4T | 1 | 2266 - 2266 | Ethnic origin - Norwegian |
| SDC_4U | 1 | 2267 - 2267 | Ethnic origin - Welsh |
| SDC_4V | 1 | 2268 - 2268 | Ethnic origin - Swedish |
| SDC_4P | 1 | 2269 - 2269 | Ethnic origin - North American Indian |
| SDC_4Q | 1 | 2270 - 2270 | Ethnic origin - Métis |
| SDC_4R | 1 | 2271 - 2271 | Ethnic origin - Inuit |
| SDC_4S | 1 | 2272 - 2272 | Ethnic origin - other |
| SDC_41 | 1 | 2273 - 2273 | Aboriginal - First nation, Métis or Inuk/Inuit |
| SDC_42A | 1 | 2274 - 2274 | Aboriginal - First nation |
| SDC_42B | 1 | 2275 - 2275 | Aboriginal - Métis |
| SDC_42C | 1 | 2276 - 2276 | Aboriginal - Inuk/Inuit |
| SDC_43A | 1 | 2277 - 2277 | Cultural / racial origin - White |
| SDC_43C | 1 | 2278 - 2278 | Cultural/racial origin - South Asian |
| SDC_43B | 1 | 2279 - 2279 | Cultural/racial origin - Chinese |
| SDC_43D | 1 | 2280 - 2280 | Cultural/racial origin - Black |
| SDC_43E | 1 | 2281 - 2281 | Cultural/racial origin - Filipino |
| SDC_43F | 1 | 2282 - 2282 | Cultural/racial origin - Latin American |
| SDC_43H | 1 | 2283 - 2283 | Cultural/racial origin - Arab |
| SDC_43G | 1 | 2284 - 2284 | Cultural/racial origin - South East Asian |
| SDC_43I | 1 | 2285 - 2285 | Cultural/racial origin - West Asian |
| SDC_43K | 1 | 2286 - 2286 | Cultural/racial origin - Korean |
| SDC_43J | 1 | 2287 - 2287 | Cultural/racial origin - Japanese |
| SDC_43M | 1 | 2288 - 2288 | Cultural/racial origin - other |
| SDC_5A_1 | 1 | 2289 - 2289 | Knowledge of official languages |
| SDCC5B1 | 8 | 2290 - 2297 | Language most often spoken - home |
| SDCC5B2 | 8 | 2298 - 2305 | Language most often spoken - home |
| SDCC5B3 | 8 | 2306 - 2313 | Language most often spoken - home |
| SDCC61 | 8 | 2314 - 2321 | Mother tongue |
| SDCC62 | 8 | 2322 - 2329 | Mother tongue |
| SDCC63 | 8 | 2330 - 2337 | Mother tongue |
| SDCDFOLS | 1 | 2338 - 2338 | First official language spoken - (D) |
| DHH_OWN | 1 | 2339 - 2339 | Dwelling ownership - own or rent |
| SDC_7AA | 1 | 2340 - 2340 | Considers self heterosexual, homosexual or bisexual |
| SDCDLHM | 2 | 2341 - 2342 | Language(s) spoken most often at home (D) |
| SDCDAIM | 3 | 2343 - 2345 | Age at time of immigration - (D) |
| SDCFIMM | 1 | 2346 - 2346 | Immigrant - (F) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SDCDRES | 3 | 2347 - 2349 | Length of time in Canada since immigration - (D) |
| SDCDFL1 | 2 | 2350 - 2351 | Mother tongue - (D) |
| SDCDABT | 1 | 2352 - 2352 | Aboriginal identity - (D) |
| SDCDCGT | 2 | 2353 - 2354 | Cultural / racial background - (D) |
| PMKPROXY | 1 | 2355 - 2355 | Person most knowledgeable |
| DOINS | 1 | 2356 - 2356 | Insurance coverage - Inclusion Flag - (F) |
| INS_1 | 1 | 2357 - 2357 | Insurance - prescription medications |
| INS_1A | 1 | 2358 - 2358 | Type of insurance for prescription meds - government |
| INS_1B | 1 | 2359 - 2359 | Type of insurance for prescription meds - employer |
| INS_1C | 1 | 2360 - 2360 | Type of insurance for prescription meds - private plan |
| INS_2 | 1 | 2361 - 2361 | Insurance - dental expenses |
| INS_2A | 1 | 2362 - 2362 | Type of dental insurance - government |
| INS_2B | 1 | 2363 - 2363 | Type of dental insurance - employer |
| INS_2C | 1 | 2364 - 2364 | Type of dental insurance - private plan |
| INS_3 | 1 | 2365 - 2365 | Insurance - eye glasses / contact lenses |
| INS_3A | 1 | 2366 - 2366 | Type of insurance for eye glasses/contacts - government |
| INS_3B | 1 | 2367 - 2367 | Type of insurance for eye glasses/contacts - employer |
| INS_3C | 1 | 2368 - 2368 | Type of insurance for eye glasses/contacts - private plan |
| INS_4 | 1 | 2369 - 2369 | Insurance - hospital charges |
| INS_4A | 1 | 2370 - 2370 | Type of insurance for hospital room charges - government |
| INS_4B | 1 | 2371 - 2371 | Type of insurance for hospital room charges - employer |
| INS_4C | 1 | 2372 - 2372 | Type of insurance for hospital room charges - private plan |
| DOFSC | 1 | 2373 - 2373 | Food security - Inclusion Flag - (F) |
| FSC_010 | 1 | 2374 - 2374 | Food situation in household - 12 mo |
| FSC_020 | 1 | 2375 - 2375 | Worried food would run out - 12 mo |
| FSC_030 | 1 | 2376 - 2376 | Food bought just didn't last and no money to buy more -12 mo |
| FSC_040 | 1 | 2377 - 2377 | Could not afford to eat balanced meals - 12 mo |
| FSC_050 | 1 | 2378 - 2378 | Relied on few kinds of low-cost food for children - 12 mo |
| FSC_060 | 1 | 2379 - 2379 | Could not feed children a balanced meal - 12 mo |
| FSC_070 | 1 | 2380 - 2380 | Children were not eating enough - 12 mo |
| FSC_080 | 1 | 2381 - 2381 | Adults skipped or cut size of meals - 12 mo |
| FSC_081 | 1 | 2382 - 2382 | Adults skipped or cut size of meals - frequency - 12 mo |
| FSC_090 | 1 | 2383 - 2383 | Ate less than felt should - 12 mo |
| FSC_100 | 1 | 2384 - 2384 | Was hungry but could not afford to eat - 12 mo |
| FSC_110 | 1 | 2385 - 2385 | Lost weight no money to buy food- 12 mo |
| FSC_120 | 1 | 2386 - 2386 | Adults did not eat for whole day - 12 mo |

| Variable | Length | Position | Concept |
|---|---|---|---|
| FSC_121 | 1 | 2387 - 2387 | Adults did not eat whole day - frequency - 12 mo |
| FSC_130 | 1 | 2388 - 2388 | Adults cut size of children's meals - 12 mo |
| FSC_140 | 1 | 2389 - 2389 | Children skipped meals - 12 mo |
| FSC_141 | 1 | 2390 - 2390 | Children skipped meals - frequency - 12 mo |
| FSC_150 | 1 | 2391 - 2391 | Children were hungry - 12 mo |
| FSC_160 | 1 | 2392 - 2392 | Children did not eat for whole day - 12 mo |
| FSCDHFS2 | 1 | 2393 - 2393 | Household Food Security Status - Modified version - (D) |
| FSCDAFS2 | 1 | 2394 - 2394 | Food Security - Adult Status (D) |
| FSCDCFS2 | 1 | 2395 - 2395 | Food Security - Child Status (D) |
| INC_1A | 1 | 2396 - 2396 | Source of household income - wages and salaries |
| INC_1B | 1 | 2397 - 2397 | Source of household income - self-employment |
| INC_1C | 1 | 2398 - 2398 | Source of household income - dividends and interest |
| INC_1D | 1 | 2399 - 2399 | Source of household income - employment insurance |
| INC_1E | 1 | 2400 - 2400 | Source of household income - worker's compensation |
| INC_1F | 1 | 2401 - 2401 | Source of hh income - benefits from Can. / Que. Pension Plan |
| INC_1G | 1 | 2402 - 2402 | Srce of hh income - pensions, superan. and annuities |
| INC_1O | 1 | 2403 - 2403 | Source of household income - RRSP/RRIF |
| INC_1H | 1 | 2404 - 2404 | Source of household income - Old Age Security / G.I.S. |
| INC_1J | 1 | 2405 - 2405 | Source of household income - social assistance / welfare |
| INC_1I | 1 | 2406 - 2406 | Source of household income - child tax benefit |
| INC_1K | 1 | 2407 - 2407 | Source of household income - child support |
| INC_1L | 1 | 2408 - 2408 | Source of household income - alimony |
| INC_1M | 1 | 2409 - 2409 | Source of household income - other |
| INC_1N | 1 | 2410 - 2410 | Source of household income - none |
| INC_2 | 2 | 2411 - 2412 | Total household income - main source |
| INC_3 | 8 | 2413 - 2420 | Total household income - best estimate |
| INC_6A | 1 | 2421 - 2421 | Sources personal income: Wages and salaries |
| INC_6B | 1 | 2422 - 2422 | Sources personal income: Income from self-employment |
| INC_6C | 1 | 2423 - 2423 | Sources personal income: Dividends and interest |
| INC_6D | 1 | 2424 - 2424 | Sources personal income: Employment insurance |
| INC_6E | 1 | 2425 - 2425 | Sources personal income: Worker's compensation |
| INC_6F | 1 | 2426 - 2426 | Sources personal income: Canada or Quebec Pension Plan |
| INC_6G | 1 | 2427 - 2427 | Sources personal income: Job related retirement pensions |
| INC_6H | 1 | 2428 - 2428 | Sources personal income: RRSP/RRIF |
| INC_6I | 1 | 2429 - 2429 | Sources personal income: Old Age Security and Guaranteed Inc |
| INC_6J | 1 | 2430 - 2430 | Sources personal income: social assistance or welfare |

| Variable | Length | Position | Concept |
|---|---|---|---|
| INC_6K | 1 | 2431 - 2431 | Sources personal income: Child tax benefits |
| INC_6L | 1 | 2432 - 2432 | Sources personal income: Child support |
| INC_6M | 1 | 2433 - 2433 | Sources personal income: Alimony |
| INC_6N | 1 | 2434 - 2434 | Sources personal income: Other |
| INC_6O | 1 | 2435 - 2435 | Sources personal income: None |
| INC_7 | 2 | 2436 - 2437 | Main source of personal income |
| INC_8A | 8 | 2438 - 2445 | Total personal income |
| INC_8B | 1 | 2446 - 2446 | Total personal income: Ranges |
| INC_8C | 2 | 2447 - 2448 | Total personal income: Range 1 |
| INC_8D | 2 | 2449 - 2450 | Total personal income: Range 2 |
| INCFIMP4 | 1 | 2451 - 2451 | Income Imputation |
| INCDHH | 2 | 2452 - 2453 | Total household income from all sources - (D) |
| INCDPER | 2 | 2454 - 2455 | Total personal income from all sources - (D) |
| INCDADR | 11.9 | 2456 - 2466 | Adjusted household income ratio - (D) |
| INCDRCA | 2 | 2467 - 2468 | Household income distribution - (D) |
| INCDRPR | 2 | 2469 - 2470 | Household income distribution - provincial level - (D) |
| INCDRRS | 2 | 2471 - 2472 | Household income distribution - health region level - (D) |
| WTS_M | 8.2 | 2473 - 2480 | Weights - Master |
| WTS_S | 8.2 | 2481 - 2488 | Weights - Share |